Usenet Newsgroup Archive: rec.radio.amateur.equipment

2002-06 - 2002-12

These Usenet messages were preserved as a plain-text archive. This PDF was generated by Digital Library of Amateur Radio & Communications from the source text file in 2026.

Date span: 2002-06-01 through 2002-12-31

Source text: rec.radio.amateur.equipment.txt

Source item: https://archive.org/details/usenet-rec

Messages included in this PDF: 7,821

Message records with no readable body available in the source text: 9

Messages are presented chronologically by archived date.

Binary or encoded payloads are not printed as blocks of encoded text; a placeholder appears where such material was detected. The original source text is unchanged.

1. Re: best Speech Processor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 00:03:12 UTC
From: "n7ws at arrl net"
Message-ID: <3cf80757.23137453@news.triconet.org>
Source record: 42812
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

On Fri, 31 May 2002 17:36:45 -0400, "Rob" <Pse@NoEmail.Com> wrote:

|Many thanks for all the comments. I am curious. What about the W2IHY
|Technologies 8-Band Audio Equalizer and Noise Gate that is advertised in
|QST. Will it achieve similar results as a good speech processor?

The short answer is NO.

But you can have endless fun on the air talking to others that are using them, particularly the guys that have bypassed the audio stages in the rig and are driving the balanced modulator directly.

"Okay, I've boosted 50 Hz by 1 dB and cut 400 Hz by 2 dB. How do I sound now."

"Just a minute, I recorded you... let me play it back."

"Hmmm. Well, I dunno... let me boost 50 Hz by another dB. How does that sound?"

"Oh, much better. Now try boosting 4 KHz just a bit...."

And the cell phone company thought they were original with, "Can you hear me now?"

You can also enjoy annoying the others trying to operate in close proximity, especially with the opposite sideband burble you're now transmitting as you attempt to extend your frequency response to 0 Hz.

Wes Stewart N7WS

(Written with tongue only slightly in cheek)

2. 2 P-200 UHF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 01:24:16 UTC
From: as3a23@aol.com
Message-ID: <b3e520d2.0205311724.4f2cba9@posting.google.com>
Source record: 42813

I HAVE 2 BRAND NEW P-200 UHF RADIOS. FREQUENCY 440-470MHZ COMES WITH RAPID CHARGERS AND NEW BATTERYS. I WANT A $150.00 EACH RADIO. IF YOU NEED THEM PROGRAMED I CAN GET THEM DONE. PLEASE E-MAIL ME AT AS3A23@AOL.COM

3. Re: Yaesu vx150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 01:33:28 UTC
From: Idontwantspam@net
Message-ID: <3cf82279.9597290@news.bellatlantic.net>
Source record: 42814

On Fri, 31 May 2002 17:44:19 +0000 (UTC), "Tom G" <tmg9252@aol.com>
wrote:

>Anyone have any comments on this 2m hand held. Thinking of getting one.
>
I have been happy with mine, and a couple of others in the local club
are happy with theirs as well.

Rugged, and very easy on the batteries when monitoring.

Deals better than most with RF interference.

When in a pouch, the top mount display is very helpful by being
visible.

Lose the original antenna and upgrade. I use a flex 1/4 wave and get
very good coverage.

With 207 memories, you will want the programming software.

I wish they made a dual band one.
Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

4. ICOM IC-505

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 01:48:15 UTC
From: Richard Teague <k5btp@centurytel.net>
Message-ID: <ad98hpuh1@feed.centurytel.net>
Source record: 42815

Anybody got an IC-505 for sale? I used to have one, but it was stolen out of my car. I would like to find an IC-502 as well.

5. Re: TS-570 transmit audio response

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 01:55:32 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0205311755.7e0814f@posting.google.com>
Source record: 42816

Peter Dougherty <ve3thx@nac.net> wrote in message
news:<vfsffuojtmdil0npf8fbroj6q097tll9lo@4ax.com>...
> I understand these concerns, but I was hoping to get a better fuller
> sound if possible. It appears not to be, so I'll have to wait for that
> TS-940, I guess. Since 90% of my operation is DX hunting anyway, I
> don't mind the highs. I just want to get audio that isn't quite so
> lifeless and dull. With 100W and a dipole, I need every bit of
> advantage I can get!

It seems strange that you would really notice a problem with the audio
on the 570. Myself, I've never noticed any problems on the ones I've
heard, and they seem to sound about the same as most other kenwoods.
It's possible the alignment may be off a tad. But if this is the case
usually the radio will appear lopsided as you switch from usb to lsb.
One will be tinny, and the other real flat and bassy. I think you said
you adjusted the DSP? and any carrier balance controls. It's usually
the carrier balance that would cause that problem in a radio that is
not adjustable. You sure it's not the mike? I'm not really familiar
with that particular EV mike, but most EV's I've run across didn't
have that much bass response. I'm sure they vary though.. Have you
tried it with no EQ? There really shouldn't be much need for EQ if you
have a good mike and a good impedance match. If it were me, I'd try a
good dynamic mike with no EQ and see what happens. I've never really
seen a kenwood that didn't sound good with nothing more than a good
dynamic mike. So if your's doesn't, I'd be wondering what the heck...
I use no EQ or audio rack at all here. Just a good audio technica
dynamic mike.
You don't want too much bass. It's a power waster if you run mostly
dx. But I know what you mean, I don't like them tinny sounding either.
I tape my back ports up on mine so I don't have too much bass. I'm
not running a 570 here so can only go by what I hear on this end. I
thought they were a pretty good sounding radio unless I was missing
something. I hear quite a few of them. MK

6. Re: What was your first "store bought" rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 01:57:18 UTC
From: treynolds@my-deja.com
Message-ID: <ad7a9af4.0205311757.4faaf789@posting.google.com>
Source record: 42817

"Stephen C. Robbins" <srobbinsNOSPAMDUDES@netacc.net> wrote in message news:<3cf54b44$1@news.netacc.net>...
> Hallicrafters SX-130 receiver and an ARC-5 Army Air Corp surplus
> transmitter. Had to build a power supply from old discarded TV sets
> (courtesy of Mr. Meyers at Meyers TV).
>
> Steve
Licensed in 1974 I bought a Heathkit HR10 receiver from my high school electronics teacher and a Johnson Adventurer and VFO from the ham that gave me my novice test. A few months later I found a Hallicrafters SX140 Rx, HT40 Tx and HA5 VFO in the local paper. That was a much better rig. I had a lot of fun with that. Wish I still had it.

But I guess that is not store bought. Come to think of it, I still haven't bought a rig from a store.

Tom

7. WTB: GU-43B Socket and Chimney

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 05:42:27 UTC
From: Henry Flores <hdflores@worldnet.att.net>
Message-ID: <79ZJ8.17465$UT.1132639@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42818

I am looking for one or two sockets and chimneys for GU-43B tubes. Let me know if new or used and condition and how much delivered to Reno, NV. If possible, send picture?

Thanks
Henry

8. FS: Drake R-4, T-4X, MS-4, Frequency Synthesizer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 05:46:04 UTC
From: "Robert S. Stein" <w6nbi@earthlink.net>
Message-ID: <3CF85F9C.5030706@earthlink.net>
Source record: 42819

Drake R-4 Receiver, T-4X Transmitter, MS-4 Power Supply/Speaker with original manuals. The R-4 comes with several extra crystals, which are really not needed if used with the the frequency synthesizer. $450.00.

Frequency synthesizer for the above, which I designed, built and published in the August 1972 issue of "ham radio" magazine. I will supply an original issue of the magazine (cover slightly torn), as well as schematics of all the circuits which improved performance but were never published. This synthesizer provides complete coverage from 500 kHz to 30 MHz, thus including the WARC bands. $275.00.

If necessary, I will sell the synthesizer separately, but if a buyer takes all, I will reduce the total price to $700.00.

Buyer pays shipping. However, I prefer a pickup in the San Francisco Bay Area or will arrange to meet at a reasonable location.

Bob, W6NBI

9. REQ: ICOM IC-M1 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 08:42:08 UTC
From: ZR1TRD <trdzr1@telkomsa.net>
Message-ID: <ada1d1$2sj$1@ctb-nnrp1.saix.net>
Source record: 42820

Hi All

I'm looking for the frequency mods for the IC-M1 radio...

I've already checked
http://www.mods.dk
http://www.qrz.com

Your help would be much appreciated.

73 Andr&#65533;

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.365 / Virus Database: 202 - Release Date: 2002/05/24

10. Re: Bicycle Mobile - Need some advice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 12:20:01 UTC
From: John Woodstock <jwoodstock@spamcop.net>
Message-ID: <nudada.jkd.ln@threeone.woodyware.com>
Source record: 42821

Good idea..

(My wife is from Needham)

"Gary S." <Idontwantspam@net> wrote in message
news:3cf76f32.32651658@news.bellatlantic.net...
On Fri, 31 May 2002 08:45:01 GMT, "John Woodstock"
<jwoodstock@spamcop.net> wrote:

>I like the holster idea.. I had tried the standard belt clip on the fanny
>pack belt. It seemed to work fine.. A holster sounds better..
>
>I just got the Icom T7H. Have been using a W31A in my experimenting.
>
>I have been playing with a standard speaker mike.. The wind noise is fairly
>high. I just got yester and haven't tried the Pryme SPM-400A with the PTT
>extension.. I had received a message from a guy in the UK and he was using
>the same with good success..
>
The foam wind covers are often used to reduce wind noise at the mike,
for a separate boom type mike. Maybe you can get a small piece of soft
foam and experiment.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

11. FA: Really nice NATIONAL NC-88 Rcvr for $61, Ends Sunday nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 17:02:21 UTC
From: rlucch2098@aol.com
Message-ID: <20020601130221.13072.00001932@mb-fg.aol.com>
Source record: 42822

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1355176537

12. FA: Really Nice & working HEATH HW-16 XCVR for $50(?) Last Day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 17:03:55 UTC
From: rlucch2098@aol.com
Message-ID: <20020601130355.13072.00001934@mb-fg.aol.com>
Source record: 42823

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1355176547

13. fa- RAMSEY FX-146 2-mtr Transceiver, Great for PACKET @$26, 1-day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 17:06:23 UTC
From: rlucch2098@aol.com
Message-ID: <20020601130623.13072.00001936@mb-fg.aol.com>
Source record: 42824

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1355176541

14. fa- ICOM/ W&W NiMH BP-8 BATTERY 8.4VDC @ 2700MAH Amazing!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 17:08:27 UTC
From: rlucch2098@aol.com
Message-ID: <20020601130827.13072.00001938@mb-fg.aol.com>
Source record: 42825

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1355176539

15. Re: Bicycle Mobile - Need some advice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 17:09:37 UTC
From: k6lcs@clintbradford.com
Message-ID: <fc08b778.0206010909.4e4843d9@posting.google.com>
Source record: 42826

"John Woodstock" <jwoodstock@spamcop.net> wrote in message
news:<1sduca.4ri2.ln@threeone.woodyware.com>...
> I tried Bicycle Mobile for the first time on Saturday. It was great...

Just FYI, I use the RAM Mounting System's mount for my HTs when
cycling...

A couple photos appear here:

http://groups.yahoo.com/group/BMHA/files/K6LCS/

I have improved the overall setup since I posted those photos, though.
I am using a motorcycle PTT from Pryme (their motorcycle series,
SPM-800) along with a mini-boom headset (Pryme's SPM-4xxA Series).
Works very well.

Clint Bradford, K6LCS

16. Fa> RARE KENWOOD TRANSCEIVE CABLE for R/T-599 Twins@$27

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 17:11:00 UTC
From: rlucch2098@aol.com
Message-ID: <20020601131100.13072.00001941@mb-fg.aol.com>
Source record: 42827

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1355176542

17. FA: UNBUILT HEATHKIT HD-15 PHONE-PATCH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 17:19:17 UTC
From: rlucch2098@aol.com
Message-ID: <20020601131917.13072.00001944@mb-fg.aol.com>
Source record: 42828

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=2108847338

18. Re: best Speech Processor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 18:55:33 UTC
From: ehsjr@bellatlantic.net
Message-ID: <3CF9193A.300AAE48@bellatlantic.net>
Source record: 42829
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

ckh, -, Too, Much, SPAM wrote:
>
> On Fri, 31 May 2002 03:30:48, "Rob" <Pse@NoEmail.Com> wrote:
>
> > I have an old boat anchor. I would like to improve its DX performance with
> > a speech processor. What is the best external speech processor out there?
> > Does someone still make them or will I have to build one?
> >
> > Rob
>
> The best add-on speech processor I know of is the ETO-Alpha-77. I
> believe they've reopened the business.

Yeah - but it's a bitch to do the mod right. You have to
change the 77's input to a Mic connector, then fashion a cable
for the output to connect to the rig. And you have to
mod the keying circuit to operate from the mic switch.
I must've done mine wrong. When I finished the mod, I
connected the new output cable from the Alpha to the mic
input on the 746. I fired up the Alpha and waited
a while - someone told me you're supposed to wait a few
minutes - then I keyed the mic. It blew the 746 right
off the operating desk - pieces of melted plastic
are still embedded in the sheet rock, according to
my wife. The carpenters have finished replacing the
section of wall that was destroyed, but they claim
they can patch the damaged sheetrock on the rest of
it. I'll be going back to the shack to figure out
what went wrong, as soon as I get these casts off and
the doctor gives me permission to walk up the stairs.
I'm sure the smoke odor will be gone by then.
We never did figure out whether the force of the
explosion blew me out of the chair and down the steps,
or whether I stumbled in the smoke and fell. The last
thing I remember is thinking how powerful my audio
was going to be.

19. Hustler 5-BTV

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 23:07:14 UTC
From: "Paul J. Filardi" <Filardi@Optonline.net>
Message-ID: <CscK8.232201$ja.65099692@news02.optonline.net>
Source record: 42830

Does anyone have a copy of the assenbly instructions for the Hustler 5-BTV antenna, if so can you E-mail me a copy what I need most is the lengths the individual sections have ot be made.
Thanks

--
Paul-N2CEK

20. 5-BTV Continued

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-01 23:08:43 UTC
From: "Paul J. Filardi" <Filardi@Optonline.net>
Message-ID: <%tcK8.232203$ja.65103008@news02.optonline.net>
Source record: 42831

I guess the Email address would help, it is
N2CEK @Yahoo.Com

--
Paul-N2CEK

21. Re: Lojack vehicle recovery system and amateur mobile operation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 00:55:45 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3CF96D11.C98D591E@nettally.com>
Source record: 42832

The LOJACK uses a pretty secure addressing scheme so falsing should not be a problem. Overloading should not be a problem as long as you don't install the mobile transmitter antenna too close to the LOJACK antenna. The problem I see is that LOJACK doesn't reveal where they install the unit in the vehicle so you will need to find it before you settle on an antenna installation. I suspect they install the antenna inside the windshield or rear window pillars. If so, you would not want to install a glass mount antenna nearby. A roof mounted NMO antenna mount (properly grounded to roof) should avoid any problems.

"A. N. O'Neamus" wrote:

> Has anybody had problems with a LoJack vehicle recovery unit because of
> mobile amateur operation? -- either false triggering of the LoJack into
> transmit mode or overloading its input and frying it?
>
> Q.

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

22. NEEDED Operating manual for T8A???????????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 02:06:41 UTC
From: 800mhz <pottsladd13@yahoo.com>
Message-ID: <R4fK8.19133$UT.1241132@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42833
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

I'm looking for a owners/operating manual for a T8A. I've checked Icoms site
and they no longer list it, can anyone give some idea's of where to find
one?
thnx
please email direct

23. Re: Yaesu vx150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 02:28:02 UTC
From: kk4tl@aol.com
Message-ID: <20020601222802.18078.00002439@mb-cu.aol.com>
Source record: 42834

>Anyone have any comments on this 2m hand held.
>
Excellent unit. Built like a battleship. Excellent immunity to intermod and
adj. channel, etc. Plenty of memories. Some extra receive freqs.

I think of mine as a hand-held version of the FT-2600.

>Thinking of getting one.
>
IMHO .. you can't go wrong. Enjoy.

24. FS 2 HTX 242s

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 03:25:46 UTC
From: wavelengthham <w9jcm@REMOVETHISreno.quik.com>
Message-ID: <_egK8.1377$eh4.15809@newsfeed.intelenet.net>
Source record: 42835
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have 2 radio shack htx 242s both in excellent condition. With microphones, manual , mobile brackets, power cords. Very very little wear both about 3 years old.
100.00 each plus shipping.

w9jcm
john

25. For sale: Communication receivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 07:58:37 UTC
From: Percom <percom@zonnet.nl>
Message-ID: <adcjmd$j3q$3@cyan.nl.gxn.net>
Source record: 42836

We have the following professional HF communication receivers for sale:

AOR AR-3000A Price EURO 725,-
Hagenuk RX1001M Price EURO 2400,-
Plessey PR2250 Price EURO 1350,-
RFT EKD500 Price EURO 1475,-
Watkins-Johnson HF1000A Price EURO 4525,-

All receivers are in mint condition and the price is without shipment.

Visit www.percom.myweb.nl

Percom.

26. Got a puzzle with a power amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 13:10:01 UTC
From: Dale Hayes <dhayes3@mindspring.com>
Message-ID: <add5ojupe1@slb2.atl.mindspring.net>
Source record: 42837

I had been given a amp for 40 thru 10 meters. It is a Marko 100f. I have
been trying to find information out on this unit and so far I have had to
hits using the various search engines. Has anybody had any experience with
this unit? I was told it was a 100 watt amp. Not sure what input is
required. It does have a preamp switch as well. I was going to send it to a
friend with a 20 meter QRP rig, but really want to check it out and give him
some info on it first.
Thanks in Advance
Dale kd7lyn

27. Re: Got a puzzle with a power amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 13:29:59 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3CFA1D85.B42117BF@tampabay.rr.com>
Source record: 42838

hey dale
chances are thats an old CB amp they sold them as an HF amp back in the day but no one but CBers bought them the drive input is low only around 12 watts pep
take the cover off it to see if there is a differnt manufactuers name to search by
may also want to post on the CBer newsgroups see if you can find any info there
good luck

Dale Hayes wrote:

> I had been given a amp for 40 thru 10 meters. It is a Marko 100f. I have
> been trying to find information out on this unit and so far I have had to
> hits using the various search engines. Has anybody had any experience with
> this unit? I was told it was a 100 watt amp. Not sure what input is
> required. It does have a preamp switch as well. I was going to send it to a
> friend with a 20 meter QRP rig, but really want to check it out and give him
> some info on it first.
> Thanks in Advance
> Dale kd7lyn

28. Icom 2800H W/ HM 98S Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 13:44:47 UTC
From: Lloyd Kubis <kubisl@iprimus.com.net>
Message-ID: <3cfa210a$1_1@news.iprimus.com.au>
Source record: 42839

I have just received delivery of a brand new ICOM 2800H and it's TX audio is just terrible, being fuzzy and heavily distorted. I noticed that the package came with a HM 98S mic instead of the one indicated in the manual which is a HM98. Does anyone know the difference between these two mic's? One difference seems to be that the keyboards are slightly different.
The HM 98S mic seems to be overly sensitive and is overloading the TX audio stages. The DTMF tones though seem to be clean and of proper deviation level.
Was the wrong mic supplied by the factory??
Can any one help me clear up this problem??

Thanks for your help!!
Lloyd
VK4ERQ

29. Re: Yaesu vx150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 14:06:33 UTC
From: KC8SSG <kc8ssg@qsl.net>
Message-ID: <JDpK8.2$13.231@news>
Source record: 42840

I bought one at Dayton and have been very happy with it. I am a carpenter
and usually carry it at work so it gets banged around alot and seems to not
affect it.I love mine alot.Like Gary said I wish they made a dual bander.
Rob KC8SSG
"Tom G" <tmg9252@aol.com> wrote in message
news:e05f0caa0e8573c0cfc6e903c6115862.62969@mygate.mailgate.org...
> Anyone have any comments on this 2m hand held. Thinking of getting one.
>
> Thanks in advance
>
>
> --
> Posted via Mailgate.ORG Server - http://www.Mailgate.ORG

30. Re: Got a puzzle with a power amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 14:21:54 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <6SpK8.94362$cQ3.2558@sccrnsc01>
Source record: 42841

The amp is a 100 watt CB amp. It will work with low power input (3 to 8 watts)
from 26 to 28 Mhz. Most likely uses MRF 454 or similar transistors for the power
amp section.

Will not work on 20 meters without modification of the tuned circuits.

73
WA5VRL
Willis

31. Re: Yaesu vx150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 14:26:45 UTC
From: KB9TMP <NoMoreSpam4Me@antisocial.com>
Message-ID: <add9upnsj1@dagobah.blueriver.net>
Source record: 42843

"KK4TL" <kk4tl@aol.com> wrote in message
news:20020601222802.18078.00002439@mb-cu.aol.com...
> >Anyone have any comments on this 2m hand held.
> >
> Excellent unit. Built like a battleship. Excellent immunity to intermod
and
> adj. channel, etc. Plenty of memories. Some extra receive freqs.
>
> I think of mine as a hand-held version of the FT-2600.
>
> >Thinking of getting one.
> >
> IMHO .. you can't go wrong. Enjoy.
>

Let me also add, I have one and love it! I will tell you the best
thing you can do is to buy the AA battery holder and fill it with
rechargeable NiMH batteries. The stock NiCd pack lasts about
8 hours of normal use. The AA battery pack with Ray-O-Vac
NiMH batteries from Wal-Mart lasts 30+ hours and are
recharged outside of the radio, (I use a charger from Rat Shack),
instead of tying up the radio for 12+ hours as a 'charger' unit.

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

32. Re: Got a puzzle with a power amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 14:43:12 UTC
From: Phil Wheeler <w7ox@earthlink.net>
Message-ID: <3CFA2F0E.3000103@earthlink.net>
Source record: 42842

If it is such an amp, it likely does not have the filtering (RF)
to meet amateur requirements.

Phil

Dennis Kaylor wrote:

> hey dale
> chances are thats an old CB amp they sold them as an HF amp back in the day but
> no one but CBers bought them the drive input is low only around 12 watts pep
> take the cover off it to see if there is a differnt manufactuers name to search
> by
> may also want to post on the CBer newsgroups see if you can find any info there
> good luck
>
> Dale Hayes wrote:
>
>
>>I had been given a amp for 40 thru 10 meters. It is a Marko 100f. I have
>>been trying to find information out on this unit and so far I have had to
>>hits using the various search engines. Has anybody had any experience with
>>this unit? I was told it was a 100 watt amp. Not sure what input is
>>required. It does have a preamp switch as well. I was going to send it to a
>>friend with a 20 meter QRP rig, but really want to check it out and give him
>>some info on it first.
>> Thanks in Advance
>> Dale kd7lyn
>>
>

33. STICKY ALPHA 78

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 15:22:48 UTC
From: rong@computer.net
Message-ID: <3cfa371c.670738@news.computer.net>
Source record: 42844

Hi All,

As I said in a previous post, my Alpha 78's face & case have become quite sticky. A new face is available from Alpha-Power, but not the case. The original finish on the case felt like velvet. I'm sure that the original finish cannot be duplicated, but does anyone know of a close color match for the case ??? It's not the gray like the 76 series amps, but a medium shade of tan.

Thanks,
****
Ron Goldstein.....KA2IIA
STAY YOUNG---DRIVE A VINTAGE 427 CORVETTE.
KEEP YOUR MIND ACTIVE---BECOME AN AMATEUR RADIO OPERATOR.

REMEMBER, THERE ARE NO STRANGERS IN AMATEUR RADIO, ONLY FRIENDS
THAT WE HAVE NOT YET MET.
rong@computer.net******ka2iia@arrl.net

34. WTB - Icom 740/Broken okay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 16:47:18 UTC
From: "Larry R. McGee" <lrmagoo@worldnet.att.net>
Message-ID: <01c20a55$28e52900$9ade1b3f@default>
Source record: 42845

Hello. Thanks for the read. I am interested in finding a good looking, preferably not working old 740. Thanks. Larry

35. FS: HR Magazines

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 17:38:46 UTC
From: rlmobley@aol.com
Message-ID: <20020602133846.17636.00001648@mb-ms.aol.com>
Source record: 42846

Now that I have completed my collection of HR magazines I am selling off the spares that I have. I still need some HR binders (both sizes).

The magazines are in good to very good shape. Send me your list and I'll let you know what I can fill. Prices are $2/ea for the small format and $1/ea for the larger format. Prices do not include shipping.

If you need a total, give me your zip code and I'll check postal book rate shipment from 72227 to you.

Best 73,
Rick WB5FDP
mycall@arrl.net

36. radioworld

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 17:58:01 UTC
From: va3urs <va3urs@sympatico.ca>
Message-ID: <D0tK8.923$LR4.144606@news20.bellglobal.com>
Source record: 42847

did something happen to radio world in toronto there is no website anymore??

urs

37. Re: radioworld

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 19:20:33 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <aeuK8.2058$Av5.199953@news20.bellglobal.com>
Source record: 42748

"va3urs" <va3urs@sympatico.ca> wrote in message
news:D0tK8.923$LR4.144606@news20.bellglobal.com...
> did something happen to radio world in toronto there is no website
anymore??
>
> urs

www.radioworld.ca

it's there, they just never update it. still aren't showing any prices.
pretty hard to make sales that way in my opinion.

38. Re: Icom 2800H W/ HM 98S Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 20:04:19 UTC
From: Mike <mlawson1@twcny.rr.com>
Message-ID: <7TuK8.61572$xN5.15109239@typhoon.nyroc.rr.com>
Source record: 42749

All the HS-98 series mics are compatible with the 2800h and the 2100h, the audio problem might be that either you are talking to close to the mic, or you are "yelling" into the mic. this tends to cause the "splatter" effect when you over-modulate the audio causing splatter. which can cause some repeaters to not work at all. this happens sometimes on our repeater here in NY. Good luck and let me know if it clears up. Because I plan on buying a 2800h in the near future too!
73's
Mike KC2JGA
AT&T Invented The Transistor, We Taught Them How To Use It.

"Lloyd Kubis" <kubisl@iprimus.com.net> wrote in message
news:3cfa210a$1_1@news.iprimus.com.au...
> I have just received delivery of a brand new ICOM 2800H and it's TX audio
is
> just terrible, being fuzzy and heavily distorted. I noticed that the
package
> came with a HM 98S mic instead of the one indicated in the manual which is
a
> HM98. Does anyone know the difference between these two mic's? One
> difference seems to be that the keyboards are slightly different.
> The HM 98S mic seems to be overly sensitive and is overloading the TX
audio
> stages. The DTMF tones though seem to be clean and of proper deviation
> level.
> Was the wrong mic supplied by the factory??
> Can any one help me clear up this problem??
>
> Thanks for your help!!
> Lloyd
> VK4ERQ
>
>

39. T E S T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 20:16:38 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <Z1vK8.17686$gb1.692060@twister.kc.rr.com>
Source record: 42750

TESTING...haven't rec'd anything is 21 hours.

Van,
K0KAV

--
All Incoming/Outgoing mail checked by Norton Anti-Virus 2002.

40. Manuals for Radios and test equipment for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 20:34:09 UTC
From: Rochelle Hess <rhess3@mindspring.com>
Message-ID: <3CFA8141.A2F24DD1@mindspring.com>
Source record: 42751

Hi,

My wife (KB7UJC) and I (KB7UKR) just completed a major purchase and catalog effort of radio and test equipment manuals. If you are looking for a manual for a piece of equipment, you might want to come to our web site and look for it. We have them sorted by manufacturer (Motoroal, GE, Johnson, etc.). You can click on a manufacturer and search for a model name or manual part number using the search feature of your browser.

We charge actual shipping costs via USPS book rate (unless you want to pay more for some other method). Prices for manuals range from $1 to $30, depending on size (physical weight), condition, quantity we have on hand, and so forth. If find a manual you want, just drop us an e-mail and ask us the price (EXAMPLE: How much would GE 14 be, including postage?). We'll get back to you in a day. Oh, and prices go down when you order multiple items (we want our garage space back).

These are not copies, and when the original manual is sold, that's it, we're out.

So come take a look at

http://rhess3.home.mindspring.com

We're doing this as a service to the ham and test equipment communities, and not as an ongoing business. We take personal checks, Money Orders, and PayPal.

My best to you,

-Kevin C. Hess (KB7UKR)

41. Drake UV-3 Schematics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 21:28:45 UTC
From: "Stephen C. Robbins" <srobbinsNOSPAMDUDES@netacc.net>
Message-ID: <3cfa8e25$1@news.netacc.net>
Source record: 42752

Looking for schematics, block diagrams for Drake UV-3 transceiver. Can anyone help or point me to a source???

Thanks

Steve

42. Re: radioworld

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 22:02:26 UTC
From: swsmith@canoemail.com
Message-ID: <3a5bda0f.0206021402.37a7afeb@posting.google.com>
Source record: 42753

"va3urs" <va3urs@sympatico.ca> wrote in message
news:<D0tK8.923$LR4.144606@news20.bellglobal.com>...
> did something happen to radio world in toronto there is no website anymore??
>
> urs

www.radioworld.ca works fine here.

73

Scott

43. FS: Ham Gear

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 22:18:24 UTC
From: Doug Davis <dougd@cros.net>
Message-ID: <fQwK8.290$Vm3.144021@news.uswest.net>
Source record: 42754

I am going to have the following for sale in a few days if anyone is interested or knows someone that is please forward this on ......(:>))

2-Tentec Century 21 CW Transmitters w/ 276 calibrator on one $150.00 for the pair

1 Tentec 277 antenna tuner $50.00

1- MFJ low pass filter $10.00

1- MFJ 407B electronic keyer $25.00

1- Vibroplex CW paddle on grey metal base $100.00

1- MFJ 2 meter and 220 mhz power / swr meter $20.00

1- Yaesu FT-2400 2 meter 50 watt mobile w / manual (needs lights in front panel) $200.00 (have a complete new face for this unit as well if needed for $40.00)

1- Icom 211 2 meter allmode (needs repaired) w / manual $150.00

1- Kenwood TS-850 SAT HF rig w/ handmicrophone, kenwood earphones, and manual $1,100.00

1- Astron RS 35A Power supply w / fan cooling $150.00

1- Astron RS 15A w / fan cooling $50.00

1- AST Pentium 75 mhz desktop computer loaded w / win98 S.E. , 2.4 gig hard drive, 32 mb of EDO simm memory, no monitor, mouse or keyboard..... $100.00

1- Canon AE1 Camera w/flash and carrying bag $50.00

- also have a variety of socket 7 computer cpu's.....AMD K6-2 / 266, 200, 166 Cyrix 300, and other various computer parts

all above items are "or best offer."

Regards,

Brian

VA3RDZ

(519) 839-5360

44. Looking for a top cover for the TS450

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 23:39:00 UTC
From: Gary <hh@ss.net>
Message-ID: <uflb8vqc5q7i0a@corp.supernews.com>
Source record: 42755

Hi,

I'm looking for a new or in very good condition top cover
for the Kenwood TS-450s.
Thanks

Gary N7GB

reply to:
baycity@pacifier.com

45. Re: STICKY ALPHA 78

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-02 23:49:17 UTC
From: Zoran Brlecic <WA7AA@attbi.com>
Message-ID: <3CFAAF00.154DE9D0@attbi.com>
Source record: 42756

Ron Goldstein wrote:

> As I said in a previous post, my Alpha 78's face & case have become
> quite sticky. A new face is available from Alpha-Power, but not the case. The
> original finish on the case felt like velvet. I'm sure that the original finish
> cannot be duplicated, but does anyone know of a close color match for the
> case ??? It's not the gray like the 76 series amps, but a medium shade of tan.

If you take a part of the case to any paint shop, they'll match the paint for you.

73 ... Zoran WA7AA

46. FA: HEATH HW-16 TRANSCEIVER @$65, Last Hour!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 01:30:05 UTC
From: rlucch2098@aol.com
Message-ID: <20020602213005.19889.00001613@mb-fa.aol.com>
Source record: 42757

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1355176547

47. FA: ICOM BP-8 Nickle Metal Hydride 8.4VDC @2700mah @$31, 1-hour!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 01:32:06 UTC
From: rlucch2098@aol.com
Message-ID: <20020602213206.19889.00001614@mb-fa.aol.com>
Source record: 42758

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1355176539

48. fa; National NC-88 Short-Wave receiver, @$91 & last hour!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 01:49:45 UTC
From: rlucch2098@aol.com
Message-ID: <20020602214945.19889.00001619@mb-fa.aol.com>
Source record: 42759

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1355176537

49. fa; UNBUILT HEATHKIT HD-15 @$13

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 01:51:15 UTC
From: rlucch2098@aol.com
Message-ID: <20020602215115.19889.00001620@mb-fa.aol.com>
Source record: 42760

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=2108847338

50. Re: Drake UV-3 Schematics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 01:59:11 UTC
From: "Fredric J. Einstein" <feinstei@earthlink.net>
Message-ID: <36jlfusjeppscrmss03har8poq531peuut@4ax.com>
Source record: 42761

On Sun, 2 Jun 2002 17:28:45 -0400, "Stephen C. Robbins"
<srobbinsNOSPAMDUDES@netacc.net> wrote:

>Looking for schematics, block diagrams for Drake UV-3 transceiver. Can
>anyone help or point me to a source???
>

There is a complete service manual for the UV-3 (I think I have a
copy) which is a blue notebook (just like the TR-7 Service Manual).
They quite often appear on Ebay, Be aware though, servicing the
spaghetti wiring of a UV-3 is not for the faint of heart!!!

Fred
N8UC -- Detroit

51. Yaesu FT-726R Transmit SSB Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 02:35:01 UTC
From: rwilson@hiwaay.net
Message-ID: <ufllelodh2964e@corp.supernews.com>
Source record: 42762

Its receives OK and it transmits OK on FM but SSB transmit sounds like it has
AC ripple on it. Any Ideas?
This rig has had lots of problems over the years for some reason.
Bob

52. FS: Heath HW-101 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 02:42:35 UTC
From: rlucch2098@aol.com
Message-ID: <20020602224235.19889.00001628@mb-fa.aol.com>
Source record: 42763

Hi Fellas;
I have for SALE:
1- Heathkit HW-101 Transceiver, No filter options, has SO-239 output connector mod, Meter, Vox, Calibrator, Audio all work. Dial is Right on & nice & tight.
RF output is as:
80 meter= 1 watt & 100 watts, intermitant.
40= Nothing, no receive either.
20= 100 watts
15= 100watts
10= from 30 to 50 watts out depending on which segment.
Receives nice on both LSB & USB except 40 meter(?).
Rubber belt seem NEW.
Does full RF output when the Mike is keyed but you can see that there is audio on voice peaks.
The radio is in real nice shape with usual chips on the cabinet but I think it mainly needs alignment but I am not a tech.
Oh, I had to borrow a supply to test it & it does'nt come with one.
Price is $125 + UPS from 11758.
See pics>>

http://www.myradioroom.com/hw101-1.jpg

http://www.myradioroom.com/hw101-2.jpg

http://www.myradioroom.com/hw101-4.jpg

http://www.myradioroom.com/hw101-3.jpg
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

53. Re: Looking for a top cover for the TS450

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 06:55:31 UTC
From: W6DKN <w6dkn@qsl.net>
Message-ID: <DpEK8.22832$m9.16978@nwrddc02.gnilink.net>
Source record: 42764

https://www.pacparts.com/scripts/PartDetail.cfm?part_num=A01%2D2028%2D02&pa
rt_desc=TOP%20CASE&manuf_name=KENWOOD&CFID=190980&CFTOKEN=79313294

73 de W6DKN

"Gary" <hh@ss.net> wrote in message
news:uflb8vqc5q7i0a@corp.supernews.com...
> Hi,
>
> I'm looking for a new or in very good condition top cover
> for the Kenwood TS-450s.
> Thanks
>
> Gary N7GB
>
> reply to:
> baycity@pacifier.com
>
>
>
>

54. Antenna Solution: 130-170Mhz & 400-479Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 08:57:09 UTC
From: Steven Haigh <netwiz@optushome.com.au>
Message-ID: <3cfb2f64$0$31826$afc38c87@news.optusnet.com.au>
Source record: 42765
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,free.uk.amateur-radio,rec.radio.amateur.equipment

I'm looking for a solution that will hopefully give me a lowish SWR on 130-170Mhz TX, and 400-479Mhz TX.

I got a Yaseu AD-3 Duplexer, but that completely filters out 465+ on it's UHF output, much to my disappointment.... I have a feeling it will also do the same on the VHF frequencies above 150Mhz....

I have 1 dual band radio, hooked up to two antennas.

I would also like to keep the 800 - 900Mhz recieve, and the 300 - 399 Mhz recieve in tact, which I believe is something that the AD-3 duplexer would have stripped me of....

I was thinking a coax switch would be an idea, but having only found one for HF (14 - 50Mhz), I'm pretty sure that wouldn't help me...

I've run out of ideas... Anyone here have any more insight on possible solutions?

--
Steve

55. Re: Kenwood SM-200 with Yaesu FT-1000D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 12:05:39 UTC
From: w8kzw@arrl.net
Message-ID: <a9a820d3.0206030405.62e87892@posting.google.com>
Source record: 42766

OOOPS! Sorry - make that Kenwood SM-220.

w8kzw@arrl.net (W8KZW) wrote in message
news:<a9a820d3.0205301100.32a212e4@posting.google.com>...
> Anyone ever interfaced a Kenwood SM-200 (with panadapter) with a Yaesu FT-1000D?
>
> Direct replies work best:
>
> w8kzw@arrl.net
>
> Thanks,
>
> Jeff

56. Re: Antenna Solution: 130-170Mhz & 400-479Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 12:11:50 UTC
From: budgie <budgie@nowhere.cantech.net.au>
Message-ID: <3cfb5c86.3522484@news.cantech.net.au>
Source record: 42767
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,free.uk.amateur-radio,rec.radio.amateur.equipment

On Mon, 3 Jun 2002 18:57:09 +1000, "Steven Haigh"
<netwiz@optushome.com.au> wrote:

>I'm looking for a solution that will hopefully give me a lowish SWR on
>130-170Mhz TX, and 400-479Mhz TX.
>
>I got a Yaseu AD-3 Duplexer, but that completely filters out 465+ on it's
>UHF output, much to my disappointment.... I have a feeling it will also do
>the same on the VHF frequencies above 150Mhz....
>
>I have 1 dual band radio, hooked up to two antennas.
>
>I would also like to keep the 800 - 900Mhz recieve, and the 300 - 399 Mhz
>recieve in tact, which I believe is something that the AD-3 duplexer would
>have stripped me of....
>
>I was thinking a coax switch would be an idea, but having only found one for
>HF (14 - 50Mhz), I'm pretty sure that wouldn't help me...
>
>I've run out of ideas... Anyone here have any more insight on possible
>solutions?

If you are just chasing a cheap VHF/UHF splitter/diplexer with a
crossover frequency ~200-250 MHz, try Hills DPX-U/V. Cheap but works
as long as your power is 25W or less. Ignore the nominal 75ohm
impedance, we have used them on 50ohm stuff for yonks and they present
a fairly good match in both bands.

57. Re: Antenna Solution: 130-170Mhz & 400-479Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 12:19:57 UTC
From: Steven Haigh <netwiz@optushome.com.au>
Message-ID: <3cfb5eec$0$31829$afc38c87@news.optusnet.com.au>
Source record: 42768
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,free.uk.amateur-radio,rec.radio.amateur.equipment

Sorry - forgot to mention, it's a 50W output on 130 - 170, and 35W on
400-479.....

--
Signed,
Steve

"budgie" <budgie@nowhere.cantech.net.au> wrote in message
news:3cfb5c86.3522484@news.cantech.net.au...
> On Mon, 3 Jun 2002 18:57:09 +1000, "Steven Haigh"
> <netwiz@optushome.com.au> wrote:
>
> >I'm looking for a solution that will hopefully give me a lowish SWR on
> >130-170Mhz TX, and 400-479Mhz TX.
> >
> >I got a Yaseu AD-3 Duplexer, but that completely filters out 465+ on it's
> >UHF output, much to my disappointment.... I have a feeling it will also
do
> >the same on the VHF frequencies above 150Mhz....
> >
> >I have 1 dual band radio, hooked up to two antennas.
> >
> >I would also like to keep the 800 - 900Mhz recieve, and the 300 - 399 Mhz
> >recieve in tact, which I believe is something that the AD-3 duplexer
would
> >have stripped me of....
> >
> >I was thinking a coax switch would be an idea, but having only found one
for
> >HF (14 - 50Mhz), I'm pretty sure that wouldn't help me...
> >
> >I've run out of ideas... Anyone here have any more insight on possible
> >solutions?
>
> If you are just chasing a cheap VHF/UHF splitter/diplexer with a
> crossover frequency ~200-250 MHz, try Hills DPX-U/V. Cheap but works
> as long as your power is 25W or less. Ignore the nominal 75ohm
> impedance, we have used them on 50ohm stuff for yonks and they present
> a fairly good match in both bands.

58. Re: Antenna Solution: 130-170Mhz & 400-479Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 12:32:48 UTC
From: budgie <budgie@nowhere.cantech.net.au>
Message-ID: <3cfb61c5.4865143@news.cantech.net.au>
Source record: 42769
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,free.uk.amateur-radio,rec.radio.amateur.equipment

On Mon, 3 Jun 2002 22:19:57 +1000, "Steven Haigh"
<netwiz@optushome.com.au> wrote:

>Sorry - forgot to mention, it's a 50W output on 130 - 170, and 35W on
>400-479.....

Ah well, you could still buy one and see how to build your own. The
ferrites would need to be a bit beefier ....

>"budgie" <budgie@nowhere.cantech.net.au> wrote in message
>news:3cfb5c86.3522484@news.cantech.net.au...
>> On Mon, 3 Jun 2002 18:57:09 +1000, "Steven Haigh"
>> <netwiz@optushome.com.au> wrote:
>>
>> >I'm looking for a solution that will hopefully give me a lowish SWR on
>> >130-170Mhz TX, and 400-479Mhz TX.
>> >
>> >I got a Yaseu AD-3 Duplexer, but that completely filters out 465+ on it's
>> >UHF output, much to my disappointment.... I have a feeling it will also
>do
>> >the same on the VHF frequencies above 150Mhz....
>> >
>> >I have 1 dual band radio, hooked up to two antennas.
>> >
>> >I would also like to keep the 800 - 900Mhz recieve, and the 300 - 399 Mhz
>> >recieve in tact, which I believe is something that the AD-3 duplexer
>would
>> >have stripped me of....
>> >
>> >I was thinking a coax switch would be an idea, but having only found one
>for
>> >HF (14 - 50Mhz), I'm pretty sure that wouldn't help me...
>> >
>> >I've run out of ideas... Anyone here have any more insight on possible
>> >solutions?
>>
>> If you are just chasing a cheap VHF/UHF splitter/diplexer with a
>> crossover frequency ~200-250 MHz, try Hills DPX-U/V. Cheap but works
>> as long as your power is 25W or less. Ignore the nominal 75ohm
>> impedance, we have used them on 50ohm stuff for yonks and they present
>> a fairly good match in both bands.
>
>

59. Re: Antenna Solution: 130-170Mhz & 400-479Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 12:41:16 UTC
From: DougSlug <dw_firewall@hotmail.com>
Message-ID: <MtJK8.244055$ja.70099546@news02.optonline.net>
Source record: 42770
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,free.uk.amateur-radio,rec.radio.amateur.equipment

Not sure if changing the antenna would be considered an acceptable solution
for you, but here goes:

You didn't mention if it is base or mobile, but certainly a discone antenna
(base) would satisfy your dual-band transmit and wide receive requirements.
The Diamond D-130J (US$90) or the Radio Shack 20-043 (US$60, if available to
you) are two possibilities.

- Doug

"Steven Haigh" <netwiz@optushome.com.au> wrote in message
news:3cfb2f64$0$31826$afc38c87@news.optusnet.com.au...
> I'm looking for a solution that will hopefully give me a lowish SWR on
> 130-170Mhz TX, and 400-479Mhz TX.
>
> I got a Yaseu AD-3 Duplexer, but that completely filters out 465+ on it's
> UHF output, much to my disappointment.... I have a feeling it will also do
> the same on the VHF frequencies above 150Mhz....
>
> I have 1 dual band radio, hooked up to two antennas.
>
> I would also like to keep the 800 - 900Mhz recieve, and the 300 - 399 Mhz
> recieve in tact, which I believe is something that the AD-3 duplexer would
> have stripped me of....
>
> I was thinking a coax switch would be an idea, but having only found one
for
> HF (14 - 50Mhz), I'm pretty sure that wouldn't help me...
>
> I've run out of ideas... Anyone here have any more insight on possible
> solutions?
>
> --
> Steve
>
>
>

60. Re: Antenna Solution: 130-170Mhz & 400-479Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 12:58:27 UTC
From: Steven Haigh <netwiz@optushome.com.au>
Message-ID: <3cfb67f3$0$31829$afc38c87@news.optusnet.com.au>
Source record: 42771
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,free.uk.amateur-radio,rec.radio.amateur.equipment

Sorry - again the frustration has taken it's toll ;)

It's for a mobile application....

--
Signed,
Steve

"DougSlug" <dw_firewall@hotmail.com> wrote in message
news:MtJK8.244055$ja.70099546@news02.optonline.net...
> Not sure if changing the antenna would be considered an acceptable
solution
> for you, but here goes:
>
> You didn't mention if it is base or mobile, but certainly a discone
antenna
> (base) would satisfy your dual-band transmit and wide receive
requirements.
> The Diamond D-130J (US$90) or the Radio Shack 20-043 (US$60, if available
to
> you) are two possibilities.
>
> - Doug
>
>
> "Steven Haigh" <netwiz@optushome.com.au> wrote in message
> news:3cfb2f64$0$31826$afc38c87@news.optusnet.com.au...
> > I'm looking for a solution that will hopefully give me a lowish SWR on
> > 130-170Mhz TX, and 400-479Mhz TX.
> >
> > I got a Yaseu AD-3 Duplexer, but that completely filters out 465+ on
it's
> > UHF output, much to my disappointment.... I have a feeling it will also
do
> > the same on the VHF frequencies above 150Mhz....
> >
> > I have 1 dual band radio, hooked up to two antennas.
> >
> > I would also like to keep the 800 - 900Mhz recieve, and the 300 - 399
Mhz
> > recieve in tact, which I believe is something that the AD-3 duplexer
would
> > have stripped me of....
> >

> > I was thinking a coax switch would be an idea, but having only found one
> for
> > HF (14 - 50Mhz), I'm pretty sure that wouldn't help me...
> >
> > I've run out of ideas... Anyone here have any more insight on possible
> > solutions?
> >
> > --
> > Steve
> >
> >
> >
>
>

61. Re: Antenna Solution: 130-170Mhz & 400-479Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 13:11:46 UTC
From: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com>
Message-ID: <mWJK8.100962$cQ3.3084@sccrnsc01>
Source record: 42772
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,free.uk.amateur-radio,rec.radio.amateur.equipment

Why not use a single dual band antenna? I use a MaxRad. There are several other makes and models that will do the trick.

73,
Ed KA9EES

"Steven Haigh" <netwiz@optushome.com.au> wrote in message news:3cfb67f3$0$31829$afc38c87@news.optusnet.com.au...
: Sorry - again the frustration has taken it's toll ;)
:
: It's for a mobile application....
:
: --
: Signed,
: Steve
:
: "DougSlug" <dw_firewall@hotmail.com> wrote in message
: news:MtJK8.244055$ja.70099546@news02.optonline.net...
: > Not sure if changing the antenna would be considered an acceptable
: solution
: > for you, but here goes:
: >
: > You didn't mention if it is base or mobile, but certainly a discone
: antenna
: > (base) would satisfy your dual-band transmit and wide receive
: requirements.
: > The Diamond D-130J (US$90) or the Radio Shack 20-043 (US$60, if
available
: to
: > you) are two possibilities.
: >
: > - Doug
: >
: >
: > "Steven Haigh" <netwiz@optushome.com.au> wrote in message
: > news:3cfb2f64$0$31826$afc38c87@news.optusnet.com.au...
: > > I'm looking for a solution that will hopefully give me a lowish SWR on
: > > 130-170Mhz TX, and 400-479Mhz TX.
: > >
: > > I got a Yaseu AD-3 Duplexer, but that completely filters out 465+ on
: it's
: > > UHF output, much to my disappointment.... I have a feeling it will
also
: do

: > > the same on the VHF frequencies above 150Mhz....
: > >
: > > I have 1 dual band radio, hooked up to two antennas.
: > >
: > > I would also like to keep the 800 - 900Mhz recieve, and the 300 - 399
: Mhz
: > > recieve in tact, which I believe is something that the AD-3 duplexer
: would
: > > have stripped me of....
: > >
: > > I was thinking a coax switch would be an idea, but having only found
one
: > for
: > > HF (14 - 50Mhz), I'm pretty sure that wouldn't help me...
: > >
: > > I've run out of ideas... Anyone here have any more insight on possible
: > > solutions?
: > >
: > > --
: > > Steve
: > >
: > >
: > >
: >
: >
:
:

62. Re: Icom 2800H W/ HM 98S Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 13:13:08 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ufmqrlf01hmmd3@corp.supernews.com>
Source record: 42773

You should be able to lower the deviation inside. Theres a trimmer in there
for that. I had a IC-207 with the same problem. Very hot distorted audio.

Bill
KC4KMG
Web Site: www.polkcounty.org/radiofun

"Lloyd Kubis" <kubisl@iprimus.com.net> wrote in message
news:3cfa210a$1_1@news.iprimus.com.au...
> I have just received delivery of a brand new ICOM 2800H and it's TX audio
is
> just terrible, being fuzzy and heavily distorted. I noticed that the
package
> came with a HM 98S mic instead of the one indicated in the manual which is
a
> HM98. Does anyone know the difference between these two mic's? One
> difference seems to be that the keyboards are slightly different.
> The HM 98S mic seems to be overly sensitive and is overloading the TX
audio
> stages. The DTMF tones though seem to be clean and of proper deviation
> level.
> Was the wrong mic supplied by the factory??
> Can any one help me clear up this problem??
>
> Thanks for your help!!
> Lloyd
> VK4ERQ
>
>

63. Re: Yaesu vx150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 14:41:58 UTC
From: jfuentes <fuentesj@earthlink.net>
Message-ID: <WeLK8.83$xC3.67@newsread1.prod.itd.earthlink.net>
Source record: 42774

To All,

I enjoy mine thoroughly also! Would recommend it to anyone. As someone
else suggested, it would be great if Yaesu/Vertex made dual band version.

I have a couple questions for the group however,

1) Does the ARTS beep inteval work when set to ALWAYS? - mine doesn't?
2) The TX Save feature does not seem to work as it does with my VX-5R?

Has anyone tested these features out yet?

Thanks - Jon

"Tom G" <tmg9252@aol.com> wrote in message
news:e05f0caa0e8573c0cfc6e903c6115862.62969@mygate.mailgate.org...
> Anyone have any comments on this 2m hand held. Thinking of getting one.
>
> Thanks in advance
>
>
> --
> Posted via Mailgate.ORG Server - http://www.Mailgate.ORG
>

64. Increase low power on Icom IC-290A?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 14:47:02 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020603104702.26636.00002145@mb-mk.aol.com>
Source record: 42775

Does anyone know if it's possible to increase the low power setting on an Icom IC-290A from 1w to 3w? I'd like to do this to drive an amp. This would be better than lowering the high power setting from 10w to 3w. If I do that, without the amp, I'd only be doing 3 watts, as opposed to 10w...
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

65. FS: MSF-5000 UHF Repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 16:16:41 UTC
From: n5rwc@yahoo.com
Message-ID: <81bba5aa.0206030816.5ed77e17@posting.google.com>
Source record: 42776

FS: RF section and control shelf out of working MSF-5000 UHF repeater. System is working perfectly now on 453/458 MHz. I can have the code plug reprogrammed to your specs. $500.00

66. FS. icom 271A 2 meter all mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 19:02:05 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <N2PK8.4633$_T6.195601@twister.rdc-kc.rr.com>
Source record: 42777
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi this icom 271A is in great condition and work 100%
On a scale from 1 to 10 its a 9+
Power out 25 watts
Comes with original manual mic and power cord.
Also have the tone encode/decode board installed.
Non smoker.
$325 shipped lower 48 states ups insured.
E-mail me direct or for pics of the radio.

67. FA: KENWOOD TH-22AT 2M Handheld on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 19:50:38 UTC
From: interceptor3@eudoramail.com
Message-ID: <62feab46.0206031150.3a8bb417@posting.google.com>
Source record: 42778

FA: KENWOOD TH-22AT 2M Handheld on ebay (item number 1357106145) at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1357106145

Hardly used. With DC power adapter and Instruction Manual, Schematic
and Block Diagrams.

Happy bidding.

68. Lots for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 20:46:41 UTC
From: wavelengthham <w9jcm@REMOVETHISreno.quik.com>
Message-ID: <RAQK8.1461$eh4.17598@newsfeed.intelenet.net>
Source record: 42779
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Icom 746
HF amp
UHF radio
dual bander
antennas
power supply
tuner..

chck out
http://www.reno.quik.com/w9jcm/swap.htm

69. Re: radioworld

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 20:58:16 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3CFBD868.727E451C@sympatico.ca>
Source record: 42780

Max wrote:
>
> "va3urs" <va3urs@sympatico.ca> wrote in message
> news:D0tK8.923$LR4.144606@news20.bellglobal.com...
> > did something happen to radio world in toronto there is no website
> anymore??
> >
> > urs
>
> www.radioworld.ca
>
> it's there, they just never update it. still aren't showing any prices.
> pretty hard to make sales that way in my opinion.

The Price list I just downloaded is dated June 2002, since this is only the 3rd I don't think its too out-of-date.

I can see why the reluctance to list a price that may be meaningless with all the manufacturers specials and discounts and updated models coming out on a regular basis. Todays best price on the Mark7XQ32/A can drop like a stone when the Mark7XQ32/B suddently appears.

I purchased a new transceiver from Elkel last month and they sold it to me for significantly less than their current price list. They did not have the lowest price advertised on the net or in magazines, but they offered the lowest price when I placed my order because the price had just dropped; so you can't count on shopping advertised prices any more.

Dave

70. Re: Antenna Solution: 130-170Mhz & 400-479Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 21:59:33 UTC
From: Jay <j@bsc.com>
Message-ID: <3cfbe6d7$1_1@news.iprimus.com.au>
Source record: 42781
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,free.uk.amateur-radio,rec.radio.amateur.equipment

Steven, What radio are you using?
I'm interested in buying a dual band radio that is able to transmit outside the usual boundries.
Presently I'm using a Yaesu FT-530 and I'm lucky if I can get 300 mW on uhf cb.

Cheers
Jay

"budgie" <budgie@nowhere.cantech.net.au> wrote in message news:3cfb61c5.4865143@news.cantech.net.au...
> On Mon, 3 Jun 2002 22:19:57 +1000, "Steven Haigh"
> <netwiz@optushome.com.au> wrote:
>
> >Sorry - forgot to mention, it's a 50W output on 130 - 170, and 35W on
> >400-479.....
>
> Ah well, you could still buy one and see how to build your own. The
> ferrites would need to be a bit beefier ....
>
> >"budgie" <budgie@nowhere.cantech.net.au> wrote in message
> >news:3cfb5c86.3522484@news.cantech.net.au...
> >> On Mon, 3 Jun 2002 18:57:09 +1000, "Steven Haigh"
> >> <netwiz@optushome.com.au> wrote:
> >>
> >> >I'm looking for a solution that will hopefully give me a lowish SWR on
> >> >130-170Mhz TX, and 400-479Mhz TX.
> >> >
> >> >I got a Yaseu AD-3 Duplexer, but that completely filters out 465+ on it's
> >> >UHF output, much to my disappointment.... I have a feeling it will also
> >do
> >> >the same on the VHF frequencies above 150Mhz....
> >> >
> >> >I have 1 dual band radio, hooked up to two antennas.
> >> >
> >> >I would also like to keep the 800 - 900Mhz recieve, and the 300 - 399 Mhz
> >> >recieve in tact, which I believe is something that the AD-3 duplexer
> >would
> >> >have stripped me of....
> >> >
> >> >I was thinking a coax switch would be an idea, but having only found

one
> >for
> >> >HF (14 - 50Mhz), I'm pretty sure that wouldn't help me...
> >> >
> >> >I've run out of ideas... Anyone here have any more insight on possible
> >> >solutions?
> >>
> >> If you are just chasing a cheap VHF/UHF splitter/diplexer with a
> >> crossover frequency ~200-250 MHz, try Hills DPX-U/V. Cheap but works
> >> as long as your power is 25W or less. Ignore the nominal 75ohm
> >> impedance, we have used them on 50ohm stuff for yonks and they present
> >> a fairly good match in both bands.
> >
> >
>

71. Comments wanted on new DSP transceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 23:04:58 UTC
From: Jim <radio1@juno.com>
Message-ID: <29snfugtnm2q0rmmjqfh9sum4hlcm0i56u@4ax.com>
Source record: 42782

Anyone out there own and care to comment on the new DSP filters in some of the new Icoms and Kenwoods? How well do they stack up against the old crystal filters?

Particularly interested in the Icom 746 and 756 Pro II since they seem to be the first out there with 24 bit A/D converters. Ten Tec's new 565 is supposed to have them as well.

Jim

72. FS: Trion 1-95-28 HV DC Power Supplies

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 23:06:49 UTC
From: rimpacwest@lycos.com
Message-ID: <ab40d3d8.0206031506.5b03d574@posting.google.com>
Source record: 42783
Cross-posted to: sci.electronics.equipment,misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Trion 1-95-28 HV Power Supplies $250.00 each.
4 Available.
All are 115 V 60 Hz in.
12.5 & 6.2 KVDC @ 7.2 & 9.0 ma
12.5 & 6.2 KVDC @ 7.2 & 9.0 ma
13.0 & 6.7 KVDC @ 2.2 & 2.8 ma
13.6 & 6.5 KVDC @ 7.6 & 9.6 ma

Mil. surplus P.S. for electrostatic precipitators. Physical condition
good, untested electrically.

Plus $25 packing plus actual shipping cost from LA, Calif.

Payment by check, money order, PayPal or BidPay. Overseas orders OK.

Visit our web page at:
http://rimpac.tripod.com

73. FS:Ten Tec Argosy II

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 23:07:06 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <uESK8.10807$fT5.2771401@typhoon.ne.ipsvc.net>
Source record: 42784

I have for sale a Ten Tec Argosy II Model 525D in very good condition with original manual and Ten Tec hand microphone. I would rate it a 8 out of 10 and there is some light scratches on the case and power supply nothing major for its age. The power supply is the matching Ten Tec 225 with original manual. This rig has a digital readout and covers 10 to 80 meters and high output power is between 40 to 50 watts and low is between 4 to 5 watts. Here are some of the options that it has, hard to find 223A noise blanker,219 cw filter 250Hz and the audio cw filter 224. This rig is in fine working condition and a high serial number 25xx.....Will take $375 plus shipping in the 48 states only. I can be reached at 508-821-2993 or email.....WZ1U Steve

74. ft-530

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 23:41:00 UTC
From: "Keith G. Wucherer, N2OBS" <wucherer@hotmail.com>
Message-ID: <g8TK8.31829$lM2.1023171@twister.southeast.rr.com>
Source record: 42785

anyone have info or manual on the ft-530 handheld?
example, reset the cpu?
keith, n2obs
summerville, sc

75. FA: Valley People Gain Brain II...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-03 23:54:28 UTC
From: MTM <res0i8ad@verizon.net>
Message-ID: <UkTK8.5941$Oj4.2200@nwrddc03.gnilink.net>
Source record: 42786

FA: Valley People Gain Brain II...
With PSU...In single unit box..
Ends Thurs.
Please look...!
Thanks..
Mike

814-450-7979-c
814-868-0866-h

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=880404652

76. VHF COMMERCIAL REPEATER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 00:10:21 UTC
From: AS3A23@AOL.COM
Message-ID: <360edc72.0206031610.38208556@posting.google.com>
Source record: 42787

I HAVE A VHF 100 WATT COMMERCIAL REPEATER . THE FREQUENCY OPERATES ON 153.050. THE REPEATER HAS BEEN BENCH CHECKED . ITS READY TO GO. I WANT $250.00 FOR IT AND IM FIRM ON PRICE!

77. Misc Ham Equipment For sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 00:37:14 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3cfc0b5f$0$3333$4c5ecdc7@news.erinet.com>
Source record: 42788
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Vibroplex Iambic standard paddles exc cond $95

JPS NF-60 DSP autonotch filter some marks on case, works perfect $50

Heathkit HD-1418 Audio filter works good case has some scratches (front is not scratched) no manual $40

LDG AT-11 auto tuner works great, ver 2.5, couple small scratches on top with manual $140

Heathkit HD-1422 Antenna Noise Bridge, works good, some marks on top of case, with manual $25

Ten Tec Model 700 electret hand mic (internal battery, 1/4" stereo plug) $15

Ten Tec hand mic, smaller than the model 700, with TEN-TEC in silver letters on front, don't know model number, with 4 pin connector $15

Small Homebrew Amplifier uses a pair of 811A's ,self contained ,80-40-20-15 meters, 300-400 watts out depending on band. $150
(amplifier is pickup only, Dayton Ohio area) (can supply pics of amp if interested)

All prices plus shipping , please email for more info if needed

Thanks
Tim
NZ8J

78. Re: FS: MSF-5000 UHF Repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 00:48:39 UTC
From: jr <jerryham@pobox.com>
Message-ID: <3CFC0E67.E3E8101D@pobox.com>
Source record: 42789

So the power supply and PA are missing?

Tim wrote:
>
> FS: RF section and control shelf out of working MSF-5000 UHF
> repeater. System is working perfectly now on 453/458 MHz. I can have
> the code plug reprogrammed to your specs. $500.00

79. Re: Antenna Solution: 130-170Mhz & 400-479Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 00:58:10 UTC
From: VK3 <notreally@here.com>
Message-ID: <3cfc10d1_1@news.iprimus.com.au>
Source record: 42790
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,free.uk.amateur-radio,rec.radio.amateur.equipment

hmmm sounds like an FT4700.
I'm in the same predicament, it's already modded for uhf cb but the diplexer
is too narrow.
t

"Jay" <j@bsc.com> wrote in message news:3cfbe6d7$1_1@news.iprimus.com.au...
> Steven, What radio are you using?
> I'm interested in buying a dual band radio that is able to transmit
outside
> the usual boundries.
> Presently I'm using a Yaesu FT-530 and I'm lucky if I can get 300 mW on
uhf
> cb.
>
>
> Cheers
> Jay
>
>
>
> "budgie" <budgie@nowhere.cantech.net.au> wrote in message
> news:3cfb61c5.4865143@news.cantech.net.au...
> > On Mon, 3 Jun 2002 22:19:57 +1000, "Steven Haigh"
> > <netwiz@optushome.com.au> wrote:
> >
> > >Sorry - forgot to mention, it's a 50W output on 130 - 170, and 35W on
> > >400-479.....
> >
> > Ah well, you could still buy one and see how to build your own. The
> > ferrites would need to be a bit beefier ....
> >
> > >"budgie" <budgie@nowhere.cantech.net.au> wrote in message
> > >news:3cfb5c86.3522484@news.cantech.net.au...
> > >> On Mon, 3 Jun 2002 18:57:09 +1000, "Steven Haigh"
> > >> <netwiz@optushome.com.au> wrote:
> > >>
> > >>I'm looking for a solution that will hopefully give me a lowish SWR
on
> > >>130-170Mhz TX, and 400-479Mhz TX.
> > >>
> > >>I got a Yaseu AD-3 Duplexer, but that completely filters out 465+ on
> it's
> > >>UHF output, much to my disappointment.... I have a feeling it will

> also
> > >do
> > >> >the same on the VHF frequencies above 150Mhz....
> > >> >
> > >> >I have 1 dual band radio, hooked up to two antennas.
> > >> >
> > >> >I would also like to keep the 800 - 900Mhz recieve, and the 300 -
399
> Mhz
> > >> >recieve in tact, which I believe is something that the AD-3 duplexer
> > >would
> > >> >have stripped me of....
> > >> >
> > >> >I was thinking a coax switch would be an idea, but having only found
> one
> > >for
> > >> >HF (14 - 50Mhz), I'm pretty sure that wouldn't help me...
> > >> >
> > >> >I've run out of ideas... Anyone here have any more insight on
possible
> > >> >solutions?
> > >>
> > >> If you are just chasing a cheap VHF/UHF splitter/diplexer with a
> > >> crossover frequency ~200-250 MHz, try Hills DPX-U/V. Cheap but works
> > >> as long as your power is 25W or less. Ignore the nominal 75ohm
> > >> impedance, we have used them on 50ohm stuff for yonks and they
present
> > >> a fairly good match in both bands.
> > >
> > >
> >
>
>

80. any new 2M ssb xcvr out there?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 01:18:10 UTC
From: dankal@email.com
Message-ID: <32a72a54.0206031718.613ddba9@posting.google.com>
Source record: 42791

Does anyone out there know if any one makes new single bnd 2M SSB rigs?
I've been looking around and can't find a thing! Only all band/allmode units!
Dan Kal
KB3IBT

81. 2 meter all mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 01:32:43 UTC
From: keluj <"keluj _at_ hotmail.com">
Message-ID: <ufo64vhuok1h6f@corp.supernews.com>
Source record: 42792

I am looking to get a 2 meter all mode radio. Any recommendations as to which ones I should consider?

tnx.

82. Re: radioworld

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 02:29:30 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <kCVK8.6407$LR4.772391@news20.bellglobal.com>
Source record: 42793

> The Price list I just downloaded is dated June 2002, since this is only
> the 3rd I don't think its too out-of-date.

I didn't see it Dave, I guess I am not looking in the right spot. My apologies. I have purchased many items from Radioworld and am always pleased with the service. I just thought maybe there website updating was behind.

Max

83. I need help about Yaesu VR 500 8.33khz Airband compliant Please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 03:04:33 UTC
From: "J.P." <landingsky@yahoo.es>
Message-ID: <3cfd7f5b@213.30.5.12>
Source record: 42728

Hi
I need expert opinions to help my final decision to buy a radio scanner.
I have no experience but i like purchase a scanner for hobby. I have read a lot of Webs and documentation, and i am very confused.
In that moment i like the Model Yaseu VR 500, especifiction page
http://www.yaesu.co.uk/amateur/receivers/vr500/vr500.htm
My interesting is the aircraft comunications (air and ground) because i love aircrafts. My confusion is about the 8.33Khz Airband tuning steps.
Alinco DX J3 (my first choice) have this step but is a basic model without (SSB,USB/LSB,CW) and no alfatags.
The model Yaesu VR 500 come with this steps(0.05/0.1/5/6.25/9/10/12.5/15/20/25/30/50/100 kHz), but no 8.33Khz step.
Questions:
Is possible tuning the new step frequencie with this model?
The choice model is a good scanner purchase to the new step 8.33Khz Airband?
Anyone have this model and have good results in this frequencie?
Other model is best for the job?

Please i need help and this group have my solution certanly.
Excuse my English
Paulo Coelho

84. Re: Comments wanted on new DSP transceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 03:24:49 UTC
From: Scott <nospam@nospam.org>
Message-ID: <5qWK8.103434$%y.11080423@bin4.nnrp.aus1.giganews.com>
Source record: 42794

24 bit A/DO converters have been around since the Kenwood TS870S, which was the first all DSP rig. You'll probably want to look at 32 bit DSP processing as the state of the art.

The consensus of those who demand the most from their receivers is seems to be that all-DSP rigs are not quite ready for prime time. While a good DSP rig can have good dynamic range/blocking dynamic range/2nd and 3rd order intercepts, close in BDR and DR leave something to be desired when compared to rigs with cascaded filters.

The 746 Pro and 756 Pro II are nice rigs, but they don't hold up RX-wise with the FT1000MP/Mark V/IC775/TS950SDX class rigs just yet. The Ten Tec Orion's ham band RX will be a combination DSP/cascaded filter rig, not DSP only. Spec-wise, it looks terrific- unfortunately, Ten Tec has a history of aiming for the sky with their newer rigs and falling just short in performance and reliability when compared to the "elite" Japanese rigs, like the FT1000/TS950SDX class rigs.

That said, the all DSP rigs can give you plenty of bang for the buck. I've got a TS2000, which works just fine for DXing, although it wouldn't be my first choice in a multi-multi contest environment.

Hope this helps and 73,
Scott, N9AI

"Jim" <radio1@juno.com> wrote in message
news:29snfugtnm2q0rmmjqfh9sum4hlcm0i56u@4ax.com...
> Anyone out there own and care to comment on the new DSP filters in
> some of the new Icoms and Kenwoods? How well do they stack up against
> the old crystal filters?
>
> Particularly interested in the Icom 746 and 756 Pro II since they seem
> to be the first out there with 24 bit A/D converters. Ten Tec's new
> 565 is supposed to have them as well.
>
> Jim
>

85. FS: Timewave DSP-59+

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 03:53:16 UTC
From: Douglas Gavilanes <gavilan1@earthlink.net>
Message-ID: <3CFC3B64.D3CD53F@earthlink.net>
Source record: 42795
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a DSP-59+ in excellent shape. Great for use on SSB or CW. First
$125 takes it (plus shipping from Southern CA. 92843).

73 es TNX,

Doug Gavilanes, N6XQY
Garden Grove, CA.
gavilan1@earthlink.net

86. Re: 2 meter all mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 03:54:26 UTC
From: Tom - radioguy <radioguy@charter.net>
Message-ID: <ufoelkgd1tsp2c@corp.supernews.com>
Source record: 42797

I used Icom IC -275 is one that is a pretty good one.

> I am looking to get a 2 meter all mode radio. Any recommendations as to
> which ones I should consider?
>
> tnx.
>
>

87. FS: AMECO PT-3 HF Preamp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 03:55:48 UTC
From: Douglas Gavilanes <gavilan1@earthlink.net>
Message-ID: <3CFC3C02.BAD45AA6@earthlink.net>
Source record: 42796
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have an Ameco PT-3 HF solid state preamp in excellent shape, with
manual. I used it one summer for 10M, but I don't play on HF anymore.
First $75 takes it (plus shipping from Southern CA. 92843).

73 es TNX,

Doug Gavilanes, N6XQY
Garden Grove, CA.
gavilan1@earthlink.net

88. FS: Large stock of valves - very cheap

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 07:12:14 UTC
From: arnoldg@c2i.net
Message-ID: <3cfc66fb.4142164@news1.c2i.net>
Source record: 42698
Cross-posted to:
rec.radio.amateur.boatanchors,rec.audio.tubes,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.audio.marketplace

Hello,

These valves are completely new, never used. They are in original
boxes and in mint shape. The valves are mostly HALTRON brand, but
they were a typical 'rebranding' company and got their valves from
well known manufacturers like Philips, Mullard, Siemens etc.

The following are for sale. The price shown are for each valve, and
as you can see, they are very low.

950 pcs DY 87 $ 0,40 HV single rectifier

60 pcs EB 91 $ 0,50 = 6AL5
40 pcs EF 50 $ 0,40 WW2 wideband pentode
20 pcs EF 55 $ 0,50 WW2 wideband radar pentode
200 pcs EF 183 $ 0,50 = 6EH7 remote cutoff pebtode
40 pcs EY 81 $ 0,40 Booster diode 550V 150mA
40 pcs EY 86 $ 0,40 HV single rectifier

220 pcs PABC 80 $ 0,50 triple diode + medium u triode
400 pcs PC 900 $ 3,00 high gm VHF triode + audio
90 pcs PCC 85 $ 0.40 double triode VHF
280 pcs PCF 200 $ 0,50 triode + high gm pentode
350 pcs PCF 201 $ 0,50 Triode + high gm pentode
630 pcs PCF 801 $ 0,50 Triode + high gm pentode
370 pcs PCF 802 $ 0,60 Triodepentode
730 pcs PCH 200 $ 0,50 Triodeheptode

150 pcs PCL 81 $ 0,60 Triode outputpentode
190 pcs PCL 82 $ 0,50 Triode outputpentode Wa 7W
200 pcs PCL 86 $ 0,60 Triode outputpentode Wa 9W
250 pcs PFL 200 $ 0,50 Pentode + high gm outputpentode
(S= 22mA/V Wa 5W)

100 pcs PL 36 $ 0,50 Line outputpentode Wa 12W
170 pcs PL 82 $ 0,50 Output pentode Wa 9W
170 pcs PL 83 $ 0,50 Output pentode Wa 9W
360 pcs PL 84 $ 0,50 Output pentode close to EL 84 l
200 pcs PY 81 $ 0,40 Booster diode 550V 150mA
100 pcs PY 83 $ 0,40 Booster diode 175mA

Even more discount is available if you buy large quantities.

Please contact me by fax (+47 57 69 12 67) or e-mail (arnoldg@c2i.net)
if you are interested

Best regards,

Arnold Goks&#65533;yr
-manager-

DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

89. Re: any new 2M ssb xcvr out there?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 07:41:54 UTC
From: W6DKN <w6dkn@qsl.net>
Message-ID: <6b_K8.5151$2n4.4353@nwrddc04.gnilink.net>
Source record: 42699

About the closest thing you'll find currently is the dual band Ten Tec 526
...

http://www.tentec.com/TT526.htm

73 de W6DKN

"Dan Kalczuk" <dankal@email.com> wrote in message
news:32a72a54.0206031718.613ddba9@posting.google.com...
> Does anyone out there know if any one makes new single bnd 2M SSB rigs?
> I've been looking around and can't find a thing! Only all band/allmode
units!
> Dan Kal
> KB3IBT

90. Re: Antenna Solution: 130-170Mhz & 400-479Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 08:24:25 UTC
From: Steven Haigh <netwiz@optushome.com.au>
Message-ID: <3cfc7939$0$31825$afc38c87@news.optusnet.com.au>
Source record: 42700
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,free.uk.amateur-radio,rec.radio.amateur.equipment

An Icom IC-207H....

--
Signed,
Steve

"Jay" <j@bsc.com> wrote in message news:3cfbe6d7$1_1@news.iprimus.com.au...
> Steven, What radio are you using?
> I'm interested in buying a dual band radio that is able to transmit
outside
> the usual boundries.
> Presently I'm using a Yaesu FT-530 and I'm lucky if I can get 300 mW on
uhf
> cb.
>
>
> Cheers
> Jay
>
>
>
> "budgie" <budgie@nowhere.cantech.net.au> wrote in message
> news:3cfb61c5.4865143@news.cantech.net.au...
> > On Mon, 3 Jun 2002 22:19:57 +1000, "Steven Haigh"
> > <netwiz@optushome.com.au> wrote:
> >
> > >Sorry - forgot to mention, it's a 50W output on 130 - 170, and 35W on
> > >400-479.....
> >
> > Ah well, you could still buy one and see how to build your own. The
> > ferrites would need to be a bit beefier ....
> >
> > >"budgie" <budgie@nowhere.cantech.net.au> wrote in message
> > >news:3cfb5c86.3522484@news.cantech.net.au...
> > >> On Mon, 3 Jun 2002 18:57:09 +1000, "Steven Haigh"
> > >> <netwiz@optushome.com.au> wrote:
> > >>
> > >> >I'm looking for a solution that will hopefully give me a lowish SWR
on
> > >> >130-170Mhz TX, and 400-479Mhz TX.
> > >> >
> > >> >I got a Yaseu AD-3 Duplexer, but that completely filters out 465+ on
> it's
> > >> >UHF output, much to my disappointment.... I have a feeling it will

> also
> > >do
> > >> >the same on the VHF frequencies above 150Mhz....
> > >> >
> > >> >I have 1 dual band radio, hooked up to two antennas.
> > >> >
> > >> >I would also like to keep the 800 - 900Mhz recieve, and the 300 -
399
> Mhz
> > >> >recieve in tact, which I believe is something that the AD-3 duplexer
> > >would
> > >> >have stripped me of....
> > >> >
> > >> >I was thinking a coax switch would be an idea, but having only found
> one
> > >for
> > >> >HF (14 - 50Mhz), I'm pretty sure that wouldn't help me...
> > >> >
> > >> >I've run out of ideas... Anyone here have any more insight on
possible
> > >> >solutions?
> > >>
> > >> If you are just chasing a cheap VHF/UHF splitter/diplexer with a
> > >> crossover frequency ~200-250 MHz, try Hills DPX-U/V. Cheap but works
> > >> as long as your power is 25W or less. Ignore the nominal 75ohm
> > >> impedance, we have used them on 50ohm stuff for yonks and they
present
> > >> a fairly good match in both bands.
> > >
> > >
> >
>
>

91. Re: Yaesu vx150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 13:28:48 UTC
From: gary <sgmm.hurd@verizon.net>
Message-ID: <kg3L8.32225$m9.22002@nwrddc02.gnilink.net>
Source record: 42701

Go to www.eham.net and check out all the reviews. Seems like a good little radio. I'm thinking of getting a couple for me and my wife. 73 de Gary/WR1U
"Tom G" <tmg9252@aol.com> wrote in message news:e05f0caa0e8573c0cfc6e903c6115862.62969@mygate.mailgate.org...
> Anyone have any comments on this 2m hand held. Thinking of getting one.
>
> Thanks in advance
>
>
> --
> Posted via Mailgate.ORG Server - http://www.Mailgate.ORG

92. Need mod for Alinco DJ-582T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 14:24:10 UTC
From: johnson762@aol.com
Message-ID: <e57007d.0206040624.69a9e756@posting.google.com>
Source record: 42702

i have been away from the hobby for awhile, and found this radio sitting in the closet. i dusted it off and it still works. I need to find a MARS mod for this radio. i also would like to find a manual for it (Alinco doesn't list it on their site). if anyone has any info PLEASE feel free to email me. thanks!...73....rick

93. Re: any new 2M ssb xcvr out there?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 14:57:10 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020604105710.28448.00000012@mb-mh.aol.com>
Source record: 42703

>Does anyone out there know if any one makes new single bnd 2M SSB rigs?
>I've been looking around and can't find a thing! Only all band/allmode units!
>Dan Kal
>KB3IBT
>

I don't believe anyone makes them anymore. I own an Icom IC-290A 2m multi-mode (lacks AM mode). It's a very nice rig. Go to eham.net and check out reviews for it. I got mine on a very good deal for less than $150.
=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

94. Racal RA-17C-12 at HamCom this weekend

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 16:40:36 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <846L8.879$C91.617@newsread1.prod.itd.earthlink.net>
Source record: 42704

Racal RA-17C-12 Communications Receiver for sale. This is the North American Version with American Tubes, S-Meter, More Audio Output, Coaxial Connectors, etc. It is all original. It is in very nice shape with top cover, copy of manual, and Racal Brochures. Stability is super with the Wadley Loop. See on page 329 of Osterman. It is listed as "scarce". This is one of the best receivers I have ever used. This one is in very nice shape and works exceptionally well. I need some room, so it is up for sale.
Price is $550 picked up in Abilene, Texas, or I can deliver it, upon request,
to HamCom in Arlington,Texas this weekend. Digital Pictures are available upon
request. This is a very nice receiver and priced below Osterman's suggested price.
Thanks, Charlie Hugg, K5MBX
Abilene, Texas

95. Re: Need mod for Alinco DJ-582T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 17:44:03 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ufpv3ltc2r78dc@corp.supernews.com>
Source record: 42705

You might try here http://www.mods.dk/ but I didn't see the 582 on the list, but may have overlooked it.

--
Web Site: www.polkcounty.org/radiofun

"Rick" <johnson762@aol.com> wrote in message news:e57007d.0206040624.69a9e756@posting.google.com...
> i have been away from the hobby for awhile, and found this radio
> sitting in the closet. i dusted it off and it still works. I need to
> find a MARS mod for this radio. i also would like to find a manual for
> it (Alinco doesn't list it on their site). if anyone has any info
> PLEASE feel free to email me. thanks!...73....rick

96. Re: yaesu ft-7100 power supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 18:05:20 UTC
From: Mike N5MJ <"n5mj at myrealbox dot com">
Message-ID: <adivffdvm1@slb7.atl.mindspring.net>
Source record: 42706

Andreas -

Congratulations on your first rig.

The power requirements of the FT7100M are 11.5A TX on VHF, 10A on UHF both high power.

This information can be found on the manufacturer's web site at http://www.yaesu.com/amateur/ft7100mtx.html

I use a power supply with at least a 25% overrating. Generally, we tend to hook up more than one device to the power supply, so the bigger, the better. In my case, an Astron RS35 powers an HF rig and a dual-bander, plus a TNC and a 2M hand held. No sweat but then again, I don't simultaneously TX on all rigs at once!

Also have had really good luck with the little MFJ-4125 switching power supply. This little guy weighs very little, is about the size of a CD-ROM drive, and puts out up to 23A. For $100 just about anywhere.

Good luck and 73

Mike N5MJ

PS - when posting, let us know your call sign!

"Andreas P." <anpap@my-deja.com> wrote in message news:c106891e.0205310234.7b557524@posting.google.com...
> I just got my first radio, a YAESU FT-7100 (still haven't set it up).
> I want to get a power supply so that I can use it both
> at home and in the car.
> Does anyone know how much power the radio needs?
> I found two 13.8v power supplies at 6 and 10AMPS.
> Will 6AMPS be enough for the radio? Is there anything else
> I should know before buying a power supply?
>
> thanks,
> Andreas

97. KLM PA10-40B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 18:45:15 UTC
From: CJ <cjr@visi.com>
Message-ID: <3CFD0ABB.A5627818@visi.com>
Source record: 42707
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Found this old 2m amplifier. Can anyone send me or direct me to the specs on it? I would especially like to have the connections on the 4-pin Jones type socket. Looks like +12v, -12v and control. Ground control to enable?

73, CJ K0CJ

98. Re: Tucson Sheriff pima county HELP!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 19:22:15 UTC
From: jim@sideband.SPAMDEATH.fsnet.co.uk
Message-ID: <3cfd134d.4340364@news.freeserve.net>
Source record: 42708
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner

On Tue, 4 Jun 2002 19:12:47 +0100, "temor" <xxxx@ntlworld.com> wrote:

>I take it as a "UK Radio Ham" you don't like "trash" from the USA.
>
>....and hear is me thinking ham radio was a "global, unifying" hobby. I
>learn something new every day.
>
>OBTW...did you ever think he simply made an error in his newsgroup
>selection?

Ignore him. He's a total poltroon and a notorious troll
in several radio-related groups.

He's only there for the agro.

--

_____
Posted by JMD.

99. FA: Working TEKTRONICS #191 SIGNAL GENERATOR @$26- SMALL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 19:26:46 UTC
From: rlucch2098@aol.com
Message-ID: <20020604152646.06283.00002025@mb-fk.aol.com>
Source record: 42709

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1356985317

100. FA:EXCELLENT KNIGHTKIT P-2 SWR/POWER METER>432Mcs@$16

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 19:28:32 UTC
From: rlucch2098@aol.com
Message-ID: <20020604152832.06283.00002027@mb-fk.aol.com>
Source record: 42710

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1356985321

101. fa> 2 BRAND-NEW JOHNSON #210 Ceramic Sockets for 866A $9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 19:30:39 UTC
From: rlucch2098@aol.com
Message-ID: <20020604153039.06283.00002028@mb-fk.aol.com>
Source record: 42711

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1356985318

102. fa- Believe this? Kenwood TS-830S Stuck at $200, amazing!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 19:32:32 UTC
From: rlucch2098@aol.com
Message-ID: <20020604153232.06283.00002030@mb-fk.aol.com>
Source record: 42712

Real nice with pictures to boot!
Bidding seems DEAD & its a "Gold Label" model !
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1356985312

103. fa- CLASSIC WESTON #341 AC/DC METER in Wood Case@$15

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 19:35:33 UTC
From: rlucch2098@aol.com
Message-ID: <20020604153533.06283.00002033@mb-fk.aol.com>
Source record: 42713

Real nice with pictures to boot!
Bidding seems DEAD & its in Excellent condition!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1356985315

104. WANTED: Motorola VHF HT-600's, Maxtrac, MCX-100 radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 20:54:56 UTC
From: jhensley@neocomm.net
Message-ID: <3cfd2b06.110236136@news-server.triad.rr.com>
Source record: 42715

Hello,
I'am contacting the news list on behalf of a non-profit search adn recue organization that is in need of radios. The radio they are looking for ar VHF Motorola 6 ch HT-600's (10-12 units), Maxtrac min 6 ch (2-3 units), or MCX-100 min 6 ch (2-3 units), also chargers for the ht-600's. We are a federally recognized charity. You can visit our website at http://www.neocomm.net/~jhensley/mtvcap.htm and email me at jhensley@sitestar.net let me know.

Thanks,
Capt. Jerry B. Hensley

105. WANTED: Motorola HT-600's, Maxtrac, MCX-100 radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 20:55:56 UTC
From: jhensley@neocomm.net
Message-ID: <3cfd2b49.110302891@news-server.triad.rr.com>
Source record: 42714

Hello,
I'am contacting the news list on behalf of a non-profit search adn recue organization that is in need of radios. The radio they are looking for ar VHF Motorola 6 ch HT-600's (10-12 units), Maxtrac min 6 ch (2-3 units), or MCX-100 min 6 ch (2-3 units), also chargers for the ht-600's. We are a federally recognized charity. You can visit our website at http://www.neocomm.net/~jhensley/mtvcap.htm and email me at jhensley@sitestar.net let me know.

Thanks,
Capt. Jerry B. Hensley

106. Re: Yaesu FT-50R power up problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 21:25:29 UTC
From: Stephen Hill <nugrange@telocity.com>
Message-ID: <3CFD3046.D76F8BEB@telocity.com>
Source record: 42716

I bumped into a useful feature of the FT-50RD. If you hold the knob down until the menu comes into the window, and then turn the knob to #4 ("SUB") one of the options is "dc", which will show your current (pun intended) battery voltage as a replacement for the preset channel number. That would have shown you that your power was adequate, so something else must be the problem.

73's,
Steve

Keith Beebe wrote:

> Thanks John.
>
> I just realized it could have been a battery situation shortly after posting
> my question and trying a few other things like monitoring the actual voltage
> in the sub-display. I had expected it to show the low battery indicator,
> which it didn't, instead of the flashing and lockup. Like I said, it is new
> and I'm still getting used to its operation.
>
> Well, now I know.
>
> Keith Beebe W3KB
>
> "John P Vassel" <john@vassel.net> wrote in message
> news:3cf365f2$0$3340$2c3e98f8@news.voyager.net...
> > "Keith Beebe" <keith.beebe@veri-nospam-zon.net> wrote in
> > news:H3DI8.21052$Np5.12297@nwrddc01.gnilink.net:
> >
> > > I'm experiencing an intermittent problem with my new Yaesu FT-50R
> > > handheld.
> > >
> > > Every now and then, on powering up the radio, the display comes up
> > > flashing (relatively slow flash). When this happens, it will not go
> > > into transmit, the monitor button will not open squelch, etc.
> > >
> > > Powering it off and on does not help. However, removing the battery
> > > while the radio was on and then replacing it seemed to "reset" it.
> > >
> > > Anyone have a solution?
> > ----------
>
> > This 'flashing' is typical of a low battery condition. At least that's
> > what mine does when it's low.
> >
> > --

> > John Vassel
> > KC8SKE
> > RTFD Volunteer Firefighter

107. Operating question on Yaesu FT-50RD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 21:46:00 UTC
From: Stephen Hill <nugrange@telocity.com>
Message-ID: <3CFD3514.9A9C7B9E@telocity.com>
Source record: 42717

I have tried to implement the ability to only scan in certain freq ranges in the FT-50RT, without success.

I have three specific "bands" that I'm interested in; public safety, aviation and amateur radio. The way I interpret the manual, I should be able to set a lower and upper range in the u/l memories, then key in one of those freqs and then (long) press the MR/skip button, without success. It will continue to scan all stations in my scanning memory, regardless of freq.

For instance, I have 145.000 in my L1 memory, 148.000 in my U1, then go to the first station in my scanning memory (145.23) and do a long press of the MR/skip button, which looks at ALL my memorized stations. I have also gone to the L1 preset, and then pressed the MR/skip, still without doing what I expect it to do.

Am I misunderstanding the instructions?

Thanks,
Steve

108. Re: Comments wanted on new DSP transceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 22:07:51 UTC
From: Jim <radio1@juno.com>
Message-ID: <k7bqfu85805944sgv36un9mno6vj9fenp7@4ax.com>
Source record: 42718

Thanks for the comments Scott. I had the chance to listen to a TS 570DG recently and was impressed by its performance and price.

Regarding dynamic range figures, I agree it is difficult to find numbers that mean anything. Everyone lists the 20 Khz DR. Rarely do you see a number at 5Khz. You usually have to rely on amateur operators to measure and post it.

Jim
KC8PXK/AG

On Mon, 03 Jun 2002 23:04:58 GMT, Jim <radio1@juno.com> wrote:

>Anyone out there own and care to comment on the new DSP filters in
>some of the new Icoms and Kenwoods? How well do they stack up against
>the old crystal filters?
>
>Particularly interested in the Icom 746 and 756 Pro II since they seem
>to be the first out there with 24 bit A/D converters. Ten Tec's new
>565 is supposed to have them as well.
>
>Jim

109. Re: Operating question on Yaesu FT-50RD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 23:02:45 UTC
From: "Michael B. Blake" <m.b.blake@att.net>
Message-ID: <pGbL8.21655$LC3.1611305@bgtnsc04-news.ops.worldnet.att.net>
Source record: 42719

"Stephen Hill" <nugrange@telocity.com> wrote in message
news:3CFD3514.9A9C7B9E@telocity.com...
> For instance, I have 145.000 in my L1 memory, 148.000 in my U1, then go
> to the first station in my scanning memory (145.23) and do a long press
> of the MR/skip button, which looks at ALL my memorized stations. I have
> also gone to the L1 preset, and then pressed the MR/skip, still without
> doing what I expect it to do.
>
> Am I misunderstanding the instructions?
>
> Thanks,
> Steve
Yes, you are misunderstanding the instructions. The scan limits (L1-U1 for
example) are for scanning the VFO, not memories.

110. FS radio shack pro 90 300 channel trunk tracker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-04 23:45:16 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <kicL8.22602$gb1.830981@twister.kc.rr.com>
Source record: 42720
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

Hi have a nice radio shack pro 90 300 channel trunk tracker scanner forsale.
This is a hand-held scanner in good condition.
Comes with ac/charger rubber duck and battery pack.
The battery pack i think needs a new one it holds a charge for about half
and hour.
Scanner works great.
You can download the manual for radio shack website.
$125 shipped lower 48 states ups insured.
Please e-mail me direct or for pics of scanner.

111. dodge GrandCaravan radio install?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 01:10:47 UTC
From: aajham@yahoo.com
Message-ID: <3CFD688C.5EC2AD3A@yahoo.com>
Source record: 42721

Hi, anyone done this? Any tips? Things to avoid blowing up or drilling?

Tnx Art KF7GD new owner of 2000 grand caravan awaiting radios to make it complete.

112. Re: Operating question on Yaesu FT-50RD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 01:23:26 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3cfd680e$0$3339$2c3e98f8@news.voyager.net>
Source record: 42722

"Michael B. Blake" <m.b.blake@att.net> wrote in
news:pGbL8.21655$LC3.1611305@bgtnsc04-news.ops.worldnet.att.net:

>
> "Stephen Hill" <nugrange@telocity.com> wrote in message
> news:3CFD3514.9A9C7B9E@telocity.com...
>> For instance, I have 145.000 in my L1 memory, 148.000 in my U1, then
>> go to the first station in my scanning memory (145.23) and do a long
>> press of the MR/skip button, which looks at ALL my memorized stations.
>> I have also gone to the L1 preset, and then pressed the MR/skip,
>> still without doing what I expect it to do.
>>
>> Am I misunderstanding the instructions?
>>
>> Thanks,
>> Steve
> Yes, you are misunderstanding the instructions. The scan limits (L1-U1
> for example) are for scanning the VFO, not memories.
>
>
>

Exactly, you will scan 144 to 148 in the scenary you presented.
If you wish to scan your memory channels, yet block some out, hit function
and mr(skip) and it will block those channels from the scan list.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

113. FS or FT: Dell Laptop

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 02:08:00 UTC
From: wampus@nc.rr.com
Message-ID: <3cfd7270.340574580@news-server.nc.rr.com>
Source record: 42723

I have recently upgraded my laptop and have a very nice Dell Latitude CPx . This laptop has a P-III 500MHz CPU, 192MB of RAM, an 11.2GB harddrive, CDRom, Floppy with external connector cable (so you can run both CDROM and Floppy at the same time), Ethernet PCMCIA Card, 56Kb PCMCIA Modem card, 13.5" Color TFT Active Matrix Display, Dell Laptop case and two high capacity batteries (both of which are brand new). It comes with Microsoft Windows 2000 Professional w/SP2 installed, but an original Dell Win2KPro w/SP1 CD. Includes a Dell Laptop carry bag (canvas).

Will sell for $800.00US plus $15.00US shipping or trade even for a JRC NRD-535D HF receiver in good cosmetic and working condition. Must have a serial number above 56000 and the original 535D features installed.

Please reply via email address below.

73s,

Chuck
wampus@nc.rr.com

114. FS: Motorola GP300 UHF 16 Channel

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 02:10:25 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <bmsqfukckn3iiia7mduh4ah15t97j5hir9@4ax.com>
Source record: 42724

I have for sale a clean 16 channel Motorola GP300 UHF currently programmed on the ham band. The radio is very clean and comes with 2 batteries and the rapid charger. One battery is a few months old and the other is not that great. I will ship for $225. Thanks, Mike mfunaro@worldnet.att.net

115. RS-232 Tester - RS232 Serial Tester - Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 02:45:10 UTC
From: Dan Long <w4tq@mindspring.com>
Message-ID: <adju43$5mg$1@slb7.atl.mindspring.net>
Source record: 42725

RS-232 Tester - RS232 Serial Tester - Ebay

This RS-232 tester & line analyzer can be used to check serial devices and cables, including CNC Ports. The tester is inserted in the line--it has a DB-25 Male on one end and DB-25 Female on the other. It has LED's for RTS, CTS, DSR, DTR, CD, TD, RD. It shows Red for inactive, Green for active, and Mixed Red & Green for data being sent.

The tester is new--never used.

For auction on Ebay, click on:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1736110477&ssPageName=ADME:B:LC:US:1

I will be glad to provide additional information. Contact me at w4tq@mindspring.com

116. Re: Tucson Sheriff pima county HELP!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 02:58:18 UTC
From: DAVE <sklam@theriver.com>
Message-ID: <L8fL8.1003$gg7.121877@news.uswest.net>
Source record: 42727
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner

you are right, I did Simply hit the wrong group. And I'm ever so sorry for the horrible waste of your precious time! Can you ever forgive me? I will never bother your elite personal newsgroup again! Oh ya I will also never answer any of your posts or point you in the right direction again. SO, go crawel back into your mothers pouch and hop away you putz!

Dave
Raytheon missile and defense systems Engineering div.
Tucson Az USA

117. TMG 707A MODS?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 02:58:21 UTC
From: msdbm@aol.com
Message-ID: <20020604225821.27279.00000102@mb-mk.aol.com>
Source record: 42726

Does anyone have the mod to open up the transmit and receive on a Kenwood TMG 707 A dual bander?

Thanks,
JOE

118. SWR Meter & Signal Strength Meter - Philmore - Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 03:10:26 UTC
From: Dan Long <w4tq@mindspring.com>
Message-ID: <adjvjfare1@slb2.atl.mindspring.net>
Source record: 42731

SWR Meter & Signal Strength Meter - Philmore - Ebay

This is a very nice meter, used for measuring SWR or for field strength, Model FS-45. It is designed for HF operation, up to 1000 watts.

For those who aren't familiar, this meter checks antenna operation by measuring the ratio of reflected power to forward power. If the ratio is high, it indicates that the antenna is not correctly matched to the feedline or to the transmitter. The meter will also show a high ratio if there is a bad connection.

Cosmetically, the meter is in very good condition, and has a minor flaw on the front panel in the area of the "REF" printing (see picture). The meter is very clean. It includes the box, field strength antenna, and instructions.

For auction on Ebay, click on:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1356991949&ssPageName=ADME:B:LC:US:1

I will be glad to provide additional information. Contact me at w4tq@mindspring.com

119. Re: Tucson Sheriff pima county HELP!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 03:10:52 UTC
From: Steve Terry <g4wwknospam@tesco.net>
Message-ID: <adjvij$11t1o2$1@ID-139484.news.dfncis.de>
Source record: 42730
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner

"DAVE" <sklam@theriver.com> wrote in message
news:L8fL8.1003$gg7.121877@news.uswest.net...
> you are right, I did Simply hit the wrong group.
<snip>
>
No, you mean you couldn't be bothered to check if the multitude of groups
you'd pointlessly crossposted to, were correct

Steve Terry

120. Re: TMG 707A MODS?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 03:13:57 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <adjverrmb1@bob.news.rcn.net>
Source record: 42729

"MSDBM" <msdbm@aol.com> wrote:

> Does anyone have the mod to open up the transmit and receive...

Why don't folks go to the mods database that's posted here every week?

http://www.mods.dk

121. Grain of wheat bulbs..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 03:36:01 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <IGfL8.5319$W74.1265707@news20.bellglobal.com>
Source record: 42732

Need help identifying the bulbs in my Alinco DR110 2m radio. A few need replacing. Saw a post a while ago here identifying the bulb. can anyone help?

122. Mic Element? Help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 03:43:45 UTC
From: Screaming Skull <KG4IVT@hot.mael.spicedmeat.sucks.leave.me.alone.com>
Message-ID: <RNfL8.64680$6v2.2624322@twister.southeast.rr.com>
Source record: 42733

I've got a Yaesu YM-47 (for a FT-290r) mic that has a bad element in it. Without ordering anything, is there anything that I could possibly pick up at Radio Shack to replace this thing? Using an electret element is fine just how do I wire it? I've tried those before with terrible results that were most likely due to my not knowing much about using those type of elements. Any suggestions are welcome as I need to get this done fairly quickly. Thanks!

123. 2m horiz. polarized antenna options?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 03:46:20 UTC
From: Screaming Skull <KG4IVT@hot.mael.spicedmeat.sucks.leave.me.alone.com>
Message-ID: <gQfL8.64687$6v2.2624460@twister.southeast.rr.com>
Source record: 42734

I freed up a my 2m all mode rig a few weeks ago with the purchase of an IC-746. I would like to use my old 2m rig for VHF contesting/rover type work. Does anyone have decent plans for some sort of MOBILE VHF horizontal antenna? I've got a couple of old mag mounts around here that I could use to attach the thing to my car. I am not going permanent with a rover setup yet. Any ideas? Thanks!

124. FS GOODIES Galore.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 04:31:16 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <ougL8.20$_k2.19@newsread1.prod.itd.earthlink.net>
Source record: 42735

Hello I got MUCH, MUCH, MUCH more stuff 4 Sale.....

Yaesu Landliner LL-301 phone patch......$29.00

AEA PK-88 TNC with manual $40.00

Swan 350 with Electro-voice 727 desk microphone, and matching Swan
117-C power supply and power supply with manual
works Great.....$139.00

Gonset GSB-201 desk amplifier runs 4 - 811's with manual wired
untested (pick up only Los Angeles) for 110 volts, output is 500 watts on
110 volts.
.....$240.00

Eico 625 Tube Tester with tube chart.....$75.00

Heath-Kit "THE TWOER" in EXCELLENT a COLLECTOR item for sure with the
AC/DC cable, and original heath-kit microphone $99.00

Heath-Kit HW-22 SSB Transceiver with original Heath-Kit microphone,
mounting bracket and matching Heath-Kit power supply.....$125.00

Heath-Kit AM-2 wattmeter.....$20.00

Micro-Match (vintage) # 262 RF Power/VSWR meter...$75.00

Autek Research Message Memory CMOS Keyer MK-1.....$75.00

Palomar R-X Noise Bridge.....$35.00

Palomar Tuner/Tuner PT-340.....$55.00

B & W # 595 6 position antenna switch......$30.00

Courier Port-A-Lab 500 wattmeter/VSWR/Modulation/Relative Field Strength
Meter.....$39.00

Maxon (TWO) CS-0510 4 channel handhelds with swivel cases (can't test do not
have a charger)
Both for $55.00

Yosan HJ-502 "NEW IN THE BOX, NEVER USED" WITH INSTRUCTIONS, AND ORGINAL
BOX
Power/VSWR/Modulation/ AND a frequency counter.....$85.00

Astron RS-20A needs new Positive +, Negative - posts put on ...$45.00

Kenwood SMC-25 speaker/microphone for the TR-2500, TR-2600...$20.00

Kenwood YK-88CN 270HZ C.W. filter on 8830.7 KHZ.
This filter will fits these models:
Kenwood TS-130S,130SE,430S,440S,530S,530SP,830S,670S,660,and
the R-5000. .....$60.00 shipped in the U.S.

Kenwood TU-4C (new in the box) is the Tone Encoder for the Kenwood
TW-4000A 144/440 MHZ dual band mobile radio $45.00
shipped in the U.S.

KENWOOD CK-18 WARC BAND COIL PARTS KIT FOR THE TS-180S (New In
The Box),(UNUSED) This will add 12, 17, 30 meters to your Kenwood
TS-180S, instruction manual included.....$65.00 shipped in the
U.S. ONLY

Kenwood IC-10 (set of two chips) these are required for computer
control when using a Kenwood TS-440S, and R-5000
.....$49.00 shipped in the U.S.

Please view my web
page.....
..... " ALMOST ALL
THE ITEMS LISTED ABOVE ARE ON MY WEB PAGE " ..
http://radioleo.tripod.com/leo/id12.html

73, Leo KJ6HI

125. Re: TMG 707A MODS?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 04:37:16 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3CFD957C.7080709@lakefield.net>
Source record: 42736

Try this link;
http://www.mods.dk/
Robert N9LVU

MSDBM wrote:

> Does anyone have the mod to open up the transmit and receive on a Kenwood TMG
> 707 A dual bander?
>
> Thanks,
> JOE
>

126. Re: Tucson Sheriff pima county HELP!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 06:15:39 UTC
From: Ian Robert Walker <Ian@newbrain.demon.co.uk>
Message-ID: <hJ1$Q9BLya$8EwV2@newbrain.demon.co.uk>
Source record: 42743
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner

In article <L8fL8.1003$gg7.121877@news.uswest.net>, DAVE
<sklam@theriver.com> writes
>you are right, I did Simply hit the wrong group.

Err, no you did not "Simply hit the wrong group", you selected nine
groups without considering their applicability to your requirements. Few
people in Australia and the UK will have heard of "pima couny sheriff"
much less be able to receive VHF or UHF over such a long distance.

>And I'm ever so sorry for
>the horrible waste of your precious time! Can you ever forgive me? I will
>never bother your elite personal newsgroup again! Oh ya I will also never
>answer any of your posts or point you in the right direction again.

Unfortunately you found one of the few "little learning" types we have
to endure.

>SO, go
>crawel back into your mothers pouch and hop away you putz!

Difficult to do both I think.

>Raytheon missile and defense systems Engineering div.
>Tucson Az USA

Now that worries me, it worries me a lot!

--
Ian in alt.radio.scanner.uk

127. FS: Yaesu FT-2500M 2 Meter FM Mobile Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 06:31:25 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <1fiL8.171984$L76.261505@rwcrnsc53>
Source record: 42737

* Yaesu FT-2500M 2 Meter FM Mobile Transceiver in excellent condition
* Touch Tone Hand Mic
* Power Cable
* Mounting Bracket
* Instruction Manual
* Original Packing and Box

- Rugged MIL-SPEC 810 compliant for shock and vibrations.
- 5/15/50 watts output.
- Non smoker.

$130.00 plus shipping from 97006

--

Thanks,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

128. FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 06:36:05 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <pjiL8.63971$0A2.52844@rwcrnsc54>
Source record: 42738

```
* Kenwood TS-130S in excellent condition
* MC 35-S Noise Cancelling Hand Mic
* YK-88SN 1.8KHz SSB Filter
* YK-88C 500Hz CW Filter
* Power Cable
* Instruction Manual
* Service Manual

- Great for 160 thru 10 meters with WARC bands.
- 100 watts all bands.
- Non smoker, never mobile.

$350.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com
```

129. Re: Tucson Sheriff pima county HELP!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 07:57:45 UTC
From: kd5jbn@aol.comnospam
Message-ID: <20020605035745.21437.00002332@mb-mn.aol.com>
Source record: 42739

>Dave
> Raytheon missile and
defense systems Engineering div.
> Tucson Az USA

Hey Dave.. Does Raytheon know you are using their bandwith to post to the
newsgroups?

130. Re: dodge GrandCaravan radio install?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 08:00:02 UTC
From: kd5jbn@aol.comnospam
Message-ID: <20020605040002.21437.00002334@mb-mn.aol.com>
Source record: 42740

>Hi, anyone done this? Any tips? Things to avoid blowing up or
>drilling?
>
>Tnx Art KF7GD new owner of 2000 grand caravan awaiting radios to
>make it complete.

Install it in a Chevy

131. Re: ft-530

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 10:48:20 UTC
From: Don Fanning <saint@gci.net>
Message-ID: <U%lL8.110218$352.4725@sccrnsc02>
Source record: 42741

Power off. Hold down the up arrow and down arrow (a and B on the DTMF pad)
then power up.

"Keith G. Wucherer, N2OBS" <wucherer@hotmail.com> wrote in message
news:g8TK8.31829$lM2.1023171@twister.southeast.rr.com...
> anyone have info or manual on the ft-530 handheld?
> example, reset the cpu?
> keith, n2obs
> summerville, sc
>
>

132. Re: 2m horiz. polarized antenna options?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 13:19:22 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3CFE0F87.2D0C87EA@tampabay.rr.com>
Source record: 42742

i would suggest a HALO type of antenna
i know M2 and Par-Electronics both sell omni horizontal loop antennas that you could temporally mount on the roof of the car and if you stack two or more you can actually get some gain out of them
good luck

Screaming Skull wrote:

> I freed up a my 2m all mode rig a few weeks ago with the purchase of an
> IC-746. I would like to use my old 2m rig for VHF contesting/rover type
> work. Does anyone have decent plans for some sort of MOBILE VHF horizontal
> antenna? I've got a couple of old mag mounts around here that I could use
> to attach the thing to my car. I am not going permanent with a rover setup
> yet. Any ideas? Thanks!

133. HY GAIN AV 640

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 18:20:07 UTC
From: Paolo Emanuelli IK1QHB <ik1qhb@libero.it>
Message-ID: <rDsL8.8037$K4.166465@twister2.libero.it>
Source record: 42744

i'm looking for any possible info abt this antanna....

Is really self supported?
can handle 1.5Kw?
how does it work?

Please reply to ik1qhb@libero.it

Tnx to all can help me.

Paul IK1QHB

134. WTB - WANTED - Yaesu FTS-12 Tone board

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 18:31:42 UTC
From: See message for address <Spam@hotmail.com>
Message-ID: <3cfe5592$1@tkh-shark.kiesows.com>
Source record: 42745
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.marketplace,rec.radio.amateur.equipment

I need an FTS-12 tone board for an FT-2311R.

Please drop me an email at KF6QNC(at)arrl.net (Please replace the "(at)"
with "@" - spam...)

--
Kurt A.F. Kiesow III
KF6QNC
Fists #7231 -- QRP-L #2127
ARS #1064 -- ARCI #10956
K2 #823 -- K1 #10

135. FS: Ten Tec Argosy II

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 19:10:57 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <5ntL8.14725$fT5.3537963@typhoon.ne.ipsvc.net>
Source record: 42746

I have for sale a Ten Tec Argosy II Model 525D in very good condition with original manual and Ten Tec hand microphone. I would rate it a 8 out of 10 and there is some light scratches on the case and power supply nothing major for its age. The power supply is the matching Ten Tec 225 with original manual. This rig has a digital readout and covers 10 to 80 meters and high output power is between 40 to 50 watts and low is between 4 to 5 watts. Here are some of the options that it has, hard to find 223A noise blanker,219 cw filter 250Hz and the audio cw filter 224. This rig is in fine working condition and a high serial number 25xx.....Will take $375 plus shipping in the 48 states only. I can be reached at 508-821-2993 or email.....WZ1U Steve

136. FS radio shack dx-394 shortwave

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 19:48:15 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <3WtL8.2790$vx6.158208@twister.rdc-kc.rr.com>
Source record: 42747
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.shortwave

```
This shortwave is in good condition and works 100%
150 to 30.000 am lsb usb cw 1 cw2
Comes with manual antenna plugs in to 120 volt ac or dc with the optional dc
cable.
$160 shipped lower 48 states ups insured.
Or will trade for a Adi at-600hp or alinco djv5th or mirage B-5016-G
E-mail direct or for pics of the radio
```

137. Re: Yaesu vx150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-05 22:59:51 UTC
From: Tom Gimmartino <tmg9252@aol.com>
Message-ID: <7f48e25a161d3c6aaced66aeca979c6e.62969@mygate.mailgate.org>
Source record: 42648

"Tom G" <tmg9252@aol.com> wrote in message
news:e05f0caa0e8573c0cfc6e903c6115862.62969@mygate.mailgate.org

> Anyone have any comments on this 2m hand held. Thinking of getting one.
>
> Thanks in advance

Thanks to all for the input. I bought this HT, and so far I like It.
Still learning to "drive" It.

73's

Tom G.

--
Posted via Mailgate.ORG Server - http://www.Mailgate.ORG

138. TRANSFORMERS AVAILABLE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 00:59:30 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <1sctfuc2cnje3f0gmaet5cc9vapqfjbtaf@4ax.com>
Source record: 42649
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

I have the following tube-ish transformers available -
QTY 1 unless otherwise noted.

Power, filament AND output transformers are included...

115V primary to 5 V at 20 A Avco Crosley (no CT) for $32.00

115V primary to 6 V at 4 A (no CT) $11.00

115V primary to 6.3V CT at 3 A Triad for $11.00

115V primary to 6.3V CT at 6 A Triad for $15.00

115V primary to Two sec.6.4 V at 25A, 6.4 V at 25A $52.00

115 / 230 V primary to 7.5 V CT at 51 A at $95.00

115V primary to 1050V CT at 75mA plus 5V at 20 A
Avco Crosley brand for $32.00

115V primary to 1000V CT at 150 mA plus taps at 800V CT at 150 mA and
three
secondaries of 6.3V CT at 4 A each. New Triad brand HSM-212 for $28.00

115V primary to 1100 V CT at 180 mA for $30.00

Shipping is additional on all of the above

139. AOR muti mode terminal forsale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 01:27:59 UTC
From: poster <poster@gate.net>
Message-ID: <3CFEBA9F.78E80CF1@gate.net>
Source record: 42650

This thing does alot of things and here is more info at this page.
Its like new in the box.
http://www.universal-radio.com/catalog/decoders/2711.html
$250
Jack

140. Manual(s) for Motrola MCX100.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 01:55:33 UTC
From: Alberta Sympatico <bruce.coates@sk.sympatico.ca>
Message-ID: <9izL8.10116$LR4.1638064@news20.bellglobal.com>
Source record: 42651

Hi,

I'm looking for service or other technical manuals for the VHF model of Motorola MCX100's. Mine have the remote head, but the information doesn't necessarily have to be for that model.

Thanks

Bruce - VE5BNC

141. Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 03:48:05 UTC
From: KC8SSG <kc8ssg@qsl.net>
Message-ID: <VXAL8.62$13.1028@news>
Source record: 42652
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

I'm having a hard time getting my wife to get used to me buying radios and stuff. Any help or suggestions would be great!

--
KC8SSG

142. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 04:03:51 UTC
From: ke7nr@cox.net
Message-ID: <3cfeded0.13994615@news.west.cox.net>
Source record: 42653
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

It took two wives before I found one that doesn't bitch about the
radios. Keep looking.

KE7NR

On Thu, 06 Jun 2002 03:48:05 GMT, "KC8SSG" <kc8ssg@qsl.net> wrote:

>I'm having a hard time getting my wife to get used to me buying radios and
>stuff. Any help or suggestions would be great!
>
>--
>KC8SSG
>
>
>

143. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 04:15:37 UTC
From: Bill Otten <res0958z@verizon.net>
Message-ID: <JIBL8.43017$m9.5999@nwrddc02.gnilink.net>
Source record: 42654
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

I am blessed. My lovely wife bought me a new rig this past Christmas. I had merely looked and commented on the rig she bought me, it was a complete surprise. She actually encourages me to enjoy my hobby.

Bill
KC9CS

"dontownsend" <ke7nr@cox.net> wrote in message news:3cfeded0.13994615@news.west.cox.net...
> It took two wives before I found one that doesn't bitch about the
> radios. Keep looking.
>
> KE7NR
>
>
> On Thu, 06 Jun 2002 03:48:05 GMT, "KC8SSG" <kc8ssg@qsl.net> wrote:
>
> >I'm having a hard time getting my wife to get used to me buying radios and
> >stuff. Any help or suggestions would be great!
> >
> >--
> >KC8SSG
> >
> >
> >
>

144. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 04:30:37 UTC
From: "n7ws at arrl net"
Message-ID: <3cfee52b.7746436@news.triconet.org>
Source record: 42655
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Thu, 06 Jun 2002 04:03:51 GMT, ke7nr@cox.net (dontownsend) wrote:

|It took two wives before I found one that doesn't bitch about the
|radios. Keep looking.

Third time's a charm. This is one expensive hobby.

145. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 04:41:35 UTC
From: Dick Carroll <dickc58@att.net>
Message-ID: <3CFEE7CF.C8739800@att.net>
Source record: 42656
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

KC8SSG wrote:

> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!

Express to her that you're so disappointed you're headed for Hooters.

146. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 04:41:47 UTC
From: George Tyrebyter <GeoTyrebyter@netscape.net>
Message-ID: <3CFEE80B.76DC7F9E@netscape.net>
Source record: 42657
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Wes Stewart wrote:
>
> On Thu, 06 Jun 2002 04:03:51 GMT, ke7nr@cox.net (dontownsend) wrote:
>
> |It took two wives before I found one that doesn't bitch about the
> |radios. Keep looking.
>
> Third time's a charm. This is one expensive hobby.

Which hobby is that? Ham radio or getting married?

--
George Tyrebyter

147. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 04:44:23 UTC
From: "Stephen C. Robbins" <srobbinsNOSPAMDUDES@netacc.net>
Message-ID: <3cfee882$1@news.netacc.net>
Source record: 42658
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

"KC8SSG" <kc8ssg@qsl.net> wrote in message news:VXAL8.62$13.1028@news...
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG
>
>
Natch, just start spending your money on booze, drugs, and whores. After
awhile she will be happy to have you home playing on radios instead. :-)

Steve

148. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 04:49:58 UTC
From: ".Bill :-)" <TheRealExray@netscape.net>
Message-ID: <3CFEE9F6.8488E6F2@netscape.net>
Source record: 42659
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

KC8SSG wrote:
>
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG

You should send her to a restaurant more often.

-WX4A

149. WTB: GU-43B socket and chimney

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 05:40:11 UTC
From: Henry Flores <hdflores@worldnet.att.net>
Message-ID: <%ACL8.23636$LC3.1781800@bgtnsc04-news.ops.worldnet.att.net>
Source record: 42660

I am looking for a socket and chimney for a GU-43B tube, new or used. State condition and price delivered insured to Reno, Nevada

150. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 06:00:33 UTC
From: "Dana H. Myers" <dana@dioxine.net>
Message-ID: <3CFEFA81.30206@dioxine.net>
Source record: 42661
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Dick Carroll wrote:
> KC8SSG wrote:
>
>
>>I'm having a hard time getting my wife to get used to me buying radios and
>>stuff. Any help or suggestions would be great!
>
>
> Express to her that you're so disappointed you're headed for Hooters.

Heck, Hooters is a family restaurant, isn't it?

;-)

Dana K6JQ
k6jq@arrl.net

151. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 07:21:41 UTC
From: W6DKN <w6dkn@qsl.net>
Message-ID: <94EL8.8093$2n4.406@nwrddc04.gnilink.net>
Source record: 42662
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Replace the defective unit... :>)

73 de W6DKN

"KC8SSG" <kc8ssg@qsl.net> wrote in message news:VXAL8.62$13.1028@news...
> I'm having a hard time getting my wife to get used to me buying radios
and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG
>
>
>

152. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 08:14:02 UTC
From: Oedipus Rex <MissMyMomma@Wiseman.com>
Message-ID: <adn5i6$m3b$0@pita.alt.net>
Source record: 42663
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Get a puppy.
She will be so busy cleaning up after the pup that she won't even notice
your radios.

"KC8SSG" <kc8ssg@qsl.net> wrote in message news:VXAL8.62$13.1028@news...
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG
>
>
>

153. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 08:17:21 UTC
From: Oedipus Rex <MissMyMomma@Wiseman.com>
Message-ID: <adn5oamhh0@pita.alt.net>
Source record: 42664
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Show her some of Wiseman's posts. Remind her that things could always be worse....

"KC8SSG" <kc8ssg@qsl.net> wrote in message news:VXAL8.62$13.1028@news...
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG
>
>
>

154. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 08:27:14 UTC
From: mike <spamme0@juno.com>
Message-ID: <3CFF1CE2.9FE2CEA1@juno.com>
Source record: 42665
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Sounds like a squelch problem to me.
Stick her on Ebay....AS-IS.
mike

KC8SSG wrote:

> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG

155. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 08:37:28 UTC
From: ".Bill :-)" <TheRealExray@netscape.net>
Message-ID: <3CFF1F48.79CC282A@netscape.net>
Source record: 42666
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

mike wrote:
>
> Sounds like a squelch problem to me.
> Stick her on Ebay....AS-IS.
> mike

Take her on a fishing trip. Have her change the oil in the truck while
you watch the game. Lie and tell her she is sexy. She's just needs to
be 'wanted'.

-ex

156. problem with my FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 09:53:21 UTC
From: Manos <pelamare@her.forthnet.gr>
Message-ID: <1023357028.319723@athprx02.forthnet.gr>
Source record: 42667

Hello all
I have a problem with my FT-847.
It was for more than a year un operate in my cupboard. Last night i
tried to operate it but it was impossible. It can be on i can see the
frequencies on display but i can't transmit or receive.
I reset it several times without success.
Can anyone help me before send it for repair?

Thanks
Manos
SV9ANJ
Crete Greece
pelamare@her.forthnet.gr

157. Kenwood or Yaesu HF Receiver Wanted to Buy

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 10:11:35 UTC
From: Harry <hflaxman@nospam.neb.rr.com>
Message-ID: <rzGL8.693$lf4.39283@twister.rdc-kc.rr.com>
Source record: 42668

Wanted to buy. Kenwood R1000 or 2000 or Yaesu RTG80 or 100.

Contact me at hflaxman@neb.rr.com

Harry Flaxman

158. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 10:44:36 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <ufuf92fhsh4o1a@corp.supernews.com>
Source record: 42669
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

> Get a puppy.

Yup, I've never heard a puppy complain about ham radio.

159. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 10:54:09 UTC
From: Scott <acepilot@bloomer.net>
Message-ID: <3CFF3F51.1AE89AB4@bloomer.net>
Source record: 42670
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Yes it is (a family restaraunt)!! I took my wife and daughter for lunch
while in Orlando and I loved it! The food was great too ;)

Scott
N0EDV

"Dana H. Myers" wrote:
>
> Dick Carroll wrote:
> > KC8SSG wrote:
> >
> >
> >I'm having a hard time getting my wife to get used to me buying radios and
> >>stuff. Any help or suggestions would be great!
> >
> >
> > Express to her that you're so disappointed you're headed for Hooters.
>
> Heck, Hooters is a family restaurant, isn't it?
>
> ;-)
>
> Dana K6JQ
> k6jq@arrl.net

--

Scott
http://corbenflyer.tripod.com
http://groups.yahoo.com/group/ParasolAirplanes
Building RV-4
Gotta Fly or Gonna Die!

160. FS: Antique Transmitter from WW II

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 12:31:59 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <lhlufuotc18vftq4uaj3d1hdk4m776b30k@4ax.com>
Source record: 42671
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FOR SALE:

WW2 BC-459A Transmitter
covers 7.0 - 9.1 Mc. silver case. Rotary coil etc. are in good shape.
One small cover is missing - Bottom cover and case are both present
and in good condition.
Otherwise looks to be complete and in very good shape.
Will sell for $35.00 plus shipping

(Picture available)

161. Any handheld VHF's cover 144 and marine bands?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 12:53:50 UTC
From: cprstn54zz@att.net
Message-ID: <3cff5a1b.239136859@news-server.optonline.net>
Source record: 42672

My handheld marine VHF radio is in need of replacement and I was wondering if there are any handheld VHF transceivers out there that will TX on the 144 ham band and the marine VHF band (156-57). That way I could get into 144 without any financial pain.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

162. FA: Tempo S15 2 Meter Handheld

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 12:57:44 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <%XIL8.32265$EW5.1928193@e3500-atl2.usenetserver.com>
Source record: 42673

Still cleaning out my excess equipment. Check this one out.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1358326267

163. Re: Any handheld VHF's cover 144 and marine bands?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 13:15:56 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ufuo5298olqaec@corp.supernews.com>
Source record: 42674

Most all will, with a simple mod..but keep in mind, it isn't legal for cross service like that.

"Ken" <cprstn54zz@att.net> wrote in message news:3cff5a1b.239136859@news-server.optonline.net...
> My handheld marine VHF radio is in need of replacement and I was
> wondering if there are any handheld VHF transceivers out there that
> will TX on the 144 ham band and the marine VHF band (156-57). That
> way I could get into 144 without any financial pain.
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

164. VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 13:26:45 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0206060526.24aeb009@posting.google.com>
Source record: 42675

After reading the Circuit Description of the VX-7R
from the FCC web site (FCC ID: K66VX-7R)

I did not see anything on the 222MHz transmit. I would
like to understand from a Technical (VX-7R Circuit) how
the 222MHz signal is generated and why/where is the area
that limits the power to 300MW.

Anyone have a schemaitc for this radio?

If anyone would like a copy of the Circuit Description
email me.

n1kk@netzero.net (qth)
klimasewski_ken@emc.com (work)

Ken
N1KK

165. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 14:00:38 UTC
From: marvin rosen <raghead@worldnet.att.net>
Message-ID: <aWJL8.26545$UT.1831772@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42676
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Take her to the doctor for a labotomy!
"KC8SSG" <kc8ssg@qsl.net> wrote in message news:VXAL8.62$13.1028@news...
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG
>
>
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.368 / Virus Database: 204 - Release Date: 5/29/02

166. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 14:02:13 UTC
From: marvin rosen <raghead@worldnet.att.net>
Message-ID: <FXJL8.26547$UT.1831007@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42677
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Tell her she doesn't have to be dead to be a donor!
"KC8SSG" <kc8ssg@qsl.net> wrote in message news:VXAL8.62$13.1028@news...
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG
>
>
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.368 / Virus Database: 204 - Release Date: 5/29/02

167. Re: Any handheld VHF's cover 144 and marine bands?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 14:38:34 UTC
From: derswede@aol.comspam.com
Message-ID: <20020606103834.23125.00000634@mb-cu.aol.com>
Source record: 42678

>Most all will, with a simple mod..but keep in mind, it isn't legal for cross
>service like that

Pity that there is not a MARINE rig that can be mod'ed to cover the 2M
band....thus being legal. Ya think someone would at least CONSIDER it, eh??

A

168. FS: Tektronix Test Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 14:43:57 UTC
From: jmon@retechwest.com
Message-ID: <c8732ca9.0206060643.7ccad69f@posting.google.com>
Source record: 42679

RETECHWEST, http://www.retechwest.com, a technology products reseller
located near Phoenix,AZ currently has the following items available
for sale from our inventory.

If you are interested in purchasing any of these items, please reply
email back to us at your earliest convenience.

All items listed have been tested and were recently acquired from a
Fortune 500 company. Any other questions, please contact us.

Thank You.

RETECHWEST
Phoenix, AZ USA

email: jmon@retechwest.com

Electronic Test Equipment Available for Sale.

Item Number

Item 1001 Tektronix Model 1720 (1 each)
Item 1002 Tektronix Model 1730 (1 each)
Item 1003 Tektronix Model 1731 (1 each)
Item 1004 Tektronix Model 1735 (1 each)
Item 1005 Tektronix Model 1745A (1 each)
Item 1006 Tektronix Model 465 (1 each)
Item 1007 Astromed MT9500 (1 each)

169. Re: Any handheld VHF's cover 144 and marine bands?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 14:44:05 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <9zKL8.11675$LR4.1812875@news20.bellglobal.com>
Source record: 42681

"Ken" <cprstn54zz@att.net> wrote in message
news:3cff5a1b.239136859@news-server.optonline.net...
> My handheld marine VHF radio is in need of replacement and I was
> wondering if there are any handheld VHF transceivers out there that
> will TX on the 144 ham band and the marine VHF band (156-57). That
> way I could get into 144 without any financial pain.

Try the Yaesu VX150. Excellent HT

170. Re: HY GAIN AV 640

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 14:45:46 UTC
From: Phil Wheeler <w7ox@earthlink.net>
Message-ID: <3CFF759C.3050202@earthlink.net>
Source record: 42680

Try a search with Google. There ae some user comments at:

http://www.eham.net/reviews/detail/556

73, Phil

Paolo Emanuelli IK1QHB wrote:

> i'm looking for any possible info abt this antanna....
>
> Is really self supported?
> can handle 1.5Kw?
> how does it work?
>
> Please reply to ik1qhb@libero.it
>
> Tnx to all can help me.
>
> Paul IK1QHB
>
>
>

171. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 15:52:50 UTC
From: M1nn0w <1c3d0g@att.net>
Message-ID: <mzLL8.24057$LC3.1819069@bgtnsc04-news.ops.worldnet.att.net>
Source record: 42682
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Hey Bill,
My wife did the exact same thing and for our anniversary 2
weeks ago she bought me a new ICOM V8000 because I was searching around to
get the finals replaced in my dead TM201A..... Of course this is my SECOND
wife. The first hated the hobby big time.....

John (WB2TQC)

Bill Otten wrote in message ...
>I am blessed. My lovely wife bought me a new rig this past Christmas. I had
>merely looked and commented on the rig she bought me, it was a complete
>surprise. She actually encourages me to enjoy my hobby.

172. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 15:59:59 UTC
From: Deos <lineoffiretoday@yahoo.com>
Message-ID: <adtd6qeos1@nic.grnet.gr>
Source record: 42586
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Ok actually I had that problem my self..

What ever I did was hopeless.

Until I talked to my wife seriously about my hobby... AND THEN GAVE HER THE DELIMA

a)rigs , ps ,antennas OR

b)me looking at other women(just looking nothing else)

After 2 minutes I solved my problem... Its worth a try..

"mike coslo" <mjc5@psu.edu> wrote in message news:3CFFB09B.74D30DD1@psu.edu...
> When you are playing with your radio, you are not:
>
> sitting in a bar, drinking away the rent money,
>
> carousing arond with other women,
>
> or a hundred other things that she would have a REAL reason to complain about.
>
> I have been amazed at how many XYL's have so many problems with this hobby.
>
> When my wife threatened to lower the boom on my HF activities due to
> her dislike of ANY antenna, I reminded her of all the above points. Now
> we have a deal, She doesn't complain as long as I keep the antennas
> discrete. So I don't have a big vertical, but do have a nice long dipole
> that I hid in the trees.
>
> Actually she is pretty supportive otherwise, and has even bought me new
> ham toys!
>
> - Mike KB3EIA -
>
>
> KC8SSG wrote:
> >
> > I'm having a hard time getting my wife to get used to me buying radios and
> > stuff. Any help or suggestions would be great!

173. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 16:15:11 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3CFF8A8F.385CF26B@crosslink.net>
Source record: 42683
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

M1nn0w wrote:
>
> Hey Bill,
> My wife did the exact same thing and for our anniversary 2
> weeks ago she bought me a new ICOM V8000 because I was searching around to
> get the finals replaced in my dead TM201A..... Of course this is my SECOND
> wife. The first hated the hobby big time.....
>
> John (WB2TQC)
>
> Bill Otten wrote in message ...
> >I am blessed. My lovely wife bought me a new rig this past Christmas. I had
> >merely looked and commented on the rig she bought me, it was a complete
> >surprise. She actually encourages me to enjoy my hobby.

Same here ... of course my XYL is an 'Extra' and uses the new rig more
than I do but it IS mine ... I think :o).
73 K3DWW

174. AR-210 TNC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 17:08:34 UTC
From: David Hawkins <davidhawkins@dsl.pipex.com>
Message-ID: <3cff96cb$0$234$cc9e4d1f@news.dial.pipex.com>
Source record: 42684
Cross-posted to: alt.radio.amateur,rec.radio.amateur.equipment

Can anyone help please.
I bought this TNC at a radio rally and I've been trying to get it working.
Despite some initial problems I got it talking to a computer and everything
seems to be working well.
I then went on to make a cable to link it to my ICOM IC 24ET Handheld.
All went well and Tx seems to work. I am using 144.950MHz.
On reception of packet the DCD LED on the TNC illuminates but unfortunately
the computer registers no activity.
MONITOR IS ON. MALL IS ON.
MH does not show any heard stations.
If I use my old TINY-2 TNC all these show activity.

One positive is if I activate TRACE I very occasionally get some response
but it seems mostly rubbish.

Am I missing something or is something wrong with the TNC.

I have opened it up and there are no obvious problems. There are 3 variable
resisters. VR3 is the Audio output adjustment (from the manual) but the
other 2 are not listed - anyone know what they are?
Does anyone have a circuit diagram?

Any help would be appreciated.

Thanks in advance,

David Hawkins (G7IBO)

175. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 17:23:32 UTC
From: "n7ws at arrl net"
Message-ID: <3cff9a07.8018888@news.triconet.org>
Source record: 42685
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Wed, 05 Jun 2002 22:41:47 -0600, George Tyrebyter
<GeoTyrebyter@netscape.net> wrote:

|Wes Stewart wrote:
|>
|> On Thu, 06 Jun 2002 04:03:51 GMT, ke7nr@cox.net (dontownsend) wrote:
|>
|> |It took two wives before I found one that doesn't bitch about the
|> |radios. Keep looking.
|>
|> Third time's a charm. This is one expensive hobby.
|
|Which hobby is that? Ham radio or getting married?

Actually, it's the getting un-married part.

My wife reminds me of that often.

Wes

176. Titanex GP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 18:07:34 UTC
From: Paolo Emanuelli IK1QHB <ik1qhb@libero.it>
Message-ID: <GxNL8.12829$86.285776@twister1.libero.it>
Source record: 42686

Good morning OM

I would to ask all the possible info about Titanex GP antenna system.
In the next winter i must to change QTH, and i wanto to change antenna
system from GAP Challenger to another...
I have seen the fine TITANEX products and i would to find all the info about
the vertical GP 80/10 and GP 40/10....is there somebody can help me?
Is it self supported or need some wire?
Do they need Antenna tuner?
Do they need radials? Which lenght?
Do they work well? Better than what?

Many many thanks for your attention.....

Best 73 & GL

Paul IK1QHB

177. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 18:57:31 UTC
From: mike coslo <mjc5@psu.edu>
Message-ID: <3CFFB09B.74D30DD1@psu.edu>
Source record: 42689
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

When you are playing with your radio, you are not:

sitting in a bar, drinking away the rent money,

carousing arond with other women,

or a hundred other things that she would have a REAL reason to complain about.

I have been amazed at how many XYL's have so many problems with this hobby.

When my wife threatened to lower the boom on my HF activities due to
her dislike of ANY antenna, I reminded her of all the above points. Now
we have a deal, She doesn't complain as long as I keep the antennas
discrete. So I don't have a big vertical, but do have a nice long dipole
that I hid in the trees.

Actually she is pretty supportive otherwise, and has even bought me new
ham toys!

- Mike KB3EIA -

KC8SSG wrote:
>
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!

178. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 18:58:53 UTC
From: mike coslo <mjc5@psu.edu>
Message-ID: <3CFFB0EC.84BD75DE@psu.edu>
Source record: 42688
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

But there is a bit more there for you than for them, no?

- Mike -

Scott wrote:
>
> Yes it is (a family restaraunt)!! I took my wife and daughter for lunch
> while in Orlando and I loved it! The food was great too ;)
>
> Scott
> N0EDV
>
> "Dana H. Myers" wrote:
> >
> > Dick Carroll wrote:
> > > KC8SSG wrote:
> > >
> > >
> > >>I'm having a hard time getting my wife to get used to me buying radios and
> > >>stuff. Any help or suggestions would be great!
> > >
> > >
> > > Express to her that you're so disappointed you're headed for Hooters.
> >
> > Heck, Hooters is a family restaurant, isn't it?
> >
>

179. Re: Any handheld VHF's cover 144 and marine bands?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 19:01:20 UTC
From: cprstn54zz@att.net
Message-ID: <3cffb118.261405531@news-server.optonline.net>
Source record: 42687

On Thu, 6 Jun 2002 10:44:05 -0400, "ve3tmt" <ve3tmt@rac.ca> wrote:
>Try the Yaesu VX150. Excellent HT

Ah, yes.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

180. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 19:41:10 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3cffbeef_4@nopics.sjc>
Source record: 42690
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Talk her into getting her license too.
That way it will be like purchasing a washer and dryer.

What we need Darlin is this, etc.. etc..

"KC8SSG" <kc8ssg@qsl.net> wrote in message news:VXAL8.62$13.1028@news...
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG
>
>
>

181. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 20:33:28 UTC
From: "D. Stussy" <kd6lvw@bde-arc.ampr.org>
Message-ID: <Pine.LNX.4.44.0206062032340.1087-100000@exp.bde-arc.ampr.org>
Source record: 42691
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Thu, 6 Jun 2002, Dick Carroll wrote:
>KC8SSG wrote:
>> I'm having a hard time getting my wife to get used to me buying radios and
>> stuff. Any help or suggestions would be great!
>
> Express to her that you're so disappointed you're headed for Hooters.

The danger of that is that while you're at Hooters, she might be at
Chippendales!

182. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 21:17:42 UTC
From: N4IXT <n4ixt@arrl.net>
Message-ID: <adojpj$11s01$1@ID-105647.news.dfncis.de>
Source record: 42692
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Your problem is you don't have ENOUGH stuff yet. Go find a tail gate session and buy every box of junk and get as many clunker radios as possible. Don't matter if they work or not.

Now come back and pile them into your shack. Everywhere. Make a mess of it. You'll know you hit paydirt when instead of complaining to her mother "he's on that radio again" she now says "he's fooling around with those $&%^# radios again". Once it becomes plural, you have it made.

Now you can sneak in as many new radios as you want, and she'll never notice. If she does catch you sneaking in with one, you can always explain the great trade you made by swapping your old Binford 4305 with quadraflex tuning and heat seeking frequency sensors for it. Don't matter what you say, just jabber on she'll tune you out real quick once you start talking wattages and model numbers and other specs.

Works for me. I also smoke pipes. So far I've acquired four pipes, two radios, an antenna and various pices parts without her noticing.

73's

Robert / N4IXT

"KC8SSG" <kc8ssg@qsl.net> wrote in message news:VXAL8.62$13.1028@news...
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG
>
>
>

183. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 22:05:04 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <6tr=PAeKfTlVUsAxJ34frG1g7mKv@4ax.com>
Source record: 42693

n1kk@netzero.net (Ken) wrote:

>After reading the Circuit Description of the VX-7R
>from the FCC web site (FCC ID: K66VX-7R)
>
>I did not see anything on the 222MHz transmit. I would
>like to understand from a Technical (VX-7R Circuit) how
>the 222MHz signal is generated and why/where is the area
>that limits the power to 300MW.

Why do you assume the power is *limited* to 300 mwatts? Maybe that's all there is, to begin with. If you need more, Alinco makes a cheapo 5 watt 220 handheld.

Bob
k5qwg

>
>Anyone have a schemaitc for this radio?
>
>If anyone would like a copy of the Circuit Description
>email me.
>
>n1kk@netzero.net (qth)
>klimasewski_ken@emc.com (work)
>
>
>Ken
>N1KK

184. FS: Ameritron AL-811H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 22:09:47 UTC
From: Mark Wilke - K8VL <markwilke@comcast.net>
Message-ID: <L4RL8.152521$Gs.14220126@bin5.nnrp.aus1.giganews.com>
Source record: 42694

For sale: Ameritron AL-811H with less than 5 hours use. Perfect physical and operational condition. Original box, manual, warranty card. $550.00 plus shipping. Always interested in a trade for other radio gear. What have you got?

185. Re: Kenwood 741-742

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 22:12:26 UTC
From: kb8ywy@neo.rr.com
Message-ID: <12afe2f.0206061412.6d81feff@posting.google.com>
Source record: 42695

kb8ywy@neo.rr.com (Allen) wrote in message
news:<12afe2f.0205290722.752c4c42@posting.google.com>...
> I am looking for a 6 meter module for my tribander, if any one would
> like to part with one I am interested. Allen D. Scott de kb8ywy

Never mind I found one.

186. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 22:27:49 UTC
From: Scott <acepilot@bloomer.net>
Message-ID: <3CFFE1E5.D4E66A23@bloomer.net>
Source record: 42696
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Well...maybe, but I'm not complaining ;)

mike coslo wrote:
>
> But there is a bit more there for you than for them, no?
>
> - Mike -
>
> Scott wrote:
> >
> > Yes it is (a family restaraunt)!! I took my wife and daughter for lunch
> > while in Orlando and I loved it! The food was great too ;)
> >
> > Scott
> > N0EDV
> >
> > "Dana H. Myers" wrote:
> > >
> > > Dick Carroll wrote:
> > > > KC8SSG wrote:
> > > > >
> > > > >
> > > > >>I'm having a hard time getting my wife to get used to me buying radios and
> > > > >>stuff. Any help or suggestions would be great!
> > > > >
> > > > >
> > > > > Express to her that you're so disappointed you're headed for Hooters.
> > > >
> > > > Heck, Hooters is a family restaurant, isn't it?
> > > >
> > >

--

Scott
http://corbenflyer.tripod.com
http://groups.yahoo.com/group/ParasolAirplanes
Building RV-4
Gotta Fly or Gonna Die!

187. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 22:43:57 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <OARL8.12763$LR4.1931841@news20.bellglobal.com>
Source record: 42697
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

"N4IXT" <n4ixt@arrl.net> wrote in message
news:adojpj$11s01$1@ID-105647.news.dfncis.de...
> Your problem is you don't have ENOUGH stuff yet. Go find a tail gate
session
> and buy every box of junk and get as many clunker radios as possible.
Don't
> matter if they work or not.
>
> Now come back and pile them into your shack. Everywhere. Make a mess of
it.
> You'll know you hit paydirt when instead of complaining to her mother
"he's
> on that radio again" she now says "he's fooling around with those $&%^#
> radios again". Once it becomes plural, you have it made.
>
> Now you can sneak in as many new radios as you want, and she'll never
> notice. If she does catch you sneaking in with one, you can always explain
> the great trade you made by swapping your old Binford 4305 with quadraflex
> tuning and heat seeking frequency sensors for it. Don't matter what you
say,
> just jabber on she'll tune you out real quick once you start talking
> wattages and model numbers and other specs.
>
> Works for me. I also smoke pipes. So far I've acquired four pipes, two
> radios, an antenna and various pices parts without her noticing.

And the ever famous "it's not mine, I'm holding it for a friend". I always
dread the "that's not the same radio you had is it?"
I don't know how I've managed to talk myself out of a jam so often.

But I look at it this way, as mentioned above....I'm not out in a bar
drinking away the rent money, or out bowling with the guys. All she has to
do is look in the basement and there I sit..happy, but not yet content.
Between the computers and the radios, I'm surprised she puts up with as much
as she does. But when she needs money for some new clothes, or wants to go
away for a weekend I alway pay. Gets me back in her good books!

188. FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 23:09:06 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <mYRL8.209698$Po6.364015@rwcrnsc52.ops.asp.att.net>
Source record: 42598

```
* Kenwood TS-130S in excellent condition
* MC 35-S Noise Cancelling Hand Mic
* YK-88SN 1.8KHz SSB Filter
* YK-88C 500Hz CW Filter
* Power Cable
* Instruction Manual
* Service Manual

- Great for 160 thru 10 meters with WARC bands.
- 100 watts all bands.
- Non smoker, never mobile.

$350.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com
```

189. FS: Yaesu FT-2500M 2 Meter FM Mobile Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 23:11:14 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <m_RL8.184533$L76.263332@rwcrnsc53>
Source record: 42599

* Yaesu FT-2500M 2 Meter FM Mobile Transceiver in excellent condition
* Touch Tone Hand Mic
* Power Cable
* Mounting Bracket
* Instruction Manual
* Original Packing and Box

- Rugged MIL-SPEC 810 compliant for shock and vibrations.
- 5/15/50 watts output.
- Non smoker.

$130.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

190. WTB B&W 852

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-06 23:46:05 UTC
From: Paul Cooper <plcooper@starband.net>
Message-ID: <3CFFF45F.6060804@starband.net>
Source record: 42600

WTB B&W 852 Bandswitching turret in gd condx.

Paul, K6PY

plcooper@starband.net

191. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 00:04:28 UTC
From: hikezilla@yahoo.com
Message-ID: <9225CADAEbrianiquestnet@209.43.4.41>
Source record: 42601
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

n7ws at arrl net (Wes Stewart) wrote in <3cfee52b.7746436
@news.triconet.org>:

>On Thu, 06 Jun 2002 04:03:51 GMT, ke7nr@cox.net (dontownsend) wrote:
>
>|It took two wives before I found one that doesn't bitch about the
>|radios. Keep looking.
>
>Third time's a charm. This is one expensive hobby.

Not NEARLY as expensive as a few EX WIVES.

192. Re: Any handheld VHF's cover 144 and marine bands?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 01:12:15 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ug024ciodrlcce@corp.supernews.com>
Source record: 42602

Yeah...the majority of the dual banders will operate on Amateur, MARS, Marine, MURS, FRS, GMRS, but that legality gets in the way. You never know if the unit is transmitting only on that frequency, once modified!

"Ken" <cprstn54zz@att.net> wrote in message news:3cff5a1b.239136859@news-server.optonline.net...
> My handheld marine VHF radio is in need of replacement and I was
> wondering if there are any handheld VHF transceivers out there that
> will TX on the 144 ham band and the marine VHF band (156-57). That
> way I could get into 144 without any financial pain.
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

193. Radio Choice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 02:06:25 UTC
From: Barry Test <abc@xyz.com>
Message-ID: <ug05clk5rrp8f2@corp.supernews.com>
Source record: 42603

Hello:

I recently passed the technican exam. I am researching what to buy for a transceiver. So far I have read up on the Yaesu VX7 and Kenwood TH6. Below are the items that would be important to me.
Please let me know if you have a reco for a first radio.

- would probably want a HT so it can be used in the house and car. Would not want to drag a mobile unit to/from the house/car.

- will probably use 2 meters the most since it seems to most active in my area.

- considering getting a discone antenna for mounting on the chimney. Good or bad idea?

- considering a mobile glass mount antenna for the car since it is a station wagon. How well do they work?

- should an aftermarket antenna be purchased right away to get better performance?

- does anyone have experience using a cell phone holder that mounts on the car door for holding the HT and using an external mic?

- will use the radio for monitoring marine and weather frequencies.

Thanks,

Barry

194. WTB; Yaesu CW Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 02:11:03 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d0015e2$0$1410$4c5ecdc7@news.erinet.com>
Source record: 42604
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

looking for the following filters :

YF-114CN
YF-110CN
YF115C

thanks
Tim
NZ8J

195. Re: Radio Choice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 03:20:27 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <adp8iqnlt1@bob.news.rcn.net>
Source record: 42605

"Barry Test" <abc@xyz.com> wrote:

> I recently passed the technican exam. I am researching what to buy for a
> transceiver. So far I have read up on the Yaesu VX7 and Kenwood TH6.
> Below are the items that would be important to me.
> Please let me know if you have a reco for a first radio.

Barry, congratulations on the new ticket!
For more reviews than you can shake a stick at, go to:
http://www.eham.net

> - would probably want a HT so it can be used in the house and car.
> Would not want to drag a mobile unit to/from the house/car.

Everybody learns that this gets old real quick. Either you will
learn it as many others have, or you will do the right thing the
first time and get a mobile radio and install it in the car.

> - will probably use 2 meters the most since it seems to most active in my
> area.

Then perhaps the other bands of the radios that you mention
are a waste and you could do better with a less expensive
and more selective radio. DC to daylight has its price.
A friend of mine has been out in the boonies for five years.
She hasn't used the 440 side of her radio in all of that time.
It all depends on your location and where you intend to go.

> - considering getting a discone antenna for mounting on the chimney. Good or
> bad idea?

Fine for a scanner, but you will get several more dB with a
multiband vertical like those made by Diamond and Comet.

> - considering a mobile glass mount antenna for the car since it is a station
> wagon. How well do they work?

They are a compromise. Some newer cars have tint in the glass
that can attenuate quite a bit. A station wagon is one of the best
platforms for antennas. NMO mounts are cheap and easy, and
the performance and ability to swap antennas much better. Get
a 3/4" hole saw and be done with it! If this gives you the shivers,
get somebody who has done it before to do it with you.

> - should an aftermarket antenna be purchased right away to get better
> performance?

???

> - does anyone have experience using a cell phone holder that mounts on the
> car door for holding the HT and using an external mic?

Ugh, that sounds like no fun. Do it once, and do it right.

> - will use the radio for monitoring marine and weather frequencies.

Virtually every two meter (or multiband) radio does this.
An exception is the old HTX-202, a selective beast if there
ever was one. Note that many ham radios become somewhat
deaf as you leave the ham band; it varies by radio.

196. FS: Collins 75S-3

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 03:48:39 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <r2WL8.1049$8D3.42499350@newssvr15.news.prodigy.com>
Source record: 42606
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale a very nice condition 75S-3.
Cosmetically and electronically it is in excellent
condition. I don't want to ship this receiver so
it is sold for pickup in the Arlington, TX area.
I can meet a buyer at HamCom this weekend.

Thanks,
Michael

197. FS or Trade list 06-07-2002

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 03:55:29 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <R8WL8.126101$cQ3.3619@sccrnsc01>
Source record: 42607

Please if you have questions or want to make a trade contact me off list at my e-mail address. gundoc@i... Some of these lists are not swap lists and only tolerate my post because it is only once a week. To the group owners thank you for letting me continue

to post to the group.
Dean

GE Portables

GE MPA VHF 146-162 full system keypad. Radio is as new and is almost perfect. The only flaw is the grip tape under the PTT button is peeling at the edges. Otherwise perfect. The next feature is, The radio is Key pad programmable. 16 channel scan and front face programmable. Has a like new battery and a good rapid charger. Also a belt clip. $500.00

GE MPA VHF Scan 157 - 174 split. 192 channels. Nice radio 8.5 condition with battery and standard charger. I have it programmed down to 154 MHz with no trouble but will go no lower. $225.00

GE MPA UHF Scan 440 - 470 192 channel scan. Radio works great. A little paint wear on the edges but I have seen worse. With charger and battery. $225.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display. With battery and standard charger. 7-7.5 $85.00

GE MPD scan VHF 150.8 174. 48 channel alphanumeric display. These look good and come with a battery and standard charger. 125.00 each.

MPD Voice Guard VHF system model with full keypad. 48 channel alpha display. With battery and standard charger. $135.00

GE PCS VHF 2 channel. Like new 9.5-10 condition. 150 -170 MHz. With battery, antenna, leather case, and pocket charger. $100.00 each. 2 available.

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170 but I have programmed these in the ham band with no trouble. These have battery, antenna, and standard charger. $90.00 each
I have 7 of these.

GE PLS UHF 16 Channel. 8 to 8.5 also. 450 - 470 split but I can program these to the ham band. With battery, Antenna, and Charger.

$90.00 each. Have 3 of these.

GE MPS VHF Like new 12 channel. With new battery, new antenna, and a standard charger. $70.00

GE MPS VHF 12 channel. 8.5 condition. New antennas and NOS batteries

Standard charger. $65.00 each have 2.

GE MPS UHF 48 channel. 8 = 8.5 condition, These have NOS batteries

And have 4 banks of 12 channels. These can go to the ham band. I have been

Using one of these on my ham repeater and it works great. $75.00 each

I have 8 of these.

GE UHF MPS 8 channel with 8 different tones. 8 different tones can be

Selected for each different channel. Battery and antenna. $65.00

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1 good battery. With 1 dual slot charger. $200.00 all 3 radios.

GE Monogram VHF 10 channel portable. 157-179 split. ex CSX radio. I sold this radio a year ago but have taken it on trade. Condition 8 with belt clip and charger. I had this radio run for stolen from CSX by a local CSX Special Agent when I first bought these in a lot and was told that it had been sold at salvage. Perfect for a RR Museum or shortline on a budget. This could also be programmed for marine frequencies.

Like new tall Battery. $100.00

GE Mobiles

GE Phoenix SX VHF 128 channel scan. With Mic, Has all 8 proms. $100.00

GE MVS VHF 128 channel scan. 136.-153. Split but I have programmed these as 150. - 174 split and they work fine. This radio has 8 modes of 16 channels. Includes Mic but no power cord or bracket. $175.00

GE MVS 800 conventional 2 channel. With mic tested OK $75.00

GE MLS UHF 8 channel. With Mic, power cord and hang up box. MLSU240 450. - 470 Looks good. $125.00

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00 each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that I have seen marked Ericsson) $65.00

.GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger. 16 channel model has short cable and some handle bar mounts. Mic

included but no speaker. Not tested yet since I just got it in. $50.00

GE Mobile Vehicle Adapter for MPA, MTL, MPD, and TPX. This unit charges your battery and turns your portable into a mobile radio. (Convert a Com) With mic, speaker, and power cable. $100.00

GE Accessories

GE TQ 2310 suitcase programmer. Has PLS, Phoenix, Delta s/sx, Voice Guard, MPS, and Ranger. Printer is working Has manual for the programmer and the computer. Has Phoenix cable and Voice guard cable. All in the original GE case tested and working. $850.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $5.00

Mastr II Mic. $5.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $30.00. I have seen programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5. $4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and 162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50 each.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each.

GE Delta cables. These are the downloading type used with the S820 heads. And all other heads $40.00 each

GE delta Cables that have been cut to 2 foot long. Radio end with

power cables $5.00 each only have a few of these

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE MPA, MPD, MTL standard Speaker mic. $25.00

GE PCS Universal charger. With wall transformer $20.00 each

GE MPA standard chargers. $20.00 each

GE MPA Rapid chargers. $30.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a rapid rack charger with a DB 15 cable and uses a MPD body to attach a battery to. Has LED readout in display area of MPD body to tell discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card and power supply / speaker. $300.00

Other Radios and Accessories

Motorola Saber III VHF 146-174 split. 120 channel Alpha-Numeric display with secure - net module. (no out of country sales) des I think. I have been using this all week and talking on the ham band to test this radio. Battery has lasted all week during drive time so it seems good. With rapid charger and big battery. $475.00 or trade for a VHF MRK II

Icom 3200 a Dual band ham radio. Has box and manual but no mounting bracket. Has tone squelch board installed. $200.00

Icom IC 24-at Dual band Portable. In good shape, Display has no scratches and only 1 small patch of the paint is peeled off of the back of this radio. With manual and wall charger. $165.00

ADI AT 201. 2 meter portable nice like new and in the box with the manual. Has 5 watt battery and wall charger. $90.00

Yaesu ft 2400 2 meter mobile. Has Mounting Bracket and manual. Nice 2 meter Radio. $125.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great.

This was in my van before I added another MVS so I know it works.

$100.00

Maxon 5050a Low band portable pair. Like new condition with 1 battery charger but I will split up the pair if someone wants 1 radio only. 6 channels programmed for 10 meter ham band on 2 repeater pair and 4 simplex frequencies. 2 radios and 1 charger $185.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by Midland. $75.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$75.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of crystals for each radio. Also have a working battery and charger for each. I have 4 of these. $50.00 all

Uniden SMS 825 TS, 800 MHz Dash mount radio. $55.00

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work with the sp2000 as well.$35.00

Consignment section

This area is for a few friends who like those other radios you know "Motorola" They are good people and I will pass along any trades you may wish to make.

MOTOROLA X9000 VHF 50 watts, alphanumeric head, Siren complete. $425.00

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola P200 UHF high power. 6 channel. $150.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Want List not FS
Extra parts for suitcase programmers. Data modules, Printers, cables, proms, Anything you have extra. MPA or MPD portables what do you have and what do you want for them? Johnson scorpion program cable.

Terms
All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold

them for up to two weeks to clear before I ship. If you have a

question E-mail me.
Dean
Contact me off list at. Gundoc@i...

198. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 04:02:24 UTC
From: Jim Weir <jim@rst-engr.com>
Message-ID: <tvb0gucm0mspknfhjnh5j446gaqi1i35b1@4ax.com>
Source record: 42608
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

I cut a deal with my YF, also a ham. It was this 3 nights out with the boys thing.

I got all the radios I wanted.

She cut it down to two nights out.

Seemed fair to me. {;-)

Jim

"KC8SSG" <kc8ssg@qsl.net>
shared these priceless pearls of wisdom:

->I'm having a hard time getting my wife to get used to me buying radios and
->stuff. Any help or suggestions would be great!

Jim Weir, VP Eng. RST Eng. WX6RST
A&P, CFI, and other good alphabet soup

199. FS Bear Cat SC200XLT 200 channel scanner $95.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 04:07:35 UTC
From: k5in <k5in@earthlink.net>
Message-ID: <bkWL8.2163$1E5.1180@newsread2.prod.itd.earthlink.net>
Source record: 42609

Hi,

I have a Bear Cat (Uniden) SC200XLT also known as the sport cat. It is a 200 channel ht type scanner and does ctcss, dcs and more. $95.00 shipped in the lower 48 states and comes in the original box, manual, cloning cable, wall charger and good internal battery.

Brian, k5in

200. FA: Mobile Mark Magnet Mount 2400-2485MHz 5dBi gain Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 04:29:26 UTC
From: Kevin Ow-Wing <kevin@owwing.com>
Message-ID: <FEWL8.126335$cQ3.4177@sccrnsc01>
Source record: 42610
Cross-posted to:
rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap,rec.ham-radio.swap,misc.industry.electronics.marketplace

If interested, please check out the following eBay auction listing:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1358549763

201. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 06:41:49 UTC
From: ku4yp@aol.comzz
Message-ID: <20020607024149.05460.00000498@mb-me.aol.com>
Source record: 42611

i struck a deal with the devil,

the understanding is, i do not count bags that come in the house from malls and she does not count radios. has worked for 8 years.

if that does not work, it's play me or trade me time.
73 de KU4YP
Mike Prevatt
Willow Oak, Florida

202. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 11:49:07 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D009DC6.83406641@sc.rr.com>
Source record: 42612
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

KC8SSG wrote:
>
> Help XYL won't warm up

Perhaps a nice, expensive, linear amplifier under the bed might help.
Those things have been known to generate a little heat. If nothing else,
it will (generate a little heat) once your wife finds out how much you
paid for it - many people warm up when they're yelling at someone else.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

203. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 12:10:53 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D00A2DB.FCD113BE@sc.rr.com>
Source record: 42613
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Bill Otten wrote:
>
> I am blessed. My lovely wife bought me a
> new rig this past Christmas. I had merely
> looked and commented on the rig she bought
> me, it was a complete surprise. She
> actually encourages me to enjoy my hobby.

Same here. My wife bought my first radio years ago after she realised I wanted one and has never complained once about anything I've purchased since. In fact, I have the perfect wife - she likes fishing, boating, country music, SUVs, cooking steaks on the grill, wearing tight pants, and practical jokes. In fact, she even points out the girls with short skirts I might have missed. What more could you ask for in a woman?

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

204. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 12:13:27 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D00A377.C9355081@sc.rr.com>
Source record: 42614
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Scott wrote:
>
> Yes it is (a family restaraunt)!! I took
> my wife and daughter for lunch while in
> Orlando and I loved it! The food was
> great too ;)

They have food at Hooters? Funny, I've never noticed that.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

205. HF Receivers Again WTB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 12:18:42 UTC
From: Harry <hflaxman@nospam.neb.rr.com>
Message-ID: <Cw1M8.4058$_c5.59799@twister.rdc-kc.rr.com>
Source record: 42615

These are all the HF receivers I'm looking for at the moment, the Kenwood R1000 or 2000, the Yaesu RTG100, and perhaps some newer Kenwood Receivers. I would appreciate emails as I said before to hflaxman@neb.rr.com.

Thanks!!!

Harry Flaxman

206. FT-1000D questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 13:37:05 UTC
From: David <phochief@nonspamhotmail.com>
Message-ID: <xu2M8.56055$_p6.8419983@e3500-atl1.usenetserver.com>
Source record: 42616

I'm thinking about switching from an Icom 756-pro to an FT-1000D but have a couple of questions. I probably can't afford a new one so I'll be looking for one that's used but in good shape. What kind of changes to the 1000D have been made over the years, or are they all pretty much the same, except for Rom upgrades? Anything in particular I should be wary of when looking? Just how good is the front end at rejecting sigs from neighboring hams on the same band? And finally, how would you compare the FT-1000D to the newer FT-1000mp Mk V?

Thanks for any input.

David, K4ZZR

207. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 14:31:14 UTC
From: Bill Turner <w7ti@dslextreme.com>
Message-ID: <gqg1guggl8h85994c738760rt2uo4ou2l1@4ax.com>
Source record: 42617
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Fri, 07 Jun 2002 12:10:53 GMT, Dwight Stewart <stewart@sc.rr.com>
wrote:

> Same here. My wife bought my first radio years ago after she realised
>I wanted one and has never complained once about anything I've purchased
>since. In fact, I have the perfect wife - she likes fishing, boating,
>country music, SUVs, cooking steaks on the grill, wearing tight pants,
>and practical jokes. In fact, she even points out the girls with short
>skirts I might have missed. What more could you ask for in a woman?

Your wife is an absolute jewel. It's always fascinated me how dumb a
lot of women are when it comes to men. And vice versa, I suppose. <g>

Bill, W7TI

208. Re: problem with my FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 14:45:56 UTC
From: ZOOM <kandrparker@sympatico.ca>
Message-ID: <FG3M8.38202$Av5.2472273@news20.bellglobal.com>
Source record: 42618

There is a yahoo group for the FT-847.

Just go to www.yahoo.com and look for groups then search for the FT-847
group and join this group. Your questions will probably be answered there
since the group is dedicated to the FT-847.

Cheers,
Robert

"Manos" <pelamare@her.forthnet.gr> wrote in message
news:1023357028.319723@athprx02.forthnet.gr...
> Hello all
> I have a problem with my FT-847.
> It was for more than a year un operate in my cupboard. Last night i
> tried to operate it but it was impossible. It can be on i can see the
> frequencies on display but i can't transmit or receive.
> I reset it several times without success.
> Can anyone help me before send it for repair?
>
>
> Thanks
> Manos
> SV9ANJ
> Crete Greece
> pelamare@her.forthnet.gr
>
>
>
>
>
>
>
>
>
>
>

209. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 15:37:16 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0206070737.4faf3f6e@posting.google.com>
Source record: 42619

Hello Bob,

What I am looking for is a Technical reason based on the
design of the VX-7R why it only has 300mw on 222MHz.

Ken
N1KK

ob Miller <bamiller@texas.net> wrote in message
news:<6tr=PAeKfTlVUsAxJ34frG1g7mKv@4ax.com>...
> n1kk@netzero.net (Ken) wrote:
>
> >After reading the Circuit Description of the VX-7R
> >from the FCC web site (FCC ID: K66VX-7R)
> >
> >I did not see anything on the 222MHz transmit. I would
> >like to understand from a Technical (VX-7R Circuit) how
> >the 222MHz signal is generated and why/where is the area
> >that limits the power to 300MW.
>
> Why do you assume the power is *limited* to 300 mwatts? Maybe that's all there
> is, to begin with. If you need more, Alinco makes a cheapo 5 watt 220 handheld.
>
> Bob
> k5qwg
>
> >
> >Anyone have a schemaitc for this radio?
> >
> >If anyone would like a copy of the Circuit Description
> >email me.
> >
> >n1kk@netzero.net (qth)
> >klimasewski_ken@emc.com (work)
> >
> >
> >Ken
> >N1KK

210. WTD: Yaesu microphone type MH-26F8 or MH-24A8J

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 16:11:49 UTC
From: stuart@sjatech.com
Message-ID: <698b8e02.0206070811.471fa9f0@posting.google.com>
Source record: 42620

Anyone have one or other of the above for sale? DTMF microphone
standard with FT-5100

Mni tks de G3SNA

211. WTB: Yaesu MH-27A8J or MH26F8 microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 16:19:00 UTC
From: stuart@sjatech.com
Message-ID: <698b8e02.0206070818.299b8d6a@posting.google.com>
Source record: 42621

I'm looking for one or other of the above hand mikes with DTMF.

Let me know if you have one for sale.

73 de G3SNA
(Stuart)

212. kenwood tr7625

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 16:24:13 UTC
From: jorge <jormartin@recol.es>
Message-ID: <3d00dd60$1@news.airtel.net>
Source record: 42622

i need to buy the service manal of this equipment . thanks

213. WTB - Yaesu FTS-12 Tone board

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 17:00:01 UTC
From: KF6QNC <kf6qnc.remove.this@arrl.net>
Message-ID: <3d00e5d4$1@tkh-shark.kiesows.com>
Source record: 42623
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.marketplace,rec.radio.amateur.equipment

I need an FTS-12 tone board for use in an FT-2311R.

Please drop me an email at KF6QNC(at)arrl.net (Please replace the "(at)"
with "@" - spam...)

--
Kurt A.F. Kiesow III
KF6QNC
Fists #7231 -- QRP-L #2127
ARS #1064 -- ARCI #10956
K2 #823 -- K1 #10

214. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 17:17:37 UTC
From: AB8MQ <kc8jbo@alt.net>
Message-ID: <adqq59$cf1$0@pita.alt.net>
Source record: 42624
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

"Dwight Stewart" <stewart@sc.rr.com> wrote in message
news:3D009DC6.83406641@sc.rr.com...
> KC8SSG wrote:
> >
> > Help XYL won't warm up
>
>
> Perhaps a nice, expensive, linear amplifier under the bed might help.
> Those things have been known to generate a little heat. If nothing else,
> it will (generate a little heat) once your wife finds out how much you
> paid for it - many people warm up when they're yelling at someone else.
>
>
> Dwight Stewart (W5NET)
>
> http://www.qsl.net/w5net/

LOL!!!!!!!!

215. Question: Azden PCS-3000 and 7500H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 17:43:00 UTC
From: Daniel Hicks <dahicks-NOSPAM@email.com>
Message-ID: <3d00f0c7$0$3332$2c3e98f8@news.voyager.net>
Source record: 42625

I am looking for the programming instructions to the Azden PCS-3000, and the PCS-7500H. These are exceedingly difficult radios to program.

Also, if there is a function to reset the radio, I would like to know what it is.

Thanks
Dan W8MMQ

Remove '-NOSPAM' to send me email.

216. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 18:20:55 UTC
From: Roffus <la2ju@chello.no>
Message-ID: <bQ6M8.62$hh5.4162@news01.chello.no>
Source record: 42626
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Hi

Well i experienced the same problem myself....long time
ago.
But after a while I dicovered that I was using the wrong
tactic on her.

I startet to treat her the way I treat my equippment.
Gently in the beginning; First very smooth..trying out what
band she`s on? Then I check out what mode she`s in?
If she is in the "sleepy" CW-corner....save the poppers boys!
But...if she is on the SSB-plane....I slowly pump up the
volume....Pop a Champagne etc.....watch for the background-noise (bubbles)
appearing in her lower part
of the eyeballs? Now`s the time to put the processor
into play...not too heavy in the beginning...better easy
uppwards with levels of bubbles?
Wait untill the band really opens up...then u give her all
that u`ve got,inncluding the afterburner...forget leagal
limits and go for it !!! (USB or LSB ??? it`s her choice.)

Never had a complaint since I changed my tactics??
Hi hi hi !!

es vy 73!
de Roffy
LA2JU

"KC8SSG" <kc8ssg@qsl.net> skrev i melding news:VXAL8.62$13.1028@news...
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG
>
>
>

217. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 18:23:44 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <GvkAPXPEH8aOV8SiHx6P=0PrdKJg@4ax.com>
Source record: 42627

n1kk@netzero.net (Ken) wrote:

>Hello Bob,
>
>What I am looking for is a Technical reason based on the
>design of the VX-7R why it only has 300mw on 222MHz.
>

It may be more of a marketing reason -- there arn't many people on or interested in 220, so put in minimal transmitting power. You might email Yaesu directly, to see if there is more power available, but if there was, it would seem they would make it available, to begin with.

Bob
k5qwg
>
>
>Ken
>N1KK
>
>
>ob Miller <bamiller@texas.net> wrote in message
news:<6tr=PAeKfTlVUsAxJ34frG1g7mKv@4ax.com>...
>> n1kk@netzero.net (Ken) wrote:
>>
>> >After reading the Circuit Description of the VX-7R
>> >from the FCC web site (FCC ID: K66VX-7R)
>> >
>> >I did not see anything on the 222MHz transmit. I would
>> >like to understand from a Technical (VX-7R Circuit) how
>> >the 222MHz signal is generated and why/where is the area
>> >that limits the power to 300MW.
>>
>> Why do you assume the power is *limited* to 300 mwatts? Maybe that's all there
>> is, to begin with. If you need more, Alinco makes a cheapo 5 watt 220 handheld.
>>
>> Bob
>> k5qwg
>>
>> >
>> >Anyone have a schemaitc for this radio?
>> >
>> >If anyone would like a copy of the Circuit Description
>> >email me.
>> >

>> >n1kk@netzero.net (qth)
>> >klimasewski_ken@emc.com (work)
>> >
>> >
>> >Ken
>> >N1KK

218. Re: Radio Choice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 18:41:32 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <xf0APdkysTv289z16SK0kW5EaTz+@4ax.com>
Source record: 42628

"Barry Test" <abc@xyz.com> wrote:

>Hello:
>
>I recently passed the technican exam. I am researching what to buy for a
>transceiver. So far I have read up on the Yaesu VX7 and Kenwood TH6. Below
>are the items that would be important to me.
>Please let me know if you have a reco for a first radio.
>
>
>- would probably want a HT so it can be used in the house and car. Would not
>want to drag a mobile unit to/from the house/car.

Just a few considerations -- a mobile transceiver will have 10 times the power a handheld will. It will have bigger knobs and be easier to operate -- most ht's are little button-laden boogers that are highly non-intuitive to work. You'll pay extra for a speaker mike. And extra, about $90, for a higher-speed battery charger -- otherwise you'll spend 15 hours recharging the thing after just an hour or two, playing with it. And extra for a docking station booster, if you need more power. Then you've got an octopus of cables and pieces...

Still it's your choice -- I'd just recommend a mobile unit, though, for someone starting out. An ht, I'd get later, if at all.

Bob
k5qwg
>
>- will probably use 2 meters the most since it seems to most active in my
>area.

It'd be worthwhile to get a copy of the Repeater Directory from the ARRL. It will give all the repeaters in your area, so you can figure out how many bands you want to get on your transceiver. You can also go to:
http://www.artscipub.com/repeaters/
>
>- considering getting a discone antenna for mounting on the chimney. Good or
>bad idea?
>
>- considering a mobile glass mount antenna for the car since it is a station
>wagon. How well do they work?
>
>- should an aftermarket antenna be purchased right away to get better
>performance?
>
>- does anyone have experience using a cell phone holder that mounts on the
>car door for holding the HT and using an external mic?

>
>- will use the radio for monitoring marine and weather frequencies.
>
>Thanks,
>
>Barry
>
>

219. Re: Radio Choice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 18:45:05 UTC
From: dplatt@radagast.org
Message-ID: <ug1vph76n00nab@corp.supernews.com>
Source record: 42629

>Hello:
>
>I recently passed the technican exam.

Congratulations!

> I am researching what to buy for a
>transceiver. So far I have read up on the Yaesu VX7 and Kenwood TH6. Below
>are the items that would be important to me.
>Please let me know if you have a reco for a first radio.
>
>- would probably want a HT so it can be used in the house and car. Would not
>want to drag a mobile unit to/from the house/car.

Reasonable decision for starters. Be aware that the antenna
connectors on HTs often aren't intended for very-frequent antenna
changes, and can't stand a great deal of physical stress and strain
(this is particularly true of the SMAs found on the VX-5/7 and other
small HTs). Repeatedly disconnecting the rubber duck and connecting a
coax to an external antenna (or vice versa) may shorten the lifetime
of the connector.

>- will probably use 2 meters the most since it seems to most active in my
>area.

Before you spring for a VX7, you might want to consider seriously how
much you'd be planning to use 220. If there's not a lot of 220
activity in your area, you might not need the ability to work this
band (yet), and could save money by buying a VX-5 rather than a VX-7.
If there is and you want to work it, you might find that the VX7's
very limited transmit power on that band wouldn't be adequate, and you
might want to buy a different handheld (or buy one without 220, save
your pennies, and buy a dedicated 220 radio at a later time).

>- considering getting a discone antenna for mounting on the chimney. Good or
>bad idea?

Discones are compromises - fairly wide bandwidth, but often not terribly
good performers at any single frequency. You _could_ probably use a
single discone to cover 2-meter, 220, and 70 cm, but probably wouldn't
get optimal results on any single band. They seem to be more popular
for wide-bandwidth monitoring, than for transmission, due to the
difficulty in getting a low, flat SWR.

You might want to consider a J-pole (perhaps one of the multi-band
"copper cactus" varieties) instead.

>- considering a mobile glass mount antenna for the car since it is a station
>wagon. How well do they work?

Haven't used one myself. I've heard people say that they tend to be
lossy. A through-hole in the center of the roof will probably give
you the best results; a mag-mount or a clamp-on gutter/lip mount
would probably be the next-best choice.

>- should an aftermarket antenna be purchased right away to get better
>performance?

In my experience, the ducks supplies with the multiband HTs are often
compromise affairs... acceptable on all bands, wonderful on none. If
you're going to be working almost exclusively on a single band, buying
an antenna dedicated to that band might give significantly better
results and/or be more convenient.

From my own experience: I replaced the Yaesu VX-5 duck with a Pryme
RD-8 (with a Gulyas SMA/BNC adapter). It's more flexible and lighter,
doesn't dig into my side when I have the HT on my belt, and seems to
perform at least as well on 2 meters (haven't used it much on 70 cm
yet). I tested it on an SWR analyzer and it seems to match better on
both of these bands than the Yaesu antenna. On the other hand, it
isn't designed to work 6 meters at all (no provision for adding extra
length for that band), and seems to be much poorer than the Yaesu
antenna at receiving FM broadcast-band signals.

>- does anyone have experience using a cell phone holder that mounts on the
>car door for holding the HT and using an external mic?

You can do this, certainly. Two things of note:

- The small HTs aren't really designed for extensive high-power
transmission. At 5 watts, the VX-5 case heats up quite a lot... I
suspect that the HT is designed to use the owner's hand as an
essential part of the heatsink ;-)

- In mobile use, you're likely to want to adjust the squelch level
fairly frequently (especially if you're working simplex or are far
away from the repeater), and this is *not* convenient to do on many
small HTs. A definite benefit of having a real mobile is that the
volume and squelch adjustments are usually one- or two-finger
operations that can be done without actually looking at the control
panel.

I thought of doing just what you're considering when I started.
Several well-practiced hams warned me that it would probably be an
unsatisfying experience, and urged me to get a real mobile in addition
to an HT. A used 2-meter mobile in decent condition can often be had
for somewhere in the $100 range, it seems.

I sprung for a Kenwood TM-G707A and have been quite happy with it.

>- will use the radio for monitoring marine and weather frequencies.

Choice of antenna definitely comes into it there, and again there are some tradeoffs. An antenna optimized for 2M might not give you the best signal on these other frequencies. You could use a telescoping whip, and adjust its length for whatever you're trying to listen to, but these antennas are longer and heavier - often clumsy, may put a strain on the HT antenna connector.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

220. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 19:15:23 UTC
From: drgrant@ziplink.net
Message-ID: <sc12gus3jvc564rp4oat834inaf0m66it5@4ax.com>
Source record: 42630

It's probably because of the power devices they chose to use
in the radio. An issue of cost, perhaps, or perhaps an issue of
space on the board of the radio itself. I'd venture a guess that they
have at least 3 rf output modles/transistors in there for the final
output, and there isn't a 4th for 220 mhz. The engineers probably
found out by happenstance that one of the modules allowed a small
amouint of RF to be transmitted on 220 mhz, and then they capitalized
on it. There's no other good reason why yaesu would "restrict" the
power output. If the rig could do 2 watts or 4 rwatts or whatever on
220 they would have tried to certify and sell it that way.

-Mike

On 7 Jun 2002 08:37:16 -0700, n1kk@netzero.net (Ken) wrote:

>Hello Bob,
>
>What I am looking for is a Technical reason based on the
>design of the VX-7R why it only has 300mw on 222MHz.
>
>
>
>Ken
>N1KK
>
>
>ob Miller <bamiller@texas.net> wrote in message
news:<6tr=PAeKfTlVUsAxJ34frG1g7mKv@4ax.com>...
>> n1kk@netzero.net (Ken) wrote:
>>
>> >After reading the Circuit Description of the VX-7R
>> >from the FCC web site (FCC ID: K66VX-7R)
>> >
>> >I did not see anything on the 222MHz transmit. I would
>> >like to understand from a Technical (VX-7R Circuit) how
>> >the 222MHz signal is generated and why/where is the area
>> >that limits the power to 300MW.
>>
>> Why do you assume the power is *limited* to 300 mwatts? Maybe that's all there
>> is, to begin with. If you need more, Alinco makes a cheapo 5 watt 220 handheld.
>>
>> Bob
>> k5qwg
>>
>> >

>> >Anyone have a schemaitc for this radio?
>> >
>> >If anyone would like a copy of the Circuit Description
>> >email me.
>> >
>> >n1kk@netzero.net (qth)
>> >klimasewski_ken@emc.com (work)
>> >
>> >
>> >Ken
>> >N1KK

------------== Posted via Newsfeed.Com - Uncensored Usenet News ==----------
http://www.newsfeed.com The #1 Newsgroup Service in the World!
-----= Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers =-----

221. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 19:44:42 UTC
From: Al Bunch <bunchah@nospam.yahoo.com>
Message-ID: <K28M8.13$lS1.671806@news.cpqcorp.net>
Source record: 42631
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Take out an ad:

Addicted to ragchewing, thinking of dropping another $5K on equipment? I have the solution - proven results, you won't buy another thing as long as you have this. One left, hurry before she's gone. Will consider trades for existing new/used equipment or other offers.

...or you could just be blatantly honest...

Take my wife in exchange for your used amateur radio equipment. She won't let me further my hobby so if you're getting out, she'll make sure you stay that way. All trades completely final.

If nobody bites, you can always dangle a high ticket item in front of her that she really really wants and wait for her to start chomping at the bit about getting it, then spring the compromise on her. This could get nasty though when either A) she figures out what you're up to or B) she agrees and that becomes the norm for all of your future purchases.

However you proceed, please - keep us posted so those of us luck...errr..unfortunate enough to not be married yet will know how to handle ourselves should we ever get into the same situation.

73's
-Al Bunch

"KC8SSG" <kc8ssg@qsl.net> wrote in message news:VXAL8.62$13.1028@news...
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG
>
>
>

222. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 20:05:23 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D011203.AF74C844@optonline.net>
Source record: 42632

I'd use 220 if my almost-DC-to-daylight rig didn't skip over that band.

It's a vicious circle: Because so few rigs cover 220, there are few
people on 220. And because so few people use 220, manufacturers don't
bother with 220 capability.

We've already lost part of 220; we'll probably lose more before long.

-=-
Alan, AB2OS

Bob Miller wrote:

> It may be more of a marketing reason -- there arn't many people on or interested
> in 220, so put in minimal transmitting power. You might email Yaesu directly, to
> see if there is more power available, but if there was, it would seem they would
> make it available, to begin with.

223. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 20:30:04 UTC
From: "D. Stussy" <kd6lvw@bde-arc.ampr.org>
Message-ID: <Pine.LNX.4.44.0206072028570.354-100000@exp.bde-arc.ampr.org>
Source record: 42633
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Fri, 7 Jun 2002, Al Bunch wrote:
>Take out an ad:
>
>Addicted to ragchewing, thinking of dropping another $5K on equipment? I
>have the solution - proven results, you won't buy another thing as long as
>you have this. One left, hurry before she's gone. Will consider trades for
>existing new/used equipment or other offers.
>
>...or you could just be blatantly honest...
>
>Take my wife in exchange for your used amateur radio equipment. She won't
>let me further my hobby so if you're getting out, she'll make sure you stay
>that way. All trades completely final.
>
>If nobody bites, you can always dangle a high ticket item in front of her
>that she really really wants and wait for her to start chomping at the bit
>about getting it, then spring the compromise on her. This could get nasty
>though when either A) she figures out what you're up to or B) she agrees and
>that becomes the norm for all of your future purchases.
>
>However you proceed, please - keep us posted so those of us
>luck...errr..unfortunate enough to not be married yet will know how to
>handle ourselves should we ever get into the same situation.

But for some people, they have to PAY to have someone take her.

Why buy her a diamond? She won't last forever!

224. IC-451A, TS-700A, VHF Stuff FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 20:53:38 UTC
From: Byron Tatum <bjtatum@ev1.net>
Message-ID: <3d011a84_2@newsa.ev1.net>
Source record: 42634

Hello-
For Sale, prefer pick-up near Houston, Texas area :
IC-451A with original box, manual and mic. In very good cond. Has some upgrades such as a transistor switch neatly installed for keying an external amp, plus an external coaxial relay which is doing the TX-RX changeover and feeding thru a GaASFET preamp. All neatly done and easily removable. Quality relay and preamp. This rig really hears well. 375.00 for all.
TS-700A in good condition with manual copy and hand mic. Has ARR GaASFET preamp neatly installed. Really hears well. 325.00 for all. Also have some spare modules { all of the internals from a nice TS-700A that the front panel was destoyed in car wreck}, boards and a complete parts unit TS-700A { I say parts unit, my intentions were to repair it} will sell all for 125.00
Several KLM 144-16-LBX antennas { used} and two of the M2 18XXX conversion kits { NIB}.
Trylon T-600-64 never used, assembled with extra heavy rotor, bearing plates { 3 each}
7213 { RCA 1500 watt UHF tetrode} cavities and tubes, several styles, for 144, 220 mhz.
Contact Byron WA5THJ at 281-331-1899. Thank you.

225. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 22:15:02 UTC
From: Bill Thomas <bill_thomas@hp.com>
Message-ID: <3D013066.F1B6ECEF@hp.com>
Source record: 42635
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Greetings,

Give her lots of help, especially when she works in
the kitchen. Try to get each item just before she
needs it. Pick up anything she sets down and clean
it and put it away. After a while, she will ask you
to do something else. Then you can go to the radios,
but break off if she asks you to do anything and help
her. You do not want her to think of the radios as
her competition. Check with her before you buy anything.
Ask her lots of questions about what you should do.
Get her to think of the purchase as one of her buying
decisions. Agonize over every choice and share
the experience until she asks you to just buy it
and leave her alone.

Also:
- Fix things for her so she has a reason to
keep you around.
- Remember you have the last words, "Yes dear."
(If you do not believe me, ask anyone happily
married for 50 years.)
- Also, she is always the best. No one cooks
better, looks better, drives better, etc. .
Let others provide the reality checks. You
just provide the always ready support.
- Use humor (not same as ridicule).
- Acknowledge the fact, "You are wrong and
she is right."
- Listen to her but do not try to suggest
solutions to her problems. She wants
acknowledgment she has had an experience.
Read "Men from Mars, Women from Venus."
- Acknowledge and praise every thing she
does for you.
- She puts her life at risk to have your
babies. When someone puts their life at
risk for you, you need to take care of them.

Sincerely,
Bill Thomas

226. ICOM 718 - ALINCO DR-150TQ

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 22:24:44 UTC
From: jbeckett@NOSPAM.stny.rr.com
Message-ID: <bgc2gu8omug30v29ptijktfa8spsf1rnk4@4ax.com>
Source record: 42636

```
Alinco DR-150TQ 2 meter rig...
10-25-50 watts
extended receive enabled
108mhz-173.995 (AM-FM)
440mhz-449.995 (FM)
100 memory channels, memory scan
original box, manual
$ 100

ICOM 718 transceiver
purchased 4-2-02
original box, manual
$500

LDG AT-11MP auto ant tuner
w/Icom cable
never used
$200

KD2KU
Corning, NY
jbeckett@NOSPAM.stny.rr.com
removed NOSPAM to reply via email
```

227. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 22:32:45 UTC
From: Hiram <temple@mtmoria.com>
Message-ID: <hwaM8.1169$Pv2.907@newsread2.prod.itd.earthlink.net>
Source record: 42637
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Boy, are you gonna be Sad when you wake up from that Dream :-)

"Dwight Stewart" <stewart@sc.rr.com> wrote in message news:3D00A2DB.FCD113BE@sc.rr.com...
> Bill Otten wrote:
> >
> > I am blessed. My lovely wife bought me a
> > new rig this past Christmas. I had merely
> > looked and commented on the rig she bought
> > me, it was a complete surprise. She
> > actually encourages me to enjoy my hobby.
>
>
> Same here. My wife bought my first radio years ago after she realised
> I wanted one and has never complained once about anything I've purchased
> since. In fact, I have the perfect wife - she likes fishing, boating,
> country music, SUVs, cooking steaks on the grill, wearing tight pants,
> and practical jokes. In fact, she even points out the girls with short
> skirts I might have missed. What more could you ask for in a woman?
>
>
> Dwight Stewart (W5NET)
>
> http://www.qsl.net/w5net/
>

228. Re: FT-1000D questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 22:43:51 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d0133d9_2@newsa.ev1.net>
Source record: 42638

I have had two FT-1000D's, the PRO can run circles around it's receiver (figuritively).
The PRO is a far better radio in my book. I have totally given up on YAESU radios, and now have both a PRO II & (old) PRO.
Stop by my web page to check it out.
www.qsl.net/kk5dr/

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"David" <phochief@nonspamhotmail.com> wrote in message news:xu2M8.56055$_p6.8419983@e3500-atl1.usenetserver.com...
> I'm thinking about switching from an Icom 756-pro to an FT-1000D but have a
> couple of questions. I probably can't afford a new one so I'll be looking
> for one that's used but in good shape. What kind of changes to the 1000D
> have been made over the years, or are they all pretty much the same, except
> for Rom upgrades? Anything in particular I should be wary of when looking?
> Just how good is the front end at rejecting sigs from neighboring hams on
> the same band? And finally, how would you compare the FT-1000D to the newer
> FT-1000mp Mk V?
>
> Thanks for any input.
>
> David, K4ZZR
>
>
>

229. Re: HF Receivers Again WTB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-07 22:53:09 UTC
From: Harry <hflaxman@nospam.neb.rr.com>
Message-ID: <COaM8.2886$Pz3.40852@twister.kc.rr.com>
Source record: 42639

Sorry, make that the Yaesu FRG100. Got in a hurry there.

Harry

On 7-Jun-2002, "Harry" <hflaxman@nospam.neb.rr.com> wrote:

> These are all the HF receivers I'm looking for at the moment, the Kenwood
> R1000 or 2000, the Yaesu RTG100, and perhaps some newer Kenwood Receivers.
>
> I would appreciate emails as I said before to hflaxman@neb.rr.com.
>
> Thanks!!!
>
> Harry Flaxman

230. FS: Collins 75S-3

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 00:10:29 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <VXbM8.3352$mX7.109354088@newssvr17.news.prodigy.com>
Source record: 42640
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale a very nice condition 75S-3.
Cosmetically and electronically it is in excellent
condition. I don't want to ship this receiver so
it is sold for pickup in the Arlington, TX area.
I can meet a buyer at HamCom this weekend

Thanks,
Michael

231. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 00:20:22 UTC
From: Newbie <newbie@nowhere.net>
Message-ID: <ug2k5h6p42j69b@corp.supernews.com>
Source record: 42642
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

"Dwight Stewart" <stewart@sc.rr.com> wrote in message
news:3D00A2DB.FCD113BE@sc.rr.com...
> Bill Otten wrote:
> >
> > I am blessed. My lovely wife bought me a
> > new rig this past Christmas. I had merely
> > looked and commented on the rig she bought
> > me, it was a complete surprise. She
> > actually encourages me to enjoy my hobby.
>
>
> Same here. My wife bought my first radio years ago after she realised
> I wanted one and has never complained once about anything I've purchased
> since. In fact, I have the perfect wife - she likes fishing, boating,
> country music, SUVs, cooking steaks on the grill, wearing tight pants,
> and practical jokes. In fact, she even points out the girls with short
> skirts I might have missed. What more could you ask for in a woman?
>
>
> Dwight Stewart (W5NET)
>

That she has her own truck, camper, and boat & motor. Knows how to clean and cook fish, clean and cook game and tan the skins, cast bullets and reload her own ammo, and last but not least let her hair down when you are behind closed doors and act like the girl your momma told you to stay away from.

PS - Sounds like you are a very lucky man and you can tell her I said so. Cherish her and treat her like the one in a million she is.

232. Roadtrip

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 00:24:42 UTC
From: "Gary M. Brickley" <gary@brickley.com>
Message-ID: <qkj2gu03hcj390ri90ig9f0vdll559fmgu@4ax.com>
Source record: 42641

Here's the scenario. We're on a road trip traveling Route 66.
There's 3
vehicles traveling no more than 1/2 mile apart. In the middle vehicle
is an
historian on Route 66 talking about his experiences on the famous
highway.
What I would like to do is monitor his conversation in that vehicle
from the
other two. This gentleman will be in the passenger seat and I'll have
crew
people in the rear. The other vehicles will be equipped with cameras
photographing the scenery. We are not recording his conversation. I
own
Motorola GP300 VHF handhelds and a GM 300 base. I'm wondering if I
could
rig the base station with a lapel mic and have the guy in the back
seat flip
a switch during the stories. I understand that he can talk up to 5
minutes
at a time. I don't want to over tax the transmitter on the base. Any
ideas
or suggestions?
Thanks in advance.
Gary

233. WTB Collins 75S2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 00:43:45 UTC
From: Harry <vulcan@useoz.com>
Message-ID: <3d0152f9@news.comindico.com.au>
Source record: 42643

Howdy folks
as stated above I want a 75S2 tell me what you got .

Harry

234. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 00:49:55 UTC
From: Dan/W4NTI <w4nti@mindspringnospam.com>
Message-ID: <adrkav$5a4$1@slb7.atl.mindspring.net>
Source record: 42644
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

What a bunch of wimps...LOL !!

Do what I did (this is the third time, so it may not be a perfect plan)....Look them in the eye and with a authoritive voice say "I was a ham when I met you, I'll be a ham when your gone....you pick the time"

Just kidding.

Dan/W4NTI

"Hiram" <temple@mtmoria.com> wrote in message news:hwaM8.1169$Pv2.907@newsread2.prod.itd.earthlink.net...
> Boy, are you gonna be Sad when you wake up from that Dream :-)
>
>
> "Dwight Stewart" <stewart@sc.rr.com> wrote in message news:3D00A2DB.FCD113BE@sc.rr.com...
> > Bill Otten wrote:
> > >
> > > I am blessed. My lovely wife bought me a
> > > new rig this past Christmas. I had merely
> > > looked and commented on the rig she bought
> > > me, it was a complete surprise. She
> > > actually encourages me to enjoy my hobby.
> > >
> >
> > Same here. My wife bought my first radio years ago after she realised
> > I wanted one and has never complained once about anything I've purchased
> > since. In fact, I have the perfect wife - she likes fishing, boating,
> > country music, SUVs, cooking steaks on the grill, wearing tight pants,
> > and practical jokes. In fact, she even points out the girls with short
> > skirts I might have missed. What more could you ask for in a woman?
> >
> >
> > Dwight Stewart (W5NET)
> >
> > http://www.qsl.net/w5net/
> >
>
>

235. HF-380 Help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 00:54:48 UTC
From: Harry <vulcan@useoz.com>
Message-ID: <3d015590@news.comindico.com.au>
Source record: 42645

I need a circuit for the A2A3 low pass filter and circuit card and any of the following parts

6khz am filter
1.7khz rtty filter
noise blanker A11
Kiron memory board
638-6918-001 crystal oven
please hollar if you can help

73's Harry

236. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 01:24:20 UTC
From: kd5jbn@aol.comnospam
Message-ID: <20020607212420.02348.00000091@mb-ca.aol.com>
Source record: 42646

>Greetings,
>
>Give her lots of help, especially when she works in
>the kitchen. Try to get each item just before she
>needs it. Pick up anything she sets down and clean
>it and put it away. After a while, she will ask you
>to do something else. Then you can go to the radios,
>but break off if she asks you to do anything and help
>her. You do not want her to think of the radios as
>her competition. Check with her before you buy anything.
>Ask her lots of questions about what you should do.
>Get her to think of the purchase as one of her buying
>decisions. Agonize over every choice and share
>the experience until she asks you to just buy it
>and leave her alone.
>
>Also:
> - Fix things for her so she has a reason to
> keep you around.
> - Remember you have the last words, "Yes dear."
> (If you do not believe me, ask anyone happily
> married for 50 years.)
> - Also, she is always the best. No one cooks
> better, looks better, drives better, etc. .
> Let others provide the reality checks. You
> just provide the always ready support.
> - Use humor (not same as ridicule).
> - Acknowledge the fact, "You are wrong and
> she is right."
> - Listen to her but do not try to suggest
> solutions to her problems. She wants
> acknowledgment she has had an experience.
> Read "Men from Mars, Women from Venus."
> - Acknowledge and praise every thing she
> does for you.
> - She puts her life at risk to have your
> babies. When someone puts their life at
> risk for you, you need to take care of them.
>
>Sincerely,
>Bill Thomas
>
>
>

>
>
Aww Shit my XYL read this.. I gotta go do the Laundry now! See ya

237. FS Icom 4SAT 450-470mhz w/BP90 alkaline pack.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 01:34:34 UTC
From: 800mhz <pottsladd13@yahoo.com>
Message-ID: <KadM8.26139$LC3.1990930@bgtnsc04-news.ops.worldnet.att.net>
Source record: 42647
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

I have a Icom 4SAT UHF Mini HT with original rubber duck, has small cut in antenna near BNC. And also comes with BP90 Alkaline battery pack. No bottom cap or manual.
I recently purchased this unit and it works well, but unfortunately it doesn't cover any of the
Amateur frequencies at this point. It was sent back to Icom and completely retuned for the business bands.
It currently operates from 450-470mhz. $135.00 shipped cont. US.
If your interested please email direct.
thnx

238. Re: AR-210 TNC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 01:42:20 UTC
From: Steve Bossert <kc2gog@amsat.org>
Message-ID: <1idM8.210$zt3.10916@news4.srv.hcvlny.cv.net>
Source record: 42548
Cross-posted to: alt.radio.amateur,rec.radio.amateur.equipment

when my tnc stopped receiving, some of the capacitors had went bad. try
checking where the audio comes into the tnc
"David Hawkins" <davidhawkins@dsl.pipex.com> wrote in message
news:3cff96cb$0$234$cc9e4d1f@news.dial.pipex.com...
> Can anyone help please.
> I bought this TNC at a radio rally and I've been trying to get it working.
> Despite some initial problems I got it talking to a computer and
everything
> seems to be working well.
> I then went on to make a cable to link it to my ICOM IC 24ET Handheld.
> All went well and Tx seems to work. I am using 144.950MHz.
> On reception of packet the DCD LED on the TNC illuminates but
unfortunately
> the computer registers no activity.
> MONITOR IS ON. MALL IS ON.
> MH does not show any heard stations.
> If I use my old TINY-2 TNC all these show activity.
>
> One positive is if I activate TRACE I very occasionally get some response
> but it seems mostly rubbish.
>
> Am I missing something or is something wrong with the TNC.
>
> I have opened it up and there are no obvious problems. There are 3
variable
> resisters. VR3 is the Audio output adjustment (from the manual) but the
> other 2 are not listed - anyone know what they are?
> Does anyone have a circuit diagram?
>
> Any help would be appreciated.
>
> Thanks in advance,
>
> David Hawkins (G7IBO)
>
>

239. Re: Product Release

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 04:43:33 UTC
From: Mike <mdickman@bevcomm.net>
Message-ID: <3D018BD8.A2122AA4@bevcomm.net>
Source record: 42549

I might buy one, I think I can use more than 5 watts on ten meters...

John P Vassel wrote:

> "Henry Kolesnik" <wd5jfr@oklahoma.net> wrote in
> news:uf1ok59p13c811@corp.supernews.com:
>
> > looks like a chicken band amp in disguise as a 10 meter amp...
> > I don't know of any "real" ham that would buy a 10 meter only amp.
> > "Professor" <bgriffey@core.com> wrote in message
> > news:3cf0d0cc$0$1417$1dc6e903@news.corecomm.net...
> >> http://members.core.com/~bgriffey/SkyWave%202879AB.pdf
> >>
> >>
> >>
> > >
> > >
> > >
>
> Mr Griffey is a long time member of the rec.radio.cb group.
> And I agree with your review of the product.
>
> --
> John Vassel
> KC8SKE
> RTFD Volunteer Firefighter

--
Mike
KD4LLA

"Not only was Bill Clinton immoral and reckless, too often
distracted by easy-to-get groupie bimbos, but during his
administration the terrorists made steady progress toward
September 11, 2001, surprising a new president with barely
enough time in office to do a proper damage assessment of
the agencies that protect us. In other words, Clinton was
not asleep on the job, but he was sleeping on the job. He
didnï¿½t just squander his legacy -- he squandered our safety."

Gary Aldrich

240. Re: Product Release

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 04:44:07 UTC
From: Mike <mdickman@bevcomm.net>
Message-ID: <3D018BFB.314D8645@bevcomm.net>
Source record: 42550

I might buy one, I think I can use more than 5 watts on ten meters...

Fred Hambrecht wrote:

> Sure, this is a ham amplifier... Get serious. I have forwarded a copy to
> Mr.R. Hollingsworth to get his expert opinion on your newest release. I will
> advise...
>
> "Professor" <bgriffey@core.com> wrote in message
> news:3cf0d0cc$0$1417$1dc6e903@news.corecomm.net...
> > http://members.core.com/~bgriffey/SkyWave%202879AB.pdf
> >
> >
> >

--
Mike
KD4LLA

"Not only was Bill Clinton immoral and reckless, too often
distracted by easy-to-get groupie bimbos, but during his
administration the terrorists made steady progress toward
September 11, 2001, surprising a new president with barely
enough time in office to do a proper damage assessment of
the agencies that protect us. In other words, Clinton was
not asleep on the job, but he was sleeping on the job. He
didnï¿½t just squander his legacy -- he squandered our safety."

Gary Aldrich

241. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 05:11:19 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020608011119.07096.00000166@mb-df.aol.com>
Source record: 42551

I have a question. Has anyone at yeasu admitted that this radio is even real?
All I've seen is a webpage that shows an alleged picture of this new HT.
There's still nothing on Yaesu's website about it.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

242. Kenwood AT-440 Internal Antenna Tuner for TS-440S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 06:01:04 UTC
From: kd5jbn@aol.comnospam
Message-ID: <20020608020104.16129.00000130@mb-ce.aol.com>
Source record: 42552

Antenna Tuner for TS-440S. Came as part of a swap. Put in my TS-440 to test. Tuned G5RV from 10 to 80 no problems. $200 Shipped

Remove NOSPAM from address to e-mail

243. kenwood tr7625

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 06:48:43 UTC
From: jorge <jormartin@recol.es>
Message-ID: <3d01a896$2@news.airtel.net>
Source record: 42553

i would like to buy the kenwood tr7625 service manual

244. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 09:07:40 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D01C99B.11007AC3@sc.rr.com>
Source record: 42554
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Bill Turner wrote:
>
> On Fri, 07 Jun 2002 12:10:53 GMT, Dwight Stewart <stewart@sc.rr.com>
> wrote:
>
> > Same here. My wife bought my first radio
> > years ago after she realised I wanted one
> > and has never complained once about
> > anything I've purchased since. In fact, I
> > have the perfect wife - she likes fishing,
> > boating, country music, SUVs, cooking steaks
> > on the grill, wearing tight pants, and
> > practical jokes. In fact, she even points
> > out the girls with short skirts I might
> > have missed. What more could you ask for
> > in a woman?
>
> Your wife is an absolute jewel. It's always
> fascinated me how dumb a lot of women are
> when it comes to men. (snip)

Oh, you have that right. How I rounded her up, and why she continues to put up with me, is far beyond my comprehension. I guess love is a powerful thing - it screws up a person's mind, and their common sense.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

245. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 09:10:54 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D01CA5D.5D50DD46@sc.rr.com>
Source record: 42555
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Hiram wrote:
>
> Boy, are you gonna be sad when you wake up
> from that Dream :-)

Well, it's a dream that has been going on for over 20 years, so, at this point, I don't intend to ever wake up. Excuse me, I have to pull up the blankets again.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

246. ...if anyone can help me... Finding hf equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 09:56:25 UTC
From: Arek <arek@bbs.net.pl>
Message-ID: <3d01d464_2@news.vogel.pl>
Source record: 42556

I am a foreginer who would like to buy a radio in US because it is much cheaper than in Europe. So I am asking if anyone can help me giving addresses to web sites having the cheapest prices or places with second-hand radioes advertisements. Thank you for all kind of help.

247. Which to choose .... IC 756, 746, or ft 920

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 10:02:30 UTC
From: Arek <arek@bbs.net.pl>
Message-ID: <3d01d5d5_2@news.vogel.pl>
Source record: 42557

I am about to buy a second hand radio. I am considering between IC 756, Ic 746, and Ft 920 and also new 570 DG. (all these radio are about the same price). The only radio I had before was my Ts 50 so the radio from the lowest level. I am looking for some help and advice from people having more experience with these transceivers. If anyone can help me Thank You Very Much.

248. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 10:56:42 UTC
From: DBN <dnicholson@socket.net>
Message-ID: <ug3onjaafqmcb7@corp.supernews.com>
Source record: 42558

I guess the ones they were selling at Dayton were not real??

Just because its not on the website does not mean its not out there...

249. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 10:59:56 UTC
From: Newbie <newbie@nowhere.net>
Message-ID: <ug3osgj4vo21e7@corp.supernews.com>
Source record: 42559

"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
news:20020608011119.07096.00000166@mb-df.aol.com...
> I have a question. Has anyone at yeasu admitted that this radio is even
real?
> All I've seen is a webpage that shows an alleged picture of this new HT.
> There's still nothing on Yaesu's website about it.
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
A whole bunch of people in several different newsgroups claim to have bought
them; some at Dayton and others from their favorite dealer. there is
already one mod. out for the radio.

250. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 11:14:19 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d01e70b$0$3578$2c3e98f8@news.voyager.net>
Source record: 42560

vhfradiobuff@aol.comspamsux (VHFRadioBuff) wrote in
news:20020608011119.07096.00000166@mb-df.aol.com:

> I have a question. Has anyone at yeasu admitted that this radio is even
> real? All I've seen is a webpage that shows an alleged picture of this
> new HT. There's still nothing on Yaesu's website about it.
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com
>

You could try aesham.com or hamradio.com
They must be real if they're for sale.(well, one would hope anyways)

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

251. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 11:18:29 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D01E82B.B8691150@sc.rr.com>
Source record: 42561
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Newbie wrote:
>
> That she has her own truck, camper, and boat
> & motor. Knows how to clean and cook fish,
> clean and cook game and tan the skins, cast
> bullets and reload her own ammo, (snip)

No, we're very much two different people. I like big trucks and she likes "cute" little cars. When we first got married, cleaning fish was "icky," but she did learn how to do it. Neither one of us are too into weapons, but she did learn how to shoot a rifle years ago (and is not too bad at it). She has her college degrees (and is going for third in Mathematics), but actually insists I'm the smart one.

> and last but not least let her hair down
> when you are behind closed doors and act
> like the girl your momma told you to stay
> away from.

Well, if I say too much about this, you guys really will think I'm piling up the bull. But, heck, I don't get to brag about her too often. So, first of all, she is definitely something to look at (an actress and model in the past). And I'm the conservative one behind closed doors. In fact, she doesn't even like to stay behind closed doors - she wants to move to, and live, at a nude beach. And, on top of all this, my mother likes her (thinks I "picked the right one") and her mother, and father, likes me (thinks I'm a "stabilizing force" in her life).

And, finally, to add frosting to the cake, after 23 years of marriage, she still looks like she is no older then 17 or 18. And I'm not exaggerating about that - people actually think I'm messing around with a kid (they ask for her driver's license when she buys my cigarettes and one store clerk even openly accused her of faking the ID when she saw the birth date). I love it - one day, when I'm 80, I'm going to have a teenager for a wife.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

252. Re: ...if anyone can help me... Finding hf equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 11:26:49 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <eegBPUPBFrLhNWaykH0KL=oaBX2f@4ax.com>
Source record: 42562

"Arek" <arek@bbs.net.pl> wrote:

>I am a foreginer who would like to buy a radio in US because it is much
>cheaper than in Europe. So I am asking if anyone can help me giving
>addresses to web sites having the cheapest prices or places with second-hand
>radioes advertisements. Thank you for all kind of help.
>

Inquire at the web sites for Amateur Electronic Supply and Ten Tec. They both
sell used equipment with a limited guarantee.

http://www.aesham.com/

and

http://www.tentec.com/Amateur.htm

Bob
k5qwg

253. Re: HF-380 Help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 11:51:17 UTC
From: Pete Gianakopoulos <n.gianakopoulos@worldnet.att.net>
Message-ID: <VcmM8.26687$LC3.2043448@bgtnsc04-news.ops.worldnet.att.net>
Source record: 42563

I was able to buy the 6kHz filter from Piezo Technology; those are the folks that make that filter. Expect to pay around 240 dollars, if you can get them to sell it to you. I was working for Rockwell-Collins at the time, so they were fairly accomodating. As far as the other stuff, try Surplus Sales of Nebraska.

Pete KE9OA

Harry <vulcan@useoz.com> wrote in message news:3d015590@news.comindico.com.au...
> I need a circuit for the A2A3 low pass filter and circuit card and any of
> the following parts
>
> 6khz am filter
> 1.7khz rtty filter
> noise blanker A11
> Kiron memory board
> 638-6918-001 crystal oven
> please hollar if you can help
>
> 73's Harry
>
>

254. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 12:24:31 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D01F799.EA631485@sc.rr.com>
Source record: 42564
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Matt wrote:
>
> I agree - instead of "honey look at this
> beautiful chainsaw I bought you for your
> birthday" (and her "honey look at this
> lovely perfume I bought you") go down the
> approach of "look at this beautiful ham
> radio I bought for you honey"

No, a much better approach to that is to say you're buying radio equipment so the two of you can talk as she is riding around town in the car. This works especially well if the two of you don't communicate much around the house in the first place - some talk deprived wives will do almost anything to talk more (especially if she watches talk shows aimed at women - these shows insist "communications" is the holy grail of marriage).

If she isn't fully convinced, explain how a $1500 base radio, a $500 mobile, and several thousand dollars worth of accessories (power supplies, meters, antennas, and so forth), is much cheaper than a cellular phone when you include the monthly charges for the cellular. Okay, perhaps you shouldn't mention the prices unless she is really dumb.

By the way, don't worry about actually having to talk once you get the equipment. If you purchase a radio with enough knobs and buttons, she will never figure out how to use it. Especially if you're a little vague when explaining it to her, and you slightly change the instructions each time (insist she must turn the frequency knob this direction the first time you explain it and the other direction the next time).

Don't forget to scare her a little as you explain how to use the radio. For example, "never touch this (something almost impossible not to touch) when you're using the radio or you'll break it." Mention how expensive the radio is and how much it will cost to repair if she breaks it.

If you're good at all this, she will never figure out how to use the radio, and will too afraid to try. At that point, you can blame the lack of ability to talk on her and she will actually believe it.

After about a month, explain (as sincerely as you can) how much of a mistake it was to get a radio for her car ("it's just too complicated for you to use in a car"). Offer to get her a cellular phone instead - much easier to use. You can then move her radio into your vehicle and have a nice mobile to use.

One last thing, if you really do get a cellular phone for her, don't forget to take the phone off the hook at home whenever she is driving around - you'll be far too busy talking on the radio to actually talk to her. :-)

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

255. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 12:25:51 UTC
From: ricknj10@hotmail.com
Message-ID: <3d01f62e.3385376@news.eclipse.net>
Source record: 42565
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

>And the ever famous "it's not mine, I'm holding it for a friend". I always
>dread the "that's not the same radio you had is it?"
>I don't know how I've managed to talk myself out of a jam so often.
>

Your technique is good, just not fine tuned quite yet.
Try this, it's low risk:

Bring a rig from your car through the kitchen. When she asks, tell
her you are going to fix it for a guy at work. After it is "fixed"
take it back right through the kitchen, make sure she sees it. Make
sure she sees equipment LEAVING the house, this is crucial, it's the
patented part of my procedure. Keep this up, doesn't matter what the
crap is (old test equipment, HTs, old power supplies, new transceivers
in nice clean boxes). When she is trained well you will know it, she
won't even look up, or else she will say, "Please get those Yaesu
boxes into the basement and out of my kitchen.!"
"Yes, Dear"

Rick K2XT

256. Re: FT-1000D questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 12:30:50 UTC
From: Dave Edwards <kd2e@comcast.net>
Message-ID: <_NmM8.172238$Oa1.16191617@bin8.nnrp.aus1.giganews.com>
Source record: 42566

Dave....
I currently have both set up in my shack.
The 1000D has a slightly better receiver, but it is not nearly as flexible.
Being more flexible, there is also more room for error. This probably
accounts for a lot of folks deciding the PRO has shortcomings. No two ways
about it, the 1000D does have a better CW receive note....but not by much.
The 1000D's notch is nowhere as effective as the Pro's.
In my opinion, the ability to 'play' with the selectivity, and the
usefulness of the spectrum scope makes the Pro the clear winner.
Upgrading the older version of the 1000D's ROM makes it the same as the
later versions.
From what I understand, there were no major changes on the rig.
I would bet that none are being sold at the over $4 K price. They are
sitting around waiting for the $1600 closeouts. They now sell for a bit
under 2 grand on the used market.
It is nice to have the 200 watts in all one box. And, the 1000D's tuning
feel is second to none.
Regards....Dave
"David" <phochief@nonspamhotmail.com> wrote in message
news:xu2M8.56055$_p6.8419983@e3500-atl1.usenetserver.com...
> I'm thinking about switching from an Icom 756-pro to an FT-1000D but have
a
> couple of questions. I probably can't afford a new one so I'll be
looking
> for one that's used but in good shape. What kind of changes to the 1000D
> have been made over the years, or are they all pretty much the same,
except
> for Rom upgrades? Anything in particular I should be wary of when
looking?
> Just how good is the front end at rejecting sigs from neighboring hams on
> the same band? And finally, how would you compare the FT-1000D to the
newer
> FT-1000mp Mk V?
>
> Thanks for any input.
>
> David, K4ZZR
>
>
>

257. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 12:35:24 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D01FA26.87D7258@sc.rr.com>
Source record: 42567
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Roffus wrote:
>
> (snip) I started to treat her the way I treat
> my equipment. Gently in the beginning; First
> very smooth...trying out what band she`s on?
> Then I check out what mode she`s in? If she
> is in the "sleepy" CW-corner...save the poppers
> boys! But...if she is on the SSB-plane....I
> slowly pump up the volume....Pop a Champagne
> etc.....watch for the background-noise (bubbles)
> appearing in her lower part of the eyeballs?
> Now`s the time to put the processor into
> play...not too heavy in the beginning...better
> easy upwards with levels of bubbles? Wait
> until the band really opens up...then u give
> her all that u`ve got including the
> afterburner...forget legal limits and go
> for it !!! (snip)

Good grief, Roffus. After reading that, even I would agree that you've
been spending way, way, too much time with your radio equipment. :-)

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

258. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 12:52:04 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D01FE09.3406D020@sc.rr.com>
Source record: 42568
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Al Bunch wrote:
>
> Take out an ad:
>
> Addicted to ragchewing, thinking of dropping
> another $5K on equipment? I have the
> solution - proven results, you won't buy
> another thing as long as you have this. One
> left, hurry before she's gone. Will consider
> trades for existing new/used equipment or
> other offers.

To sweeten the pot, you could put the ad in the "business opportunities" section - a woman like that would probably be thrilled to help other wives with their husbands' radio addictions. When the wife gets tired of screaming at the husband, the "hired gun" could continue nagging for her. Of course, doing this probably won't make you too popular with the other radio operators in town, but at least she'll be out of your hair if someone takes you up on the deal - that is until your new wife hires her down the road. :-)

> ...or you could just be blatantly honest...
>
> Take my wife in exchange for your used
> amateur radio equipment. She won't let me
> further my hobby so if you're getting out,
> she'll make sure you stay that way. All trades
> completely final.

LOL.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

259. Hallicrafters SX-88 Bezels FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 13:21:19 UTC
From: Gary Harmon <gharmon@idworld.net>
Message-ID: <jxnM8.14290$wq6.1688325193@newssvr11.news.prodigy.com>
Source record: 42569

New replacement bezels for the rarest of the rare Hallicrafters SX-88 receiver are now available. Perhaps twenty percent of the known SX-88s have the warped bezel syndrome. There is no way to repair a bad bezel and this newly manufactured bezel solves the problem. They are machined out a solid piece of aircraft aluminum on a CNC machine. All the threaded holes, retaining tabs, openings, tapered faces, and openings are true to the original. They are finished in a wrinkled black satin powdered finish. NOTE: I am not making the bezels. I'm just acting as a facilitator. Bezel will be securely packed and shipped from California. A certain number of bezels must be sold before the second run of 20 can be authorized. Money orders and Pay Pal will get priority shipping when the bezels are available. Personal checks will clear before shipping. If a sufficient number is not ordered then payments will be returned. For questions or pictures contact me directly at gharmon@idworld.net. Seller will pay CONUS shipping. Out of country buyers will pay the difference.

Thanks and 73,
==========
Gary H. Harmon, Jr.
K5JWK
6302 Robin Forest
San Antonio, TX 78239
gharmon@idworld.net
(210) 657-1549 h
(210) 884-6926 c
(210) 203-1700 p
==========

260. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 14:00:39 UTC
From: jfuentes <fuentesj@earthlink.net>
Message-ID: <b6oM8.2244$k85.224@newsread1.prod.itd.earthlink.net>
Source record: 42570

Oh yes, they are very real.

They are sold over the counter at HRO, but supplies are extremely limited. I recall something like "300" on the initial lot from Yaesu - don't quote me. Last time I looked there were only 4 left available at HRO (includes all stores) last Thursday.

"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message news:20020608011119.07096.00000166@mb-df.aol.com...
> I have a question. Has anyone at yeasu admitted that this radio is even real?
> All I've seen is a webpage that shows an alleged picture of this new HT.
> There's still nothing on Yaesu's website about it.
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

261. FS: Swan 202 Mobile Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 14:03:23 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <el34gu0riqjpu54165hbttv7ihlthcak81@4ax.com>
Source record: 42571
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

```
FOR SALE:
Shure 202 Mobile microphone
Gray, sharp appearance with PTT, excellent condition.
Great for use with any amateur station
Reduced to $25.00 plus shipping

Send for photo
```

262. Re: Which to choose .... IC 756, 746, or ft 920

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 14:10:26 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ug443b9p7p4b6a@corp.supernews.com>
Source record: 42572

I had the FT-920 for awhile. Good rig, but if you enjoy low band (30-50) listening, get the 746 or 756. The 920 has a huge receive gap from 30---48 Mhz, which I never understood why! Also, the 920 has the tendency to be very anemic, power wise. Its hard pressed to "comfortably" see 100 watts out. Other than that, its an excellent machine, and very affordable. I see them new now for $1080! Good luck.

Bill
KC4KMG
Web Site: www.polkcounty.org/radiofun

"Arek" <arek@bbs.net.pl> wrote in message news:3d01d5d5_2@news.vogel.pl...
> I am about to buy a second hand radio. I am considering between IC 756, Ic
> 746, and Ft 920 and also new 570 DG. (all these radio are about the same
> price). The only radio I had before was my Ts 50 so the radio from the
> lowest level. I am looking for some help and advice from people having
more
> experience with these transceivers. If anyone can help me Thank You Very
> Much.
>
>

263. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 14:19:10 UTC
From: cprstn54zz@att.net
Message-ID: <3d021055.87138000@news-server.optonline.net>
Source record: 42574
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Thu, 06 Jun 2002 03:48:05 GMT, "KC8SSG" <kc8ssg@qsl.net> wrote:
>I'm having a hard time getting my wife to get used to me buying radios and
>stuff. Any help or suggestions would be great!

More than any other [basically nonproductive] hobby I have ever
pursued, my wife just doesn't get ham radio and thinks it is
ridiculous. Every time the UPS man dropped off another box, I took
grief. Yet she likes and participates in off-roading, fishing,
camping, kayaking, etc.

I had to buy peace by agreeing to $3,000 more in new car frills.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

264. Re: FT-1000D questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 14:24:30 UTC
From: Dennis <pegasus@mho.net>
Message-ID: <3D02139E.E72CC4FD@mho.net>
Source record: 42573

Hi David...
If you're considering switching from a PRO to a 1000D I'm guessing that there is a receiver performance issue at hand since you mentioned "neighboring hams". The 1000D has been the performance standard for multi-op contest stations for some time with pretty impressive numbers. It has a blocking dynamic range that has never been equaled in amateur equipment. The 756PRO is an excellent 120db but the 1000D was a mind-blowing 154db. The numbers you'd be most interested in would be the IMD dynamic range and the third and 2nd order intercept points. The 1000D substantially exceeds the PRO in these two areas. In fact, the PRO had a rather dismal (by today's standards) 88db IMD dynamic range.. (the little Kenwood TS-120 mobile rig was better.. it's considerably better in the PRO II though) The 1000D has a pretty excellent 98db IMD DR. You will also notice a richer more lush sound of the 1000D receiver. I like the sound of my PRO, it's pretty good actually, but a quick switch to the 1000D makes you take notice of it's fuller presence. It's large one-button controls and heavy smooth VFO tuning knob makes it a tactile joy to use.
If you opt for the 1000D be aware of a few things... make sure that it has the latest upgrades! A friend of mine sent his 10 year old 1000D back to Yaesu for alignment and upgrades and it came back a "different, and better", radio. Components age, values change, they need a tune up once in a while. You'll miss some of the sexy flexibility of the PROs menu system and that wonderful band scope. (depending on how much you used them) There are some things that the 1000D will do that the PRO won't. For example, the 1000D has two completely different receivers and bandpass filters for simultaneous reception of any two bands. (PRO's second receiver is only useable in the same band)
Don't get me wrong... I own a 756PRO and love it... (I'm listening to it right now) we all know the great things about the radio, but for a heavy-hitting front end you need something different. I also prefer my Yaesu equipment (all loaded with INRAD filters) for CW on a busy band. The PRO gets a bit key-clicky in the receiver with nearby signals. I've heard there is a mod to improve this in the PRO, but haven't investigated it yet.
Fine examples of used 1000Ds are in the $2400 range on Ebay... thats the only measure I've used recently to determine their value.
You asked about the Mark V. If your neighboring ham is on a different part of the band than you are you could do no better than the Mark V. The resurection of the preselector, VRF in Yaesu jargon, substantially reduces assaults from strong in-band signals that are somewhat removed from your operating frequency. When in use the 2nd order products intercept point goes to a monsterous +120dbm... you would have to TRANSMIT in to the receiver with an out of band signal before it

would begin to degrade the noise floor! (do not try this at home, wideband emissions from a dirty transmiter could indeed harm the receiver) This preselector is before any active device in the receiver to help insure no additional noise is generated in the process. The Mark V had some very impresive numbers in other areas too, I'm sure you've read the reviews.
It's difficult to decide these things since there is a mix of perceptions, test data, rumors, etc. that ends up making it fairly subjective to what excites you most about a radio. Even then, it can still be a toss-up. For example, I'm going to 6 meters as soon as I finish this posting... My FT-920 hears slightly better on that band than my PRO, but the PRO's band scope lets me look for signals across the band without endless tuning. With today's contest I'm taking the PRO to the mountain top... but when I want to ferret out that weak CW beacon I use the 920. Always a decision!!
By the way, the numbers I quoted are from the ARRL reviews, 20 meters, preamps ON. (for consistancy)
Good luck & 73,
Dennis
Nï¿½SP

265. FT1000 Filter question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 14:39:30 UTC
From: BMF <K1SWR@arrl.net>
Message-ID: <3D021721.30005@arrl.net>
Source record: 42575

I'm looking to changeout the stock 2.4 filters in my 1000 (not D). The 455 location is obvious, does anyone know which 8.2125 filter is the 2.4? They are marked 01-X and 01-Y. Thanks for any help.

K1SWR

266. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 14:48:22 UTC
From: kd5jbn@aol.comnospam
Message-ID: <20020608104822.02307.00000216@mb-ca.aol.com>
Source record: 42576

Played with one @ HRO in Anahiem yesterday

267. FA: Beautiful TS-830S w/gold Label @$300 last DAY!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 15:43:30 UTC
From: rlucch2098@aol.com
Message-ID: <20020608114330.08384.00000254@mb-cd.aol.com>
Source record: 42577

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1356985312

268. FA: UNBUILT HEATHKIT HD-15 PHONE PATCH @ a big $35, 1-Day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 15:45:05 UTC
From: rlucch2098@aol.com
Message-ID: <20020608114505.08384.00000256@mb-cd.aol.com>
Source record: 42578

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=2108847338

269. fa.(2)Brand New Johnson Ceramic Sockets for 866A type tubes @$9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 15:47:03 UTC
From: rlucch2098@aol.com
Message-ID: <20020608114703.08384.00000258@mb-cd.aol.com>
Source record: 42579

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1356985318

270. fa-Tektronics #191 Signal Generator w/man., Still cheep at $61,Last Day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 15:49:11 UTC
From: rlucch2098@aol.com
Message-ID: <20020608114911.08384.00000262@mb-cd.aol.com>
Source record: 42580

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1356985317

271. Ebay; Realistic DX-150A Short-Wave receiver @41, Last Day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 15:51:08 UTC
From: rlucch2098@aol.com
Message-ID: <20020608115108.08384.00000264@mb-cd.aol.com>
Source record: 42581

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1356985325

272. FA: Beautiful #341 WESTON AC-DC METER in Wooden Carry Case! Cheep!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 15:59:06 UTC
From: rlucch2098@aol.com
Message-ID: <20020608115906.08384.00000266@mb-cd.aol.com>
Source record: 42582

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1356985315
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

273. fa- Classic B & W "ProTax" 6 position Coaxial Switch> A give away @$20

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 16:04:28 UTC
From: rlucch2098@aol.com
Message-ID: <20020608120428.08384.00000270@mb-cd.aol.com>
Source record: 42583

Real nice with pictures to boot!
These are expensive these days so don't let it get away!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1356985323
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

274. Re: Radio Choice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 16:05:07 UTC
From: senecal@mapson.cs.ucdavis.edu
Message-ID: <senecal-0806020905070001@d71-096.solano1.ucdavis.edu>
Source record: 42584

> I recently passed the technican exam. I am researching what to buy for a
> transceiver. So far I have read up on the Yaesu VX7 and Kenwood TH6. Below
> are the items that would be important to me.
> Please let me know if you have a reco for a first radio.

Congratulations on getting your Tech! That's a fine accomplishment, and I hope that you don't stop there. When I was looking for an HT I settled on the VX-5R. Although I've never used the 6-meter band, I use 2m and 70cm often, and the VX-5R's specs almost perfectly matched the list of things I wanted in an HT. I have never been dissatisfied with it.

> - would probably want a HT so it can be used in the house and car. Would not
> want to drag a mobile unit to/from the house/car.

I'm in that boat, since I don't have money for a dedicated mobile rig. I've learned that five watt output is fine for my needs. I don't do a lot of talking while driving--it's safer--and the only time *really* needed to talk (an emergency) I had no difficulty. Since your area is different, you may want to talk to other hams and get a feeling for how much power you'll need.

Using an HT mobile is a hassle. Unless you have everything you want programmed into the HT's memory you'll have to punch in what you want on the HT's tiny keypad--not a pleasant thought at 65 MPH. If you don't have a dedicated mount you'll have wires running across the interior of your car (antenna, power, speakermike), which makes things uncomfortable for a passenger. Plus you'll have to clip your radio to yourself (very bad idea with those extra wires) or leave it on the passenger seat and watch it hit the floor when you slam on the brakes.

> - will probably use 2 meters the most since it seems to most active in my
> area.

Then as mentioned by someone else, you'd probably get by with a dualbander or monobander. It'll cost you less.

> - considering a mobile glass mount antenna for the car since it is a station
> wagon. How well do they work?

I don't know about glass mount antennas. I use a mag mount dualband antenna by Diamond, and it works great.

> - should an aftermarket antenna be purchased right away to get better
> performance?

I assume you mean replace the "duck" that comes with the HT. I replaced my stock antenna with a Premier RD-98 dualband. The improvement was amazing.

I can pick up weather stations that I couldn't get before, and I can now work local repeaters using ~300-1000 milliwatts, when I used to use 3 or 5 watts.

Note: if you're buying an HT that has an SMA connector (VX5/7 and some others) you may want to consider installing, more or less permanently, a good SMA-BNC adapter. This will allow you to use a wider range of BNC antennas and make switching from the mobile to HT antenna easier. But be aware that with an adapter (especially the Yaesu one!) you can place more strain on the SMA connecter if you're not very careful.

-Josh, KG6IBF

--
Remove the reversed nospam in the e-mail address.

275. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 16:11:26 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0206080811.508f8137@posting.google.com>
Source record: 42585

Has anyone measured the output of a VX-7R on 222MHz?

Ken
N1KK

"Newbie" <newbie@nowhere.net> wrote in message news:<ug3osgj4vo21e7@corp.supernews.com>...
> "VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
> news:20020608011119.07096.00000166@mb-df.aol.com...
> > I have a question. Has anyone at yeasu admitted that this radio is even
> real?
> > All I've seen is a webpage that shows an alleged picture of this new HT.
> > There's still nothing on Yaesu's website about it.
> > =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> A whole bunch of people in several different newsgroups claim to have bought
> them; some at Dayton and others from their favorite dealer. there is
> already one mod. out for the radio.

276. Info needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 17:42:42 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <pmrM8.5687$Pz3.98025@twister.kc.rr.com>
Source record: 42587
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi does any one know if the dry cell pack and nicad pack from a
HTX 202 will fit a ADI 600 dual band held?
Please e-mail me direct.
Thanks for any help.

277. RE info needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 17:45:48 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <gprM8.7091$_c5.137849@twister.rdc-kc.rr.com>
Source record: 42588
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I ment a dual band hand held.

278. I need help with the FT-817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 18:15:41 UTC
From: Casey <allecase@hotmail.com>
Message-ID: <hRrM8.4618$mh.180662@news1.telusplanet.net>
Source record: 42589

I have just purchased the FT-817 brand new via the Internet.

I have followed all start up procedures (attached front antenna, placed batteries inside, connected mic). I have only attempted to transmit on 2m since that is the antenna's rating. Every time I press the PTT in any mode except SSB, the radio turns off, when I do this in SSB the radio turns off when I make a sound. I have switched to a different 2m antenna on the front as well and have gotten the same result. I can only assume that the radio is turning off as a protection against high SWR. Is there something else I need to do to stop this, or is this a fault of the radio?

Thanks in advance for any suggestions

279. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 18:27:17 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <adtibmpms1@terabinaries.xmission.com>
Source record: 42590
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Worked for me as well. There are worse hobbies!

Dan

"Deos" <lineoffiretoday@yahoo.com> wrote in message
news:adtd6qeos1@nic.grnet.gr...
>
> Ok actually I had that problem my self..
>
> What ever I did was hopeless.
>
> Until I talked to my wife seriously about my hobby... AND THEN GAVE HER
THE
> DELIMA
>
> a)rigs , ps ,antennas OR
>
> b)me looking at other women(just looking nothing else)
>
> After 2 minutes I solved my problem... Its worth a try..
>
> "mike coslo" <mjc5@psu.edu> wrote in message
> news:3CFFB09B.74D30DD1@psu.edu...
> > When you are playing with your radio, you are not:
> >
> > sitting in a bar, drinking away the rent money,
> >
> > carousing arond with other women,
> >
> > or a hundred other things that she would have a REAL reason to complain
> about.
> >
> > I have been amazed at how many XYL's have so many problems with this
> hobby.
> >
> > When my wife threatened to lower the boom on my HF activities due to
> > her dislike of ANY antenna, I reminded her of all the above points. Now
> > we have a deal, She doesn't complain as long as I keep the antennas
> > discrete. So I don't have a big vertical, but do have a nice long dipole
> > that I hid in the trees.
> >
> > Actually she is pretty supportive otherwise, and has even bought me new
> > ham toys!
> >

> > - Mike KB3EIA -
> >
> >
> > KC8SSG wrote:
> > >
> > > I'm having a hard time getting my wife to get used to me buying radios
> and
> > > stuff. Any help or suggestions would be great!
>
>

280. Re: ...if anyone can help me... Finding hf equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 18:29:10 UTC
From: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com>
Message-ID: <W1sM8.139283$cQ3.4274@sccrnsc01>
Source record: 42591

www.hamstation.com

"Arek" <arek@bbs.net.pl> wrote in message news:3d01d464_2@news.vogel.pl...
: I am a foreginer who would like to buy a radio in US because it is much
: cheaper than in Europe. So I am asking if anyone can help me giving
: addresses to web sites having the cheapest prices or places with
second-hand
: radioes advertisements. Thank you for all kind of help.
:
:

281. Re: I need help with the FT-817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 18:29:33 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <adtifuprs1@terabinaries.xmission.com>
Source record: 42592

"Casey" <allecase@hotmail.com> wrote in message
news:hRrM8.4618$mh.180662@news1.telusplanet.net...
> I have just purchased the FT-817 brand new via the Internet.
>
>
> I have followed all start up procedures (attached front antenna, placed
> batteries inside, connected mic). I have only attempted to transmit on 2m
> since that is the antenna's rating. Every time I press the PTT in any mode
> except SSB, the radio turns off, when I do this in SSB the radio turns off
> when I make a sound. I have switched to a different 2m antenna on the
front
> as well and have gotten the same result. I can only assume that the radio
> is turning off as a protection against high SWR. Is there something else I
> need to do to stop this, or is this a fault of the radio?
>
> Thanks in advance for any suggestions

SWR protection normally doesn't shut the rig off. I would look at the power source. What're you using to power the radio? Are all of your connections good?

Dan

282. Re: I need help with the FT-817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 18:34:51 UTC
From: CJ <difficult@times.com>
Message-ID: <ug4jid1sjv2m1a@corp.supernews.com>
Source record: 42593

Hello Casey,
If you don't get an answer in the newsgroup there is a very active
FT-817 free email discussion group that is hosted by Yahoo. Here is
the direct link to it...

1. http://groups.yahoo.com/group/FT817/ - over 3,300 members

It's all free but requires a yahoo ID which is also free. Once that is
done you can have the Yahoo groups messages forwarded to your regular
POP3 email account and participate in the discussions through your
regular email program you already use.

--
73 / DX de AB7SL- Charles
AB7SL - Ham Radio Pages
www.ab7sl.com

"Casey" <allecase@hotmail.com> wrote in message
news:hRrM8.4618$mh.180662@news1.telusplanet.net...
> I have just purchased the FT-817 brand new via the Internet.
>
>
> I have followed all start up procedures (attached front antenna,
placed
> batteries inside, connected mic). I have only attempted to transmit on
2m
> since that is the antenna's rating. Every time I press the PTT in any
mode
> except SSB, the radio turns off, when I do this in SSB the radio turns
off
> when I make a sound. I have switched to a different 2m antenna on the
front
> as well and have gotten the same result. I can only assume that the
radio
> is turning off as a protection against high SWR. Is there something
else I
> need to do to stop this, or is this a fault of the radio?
>
> Thanks in advance for any suggestions

283. Re: I need help with the FT-817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 19:24:24 UTC
From: Bob Headrick <bobh@proaxis.com>
Message-ID: <ug4o8um72qse8b@corp.supernews.com>
Source record: 42596

"Casey" <allecase@hotmail.com> wrote in message
news:hRrM8.4618$mh.180662@news1.telusplanet.net...
> I have just purchased the FT-817 brand new via the Internet.
>
>
> I have followed all start up procedures (attached front antenna, placed
> batteries inside, connected mic). I have only attempted to transmit on 2m
> since that is the antenna's rating. Every time I press the PTT in any mode
> except SSB, the radio turns off, when I do this in SSB the radio turns off
> when I make a sound. I have switched to a different 2m antenna on the front
> as well and have gotten the same result. I can only assume that the radio
> is turning off as a protection against high SWR. Is there something else I
> need to do to stop this, or is this a fault of the radio?

A few things to check: make sure the batteries are OK - alkaline batteries have very short life, and carbon zinc are worse in this application. Set the front panel to read the internal voltage and see what happens when you key up. Also make sure you have selected the front antenna connection - it may be defaulting to the rear antenna.

- 73 Bob W7OV

284. FS: Nye Viking Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 19:24:32 UTC
From: Bill Golden <shortwave@pghmail.com>
Message-ID: <3d0259c0@news.pghmail.com>
Source record: 42594
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Nye Viking model SS-1-K electronic keyer.

This high quality Nye iambic keyer has very comfortable
built-in keyer paddles, fully adjustable front-panel speed
and sidetone monitor volume controls, and is in excellent
condition. Complete with A/C "wall-wart" power supply.
$44.00 plus $6.00 for shipping (USA only).

Reply to: shortwave@pghmail.com

KB3PT

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.370 / Virus Database: 205 - Release Date: 6/5/02

285. Re: I need help with the FT-817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 19:51:59 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d025f75$1_2@newsa.ev1.net>
Source record: 42595

Your batteries are near dead or your PS is not providing enough current. My FT-817 did the same thing on a PS that was to small. Works fine when I put it on a PS with more output. Same thing happens when the battery is near dead.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Casey" <allecase@hotmail.com> wrote in message
news:hRrM8.4618$mh.180662@news1.telusplanet.net...
> I have just purchased the FT-817 brand new via the Internet.
>
>
> I have followed all start up procedures (attached front antenna, placed
> batteries inside, connected mic). I have only attempted to transmit on 2m
> since that is the antenna's rating. Every time I press the PTT in any mode
> except SSB, the radio turns off, when I do this in SSB the radio turns off
> when I make a sound. I have switched to a different 2m antenna on the
front
> as well and have gotten the same result. I can only assume that the radio
> is turning off as a protection against high SWR. Is there something else I
> need to do to stop this, or is this a fault of the radio?
>
> Thanks in advance for any suggestions

286. 4-1000 Amp (HF) 80-10 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 20:48:35 UTC
From: Tom - radioguy <radioguy@charter.net>
Message-ID: <ug4rljmdcap323@corp.supernews.com>
Source record: 42597
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale or trade:

Single 4-1000 amp with 5000 Volt Power Supply (4600 v under load)

Well built home brew amplifier.

Covers 80-40-20-15- and 10 meters

Tuned input circuit

1500 + watts out key down on most bands with 100 watts drive

Photo's can be sent upon request.

Pick-up prefered if possible

$ 1500.00 OBO or possible part trade for HR rig.

Tom Near Reno, NV 775-673-2410

287. Re: LoJack vehicle recovery system and mobile transmitter problems?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 21:22:17 UTC
From: "Ed G." <Spurious@_REMOVE_StarBand.net>
Message-ID: <Xns9227925856DD3Frog207Junocom@148.78.248.76>
Source record: 42498

> Who cares?? It is a part 15 device and has to accept any and all
> interference...

I believe FCC Part15 compliance has to do with "radiation" from the device and nothing to do with receiver RFI suceptibility. I'm sure a ham with LoJack in his car wouldn't want to inadvertantly damage the receive portion unknowingly and then find out LoJack couldn't be activiated after a theft took place!

Ed WB6SAT

288. Re: What was your first "store bought" rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 21:26:31 UTC
From: "Ed G." <Spurious@_REMOVE_StarBand.net>
Message-ID: <Xns9227931071467Frog207Junocom@148.78.248.76>
Source record: 42499

> Curious as to what folks first "store bought" rigs were.

Discounting years of Heathkits, and used gear, my first NEW storebought
rigs were a Yaesu FT-301 and a Motorola Metrum II 2M rig.

Ed

289. Re: Yaesu FT-897 portable HF rig and FT-8900 quad VHF/UHF band

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 21:33:27 UTC
From: "Ed G." <Spurious@_REMOVE_StarBand.net>
Message-ID: <Xns9227943C75BE4Frog207Junocom@148.78.248.76>
Source record: 42500

"N9NWO" <n9nwo@amsat.org> wrote in
news:TcfI8.23231$R_4.5003@nwrddc02.gnilink.net:

> http://www.universal-radio.com/catalog/fm_txvrs/0890.html
>
> http://www.universal-radio.com/catalog/hamhf/0897.html
>
> Anyone have more info on these radios?
> The FT-897 looks to be a bit bigger than
> the FT-100D and has a battery compartment
> How does it stack up against the FT-100D
> and IC-706?
>
>

Its not intended to "replace" or compete with the FT100 or IC706, but is
a "new" catagory of "Portable.Base". I've seen it at the SeaPac convention
and it looks and works great. Yaesu says it should be hitting the market
in July.

Ed WB6SAT

290. Large Transmitting Coil - 5.75 L x 3 Diameter - Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 21:56:42 UTC
From: Dan Long <w4tq@mindspring.com>
Message-ID: <adtung$ls8$1@slb0.atl.mindspring.net>
Source record: 42504

Large Transmitting Coil - 5.75 L x 3 Diameter - Ebay

This is a very nice plated copper coil. It's 5.75 inches long and 3 inches in diameter. I measure the wire diameter at .0998, which is just slightly smaller than 10 gauge. There are exactly 4 turns per inch.

For auction on Ebay, click on:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1357168754&ssPageName=ADME:B:LC:US:1

I will be glad to provide additional information. Contact me at w4tq@mindspring.com

291. Help Stabilock 4031

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 22:01:28 UTC
From: Morpheus <morpheus@sunet.se>
Message-ID: <Y8vM8.42329$n4.9636752@newsc.telia.net>
Source record: 42505

I have problems with a Stabilock 4031D. The selftest failed on FM-modulator and some segments of frequency is bad for example 250-399.999MHz 500-519.999MHz but 200-249.999 is good also 400-499.999 If anyone know something about this problem please send a mail to ola.fransson@telia.com

ola fransson
SM7IAN Sweden

292. Variable Power Supply, 0-32 Volt Lambda - Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 22:05:27 UTC
From: Dan Long <w4tq@mindspring.com>
Message-ID: <adtv86$5il$1@nntp9.atl.mindspring.net>
Source record: 42507

Variable Power Supply, 0-32 Volt Lambda - Ebay

This is a very nice Lambda variable power supply. It is rated at 0.5 Amps up to 32 Volts, and can be used up to 40 Volts with 30% derating. It works perfectly. Input power is 120 Volts (standard 60 cycle power).

For auction on Ebay, click on:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1357170507&ssPageName=ADME:B:LC:US:1

I will be glad to provide additional information. Contact me at w4tq@mindspring.com

293. RFI Line Filter/Connector, Great for Projects - Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 22:15:45 UTC
From: Dan Long <w4tq@mindspring.com>
Message-ID: <adtvr7$3c8$1@slb7.atl.mindspring.net>
Source record: 42509

RFI Line Filter/Connector, Great for Projects - Ebay

These are two power-input RFI line filters, made by Corcom, Model 3EF1.
They provide RFI filtration--you can get the complete specifications at the
Corcom website (www.cor.com). The input power may be as high as 250 volts,
3 Amps. They incorporate the same type of line cords used on computers.
They provide a nice clean look to your construction projects.

For auction on Ebay, click on:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1357172261&ssPageName=ADM
E:B:LC:US:1

I will be glad to provide additional information. Contact me at
w4tq@mindspring.com

294. 4 SALE HITACHI 20MHZ O-SCOPE DUAL TRACE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 22:31:18 UTC
From: WILLIAM C FORVIK <n0mnb@email.msn.com>
Message-ID: <#xC1wYzDCHA.1884@cpimsnntpa03>
Source record: 42501

GOOD WORKING CONDITION 150 $ DUAL TRACE... BO

N0MNB@AMSAT.ORG

295. Drake Low Pass Filter, 1000W - Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 22:33:42 UTC
From: Dan Long <w4tq@mindspring.com>
Message-ID: <adu0sshen1@slb3.atl.mindspring.net>
Source record: 42510

Drake Low Pass Filter, 1000W - Ebay

This is the Drake 1000 watt, Model TV-1000-LP low pass filter. This filter can be used up to 52 MHZ with reduced ratings. The finish is tarnished on this filter, but it works perfectly, and the coax fitting are nice and tight.

For those who aren't aware, the purpose of the filter is to prevent the unintended transmission of signals (harmonics, for example) above the HF bands. The filter is placed between the antenna and the output of the transmitter (or transceiver). Aside from helping to comply with FCC regulations for signal quality, it will prevent certain types of TV interference.

For auction on Ebay, click on:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1358033864&ssPageName=ADM
E:B:LC:US:1

I will be glad to provide additional information. Contact me at
w4tq@mindspring.com

296. SB-220 Diode Printed Circuit Board - Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 22:37:36 UTC
From: Dan Long <w4tq@mindspring.com>
Message-ID: <adu146jeo1@slb0.atl.mindspring.net>
Source record: 42511

SB-220 Diode Printed Circuit Board - Ebay

This is a new PCB for the Heath SB-220 Linear Amplifier. The board is new--never used.

For auction on Ebay, click on:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1358034493&ssPageName=ADME:B:LC:US:1

I will be glad to provide additional information. Contact me at w4tq@mindspring.com

297. FS:=>[Original ~/\/\~ Factory Rib Boxes & Acc'y]<==

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 22:55:03 UTC
From: msisco9939@aol.com
Message-ID: <20020608185503.28411.00000955@mb-mh.aol.com>
Source record: 42512

Hi:

We have found a few more !

These are Motorola Factory (Not Clones, or Wanabee replacements) but
the real thing. Definately a way to protect your radio from becoming a brick
if you do your own programmimg

235.00+8.00 for S & H

Includes all the following in the photo:

http://www2.4dcomm.com/metrotech/m_ribox.jpg

Factory Motorola Rib Box with Battery & External Power Support
9 Volt DC @ 100ma Wall Adaptor
Factory Instructions
New 9 Volt Duracell Battery
Mint Rib to Computer Cable.
Shipped in the Original Anti-Static bag
small bonus (its in the photo)

I also have Premium program Cables from P50's to Astro-Sabers We also
make some of the best clones made from all Factory Componets, or if you
are handy @ building, you can save some extra bucks, build your own.

Terms:

PayPal Now Accepted !!

Acceptable PrePayment in the form of a Postal Money Order, PayPal (If
immediate shipping is desired) or a Personal / Business check is A-OK to
if you do notmind a Short Shipping Delay due to bank processing time. This
is required only the first time or two as once you are in the data base,
PrePayment is no longer required

Plse, SW is availible "Only" through Motorola C & E, so if you need SW, it is
highly recommended that you contact them and get the proper SW and Support
materials.....It's Cheap compared to a radio failure.

Monty

298. 4 SALE HICKOCK FREQ

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 22:56:52 UTC
From: WILLIAM C FORVIK <n0mnb@email.msn.com>
Message-ID: <OciWpczDCHA.1884@cpimsnntpa03>
Source record: 42502

[No readable article body recovered]

299. 4 SALE HICKOCK FREQ COUNTER 10-500MHZ

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 22:58:25 UTC
From: WILLIAM C FORVIK <n0mnb@email.msn.com>
Message-ID: <Ok$oUezDCHA.1868@cpimsnntpa03>
Source record: 42503

7 SIGMENT DISPLAY VERY GOOD CONDITION 50$ B/O

N0MNB@AMSAT.ORG

300. 4 SALE STANDARD 10 CH UHF MOBLIE GX 1500U

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 23:02:18 UTC
From: WILLIAM C FORVIK <n0mnb@email.msn.com>
Message-ID: <#c#zDgzDCHA.1836@cpimsnntpa03>
Source record: 42506

MOBLIE CHEAP 50$ B/O

N0MNB@AMSAT.ORG

301. 4 SALE HICKOCK FREQ COUNTER 10-500MHZ

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 23:13:49 UTC
From: WILLIAM C FORVIK <n0mnb@email.msn.com>
Message-ID: <OGk9BmzDCHA.1868@cpimsnntpa03>
Source record: 42508
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

GOOD CONDITION 50$ B/O SENSITIVE..
N0MNB@AMSAT.ORG

302. Re: What was your first "store bought" rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-08 23:49:27 UTC
From: whagen6@cs.com
Message-ID: <20020608194927.08340.00000332@mb-cd.news.cs.com>
Source record: 42513

a cb radio from radioshack that had a mic that looked like a telephone handset.
That was in the '60s

303. Re: I need help with the FT-817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 00:17:39 UTC
From: Rocky Top <rockytop@_SPAM_RMV_dellmail.com>
Message-ID: <ug57ilkf5oqt19@corp.supernews.com>
Source record: 42514

> If you don't get an answer in the newsgroup there is a very active
> FT-817 free email discussion group that is hosted by Yahoo.
>
> It's all free but requires a yahoo ID which is also free. >
>

But after you get the Yahoo ID, Yahoo will FLOOD your mailbox with spam.
The moderators at that group won't even allow you to look at their FAQ
without a Yahoo ID, so I'm not sure it's worth it.

Rocky

304. Re: I need help with the FT-817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 01:08:49 UTC
From: Casey <allecase@hotmail.com>
Message-ID: <BUxM8.142$vo2.58303@news2.telusplanet.net>
Source record: 42515

Thank you for all the replies....my batteries weren't alkaline...in fact they were 99 cent cheapos from a bargain store...after you all let me know of this I hooked it up to the Power Supply and viola! it worked! Take care everyone,

Casey
73 de VE6UGH

"Rocky Top" <rockytop@_SPAM_RMV_dellmail.com> wrote in news:ug57ilkf5oqt19@corp.supernews.com:

>> If you don't get an answer in the newsgroup there is a very active
>> FT-817 free email discussion group that is hosted by Yahoo.
>>
>> It's all free but requires a yahoo ID which is also free. >
>>
>
> But after you get the Yahoo ID, Yahoo will FLOOD your mailbox with spam.
> The moderators at that group won't even allow you to look at their FAQ
> without a Yahoo ID, so I'm not sure it's worth it.
>
> Rocky
>
>
>

305. Re: FT-1000D questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 03:30:17 UTC
From: David <phochief@nonspamhotmail.com>
Message-ID: <HNzM8.77056$_p6.12852859@e3500-atl1.usenetserver.com>
Source record: 42516

All I can say is WOW....thanks to each of you for your opinions and information. I've decided to keep my Pro - it really is a great radio and I'd hate to lose the scope. So, I'll start working on my wife to let me buy a second radio (wish me luck!).....you guys are either not married, or have your YL under some magical spell. :-) The prospect of actually having 2 HF rigs is hard to imagine.

Thanks again and 73,
David, K4ZZR

"M.E." <bogus@nospam.com> wrote in message news:3d0133d9_2@newsa.ev1.net...
> I have had two FT-1000D's, the PRO can run circles around it's receiver
> (figuritively).
> The PRO is a far better radio in my book. I have totally given up on YAESU
> radios, and now have both a PRO II & (old) PRO.
> Stop by my web page to check it out.
> www.qsl.net/kk5dr/
>
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "David" <phochief@nonspamhotmail.com> wrote in message
> news:xu2M8.56055$_p6.8419983@e3500-atl1.usenetserver.com...
> > I'm thinking about switching from an Icom 756-pro to an FT-1000D but
have
> a
> > couple of questions. I probably can't afford a new one so I'll be
> looking
> > for one that's used but in good shape. What kind of changes to the
1000D
> > have been made over the years, or are they all pretty much the same,
> except
> > for Rom upgrades? Anything in particular I should be wary of when
> looking?
> > Just how good is the front end at rejecting sigs from neighboring hams
on
> > the same band? And finally, how would you compare the FT-1000D to the
> newer
> > FT-1000mp Mk V?
> >
> > Thanks for any input.
> >
> > David, K4ZZR
> >

> >
> >
>
>

306. Belton Battery Ham??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 07:18:43 UTC
From: kc5cqa <kc5cqa@yahoo.com>
Message-ID: <h906gu4m78bqj56mbrisba925ugth87sba@4ax.com>
Source record: 42517

kc55cqa@devtex.net
I am looking for a ham, who was selling a trailer load of batteries at
Belton, Tx. I bought two, and I am in the market for more. If you
know who he is,,, could you let me know. thanks Chuck Lorentson
ps drop one of the '5s'

307. wanted accs 4 Ft 530.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 07:19:33 UTC
From: kc5cqa <kc5cqa@yahoo.com>
Message-ID: <1c06gu4r7readbepb3ho2uiu40s1pn94c0@4ax.com>
Source record: 42518

I am looking for the desk charger (NC-42) and boom mic (YH-2 vox headset boom mic) for the Yaesu Ft 530. They don't have to look perfect, but should function perfectly. Thanks for reading the add.
cl. 73

308. TS-790E or FT-736R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 07:57:30 UTC
From: Verdun Patrick <fa203285@skynet.be>
Message-ID: <3d030a79$0$8155$ba620e4c@news.skynet.be>
Source record: 42519

Hello everybody,

i would like to purchase a used satellite gear. I can buy a Kenwood TS-790E or a Yaesu FT-736R . If any one who own one of these rigs can give me his advice on these trx , it can help me . TU and 73

Pat ON5SV

309. Re: ft-530

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 11:37:35 UTC
From: Gary <gweiler@fuse.net>
Message-ID: <3D033DFF.6040004@fuse.net>
Source record: 42520

Try: http://www.mods.dk/ go to yaesu then FT-530

Keith G. Wucherer, N2OBS wrote:

> anyone have info or manual on the ft-530 handheld?
> example, reset the cpu?
> keith, n2obs
> summerville, sc
>
>
>

310. WTB: Dentrom MT-2000A Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 12:49:10 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d034fc6$0$3573$4c5ecdc7@news.erinet.com>
Source record: 42521
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Looking for a good condition Dentron MT-2000A Antenna tuner. Case condition is not importent as long as the face is good and the components have not been arced. Please send details. thanks
Tim

311. Yaesu 4 Band Mobile ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 12:52:35 UTC
From: John <alchemyaudio@attbi.com>
Message-ID: <3D03503E.32B45361@attbi.com>
Source record: 42523

Anyone know anything about the 4 band mobile seen at Dayton. I've heard it's 6,2,70cm and 1.2. Is this the same as the C5900B/D?

John
N1OWA

312. Re: Misc Ham Equipment For sale -updated

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 13:05:53 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d0353ba$0$3575$4c5ecdc7@news.erinet.com>
Source record: 42522
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

```
NZ8J <timcook@erinet.com> wrote in message
news:3cfc0b5f$0$3333$4c5ecdc7@news.erinet.com...
> Vibroplex Iambic standard paddles exc cond $95
>
>
> Heathkit HD-1418 Audio filter works good case has some scratches (front is
> not scratched) no manual $40
>
> Heathkit HD-1422 Antenna Noise Bridge, works good, some marks on top of
> case, with manual $25
>
> Ten Tec hand mic, smaller than the model 700, with TEN-TEC in silver
letters
> on front, don't know model number, with 4 pin connector $15
>
> Small Homebrew Amplifier uses a pair of 811A's ,self contained
,80-40-20-15
> meters, 300-400 watts out depending on band. $150
> (amplifier is pickup only, Dayton Ohio area) (can supply pics of amp if
> interested)
>
> All prices plus shipping , please email for more info if needed
>
> Thanks
> Tim
> NZ8J
>
>
>
```

313. FS AMERITRON AL-80A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 14:49:57 UTC
From: obz <n2ozo@bellatlantic.net>
Message-ID: <3D036B6C.8125C8CB@bellatlantic.net>
Source record: 42524
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale 1 excellent condition AL-80A Amplifier w/10 meter mod.
This amp is good for 10 thru 160 meters.
The condition of the amp is a 9+. It has one little scratch on the plate
knob..
The case is in mint condition.
I don not have the original box but it does come with the manual.
I'm asking 600 plus shipping and insurance conus only.
If you are interested email at the above.
Thanks for reading this
Mike

314. Re: TS-790E or FT-736R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 14:59:56 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d036d6c$0$89555$2c3e98f8@news.voyager.net>
Source record: 42525

"Verdun Patrick" <fa203285@skynet.be> wrote in
news:3d030a79$0$8155$ba620e4c@news.skynet.be:

> Hello everybody,
>
> i would like to purchase a used satellite gear. I can buy a Kenwood
> TS-790E or a Yaesu FT-736R . If any one who own one of these rigs can
> give me his advice on these trx , it can help me . TU and 73
>
> Pat ON5SV
>
>
>

Cant tell you a thing about the TS-790E, but I have a 736 I can answer
questions about.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

315. Icom 718 AGC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 15:13:47 UTC
From: gil <gilpi@mindspring.com>
Message-ID: <advqoonqv1@slb4.atl.mindspring.net>
Source record: 42526

Is there a mod to cut back the "pumping" effect on the 718?

Gil

316. VX-7R PMS Feature -- Help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 15:39:37 UTC
From: Mike Barnacascel <ki6v@citlink.net>
Message-ID: <ug6t6cnd7tg473@corp.supernews.com>
Source record: 42527
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

How do I activate the PMS feature with my new Yaesu VX-7R? I go through the process shown in the manual but on that last step where you hold down the WRITE/MT/V/M button for a half second the display changes to MT instead of PMS.

(PMS here stands for Programmable Memory Scanning and MT for Memory Tuning)

Thanks,

Mike
KI6V

317. VX-7R "My Menu" -- Help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 15:40:45 UTC
From: Mike Barnacascel <ki6v@citlink.net>
Message-ID: <ug6t89rldn0ca7@corp.supernews.com>
Source record: 42528
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Page 82 of the manual tells how to change the function of the TX/PO/LK key. They call this the "My Menu" Short-Cut Key Setup.

The first step is to hold down that same key while powering up the radio. I do that and get some different beeps while the radio comes up but the display is normal when the radio powers up.

The next step is to choose the Menu Item you would like to assign to this key, then hold down this same key for a half second and the new function will be assigned.

When I do this and hold the key down for a half second nothing happens. If I continue to hold this key down longer the keyboard lock function engages.

Has anyone else figured out how to use this "My Menu" thing?

Thanks,
Mike KI6V

318. Re: Yaesu 4 Band Mobile ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 15:48:55 UTC
From: advanspec@aol.com.ze
Message-ID: <20020609114855.05616.00000123@mb-fg.aol.com>
Source record: 42529

10-6-2-440 FM

319. Re: VX-7R "My Menu" -- Help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 16:40:13 UTC
From: jfuentes <fuentesj@earthlink.net>
Message-ID: <NxLM8.5249$k85.1869@newsread1.prod.itd.earthlink.net>
Source record: 42530
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Haven't got this to work yet.

Jon

"Mike Barnacascel" <ki6v@citlink.net> wrote in message
news:ug6t89rldn0ca7@corp.supernews.com...
> Page 82 of the manual tells how to change the function of the TX/PO/LK
key.
> They call this the "My Menu" Short-Cut Key Setup.
>
> The first step is to hold down that same key while powering up the radio.
I
> do that and get some different beeps while the radio comes up but the
> display is normal when the radio powers up.
>
> The next step is to choose the Menu Item you would like to assign to this
> key, then hold down this same key for a half second and the new function
> will be assigned.
>
> When I do this and hold the key down for a half second nothing happens.
If
> I continue to hold this key down longer the keyboard lock function
engages.
>
> Has anyone else figured out how to use this "My Menu" thing?
>
> Thanks,
> Mike KI6V
>
>
>
>
>
>

320. Mark V Field?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 17:56:33 UTC
From: David <phochief@nonspamhotmail.com>
Message-ID: <NtMM8.80461$_p6.16817439@e3500-atl1.usenetserver.com>
Source record: 42531

Can someone tell what the difference is between the 1000mp-Mark V and the "Field" model other than the self-contained PS? I'd prefer getting the all-in-one rig if it's specifications are otherwise identical.

David, K4ZZR

321. Re: Mark V Field?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 17:57:56 UTC
From: David <phochief@nonspamhotmail.com>
Message-ID: <4vMM8.80469$_p6.16823526@e3500-atl1.usenetserver.com>
Source record: 42532

Oh, and yes, I know the Field model is only 100 watts.

"> Can someone tell what the difference is between the 1000mp-Mark V and the
> "Field" model other than the self-contained PS? I'd prefer getting the
> all-in-one rig if it's specifications are otherwise identical.
>
> David, K4ZZR
>
>
>

322. Re: Yaesu 4 Band Mobile ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 18:03:59 UTC
From: "Hanno, DG8JZ" <hanno@dg8jz.de>
Message-ID: <ae05d2$8pj$01$1@news.t-online.com>
Source record: 42533

Any idea about the receive range?
vy 73
Hanno, DG8JZ
"ADVANSPEC" <advanspec@aol.com.ze> schrieb im Newsbeitrag
news:20020609114855.05616.00000123@mb-fg.aol.com...
> 10-6-2-440 FM

323. FS/FT: AMD K6-2 500mhz CPU and Fan BRAND NEW

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 18:10:22 UTC
From: vhfradiobuff@aol.com
Message-ID: <5e5fccab.0206091010.1503f0c3@posting.google.com>
Source record: 42534
Cross-posted to: rec.radio.swap,rec.radio.amateur,rec.radio.amateur.swap,rec.radio.amateur.equipment

I am selling an AMD K6-2 500mhz CPU and fan. I bought these recently on the internet because I had a problem with my old computer. After buying them, I decided to just upgrade completely, so now I don't need them. I am selling them for $40 or willing to trade for ham radio gear. Please email me directly if interested.

324. FS Uniden BC SC200xlt 200 channel $95.000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 18:36:46 UTC
From: k5in <k5in@earthlink.net>
Message-ID: <2fNM8.5477$k85.1963@newsread1.prod.itd.earthlink.net>
Source record: 42535

I have the Sport Cat 200 xlt 200 channel scanner. ht type with all standard accessories, wall charger, original box and manual, rubber ducky, belt clip and cloning cable. $95.00 shipped in the lower 48 states and I accept paypal.

Brian, k5in

325. Wanted - Kenwood 270Hz CW filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 18:40:58 UTC
From: "tracey.gardner" <tracey.gardner@ntlworld.com>
Message-ID: <yjNM8.4920$A62.1119581@news11-gui.server.ntli.net>
Source record: 42536

I'm looking for a Kenwood 270Hz CW filter for a 455kHz IF.

The part no. is YG-455CN-1

tracey.gardner@ntlworld.com

326. FA: LAST DAY ON COLLINS KWM-380 EXC.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 18:44:54 UTC
From: dwight136@aol.com
Message-ID: <20020609144454.24960.00000699@mb-fs.aol.com>
Source record: 42537

CHECK IT OUT EBAY 31357538860
THANKS

327. (/\/\) 32 Ch.Maxtracs 40/45Watt New Acc'y) VHF & UHF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 18:52:16 UTC
From: msisco9939@aol.com
Message-ID: <20020609145216.12760.00000321@mb-cj.aol.com>
Source record: 42538

Hi:

I have a few of these [Stand-By] Maxtracs, all in Mint Condition.

All supplied with New Mic, New Power Cord, New bracket &
Harware.

Photo can be seen @

http://www2.4dcomm.com/metrotech/32ch_max.jpg

All of these radios were used as stand-by radios in the event a
pull was needed (Most have never seen the insides of a vehical)

$385.00ea+ 10.00 S & H

Free programmimng if needed.

Terms:

PayPal Now Accepted !!

Acceptable PrePayment in the form of a Postal Money Order, PayPal (If
immediate shipping is desired) or a Personal / Business check is A-OK too if
you do not mind a Short Shipping Delay due to bank processing time. This is
required only the first time or two as once you are in the data base,
PrePayment is no longer required

328. Re: Mark V Field?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 19:17:53 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <RqkDPT0dokdnGeLzXh8UJEHGMT7w@4ax.com>
Source record: 42539

"David" <phochief@nonspamhotmail.com> wrote:

>Oh, and yes, I know the Field model is only 100 watts.

That, and I get the impression the 6-meter transverter is only for the original Mark V.

Bob
k5qwg
>
>"> Can someone tell what the difference is between the 1000mp-Mark V and the
>> "Field" model other than the self-contained PS? I'd prefer getting the
>> all-in-one rig if it's specifications are otherwise identical.
>>
>> David, K4ZZR
>>
>>
>>
>
>

329. Re: VX-7R PMS Feature -- Help! -- SOLVED !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 20:29:59 UTC
From: Mike Barnacascel <ki6v@citlink.net>
Message-ID: <ug7e6hkf2fau84@corp.supernews.com>
Source record: 42540
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

This morning I figured out what I was doing wrong! I was trying to use the MAIN band instead of the SUB-BAND to start the PMS feature.

The book doesn't tell us we have to be on the SUB-BAND for this feature to work.

Thanks to those of you who have responded to my question.

Mike

"Mike Barnacascel" <ki6v@citlink.net> wrote in message news:ug6qjtj1mjk420@corp.supernews.com...
> How do I activate the PMS feature with my new Yaesu VX-7R? I go through the
> process shown in the manual but on that last step where you hold down the
> WRITE/MT/V/M button for a half second the display changes to MT instead of
> PMS.
>
> (PMS here stands for Programmable Memory Scanning and MT for Memory Tuning)
>
> Thanks,
>
> Mike
> KI6V
>
>

330. Repair Advice, Alinco DJ-F1T / DJ-F1TH / DJ-F4T Series (REPOST)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 22:06:12 UTC
From: "Paul W. Schleck" <pschleck@novia.net>
Message-ID: <3d03d0c3$0$32920$45beb828@newscene.com>
Source record: 42541
Cross-posted to: rec.radio.amateur.equipment,sci.electronics.repair

(Reposting one last time after two weeks with no reply. Also adding sci.electronics.repair to the Newsgroups: line. I will relent and send it to Alinco with a $40 estimate fee, and $60 minimum charge, if nothing heard after two more weeks.)

I have an Alinco DJ-F1TH 2-Meter (144-148 MHz) Handy-Talkie (HT) radio which has what I would guess to be a common problem. Specifically, if it is dropped in a certain way, the top retaining clip for the battery (molded into the plastic case) will break off and the battery will not stay seated (unless you put a rubber band, etc., around the HT). Fortunately, this clip isn't molded into a monolithic case. Rather, it appears that the molded top retaining clip is part of a smaller piece of plastic on the top of the HT that incorporates the knob and antenna holes.

The part is #KU0075, and is available from Alinco for $3 + $5.50 shipping. No problem there. The problem is how to get it off (as well as the reverse problem of getting the new part on without breaking it). As this is an old radio (first came out in late 1991), I'd like to avoid sending it in for service ($60 minimum shop charge). The PDF service manual is available on-line at:

http://www.alinco.com/pdf.files/Service/djf1ser.pdf

but it does not contain any assembly/disassembly instructions other than an exploded view diagram (and the KU0075 part is shown in this diagram still attached to the inner frame of the unit). A check of the Google newsgroups archive at:

http://groups.google.com

didn't find any previous posts on the subject. Alinco customer service at:

alinco@alinco.com

hasn't (yet) replied to my question about this.

I can open the two halves of the shell per the user's manual. I don't see how I can get the top piece off without removing the BNC connector (i.e., it has a lip wider than the hole). I don't see a way to remove the BNC connector without desoldering it, and even then, it isn't clear how to get it out of the hole. Is there some kind of "trick" to removing the BNC connector or the top part of the case via other means (i.e., does the BNC connector unscrew or otherwise have some sort of lock ring or tension clip on it)?

--
73, Paul W. Schleck, K3FU
pschleck@novia.net
http://www.novia.net/~pschleck/
Finger pschleck@novia.net for PGP Public Key

331. Re: TS-790E or FT-736R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 22:10:18 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D03D24A.80E6C26A@nettally.com>
Source record: 42542

Whish one can you get a 23 CM module for? You would want that for AO-40 uplink.

Verdun Patrick wrote:

> Hello everybody,
>
> i would like to purchase a used satellite gear. I can buy a Kenwood TS-790E
> or a Yaesu FT-736R . If any one who own one of these rigs can give me his
> advice on these trx , it can help me . TU and 73
>
> Pat ON5SV

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

332. Yaesu FT-104 23CM Info?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 22:12:05 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D03D2B4.6C5DAA4D@nettally.com>
Source record: 42543

Does any one have info about this japan model?

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

333. Looking Yaesu FT-727R manual.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 22:47:46 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3D03DBE5.2EDEA425@earthlink.net>
Source record: 42544

I have acquired a Yaesu FT-727R Dual Band Handie Talkie, but no operators mnual, only the Technical manual. While I can figure out frequency change, duples/simplex I have not figured out how to do the memory store/recall, etc.

Dos anybody have a manual they can copy or scan and email the programming information?

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

334. Re: Dentrom MT-2000A Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 23:13:27 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d03e2e5$0$3569$4c5ecdc7@news.erinet.com>
Source record: 42545
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

```
Found one.. thanks
NZ8J <timcook@erinet.com> wrote in message
news:3d034fc6$0$3573$4c5ecdc7@news.erinet.com...
> Looking for a good condition Dentron MT-2000A Antenna tuner. Case
condition
> is not importent as long as the face is good and the components have not
> been arced. Please send details. thanks
> Tim
>
>
>
```

335. Re: Repair Advice, Alinco DJ-F1T / DJ-F1TH / DJ-F4T Series (REPOST)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-09 23:46:11 UTC
From: Randy <randyap@geocitiesdot.com>
Message-ID: <6NRM8.180554$Gs.17160587@bin5.nnrp.aus1.giganews.com>
Source record: 42546
Cross-posted to: rec.radio.amateur.equipment,sci.electronics.repair

ARRL reviewed the DJ-FIT (I'm not sure what the H adds) in 1992. One of their comments was about the poor battery attachment method.

Of course, I don't know your personal financial situation, but I would use this as an excuse to buy a new HT. After getting a new HT, I would either use the DJ-F1TH as a backup as-is, or consider ordering the part and attempting to figure out how it is installed.

Just curious, is that $40 + $60, or is the $40 applied to the $60 if you accept the quote? If it's $40+$60=$100, I would certainly opt for a new unit!

"Paul W. Schleck" <pschleck@novia.net> wrote in message news:3d03d0c3$0$32920$45beb828@newscene.com...
> (Reposting one last time after two weeks with no reply. Also adding
> sci.electronics.repair to the Newsgroups: line. I will relent and send
> it to Alinco with a $40 estimate fee, and $60 minimum charge, if nothing
> heard after two more weeks.)
>
> I have an Alinco DJ-F1TH 2-Meter (144-148 MHz) Handy-Talkie (HT) radio
> which has what I would guess to be a common problem. Specifically, if
> it is dropped in a certain way, the top retaining clip for the battery
> (molded into the plastic case) will break off and the battery will not
> stay seated (unless you put a rubber band, etc., around the HT).
> Fortunately, this clip isn't molded into a monolithic case. Rather, it
> appears that the molded top retaining clip is part of a smaller piece of
> plastic on the top of the HT that incorporates the knob and antenna
> holes.
>
> The part is #KU0075, and is available from Alinco for $3 + $5.50
> shipping. No problem there. The problem is how to get it off (as well
> as the reverse problem of getting the new part on without breaking it).
> As this is an old radio (first came out in late 1991), I'd like to avoid
> sending it in for service ($60 minimum shop charge). The PDF service
> manual is available on-line at:
>
> http://www.alinco.com/pdf.files/Service/djf1ser.pdf
>
> but it does not contain any assembly/disassembly instructions other than
> an exploded view diagram (and the KU0075 part is shown in this diagram
> still attached to the inner frame of the unit). A check of the Google
> newsgroups archive at:
>
> http://groups.google.com

> didn't find any previous posts on the subject. Alinco customer service
> at:
>
> alinco@alinco.com
>
> hasn't (yet) replied to my question about this.
>
> I can open the two halves of the shell per the user's manual. I don't
> see how I can get the top piece off without removing the BNC connector
> (i.e., it has a lip wider than the hole). I don't see a way to remove
> the BNC connector without desoldering it, and even then, it isn't clear
> how to get it out of the hole. Is there some kind of "trick" to
> removing the BNC connector or the top part of the case via other means
> (i.e., does the BNC connector unscrew or otherwise have some sort of
> lock ring or tension clip on it)?
>
> --
> 73, Paul W. Schleck, K3FU
> pschleck@novia.net
> http://www.novia.net/~pschleck/
> Finger pschleck@novia.net for PGP Public Key

336. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 00:03:42 UTC
From: Roland Stiner <nk2u@1stconnect.com>
Message-ID: <GZRM8.22910$rX.3755412@e420r-atl1.usenetserver.com>
Source record: 42547

> It may be more of a marketing reason -- there aren't many people on or interested
> in 220, so put in minimal transmitting power.

It could be but on the other hand, if you are going to put transmitting components inside the rig, how much can you save by crippling it?

Roland

337. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 00:05:13 UTC
From: Roland Stiner <nk2u@1stconnect.com>
Message-ID: <5%RM8.22911$rX.3755322@e420r-atl1.usenetserver.com>
Source record: 42398

> It's a vicious circle: Because so few rigs cover 220, there are few
> people on 220. And because so few people use 220, manufacturers don't
> bother with 220 capability.
> We've already lost part of 220; we'll probably lose more before long.

Those who want to be on the band are there (like me.) There are vendors who are supplying rigs for 220 and they are not expensive. Alinco makes one.

Roland

338. Uniden HR 2600 10 meter transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 00:11:10 UTC
From: Mark <grandmhg@gocougs.wsu.edu>
Message-ID: <ug7rnj9ovsd7e1@corp.supernews.com>
Source record: 42399

For Sale: Uniden HR 2600 Amateur Radio. It has had the microprocessor replaced and now works on 10 and 12 meters. (You must have a valid amateur radio operator license to transmit with this radio.) Please email me for information on modifications. I recently had the final transistors replaced by a professional technician. He also tuned it up and made sure it was in good operating condition. It puts out a solid 10 watts on AM and FM and around 40 watts on sideband.

It will transmit and receive from 10 to 12 meters on CW, USB, LSB, AM, and FM. There are 4 separate bands with memories and will do split operation for 10 meter FM repeater operation.

Comes with the original hand microphone (UP/DOWN) in good shape, DC power cord, original operating manual and ChipSwitch manual.

Disclaimer: A previous owner has installed inch high "legs" on the front edge of the bottom of the radio. Also, the original connector in the back has been altered by adding a toggle switch for internal/accessory speaker and RCA jacks. There is no mobile mounting bracket. Due to the type of equipment and age, it is being sold "AS IS" but not DOA.

$250 shipped , insured, to US address. I accept Pay-Pal or money orders only. Please email me for additional info or photos.

Mark , KF7JA

339. Re: Mark V Field?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 00:40:23 UTC
From: Scott <nospam@nospam.org>
Message-ID: <XzSM8.191231$Oa1.17894944@bin8.nnrp.aus1.giganews.com>
Source record: 42400

I believe the only difference is the power output. But, instead of taking a chance on getting bad info from the newsgroups, why don't you spend a couple of bucks and call Yaesu? After all, you are going to spend $2000 to 2500 bucks! You also might find out if the transverter will work with it.

73,
Scott

"David" <phochief@nonspamhotmail.com> wrote in message news:4vMM8.80469$_p6.16823526@e3500-atl1.usenetserver.com...
> Oh, and yes, I know the Field model is only 100 watts.
>
> "> Can someone tell what the difference is between the 1000mp-Mark V and the
> > "Field" model other than the self-contained PS? I'd prefer getting the
> > all-in-one rig if it's specifications are otherwise identical.
> >
> > David, K4ZZR
> >
> >
> >
>
>
>
>

340. Icom 04AT unlocked PLL (Help)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 01:12:19 UTC
From: ab288@valleynet.on.ca
Message-ID: <b86ea36e.0206091712.19b8b612@posting.google.com>
Source record: 42401

The Pll appears to be unlocked on an 04AT I have here.Anyone have a schematic? Im suspecting the PLL crystal has gone bad. There is no frequency printed on it. Any body know what frequency it might be? Thankyou

341. Re: best Speech Processor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 01:53:37 UTC
From: richey@epix.net
Message-ID: <3d04050e.21857304@news.epix.net>
Source record: 42402
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I've built and used the TenTec 1551 Speech Processor Kit.
http://www.tentec.com/amaccyKit.htm#1551store
Worked quite well on an old Atlas 210X. It's a small board so you
could probably install it inside most boatanchors.

If you want an RF speech processor, you may be able to find one of the
Daiwa's that were supposed to be quite good, RF-440, RF-660.

Jim

"Rob" <Pse@NoEmail.Com> wrote:

>I have an old boat anchor. I would like to improve its DX performance with
>a speech processor. What is the best external speech processor out there?
>Does someone still make them or will I have to build one?
>
>Rob
>
>
>

342. FS: Yaesu FT-2500M 2 Meter FM Mobile Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 02:06:32 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <IQTM8.154223$ux5.189422@rwcrnsc51.ops.asp.att.net>
Source record: 42403
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

```
* Yaesu FT-2500M 2 Meter FM Mobile Transceiver in excellent condition
* Touch Tone Hand Mic
* Power Cable
* Mounting Bracket
* Instruction Manual
* Original Packing and Box

- Rugged MIL-SPEC 810 compliant for shock and vibrations.
- 5/15/50 watts output.
- Non smoker.

$130.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com
```

343. FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 02:07:19 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <rRTM8.205337$L76.265636@rwcrnsc53>
Source record: 42404
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

* Kenwood TS-130S in excellent condition
* MC 35-S Noise Cancelling Hand Mic
* YK-88SN 1.8KHz SSB Filter
* YK-88C 500Hz CW Filter
* Power Cable
* Instruction Manual
* Service Manual

- Great for 160 thru 10 meters with WARC bands.
- 100 watts all bands.
- Non smoker, never mobile.

$350.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

344. FS: Kenwood TS-940S - Pickup Northern CT Only

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 02:07:46 UTC
From: "Geo. Encarnacion" <ah6bv@arrl.net>
Message-ID: <SRTM8.32231$UT.2273523@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42405
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a TS-940SAT that is in good working condition EXCEPT: (1) FM output is low, transmit audio is good. Output varies from 10 to 50W depending on the band; (2) AM audio not there - just a hum, and carrier output varies from 2W to 15W depending on the band. SSB, CW and FSK output is fine. SSB audio is fine. No optional filters installed. Sub Display backlighting and meter lamps all work. The antenna tuner works fine. The power supply and final unit cooling fans are quiet.

Cosmetically nice EXCEPT for (a) a 1/2" hairline crack on the clear plastic window (a search of PacParts shows the plastic window is still available for about $20) just beneath the meter, and (b) a little ding on the top edge of the "UP" 1 MHz step pushbutton. The knobs are very nice. Front panel corner edges have various areas where paint wore off. The case has minor scratches and scuffs. It still looks very nice. SN is 6XXXXXX.

Comes with an up/down hand mic, original inner/outer boxes, the AC cord and a good copy of the instruction manual.

Asking $500. Local pick-up only please. I'm located in Windsor Locks CT. Please email direct - ah6bv@arrl.net

Thanks, George AH6BV / w1

http://dellepro.dellhost.com/usdelnet.donnaze/940_1.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_2.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_3.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_4.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_5.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_6.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_7.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_8.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_nf1.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_nf2.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_nf3.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_nf4.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_nf5.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_nf6.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/940_nf7.jpg

http://dellepro.dellhost.com/usdelnet.donnaze/crack.jpg

345. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 02:09:41 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D040A65.FB9DA3B7@optonline.net>
Source record: 42406

I know there are rigs that cover 220MHz, but there aren't many of them.
I would be reluctant to buy a 220MHz-only rig, because we may still lose
the band altogether and then I would have a useless rig.

-=-
Alan, AB2OS

Roland Stiner wrote:
>
> > It's a vicious circle: Because so few rigs cover 220, there are few
> > people on 220. And because so few people use 220, manufacturers don't
> > bother with 220 capability.
> > We've already lost part of 220; we'll probably lose more before long.
>
> Those who want to be on the band are there (like me.) There are vendors who
> are supplying rigs for 220 and they are not expensive. Alinco makes one.

346. Re: Repair Advice, Alinco DJ-F1T / DJ-F1TH / DJ-F4T Series (REPOST)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 02:50:53 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <dBMEPZAYd9yIK2jutMQ+EF4O2ZHP@4ax.com>
Source record: 42407

"Randy" <randyap@geocitiesdot.com> wrote:

>
>Just curious, is that $40 + $60, or is the $40 applied to the $60 if you
>accept the quote? If it's $40+$60=$100, I would certainly opt for a new
>unit!

There are several 2-meter ht's in the price range or just a little over $100. My 6-watt Icom T2-H was $139, and a "sport" version (you supply the batteries) is about $100.

Bob
k5qwg

347. fs: 3 CENTRALAB Ceramic Switches 10 pole, 3 position NEW!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 03:31:25 UTC
From: rlucch2098@aol.com
Message-ID: <20020609233125.08384.00000591@mb-cd.aol.com>
Source record: 42408

Hi Fellas;
I have for SALE:
3 NOS in boxes, CENTRALAB PA-2031 ceramic switches!
All have papers & knobs 'cept one!
Price is $20ppd for all 3!

http://www.myradioroom.com/centralab1.jpg

http://www.myradioroom.com/centralab2.jpg

Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

348. FS: QVS & SIMPSON meters>>REDUX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 03:33:18 UTC
From: rlucch2098@aol.com
Message-ID: <20020609233318.08384.00000592@mb-cd.aol.com>
Source record: 42409

Hi Guys;
The meters below have been reduced to half the price.
Now, $35.00 Shipped for all 4 meters!!

<< Hi All;
I have for sale:
The first is a Pair of QVS large panel meters, Pic tell info.
Price is $32.00ppd.

http://www.myradioroom.com/2qvsmeters1.jpg

http://www.myradioroom.com/2qvsmeters2.jpg
Second set are both Simpson Large panel meters.
Price for these is $35.00ppd>>

http://www.myradioroom.com/2simpson1.jpg

http://www.myradioroom.com/2simpson2.jpg
Glass may need re-gluing on a few!
I only tested them by quickly by appling(tapping) a real low voltage, just to
see it the needle moved, nothing else!

Thanks es 73...........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

349. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 03:37:59 UTC
From: Bill <bill4106@hotmail.nospam.com>
Message-ID: <ae16un01af2@enews2.newsguy.com>
Source record: 42411

I Like this... simple, yet elegant

73 de N3DDY
In message <20020607024149.05460.00000498@mb-me.aol.com>, ku4yp@aol.comzz (KU4YP) wrote:
i struck a deal with the devil,

the understanding is, i do not count bags that come in the house from
malls and she does not count radios. has worked for 8 years.

if that does not work, it's play me or trade me time.
73 de KU4YP
Mike Prevatt
Willow Oak, Florida
A nation, willing to trade Liberty for Security, deserves Neither.....

350. FS: Unbuilt Heathkit HD-15 phone patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 03:39:13 UTC
From: rlucch2098@aol.com
Message-ID: <20020609233913.08384.00000599@mb-cd.aol.com>
Source record: 42410

Hi Fellas;
I have for SALE:
Heathkit HD-15 phone patch, unbuilt, box opened for inspection.
Price is $75 + Shipping!

Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

351. I want to trade my FT900 for TS440

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 05:14:51 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <dBWM8.1301$Vr2.355354@news20.bellglobal.com>
Source record: 42412

To match my TS711A, I would like to trade my FT900 for a TS440S/AT (with tuner).
I would rate the Yaesu at an 8 1/2 out of 10. Chasis has some scratches from being
mounted mobile under my seat, but the detachable head and front are mint.
Comes with an Astatic D104 hand mic. Has built in tuner, This is a
great way to go HF mobile. Does not include the YSK-900 separation kit.

Let me know what you have..

Max ve3tmt@rac.ca

352. Re: FS: Antique Transmitter from WW II

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 05:23:23 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020610012323.11309.00000337@mb-mn.aol.com>
Source record: 42413

Could you email me a picture of this radio?
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

353. Schematic - TRC-2005

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 05:28:22 UTC
From: "Martin Howells, VK2UMJ" <vk2umj@NOSPAMyahoo.com.au>
Message-ID: <IIWM8.9250$Hj3.28620@newsfeeds.bigpond.com>
Source record: 42414
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Hi all,

I'm searching for the schematic diagram for a Realistic TRC-2005. This is a 27MHz FM CB made for UK. If anyone has, or knows where I can get, a copy of the schematic for this CB please e-mail me.

Thanks

73
--
Martin, VK2UMJ
vk2umj@NOSPAMyahoo.com.au

Remove NOSPAM from e-mail address to reply

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.370 / Virus Database: 205 - Release Date: 05/06/2002

354. IC735 cascaded filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 06:21:03 UTC
From: Anthony Roskilly <Morse.Key@btinternet.com>
Message-ID: <ae1ggepov1@paris.btinternet.com>
Source record: 42415

Hi,
I've just been looking at the reviews for IC735 on
eHam.net and there is one which mentions having
fitted CW filters in both IFs. Please does anyone
have details of how to achieve this?
The chap in eHam.net didn't leave an email address.

73 Tony

355. WTB Schematics Stabilock 4031D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 07:54:10 UTC
From: Morpheus <morpheus@sunet.se>
Message-ID: <CWYM8.42567$n4.9700265@newsc.telia.net>
Source record: 42416

Want schematics for Stabilock 4031D.

SM7IAN
Ola Fransson
Sweden
ola.fransson@telia.com
+46 70 2494290

356. FS: SOFT CASE FOR VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 10:07:18 UTC
From: aokd5fxt@cs.com
Message-ID: <20020610060718.09997.00000393@mb-mh.news.cs.com>
Source record: 42417

NEW SOFT LEATHER CASE FOR VX-5R. REALLY PROTECTST THE RIG AND LOOKS GREAT TOO.
I DON'T NEED IT ANYMORE.
$20 SHIPPED CONUS

BILL, KD5FXT

357. FS: UNIDEN HR2600

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 10:08:49 UTC
From: aokd5fxt@cs.com
Message-ID: <20020610060849.09997.00000394@mb-mh.news.cs.com>
Source record: 42418

Ten meter transceiver. Works great..$125 shipped. I also have the box for the rig.

Bill, KD5FXT

358. VX-7R, computer interface circuit?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 10:37:29 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0206100237.5d43bdbb@posting.google.com>
Source record: 42419

Does anyone have a circuit to build up a computer
interface for the VX-7R?

thanks,

Ken
N1KK

359. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 10:46:49 UTC
From: DBN <dnicholson@socket.net>
Message-ID: <ug90sri1ae67b3@corp.supernews.com>
Source record: 42420

That attitude is just WHY we may lose the band. Its the old use it or lose it thing.

geeze...

Dan 224.02

360. FS Kenwood Amp - TL-922A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 11:02:46 UTC
From: John Seney <wd1v@amsat.org>
Message-ID: <wd1v-4DE389.07070910062002@netnews.attbi.com>
Source record: 42421

Runs (2) 3-500Z tubes on 160-15 meters. Have doc for simple 10 meter
mod and service manual. Electronics and cosmetics very clean - picture at

http://home.attbi.com/~wd1v/TL922.JPEG

$850.00 + Shipping Con. USA. via UPS or pickup in NH.

email wd1v@amsat.org

JS
Scope FAQ at http://www.qsl.net/wd1v

361. HT: VOX headset, speaker/mic or boom mic?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 11:20:32 UTC
From: cprstn54zz@att.net
Message-ID: <3d0489ee.249339859@news-server.optonline.net>
Source record: 42422

I've ordered up Yaesu VX-150 handy talkie but couldn't decide on the accessory.

Most folks seem to like the speaker/mic, but I've seen many with the earpiece/boom-mic (and PTT). Hands-free VOX looks appealing but I am concerned that it will be triggered by ambient music, engines, wind, nearby speakers, etc. Anyone care to impart some words of wisdom for me?

Also, many people seem to be using the Pryme speaker/mics. Is that because of price? or performance?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

362. Re: IC735 cascaded filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 13:39:54 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <16oEPVo9FgZZzFedJ2gEsdwNC2zx@4ax.com>
Source record: 42424

"Anthony Roskilly" <Morse.Key@btinternet.com> wrote:

>Hi,
>I've just been looking at the reviews for IC735 on
>eHam.net and there is one which mentions having
>fitted CW filters in both IFs. Please does anyone
>have details of how to achieve this?
>The chap in eHam.net didn't leave an email address.
>
>73 Tony
>

I'm sure it can be done, but does that mean you're listening to all signals, SSB included, through a CW filter?

Bob
k5qwg

363. FS: Ham II rotor and control

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 14:18:29 UTC
From: m-38@txucom.net
Message-ID: <3d04b51f.317948796@news.tamu.edu>
Source record: 42425

FS: Ham II rotor and control box in excellent condition. With manual, $185.

364. FS: Collins 75S-3

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 14:43:09 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <1W2N8.13006$U97.550429721@newssvr16.news.prodigy.com>
Source record: 42426
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale a very nice condition 75S-3.
Cosmetically and electronically it is in excellent
condition. $550 + shipping from zip 76001.

Thanks,
Michael

365. Re: VOX headset, speaker/mic or boom mic?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 16:34:09 UTC
From: Gene <sop@erols.com>
Message-ID: <ae29sr$5gv$1@bob.news.rcn.net>
Source record: 42423

VOX is not to my liking. It might be good if you were net control for a fast paced activity where that is all you were doing. If you are in a position where you are talking to others as well as on the radio, you will be better off with a PTT.

I don't like the headset type things because they seem to be more noticeable. I used a speaker mic clipped to my collar for a long time. I picked up one of those jobs where an ear piece fits in your ear and the mic and PTT switch in on a little block that clips to your shirt. So far I like it. Works great in areas where there is a high ambient noise level.

Gene

"Ken" <cprstn54zz@att.net> wrote in message
news:3d0489ee.249339859@news-server.optonline.net...
> I've ordered up Yaesu VX-150 handy talkie but couldn't decide on the
> accessory.
>
> Most folks seem to like the speaker/mic, but I've seen many with the
> earpiece/boom-mic (and PTT). Hands-free VOX looks appealing but I am
> concerned that it will be triggered by ambient music, engines, wind,
> nearby speakers, etc. Anyone care to impart some words of wisdom for
> me?
>
> Also, many people seem to be using the Pryme speaker/mics. Is that
> because of price? or performance?
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

366. FS-Sony ICF-7600G Shortwave Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 16:54:47 UTC
From: Steve Painter <stevepaint@clearwater.net>
Message-ID: <2M4N8.23368$rX.3934204@e420r-atl1.usenetserver.com>
Source record: 42427

This is a nice, nearly new looking Sony 7600G. I bought it several years at HRO, used it only a few hours. Thought I had to have it......you know the story. Anyway if you're looking for a nice radio, in original box, supplied with all papers, inst. manual, shortwave guide, Sony leather pouch, Sony shortwave antenna, this is the one for you. It goes on Ebay next sunday, or you can buy it now for $150, + UPS. Photos available upon request. Reply to my email address: stevepaint@clearwater.net
Thanks!

367. Re: Any handheld VHF's cover 144 and marine bands?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 18:54:06 UTC
From: peterongc@yahoo.com
Message-ID: <f3e0a8da.0206101054.74ef2078@posting.google.com>
Source record: 42428

"radiofun" <radiofun@charter.net> wrote in message
news:<ug024ciodrlcce@corp.supernews.com>...
> Yeah...the majority of the dual banders will operate on Amateur, MARS,
> Marine, MURS, FRS, GMRS, but that legality gets in the way. You never know
> if the unit is transmitting only on that frequency, once modified!
>
>
>
> "Ken" <cprstn54zz@att.net> wrote in message
> news:3cff5a1b.239136859@news-server.optonline.net...
> > My handheld marine VHF radio is in need of replacement and I was
> > wondering if there are any handheld VHF transceivers out there that
> > will TX on the 144 ham band and the marine VHF band (156-57). That
> > way I could get into 144 without any financial pain.
> >
> > Ken KC2JDY
> >
> > Ken
> > (to reply via email
> > remove "zz" from address)

Hello Ken,
I know that the Motorola gp68 can be programmed to work in
CHANNELS Modes as well as in Vfo mode.so simply switch between 2meter
and marine channels.
Any success let me know.
Good Luck
peter vu2tsf

368. FS ROHN TOWER SECTIONS & ACCESSORIES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 19:25:31 UTC
From: sales <sales@lssons.com>
Message-ID: <3D04FD34.20906@lssons.com>
Source record: 42429

ROHN TOWER SECTIONS & ACCESSORIES For Sale! http://www.lssons.com/used.html

369. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 21:05:55 UTC
From: Marco <m.vliet9@planet.nl>
Message-ID: <ae346m$1tm$1@reader06.wxs.nl>
Source record: 42430
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

buy also a second antenna !!

"KC8SSG" <kc8ssg@qsl.net> schreef in bericht news:VXAL8.62$13.1028@news...
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!
>
> --
> KC8SSG
>
>
>

370. Re: Icom power connectors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 21:22:39 UTC
From: Jeff Galinat <jeff@towacoimaging.com>
Message-ID: <zM8N8.6316$Ku3.410921@news4.srv.hcvlny.cv.net>
Source record: 42432

Walt,
Here is the cheapest source I found for the male connectors @ 3 for $10
including postage.
=> http://members.fortunecity.com/w2eny/connector/connector.htm

This is the only source I have found for the female connectors but they are
$10 each!
Please see connector HF-6-C past the middle of this page.
=> http://www.powerwerx.com/oem.html

Hope this was some help.
Jeff - N2KWK

"Walt" <walt@REMOVETHISpobox.com> wrote in message
news:qv3agukf5oi3edh4ij5e75v58hs5u5noin@4ax.com...
> I'm looking for a (cheap_hopefully) source of the six pin
> molex_looking connectors and pins used on Icom equip. power cables
> I need several of both the male and female connectors. Just need the
> connectors not the cable.
>
> Thanks;
> Walt
> walt@pobox.com
>

371. FS. icom 271A 2 meter all mode.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 21:23:12 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <6N8N8.12123$Pz3.213705@twister.kc.rr.com>
Source record: 42431
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi this radio is in 9+ condition and works 100%.
Power out 1 watt to 25 watts max.
Fm lsb usb cw.
Has tone encode/decode board installed.
Comes with original manual mic and power cord.
Has a digital read out.
$350 ups insured lower 48 states.
E-mail me direct or for pics of the radio.

372. Re: Icom power connectors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 21:43:34 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uga7cv62oalcd@corp.supernews.com>
Source record: 42433

Here is another good source, with cables, etc. too.
http://www.powerwerx.com/adapters.html

"Walt" <walt@REMOVETHISpobox.com> wrote in message
news:qv3agukf5oi3edh4ij5e75v58hs5u5noin@4ax.com...
> I'm looking for a (cheap_hopefully) source of the six pin
> molex_looking connectors and pins used on Icom equip. power cables
> I need several of both the male and female connectors. Just need the
> connectors not the cable.
>
> Thanks;
> Walt
> walt@pobox.com
>

373. Ham radio software for WinCE??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 21:52:03 UTC
From: Paul Jordan <pjordan@ehs-alaska.com>
Message-ID: <uga7s1b9dc6q85@corp.supernews.com>
Source record: 42435

Has anyone seen any software for ham radios that will run on the WinCE OS??
I'd like to be able to use my Jornada 548 for some of the digital modes if
at all
possible.

Any ideas or help are appreciated.

Paul Jordan
Anchroage, AK

374. Re: Kenwood TS-940S - Pickup Northern CT Only

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 21:57:24 UTC
From: "George E." <donnaze@dellepro.com>
Message-ID: <3d052245_2@news1.prserv.net>
Source record: 42434
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

The 940S is gone. Thanks.

"Geo. Encarnacion" <ah6bv@arrl.net> wrote in message
news:SRTM8.32231$UT.2273523@bgtnsc05-news.ops.worldnet.att.net...
> I have a TS-940SAT that is in good working condition EXCEPT: (1) FM
output
> is low, transmit audio is good. Output varies from 10 to 50W depending on
> the band; (2) AM audio not there - just a hum, and carrier output varies
> from 2W to 15W depending on the band. SSB, CW and FSK output is fine.
SSB
> audio is fine. No optional filters installed. Sub Display backlighting
and
> meter lamps all work. The antenna tuner works fine. The power supply and
> final unit cooling fans are quiet.
>
> Cosmetically nice EXCEPT for (a) a 1/2" hairline crack on the clear
plastic
> window (a search of PacParts shows the plastic window is still available
for
> about $20) just beneath the meter, and (b) a little ding on the top edge
of
> the "UP" 1 MHz step pushbutton. The knobs are very nice. Front panel
> corner edges have various areas where paint wore off. The case has minor
> scratches and scuffs. It still looks very nice. SN is 6XXXXXX.
>
> Comes with an up/down hand mic, original inner/outer boxes, the AC cord
and
> a good copy of the instruction manual.
>
> Asking $500. Local pick-up only please. I'm located in Windsor Locks CT.
> Please email direct - ah6bv@arrl.net
>
> Thanks, George AH6BV / w1
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_1.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_2.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_3.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_4.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_5.jpg

>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_6.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_7.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_8.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_nf1.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_nf2.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_nf3.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_nf4.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_nf5.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_nf6.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/940_nf7.jpg
>
> http://dellepro.dellhost.com/usdelnet.donnaze/crack.jpg
>
>
>

375. FS: SHURE 202 Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 23:00:48 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <5sbagus1ur0mpcvgiaf14782jtu737sv8m@4ax.com>
Source record: 42436
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FOR SALE:

Shure 202 hand microphone - very sharp looking...
Gray, sharp appearance with PTT, excellent condition.
Great for use with any amateur station
Reduced to $25.00 plus shipping

Send for photo

376. Re: FS: Nye Viking Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 23:32:40 UTC
From: clelko@aol.com
Message-ID: <20020610193240.12018.00000564@mb-fp.aol.com>
Source record: 42437

Hi Bill
Do you still have the keyer for sale?? Please let me know.

Chuck

377. Re: dodge GrandCaravan radio install?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 23:35:10 UTC
From: "D.J." <dj2001@mn.rr.com.remove.this>
Message-ID: <dj2001-1691D3.18364210062002@zeus-ge0.rdc-kc.rr.com>
Source record: 42438

In article <3CFD688C.5EC2AD3A@yahoo.com>, aajham@yahoo.com wrote:

> Hi, anyone done this? Any tips? Things to avoid blowing up or
> drilling?
>
> Tnx Art KF7GD new owner of 2000 grand caravan awaiting radios to
> make it complete.
>

1994 Grand Caravan

The rear seat well where the seat attaches to the floor has a hole with a rubber plug which will accept a RG-58 coax so you can get the coax thru with out drilling a hole.

I sent my primary 12 v cable thru a hole in the fire wall near the gas pedal. It had a rubber plug, just remove it and send the cable thru, then plug the hole with electrical duct seal. Attach your primary to the Battery and fused at the battery, I almost burned up my car when I was 25 and not too smart, for failing to fuse the primary at the battery, so do it.

Good luck.

dj

378. Paypal fraud?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-10 23:55:11 UTC
From: aokd5fxt@cs.com
Message-ID: <20020610195511.03056.00000645@mb-fb.news.cs.com>
Source record: 42439

Today, I received a very suspicious email. Was wondering if others had
received it and if so, did you respond. I have not and do not plan to do so.
I would appreciate your input and if it is a fraudulous situation, what to do?

Tnx
Bill, KD5FXT

Subj: You Have Been Reported!
f98087
Date: 6/10/2002 4:18:52 PM Central Daylight Time
From: okie36107@kol.com
Sender: nobody@caesar.www.easynet.net (Nobody)
To: AOKD5FXT@CS.COM

Below is the result of your feedback form. It was submitted by
(okie36107@kol.com) on Monday, June 10, 2002 at 22:18:47
---

message:
Dear User,
We have resonantly updated our servers to provide you with a faster and more
secure connection to your PayPal account. In doing so we had to edit some data.
To ensure that you account doesn't become deleted we are asking that you click
here and login on our new servers by 07/01/02 to ensure that your account stays
active.

We are very sorry for the inconvenience,
Nancy Literut
Server Manager
05/10/02

379. Re: Paypal fraud?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 00:01:36 UTC
From: TFW <w9lvc@citlink.net>
Message-ID: <ugaffp4pcq3615@corp.supernews.com>
Source record: 42440

Did you forward it to Paypal??

What a way to clean out your account.

Frank

"AO KD5FXT" <aokd5fxt@cs.com> wrote in message
news:20020610195511.03056.00000645@mb-fb.news.cs.com...
> Today, I received a very suspicious email. Was wondering if others had
> received it and if so, did you respond. I have not and do not plan to do
so.
> I would appreciate your input and if it is a fraudulous situation, what to
do?
>
> Tnx
> Bill, KD5FXT
>
> Subj: You Have Been Reported!
> f98087
> Date: 6/10/2002 4:18:52 PM Central Daylight Time
> From: okie36107@kol.com
> Sender: nobody@caesar.www.easynet.net (Nobody)
> To: AOKD5FXT@CS.COM
>
> Below is the result of your feedback form. It was submitted by
> (okie36107@kol.com) on Monday, June 10, 2002 at 22:18:47
> --
-
>
> message:
> Dear User,
> We have resonantly updated our servers to provide you with a faster and
more
> secure connection to your PayPal account. In doing so we had to edit some
data.
> To ensure that you account doesn't become deleted we are asking that you
click
> here and login on our new servers by 07/01/02 to ensure that your account
stays
> active.
>
> We are very sorry for the inconvenience,
> Nancy Literut
> Server Manager
> 05/10/02

>

380. IC 2100h Help please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 00:04:43 UTC
From: tblove47@wmconnect.com
Message-ID: <20020610200443.01051.00000170@mb-bg.wmconnect.com>
Source record: 42441

I have an IC 2100 H with little on no output, the meter on the rig shows output but the watt meter shows none. The rig is about 2 years old with very little use, less than 3 hours total time. Have tried a partial and full cpu reset.Any suggestions.

381. Re: Paypal fraud?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 00:14:15 UTC
From: aokd5fxt@cs.com
Message-ID: <20020610201415.00405.00000526@mb-fb.news.cs.com>
Source record: 42442

I did report it to paypal.. but all i got was an automated reply. I didn't reply to the original email because of the word resonantly for reasontly

382. Re: Paypal fraud?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 01:11:10 UTC
From: "Robert S. Stein" <w6nbi@earthlink.net>
Message-ID: <3D054E2E.1010206@earthlink.net>
Source record: 42443

Do you mean "recently"?

AO KD5FXT wrote:
> I did report it to paypal.. but all i got was an automated reply. I didn't
> reply to the original email because of the word resonantly for reasontly

383. Re: IC 2100h Help please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 02:25:48 UTC
From: Allodoxaphobia <QSB@QRM-QRN.net>
Message-ID: <slrnagantb.jfo.QSB@animas.frontier.net>
Source record: 42444

On 11 Jun 2002 00:04:43 GMT, Tblove47 scribbled:
> I have an IC 2100 H with little on no output, the meter on the rig shows output
> but the watt meter shows none. The rig is about 2 years old with very little
> use, less than 3 hours total time. Have tried a partial and full cpu reset.Any
> suggestions.

Yes -- the P.A. brick is toast.
The Power Out display on the lcd is simply an idiot display
for the selected power setting -- that only appears when you
squeeze the PTT switch.

Sorry.

Jonesy -- been there, had that.
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

384. Re: VX-7R, computer interface circuit?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 02:26:09 UTC
From: jr <jerryham@pobox.com>
Message-ID: <3D055FC1.E62191C6@pobox.com>
Source record: 42445

Does this mean Yaesu is not offering the software for this radio?

Ken wrote:
>
> Does anyone have a circuit to build up a computer
> interface for the VX-7R?
>
> thanks,
>
> Ken
> N1KK

385. Re: IC 2100h Help please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 02:29:25 UTC
From: Mike <mlaw3825@earthlink.net>
Message-ID: <9gdN8.8250$k85.4303@newsread1.prod.itd.earthlink.net>
Source record: 42446

how is your power supply? is it cranking out enough power? If for some chance you are unable to fix this yourself,. I would be happy to purchase this radio from you. Only reason being is i currently have a 2100 also, but the mic doesnt work anymore. and a second radio would come in handy for parts.
good luck!
73's
Mike

From the desk of KC2JGA

"Tblove47" <tblove47@wmconnect.com> wrote in message news:20020610200443.01051.00000170@mb-bg.wmconnect.com...
> I have an IC 2100 H with little on no output, the meter on the rig shows output
> but the watt meter shows none. The rig is about 2 years old with very little
> use, less than 3 hours total time. Have tried a partial and full cpu reset.Any
> suggestions.

386. FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 02:53:09 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <fCdN8.34792$pw3.1234@sccrnsc03>
Source record: 42447

```
* Kenwood TS-130S in excellent condition
* MC 35-S Noise Cancelling Hand Mic
* Optional YK-88SN 1.8KHz SSB Filter included
* Optional YK-88C 500Hz CW Filter included
* Power Cable
* Instruction Manual
* Full Service Manual

- 160 thru 10 meters, 100 watts all bands.
- Non smoker, never mobile.

$350.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com
```

387. FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 02:53:09 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <7BdN8.34789$pw3.1265@sccrnsc03>
Source record: 42448

* Kenwood TS-130S in excellent condition
* MC 35-S Noise Cancelling Hand Mic
* Optional YK-88SN 1.8KHz SSB Filter included
* Optional YK-88C 500Hz CW Filter included
* Power Cable
* Instruction Manual
* Full Service Manual

- 160 thru 10 meters, 100 watts all bands.
- Non smoker, never mobile.

$350.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

388. FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 02:53:44 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <YCdN8.149328$352.6644@sccrnsc02>
Source record: 42449

* Kenwood TS-130S in excellent condition
* MC 35-S Noise Cancelling Hand Mic
* Optional YK-88SN 1.8KHz SSB Filter included
* Optional YK-88C 500Hz CW Filter included
* Power Cable
* Instruction Manual
* Full Service Manual

- 160 thru 10 meters, 100 watts all bands.
- Non smoker, never mobile.

$350.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

389. wanted accs 4 Ft 530.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 02:59:31 UTC
From: kc5cqa <kc5cqa@yahoo.com>
Message-ID: <9spagu4a0a55h3fhg2c8ldu6cbjf89ua8u@4ax.com>
Source record: 42450

I am looking for the desk charger (NC-42) and boom mic (YH-2 vox headset boom mic) for the Yaesu Ft 530. They don't have to look perfect, but should function perfectly. Thanks for reading the add.
cl. 73

390. FS: Yaesu FRG-7 communications receiver, excellent condition

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 04:04:04 UTC
From: maritimus49@aol.com
Message-ID: <20020611000404.25432.00000105@mb-cl.aol.com>
Source record: 42451

I have for sale the Yaesu FRG-7 receiver in excellent condition and it works great. Very sensitive, very accurate frequency readout, smooth pleasant audio and fun to operate. Please look at the photos on ebay #1354876755. I was the high bidder for the receiver but have just acquired an Icom R75 so I have decided to sell the Yaesu. It will be carefully packed before shipping. Check my feedback as "rbb2". I am asking $250/OBO because of its excellent condition. Thanks for looking.

73,
Bruce K6RQR

391. Re: Paypal fraud?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 04:49:26 UTC
From: kd5jbn@aol.comnospam
Message-ID: <20020611004926.09890.00000306@mb-mp.aol.com>
Source record: 42452

Yep.. When you log into their "New" Server" your Real Paypal account will be as dry as a west Texas Water Well in a matter of days.

392. For sale Russian Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 07:04:37 UTC
From: Vladimir Lysenko <lvs@online.kharkiv.com>
Message-ID: <ae48ma$1u13$6@uran.kharkiv.net>
Source record: 42453

```
For sale tubes:
GI7B, GS9B, GS23B, GS34-1, GS35B.
Sockets for GS15B
E-Mail<<lvs@online.kharkiv.com>>
```

393. Re: Paypal fraud?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 08:57:48 UTC
From: aokd5fxt@cs.com
Message-ID: <20020611045748.16129.00000547@mb-ce.news.cs.com>
Source record: 42454

As for recently, that is what they meant, not me. I just copied and pasted the letter. I thought that error was a bit cute.

Bill

394. Re: Wanted: RF Amp Mid range

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 09:21:22 UTC
From: John Seney <wd1v@amsat.org>
Message-ID: <wd1v-D84B76.05254611062002@netnews.attbi.com>
Source record: 42455

In article <ud4ubt4v1dnub0@corp.supernews.com>, "radiofun"
<radiofun@charter.net> wrote:

> Hey....if you find an amp in that range, let me know. I'm interested too.
> Very hard to find.
>
> Bill
> KC4KMG
> Web Site: www.polkcounty.org/radiofun
>
>
>
> "Ziggy" <where@there.com> wrote in message
> news:O4oA8.14643$9c5.530888@news2.west.cox.net...
> > 66-88 Mhz
> > 12v
> > 1 watt in -- 3-5 out
> >
> > Email Address:
> > bobstr27@cox.net
> >
> >
> >
>
>

FS - TL-922A Amp

Runs (2) 3-500Z tubes on 160-15 meters. Have doc for simple 10 meter
mod and service manual. Electronics and cosmetics very clean - picture at
http://home.attbi.com/wd1v/TL922.JPEG
$850.00 + Shipping Con. USA. via UPS or pickup in NH.
Can demo on the air. Schedule or questions email at
wd1v@amsat.org
73,
John WD1V

JS
Scope FAQ at http://www.qsl.net/wd1v

395. Yaesu FT-747GX idle current ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 09:29:56 UTC
From: Bratislav Miljkovic <yu1ol@EUnet.yu>
Message-ID: <3D05C314.DA403F0A@EUnet.yu>
Source record: 42456

What is recomanded idle current for 100W PA stage of FT747?

TU es 73 de YU1OL, Batko

396. Re: Paypal fraud?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 10:46:57 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ugbl9p1s91ajbf@corp.supernews.com>
Source record: 42457

Hey Bill.....man..they don't know how to spell, do they? That would make me suspicious in itself!

"AO KD5FXT" <aokd5fxt@cs.com> wrote in message news:20020610195511.03056.00000645@mb-fb.news.cs.com...
> Today, I received a very suspicious email. Was wondering if others had
> received it and if so, did you respond. I have not and do not plan to do so.
> I would appreciate your input and if it is a fraudulous situation, what to do?
>
> Tnx
> Bill, KD5FXT
>
> Subj: You Have Been Reported!
> f98087
> Date: 6/10/2002 4:18:52 PM Central Daylight Time
> From: okie36107@kol.com
> Sender: nobody@caesar.www.easynet.net (Nobody)
> To: AOKD5FXT@CS.COM
>
> Below is the result of your feedback form. It was submitted by
> (okie36107@kol.com) on Monday, June 10, 2002 at 22:18:47
> ----------
>
> message:
> Dear User,
> We have resonantly updated our servers to provide you with a faster and more
> secure connection to your PayPal account. In doing so we had to edit some data.
> To ensure that you account doesn't become deleted we are asking that you click
> here and login on our new servers by 07/01/02 to ensure that your account stays
> active.
>
> We are very sorry for the inconvenience,
> Nancy Literut
> Server Manager
> 05/10/02
>

397. Re: HT: VOX headset, speaker/mic or boom mic?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 10:54:00 UTC
From: cprstn54zz@att.net
Message-ID: <3d05d574.334210609@news-server.optonline.net>
Source record: 42458

On Mon, 10 Jun 2002 11:20:32 GMT, cprstn54zz@att.net (Ken) wrote:

The consensus (from two persons) is that the little lapel mics seem to
do better than the speaker/mics. VOX is more trouble than it is worth
outdoors.

I went with the Pryme SPM402APT -- a boom mic with included earphone
and remote PTT (down your sleeve or on your bicycle handlebars). Best
prices ($4.50 s&h) were found at ALF Enterprises:
http://www.alfenterprises.com/PrymeSpeakerMics.htm

where I paid around $35.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

398. Re: Paypal fraud?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 13:20:22 UTC
From: Larry Gauthier - K8UT <larryg5099@chartermi.net>
Message-ID: <ugbu9acjvdbc1b@corp.supernews.com>
Source record: 42459

Bill,

The US Federal Trade Commission has set up an automated spam & fraud detection/reporting system, and they have invited US Internet users to forward suspicious material [and other junk mail you receive] to their email address at: uce@ftc.gov

-larry
K8UT
"AO KD5FXT" <aokd5fxt@cs.com> wrote in message news:20020610195511.03056.00000645@mb-fb.news.cs.com...
> Today, I received a very suspicious email. Was wondering if others had
> received it and if so, did you respond. I have not and do not plan to do so.
> I would appreciate your input and if it is a fraudulous situation, what to do?
>
> Tnx
> Bill, KD5FXT
>
> Subj: You Have Been Reported!
> f98087
> Date: 6/10/2002 4:18:52 PM Central Daylight Time
> From: okie36107@kol.com
> Sender: nobody@caesar.www.easynet.net (Nobody)
> To: AOKD5FXT@CS.COM
>
> Below is the result of your feedback form. It was submitted by
> (okie36107@kol.com) on Monday, June 10, 2002 at 22:18:47
> ----------
>
> message:
> Dear User,
> We have resonantly updated our servers to provide you with a faster and more
> secure connection to your PayPal account. In doing so we had to edit some data.
> To ensure that you account doesn't become deleted we are asking that you click
> here and login on our new servers by 07/01/02 to ensure that your account stays
> active.
>
> We are very sorry for the inconvenience,

> Nancy Literut
> Server Manager
> 05/10/02
>

399. Re: FS ROHN TOWER SECTIONS & ACCESSORIES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 13:55:04 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D060138.11405A4C@crosslink.net>
Source record: 42460

sales wrote:
>
> ROHN TOWER SECTIONS & ACCESSORIES For Sale! http://www.lssons.com/used.html

Price? Free delivery?

400. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 15:37:52 UTC
From: leigh@media.keele.ac.uk
Message-ID: <ae55gg$f34$3@planet.kis.keele.ac.uk>
Source record: 42462

KU4YP <ku4yp@aol.comzz> wrote:
> i struck a deal with the devil,

> the understanding is, i do not count bags that come in the house from
> malls and she does not count radios. has worked for 8 years.

Sounds the same for me - I never look at her mail order bills/shopping receipts/ask why she drew the money from the bank....etc.

In the same way, she does not see my Yaesu bills/read my magazines (prices!) or get taken anywhere near the new equipment at rallies/conventions.

Also - prime your friends to never talk 'money' relating to radio costs when the XYL is in the room.

If this fails and she says "how much did the radio cost..." just tell her that you purchased the large screen TV/VCR/DVD/Satellite or Cable in the lounge for her - as she probably watchs that a lot more than you do!

(Probably works the same way for XYLs who like radio and their OMs don't.)

Leigh....M5GWH
--

Leigh M. Preece mda03@keele.ac.uk
==========
Ex-PMR Radio Page: http://www.qsl.net/m5gwh/pmrpage.htm

Everything can be made to work if you fiddle with it long enough!

401. FA: 2 Boxes of NOS tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 15:43:49 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <DRoN8.3095$T05.218696@e3500-atl2.usenetserver.com>
Source record: 42461

Check these two autions. I am getting letting
my tube collection go.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1740248940

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1740247843

402. radio astronomy?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 16:31:24 UTC
From: Ian Molton <spyro@armlinux.org>
Message-ID: <20020611173124.54b99d5b.spyro@armlinux.org>
Source record: 42463

Hi

I just recently found a satellite dish lying looking forlorn, and just had to rescue it.

I plugged it into my Sky box and although I couldnt aim it properly it DID seem to give some signal, suggesting that the LNB is functional.

So...

1) How can I 'remould' it (its bent)
2) What use is the LNB?
3) What do I need to use it for radio astronomy?
4) Where do I get a down converter?

the LNB has (annoyingly) lost its manufacturer lable, but has another lable on it saying

```
+----+ B
| | G 648
| | Z
| | 223 D
+----+ T
```

Enhanced L.O - 9.75GHz
EA 1.1dB typ. noise figure
EK 1409401361
Made in UK

the box above is really a logo. some kind of bird.

I am going to try and make my own antenna mount with some old stepper motors and some nylon gears...

403. FA: Bencher Black Base Paddle

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 16:51:55 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <SQpN8.3242$T05.235822@e3500-atl2.usenetserver.com>
Source record: 42464

Selling rest of my hame equipment and this the last of it

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1359470558

404. Re: Any handheld VHF's cover 144 and marine bands?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 17:39:52 UTC
From: blackm00@cam.org
Message-ID: <6447bcd3.0206110939.739ebbf@posting.google.com>
Source record: 42465

derswede@aol.comspam.com (AA) wrote in message
news:<20020606103834.23125.00000634@mb-cu.aol.com>...
> >Most all will, with a simple mod..but keep in mind, it isn't legal for cross
> >service like that
>
> Pity that there is not a MARINE rig that can be mod'ed to cover the 2M
> band....thus being legal. Ya think someone would at least CONSIDER it, eh??
>
> A

No, that won't work. Once you modify a type accepted (or whatever
it's being called now) rig, it's no longer legal on the original band.
The situation is no different from modifying a ham rig to work on
a non-ham band.

Michael VE2BVW

405. radioshack htx-400

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 18:16:36 UTC
From: Steve Bossert <kc2gog@amsat.org>
Message-ID: <f8rN8.205$MW2.43924@news4.srv.hcvlny.cv.net>
Source record: 42466

i have a radioshack htx-400 that i use for a simplex repeater beacon for a GEOCACHING display. i would like other non hams to be able to use this, is their anyway i can mod it for FRS,it covers on recieve 420-470, it shouldnt be a problem, but i cant find a schematic to make it do what i want. the radio is under 500mw so i wont get in trouble for out of band type stuff

steve

406. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 18:22:30 UTC
From: ZOOM <kandrparker@sympatico.ca>
Message-ID: <ldrN8.1458$z56.481944@news20.bellglobal.com>
Source record: 42468

Because that's the way they designed it!
They probably put in RF transistors that are good to around 220 and the
power probably falls off where 220 is near the upper cutoff. This is just
speculation though.
220 is not a real busy band in most areas so they concentrated on the more
active bands to give more power to those bands.

It's all about Marketing and making something for as little as possible.

Robert
VE3RPF

"Ken" <n1kk@netzero.net> wrote in message
news:d7adbb57.0206070737.4faf3f6e@posting.google.com...
> Hello Bob,
>
> What I am looking for is a Technical reason based on the
> design of the VX-7R why it only has 300mw on 222MHz.
>
>
>
> Ken
> N1KK
>
>
> ob Miller <bamiller@texas.net> wrote in message
news:<6tr=PAeKfTlVUsAxJ34frG1g7mKv@4ax.com>...
> > n1kk@netzero.net (Ken) wrote:
> >
> > >After reading the Circuit Description of the VX-7R
> > >from the FCC web site (FCC ID: K66VX-7R)
> > >
> > >I did not see anything on the 222MHz transmit. I would
> > >like to understand from a Technical (VX-7R Circuit) how
> > >the 222MHz signal is generated and why/where is the area
> > >that limits the power to 300MW.
> >
> > Why do you assume the power is *limited* to 300 mwatts? Maybe that's all
there
> > is, to begin with. If you need more, Alinco makes a cheapo 5 watt 220
handheld.
> >
> > Bob
> > k5qwg
> >

> > >
> > >Anyone have a schemaitc for this radio?
> > >
> > >If anyone would like a copy of the Circuit Description
> > >email me.
> > >
> > >n1kk@netzero.net (qth)
> > >klimasewski_ken@emc.com (work)
> > >
> > >
> > >Ken
> > >N1KK

407. Vertex VX150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 18:28:51 UTC
From: Pastor Tim <pastortim@nospam_celticnet.org>
Message-ID: <DjrN8.35942$zh2.12167161@twister.neo.rr.com>
Source record: 42467

Anyone have one? What is your opinion? I am thinking of getting this as my first HT.

Thanks In Advance,

Tim

PS: how long from exam time to grant from the fcc is normal?

I took my exam 06/01/02.

408. Re: Vertex VX150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 18:35:28 UTC
From: cprstn54zz@att.net
Message-ID: <3d06424e.9667265@news-server.optonline.net>
Source record: 42469

On Tue, 11 Jun 2002 18:28:51 GMT, "Pastor Tim"
<pastortim@nospam_celticnet.org> wrote:
>Anyone have one? What is your opinion? I am thinking of getting
>this as my first HT.

I just bought one but it hasn't arrived. If you do get it, do it
before 6/30 to get the $30 coupon. Ross Distributing sells them new
(with coupon) for $120.

Also, if you intend to get the FBA-25 battery holder (for 6 AA
alkalines) let me know. They seem to be 1/3 the price in England,
with shipping being the only problem. Maybe orders can be combined.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

409. Re: Repair Advice, Alinco DJ-F1T / DJ-F1TH / DJ-F4T Series (REPOST)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 19:33:06 UTC
From: drooler@usa.com
Message-ID: <966d37c1.0206111133.2e05954a@posting.google.com>
Source record: 42470
Cross-posted to: rec.radio.amateur.equipment,sci.electronics.repair

"Paul W. Schleck" <pschleck@novia.net> wrote in message
> news:3d03d0c3$0$32920$45beb828@newscene.com...
(Reposting one last time after two weeks with no reply. Also adding
sci.electronics.repair to the Newsgroups: line. I will relent and
send
it to Alinco with a $40 estimate fee, and $60 minimum charge, if
nothing
heard after two more weeks.)I have an Alinco DJ-F1TH 2-Meter (144-148
MHz) Handy-Talkie (HT) radiowhich has what I..."

Why do people go out of their way to repair decade-old items
@ $40-60 Labor + Parts, when you could take your pick of all New 2M
HT's from all the Major Companies, for $99-149, & that includes a
Brand new 5w battery, the newst features, & 1 year warranty too!!?!
Would you pay $60 + $15 parts, plus shipping, for repair of the
Blender you bought in 1991, when the current model with more features
is $119? How about your 12 year old VCR, is that worth $60 + Parts &
shipping to fix now, or how about a 10 year old hardrive.....
We're not talking Colletors items or 1950's antiques w/sentimental
value here, I just don't get these posts every so often about people
wanting to find out how to Pay 70-150% of replacement value to repair
some old 2M HT or mobile......

410. ? Duplexer details

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 19:45:40 UTC
From: peterongc@yahoo.com
Message-ID: <f3e0a8da.0206111145.5644fe08@posting.google.com>
Source record: 42471

Hello Folks,
Want details for homebrewing VHF and UHF Duplexers.I have
already collected details from www.siets.org. But looking for more
specific info regarding the size/dimension of cavities and any tips to
make the thing work.

Thanx to all,
Peter vu2tsf

411. FA QST CD-ROM !!! on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 19:45:43 UTC
From: Apostolos Bourousis <mak@compulink.gr>
Message-ID: <ae5k32$1lh$1@ulysses.noc.ntua.gr>
Source record: 42472

Hello to all
I am offer for auctions some CD rom from my collection .
Please take a look !

ARRL Periodicals - QST 1985-1989 on CD-ROM
http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1359509304&ssPageName=A
DME:B:LC:US:1

ARRL Periodicals - QST 1990-1994 on CD-ROM
http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1359508675&ssPageName=A
DME:B:LC:US:1

ARRL Periodicals - QST 1995 on CD-ROM
http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1359507644&ssPageName=A
DME:B:LC:US:1

ARRL Periodicals - QST 1999 on CD-ROM
http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1359507072&ssPageName=A
DME:B:LC:US:1

412. Re: Repair Advice, Alinco DJ-F1T / DJ-F1TH / DJ-F4T Series (REPOST)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 20:17:08 UTC
From: "Paul W. Schleck" <pschleck@novia.net>
Message-ID: <3d065a14$0$32920$45beb828@newscene.com>
Source record: 42473
Cross-posted to: rec.radio.amateur.equipment,sci.electronics.repair

In <966d37c1.0206111133.2e05954a@posting.google.com> drooler@usa.com (Arghh!) writes:

>"Paul W. Schleck" <pschleck@novia.net> wrote in message
>> news:3d03d0c3$0$32920$45beb828@newscene.com...
>(Reposting one last time after two weeks with no reply. Also adding
>sci.electronics.repair to the Newsgroups: line. I will relent and
>send
>it to Alinco with a $40 estimate fee, and $60 minimum charge, if
>nothing
>heard after two more weeks.)I have an Alinco DJ-F1TH 2-Meter (144-148
>MHz) Handy-Talkie (HT) radiowhich has what I..."
>
> Why do people go out of their way to repair decade-old items
>@ $40-60 Labor + Parts, when you could take your pick of all New 2M
>HT's from all the Major Companies, for $99-149, & that includes a
>Brand new 5w battery, the newst features, & 1 year warranty too!!?!
> Would you pay $60 + $15 parts, plus shipping, for repair of the
>Blender you bought in 1991, when the current model with more features
>is $119? How about your 12 year old VCR, is that worth $60 + Parts &
>shipping to fix now, or how about a 10 year old hardrive.....
>We're not talking Colletors items or 1950's antiques w/sentimental
>value here, I just don't get these posts every so often about people
>wanting to find out how to Pay 70-150% of replacement value to repair
>some old 2M HT or mobile.....

I was going to follow up in two week's time, but the level of rant (and misinformation) in the above post motivated me to do so earlier.

The HT in question is 6 years old, not 10. To be fair, the replacement cost of an HT, *plus* incompatible accessories, including a spare battery (essential for public service communications), speaker microphone, DC power cable, etc., is closer to $200. Nowadays I would probably want to spend my money on a dual-band, so up that estimate to $300 (or more). The cost of new amateur radio HT's has not gone down nearly as fast as computer hardware or VCR's, so the comparisons given above are somewhat disingenuous.

Obviously, I was hoping to fix this radio myself, and avoid the significant labor charge on a minor repair. Stating the non-trivial cost of a factory repair was also intended as a way of motivating someone reading this newsgroup to provide the necessary instructions. Even if such advice is not forthcoming from this newsgroup, and I am faced with the prospect of sending it in to Alinco, it is still cost-effective (to me) to spend $60 to repair and refurbish a 2 meter HT

in otherwise perfect working order. Even if I eventually purchase new, I still have use of the older HT as a spare or a loaner for many years into the future. Doing so also preserves my investment in the incompatible accessories, and defers the waste and disposal costs of throwing away working Nickel-Cadmium battery packs (Don't forget to include this toxic-waste disposal in the total cost of ownership). Other nontrivial concerns include:

- The established reliability of equipment on the flat part of the "bathtub" or Weibull curve (new equipment suffers a uncomfortably high rate of infant mortality, old equipment simply wears out). Cost-effective maintenance of equipment well within its service life should be a no-brainer.

- Retraining my head and fingers to work the incompatible controls of new equipment in the dark, during a severe weather emergency, etc. Even during initial setup at my leisure, I'm not keen on re-learning how to set up scanning ranges, memories, non-standard splits, tuning increments, subaudible tones, power levels, etc., on a new piece of equipment.

I hope that this clarifies the economics, as well as my motivations, in seeking repair instead of junking and replacement.

--
73, Paul W. Schleck, K3FU
pschleck@novia.net
http://www.novia.net/~pschleck/
Finger pschleck@novia.net for PGP Public Key

413. Re: Repair Advice, Alinco DJ-F1T / DJ-F1TH / DJ-F4T Series (REPOST)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 21:10:30 UTC
From: carlwqzav@aol.comz1.net
Message-ID: <20020611171030.18391.00001247@mb-mw.aol.com>
Source record: 42474

>From: Paul W. Schleck pschleck@novia.net : "the replacement
>cost of an HT, *plus* incompatible accessories, including a sparebattery
(essential for public service communications), speaker microphone, DC power
cable, etc., is closer to $200. Nowadays I.."
You may want to check out the New Alinco DJ-196T. Your DJ-F1 Speakermike,
DC Power cord, headsets & antennas are all still compatible, & the radio will
give you Alphanumerics, ctcss & dcs (dpl) enc/decode & Nickle-hydride 5w
battery, all either optional or unavailable on the older model, great
additional features for Public service, & you're still under $150 delivered.
Even a good spare higher cap hydride Batt from Mr. Nicad is about $39, or the
Alkaline case is $15. ASSuming a $75-80 total on Parts/labor + shipping for
repair on the older unit, your still shelling out almost 50% of a new one, even
assuming the purchase of a 2nd new battery, & if the old F1's batteries are 4
to 6 yrs old.............

414. Re: radioshack htx-400

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 21:18:14 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d066915$0$3568$2c3e98f8@news.voyager.net>
Source record: 42475

"Steve Bossert" <kc2gog@amsat.org> wrote in
news:f8rN8.205$MW2.43924@news4.srv.hcvlny.cv.net:

> i have a radioshack htx-400 that i use for a simplex repeater beacon
> for a GEOCACHING display. i would like other non hams to be able to use
> this, is their anyway i can mod it for FRS,it covers on recieve
> 420-470, it shouldnt be a problem, but i cant find a schematic to make
> it do what i want. the radio is under 500mw so i wont get in trouble
> for out of band type stuff
>
> steve
>
>
>

Good luck, as I'm told (I own one also) this radio will not modify for out
of band operation.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

415. Any change to FCC test question pools?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 22:37:48 UTC
From: cprstn54zz@att.net
Message-ID: <3d067b82.5740046@news-server.optonline.net>
Source record: 42476

Isn't this the month the FCC is supposed to change the question pools?
Any word on this?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

416. Re: Any change to FCC test question pools?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 22:57:00 UTC
From: Glenn Miller <glennmiller@worldnet.att.net>
Message-ID: <0fvN8.36585$UT.2486062@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42477

"Ken" <cprstn54zz@att.net> wrote in message
news:3d067b82.5740046@news-server.optonline.net...
> Isn't this the month the FCC is supposed to change the question pools?
> Any word on this?

The Amateur Extra pool changes on July 1, 2002.
http://www.arrl.org/arrlvec/pools.html

Glenn AA5PK

417. FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 23:05:40 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <8nvN8.156425$352.7740@sccrnsc02>
Source record: 42478
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

```
* Kenwood TS-130S in excellent condition
* MC 35-S Noise Cancelling Hand Mic
* Optional YK-88SN 1.8KHz SSB Filter included
* Optional YK-88C 500Hz CW Filter included
* Power Cable
* Instruction Manual
* Full Service Manual

- 160 thru 10 meters, 100 watts all bands.
- Non smoker, never mobile.

$350.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com
```

418. Icom IC-2000H part and schematic info needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-11 23:47:31 UTC
From: Randy & Cara randall <crrandal@earthlink.net>
Message-ID: <3D068CB1.4090601@earthlink.net>
Source record: 42479
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hello. I need to ID a SMD part on my IC-2000H. It is on the front panel PCB, front side close to the power button 1/2" directly above the DS3 lamp. It is also slightly under the edge of the LCD panel. There are two sets of SMD pads one with a 1K (102) resistor on the left side and the other with the pads of the missing part. It is the same size as the 1K resistor and could be either a chip resistor or cap. Anyone have the service manual, schematic or have one they could look at and get me the info as to what part goes there? The radio received an impact and the little part fell off and is long gone. Also there is no part ID on the board at all. (i.e. R101, C201 etc.) I also need the pin out of the mic. connector.

Thank you,
Randy KB8ASO

419. Re: Vertex VX150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 00:24:37 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <OxwN8.3138$Vr2.973174@news20.bellglobal.com>
Source record: 42480

"Pastor Tim" <pastortim@nospam_celticnet.org> wrote in message
news:DjrN8.35942$zh2.12167161@twister.neo.rr.com...
> Anyone have one? What is your opinion? I am thinking of getting
> this as my first HT.
>
> Thanks In Advance,
>
> Tim

Tim,

I've had one for about a month and a half now and personally I think it is the best 2m handie I've ever had. Lots of audio both receive and transmit, and the battery pack seems to last a good time, although I never use it on high power. I did purchase the Vertex speaker mic but am told by the local hams it sounds muffled. I opened the receive up to copy the local Provincial Police and it couldn't have been easier. Covers roughly 125 to 175 Mhz. The belt clip is super tough, don't have to worry about it falling off. I wouldn't hesitate to buy another one, I don't think you will regret the purchase.

Max

420. Re: Vertex VX150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 00:32:51 UTC
From: KB9TMP <NoMoreSpam4Me@antisocial.com>
Message-ID: <ae64qj$c8g$1@dagobah.blueriver.net>
Source record: 42481

"Pastor Tim" <pastortim@nospam_celticnet.org> wrote in message
news:DjrN8.35942$zh2.12167161@twister.neo.rr.com...
> Anyone have one? What is your opinion? I am thinking of getting
> this as my first HT.
>
> Thanks In Advance,
>
> Tim
>
> PS: how long from exam time to grant from the fcc is normal?
>
> I took my exam 06/01/02.
>
>

Buy It !!!

I have owned mine now for about a year and love it. But you do want to get the AA battery holder with it. Fill it with NiMH batteries and you really have something to "write home about". With the stock battery pack mine runs roughly 8 hours of real world usage. With the AA battery holder and 6 NiMH batteries (Ray-O-Vac's bought at Wal-Mart) real world usage is around 30 hours. Plus I recharge my NiMH batteries in a "Rat Shack" charger that way you don't have the VX-150 in use as a battery charger for 12+ hours each day.

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

421. Maryland Father's Day Hamfest

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 01:02:32 UTC
From: windbrkr@Zerols.com
Message-ID: <MPG.177067b4692ab58d989982@news.erols.com>
Source record: 42482

The Frederick Amateur Radio Club will be hosting the annual Father's Day Hamfest on Sunday, June 16th, rain or shine, at the Frederick County Fairgrounds on East Patrick Street in Frederick, Maryland.

The Father's Day Hamfest features a large amateur radio, electronics and computer flea market, new and used radio and electronics equipment, antique radios, computers, tools, cables and other technical and hobbyist items. Good food and refreshments are available.

Gate access for flea market setup starts at 6:00 AM. General admission access starts at 8:00 AM. Free testing for FCC Amateur Radio licenses will be conducted, starting promptly at 9:00 AM.

General admission is a $5.00 donation to the club. Flea market spaces are available for $5.00 each plus one general admission. For more information, visit the Father's Day Hamfest web site at http://www.qsl.net/k3erm/ .

73, Bob K9CMR
--
Remove "Z" from "Zerols" to e-mail.

422. Re: Any change to FCC test question pools?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 01:23:47 UTC
From: Idontwantspam@net
Message-ID: <3d06a1c1.3255463@news.bellatlantic.net>
Source record: 42483

On Tue, 11 Jun 2002 22:57:00 GMT, "Glenn Miller"
<glennmiller@worldnet.att.net> wrote:

>"Ken" <cprstn54zz@att.net> wrote in message
>news:3d067b82.5740046@news-server.optonline.net...
>> Isn't this the month the FCC is supposed to change the question pools?
>> Any word on this?
>
>The Amateur Extra pool changes on July 1, 2002.
>http://www.arrl.org/arrlvec/pools.html
>
I thought they usually stagger the changes for the different exams, so
the others would not change this year.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

423. In Need of some information on an HW24T HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 02:13:23 UTC
From: docrobert <docrobert@peoplepc.com>
Message-ID: <ugdbe09279s17f@corp.supernews.com>
Source record: 42484

Greetings to all who read this,

I am in need of the Pot # and or location of the devation control for
the HW24T as I have one that seems to be set a bit high.

Thanks in advance.

424. Re: Mark V Field?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 02:20:36 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D06AFF4.936196BF@nettally.com>
Source record: 42485

The AES catalog price listing shows an optional 30V power supply and a relay option which imply transverter compatability with the Field and the basic MP. Read the fine print and call AES to verify.

Bob Miller wrote:

> "David" <phochief@nonspamhotmail.com> wrote:
>
> >Oh, and yes, I know the Field model is only 100 watts.
>
> That, and I get the impression the 6-meter transverter is only for the original
> Mark V.
>
> Bob
> k5qwg
> >
> >"> Can someone tell what the difference is between the 1000mp-Mark V and the
> >> "Field" model other than the self-contained PS? I'd prefer getting the
> >> all-in-one rig if it's specifications are otherwise identical.
> >>
> >> David, K4ZZR
> >>
> >>
> >>
> >>
> >>

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

425. Re: FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 03:45:21 UTC
From: John Mullan <jmullan@pacbell.net>
Message-ID: <3D06C3D2.FB378B4D@pacbell.net>
Source record: 42486
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Rick,

How did you get your TS-130 to work on 160 meters? Mine only covers
80-10.

jm

Rick Riverman wrote:
>
> * Kenwood TS-130S in excellent condition
> * MC 35-S Noise Cancelling Hand Mic
> * Optional YK-88SN 1.8KHz SSB Filter included
> * Optional YK-88C 500Hz CW Filter included
> * Power Cable
> * Instruction Manual
> * Full Service Manual
>
> - 160 thru 10 meters, 100 watts all bands.
> - Non smoker, never mobile.
>
> $350.00 plus shipping from 97006
>
> --
>
> Cheers,
> Rick
>
> Roderick Riverman <><
> W7RBR
> Aloha, Oregon
>
> Please reply to: rbriver@attbi.com

426. Re: FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 05:16:43 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <%OAN8.17930$6m5.6150@rwcrnsc51.ops.asp.att.net>
Source record: 42487
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Boy, do I get egg on my face for that one! It surely does cover 80-10 and not 160. I would probably know that if I tried to run 160. Thanks for pointing it out. I stand corrected.

Cheers,
Rick

"John Mullan" <jmullan@pacbell.net> wrote in message news:3D06C3D2.FB378B4D@pacbell.net...
> Rick,
>
> How did you get your TS-130 to work on 160 meters? Mine only covers
> 80-10.
>
> jm
>
>
> Rick Riverman wrote:
> >
> > * Kenwood TS-130S in excellent condition
> > * MC 35-S Noise Cancelling Hand Mic
> > * Optional YK-88SN 1.8KHz SSB Filter included
> > * Optional YK-88C 500Hz CW Filter included
> > * Power Cable
> > * Instruction Manual
> > * Full Service Manual
> >
> > - 80 thru 10 meters, 100 watts all bands.
> > - Non smoker, never mobile.
> >
> > $350.00 plus shipping from 97006
> >
> > --
> >
> > Cheers,
> > Rick
> >
> > Roderick Riverman <><
> > W7RBR
> > Aloha, Oregon
> >
> > Please reply to: rbriver@attbi.com

427. FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 05:23:00 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <UUAN8.13511$nZ3.1759@rwcrnsc53>
Source record: 42488
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

* Kenwood TS-130S in excellent condition
* MC 35-S Noise Cancelling Hand Mic
* Optional YK-88SN 1.8KHz SSB Filter included
* Optional YK-88C 500Hz CW Filter included
* Power Cable
* Instruction Manual
* Full Service Manual

- 80 thru 10 meters, 100 watts all bands.
- Non smoker, never mobile.

$350.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

428. TNC Stops Updating GPS Posit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 06:09:38 UTC
From: Douglas Gavilanes <gavilan1@earthlink.net>
Message-ID: <3D06E76E.C22007F7@earthlink.net>
Source record: 42489
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

Anyone ever have this problem? I'm running a Tiny-2 (version 5.0 firmware) TNC with a Magellan GPS315 connected to its serial port, with the NMEA 183 ($GPGGA) mode activated and sending GPS sentences. Bauds are properly set, and all seems well. Yet after about an hour or less, the TNC no longer updates the posits and shows me at the last posit that it cares to hold for whatever reason:

http://www.findu.com/cgi-bin/find.cgi?n6xqy-12&radar=***

shows me somewhere I was hours (or days) ago, even though the packet may have been transmitted minutes or seconds ago. Even stranger, every so often, the old stale posit is actually updated to a fresh one, which is then held for another eternity. The TNC faithfully send my LOC as instructed, but the GPSTEXT doesn't get updated. It seems that the TNC is interrupting the data stream from the GPS arbitrarily, and I can't find a cause. Anyone have any ideas? I've replaced the GPS serial cable and null modem cable with new, but no luck. I have found that the GPS will halt sending data via the serial port, possibly due to the TNC, but reinitializing the GPS starts the data flow again. Pac-Comm must be tired of my calls by now, and Magellan can't figure this one out either (they just discovered APRS from my phone calls). Any guidance here is appreciated. All I want is mobile APRS...

73 de Doug, N6XQY
Garden Grove, CA.

429. Re: TNC Stops Updating GPS Posit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 07:06:00 UTC
From: Douglas Gavilanes <gavilan1@earthlink.net>
Message-ID: <3D06F4B2.1BBB5739@earthlink.net>
Source record: 42490
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

I meant to say that the LTEXT string doesn't get updated. Sorry...

Douglas Gavilanes wrote:

> Anyone ever have this problem? I'm running a Tiny-2 (version 5.0
> firmware) TNC with a Magellan GPS315 connected to its serial port, with
> the NMEA 183 ($GPGGA) mode activated and sending GPS sentences. Bauds
> are properly set, and all seems well. Yet after about an hour or less,
> the TNC no longer updates the posits and shows me at the last posit that
> it cares to hold for whatever reason:
>
> http://www.findu.com/cgi-bin/find.cgi?n6xqy-12&radar=***
>
> shows me somewhere I was hours (or days) ago, even though the packet may
> have been transmitted minutes or seconds ago. Even stranger, every so
> often, the old stale posit is actually updated to a fresh one, which is
> then held for another eternity. The TNC faithfully send my LOC as
> instructed, but the GPSTEXT doesn't get updated. It seems that the TNC
> is interrupting the data stream from the GPS arbitrarily, and I can't
> find a cause. Anyone have any ideas? I've replaced the GPS serial
> cable and null modem cable with new, but no luck. I have found that the
> GPS will halt sending data via the serial port, possibly due to the TNC,
> but reinitializing the GPS starts the data flow again. Pac-Comm must be
> tired of my calls by now, and Magellan can't figure this one out either
> (they just discovered APRS from my phone calls). Any guidance here is
> appreciated. All I want is mobile APRS...
>
> 73 de Doug, N6XQY
> Garden Grove, CA.

430. Re: Mark V Field?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 10:49:19 UTC
From: k4sqr@juno.com
Message-ID: <d43e4174.0206120249.48b0951c@posting.google.com>
Source record: 42491

David;

I bought my FT-1000MP Field March 30th, 2002. The 6 meter transverter
will NOT work with it, since it requires 30 VDC, ie, same PS as its
big brother, the first original 200w Mark V.
Good receiver and features. Wait for another coupon deal from Yaesu
and buy it for $1925.
Good Luck,
Jim, K4SQR

"Scott" <nospam@nospam.org> wrote in message
news:<XzSM8.191231$Oa1.17894944@bin8.nnrp.aus1.giganews.com>...
> I believe the only difference is the power output. But, instead of taking a
> chance on getting bad info from the newsgroups, why don't you spend a couple
> of bucks and call Yaesu? After all, you are going to spend $2000 to 2500
> bucks! You also might find out if the transverter will work with it.
>
> 73,
> Scott
>
> "David" <phochief@nonspamhotmail.com> wrote in message
> news:4vMM8.80469$_p6.16823526@e3500-atl1.usenetserver.com...
> > Oh, and yes, I know the Field model is only 100 watts.
> >
> > "> Can someone tell what the difference is between the 1000mp-Mark V and
> the
> > > > "Field" model other than the self-contained PS? I'd prefer getting the
> > > > all-in-one rig if it's specifications are otherwise identical.
> > > >
> > > > David, K4ZZR
> > > >
> > > >
> > > >
> > >
> > >
> > >
> > >

431. Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 11:50:34 UTC
From: cprstn54zz@att.net
Message-ID: <3d0733e5.52942625@news-server.optonline.net>
Source record: 42492

I just bought a Yaesu VX-150 2M HT. There is a 6 AA battery holder accessory that fits it and several other Yaesu HT's, the FBA-25. It lists for over $50, discounts for $39 (without the freakin' batteries). It looks the same as the $3 battery holders at Radio Shack.

Would someone please start making these and put a stop to this rape job by Yaesu?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

432. Advantest TR4110 Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 12:26:38 UTC
From: Henry Kolesnik <wd5jfr@oklahoma.net>
Message-ID: <ugefg4t914eb3a@corp.supernews.com>
Source record: 42493

I just got an Advantest TR4110 Tracking Scope and TR4113AL RF Section. I've searched the net for info, but no luck. It's made by Advantest in Tokyo, Japan and seems to have some similarity to the older HP 141T. Tektronix has no info becasue it's too old! Does anyone have a manual or a copy that I can buy or point me to where I can find some info. Short operating instructions would be nice as I'm not sure if it works as it should and correct operating procedure would be nice.

tnx
73
Hank wd5jfr

433. FA: Last day Tempo S15 HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 12:37:04 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <WbHN8.13013$T05.665599@e3500-atl2.usenetserver.com>
Source record: 42494

Here is a cheap backup radio. I have two and they are great.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1358326267

434. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 15:41:30 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <KYJN8.33539$LC3.2541115@bgtnsc04-news.ops.worldnet.att.net>
Source record: 42495

"Ken" <cprstn54zz@att.net> wrote in message
news:3d0733e5.52942625@news-server.optonline.net...
> I just bought a Yaesu VX-150 2M HT. There is a 6 AA battery holder
> accessory that fits it and several other Yaesu HT's, the FBA-25. It
> lists for over $50, discounts for $39 (without the freakin'
> batteries). It looks the same as the $3 battery holders at Radio
> Shack.
>
> Would someone please start making these and put a stop to this rape
> job by Yaesu?

They forced you to buy one?

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

435. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 15:51:21 UTC
From: Richard G Amirault <amirault@shell01.TheWorld.com>
Message-ID: <GxLo1L.FF0@world.std.com>
Source record: 42348

I have that radio, and bought that accessory. Yes, it costs way too much,
but all my HT's have akaline packs so I *had* to have it (but my wallet
did a "yelp" when I got this!)

I suspect its a by-product of the heritage of this radio. The Vertex line
is more 'commercial' radio rather than 'amateur' radio.

Ken <cprstn54zz@att.net> wrote:
: I just bought a Yaesu VX-150 2M HT. There is a 6 AA battery holder
: accessory that fits it and several other Yaesu HT's, the FBA-25. It
: lists for over $50, discounts for $39 (without the freakin'
: batteries). It looks the same as the $3 battery holders at Radio
: Shack.

: Would someone please start making these and put a stop to this rape
: job by Yaesu?

436. FA: ANTENEX 800 Low Profile Phantom Antenna - NIB - No Reserve - BIN - Motorola Mount

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 16:01:46 UTC
From: werdnuts@sbcglobal.net
Message-ID: <d49cf50c.0206120801.32c28eff@posting.google.com>
Source record: 42496

You are bidding on ONE, NEW, ANTENEX brand, Phantom model, 3db gain, 806-866 MHz, "Transit" style, low visibility, 800 MHz Antenna. Antenex part number TRA8063. It is NEW in the bag. This antenna mounts to a standard MOTOROLA style mount (NOT INCLUDED IN THIS AUCTION). I have been using this style antenna for my personal equipment and I am very happy with the results. Great for low-profile or unmarked vehicles! Buyer to pay fixed shipping amount of $6.

Buy It Now for $30 !!!!!

Thanks for looking!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1740030892

437. FA: ANTENEX UHF Low Profile Phantom Antenna - NIB - Motorola mount - No reserve - BIN

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 16:02:56 UTC
From: werdnuts@sbcglobal.net
Message-ID: <d49cf50c.0206120802.37392402@posting.google.com>
Source record: 42497

You are bidding on ONE, NEW, ANTENEX brand, Phantom model, 3db gain, 450-470 MHz, "Transit" style, UHF Antenna. Antenex part number TRA4503. It is NEW in the bag. This antenna mounts to a standard MOTOROLA style mount (NOT INCLUDED IN THIS AUCTION). I have been using this style antenna for my personal equipment and I am very happy with the results. Great for low-profile or unmarked vehicles! Buyer to pay fixed shipping amount of $6.

Buy It Now for $32 !!!

Thnanks for looking!!!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1740560253

438. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 16:29:10 UTC
From: cprstn54zz@att.net
Message-ID: <3d077520.69642281@news-server.optonline.net>
Source record: 42349

On Wed, 12 Jun 2002 15:41:30 GMT, "Hank Oredson" <horedson@att.net>
wrote:
>They forced you to buy one?

Yes.

Also they said the radio was a good deal. But they didn't say we make
it up on the accessories.

If worse comes to worst, I will protest by using a $3 Radio Shack 8 AA
battery holder in a Zip-Loc with a line to the radio. That's what I
usually do when they play this game.

They forced you to point out the obvious?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

439. Help needed: Yaesu FT-90R separator kit connector bad...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 16:59:58 UTC
From: Robert Myers <rjmyers@raytheon.com>
Message-ID: <3D077E0E.E57F497F@raytheon.com>
Source record: 42350

I'm having a lot of problems with the connector that came with
my FT-90R separator kit. Seems that it will do a number of things:

1) hitting "down" button most of the time causes the system to
go "up"

2) pushing PTT may occasionally also cause the channel to change
downward

3) hissing sound/sometimes broken connection (mike stops functioning).

Apparently Yaesu won't sell this 6-conductor female/female block
separately. They want me to send the entire separator kit, possibly
with the radio, back to them for their diagnosis.

I know it's not the mike at fault, due to plugging it directly into
the base and it working 100%. Unfortunately, this does me no good
while driving down the road.

Any thoughts/ideas??? I've tried getting a 6-conductor block at the
local Radio Shack -- seems to not make contact at all (as if it wasn't
connecting).

-bob
kd5rel

440. Re: FS-Sony ICF-7600G Shortwave Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 17:12:06 UTC
From: Steve Painter <stevepaint@clearwater.net>
Message-ID: <dcLN8.25343$rX.4539178@e420r-atl1.usenetserver.com>
Source record: 42351

I'll ship it for $140, how's that!!

"Steve Painter" <stevepaint@clearwater.net> wrote in message
news:2M4N8.23368$rX.3934204@e420r-atl1.usenetserver.com...
> This is a nice, nearly new looking Sony 7600G. I bought it several years
at
> HRO, used it only a few hours. Thought I had to have it......you know the
> story. Anyway if you're looking for a nice radio, in original box,
supplied
> with all papers, inst. manual, shortwave guide, Sony leather pouch, Sony
> shortwave antenna, this is the one for you. It goes on Ebay next sunday,
or
> you can buy it now for $150, + UPS. Photos available upon request. Reply
> to my email address: stevepaint@clearwater.net
> Thanks!
>
>
>

441. WTB Kenwood TM733A remote cable

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 17:20:25 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <3D0782D8.EA18ACE6@erols.com>
Source record: 42352

I need a remote cable for a Kenwood TM-733A radio (any length). Its now obsolete and no dealer appears to have one left. In reality, so long as the connectors are in-tact, I can re-do the 4-conductor cable.
Thanks.

442. Icom 756 Pro For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 18:09:46 UTC
From: Joe Moraine <w5lx@earthlink.net>
Message-ID: <3D078E79.14EF6F4C@earthlink.net>
Source record: 42353

Mint Icom 756PRO For Sale. 7 months old. Serial Number 37XX. Radio, manual, schematics, documentation, box, and microphone included. Non-Smoker. $1650 plus shipping or pickup in the Dallas-Ft. Worth area.

443. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 19:00:12 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0206121100.40effba5@posting.google.com>
Source record: 42354

The Circuit Description manual located at the FCC web site
states the same output amplifier transistor is used for
6,2, and 440MHz.

There might be hope for more power at 222MHz yet...

Ken
N1KK

"ZOOM" <kandrparker@sympatico.ca> wrote in message
news:<IdrN8.1458$z56.481944@news20.bellglobal.com>...
> Because that's the way they designed it!
> They probably put in RF transistors that are good to around 220 and the
> power probably falls off where 220 is near the upper cutoff. This is just
> speculation though.
> 220 is not a real busy band in most areas so they concentrated on the more
> active bands to give more power to those bands.
>
> It's all about Marketing and making something for as little as possible.
>
> Robert
> VE3RPF
>
> "Ken" <n1kk@netzero.net> wrote in message
> news:d7adbb57.0206070737.4faf3f6e@posting.google.com...
> > Hello Bob,
> >
> > What I am looking for is a Technical reason based on the
> > design of the VX-7R why it only has 300mw on 222MHz.
> >
> >
> >
> > Ken
> > N1KK
> >
> >
> > ob Miller <bamiller@texas.net> wrote in message
> news:<6tr=PAeKfTlVUsAxJ34frG1g7mKv@4ax.com>...
> > > n1kk@netzero.net (Ken) wrote:
> > >
> > > >After reading the Circuit Description of the VX-7R
> > > >from the FCC web site (FCC ID: K66VX-7R)
> > > >
> > > >I did not see anything on the 222MHz transmit. I would
> > > >like to understand from a Technical (VX-7R Circuit) how

> > > >the 222MHz signal is generated and why/where is the area
> > > >that limits the power to 300MW.
> > >
> > > Why do you assume the power is *limited* to 300 mwatts? Maybe that's all
> there
> > > is, to begin with. If you need more, Alinco makes a cheapo 5 watt 220
> handheld.
> > >
> > > Bob
> > > k5qwg
> > >
> > > >
> > > >Anyone have a schemaitc for this radio?
> > > >
> > > >If anyone would like a copy of the Circuit Description
> > > >email me.
> > > >
> > > >n1kk@netzero.net (qth)
> > > >klimasewski_ken@emc.com (work)
> > > >
> > > >
> > > >Ken
> > > >N1KK

444. WTB: S-Band (13 cm) RHCP Hemispherical Omni Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 19:50:18 UTC
From: "M.C. Maguire" <nomcmaguirespam@hotmail.com>
Message-ID: <3D07A5ED.29EE9FF8@hotmail.com>
Source record: 42355
Cross-posted to: sci.electronics.equipment,rec.radio.amateur.space,rec.radio.amateur.equipment,rec.radio.amateur.antenna,sci.electronics.design,sci.engr.radar+sonar

I am looking for a commercial supplier of an S-band (2300-2400 MHz) right hand circularly polarized antenna that has a broad hemispherical pattern (-3 dB at +-60 deg or more from boresite). Pattern is more important than gain. Must be suited for outdoor and low temperature use.

Here is ideal antenna:

http://www.condorsys.com/pdf_files/as48915.pdf

Three problems: it costs 53 dB$ (~13 dB too much), it's space qualified (overkill on environmentals) and takes 150 days to get an order filled (need in 30 days).

Thanks.

mm

mcnospammaguire@earthlink.net

445. Re: IC 2100h Help please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 20:13:16 UTC
From: n0dg@aol.com
Message-ID: <20020612161316.19920.00001234@mb-fw.aol.com>
Source record: 42356

Hi Mike,
I had same problem with Kenwood 261a. showed full output but in fact there was none. The RF output meter showes what should be going out I guess.

My problem proved to be the final Module.
it is mounted onto the rear heatsink and on mine the plastic cover simply came off giving a clear view of the circuity on the board. A close inspection revealed a broken trace which I was able to bridge with HOT soldering iron. The heat sink cools off the iron very quickly so be fast.
On mine it was a cheap fix and has lasted for about a year now. so Good luck.
Don

446. Re: Help needed: Yaesu FT-90R separator kit connector bad...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 21:39:18 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d07bf86$0$3570$2c3e98f8@news.voyager.net>
Source record: 42357

Robert Myers <rjmyers@raytheon.com> wrote in
news:3D077E0E.E57F497F@raytheon.com:

> I'm having a lot of problems with the connector that came with
> my FT-90R separator kit. Seems that it will do a number of things:
>
> 1) hitting "down" button most of the time causes the system to
> go "up"
>
> 2) pushing PTT may occasionally also cause the channel to change
> downward
>
> 3) hissing sound/sometimes broken connection (mike stops functioning).
>
> Apparently Yaesu won't sell this 6-conductor female/female block
> separately. They want me to send the entire separator kit, possibly
> with the radio, back to them for their diagnosis.
>
> I know it's not the mike at fault, due to plugging it directly into
> the base and it working 100%. Unfortunately, this does me no good
> while driving down the road.
>
>
> Any thoughts/ideas??? I've tried getting a 6-conductor block at the
> local Radio Shack -- seems to not make contact at all (as if it wasn't
> connecting).
>
> -bob
> kd5rel
>

Buy the a decent phone crimping set, make sure it's designed to crimp
across the width of the whole connector. Then, buy some 6 pin modular
ends. They'll look the same as standard phone connectors, however there
will be 6 copper pins in the end of them. Then, start looking at one of
the ends of the suspect cable. You should be able to distinguish some
colors. Write them down. Also, make reference to which end of the
connector is towards you, and wether the 'clip' part is up or down when
writing down your color order. Then, with the power off, and cable
disconnected, snip the end and crimp on a new one. For someone familiar
with crimping telco connectors, this really is a 2 min fix. If you're not
comfortable with it, buy some telephone cable and practice a bit.
A side note, check the pins in the female (socket part) ends, make sure a
pin isnt bent flat, or into another pin.
Good luck

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

447. Re: Any change to FCC test question pools?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 22:27:33 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <oVPN8.210777$Gs.19635336@bin5.nnrp.aus1.giganews.com>
Source record: 42358

I was up at ARRL headquarters yesterday 06/11/02, and they had BOXES of Extra Class License books for half price. I'd say that the pool really is changing at the end of the month.

Pet peeve: I wish the ARRL would put dates on their products, rather than saying NEW version all the time. EVERY version they come out with is a NEW version, but sometimes NEW doesn't mean up-to-date. Flame off.

Bob M.
======
"Glenn Miller" <glennmiller@worldnet.att.net> wrote in message
news:0fvN8.36585$UT.2486062@bgtnsc05-news.ops.worldnet.att.net...
> "Ken" <cprstn54zz@att.net> wrote in message
> news:3d067b82.5740046@news-server.optonline.net...
> > Isn't this the month the FCC is supposed to change the question pools?
> > Any word on this?
>
> The Amateur Extra pool changes on July 1, 2002.
> http://www.arrl.org/arrlvec/pools.html
>
> Glenn AA5PK
>
>
>

448. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 23:02:44 UTC
From: drgrant@ziplink.net
Message-ID: <jlkfgug5gtuccr7prt0n99qmsa112kc3dt@4ax.com>
Source record: 42359

If you had bought the Icom T2H instead you would only be
getting raped like $20 for battery holders. Not to mention the T2H
comes with a significantly better antenna.

Only downside to the T2H is it is a bit of a pain to program if you
are not used to icom radios. Hell, now HRO is selling the darn radio
for $89 w/empty battery case! I use mine with NiMH AA cells, which
I charge in external fast chargers.

-Mike

On Wed, 12 Jun 2002 11:50:34 GMT, cprstn54zz@att.net (Ken) wrote:

>I just bought a Yaesu VX-150 2M HT. There is a 6 AA battery holder
>accessory that fits it and several other Yaesu HT's, the FBA-25. It
>lists for over $50, discounts for $39 (without the freakin'
>batteries). It looks the same as the $3 battery holders at Radio
>Shack.
>
>Would someone please start making these and put a stop to this rape
>job by Yaesu?
>
>Ken KC2JDY
>
>Ken
>(to reply via email
>remove "zz" from address)

----------== Posted via Newsfeed.Com - Uncensored Usenet News ==----------
http://www.newsfeed.com The #1 Newsgroup Service in the World!
-----= Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers =-----

449. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 23:51:06 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d07de69$0$3580$2c3e98f8@news.voyager.net>
Source record: 42360

drgrant@ziplink.net wrote in
news:jlkfgug5gtuccr7prt0n99qmsa112kc3dt@4ax.com:

>
> If you had bought the Icom T2H instead you would only be
> getting raped like $20 for battery holders. Not to mention the T2H
> comes with a significantly better antenna.
>
> Only downside to the T2H is it is a bit of a pain to program if you
> are not used to icom radios. Hell, now HRO is selling the darn radio
> for $89 w/empty battery case! I use mine with NiMH AA cells, which
> I charge in external fast chargers.
>
> -Mike
>
>
Fallback on the T2H when I looked at it, is it made no provisions for
external DC power (ie cig adapter). It's why I went the yaesu line,
(besides the fact that I went dualband.)
I do own an Icom F21, whick is the commercial radio that shares the same
chasis as the Icom V8. It doesnt allow for external dc power, but it's 6AA
battery pack was only 18 bucks at comdac.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

450. Re: VX-7R, why only 300mw on 222MHZ ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-12 23:56:50 UTC
From: jfuentes <fuentesj@earthlink.net>
Message-ID: <6dRN8.3072$NQ1.884@newsread2.prod.itd.earthlink.net>
Source record: 42361

Hi All,

1. Does anyone know if the rubber duck is actually tuned for 222Mhz?

2. If it isn't, when operating on 222Mhz at 300mW, is it likely to damage the finals on the unit or should one seek to change the antenna with one that is tuned to 222 Mhz?

3. Theoretically, if one can mod the radio to 5W on 222Mhz and if one transmitted with the stock ducky could this lead to damaging the radio also?

Jon

"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message news:20020608011119.07096.00000166@mb-df.aol.com...
> I have a question. Has anyone at yeasu admitted that this radio is even real?
> All I've seen is a webpage that shows an alleged picture of this new HT.
> There's still nothing on Yaesu's website about it.
> =-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

451. Re: Any change to FCC test question pools?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 01:33:16 UTC
From: N4IXT <n4ixt@arrl.net>
Message-ID: <aea7j5$5d576$1@ID-105647.news.dfncis.de>
Source record: 42376

"Gary S." <Idontwantspam@net> wrote in message
news:3d06a1c1.3255463@news.bellatlantic.net...
> On Tue, 11 Jun 2002 22:57:00 GMT, "Glenn Miller"
> <glennmiller@worldnet.att.net> wrote:
>
> >"Ken" <cprstn54zz@att.net> wrote in message
> >news:3d067b82.5740046@news-server.optonline.net...
> >> Isn't this the month the FCC is supposed to change the question pools?
> >> Any word on this?
> >
> >The Amateur Extra pool changes on July 1, 2002.
> >http://www.arrl.org/arrlvec/pools.html
> >
> I thought they usually stagger the changes for the different exams, so
> the others would not change this year.

They did. The Technician changes July 1 of 2003, and General changes July 1
of 2004.

I think they also changed the frequency of changes to the pool, from 3 to 4
years so Extra won't change until 2006. But I could be wrong on this, using
my very foggy memory on this one.

73's

Robert / N4IXT

452. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 02:42:28 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <oETN8.34378$LC3.2601332@bgtnsc04-news.ops.worldnet.att.net>
Source record: 42362

"Ken" <cprstn54zz@att.net> wrote in message
news:3d077520.69642281@news-server.optonline.net...
> On Wed, 12 Jun 2002 15:41:30 GMT, "Hank Oredson" <horedson@att.net>
> wrote:
> >They forced you to buy one?
>
> Yes.
>
> Also they said the radio was a good deal. But they didn't say we make
> it up on the accessories.
>
> If worse comes to worst, I will protest by using a $3 Radio Shack 8 AA
> battery holder in a Zip-Loc with a line to the radio. That's what I
> usually do when they play this game.
>
> They forced you to point out the obvious?

And here I thought you might choose to use a Zip-Loc.
That's what I do ... as well as for my camera batteries.

It's just a choice thing ... certainly you knew the cost of the extra
battery pack when you bought the radio ... and could choose to
purchase a different radio, or use normal Ham Radio ingenuity to
solve the problem, thus causing Yaesu to lose a possible sale,
or a sale of accesories. Those lost sales are the best revenge.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

453. Question on VX-7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 03:19:47 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <nbUN8.3525$NQ1.2153@newsread2.prod.itd.earthlink.net>
Source record: 42363

I am interested in a VX-7.
Anybody done any out-of-band modifications for it?
Send me your e-mail I have a couple of questions.

-- KG9H
Best Regards...Frank

Frank Krozel
Voice 630-924-1600
Fax 630-924-1668
Cell 630-890-5421 24/7
Home 630-653-9090
Electronic Instrument Associates - Central, Inc.
website: http://www.electronicinstrument.com
join the IEEE today! see http://www.ieee.org

454. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 03:26:08 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D0810D0.5020006@lakefield.net>
Source record: 42364
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $700

Kenwood TM251A 95% $100
Kenwood TM451A 98% $115

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

All Items Will include manuals, and any
docs that I Have.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

455. WTB: IC-761 ORIGINAL OWNERS MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 03:28:38 UTC
From: k6stu@aol.com
Message-ID: <20020612232838.12499.00000475@mb-cb.aol.com>
Source record: 42365

DOES ANYONE HAVE FOR SALE A ORIGINAL OWNERS MANUAL FOR A IC-761 ?????
MIKE, K6STU

456. Re: WTB: S-Band (13 cm) RHCP Hemispherical Omni Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 03:55:16 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D0817A4.84814976@nettally.com>
Source record: 42366
Cross-posted to: sci.electronics.equipment,rec.radio.amateur.space,rec.radio.amateur.equipment,rec.radio.amateur.antenna,sci.electronics.design,sci.engr.radar+sonar

Search for the G3RUH s-band patch feed on web. This antenna is about $150
and can be special ordered for RHCP. It is normally used as a dish feed for
AMSAT AO-40. The frequency range is about right on.

Are you using for XM or Sirius? I wonder how these would work out compared
to stock antenna!

"M.C. Maguire" wrote:

> I am looking for a commercial supplier of an S-band (2300-2400 MHz)
> right hand circularly polarized antenna that has a broad hemispherical
> pattern (-3 dB at +-60 deg or more from boresite). Pattern is more
> important than gain. Must be suited for outdoor and low temperature
> use.
>
> Here is ideal antenna:
>
> http://www.condorsys.com/pdf_files/as48915.pdf
>
> Three problems: it costs 53 dB$ (~13 dB too much), it's space qualified
> (overkill on environmentals) and takes 150 days to get an order filled
> (need in 30 days).
>
> Thanks.
>
> mm
>
> mcnospammaguire@earthlink.net

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

457. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 04:06:14 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <fhgIPVlqXVYF7AG0011a4eqm=5Ym@4ax.com>
Source record: 42367

drgrant@ziplink.net wrote:

>
>If you had bought the Icom T2H instead you would only be
>getting raped like $20 for battery holders. Not to mention the T2H
>comes with a significantly better antenna.
>
>Only downside to the T2H is it is a bit of a pain to program if you
>are not used to icom radios. Hell, now HRO is selling the darn radio
>for $89 w/empty battery case! I use mine with NiMH AA cells, which
>I charge in external fast chargers.

Got any ideas on a cheap fast charger for the standard Ni-Cad AA battery pack on
a T2H? I hate to spend $80 or $90 on that danged Icom fast charger.

Bob
k5qwg
>
>-Mike
>
>
>
>On Wed, 12 Jun 2002 11:50:34 GMT, cprstn54zz@att.net (Ken) wrote:
>
>>I just bought a Yaesu VX-150 2M HT. There is a 6 AA battery holder
>>accessory that fits it and several other Yaesu HT's, the FBA-25. It
>>lists for over $50, discounts for $39 (without the freakin'
>>batteries). It looks the same as the $3 battery holders at Radio
>>Shack.
>>
>>Would someone please start making these and put a stop to this rape
>>job by Yaesu?
>>
>>Ken KC2JDY
>>
>>Ken
>>(to reply via email
>>remove "zz" from address)
>
>
>
>------------== Posted via Newsfeed.Com - Uncensored Usenet News ==----------
> http://www.newsfeed.com The #1 Newsgroup Service in the World!
>-----= Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers =-----

458. Re: Question on VX-7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 04:26:26 UTC
From: Steve Bossert <kc2gog@amsat.org>
Message-ID: <0tVN8.14931$MW2.939654@news4.srv.hcvlny.cv.net>
Source record: 42368

it should be easy like most yaesu radios, i went to the FCC website (fcc.gov/oet/fccid) to research it a few months ago and did notice a row of jumpers under the battery door. i dont have the radio (yet) but if you follow the vx-5r mod it should be similiar

"Frank Krozel" <frank@electronicinstrument.com> wrote in message news:nbUN8.3525$NQ1.2153@newsread2.prod.itd.earthlink.net...
> I am interested in a VX-7.
> Anybody done any out-of-band modifications for it?
> Send me your e-mail I have a couple of questions.
>
> -- KG9H
> Best Regards...Frank
>
> Frank Krozel
> Voice 630-924-1600
> Fax 630-924-1668
> Cell 630-890-5421 24/7
> Home 630-653-9090
> Electronic Instrument Associates - Central, Inc.
> website: http://www.electronicinstrument.com
> join the IEEE today! see http://www.ieee.org
>
>
>

459. FS: Collins 75S-3

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 04:51:34 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <qxVN8.434$vq4.17627425@newssvr17.news.prodigy.com>
Source record: 42369
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale a very nice condition 75S-3.
Cosmetically and electronically it is in excellent
condition. $525 + shipping from zip 76001.

Thanks,
Michael

460. Calling For Simple Circuits For Student Projects

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 08:16:11 UTC
From: "William A. Wetzel" <n6rky@circuitsandparts.com>
Message-ID: <fxYN8.1$TE.0@newsread1.prod.itd.earthlink.net>
Source record: 42370

For all the experimenters at large:

I am an electronics distributor during the day, and a part-time college instructor at night. Most electronics stores do not serve students and/or electronics enthusiasts very well in my area. I am setting out to change that (at least in a small way) over the summer.

I am looking for nice simple projects for students to build, especially those which are Amateur Radio related. Besides drawing some from the ARRL publications, I'm hoping to incorporate many from the "traditional tinkerers" at large. If you have a special project that you are especially proud of, which you want to live on... I would be most happy to hear from you.

Best Wishes,
& 73 de N6RKY
--
William A. Wetzel
http://www.circuitsandparts.com

461. 23nd Ed. BILL ORR HANDBOOK F.S.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 10:31:31 UTC
From: Joe Moraine <w5lx@earthlink.net>
Message-ID: <3D0873CD.BD0DCB7@earthlink.net>
Source record: 42371

RADIO HANDBOOK by William I. Orr, W6SAI, 23nd Edition, Published by
Sams, BRAND NEW CURRENT EDITION.
$35 shipped lower 48. (Sells for $54.99 on Amazon.com)

462. Icom EX-627 (in English, Francais, Nederlands, Svenska)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 10:41:04 UTC
From: ab6bc@arrl.net
Message-ID: <bf230924.0206130241.669ddb5f@posting.google.com>
Source record: 42372

I am looking for the ICOM HF AUTOMATIC ANTENNA SELECTOR EX-627 in good condition.

Je suis a la recherche du EX-627 de Icom (selecteur automatique d'antenne HF)

Ik ben op zoek naar de Automatische HF antenne kiezer van Icom model EX-627

Jag sï¿½ker efter en Icom EX-627 automatisk HF antenn vï¿½ljare.

73, Eskil SM5SRR (ON7EV/AB6BC)

ab6bc@arrl.net
http://hem.fyristorg.com/SM5SRR

463. SyntorX HLD4123A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 11:15:44 UTC
From: Paul Freeman <pfreeman@otw.com>
Message-ID: <uggvcfh8r94121@corp.supernews.com>
Source record: 42373
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I'm looking to purchase a Motorola SyntorX receive preamp -- HLD4123A (VHF high band) in good working condition.

Also wanted -- top lid cover for a SyntorX VHF high band.

Please email direct : pfreeman@fiam.net

Paul Freeman

464. FA: Bencher Paddle

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 11:27:25 UTC
From: PCkid <webpub@fastmail.ci>
Message-ID: <1104_1023967645@basic.bs.webusenet.com>
Source record: 42374

Cleaning out the rest of my ham gear so check this out.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1359470558

465. VX-7R, Alignment Menu, how do I scan pre-programmed Marine Band Freqs ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 12:44:08 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0206130444.345fc42@posting.google.com>
Source record: 42375

Anyone know how to get into the Alignment Menu?

How do I scan pre-programmed freqs (Marine band pre-programmed)

thanks,

Ken
N1KK

466. Re: WTB Kenwood TM733A remote cable

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 14:14:15 UTC
From: WS <w9bbb@megsinet.net>
Message-ID: <3d08a61b$0$1407$1dc6e903@news.corecomm.net>
Source record: 42377

Hi there,
Have you tried East Coast parts for the connectors??WS

D. S. Platt wrote:

> I need a remote cable for a Kenwood TM-733A radio (any length). Its now
> obsolete and no dealer appears to have one left. In reality, so long
> as the connectors are in-tact, I can re-do the 4-conductor cable.
> Thanks.
>
>

467. Re: URGENT NEWSFLASH!!! URGENT NEWSFLASH!! SPECIAL OFFER!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 14:29:32 UTC
From: Roger Conroy <rogerconroy@nospam.hotmail.com>
Message-ID: <aeabncehg1@ctb-nnrp1.saix.net>
Source record: 42379

Which Government would that be?

<Jason@hipppqf.co> wrote in message news:13060221.0657@hipppqf.co...
> URGENT NEWSFLASH!!! URGENT NEWSFLASH!!! SPECIAL OFFER!!!!
>
>
> The government has installed BLACK BOXES into ISPs to watch your
> Internet surfing.
>
> When you are targeted, the first you will know is the KNOCK AT YOUR
> DOOR and the JAIL SENTENCE.
>
> If you think you have cleaned your computer - you are WRONG.
> They can recover from your PC every single picture or item you have
> ever watched on the Internet.
>
> You need protection.
>
> You need an Evidence Eliminator.
>
> Click Here -- http://www.evidence-eliminator.com/go.shtml?A657037
>
>

468. Philco-Sierra 164B power/swr meter & slugs advice, please?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 14:35:19 UTC
From: Richard J <nospam@mah.se>
Message-ID: <aeaap5$5r4$1@news.lth.se>
Source record: 42378

Hi group -

I will soon receive a Philco_Sierra 164B power meter (used by US and Swedish military) with two slugs at a good price.
There seems to be a shortage of slugs for sale for these meters (Bird-style, but still not), which makes me wonder about one thing:

I will have one 50W max slug for 50-148MHz. Is it possible to use this slug for higher power measurements also, provided that a homemade shunt on the uA-meter can bring the readings down by factor 10? Or is there sensitive stuff in the slug (or in the meter) that will burn if I try to run say 300W thru it? I am thinking of PIV of older crystal diodes, or bimetal parts, or resistance wire that will burn up when too much RF power is applied...
The meter has a 25uA, linear instrument, BTW, which leads me to believe that the basic construction/concept of it is a RF Voltmeter using a IN34 or similar diode. Havent seen the circuit diagram yet, tho.

All tips and advice appreciated, as always. Or maybe there is a slug for sale at a decent price in this group?

Cheers from Sweden /Rick, SM7SCJ

469. FS: Electronic Universal Vade-Mecum

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 16:20:59 UTC
From: arnoldg@c2i.net
Message-ID: <3d08c544.40206982@news1.c2i.net>
Source record: 42380
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Hello,

This great valve databook is still in stock, but it will now been soon
out of print and difficult to obtain. 660 pages with comprehensive
data on nearly 6000 types - European, Russian and American
manufacture. A lot of curves and operation conditions on each types.
This is a very large book of 29 x 21cm and the weight is 2.5kg
You can find more information and pictures of it at my web site
www.demostenes.no

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

470. Wanted:Repeater Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 16:38:46 UTC
From: William Dale <me@827345.com>
Message-ID: <3D08CA96.A56C02E1@827345.com>
Source record: 42381

Milpitas ARES/RACES owns a Micro Control Specialties 222 MHz Mark 4 repeater system. We need the Installation and repair manual for this unit including circuit diagrams. The system is 15 years old and starting to show its age.

William Dale - N2RHV
ARES Emergency Coordinator,
RACES Radio Officer,
mailto:n2rhv@arrl.net

471. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 16:58:26 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D08CF32.50404@lakefield.net>
Source record: 42382
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $700

Kenwood TM251A 95% $100
Kenwood TM451A 98% $115

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250

All Items Will include manuals, and any
docs that I Have.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street

Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

472. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 17:17:22 UTC
From: drooler@usa.com
Message-ID: <966d37c1.0206130917.659a93e1@posting.google.com>
Source record: 42383

cprstn54zz@att.net (Ken) wrote in message
news:<3d077520.69642281@news-server.optonline.net>...
> On Wed, 12 Jun 2002 15:41:30 GMT, "Hank Oredson" <horedson@att.net>
> wrote:"...> >They forced you to buy one?
> > Yes.
> If worse comes to worst, I will protest by using a $3 Radio Shack 8 AA
> battery holder in a Zip-Loc with a line to the radio. That's what I
> usually do when they play this game..."
AND who said Hams are cheap? I'm sure he's using expensive "Glad
Bags" rather than the cheap store bought ones----
I have to agree, don't buy a Cadallac or Lexus & complain about the
cost of the factory accessories. There are plenty of 2M HT's (Icom,
Alinco etc..) that have Batt holders under $20...

473. HELP - Display just went blank on Yaesu 757GX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 17:43:02 UTC
From: "C. N. Brown" <cnb001@hotmail.com>
Message-ID: <aealju$7dt5$1@news3.infoave.net>
Source record: 42384
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

Just got this radio secondhanded a few days ago. This radio requires a 13.5V power supply, but I've just been using it as a receiver for now, hooked up to my Astron RS12A supply, and worked fine for about 3 days and have been receiving many QSO's from all over. But have never transmitted at all on this radio, don't even have the mic plugged in.

Today when I powered it up, the blue LCD freq display on the front failed to come on. The radio was obviously getting power, and the meter lamp came on, along with speaker output, but no front display. Checked voltage on power supply - putting out 13.71V. Tried the tuning knob but could not tell if the receiver was cycling through freqs or not. Just a fairly steady low hiss of no signal, so I can't tell if the tuner is working or not anymore.

What did I do wrong? Why the sudden loss of the LCD screen? I could not check Amp output on the PS but it is rated at 9A continuous and radio was working fine until today. Has anyone had similar problems with this unit? What can I do to fix it?

Thanks,

C.N. Brown

474. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 17:43:25 UTC
From: cprstn54zz@att.net
Message-ID: <3d08d6eb.9231187@news-server.optonline.net>
Source record: 42385

On 13 Jun 2002 10:17:22 -0700, drooler@usa.com (Arghh!) wrote:
> AND who said Hams are cheap? I'm sure he's using expensive "Glad
>Bags" rather than the cheap store bought ones----
> I have to agree, don't buy a Cadallac or Lexus & complain about the
>cost of the factory accessories.

I use only the best freezer bags as my project boxes. Also Tygon tubing. Both insulate -- and shield well when wrapped in aluminum foil.

Having spent upwards of $3,000 on gear in the last year, I have to economize somewhere.

I understand the marketing strategy, but when it results in $50 battery holders it has gone too far. I probably wouldn't have sqwaked at a list of $30 (a mere 10X FMV) but $50 was just off the scale. They must think we are the US military and have money left over after the $1,000 toilet seats.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

475. Re: Philco-Sierra 164B power/swr meter & slugs advice, please?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 17:53:02 UTC
From: "Robert S. Stein" <w6nbi@earthlink.net>
Message-ID: <3D08DBFE.5000005@earthlink.net>
Source record: 42386

Do not try to use the 164B on higher power by shunting the meter. You
will obtain only relative readings, because the output from the diode
in the slug will no longer be linear. The best way to utilize the
50-watt slug on higher powers is to use a calibrated directional
coupler. There are other ways, but they require a fair amount of test
equipment and a knowing how to adjust/calibrate the slugs.

I know whereof I speak. I wrote and validated the calibration
procedures for the AN/USM-120

Bob, W6NBI

Richard J wrote:
> Hi group -
>
> I will soon receive a Philco_Sierra 164B power meter (used by US and Swedish
> military) with two slugs at a good price.
> There seems to be a shortage of slugs for sale for these meters (Bird-style,
> but still not), which makes me wonder about one thing:
>
> I will have one 50W max slug for 50-148MHz. Is it possible to use this slug
> for higher power measurements also, provided that a homemade shunt on the
> uA-meter can bring the readings down by factor 10? Or is there sensitive
> stuff in the slug (or in the meter) that will burn if I try to run say 300W
> thru it? I am thinking of PIV of older crystal diodes, or bimetal parts, or
> resistance wire that will burn up when too much RF power is applied...
> The meter has a 25uA, linear instrument, BTW, which leads me to believe that
> the basic construction/concept of it is a RF Voltmeter using a IN34 or
> similar diode. Havent seen the circuit diagram yet, tho.
>
> All tips and advice appreciated, as always. Or maybe there is a slug for
> sale at a decent price in this group?
>
> Cheers from Sweden /Rick, SM7SCJ
>
>

476. FS: Drake Station & Synthesizer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 17:57:26 UTC
From: "Robert S. Stein" <w6nbi@earthlink.net>
Message-ID: <3D08DD06.3010408@earthlink.net>
Source record: 42387
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace

Drake R-4 Receiver, T-4X Transmitter, MS-4 Power Supply/Speaker with original manuals. The R-4 comes with several extra crystals, which are really not needed if used with the the frequency synthesizer. $450.00.

Frequency synthesizer for the above, which I designed, built and published in the August 1972 issue of "ham radio" magazine. I will supply an original issue of the magazine (cover slightly torn), as well as schematics of all the circuits which improved performance but were never published. This synthesizer provides complete coverage from 500 kHz to 30 MHz, thus including the WARC bands. $275.00.

If necessary, I will sell the synthesizer separately, but if a buyer takes all, I will reduce the total price to $700.00.

Buyer pays shipping. However, I prefer a pickup in the San Francisco Bay Area or will arrange to meet at a reasonable location.

Bob, W6NBI

477. Re: HT: VOX headset, speaker/mic or boom mic?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 18:22:19 UTC
From: toivo@KatzShu.cfr.usf.edu
Message-ID: <slrnaghomr.j7e.toivo@bandit.net.usf.edu>
Source record: 42388

Ken wrote:
> I've ordered up Yaesu VX-150 handy talkie but couldn't decide on the
> accessory.

Can't really offer advice on the mic/speaker question, depends largely on your intended use (outdoors, loud places, indoors...) I prefer a boom mike myself. However, owning the same unit, I urge you to get something akin to http://www.eham.net/reviews/detail/1268 at your earliest convenience, or at least try one out at a hamfest/store. the rubber duckies have very pathetic performance (though are compact). It's as if I got a new radio when I swapped the antenna :-)

Good luck, and loads of fun with your new toy/tool ;-)

Toivo / KG4OXA

478. Re: Help needed: Yaesu FT-90R separator kit connector bad...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 18:44:48 UTC
From: Robert Myers <rjmyers@raytheon.com>
Message-ID: <3D08E820.2D262111@raytheon.com>
Source record: 42389

Thanks for the input...

However, I was able to stop by a local electronics store and
pick up the coupler for a grand cost of $ 0.89 + sales tax.

Radio now works great...problem solved...

-bob

John P Vassel wrote:
>
> Robert Myers <rjmyers@raytheon.com> wrote in
> news:3D077E0E.E57F497F@raytheon.com:
>
> > I'm having a lot of problems with the connector that came with
> > my FT-90R separator kit. Seems that it will do a number of things:
> >
> > 1) hitting "down" button most of the time causes the system to
> > go "up"
> >
> > 2) pushing PTT may occasionally also cause the channel to change
> > downward
> >
> > 3) hissing sound/sometimes broken connection (mike stops functioning).
> >
> > Apparently Yaesu won't sell this 6-conductor female/female block
> > separately. They want me to send the entire separator kit, possibly
> > with the radio, back to them for their diagnosis.
> >
> > I know it's not the mike at fault, due to plugging it directly into
> > the base and it working 100%. Unfortunately, this does me no good
> > while driving down the road.
> >
> >
> > Any thoughts/ideas??? I've tried getting a 6-conductor block at the
> > local Radio Shack -- seems to not make contact at all (as if it wasn't
> > connecting).
> >
> > -bob
> > kd5rel
> >
>
> Buy the a decent phone crimping set, make sure it's designed to crimp
> across the width of the whole connector. Then, buy some 6 pin modular
> ends. They'll look the same as standard phone connectors, however there

> will be 6 copper pins in the end of them. Then, start looking at one of
> the ends of the suspect cable. You should be able to distinguish some
> colors. Write them down. Also, make reference to which end of the
> connector is towards you, and wether the 'clip' part is up or down when
> writing down your color order. Then, with the power off, and cable
> disconnected, snip the end and crimp on a new one. For someone familiar
> with crimping telco connectors, this really is a 2 min fix. If you're not
> comfortable with it, buy some telephone cable and practice a bit.
> A side note, check the pins in the female (socket part) ends, make sure a
> pin isnt bent flat, or into another pin.
> Good luck
>
> --
> John Vassel
> KC8SKE
> RTFD Volunteer Firefighter

479. Re: Philco-Sierra 164B power/swr meter & slugs advice, please?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 19:18:46 UTC
From: Richard J <nospam@mah.se>
Message-ID: <aearck$9j8$1@news.lth.se>
Source record: 42390

Right, Bob - tnx fer the advice. Since I mailed this request I found out
that this meter is nothing but a
AN/URM-120 (very common and very underrated) meter, so it should not be too
hard to find a high-power slug after all.

I knew I was on the wrong track, when I looked thru ARRL handbooks from the
60:s for info on RF wattmeters - the slugs have diodes that break
down.....so much for that idea :-)

ANyway, I am now in the market for a working URM-120-compatible slug , say
CU754A (25-250MHz, @500W), at a decent price. Any offers appreciated to
sm7scj@qsl.net

Tnx fer your time, Bob, and cheers from Sweden /Rick, SM7SCJ
"Robert S. Stein" <w6nbi@earthlink.net> wrote in message
news:3D08DBFE.5000005@earthlink.net...
> Do not try to use the 164B on higher power by shunting the meter. You
> will obtain only relative readings, because the output from the diode
> in the slug will no longer be linear. The best way to utilize the
> 50-watt slug on higher powers is to use a calibrated directional
> coupler. There are other ways, but they require a fair amount of test
> equipment and a knowing how to adjust/calibrate the slugs.
>
> I know whereof I speak. I wrote and validated the calibration
> procedures for the AN/USM-120
>
> Bob, W6NBI
>
> Richard J wrote:
> > Hi group -
> >
> > I will soon receive a Philco_Sierra 164B power meter (used by US and
Swedish
> > military) with two slugs at a good price.
> > There seems to be a shortage of slugs for sale for these meters
(Bird-style,
> > but still not), which makes me wonder about one thing:
> >
> > I will have one 50W max slug for 50-148MHz. Is it possible to use this
slug
> > for higher power measurements also, provided that a homemade shunt on
the
> > uA-meter can bring the readings down by factor 10? Or is there sensitive
> > stuff in the slug (or in the meter) that will burn if I try to run say
300W

> > thru it? I am thinking of PIV of older crystal diodes, or bimetal parts,
or
> > resistance wire that will burn up when too much RF power is applied...
> > The meter has a 25uA, linear instrument, BTW, which leads me to believe
that
> > the basic construction/concept of it is a RF Voltmeter using a IN34 or
> > similar diode. Havent seen the circuit diagram yet, tho.
> >
> > All tips and advice appreciated, as always. Or maybe there is a slug for
> > sale at a decent price in this group?
> >
> > Cheers from Sweden /Rick, SM7SCJ
> >
> >
>

480. AN/URM-120 slug wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 19:21:48 UTC
From: Richard J <nospam@mah.se>
Message-ID: <aeav5paeo1@news.lth.se>
Source record: 42391

Hi group -

I am looking to buy a working , decently priced slug for the AN/URM-120
(Philco, Sierra 164B etc) pwr meter.
Slug no CU754A (25-250MHz@max 500W) wud be a good start.

Ideas, reasonable offers to sm7scj@qsl.net

Thanks in advance and cheers from Sweden

Rick/SM7SCJ

481. Audio transmitter for car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 20:16:08 UTC
From: bill athanasopoulos <billa@cae.ca>
Message-ID: <aeaui2hph1@dns3.cae.ca>
Source record: 42322

I'd like an audio transmitter to install in a car, in an urban environment with a minimum range of 2 miles. Do you suggest FM or UHF for optimal results?

482. FA: HEATHKIT HW-101 TRANSCEIVER. Parts Alone cost over $50 :-)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 20:36:16 UTC
From: rlucch2098@aol.com
Message-ID: <20020613163616.08349.00001297@mb-cd.aol.com>
Source record: 42392

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1358528145
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

483. fa; Antique AEROTRON WD-11 TUBE with BRASS BASE & PINS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 20:37:52 UTC
From: rlucch2098@aol.com
Message-ID: <20020613163752.08349.00001299@mb-cd.aol.com>
Source record: 42393

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1738993640
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

484. FS: (12)-Millen Ceramic 2-position screw Terminal strips(?) @$12 ppd!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 20:46:43 UTC
From: rlucch2098@aol.com
Message-ID: <20020613164643.08349.00001311@mb-cd.aol.com>
Source record: 42394

Hi Fellas;
I have for SALE:
12 NOS Millen 2-position ceramic terminal strips, like those used on the back
of receivers for speakers, ants. etc!
Price is $12.00ppd
See pic>>
http://www.myradioroom.com/millenfeedthru.jpg
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

485. FS 706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 21:23:00 UTC
From: Edward Dowdy <e.l.IHatespamdowdy@worldnet.att.net>
Message-ID: <T28O8.26088$nZ3.2965@rwcrnsc53>
Source record: 42395
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

ICOM 706MKII w/DSP

Unit is in very good condition. Has spent it's life with me mobile. Has some marks from that use. I will provide pics of those on request. Works 100%. Never a problem. Rig includes new power cord, original HM-103 mic, 13 pin Din connector wired to a DB15 connector (it was that way when I got it), and a new RMK706 mounting kit (OPC-581, MB-62, & MB-63).
217-442-5202

$600.00 Plus actual shipping

486. ft100d question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 21:31:20 UTC
From: gary <sgmm.hurd@verizon.net>
Message-ID: <Ia8O8.38578$gs4.13199@nwrddc02.gnilink.net>
Source record: 42396

Does anyone know if the Yaesu ft-100d has an option for a voice synth for sight impaired people? thanks. Gary/WR1U

--

****
Down the corridor or life in between our death and birth
We may start to lose our way in the search to find our worth
Our value comes in the fact we live
Life is a gift only God can give

Petra

487. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 21:42:07 UTC
From: cprstn54zz@att.net
Message-ID: <3d091174.24215218@news-server.optonline.net>
Source record: 42397

Er.. squawked.
Ken
(to reply via email
remove "zz" from address)

488. Re: FS 706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 21:46:19 UTC
From: lemwnash@aol.com
Message-ID: <20020613174619.23233.00000176@mb-fi.aol.com>
Source record: 42298

this guy is a dick. avoid at all costs

kh6lem

489. Re: FS 706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 21:48:31 UTC
From: Edward Dowdy <e.l.IHatespamdowdy@worldnet.att.net>
Message-ID: <Pq8O8.35341$6m5.12334@rwcrnsc51.ops.asp.att.net>
Source record: 42299
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Oops... I have the manual too.

73,
Ed KA9EES

"Edward Dowdy" <e.l.IHatespamdowdy@worldnet.att.net> wrote in message
news:T28O8.26088$nZ3.2965@rwcrnsc53...
: ICOM 706MKII w/DSP
:
: Unit is in very good condition. Has spent it's life with me mobile.
Has
: some marks from that use. I will provide pics of those on request.
Works
: 100%. Never a problem. Rig includes new power cord, original HM-103
mic,
: 13 pin Din connector wired to a DB15 connector (it was that way when I
: got it), and a new RMK706 mounting kit (OPC-581, MB-62, & MB-63).
: 217-442-5202
:
: $600.00 Plus actual shipping
:
:
:

490. Re: FS 706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 22:08:57 UTC
From: Edward Dowdy <e.l.IHatespamdowdy@worldnet.att.net>
Message-ID: <ZJ8O8.25462$R61.193@rwcrnsc52.ops.asp.att.net>
Source record: 42300

I don't think that was called for Lem.

73,
Ed

"Lemwnash" <lemwnash@aol.com> wrote in message
news:20020613174619.23233.00000176@mb-fi.aol.com...
: this guy is a dick. avoid at all costs
:
: kh6lem

491. VX-7R IS in fact waterproof!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 22:59:55 UTC
From: edhall_consultant@yahoo.com
Message-ID: <f6269fd5.0206131459.6ae11464@posting.google.com>
Source record: 42301

Well I found out to day that the Yaesu VX-7R is as they claim
waterproof.

I was on vacation and accidentally dropped it and the Motorola FRS
radio I was carrying over the side of the boat. It lay at the bottom
of (Rainy Lake) 7 feet of water for about 45 minutes while I got
brave enough to go in after it.

Man that water was cold!

The radio worked fine. I am however letting the FRS dry out real good
before trying it.

I used the one feature I thought was not really worthwhile.

Ed
KA9YNX

492. FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 23:02:31 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <aw9O8.60511$pw3.1555@sccrnsc03>
Source record: 42302
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

* Kenwood TS-130S in excellent condition
* MC 35-S Noise Cancelling Hand Mic
* Optional YK-88SN 1.8KHz SSB Filter included
* Optional YK-88C 500Hz CW Filter included
* Power Cable
* Instruction Manual
* Full Service Manual

- 80 thru 10 meters, 100 watts all bands.
- Non smoker, never mobile.

$350.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

493. FS: Yaesu FT-2500M 2 Meter FM Mobile Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 23:03:27 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <3x9O8.176105$352.9100@sccrnsc02>
Source record: 42303
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

* Yaesu FT-2500M 2 Meter FM Mobile Transceiver in excellent condition
* Touch Tone Hand Mic
* Power Cable
* Mounting Bracket
* Instruction Manual
* Original Packing and Box

- Rugged MIL-SPEC 810 compliant for shock and vibrations.
- 5/15/50 watts output.
- Non smoker.

$130.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

494. Maxon pm150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-13 23:26:27 UTC
From: "Paul Henry"
Message-ID: <ZN9O8.24065$sC4.3094054@news6-win.server.ntlworld.com>
Source record: 42304

Hi there

I have just been given one of the above radios a Maxon PM150 it was given to me with no information just that it was working wich it is not now when I power it up just the chanel lights light up and no display.

Does anyone have any info on these radios apart from whats available out of the broucher and mainly how are these sets reprogramed I persume its through the mic socket like the motorola range.

If anyone could help me out with this set I would be very gratefull.

thanks
Paul

495. Re: VX-7R IS in fact waterproof!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 01:47:10 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <aebgstqdv1@news1.kornet.net>
Source record: 42305

Thanks for the beta test, Ed. :)

73
Brenda Ann
HL2/K7BAD

"Ed" <edhall_consultant@yahoo.com> wrote in message
news:f6269fd5.0206131459.6ae11464@posting.google.com...
> Well I found out to day that the Yaesu VX-7R is as they claim
> waterproof.
>
> I was on vacation and accidentally dropped it and the Motorola FRS
> radio I was carrying over the side of the boat. It lay at the bottom
> of (Rainy Lake) 7 feet of water for about 45 minutes while I got
> brave enough to go in after it.
>
> Man that water was cold!
>
> The radio worked fine. I am however letting the FRS dry out real good
> before trying it.
>
> I used the one feature I thought was not really worthwhile.
>
> Ed
> KA9YNX

496. FS. radio shack pro 90 300 channel trunk tracker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 02:15:33 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <9lcO8.7293$u86.134860@twister.kc.rr.com>
Source record: 42306
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

This is a radio shack pro 90 300 channel trunk tracker handheld scanner with
a brand new battery pack with nickel metal hydride batteries.
Freq range 29-956 mhz
Works and looks great condition.
Also has new belt clip.
Comes with ac/charger antenna and service manual.
You can download the manual from radio shacks web site.
$130 shipped lower 48 states ups insured.
E-mail me direct or for pics of scanner.

497. FS: IC-Q7a

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 02:19:07 UTC
From: fendelhessi@yahoo.com
Message-ID: <99d181e3.0206131819.612b952c@posting.google.com>
Source record: 42307
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale.....

Icom IC-Q7a
Dual band mini handheld
TX 2/440, 350 mw
RX 30mHz - 1300mHz
FM, WFM, AM
Out-of-band TX mod done
Excellent condition
Original box, manual and AA battery charger

$110 shipped (CONUS)

Contact: Jim
email: fendelhessi@yahoo.com

498. FS radio shack dx-394 with mods

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 02:28:18 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <6xcO8.7301$u86.135634@twister.kc.rr.com>
Source record: 42308
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

The radio shack dx-394 receiver looks and works great.
Has agc switch and back of unit has noise blaner mod has cross talk mod has chuff mod has audio hiss mod.
Am lsb usb cw1 cw2 2 clocks sleep timer 160 memories and much more.
Comes with original manual and antenna plugs in to ac or dc with optional dc cable.
$160 shipped lower 48 states ups insured.
E-mail me direct or for pics of radio.

499. KENWOOD TK-705 MANUAL WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 02:45:24 UTC
From: gervais <gfillio1@globetrotter.net>
Message-ID: <8NcO8.2270$pO4.23731@charlie.risq.qc.ca>
Source record: 42309

HI ALL,thanks for reading.
i am looking for a manual of a commercial KENWOOD RADIO TK-705?
is it suppose to be possible to programm it via an interface and a software
like the Motorola commercial rado?

let me know
gervais
ve2ckn
ve2ckn@rac.ca

500. Re: FT-50R = Help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 02:45:25 UTC
From: gervais <gfillio1@globetrotter.net>
Message-ID: <9NcO8.2271$pO4.23731@charlie.risq.qc.ca>
Source record: 42310

hi paul,
i have one and the audio have never been a success.
with the time,if i knew,i would have baught an ft-530 or 470.
it is not that the radio is bad but it didnot gave me what i was looking for
.
mine is all open on bands ,but it is sounding great

73/s
gervais
ve2ckn@rac.ca

"Paul London" <ki4xz@isni.net> a crit dans le message news:
a8q25u02iu5@enews1.newsguy.com...
> Audio on my Yaesu FT-50R needs to be adjusted. Does someone have
> proceedure instructions for opening rig and adjusting the necessary pots.
> Would appreciate e-mail answer if possible, if not I will continue
checking
> this page.
>
> 73 & thanks
> --
> Paul London ki4xz
> ki4xz@isni.net
>
>

501. FS/FT: AMD K6-2 500mhz CPU and fan BRAND NEW

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 02:52:22 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020613225222.25805.00000923@mb-fh.aol.com>
Source record: 42311

I am selling an AMD K6-2 500mhz CPU and fan. I bought these recently on the internet because I had a problem with my old computer. After buying them, I decided to just upgrade completely, so now I don't need them. I am selling them for best offer or willing to trade for ham radio gear. Please email me directly if interested.

=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-

73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

502. Re: FS. radio shack pro 90 300 channel trunk tracker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 03:02:19 UTC
From: Just Joe <nospam@rr.com>
Message-ID: <a4nigukbqpeh86npl48qr1tgs0t4bn4qmp@4ax.com>
Source record: 42312
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

On Thu, 13 Jun 2002 21:15:33 -0500, "Magnum45" <Magnum45@mn.rr.com>
wrote:

>This is a radio shack pro 90 300 channel trunk tracker handheld scanner with
>a brand new battery pack with nickel metal hydride batteries.
>Freq range 29-956 mhz
>Works and looks great condition.
>Also has new belt clip.
>Comes with ac/charger antenna and service manual.
>You can download the manual from radio shacks web site.
>$130 shipped lower 48 states ups insured.
>E-mail me direct or for pics of scanner.
>

$130 for a Pro-90?? I don't think so.

503. FS or Trade list 06-14-2002

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 03:18:42 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <mgdO8.185455$cQ3.5455@sccrnsc01>
Source record: 42313

Please if you have questions or want to make a trade contact me off list at my e-mail address. gundoc@i... Some of these lists are not swap lists and only tolerate my post because it is only once a week. To the group owners thank you for letting me continue

to post to the group.
Dean

GE Portables

GE MRK II UHF Scan 192 channel 2 line Alphanumeric display. Rapid charger, Speaker mic, extra battery, and leather case. $450.00

GE MPA VHF 146-162 full system keypad. Radio is as new and is almost perfect. The only flaw is the grip tape under the PTT button is peeling at the edges. Otherwise perfect. The next feature is, The radio is Key pad programmable. 16 channel scan and front face programmable. Has a like new battery and a good rapid charger. Also a belt clip. $500.00

GE MPA VHF Scan 157 - 174 split. 192 channels. Nice radio 8.5 condition with battery and standard charger. I have it programmed down to 154 MHz with no trouble but will go no lower. $225.00

GE MPA UHF Scan 440 - 470 192 channel scan. Radio works great. A little paint wear on the edges but I have seen worse. With charger and battery. $225.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display. With battery and standard charger. 7-7.5 $85.00

GE MPD scan VHF 150.8 174. 48 channel alphanumeric display. These look good and come with a battery and standard charger. 125.00 each.

MPD Voice Guard VHF system model with full keypad. 48 channel alpha display. With battery and standard charger. $135.00

GE KPC 300 VHF 16 channel scan. Nice radio with battery and antenna. No charger with this one. $100.00

GE KPC 400 UHF 16 channel scan. Full DTMF pad on this radio. This one has a charger. $195.00

GE PCS VHF 2 channel. Like new 9.5-10 condition. 150 -170 MHz. With battery, antenna, leather case, and pocket charger. $100.00 each. 2 available.

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170
but I have programmed these in the ham band with no trouble. These
have battery, antenna, and standard charger. $90.00 each
I have 7 of these.

GE PLS UHF 16 Channel. 8 to 8.5 also. 450 - 470 split but I can
program these to the ham band. With battery, Antenna, and Charger.
$90.00 each. Have 3 of these.

GE MPS VHF Like new 12 channel. With new battery, new antenna, and a
standard charger. $70.00

GE MPS VHF 12 channel. 8.5 condition. New antennas and NOS batteries
Standard charger. $65.00 each have 2.

GE MPS UHF 48 channel. 8 = 8.5 condition, These have NOS batteries
And have 4 banks of 12 channels. These can go to the ham band. I have been
Using one of these on my ham repeater and it works great. $75.00 each
I have 8 of these.

GE UHF MPS 8 channel with 8 different tones. 8 different tones can be
Selected for each different channel. Battery and antenna. $65.00

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1
good battery. With 1 dual slot charger. $200.00 all 3 radios.

GE Monogram VHF 10 channel portable. 157-179 split. ex CSX radio. I
sold this radio a year ago but have taken it on trade. Condition 8
with belt clip and charger. I had this radio run for stolen from CSX
by a local CSX Special Agent when I first bought these in a lot and was
told that it had been sold at salvage. Perfect for a RR Museum or
shortline on a budget. This could also be programmed for marine frequencies.
Like new tall Battery. $100.00

GE Mobiles

GE Phoenix SX VHF 128 channel scan. With Mic, Has all 8 proms.
$100.00

GE MVS VHF 16 channel Scan 150- 170 MHz. with mic. tested $125.00

GE MVS 800 conventional 2 channel. With mic tested OK $75.00

GE MLS UHF 8 channel. With Mic, power cord and hang up box. MLSU240
450. - 470 Looks good. $125.00

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00
each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr
II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that
I have seen marked Ericsson) $65.00

.GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger. 16 channel model has short cable and some handle bar mounts. Mic included but no speaker. Not tested yet since I just got it in. $50.00

GE Mobile Vehicle Adapter for MPA, MTL, MPD, and TPX. This unit charges your battery and turns your portable into a mobile radio. (Convert a Com) With mic, speaker, and power cable. $100.00

GE Accessories

GE TQ 2310 suitcase programmer. Has PLS, Phoenix, Delta s/sx, Voice Guard, MPS, and Ranger. Printer is working Has manual for the programmer and the computer. Has Phoenix cable and Voice guard cable. All in the original GE case tested and working. $850.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $5.00

Mastr II Mic. $5.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $30.00. I have seen programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5. $4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and 162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50 each.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each.

GE Delta cables. These are the downloading type used with the S820 heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE MPA, MPD, MTL standard Speaker mic. $25.00

GE PCS Universal charger. With wall transformer $20.00 each

GE MPA standard chargers. $20.00 each

GE MPA Rapid chargers. $30.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a rapid rack charger with a DB 15 cable and uses a MPD body to attach a battery to. Has LED readout in display area of MPD body to tell discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card and power supply / speaker. $300.00

Other Radios and Accessories

Icom 3200 a Dual band ham radio. Has box and manual but no mounting bracket. Has tone squelch board installed. $200.00

Icom IC 24-at Dual band Portable. In good shape, Display has no scratches and only 1 small patch of the paint is peeled off of the back of this radio. With manual and wall charger. $165.00

ADI AT 201. 2 meter portable nice like new and in the box with the manual. Has 5 watt battery and wall charger. $90.00

Yaesu ft 2400 2 meter mobile. Has Mounting Bracket and manual. Nice 2 meter Radio. $125.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great. This was in my van before I added another MVS so I know it works. $100.00

Maxon 5050a Low band portable pair. Like new condition with 1 battery charger but I will split up the pair if someone wants 1 radio only. 6 channels programmed for 10 meter ham band on 2 repeater pair and 4 simplex frequencies. 2 radios and 1 charger $185.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by Midland. $75.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$75.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of crystals for each radio. Also have a working battery and charger for each. I have 4 of these. $50.00 all

Uniden SMS 825 TS, 800 MHz Dash mount radio. $55.00

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work with the sp2000 as well.$35.00

Consignment section

This area is for a few friends who like those other radios you know "Motorola" They are good people and I will pass along any trades you may wish to make.

MOTOROLA X9000 VHF 50 watts, alphanumeric head, Siren complete. $425.00

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola P200 UHF high power. 6 channel. $150.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Want List not FS
Extra parts for suitcase programmers. Data modules, Printers, cables, proms, Anything you have extra. MPA or MPD portables what do you have and what do you want for them? Johnson scorpion program cable.

Terms
All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a

question E-mail me.
Dean
Contact me off list at. Gundoc@i...

504. Re: Question on VX-7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 04:16:59 UTC
From: ZOOM <kandrparker@sympatico.ca>
Message-ID: <17eO8.6480$z56.1333500@news20.bellglobal.com>
Source record: 42314

Would not mod it unless your absolutely sure. Blowup the processor and you
have a pretty paper weight!
"Steve Bossert" <kc2gog@amsat.org> wrote in message
news:0tVN8.14931$MW2.939654@news4.srv.hcvlny.cv.net...
> it should be easy like most yaesu radios, i went to the FCC website
> (fcc.gov/oet/fccid) to research it a few months ago and did notice a row
of
> jumpers under the battery door. i dont have the radio (yet) but if you
> follow the vx-5r mod it should be similiar
>
>
> "Frank Krozel" <frank@electronicinstrument.com> wrote in message
> news:nbUN8.3525$NQ1.2153@newsread2.prod.itd.earthlink.net...
> > I am interested in a VX-7.
> > Anybody done any out-of-band modifications for it?
> > Send me your e-mail I have a couple of questions.
> >
> > -- KG9H
> > Best Regards...Frank
> >
> > Frank Krozel
> > Voice 630-924-1600
> > Fax 630-924-1668
> > Cell 630-890-5421 24/7
> > Home 630-653-9090
> > Electronic Instrument Associates - Central, Inc.
> > website: http://www.electronicinstrument.com
> > join the IEEE today! see http://www.ieee.org
> >
> >
> >
>
>

505. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 05:21:23 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <n3fO8.36357$LC3.2735499@bgtnsc04-news.ops.worldnet.att.net>
Source record: 42315

"Ken" <cprstn54zz@att.net> wrote in message
news:3d08d6eb.9231187@news-server.optonline.net...
> On 13 Jun 2002 10:17:22 -0700, drooler@usa.com (Arghh!) wrote:
> > AND who said Hams are cheap? I'm sure he's using expensive "Glad
> >Bags" rather than the cheap store bought ones----
> > I have to agree, don't buy a Cadallac or Lexus & complain about the
> >cost of the factory accessories.
>
> I use only the best freezer bags as my project boxes. Also Tygon
> tubing. Both insulate -- and shield well when wrapped in aluminum
> foil.
>
> Having spent upwards of $3,000 on gear in the last year, I have to
> economize somewhere.
>
> I understand the marketing strategy, but when it results in $50
> battery holders it has gone too far. I probably wouldn't have sqwaked
> at a list of $30 (a mere 10X FMV) but $50 was just off the scale.
> They must think we are the US military and have money left over after
> the $1,000 toilet seats.
>
> Ken KC2JDY
>
> Ken

You can get MIL spec toilet seats for only $1000? (Grin)

Many cell phones have a similar problem: batteries cost way more
than seems reasonable. Have had good luck with www.batteries.com
though ... reasonable prices, quick delivery.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

506. Re: URGENT NEWSFLASH!!! URGENT NEWSFLASH!! SPECIAL OFFER!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 05:25:53 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <B7fO8.36360$LC3.2735119@bgtnsc04-news.ops.worldnet.att.net>
Source record: 42316

You know the one ... black helicopters ... "New World Order".

Wonder if he sells the aluminum hats to ward off the rays
from the government spy satellites as well?

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Roger Conroy" <rogerconroy@nospam.hotmail.com> wrote in message
news:aeabncehg1@ctb-nnrp1.saix.net...
> Which Government would that be?
>
>
> <Jason@hipppqf.co> wrote in message news:13060221.0657@hipppqf.co...
> > URGENT NEWSFLASH!!! URGENT NEWSFLASH!!! SPECIAL OFFER!!!!
> >
> >
> > The government has installed BLACK BOXES into ISPs to watch your
> > Internet surfing.
> >
> > When you are targeted, the first you will know is the KNOCK AT YOUR
> > DOOR and the JAIL SENTENCE.
> >
> > If you think you have cleaned your computer - you are WRONG.
> > They can recover from your PC every single picture or item you have
> > ever watched on the Internet.
> >
> > You need protection.
> >
> > You need an Evidence Eliminator.
> >
> > Click Here -- http://www.evidence-eliminator.com/go.shtml?A657037
> >
> >
>
>

507. Info needed alinco djv5th

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 05:49:41 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <VtfO8.5636$mp1.163710@twister.rdc-kc.rr.com>
Source record: 42317
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi does any one know how much power you get with the dry cell battery pack
on the alinco djv5th?
Thanks for any help
Please e-mail me direct.

508. Re: Question on VX-7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 06:15:52 UTC
From: cprstn54zz@att.net
Message-ID: <3d098a05.773578@news-server.optonline.net>
Source record: 42318

On Thu, 13 Jun 2002 03:19:47 GMT, "Frank Krozel"
<frank@electronicinstrument.com> wrote:

>I am interested in a VX-7.
>Anybody done any out-of-band modifications for it?
>Send me your e-mail I have a couple of questions.

See: http://www.icongrp.com/~sllewd/VX7Rmods.html

Ken
(to reply via email
remove "zz" from address)

509. FA: 2 large boxes of new tubes (over 100)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 10:10:43 UTC
From: GaryH <webpub@fastmail.ca>
Message-ID: <l7jO8.4964$x21.477036@e3500-atl1.usenetserver.com>
Source record: 42319

Check out these new tube.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1740247843

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1740248940

510. 70cm PA on 4CX250

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 11:01:26 UTC
From: Bizon <bizongod@poczta.fm>
Message-ID: <aedjq8$m07$1@news.tpi.pl>
Source record: 42325

Hi !
Have anyone schematic of 70cm PA on 4CX250
(single tube) ?

Thanks
Bizon

511. 3 tubetesters FS.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 13:39:26 UTC
From: m38 <m38@cox-internet.net>
Message-ID: <ugl6k1ji8mt01d@corp.supernews.com>
Source record: 42334

FS: TV-2 (B) mutual conductance tubetester in excellent condition. Works good. This is the one with 5 meters on it. $300.

Hickok 539A mutual conductance tubetester in excellent condition. This has 3 meters on it. $250.

Sencore TC-130 tubetester. This is an easy to use tubetester with recent chart. Excellent condition. $50.

512. HF amp FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 14:02:04 UTC
From: wavelengthham <w9jcm@REMOVETHISreno.quik.com>
Message-ID: <wHmO8.191$6M5.1206@newsfeed.intelenet.net>
Source record: 42320
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

N6ZU build amplifier Peter dahl supply, runs 2 new emiac 4-400A tubes 10-80Meters, has vacume varaiable, you wont find a better built amp around. No sparks no arcking. Full Power out. Less than 2 years old and very little use. CLiff builds um tuff to last. Paid $900.00 Makeme a offer (NO LOWBALLERS) no trades

John
W9JCM

513. Re: HF amp FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 14:03:02 UTC
From: wavelengthham <w9jcm@REMOVETHISreno.quik.com>
Message-ID: <qImO8.192$6M5.1217@newsfeed.intelenet.net>
Source record: 42321
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Also comes with another pair of emiac 4.400s full output.
"wavelengthham" <w9jcm@REMOVETHISreno.quik.com> wrote in message news:...
> N6ZU build amplifier Peter dahl supply, runs 2 new emiac 4-400A tubes
> 10-80Meters, has vacume varaiable, you wont find a better built amp
around.
> No sparks no arcking. Full Power out. Less than 2 years old and very
little
> use. CLiff builds um tuff to last. Paid $900.00 Makeme a offer (NO
> LOWBALLERS) no trades
>
> John
> W9JCM
>
>

514. Re: Question on VX-7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 15:22:08 UTC
From: Zillig Wolfgang <zillig@hoki.ibp.fhg.de>
Message-ID: <1103_1024068128@news.fhg.de>
Source record: 42323

You should have a look at http://www.mods.dk/

Wolfgang

Am Fri, 14 Jun 2002 06:15:52 GMT hat cprstn54zz@att.net (Ken) geschrieben:
> On Thu, 13 Jun 2002 03:19:47 GMT, "Frank Krozel"
> <frank@electronicinstrument.com> wrote:
>
> >I am interested in a VX-7.
> >Anybody done any out-of-band modifications for it?
> >Send me your e-mail I have a couple of questions.
>
> See: http://www.icongrp.com/~sllewd/VX7Rmods.html
>
>
>
> Ken
> (to reply via email
> remove "zz" from address)

515. FS: Alinco DX70TH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 16:28:25 UTC
From: W4PHM <w4phm@arrl.net>
Message-ID: <aed5nj$e0s$1@slb0.atl.mindspring.net>
Source record: 42324

For Sale,

1 year old, never mobile, a 10 out of 10 operationally and
aesthetically.

This is the 100 watt all mode HF +6 model. Detachable control
panel, IF shift and built in narrow filter, Full break in for CW and
100 Memory channels. General coverage receive.

Original Box and manual. Will ship CONUS $450.00 firm.

Thanks for reading this post.

Patrick Mason
W4PHM
367 Red Oak Dr.
Hopewell VA, 23860
W4PHM@ARRL.NET

516. Re: Wanted: Icom EX-627 and UT36

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 20:32:42 UTC
From: g8ebm@compuserve.com
Message-ID: <e7e176dd.0206141232.13a3469d@posting.google.com>
Source record: 42326
Cross-posted to: uk.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Pleased to say that the news groups work!

I now have both the EX-627 and UT36

73 Steve G8EBM

g8ebm@compuserve.com (Steve G8EBM) wrote in message
news:<e7e176dd.0205250147.5e7e7ee1@posting.google.com>...
> I am looking to buy two Icom accessories that are no longer available from Icom
>
> 1: an Icom EX627 aerial slection unit
>
> 2: an Icom UT36 voice synthesiser unit
>
> both for use with an Icom 781.
>
> Willing to buy from anywhere in the world. Can arrange collection by UPS.
>
> 73 Steve G8EBM
>
> QTHR and via email g8ebm@compuserve.com

517. Looking for help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 20:46:56 UTC
From: N G <vze26gh4@verizon.net>
Message-ID: <4DsO8.441$Ss3.201@nwrddc04.gnilink.net>
Source record: 42327

Looking for old articles: Available anywhere? Thanks in advance

L. Studebaker, "Simple, Low-Cost Computer Control for the ICOM IC-720," QST, July 84, p. 34.

R. Bisbey, "Computer Control of ICOM R-71, 271, 471 and 751 Radios," Ham Radio, April 86, p. 47.

C. Bahr, "Simple ICOM IC-735 to C-64 Interface," Ham Radio, March 87, p. 39.

518. Yaesu FTL-2001 - Programming HELP ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 20:59:10 UTC
From: LEX-Lutor <lex-lutor@post.hinet.hr>
Message-ID: <aedlas$8o50$1@as201.hinet.hr>
Source record: 42328
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I have lot of Yaesu prog.soft but there is not FTL-2001 model. Is there any other model or software compatibile with this radio ???

PS: What pins are used for programming ???

519. Vintage RCA 300 mA Panel Meter - Works Great - Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 23:01:35 UTC
From: Dan Long <w4tq@mindspring.com>
Message-ID: <aedspj$n0v$1@slb7.atl.mindspring.net>
Source record: 42329

Vintage RCA 300 mA Panel Meter - Works Great - Ebay

This is a beautiful 300 milliampere (DC) RCA panel meter. It has a very smooth movement. The meter front is 3" square. It requires a 2.75" mounting hole.

For auction on Ebay, click on:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1358261210&ssPageName=ADME:B:LC:US:1

I will be glad to provide additional information. Contact me at w4tq@mindspring.com

520. Heavy Duty 2-Pole Rotary Transmit Switch - Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-14 23:19:45 UTC
From: Dan Long <w4tq@mindspring.com>
Message-ID: <aedu21$vt9$1@slb5.atl.mindspring.net>
Source record: 42330

Heavy Duty 2-Pole Rotary Transmit Switch - Ebay

If you're looking for a big switch for that amplifier project, this may be it. As you can see, it is superbly designed. Each section is a single pole, with 11 positions. The overall width is 3.375". The overall length is 3.375". The shaft diameter is .25".

For auction on Ebay, click on:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1358261951&ssPageName=ADME:B:LC:US:1

I will be glad to provide additional information. Contact me at w4tq@mindspring.com

521. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 00:24:56 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D0A8958.6030107@lakefield.net>
Source record: 42331
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $700

Kenwood TM251A 95% $100
Kenwood TM451A 98% $115

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250

All Items Will include manuals, and any
docs that I Have.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street

Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

522. Clegg FM-76 220 MHz Local/Remote Mod????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 00:40:32 UTC
From: motg@stratos.net
Message-ID: <efd5c18c.0206141640.6d03642c@posting.google.com>
Source record: 42332

As you know the Clegg FM-76 and the Midland 13-509 are vintage 220 MHz crystal transceivers. I own 3 of these radios that I have picked up at hamfest through the years. Almost every one I have ever seen incorporates a modification that appears to be a means of trunk mounting the radio. Does anyone know why this mod was so popular (I'm guessing that theft may have been a big issue as the radio resembles a CB).

Does anyone have a copy of the mod or know where it appeared (Ham Radio Magazine, 73, CQ, QST??)

I would love to get a copy of the mod if you have it.

Thanks and 73,
Frank K9IC

523. FS: MX320 800mhz with charger & has DPL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 01:17:34 UTC
From: 800mhz <pottsladd13@yahoo.com>
Message-ID: <OAwO8.41986$UT.2848738@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42333
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

Motorola MX320 crystal controlled 800mhz conv. portable with DPL board and
rapid charger.
$20.00 shipped
thnx
please email direct

524. Lem Nash; What a piece of work!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 01:42:19 UTC
From: Gerald Schmitt <KK5YY@ARRL.NET>
Message-ID: <sq4lgu4occv390p3ub2r0kcs51149nsggr@4ax.com>
Source record: 42335

Some refreshing intelectual input from
Mr. Nash. What an asshole. No wonder
he has no credibility.

"well then dont read it you jerk.
somehow you never change.
same ass hole as always.
go flame murray or some of you other
targets. "

"you always jump in a discussion and
have nothing to offer. notice you posted
nothing concerning a 775dsp.
get lost big time"

"you are just as stupid as always.
you have never had a 775dsp.
you and your wife are queer folk.
get it asshole or do you prefer to
call me on the phone so i can tell you
what a dick licker you are"

"you are also a coward . just ask
anyone that has dealt with you.
got it boy. a coward."

"whats wrong , dick breath. no guts
lets get it on!"

End of words of 'wisdumb' from Lem Nash I can't help but wonder
if Mr. Nash drinks or perhaps has some other substance
abuse problem.

With all the above sent to my mailbox I sure wonder
why I ever valued Gary Fibre's word over this
gentleman's.

Lem baby I'm in Alaska and the salmon are
running sorry but I don't have any time for a loser
like you. While I'm away perhaps you'll find time
to grow up; your grade school antics certainly don't
impress or intimidate me and I'm sure you have made
a lasting impression on those who might do
business with you.

I have asked you nicely not to spam my mail box
so now you are on auto forward to abuse@aol.com

Oh and yes I may have owned a 775DSP but you have no
way to know do you?

525. Re: Lem Nash; What a piece of work!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 02:05:13 UTC
From: lemwnash@aol.com
Message-ID: <20020614220513.23242.00000485@mb-fi.aol.com>
Source record: 42336

same old gerald ,faking e mails from
me and everyone else. this guy(gereald)
is nuts.
he has been cited by the fcc several
times.
he never quits

lem khlem

526. gerald schmitt-insane

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 02:12:27 UTC
From: lemwnash@aol.com
Message-ID: <20020614221227.08717.00001719@mb-fi.aol.com>
Source record: 42337

go pick on murray for awhile. at least try to spread your venom around a little

kh6lem

527. New Site Advertisement

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 02:41:52 UTC
From: res0y601 <res0y601@verizon.net>
Message-ID: <QPxO8.5351$uX3.3270@nwrddc01.gnilink.net>
Source record: 42338
Cross-posted to:
aus.radio.amateur.misc,fr.rec.radio.amateur,nl.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.antenna

```
New site www.qslonline.net
QSL Card via email
Many extras

Keith B Wilkinson
```

528. TS-450S Audio OK receives static only! No signals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 02:46:41 UTC
From: Pablo Lewin <pablotwa@earthlink.net>
Message-ID: <IUxO8.2954$LN6.33@newsread1.prod.itd.earthlink.net>
Source record: 42339

TS-450S Audio OK receives static only! No signals Reply
by WA6RSV on June 14, 2002 Mail this to a friend!
Hi and thank you for reading this

I turned on my TS-450S today and all I can hear is static and good audio but not ONE signal...I checked x-mit and it's fine and I know the antenna is fine because I connected my stand-by HF and it receives plenty good.

it is puzzling that when I connect the antenna the level of static goes up as if were receiving normally yet it does not receive ONE station on ANY band.

Any ideas?

Thanks

Pablo Lewin
WA6RSV

RE: TS-450S Audio OK receives static only! No sign Reply
by WA6RSV on June 14, 2002 Mail this to a friend!
I am adding additional information....I seem to be receiving strange harmonics every 25kcs (I am sober by the way :-)) also I fired up my stand-by hf on 14,200 CW 100watts to a dummy(arbitrarily) and I can find the signal on the TS-450 at all!!, harmonics and plenty of static but no zero beat...puzzling....any ideas??

Thanks

Pablo Lewin
WA6RSV

529. VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 04:30:12 UTC
From: joel@generators.com
Message-ID: <9f2570a7.0206142030.6d70581f@posting.google.com>
Source record: 42340

Does anyone know if the VX-7R will TX in the AM mode in the aircraft band if the freeband mod is performed? My read on the specs is that it will TX 1 Watt of AM at 50 Mhz. If anyone has performed the mod, could they investigate the possibility of AM TX in the aircraft band. If so, how much power is it producing? Thanks.

530. FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 04:45:04 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <gDzO8.75271$pw3.3696@sccrnsc03>
Source record: 42341
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

```
* Kenwood TS-130S in excellent condition
* MC 35-S Noise Cancelling Hand Mic
* Power Cable
* Instruction Manual
* Full Service Manual

- 80 thru 10 meters, 100 watts all bands.
- Non smoker, never mobile.

$295.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com
```

531. FS: Yaesu FT-2500M 2 Meter FM Mobile Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 04:46:04 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <gEzO8.191174$352.11484@sccrnsc02>
Source record: 42342
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

* Yaesu FT-2500M 2 Meter FM Mobile Transceiver in excellent condition
* Touch Tone Hand Mic
* Power Cable
* Mounting Bracket
* Instruction Manual
* Original Packing and Box

- Rugged MIL-SPEC 810 compliant for shock and vibrations.
- 5/15/50 watts output.
- Non smoker.

$130.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

532. Free ICOM, YAESU and KENWOOD Ham Radio Manuals for download

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 04:53:15 UTC
From: zaqqy123@yahoo.com
Message-ID: <d07585b3.0206142053.6f5bd065@posting.google.com>
Source record: 42343

I stumbled across this extremely useful and well done web page for free radio manual downloads for Icom, Kenwood, and Yaesu radios and accessories both current stuff and older rigs as well.

Schematic diagrams are included with most. It includes complete service mnauals also for a few of the products. A great find!

http://www.ab7sl.com/index.html?row1col2=links.html

John Smith - KB9BMB 73'

533. Re: VX-7R IS in fact waterproof!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 05:48:05 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aeekeo$2u3c$1@madmax.keyway.net>
Source record: 42344

You might pull the battery, open it up and leave it in a warm
spot overnight. Once a little moisture gets in, it moves around
and electrolysis does it's damage.

Not many "waterproof" radios survive full submergence without
immediate inspection and intervention.

Good luck.

Jim

"Ed" <edhall_consultant@yahoo.com> wrote in message
news:f6269fd5.0206131459.6ae11464@posting.google.com...
: Well I found out to day that the Yaesu VX-7R is as they claim
: waterproof.
:
: I was on vacation and accidentally dropped it and the Motorola FRS
: radio I was carrying over the side of the boat. It lay at the bottom
: of (Rainy Lake) 7 feet of water for about 45 minutes while I got
: brave enough to go in after it.
:
: Man that water was cold!
:
: The radio worked fine. I am however letting the FRS dry out real good
: before trying it.
:
: I used the one feature I thought was not really worthwhile.
:
: Ed
: KA9YNX

534. Re: Free ICOM, YAESU and KENWOOD Ham Radio Manuals for download

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 05:56:23 UTC
From: CJ <difficult@times.com>
Message-ID: <ugllobjne8av17@corp.supernews.com>
Source record: 42345

HI John,
Thanks for posting this great link. I found 2 Yaesu manuals I had
been after for some time and totally free by just downloading them. Now
with this FT-101e service manual I think I can get this old Yaesu rig
back on the air...thank you very much

- 73

> Schematic diagrams are included with most. It includes complete
> service manuals also for a few of the products. A great find!
>
> http://www.ab7sl.com/index.html?row1col2=links.html
>
> John Smith - KB9BMB 73'

"John Smith" <zaqqy123@yahoo.com> wrote in message
news:d07585b3.0206142053.6f5bd065@posting.google.com...
> I stumbled across this extremely useful and well done web page for
free
> radio manual downloads for Icom, Kenwood, and Yaesu radios and
> accessories both current stuff and older rigs as well.
>
> Schematic diagrams are included with most. It includes complete
> service mnauals also for a few of the products. A great find!
>
> http://www.ab7sl.com/index.html?row1col2=links.html
>
> John Smith - KB9BMB 73'

535. Re: Free ICOM, YAESU and KENWOOD Ham Radio Manuals for download

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 06:02:17 UTC
From: washingtonham@yahoo.com
Message-ID: <3d0ad81e.5033684@news.verizon.net>
Source record: 42346
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.antenna

On Fri, 14 Jun 2002 22:56:23 -0700, "CJ" <difficult@times.com> wrote:

>HI John,
> Thanks for posting this great link. I found 2 Yaesu manuals I had
>been after for some time and totally free by just downloading them. Now
>with this FT-101e service manual I think I can get this old Yaesu rig
>back on the air...thank you very much
>
>- 73

Charles your so clueless, when you reply to yourself at least TRY to
remove your own name and NNTP posting information

Path:
nwrddc01.gnilink.net!cyclone1.gnilink.net!wn1feed!wn2feed!worldnet.att.net!207.172.3.44!fe
ed2.news.rcn.net!rcn!news.maxwell.syr.edu!sn-xit-03!sn-post-01!supernews.com!corp.supernew
s.com!not-for-mail
From: "CJ" <difficult@times.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Free ICOM, YAESU and KENWOOD Ham Radio Manuals for
download
Date: Fri, 14 Jun 2002 22:56:23 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <ugllobjne8av17@corp.supernews.com>
References: <d07585b3.0206142053.6f5bd065@posting.google.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.0000
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2600.0000
X-Complaints-To: newsabuse@supernews.com
Lines: 39
Xref: cyclone1.gnilink.net rec.radio.amateur.equipment:16697
X-Received-Date: Sat, 15 Jun 2002 01:56:27 EDT (nwrddc01.gnilink.net)

HI John,
Thanks for posting this great link. I found 2 Yaesu manuals I had
been after for some time and totally free by just downloading them.
Now
with this FT-101e service manual I think I can get this old Yaesu rig
back on the air...thank you very much

536. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 06:15:16 UTC
From: "H.T. Dickless" <nospam@nospam.org>
Message-ID: <TXAO8.250917$Kp.21298358@bin7.nnrp.aus1.giganews.com>
Source record: 42347

Doesn't matter how much power it produces, because even if it will transmit AM there, it's illegal to do it. The VX-7R is a ham rig, so it'll likely put out spurs all over the place and cause interference. This could cause someone having trouble not to be heard. You want to risk killing somebody so you can fuck around with your ham toy on the air band? This is serious shit, retard!

It's OK to modify your HT and risk losing your ham license (if you've got one, good buddy) by transmitting on the Taco Bell and McDonalds drive trough window channels or by bugging little kids on FRS. It is by no means cool to transmit anywhere where your transmissions could fuck up somebody's life. I hope this is clear to you and all the other converted CBer/no-code Techhies that insist on doing this kind of shit. I wish all you fucks would get caught and shipped off to prison, where you can explain to the ass-rapers there just how playing with a walkie-talkie makes you a cool dude.

"Joel Glickman" <joel@generators.com> wrote in message
news:9f2570a7.0206142030.6d70581f@posting.google.com...
> Does anyone know if the VX-7R will TX in the AM mode in the aircraft
> band if the freeband mod is performed? My read on the specs is that
> it will TX 1 Watt of AM at 50 Mhz. If anyone has performed the mod,
> could they investigate the possibility of AM TX in the aircraft band.
> If so, how much power is it producing? Thanks.
>

537. Re: HELP - Display just went blank on Yaesu 757GX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 06:59:23 UTC
From: graham <grahamva3gjb@sympatico.ca>
Message-ID: <QABO8.40449$_h5.2212837@news20.bellglobal.com>
Source record: 42248
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

those 757 's had a bad habit of that a bad power switch was the prob ,
unplug the p.s. and unscrew the side screws as if you were splitting the
radio open
and just lift the lid slightly and put back in place and reapply power to
the radio and it should be ok

graham va3gjb

"C. N. Brown" <cnb001@hotmail.com> wrote in message
news:aealju$7dt5$1@news3.infoave.net...
> Just got this radio secondhanded a few days ago. This radio requires a
13.5V
> power supply, but I've just been using it as a receiver for now, hooked up
> to my Astron RS12A supply, and worked fine for about 3 days and have been
> receiving many QSO's from all over. But have never transmitted at all on
> this radio, don't even have the mic plugged in.
>
> Today when I powered it up, the blue LCD freq display on the front failed
to
> come on. The radio was obviously getting power, and the meter lamp came
on,
> along with speaker output, but no front display. Checked voltage on power
> supply - putting out 13.71V. Tried the tuning knob but could not tell if
the
> receiver was cycling through freqs or not. Just a fairly steady low hiss
of
> no signal, so I can't tell if the tuner is working or not anymore.
>
> What did I do wrong? Why the sudden loss of the LCD screen? I could not
> check Amp output on the PS but it is rated at 9A continuous and radio was
> working fine until today. Has anyone had similar problems with this unit?
> What can I do to fix it?
>
>
> Thanks,
>
> C.N. Brown
>
>

538. FS: Electronic Universal Vade-Mecum

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 06:59:33 UTC
From: arnoldg@c2i.net
Message-ID: <3d0ae5be.655368@news1.c2i.net>
Source record: 42249
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Hello,

This great valve databook is still in stock, but it will now be soon
out of print and difficult to obtain. 660 pages with comprehensive
data on nearly 6000 types - European, Russian and American
manufacture. A lot of curves and operation conditions on each type.
This is a very large book of 29 x 21cm and the weight is 2.5kg
You can find more information and pictures of it at my web site
www.demostenes.no

Regards,

Arnold Goks&#65533;yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

539. IC-T81A Mod Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 07:07:23 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D0AE7AB.EFCF8E61@nettally.com>
Source record: 42250

Does the out of band TX mod require resetting the CPU? Does the memory
get dumped?

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

540. FA: Nice old KW tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 10:20:09 UTC
From: aokd5fxt@aol.com
Message-ID: <20020615062009.19322.00000517@mb-mf.aol.com>
Source record: 42251

Nice old KW tuner with six coaxial connections plus a dummy load connection.
Item has been used and tested on 10, 20, and 40 meters and checked with
analyzer. In good shape and u can't get a six position switch for much less.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1359784887

Tnx
Bill

541. loose wire in my TS-120

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 13:03:11 UTC
From: pdrunen@aol.com
Message-ID: <20020615090311.16579.00001024@mb-fw.aol.com>
Source record: 42252

Hi Group,

Trying to repair a 120 that worked until the other day, I discovered a orange wire that connects to either the volume or rf gain.

Maybe someone who has a unit could look under the cover next to the volume control and tell me where it needs to be connected?

Thanks,

Paul de KJ4UO

542. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 13:32:58 UTC
From: drooler@usa.com
Message-ID: <966d37c1.0206150532.79157d85@posting.google.com>
Source record: 42253

"H.T. Dickless" <nospam@nospam.org> wrote in message
news:<TXAO8.250917$Kp.21298358@bin7.nnrp.aus1.giganews.com>...
"--- it's illegal to do it. The VX-7R is a ham rig, so it'll likely
put
> out spurs all over the place and cause interference. This could cause
> someone having trouble not to be heard. You want to risk killing somebody so
> you can fuck around with your ham toy on the air band? This is serious shit,
> retard!..."
>
I have to agree with Sewer-Mouth above. Many "model number
purchasers" have no Idea what their out of band signals look like on
test equipment. "Just cause the LCD says 488.75 & the PTT button keys
up there, the sgnal could (&usually is) very "dirty", with lots of
spurs, & can cause problems --- BUT lets all us Hippocrites instead
Bitch and Complain about CB-ers that add a few "extra" 27Mhz channels
to their 4w $99 Cobra, While we all mod our Ham gear to Potentially
interfere with Police, Air, Fire, Military & Coast Guard channels,
even if we don't have any MARS/CAP license... (& of course, come time
to sell it, Proudly mention "the mod", hoping it will bring an extra
50 cents, & then sell it that way to any stranger that comes up w/the
cash on Ebay or at a Hamfest----

543. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 14:53:43 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <aefkf1vls1@terabinaries.xmission.com>
Source record: 42254

>While we all mod our Ham gear to Potentially
> interfere with Police, Air, Fire, Military & Coast Guard channels,
> even if we don't have any MARS/CAP license... (& of course, come time
> to sell it, Proudly mention "the mod", hoping it will bring an extra
> 50 cents, & then sell it that way to any stranger that comes up w/the
> cash on Ebay or at a Hamfest----

I'm certain that a lot of hams modify their radios to cause intentional interference with public agencies. However, is it really fair to place ALL hams into one bucket?

Two years ago I used my ham rig in my truck to call in a medical helicopter after a guy suffered a serious neck and back injury in a car accident 100 miles from the nearest town. A Search and Rescue guy(also an off-duty police officer) attempted to make contact on his commercial radio and by cell phone and was unsuccessful. We were in Utah's west desert and was unable to get anyone to come back to me on several ham repeaters. So much for that., so I dialed up the sherrif's dispatch freq and they came right back. We were able to get the guy air lifted out safely.

I for one, will ALWAYS modify my rig for that "What IF" situation.

Flame suit on.

Dan
N7SLC

544. FA: Motorola M120 403-433 NIB (link radio) 40 watts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 15:59:21 UTC
From: h2osaltt@aol.com
Message-ID: <20020615115921.19723.00000474@mb-da.aol.com>
Source record: 42255

Please see EBay# 1358508738
Thanks for looking- auction ends Sunday !

545. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 17:20:11 UTC
From: SideBand <abNO8SPAMlr@csotbs.org>
Message-ID: <3D0B774B.7020801@csotbs.org>
Source record: 42256

Honesty is always the best policy, and having the capability to help in an emergency is always a good thing..

de AB8LR, Chris

Dan wrote:

>>While we all mod our Ham gear to Potentially
>>interfere with Police, Air, Fire, Military & Coast Guard channels,
>>even if we don't have any MARS/CAP license... (& of course, come time
>>to sell it, Proudly mention "the mod", hoping it will bring an extra
>>50 cents, & then sell it that way to any stranger that comes up w/the
>>cash on Ebay or at a Hamfest----
>>
>
> I'm certain that a lot of hams modify their radios to cause intentional
> interference with public agencies. However, is it really fair to place ALL
> hams into one bucket?
>
> Two years ago I used my ham rig in my truck to call in a medical helicopter
> after a guy suffered a serious neck and back injury in a car accident 100
> miles from the nearest town. A Search and Rescue guy(also an off-duty police
> officer) attempted to make contact on his commercial radio and by cell phone
> and was unsuccessful. We were in Utah's west desert and was unable to get
> anyone to come back to me on several ham repeaters. So much for that., so I
> dialed up the sherrif's dispatch freq and they came right back. We were able
> to get the guy air lifted out safely.
>
> I for one, will ALWAYS modify my rig for that "What IF" situation.
>
> Flame suit on.
>
> Dan
> N7SLC
>
>
>
>

--
73 de AB8LR, Chris

http://csotbs.shopiwon.com/ for great deals on computer products.

546. FS: HAL CWR-6850

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 18:40:19 UTC
From: slo100bw1@aol.com
Message-ID: <20020615144019.00845.00001156@mb-fh.aol.com>
Source record: 42257

This is the portable telereader that transmits and receive's rtty, baudot, cw, etc. Comes with all paperwork and original box. Unit is in excellent working and physical shape. Jpegs available. $200 + shipping

547. FS: MFJ-1278

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 18:42:09 UTC
From: slo100bw1@aol.com
Message-ID: <20020615144209.00845.00001157@mb-fh.aol.com>
Source record: 42258

Unit is in MINT condition. Used very little. Has been updated. Comes with all manuals, Windows software and cabling. Sorry, but the original box is long gone. $125 (shipping included)

548. Low RFI Light Dimmers?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 18:53:47 UTC
From: zaax@aol.com
Message-ID: <20020615145347.12101.00001734@mb-fo.aol.com>
Source record: 42259

I just had my basement finished off. The light dimmers that were installed have a lot of RF noise. DOes anyone out there know of any dimmers that suppress RFI?

Thanks
Zack
N8FNR

549. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 19:26:02 UTC
From: drgrant@ziplink.net
Message-ID: <245ngu0t17slfsvbmlha0118q1e36l61of@4ax.com>
Source record: 42260

I use two of the MAHA external fast
chargers. It is somewhat of a pain to have to
pull the batts out each time, but it is fast and
they work good. I got two of them for $60 with
batteries... that was HROs dayton special
last year... not sure what the chargers
cost now. Plus you can also use the
chargers for other stuff, I think they handle
nicads as well.

On Thu, 13 Jun 2002 04:06:14 GMT, Bob Miller <bamiller@texas.net>
wrote:

>drgrant@ziplink.net wrote:
>
>>
>>If you had bought the Icom T2H instead you would only be
>>getting raped like $20 for battery holders. Not to mention the T2H
>>comes with a significantly better antenna.
>>
>>Only downside to the T2H is it is a bit of a pain to program if you
>>are not used to icom radios. Hell, now HRO is selling the darn radio
>>for $89 w/empty battery case! I use mine with NiMH AA cells, which
>>I charge in external fast chargers.
>
>Got any ideas on a cheap fast charger for the standard Ni-Cad AA battery pack on
>a T2H? I hate to spend $80 or $90 on that danged Icom fast charger.
>
>Bob
>k5qwg
>>
>>-Mike
>>
>>
>>
>>On Wed, 12 Jun 2002 11:50:34 GMT, cprstn54zz@att.net (Ken) wrote:
>>
>>>I just bought a Yaesu VX-150 2M HT. There is a 6 AA battery holder
>>>accessory that fits it and several other Yaesu HT's, the FBA-25. It
>>>lists for over $50, discounts for $39 (without the freakin'
>>>batteries). It looks the same as the $3 battery holders at Radio
>>>Shack.
>>>
>>>Would someone please start making these and put a stop to this rape
>>>job by Yaesu?

>>>
>>>Ken KC2JDY
>>>
>>>Ken
>>>(to reply via email
>>>remove "zz" from address)
>>
>>
>>
>>------------== Posted via Newsfeed.Com - Uncensored Usenet News ==----------
>> http://www.newsfeed.com The #1 Newsgroup Service in the World!
>>-----= Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers =-----

------------== Posted via Newsfeed.Com - Uncensored Usenet News ==----------
http://www.newsfeed.com The #1 Newsgroup Service in the World!
-----= Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers =-----

550. Re: Low RFI Light Dimmers?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-15 19:36:43 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <ugn5r15kopfa06@corp.supernews.com>
Source record: 42261

Yes, there are dimmers with RFI suppression built in. You may have to go to an electrical supply house to get them.

551. WTB- Desk Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 00:13:43 UTC
From: KC8SSG <kc8ssg@qsl.net>
Message-ID: <XKQO8.280$13.3032@news>
Source record: 42262
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I want to buy a desk mic. Looks don't really matter as long as it works.I have to modify the plug to take a modular for my 706. Or if you have one for a 706 let me know.Pics are encouraged.Price needs to be cheap!
Thanks
KC8SSG

552. TS-850 Filter Installation Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 00:30:06 UTC
From: Raymond Hansmeier <rhansmeier@attbi.com>
Message-ID: <NYQO8.213239$cQ3.7911@sccrnsc01>
Source record: 42263

Has anyone here in the NG had issues when installing filters into the TS-850? I installed the 455khz cw filter with no issues and it works fine. However I installed a 1.8 khz filter in the 8 mhz if and could not get it to function. I enabled it with the switch on the top of the radio. Is there any hidden menu funtion that I should be aware of. I find nothing about it in my operation manual.

TIA

Ray Hansmeier
K7FU

553. FA Signal/One CX7B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 00:42:51 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <faRO8.302$Y43.32143@newsread2.prod.itd.earthlink.net>
Source record: 42264

I have listed one of my Signal/One CX7Bs on e-Bay. It is a nice one, but
does need some work. Thanks for looking,
Charlie Hugg, K5MBX
<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1360369337&ssPageName=AD
ME:B:LC:US:1>

554. Icom SAT series bottom caps.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 01:07:01 UTC
From: 800mhz <pottsladd13@yahoo.com>
Message-ID: <VwRO8.43646$UT.2977079@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42265
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

I'm looking for the bottom caps for the old SAT series Icom radio's. Part#
is BA-11.
thnx

555. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 01:49:23 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D0BEEA3.E8BD0E90@optonline.net>
Source record: 42266

Seems like if it is an EMERGENCY, you can transmit pretty much anywhere
to get help. And no, transmitting on Burger Kings frequency for extra ketchup
is not an emergency!

Mark

>
> I'm certain that a lot of hams modify their radios to cause intentional
> interference with public agencies. However, is it really fair to place ALL
> hams into one bucket?
>
> Two years ago I used my ham rig in my truck to call in a medical helicopter
> after a guy suffered a serious neck and back injury in a car accident 100
> miles from the nearest town. A Search and Rescue guy(also an off-duty police
> officer) attempted to make contact on his commercial radio and by cell phone
> and was unsuccessful. We were in Utah's west desert and was unable to get
> anyone to come back to me on several ham repeaters. So much for that., so I
> dialed up the sherrif's dispatch freq and they came right back. We were able
> to get the guy air lifted out safely.
>
> I for one, will ALWAYS modify my rig for that "What IF" situation.
>
> Flame suit on.
>
> Dan
> N7SLC

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

556. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 02:52:35 UTC
From: Idontwantspam@net
Message-ID: <3d0bfbbb.5055758@news.bellatlantic.net>
Source record: 42267

On Sat, 15 Jun 2002 21:49:23 -0400, Mark Russo <mrrusso@optonline.net>
wrote:

>Seems like if it is an EMERGENCY, you can transmit pretty much anywhere
>to get help. And no, transmitting on Burger Kings frequency for extra ketchup
>is not an emergency!
>
>Mark
>
>
>>
>> I'm certain that a lot of hams modify their radios to cause intentional
>> interference with public agencies. However, is it really fair to place ALL
>> hams into one bucket?
>>
>> Two years ago I used my ham rig in my truck to call in a medical helicopter
>> after a guy suffered a serious neck and back injury in a car accident 100
>> miles from the nearest town. A Search and Rescue guy(also an off-duty police
>> officer) attempted to make contact on his commercial radio and by cell phone
>> and was unsuccessful. We were in Utah's west desert and was unable to get
>> anyone to come back to me on several ham repeaters. So much for that., so I
>> dialed up the sherrif's dispatch freq and they came right back. We were able
>> to get the guy air lifted out safely.
>>
>> I for one, will ALWAYS modify my rig for that "What IF" situation.
>>
>> Flame suit on.
>>
In an emergency, where someone's life is at risk, and all other means
available have been tried and do not work, the FCC reg allows use
outside licensed bands. The example above would clearly be covered.

Where you could be on thin ice would be in having the rig premodified.
Also, some mods done could cause noisy transmissions during regular
use on authorized frequencies, and you would be responsible for that.

Licensed hams do not routinely cause intentional interference with
anyone. That does not make sense.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

557. Re: FS: MFJ-1278

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 05:13:52 UTC
From: SideBand <abNO8SPAMlr@csotbs.org>
Message-ID: <3D0C1E90.9030900@csotbs.org>
Source record: 42268

What's the eprom version in it?

de AB8LR, CHris

Slo100bw1 wrote:

> Unit is in MINT condition. Used very little. Has been updated. Comes with all
> manuals, Windows software and cabling. Sorry, but the original box is long
> gone. $125 (shipping included)
>

--
73 de AB8LR, Chris

http://csotbs.shopiwon.com/ for great deals on computer products.

558. Radio for the Australian Bush

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 05:53:22 UTC
From: Steve <~@~.com>
Message-ID: <MPG.1776cbdbfb9e1c09896e8@news-server>
Source record: 42269

My apologies if this post is inappropriate for this newsgroup.

Anybody know if there any small AM radios available that are suitable for hikers in very remote areas? By remote I mean locations in Australia that may as far as 500 kilometres from the nearest AM transmitter.

I don't know anything about radios, but I imagine it would need a jack for an external AM wire antenna. Because the radio will be carried in a rucksack and I will be in the bush for 10 days at a time, the radio should be light-weight and small, it would probably use an earphone jack rather than speaker.

Any help or a pointer to a more appropriate newsgroup will be much appreciated

Steve

559. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 06:53:09 UTC
From: joel@generators.com
Message-ID: <9f2570a7.0206152253.5062c96a@posting.google.com>
Source record: 42270

While the original followup to my posting barely merits a response, I would like to point out that I am an FAA Certified Instrument-Rated Private Pilot and that my query was merely a technical inquiry as to the potential of the VX-7R to serve as a last resort backup in the unlikely event of a Comm failure. I currently own a Yaesu Aviator Pro VXA-100 handheld which is charged and ready for this scenario and have had to use it in flight once due to an alternator failure. Indeed, the VX-7R is not type-certified for such operation, and the use of cell phones while airborne is illegal; however, I would resort to either means in the case of an emergency.

Communication loss under instrument flight conditions is a potentially life-threatening emergency. As I was in the market for a new handheld, and the VX-7R does have some AM capabilities, I was merely trying to determine if this could be a last resort backup. I have no interest in talking to kids on FRS, or ordering burgers from the air.

Now, on to the intelligent discussion, engaged by those that use their actual identities.

Starting from scratch -- Does anyone know if the VX-7R will TX AM in the aviation band .. and if so, how much power?

560. Looking for ACC Shackmaster

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 07:48:38 UTC
From: Richard Scholl <scholl@execpc.com>
Message-ID: <3d0c42d6$0$1434$272ea4a1@news.execpc.com>
Source record: 42271

Anyone selling an ACC Shackmaster? If so please email me at scholl@mpm.edu. Thanks!

561. FA: Heath Cantenna Dummy Load

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 08:43:38 UTC
From: GaryH <webpub@fastmail.ca>
Message-ID: <G1YO8.109$ub4.4616@e3500-atl1.usenetserver.com>
Source record: 42272

Cleaning out more items

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1360414435

562. FA: Small Astron Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 08:45:59 UTC
From: GaryH <webpub@fastmail.ca>
Message-ID: <U3YO8.122$ub4.4616@e3500-atl1.usenetserver.com>
Source record: 42273

More of my shack

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1360400995

563. Re: Radio for the Australian Bush

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 08:51:05 UTC
From: Stephen Newlyn <vkqruqrt5vka@ihug.com.au>
Message-ID: <1024217509.43252@news.iweb.net.au>
Source record: 42274

Steve

Your best bet for a suitable newsgroup would be aus.radio.scanner however I'll try to answer your question as best I can.

If you will be 500 kilometres from the nearest AM transmitter, daytime reception will be probably be weak and noisy. Night time reception should be much better.

You can get radios that have enhanced AM (Medium Wave) reception such as the "GE Super Radio" or the "Realistic TRF". Dick Smith sell a radio made by Sangean called the "Outback II" at a price of $AUD150 dollars which has enhanced AM reception however all of the above are larger sized portables.

With most Medium Wave portable radios they have an internal "Ferrite Bar" antenna. To get the best reception you should rotate your radio around until you get the best reception. External loop antennas would also enhance your reception however these are not commonly available in Australia and must be imported from specialised suppliers.

You might be better off buying a radio that has shortwave bands as well as AM (Medium Wave) reception. ABC Radio have specialised "Outback" shortwave services on either 2310, 2325, 2485, 3230, 3315, 3370, 4835, 4910 or 5025 Khz. Suitable receivers might be the Sangean 404, 505 or 909 receivers. Sony make a number of a small radios and even make specialised antennas for their portable receivers.

I hope this helps

---
*To respond direct please delete (qruqrt) from the email address.
**Stephen Newlyn, VK5VKA. G'day from the City of Elizabeth, South Australia.
***Visit the Drake R8 List Home Page
http://homepages.ihug.com.au/~vk5vka/draklist.htm
****Visit my Home Page at http://homepages.ihug.com.au/~vk5vka.

"Steve" <~@~.com> wrote in message
news:MPG.1776cbdbfb9e1c09896e8@news-server...
> My apologies if this post is inappropriate for this newsgroup.
>
> Anybody know if there any small AM radios available that are suitable
> for hikers in very remote areas? By remote I mean locations in Australia
> that may as far as 500 kilometres from the nearest AM transmitter.
>
> I don't know anything about radios, but I imagine it would need a jack
> for an external AM wire antenna. Because the radio will be carried in a
> rucksack and I will be in the bush for 10 days at a time, the radio

> should be light-weight and small, it would probably use an earphone jack
> rather than speaker.
>
> Any help or a pointer to a more appropriate newsgroup will be much
> appreciated
>
> Steve

Outgoing mail is certified Virus Free!
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.370 / Virus Database: 205 - Release Date: 5/06/02

564. Re: Radio for the Australian Bush

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 09:26:22 UTC
From: Steve <~@~.com>
Message-ID: <MPG.1776fdb25c04108a9896e9@news-server>
Source record: 42275

In article <1024217509.43252@news.iweb.net.au>, vkqruqrt5vka@ihug.com.au
says...
> You can get radios that have enhanced AM (Medium Wave) reception such as the
> "GE Super Radio" or the "Realistic TRF". Dick Smith sell a radio made by
> Sangean called the "Outback II" at a price of $AUD150 dollars which has
> enhanced AM reception however all of the above are larger sized portables.

I've had a GE Super Radio for years and I agree it's excellent, but
unfortunately it's much too big for my rucksack :-(

> You might be better off buying a radio that has shortwave bands as well as
> AM (Medium Wave) reception. ABC Radio have specialised "Outback" shortwave
> services on either 2310, 2325, 2485, 3230, 3315, 3370, 4835, 4910 or 5025
> Khz. Suitable receivers might be the Sangean 404, 505 or 909 receivers. Sony
> make a number of a small radios and even make specialised antennas for their
> portable receivers.
>
> I hope this helps

It helps a lot.

I didn't know about the ABC "Outback" shortwave services, so I'll check
out both the Sangean and Sony radios tomorrow.

Many thanks for the help it's much appreciated.

Steve Reynolds
Reynella
South Australia
http://www.sreynolds.net/

565. Ten Tec Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 10:26:03 UTC
From: jonweiner@aol.com
Message-ID: <20020616062603.02491.00000605@mb-dh.aol.com>
Source record: 42276

Want to trade or buy Ten Tec filters. Looking for models 218, 220, or 282. Have for trade models 285 and 288.

Jon,
K1VVC

566. Bristol Spline Wrench Sets

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 10:34:02 UTC
From: jonweiner@aol.com
Message-ID: <20020616063402.02499.00000600@mb-dh.aol.com>
Source record: 42277

10 PIECE BRISTOL SPLINE WRENCH SETS FOR COLLINS & HALLICRAFTERS. I have for sale the original hard to find 10 piece Bristol spline wrench sets. These are "L" shaped, made in the USA, and come in a fitted vinyl pouch. Includes all necessary sizes for Collins (even the tiny size for the 75A-4 main tuning knob), Hallicrafters, Johnson and others. Price is $20. per set postpaid USA, $22. postpaid
World-Wide.

567. FS: Wilson SY-33 Tribander (Pickup Northern CT Only)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 13:53:25 UTC
From: "Geo. Encarnacion" <ah6bv@arrl.net>
Message-ID: <pL0P8.44438$UT.3037103@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42278
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.amateur.antenna

Pick-Up Only - Northern CT

I have a Wilson SY-33 3-element tribander for sale. Was up and in use until a month ago - taken down from a roof tower w/c I am replacing with a real tower. Complete with original instruction sheet and complete hardware set. Won't need to buy anything - just assemble and use. No guessing on traps and elements - I marked them when I disassembled into manageable lengths. Asking $100 firm, picked-up only Windsor Locks CT (midway between Springfield MA and Hartford CT).

Please email direct - ah6bv@arrl.net
Thanks,

George AH6BV / w1

568. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 13:59:51 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <hJcMPd2Cogl3XNw1vgDkC+dFNkUy@4ax.com>
Source record: 42279

joel@generators.com (Joel Glickman) wrote:

>
>Starting from scratch -- Does anyone know if the VX-7R will TX AM in
>the aviation band .. and if so, how much power?

I'm not aware of any current amateur handheld device that transmits in the AM mode, period. So whether the vx-7r will do so in the aviation band seems moot.

Bob
k5qwg

569. Re: Radio for the Australian Bush

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 14:40:58 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <+qEMPVH6oaoro5cI5uqSkfpnypZI@4ax.com>
Source record: 42280

Steve <~@~.com> wrote:

>My apologies if this post is inappropriate for this newsgroup.
>
>Anybody know if there any small AM radios available that are suitable
>for hikers in very remote areas? By remote I mean locations in Australia
>that may as far as 500 kilometres from the nearest AM transmitter.

AM broadcast stations have no incentive to transmit their signals to remote locations where there are few people, so you may have limited luck here. However, any small shortwave radio, that receives the worldwide bands, should be fine for listening to shortwave stations in remote areas -- you could probably get "local" news from any Australian station broadcasting on the shortwave bands.

Bob
k5qwg
>
>I don't know anything about radios, but I imagine it would need a jack
>for an external AM wire antenna. Because the radio will be carried in a
>rucksack and I will be in the bush for 10 days at a time, the radio
>should be light-weight and small, it would probably use an earphone jack
>rather than speaker.
>
>Any help or a pointer to a more appropriate newsgroup will be much
>appreciated
>
>Steve

570. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 15:10:28 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <aei9qefbo1@terabinaries.xmission.com>
Source record: 42281

"Joel Glickman" <joel@generators.com> wrote in message
news:9f2570a7.0206152253.5062c96a@posting.google.com...
> While the original followup to my posting barely merits a response, I
> would like to point out that I am an FAA Certified Instrument-Rated
> Private Pilot and that my query was merely a technical inquiry as to
> the potential of the VX-7R to serve as a last resort backup in the
> unlikely event of a Comm failure. I currently own a Yaesu Aviator Pro
> VXA-100 handheld which is charged and ready for this scenario and have
> had to use it in flight once due to an alternator failure. Indeed,
> the VX-7R is not type-certified for such operation, and the use of
> cell phones while airborne is illegal; however, I would resort to
> either means in the case of an emergency.
>
> Communication loss under instrument flight conditions is a potentially
> life-threatening emergency. As I was in the market for a new
> handheld, and the VX-7R does have some AM capabilities, I was merely
> trying to determine if this could be a last resort backup. I have no
> interest in talking to kids on FRS, or ordering burgers from the air.
>
> Now, on to the intelligent discussion, engaged by those that use their
> actual identities.
>
> Starting from scratch -- Does anyone know if the VX-7R will TX AM in
> the aviation band .. and if so, how much power?

Sounds like you're not the only one to lose an alternator. We had to resort
to our Icom A2 halfway between Salt Lake and Boise.

Dan
N7SLC

571. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 15:49:53 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aeic31$1s1a$1@madmax.keyway.net>
Source record: 42282

Dittos,

Nowhere have I ever seen "AM airband transmit capabilities" in the
brochures of any ham radio models of any manufacture.

Have not even heard of amateur multi-mode rigs that do this.

Always a good idea to carry backup portable radio and instrument
package in case of electrical or comms failure, and there are units
that are designed for this purpose, such as your VXA-100.

Jim ac6tk
Senior com tech

"Bob Miller" <bamiller@texas.net> wrote in message
news:hJcMPd2Cogl3XNw1vgDkC+dFNkUy@4ax.com...
: joel@generators.com (Joel Glickman) wrote:
:
:
: >
: >Starting from scratch -- Does anyone know if the VX-7R will TX AM in
: >the aviation band .. and if so, how much power?
:
: I'm not aware of any current amateur handheld device that transmits in the AM
: mode, period. So whether the vx-7r will do so in the aviation band seems moot.
:
: Bob
: k5qwg
:

572. FA: Beautiful HEATH HW-101, Needs TLC but worth it! @$87, Tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 16:13:58 UTC
From: rlucch2098@aol.com
Message-ID: <20020616121358.08343.00002068@mb-cd.aol.com>
Source record: 42283

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1358528145

573. fa> Excellent HalliCrafters S-53A Mark2A, ends tonight! Check it out!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 16:16:06 UTC
From: rlucch2098@aol.com
Message-ID: <20020616121606.08343.00002071@mb-cd.aol.com>
Source record: 42284

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1358528146

574. Fa-Original Crystal Desk Mike BA-106A by BRUSH Devel.Corp@$22

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 16:18:18 UTC
From: rlucch2098@aol.com
Message-ID: <20020616121818.08343.00002074@mb-cd.aol.com>
Source record: 42285

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1358528130
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

575. fa; Drake MS-4 speaker, ends tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 16:22:44 UTC
From: rlucch2098@aol.com
Message-ID: <20020616122244.08343.00002076@mb-cd.aol.com>
Source record: 42286

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1358528151
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

576. FA: 1950 SIGNAL CORPS FIELD STRENGTH METER@ NO Bids!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 16:24:51 UTC
From: rlucch2098@aol.com
Message-ID: <20020616122451.08343.00002079@mb-cd.aol.com>
Source record: 42287

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=2113070182
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

577. Bogus "Online Security Test" - gets E X P O S E D !!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 16:46:59 UTC
From: CJ <difficult@times.com>
Message-ID: <ugpg8789j56173@corp.supernews.com>
Source record: 42288

Here are the facts...w/ DEMO
1. http://www.ab7sl.com/index.html?row1col2=security.html

--
73 / DX de AB7SL- Charles
AB7SL - Ham Radio Pages
Prescott, AZ - USA
www.ab7sl.com

578. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 17:08:20 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <Ez3P8.751$p07.36841@sooner.brightok.net>
Source record: 42289

While I'm not familiar with the capabilities of the VX7R, the quick test is does it have AM transmit capabilities for any of the bands it legally covers? If not then I seriously doubt it has airband AM transmit. Yaesu is not going to spend the money adding AM transmit capability to a radio that doesn't need it. I suspect you're probably out of luck.

Mark

As for the original responder, he rants and raves about CBers, while using language straight off of Ch. 19, so what makes him any better? 13wpm doesn't make you God (maybe a priest, though?).

"Joel Glickman" <joel@generators.com> wrote in message news:9f2570a7.0206152253.5062c96a@posting.google.com...
> While the original followup to my posting barely merits a response, I
> would like to point out that I am an FAA Certified Instrument-Rated
> Private Pilot and that my query was merely a technical inquiry as to
> the potential of the VX-7R to serve as a last resort backup in the
> unlikely event of a Comm failure. I currently own a Yaesu Aviator Pro
> VXA-100 handheld which is charged and ready for this scenario and have
> had to use it in flight once due to an alternator failure. Indeed,
> the VX-7R is not type-certified for such operation, and the use of
> cell phones while airborne is illegal; however, I would resort to
> either means in the case of an emergency.
>
> Communication loss under instrument flight conditions is a potentially
> life-threatening emergency. As I was in the market for a new
> handheld, and the VX-7R does have some AM capabilities, I was merely
> trying to determine if this could be a last resort backup. I have no
> interest in talking to kids on FRS, or ordering burgers from the air.
>
> Now, on to the intelligent discussion, engaged by those that use their
> actual identities.
>
> Starting from scratch -- Does anyone know if the VX-7R will TX AM in
> the aviation band .. and if so, how much power?

579. Which to choose IC 746, 756.... Ft 920, Ts 570

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 17:51:05 UTC
From: Arek <arek@bbs.net.pl>
Message-ID: <3d0ccfc9_1@news.vogel.pl>
Source record: 42290
Cross-posted to: rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

I am about to buy a radio, but I haven't got any experience. However I am considering to buy one of the radioes mentioned in the subject. I don't know which radio is better so if you have some experience and can help me, please write. I am mostly working on HF and like it the most, so I don't care if the radio will have any other bands. I would like to which of them the best radio for HF is. I'll be pleased to get any kind advice. Thank you in advance.

580. Re: Which to choose IC 746, 756.... Ft 920, Ts 570

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 18:06:13 UTC
From: Brian Short <bshort4@cox.net>
Message-ID: <MPG.1776e469cb20b0c989686@news.west.cox.net>
Source record: 42291
Cross-posted to: rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

I have used the IC-756 and the FT-920. In fact, I use an FT-920
for all of my contest operating activities. The current used prices
of the FT-920 make it an excellent choice (definitely less than $1000).

With the release of the IC-756ProII, the 756 has dropped in price and
at under $1500 it is a good buy, too.

Personally, I like my FT-920 to which I have added an Inrad CW filter.
If you need more flexibility in IF bandwidths (ie. both CW and SSB
options) I'd suggest the IC-756 with the flexible IF-DSP filtering.

Unfortunately, the FT-920 fits only a single optional filter (either
CW or SSB). Inrad sells a modification kit to allow more than one,
but that entails more work and expense.

Have never tried the IC-746 or TS-570.

73, Brian

In article <3d0ccfc9_1@news.vogel.pl>, arek@bbs.net.pl says...
> I am about to buy a radio, but I haven't got any experience. However I am
> considering to buy one of the radioes mentioned in the subject. I don't know
> which radio is better so if you have some experience and can help me, please
> write. I am mostly working on HF and like it the most, so I don't care if
> the radio will have any other bands. I would like to which of them the best
> radio for HF is. I'll be pleased to get any kind advice. Thank you in
> advance.

--
People who think they know it all are annoying
to those of us who do.
--
See my web page: http://www.k7on.com/
--

581. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 20:23:18 UTC
From: joel@generators.com
Message-ID: <9f2570a7.0206161223.4cb0a303@posting.google.com>
Source record: 42292

According to http://members.fortunecity.com/swradios/vx7r.html , the
VX-7R does transmit 1W of AM at 50 Mhz. I'm wondering if this can be
stretched up to 108-135 Mhz? I doubt it, but it's worth asking.

Bob Miller <bamiller@texas.net> wrote in message
news:<hJcMPd2Cogl3XNw1vgDkC+dFNkUy@4ax.com>...
> joel@generators.com (Joel Glickman) wrote:
>
>
> > >Starting from scratch -- Does anyone know if the VX-7R will TX AM in
> > >the aviation band .. and if so, how much power?
>
> I'm not aware of any current amateur handheld device that transmits in the AM
> mode, period. So whether the vx-7r will do so in the aviation band seems moot.
>
> Bob
> k5qwg

582. Re: FS 706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 21:10:12 UTC
From: Edward Dowdy <e.l.IHatespamdowdy@worldnet.att.net>
Message-ID: <U87P8.40384$LC3.3059263@bgtnsc04-news.ops.worldnet.att.net>
Source record: 42293
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

The rig is sold. Thanks to all who replied.

73,
Ed KA9EES

"Edward Dowdy" <e.l.IHatespamdowdy@worldnet.att.net> wrote in message
news:T28O8.26088$nZ3.2965@rwcrnsc53...
: ICOM 706MKII w/DSP
:
: Unit is in very good condition. Has spent it's life with me mobile.
Has
: some marks from that use. I will provide pics of those on request.
Works
: 100%. Never a problem. Rig includes new power cord, original HM-103
mic,
: 13 pin Din connector wired to a DB15 connector (it was that way when I
: got it), and a new RMK706 mounting kit (OPC-581, MB-62, & MB-63).
: 217-442-5202
:
: $600.00 Plus actual shipping
:
:
:

583. Yaesu FT-50R Battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 21:41:18 UTC
From: anoop@alumni.duke.edu
Message-ID: <50bde0e6.0206161341.54ae569@posting.google.com>
Source record: 42294

I bought a Yaesu FT-50R back in 1996. I used it for
a couple of years and then pretty much shelved it until
now. When I tried to use it a couple of days ago, it
wouldn't work even after several hours of charging.
However, I can turn it on when it's plugged in or when
it's running on AA batteries. Does this mean that the
battery is dead or could it be a problem with the
contacts?

Thanks,
-Anoop, AF4LA

584. Re: TS-450S Audio OK receives static only! No signals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 21:50:04 UTC
From: fmmck@aol.com
Message-ID: <20020616175004.10786.00001263@mb-dd.aol.com>
Source record: 42295

<< I fired up my
stand-by hf on 14,200 CW 100watts to a dummy(arbitrarily) and I can find the
signal on the TS-450 at all!! >>

Pablo-

Is the attenuator disabled? That won't make as much difference as you
describe, but I felt I should mention it!

A good dummy load with good shielding of the rig and connecting cable, may not
emit enough signal to pick up on a nearby rig. This may be unlikely, but I've
had that problem before.

One possibility is that the TS-450 IF filter is defective or has a loose
connection. Try unplugging it and reinstalling to be sure it is firmly seated.
If you have another filter such as for CW, check to see if the problem exists
using that filter.

My first thought was that your Phase Lock Loop might have come unlocked.
However, I think the display will go off if that were to occur.

It is possible that the radio is actually dead, but static is being picked up
through the Noise Limiter or Blanker circuit. Check to see that it is turned
off, and if that makes any difference.

If you have the service manual and necessary equipment, you should be able to
localize the problem by stepping through the alignment procedure.

Good Luck.

73, Fred, K4DII

585. FA Kenwood 599D TWINS Beautiful!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-16 22:34:39 UTC
From: Dave Edwards <kd2e@comcast.net>
Message-ID: <3o8P8.276171$Gs.22596317@bin5.nnrp.aus1.giganews.com>
Source record: 42296
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

Several pictures at....
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1360623698

Thanks for having a look!!

586. Re: Yaesu FT-50R Battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 00:18:29 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D0D2AD5.EDFFF9DF@optonline.net>
Source record: 42297

The battery most likely went to battery heaven.
6 years is a long time for a Ni-Cad.
Time for another.
If you would like to confirm this, find somebody else
with an FT-50 and try his/her battery. There are FT-50's
all over the place.

Good Luck, Mark

Anoop Ghanwani wrote:

> I bought a Yaesu FT-50R back in 1996. I used it for
> a couple of years and then pretty much shelved it until
> now. When I tried to use it a couple of days ago, it
> wouldn't work even after several hours of charging.
> However, I can turn it on when it's plugged in or when
> it's running on AA batteries. Does this mean that the
> battery is dead or could it be a problem with the
> contacts?
>
> Thanks,
> -Anoop, AF4LA

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

587. Re: Which to choose IC 746, 756.... Ft 920, Ts 570

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 01:51:46 UTC
From: No PC here <RAJohnGM@worldnet.att.net>
Message-ID: <SgbP8.40709$LC3.3085990@bgtnsc04-news.ops.worldnet.att.net>
Source record: 42198
Cross-posted to: rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

The FT-920 is the best choice. It's an excellent rig which provides the best
bang for the buck.
73, Bob
"Brian Short" <bshort4@cox.net> wrote in message
news:MPG.1776e469cb20b0c989686@news.west.cox.net...
>
> I have used the IC-756 and the FT-920. In fact, I use an FT-920
> for all of my contest operating activities. The current used prices
> of the FT-920 make it an excellent choice (definitely less than $1000).
>
> With the release of the IC-756ProII, the 756 has dropped in price and
> at under $1500 it is a good buy, too.
>
> Personally, I like my FT-920 to which I have added an Inrad CW filter.
> If you need more flexibility in IF bandwidths (ie. both CW and SSB
> options) I'd suggest the IC-756 with the flexible IF-DSP filtering.
>
> Unfortunately, the FT-920 fits only a single optional filter (either
> CW or SSB). Inrad sells a modification kit to allow more than one,
> but that entails more work and expense.
>
> Have never tried the IC-746 or TS-570.
>
> 73, Brian
>
> In article <3d0ccfc9_1@news.vogel.pl>, arek@bbs.net.pl says...
> > I am about to buy a radio, but I haven't got any experience. However I
am
> > considering to buy one of the radioes mentioned in the subject. I don't
know
> > which radio is better so if you have some experience and can help me,
please
> > write. I am mostly working on HF and like it the most, so I don't care
if
> > the radio will have any other bands. I would like to which of them the
best
> > radio for HF is. I'll be pleased to get any kind advice. Thank you in
> > advance.
>
> --
> People who think they know it all are annoying
> to those of us who do.
> --

> See my web page: http://www.k7on.com/
> --

588. Kenwood TH-215A Help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 02:15:15 UTC
From: Mont O'Leary <k0ycn@arrl.net>
Message-ID: <TCbP8.32015$zR4.3267419337@newssvr11.news.prodigy.com>
Source record: 42200

I just purchased a TH-215A at a flea market -- no manual of course... I need a copy of the page(s) that describe the programming steps. Thanks,
Mont

589. Kenwood TH-215A help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 02:49:11 UTC
From: Mont O'Leary <k0ycn@arrl.net>
Message-ID: <H6cP8.32022$ka6.3272861751@newssvr11.news.prodigy.com>
Source record: 42199

I just purchased a TH-215A at a flea market -- no manual of course... I need a copy of the page(s) that describe the programming steps. Thanks, Mont

590. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 03:59:26 UTC
From: joel@generators.com
Message-ID: <9f2570a7.0206161959.1806dde@posting.google.com>
Source record: 42201

Agreed... It does seem unusual that Yaesu would add AM transmit to an amateur handheld, however, according to specifications I've obtained (http://members.fortunecity.com/swradios/vx7r.html), it indeed DOES transmit 1 watt of AM in the 6m band (50Mhz).

"M. Schneider" <markinokla@juno.com> wrote in message news:<Ez3P8.751$p07.36841@sooner.brightok.net>...
> While I'm not familiar with the capabilities of the VX7R, the quick test is
> does it have AM transmit capabilities for any of the bands it legally
> covers? If not then I seriously doubt it has airband AM transmit. Yaesu is
> not going to spend the money adding AM transmit capability to a radio that
> doesn't need it. I suspect you're probably out of luck.
>
> Mark
>
> As for the original responder, he rants and raves about CBers, while using
> language straight off of Ch. 19, so what makes him any better? 13wpm
> doesn't make you God (maybe a priest, though?).
>

591. Re: Yaesu FT-50R Battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 04:53:35 UTC
From: KB7M <kb7m@arrl.net>
Message-ID: <_WdP8.48$pt3.98653@news.uswest.net>
Source record: 42202

I've gone completely to NiMh AA's in an alkaline pack. This works well. The batteries are inexpensive and easily replaced. The only disadvantage is having to open the pack and change the batteries. I keep two sets and just swap them when my pack runs low. You can get a set of 4 batteries and a smart charger for around $25. That is a lot cheaper than $60 for a new NiCd pack and $80-100 for a drop in charger.
"Mark Russo" <mrrusso@optonline.net> wrote in message
news:3D0D2AD5.EDFFF9DF@optonline.net...
The battery most likely went to battery heaven.
6 years is a long time for a Ni-Cad.
Time for another.
If you would like to confirm this, find somebody else
with an FT-50 and try his/her battery. There are FT-50's
all over the place.
Good Luck, Mark

Anoop Ghanwani wrote:

I bought a Yaesu FT-50R back in 1996. I used it for
a couple of years and then pretty much shelved it until
now. When I tried to use it a couple of days ago, it
wouldn't work even after several hours of charging.
However, I can turn it on when it's plugged in or when
it's running on AA batteries. Does this mean that the
battery is dead or could it be a problem with the
contacts?
Thanks,
-Anoop, AF4LA

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

592. Sale - Ham stuff

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 05:04:03 UTC
From: Albert Alvareztorres Jr <albert13@cox.net>
Message-ID: <75eP8.45508$Hn4.1565583@news1.east.cox.net>
Source record: 42203

Complete Yaesu FT-101E station (I mean COMPLETE)

FT-225RD

FT-625RD

http://www.aa1do.com/zforsale.htm

593. Re: Yaesu FT-50R Battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 05:04:26 UTC
From: music man <edhall_consultant@yahoo.com>
Message-ID: <aejqlcejv1@bob.news.rcn.net>
Source record: 42204

Yes, but isn't the output power lower with the lower voltage, that is the problem I have with the 2 x AA pack with the vx7r

Ed
"KB7M" <kb7m@arrl.net> wrote in message news:_WdP8.48$pt3.98653@news.uswest.net...
I've gone completely to NiMh AA's in an alkaline pack. This works well. The batteries are inexpensive and easily replaced. The only disadvantage is having to open the pack and change the batteries. I keep two sets and just swap them when my pack runs low. You can get a set of 4 batteries and a smart charger for around $25. That is a lot cheaper than $60 for a new NiCd pack and $80-100 for a drop in charger.
"Mark Russo" <mrrusso@optonline.net> wrote in message
news:3D0D2AD5.EDFFF9DF@optonline.net...
The battery most likely went to battery heaven.
6 years is a long time for a Ni-Cad.
Time for another.
If you would like to confirm this, find somebody else
with an FT-50 and try his/her battery. There are FT-50's
all over the place.
Good Luck, Mark

Anoop Ghanwani wrote:

I bought a Yaesu FT-50R back in 1996. I used it for
a couple of years and then pretty much shelved it until
now. When I tried to use it a couple of days ago, it
wouldn't work even after several hours of charging.
However, I can turn it on when it's plugged in or when
it's running on AA batteries. Does this mean that the
battery is dead or could it be a problem with the
contacts?
Thanks,
-Anoop, AF4LA

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

594. FS: Motorola Rack Mount Power Supply - P/N BPN1022A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 05:14:47 UTC
From: werdnuts@sbcglobal.net
Message-ID: <d49cf50c.0206162114.6e29a588@posting.google.com>
Source record: 42205

Hello,

I have 2 (two) Motorola original, Rack Mount Power Supplies for sale. The were both removed from service in good working order. They are Motorola Part Number BPN1022A. The part lists for $1437 New from Motorola. Dealer cost is $1035. These items are for sale individually or as a pair. Buyer to pay shipping.

Please email me with offers and questions. NOTE: Sincere offers only!!! Please don't waste your time or mine.

Here is a picture of the two items.
http://pages.sbcglobal.net/werdnuts/images/DSCN1362.JPG

Thanks for looking!!!

-Werdnuts

P.S. If these don't sell, I will be listing them on eBay.

595. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 05:28:44 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <PpeP8.759$p07.37111@sooner.brightok.net>
Source record: 42206

Well, in that case, it might be worth a try! If you do, let us know what
happens. "Inquiring minds want to know!"

Mark

"Joel Glickman" <joel@generators.com> wrote in message
news:9f2570a7.0206161959.1806dde@posting.google.com...
> Agreed... It does seem unusual that Yaesu would add AM transmit to an
> amateur handheld, however, according to specifications I've obtained
> (http://members.fortunecity.com/swradios/vx7r.html), it indeed DOES
> transmit 1 watt of AM in the 6m band (50Mhz).
>
> "M. Schneider" <markinokla@juno.com> wrote in message
news:<Ez3P8.751$p07.36841@sooner.brightok.net>...
> > While I'm not familiar with the capabilities of the VX7R, the quick test
is
> > does it have AM transmit capabilities for any of the bands it legally
> > covers? If not then I seriously doubt it has airband AM transmit.
Yaesu is
> > not going to spend the money adding AM transmit capability to a radio
that
> > doesn't need it. I suspect you're probably out of luck.
> >
> > Mark
> >
> > As for the original responder, he rants and raves about CBers, while
using
> > language straight off of Ch. 19, so what makes him any better? 13wpm
> > doesn't make you God (maybe a priest, though?).
> >

596. ICOM-207H Separation Cable Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 06:44:13 UTC
From: marc29400@ez2.net
Message-ID: <fc6d4bf4.0206162244.7b3a55b9@posting.google.com>
Source record: 42207
Cross-posted to:
rec.radio.swap,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,alt.ham-radio.marketplace

Looking for the OPC-600 Separation Cable for the IC-207H.

73 de AD6MI
Marc

597. VX-7R, questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 10:35:08 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0206170235.6b0a52bc@posting.google.com>
Source record: 42208

Computer Control?
If it can be controlled by computer can
any of the preprogrammed memories be changed?
Will Yaesu offer firmware updates for this radio?

Alignment Menu, what is button sequence during power up?

More power on 222MHz, any ideas how?

Can the preprogrammed memories (Marine Band) be scanned?

Ken
N1KK

598. Re: Kenwood TH-215A help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 12:02:57 UTC
From: marwill@cox-internet.com
Message-ID: <3D0DCFF1.7F75015A@cox-internet.com>
Source record: 42209

Mont,

Send me a mailing address and I will make a copy of my TH215A manual for
you.

73,
Ron Willingham
KF5QW

Mont O'Leary wrote:

> I just purchased a TH-215A at a flea market -- no manual of course... I
> need a copy of the page(s) that describe the programming steps. Thanks,
> Mont

599. Hallicrafters SX 110 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 13:10:34 UTC
From: Bill Grimwood <bill@grimwood.net>
Message-ID: <XDpP8.5776$As4.1976@rip>
Source record: 42215

I need a copy of the operators manual. would someone be so kind as to copy your manual and send it to me. I will be glad to pay you for your trouble.

Thanks

Bill Grimwood
K1WEG

600. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 15:16:19 UTC
From: Jim Weir <jim@rst-engr.com>
Message-ID: <prurgu0br6f4613csmhqb4493m6u8k9hgo@4ax.com>
Source record: 42210

"Dan" <n7slc@yahoo.com>
shared these priceless pearls of wisdom:

->"Joel Glickman" <joel@generators.com> wrote in message
->news:9f2570a7.0206152253.5062c96a@posting.google.com...
->> While the original followup to my posting barely merits a response, I
->> would like to point out that I am an FAA Certified Instrument-Rated
->> Private Pilot

The word is "certificated".

->>
->> Starting from scratch -- Does anyone know if the VX-7R will TX AM in
->> the aviation band .. and if so, how much power?

That is an interesting question, and one that should be answered by somebody who has a better working knowledge than the ignoramuses that post "I don't know but probably not". That is a very definite maybe, and hardly worth the bandwidth. Seems that some investigation is in order.

My chart satchel has an aging STS in it, and if I had something that would get me by in a pinch, you bet your sweet hiney I'll argue the matter once I'm safely on the ground. I'd much rather do that than squawking 7600 and hoping somebody tries to talk to me on (purposely omitted) emergency frequency using the old "if you hear me, squawk ident" trick.

Maybe somebody out there who actually HAS a VX-7R and could TRY it into a dummy load might be willing to answer? 122.75 is a noncritical "air to air multicom" that won't upset ATC if you want to use that frequency into the dummy load, understanding that even dummy loads radiate microwatts.

Jim
CFI, A&G, CGI, Comm'l. Inst.
A&P, IA

Jim Weir, VP Eng. RST Eng. WX6RST
A&P, CFI, and other good alphabet soup

601. MRF255 Info Sought

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 15:34:51 UTC
From: "Geo. Encarnacion" <ah6bv@arrl.net>
Message-ID: <vknP8.46224$UT.3165509@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42211

Aside from RF Parts and the OEMs (I-K-Y), has anyone found any other sources of these RF power TMOSFETS? Has anyone used Polyfet's SM724 cross-referenced replacements?

Thanks & 73, George AH6BV/w1

602. Re: Yaesu FT-50R Battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 17:10:27 UTC
From: derek_toeppen@agilent.com
Message-ID: <2219e080.0206170910.7f1e6b73@posting.google.com>
Source record: 42212

"music man" <edhall consultant@yahoo.com> wrote in message
news:<aejqlcejv1@bob.news.rcn.net>...

The problem I had with using AA battery packs for NiCd or NiMH batteries
was the contact resistance between batteries in the pack. The 13 contact
resistances added up and caused a voltage drop that made the pack's
voltage appear low when transmiting. The result was the radio turning
itself off before the batteries we really fully discharged.

Having given up on AA packs, I started buying NiCd or NiMH inserts. This
is cheaper than buying the complete pack. Try www.batteriesamerica.com.

Derek

> Yes, but isn't the output power lower with the lower voltage, that is
> the problem I have with the 2 x AA pack with the vx7r
>
> Ed
> "KB7M" <kb7m@arrl.net> wrote in message
> news: WdP8.48$pt3.98653@news.uswest.net...
> I've gone completely to NiMh AA's in an alkaline pack. This works
> well. The batteries are inexpensive and easily replaced. The only
> disadvantage is having to open the pack and change the batteries. I
> keep two sets and just swap them when my pack runs low. You can get a
> set of 4 batteries and a smart charger for around $25. That is a lot
> cheaper than $60 for a new NiCd pack and $80-100 for a drop in charger.
> "Mark Russo" <mrrusso@optonline.net> wrote in message
> news:3D0D2AD5.EDFFF9DF@optonline.net...
> The battery most likely went to battery heaven.
> 6 years is a long time for a Ni-Cad.
> Time for another.
> If you would like to confirm this, find somebody else
> with an FT-50 and try his/her battery. There are FT-50's
> all over the place.
> Good Luck, Mark
>
>
> ---
> ---
>
> Anoop Ghanwani wrote:
>
> I bought a Yaesu FT-50R back in 1996. I used it for
> a couple of years and then pretty much shelved it until
> now. When I tried to use it a couple of days ago, it

> wouldn't work even after several hours of charging.
> However, I can turn it on when it's plugged in or when
> it's running on AA batteries. Does this mean that the
> battery is dead or could it be a problem with the
> contacts?
> Thanks,
> -Anoop, AF4LA
>
> --
> ---------------------
> All e-mail received and SENT from me
> has been checked by Norton Anti-Virus 2002.
>
> mrrusso@optonline.net
> ---------------------
> GOD BLESS AMERICA!!!
>
>
>
> --

603. FS: Alinco DR-150T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 17:22:25 UTC
From: n8tlv@hotmail.com
Message-ID: <75c62d0b.0206170922.3c42083d@posting.google.com>
Source record: 42213

For Sale:

Alinco DR-150T 2meter mobile radio. Rated at 50W output, Recieves from 108-174 MHz AM and FM, as well as 70cm band (forget the exact frequency range). Transmits from 136 to 174MHz (mars/cap mod performed). This radio transmits EXCITER POWER ONLY (~50mW) The Toshiba VHF RF final module seems to be defective. Maybe if you have another radio with this module or this module lying around this could be a great radio for you. Besides transmitting, the radio recieves fine, memories work, buttons work, etc. This radio was not used mobile, but was transported from Ohio to Newfoundland and back a few times so there are some cosmetic scratches and the sort but it's not horrible or anything. I used this radio on packet 9k6 and soldered a couple wires to the board for a direct connection to the discriminator audio out and a direct input. These wires escape through the bottom center screw hole and were connected to my TNC cable. I do not smoke so this unit is soot free. With a little TLC this could be a great 2mtr radio for someone or even makes a good scanner as is with aircraft recieve and vhf high band and the extended 70cm coverage that goes up to at least 470mhz. I'd fix it, but right now my funds as a poor university student are limited so it must leave my possesion.

I am asking $100 US FIRM .. (just think of it as helping me pay my tuition)
Buyer to pay exact shipping charges from zip code 44216. I'd like to ship USPS but other methods will be considered, and if you live in Northeast Ohio or w/in a 2 hrs drive of Akron, I'll deliver it to you if you'd like.

PLEASE contact me by phone only, as I don't read the email sent to this box, thanks to the plethora of junkmail hotmail provides.
(330) 882-4321
and ask for Mark N8TLV
I'm available evenings EDT but you can call anytime and leave a message.
Paypal is available, and preferred, but I'll take money order and personal cheques and will ship once they clear the bank.

73 and thanks,
Mark Saurman N8TLV

604. FS: Misc. Two Way Radio Accessories and Tower Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 19:27:07 UTC
From: sales <sales@lssons.com>
Message-ID: <3D0E380A.20607@lssons.com>
Source record: 42214

http://www.lssons.com/used.html

605. Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 21:02:41 UTC
From: Rob <Pse@NoEmail.Com>
Message-ID: <A8sP8.3657$H67.19657@tor-nn1.netcom.ca>
Source record: 42216
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

Hi,

I am considering buying a second hand Paragon, FT-990 or TS-940SAT. I hear that all are pretty good second hand radios.

Which is the best second hand radio for RTTY, SSB and CW DXing??

Rob

606. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 23:09:16 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3D0E6C1C.DA774F5C@erols.com>
Source record: 42217
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

***I have been using the 940SAT for about 7 years. No complaints.
Great receiver. Excellent sensitivity and selectivity. I tried two
mikes; the Heil DX boom and the D104. Believe it or not the DX stations
said the 104 cut through the QRM much better than the Heil. I had
previously used the 104 with the TS830s and received the same reports.
Good Luck
73 Murray, K3BEQ

Rob wrote:
>
> Hi,
>
> I am considering buying a second hand Paragon, FT-990 or TS-940SAT. I hear
> that all are pretty good second hand radios.
>
> Which is the best second hand radio for RTTY, SSB and CW DXing??
>
> Rob

607. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 23:11:26 UTC
From: Keith Beebe <keith.beebe@veri-nospam-zon.net>
Message-ID: <y0uP8.33525$ks6.27121@nwrddc02.gnilink.net>
Source record: 42218
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

My vote is for the FT-990...my only radio (and also bought "second-hand").

With P5 about to be credited to my total, that's 340 countries mixed RTTY (using FSK mode on the radio), CW and SSB....with the majority of them worked on the FT-990. I would say it works pretty well.

Your mileage may vary...but it is a great rig.

Keith Beebe W3KB

"Rob" <Pse@NoEmail.Com> wrote in message news:A8sP8.3657$H67.19657@tor-nn1.netcom.ca...
> Hi,
>
> I am considering buying a second hand Paragon, FT-990 or TS-940SAT. I hear
> that all are pretty good second hand radios.
>
> Which is the best second hand radio for RTTY, SSB and CW DXing??
>
> Rob
>
>

608. FS REDUCED AMERITRON AL-80A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-17 23:14:58 UTC
From: obz <n2ozo@bellatlantic.net>
Message-ID: <3D0E6DD5.C5A4694D@bellatlantic.net>
Source record: 42219
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale 1 excellent condition AL-80A Amplifier w/10 meter mod.
This amp is good for 10 thru 160 meters.
The condition of the amp is a 9+. It has one little scratch on the plate
knob..
The case is in mint condition.
I don not have the original box but it does come with the manual.
REDUCED TO $560.00 plus shipping and insurance conus only.
If you are interested email at the above.
Thanks for reading this
Mike

609. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 00:43:56 UTC
From: Brian Short <bshort4@cox.net>
Message-ID: <MPG.17786cee1641653c989687@news.west.cox.net>
Source record: 42220
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

I never used a Paragon or '940.

I did, however, like my FT-990 very much, especially for the
flexibility on digital modes.

There are 2 rear panel jacks - RTTY, PACKET.

The RTTY jack allows FSK operation.

The PACKET jack allows AFSK operation whether for packet, Clover,
Pactor-II, or any of the many, many newer designer modes.

The mode selection on the front panel (RTTY, PKT) selects which
jack is used.

Also, installed filters may be selected as desired and used in
the digital modes.

> I am considering buying a second hand Paragon, FT-990 or TS-940SAT. I hear
> that all are pretty good second hand radios.
>
> Which is the best second hand radio for RTTY, SSB and CW DXing??

--
People who think they know it all are annoying
to those of us who do.
--
See my web page: http://www.k7on.com/
--

610. Interface Yaesu FT1500 to PC?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 01:03:50 UTC
From: <>
Message-ID: <3d0e864f.363787478@news.igs.net>
Source record: 42221

Does anyone know the protocol that Yaesu uses in the FT1500M 2 meter rig to "clone" the memory from one rig to another (or to a PC)?

I've a lot of channels I'd like to program in, and I don't want to do it by hand. I can buy a program and cable to do this, but it would be more fun to write my own program.

Larry VE3CRX
Larry Bradley VE3CRX
Remove "removeme" from my e-mail address for direct mail
Ottawa, Canada

(use the e-mail address above to send directly to me)

611. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 01:18:31 UTC
From: CJ <difficult@times.com>
Message-ID: <ugt30ed08ana4@corp.supernews.com>
Source record: 42222
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

Hello Rob,
Let's get to the bottom line in an answer to your question. Since you asked in the vein of operating modes / preferences I just want to say that realistically there is not going to be much difference in your ability to do successful RTTY, SSB and CW with either of those rigs. And furthermore IMHO - any - rig that is working properly will give about the same results the only assumption of course is that the rig has the mode in it that you want to use and compare to others.

A TS-430 is going to allow you to do those modes as well on-the-air as an FT-1000D overall and in 99% of the real-world situations. I have always felt there was far too much hoopla about rigs when basically any properly operating rig will more than "get the job done".

What does matter and what is meaningful and what does and can make an overwhelming difference in those modes you mentioned? 3 things...

1. operating skill
2. operating skill
3. operating skill

IMHO it is 90% operating skill and 10% equipment. Ask any QRP'er!!

DX de AB7SL- Charles
AB7SL - Ham Radio Pages
Prescott, AZ - USA
www.ab7sl.com

"Rob" <Pse@NoEmail.Com> wrote in message
news:A8sP8.3657$H67.19657@tor-nn1.netcom.ca...
> Hi,
>
> I am considering buying a second hand Paragon, FT-990 or TS-940SAT. I
hear
> that all are pretty good second hand radios.
>
> Which is the best second hand radio for RTTY, SSB and CW DXing??
>
> Rob
>
>

612. Hy-gain 4 el 20 meter Beam available...in colorado

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 03:03:02 UTC
From: "RoyaltyFreePhotos.com" <rffimages@yahoo.com>
Message-ID: <3D0EA2E6.2407CBE9@yahoo.com>
Source record: 42225

I have a very nice Hy-Gain 204BA-S 4 element 20 meter bean that I would like to get out of my garage. It is is very good condition and comes with the Manual.

It is located in the Denver area.

$75.00

Bill
303-674-0510
or
USE THIS E-MAIL ADDRESS: bohnn@zworg.com

,.,

613. FA: Really RARE HEATHKIT HO-5054 MONITOR SCOPE @$61

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 03:21:12 UTC
From: rlucch2098@aol.com
Message-ID: <20020617232112.28546.00000943@mb-cr.aol.com>
Source record: 42226

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1360072024
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

614. FA: Astatis D-104 CRYSTAL HEAD @$10 Need a spare?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 03:23:01 UTC
From: rlucch2098@aol.com
Message-ID: <20020617232301.28546.00000945@mb-cr.aol.com>
Source record: 42227

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1360072012
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

615. fa: SIMPSON 260 VOM Series 5P w/Overload protection, @$10

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 03:25:00 UTC
From: rlucch2098@aol.com
Message-ID: <20020617232500.28546.00000948@mb-cr.aol.com>
Source record: 42228

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1360071983
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

616. Good link for Icom cables and more!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 03:42:42 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D0EAC32.300AF445@cableone.net>
Source record: 42223
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment
Body handling: Binary attachment payload not displayed: radioranch.vcf

Some fair deals on all those useful and hard to find Icom cables, and more...take a look...I recommend it!! Murray K5MDM

<http://members.fortunecity.com/w2eny>

[One or more binary attachments are retained only in the source text.]

617. Re: Yaesu FT-50R Battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 03:51:22 UTC
From: anoop@alumni.duke.edu
Message-ID: <50bde0e6.0206171951.47fd943@posting.google.com>
Source record: 42229

Thanks to all for all the replies.

What are inserts? Never heard of them before.

Is there a way to find some place locally where I can
get the battery pack instead of having to go through mail
order? Will a Ni-Cd battery die off even if it hasn't been
used?

-Anoop

derek_toeppen@agilent.com (Derek Toeppen) wrote in message
news:<2219e080.0206170910.7f1e6b73@posting.google.com>...
> "music man" <edhall consultant@yahoo.com> wrote in message
news:<aejqlcejv1@bob.news.rcn.net>...
>
> The problem I had with using AA battery packs for NiCd or NiMH batteries
> was the contact resistance between batteries in the pack. The 13 contact
> resistances added up and caused a voltage drop that made the pack's
> voltage appear low when transmiting. The result was the radio turning
> itself off before the batteries we really fully discharged.
>
> Having given up on AA packs, I started buying NiCd or NiMH inserts. This
> is cheaper than buying the complete pack. Try www.batteriesamerica.com.
>
> Derek
>
> > Yes, but isn't the output power lower with the lower voltage, that is
> > the problem I have with the 2 x AA pack with the vx7r
> >
> > Ed
> > "KB7M" <kb7m@arrl.net> wrote in message
> > news: WdP8.48$pt3.98653@news.uswest.net...
> > I've gone completely to NiMh AA's in an alkaline pack. This works
> > well. The batteries are inexpensive and easily replaced. The only
> > disadvantage is having to open the pack and change the batteries. I
> > keep two sets and just swap them when my pack runs low. You can get a
> > set of 4 batteries and a smart charger for around $25. That is a lot
> > cheaper than $60 for a new NiCd pack and $80-100 for a drop in charger.
> > "Mark Russo" <mrrusso@optonline.net> wrote in message
> > news:3D0D2AD5.EDFFF9DF@optonline.net...
> > The battery most likely went to battery heaven.
> > 6 years is a long time for a Ni-Cad.
> > Time for another.
> > If you would like to confirm this, find somebody else

> > with an FT-50 and try his/her battery. There are FT-50's
> > all over the place.
> > Good Luck, Mark
> >
> >
> > --
> > ---
> >
> > Anoop Ghanwani wrote:
> >
> > I bought a Yaesu FT-50R back in 1996. I used it for
> > a couple of years and then pretty much shelved it until
> > now. When I tried to use it a couple of days ago, it
> > wouldn't work even after several hours of charging.
> > However, I can turn it on when it's plugged in or when
> > it's running on AA batteries. Does this mean that the
> > battery is dead or could it be a problem with the
> > contacts?
> > Thanks,
> > -Anoop, AF4LA
> >
> > --
> > ---------------------
> > All e-mail received and SENT from me
> > has been checked by Norton Anti-Virus 2002.
> >
> > mrrusso@optonline.net
> > ---------------------
> > GOD BLESS AMERICA!!!
> >
> >
> >
> > --

618. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 03:57:46 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D0EAFBA.15C1A1B3@cableone.net>
Source record: 42224
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment
Body handling: Binary attachment payload not displayed: radioranch.vcf

I too would go with the FT 990...much better reciever , in my opinion, though a 940 is might fine and less money.. could cost you on a repair though, lots of parts unavailable thru normal channels....Paragon loaded with filters and Giehl chip is pretty nice but I wouldnt trade a 990 for one...2 more cents worth...best deal on the planet right now woudl be a Yaesu FT 920 or an Icom 746, 920 should be 900bux the 746 not over a thousand....for the money Id rather have either of those...why not take adavantage of the new technology and low prices!! Less repair on newer rigs, 746 has been virtually trouble free after first runs and same for the 920...whoops I gave you 10cents worth..73 Murray

Rob wrote:

> Hi,
>
> I am considering buying a second hand Paragon, FT-990 or TS-940SAT. I hear
> that all are pretty good second hand radios.
>
> Which is the best second hand radio for RTTY, SSB and CW DXing??
>
> Rob

[One or more binary attachments are retained only in the source text.]

619. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 04:09:11 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aembpauaf1@madmax.keyway.net>
Source record: 42230

Of course one could always BUILD an AM transmitter for the aircraft
band, or perhaps convert a CB walki-talkie, but is it really practical?
And would you stake your life on such a "backup radio"?

They really do make Airband portables, even with other neat instrument
goodies built-in that are a whole lot cheaper than the cost of a new
airplane. They also make a great double check when things don't
look right.

Jim

"M. Schneider" <markinokla@juno.com> wrote in message
news:PpeP8.759$p07.37111@sooner.brightok.net...
: Well, in that case, it might be worth a try! If you do, let us know what
: happens. "Inquiring minds want to know!"
:
: Mark
:
: "Joel Glickman" <joel@generators.com> wrote in message
: news:9f2570a7.0206161959.1806dde@posting.google.com...
: > Agreed... It does seem unusual that Yaesu would add AM transmit to an
: > amateur handheld, however, according to specifications I've obtained
: > (http://members.fortunecity.com/swradios/vx7r.html), it indeed DOES
: > transmit 1 watt of AM in the 6m band (50Mhz).
: >
: > "M. Schneider" <markinokla@juno.com> wrote in message
: news:<Ez3P8.751$p07.36841@sooner.brightok.net>...
: > > While I'm not familiar with the capabilities of the VX7R, the quick test
: is
: > > does it have AM transmit capabilities for any of the bands it legally
: > > covers? If not then I seriously doubt it has airband AM transmit.
: Yaesu is
: > > not going to spend the money adding AM transmit capability to a radio
: that
: > > doesn't need it. I suspect you're probably out of luck.
: > >
: > > Mark
: > >
: > > As for the original responder, he rants and raves about CBers, while
: using
: > > language straight off of Ch. 19, so what makes him any better? 13wpm
: > > doesn't make you God (maybe a priest, though?).
: > >
:
:

620. Alinco DR-150 Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 04:29:20 UTC
From: "Brian C. Lane" <bcl@brianlane.com>
Message-ID: <FEFB95ADFC691B55.A05ADC773B951D50.94C73DA73A1787CD@lp.airnews.net>
Source record: 42231

I have an odd problem with my DR-150T and I'm not sure how to trouble shoot it. It transmits and receives just fine (monitored with my HT), but it has a hard time bringing up the local repeaters. My HT can bring them up, so I have the tones right and power isn't an issue. Sometimes it will work and most of the time it doesn't.

I suspect there is something going on with the PL tone, or tone level. But I have no idea how to trouble shoot it.

Any ideas?

Thanks,

Brian
KC7TYU

--
Linux Consulting and Software Development
http://www.brianlane.com
DigiTemp --[Inside 74.1F]--[Outside 59.0F]--[fozzy 77.1F]--[Drink 65.3F]--

621. Re: Which to choose IC 746, 756.... Ft 920, Ts 570

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 08:39:37 UTC
From: Tadej Archon - S57NDT <ted@email.si>
Message-ID: <3d0ef06b@news.perftech.si>
Source record: 42232
Cross-posted to: rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

Hi Arek, I have ic756 for about 4 years, I think FT-920 is a good buy, but ic756 is better!
of course few days ago we have tested an ic-746 and ft-920, for my ear is better the ic746 on the lowest signals, but there was mot so much difference.

You have another way: You can chose an oldest radio like ic-765, ts-940 for the same price.

"Arek" <arek@bbs.net.pl> je napisal v sporo&#65533;ilo news:3d0ccfc9_1@news.vogel.pl ...
> I am about to buy a radio, but I haven't got any experience. However I am
> considering to buy one of the radioes mentioned in the subject. I don't know
> which radio is better so if you have some experience and can help me, please
> write. I am mostly working on HF and like it the most, so I don't care if
> the radio will have any other bands. I would like to which of them the best
> radio for HF is. I'll be pleased to get any kind advice. Thank you in
> advance.
>
>

622. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 11:22:20 UTC
From: cprstn54zz@att.net
Message-ID: <3d0f1648.165486562@news-server.optonline.net>
Source record: 42233
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

On Tue, 18 Jun 2002 00:43:56 GMT, Brian Short <bshort4@cox.net> wrote:
>I did, however, like my FT-990 very much, especially for the
>flexibility on digital modes.
>There are 2 rear panel jacks - RTTY, PACKET.
>The RTTY jack allows FSK operation.
>The PACKET jack allows AFSK operation whether for packet, Clover,
>Pactor-II, or any of the many, many newer designer modes.
>The mode selection on the front panel (RTTY, PKT) selects which
>jack is used.

Since you like the FT990 for digital modes, perhaps you can answer a
question.

My current-production KAM98 TNC ignores the RTTY and PACKET jacks on
my FT990 in favor of SPEAKER, MIC & PTT. Do I miss out on some
functionality because of this? Or, rather, do those data jacks
reflect how TNC's worked in 1995, which TNC's are now obsolete?

As to IF filtering, I have a complete set of three Inrads and find
they all can be engaged in almost every mode, especially CW and SSB.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

623. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 16:08:10 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D0F5AEA.9010408@lakefield.net>
Source record: 42236
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $700

Kenwood TM251A 95% $100 SOLD
Kenwood TM451A 98% $115

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

624. Field Day near Winsted CT?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 16:55:09 UTC
From: cprstn54zz@att.net
Message-ID: <3d0f653f.185700921@news-server.optonline.net>
Source record: 42237

Any clubs doing a Field Day near Winsted CT? I will be away from my NY club on Field Day and am looking for one near where I will be camping that weekend.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

625. RADCOM AND QST CDs For Auction on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 17:39:27 UTC
From: Apostolos Bourousis <mak@compulink.gr>
Message-ID: <aenr9s$25hr$1@ulysses.noc.ntua.gr>
Source record: 42238

RADCOM AND QST CDs For Auction on Ebay

RADCOM 1996 CD ROM
http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1361021841&ssPageName=A
DME:B:LC:UK:1

RADCOM 1997 CD ROM
http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1361022123&ssPageName=A
DME:B:LC:UK:1

RADCOM 1998 CD ROM
http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1361022655&ssPageName=A
DME:B:LC:UK:1

ARRL Periodicals - QST 1985-1989 on CD-ROM
http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1361023557

626. Pac Comm 56K GRAPES Modems for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 17:44:44 UTC
From: Evan Idler <evan@epsb.net>
Message-ID: <IkKP8.842$SR3.321455@localhost>
Source record: 42239

I have 3 Pac Comm 56K Grapes modems for sale.
They were used twice for a test, then packed back up
and haven't been used since.

http://www.paccomm.com/56kb.html

$250.00 US, OBO + shipping

Take all 3 for $650.00 US + shipping

e-mail me at evan@epsb.net

627. FS: Motorola Hang-Up Switch Box TU526.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 19:04:27 UTC
From: MTM <res0i8ad@verizon.net>
Message-ID: <%uLP8.62398$uX3.23379@nwrddc01.gnilink.net>
Source record: 42240

FS: Motorola Hang-Up Switch Box TU526.....MANY Avialable!
Genuine Replacement Parts. Used in Motorola mobile two-way radio
installations
These are BRAND N.I.B.handset type (phone) cradles for "Trunk-Mount" Radio
sets.
The cable end has individual "Pin-Type" Plugs.
Pix available. Please let me know....?
Thanks......
--
Mike

814-450-7979-c
814-868-0866-h

628. Re: Simple to build Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 20:30:22 UTC
From: Uncle Peter <radioconnectionNO@cox.netSPAM>
Message-ID: <yLMP8.57014$Hn4.1946121@news1.east.cox.net>
Source record: 42242
Cross-posted to: rec.radio.amateur.homebrew,uk.radio.amateur,rec.radio.amateur.equipment

There a quite a few surplus tube and parts dealers that cater to
the vintage radio restoration buffs. Parts are available, and
reasonably priced.

Pete

"Mark Keith" <nm5k@wt.net> wrote in message
news:25eb70d7.0205260241.2a6cf743@posting.google.com...
> RVMJ <RVMJ@Safety-&-Arming.Clara.co.uk> wrote in message
news:<qklveukgodt7q3e6hu8c0edauga44s98ve@4ax.com>...
> > Mark Keith wrote:
> >
> > >The problem is it's sort of hard to find tube parts
> > >these days. Used to, any junk tv had most of the parts to build a
> > >simple transmitter. "transformer, etc".
> >
> > I'm sorry to disagree with you, but a visit to a rally such as
> > Dunstable Downs would have enabled you to come away with simply loads
> > of components for building the gear you mention. They're not new, not
> > shrink-wrapped, and not on glitzy display stands; but they're there!
>
> Yep, you can find them, but I didn't know if he want to or had close
> access to any hamfests. I guess most do at some point in the year.
> Most flea markets and hamfests will usually have loads of junk parts
> laying around for cheap. Many times people will drag the stuff out to
> sell, and end up giving it away just so they don't have to haul it
> back home. MK

629. HF Solid State Amp Parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 21:51:18 UTC
From: Doc Johnson <bluescreennospamplease@comcast.net>
Message-ID: <MPG.1779755c2b62d484989692@news.mi.comcast.giganews.com>
Source record: 42243
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I am looking for the boards and any other parts to build a 4x2SC2879 12 volt mobile linear amplifier. I have the heatsink and the car already. Thanks... WB8VTW

630. Caps for NCL 2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 22:01:28 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D0FADB8.B5CA30CE@cableone.net>
Source record: 42241
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Body handling: Binary attachment payload not displayed: radioranch.vcf

For an NCL2000 amp, they are very small around, perhaps and inch in diameter and anything from 70-150 @450v+ would work, need 8 but they must be slim..they can be long.(4inchs or so)..anybody know what Im looking for? Thanks Murray K5MDM

[One or more binary attachments are retained only in the source text.]

631. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 22:18:18 UTC
From: Steven L Umbach <n9rou@attbi.com>
Message-ID: <KkOP8.72147$R61.20997@rwcrnsc52.ops.asp.att.net>
Source record: 42244
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

Don't leave out the Kenwood TS850, especially for what they are going
for these days. --- Steve KK9ZZ

"Rob" <Pse@NoEmail.Com> wrote in message
news:A8sP8.3657$H67.19657@tor-nn1.netcom.ca...
> Hi,
>
> I am considering buying a second hand Paragon, FT-990 or TS-940SAT. I
hear
> that all are pretty good second hand radios.
>
> Which is the best second hand radio for RTTY, SSB and CW DXing??
>
> Rob
>
>

632. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 22:34:49 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <dAOP8.48948$UT.3324979@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42245
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

"Rob" <Pse@NoEmail.Com> wrote in message
news:A8sP8.3657$H67.19657@tor-nn1.netcom.ca...
> Hi,
>
> I am considering buying a second hand Paragon, FT-990 or TS-940SAT. I hear
> that all are pretty good second hand radios.
>
> Which is the best second hand radio for RTTY, SSB and CW DXing??

I've used a TenTec Omni, a TS-930 and TS-850 during the past 17 years.
So far my favorite of those 3 is the 850 with 500 Hz filter.
(I mostly DX on CW).
Liked the feel of the tuning knob on the 930 best.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

633. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 22:39:09 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <hEOP8.48958$UT.3324402@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42246
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

"CJ" <difficult@times.com> wrote in message
news:ugt30ed08ana4@corp.supernews.com...
> Hello Rob,
> Let's get to the bottom line in an answer to your question. Since you
> asked in the vein of operating modes / preferences I just want to say
> that realistically there is not going to be much difference in your
> ability to do successful RTTY, SSB and CW with either of those rigs. And
> furthermore IMHO - any - rig that is working properly will give about
> the same results the only assumption of course is that the rig has the
> mode in it that you want to use and compare to others.
>
> A TS-430 is going to allow you to do those modes as well on-the-air
> as an FT-1000D overall and in 99% of the real-world situations. I have
> always felt there was far too much hoopla about rigs when basically any
> properly operating rig will more than "get the job done".
>
> What does matter and what is meaningful and what does and can make an
> overwhelming difference in those modes you mentioned? 3 things...
>
> 1. operating skill
> 2. operating skill
> 3. operating skill

And the other three most important:

1. Practice.
2. Practice.
3. Practice.

Get to know your radio very very well :-)

To the point you don't think "push split, push a=b, push spot, find clear spot"
but instead think "look up 2 KHz for clear spot" and fingers automatically
make it happen without engaging brain ;-)

> IMHO it is 90% operating skill and 10% equipment. Ask any QRP'er!!
>
>
> DX de AB7SL- Charles
> AB7SL - Ham Radio Pages
> Prescott, AZ - USA
> www.ab7sl.com

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

634. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 22:42:18 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <eHOP8.48962$UT.3325563@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42247
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

I came very close to picking up a 2nd 850 recently ... had trouble
turning it down for less than $600 ... keep in mind the earlier production
(very early production) had problems with components in the ALC chain.
Look for later serials, or proof the repair has already been done.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Steven L Umbach" <n9rou@attbi.com> wrote in message
news:KkOP8.72147$R61.20997@rwcrnsc52.ops.asp.att.net...
> Don't leave out the Kenwood TS850, especially for what they are going
> for these days. --- Steve KK9ZZ
>
>
> "Rob" <Pse@NoEmail.Com> wrote in message
> news:A8sP8.3657$H67.19657@tor-nn1.netcom.ca...
> > Hi,
> >
> > I am considering buying a second hand Paragon, FT-990 or TS-940SAT. I
> hear
> > that all are pretty good second hand radios.
> >
> > Which is the best second hand radio for RTTY, SSB and CW DXing??
> >
> > Rob
> >
> >
>
>

635. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 22:51:40 UTC
From: CJ <difficult@times.com>
Message-ID: <ugvecibie3320b@corp.supernews.com>
Source record: 42148
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

Hello Hank,
I agree 100%. I've had over 6 years to get comfortable with my
TS450S/AT and am so at home with it now there really is no operating
scenario that stifles me. As an example - numerous times when DX
stations have gone from simplex to spilt I have frequently been the
first station he worked after going split because it takes me about 2
seconds to switch the TS450

So..your advice of "practicing" is quite right and can be a real
advantage.....

--
73 / DX de AB7SL- Charles
AB7SL - Ham Radio Pages
Prescott, AZ - USA
www.ab7sl.com

"Hank Oredson" <horedson@att.net> wrote in message
news:hEOP8.48958$UT.3324402@bgtnsc05-news.ops.worldnet.att.net...
>
> "CJ" <difficult@times.com> wrote in message
> news:ugt30ed08ana4@corp.supernews.com...
> > Hello Rob,
> > Let's get to the bottom line in an answer to your question. Since
you
> > asked in the vein of operating modes / preferences I just want to
say
> > that realistically there is not going to be much difference in your
> > ability to do successful RTTY, SSB and CW with either of those rigs.
And
> > furthermore IMHO - any - rig that is working properly will give
about
> > the same results the only assumption of course is that the rig has
the
> > mode in it that you want to use and compare to others.
> >
> > A TS-430 is going to allow you to do those modes as well
on-the-air
> > as an FT-1000D overall and in 99% of the real-world situations. I
have
> > always felt there was far too much hoopla about rigs when basically
any
> > properly operating rig will more than "get the job done".
> >

> > What does matter and what is meaningful and what does and can make
an
> > overwhelming difference in those modes you mentioned? 3 things...
> >
> > 1. operating skill
> > 2. operating skill
> > 3. operating skill
>
> And the other three most important:
>
> 1. Practice.
> 2. Practice.
> 3. Practice.
>
> Get to know your radio very very well :-)
>
> To the point you don't think "push split, push a=b, push spot, find
clear spot"
> but instead think "look up 2 KHz for clear spot" and fingers
automatically
> make it happen without engaging brain ;-)
>
> > IMHO it is 90% operating skill and 10% equipment. Ask any QRP'er!!
> >
> >
> > DX de AB7SL- Charles
> > AB7SL - Ham Radio Pages
> > Prescott, AZ - USA
> > www.ab7sl.com
>
>
> --
>
> ... Hank
>
> Hank: http://horedson.home.att.net
> W0RLI: http://w0rli.home.att.net
>
>
>

636. FS: ICOM IC-T81A HANDHELD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 23:14:12 UTC
From: "Robert G. Carter" <dc2light@radix.net>
Message-ID: <aeoer8gim1@news1.Radix.Net>
Source record: 42149
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

For Sale:

1 each ICOM IC-T81A 50/144/430/1200 MHz handheld FM transceiver and 1 each additional BP200 battery. Package contains original accessories i.e. factory rubber ducky, operators manual, wall charger and total of two BP200s, both with belt clips. The radio is only a few months old and excess to my needs. It is in like-new (9.9 out of 10) condition and works perfectly.
Material is located in St. Mary's County, Maryland.

Yours for only $255.00, pickup or shipped to your door (CONUS address) via Priority U.S. Mail.

Regards -

BOB CARTER W5BTC

637. FS Tektronix 2215 Scope

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 23:55:25 UTC
From: obz <n2ozo@bellatlantic.net>
Message-ID: <3D0FC8D1.6CE4813A@bellatlantic.net>
Source record: 42150
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have for sale 1-2215 Tek scope w/x10 probe.
This is a 60 mhz scope dual ch.
The scope is in excellent working condition .
Overall condition is a 8.
I do not have the manual.
The plastic display lens has a couple of scratches.
Asking 275.00 plus shipping/insurance conus only
If interested please e-mail
Thanks for reading this.

638. FS REDUCED AMERITRON AL-80A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-18 23:56:27 UTC
From: obz <n2ozo@bellatlantic.net>
Message-ID: <3D0FC911.94BE4BD4@bellatlantic.net>
Source record: 42151
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale 1 excellent condition AL-80A Amplifier w/10 meter mod.
This amp is good for 10 thru 160 meters.
The condition of the amp is a 9+. It has one little scratch on the plate
knob..
The case is in mint condition.
I don not have the original box but it does come with the manual.
REDUCED TO $560.00 plus shipping and insurance conus only.
If you are interested email at the above.
Thanks for reading this
Mike

639. Re: Caps for NCL 2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 00:22:27 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d0fcddf_1@newsa.ev1.net>
Source record: 42099
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have the new ones I put in the old Titan PS, they are 530uF @ 450v 1.4"
dia x 4.2" long
screw terminals, computer grade. only a month old.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Murray Neece" <radioranch@cableone.net> wrote in message
news:3D0FADB8.B5CA30CE@cableone.net...
> For an NCL2000 amp, they are very small around, perhaps and inch in
> diameter and anything from 70-150 @450v+ would work, need 8 but they
> must be slim..they can be long.(4inchs or so)..anybody know what Im
> looking for? Thanks Murray K5MDM
>

640. SALE: Operators & Service Manuals Icom IC-R7100 ICR7100 7100

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 01:32:23 UTC
From: David Goldstein <d.goldstein@worldnet.att.net>
Message-ID: <HaRP8.49382$UT.3343518@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42152
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Operators Manual and Service Manual for the Icom IC-R7100 receiver for sale. The manuals contain instructions, information and diagrams, in particular regarding the internal service, adjustments, options and jumper blocks. Information in these manuals is exclusive and not found from any other source. The lower margin of the Operators Manual is cut short but the manual is complete.

641. FA: YASHICA/KYOCERA 230-AF Auto-Wind/Focus w/MACRO-CHEEP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 01:43:26 UTC
From: rlucch2098@aol.com
Message-ID: <20020618214326.04659.00000957@mb-ff.aol.com>
Source record: 42153

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1360072025

Flash is >>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1360072027
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

642. WTB VSWR BRIDGE!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 01:50:36 UTC
From: jos <soj@sympatico.ca>
Message-ID: <3D0FE36C.8A620F26@sympatico.ca>
Source record: 42154

I am looking for a 75 ohm 1 Ghz VSWR bridge. They were manufactured by
Wavetek,
Wideband Engineering, Avcom and others! Thanks! Regards
Jos. VE2AUC

643. WTB: Tracking generator!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 02:18:20 UTC
From: jos <soj@sympatico.ca>
Message-ID: <3D0FE9EC.3C1F6AA1@sympatico.ca>
Source record: 42155

I am looking for a Anritsu Tracking generaator MH680 for Anritsu
Spectrum Analyzer
MS610. Thanks! Regards! Jos. VE2AUC

644. Re: icom 775dsp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 02:46:25 UTC
From: wf3h@ptd.net
Message-ID: <3d0feff0.15678720@news.ptdprolog.net>
Source record: 42156

On Tue, 28 May 2002 11:03:46 GMT, Gary P. Fiber <foo@bar.invalid>
wrote:

>Interesting I worked there for 11 years 1989 until 2001 doing product
>support and never heard of any recall. other than the P2 HT in early
>1992. There were a few with encoder troubles that were some not being
>lubricated properly from the supplier. Replacement of the encoder
>solved those.
>
>
>Gary K8IZ
>

and my tuning knob fell off in the middle of a contest, just like
k3ii's did. members of frankford radio club knew about the problem

---
To find out who 'wf3h' is, go to 'qrz.com'
and enter 'wf3h' in the field.

lat. 40 41.288N
long. 75 32.177W

645. Re: icom 775dsp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 03:01:32 UTC
From: lemwnash@aol.com
Message-ID: <20020618230132.09370.00001671@mb-mq.aol.com>
Source record: 42157

evidently gary has a short memory.
i had finals and dial encoder go out
on two of them.
his repair station repaired them.

646. WTB: ORIGINAL MANUAL KENWOOD TM-642/ and module mtg kit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 03:47:18 UTC
From: k6stu@aol.com
Message-ID: <20020618234718.05536.00001143@mb-cs.aol.com>
Source record: 42158

DOES ANYONE HAVE FOR SALE A ORIGINAL MANUAL FOR THE TM-642??
DOES ANYOND HAVE AN EXTRA THIRD MODULE HARDWARE MOUNTING KIT??
MIKE

647. WTB ORIGINAL ICON 761 OWNERS/OPERATING MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 03:48:23 UTC
From: k6stu@aol.com
Message-ID: <20020618234823.05536.00001144@mb-cs.aol.com>
Source record: 42159

WTB ORIGINAL MANUAL IC-761.
MIKE

648. Quement SWB-3 Power/SWR Meter help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 03:54:49 UTC
From: senecal@mapson.cs.ucdavis.edu
Message-ID: <senecal-1806022054490001@d71-096.solano1.ucdavis.edu>
Source record: 42160

Hi All,

I have a Quement SWB-3 Power/SWR Meter that I picked up from a friend. It has two meters, one on the left that says POWER, and one on the right that says SWR. In the center is a knob with a graduated scale going from 0 to 10, left to right.

What does this knob do? Can anyone give me some information on how I use it to get meaningful information from this device?

Thanks!

-Josh, KG6IBF

--
Remove the reversed nospam in the e-mail address.

649. Good Guy Alert

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 04:01:05 UTC
From: kd5jbn@aol.comnospam
Message-ID: <20020619000105.19760.00001024@mb-da.aol.com>
Source record: 42161

VE3TMT Traded his FT-900 for My Kenwood TS-440SAT. Deal went slicker than Chicken Grease through a Coon Dawg. The Rig he traded was understated. Max my Hats off to you. you are a Fantastic Ham.Look forward to QSO's on 20 meters. Hope you enjoy the 440 as much as I did restoring it.

73 de KD5JBN
Glenn

650. f.s. highend receiver dx 160 with optional speaker 150.00US shipped

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 04:05:49 UTC
From: JJJ <oakvillecub@cogeco.ca>
Message-ID: <EVIP8.78277$Yt.3007618@read1.cgocable.net>
Source record: 42234

for sale:

in excellent condition with optional speaker

realistic dx 160

150.00US includes shipping

thanks
oakvillecub@yahoo.ca

651. f.s. yaseu frg 9600 with optional video card and service manual 325.00US shipped

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 04:07:04 UTC
From: JJJ <oakvillecub@cogeco.ca>
Message-ID: <PWIP8.78278$Yt.3007911@read1.cgocable.net>
Source record: 42235

for sale:

yaseu frg 9600 in mint condition with service manual,
optional video card and powersupply.

325.00US includes shipping

thanks
oakvillecub@yahoo.ca

652. Icom 706mk2g separation cable problems?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 04:29:51 UTC
From: Richard Friedman <rchrd@rchrd.com>
Message-ID: <3D1008C1.29073D2@rchrd.com>
Source record: 42162

I've noticed that when I'm using the separation cable for
the IC 706iiG, with the control head mounted on the
dash of my van and the body on the floor between the
front seats, there is RF in the speaker of IC 706 when
I transmit. If I put the head back on the body there
is no distorted noise coming out of the speaker when
I transmit.

I've also noticed that sometimes, when I'm
stationary and I'm running off the extra utility battery
in the back of the van, the IC 706 will power off sometimes
when I key down. But rearranging the separation cable
(coiling it up, in fact) eliminates the problem. (Yes,
the SWR is under 1.5 and the battery is charged.)

Very strange things like this seem to happen when I use
the separation cable. In the usual configuration, as
I mentioned, the head is on the dash and the body maybe
only 3 feet away on the floor of the front seat.
This leaves about 6 or 7 feet of cable that I usually
coil up and tuck under a flap in the floor rug, near
the emergency brake.

I've also noticed that if I don't coil up the loose
cable I will pick up strange clicking noises that seem
to be coming from the radio itself. All this disappears
when I run with the head on.

I'd really like to know what's going on. Also, is there
something better than just coiling the cable up. Should
I add a ferrite bead or some other magic.

Anyone else noticed these problems?

--
o-=o
| Richard Friedman rchrd@rchrd.com Oakland, CA |
| ---------------- http://www.rchrd.com |
| * Amateur Radio, KG6EMF http://www.qrz.com/kg6emf |
o-=o

653. plug for 775

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 10:40:27 UTC
From: "D.J." <dj2001@mn.rr.com.remove.this>
Message-ID: <dj2001-E2C12A.05420219062002@zeus-ge0.rdc-kc.rr.com>
Source record: 42163

Anybody know where I can buy the ASSY 1 plug for the 775. I want to get the right one. Part number, supplier other than Icom.

dj

654. Re: f.s. PRICE REDUCTION

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 11:24:39 UTC
From: Nolan Machan <nmachan1@home.com>
Message-ID: <4UZP8.78378$Yt.3034614@read1.cgocable.net>
Source record: 42164

this price is changed to 100.00US shipped

thanks

"JJJ" <oakvillecub@cogeco.ca> wrote in message
news:EVIP8.78277$Yt.3007618@read1.cgocable.net...
> for sale:
>
> in excellent condition with optional speaker
>
> realistic dx 160
>
> 150.00US includes shipping
>
> thanks
> oakvillecub@yahoo.ca
>
>
>

655. Re: f.s. PRICE REDUCTION

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 11:25:16 UTC
From: Nolan Machan <nmachan1@home.com>
Message-ID: <oTZP8.57525$op.5401953@read2.cgocable.net>
Source record: 42165

this unit has been lowered to 275.00US
shipped

"JJJ" <oakvillecub@cogeco.ca> wrote in message
news:PWIP8.78278$Yt.3007911@read1.cgocable.net...
> for sale:
>
>
> yaseu frg 9600 in mint condition with service manual,
> optional video card and powersupply.
>
> 325.00US includes shipping
>
> thanks
> oakvillecub@yahoo.ca
>
>
>

656. Re: Icom 706mk2g separation cable problems?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 12:21:10 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uh0tqraqeure71@corp.supernews.com>
Source record: 42166

I'd put one or more ferrites in line. That should stop it.

"Richard Friedman" <rchrd@rchrd.com> wrote in message
news:3D1008C1.29073D2@rchrd.com...
> I've noticed that when I'm using the separation cable for
> the IC 706iiG, with the control head mounted on the
> dash of my van and the body on the floor between the
> front seats, there is RF in the speaker of IC 706 when
> I transmit. If I put the head back on the body there
> is no distorted noise coming out of the speaker when
> I transmit.
>
> I've also noticed that sometimes, when I'm
> stationary and I'm running off the extra utility battery
> in the back of the van, the IC 706 will power off sometimes
> when I key down. But rearranging the separation cable
> (coiling it up, in fact) eliminates the problem. (Yes,
> the SWR is under 1.5 and the battery is charged.)
>
> Very strange things like this seem to happen when I use
> the separation cable. In the usual configuration, as
> I mentioned, the head is on the dash and the body maybe
> only 3 feet away on the floor of the front seat.
> This leaves about 6 or 7 feet of cable that I usually
> coil up and tuck under a flap in the floor rug, near
> the emergency brake.
>
> I've also noticed that if I don't coil up the loose
> cable I will pick up strange clicking noises that seem
> to be coming from the radio itself. All this disappears
> when I run with the head on.
>
> I'd really like to know what's going on. Also, is there
> something better than just coiling the cable up. Should
> I add a ferrite bead or some other magic.
>
> Anyone else noticed these problems?
>
> --
> o-=o
> | Richard Friedman rchrd@rchrd.com Oakland, CA |
> | ---------------- http://www.rchrd.com |
> | * Amateur Radio, KG6EMF http://www.qrz.com/kg6emf |
> o-=o

657. Re: Quement SWB-3 Power/SWR Meter help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 12:23:10 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uh0tuc4cvui499@corp.supernews.com>
Source record: 42167

Josh, that should be for setting the "fwd" adjustment for reading SWR.

"Joshua Senecal" <senecal@mapson.cs.ucdavis.edu> wrote in message
news:senecal-1806022054490001@d71-096.solano1.ucdavis.edu...
> Hi All,
>
> I have a Quement SWB-3 Power/SWR Meter that I picked up from a friend. It
> has two meters, one on the left that says POWER, and one on the right that
> says SWR. In the center is a knob with a graduated scale going from 0 to
> 10, left to right.
>
> What does this knob do? Can anyone give me some information on how I use
> it to get meaningful information from this device?
>
> Thanks!
>
> -Josh, KG6IBF
>
> --
> Remove the reversed nospam in the e-mail address.

658. Re: Icom 706mk2g separation cable problems?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 13:13:28 UTC
From: willco <willco788@ameritech.net>
Message-ID: <3D1083E6.2AEBD1D6@ameritech.net>
Source record: 42168

I had a similar problem on my Ford Aerostar van. Yhe rear hatch
is made of a non-matallic composite materal and thr rear mounted
antenna radiates into the cab.

Ferrites helped a little.

WA9FVP

radiofun wrote:
>
> I'd put one or more ferrites in line. That should stop it.
>
> "Richard Friedman" <rchrd@rchrd.com> wrote in message
> news:3D1008C1.29073D2@rchrd.com...
> > I've noticed that when I'm using the separation cable for
> > the IC 706iiG, with the control head mounted on the
> > dash of my van and the body on the floor between the
> > front seats, there is RF in the speaker of IC 706 when
> > I transmit. If I put the head back on the body there
> > is no distorted noise coming out of the speaker when
> > I transmit.
> >
> > I've also noticed that sometimes, when I'm
> > stationary and I'm running off the extra utility battery
> > in the back of the van, the IC 706 will power off sometimes
> > when I key down. But rearranging the separation cable
> > (coiling it up, in fact) eliminates the problem. (Yes,
> > the SWR is under 1.5 and the battery is charged.)
> >
> > Very strange things like this seem to happen when I use
> > the separation cable. In the usual configuration, as
> > I mentioned, the head is on the dash and the body maybe
> > only 3 feet away on the floor of the front seat.
> > This leaves about 6 or 7 feet of cable that I usually
> > coil up and tuck under a flap in the floor rug, near
> > the emergency brake.
> >
> > I've also noticed that if I don't coil up the loose
> > cable I will pick up strange clicking noises that seem
> > to be coming from the radio itself. All this disappears
> > when I run with the head on.
> >
> > I'd really like to know what's going on. Also, is there
> > something better than just coiling the cable up. Should
> > I add a ferrite bead or some other magic.

> >
> > Anyone else noticed these problems?
> >
> > --
> > o-=o
> > | Richard Friedman rchrd@rchrd.com Oakland, CA |
> > | ---------------- http://www.rchrd.com |
> > | * Amateur Radio, KG6EMF http://www.qrz.com/kg6emf |
> > o-=o

659. Sierra KC-2 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 13:38:58 UTC
From: gsailsbury@mobil1.net
Message-ID: <3a52fe48.0206190538.1039f6a1@posting.google.com>
Source record: 42169

Hello:
I just purchased a Sierra with the KC-2 option. The manual for the KC-2 option was not included. If someone has the sheets could you please scan them and email to mail. I need them for FD this week end and I have order the sheets from Wilderness but they will not be here until after FD. Thanks.
Gene KC0IKY

660. FA: ANTENEX 800 Low Profile Phantom Antenna - NIB - No Reserve - BIN - Motorola Mount

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 14:15:32 UTC
From: werdnuts@sbcglobal.net
Message-ID: <d49cf50c.0206190615.14c210da@posting.google.com>
Source record: 42170

You are bidding on ONE, NEW, ANTENEX brand, Phantom model, 3db gain, 806-866 MHz, "Transit" style, low visibility, 800 MHz Antenna. Antenex part number TRA8063. It is NEW in the bag. This antenna mounts to a standard MOTOROLA style mount (NOT INCLUDED IN THIS AUCTION). I have been using this style antenna for my personal equipment and I am very happy with the results. Great for low-profile or unmarked vehicles! Buyer to pay fixed shipping amount of $6.

Thanks for Looking!!!!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1740763799

661. FS: Rare Wanzer "Z-MATCH" Z4M Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 14:17:41 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d10922a$0$1429$4c5ecdc7@news.erinet.com>
Source record: 42171
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Rare Wanzer "Z-Match" antenna tuner. Top of the line model Z4M includes a relative fwd/ref output meter. Has a "in-out" switch, and a switch to change from a "PI" configuration to a "T" configuration. Utilizes 2 750pf heavy duty caps and a 28uh plated roller inductor with a turns counter. Covers 1.8 to 30 mhz. It is physically small 9x8x5, but advertisement states "will handle power far beyond legal limits". It is in exc condition with only a couple of small scratches on one of the side panels. Comes with paperwork.
$175 plus shipping
Thanks
Tim
NZ8J

662. Re: Mark V Field?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 14:21:33 UTC
From: Tony <Tony@n3itn.net>
Message-ID: <Nr0Q8.39413$ks6.5728@nwrddc02.gnilink.net>
Source record: 42172

The difference between the rigs (mark v and mark v field) is that the filed
is 100watts and it has a built-in power supply.
The field can run from ac or dc (13.8vdc).
The Transverter DOES work with the field; however, you need to buy the power
supply.
There were also some software updates made to the field ... which most
likely will also be found in the later mark v's...
hope this helps
de n3itn

"Jim" <k4sqr@juno.com> wrote in message
news:d43e4174.0206120249.48b0951c@posting.google.com...
> David;
>
> I bought my FT-1000MP Field March 30th, 2002. The 6 meter transverter
> will NOT work with it, since it requires 30 VDC, ie, same PS as its
> big brother, the first original 200w Mark V.
> Good receiver and features. Wait for another coupon deal from Yaesu
> and buy it for $1925.
> Good Luck,
> Jim, K4SQR
>
> "Scott" <nospam@nospam.org> wrote in message
news:<XzSM8.191231$Oa1.17894944@bin8.nnrp.aus1.giganews.com>...
> > I believe the only difference is the power output. But, instead of
taking a
> > chance on getting bad info from the newsgroups, why don't you spend a
couple
> > of bucks and call Yaesu? After all, you are going to spend $2000 to 2500
> > bucks! You also might find out if the transverter will work with it.
> >
> > 73,
> > Scott
> >
> > "David" <phochief@nonspamhotmail.com> wrote in message
> > news:4vMM8.80469$_p6.16823526@e3500-atl1.usenetserver.com...
> > > Oh, and yes, I know the Field model is only 100 watts.
> > >
> > > "> Can someone tell what the difference is between the 1000mp-Mark V
and
> > the
> > > > "Field" model other than the self-contained PS? I'd prefer getting
the
> > > > all-in-one rig if it's specifications are otherwise identical.

> > > >
> > > > David, K4ZZR
> > > >
> > > >
> > > >
> > >
> > >
> > >
> > >

663. FS: Ten Tec Triton IV 540

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 14:39:43 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d109754$0$1432$4c5ecdc7@news.erinet.com>
Source record: 42173
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I have a Triton 540 for sale, it is about a 7 to 8 in appearance, and works 100% (most of the time) It has a problem in that from time to time the audio will have what sounds like static, or "popping" "crackling" sounds. the receive sigs are still there, but the noise is about the same level. It will stop with a "POP" and is quiet again. It's hard to explain the symptoms, but it sounds like maybe a cap is breaking down or something like that. I took the IF-AGC board out and reheated some of the joints and it seemed to fix the problem for several days, but it is starting to do it again. Also, I am running it from a 12 vdc battery and not a 13.8 vdc supply. I don't know if the slightly lower voltage is a contributing factor or not. The PTO has been rebuilt and is smooth. has a new dial cord. Includes the optional CW filter and noise blanker. I have the original manual, complete, but the pages are loose. It puts out full power andI believe it has all the 10 meter xtals. Has the power cord that will connect to a standard non ten tec supply and has a relay wired in line so that the front panel on-off switch will work with any supply. I will sell it as-is and ship and insure it in the lower 48 for $140.00. Please email with any questions. I can send a pic of it for those who are interested.

thanks
Tim
NZ8J

664. Re: Quement SWB-3 Power/SWR Meter help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 14:44:06 UTC
From: senecal@mapson.cs.ucdavis.edu
Message-ID: <senecal-1906020744060001@d71-096.solano1.ucdavis.edu>
Source record: 42174

I'm new to this and know squat about this. What is the "fwd" adjustment
and how do I set it correctly?

-Josh

> Josh, that should be for setting the "fwd" adjustment for reading SWR.
>

> > I have a Quement SWB-3 Power/SWR Meter that I picked up from a friend. It
> > has two meters, one on the left that says POWER, and one on the right that
> > says SWR. In the center is a knob with a graduated scale going from 0 to
> > 10, left to right.
> >
> > What does this knob do? Can anyone give me some information on how I use
> > it to get meaningful information from this device?
> >

--
Remove the reversed nospam in the e-mail address.

665. Re: Quement SWB-3 Power/SWR Meter help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 15:23:25 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uh18gbqbopg4ef@corp.supernews.com>
Source record: 42175

When you check SWR..you have the meter in the FWD(forward) position, then while transmitting, you set the meter to the set mark. After that you switch to the reflected position to read the SWR. Thats it, if the meter is what I think it is, by your description.

--
Web Site: www.polkcounty.org/radiofun

"Joshua Senecal" <senecal@mapson.cs.ucdavis.edu> wrote in message news:senecal-1806022054490001@d71-096.solano1.ucdavis.edu...
> Hi All,
>
> I have a Quement SWB-3 Power/SWR Meter that I picked up from a friend. It
> has two meters, one on the left that says POWER, and one on the right that
> says SWR. In the center is a knob with a graduated scale going from 0 to
> 10, left to right.
>
> What does this knob do? Can anyone give me some information on how I use
> it to get meaningful information from this device?
>
> Thanks!
>
> -Josh, KG6IBF
>
> --
> Remove the reversed nospam in the e-mail address.

666. FS/FT 5 Maxtrac & radius radio 2 uhf / 3 vhf

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 15:25:44 UTC
From: weeones <weeones@fix.net>
Message-ID: <3d10a279$0$192@news.impulse.net>
Source record: 42176
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

I have 5 maxtrac or radius radio for sale for $550 or trade the lot for an ft-817 of ft-100 or some other HF radio that has 6 meter also.

1st of the radios is a radius UHF 25 watts with 16 pin on back ,has mics.
2nd of the radios is a maxtrac 300 VHF 40-50 watts with 5 pin on back, has mic.
3rd of radios is a maxtrac 300 VHF 25 watts with 5 pin on back, has mic.
4th of radios is radius UHF 25 watts with 16 pin on back, has mic.
5th of radios is maxtrac vhf 40-50 watts with 16 pin on back. this one has a mic but the mic has been split in 1/2 along the seam will need to be glued back together.

All the above radios where pulled working. they have been sitting on shelf for a while. they com with out power cords and mounting hardware. I have check them and they all power up. I did not transmit on them due to no antenna. I am selling them as is.

I thought I was going to make a repeater out of this radios. But now want to upgrade to general and do HF.

Thanks for looking

Ethan Simoneau
KF6IVI

kf6ivi@arrl.net

667. Re: Alinco DR-150 Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 15:53:27 UTC
From: n8tlv@hotmail.com
Message-ID: <75c62d0b.0206190753.c8cecb3@posting.google.com>
Source record: 42177

Brian,

Do you have a wattmeter? Check to see what your actual power output is. The meter that is on the radio itself does not show actual power output; it just gives an indication of which power setting you are on. Another way to check is with an Ammeter. See if you are drawing 8-10 amps on high power transmit. If it's drawing only an amp, then it is pretty safe to say that the Toshiba S-AV17 vhf rf power ampifier module has gone in it. I heard that this part costs $60, but can't confirm that. Also heard that popping the cover off of the amp module and repairing burnt traces would fix it, too. Personally, I'm trying to sell mine. I don't have the time nor money to fix it. From what I was reading online, this happens a lot to these power amp modules, calling it a "disease".

Hope this helps some.

73,
Mark N8TLV

Brian C. Lane <bcl@brianlane.com> wrote in message news:<FEFB95ADFC691B55.A05ADC773B951D50.94C73DA73A1787CD@lp.airnews.net>...
> I have an odd problem with my DR-150T and I'm not sure how to trouble shoot it. It transmits and receives just fine (monitored with my HT), but it has a hard time bringing up the local repeaters. My HT can bring them up, so I have the tones right and power isn't an issue. Sometimes it will work and most of the time it doesn't.
>
> I suspect there is something going on with the PL tone, or tone level. But I have no idea how to trouble shoot it.
>
> Any ideas?
>
> Thanks,
>
> Brian
> KC7TYU

668. Re: Rare Wanzer "Z-MATCH" Z4M Tuner SOLD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 16:20:04 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d10aede$0$1423$4c5ecdc7@news.erinet.com>
Source record: 42178
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Thanks to all who asked about the tuner, it has been sold..

NZ8J <timcook@erinet.com> wrote in message
news:3d10922a$0$1429$4c5ecdc7@news.erinet.com...
> Rare Wanzer "Z-Match" antenna tuner. Top of the line model Z4M includes a
> relative fwd/ref output meter. Has a "in-out" switch, and a switch to
change
> from a "PI" configuration to a "T" configuration. Utilizes 2 750pf heavy
> duty caps and a 28uh plated roller inductor with a turns counter. Covers
1.8
> to 30 mhz. It is physically small 9x8x5, but advertisement states "will
> handle power far beyond legal limits". It is in exc condition with only a
> couple of small scratches on one of the side panels. Comes with paperwork.
> $175 plus shipping
> Thanks
> Tim
> NZ8J
>
>

669. Re: Misc Ham Equipment For sale -updated

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 17:11:35 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d10bb02$0$1434$4c5ecdc7@news.erinet.com>
Source record: 42179
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

```
AMP HAS BEEN SOLD - THANKS

NZ8J <timcook@erinet.com> wrote in message
news:3d0353ba$0$3575$4c5ecdc7@news.erinet.com...
>
> NZ8J <timcook@erinet.com> wrote in message
> news:3cfc0b5f$0$3333$4c5ecdc7@news.erinet.com...
> > Vibroplex Iambic standard paddles exc cond $95
> >
> >
> > Heathkit HD-1418 Audio filter works good case has some scratches (front
is
> > not scratched) no manual $40
> >
> > Heathkit HD-1422 Antenna Noise Bridge, works good, some marks on top of
> > case, with manual $25
> >
> > Ten Tec hand mic, smaller than the model 700, with TEN-TEC in silver
> letters
> > on front, don't know model number, with 4 pin connector $15
> >
> > Small Homebrew Amplifier uses a pair of 811A's ,self contained
> ,80-40-20-15
> > meters, 300-400 watts out depending on band. $150
> > (amplifier is pickup only, Dayton Ohio area) (can supply pics of amp if
> > interested)
> >
> > All prices plus shipping , please email for more info if needed
> >
> > Thanks
> > Tim
> > NZ8J
> >
> >
> >
>
>
```

670. Need control cable for ICOM 756PRO/ ICOM IC-2KL combination. Can anyong help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 19:20:03 UTC
From: silberman@earthlink.net
Message-ID: <9528d4b4.0206191120.65dab034@posting.google.com>
Source record: 42180

Recently purchased an IC-2KL amplifier. The control cable that came with the amp and AT-500 Tuner won't fit the 756PRO. Does anyone have a fix? Know of a source for the cable?

Thanks,

Steve
W2KN

671. Re: Which is best for DXing - Paragon, FT990 or TS940?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 21:40:38 UTC
From: w1ksz@tiac.net
Message-ID: <3d10fa3f.752550@news.tiac.net>
Source record: 42182
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

FT-990, hands down.

73, Dick, W1KSZ

On Tue, 18 Jun 2002 22:18:18 GMT, "Steven L Umbach" <n9rou@attbi.com>
wrote:

> Don't leave out the Kenwood TS850, especially for what they are going
>for these days. --- Steve KK9ZZ
>
>
>"Rob" <Pse@NoEmail.Com> wrote in message
>news:A8sP8.3657$H67.19657@tor-nn1.netcom.ca...
>> Hi,
>>
>> I am considering buying a second hand Paragon, FT-990 or TS-940SAT. I
>hear
>> that all are pretty good second hand radios.
>>
>> Which is the best second hand radio for RTTY, SSB and CW DXing??
>>
>> Rob
>>
>>
>
>

672. HELP Yaesu FT3000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 22:35:21 UTC
From: Tom <trg46@charter.net>
Message-ID: <uh21pa6c17ifc6@corp.supernews.com>
Source record: 42183

I dont have a manual for the FT3000

I need the pin out connections for the TNC connector on the rear of the radio - it is a 6 pin mini-din for PTT, audio in - audio out.

Can someone describe the pins and what each does>

and describe the position of pins 1-2-3-4-5-6 as they appear from the rear

Thanks

Tom WA3KQA

673. Re: Need control cable for ICOM 756PRO/ ICOM IC-2KL combination. Can anyong help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-19 23:16:34 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D1110D2.B612CB2B@cableone.net>
Source record: 42181
Body handling: Binary attachment payload not displayed: radioranch.vcf

```
Yes Stephen , I posted him on the swaps the other day but here it is a
gain...
<http://members.fortunecity.com/w2eny/>
This man has what you want , and then some!! 73 Murray

Stephen Silberman wrote:

> Recently purchased an IC-2KL amplifier. The control cable that came
> with the amp and AT-500 Tuner won't fit the 756PRO. Does anyone have
> a fix? Know of a source for the cable?
>
> Thanks,
>
> Steve
> W2KN

[One or more binary attachments are retained only in the source text.]
```

674. Help Programming an HX240U Portable

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 01:58:27 UTC
From: Serverman <serverman1@hotmail.com>
Message-ID: <3d1134c5_5@corp-goliath.newsgroups.com>
Source record: 42184

Hello,

I just bought a Standard HX240U UHF radio and wish to
field program it to the FRS band. I can get the Xmitter frequencies correct
but
the radio will not receive on the specified frequencies. I read an article
on this
radio that states the receive frequency must programmed 23.15 Mhz than what
you
actually want to receive. Is this true? Has anybody played with this style
of radio before?
TIA.

Serverman

----------== Posted via Newsfeed.Com - Uncensored Usenet News ==----------
http://www.newsfeed.com The #1 Newsgroup Service in the World!
-----= Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers =-----

675. Nulling an MFJ phone patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 02:02:37 UTC
From: David <phochief@nonspamhotmail.com>
Message-ID: <dFaQ8.11858$YO4.606704@e3500-atl2.usenetserver.com>
Source record: 42185

Can someone familiar with the MFJ 624-D hybrid phone patch, explain the process of "nulling" this device?

Tnx es 73,
David

676. Re: Alinco DR-150 Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 02:05:33 UTC
From: "Brian C. Lane" <bcl@brianlane.com>
Message-ID: <1440300A27AF9D1E.CA74EFE3EA7A30C0.BE2B6FA0BD835BCD@lp.airnews.net>
Source record: 42187

On 19 Jun 2002 08:53:27 -0700
n8tlv@hotmail.com (Mark Saurman) wrote:

> Brian,
>
> Do you have a wattmeter? Check to see what your actual power output
> is. The meter that is on the radio itself does not show actual power
> output; it just gives an indication of which power setting you are on.
> Another way to check is with an Ammeter. See if you are drawing 8-10
> amps on high power transmit. If it's drawing only an amp, then it is
> pretty safe to say that the Toshiba S-AV17 vhf rf power ampifier
> module has gone in it. I heard that this part costs $60, but can't
> confirm that. Also heard that popping the cover off of the amp module
> and repairing burnt traces would fix it, too. Personally, I'm trying
> to sell mine. I don't have the time nor money to fix it. From what I
> was reading online, this happens a lot to these power amp modules,
> calling it a "disease".

Nope, it isn't a power problem. I checked the SWR today and its putting out power just fine. I have used this radio as an APRS unit for a few months, and I can also use it on one of the local repeaters with no tone it just fine. It also sounds good on the HT, so it isn't a distortion problem.

It does seem to work once if I leave it off and don't change channels after turning it on. So I'm assuming its the CTCSS module that's gone flakey. I will probably just keep using it for APRS I guess.

Thanks,

Brian
KC7TYU

--
Linux Consulting and Software Development
http://www.brianlane.com
DigiTemp --[Inside 75.6F]--[Outside 76.1F]--[fozzy 78.8F]--[Drink 59.1F]--

677. <willco>Re: Icom 706mk2g separation cable problems?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 02:07:19 UTC
From: ThomasS <trailortramp@yahoo.com>
Message-ID: <oud2huofsgmkr9o1k7o5dujhjqhdmi84ts@4ax.com>
Source record: 42186

Hey John,

How's it going. My name is Tom, I purchased your old IC-271 with your Ram Board installed. Radio has been great. Never any troubles.

Still using it today!

Thanks, and take it easy!

73s...Tom

678. Re: Help Programming an HX240U Portable

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 02:27:37 UTC
From: Serverman <serverman1@hotmail.com>
Message-ID: <3d113b9a_2@corp-goliath.newsgroups.com>
Source record: 42188

Oops, I mixed up a few words.
What I meant to say is , does thia radio have to be programmed 23.15 Mhz
higher than what RX frequency you actually wish to receive?
BTW, the radio is a model HX240U(AC)

Serverman

"Serverman" <serverman1@hotmail.com> wrote in message
news:3d1134c5_5@corp-goliath.newsgroups.com...
> Hello,
>
> I just bought a Standard HX240U UHF radio and wish to
> field program it to the FRS band. I can get the Xmitter frequencies
correct
> but
> the radio will not receive on the specified frequencies. I read an article
> on this
> radio that states the receive frequency must programmed 23.15 Mhz than
what
> you
> actually want to receive. Is this true? Has anybody played with this style
> of radio before?
> TIA.
>
> Serverman
>
>
>
>
> ------------== Posted via Newsfeed.Com - Uncensored Usenet News
==----------
> http://www.newsfeed.com The #1 Newsgroup Service in the World!
> -----= Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers
=-----

------------== Posted via Newsfeed.Com - Uncensored Usenet News ==----------
http://www.newsfeed.com The #1 Newsgroup Service in the World!
-----= Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers =-----

679. Re: HELP Yaesu FT3000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 03:32:45 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <82cQ8.3752$Rf7.1256549@news20.bellglobal.com>
Source record: 42190

"Tom" <trg46@charter.net> wrote in message
news:uh21pa6c17ifc6@corp.supernews.com...
> I dont have a manual for the FT3000
>
> I need the pin out connections for the TNC connector on the rear of the
> radio - it is a 6 pin mini-din for PTT, audio in - audio out.
>
> Can someone describe the pins and what each does>
>
> and describe the position of pins 1-2-3-4-5-6 as they appear from the
rear
>
> Thanks
>
> Tom WA3KQA

Tom,

Pretty sure this is what you are looking for:

http://www.packetradio.com/00rascal/R-FTMDIN.gif

73,

Max

680. Re: Icom 706mk2g separation cable problems?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 03:35:06 UTC
From: Richard Friedman <rchrd@rchrd.com>
Message-ID: <3D114D68.40E9669F@rchrd.com>
Source record: 42189

You're kidding? No. I don't screw the cable connector into the
radio because I'm regularly taking the radio out of the van and into
the house, with the head back on the main chassis.

Do you mean that there's some extra grounding or something when the
connector is screwed in?

Sounds bizarre. But worth a try.

Dick Hughes wrote:
>
> Did you make sure to install that little screw in the connector at the
> radio end? Very important.
>
> Dick - W6CCD
>

681. FS: ICOM IC-756 and SP-21

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 03:36:45 UTC
From: Hector Parker <karpower@earthlink.net>
Message-ID: <h5cQ8.6606$Fv1.678749@newsread2.prod.itd.earthlink.net>
Source record: 42191

I have for sale an ICOM IC-756 (160m-6m 100W) and an ICOM SP-21 External Speaker. The radio is an 8.5 on appearance and a 10 in operation. The 756 has the FL-222 and FL-223 filters installed. The speaker is a 10 all around! I purchased another HF rig which replaced the 756. I accept cashier's check or a money order. $1,100.00 plus shipping. E-mail to: karpower@earthlink.net

Thanks
KB2RPJ

682. FS/FT: AMD K6-2 500mhz CPU and fan

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 03:47:43 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020619234743.24743.00001054@mb-ml.aol.com>
Source record: 42192

I have a BRAND NEW AMD K6-2 500mhz CPU with cooling fan that I would like to sell or trade. I bought this CPU and fan to replace one that I thought was shot in my old computer and it turned out to be the motherboard. Instead of replacing the motherboard, I completely upgraded. This CPU was mearly put into the computer and then taken out so it's got next to no usage and is in perfect shape.

Best offer or willing to trade for ham equipment. If you have anything you'd like to trade, or are willing to buy the CPU and fan, email me directly.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

683. Any 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 03:55:51 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020619235551.22372.00000759@mb-ml.aol.com>
Source record: 42193

Does anyone know if there's a transverter that allows you to operate on 220 mhz
with either 2m or 6m radios?
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

684. F. S . : 7" SCOPE CRT's, NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 04:17:30 UTC
From: Jerry Talbott <jerryt@easystreet.com>
Message-ID: <uh402pne29sqf1@corp.supernews.com>
Source record: 42101

For Sale : 2 National Union 7JP1 scope CRT's-$25 ea. Plus shipping.

685. F. S. : VINTAGE MICROPONES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 04:21:22 UTC
From: Jerry Talbott <jerryt@easystreet.com>
Message-ID: <uh409vqf48im40@corp.supernews.com>
Source record: 42102

For Sale : GE "EM98" (Shure) gray with stand-$25, 2- RCA (Shure CR80W)-$15 ea. All work. Plus shipping

686. F. S. : 211/ VT-4-C

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 04:23:21 UTC
From: Jerry Talbott <jerryt@easystreet.com>
Message-ID: <uh40djp5g11e68@corp.supernews.com>
Source record: 42103

For Sale : 211-VT-4-C tube, with original box, surplus NOS-$50. Plus shipping

687. Re: Icom 706mk2g separation cable problems?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 05:59:49 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0206192159.7592777f@posting.google.com>
Source record: 42194

Richard Friedman <rchrd@rchrd.com> wrote in message news:<3D1008C1.29073D2@rchrd.com>...
> I've noticed that when I'm using the separation cable for
> the IC 706iiG, with the control head mounted on the
> dash of my van and the body on the floor between the
> front seats, there is RF in the speaker of IC 706 when
> I transmit. If I put the head back on the body there
> is no distorted noise coming out of the speaker when
> I transmit.

I heard something about this the other day on another NG. There is
supposed to be a tiny grounding screw on the cable to faceplate
connector. "I think thats where it is anyway"..It might be from the
rig to cable connector...
Make sure that is tight.
>
> I've also noticed that sometimes, when I'm
> stationary and I'm running off the extra utility battery
> in the back of the van, the IC 706 will power off sometimes
> when I key down. But rearranging the separation cable
> (coiling it up, in fact) eliminates the problem. (Yes,
> the SWR is under 1.5 and the battery is charged.)
>
> Very strange things like this seem to happen when I use
> the separation cable. In the usual configuration, as
> I mentioned, the head is on the dash and the body maybe
> only 3 feet away on the floor of the front seat.
> This leaves about 6 or 7 feet of cable that I usually
> coil up and tuck under a flap in the floor rug, near
> the emergency brake.
>
> I've also noticed that if I don't coil up the loose
> cable I will pick up strange clicking noises that seem
> to be coming from the radio itself. All this disappears
> when I run with the head on.

That would seem to indicate a loose ground on that cable.. You are
picking up the internal radio racket from the cpu, etc. About like
listening to it with no antenna.
>
> I'd really like to know what's going on. Also, is there
> something better than just coiling the cable up. Should
> I add a ferrite bead or some other magic.

I'd start by grounding the radio itself to the body. Then make sure
the connector ground screw is tight. Make sure the power wiring is

thick enough. I've seen too thin a wire make 706's act funny due to
the excessive voltage drop.
>
> Anyone else noticed these problems?

I've got a 706g, but I don't have the cable yet. So have yet to try it
myself.
I have had "rf" in the rig problems once, but it was from using junky
temporary wiring. When I rewired with thick stuff, the problem went
away. I was having the "rf" problems on 20-17 meters. I'd hear myself
in the speaker. Also make sure the ground at the base of your antenna
is real good. Body to frame, etc. MK

688. RE: WTB AEA (Timewave) DSP-2232 DSP Controller

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 10:34:16 UTC
From: esb <esb2002@aloha.net>
Message-ID: <snb3hustckn7r0hprmrmijtnmglnnttpo2@4ax.com>
Source record: 42195

FYI: There is one listed on eBay now. Expires in about a week.

689. MOTOROLA MARATRAC LOW BAND

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 11:15:54 UTC
From: marvin rosen <raghead@worldnet.att.net>
Message-ID: <KPiQ8.51932$UT.3509078@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42196

Looking for wiring harness diagram.
Which color coded wire goes where?

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.368 / Virus Database: 204 - Release Date: 5/29/02

690. FS Alinco DJ-120T/E 2 meter HT(dead)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 11:48:05 UTC
From: Mike Kulyk <mkulyk@optonline.net>
Message-ID: <XfjQ8.25593$Na1.859647@news4.srv.hcvlny.cv.net>
Source record: 42197
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap

I have a DJ-120T/E HT its dead. Comes with battery and instruction manual. I do not have a antenna or charger. The retainer that holds the nicad on the radio is also broken. Otherwise the radio is in nice clean shape. It does have PL and there is some wear around the dip switches on the back.

$30 + $5 shipping CONUS

Mike WB2GLW

691. Get the girl or man you always wanted with Mind Power Seduction

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 12:03:18 UTC
From: qeboww@yahoo.com
Message-ID: <3d11c486$3_10@news.teranews.com>
Source record: 42098

7424

http://seduction.best2web.com

MIND POWER SEDUCTION

Get the girl you wanted with MIND POWER SEDUCTION

Irresistible Hypnotic Mind Control

Imagine being able to sensually attract anyone at will... attract women & men with subliminal mind control disciplines

Say nothing and watch as perfect strangers fall into a deep state of enthrallment...

Penetrate the minds of others and unleash charisma so potent and long lasting...

Would you like to discover a secret that allows you to generate extreme fascination in anyone with your thoughts alone?

The secrets of mind control have largely been untapped. Now, the knowledge of hypnotic seduction has been revealed.

It is pure mind control power to influence, attract and more...

Secretly tantalize and attract women or the opposite sex with covert mind control techniques, right in their presence! Generate instant charisma! attract women & men with subliminal mind control disciplines

Easily master long-range remote influence with scientifically verified telepathic mind control powers. No special skills needed!

Mind Power Seduction is a uni-sex discipline that naturally infuses you with irresistible covert seduction skills in 30 days!

http://seduction.best2web.com
oinnyztfckmiehwkhxgrutqvgyxrcmpnhcmzpzfhlpfhxfrgykgqclgfucyhbjpjcuswgcsnqnbecbzvnnkikezimd
nqyptbmyz

692. Re: Any 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 15:38:21 UTC
From: ccox@chopped-ham-filtre.uhc.com.invalid
Message-ID: <aesstdmih1@gabriel.uhc.com>
Source record: 42100

VHFRadioBuff <vhfradiobuff@aol.comspamsux> wrote:
> Does anyone know if there's a transverter that allows you to operate on 220 mhz
> with either 2m or 6m radios?

Naturally!

Take a look at Down East Microwaves web page for a start:-

http://www.downeastmicrowave.com/
--
Chris Cox, N0UK/G4JEC NIC Handle: CC345
UnitedHealthGroup, Inc., MN10-W116, UNIX Services & Consulting
6300 Olson Memorial Highway, Golden Valley, MN 55427
email: ccox@uhc.com (work) chrisc@chris.org (home)

693. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 17:22:26 UTC
From: Tech <newbury66@hotmail.com>
Message-ID: <oboQ8.1226$kb3.96038@news8-gui.server.ntli.net>
Source record: 42104
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Why not buy her a brand new domestic appliance, that way she can't gripe,
can she?

73

"Al Bunch" <bunchah@nospam.yahoo.com> wrote in message
news:K28M8.13$lS1.671806@news.cpqcorp.net...
> Take out an ad:
>
> Addicted to ragchewing, thinking of dropping another $5K on equipment? I
> have the solution - proven results, you won't buy another thing as long as
> you have this. One left, hurry before she's gone. Will consider trades
for
> existing new/used equipment or other offers.
>
> ...or you could just be blatantly honest...
>
> Take my wife in exchange for your used amateur radio equipment. She won't
> let me further my hobby so if you're getting out, she'll make sure you
stay
> that way. All trades completely final.
>
> If nobody bites, you can always dangle a high ticket item in front of her
> that she really really wants and wait for her to start chomping at the bit
> about getting it, then spring the compromise on her. This could get nasty
> though when either A) she figures out what you're up to or B) she agrees
and
> that becomes the norm for all of your future purchases.
>
> However you proceed, please - keep us posted so those of us
> luck...errr..unfortunate enough to not be married yet will know how to
> handle ourselves should we ever get into the same situation.
>
> 73's
> -Al Bunch
>
> "KC8SSG" <kc8ssg@qsl.net> wrote in message news:VXAL8.62$13.1028@news...
> > I'm having a hard time getting my wife to get used to me buying radios
and
> > stuff. Any help or suggestions would be great!
> >
> > --
> > KC8SSG
> >

> >
> >
>
>

694. ANYONE HAVE a service manual for IC-3230

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 18:06:22 UTC
From: Kirk <news@kbsites.com>
Message-ID: <yQoQ8.89454$831.54829@news01.bloor.is.net.cable.rogers.com>
Source record: 42105

I am looking for an service manual for an Icon IC-3230 dual band radio.

If you know how I can get a copy of it, plaese contact me @ ve3slo at homtail dot com

695. Best HF rig under $700?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 18:43:26 UTC
From: Jim Leder <jleder@cinci.rr.com>
Message-ID: <9u74hus9k9p6ndg0sjl1399e1mn74v4545@4ax.com>
Source record: 42106

Once again I am considering setting up a ham station and thought I would ask other posters what they considered the best value in used HF gear. My prior rig was a Kenwood TS-450sat (wish I still had it) and I thought it was the most perfect ham radio I've owned in 40 years. I don't want to pump a lot of $$ into this because I seem to be in some sort of mid-life thing and I'm not sure how serious I really am, so, what do others feel is the best value in a used HF rig (Icom, Kenwood,etc..Models?)? Please consider final cost, features and availability of repair service. Thanks!

****
Jim Leder
Amateur radio operator K8CXM since 1961
Pictures of nice fish and nice QSL's
WEB Page: http://home.cinci.rr.com/jleder/
EMAIL: jleder@cinci.rr.com
****

696. Re: Best HF rig under $700?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 19:10:31 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <VMpQ8.7385$YG5.1490066@news20.bellglobal.com>
Source record: 42107

"Jim Leder" <jleder@cinci.rr.com> wrote in message
news:9u74hus9k9p6ndg0sjl1399e1mn74v4545@4ax.com...
> Once again I am considering setting up a ham station and thought I
> would ask other posters what they considered the best value in used HF
> gear. My prior rig was a Kenwood TS-450sat (wish I still had it) and I
> thought it was the most perfect ham radio I've owned in 40 years. I
> don't want to pump a lot of $$ into this because I seem to be in some
> sort of mid-life thing and I'm not sure how serious I really am, so,
> what do others feel is the best value in a used HF rig (Icom,
> Kenwood,etc..Models?)? Please consider final cost, features and
> availability of repair service. Thanks!

Jim,

I think you have answered your own question. Kenwood 440's, 450's, Yaesu FT900's, Or the Icom 706 series all make excellent setups. And the Icom and Yaesu you can go mobile with. The Alinco DX70TH is another good base/mobile choice.

697. Re: Best HF rig under $700?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 19:14:45 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uh4ae5bqlmgd61@corp.supernews.com>
Source record: 42108

TS-50, FT-840, IC-718, all good rigs, and won't break you.

Bill
KC4KMG

"Jim Leder" <jleder@cinci.rr.com> wrote in message
news:9u74hus9k9p6ndg0sjl1399e1mn74v4545@4ax.com...
> Once again I am considering setting up a ham station and thought I
> would ask other posters what they considered the best value in used HF
> gear. My prior rig was a Kenwood TS-450sat (wish I still had it) and I
> thought it was the most perfect ham radio I've owned in 40 years. I
> don't want to pump a lot of $$ into this because I seem to be in some
> sort of mid-life thing and I'm not sure how serious I really am, so,
> what do others feel is the best value in a used HF rig (Icom,
> Kenwood,etc..Models?)? Please consider final cost, features and
> availability of repair service. Thanks!
>
> **********
> Jim Leder
> Amateur radio operator K8CXM since 1961
> Pictures of nice fish and nice QSL's
> WEB Page: http://home.cinci.rr.com/jleder/
> EMAIL: jleder@cinci.rr.com
> **********

698. 1937 Philco radio speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 19:44:41 UTC
From: "First M. Last" <First.M.Last@grc.nasa.gov>
Message-ID: <3D1230A9.F5D7C4F6@grc.nasa.gov>
Source record: 42116

I'm looking for a speaker with voice coil for a 1937 Philco radio. I believe its either a 12" or 15" size. Any help?

699. Re: Ten Tec Triton IV 540

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 21:00:35 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d124218$0$3575$4c5ecdc7@news.erinet.com>
Source record: 42109
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Radio has been sold.. thanks

NZ8J <timcook@erinet.com> wrote in message
news:3d109754$0$1432$4c5ecdc7@news.erinet.com...
> I have a Triton 540 for sale, it is about a 7 to 8 in appearance, and
works
> 100% (most of the time) It has a problem in that from time to time the
audio
> will have what sounds like static, or "popping" "crackling" sounds. the
> receive sigs are still there, but the noise is about the same level. It
will
> stop with a "POP" and is quiet again. It's hard to explain the symptoms,
but
> it sounds like maybe a cap is breaking down or something like that. I took
> the IF-AGC board out and reheated some of the joints and it seemed to fix
> the problem for several days, but it is starting to do it again. Also, I
am
> running it from a 12 vdc battery and not a 13.8 vdc supply. I don't know
if
> the slightly lower voltage is a contributing factor or not. The PTO has
been
> rebuilt and is smooth. has a new dial cord. Includes the optional CW
filter
> and noise blanker. I have the original manual, complete, but the pages are
> loose. It puts out full power andI believe it has all the 10 meter xtals.
> Has the power cord that will connect to a standard non ten tec supply and
> has a relay wired in line so that the front panel on-off switch will work
> with any supply. I will sell it as-is and ship and insure it in the
lower
> 48 for $140.00. Please email with any questions. I can send a pic of it
for
> those who are interested.
>
> thanks
> Tim
> NZ8J
>
>

700. Newprogram - feedline radiation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 21:34:49 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <aethpo$5mi$4@paris.btinternet.com>
Source record: 42110

New Program FEEDPOWR.exe

RADIATION FROM BRAID OF COAXIAL FEEDLINE.

Radiation due to unbalanced feedline currents is often considered undesirable.
It may sometimes be thought useful. The main effect is distortion of the radia-
tion pattern. Power loss in a wanted direction can occur - but how unfortunate
is it? Signals or noise from an unwanted direction can be a nuisance - but how
much of a nuisance? An estimate of the strength of feedline radiation before
taking precautions seems desirable. Precautions might not be necessary

A crude estimate will be sufficient because much of a feedline''s length runs in
a cluttered, uncertain environment. This program models and analyses the most
simple and worst-case situation - a dipole centre-fed via a coaxial line.

An RF source is placed at the centre of a horizontal dipole of given length and
height. Also from one side of the source a 3rd conductor descends to ground
level where it is grounded via a loss resistor. This 3rd conductor corresponds
to the braid of the coaxial feedline from the antenna back to the transmitter.

The 3 radiation resistances are computed. Then input Z of each of the 3 conduc-
tors followed by the 3 input currents. Finally the percentage of radiated power
contributed by each of the 3 conductors is calculated.

A balanced-to-unbalanced transformer (balun) at the antenna end of the line can
constrain the currents in the conductors to be equal and opposite to each other.
Line radiation is then reduced to a low level and the radiation pattern remains
undistorted. This program does not allow for currents being re-introduced in the
line due to the line not being led away from the antenna at a 90 degree angle.

The need for a balun with a simple dipole is much debated amongst radio
hams.
Attention is focussed on feedline radiation and on a line''s receiving
ability.
But with only anecdotal evidence offered by participants debates inevitably
fail
to arrive at any conclusions.

In the absence of numerical information on the subject this program attempts
to
fill the gap. There is only one quantity of consequence - the fraction of
total
power which is due to unbalanced feedline current. It depends only on
antenna
dimensions and frequency. That radiation emanates from any particular part
of a
structure is a popular misconception but in this case the myth serves a
useful
purpose. The analysis involves some simplifying assumptions justifiable on
the
grounds that the uncertainties introduced are probably no greater than the
un-
certainties associated with details omitted from the input data.

As will be seen, radiation from a coaxial feedline in a particular
installation
can vary widely with frequency. Random resonances occur. If by some chance
one
occurs in an amateur band it can be shifted by changing the feedline length.

Download FEEDPOWR from website below.

=======================
Regards from Reg G4FGQ
Free Radio Modelling Software
Go to http://www.g4fgq.com
=======================

701. Re: Nulling an MFJ phone patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 22:00:16 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <QfsQ8.309448$%y.25135933@bin4.nnrp.aus1.giganews.com>
Source record: 42111

I have an old Heathkit hybrid phone patch. As I recall, the whole idea of nulling is to reduce or eliminate your received signal from getting into your transmitter when there's a caller on the phone line circuit. You need to actually set up a phone call and provide a source of receive audio that you can then meter or listen to on the transmit wires. The Heathkit unit had a switch position that put a VU meter across the transmit line, and one adjusted the null for minimal movement. I'm not familiar with the MFJ unit but my guess is that it works similarly. The null just balances out the hybrid transformer circuit which gives you a transmit and receive signal to/from the phone line. You want to end up with incoming phone audio going just to the transmitter, and outgoing receiver audio just going to the phone line.

Hope this helps.
Bob M.
======
"David" <phochief@nonspamhotmail.com> wrote in message
news:dFaQ8.11858$YO4.606704@e3500-atl2.usenetserver.com...
> Can someone familiar with the MFJ 624-D hybrid phone patch, explain the
> process of "nulling" this device?
>
> Tnx es 73,
> David
>
>
>

702. Re: VX-7R, questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 22:52:59 UTC
From: yip_yap2002@yahoo.com
Message-ID: <eaf0009c.0206201452.406d5c8f@posting.google.com>
Source record: 42114

n1kk@netzero.net (Ken) wrote in message
news:<d7adbb57.0206170235.6b0a52bc@posting.google.com>...
> Computer Control?

Yes, it has the capability, but I don't think
the software or cable is available yet.

>
> Can the preprogrammed memories (Marine Band) be scanned?

No. And the only way to switch between marine frequencies
is to spin the channel selector knob. There's no way to enter
a channel number. There are a lot of channels and switching
can require a lot of spinning. But the marine frequencies can
be scanned using the normal scanning method, i.e. enter a start
frequency and then start scanning.

-- Yip

703. Wanted FFSK modem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-20 23:00:55 UTC
From: LEX-Lutor <lex-lutor@post.hinet.hr>
Message-ID: <aetmn2$bc3$1@as201.hinet.hr>
Source record: 42115
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.design

I`m looking for FFSK modem, speed 1200, radio use !

Any information about, schematic, plans, source for parts or OEM devices are wellcome !

Tnx !!

704. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 00:10:51 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D126F0B.9A5A99F9@cableone.net>
Source record: 42112
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Body handling: Binary attachment payload not displayed: radioranch.vcf

.....I got a nice Browning .45 for my wife, best trade I ever made!!! Maybe
you can trade too!!

Tech wrote:

> Why not buy her a brand new domestic appliance, that way she can't gripe,
> can she?
>
> 73
>
> "Al Bunch" <bunchah@nospam.yahoo.com> wrote in message
> news:K28M8.13$lS1.671806@news.cpqcorp.net...
> > Take out an ad:
> >
> > Addicted to ragchewing, thinking of dropping another $5K on equipment? I
> > have the solution - proven results, you won't buy another thing as long as
> > you have this. One left, hurry before she's gone. Will consider trades
> for
> > existing new/used equipment or other offers.
> >
> > ...or you could just be blatantly honest...
> >
> > Take my wife in exchange for your used amateur radio equipment. She won't
> > let me further my hobby so if you're getting out, she'll make sure you
> stay
> > that way. All trades completely final.
> >
> > If nobody bites, you can always dangle a high ticket item in front of her
> > that she really really wants and wait for her to start chomping at the bit
> > about getting it, then spring the compromise on her. This could get nasty
> > though when either A) she figures out what you're up to or B) she agrees
> and
> > that becomes the norm for all of your future purchases.
> >
> > However you proceed, please - keep us posted so those of us
> > luck...errr..unfortunate enough to not be married yet will know how to
> > handle ourselves should we ever get into the same situation.
> >
> > 73's
> > -Al Bunch
> >
> > "KC8SSG" <kc8ssg@qsl.net> wrote in message news:VXAL8.62$13.1028@news...
> > > I'm having a hard time getting my wife to get used to me buying radios

> and
> > > stuff. Any help or suggestions would be great!
> > >
> > > --
> > > KC8SSG
> > >
> > >
> > >
> >
> >

[One or more binary attachments are retained only in the source text.]

705. Re: Best HF rig under $700?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 00:13:49 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D126FBD.46F38FCD@cableone.net>
Source record: 42113
Body handling: Binary attachment payload not displayed: radioranch.vcf

450Sat is still one of the better radios in the $600 range, but little more gets you a lot lot more...take IC 746 and 756'....they are floating around from $900 to 1100 and are lots more, but if you wanta spend 700 or less...a 450sat and power supply would not be a bad choice...many options, to many to mention....but c'mon back!! 73 Murray

Jim Leder wrote:

> Once again I am considering setting up a ham station and thought I
> would ask other posters what they considered the best value in used HF
> gear. My prior rig was a Kenwood TS-450sat (wish I still had it) and I
> thought it was the most perfect ham radio I've owned in 40 years. I
> don't want to pump a lot of $$ into this because I seem to be in some
> sort of mid-life thing and I'm not sure how serious I really am, so,
> what do others feel is the best value in a used HF rig (Icom,
> Kenwood,etc..Models?)? Please consider final cost, features and
> availability of repair service. Thanks!
>
> **********
> Jim Leder
> Amateur radio operator K8CXM since 1961
> Pictures of nice fish and nice QSL's
> WEB Page: http://home.cinci.rr.com/jleder/
> EMAIL: jleder@cinci.rr.com
> **********

[One or more binary attachments are retained only in the source text.]

706. DC Power Connections?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 00:33:49 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <owuQ8.4351$Rf7.1491002@news20.bellglobal.com>
Source record: 42117

Can anyone tell me if the DC power connections on the Kenwood TS440 and the
Yaesu FT900 are the same?
Just curious whether I need to rewire my power plug.

707. Yaesu VX-7R computer interface testing

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 01:20:45 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0206201720.51a24887@posting.google.com>
Source record: 42118

I tried a 3/32 stereo plug connected to the smaller
of the 2 connectors of the CT-91 and with an O-scope
I can see a burst of data when the VX-7R is in the
CLONE mode and I press the BAND button to send data.
This is using the GND and the middle position of the 3/32 plug.

I then connected this to a home made RS232--TTL interface I use
for my ICOM radios and using Hyperterm I can see a few character
get displayed when pushing the BAND button for send.
I get characters at 9600 and 4800 baud. I did not try
other baud rates.

I hope this helps anyone with software writing skills.

Ken
N1KK

708. Re: DC Power Connections?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 01:27:16 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d127ff9_1@newsa.ev1.net>
Source record: 42119

same, same, ICOM too.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"ve3tmt" <ve3tmt@rac.ca> wrote in message
news:owuQ8.4351$Rf7.1491002@news20.bellglobal.com...
> Can anyone tell me if the DC power connections on the Kenwood TS440 and
the
> Yaesu FT900 are the same?
> Just curious whether I need to rewire my power plug.
>
>

709. Re: DC Power Connections?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 01:33:52 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <HovQ8.4391$Rf7.1504651@news20.bellglobal.com>
Source record: 42120

KK5DR.....thanks

73,

Max

710. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 01:44:41 UTC
From: codemaan <codeman@gj.net>
Message-ID: <aeu0do01r6@enews3.newsguy.com>
Source record: 42121
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Did you know a person can go to Hell for taking such obscene advantage of unknown people like you did? :) So, how does the .45 shoot?

"Murray Neece" <radioranch@cableone.net> wrote in message news:3D126F0B.9A5A99F9@cableone.net...
> .....I got a nice Browning .45 for my wife, best trade I ever made!!! Maybe
> you can trade too!!
>
> Tech wrote:
>
> > Why not buy her a brand new domestic appliance, that way she can't gripe,
> > can she?
> >
> > 73
> >
> > "Al Bunch" <bunchah@nospam.yahoo.com> wrote in message
> > news:K28M8.13$lS1.671806@news.cpqcorp.net...
> > > Take out an ad:
> > >
> > > Addicted to ragchewing, thinking of dropping another $5K on equipment? I
> > > have the solution - proven results, you won't buy another thing as long as
> > > you have this. One left, hurry before she's gone. Will consider trades
> > for
> > > existing new/used equipment or other offers.
> > >
> > > ...or you could just be blatantly honest...
> > >
> > > Take my wife in exchange for your used amateur radio equipment. She won't
> > > let me further my hobby so if you're getting out, she'll make sure you
> > stay
> > > that way. All trades completely final.
> > >
> > > If nobody bites, you can always dangle a high ticket item in front of her
> > > that she really really wants and wait for her to start chomping at the bit
> > > about getting it, then spring the compromise on her. This could get

nasty
> > > though when either A) she figures out what you're up to or B) she
agrees
> > and
> > > that becomes the norm for all of your future purchases.
> > >
> > > However you proceed, please - keep us posted so those of us
> > > luck...errr..unfortunate enough to not be married yet will know how to
> > > handle ourselves should we ever get into the same situation.
> > >
> > > 73's
> > > -Al Bunch
> > >
> > > "KC8SSG" <kc8ssg@qsl.net> wrote in message
news:VXAL8.62$13.1028@news...
> > > > I'm having a hard time getting my wife to get used to me buying
radios
> > and
> > > > stuff. Any help or suggestions would be great!
> > > >
> > > > --
> > > > KC8SSG
> > > >
> > > >
> > > >
> > >
> > >
>

711. Re: DC Power Connections?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 02:49:37 UTC
From: Idontwantspam@net
Message-ID: <3d129415.15910279@news.bellatlantic.net>
Source record: 42122

On Thu, 20 Jun 2002 20:27:16 -0500, "M.E." <bogus@nospam.com> wrote:

>same, same, ICOM too.
>
>--
>Respond to my "real" e-mail;
>kk5dr@ev1.net
>"ve3tmt" <ve3tmt@rac.ca> wrote in message
>news:owuQ8.4351$Rf7.1491002@news20.bellglobal.com...
>> Can anyone tell me if the DC power connections on the Kenwood TS440 and
>the
>> Yaesu FT900 are the same?
>> Just curious whether I need to rewire my power plug.
>>
Powerwerx and other ham vendors carry both the connector and wired
connectors, if you wish.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

712. Re: DC Power Connections?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 02:57:55 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <uDwQ8.4486$Rf7.1534740@news20.bellglobal.com>
Source record: 42123

Thanks Gary,

I swapped a Yaesu for a Kenwood but kept my power cord. Just trying to save a little work!

73,

713. Re: Best HF rig under $700?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 03:48:28 UTC
From: Don Niles <k2pmc@adelphia.net>
Message-ID: <gmxQ8.2666$CZ4.867852@news1.news.adelphia.net>
Source record: 42124

Jim,

You did not specify your primary mode of operation. But, do not overlook the Ten Tec Corsair 2. It is available for less than your $700 target and is still an outstanding performer. In fact, the Ten Tec factory frequently advertises Corsairs that they have taken on trade. You have the advantage of getting a used rig that has been serviced and brought up to factory specs by the experts.

Good Luck,

Don - K2PMC

"Jim Leder" <jleder@cinci.rr.com> wrote in message
news:9u74hus9k9p6ndg0sjl1399e1mn74v4545@4ax.com...
> Once again I am considering setting up a ham station and thought I
> would ask other posters what they considered the best value in used HF
> gear. My prior rig was a Kenwood TS-450sat (wish I still had it) and I
> thought it was the most perfect ham radio I've owned in 40 years. I
> don't want to pump a lot of $$ into this because I seem to be in some
> sort of mid-life thing and I'm not sure how serious I really am, so,
> what do others feel is the best value in a used HF rig (Icom,
> Kenwood,etc..Models?)? Please consider final cost, features and
> availability of repair service. Thanks!
>
> **********
> Jim Leder
> Amateur radio operator K8CXM since 1961
> Pictures of nice fish and nice QSL's
> WEB Page: http://home.cinci.rr.com/jleder/
> EMAIL: jleder@cinci.rr.com
> **********

714. FS: complete PRC-77 radio set, with two antennas, bases, case - $300 obo

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 05:17:49 UTC
From: Mike <mdavids@erols.com>
Message-ID: <3D12B6FD.FF5@erols.com>
Source record: 42125

I have one complete AN/PRC-77 radio kit, with the H-250 handset, both the rubber and flex bases, the two antennas (one ribbon, one base antenna), the accessory pouch, and one barely used magnesium battery for it, all for $300. Tests 100%. Broadcasts on 30 to 52, and 53 to 80 MHz. If interested, please Email me at mdavids@erols.com. I have a picture if you'd like one.

Mike
mdavids@erols.com

715. FS: Kenwood TS-130S HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 05:30:44 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <8SyQ8.265739$352.24492@sccrnsc02>
Source record: 42126
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

```
* Kenwood TS-130S in excellent condition
* MC 35-S Noise Cancelling Hand Mic
* Power Cable
* Instruction Manual
* Full Service Manual

- 80 thru 10 meters with WARC, 100 watts all bands.
- Non smoker, never mobile.

$295.00

* With additional filters:
YK-88SN 1.8KHz SSB
YK-88C 500Hz CW

$350.00

Plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com
```

716. FS: Yaesu FT-2500M 2 Meter FM Mobile Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 05:31:51 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <bTyQ8.25568$EP.2499@sccrnsc03>
Source record: 42127
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

* Yaesu FT-2500M 2 Meter FM Mobile Transceiver in excellent condition
* Touch Tone Hand Mic
* Power Cable
* Mounting Bracket
* Instruction Manual
* Original Packing and Box

- Rugged MIL-SPEC 810 compliant for shock and vibrations.
- 5/15/50 watts output.
- Non smoker.

$130.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

717. Receivers FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 10:26:03 UTC
From: 106312.1035@compuserve.com
Message-ID: <3d12fd56.357067@news.compuserve.com>
Source record: 42128

Hallicrafters Skyrider, good condx, working.
70.00 Pound pp extra

one RA-17, working, with leads... 120.00 Pound (collect)

one RA-17, not working, has hiss, bfo works, cal works, no sigs.... 60
Pound (collect)

R210 receiver, 2 - 16 Mhz, AM/CW/SSB
with h/b psu and speaker cabinet
working, sounds good. ..... 45.00 Pound. pp extra

KW2000E with psu, working
80.00 Pound plus pp if required.

Ben. (West Midlands)
contact: 1036.1035@compuserve.com

718. Sell Your Tube Gear!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 13:11:23 UTC
From: Jeff James <cbstv@optonline.net>
Message-ID: <9CFQ8.40242$Na1.1358798@news4.srv.hcvlny.cv.net>
Source record: 42129

```
The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Free classifieds for vintage Amateur Radio..
```

719. Re: Nulling an MFJ phone patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 14:48:17 UTC
From: DL <k4zzr@adelphia.net>
Message-ID: <B938B2DD.5D1E%k4zzr@adelphia.net>
Source record: 42130

Bob...thanks for the info....that's what I wasn't sure of.....whether I should null the person's voice coming *in* on my phone by watching the VU meter, or whether I was supposed to null the voice of the person coming from the radio. So, what you're saying is to have the phone-side person speak (while transmitting) and null that? I called MFJ but the guy there didn't know the answer either! haha

David

> From: "Bob M." <xxxxx@yyyy.zzz>
> Organization: Giganews.Com - Premium News Outsourcing
> Newsgroups: rec.radio.amateur.equipment
> Date: Thu, 20 Jun 2002 22:00:16 GMT
> Subject: Re: Nulling an MFJ phone patch
>
> I have an old Heathkit hybrid phone patch. As I recall, the whole idea of
> nulling is to reduce or eliminate your received signal from getting into
> your transmitter when there's a caller on the phone line circuit. You need
> to actually set up a phone call and provide a source of receive audio that
> you can then meter or listen to on the transmit wires. The Heathkit unit had
> a switch position that put a VU meter across the transmit line, and one
> adjusted the null for minimal movement. I'm not familiar with the MFJ unit
> but my guess is that it works similarly. The null just balances out the
> hybrid transformer circuit which gives you a transmit and receive signal
> to/from the phone line. You want to end up with incoming phone audio going
> just to the transmitter, and outgoing receiver audio just going to the phone
> line.
>
> Hope this helps.
> Bob M.
> ======
> "David" <phochief@nonspamhotmail.com> wrote in message
> news:dFaQ8.11858$YO4.606704@e3500-atl2.usenetserver.com...
>> Can someone familiar with the MFJ 624-D hybrid phone patch, explain the
>> process of "nulling" this device?
>>
>> Tnx es 73,
>> David
>>
>>
>>
>
>

720. Pinout for Mic connector on GE MLSU240

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 15:04:52 UTC
From: Allen <ve1inn@hotmail.com>
Message-ID: <Xns92347AE419F9DHarris@207.181.101.12>
Source record: 42131
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

I am looking for a pinout for the rear connector (the only connector) on a
GE MLSU240 radio. Please e-mail direct replacing (near) with @.

73.

VE1INN
Allen

721. FS: Motoroal GP300 UHF 16 channel

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 16:18:09 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <u7k6hu4r1bd3dkvvuiel20k19lqha3cpm9@4ax.com>
Source record: 42132

Hello, I have a very clean GP300 UHF 16 channel for sale. It comes with the rapid charger and 2 batteries. I can have it programmed to the frequencies of your choice. Please email me with any questions. Thanks, Mike
mfunaro@worldnet.att.net

722. Re: Best HF rig under $700?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 16:23:38 UTC
From: Tony <Tony@n3itn.net>
Message-ID: <eqIQ8.4856$5k6.2392@nwrddc01.gnilink.net>
Source record: 42133

FT-840 if ur lookin for an 'ok' new gen coverage rig ..
FT-707 if you want an older 'kickbutt' banded (10-80 with warc) rig

"Jim Leder" <jleder@cinci.rr.com> wrote in message
news:9u74hus9k9p6ndg0sjl1399e1mn74v4545@4ax.com...
> Once again I am considering setting up a ham station and thought I
> would ask other posters what they considered the best value in used HF
> gear. My prior rig was a Kenwood TS-450sat (wish I still had it) and I
> thought it was the most perfect ham radio I've owned in 40 years. I
> don't want to pump a lot of $$ into this because I seem to be in some
> sort of mid-life thing and I'm not sure how serious I really am, so,
> what do others feel is the best value in a used HF rig (Icom,
> Kenwood,etc..Models?)? Please consider final cost, features and
> availability of repair service. Thanks!
>
> **********
> Jim Leder
> Amateur radio operator K8CXM since 1961
> Pictures of nice fish and nice QSL's
> WEB Page: http://home.cinci.rr.com/jleder/
> EMAIL: jleder@cinci.rr.com
> **********

723. Re: Palomar PTR-130K

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 18:45:51 UTC
From: uwsievers@web.de
Message-ID: <ed7ef15e.0206211045.49688d93@posting.google.com>
Source record: 42134

Hi everyone interested into the Palomar PTR-130k..
I,m the happy owner of 5 complete radios plus one incomplete... and
the best thing is I do have most of the technical infos including the
diagrams.. these diagrams are "blue prints" with about 4 by 3 feet in
size (120 x 90 cm)!!
I would like to complete the 6th unit as well but for that one I need
several parts... so if someone in the group has a scrapped unit I
would like to email thisone... I will make the diagrams sometimes
available as a pdf file.. before I can do this I have to find a way to
scan them... because of the size it,s difficult, but I will find a way
to make it... I own these radios since 3 month.. the design is very
interesting... mainly for the digital part... the digital part is weak
part and most of the malfunctions are in the digital part.. in the
analog part they had used the famous Plessey IC,s... so the analog
part is still today an outstanding design... the receiver is excellent
and so is the modulator for SSB, too... the use of a RF-Clipper is
very effective and the best thing you have only 4 knobs in total plus
the keyboard to work with this fine radio... so let me know your ideas
to conserve this fine
product (and a very rare one) for the future. On eham.net I, have
written an info under reviews.
73 de Uwe DJ9XG

"Michael St. Angelo" <mstangelo@worldnet.att.net> wrote in message
news:<lwDH8.3652$LC3.222059@bgtnsc04-news.ops.worldnet.att.net>...
> I'm interested in early sunthesized amateur radio rigs.
> Does anyone have any information on the Palomar Electronice PTR-130K
> transceiver.
>
> It was an all solid state transceiver made in the late 1970's. It was
> synthesized
> and tuned via an up/down toggle switch. The frequency was displayed
> on a LED display.
>
> Any block diagrams, schematics or other literature is appreciated.
> I'll pay for copying and shipping costs.
>
> 73, Mike N2MS

724. Re: FS: Motoroal GP300 UHF 16 channel

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 21:33:13 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <mr67husps8m4011u547podtq4e4oigegp5@4ax.com>
Source record: 42135

The price is $200 shipped. Thanks, Mike

On Fri, 21 Jun 2002 16:18:09 GMT, Michael Funaro
<mfunaro@worldnet.att.net> wrote:

>Hello, I have a very clean GP300 UHF 16 channel for sale. It comes
>with the rapid charger and 2 batteries. I can have it programmed to
>the frequencies of your choice. Please email me with any questions.
>Thanks, Mike
>mfunaro@worldnet.att.net

725. WTB: 1996 Yeasu Hat

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 21:50:09 UTC
From: n5kzw@arrl.net
Message-ID: <3d139dc2.148193910@news.ev1.net>
Source record: 42136

Well, even if it isn't equipment per se, it's at least ham related.

In 1996, the Yeasu hats at Dayton said "40th Anniversary Since 1956".
By the time my XYL (KA5DYF) figured out that she and Yeasu were both
founded in the same year, I had managed to get a stain on my hat.
Ever since then I've been getting a lot of verbal abuse about getting
"her" hat dirty.

In a feeble (futile?) attempt to restore domestic tranquility, I'd
like to find her a 1996 hat in good shape for her very own. Does
anyone out there have a hat in good shape that they'd be willing to
part with for a reasonable fee?

(You can be sure she's going to the 2006 hamvention.)
Thanks,
Ed - N5KZW

726. Re: 1996 Yeasu Hat

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 23:10:56 UTC
From: "Stephen C. Robbins" <srobbinsNOSPAMDUDES@netacc.net>
Message-ID: <3d13b279$1@news.netacc.net>
Source record: 42137

"Ed Bailen" <n5kzw@arrl.net> wrote in message
news:3d139dc2.148193910@news.ev1.net...

> In 1996, the Yeasu hats at Dayton said "40th Anniversary Since 1956".
> By the time my XYL (KA5DYF) figured out that she and Yeasu were both
> founded in the same year,
>
> In a feeble (futile?) attempt to restore domestic tranquility, I'd
> like to find her a 1996 hat in good shape for her very own. > Ed - N5KZW

Ed, might I suggest you trade the XYL in for a 1976 model and then pick up
the Alinco 40th anniversary hat in 2006 :-)

Steve

727. HELP - TS-711A Jumper Cables

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 23:31:02 UTC
From: windbrkr@Zerols.com
Message-ID: <MPG.177d814371f66af1989986@news.erols.com>
Source record: 42138

A blind Ham acquaintance of mine has a Kenwood TS-711A rig that he wants to install a VS-1 voice synthesizer and a TU-5 tone encoder board into.

Whoever had the 711A before him did not include the jumper cables for these two accessories with the rig. My understanding is that the cables come with the rig, and not with the accessory boards. Kenwood has not been able to help on this one.

Can anyone here describe the pin outs and connector types of the cables required to install the VS-1 and TU-5 into the 711A?

I haven't yet seen the rig or the accessory boards, but it sounds as though they both have male pins, requiring female sockets of some sort on both ends of the cables. It also sounds as though at least two cables, maybe more, are required to complete the hookup.

Any help will be much appreciated!

73, Bob K9CMR
--
Remove "Z" from "Zerols" to e-mail.

728. 100-420Mhz Russian Army RX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 23:44:02 UTC
From: Richard <translations@qdnet.pl>
Message-ID: <af0drq$ll3$1@news.tpi.pl>
Source record: 42140

I have a working R313m2 Russian army receiver covers 100-420Mhz all mode (12v).

Open to reasonable offers as I want to stop polishing it and sell it

Photo upon request, but typical army thingy.

Guaranteed bomb proof!

Sorry for spam

Richard

PS. Also perfect Warsaw pact transceiver 35-40 MHz (need to check) as new !

729. Re: Icom 706mk2g separation cable problems?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-21 23:52:19 UTC
From: Richard Friedman <rchrd@rchrd.com>
Message-ID: <3D13BC33.1C57738D@rchrd.com>
Source record: 42139

I want to thank everyone for all the great suggestions.
Now I've got lots of things to try.

Much appreciated!

>>Richard Friedman KG6EMF Oakland, CA

730. Collins 2050 RX Value

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 00:47:00 UTC
From: John Mac Cormack <maccormacNOSPAM@bwr.eastlink.ca>
Message-ID: <3D13C903.2F3C65ED@bwr.eastlink.ca>
Source record: 42141

What would one be worth?

731. WTB: Aiwa Electronic Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 01:07:54 UTC
From: James Nipper <jnipper@nospam.fdn.com>
Message-ID: <Y4QQ8.314$842.8683@news1.fdn.com>
Source record: 42142

Anyone have one of these you would like to part with ??

73 de Jim K4PYT jnipper@fdn.com

732. Re: Nulling an MFJ phone patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 01:15:25 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uh7jtpr8013j2d@corp.supernews.com>
Source record: 42143

I think Bob has it correct but you misinterpret what he is saying. With your phone call in place and no one speaking on the phone, you null the audio from your receiver. The goal is, as Bob said, to minimize the amount of receiver audio getting to the transmitter input so that it doesn't trip the VOX. If you are not using VOX then it is not necessary to perform the null.

The bridge circuit that does the null includes the impedance of the phone line and that is why it is necessary to do the null with the call in place (but no one speaking on the phone). The null adjustment may change with different calls.

733. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 02:55:36 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D13E728.AE10691B@optonline.net>
Source record: 42144
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Put her on Ebay! :-)
---

codemaan wrote:

> Did you know a person can go to Hell for taking such obscene advantage of
> unknown people like you did? :) So, how does the .45 shoot?
>
> "Murray Neece" <radioranch@cableone.net> wrote in message
> news:3D126F0B.9A5A99F9@cableone.net...
> > .....I got a nice Browning .45 for my wife, best trade I ever made!!!
> Maybe
> > you can trade too!!
> >
> > Tech wrote:
> >
> > > Why not buy her a brand new domestic appliance, that way she can't
> gripe,
> > > can she?
> > >
> > > 73
> > >
> > > "Al Bunch" <bunchah@nospam.yahoo.com> wrote in message
> > > news:K28M8.13$lS1.671806@news.cpqcorp.net...
> > > > Take out an ad:
> > > >
> > > > Addicted to ragchewing, thinking of dropping another $5K on equipment?
> I
> > > > have the solution - proven results, you won't buy another thing as
> long as
> > > > you have this. One left, hurry before she's gone. Will consider
> trades
> > > for
> > > > existing new/used equipment or other offers.
> > > >
> > > > ...or you could just be blatantly honest...
> > > >
> > > > Take my wife in exchange for your used amateur radio equipment. She
> won't
> > > > let me further my hobby so if you're getting out, she'll make sure you
> > > stay
> > > > that way. All trades completely final.
> > > >
> > > > If nobody bites, you can always dangle a high ticket item in front of

> her
> > > > that she really really wants and wait for her to start chomping at the
> bit
> > > > about getting it, then spring the compromise on her. This could get
> nasty
> > > > though when either A) she figures out what you're up to or B) she
> agrees
> > > and
> > > > that becomes the norm for all of your future purchases.
> > > >
> > > > However you proceed, please - keep us posted so those of us
> > > > luck...errr..unfortunate enough to not be married yet will know how to
> > > > handle ourselves should we ever get into the same situation.
> > > >
> > > > 73's
> > > > -Al Bunch
> > > >
> > > > "KC8SSG" <kc8ssg@qsl.net> wrote in message
> news:VXAL8.62$13.1028@news...
> > > > > I'm having a hard time getting my wife to get used to me buying
> radios
> > > and
> > > > > stuff. Any help or suggestions would be great!
> > > > >
> > > > > --
> > > > > KC8SSG
> > > > >
> > > > >
> > > > >
> > > >
> > > >
> > >
> >

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

734. Re: Nulling an MFJ phone patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 03:53:51 UTC
From: David <phochief@NONSPAMhotmail.com>
Message-ID: <YtSQ8.6703$7Q2.305586@e3500-atl2.usenetserver.com>
Source record: 42145

Bob....thanks for the clarification....I had no idea the null was only to prevent receiver audio from getting into the transmitter and tripping the VOX......and since I don't use VOX, I don't need to worry about it anymore. :-)

Thanks,
David

"Bob Lewis (AA4PB)" <rlewis@staffnet.com> wrote in message news:uh7jtpr8013j2d@corp.supernews.com...
> I think Bob has it correct but you misinterpret what he is saying.
> With your phone call in place and no one speaking on the phone, you
> null the audio from your receiver. The goal is, as Bob said, to
> minimize the amount of receiver audio getting to the transmitter input
> so that it doesn't trip the VOX. If you are not using VOX then it is
> not necessary to perform the null.
>
> The bridge circuit that does the null includes the impedance of the
> phone line and that is why it is necessary to do the null with the
> call in place (but no one speaking on the phone). The null adjustment
> may change with different calls.
>
>
>

735. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 04:06:15 UTC
From: ZOOM <kandrparker@sympatico.ca>
Message-ID: <0JSQ8.9517$YG5.1956700@news20.bellglobal.com>
Source record: 42146

You have a problem!
"H.T. Dickless" <nospam@nospam.org> wrote in message
news:TXAO8.250917$Kp.21298358@bin7.nnrp.aus1.giganews.com...
> Doesn't matter how much power it produces, because even if it will
transmit
> AM there, it's illegal to do it. The VX-7R is a ham rig, so it'll likely
put
> out spurs all over the place and cause interference. This could cause
> someone having trouble not to be heard. You want to risk killing somebody
so
> you can fuck around with your ham toy on the air band? This is serious
shit,
> retard!
>
> It's OK to modify your HT and risk losing your ham license (if you've got
> one, good buddy) by transmitting on the Taco Bell and McDonalds drive
trough
> window channels or by bugging little kids on FRS. It is by no means cool
to
> transmit anywhere where your transmissions could fuck up somebody's life.
I
> hope this is clear to you and all the other converted CBer/no-code
Techhies
> that insist on doing this kind of shit. I wish all you fucks would get
> caught and shipped off to prison, where you can explain to the ass-rapers
> there just how playing with a walkie-talkie makes you a cool dude.
>
>
> "Joel Glickman" <joel@generators.com> wrote in message
> news:9f2570a7.0206142030.6d70581f@posting.google.com...
> > Does anyone know if the VX-7R will TX in the AM mode in the aircraft
> > band if the freeband mod is performed? My read on the specs is that
> > it will TX 1 Watt of AM at 50 Mhz. If anyone has performed the mod,
> > could they investigate the possibility of AM TX in the aircraft band.
> > If so, how much power is it producing? Thanks.
> >
>
>

736. FS: Yaesu FT-2500M 2 Meter FM Mobile Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 04:17:54 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <STSQ8.106941$nZ3.44776@rwcrnsc53>
Source record: 42147
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

* Yaesu FT-2500M 2 Meter FM Mobile Transceiver in excellent condition
* Touch Tone Hand Mic
* Power Cable
* Mounting Bracket
* Instruction Manual
* Original Packing and Box

- Rugged MIL-SPEC 810 compliant for shock and vibrations.
- 5/15/50 watts output.
- Non smoker.

$130.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

737. Re: VX-7R - TX in aircraft band?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 04:56:45 UTC
From: Jim <jwilson4@carolina.rr.com>
Message-ID: <id08hukaljv7s71ket29errgm11598qr9c@4ax.com>
Source record: 42048

yeah..get a life..if you are going to point out His bad points...dont
flont Yours at the same time....BTW...nocode here...and yes,you can
kiss my,sorry I didnt mean that , really didnt mean that.@#$

On Sat, 22 Jun 2002 00:06:15 -0400, "ZOOM" <kandrparker@sympatico.ca>
wrote:

>You have a problem!
>"H.T. Dickless" <nospam@nospam.org> wrote in message
>news:TXAO8.250917$Kp.21298358@bin7.nnrp.aus1.giganews.com...
>> Doesn't matter how much power it produces, because even if it will
>transmit
>> AM there, it's illegal to do it. The VX-7R is a ham rig, so it'll likely
>put
>> out spurs all over the place and cause interference. This could cause
>> someone having trouble not to be heard. You want to risk killing somebody
>so
>> you can fuck around with your ham toy on the air band? This is serious
>shit,
>> retard!
>>
>> It's OK to modify your HT and risk losing your ham license (if you've got
>> one, good buddy) by transmitting on the Taco Bell and McDonalds drive
>trough
>> window channels or by bugging little kids on FRS. It is by no means cool
>to
>> transmit anywhere where your transmissions could fuck up somebody's life.
>I
>> hope this is clear to you and all the other converted CBer/no-code
>Techhies
>> that insist on doing this kind of shit. I wish all you fucks would get
>> caught and shipped off to prison, where you can explain to the ass-rapers
>> there just how playing with a walkie-talkie makes you a cool dude.
>>
>>
>> "Joel Glickman" <joel@generators.com> wrote in message
>> news:9f2570a7.0206142030.6d70581f@posting.google.com...
>> > Does anyone know if the VX-7R will TX in the AM mode in the aircraft
>> > band if the freeband mod is performed? My read on the specs is that
>> > it will TX 1 Watt of AM at 50 Mhz. If anyone has performed the mod,
>> > could they investigate the possibility of AM TX in the aircraft band.
>> > If so, how much power is it producing? Thanks.
>> >
>>
>>

>

738. Re: Any 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 05:22:49 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020622012249.12238.00001421@mb-cn.aol.com>
Source record: 42049

>Take a look at Down East Microwaves web page for a start:-
>
>http://www.downeastmicrowave.com/

Yeah - $900.. I don't think so. :)
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

739. Lookinf for a Yaesu MH-27A8J Mobile Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 07:28:54 UTC
From: n4god@fdn.com
Message-ID: <87c9acf9.0206212328.3c21237f@posting.google.com>
Source record: 42050

Hello,

I'm in need of a mic for an FT-2400
2m Mobile (MH-27A8J) or compatible.

Thanks
73
AL N4GOD

Please contact off list...

740. FS radio shack pro 90 truck tracker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 08:06:55 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <CeWQ8.6771$DF5.193610@twister.kc.rr.com>
Source record: 42051
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

This scanner is in very good condition and works great.
300 channel trunk tracker hand-held scanner.
29 to 956mhz
Has new nickel metal hydride batteries.
Comes with ac/charger antenna new belt clip and service manual.
$100 shipped lower 48 states ups insured.
E-mail me direct or for picks of the scanner.

741. Standard HX 500: how to change the working freq ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 10:51:03 UTC
From: Jarek <powolniak1@wp.pl>
Message-ID: <af1n1u$92s$1@news.tpi.pl>
Source record: 42052

Hi !

Firstly I want to apologize about my very poor english. I'm not english-spoken guy.

I've got handy Standard HX500 Series transceiver made for marine VHF frequencies. Inside I found some push-in crystals and trimers. Right now this trx works on marine channels 6, 16, 18, 19 and 65. Thats all about 156 MHz.

How to change the crystals to receive/transmit on 2 m amateur band ? Where I can find parts to do it ?

greetings

Jarek, member of SP2ZIE

742. AMERITRON AL-80A REDUCED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 13:28:57 UTC
From: obz <n2ozo@bellatlantic.net>
Message-ID: <3D147C04.6F7DEC7D@bellatlantic.net>
Source record: 42053
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale 1 excellent condition AL-80A Amplifier w/10 meter mod.
This amp is good for 10 thru 160 meters.
I don not have the original box but it does come with the manual.
REDUCED TO $550.00 plus shipping and insurance conus only.
If you are interested email at the above.
Thanks for reading this
Mike

743. FS Tektronix REDUCED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 14:57:30 UTC
From: obz <n2ozo@bellatlantic.net>
Message-ID: <3D1490C5.CAD13A38@bellatlantic.net>
Source record: 42054
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

REDUCED TO $225.00
I have for sale 1-2215 Tek scope w/x10 probe.
This is a 60 mhz scope dual ch.
The scope is in excellent working condition .
Overall condition is a 8.
I do not have the manual.
The plastic display lens has a couple of scratches.
REDUCED TO $225.00 plus shipping/insurance conus only
If interested please e-mail
Thanks for reading this.

744. Looking for owners of the Palomar PTR-130K Allmode transceiver for 0-30Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 15:07:54 UTC
From: uwsievers@web.de
Message-ID: <ed7ef15e.0206220707.37ddbee5@posting.google.com>
Source record: 42055

Since 3 months I own several Palomar transceiver PTR-130K. I have most
of the documentation and I would like to exchange ideas and findings
with other owners.
May be we can make a dicussion group or a forum. It would be nice to
keep this excellent old radio alive, even I know that very few had
ever been sold.
So if you own one or if you know one who owns this nice radio, please
email me.
Uwe DJ9XG

745. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 15:18:34 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D14954A.9060801@lakefield.net>
Source record: 42056
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $700

Kenwood TM251A 95% $100 SOLD
Kenwood TM451A 98% $115 SOLD

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

746. FA: President HR-2510 10m transciever

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 17:17:00 UTC
From: Alex <sgrubor@shaw.caNSPM>
Message-ID: <gi2R8.57961$s82.4552446@news1.calgary.shaw.ca>
Source record: 42057
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.antenna,rec.radio.amateur.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1361868360

--
*** Remove NSPM to reply ***

747. FS: Kenwood TMV7-A and Comet GP-9 antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 17:23:43 UTC
From: bearcat51@yahoo.com
Message-ID: <9014cad1.0206220923.4aa0934@posting.google.com>
Source record: 42058

I have the following two items for sale:

1) Kenwood TMV7-A mobile dualband radio in *MINT* condition-less than
15 mins
total use on the radio. All accessories included. Everything works
perfectly, transmit, receive, display, etc! This radio looks brand
new, no scratches at all on the unit itself or on the display face! If
you want info on the radio, here is a link to Kenwood's web site:
http://www.kenwood.net/products/index.cfm?AMA=open&ama_mob=open&radio=TM-V7A&selection=Ama
teur&ID=25

Kenwood has a suggested retail price of $449.95 and most retailers
sell it for a little less than Kenwood's suggested price but I am
asking $350.

2) Coment GP-9 dualband base station antenna. This antenna has *NEVER*
been used, still in the box. Here are some specs from Comet's web
site:
http://www.cometantenna.com/base.html

Asking $150 for the antenna. Brand new it goes for $165, I believe, at
R&L Electronics. Here is an opportunity to get a brand new, never used
antenna for less than R&L and/or other retailers.

All prices above INCLUDE S/H via UPS ground and insurance to anywhere
in the
continental U.S. If interested in any of the two items or if you have
questions, please email me at bearcat51@yahoo.com. Thanks!

Reason for selling the items is I have lost interest in radios.

748. FS ALINCO DX-70TH, 100 WATT ALL MODE HF+6

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 19:06:15 UTC
From: W4PHM <w4phm@arrl.net>
Message-ID: <af2hp4$a6m$1@slb2.atl.mindspring.net>
Source record: 42059

For sale, HF + 6 meter Alinco DX70 TH, 100 watt model, all mode never used mobile, 1 year old, perfect condition, a 10 out of 10 in looks and operation. $450.00, includes shipping CONUS.

Original box and manual included of course.

30 day money back guarrantee, this is a nice rig you will be pleased with.

Thanks for reading this post,

73

Patrick
W4PHM

W4PHM@ARRL.NET

749. Re Russian RX 100-420 Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 19:08:12 UTC
From: Richard <translations@qdnet.pl>
Message-ID: <af2i2s$i93$1@news.tpi.pl>
Source record: 42060

Hi someone send me a request for info.

Please send me your e-mail again I your address does not seem to work!

Richard

750. Last Day RADCOM AND QST CDs For Auction on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 20:09:57 UTC
From: Apostolos Bourousis <mak@compulink.gr>
Message-ID: <af2lju$209h$1@ulysses.noc.ntua.gr>
Source record: 42061

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1361023557

751. Re: Aiwa Electronic Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 21:02:51 UTC
From: Dave Edwards <kd2e@comcast.net>
Message-ID: <%B5R8.334941$%y.26805480@bin4.nnrp.aus1.giganews.com>
Source record: 42062

Do you mean Daiwa??
I had one, but it drove me nuts because it was Iambic 'B' instead of 'A'
That means no self completing dots and dashes.
...Dave
"James Nipper" <jnipper@nospam.fdn.com> wrote in message
news:Y4QQ8.314$842.8683@news1.fdn.com...
>
>
> Anyone have one of these you would like to part with ??
>
>
> 73 de Jim K4PYT jnipper@fdn.com
>
>
>
>
>

752. Re: Daiwa Electronic Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 21:19:36 UTC
From: James Nipper <jnipper@nospam.fdn.com>
Message-ID: <UQ5R8.325$842.9161@news1.fdn.com>
Source record: 42063

Yes, I did mean Daiwa. Mine does complete dots and dashes.....
hmmmmmmmmm

I would just like to find a spare from someone.

73 de Jim k4PYT jnipper@fdn.com

Do you mean Daiwa??
I had one, but it drove me nuts because it was Iambic 'B' instead of 'A'
That means no self completing dots and dashes.
...Dave
"James Nipper" <jnipper@nospam.fdn.com> wrote in message
news:Y4QQ8.314$842.8683@news1.fdn.com...
>
>
> Anyone have one of these you would like to part with ??
>
>
> 73 de Jim K4PYT jnipper@fdn.com
>
>
>
>
>

753. WTB: YAESU FT-100D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 23:27:40 UTC
From: Lou R <vhf@cogeco.ca>
Message-ID: <IM7R8.79031$Yt.3128591@read1.cgocable.net>
Source record: 42064

From: "Lou R" <vhf@cogeco.ca>
Subject: WTB: YAESU FT-100D
Date: Saturday, June 22, 2002 7:26 PM

I'm looking for a Yaesu FT-100D Radio

Thanks

Lou
VA3PGS

754. XMIT MOD FOR YAESU FT1000MP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 23:32:02 UTC
From: Lou R <vhf@cogeco.ca>
Message-ID: <rQ7R8.79033$Yt.3128487@read1.cgocable.net>
Source record: 42065

From: "Lou R" <vhf@cogeco.ca>
Subject: XMIT MOD FOR YAESU FT1000MP MARK-V FIELD
Date: Saturday, June 22, 2002 7:30 PM

IM LOOKING FOR THE GEN XMIT MOD FOR THE FIELD VERSION OF THE MARK-V

THE MENU 9 DOES NOT WORK ON THE FIELD..

THANKS

LOU
VA3PGS

755. XMIT MOD FOR YAESU FT1000MP MARK-V FIELD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 23:32:23 UTC
From: Lou R <vhf@cogeco.ca>
Message-ID: <MQ7R8.79034$Yt.3128699@read1.cgocable.net>
Source record: 42066

From: "Lou R" <vhf@cogeco.ca>
Subject: XMIT MOD FOR YAESU FT1000MP MARK-V FIELD
Date: Saturday, June 22, 2002 7:30 PM

IM LOOKING FOR THE GEN XMIT MOD FOR THE FIELD VERSION OF THE MARK-V

THE MENU 9 DOES NOT WORK ON THE FIELD..

THANKS

LOU
VA3PGS

756. Re: FS radio shack pro 90 truck tracker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-22 23:36:01 UTC
From: David <phochief@NONSPAMhotmail.com>
Message-ID: <5G7R8.11307$Xo5.4045018@e3500-atl1.usenetserver.com>
Source record: 42067

.....My Ford F-150 was stolen about three years ago - do you think your "truck tracker" could help me find it?

:-)

757. Re: Yaesu FT-757GX battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 02:05:51 UTC
From: dbm@-remove-fisi.net
Message-ID: <af3adv$g4b$0@208.34.249.122>
Source record: 42069

[Type your reply here]

Bill Nelson <billn@spock.peak.org> wrote:
>In rec.radio.amateur.antenna Duane <dbm@-remove-fisi.net> wrote:
>> I've recently acquired a Yaesu FT-757GX transceiver. It won't hold any
kind
>> of memory settings. It has a lithium battery but I haven't been able to
find
>> it (I'm kinda new to this stuff.) Anyone have any help?
>
>The battery is on the "local unit" board (large board). It is near the
>corner of the board close to connector J15.

Thanks Bill, I did find it. Looks like I'll have to take it apart a little more to change it. Couldn't see but it seems to be soldered in on the other side of the board which apparently is covered by another board. I measured the voltage and it was .02 mV...supposed to be three volts if I understand it correctly.

'Nother question; Even with a bad battery shouldn't it maintain its memory if it's hooked up to a power supply?

Thanx!
Duane
KD5FKF

758. FA: Icom IC-W32A - Last Day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 02:16:28 UTC
From: Richard Kempe <r.kempe@worldnet.att.net>
Message-ID: <0caR8.56063$UT.3829679@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42070

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1361140158

Thanks for looking!

759. Re: FS radio shack pro 90 truck tracker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 02:47:44 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <nFaR8.8818$DF5.240417@twister.kc.rr.com>
Source record: 42071
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

That is a good one.
I ment trunk tracker
"Magnum45" <Magnum45@mn.rr.com> wrote in message
news:CeWQ8.6771$DF5.193610@twister.kc.rr.com...
> This scanner is in very good condition and works great.
> 300 channel trunk tracker hand-held scanner.
> 29 to 956mhz
> Has new nickel metal hydride batteries.
> Comes with ac/charger antenna new belt clip and service manual.
> $100 shipped lower 48 states ups insured.
> E-mail me direct or for picks of the scanner.
>
>
>

760. Jones Key Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 03:30:22 UTC
From: wy0j@aol.com
Message-ID: <ecc175ed.0206221930.3b43ab11@posting.google.com>
Source record: 42068

I am looking for a Jones CW Key. Any help would be much appreciated.
Tnx es 73,
Jim Brown KK0T

761. Ten Tec 243 Remote VFO restringing Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 04:14:11 UTC
From: Jack Berry <jackberry@ameritech.net>
Message-ID: <3D1568A4.60D9E614@ameritech.net>
Source record: 42072
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hello to the group:
I was wondering if anyone has the restringing diagram for the
TenTec Model 243 Remote VFO. This goes with their Omni Series
Transceivers. I have one I received from my fatherinlaw and the cord is
broken. It is all there but he removed it for some reason, put it in an
emvelope and never redid it. I know Ten Tec has one they sell? with the
restringing kit, but I have everything now and just have to redo it all.

Tks 73, Jack N9JB

762. Wagner Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 04:54:22 UTC
From: "Martin Howells, VK2UMJ" <vk2umj@NOSPAM.yahoo.com.au>
Message-ID: <cqcR8.18928$Hj3.59141@newsfeeds.bigpond.com>
Source record: 42073
Cross-posted to: aus.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.repair

I have a Wagner PS-100C Power Supply and I'm looking for a schematic for the regulator & overload protection module (PS-100R).

Although I can trace the parts happily, a few components are rather crispy and I need the schematic so I can determine what part is what!

Any assistance would be greatly appreciated.

Cheers

73

--
Martin, VK2UMJ
vk2umj@NOSPAMyahoo.com.au

Remove NOSPAM from e-mail address to reply

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.371 / Virus Database: 206 - Release Date: 13/06/2002

763. Help with TS440

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 06:19:28 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <vMdR8.6349$Rf7.2148047@news20.bellglobal.com>
Source record: 42074

Having acquired a TS440 in a trade only to find it unlocks between 10.5 - 14.5 Mhz. Have replaced diodes as per service notes, still no luck. I am getting voltages on 2 separate points in the bandpass section when there should only be one. Diodes have been changed there. When I unplug the B0,B1,B2,B3 (binary signals) cable from the RF unit (coming from the control board) the display comes back up, I get transmit power, with tuner functions but no receive. I am also not getting the proper VCO voltage range for that specific frequency range. I can get the maximum voltage specified (5.2-6.2V @ 7.5000 MHz) but when it hits the 10.5 Mhz mark this voltage drops suddenly from 4.3V to 2.14V and stays there during the rest of the frequency spread. It is supposed to gradually drop from the upper voltage down to 2.5V as you tune up from 7.500 - 14.4999 Mhz. All the VCO's had been tuned as per manual.

Please help, I don't know hwta to try next

Max ve3tmt@rac.ca

764. Broke TS440 up for trade/offers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 07:59:32 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <defR8.10$%N4.2992@news20.bellglobal.com>
Source record: 42075

I recently trade my Yaesu FT900 for a TS440S to match my VHF station. Here is what the trader had to say after he received the Yaesu:

VE3TMT Traded his FT-900 for My Kenwood TS-440SAT. Deal went slicker than Chicken Grease through a Coon Dawg. The Rig he traded was understated. Max my
Hats off to you. you are a Fantastic Ham.Look forward to QSO's on 20 meters. Hope you enjoy the 440 as much as I did restoring it.

73 de KD5JBN
Glenn

What did I end up with? A TS440 that won't transmit on 20m. The rig cuts out from 10.5 - 14.5 Mhz. Apparently this is a common problem with these rigs, but I was told it was 100% when he shipped it. It worked at my QTH less than 12 hrs before it died. He is telling me to file a claim with UPS. Like that will help. And how many weeks would I be without HF capability? All I know is when my FT900 left here it was in excellent shape, and from what I gather his wife is enjoying it immensely. And I'm stuck with a piece of crap 440. All I can run here at this qth is low power modes (like 20m PSK) and now I can't even do that.

I hope you enjoy the FT900 Glenn, I know I did.

P.S. If anyone wants a 440 to try and fix, make me a fair offer. I would rather get rid of the damn thing than have it sitting here on my desk reminding me of what I gave up for it.

765. PRM8030 modem board pinout

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 08:06:38 UTC
From: Steven Haigh <netwiz@optushome.com.au>
Message-ID: <3d158191$0$31827$afc38c87@news.optusnet.com.au>
Source record: 42076

Does anyone have the layout for the pins on the modem port on the back of an 8030?

I've got the modem board installed in one, but not the other... does this alter the pinout of this port?

Signed,
Steven Haigh
President - Melbourne Wireless
www.wireless.org.au

766. Re: Help with TS440

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 10:14:47 UTC
From: "K.chattenton" <k.chattenton@btopenwold.com>
Message-ID: <af472nhov1@knossos.btinternet.com>
Source record: 42077

Hi Max,
"ve3tmt" <ve3tmt@rac.ca> wrote in message
news:vMdR8.6349$Rf7.2148047@news20.bellglobal.com...
> Having acquired a TS440 in a trade only to find it unlocks between 10.5 -
> 14.5 Mhz. Have replaced diodes as per service notes, still no luck. I am
> getting voltages on 2 separate points in the bandpass section when there
> should only be one. Diodes have been changed there. When I unplug the
> B0,B1,B2,B3 (binary signals) cable from the RF unit (coming from the
control
> board) the display comes back up, I get transmit power, with tuner
functions
> but no receive. I am also not getting the proper VCO voltage range for
that
> specific frequency range. I can get the maximum voltage specified
(5.2-6.2V
> @ 7.5000 MHz) but when it hits the 10.5 Mhz mark this voltage drops
suddenly
> from 4.3V to 2.14V and stays there during the rest of the frequency
spread.
> It is supposed to gradually drop from the upper voltage down to 2.5V as
you
> tune up from 7.500 - 14.4999 Mhz. All the VCO's had been tuned as per
> manual.
>
> Please help, I don't know hwta to try next
>
> Max ve3tmt@rac.ca
>
> Replace the ref oscillator,, that should do the trick........cheers, Ken,
G4KIR.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.371 / Virus Database: 206 - Release Date: 13/06/2002

767. Re: Nulling an MFJ phone patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 11:51:45 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <lDiR8.40430$Ny6.2142554@bin2.nnrp.aus1.giganews.com>
Source record: 42078

Too many Bobs on here these days !

Yup, that's what I think I meant. And if you aren't using VOX, it probably isn't important, but it only takes a few seconds and then you could use VOX if you were making a phone patch for another ham and didn't have to handle the PTT function.

Bob M.
======
"David" <phochief@NONSPAMhotmail.com> wrote in message news:YtSQ8.6703$7Q2.305586@e3500-atl2.usenetserver.com...
> Bob....thanks for the clarification....I had no idea the null was only to
> prevent receiver audio from getting into the transmitter and tripping the
> VOX......and since I don't use VOX, I don't need to worry about it anymore.
> :-)
>
> Thanks,
> David
>
> "Bob Lewis (AA4PB)" <rlewis@staffnet.com> wrote in message
> news:uh7jtpr8013j2d@corp.supernews.com...
> > I think Bob has it correct but you misinterpret what he is saying.
> > With your phone call in place and no one speaking on the phone, you
> > null the audio from your receiver. The goal is, as Bob said, to
> > minimize the amount of receiver audio getting to the transmitter input
> > so that it doesn't trip the VOX. If you are not using VOX then it is
> > not necessary to perform the null.
> >
> > The bridge circuit that does the null includes the impedance of the
> > phone line and that is why it is necessary to do the null with the
> > call in place (but no one speaking on the phone). The null adjustment
> > may change with different calls.
> >
> >
> >
>
>
>

768. Re: MOTOROLA MARATRAC LOW BAND

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 12:15:06 UTC
From: n9llo@aol.com
Message-ID: <20020623081506.25402.00000490@mb-cd.aol.com>
Source record: 42079

sounds like you have the standard rotary
switch control head. Look for pin numbers on the black heat shrink on the pins.

Chris

769. FA Kenwood 599D twins **Last Day**

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 14:41:26 UTC
From: Dave Edwards <kd2e@comcast.net>
Message-ID: <q6lR8.357731$Gs.27610825@bin5.nnrp.aus1.giganews.com>
Source record: 42080
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

Located here...
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1360623698

770. Re: Any 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 15:29:13 UTC
From: ccox@chopped-ham-filtre.uhc.com.invalid
Message-ID: <af4pg9$84c$1@gabriel.uhc.com>
Source record: 42082

VHFRadioBuff <vhfradiobuff@aol.comspamsux> wrote:
>>Take a look at Down East Microwaves web page for a start:-
>>
>>http://www.downeastmicrowave.com/

> Yeah - $900.. I don't think so. :)

Where did you get that figure from? Their 28-222MHz unit is
$395 assembled or $295 in kit form, and it is an excellent
performer with 25W RF out and a quiet GaAsFET front end.
--
Chris Cox, N0UK/G4JEC NIC Handle: CC345
UnitedHealthGroup, Inc., MN10-W116, UNIX Services & Consulting
6300 Olson Memorial Highway, Golden Valley, MN 55427
email: ccox@uhc.com (work) chrisc@chris.org (home)

771. *FA: RARE HEATHKIT HO-5404 MONITOR SCOPE>A Give Away-2nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 15:40:16 UTC
From: rlucch2098@aol.com
Message-ID: <20020623114016.25390.00000429@mb-cd.aol.com>
Source record: 42083

Real nice with pictures to boot!
Made to MATCH heathkit HW-5400 & SS-9000 xcvrs.
So Far its a give away with ORIGINAL manual!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1360072024

772. FA: HEATHKIT HP-23B POWER SUPPLY @$60, Ends tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 15:42:09 UTC
From: rlucch2098@aol.com
Message-ID: <20020623114209.25390.00000430@mb-cd.aol.com>
Source record: 42084

Real nice with pictures to boot!
So Far its a give away for a big $60l!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1360072019
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

773. Re: Help on Computer K5MDM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 15:44:22 UTC
From: Roger Leone <arleone@inreach.com>
Message-ID: <54mR8.1515$lE2.270988321@news.inreach.com>
Source record: 42092
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Murray:

This is worth a try:

From Window's Explorer or "My Computer", click on "View"

Then click on "Folder Options"

Then click on the "View" tab

You will see a "Hidden File" options list. Highlight "Show All Files"
(especially if "Do Not Show Hidden Files" is highlighted.)

Then hit OK.

If this doesn't work, perhaps someone else will have a suggestion.

Roger K6XQ

774. FA:COLLINS SWR-METER COUPLER ONLY@a big $20-TONIGHT OM's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 15:45:07 UTC
From: rlucch2098@aol.com
Message-ID: <20020623114507.25390.00000433@mb-cd.aol.com>
Source record: 42085

Real nice with pictures to boot!
So Far its a give away for a big $20l!
If the Meters go for Hundreds of $, why is this remote coupler dying :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1360072015
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

775. fa: US ARMY SIGNAL CORPS I-95-B Field-Strength Meter-1950, 2-nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 15:47:17 UTC
From: rlucch2098@aol.com
Message-ID: <20020623114717.25390.00000434@mb-cd.aol.com>
Source record: 42086

Real nice with pictures to boot!
So Far its a give away for a big $25l!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=2113070182
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

776. fa;Beautiful VIZ/RCA WC-412A Resis-Capac Decade Box$17 Last Call

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 15:50:05 UTC
From: rlucch2098@aol.com
Message-ID: <20020623115005.25390.00000437@mb-cd.aol.com>
Source record: 42087

Real nice with pictures to boot!
So Far its a give away for a big $17!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1360071998
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

777. Fa- ASTATIC D-104 MICROPHONE HEAD@only $25, Ends tonite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 15:52:05 UTC
From: rlucch2098@aol.com
Message-ID: <20020623115205.25390.00000438@mb-cd.aol.com>
Source record: 42088

Real nice with pictures to boot!
So Far its a give away for a big $25!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1360072012
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

778. FA: NEED A NICE SIMPSON 260 VOM? Here's your chance-Cheap!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 15:54:25 UTC
From: rlucch2098@aol.com
Message-ID: <20020623115425.25390.00000441@mb-cd.aol.com>
Source record: 42089

Real nice with pictures to boot!
So Far its a give away for a big $45!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1360071983
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

779. fa- Need a Nice big Variac? SUPERIOR POWERSTAT 0-140VAC @15A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 15:56:08 UTC
From: rlucch2098@aol.com
Message-ID: <20020623115608.25390.00000442@mb-cd.aol.com>
Source record: 42090

Real nice with pictures to boot!
So Far its a give away for a big $11!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601725
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

780. Re: Help on Computer K5MDM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 15:56:59 UTC
From: Power House <Power_House@PrivateBox.com>
Message-ID: <uhbs2h951omb6b@corp.supernews.com>
Source record: 42091
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Not sure what you mean? The icon is hidden? Need better explanation...

PH

"Murray Neece" <radioranch@cableone.net> wrote in message
news:3D15FDD2.BD0EDE0@cableone.net...
> MY Address book is "hidden"....its still there but cant read it...Using
> Netscape and Windows 98,....anyone know what I did? and how to undo
> it? Thanks Murray
>

781. Re: Help on Computer K5MDM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 16:17:22 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <af4s8qucn1@dagobah.blueriver.net>
Source record: 42096
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

"Murray Neece" <radioranch@cableone.net> wrote in message
news:3D15FDD2.BD0EDE0@cableone.net...
> MY Address book is "hidden"....its still there but cant read it...Using
> Netscape and Windows 98,....anyone know what I did? and how to undo
> it? Thanks Murray
>

Murray
Could you have opened your email up under a different username
than you normally use?

Or maybe logged in to Windows 98 under a different user name?

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

782. FS or FT KENWOOD TH-F6 TRIBAND HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 16:24:39 UTC
From: ke4tte <ke4tte@cfl.rr.com>
Message-ID: <3D15F648.F106027@cfl.rr.com>
Source record: 42093

I have a new Kenwood TH-F6 triband ht, I bought about 2 months ago, box,

manual, plus I have the PC programing cable with it,10/10 condition.I am

looking for a CAT 300, Cat 200, Pacific Research RI-210 or RI-310,
repeater controlers for a Yaesu Veretex VXR 5000 UHF repeater. For sale
or trade, I also have to base type scanners for posible trade if any of
above equipment avaliable,(Radio Shack Trunk Tracker 3, and a Radio
Shack PRO-2035, 1000 Chanel)

Ted Ke4tte

783. help me please!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 16:40:54 UTC
From: Rick <antenoman@excite.com>
Message-ID: <3D15F9CF.A19AA462@excite.com>
Source record: 42094

FOR SALE: ALL NEW PAYPAL PLEASE

Portable PDA Keyboard (Belkin) $40.00
Palmpak Travel Card (U.S.A. cities) 20.00
Palm Handheld ï¿½Documents to goï¿½ Word, Excel & Powerpoint. $30.00
Palmpak Games card (10 games
Simcity,zap,blackjack,casino/card,klondike,solitaire,vegas slots,etc
$20.00
USB MD2_USB hard disk $50.00 GO TO
http://www.datafab.com/products/mobile/usb/MD2-USB/main.htm
for info

Pixelview Geforce2 MX200 TV-OUT video card, 64mg sdram 256 bit gpu
$50.00
Go to http://shop.store.yahoo.com/4itech/pixgefmx32pc.html for
info

Xircom 56k & 10/100 credit card ethernet 10/100 with cable $25.00

Savage2000 64mb video card w/tv-out $45.00 GO TO:
http://www.bpcland.com/mystore/servlet/details?prod=181 for info

Chaintech video excel tnt m64 (tnt speed chaser 2 series) video card
w/32mb $40.00
Go To http://www.protac.com.au/product/Videoexcel/ha2811.html for
info

IBM External usb 3.5ï¿½ floppy for NOTEBOOKS WITH A USB PORT. $60.00

Pioneer DVD-106s 16speed dvd player $40.00 GO TO

http://www.pioneerelectronics.com/Pioneer/CDA/Industrial/IndustrialProductDetails/0,1444,1
742,00.html
for info

ADD $5.00 S&H TO ANYWHERE IN THE CONTINENTAL US, PAYPAL PLEASE!

MY EMAIL ADDRESS IS JOHNSON762@AOL.COM

784. THE REAL REQUEST FOR HELP! SORRY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 16:54:13 UTC
From: Rick <antenoman@excite.com>
Message-ID: <3D15FCED.3084AB26@excite.com>
Source record: 42095

i have a standard c508a dualbander. i had it for
sale at a hamfest, and someone stole the box with the manual and
stuff in it (thinking the radio was in it). i'd like to put the radio
in operation, but i can't figure out how to operate the darn thing.
if anyone has any advice, manuals or websites i'd really 'preciate
the help.. thanks...73...rick

785. Help on Computer K5MDM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 16:56:50 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D15FDD2.BD0EDE0@cableone.net>
Source record: 42081
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap
Body handling: Binary attachment payload not displayed: radioranch.vcf

MY Address book is "hidden"....its still there but cant read it...Using Netscape and Windows 98,....anyone know what I did? and how to undo it? Thanks Murray

[One or more binary attachments are retained only in the source text.]

786. Re: THE REAL REQUEST FOR HELP! SORRY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 17:38:11 UTC
From: Ralph Mowery <rmowery@dialpoint.net>
Message-ID: <af514h$5c6$1@newsreader.cetlink.net>
Source record: 42097

Look here under Documentation:

http://hamradio.online.ru/sch_eng.html

"Rick" <antenoman@excite.com> wrote in message
news:3D15FCED.3084AB26@excite.com...
> i have a standard c508a dualbander. i had it for
> sale at a hamfest, and someone stole the box with the manual and
> stuff in it (thinking the radio was in it). i'd like to put the radio
> in operation, but i can't figure out how to operate the darn thing.
> if anyone has any advice, manuals or websites i'd really 'preciate
> the help.. thanks...73...rick
>

787. TS440 update...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 17:59:33 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <L0oR8.1388$%N4.104999@news20.bellglobal.com>
Source record: 41998

I started measured from the Digital unit (binary counts for each band) and they are right (0 1 1 1 for the 10.5 - 14.5 segment) . Test freq = 14.200 AM mode. These signals travel to Q40 pins 12 - 15. However I get the opposite readings at Q40, meaning the pins high are now reading low and low reading high. Q42 and Q43 I assume control the filter switching. I am not getting the proper readings on Q42. If I temporarily switch in Q43 by shorting pins 9 & 10 together on Q40 my 14 Mhz receive and transmit return to normal. The display shows as it should. So I now I may have found the problem, any guys out there with a 440 service manual that can trace along with me and possibly lead me to the defective component. I am as close as I have ever been to solving it.

Thanks,

Max

788. Re: Any 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 19:49:39 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020623154939.15078.00000568@mb-ci.aol.com>
Source record: 41999

>Where did you get that figure from? Their 28-222MHz unit is
>$395 assembled or $295 in kit form, and it is an excellent
>performer with 25W RF out and a quiet GaAsFET front end.

I saw it someplace on their website.. quoted a $900 price tag for it. Still,
$300 or $400 is a bit high for me. Any chance Ten Tec will come out with one?
:)
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

789. Need 32S-3 help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 19:53:45 UTC
From: Bob Pierfelice <kb8tl@yahoo.com>
Message-ID: <uhc9qgl2kcnk7f@corp.supernews.com>
Source record: 42000

Help: my Collins 32S-3 has a problem with the balanced modulator. The carrier can be nulled out but the adjustments seem to drift and the carrier level increases to un-acceptable levels, USB or LSB.
My book is a reprint and does not match the mixer circuitry in my transmitter. Shucks. Seems there were several flavors of the circuitry around the balanced modulator.

For the heck of it, the mixer diodes in my TX were discrete glass things so I tried replacing them with HP hot carrier types. The carrier nulls better (almost perfectly!) with the HP diodes, but still drifts up in level.
Anyone have a proper schematic for 32S-3 serial numbers in the 11600 range they could have a look at and maybe scan the modulator portion of the drawing?
Thanks
Bob
kb8tl@yahoo.com

790. FS/FT: AMD K6-2 500mhz CPU and fan

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 19:56:47 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020623155647.15078.00000571@mb-ci.aol.com>
Source record: 42001

I have a BRAND NEW AMD K6-2 500mhz CPU with fan that I would like to sell for best offer or trade for ham equipment. Not sure what I need, but let me know what you have. I might be interested in a D-104 microphone to hook up to my 2m all mode. I bought this CPU/Fan combo to replace one in my old computer, but then decided to upgrade the motherboard, so I don't need the CPU/fan. Please EMAIL any replies. Thanks!
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

791. FA: Autek Memory Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 20:20:58 UTC
From: aokd5fxt@aol.com
Message-ID: <20020623162058.29259.00000549@mb-ms.aol.com>
Source record: 42002

details and pics at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1361880127

Pls feel free to email me with any questions
tnx
bill

792. Re: Need 32S-3 help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 20:36:07 UTC
From: Bob Pierfelice <kb8tl@yahoo.com>
Message-ID: <uhcc9vhko0op09@corp.supernews.com>
Source record: 42003

Found it, never mind, it was a leaky C9
Bob
kb8tl

793. Re: Any 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 21:10:40 UTC
From: Ralph Mowery <rmowery@dialpoint.net>
Message-ID: <af5djb$e8g$1@newsreader.cetlink.net>
Source record: 42004

On the way is a conversion for theTT 2 meter transverter that was written up in QST.

> $300 or $400 is a bit high for me. Any chance Ten Tec will come out with one?
> :)
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

794. Re: THE REAL REQUEST FOR HELP! SORRY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 21:14:45 UTC
From: Ralph Mowery <rmowery@dialpoint.net>
Message-ID: <af5dr4$ed9$1@newsreader.cetlink.net>
Source record: 42005

I tried the site and it comes up in English for me. Not sure if it is the site or the documment you are talking about. I have downloaded several other manuals for the rigs I have and they are all in English.

The 508 is about 700 K long and is in a PDF format . I can download it and send it to you if you want.

The AOL email address is not compatiable with my internet provider so am trying to send a response back to this one.

"Rick" <antenoman@excite.com> wrote in message
news:3D15FCED.3084AB26@excite.com...
> i have a standard c508a dualbander. i had it for
> sale at a hamfest, and someone stole the box with the manual and
> stuff in it (thinking the radio was in it). i'd like to put the radio
> in operation, but i can't figure out how to operate the darn thing.
> if anyone has any advice, manuals or websites i'd really 'preciate
> the help.. thanks...73...rick
>

795. FS or Trade list

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 21:44:19 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <TirR8.292205$352.27635@sccrnsc02>
Source record: 42006

Please if you have questions or want to make a trade contact me off
list at my e-mail address. gundoc@i... Some of these
lists are not swap lists and only tolerate my post because it is only
once a week. To the group owners thank you for letting me continue
to post to the group.
Dean

GE Portables

GE MPA VHF Scan 136 - 150.8 split 192 channels nice 9.0
Condition. With battery and charger. I have this programmed for
Ham and up to 152 MHz before it will not lock on frequency.
$225.00

GE MPA VHF Scan 157 - 174 split. 192 channels. Nice radio 8.5
condition with battery and standard charger. I have it programmed
down to 154 MHz with no trouble but will go no lower. $225.00

GE MPA UHF Scan 440 - 470 192 channel scan. Radio works great. A
little paint wear on the edges but I have seen worse. With charger
and battery. $225.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display.
With battery and standard charger. 7-7.5 $85.00

GE MPD scan VHF 150.8 174. 48 channel alphanumeric display. These
look good and come with a battery and standard charger. $100.00 each.

MPD Voice Guard VHF system model with full keypad. 48 channel alpha
display. With battery and standard charger. $115.00

GE KPC 300 VHF 16 channel scan. Nice radio with battery and
antenna. No charger with this one. $100.00

GE KPC 400 UHF 16 channel scan. Full DTMF pad on this radio.
This one has a charger. $195.00

GE PCS VHF 2 channel. Like new 9.5-10 condition. 150 -170 MHz.
With battery, antenna, leather case, and pocket charger. $100.00
each. 2 available.

SALE!!
GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170
but I have programmed these in the ham band with no trouble. These
have battery, antenna, and standard charger. $75.00 each Programming
Included. I have 7 of these.

Sale!!
GE PLS UHF 16 Channel. 8 to 8.5 also. 450 - 470 split but I can program these to the ham band. With battery, Antenna, and Charger. $90.00 each. Programming included. Have 3 of these.

GE MPS VHF Like new 12 channel. With new battery, new antenna, and a standard charger. $70.00

GE MPS VHF 12 channel. 8.5 condition. New antennas and NOS batteries Standard charger. $60.00 each have 2.

GE MPS UHF 48 channel. 8 = 8.5 condition, These have NOS batteries And have 4 banks of 12 channels. These can go to the ham band. I have been Using one of these on my ham repeater and it works great. $70.00 each I have 8 of these.

GE UHF MPS 8 channel with 8 different tones. 8 different tones can be Selected for each different channel. Battery and antenna. $60.00

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1 good battery. With 1 dual slot charger. $200.00 all 3 radios.

GE Monogram VHF 10 channel portable. 157-179 split. ex CSX radio. I sold this radio a year ago but have taken it on trade. Condition 8 with belt clip and charger. I had this radio run for stolen from CSX by a local CSX Special Agent when I first bought these in a lot and was told that it had been sold at salvage. Perfect for a RR Museum or shortline on a budget. This could also be programmed for marine frequencies. Like new tall Battery. $100.00

GE Mobiles

GE Phoenix SX VHF 128 channel scan. With Mic, Has all 8 proms. $100.00

GE MVS 800 conventional 2 channel. With mic tested OK $75.00

GE MLS UHF 8 channel. With Mic, power cord and hang up box. MLSU240 450. - 470 Looks good. $125.00

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00 each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Just in not tested. $70.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger. 16 channel model has short cable and some handle bar mounts. Mic included but no speaker. Not tested yet since I just got it in.

$50.00

GE Mobile Vehicle Adapter for MPA, MTL, MPD, and TPX. This unit charges your battery and turns your portable into a mobile radio. (Convert a Com) With mic, speaker, and power cable. $100.00

GE Accessories

GE TQ 2310 suitcase programmer. Has PLS, Phoenix, Delta s/sx, Voice Guard, MPS, and Ranger. Printer is working Has manual for the programmer and the computer. Has Phoenix cable and Voice guard cable. All in the original GE case tested and working. $850.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $5.00

Mastr II Mic. $5.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5. $4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and 162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50 each.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each.

GE Delta cables. These are the downloading type used with the S820 heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE MPA, MPD, MTL standard Speaker mic. $25.00

GE PCS Universal charger. With wall transformer $20.00 each

GE MPA standard chargers. $20.00 each

GE MPA Rapid chargers. $30.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a rapid rack charger with a DB 15 cable and uses a MPD body to attach a battery to. Has LED readout in display area of MPD body to tell discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card and power supply / speaker. $300.00

Other Radios and Accessories

ADI AT 201. 2 meter portable nice like new and in the box with the manual. Has 5 watt battery and wall charger. $90.00

Yaesu ft 2400 2 meter mobile. Has Mounting Bracket and manual. Nice 2 meter Radio. $125.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great. This was in my van before I added another MVS so I know it works. $100.00

Maxon 5050a Low band portable pair. Like new condition with 1 battery charger but I will split up the pair if someone wants 1 radio only. 6 channels programmed for 10 meter ham band on 2 repeater pair and 4 simplex frequencies. 2 radios and 1 charger $185.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by Midland. $75.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$75.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of crystals for each radio. Also have a working battery and charger for each. I have 4 of these. $50.00 all

Uniden SMS 825 TS, 800 MHz Dash mount radio. $55.00

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work with the sp2000 as well.$35.00

Consignment section

This area is for a few friends who like those other radios you know "Motorola" They are good people and I will pass along any trades you may wish to make.

MOTOROLA X9000 VHF 50 watts, alphanumeric head, Siren complete. $425.00

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola P200 UHF high power. 6 channel. $150.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Want List not FS
Extra parts for GE suitcase programmers Data modules, Printers, cables,
proms, Anything you have extra. MPA or MPD portables what do you have and what do you want for them? Johnson scorpion program cable.

Terms
All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a

question E-mail me.
Dean
Contact me off list at. Gundoc@i...

796. FS: Pentium Laptop Computer.....$50.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 22:31:53 UTC
From: "RoyaltyFreePhotos.com" <rffimages@yahoo.com>
Message-ID: <3D164C59.8093E545@yahoo.com>
Source record: 42007

I have an extra Pentium Laptop for sale. Please look at the pictures.
The specs are as follows:

NEC Versa 2730
Pentium processor
32MB RAM
12.1" Color LCD display
3 1/2" floppy
CD ROM drive
Sound card with speakers
Modem
'touch-pad' type mouse
USB port

This is a very nice computer.

Click on these links to see pictures:
photo 1: http://imagehost.epier.com/11449/versa-1.jpg
photo 2: http://imagehost.epier.com/11449/versa-3.jpg
Photo 3: http://imagehost.epier.com/11449/versa-2.jpg

Power requirements are 19vdc at 2.4A. I have lost the regular AC power
adapter and new ones are quite expensive because of the weird plug that
NEC used on this model. However, I just use 2 slip-on connectors and
connect it to a regular DC power supply. The pin-out for the connector
is a simple 2 wire connection.

I believe the battery is good, but I can't guarantee it.

The Price is $50.00.

UPS ground shipping in the 48 states is about $17.50.

If you are interested please contact me at:
wae@zworg.com
or call me at 303-674-0510.
I am located in Denver.

Thanks,
Bill

797. FS: Pentium Laptop computer...$50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-23 22:38:37 UTC
From: "RoyaltyFreePhotos.com" <rffimages@yahoo.com>
Message-ID: <3D164DED.346BFFB9@yahoo.com>
Source record: 42008

I have an extra Pentium Laptop for sale. Please look at the pictures.
The specs are as follows:

NEC Versa 2730
Pentium processor
32MB RAM
2 GIG Hard Drive
12.1" Color LCD display
3 1/2" floppy
CD ROM drive
Sound card with speakers
Modem
'touch-pad' type mouse
USB port

This is a very nice computer.

Click on these links to see pictures:
photo 1: http://imagehost.epier.com/11449/versa-1.jpg
photo 2: http://imagehost.epier.com/11449/versa-3.jpg
Photo 3: http://imagehost.epier.com/11449/versa-2.jpg

Power requirements are 19vdc at 2.4A. I have lost the regular AC power
adapter and new ones are quite expensive because of the weird plug that
NEC used on this model. However, I just use 2 slip-on connectors and
connect it to a regular DC power supply. The pin-out for the connector
is a simple 2 wire connection.

I believe the battery is good, but I can't guarantee it.

The Price is $50.00.

UPS ground shipping in the 48 states is about $17.50.

If you are interested please contact me at:
wae@zworg.com
or call me at 303-674-0510.
I am located in Denver.

Thanks,
Bill

798. SSB Filter for Kenwood 570 DG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 00:12:18 UTC
From: John Lynch <wa3g@arrl.net>
Message-ID: <3D1663E0.235D711@arrl.net>
Source record: 42009

I have had the 570 since August 1998, and love it. Only problem is QRM which the IF shift and DSP can not wipe out, the big gun 2 khz away. What has been anyone's experience with the 1.8 khz filter Kenwood has. Is it worth the money? How effective is it?

--
73
John Lynch
WA3G and Retired BUFF Driver
God Bless America!

799. FS: Outbacker Perth antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 00:29:45 UTC
From: LHM <lmilrad@passport.ca>
Message-ID: <ZJtR8.114186$831.98710@news01.bloor.is.net.cable.rogers.com>
Source record: 42010
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap

Outbacker Perth antenna that has worked flawlessly for sale.

Four foot shaft with a 3 foot stinger, low wind resistance with high performance. Rated at 150 P.E.P.

Excellent condition, complete with manual and optional spring and base.

Asking $290 USD plus shipping.

Lou
VE3TRY

lmilrad@passport.ca

800. Help with Icom AH-4 to IC-706

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 01:42:40 UTC
From: Jon Van Allen <jonvanallen@msn.com>
Message-ID: <3D167910.21079159@msn.com>
Source record: 42011

I bought a IC-706 and AH-4 auto-tuner. While installing it in my vehicle, I took the pins out of the plug from the tuner to the radio so I could fit the cable thru an existing hole. I wrote down which color wire went to which pin, but now I can't find the paper I wrote them on. If anyone could tell me the order of the wires from the pointed end to the flat end, I would be grateful.

73, Jon
KF7YN

801. FS VHF, UHF, HF amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 01:46:33 UTC
From: wavelengthham <w9jcm@REMOVETHISreno.quik.com>
Message-ID: <ZRuR8.763$6M5.6939@newsfeed.intelenet.net>
Source record: 42012
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a for sale the following,

1 TR 8400 UHF Mobile Rig I believe its 25 watts out. Comes with kenwood hand mic, and com spec tone board. And a power cord. Its in good condition. 100.00 Plus a little shipping.

1 HTX242 2 Meter mobile 50 watts, 40memories, DTMF and all the other usual toys you need on a mobile. Comes with hand mic, powercord, mobile bracket. In excellent condition. 100.00 Plus ship.

Hf amplifier made my N6ZU running 2 4-400A tubes (emiacs) Full output. This is a world class built amp with vacume variable, tuned inputs 10-80Meters. Peter Dahl transformer in the same box. Nice rear hinged box too. Have pics if you would like to see. Beats a commercial made amp any day. Will throw in another emiac pair of 4-400As full out. Make me a offer. I paid 900.00 2 years ago. Totally quit ham radio a few months ago. Weight is 75 pounds.

802. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 02:32:59 UTC
From: Ronald Oberloh <wa0kds@yahoo.com>
Message-ID: <3D1684DB.8D4EF435@yahoo.com>
Source record: 42013
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Have to believe in Hell first......

codemaan wrote:

> Did you know a person can go to Hell for taking such obscene advantage of
> unknown people like you did? :) So, how does the .45 shoot?
>
> "Murray Neece" <radioranch@cableone.net> wrote in message
> news:3D126F0B.9A5A99F9@cableone.net...
> > .....I got a nice Browning .45 for my wife, best trade I ever made!!!
> Maybe
> > you can trade too!!
> >
> > Tech wrote:
> >
> > > Why not buy her a brand new domestic appliance, that way she can't
> gripe,
> > > can she?
> > >
> > > 73
> > >
> > > "Al Bunch" <bunchah@nospam.yahoo.com> wrote in message
> > > news:K28M8.13$lS1.671806@news.cpqcorp.net...
> > > > Take out an ad:
> > > >
> > > > Addicted to ragchewing, thinking of dropping another $5K on equipment?
> I
> > > > have the solution - proven results, you won't buy another thing as
> long as
> > > > you have this. One left, hurry before she's gone. Will consider
> trades
> > > for
> > > > existing new/used equipment or other offers.
> > > >
> > > > ...or you could just be blatantly honest...
> > > >
> > > > Take my wife in exchange for your used amateur radio equipment. She
> won't
> > > > let me further my hobby so if you're getting out, she'll make sure you
> > > stay
> > > > that way. All trades completely final.
> > > >
> > > > If nobody bites, you can always dangle a high ticket item in front of
> her

> > > > that she really really wants and wait for her to start chomping at the
> bit
> > > > about getting it, then spring the compromise on her. This could get
> nasty
> > > > though when either A) she figures out what you're up to or B) she
> agrees
> > > and
> > > > that becomes the norm for all of your future purchases.
> > > >
> > > > However you proceed, please - keep us posted so those of us
> > > > luck...errr..unfortunate enough to not be married yet will know how to
> > > > handle ourselves should we ever get into the same situation.
> > > >
> > > > 73's
> > > > -Al Bunch
> > > >
> > > > "KC8SSG" <kc8ssg@qsl.net> wrote in message
> news:VXAL8.62$13.1028@news...
> > > > > I'm having a hard time getting my wife to get used to me buying
> radios
> > > and
> > > > > stuff. Any help or suggestions would be great!
> > > > >
> > > > > --
> > > > > KC8SSG
> > > > >
> > > > >
> > > > >
> > > >
> > > >
> > >
> >

803. Re: Help with Icom AH-4 to IC-706

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 02:48:43 UTC
From: AB2OS <aNOSPAMbeagley@optonline.net>
Message-ID: <3D16888B.1060608@optonline.net>
Source record: 42014

Starting from the pointed end: Green, White, Red, Black.

-=-
Alan, AB2OS

Jon Van Allen wrote:
> I bought a IC-706 and AH-4 auto-tuner. While installing it in my vehicle, I took
> the pins out of the plug from the tuner to the radio so I could fit the cable
> thru an existing hole. I wrote down which color wire went to which pin, but now
> I can't find the paper I wrote them on. If anyone could tell me the order of the
> wires from the pointed end to the flat end, I would be grateful.

804. Ten Tec 242 VFO for Triton 4, 540, 544

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 05:04:52 UTC
From: ljl160@aol.com
Message-ID: <20020624010452.22922.00000620@mb-fh.aol.com>
Source record: 42015

I have a spare 242 VFO in very decent condition with the manual. PTO is smooth too. Even though these are fairly hard to find, I decided I'll let it go to a new home. Best offer. Thanks-Lew KlNDV

WTB: WBL paddle, March Paddle
Also need CW filter HW101

805. Help for a friend with an ICOM IC-751 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 05:20:58 UTC
From: John Boyle <john.boyle@erols.com>
Message-ID: <3D16AC3A.94AC4D7B@erols.com>
Source record: 42016
Cross-posted to: alt.ham-radio.packet,free.uk.amateur-radio,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.shortwave,uk.radio.amateur

A friend who doesn't have access to newsgroups asked me to post this message for him. Please forgive me if I've posted to this group in error.

Concerning the ICOM IC-751 Transceiver, my friend asks:

"...In that radio is a ram-board that contains the operating system for the radio and that's where memory channels are stored. I need the hex code for that radio. I believe the board has a total of 1024 bytes of memory. I think the first 256 bytes is for the operating system and the remainder is for user memory storage. I need the first 256 bytes.... maybe you can put this request on the news groups and some Ham out there might have the code and can send it to me at W2RB@JUNO.COM..... it would be greatly appreciated... tnx.."

If someone can help him, you can email him directly, or email me and I'll get it to him.

Thanks.

John

806. FS ICOM 271A 2 meter all mode with tone board.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 08:36:28 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <dSAR8.16375$DF5.306726@twister.kc.rr.com>
Source record: 42017
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a icom 271A meter all mode forsale with tone encode/decode board
installed.
Work 100% and looks great too.
Comes with original manaul mic and power cord.
Runs on 12 volt dc.
$320 shipped lower 48 states ups insured.
E-mail me direct or for pics of the radio.

807. Re: Broke TS440 up for trade/offers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 11:21:57 UTC
From: gmendelson@bloomberg.com
Message-ID: <af6vcl$hr2$1@nardis.bfr.co.il>
Source record: 42018

ve3tmt <ve3tmt@rac.ca> wrote:

> What did I end up with? A TS440 that won't transmit on 20m. The rig cuts
> out from 10.5 - 14.5 Mhz. Apparently this is a common problem with these
> rigs, but I was told it was 100% when he shipped it. It worked at my QTH
> less than 12 hrs before it died.

Yes this is a common problem with these rigs. The main PLL was
potted in a rubber compound. If the rig was kept in a dry area, it will
work indefinately. Once exposed to humidity the rubber compound sucks
water out of the air and starts to conduct electricity which causes the
PLL to unlock.

So it is very possible the guy who sold it to you had no trouble with
the rig, and when you received it it worked. 12 hours seems like a short
time to me, but it is possible that was all it took.

Therefore in effect, he sold you a working rig, and you unkowningly
caused it to malfunction. I don't think the problem can be reversed, but
it can be repaired. Kenwood has a service bulletin on fixing the rig and
you may be able to fix it yourself.

In short, you remove the soldered on lids of the PLL compartments,
and carefully pick out the rubber compound. A professional repair
goes further, replacing a few parts and repoting with nonconductive
material.

Geoff.

--
Geoffrey S. Mendelson
Bloomberg L.P., BFM (Israel) 2 hours ahead of London, 7 hours ahead of New York.
Tel: 972-(0)3-754-1158 Fax 972-(0)3-754-1236 Email: gmendelson@bloomberg.com

808. Re: Help for a friend with an ICOM IC-751 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 11:33:15 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uhe0st1m9b7ecf@corp.supernews.com>
Source record: 42019
Cross-posted to: alt.ham-radio.packet,free.uk.amateur-radio,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.shortwave,uk.radio.amateur

You should find it here http://www.icomamerica.com/support/index2.html

"John Boyle" <john.boyle@erols.com> wrote in message
news:3D16AC3A.94AC4D7B@erols.com...
> A friend who doesn't have access to newsgroups asked me to post this
> message for him. Please forgive me if I've posted to this group in
> error.
>
> Concerning the ICOM IC-751 Transceiver, my friend asks:
>
> "...In that radio is a ram-board that contains the operating
> system for the radio and that's where memory channels
> are stored. I need the hex code for that radio.
> I believe the board has a total of 1024 bytes of memory.
> I think the first 256 bytes is for the operating system and
> the remainder is for user memory storage. I need the first
> 256 bytes.... maybe you can put this request on the news groups
> and some Ham out there might have the code and can send it to
> me at W2RB@JUNO.COM..... it would be greatly appreciated...
> tnx.."
>
> If someone can help him, you can email him directly, or email me and
> I'll get it to him.
>
> Thanks.
>
> John

809. WTB: Microphone for FT-2500

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 11:46:43 UTC
From: aokd5fxt@aol.com
Message-ID: <20020624074643.17554.00000539@mb-mk.aol.com>
Source record: 42020

I need a mic for this rig. If you have one to part with, pls email me.

Bill

810. Re: Broke TS440 up for trade/offers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 12:05:53 UTC
From: Don Baker <DocDB@excite.com>
Message-ID: <O_DR8.1$nd3.1337@news.abs.net>
Source record: 42021

<gmendelson@bloomberg.com> wrote in message
news:af6vcl$hr2$1@nardis.bfr.co.il...
> ve3tmt <ve3tmt@rac.ca> wrote:
>
> > What did I end up with? A TS440 that won't transmit on 20m. The rig
cuts
> > out from 10.5 - 14.5 Mhz. Apparently this is a common problem with
these
> > rigs, but I was told it was 100% when he shipped it. It worked at my
QTH
> > less than 12 hrs before it died.
>
> Yes this is a common problem with these rigs. The main PLL was
> potted in a rubber compound. If the rig was kept in a dry area, it will
> work indefinately. Once exposed to humidity the rubber compound sucks
> water out of the air and starts to conduct electricity which causes the
> PLL to unlock.
>
> So it is very possible the guy who sold it to you had no trouble with
> the rig, and when you received it it worked. 12 hours seems like a short
> time to me, but it is possible that was all it took.
>
> Therefore in effect, he sold you a working rig, and you unkowningly
> caused it to malfunction. I don't think the problem can be reversed, but
> it can be repaired. Kenwood has a service bulletin on fixing the rig and
> you may be able to fix it yourself.
>
> In short, you remove the soldered on lids of the PLL compartments,
> and carefully pick out the rubber compound. A professional repair
> goes further, replacing a few parts and repoting with nonconductive
> material.
>
> Geoff.
>
> --
> Geoffrey S. Mendelson
> Bloomberg L.P., BFM (Israel) 2 hours ahead of London, 7 hours ahead of New
York.
> Tel: 972-(0)3-754-1158 Fax 972-(0)3-754-1236 Email:
gmendelson@bloomberg.com
>

Here are the 2 mods / service bulletins. Be VERY careful when "depotting"
the components, the PCB foil is extremely fragile around Q35. I hope this

helps.

Don

811. Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 12:57:24 UTC
From: hans <pd1abz.hans@worldonline.nl>
Message-ID: <af74g7$ha6$1@reader1.tiscali.nl>
Source record: 42022

Does anybody know how to modifi the kenwood ts-180
to operate on 11 meters
Please let me know.
73 Hans netherlands

812. Re: Help with Icom AH-4 to IC-706

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 13:32:24 UTC
From: Jon Van Allen <jonvanallen@msn.com>
Message-ID: <3D171F68.FBC21976@msn.com>
Source record: 42023

Thanks much for the info.

Jon
KF7YN

AB2OS wrote:

> Starting from the pointed end: Green, White, Red, Black.
>
> -=-
> Alan, AB2OS
>
> Jon Van Allen wrote:
> > I bought a IC-706 and AH-4 auto-tuner. While installing it in my vehicle, I took
> > the pins out of the plug from the tuner to the radio so I could fit the cable
> > thru an existing hole. I wrote down which color wire went to which pin, but now
> > I can't find the paper I wrote them on. If anyone could tell me the order of the
> > wires from the pointed end to the flat end, I would be grateful.

813. JiM 10m Transceiver on eBay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 13:55:05 UTC
From: Mark Harju <mark.a.harju@NO-SPAM.boeing.com>
Message-ID: <Gy7qns.MxL@news.boeing.com>
Source record: 42025
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362179526

Channel Up/Down selector in handset

High/Low Power Selection

PA/Squelch/EMG Selection

Panel Illumination

Scan function

Detachable Combo Battery Pack / Antenna

Thanks for looking... :-)

--

Opinions expressed are
not necessarily those of
The Boeing Company.
Please remove "NO-SPAM"
to reply.
Thanks!

814. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 14:06:58 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <af7925$m8n$1@nntp9.atl.mindspring.net>
Source record: 42024

This is an 'Amateur radio' news group. We don't use 11 meters.
--
Steve

"hans" <pd1abz.hans@worldonline.nl> wrote in message
news:af74g7$ha6$1@reader1.tiscali.nl...
> Does anybody know how to modifi the kenwood ts-180
> to operate on 11 meters
> Please let me know.
> 73 Hans netherlands
>
>

815. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 14:49:17 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D17316D.211BFF19@crosslink.net>
Source record: 42026

```
Gee, I assumed that 11M was still an amateur band in the Netherlands.
K3DWW

Steve wrote:
>
> This is an 'Amateur radio' news group. We don't use 11 meters.
> --
> Steve
>
> "hans" <pd1abz.hans@worldonline.nl> wrote in message
> news:af74g7$ha6$1@reader1.tiscali.nl...
> > Does anybody know how to modifi the kenwood ts-180
> > to operate on 11 meters
> > Please let me know.
> > 73 Hans netherlands
> >
> >
```

816. Re: 1996 Yeasu Hat

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 15:09:45 UTC
From: n5kzw@arrl.net
Message-ID: <3d1735fe.383809452@news.ev1.net>
Source record: 42027

On Fri, 21 Jun 2002 19:10:56 -0400, "Stephen C. Robbins"
<srobbinsNOSPAMDUDES@netacc.net> wrote:

>
>"Ed Bailen" <n5kzw@arrl.net> wrote in message
>news:3d139dc2.148193910@news.ev1.net...
>
>> In 1996, the Yeasu hats at Dayton said "40th Anniversary Since 1956".
>> By the time my XYL (KA5DYF) figured out that she and Yeasu were both
>> founded in the same year,
>>
>> In a feeble (futile?) attempt to restore domestic tranquility, I'd
>> like to find her a 1996 hat in good shape for her very own. > Ed - N5KZW
>
>Ed, might I suggest you trade the XYL in for a 1976 model and then pick up
>the Alinco 40th anniversary hat in 2006 :-)
>
>Steve
>
>
If I did that, her dad might want back the 4 HF rigs and 2 linears
that he gave us.

Ed - N5KZW

817. FS: ICOM-735

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 16:16:21 UTC
From: Chad Johnson <w4cj@earthlink.net>
Message-ID: <pBHR8.2533$DQ5.87401@newsread2.prod.itd.earthlink.net>
Source record: 42028

I am the original owner of this ICOM-735. It does not have the drop down door nor does it have a microphone. I am a non-smoker. The unit looks fair to good. I have used it exclusively as a mobile rig in my truck. It works fine. I will pay for shipping via UPS to CONUS. Price: $335

Chad Johnson W4CJ
5050 N. Amarillo Drive
Beverly Hills, FL 34465
Tel: 352-746-1299
w4cj@earthlink.net

818. Need info - Repco UHF transceiver Model RSM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 18:34:43 UTC
From: aokd5fxt@aol.com
Message-ID: <20020624143443.17497.00000544@mb-mk.aol.com>
Source record: 42029

I just picked this up for fun and have no idea abt it. It is a UHF transceiver model RSM and serial number is P0115. It powers up and all. Just trying to figure what frequencies it is operating on.

tnx
bill

819. WTB Kenwood TSU-6 tone board

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 19:24:02 UTC
From: Peter Crosland <g6jns@yahoo.com>
Message-ID: <af7rkm$3fv$1@newsg2.svr.pol.co.uk>
Source record: 42030

-
Peter Crosland g6jns@hotmail.com

820. Re: Help for a friend with an ICOM IC-751 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 19:57:50 UTC
From: Skweezieweezie <noway@thistime.now>
Message-ID: <2RKR8.18889$r5.7713459@news1.epix.net>
Source record: 42031
Cross-posted to: alt.ham-radio.packet,free.uk.amateur-radio,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.shortwave,uk.radio.amateur

http://www.mods.dk/

Check out the ICOM section. There are plans to build you own programmer
here.
There are also some binaries here. I don't know if they have the 751, but
the R71 is here.

--

skweezieweezie

` X o'
-----ooo-0-ooo-----
~

821. FS: Kenwood MJ-84 microphone adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 20:17:47 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <dcvehu8rt3fdr2vq3ifu21q5ig3h4tosvd@4ax.com>
Source record: 42032

:
I have a new in the original box a Kenwood MJ-84 microphone adapter.
This is used to go from an 8 pin microphone side to an 4 pin radio
side. These are hard to come by and this one has never been used. I
will take $30 plus $3.50 for US Priority mail. I can be reached at
(508) 821-2993 or email......WZ1U Steve / Lakeville, Ma.

822. Hf transciever for data exchage

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 20:30:03 UTC
From: tom_larsno@yahoo.co.uk
Message-ID: <8a56342e.0206241230.227ee796@posting.google.com>
Source record: 42033

Hei everyone
I am planning to develop a software application which need data
exchange between ship and offshore. The distance between ship and
offshore 1000km -2000km.
I like to have data high transfer as much as possible.
I need suggestion to choose transceiver(yaesu , icom ,.....), modem
(scs pactor III.,,), and antenna for this configuration

All response will be appreciated

Thanks in advance
Tom

823. Re: Help for a friend with an ICOM IC-751 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 20:55:28 UTC
From: Rex <notreally@hotmail.invalid>
Message-ID: <af810f$d29$1@bob.news.rcn.net>
Source record: 42034
Cross-posted to: alt.ham-radio.packet,free.uk.amateur-radio,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.shortwave,uk.radio.amateur

On Mon, 24 Jun 2002 07:33:15 -0400, "radiofun" <radiofun@charter.net> wrote:

>You should find it here http://www.icomamerica.com/support/index2.html
>

I never found a RAM image there, and looking again today I still haven't.
If it is there somewhere, the exact location would be appreciated.
They do have a backup battery replacement procedure.

>
>
>"John Boyle" <john.boyle@erols.com> wrote in message
>news:3D16AC3A.94AC4D7B@erols.com...
>> I need the hex code for that radio.
>> I believe the board has a total of 1024 bytes of memory.

It actually used a NEC uPD444 which is 1024 x 4, so 512 bytes.

>> I think the first 256 bytes is for the operating system and
>> the remainder is for user memory storage. I need the first
>> 256 bytes....

A couple years back I replaced the backup battery in my 751A, so
my radio is still alive. At the time I saw a couple replacement
boards that were available but never saw the memory image posted.

With a search today, I found this site.
http://www.geocities.com/emailsrikanth/ham/icomram/RAM.html

It looks like this has the information you are looking for.
Specifically, the file 745_751.zip.

Now I am prepared for a future radio disaster too.

-Rex, KK6MK
[rexa -TheAtSign- Next4dnai -period- (comEnding)]

824. D-104 with Yaesu FT-100D?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 21:26:06 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020624172606.01539.00000803@mb-cj.aol.com>
Source record: 42035

Can anyone tell me if I could use a D-104 with an FT-100D? I was thinking of buying a "Heil Sound" AD-100-8 adapter (as seen at http://www.heilsound.com/AD-1.htm) and wiring up a plug on the D-104 in the standard Yaesu 8 pin configuration. I asked the manufacturer of the adapter and they stated that they don't know if it will work.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

825. AMERITRON AL-80A REDUCED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 22:49:13 UTC
From: obz <n2ozo@bellatlantic.net>
Message-ID: <3D17A257.EA1FD56F@bellatlantic.net>
Source record: 42036
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale 1 excellent condition AL-80A Amplifier w/10 meter mod.
This amp is good for 10 thru 160 meters.
I don not have the original box but it does come with the manual.
REDUCED TO $525.00 plus shipping and insurance conus only.
If you are interested email at the above.
Thanks for reading this
Mike

826. FS Tektronix REDUCED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-24 22:50:22 UTC
From: obz <n2ozo@bellatlantic.net>
Message-ID: <3D17A29C.29543C3C@bellatlantic.net>
Source record: 42037
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

REDUCED TO $200.00
I have for sale 1-2215 Tek scope w/x10 probe.
This is a 60 mhz scope dual ch.
The scope is in excellent working condition .
Overall condition is a 8.
I do not have the manual.
The plastic display lens has a couple of scratches.
REDUCED TO $200.00 plus shipping/insurance conus only
If interested please e-mail
Thanks for reading this.

827. VX-7R, any computer control software available?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 00:09:29 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0206241609.3409c61b@posting.google.com>
Source record: 42038

Anyone write anything for this HT?

Ken
N1KK

828. Help W/RDS-RBDS & Computer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 02:21:58 UTC
From: David Goldstein <d.goldstein@worldnet.att.net>
Message-ID: <atQR8.59540$UT.4078010@bgtnsc05-news.ops.worldnet.att.net>
Source record: 42039
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment

I have an ADS RDX-1187 Cadet radio ISA card with the Phillips SAA6579T chip.
I would like to interface between the chip and my computer. Does anyone
know how to do this with this ISA radio card? Any help or instructions are
much appreciated!

829. Looking for some old radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 02:45:46 UTC
From: john price <jm.price@worldnet.att.net>
Message-ID: <3D17D957.319309FF@worldnet.att.net>
Source record: 42041
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Hi all...

I'm trying to find the original radios and antenna
for my airplane (an Aeronca L3B "Grasshopper")...

The specific equipment I need is:

RCA AVT-112 Transmitter
RCA AVR-20 Receiver
RCA AVA-120 Trailing wire antenna

The equipment in question might not have actually been manufactured
by RCA... I know that at least some of them were manufactured
by Continental Radio & Television Corp...

Any help would be appreciated

John Price
WA2FZW
CFII/AGI/IGI

830. Two HTX-202s for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 03:22:22 UTC
From: chasgeo123@aol.com
Message-ID: <20020624232222.14420.00000522@mb-mn.aol.com>
Source record: 42042

I have two HTX-202s for sale. One is working while the other needs to be fixed
to get it operational. I also will sell the Ashtron, 20 watt, power suppy that
I have been using in my apartment to operate the HTX-202.
I am asking $100 in cash. I will sell it to the first person who comes by my
apartment here in Dallas, Texas.
If interested let me know by e-mail. My e-mail address is: chasgeo123@aol.com

Charles George, KC5RAI

831. Re: Help on Computer K5MDM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 03:23:06 UTC
From: Jim Adney <jadney@vwtype3.org>
Message-ID: <0l3dhugtve06tdqub7ss6qdri4h6fgs6u7@4ax.com>
Source record: 42040
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

On Sun, 23 Jun 2002 09:56:50 -0700 Murray Neece
<radioranch@cableone.net> wrote:

>MY Address book is "hidden"....its still there but cant read it...Using
>Netscape and Windows 98,....anyone know what I did? and how to undo
>it?

What address book? What software was it part of? Netscape? Are you
actually using Netscape for email, or is this some other kind of
address book?

I use Netscape, too, but I use Forte Agent to read newsgroups and
Pegasus Mail for email. I STRONGLY recommend both of these over
Netscape for their intended purposes. Netscape is not bad as a
brouser, but it does poorly at these other functions. I think that
just comes from trying to be all things to all people.

Try Agent and Pegasus. They can both be gotten for free and they work
really well.

-

Jim Adney jadney@vwtype3.org
Madison, Wisconsin USA
---

832. FS: Kenwoods TS-520S & TS-830S TRANSCEIVERS- EXCELLENT!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 03:29:24 UTC
From: rlucch2098@aol.com
Message-ID: <20020624232924.25445.00000805@mb-cd.aol.com>
Source record: 42043

Hi All;
I have for sale:
1- Kenwood TS-520S transceiver with CW filter, no manual, $250 + UPS, EXCELLENT WORKING & Condition.
2-Kenwood TS-830S "Gold Label" model, Excellent condition & working, original box, no options, s/n 20412xx, $450ppd Conus.
E-mail for more info please
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

833. FT 530 CTCSS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 04:13:18 UTC
From: fire06475@firehousemail.com
Message-ID: <8375ed8a.0206242013.42a28fdc@posting.google.com>
Source record: 42044

The ctcss on my FT530 has started doing strange things. I normally listen to frequencies using 141.3, 179.9 and 107.2Hz tones. The only way I can hear these frequencies now is to turn off the ctcss or set it to 100.0 Hz. Any suggestions?

Thanks,

Ross

834. Help !!! Standard HX 500: how to change the working freq ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 06:02:58 UTC
From: Jarek <powolniak1@wp.pl>
Message-ID: <af913b$82t$1@news.tpi.pl>
Source record: 42045

Hi !

Firstly I want to apologize about my very poor english. I'm not english-spoken guy.

I've got handy Standard HX500 Series transceiver made for marine VHF frequencies. Inside I found some push-in crystals and trimers. Right now this trx works on marine channels 6, 16, 18, 19 and 65. Thats all about 156 MHz.

How to change the crystals to receive/transmit on 2 m amateur band ? Where I can find parts to do it ?

greetings

Jarek, member of SP2ZIE

835. TS280 Repeater Shift..?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 08:14:22 UTC
From: "S.Rolfe" <bss014@bangor.ac.uk>
Message-ID: <3D18265E.10659131@bangor.ac.uk>
Source record: 42046

Anyone out there know how to switch in the repeater shift on the Sommerkamp TS280FM VHF Transceiver. It suggests in the manual that repeaters can be worked (there is a tone burst) but can only get simplex on the repeater freqs. (hidden switches etc..?)
Thanks in advance.
--

Stewart Rolfe GWï¿½ETF bss014@bangor.ac.uk

836. Re: FT 530 CTCSS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 11:42:50 UTC
From: Chris <n8cop@comcast.net>
Message-ID: <_GYR8.122841$_j6.6484336@bin3.nnrp.aus1.giganews.com>
Source record: 42047

You might want to try doing a full CPU reset. I know its a pain re-programming those freqs again, (especially on an HT with no computer control capability), but it might just do the trick.

Chris

837. Re: Help W/RDS-RBDS & Computer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 12:33:59 UTC
From: Arto Harjula <oh6gj@sral.fi>
Message-ID: <3D18624E.DCCC9337@sral.fi>
Source record: 41948
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment

David Goldstein wrote:
>
> I have an ADS RDX-1187 Cadet radio ISA card with the Phillips SAA6579T chip.
> I would like to interface between the chip and my computer. Does anyone
> know how to do this with this ISA radio card? Any help or instructions are
> much appreciated!

Are you looking for something else than what is available at:
http://www.adstech.com/support/downloads/applications/applications.asp?os=Windows&product_id=RDX-1187

There's Win95 and DOS SW and I have seen also a SDK available somewhere.

t. Arto

838. TH-F6A mod?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 12:39:58 UTC
From: Doctor <dr904@hotmail.com>
Message-ID: <t2pghu8310d8aiulrjm0ij3elen64p6kq2@4ax.com>
Source record: 41949

Has anyone successfully unblocked a TH-F6A?

839. Re: D-104 with Yaesu FT-100D?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 14:03:19 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <1L_R8.2815$ZM3.736120@news20.bellglobal.com>
Source record: 41950

"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
news:20020624172606.01539.00000803@mb-cj.aol.com...
> Can anyone tell me if I could use a D-104 with an FT-100D? I was thinking
of
> buying a "Heil Sound" AD-100-8 adapter (as seen at
> http://www.heilsound.com/AD-1.htm) and wiring up a plug on the D-104 in
the
> standard Yaesu 8 pin configuration. I asked the manufacturer of the
adapter and
> they stated that they don't know if it will work.

Andy,

I removed the element and amp from my D104 and put a Heil HC5 element in it.
The guys in town tell me it is the most true to life audio they have heard.
And it pumps out more than enough for 2m SSB and my HF activities with no
amp needed.

Max

840. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 14:10:47 UTC
From: Pappy@USA.net
Message-ID: <3D1879E7.9ECE3D8C@USA.net>
Source record: 41951

I ask the same question about a ts430 and was jumped on with both feet. I had more rules jammed at me that the fcc has. Some hams are just ignorant and don't believe in looking beyond there own interests. I had the radio sold to a person in europe ONLY if I could do the mod first. Not having said mod I lost my sale.

By the way, I have been a ham for over 35 years.

Vito wrote:

> Gee, I assumed that 11M was still an amateur band in the Netherlands.
> K3DWW
>
> Steve wrote:
> >
> > This is an 'Amateur radio' news group. We don't use 11 meters.
> > --
> > Steve
> >
> > "hans" <pd1abz.hans@worldonline.nl> wrote in message
> > news:af74g7$ha6$1@reader1.tiscali.nl...
> > > Does anybody know how to modifi the kenwood ts-180
> > > to operate on 11 meters
> > > Please let me know.
> > > 73 Hans netherlands
> > >
> > >

841. Re: TH-F6A mod?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 14:15:06 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uhguoigglnef85@corp.supernews.com>
Source record: 41952

Do you have the mod? Looks a bit tedious http://www.mods.dk/

"Doctor" <dr904@hotmail.com> wrote in message
news:t2pghu8310d8aiulrjm0ij3elen64p6kq2@4ax.com...
> Has anyone successfully unblocked a TH-F6A?

842. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 14:46:40 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <af9voktas1@slb2.atl.mindspring.net>
Source record: 41953

11 meters is NOT an amateur band in the Netherlands.
--
Steve

"Vito" <vito@crosslink.net> wrote in message
news:3D17316D.211BFF19@crosslink.net...
> Gee, I assumed that 11M was still an amateur band in the Netherlands.
> K3DWW
>
> > > Does anybody know how to modifi the kenwood ts-180
> > > to operate on 11 meters
> > > Please let me know.
> > > 73 Hans netherlands
> > >
> > >

843. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 14:49:44 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <af9vug$4tj$1@slb0.atl.mindspring.net>
Source record: 41954

Which country in Europe?
--
Steve

<Pappy@USA.net> wrote in message news:3D1879E7.9ECE3D8C@USA.net...
> I ask the same question about a ts430 and was jumped on with both feet. I
> had more rules jammed at me that the fcc has. Some hams are just ignorant
> and don't believe in looking beyond there own interests. I had the radio
> sold to a person in europe ONLY if I could do the mod first. Not having
> said mod I lost my sale.
>
> By the way, I have been a ham for over 35 years.
>
> Vito wrote:
>
> > Gee, I assumed that 11M was still an amateur band in the Netherlands.
> > K3DWW
> >
> > Steve wrote:
> > >
> > > This is an 'Amateur radio' news group. We don't use 11 meters.
> > > --
> > > Steve
> > >
> > > "hans" <pd1abz.hans@worldonline.nl> wrote in message
> > > news:af74g7$ha6$1@reader1.tiscali.nl...
> > > > Does anybody know how to modifi the kenwood ts-180
> > > > to operate on 11 meters
> > > > Please let me know.
> > > > 73 Hans netherlands
> > > >
> > > >
>

844. FS: NEW MFJ 901B Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 15:46:59 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <Tf0S8.20436$aE4.456239@twister.rdc-kc.rr.com>
Source record: 41955

MFJs smallest 200 watt PEP Versa Tuner. Match dipoles,
vees, random wires, verticals, mobile whips, beams, balanced and coax lines
continuously from 1.8 - 30 MHz. A 4:1 balun for balanced lines is built in.
BRAND NEW, excellent for mobile or portable use. $55.00 shipped/insured
Conus.

Van,
K0KAV

845. Re: D-104 with Yaesu FT-100D?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 17:01:41 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020625130141.07143.00000042@mb-fn.aol.com>
Source record: 41956

>I removed the element and amp from my D104 and put a Heil HC5 element in it.
>The guys in town tell me it is the most true to life audio they have heard.
>And it pumps out more than enough for 2m SSB and my HF activities with no
>amp needed.

But is that really needed? I'd like to use what I already have instead of replacing things.. from what I've read there's a sub-menu that you can access on the FT-100D that allows you to change a lot of settings... perhaps there's some sort of setting I'd have to change to make it so the D-104 sounds better without switching out the element? I suppose I could always just go ahead and hook it up when I get the 100D and see how it works.. I've also found that Yaesu makes an adapter to go from the modular plug to a standard 8 pin plug for around the same price as the other one.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

846. Re: SSB Filter for Kenwood 570 DG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 17:14:22 UTC
From: chris <k4rch@yahoo.com>
Message-ID: <afa8c7$5mr$1@bob.news.rcn.net>
Source record: 41957

Go with the Inrad instead. Better specs and less expensive.
http://www.qth.com/inrad/TS-570.HTM

"John Lynch" <wa3g@arrl.net> wrote in message
news:3D1663E0.235D711@arrl.net...
> I have had the 570 since August 1998, and love it. Only problem is
> QRM which the IF shift and DSP can not wipe out, the big gun 2 khz
> away. What has been anyone's experience with the 1.8 khz filter
> Kenwood has. Is it worth the money? How effective is it?
>
>
> --
> 73
> John Lynch

847. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 18:11:49 UTC
From: Pappy@USA.net
Message-ID: <3D18B265.14BDE719@USA.net>
Source record: 41958

Steve when the guy agreed to buy the radio, I didn't ask why he wanted the mod I just agreed to do it before he paid for it or I sent it. And "I" didn't say which european country.

Steve wrote:

> 11 meters is NOT an amateur band in the Netherlands.
> --
> Steve
>
> "Vito" <vito@crosslink.net> wrote in message
> news:3D17316D.211BFF19@crosslink.net...
> > Gee, I assumed that 11M was still an amateur band in the Netherlands.
> > K3DWW
> >
> > > > Does anybody know how to modifi the kenwood ts-180
> > > > to operate on 11 meters
> > > > Please let me know.
> > > > 73 Hans netherlands
> > > >
> > > >

848. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 18:36:50 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D18B842.B318D200@crosslink.net>
Source record: 41959

You missed my point, Steve. I really don't care if it is or not. I have
better, more pleasant things to think about; like tabulating our field
day points or where to go this weekend or sex or motorcycles or 1000
other things. I'm sincerely sorry you do not, but you could easily fix
that if you wanted too.
73 K3DWW

Steve wrote:
>
> 11 meters is NOT an amateur band in the Netherlands.
> --
> Steve
>
> "Vito" <vito@crosslink.net> wrote
> > Gee, I assumed that 11M was still an amateur band in the Netherlands.

849. Attenuator Design Program

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 20:01:33 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <afai6sjlc6@venus.btinternet.com>
Source record: 41960

New program PADMATCH.exe

For given source and load resistances this program designs T, Pi and L resistive matching pads and attenuators. It has the same facilities as program MatchPad (which it replaces) but with an extra facility to insert preferred-value resistors from the various standard tolerance ranges. The design procedure is used in reverse to predict the in-circuit attenuation (dB).

First calculate the ideal resistor values of a network. Then replace them one-by-one with the nearest preferred values and the changed attenuation will be automatically calculated.

Download program PADMATCH from website below.

========================
Regards from Reg G4FGQ
Free Radio Modelling Software
Go to http://www.g4fgq.com
========================

850. Dentron GLA-1000B amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 20:43:07 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <88lhhu4qdofdi3j2d64gig7aqt8ve5b84m@4ax.com>
Source record: 41961

I have for sale in excellent condition a Dentron GLA-1000B amplifier. It covers 80 to 10 meters and I have the 10 meter mod to get on 10 meters which has not been done. This amplifier is rated for 800W CW and 1200 Watts (PEP SSB). The final tubes are (4) 6LQ6 and produce about 550 watts out. I would rated this a 9 out of 10 and is in excellent working condition. I do have the original box and original manual. I will take $350 plus shipping in the 48 states only. If you have any questions email or call (508) 821-2993....WZ1U Steve / Lakeville, Ma.

851. FS: Dentron GLT-1000 antenna tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 20:45:18 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <r9lhhu4fpvs35nq87k9oapn1puaftef4r5@4ax.com>
Source record: 41962

I have for sale a Dentron GLT-1000 antenna tuner which handles and matches the Dentron GLA-1000B series. It has a directional wattmeter, 4:1 balun, switching is provided for 5 seperate loads and a seperate bypass switch. The circuitry used in the GLT-1000 is a "T" network, consisting of an input and output series air variable capacitor and a tapped toridal inductor, using a double thickness T-225B core. It covers 1.8 to 30Mhz range and its rated for 1200 P.E.P input to the final state. I would rate it a 9.5 out of 10 and its in excellent condition with the original manual and the original box. There is no marks, scratches, dents and its from a non-smoker. This particular tuner is getting hard to find and I will sell it for $150 plus shipping in the 48 states only. If you have any questions, you can email or call (508) 821-2993.....WZ1U Steve / Lakeville, Mass.

852. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 21:30:28 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D18E0F4.7080505@lakefield.net>
Source record: 41963
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $650

Kenwood TM251A 95% $100 SOLD
Kenwood TM451A 98% $115 SOLD

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

853. FS/Trade Micor Repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 22:08:58 UTC
From: WS <w9bbb@megsinet.net>
Message-ID: <3d18e72f$0$1423$1dc6e903@news.corecomm.net>
Source record: 41964

Hi All,
Got a complete 45 watts Motorola Base station,NO CAB,For UHF.Has H.D PS
and unified chassis also a 45 watt pa.Oh Four can duplexer and
circulator.Will trade for good HF rig or sell.WS

854. Re: dodge GrandCaravan radio install?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 22:53:58 UTC
From: Robert Lyons <boblyons@umich.edu>
Message-ID: <3D18F488.CE1FF572@umich.edu>
Source record: 41965

"D.J." wrote:
>
> The rear seat well where the seat attaches to the floor has a hole with
> a rubber plug which will accept a RG-58 coax so you can get the coax
> thru with out drilling a hole.
>
> I sent my primary 12 v cable thru a hole in the fire wall near the gas
> pedal. It had a rubber plug, just remove it and send the cable thru,
> then plug the hole with electrical duct seal. Attach your primary to the
> Battery and fused at the battery, I almost burned up my car when I was
> 25 and not too smart, for failing to fuse the primary at the battery, so
> do it.

I did a similar thing on a '97 Grand Voyager. The radio (a Yaesu FT8100R)
is hanging from the ashtray, antenna and power wires pass through that
same rubber plug near the gas pedal mentioned above. In my case, I pushed
all the wires through the central hole (push hard!). The coax runs up
to the near-left lip of the hood, where the antenna mount emerges from
the slight gap there.

You might want to twist the power leads together for as long as possible.
I had considerable engine noise in my radio until I twisted. No noise now!

Bob, KI8AB

855. Re: dodge GrandCaravan radio install?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 23:08:02 UTC
From: dplatt@radagast.org
Message-ID: <uhhtuij3gkuu22@corp.supernews.com>
Source record: 41966

> I sent my primary 12 v cable thru a hole in the fire wall near the gas
> pedal. It had a rubber plug, just remove it and send the cable thru,
> then plug the hole with electrical duct seal. Attach your primary to the
> Battery and fused at the battery, I almost burned up my car when I was
> 25 and not too smart, for failing to fuse the primary at the battery, so
> do it.

Yup. Always fuse both the hot (positive) and ground (negative) wires
from the radio to the battery, as close to the battery as is practical.

>You might want to twist the power leads together for as long as possible.
>I had considerable engine noise in my radio until I twisted. No noise now!

Some years ago I ran across a supply of an exotic cable, probably made
for some aerospace or mil-spec project. Four conductors (14 gauge),
twisted together, with a braided shield and an outer insulating
jacket. I used a length of this for my radio power cable (two
conductors for each polarity), grounded the shield near the radio, and
heatshrink-isolated the shield at the battery end. No engine noise at
all.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

856. FRG100 VHF Module

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 23:13:00 UTC
From: Harry Flaxman <hflaxman@nospam.neb.rr.com>
Message-ID: <0O6S8.13352$y62.249269@twister.rdc-kc.rr.com>
Source record: 41967

Looking for a VHF module for a Yaesu FRG100. If anyone has one or knows
where to find one of these, contact me at hflaxman@neb.rr.com

857. FS: Hewlett Packard Test Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 23:41:12 UTC
From: rimpacwest@lycos.com
Message-ID: <ab40d3d8.0206251541.2a4b94d7@posting.google.com>
Source record: 41968
Cross-posted to: sci.electronics.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

626A SHF Generator 7 to 15.5 GHz. Very good condition $349.00
654A Test Oscillator $175.00
...
3336B Synthesizer / Level Generator $345.00
3336B with option 005 $395.00
3582A Audio Analyzer $1,495.00
...
3780A /1/100 Pattern Generator $745.00
...
4935A Opt 3 Transmission Test Set $345.00

4944A Transmission Test Set $339.00
...
5180A Waveform Recorder $795.00
...
8018A Serial Data Generator $145.00
8081A w/8083/8084 Rate Generator $345.00
...
8614A Signal Generator 0.8 to 2.4 GHz $259.00

All units tested and fully functional. Not calibrated.
In good condition unless otherwise noted.
Plus $25 packing, plus actual shipping cost from Los
Angeles, CA area. Overseas orders O.K. - payment in $US.
Payment by check, money order, PayPal.
Visit our web page at:
http://rimpac.tripod.com

858. FS: Tektronix Test Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-25 23:52:25 UTC
From: rimpacwest@lycos.com
Message-ID: <ab40d3d8.0206251552.7259c44e@posting.google.com>
Source record: 41969
Cross-posted to: sci.electronics.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Visit our web page at:
http://rimpac.tripod.com

K213 Scope Cart $160.00
...
TM 503B Frame w/manual - new $125.00
TM 506 Frame $110.00
...
Plug-ins for 500s
DM 510 Digital Multimeter $109.00
DM 502 Digital Multimeter $89.00
PG 501 Pulse Gen $95.00
PG 502 Pulse Gen 250 MHz $179.00
PS 501-1 Power Supply $99.00
PS 503A Power Supply Dual $249.00
...
390AD Programmable Waveform Digitizer $1,095.00
...
475 Scope No Opts. w/1106 Battery Pack $345.00
...
475 Scope Opts. 254A,4,7,Mod OS261C w/1106 Battery Pack. $395.00
...
1410 TV Sync Gen w/convergence & multiburst $350.00
...
1502 TDR Cable Tester w/ battery $650.00
1502 TDR Cable Tester w/o battery $590.00
...

...
5113 Scope Dual Beam Storage $220.00
5223 Digitizing Scope Opt. 01 $350.00
...
Plug-ins for 5000s
5A15N Dual Trace Amp $49.00
5A21N Diff. Amp $49.00
5A22N Diff. Amp $49.00
5A38 Dual Trace Amp $49.00
5A48 Dual Trace Amp $49.00
5B10N Time Base/Amp $49.00
5B40 Time Base Amp $49.00
5B42 Delaying Time Base
...
R7603 Scope w/ Opt 1 Rack Mount $250.00
7612D Programmable Waveform Digitizer $545.00

R7613 Scope, Storage Rack Mount $250.00
R7633 Scope, Storage Rack Mount $219.00
...
7834 Scope, Storage Dual Beam $350.00
7844 Scope, Dual Beam Mod 769W $450.00
R7844 Scope, Dual Beam Rack Mount, Opt 03 $349.00
R7844 Scope, Dual Beam Rack Mount, Opt 03,22,Mod HD $349.00
7854 Scope $499.00
7903 Scope w/ Opt 3 Rack Mount $1,090.00
...
Plug-ins for 7000s
AM6565U Amp $39.00
7A13 Diff. Comp $69.00
7A16 Programmable Amp $49.00
7A18 Dual Trace Amp $59.00
7A18A Dual Trace Amp $69.00
7A22 Diff. Amp $139.00
7A24 Dual Trace Amp $129.00
7A26 Dual Trace Amp $75.00
7B15 Delaying Time Base $134.00
7B53A Dual Time Base $59.00
7B53AN Dual Time Base $109.00
7B70 Time Base $59.00
7B71 Delaying Time Base $49.00
7B80 Time Base $89.00
7D15 Counter/Timer 225MHz $129.00
...
All units are fully functional and in good condition
unless otherwise noted. They are not calibrated.
Plus $25 packing per order, plus actual shipping
costs from Los Angeles, CA area. Overseas orders OK -
Payment in $US, by check, money order or PayPal.

859. SOLD: Dentron GLT-1000 antenna tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 00:10:15 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <4c1ihuskvp65bclja0p2md8q6rn5l0itl9@4ax.com>
Source record: 41970

```
Sold : Dentron GLT-1000
```

860. icom 2at dc-3 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 01:00:39 UTC
From: ve1nk@rac.ca
Message-ID: <2e4cc339.0206251700.35ad0f02@posting.google.com>
Source record: 41971

I am trying to restore and "old" DC-3
13.8v to 9v power supply for my 2at.
Several wires have corroded away from the
B+ terminal to ic board and unsure
proper connection points. Any assistance
would be appreciated.

73 George

861. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 01:34:34 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <afb5ndfcf1@slb0.atl.mindspring.net>
Source record: 41972

You cared enough to post to the group.
--
Steve

"Vito" <vito@crosslink.net> wrote in message
news:3D18B842.B318D200@crosslink.net...
> You missed my point, Steve. I really don't care if it is or not. I have
> better, more pleasant things to think about; like tabulating our field
> day points or where to go this weekend or sex or motorcycles or 1000
> other things. I'm sincerely sorry you do not, but you could easily fix
> that if you wanted too.
> 73 K3DWW
>
> Steve wrote:
> >
> > 11 meters is NOT an amateur band in the Netherlands.
> > --
> > Steve
> >
> > "Vito" <vito@crosslink.net> wrote
> > > Gee, I assumed that 11M was still an amateur band in the Netherlands.

862. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 01:39:23 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <afb60dgos1@slb6.atl.mindspring.net>
Source record: 41973

I guess it's about the money.
--
Steve

<Pappy@USA.net> wrote in message news:3D18B265.14BDE719@USA.net...
> Steve when the guy agreed to buy the radio, I didn't ask why he wanted the
> mod I just agreed to do it before he paid for it or I sent it. And "I"
> didn't say which european country.

863. FS: Sony ICF-2010

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 01:55:42 UTC
From: wampus@nc.rr.com
Message-ID: <3d191f0d.1534566@news-server.nc.rr.com>
Source record: 41974

For Sale: Sony ICF-2010 Portable SW receiver with enhanced KIWA SSB and AM filters installed. Very good condition, includes mains power supply and users manual. US$300 plus $10 shipping. Buy the radio and I'll throw in a Sony AN-1 active antenna for free!

The KIWA filters make this an EXCELLENT radio for program and SSB listening. Please see the KIWA website for specifics http://www.kiwa.com/sony.html.

Please reply via email to wampus@nc.rr.com

73s

Chuck
Durham, NC USA

864. FA:Believe a HALLICRAFTERS HA-26 VFO w/original box+Man@$9.99?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 02:34:41 UTC
From: rlucch2098@aol.com
Message-ID: <20020625223441.29754.00000182@mb-ff.aol.com>
Source record: 41975

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601715
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

865. FA: The Best US MADE VARIAC, 110VAC @15AMPS @$10.50? WHY?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 02:36:34 UTC
From: rlucch2098@aol.com
Message-ID: <20020625223634.29754.00000183@mb-ff.aol.com>
Source record: 41976

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601725
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

866. WTB- receivers cash/trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 04:15:19 UTC
From: jwfaulkner@yahoo.com
Message-ID: <qtfihuku3k8s2upuvmr9pmbddk769b228a@4ax.com>
Source record: 41977

WTB- receivers
Collins 75S3C
Collins 51S1
Drake R4C
Drake FS4
Drake 2B/2AC/2BQ
AOR 7030 Plus
Must be clean, working- good condition
cash/cash trade/trade

Have following trade items:
ICOM IC-718 mint/box,manual, Heil Goldine mike-w/ Icom cable.
never on the air. Icom SP-21 speaker- w/UT106 DSP not installed.

AT-11MP auto tuner w/Icom cable- never used

Get ready for new VLF amateur band!
Nice HP-3586B, op and maint manual/ has option 4
(10 mhz standard) +-2 x 10-7/year

Remanufactured R-390A by Rick Mish (Sep 2001)
New panel- IERC shields- mil manual
see: http://www.dxing.com/r390/r390.htm

Pro-2006 scanner w/new display

Location- Western NY- Corning

jwfaulkner@yahoo.com

867. PSK31 on an HP200LX, anyone tried??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 07:48:00 UTC
From: kl0an <pauljordan@gci.net>
Message-ID: <uhisicm9v0ej65@corp.supernews.com>
Source record: 41978

I'm looking to hook up my HP 200 LX into a PSK31 station with a PCMCIA soundcard, a rigblaster or equal, and then my ICOM 706. This will be a very small mobile PSK31 station. Has anyone tried this?? If so, some questions:

What software did you try and what were the results??
What PCMCIA Sound Card did you try and what were the results??
Any suggestions??

I know the HP 200 LX is a great little packet computer but, I want to try and go for something a little more useful.

Any help is greatly appreciated.

73
Paul Jordan
kl0an

868. The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 09:39:44 UTC
From: Trondheim <937275212@terra.es>
Message-ID: <AZfS8.415130$s6.2964564@telenews.teleline.es>
Source record: 41979
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

What is the best handheld scanner?
ICOM IC-R10 or YAESU VR-500, without considering the king of the hand scanners the AOR AR8200 (but with the problems of short autonomy of his batteries and his expensive price).

I want to scanner all mode (AM, N/FM, SSB & CW), handheld, that cover frequencies between 0,5 MHz and 1300 MHz minimum, and that has a good selectivity and sensitivity, these two models that I expose are the firm candidates, and only models that sell where I live (I do not want to buy at distance, by the problems of repairs while this in guarantee, either to buy used scanners, unless one says to me that the ICOM IC-R10 and the YAESU VR-500 aren't a good election).

Thanks,

Trondheim

869. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 10:47:11 UTC
From: Nigel Hewitt <news@REMOVETHISnigelhewitt.net>
Message-ID: <afc63f$oo6$1@knossos.btinternet.com>
Source record: 41980
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

"Trondheim" wrote
> I want to scanner all mode (AM, N/FM, SSB & CW), handheld, that cover
> frequencies between 0,5 MHz and 1300 MHz minimum, and that has a good
> selectivity and sensitivity,

I don't know much about scanners but this got
crossposted to a group I read and I'm perplexed.

If I set up a scanner to scan from 0.5 Mhz upwards
stopping on each AM, FM, SSB and CW signal for long
enough for me to decide if I am interested or not....

On what date does it reach 1300MHz?

nigelH

870. mfj1276 help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 11:49:54 UTC
From: REMOVETHISvk2gjt@winnet.com.au
Message-ID: <3d19aa4d.1163006@news.ozemail.com.au>
Source record: 41981

Hello all,

I have a MFJ-1276 Packet/Pactor tnc, with a bit of a problem. I cannot get the unit to go into pactor mode. I have followed the advice in the handbook (typing in Pactor then enter) but the unit appears not to recognise the command.

I have checked all the jumpers as per the handbook, and all appear in the right position. All the IC's in the device appeared properly seated and in the right slots.

The main system chip has release 2.2 $70c written on it, and the board appears common to the 1270/1274/1276 by the printing on it.

Does anyone have any information on this?? Is it possible that the main system chip (U23) that was supplied was one only for maybe the 1270, as the unit performs perfectly in packet.

Looking forward to any replies or assistance with this at all.

Thanks,

Gregory Towells vk2gjt

vk2gjt@winnet.com.au

871. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 11:51:44 UTC
From: John O'Flaherty <wewelcomespam@blackhole.net>
Message-ID: <nkajhuspkqmqp7cu5iicddu7debvb4eg33@4ax.com>
Source record: 41982
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Thu, 20 Jun 2002 17:10:51 -0700, Murray Neece
<radioranch@cableone.net> wrote:

> .....I got a nice Browning .45 for my wife, best trade I ever made!!! Maybe
>you can trade too!!
>

That could mean you got a gun in trade for your wife, or you got a gun
for your wife to use, or you got a gun to use on your wife.

john

872. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 11:58:19 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D19AC5B.9D022B5F@crosslink.net>
Source record: 41983

Steve wrote:
>
> You cared enough to post to the group.

Got me on that one ... :o)
K3DWW

873. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 12:16:37 UTC
From: machfive55@yahoo.com
Message-ID: <773907de.0206260416.49891aa5@posting.google.com>
Source record: 41984
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

We give them our life and they give us hell...what a tradeoff.

"KC8SSG" <kc8ssg@qsl.net> wrote in message news:<VXAL8.62$13.1028@news>...
> I'm having a hard time getting my wife to get used to me buying radios and
> stuff. Any help or suggestions would be great!

874. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 13:11:41 UTC
From: Pappy@USA.net
Message-ID: <3D19BD8D.A46F5EA0@USA.net>
Source record: 41985

Would you rather have had it posted on Dove Ln in Eugene OR?

Steve wrote:

> You cared enough to post to the group.
> --
> Steve
>
> "Vito" <vito@crosslink.net> wrote in message
> news:3D18B842.B318D200@crosslink.net...
> > You missed my point, Steve. I really don't care if it is or not. I have
> > better, more pleasant things to think about; like tabulating our field
> > day points or where to go this weekend or sex or motorcycles or 1000
> > other things. I'm sincerely sorry you do not, but you could easily fix
> > that if you wanted too.
> > 73 K3DWW
> >
> > Steve wrote:
> > >
> > > 11 meters is NOT an amateur band in the Netherlands.
> > > --
> > > Steve
> > >
> > > "Vito" <vito@crosslink.net> wrote
> > > > Gee, I assumed that 11M was still an amateur band in the Netherlands.

875. Re: TH-F6A mod?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 13:48:32 UTC
From: Doctor <dr904@hotmail.com>
Message-ID: <r4hjhuklko3aegp61024qq60p91116abqv@4ax.com>
Source record: 41986

No, not yet anyway. I'd seen that; it apparently expands the transmit range. I might do it; it doesn't look too difficult. Apparently, once you get the cover off, you just apply a little heat and pop two diodes off the board, then reassemble and off you go. The real bear seemed to be the home-brewed PC cable. Don't know if I have the patience for that. I was referring to unblocking the cellular range. The Canadian radio isn't blocked, and I was thinking that, if one could obtain schematics for the US and Canadian radios, whatever was different probably had to do with blocking the cellular range.

On Tue, 25 Jun 2002 10:15:06 -0400, "radiofun" <radiofun@charter.net> wrote:

>Do you have the mod? Looks a bit tedious http://www.mods.dk/

876. Yaesu FT-720 RU

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 14:15:51 UTC
From: "c.thomas16" <c.thomas16@ntlworld.com>
Message-ID: <R%jS8.939$cA.93018@newsfep1-win.server.ntli.net>
Source record: 41987

I sadly only have the 70cm rear output modual.
It is compleet and working.
I would like either,
the front control panel to make the radio compleet and perhaps the othe
2m rear plug in modual.

or

swap or buy any other 2m and or 70cm radio

London amateur wishes to start again...

reply to brianmoreau69@hotmail.com

Thanks

877. FS: E.H.Scott 800B / R-390A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 14:37:54 UTC
From: MTM <res0i8ad@verizon.net>
Message-ID: <6lkS8.27827$cE5.834@nwrddc02.gnilink.net>
Source record: 41988

FS: E.H.Scott 800B Tuner chassis and power supply?amp.....Beautiful!
No cabinet or speaker. and missing the pre-set control unit on the back of
the main radio...
(Sorry..I didn't do it !)
Pix available.
Also......Stewart Warner R-390A w / Top & Bottom Lids.....
Please let me know if interested.
Delievery options available.
Call.......To discuss details.
Before ....Ebay..$#%^&
Thanks.
--
Mike

814-450-7979-c
814-868-0866-h

FS: E.H.Scott 800B / R-390A

878. HELP FT-102 tech supplement

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 14:41:07 UTC
From: Francesco Messineo <frank@ares.ccii.unipi.it>
Message-ID: <afcjq2mmk1@serra.unipi.it>
Source record: 41989

Hello all,
I acquired a second hand FT-102 rig, it was modified to go in the 6.5-7.0 MHz band and to the 11 meters band :(
I'd like to have copies of the part of the FT-102 technical supplement that describes these modifications in order to revert the mods and bring back the rig on its original bands, I already have manuals and schematics.
The modifications should be describe in pages 17 to 26 of the technical supplement.

Thank you in advance and best regards.

Francesco IZ5DWF

879. Elmac A54

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 15:27:12 UTC
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Message-ID: <k3lS8.313909$352.34055@sccrnsc02>
Source record: 41990

Anyone with an old Elmac A54 manual that could give me the info on how to add a band to the "X" position on the bandswitch? I did it in 1952, but have slept since then.

Thanks in advance, and I am familiar with

ftp://bama.sbc.edu/downloads/elmac/a-54/

It doesn't do the trick

W4ZCB

880. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 15:50:04 UTC
From: keith <mke65@attbi.com>
Message-ID: <c6ojhu8fau8i3mbr3krc1t9haiei8l9jb6@4ax.com>
Source record: 41991
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

Having owned the aor 8000, 8200, yupi 9000 and the alinco dj-x2000 I
give the nudge to the alinco. the radio has many usefull features
that are not included or cost extra on the other radios. Having built
in record function for 2.5 minutes if useful, speech descrambler, ctss
decode, 2000 channels, exellent bank breakdown (40 channels per),
excellent construction, computer control, the list goes on. Only weak
spot is scan sped is slow but this is remedied by grouping
frequencies ie, 450 mhz in one bank, 150 in another, etc... or at
least keep them consecutive within the same bank. The scanner slows
when moving from one frequency range to another. Keith
On Wed, 26 Jun 2002 09:39:44 GMT, "Trondheim" <937275212@terra.es>
wrote:

>What is the best handheld scanner?
>ICOM IC-R10 or YAESU VR-500, without considering the king of the hand
>scanners the AOR AR8200 (but with the problems of short autonomy of his
>batteries and his expensive price).
>
>I want to scanner all mode (AM, N/FM, SSB & CW), handheld, that cover
>frequencies between 0,5 MHz and 1300 MHz minimum, and that has a good
>selectivity and sensitivity, these two models that I expose are the firm
>candidates, and only models that sell where I live (I do not want to buy at
>distance, by the problems of repairs while this in guarantee, either to buy
>used scanners, unless one says to me that the ICOM IC-R10 and the YAESU
>VR-500 aren't a good election).
>
>Thanks,
>
>Trondheim
>
>
>

881. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 17:22:07 UTC
From: Noel Glass <noel@171lowstreet.freeserve.co.uk>
Message-ID: <afct7q$3oo$1@news5.svr.pol.co.uk>
Source record: 41992
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

What about Yupi MVT 7100 (Still the best handheld scanner to date so I am
told)

"keith" <mke65@attbi.com> wrote in message
news:c6ojhu8fau8i3mbr3krc1t9haiei8l9jb6@4ax.com...
> Having owned the aor 8000, 8200, yupi 9000 and the alinco dj-x2000 I
> give the nudge to the alinco. the radio has many usefull features
> that are not included or cost extra on the other radios. Having built
> in record function for 2.5 minutes if useful, speech descrambler, ctss
> decode, 2000 channels, exellent bank breakdown (40 channels per),
> excellent construction, computer control, the list goes on. Only weak
> spot is scan sped is slow but this is remedied by grouping
> frequencies ie, 450 mhz in one bank, 150 in another, etc... or at
> least keep them consecutive within the same bank. The scanner slows
> when moving from one frequency range to another. Keith
> On Wed, 26 Jun 2002 09:39:44 GMT, "Trondheim" <937275212@terra.es>
> wrote:
>
> >What is the best handheld scanner?
> >ICOM IC-R10 or YAESU VR-500, without considering the king of the hand
> >scanners the AOR AR8200 (but with the problems of short autonomy of his
> >batteries and his expensive price).
> >
> >I want to scanner all mode (AM, N/FM, SSB & CW), handheld, that cover
> >frequencies between 0,5 MHz and 1300 MHz minimum, and that has a good
> >selectivity and sensitivity, these two models that I expose are the firm
> >candidates, and only models that sell where I live (I do not want to buy
at
> >distance, by the problems of repairs while this in guarantee, either to
buy
> >used scanners, unless one says to me that the ICOM IC-R10 and the YAESU
> >VR-500 aren't a good election).
> >
> >Thanks,
> >
> >Trondheim
> >
> >
> >
>

882. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 17:47:46 UTC
From: Howard Long <howard@howardlongxxx.com>
Message-ID: <afcuo2$do5$1@venus.btinternet.com>
Source record: 41936
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

> ICOM IC-R10 or YAESU VR-500, without considering the king of the hand
> scanners the AOR AR8200 (but with the problems of short autonomy of his
> batteries and his expensive price).

If you use it for Ham use, the IC-R10 IMHO. Why?

After all, the 8200 has a far better SSB filter (the R10 & VR500 use their 6kHz AM filters for SSB so they're not that good on a busy band).

So as the 8200 has a half decent SSB filter (still not that good), why do I prefer the R10? One reason. The tuning control.

The 8200 has a useless tuning mechanism with a thumbwheel rather than a proper tuning knob. Not having a tuning knob in the conventional sense renders this radio useless for Ham use. Somebody better tell AOR that you need a tuning knob on a radio.

The IC-R10 & 8200 come with rechargeables and recharger in the UK but the VR-500 doesn't.

The computer interface on the R10 utilises the standard ICOM CIV interface so not only is it fully featured but there's lots of software that will work for it.

The 8200 has a fairly good computer interface too.

The VR500's computer interface is only there for cloning and programming the memories. No 'real time' mode like the 8200 & R10 have.

The VR500 is smaller than the R10 which is, in turn, smaller than the 8200.

The user interface of both the 8200 and the VR500 leave me very confused.

The 8200 has a better stock antenna as it is a telescopic whip. The other two have rubber ducks. The 8200 also comes with a small ferrite coil antenna which, unless you already have a decent antenna, is essential if you want to have chance at picking up anything below about 14MHz.

I noticed lots of internally generated microcontroller hash on the 8200 (mark 2 version) I've owned.

Compared to other vendors, AOR should be congratulated on their web product support for all their products.

At one time or another over the past three years I've used all these radios fairly intensively. I purchased the R10 first. And it's still the R10 that I prefer, and is the only one I still own and use regularly.

Howard G6LVB

883. "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 17:54:40 UTC
From: Richard Cassano <rcassano@optonline.net>
Message-ID: <abnS8.19392$5M2.1081821@news4.srv.hcvlny.cv.net>
Source record: 41993

I have an "FCC Type Accepted" SGC-2000 Marine/Ham SSB. What makes this radio "Type Accepted" for HF Ham bands and why is the IC-706MK2G not Type accepted on marine frequencies?
Background: The SGC-2000 is a terrible radio. I would like to replace it with the Icom 706, however, I need to have access to the marine frequencies so I can communicate with non-Ham marine stations. Can I do both with the 706 and stay strictly legal? It would be best for me, financially, to buy one radio to do both marine and ham.
Richard Cassano, KC2ISG
S/V Gray Eagle, Tashiba 40
Oyster Bay, NY, USA

884. ts870 & comport?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 18:41:17 UTC
From: digi <dave@mw0dai.fsnet.co.uk>
Message-ID: <afd21n$8cl$1@newsg2.svr.pol.co.uk>
Source record: 41994

hi thanks for reading

i have just bought a ts870 but try as i may i cant get the
comport on the rig to work with any software,
such as logging sw or ts870 control.

i have tried many prgs but to no effect.
?i have heard that some of these radios never had the comport conected at
the factory (production fault)?

can anyone tell me if this is true or give me some info on this subject as a
guide?

many thanks mw0dai .....

885. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 19:20:22 UTC
From: bobby4a7vv@aol.command
Message-ID: <20020626152022.23628.00000202@mb-fb.aol.com>
Source record: 41995

>From: "Richard Cassano" rcassano@optonline.net

>I have an "FCC Type Accepted" SGC-2000 Marine/Ham SSB. What makes this radio"Type Accepted" for HF Ham bands and why is the IC-706MK2G not Type accepted on marine frequencies?.."

The "Type Acceptace" of the SGC is just for the Marine Bands. That was a marine Band radio, also usable/modifyable for Amateur bands below 30Mhz. Amateur radios that only operate below 30Mhz don't require "type acceptance", that is why many Marine, Cb & other rigs are routinely modified for Amateur bands, & it's also the "loophole" that allows the thousands of "40 channel" style 10M rigs to be imported every year.
As far as I am aware, the FCC hasn't allowed Amateur radios to be "out of the box" type accepted for other dual services such as Marine, commercial, CB or aircraft bands , even though many will "mod" there...

886. Looking for Good HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 19:34:07 UTC
From: Dreammaker182 <jsaon@att.net>
Message-ID: <PGoS8.55202$LC3.4259781@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41996

I live in Alabama and I was wondering what do you think is the best dual+ band HT for distance in the $200-250 range. I was also wondering where I could find one.

Please reply to jsaon@att.net

887. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 20:56:40 UTC
From: JRW <jrw@0spam.gmx.co.uk>
Message-ID: <tKpS8.11096$VP6.827621@stones>
Source record: 41997
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

The Yupiteru MVT7100 is fantastic and very sensitive on receive. 10 band scan, am, nfm, wfm, usb, ssb, 1000 memories, 50hz, 100hz, 1khz, 5khz, 6.25khz, 9khz, 10khz, 12.5khz, 25khz, 50khz, 100khz steps, direct frequency entry via keypad, squelch knob, tuning knob, priority channel, battery save, uses 4xAA batteries, bnc atenna connection. 500khz to 1.3GHz tuning continuously That's all I can remember at the moment.

John
Noel Glass <noel@171lowstreet.freeserve.co.uk> wrote in message
news:afct7q$3oo$1@news5.svr.pol.co.uk...
> What about Yupi MVT 7100 (Still the best handheld scanner to date so I am
> told)
>
>
> "keith" <mke65@attbi.com> wrote in message
> news:c6ojhu8fau8i3mbr3krc1t9haiei8l9jb6@4ax.com...
> > Having owned the aor 8000, 8200, yupi 9000 and the alinco dj-x2000 I
> > give the nudge to the alinco. the radio has many usefull features
> > that are not included or cost extra on the other radios. Having built
> > in record function for 2.5 minutes if useful, speech descrambler, ctss
> > decode, 2000 channels, exellent bank breakdown (40 channels per),
> > excellent construction, computer control, the list goes on. Only weak
> > spot is scan sped is slow but this is remedied by grouping
> > frequencies ie, 450 mhz in one bank, 150 in another, etc... or at
> > least keep them consecutive within the same bank. The scanner slows
> > when moving from one frequency range to another. Keith
> > On Wed, 26 Jun 2002 09:39:44 GMT, "Trondheim" <937275212@terra.es>
> > wrote:
> >
> > >What is the best handheld scanner?
> > >ICOM IC-R10 or YAESU VR-500, without considering the king of the hand
> > >scanners the AOR AR8200 (but with the problems of short autonomy of his
> > >batteries and his expensive price).
> > >
> > >I want to scanner all mode (AM, N/FM, SSB & CW), handheld, that cover
> > >frequencies between 0,5 MHz and 1300 MHz minimum, and that has a good
> > >selectivity and sensitivity, these two models that I expose are the
firm
> > >candidates, and only models that sell where I live (I do not want to
buy
> at
> > >distance, by the problems of repairs while this in guarantee, either to
> buy

> > >used scanners, unless one says to me that the ICOM IC-R10 and the YAESU
> > >VR-500 aren't a good election).
> > >
> > >Thanks,
> > >
> > >Trondheim
> > >
> > >
> > >
> >
>
>

888. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 21:48:14 UTC
From: "D. Stussy" <kd6lvw@bde-arc.ampr.org>
Message-ID: <Pine.LNX.4.44.0206262147420.4411-100000@exp.bde-arc.ampr.org>
Source record: 41898
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Wed, 26 Jun 2002, John O'Flaherty wrote:
>On Thu, 20 Jun 2002 17:10:51 -0700, Murray Neece
><radioranch@cableone.net> wrote:
>
>> .....I got a nice Browning .45 for my wife, best trade I ever made!!! Maybe
>>you can trade too!!
>>
>
>That could mean you got a gun in trade for your wife, or you got a gun
>for your wife to use, or you got a gun to use on your wife.

Or all three! :-) (That was probably the point)

889. Re: Looking for Good HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 21:57:50 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d1a38dd$0$1431$2c3e98f8@news.voyager.net>
Source record: 41899

"Dreammaker182" <jsaon@att.net> wrote in
news:PGoS8.55202$LC3.4259781@bgtnsc04-news.ops.worldnet.att.net:

> I live in Alabama and I was wondering what do you think is the best
> dual+ band HT for distance in the $200-250 range. I was also wondering
> where I could find one.
>
> Please reply to jsaon@att.net
>
>
>
>

I run a yaesu ft-50. It's a great little dualband, prices have dropped considerably, and it's also got some mars/caps+ mods available via software etc...
It's only two bands, but honestly where I'm at, 5 watts of 6 meter ht is going to be useless, and 1.2ghz or 220 are even more scarce.
It's a great radio for a HT.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

890. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 23:04:31 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D1A48CD.1DD5C635@sc.rr.com>
Source record: 41900

Richard Cassano wrote:
>
> I have an "FCC Type Accepted" SGC-2000
> Marine/Ham SSB. What makes this radio
> "Type Accepted" for HF Ham bands and
> why is the IC-706MK2G not Type accepted
> on marine frequencies?

Obviuosly, it is "type accepted" for the marine band, not the ham band. The "type acceptance" has nothing to do with the ham band - covered by another set of rules and a license.

> Background: The SGC-2000 is a terrible
> radio. I would like to replace it with
> the Icom 706, however, I need to have
> access to the marine frequencies so I
> can communicate with non-Ham marine
> stations. Can I do both with the 706
> and stay strictly legal? It would be
> best for me, financially, to buy one
> radio to do both marine and ham.

It is not legal to modify a ham radio to operate in the marine bands. Radios in those bands must be "type accepted" for that use and the Icom is not. However, the Icom can probably be easily modified to operate on those frequencies if you have a ligitimate reason to do so. As a member of the CG Auxiliary, I use my Yaesu on the marine band, and on the military frequencies next to the marine band, strictly for activities associated with the Auxiliary. For private radio use, I use a marine "type accepted" radio.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

891. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 23:18:02 UTC
From: ku4yp@aol.comzz
Message-ID: <20020626191802.03993.00000313@mb-fj.aol.com>
Source record: 41901

just when you think you have heard it all on this topic, people amaze you. by God, that is what keeps me getting out of bed each day.

if it makes you feel better, your right steve. exactly. send them all to the firing squads. bastards modifying ham gear for use on 11 meters. no matter what country. shame shame. in fact, let's call the netherlands and give them the guys name. yeah, get him locked up for good. my money says you would get laughed off the phone.

this is like the neat idea of holding gun makers liable for murders commited by someone using a gun made by them. let's pass right over the fact that someone, a person, chose to commit the crime. oh no, let's put it off on the person who made the gun. that makes us feel all better.

what a crock. if the fcc is so tired of people using 11 meters illegally, why don't they do something about it? we have put a man on the moon, have satelites that can see a person on the ground and tell what he or she is wearing, why can't we stop people from using 11 meters? i'll tell you why. because the goverment has better stuff to spend you money on than chasing that crowd. if they really wanted to stop it, they would. just like if they really wanted to stop drugs, and i mean really, humanity would go out the window. just like the germans, God love them. there are no rules in the red light district. anything goes. however, pull some of that "anything goes" stuff outside the red light district and you'll get a real ass beating and a ride to jail. point being, they have stopped that activity in the general community. go against the rules and there is a heavy price to pay.

if a fool wants to pay the money for a radio like that just to use on 11 meters, let them. good for the guy selling it. and i would say, "if you use this on 11 meters, you go to jail."

you can't save people from themselves.

73 ku4yp

73 de KU4YP
Mike Prevatt
Willow Oak, Florida

892. Re: ts870 & comport?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 23:56:14 UTC
From: Jim Hope <k4yte@earthlink.net>
Message-ID: <ywsS8.54$jQ4.38@newstest450b.news.pas.earthlink.net>
Source record: 41902

Have you setup the com port ??? Check Menu 56...

de k4yte

"digi" <dave@mw0dai.fsnet.co.uk> wrote in message
news:afd21n$8cl$1@newsg2.svr.pol.co.uk...
> hi thanks for reading
>
> i have just bought a ts870 but try as i may i cant get the
> comport on the rig to work with any software,
> such as logging sw or ts870 control.
>
> i have tried many prgs but to no effect.
> ?i have heard that some of these radios never had the comport conected at
> the factory (production fault)?
>
> can anyone tell me if this is true or give me some info on this subject as
a
> guide?
>
> many thanks mw0dai .....
>
>

893. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-26 23:59:30 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3D1A5562.F2822B8D@sympatico.ca>
Source record: 41903

Dwight Stewart wrote:
>
> Richard Cassano wrote:
> >
> > I have an "FCC Type Accepted" SGC-2000
> > Marine/Ham SSB. What makes this radio
> > "Type Accepted" for HF Ham bands and
> > why is the IC-706MK2G not Type accepted
> > on marine frequencies?
>
> Obviuosly, it is "type accepted" for the marine band, not the ham
> band. The "type acceptance" has nothing to do with the ham band -
> covered by another set of rules and a license.
>
> > Background: The SGC-2000 is a terrible
> > radio. I would like to replace it with
> > the Icom 706, however, I need to have
> > access to the marine frequencies so I
> > can communicate with non-Ham marine
> > stations. Can I do both with the 706
> > and stay strictly legal? It would be
> > best for me, financially, to buy one
> > radio to do both marine and ham.
>
> It is not legal to modify a ham radio to operate in the marine bands.
> Radios in those bands must be "type accepted" for that use and the Icom
> is not. However, the Icom can probably be easily modified to operate on
> those frequencies if you have a ligitimate reason to do so. As a member
> of the CG Auxiliary, I use my Yaesu on the marine band, and on the
> military frequencies next to the marine band, strictly for activities
> associated with the Auxiliary. For private radio use, I use a marine
> "type accepted" radio.
>
> Dwight Stewart (W5NET)
>
> http://www.qsl.net/w5net/

Somewhere, but unfortunately I can't find it now, there is a web site
which lists ham transceivers which can be legally used on U.S.
Government systems. IIRC it was primarily aimed at military, reserve and
National Guard users and the main requirement was the addition of a high
stability master oscillator - I assume a similar requirement exists for
commercial services like marine and aviation. Maybe someone can point
you to the site and you can check if the 706 is on the list.

Dave Holford

894. Re: Looking for Good HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 00:05:44 UTC
From: Mike Coslo <mcoslo@adelphia.net>
Message-ID: <3D1A80F5.3010805@adelphia.net>
Source record: 41904

I second the FT-50. AES has them now for 209 dollars, and it is a sweet little radio. Aside from the other features, it has one that is kind of not mentioned too often. Even though it is small, it is relatively thick, which is actually an advantage for a person like myself with big paws.

- Mike KB3EIA -

John P Vassel wrote:

> "Dreammaker182" <jsaon@att.net> wrote in
> news:PGoS8.55202$LC3.4259781@bgtnsc04-news.ops.worldnet.att.net:
>
>
>>I live in Alabama and I was wondering what do you think is the best
>>dual+ band HT for distance in the $200-250 range. I was also wondering
>>where I could find one.
>>
>>Please reply to jsaon@att.net
>>
>>
>>
>>
>>
>
> I run a yaesu ft-50. It's a great little dualband, prices have dropped
> considerably, and it's also got some mars/caps+ mods available via
> software etc...
> It's only two bands, but honestly where I'm at, 5 watts of 6 meter ht is
> going to be useless, and 1.2ghz or 220 are even more scarce.
> It's a great radio for a HT.
>
>

895. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 00:29:56 UTC
From: 2w8ji@contesting.com
Message-ID: <3d1a5a43.728217948@news.akorn.net>
Source record: 41905
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Thu, 20 Jun 2002 18:22:26 +0100, "Tech" <newbury66@hotmail.com>
wrote:

>Why not buy her a brand new domestic appliance, that way she can't gripe,
>can she?

That reminds me.

I have several dozen three prong and four prong vibrators in a bunch
of new old stock tubes and parts I acquired from a local TV shop.

If anyone needs one, let me know.

896. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 00:51:35 UTC
From: John <jdm@NOSPAMiland.net>
Message-ID: <3D1A6197.5060241A@NOSPAMiland.net>
Source record: 41906

Get the 706, use it on whatever frequency you want to, nobody knows,
nobody cares. When was the last time you actually heard of someone,
anyone, getting charged with using a non type accepted radio for any
purpose? Just doesn't happen. There is a hell of a lot more people
using ham equipment on CB than the marine bands. Few, if any, people
get arrested for doing that, and the pool is a lot larger. If anyone
asks you what kind of radio you are using, tell them you are using the
piece of crap SGC. How are they to know that is not true?
Reminds me of hearing stories of calling the fire department to get a
cat out of a tree. When was the last time you saw a cat skeleton in a
tree? They come down when hungry, and they don't need the FD to do so.

Richard Cassano wrote:
>
> I have an "FCC Type Accepted" SGC-2000 Marine/Ham SSB. What makes this radio
> "Type Accepted" for HF Ham bands and why is the IC-706MK2G not Type accepted
> on marine frequencies?
> Background: The SGC-2000 is a terrible radio. I would like to replace it
> with the Icom 706, however, I need to have access to the marine frequencies
> so I can communicate with non-Ham marine stations. Can I do both with the
> 706 and stay strictly legal? It would be best for me, financially, to buy
> one radio to do both marine and ham.
> Richard Cassano, KC2ISG
> S/V Gray Eagle, Tashiba 40
> Oyster Bay, NY, USA

897. FS htx 404 440mhz ht

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 01:05:52 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <PxtS8.27171$DF5.456464@twister.kc.rr.com>
Source record: 41907
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi i have a htx 404 hand-hald ht forsale $80 shipped lower 48 states.
Comes with original box mual dry cell pack and nicad pack antenna hand
strap belt clip don't know how long the nicad last since i use the dry cell
pack.
The last time i used the nicad pack it worked for about 1 hour that was a
year ago.
I had the charger and will include it if i can find it.
E-mail me direct of for pics of the radio.
Paypal perfered.

898. FA - NIB Vintage Jackson CW monitor & osc.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 01:08:59 UTC
From: Tom N&#65533;JMY - AAR7FV <tfarl@IowaTelecom.net>
Message-ID: <afdojs$m7p$1@ins22.netins.net>
Source record: 41908
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362188185

This is the second of two (2) of these I found on the shelf in an old electronics supply house. This one was, in fact, still sealed in the unopened box, but some fool scrawled "transistor checker" on one side, so I had to open it to make sure what was inside -- what a Catch-22!

This transistorized Jackson Electrical Instruments Company Model 562 Code Oscillator and Monitor apparently dates back to the early '60's (before zip codes).

Thanks for looking,
Tom

899. HELP: MSR 2000 repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 01:29:26 UTC
From: the_grants@sympatico.ca
Message-ID: <8a25f7ce.0206261729.5c5a2912@posting.google.com>
Source record: 41909

Has anyone had any experience repairing a 'scratchy' receiver board in a Motorola MSR 2000 vhf repeater? The only thing that seems to help (temporarily) is to remove and reseat the receiver module into the backplane. Are there any other idiosyncrasies about this gear that I should know about? Thanks for any help. Ken, VE3FIT

900. FA: 80M & 40M xtals -good c.w. freqs.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 01:31:21 UTC
From: Tom N&#65533;JMY - AAR7FV <tfarl@IowaTelecom.net>
Message-ID: <afdptqnva1@ins22.netins.net>
Source record: 41910
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Thanks for looking. Here's the links:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362041716

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362041714

Tnx es vy 73,
Tom

901. FA: Multi-Elmac AF-67 xmtr - gud panel

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 01:37:00 UTC
From: Tom N&#65533;JMY - AAR7FV <tfarl@IowaTelecom.net>
Message-ID: <afdq8doka1@ins22.netins.net>
Source record: 41911
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1361880243

From an estate, this Multi-Elmac transmitter was apparently partially
disassembled with the intention of restoring it.

The face plate and front panel is quite good, it appears to have fresh
hammertone paint.

Thanks for looking,
Tom

902. FA: Henry Tempo S15 2 Meter HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 01:38:08 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <JYtS8.8169$Ji6.969714@e3500-atl2.usenetserver.com>
Source record: 41912

Decided to part with another one of my collection of
these nice little radios.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362848101

903. FA Rohde & Schwarz Spectrum Monitor w/GIANT 9" screen

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 02:00:43 UTC
From: "Kevin D. Murray" <murray@spybusters.com>
Message-ID: <3D1A71CB.D8D95593@spybusters.com>
Source record: 41913
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

R&S Model EZM - RF/IF Spectrum Monitor
ï¿½ Useful for TSCM bug hunting / signal analysis, ham / amateur radio.
ï¿½ RF / IF Signal Analysis
ï¿½ 1 kHz to 2 MHz display range.
ï¿½ 10.7 MHz & 75 MHz inputs.
ï¿½ Use with your receiver
or...
ï¿½ Made to mate with R&S ESH3 or ESVP receivers.

Must see photos...
Just imagine this beauty - center stage - in your shop or shack.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1744636489

Transit shipping case included at no extra charge.

Thanks for looking!

904. Re: Looking for Good HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 02:09:19 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uhkt2jnrd5r706@corp.supernews.com>
Source record: 41914

Yeah.....I'll add a "thumbs up" on the FT-50 too. I have the FT-10, but recently picked up an FT-50 for a friend. Great little HT, with super wide receive, after a quick mod.

Bill
KC4KMG
Web Site: www.polkcounty.org/radiofun

"Dreammaker182" <jsaon@att.net> wrote in message news:PGoS8.55202$LC3.4259781@bgtnsc04-news.ops.worldnet.att.net...
> I live in Alabama and I was wondering what do you think is the best
> dual+ band HT for distance in the $200-250 range. I was also wondering
> where I could find one.
>
> Please reply to jsaon@att.net
>
>
>
>

905. FA: Icom IC-R2 Compact, Hand-held Receiver - E-Bay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 02:49:54 UTC
From: Rick Kempe <r.kempe@worldnet.att.net>
Message-ID: <m3vS8.63248$UT.4313952@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41915

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362846670

Thanks for looking!

906. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 02:58:38 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <afdv10$o0m$1@slb4.atl.mindspring.net>
Source record: 41916

Kind of a long driver from VA.
Let me know if you do, I'll make sure there's some cold brews in the fridge.
--
Steve

> Would you rather have had it posted on Dove Ln in Eugene OR?
>
> Steve wrote:
>
> > You cared enough to post to the group.
> > --
> > Steve
> >
> > "Vito" <vito@crosslink.net> wrote in message
> > news:3D18B842.B318D200@crosslink.net...
> > > You missed my point, Steve. I really don't care if it is or not. I
have
> > > better, more pleasant things to think about; like tabulating our field
> > > day points or where to go this weekend or sex or motorcycles or 1000
> > > other things. I'm sincerely sorry you do not, but you could easily fix
> > > that if you wanted too.
> > > 73 K3DWW
> > >
> > > Steve wrote:
> > > >
> > > > 11 meters is NOT an amateur band in the Netherlands.
> > > > --
> > > > Steve
> > > >
> > > > "Vito" <vito@crosslink.net> wrote
> > > > > Gee, I assumed that 11M was still an amateur band in the
Netherlands.
>

907. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 03:15:44 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <afe012$dp0$1@nntp9.atl.mindspring.net>
Source record: 41917

LOL
--
Steve ..

"KU4YP" <ku4yp@aol.comzz> wrote in message
news:20020626191802.03993.00000313@mb-fj.aol.com...
> just when you think you have heard it all on this topic, people amaze you.
by
> God, that is what keeps me getting out of bed each day.
>
> if it makes you feel better, your right steve. exactly. send them
all to
> the firing squads. bastards modifying ham gear for use on 11 meters. no
matter
> what country. shame shame. in fact, let's call the netherlands and give
them
> the guys name. yeah, get him locked up for good. my money says you would
get
> laughed off the phone.
>
> this is like the neat idea of holding gun makers liable for murders
> commited by someone using a gun made by them. let's pass right over the
fact
> that someone, a person, chose to commit the crime. oh no, let's put it off
on
> the person who made the gun. that makes us feel all better.
>
> what a crock. if the fcc is so tired of people using 11 meters
illegally,
> why don't they do something about it? we have put a man on the moon, have
> satelites that can see a person on the ground and tell what he or she is
> wearing, why can't we stop people from using 11 meters? i'll tell you why.
> because the goverment has better stuff to spend you money on than chasing
that
> crowd. if they really wanted to stop it, they would. just like if they
really
> wanted to stop drugs, and i mean really, humanity would go out the window.
just
> like the germans, God love them. there are no rules in the red light
district.
> anything goes. however, pull some of that "anything goes" stuff outside
the red
> light district and you'll get a real ass beating and a ride to jail. point
> being, they have stopped that activity in the general community. go

against the
> rules and there is a heavy price to pay.
>
> if a fool wants to pay the money for a radio like that just to use
on 11
> meters, let them. good for the guy selling it. and i would say, "if you
use
> this on 11 meters, you go to jail."
>
> you can't save people from themselves.
>
> 73 ku4yp
>
> 73 de KU4YP
> Mike Prevatt
> Willow Oak, Florida

908. Re htx 404

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 03:20:45 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <gwvS8.28050$DF5.463527@twister.kc.rr.com>
Source record: 41920
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I found the charger so it will com with the radio.
Check my other post down the list for more info.

909. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 03:20:46 UTC
From: Jim Weir <jim@rst-engr.com>
Message-ID: <ul0lhusnnhh82t8ha08vq218jv3oru9vve@4ax.com>
Source record: 41918

Jesus, I wish I had the balls to post how I illegally use an amateur transceiver outside the band, with or without the nonexistant cover of CG Aux operation. Do I do it. Perhaps. Do I admit to it in writing in public. What kind of a damned fool do you take me for?

You really need your CO to send you to a good training facility. That or expect that knock at your front door some day.

Jim
Lt., USCG Aux. Ret.
Comm Officer

Dwight Stewart <stewart@sc.rr.com>
shared these priceless pearls of wisdom:

As a member
->of the CG Auxiliary, I use my Yaesu on the marine band, and on the
->military frequencies next to the marine band, strictly for activities
->associated with the Auxiliary. For private radio use, I use a marine
->"type accepted" radio.

Jim Weir, VP Eng. RST Eng. WX6RST
A&P, CFI, and other good alphabet soup

910. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 03:27:29 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <afdvjs$id7$1@news1.kornet.net>
Source record: 41921
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Tom,

Hey.. you got four prong 6V vibrators? I could use at least one, maybe two,
depending on cost. Please get back to me with cost/availability.

Thanks.

Take care, and stay well.

PS I sent an e-mail, and it got bounced.. :(

"Tom W8JI" <2w8ji@contesting.com> wrote in message
news:3d1a5a43.728217948@news.akorn.net...
> On Thu, 20 Jun 2002 18:22:26 +0100, "Tech" <newbury66@hotmail.com>
> wrote:
>
> >Why not buy her a brand new domestic appliance, that way she can't gripe,
> >can she?
>
> That reminds me.
>
> I have several dozen three prong and four prong vibrators in a bunch
> of new old stock tubes and parts I acquired from a local TV shop.
>
> If anyone needs one, let me know.

911. Re: HELP: MSR 2000 repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 03:34:43 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D1A87D3.4BA958F4@nettally.com>
Source record: 41922

The MSR has similar receiver as the Mitrek mobile. They apparently have a problem with "metallic hairs" growing inside the preselector casting. Try retuning the preselector or opening it up to blow out any foreign material.

Ken Grant wrote:

> Has anyone had any experience repairing a 'scratchy' receiver board in
> a Motorola MSR 2000 vhf repeater? The only thing that seems to help
> (temporarily) is to remove and reseat the receiver module into the
> backplane. Are there any other idiosyncrasies about this gear that I
> should know about? Thanks for any help. Ken, VE3FIT

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

912. Re: HELP: MSR 2000 repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 03:39:33 UTC
From: Doug <doug@ycsi.net>
Message-ID: <afe1dldte0@63.90.193.214>
Source record: 41923

Ken, check out the slugs in the multiplier string. They seem to become
a bit noisy in time. Have had several of the MSR's with that trouble.
Best cure has been to use some graphite grease on the slug itself.
Works for me anyhow.

73

Doug, K7YD

Ken Grant wrote:

> Has anyone had any experience repairing a 'scratchy' receiver board in
> a Motorola MSR 2000 vhf repeater? The only thing that seems to help
> (temporarily) is to remove and reseat the receiver module into the
> backplane. Are there any other idiosyncrasies about this gear that I
> should know about? Thanks for any help. Ken, VE3FIT

913. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 04:03:48 UTC
From: J Yazel <jyazel@nls.net>
Message-ID: <5g3lhu8ibv0996p53gblvpvkpvh9p59f9a@4ax.com>
Source record: 41919

On Wed, 26 Jun 2002 13:54:40 -0400, "Richard Cassano" <rcassano@optonline.net>
wrote:

>I have an "FCC Type Accepted" SGC-2000 Marine/Ham SSB. What makes this radio
>"Type Accepted" for HF Ham bands and why is the IC-706MK2G not Type accepted
>on marine frequencies?
>Background: The SGC-2000 is a terrible radio. I would like to replace it
>with the Icom 706, however, I need to have access to the marine frequencies
>so I can communicate with non-Ham marine stations. Can I do both with the
>706 and stay strictly legal? It would be best for me, financially, to buy
>one radio to do both marine and ham.
>Richard Cassano, KC2ISG
>S/V Gray Eagle, Tashiba 40
>Oyster Bay, NY, USA
> ============================

That label indicates that the equipment has undergone extensive
testing by the FCC and approved for a specific use.

Only commercial equipment (including CB radios, etc.) must be type
accepted.

Amateur radio equipment does not need to be type accepted.

Jack W8RAG

914. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 04:07:39 UTC
From: Never anonymous Bud <thekat@san.rxyzr.com>
Message-ID: <5r3lhuge3oofnm30rhenoiov9m60t49uug@4ax.com>
Source record: 41924
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

Fresh from a command appearance on The View, "JRW" <jrw@0spam.gmx.co.uk> moaned...

>The Yupiteru MVT7100 is fantastic and very sensitive on receive.

But it doesn't do trunking.

To reply by email, remove the XYZ.

Lumber Cartel (tinlc) #2063. Spam this account at your own risk.

It's your SIG, say what you want to say....

915. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 04:26:55 UTC
From: Zoran Brlecic <WA7AA@attbi.com>
Message-ID: <3D1A940B.827AA377@attbi.com>
Source record: 41925

KU4YP wrote:

> what a crock. if the fcc is so tired of people using 11 meters illegally,
> why don't they do something about it?

Who says they (FCC) are? They don't give a shit, but I don't see a reason to add to the zoo by proliferating ham radio rigs modified for CB. Not that I care about CB but I don't like giving CB-ers rigs capable of transmitting on our bands.

> why can't we stop people from using 11 meters? i'll tell you why.
> because the goverment has better stuff to spend you money on than chasing that
> crowd.

Like what? Perhaps those 40 billion $ they blow on the "drug war" annually? Or 3 billion $ in aid to Israel so they can build "settlements".

> point being, they have stopped that activity in the general community. go against
> the
> rules and there is a heavy price to pay.

:-) ROTFL. Where do you live, on Cosby Show?

73 ... Zoran WA7AA

916. High Voltage Capacitor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 04:58:35 UTC
From: gomansiu@filmcapacitor-st.com
Message-ID: <f92a2696.0206262058.4c2c7a0f@posting.google.com>
Source record: 41926
Cross-posted to: uk.radio.amateur,sci.electronics.components,rec.radio.amateur.equipment,sci.materials,alt.energy.high-voltage

We would like to take this chance to give you a brief of our company.
We are manufacturer of Power Metallized Film Capacitors.

Our Capacitors are nearly 100% worldwide exported. Mainly to Italy,
Germany, USA, Canada, Australia, Japan, Thailand and Malaysia.

In these two years, the pressure for cost reduction is increasingly.
Purchase from Hong Kong is one of the solutions that balance the cost
reduction need and quality consideration. Hoping that we can
co-operate in this way.

Wide variety product range including :
High Voltage Film Capacitor : 0.01u - 2uf up to 15000Vac
High Voltage Filter Capacitor
Power Film Capacitor
Power Resistor Capacitor Network
Resistor Capacitor Varistor Network (Snubber Network)
Three Phase Capacitor - Stella and Delta
Lighting Capacitor
Pulse Capacitor
Snubber Capacitor Module

OEM and tailor-made Design are welcome.

Should you have any inquiries, please do not hesitate to contact us.
Quotation and samples will be sent upon request. Thanks for your kind
attention and look forward to hearing from you soon.

Best Regards,
Goman Siu
Hong Kong Film Capacitor (Shun Tai) Co Ltd
1/F, Po Yip St, 23 Hing Yip St, Kwun Tong, Hong Kong
Tel:852-27958795
Fax:852-27958189
http://www.filmcapacitor-st.com
gomansiu@filmcapacitor-st.com

917. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 06:00:27 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D1AAA51.F64E16C7@sc.rr.com>
Source record: 41927
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Tom W8JI wrote:
>
> That reminds me.
>
> I have several dozen three prong and four
> prong vibrators in a bunch of new old stock
> tubes and parts I acquired from a local TV shop.
>
> If anyone needs one, let me know.

Vibrators, like you're talking about, is an interesting thing to mention in a thread about XYLs that won't warm up. Think about it. Or is it just my mind in the gutter again?

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

918. Tektronix 11402 1GHz Programmable Digitizing Oscilloscope.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 06:10:30 UTC
From: foreversoldier@yahoo.com
Message-ID: <266cb0e.0206262210.19b30677@posting.google.com>
Source record: 41928

I have Qty: 3. Tektronix 11402 rackmounted 1GHz Programmable Digitizing Oscilloscope. They are regularly $10,000 for new and $5000 for used. I will sell them for $1000 each!

Features include: 1GHz Bandwidth, 8 channels of display and aquisition, 10ps horizontal resolution, 10-bit vertical resolution, GP-IB and RS-232C. 20 MS/s maximum sampling rate. Requires 11Axx series plug-ins. They are in use, so they do work!

Email me if you are interested. Thanks. foreversoldier@yahoo.com

919. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 06:23:16 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D1AAFA6.993D845B@sc.rr.com>
Source record: 41929

Jim Weir wrote:
>
> Jesus, I wish I had the balls to post
> how I illegally use an amateur transceiver
> outside the band, with or without the
> nonexistant cover of CG Aux operation. Do
> I do it. Perhaps. Do I admit to it in
> writing in public. What kind of a damned
> fool do you take me for?
>
> You really need your CO to send you to a
> good training facility. That or expect
> that knock at your front door some day.
>
> Jim
> Lt., USCG Aux. Ret.
> Comm Officer

Jim, you're showing your considerable ignorance of the Auxiliary. First of all, there are no retired Auxiliary lieutenants, or any other similar rank. We're a civilian organization, created by Congress, and controlled by the Coast Guard Commandant (similar to the Civil Air Patrol's association with the Air Force).

Second, there are no Comm Officers in the Auxiliary. We either serve watches at Coast Guard communications facilities, or operate from our homes using privately own equipment to supplement Coast Guard communications, or operate from out vessels using privately own equipment during CG related activities.

Third, there are no COs in the Auxiliary. We have a command structure similar to the military, but different in many ways.

Fourth, the FCC has no authority over Auxiliary communications on the military frequencies (the Coast Guard controls its own frequencies), so there will not be any knock on my front door.

And, finally, if I were doing anything illegally, do you really think I would write about it in this, or any other, newsgroup.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

920. want to build 80m ARDF RX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 08:23:31 UTC
From: Markus L <uo9oew@lnubb.pbz>
Message-ID: <3d1acb65$0$235$4d4ebb8e@read-nat.news.nl.uu.net>
Source record: 41930

Hi all

My present 80m ARDF RX (built it 20 years ago) uses a TCA440 and varicap tuning, which makes it quite unstable. Am looking for a more state-of-the-art design. Browsed dozens of ARDF sites, but no success yet. TIA.

73, Markus HB9BRJ
--
e-mail address is ROT13 encoded. Decode before replying.

921. FA: MFJ-9020 CW RIG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 10:33:00 UTC
From: aokd5fxt@aol.com
Message-ID: <20020627063300.21926.00000447@mb-ms.aol.com>
Source record: 41931

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362871620

Tnx,
Bill

922. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 11:02:31 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uhls76p8kat6be@corp.supernews.com>
Source record: 41932

> Amateur radio equipment does not need to be type accepted.

Amateur radio *transmitters* do not need to be type accepted. Amateur radio receivers capable of operating in the VHF range do.

923. Re: High Voltage Capacitor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 14:12:34 UTC
From: Uncle Al <UncleAl0@hate.spam.net>
Message-ID: <3D1B1D48.1EB9E3D3@hate.spam.net>
Source record: 41933
Cross-posted to: uk.radio.amateur,sci.electronics.components,rec.radio.amateur.equipment,sci.materials,alt.energy.high-voltage

Goman Siu wrote:
>
> We would like to take this chance to give you a brief of our company.
> We are manufacturer of Power Metallized Film Capacitors.
>
> Our Capacitors are nearly 100% worldwide exported. Mainly to Italy,
> Germany, USA, Canada, Australia, Japan, Thailand and Malaysia.
>
> In these two years, the pressure for cost reduction is increasingly.
> Purchase from Hong Kong is one of the solutions that balance the cost
> reduction need and quality consideration. Hoping that we can
> co-operate in this way.
[snip]

Thailand? Dr. Abfallig Matsch Schund is intensively billing for
consultation in Thailand within TOP SECRET/Lotus Eater "Project Marx
Condensor." Buddhist priests disguised as racially non-profiled
Muslim
terrorists will sneak into the US, suck all its electrical energy into
supercapacitors hidden within their upper colons and rectums, then
spirit it all away to co-conspirator Tuvalu and thereafter bargain for
world hegemony in the UN General Assembly. They snuggle their butts
into electrical sockets in parallel, then hook in series (in a way
left to your imagination) to deliver the big bang boom.

ISO 2001 self-inspection of secret agents' secreted secret hardware is
already in place

http://www.mazepath.com/uncleal/sunshine.jpg

--
Uncle Al
http://www.mazepath.com/uncleal/
(Toxic URL! Unsafe for children and most mammals)
"Quis custodiet ipsos custodes?" The Net!

924. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 15:21:02 UTC
From: ku4yp@aol.comzz
Message-ID: <20020627112102.15028.00000284@mb-co.aol.com>
Source record: 41934

>Who says they (FCC) are? They don't give a shit, but I don't see a reason to
>add to
>the zoo by proliferating ham radio rigs modified for CB. Not that I care
>about CB
>but I don't like giving CB-ers rigs capable of transmitting on our bands.

being capable of transmitting on our bands, huh. a woman is capable of being
a prostitute, dosen't make her one, now does it?

>Like what? Perhaps those 40 billion $ they blow on the "drug war" annually?
>Or 3
>billion $ in aid to Israel so they can build "settlements".
>
read between the lines. i was being a smart ass. "waste" would have
probably been a better choice of word.

>:-) ROTFL. Where do you live, on Cosby Show?
>
nope, florida. i'm sure the Cosby show would be much better.

obviously you missed the point of the reply. i have been reading posts
written by hams on this topic for years. and for the life of me, i can't see
why people would spend SO much time and energy on this. we have rules and a
governing body that is supposed to enforce the rules. i don't like people using
100 watts on 11 meter sideband either, but it is the lesser of two evils. at
least that keeps them off of the cw portion of 10 meters. most of the time :-)

my opinion, your milage may vary.

73 mike

73 de KU4YP
Mike Prevatt
Willow Oak, Florida

925. Re: HELP FT-102 tech supplement

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 15:32:45 UTC
From: jimmer <jimmer@provide.net>
Message-ID: <3D1B301D.56B85862@provide.net>
Source record: 41935

Francesco Messineo wrote:

> Hello all,
> I acquired a second hand FT-102 rig, it was modified to go in the 6.5-7.0 MHz
> band and to the 11 meters band :(
> I'd like to have copies of the part of the FT-102 technical supplement
> that describes these modifications in order to revert the mods and bring
> back the rig on its original bands, I already have manuals and schematics.
> The modifications should be describe in pages 17 to 26 of the technical
> supplement.
>
> Thank you in advance and best regards.
>
> Francesco IZ5DWF

Hello Francesco
I have no tech info to offer you on your mods, but I would
like to tell you there is a FT-102 group on Yahoo.com.
Someone in that group may be able to help you.

ft102-subscribe@yahoogroups.com

HTH Jim

926. MFJ-1048 preselector schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 15:49:59 UTC
From: Dimitris Mylonopoulos <mylond@otenet.gr>
Message-ID: <affc2k$i95$1@usenet.otenet.gr>
Source record: 41937
Cross-posted to:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.swap,rec.radio.shortwave,rec.radio.swap

Does anyone has a copy for the MFJ-1048 preselector's schematic because I
lost mine and need one.
Dimitris

927. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 16:10:14 UTC
From: Jim Weir <jim@rst-engr.com>
Message-ID: <k6dmhucqlg0umf8ejvtcmjqdju66hna3mp@4ax.com>
Source record: 41938

Dwight Stewart <stewart@sc.rr.com>
shared these priceless pearls of wisdom:

-> Jim, you're showing your considerable ignorance of the Auxiliary.

You are correct. I was only doing search and rescue duty for an AuxCoastie Flotilla for 15 years. Perhaps you've got time and rank on me. I listen for your august words of advice.

->First of all, there are no retired Auxiliary lieutenants, or any other
->similar rank.

You are correct. I was a lieutenant (railroad tracks with a superimposed red "A", still gottem in my top bureau drawer) when I moved out of San Diego and had to resign. I'll use "former" instead of "retired" in my next post.

We're a civilian organization, created by Congress, and
->controlled by the Coast Guard Commandant (similar to the Civil Air
->Patrol's association with the Air Force).

Exactly so. However, within a given flotilla, at least in the Air Search And Rescue group, all pilots were given the butterbars rank of Ensign upon joining and then we progressed with time and duty experience. We had a complete command structure from the Flotilla Commander (4 year term, rank Cdr. as I recall) through ExO, TO, CO, and all the rest of it.

->
-> Second, there are no Comm Officers in the Auxiliary.

I only taught it for the last 5 years I was in. I set up the airborne communications net for the patrol of the waters from San Diego to Newport. I guess I must have been dreaming it.

We either serve
->watches at Coast Guard communications facilities, or operate from our
->homes using privately own equipment to supplement Coast Guard
->communications, or operate from out vessels using privately own
->equipment during CG related activities.

The stuff I had to work with had an anchor on it. I guess I was dreaming that, too. So also the portable stations we set up for the weekend stinkpot patrol on Soledad and Palomar.

->
-> Third, there are no COs in the Auxiliary. We have a command structure
->similar to the military, but different in many ways.

Oh, boy, do YOU have a lot to learn. Just because you little backwater flotilla is set up the way you understand it, don't tell the rest of the world that we are doing it wrong.

->
-> Fourth, the FCC has no authority over Auxiliary communications on the
->military frequencies (the Coast Guard controls its own frequencies), so
->there will not be any knock on my front door.

In the first place, you said you were using your Yaesu on the marine band. The USCG does NOT have standing to use the marine band except under the rules set down by the FCC, which requires type-accepted equipment. In the second place, at least in the Southern California jurisdiction, any equipment used on the military frequencies had to be individually approved by (guess who) the Communications Officer of the flotilla or the region.

->
-> And, finally, if I were doing anything illegally, do you really think
->I would write about it in this, or any other, newsgroup.

I have no idea of your mental capacity.

Jim
Jim Weir, VP Eng. RST Eng. WX6RST
A&P, CFI, and other good alphabet soup

928. FA: Like New 1.25 GHz handheld Frequency Counter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 16:40:59 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <FBLS8.13246$Ji6.1600818@e3500-atl2.usenetserver.com>
Source record: 41943

I am selling my test equipment now so check out
this very nice frequency counter.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1744907653

929. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 17:10:51 UTC
From: Trondheim <you@you.com>
Message-ID: <vGHS8.478638$s6.3468647@telenews.teleline.es>
Source record: 41939
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

Many thanks to all people who have helped me in the election of an handheld scanner.

I understand that scanner that better one adapts to my necessities is the YUPITERU MVT-7100, thanks for the recommendations, and specially to who (sorry I forgot his name) gave me the url http://www.strongsignals.net for the reviews of some of the diverse existing models in the market.

Greetings,

Trondheim ;-)

"Trondheim" <937275212@terra.es> escribi&#65533; en el mensaje news:AZfS8.415130$s6.2964564@telenews.teleline.es...
> What is the best handheld scanner?
> ICOM IC-R10 or YAESU VR-500, without considering the king of the hand
> scanners the AOR AR8200 (but with the problems of short autonomy of his
> batteries and his expensive price).
>
> I want to scanner all mode (AM, N/FM, SSB & CW), handheld, that cover
> frequencies between 0,5 MHz and 1300 MHz minimum, and that has a good
> selectivity and sensitivity, these two models that I expose are the firm
> candidates, and only models that sell where I live (I do not want to buy
at
> distance, by the problems of repairs while this in guarantee, either to
buy
> used scanners, unless one says to me that the ICOM IC-R10 and the YAESU
> VR-500 aren't a good election).
>
> Thanks,
>
> Trondheim
>
>
>
>

930. FA: Icom R2 (Updated URL)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 18:02:23 UTC
From: Rick Kempe <r.kempe@worldnet.att.net>
Message-ID: <PqIS8.64026$UT.4384257@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41940

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362981565

Thanks for looking!

931. MFJ1048

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 18:42:32 UTC
From: Harry Flaxman <hflaxman@nospam.neb.rr.com>
Message-ID: <s0JS8.26668$aE4.604385@twister.rdc-kc.rr.com>
Source record: 41941

Looking to buy one of these. I see one on ebay, but curious if anyone on here has one.

Harry

932. Re: Help for a friend with an ICOM IC-751 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 21:08:50 UTC
From: CA <sm6pxj@hotmail.com>
Message-ID: <f8LS8.3781$t4.9614@nntpserver.swip.net>
Source record: 41942
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.shortwave,uk.radio.amateur

John Boyle wrote...
>Concerning the ICOM IC-751 Transceiver, my friend asks:
>
>"...In that radio is a ram-board that contains the operating
>system for the radio and that's where memory channels
>are stored. I need the hex code for that radio.

Here it is:
http://www.geocities.com/emailsrikanth/ham/icomram/745_751.zip

There's also a description of a programmer (and how to extend the frequency
limits of the radio)

73
Christer
SM6PXJ

933. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 22:05:15 UTC
From: "Michael R." <noemail@forspam.com>
Message-ID: <v_LS8.43793$xy.14613702@twister.socal.rr.com>
Source record: 41944
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

Too bad the Yupi MVT 7100 isn't sold anywhere on-line :(
I had to settle for the yr-500. I can only scan 12 channels per second

"Noel Glass" <noel@171lowstreet.freeserve.co.uk> wrote in message
news:afct7q$3oo$1@news5.svr.pol.co.uk...
> What about Yupi MVT 7100 (Still the best handheld scanner to date so I am
> told)
>
>
> "keith" <mke65@attbi.com> wrote in message
> news:c6ojhu8fau8i3mbr3krc1t9haiei819jb6@4ax.com...
> > Having owned the aor 8000, 8200, yupi 9000 and the alinco dj-x2000 I
> > give the nudge to the alinco. the radio has many usefull features
> > that are not included or cost extra on the other radios. Having built
> > in record function for 2.5 minutes if useful, speech descrambler, ctss
> > decode, 2000 channels, exellent bank breakdown (40 channels per),
> > excellent construction, computer control, the list goes on. Only weak
> > spot is scan sped is slow but this is remedied by grouping
> > frequencies ie, 450 mhz in one bank, 150 in another, etc... or at
> > least keep them consecutive within the same bank. The scanner slows
> > when moving from one frequency range to another. Keith
> > On Wed, 26 Jun 2002 09:39:44 GMT, "Trondheim" <937275212@terra.es>
> > wrote:
> >
> > >What is the best handheld scanner?
> > >ICOM IC-R10 or YAESU VR-500, without considering the king of the hand
> > >scanners the AOR AR8200 (but with the problems of short autonomy of his
> > >batteries and his expensive price).
> > >
> > >I want to scanner all mode (AM, N/FM, SSB & CW), handheld, that cover
> > >frequencies between 0,5 MHz and 1300 MHz minimum, and that has a good
> > >selectivity and sensitivity, these two models that I expose are the
firm
> > >candidates, and only models that sell where I live (I do not want to
buy
> at
> > >distance, by the problems of repairs while this in guarantee, either to
> buy
> > >used scanners, unless one says to me that the ICOM IC-R10 and the YAESU
> > >VR-500 aren't a good election).
> > >
> > >Thanks,
> > >

> > >Trondheim
> > >
> > >
> > >
> >
>
>

934. Re: Best HF rig under $700?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 23:30:19 UTC
From: Jim Leder <jleder@cinci.rr.com>
Message-ID: <2i7nhuo6jgv7uk69hqsgl9p2b414cnm5on@4ax.com>
Source record: 41945

Thanks to all who responded! There are lots of very good rigs to be had for under $700, it's just a matter of finding one you like. As I said in my original post, I really liked my old Kenwood 450sat. Well, I managed to find another in as good if not better shape for a killer price (local ham), so I bought it. Back on the air again! Thanks.

****
Jim Leder
Amateur radio operator K8CXM since 1961
Pictures of nice fish and nice QSL's
WEB Page: http://home.cinci.rr.com/jleder/
EMAIL: jleder@cinci.rr.com
****

935. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-27 23:50:26 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D1BA4FF.16DE4252@sc.rr.com>
Source record: 41946

Jim Weir wrote:
>
> Dwight Stewart wrote...
>
> > First of all, there are no retired Auxiliary
> > lieutenants, or any other similar rank.
>
> You are correct. I was a lieutenant (railroad
> tracks with a superimposed red "A", still gottem
> in my top bureau drawer) when I moved out of San
> Diego and had to resign. I'll use "former"
> instead of "retired" in my next post.

Auxiliary personnel wear insignia similar to military rank, but those are symbols of office or position held, not rank. In fact, the Auxiliary rules specifically prohibit any misrepresentation of rank or authority (Auxiliary Manual, pg 3-8, E3f). The two full bars with red "A" shows an appointment to a staff officer position either at the district level (ADSO or D-AD) or national level (BA, if worn with corresponding National Staff ID badge).

> Exactly so. However, within a given flotilla, at
> least in the Air Search And Rescue group, all
> pilots were given the butterbars rank of Ensign
> upon joining and then we progressed with time and
> duty experience. We had a complete command
> structure from the Flotilla Commander (4 year term,
> rank Cdr. as I recall) through ExO, TO, CO, and all
> the rest of it.

How long ago was this? Are you sure you're talking about the Auxiliary and not the active duty Coast Guard? I've been with the Auxiliary for almost fifteen years and am not aware of any of the things you mentioned. No Auxiliary member has been given military rank that I'm aware of. Personnel are given authority commonly associated with rank while engaged in certain situations for the Coast Guard, but that always ends when the situation ends (it is not permanent rank held).

Flotilla Commanders serve for a period of one year with a maximum of two consecutive terms followed by one year out of office (no limit on number of times repeated). I verified that using COMDTINST M16790.IE. A Flotilla Commander wears two bars with a silver "A" (the silver "A" represents an elected position versus the red "A" for appointed positions).

There are no ExO, TO, or CO, positions (see more below).

> I only taught it for the last 5 years I was in.
> I set up the airborne communications net for
> the patrol of the waters from San Diego to Newport.
> I guess I must have been dreaming it.

Jim, you must be thinking about the active duty Coast Guard instead of the civilian Auxiliary. There is a huge difference between the two. We, the Auxiliary, have a specialty course, called AUXCOM, that is based on Coast Guard communications training, but it is different in a number of ways (procedures, frequencies, etc). Of course, since we are able to serve watches at Coast Guard stations, that course must also contain proper Coast Guard procedure in addition to the slight variations associated with Auxiliary communications. The course is most often self taught (though some flotillas offer training classes), with a proctored final exam given by an active duty officer (commissioned or petty) or an AUXOP specifically appointed by the director.

> The stuff I had to work with had an anchor on it.
> I guess I was dreaming that, too. So also the
> portable stations we set up for the weekend stinkpot
> patrol on Soledad and Palomar.

I'm not suggesting that you're dreaming about anything, Jim. Only that one of us is somewhat confused about Auxiliary procedure and organization.

> > Third, there are no COs in the Auxiliary. We
> > have a command structure similar to the military,
> > but different in many ways.
>
> Oh, boy, do YOU have a lot to learn. Just because
> you little backwater flotilla is set up the way you
> understand it, don't tell the rest of the world that
> we are doing it wrong.

Jim, I'm basing my comments on the national Auxiliary manual (COMDTINST M16790.IE) and on my experience all the way through to the national level of the Auxiliary. The Auxiliary's "chain of leadership" is very different than the military's "chain of command." There are no Commanding Officers ("COs") in the Auxiliary. The closest thing to that is the active duty command structure when serving directly with the Coast Guard on patrols or at a fixed facility. However, the Auxiliary itself has no "command" structure, hence there cannot possibly be a "commanding officer" within the Auxiliary.

> In the first place, you said you were using your
> Yaesu on the marine band. The USCG does NOT have
> standing to use the marine band except under the
> rules set down by the FCC, which requires type-
> accepted equipment. (snip)

Jim, none of the Coast Guard's radio equipment is "type accepted" by the FCC. With activities directly associated with the Coast Guard, Auxiliary personnel fall under military regulations (just like the Coast

Guard does), not FCC regulations. And it is up to each Coast Guard district to regulate communications within that district. In District 13, the use of ham equipment by Auxiliary personnel is authorized, or at least it was when I was there (the Group Operations Center's Communications Officer in District 13 was an active ham, so he should have known what the rules were or are if he is still there). I'm not aware of the regulations here since I'm not directly involved with communications except for the very occasional patrol (my boat is not a facility here, so is not used for Coast Guard patrols here).

> In the second place, at least in the Southern
> California jurisdiction, any equipment used on
> the military frequencies had to be individually
> approved by (guess who) the Communications Officer
> of the flotilla or the region.

All that is covered in the basic Auxiliary manual. Auxiliary communications equipment used for Coast Guard communications must be inspected and approved before it is accepted as a facility, and that inspection is one by staff officers at the flotilla, division, or district level. That is nationwide policy, not just limited to Southern California.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

936. Re: MFJ1048

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 00:00:02 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <afg8u2$t4h$1@helle.btinternet.com>
Source record: 41947

Is this a guessing game. What is it ?

937. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 01:04:18 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <VLMbPcBEMXA6txZqQriguAA2PPZP@4ax.com>
Source record: 41848

"Richard Cassano" <rcassano@optonline.net> wrote:

>I have an "FCC Type Accepted" SGC-2000 Marine/Ham SSB. What makes this radio
>"Type Accepted" for HF Ham bands and why is the IC-706MK2G not Type accepted
>on marine frequencies?
>Background: The SGC-2000 is a terrible radio. I would like to replace it
>with the Icom 706, however, I need to have access to the marine frequencies
>so I can communicate with non-Ham marine stations. Can I do both with the
>706 and stay strictly legal? It would be best for me, financially, to buy
>one radio to do both marine and ham.

Wellllll, looking at my AES catalog, HF marine radios run about $1250 to $1900.
You can get a new 706 for $800-ish. It would seem you could get, say, the
Kenwood HF marine at $1250, and a 706mk2g, for about the same as your SGC cost,
or a little more.

You could also go to a VHF marine radio, and save a bundle over the HF jobs.
They're only a couple of hundred bucks.

Bob
k5qwg

>Richard Cassano, KC2ISG
>S/V Gray Eagle, Tashiba 40
>Oyster Bay, NY, USA
>
>

938. FS: Yaesu VX-5 + many accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 02:24:12 UTC
From: Mark Weiss <mweiss@socal.rr.com>
Message-ID: <75inhu42kbetfl05jarretcqpgmkiom2r1@4ax.com>
Source record: 41849

For Sale: Yaesu VX5-R Tri-Band (2 Meter, 6 Meter and 440 MHz bands)
handheld.

In like new condition + modified for MARS expanded transmit ï¿½ works
great.

Includes manual, original antennas, small backup antenna, lithium
battery, wall charger, rapid charger, computer interface and software.

Great condition.
.
$250.00 plus shipping from Southern California.

Mark, K6FG

k6fg@arrl.net

939. Looking for WW-II Aircraft Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 03:03:44 UTC
From: john price <jm.price@worldnet.att.net>
Message-ID: <3D1BD211.8F39D863@worldnet.att.net>
Source record: 41850
Cross-posted to: rec.aviation.owning,rec.radio.amateur.equipment,rec.radio.swap,rec.aviation.military

Hi all...

I'm trying to find the original radios and antenna
for my airplane (an Aeronca L3B "Grasshopper")...

The specific equipment I need is:

RCA AVT-112 Transmitter control unit
RCA AVT-15A Transmitter
RCA AVR-20 Receiver
RCA AVA-120 Trailing wire antenna
RCA AVA-126 Power supply
AG-40 Wind generator

The equipment in question might not have actually been manufactured
by RCA... I know that at least some of them were manufactured
by Continental Radio & Television Corp...

Any help would be appreciated

John Price
WA2FZW
CFII/AGI/IGI

940. FA: HEATHKIT HM-2102 VHF WATTMETER> WAY 2 CHEEP!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 03:12:58 UTC
From: rlucch2098@aol.com
Message-ID: <20020627231258.25477.00001675@mb-cd.aol.com>
Source record: 41851

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601707
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

941. FA: HEATHKIT HD-10 KEYER, real nice one too!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 03:16:43 UTC
From: rlucch2098@aol.com
Message-ID: <20020627231643.25477.00001676@mb-cd.aol.com>
Source record: 41852

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601710
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

942. fa; Mint Hallicrafters HA-26 VFO for 6/2 mtrs, Box, Manual Etc@$11

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 03:18:57 UTC
From: rlucch2098@aol.com
Message-ID: <20020627231857.25477.00001679@mb-cd.aol.com>
Source record: 41853

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601715
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

943. Re: Looking for WW-II Aircraft Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 04:00:20 UTC
From: Pete Brown <REMOVEpdb@gci.net>
Message-ID: <3D1BDF54.1050200@gci.net>
Source record: 41854
Cross-posted to: rec.aviation.owning,rec.radio.amateur.equipment,rec.radio.swap,rec.aviation.military

John:

\Try this guy: http://www.warbirdrelics.com/index.htm

he seems to have a lot of related stuff.

pete

john price wrote:

> Hi all...
>
> I'm trying to find the original radios and antenna
> for my airplane (an Aeronca L3B "Grasshopper")...
>
> The specific equipment I need is:
>
> RCA AVT-112 Transmitter control unit
> RCA AVT-15A Transmitter
> RCA AVR-20 Receiver
> RCA AVA-120 Trailing wire antenna
> RCA AVA-126 Power supply
> AG-40 Wind generator
>
> The equipment in question might not have actually been manufactured
> by RCA... I know that at least some of them were manufactured
> by Continental Radio & Television Corp...
>
> Any help would be appreciated
>
> John Price
> WA2FZW
> CFII/AGI/IGI
>

--

Reply to pdb@gci.net

Peter D. Brown
http://home.gci.net/~pdb/

944. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 06:24:39 UTC
From: Noel Glass <noel@171lowstreet.freeserve.co.uk>
Message-ID: <afgvetfqm1@news5.svr.pol.co.uk>
Source record: 41855
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

> Too bad the Yupi MVT 7100 isn't sold anywhere on-line :(

www.lowe.co.uk www.nevada.co.uk www.wsplc.com

you can still buy this scanner online in the UK.

945. Re: MFJ1048

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 06:53:45 UTC
From: Harry Flaxman <hflaxman@nospam.neb.rr.com>
Message-ID: <ZJTS8.28570$aE4.655548@twister.rdc-kc.rr.com>
Source record: 41856

By the way, my email address is hflaxman@neb.rr.com in case anyone doesn't have it available to read or can't figure out how to remove the nospam from my email address. heheheehe

"Harry Flaxman" <hflaxman@nospam.neb.rr.com> wrote in message news:s0JS8.26668$aE4.604385@twister.rdc-kc.rr.com...
> Looking to buy one of these. I see one on ebay, but curious if anyone on
> here has one.
>
> Harry
>
>
>

946. Re: MFJ1048

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 06:58:49 UTC
From: Harry Flaxman <hflaxman@nospam.neb.rr.com>
Message-ID: <JOTS8.28587$aE4.655638@twister.rdc-kc.rr.com>
Source record: 41857

Replied once, but I didn't see my post come up on the newsgroup, so here it is again, it's a 10 mode data controller for decoding SSTV FAX RTTY etc. directly from a receiver. It also has the ability to print these decoded things out, to a seperate printer.

Harry

"Reg Edwards" <g4fgq.regp@btinternet.com> wrote in message news:afg8u2$t4h$1@helle.btinternet.com...
> Is this a guessing game. What is it ?
>
>

947. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 07:00:44 UTC
From: "Guglielmo Marconi"
Message-ID: <3d1c095b$1_2@mk-nntp-1.news.uk.worldonline.com>
Source record: 41858
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

For any _REAL_ Radio Ham (This thread is, after all, SPAMMed into Ham Radio groups) the best hand-held scanner is the one that you design and make yourself.

948. Re: MFJ1048 Meant MFJ1278...sorry

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 07:11:41 UTC
From: Harry Flaxman <hflaxman@nospam.neb.rr.com>
Message-ID: <N_TS8.28626$aE4.656272@twister.rdc-kc.rr.com>
Source record: 41859

Hmm...Messed the model number up on this one. It's an MFJ1028 not a
MFJ1048. Wrong model, sorry folks...horse of a different color.

Harry
hflaxman@neb.rr.com

This one is an MFJ 1278 the 10 mode data controller. Finally, the right
model number and right item! hehehehe
"Harry Flaxman" <hflaxman@nospam.neb.rr.com> wrote in message
news:s0JS8.26668$aE4.604385@twister.rdc-kc.rr.com...
> Looking to buy one of these. I see one on ebay, but curious if anyone on
> here has one.
>
> Harry
>
>
>

949. MFJ 1278

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 07:13:22 UTC
From: Harry Flaxman <hflaxman@nospam.neb.rr.com>
Message-ID: <m0US8.28632$aE4.656305@twister.rdc-kc.rr.com>
Source record: 41860

Does anyone have an MFJ1278 (Preferably B) data mode controller for sale.
Finally fixed my previous post. Sorry folks, got model numbers mixed up.
Knew what I wanted though!! hehehehe

Harry
hflaxman@neb.rr.com

950. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 10:15:13 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <afhcvh$5ef$1@venus.btinternet.com>
Source record: 41861

```
> . . . . and why is the IC-706MK2G not Type accepted
> on marine frequencies?
==================================

Nobody has yet asked them to accept it, or they just havn't found time to
sign the papers.
```

951. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 10:24:48 UTC
From: DrBoris <drborisnoyuckymeat@ntlworld.com>
Message-ID: <WMWS8.6315$l6.1698274@newsfep2-win.server.ntli.net>
Source record: 41862
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

Guglielmo Marconi <@> wrote in message
news:3d1c095b$1_2@mk-nntp-1.news.uk.worldonline.com...
> For any _REAL_ Radio Ham (This thread is, after
> all, SPAMMed into Ham Radio groups) the best
> hand-held scanner is the one that you design and
> make yourself.
>
>
What a stupid comment. How many people do you know who
have designed and built a multimode scanner running from
LF to microwaves? (I bet you haven't). Go and put on another
sock puppet Mr. Radio Ham.

952. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 10:45:45 UTC
From: dan obrien <brianobrien@eircom.net>
Message-ID: <fbXS8.55$i5.2972@news.indigo.ie>
Source record: 41863
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

Check out www.thiecom.de for online sales. Site is mainly in German
language. Prices 20-30% less than UK. I'm not connected, just a satisfied
customer. I just bought a Yupi 7100 from them for 314 euros including
delivery to Ireland - I think that's a pretty good deal.
One snag - they dont take credit cards outside Germany - u can order online
but u need to pay by post or cash on delivery.

Brian

"Trondheim" <you@you.com> wrote in message
news:vGHS8.478638$s6.3468647@telenews.teleline.es...
> Many thanks to all people who have helped me in the election of an
handheld
> scanner.
>
> I understand that scanner that better one adapts to my necessities is the
> YUPITERU MVT-7100, thanks for the recommendations, and specially to who
> (sorry I forgot his name) gave me the url http://www.strongsignals.net for
> the reviews of some of the diverse existing models in the market.
>
> Greetings,
>
> Trondheim ;-)
>
> "Trondheim" <937275212@terra.es> escribi&#65533; en el mensaje
> news:AZfS8.415130$s6.2964564@telenews.teleline.es...
> > What is the best handheld scanner?
> > ICOM IC-R10 or YAESU VR-500, without considering the king of the hand
> > scanners the AOR AR8200 (but with the problems of short autonomy of his
> > batteries and his expensive price).
> >
> > I want to scanner all mode (AM, N/FM, SSB & CW), handheld, that cover
> > frequencies between 0,5 MHz and 1300 MHz minimum, and that has a good
> > selectivity and sensitivity, these two models that I expose are the firm
> > candidates, and only models that sell where I live (I do not want to buy
> at
> > distance, by the problems of repairs while this in guarantee, either to
> buy
> > used scanners, unless one says to me that the ICOM IC-R10 and the YAESU
> > VR-500 aren't a good election).
> >
> > Thanks,
> >

> > Trondheim
> >
> >
> >
> >
>
>

953. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 12:11:28 UTC
From: "TX & RX News"
Message-ID: <3d1c5215$1_2@mk-nntp-1.news.uk.worldonline.com>
Source record: 41864
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

I see that THE GOOD DOCTOR's infantile
temper tantrum because he persistently makes himself
look a complete fool (doesn't require help from us!)
continues.

STUPID Boy.

I was thinking of approaching Nottingham University for
a job reference for you. Would they be surprised to hear that
you're thinking of leaving?

DrBoris <drborisnoyuckymeat@ntlworld.com> wrote in message
news:WMWS8.6315$l6.1698274@newsfep2-win.server.ntli.net...
>
> Guglielmo Marconi <@> wrote in message
> news:3d1c095b$1_2@mk-nntp-1.news.uk.worldonline.com...
> > For any _REAL_ Radio Ham (This thread is, after
> > all, SPAMMed into Ham Radio groups) the best
> > hand-held scanner is the one that you design and
> > make yourself.
> >
> >
> What a stupid comment. How many people do you know who
> have designed and built a multimode scanner running from
> LF to microwaves? (I bet you haven't). Go and put on another
> sock puppet Mr. Radio Ham.
>
>

954. Alinco DX-70T Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 16:21:20 UTC
From: Rick Smith <ricksmith105@hotmail.com>
Message-ID: <afi2c9$4na$1@dagobah.blueriver.net>
Source record: 41866

Hello, I am having problems with a DX-70T from Alinco that I own. This problem is in regards to not having audio output while having a continuous blinkiing problem that consists of about 2 or 3 blinks per second. This condition persists despite my attempts to reset the rig back to factory defaults and to elminate the memories programmed in. The rest of the LCD is lighted as usual and every other button works on the rig. However, I am not getting any audio from the rig while the squelch is totally off which should result in some audio. Also, the frequency is constantly blinking during this time and does not stop even once for regular operation. Wondering if anyone knows what this problem is and if there is anything I can do to the rig to fix it. Thanks for your assistance.

955. ? about CATV Hardline

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 16:21:29 UTC
From: w4mjr@comcast.net
Message-ID: <d20T8.428385$Gs.31637210@bin5.nnrp.aus1.giganews.com>
Source record: 41865

I have almost a full roll of CATV Hardline. I was thinking of replacing my old coax with this if it can be used. This is the info thats on the roll.
Times Fiber Communication,Inc
Reel No. C86
Type: T650
Footage: 2000

It looks to be 3/4 in dia. and the outer jacket is aluminum with copper-clad aluminum inner conductor .
I hate not to us this if it can be put to good Amateur use. Have any of you used this stuff before ?

956. Re: ? about CATV Hardline

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 17:32:13 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uhp7epb5t1no0c@corp.supernews.com>
Source record: 41867

That's 70 Ohm, but will work. The slight impedance mismatch, won't really hurt, because theres very little loss.

--
Web Site: www.polkcounty.org/radiofun

<w4mjr@comcast.net> wrote in message news:d20T8.428385$Gs.31637210@bin5.nnrp.aus1.giganews.com...
> I have almost a full roll of CATV Hardline. I was thinking of replacing my
> old coax with this if it can be used. This is the info thats on the roll.
> Times Fiber Communication,Inc
> Reel No. C86
> Type: T650
> Footage: 2000
>
> It looks to be 3/4 in dia. and the outer jacket is aluminum with copper-clad
> aluminum inner conductor .
> I hate not to us this if it can be put to good Amateur use. Have any of you
> used this stuff before ?
>
>
>

957. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 17:39:32 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <pk7phus02cgqqb5nsgrt7m8hp44p5skqcg@4ax.com>
Source record: 41868

The 706 series can not be " Type Accepted " for the Marine Radio Service. It does not meet the technical standards set forth in Part 80 to end rules which the Marine radio service falls under. You will find most if not all amateur HF and VHF transceivers do not meet Part 80 to end technical standards. Much is due to VFO control where Marine equipment is channelized. There is no slipping up ro down a few kiz to get rid of interference under the Marine Rules like we can as amateurs.

Gary K8IZ

On Fri, 28 Jun 2002 10:15:13 +0000 (UTC), "Reg Edwards" <g4fgq.regp@btinternet.com> wrote:

>> . . . . and why is the IC-706MK2G not Type accepted
>> on marine frequencies?
>==========
>
>Nobody has yet asked them to accept it, or they just havn't found time to
>sign the papers.
>

958. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 17:41:30 UTC
From: Zoran Brlecic <WA7AA@attbi.com>
Message-ID: <3D1C9FC7.138A72BB@attbi.com>
Source record: 41869

KU4YP wrote:

> >Who says they (FCC) are? They don't give a shit, but I don't see a reason to
> >add to
> >the zoo by proliferating ham radio rigs modified for CB. Not that I care
> >about CB
> >but I don't like giving CB-ers rigs capable of transmitting on our bands.
>
> being capable of transmitting on our bands, huh. a woman is capable of being
> a prostitute, dosen't make her one, now does it?

The problem is not in the majority of CB-ers who, I assume, adhere to their license restrictions. The problem is in the few who abuse their licenses by operating outside of the band, which means operating in the middle of our 10 m band and lately even the 12 m!
Allowing imports of CB rigs with extended frequency coverage is a big mistake. All I am trying to say is that we hams do not have to add to that mistake by selling our own all HF coverage transceivers to CB-ers and potential CB-ers.

> ... for the life of me, i can't see
> why people would spend SO much time and energy on this. we have rules and a
> governing body that is supposed to enforce the rules.

Keyword is "supposed". Cases like Flippo are an exception, rather than the rule.

> i don't like people using
> 100 watts on 11 meter sideband either, but it is the lesser of two evils. at
> least that keeps them off of the cw portion of 10 meters. most of the time :-)

I couldn't care less how many megawatts they use on 27 MHz, but once they have access to anything above 28.000 and below 24.990 that's when it becomes my concern.

73 ... Zoran WA7AA

959. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 18:11:55 UTC
From: Jim Weir <jim@rst-engr.com>
Message-ID: <p88phushuf4osp43m46cpa3bn2ne3mfhn4@4ax.com>
Source record: 41870

Dwight Stewart <stewart@sc.rr.com>
shared these priceless pearls of wisdom:

-
->
-> Auxiliary personnel wear insignia similar to military rank, but those
->are symbols of office or position held, not rank.

I'm not going to debate semantics between postion held (which implies some sort of authority) and rank. Perhaps the purists will want a distinction.

->
-> How long ago was this?

1967 through 1981.

Are you sure you're talking about the Auxiliary
->and not the active duty Coast Guard?

Oh, sure, I have no idea whether I was flying my own aircraft on search and rescue on the weekends or being paid a salary to wear a brown suit every day for four years. Come on.

I've been with the Auxiliary for
->almost fifteen years and am not aware of any of the things you
->mentioned.

Things may have changed in the ensuing 20 years. That doesn't make them any less real when they happened.

->aware of. Personnel are given authority commonly associated with rank
->while engaged in certain situations for the Coast Guard, but that always
->ends when the situation ends (it is not permanent rank held).

So we have authority associated with rank, temporary rank, and permanent rank. If it walk like a duck, quacks like a duck...

->
-> Flotilla Commanders serve for a period of one year with a maximum of
->two consecutive terms followed by one year out of office

It was either a two or three year term, and as I recall (never having held the post myself) it was butterleaf with a red superimposed "A".

-> There are no ExO, TO, or CO, positions (see more below).

Having served for two one-year stints as the ExO and five years as the CO, I respectfully disagree.

-> Jim, you must be thinking about the active duty Coast Guard instead of
->the civilian Auxiliary. There is a huge difference between the two.

No kidding. Who the hell you think you are talking to here, sonny? You think a 15 year chunk of my volunteer life just vanishes?

We,
->the Auxiliary,

That's the royal imperative We, of course. You'd do well on the Queen's staff.

>> have a specialty course, called AUXCOM,

Our Air Flotilla had no formal procedure as we were (to the best of my knowledge) either the only, or one of the very few, aircraft-only flotillas in the country. We were writing the manual as we went. My job was to travel around Southern California teaching the methods and procedures for communications between the Auxiliary water fleet and the Auxiliary air fleet. Beings as that most communications of the day (early '70s) was still with radios that glowed in the dark, that was a nontrivial task.

->
-> I'm not suggesting that you're dreaming about anything, Jim. Only that
->one of us is somewhat confused about Auxiliary procedure and organization.

Boy, ain't THAT the truth of it.

->
-> Jim, I'm basing my comments on the national Auxiliary manual
->(COMDTINST M16790.IE) and on my experience all the way through to the
->national level of the Auxiliary. The Auxiliary's "chain of leadership"
->is very different than the military's "chain of command." There are no
->Commanding Officers ("COs") in the Auxiliary.

Here we go again with semantics. All I can tell you was that back in the stone ages the leader of a flotilla was called the Commanding Officer. What you do today may be different.

->
-> Jim, none of the Coast Guard's radio equipment is "type accepted" by
->the FCC.

I'm not willing to fly 600 miles back and pull a radio out of the rack to prove or disprove that contention. However, I will state that somewhere in the process, the company that designed that radio got some form of FCC acceptance/approval, whether or not it went through CGHQ and thence to the FCC, or directly from the manufacturer.

In District
->13, the use of ham equipment by Auxiliary personnel is authorized, or at
->least it was when I was there (the Group Operations Center's
->Communications Officer in District 13 was an active ham, so he should
->have known what the rules were or are if he is still there).

I doubt sincerely that any competent engineer or technical person would give blanket approval for ANY ham gear to be used on the marine band without SOME sort of testing stamp on the back plate. Either that or a list of acceptable models that had gone through some sort of evaluation.

Auxiliary
->communications equipment used for Coast Guard communications must be
->inspected and approved before it is accepted as a facility, and that
->inspection is one by staff officers at the flotilla, division, or
->district level.

And we wouldn't call that flotilla staff officer that inspects the communications gear the...Communications Officer...would we? Heaven forfend.

Jim

Jim Weir, VP Eng. RST Eng. WX6RST
A&P, CFI, and other good alphabet soup

960. Re: ? about CATV Hardline

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 18:14:11 UTC
From: Ronald Oberloh <wa0kds@yahoo.com>
Message-ID: <3D1CA771.6FDC8AAB@yahoo.com>
Source record: 41871

All I ever use is CATV cable for every antenna I put up. Yes is it 75 ohms but really not a problem with Ham 50 ohms antenna or radios. Gilbert Engineering in Phx., AZ makes connectors for all CATV cable and has for years give them a call if you need connectors or usually you can made N or UHF work with a little engineering. .

Ron WA0KDS

radiofun wrote:

> That's 70 Ohm, but will work. The slight impedance mismatch, won't really
> hurt, because theres very little loss.
>
> --
> Web Site: www.polkcounty.org/radiofun
>
> <w4mjr@comcast.net> wrote in message
> news:d20T8.428385$Gs.31637210@bin5.nnrp.aus1.giganews.com...
> > I have almost a full roll of CATV Hardline. I was thinking of replacing
> my
> > old coax with this if it can be used. This is the info thats on the roll.
> > Times Fiber Communication,Inc
> > Reel No. C86
> > Type: T650
> > Footage: 2000
> >
> > It looks to be 3/4 in dia. and the outer jacket is aluminum with
> copper-clad
> > aluminum inner conductor .
> > I hate not to us this if it can be put to good Amateur use. Have any of
> you
> > used this stuff before ?
> >
> >
> >

961. FS Alinco DJ 120 2 meter HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 18:21:12 UTC
From: Mike Kulyk <mkulyk@optonline.net>
Message-ID: <WL1T8.48407$5M2.2018535@news4.srv.hcvlny.cv.net>
Source record: 41872
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap

I have a non working Alinco DJ120 HT. Comes with Nicad Battery. The retaining clip that holds the battery is broken. And the radio is DOA. I do not have the antenna or charger. Comes with operation manual. This radio does have Alinco PL deck set via the DIP switches on the back.

$30 shipped free in the CONUS

Mike WB2GLW

962. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 18:21:53 UTC
From: Jim Weir <jim@rst-engr.com>
Message-ID: <83aphu0mfc172b7uadf9a231g18oakje45@4ax.com>
Source record: 41873

Reg --

It isn't a matter of "signing the papers". Lord don't I wish it so. I've been the signatory engineer on about two dozen TAs, and each one of them has been like pulling teeth back in Washington. (FCC Laurel Labs, specifically.) The tests aren't too bad (about a week for a typical VHF transceiver, by the time you set the antenna pattern range up, get the generator running again, and all that stuff), but the interminable wait from the Laurel Puzzle Palace is a royal pain in the labonza.

(Thanks for your help on understanding the rough theory behind a thin tape antenna's bandwidth, btw.)

Jim

"Reg Edwards" <g4fgq.regp@btinternet.com>
shared these priceless pearls of wisdom:

->> . . . . and why is the IC-706MK2G not Type accepted
->> on marine frequencies?
->==========
->
->Nobody has yet asked them to accept it, or they just havn't found time to
->sign the papers.
->

Jim Weir, VP Eng. RST Eng. WX6RST
A&P, CFI, and other good alphabet soup

963. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 18:59:08 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uhpch4jqkcg4cd@corp.supernews.com>
Source record: 41874

> However, I will state that somewhere in the
> process, the company that designed that radio got some form of FCC
> acceptance/approval, whether or not it went through CGHQ and
> thence to the FCC, or directly from the manufacturer.
>

I know nothing about the auxiliary but having spent over 30 years working for the U.S. Government, I can tell you that in that time no Federal agency has to go through or get approval from the FCC. The Federal Government falls under the authority of the National Telecommunications and Information Administration (NTIA), a part of the Dept of Commerce. NTIA assigns the frequencies and sets the standards for the Federal Government in the same manner that the FCC does for everyone else in the U.S.

964. FS: Realistic short wave receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 19:39:14 UTC
From: zappa fan <nospamipolper@sympatico.ca>
Message-ID: <3D1CBB61.C2923D0F@sympatico.ca>
Source record: 41875

Realistic DX-360 DX 360 Short wave receiver
Item # 1363093142

http://cgi.ebay.ca/ws/eBayISAPI.dll?ViewItem&item=1363093142

965. Re: Alinco DX-70T Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 21:35:25 UTC
From: Steve Bossert <kc2gog@amsat.org>
Message-ID: <wE4T8.49254$5M2.2077211@news4.srv.hcvlny.cv.net>
Source record: 41876

it sounds like the PLL has unlocked. what frequency is the radio on?

have any "extended" mods been performed?

"Rick Smith" <ricksmith105@hotmail.com> wrote in message
news:afi2c9$4na$1@dagobah.blueriver.net...
> Hello, I am having problems with a DX-70T from Alinco that I own. This
> problem is in regards to not having audio output while having a continuous
> blinkiing problem that consists of about 2 or 3 blinks per second. This
> condition persists despite my attempts to reset the rig back to factory
> defaults and to elminate the memories programmed in. The rest of the LCD
is
> lighted as usual and every other button works on the rig. However, I am
not
> getting any audio from the rig while the squelch is totally off which
should
> result in some audio. Also, the frequency is constantly blinking during
this
> time and does not stop even once for regular operation. Wondering if
anyone
> knows what this problem is and if there is anything I can do to the rig to
> fix it. Thanks for your assistance.
>
>

966. Re: FS Icom 4SAT 450-470mhz w/BP90 alkaline pack.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 21:42:46 UTC
From: 800mhz <pottsladd13@yahoo.com>
Message-ID: <qL4T8.66451$UT.4557632@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41877
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

Unit is sold.
thnx

967. Re: Alinco DX-70T Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 21:57:09 UTC
From: Rick Smith <ricksmith105@hotmail.com>
Message-ID: <afim1u$5ni$1@dagobah.blueriver.net>
Source record: 41878

No mods. Just been sitting in a box after being bought brand new a couple of years ago. Just the plain stock radio sitting in a box in the closet with no dust, environmental problems or anything else.
I was trying to turn it on and listen on 40 meters but just keeps on blinking on frequency display.

"Steve Bossert" <kc2gog@amsat.org> wrote in message news:wE4T8.49254$5M2.2077211@news4.srv.hcvlny.cv.net...
> it sounds like the PLL has unlocked. what frequency is the radio on?
>
> have any "extended" mods been performed?
>
>
> "Rick Smith" <ricksmith105@hotmail.com> wrote in message
> news:afi2c9$4na$1@dagobah.blueriver.net...
> > Hello, I am having problems with a DX-70T from Alinco that I own. This
> > problem is in regards to not having audio output while having a continuous
> > blinkiing problem that consists of about 2 or 3 blinks per second. This
> > condition persists despite my attempts to reset the rig back to factory
> > defaults and to elminate the memories programmed in. The rest of the LCD is
> > lighted as usual and every other button works on the rig. However, I am not
> > getting any audio from the rig while the squelch is totally off which should
> > result in some audio. Also, the frequency is constantly blinking during this
> > time and does not stop even once for regular operation. Wondering if anyone
> > knows what this problem is and if there is anything I can do to the rig to
> > fix it. Thanks for your assistance.
> >
> >
>
>

968. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 22:44:57 UTC
From: wiml@underhill.hhhh.org
Message-ID: <afiot9$qe4$1@underhill.hhhh.org>
Source record: 41828
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

In article <3D1AAA51.F64E16C7@sc.rr.com>,
Dwight Stewart <stewart@sc.rr.com> wrote:
>Tom W8JI wrote:
>> I have several dozen three prong and four
>> prong vibrators in a bunch of new old stock
>> tubes and parts I acquired from a local TV shop.
>>
>> If anyone needs one, let me know.
>
> Vibrators, like you're talking about, is an interesting thing to
>mention in a thread about XYLs that won't warm up. Think about it. Or is
>it just my mind in the gutter again?

You're not the only one. But I'm having a hard time imagining the
circuit topology to use with a 4-prong vibrator. Maybe I've just led
a sheltered life.

--
Wim Lewis <wiml@hhhh.org>, Seattle, WA, USA. PGP keyID 27F772C1

969. Re: Alinco DX-70T Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 22:49:24 UTC
From: Harry <hgk@centurytel.net>
Message-ID: <3D1CE7F4.5578F45D@centurytel.net>
Source record: 41879

I've seen something similar, it was 1 of the plugs on the removeable
faceplate had worked loose. Push the plugs down hard on both the face
plate and the radio body.
Good luck
Harry

Rick Smith wrote:
>
> Hello, I am having problems with a DX-70T from Alinco that I own. This
> problem is in regards to not having audio output while having a continuous
> blinkiing problem that consists of about 2 or 3 blinks per second. This
> condition persists despite my attempts to reset the rig back to factory
> defaults and to elminate the memories programmed in. The rest of the LCD is
> lighted as usual and every other button works on the rig. However, I am not
> getting any audio from the rig while the squelch is totally off which should
> result in some audio. Also, the frequency is constantly blinking during this
> time and does not stop even once for regular operation. Wondering if anyone
> knows what this problem is and if there is anything I can do to the rig to
> fix it. Thanks for your assistance.

970. Looking for info: Communitronics WWV receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 23:18:07 UTC
From: Matt in SF <mbw725@-zer0spam-hotmail.com>
Message-ID: <3D1CEEAF.2E4D1873@-zer0spam-hotmail.com>
Source record: 41880
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Hi folks -

I recently acquired a rackmount WWV Rx unit with no power cable (proprietary), no manual, and no idea how to get it up and running :-) Does anyone have any info on this unit (model 6011)? Just trying to find out what kind of power requirements it has and info on some of the more cryptic controls and inputs/outputs. Please reply in group, or mail me without the -zerospam- bit.
Thanks!

-Matt in SF, CA

971. Re: Alinco DX-70T Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-28 23:22:19 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d1cefab$0$1430$2c3e98f8@news.voyager.net>
Source record: 41881

"Rick Smith" <ricksmith105@hotmail.com> wrote in
news:afim1u$5ni$1@dagobah.blueriver.net:

> No mods. Just been sitting in a box after being bought brand new a
> couple of years ago. Just the plain stock radio sitting in a box in the
> closet with no dust, environmental problems or anything else.
> I was trying to turn it on and listen on 40 meters but just keeps on
> blinking on frequency display.
>
> "Steve Bossert" <kc2gog@amsat.org> wrote in message
> news:wE4T8.49254$5M2.2077211@news4.srv.hcvlny.cv.net...
>> it sounds like the PLL has unlocked. what frequency is the radio on?
>>
>> have any "extended" mods been performed?
>>
>>
>> "Rick Smith" <ricksmith105@hotmail.com> wrote in message
>> news:afi2c9$4na$1@dagobah.blueriver.net...
>> > Hello, I am having problems with a DX-70T from Alinco that I own.
>> > This problem is in regards to not having audio output while having a
>> > continuous blinkiing problem that consists of about 2 or 3 blinks
>> > per second. This condition persists despite my attempts to reset the
>> > rig back to factory defaults and to elminate the memories programmed
>> > in. The rest of the LCD is lighted as usual and every other button
>> > works on the rig. However, I am not getting any audio from the rig
>> > while the squelch is totally off which should result in some audio.
>> > Also, the frequency is constantly blinking during this time and does
>> > not stop even once for regular operation. Wondering if anyone knows
>> > what this problem is and if there is anything I can do to the rig to
>> > fix it. Thanks for your assistance.
>> >
>> >
>>
>>
>
>
>

Last radio I had that just blinked the display, was because the unit was
powered up with the microphone keyed. Hope it helps.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

972. Re: Kenwood ts-180 and 11 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 00:50:12 UTC
From: ku4yp@aol.comzz
Message-ID: <20020628205012.23258.00001347@mb-co.aol.com>
Source record: 41882

agree to dis-agree

73 mike
73 de KU4YP
Mike Prevatt
Willow Oak, Florida

973. Paint that matches finish on Hallicrafters S-38C? Help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 00:57:24 UTC
From: msenecal1@juno.com
Message-ID: <62bf14a6.0206281657.4ac8caa2@posting.google.com>
Source record: 41883
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.antiques.radio+phono

Does anyone know of a paint that matches the silvery-gray finish on an
S-38C in both color and texture?

974. Re: Paint that matches finish on Hallicrafters S-38C? Help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 01:56:33 UTC
From: w9gb <gregory.beat@attbi.com>
Message-ID: <lt8T8.190399$nZ3.92382@rwcrnsc53>
Source record: 41884
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.antiques.radio+phono

Look at the NC Total Electronics paint selection

Mike Shelton has a number of paint colors

http://www.nctotalelectronics.com/

HALLICRAFTERS PAINTS
#301(*) Do not touch up. Paint entire top of panel. Due to age, quality
control and silver paints previously used.
#302 HT Gray (*) This is the lighter gray. Some HT-32&'S, 37'S have a darker
gray. While ours is the correct gray, it may not match your particular
model.
Hallicrafters had quite a variation of this gray over the years. As compared
from
the field, we took the best of the best and matched it. Ours matches the
majority.

"Matt Senecal" <msenecal1@juno.com> wrote in message
news:62bf14a6.0206281657.4ac8caa2@posting.google.com...
> Does anyone know of a paint that matches the silvery-gray finish on an
> S-38C in both color and texture?

975. Re: Alinco DX-70T Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 02:04:02 UTC
From: Rick Smith <ricksmith105@hotmail.com>
Message-ID: <afj4gs$77i$1@dagobah.blueriver.net>
Source record: 41885

Thanks for the info. I found that it was loose like you said it was! I pushed back down on the removeable plug and back into the faceplate so it ended up working like you said. You were correct sir. I believe I owe you a big juicy steak dinner!!! Thanks again!!

"Harry" <hgk@centurytel.net> wrote in message news:3D1CE7F4.5578F45D@centurytel.net...
> I've seen something similar, it was 1 of the plugs on the removeable
> faceplate had worked loose. Push the plugs down hard on both the face
> plate and the radio body.
> Good luck
> Harry
>
> Rick Smith wrote:
> >
> > Hello, I am having problems with a DX-70T from Alinco that I own. This
> > problem is in regards to not having audio output while having a continuous
> > blinkiing problem that consists of about 2 or 3 blinks per second. This
> > condition persists despite my attempts to reset the rig back to factory
> > defaults and to elminate the memories programmed in. The rest of the LCD is
> > lighted as usual and every other button works on the rig. However, I am not
> > getting any audio from the rig while the squelch is totally off which should
> > result in some audio. Also, the frequency is constantly blinking during this
> > time and does not stop even once for regular operation. Wondering if anyone
> > knows what this problem is and if there is anything I can do to the rig to
> > fix it. Thanks for your assistance.

976. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 02:26:48 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D1D1B36.55266621@sc.rr.com>
Source record: 41886

Jim Weir wrote:
>
> I'm not going to debate semantics between
> postion held (which implies some sort
> of authority) and rank. Perhaps the purists
> will want a distinction.

It's not just a matter of semantics, Jim. It is against Coast Guard regulations to misrepresentation of rank or authority. While we are strongly associated with the Coast Guard, and wear insignia very similar to the military rank of officers, we are not commissioned officers and therefore cannot just assume military rank or titles.

By the way, this topic was hotly debated within the Auxiliary recently. Many pointed out that the present system (titles associated with position held) does not serve well for written correspondence or for past officers not presently holding office (hence, no present position title). Most agreed that if military sounding titles are adopted, they should clearly different - such as "Auxiliary Captain" instead of just "Captain." However, no consensus of opinion was reached, so no action is planned relating to this.

> 1967 through 1981.

Well, after reading your messages, all I can say is that things have sure changed in a short amount of time. You would hardly recognize the Auxiliary today. Our status, missions, and roles were dramatically expanded following two bills passed by Congress in the 1990's (1994 & 1996). Today, the relationship between the Auxiliary and regular Coast Guard is getting much tighter. Auxiliary personnel today can do just about anything active duty Coasties do (except direct law enforcement and direct military actions, but even those restrictions are less today). Some Coast Guard jobs have been turned over entirely to the Auxiliary. The 9-11 tragedy caused still further changes, offering Auxiliary personnel more duties and responsibilities (to free up active duty personnel for homeland defense activities). Membership at the entrance level is now much easier (everyone is invited to join), while membership at the more senior levels is more restrictive (background checks and security clearances are now required for most senior positions, for example).

You should think about joining again, Jim. You might like the Auxiliary today. Anyway, take care.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

977. Re: Paint that matches finish on Hallicrafters S-38C? Help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 03:35:40 UTC
From: Orangeaide <protocaloport8@aol.com>
Message-ID: <gW9T8.949$uT4.438@newsread1.prod.itd.earthlink.net>
Source record: 41887
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.antiques.radio+phono

If you take the top to the local Home Depot
they may be able to scan the color and mix you
a can of near-matching paint. They have a new
machine that scans the color of an original
then computes what mix of pigments to use
to duplicate the same. One other caution, it is
very possible that the paint used on your
Hallicrafters is lead based. You may want to
take precautions if you were to remove the
old paint from breathing in the dust etc...

"Matt Senecal" <msenecal1@juno.com> wrote in message
news:62bf14a6.0206281657.4ac8caa2@posting.google.com...
> Does anyone know of a paint that matches the silvery-gray finish on an
> S-38C in both color and texture?
>

978. Wanted: Sotware for ICOM T-81E

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 06:27:30 UTC
From: heidemann <heidemann.rolf@t-online.de>
Message-ID: <afjjta$7sh$02$1@news.t-online.com>
Source record: 41888

Vy73 Rolf
heidemann.rolf@t-online.de

979. Kits or books on building valve am receivers?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 09:20:54 UTC
From: Moufang Loop <Moufang.Loop@btinternet.com>
Message-ID: <3D1D7C19.5FBE9D0A@btinternet.com>
Source record: 41889

I wish to build valve receivers for short, medium or long wave am. Can anyone recommend kits or books. Parts should be available in the UK.

TIA

ML

980. FS 2 meter amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 09:42:11 UTC
From: rob34 <rob34@infinet.com>
Message-ID: <3d1e2942$0$1424$4c5ecdc7@news.erinet.com>
Source record: 41803

I have a Radio Shack HTA 20 FM amplifier with preamp. It is rated for 30 watts out and can be driven with up to 5 watts. It`s a nice little amp, I just don`t have use for it anymore. Please make an offer! Rob

981. FA: Multi-Elmac AF-67 ends Sat

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 10:36:16 UTC
From: Tom N&#65533;JMY - AAR7FV <tfarl@IowaTelecom.net>
Message-ID: <afk2jh$h5e$1@ins22.netins.net>
Source record: 41890
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Ends 1823 Zulu - 11:23 A.M. PDT - Saturday

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1361880243

From an estate, this Multi-Elmac transmitter was apparently partially
disassembled with the intention of restoring it.

The face plate and front panel is quite good, it appears to have fresh
hammertone paint.

Thanks for looking,
Tom

982. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 11:29:51 UTC
From: Trondheim <937275212@terra.es>
Message-ID: <PSgT8.28616$BK6.252934@telenews.teleline.es>
Source record: 41891
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

Thank you very much my friend, it's true, in www.thiecom.de, the YUPITERU MVT-7100 is cheaper than other sites, 298 ? without delivery.

I have found another site more cheap, in an Australian store: http://e5.eon.net.au/E5.cgi?ST=syncro&CMD=Category&Category=Scanners&Company=Yupiteru
282,15 ? (without delivery), but I prefer to buy it here in Europe, so possibly I buy it in www.thiecom.de, for only 16 ? plus ;-)

I do not have sure is if the repairs within the guarantee period, can be also carried out in our own country, having bought scanner in Germany.

Many Thanks,

Trondheim

"dan obrien" <brianobrien@eircom.net> escribi&#65533; en el mensaje news:fbXS8.55$i5.2972@news.indigo.ie...
> Check out www.thiecom.de for online sales. Site is mainly in German
> language. Prices 20-30% less than UK. I'm not connected, just a satisfied
> customer. I just bought a Yupi 7100 from them for 314 euros including
> delivery to Ireland - I think that's a pretty good deal.
> One snag - they dont take credit cards outside Germany - u can order online
> but u need to pay by post or cash on delivery.
>
> Brian
>
> "Trondheim" <you@you.com> wrote in message
> news:vGHS8.478638$s6.3468647@telenews.teleline.es...
> > Many thanks to all people who have helped me in the election of an
> handheld
> > scanner.
> >
> > I understand that scanner that better one adapts to my necessities is the
> > YUPITERU MVT-7100, thanks for the recommendations, and specially to who
> > (sorry I forgot his name) gave me the url http://www.strongsignals.net for
> > the reviews of some of the diverse existing models in the market.
> >
> > Greetings,
> >
> > Trondheim ;-)

> >
> > "Trondheim" <937275212@terra.es> escribi&#65533; en el mensaje
> > news:AZfS8.415130$s6.2964564@telenews.teleline.es...
> > > What is the best handheld scanner?
> > > ICOM IC-R10 or YAESU VR-500, without considering the king of the hand
> > > scanners the AOR AR8200 (but with the problems of short autonomy of
his
> > > batteries and his expensive price).
> > >
> > > I want to scanner all mode (AM, N/FM, SSB & CW), handheld, that cover
> > > frequencies between 0,5 MHz and 1300 MHz minimum, and that has a good
> > > selectivity and sensitivity, these two models that I expose are the
firm
> > > candidates, and only models that sell where I live (I do not want to
buy
> > at
> > > distance, by the problems of repairs while this in guarantee, either
to
> > buy
> > > used scanners, unless one says to me that the ICOM IC-R10 and the
YAESU
> > > VR-500 aren't a good election).
> > >
> > > Thanks,
> > >
> > > Trondheim
> > >
> > >
> > >
> > >
> >
> >
>
>

983. TS870 help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 11:35:45 UTC
From: digi <dave@mw0dai.fsnet.co.uk>
Message-ID: <afk6a7nae1@newsg2.svr.pol.co.uk>
Source record: 41892

hi thanks for reading

i have just bought a new ts870 ,my problem is
i cant get the comport to work on this rig,
i have tried many log prgs and ts870 eco and ts870 freq control , with every
=combination of menu56
and comport setting for the pc and software..

any hints as to try next would be much apreciated :o))

dave mw0dai

984. Ts870 help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 11:38:37 UTC
From: digi <dave@mw0dai.fsnet.co.uk>
Message-ID: <afk6dgtsu1@newsg1.svr.pol.co.uk>
Source record: 41893

hi
my problem is i cant get the comport to work on this radio
i have tried every combination i can think of with menu56
and also the software on the pc configs as well.

i have tried logger software and ts870eco ts870 freq control, but nothing
seems to work !!

any help on this subject would be much apreciated

dave mw0dai

985. Re: Kits or books on building valve am receivers?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 11:53:59 UTC
From: Richard <translations@qdnet.pl>
Message-ID: <afk74m$1ch$1@news.tpi.pl>
Source record: 41894

You are probably best off looking for some old beginners radio books or old copies of PW, these would have simple circuit diagrams for the beginner. But then you will have to built a HT supply for the valve(s) - about 90v as you cannot buy the batteries anymore

Richard

"Moufang Loop" <Moufang.Loop@btinternet.com> wrote in message news:3D1D7C19.5FBE9D0A@btinternet.com...
> I wish to build valve receivers for short, medium or long wave am. Can
> anyone recommend kits or books. Parts should be available in the UK.
>
> TIA
>
> ML

986. Re: Kits or books on building valve am receivers?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 13:04:30 UTC
From: Moufang Loop <Moufang.Loop@btinternet.com>
Message-ID: <3D1DB085.77797532@btinternet.com>
Source record: 41895

Richard wrote:
>
> You are probably best off looking for some old beginners radio books or old

Some years ago (35-ish?) I used to look at such books in my local
library but I was too young to afford to buy the parts, or understand
the construction principles. Now I have the money (and let's hope the
brains) the books are no longer on the shelves. If you can supply
titles that'll give me something to approach the library assistants
with.

> copies of PW, these would have simple circuit diagrams for the beginner. But
> then you will have to built a HT supply for the valve(s) - about 90v as you

Fine, more fun!

Thanks

ML

> cannot buy the batteries anymore
>
> Richard
>
> "Moufang Loop" <Moufang.Loop@btinternet.com> wrote in message
> news:3D1D7C19.5FBE9D0A@btinternet.com...
> > I wish to build valve receivers for short, medium or long wave am. Can
> > anyone recommend kits or books. Parts should be available in the UK.
> >
> > TIA
> >
> > ML

987. Re: Paint that matches finish on Hallicrafters S-38C? Help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 14:02:49 UTC
From: msenecal1@juno.com
Message-ID: <62bf14a6.0206290602.136a247e@posting.google.com>
Source record: 41896
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.antiques.radio+phono

Thanks!

"w9gb" <gregory.beat@attbi.com> wrote in message
news:<lt8T8.190399$nZ3.92382@rwcrnsc53>...
> Look at the NC Total Electronics paint selection
>
> Mike Shelton has a number of paint colors
>
> http://www.nctotalelectronics.com/
>
> HALLICRAFTERS PAINTS
> #301(*) Do not touch up. Paint entire top of panel. Due to age, quality
> control and silver paints previously used.
> #302 HT Gray (*) This is the lighter gray. Some HT-32&'S, 37'S have a darker
> gray. While ours is the correct gray, it may not match your particular
> model.
> Hallicrafters had quite a variation of this gray over the years. As compared
> from
> the field, we took the best of the best and matched it. Ours matches the
> majority.
>
> "Matt Senecal" <msenecal1@juno.com> wrote in message
> news:62bf14a6.0206281657.4ac8caa2@posting.google.com...
> > Does anyone know of a paint that matches the silvery-gray finish on an
> > S-38C in both color and texture?

988. Re: Ts870 help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 14:17:28 UTC
From: CJ <difficult@times.com>
Message-ID: <uhrgc1gc4voub0@corp.supernews.com>
Source record: 41897

This URL has links to operators manuals, some service manuals, app notes, tech bulletins, and modifications for most Ham rigs and also most of the vintage gear too...

1. http://www.ab7sl.com/index.html?row1col2=links.html

Included through the Kenwood link there is a TS-870 "in depth" manual that may be helpful to you

--

73 / DX de AB7SL- Charles
AB7SL - Ham Radio Pages
Prescott, AZ - USA
www.ab7sl.com

"digi" <dave@mw0dai.fsnet.co.uk> wrote in message news:afk6dgtsu1@newsg1.svr.pol.co.uk...
> hi
> my problem is i cant get the comport to work on this radio
> i have tried every combination i can think of with menu56
> and also the software on the pc configs as well.
>
> i have tried logger software and ts870eco ts870 freq control, but nothing
> seems to work !!
>
> any help on this subject would be much apreciated
>
> dave mw0dai
>
>

989. FS or Trade List 06-28-2002

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 16:09:18 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <OYkT8.359225$cQ3.22502@sccrnsc01>
Source record: 41798

Please if you have questions or want to make a trade contact me off list at my e-mail address. gundoc@insightbb.com Some of these lists are not swap lists and only tolerate my post because it is only once a week. To the group owners thank you for letting me continue to post to the group.

Dean

GE Portables

GE MPA VHF Scan 136 - 150.8 split 192 channels nice 9.0 Condition. With battery and charger. I have this programmed for Ham and up to 152 MHz before it will not lock on frequency. $225.00

GE MPA VHF Scan 157 - 174 split. 192 channels. Nice radio 8.5 condition with battery and standard charger. I have it programmed down to 154 MHz with no trouble but will go no lower. $225.00

GE MPA UHF Scan 440 - 470 192 channel scan. Radio works great. A little paint wear on the edges but I have seen worse. With charger and battery. $225.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display. With battery and standard charger. 7-7.5 $85.00

GE MPD scan VHF 150.8 174. 48 channel alphanumeric display. These look good and come with a battery and standard charger. $100.00 each.

MPD Voice Guard VHF system model with full keypad. 48 channel alpha display. With battery and standard charger. $115.00

GE KPC 300 VHF 16 channel scan. Nice radio with battery and antenna. No charger with this one. $100.00

GE KPC 400 UHF 16 channel scan. Full DTMF pad on this radio.

This one has a charger. $195.00

GE PCS VHF 2 channel. Like new 9.5-10 condition. 150 -170 MHz.

With battery, antenna, leather case, and pocket charger. $100.00

each. 2 available.

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170

but I have programmed these in the ham band with no trouble. These

have battery, antenna, and standard charger. $85.00 each

GE PLS UHF 16 Channel. 8 to 8.5 also. 450 - 470 split but I can

program these to the ham band. With battery, Antenna, and Charger.

$85.00 each. Have 3 of these.

GE MPS VHF Like new 12 channel. With new battery, new antenna, and a

standard charger. $70.00

GE MPS VHF 12 channel. 8.5 condition. New antennas and NOS batteries

Standard charger. $60.00 each have 2.

SALE!

GE MPS UHF 48 channel. 8 = 8.5 condition, These have NOS batteries

And have 4 banks of 12 channels. These can go to the ham band. I

have been Using one of these on my ham repeater and it works great.

$60.00 each I have 8 of these. Programming on 12 channels included.

GE UHF MPS 8 channel with 8 different tones. 8 different tones can be

Selected for each different channel. Battery and antenna. $50.00

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1

good battery. With 1 dual slot charger. $200.00 all 3 radios.

GE Monogram VHF 10 channel portable. 157-179 split. ex CSX radio. I

sold this radio a year ago but have taken it on trade. Condition 8

with belt clip and charger. I had this radio run for stolen from CSX

by a local CSX Special Agent when I first bought these in a lot and

was told that it had been sold at salvage. Perfect for a RR Museum or

shortline on a budget. This could also be programmed for marine

frequencies. Like new tall Battery. $100.00

GE Mobiles

GE Phoenix SX VHF 128 channel scan. With Mic, Has all 8 proms.

$100.00

GE MVS 800 conventional 2 channel. With mic tested OK $75.00

GE MLS UHF 8 channel. With Mic, power cord and hang up box. MLSU240

450. - 470 Looks good. $125.00

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00

each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr

II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that

I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Just in not tested. $70.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.

16 channel model has short cable and some handle bar mounts. Mic

included but no speaker. Not tested yet since I just got it in.

$50.00

GE Mobile Vehicle Adapter for MPA, MTL, MPD, and TPX. This unit

charges your battery and turns your portable into a mobile radio.

(Convert a Com) With mic, speaker, and power cable. $100.00

GE Accessories

GE TQ 2310 suitcase programmer. Has PLS, Phoenix, Delta s/sx, Voice

Guard, MPS, and Ranger. Printer is working Has manual for the

programmer and the computer. Has Phoenix cable and Voice guard cable.

All in the original GE case tested and working. $850.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $5.00

Mastr II Mic. $5.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5. $4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and 162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50 each.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each.

GE Delta cables. These are the downloading type used with the S820 heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE MPA, MPD, MTL standard Speaker mic. $25.00

GE PCS Universal charger. With wall transformer $20.00 each

GE MPA standard chargers. $20.00 each

GE MPA Rapid chargers. $30.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a rapid rack charger with a DB 15 cable and uses a MPD body to attach a battery to. Has LED readout in display area of MPD body to tell discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card and power supply / speaker. $300.00

Other Radios and Accessories

Motorola Saber III Secure VHF 146 split 120 channel radio. Alphanumeric

Display. Has Battery Smart charger and speaker mic. I have been using this on the VHF ham band. Has a new case that was installed at the Motorola Rockford, IL Depot

So it also has a new model sticker that they put on as well. Nice 9.5 or better radio.

$475.00

ADI AT 201. 2 meter portable nice like new and in the box with the

manual. Has 5 watt battery and wall charger. $90.00

Yaesu ft 2400 2 meter mobile. Has Mounting Bracket and manual. Nice

2 meter Radio. $125.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great.

This was in my van before I added another MVS so I know it works.

$100.00

Maxon 5050a Low band portable pair. Like new condition with 1 battery

charger but I will split up the pair if someone wants 1 radio only. 6

channels programmed for 10 meter ham band on 2 repeater pair and 4

simplex frequencies. 2 radios and 1 charger $185.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by

Midland. $75.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$75.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition

and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of

crystals for each radio. Also have a working battery and charger for

each. I have 4 of these. $50.00 all

Uniden SMS 825 TS, 800 MHz Dash mount radio. $55.00

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work

with the sp2000 as well.$35.00

Consignment section

This area is for a few friends who like those other radios you know

"Motorola" They are good people and I will pass along any trades you may wish to make.

MOTOROLA X9000 VHF 50 watts, alphanumeric head, Siren complete. $425.00

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola P200 UHF high power. 6 channel. $150.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Want List not FS

Extra parts for GE suitcase programmers Data modules, Printers, cables, proms, Anything you have extra. MPA or MPD portables what do you have and what do you want for them? Johnson scorpion program cable.

Terms

All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a question E-mail me. Contact me off list at. Gundoc@insightbb.com

Dean

990. Re: Kits or books on building valve am receivers?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 16:19:35 UTC
From: Richard <translations@qdnet.pl>
Message-ID: <afkmmp$nl3$1@news.tpi.pl>
Source record: 41799

I am sure PW has copies of simple one valve MW radio's, like you I had the saem experience and built one - great fun, but buying the high impedance earphones might be difficult.

Ah, but today, to compare building a one valver, one has to build a scanner out of a TV varicap tuner !

Richard

"Moufang Loop" <Moufang.Loop@btinternet.com> wrote in message news:3D1DB085.77797532@btinternet.com...
> Richard wrote:
> >
> > You are probably best off looking for some old beginners radio books or old
>
>
> Some years ago (35-ish?) I used to look at such books in my local
> library but I was too young to afford to buy the parts, or understand
> the construction principles. Now I have the money (and let's hope the
> brains) the books are no longer on the shelves. If you can supply
> titles that'll give me something to approach the library assistants
> with.
>
>
> > copies of PW, these would have simple circuit diagrams for the beginner. But
> > then you will have to built a HT supply for the valve(s) - about 90v as you
>
>
> Fine, more fun!
>
> Thanks
>
> ML
>
>
> > cannot buy the batteries anymore
> >
> > Richard
> >
> > "Moufang Loop" <Moufang.Loop@btinternet.com> wrote in message
> > news:3D1D7C19.5FBE9D0A@btinternet.com...
> > > I wish to build valve receivers for short, medium or long wave am.

Can
> > > anyone recommend kits or books. Parts should be available in the UK.
> > >
> > > TIA
> > >
> > > ML

991. For Auction on eBay: JiM 10m Mobile, No Reserve

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 16:45:13 UTC
From: eight_mm_watcher@yahoo.com
Message-ID: <4806d220.0206290845.35201f4e@posting.google.com>
Source record: 41800

Selling a JiM model T-One 10m mobile with battery pack and antenna kit. I've tested it for output using a freq counter, so I guarantee it wont be DOA. Please have a look at it on eBay:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362179526

Thanks!

8mmW

992. Re: Ts870 help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 20:42:31 UTC
From: W6DKN <w6dkn@qsl.net>
Message-ID: <XYoT8.1200$6Y3.260@nwrddc04.gnilink.net>
Source record: 41801

Are you using the correct type of cable? It probably requires a "serial (modem or crossover)cable", not a "straight wired" cable. Check the user manual to make sure of the correct cable type.

73 de W6DKN

"digi" <dave@mw0dai.fsnet.co.uk> wrote in message news:afk6dgtsu1@newsg1.svr.pol.co.uk...
> hi
> my problem is i cant get the comport to work on this radio
> i have tried every combination i can think of with menu56
> and also the software on the pc configs as well.
>
> i have tried logger software and ts870eco ts870 freq control, but nothing
> seems to work !!
>
> any help on this subject would be much apreciated
>
> dave mw0dai
>
>

993. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 21:40:07 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D1E2937.4070800@lakefield.net>
Source record: 41802
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $650

Kenwood TM251A 95% $100 SOLD
Kenwood TM451A 98% $115 SOLD

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

994. Re: Paint that matches finish on Hallicrafters S-38C? Help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 22:19:42 UTC
From: w9gb <gregory.beat@attbi.com>
Message-ID: <2oqT8.350513$352.42318@sccrnsc02>
Source record: 41806
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.antiques.radio+phono

Check out Rock Sea enterprises, if you need decals (HL-38 set for $ 15.00)

http://members.aol.com/rockseadials/RSE/decals.rtf

"Matt Senecal" <msenecal1@juno.com> wrote in message
news:62bf14a6.0206290602.136a247e@posting.google.com...
> Thanks!
>
> "w9gb" <gregory.beat@attbi.com> wrote in message
news:<lt8T8.190399$nZ3.92382@rwcrnsc53>...
> > Look at the NC Total Electronics paint selection
> >
> > Mike Shelton has a number of paint colors
> >
> > http://www.nctotalelectronics.com/
> >
> > HALLICRAFTERS PAINTS
> > #301(*) Do not touch up. Paint entire top of panel. Due to age, quality
> > control and silver paints previously used.
> > #302 HT Gray (*) This is the lighter gray. Some HT-32&'S, 37'S have a
darker
> > gray. While ours is the correct gray, it may not match your particular
> > model.
> > Hallicrafters had quite a variation of this gray over the years. As
compared
> > from
> > the field, we took the best of the best and matched it. Ours matches the
> > majority.
> >
> > "Matt Senecal" <msenecal1@juno.com> wrote in message
> > news:62bf14a6.0206281657.4ac8caa2@posting.google.com...
> > > Does anyone know of a paint that matches the silvery-gray finish on an
> > > S-38C in both color and texture?

995. TS440S/AT BEST OFFER TAKES IT (NEEDS WORK)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 22:46:24 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <1NqT8.7377$%N4.2404362@news20.bellglobal.com>
Source record: 41807

Radio itself is a 8 out of 10 in appearance, however it has a PLL unlock problem. Would be a great fix'er'up as a backup rig. I am letting it go for the best offer I receive by tomorrow (Sunday) night. Comes with YK-88C 500 Hz CW filter and YK-88S 2.4 Khz SSB filter, operating manual, service manual and hand mic. No power cord is supplied . Unit will be sold as-is, I just don't have the time to fix it.

Please e-mail direct

ve3tmt@rac.ca

996. WTB COMPAC POWER SUPPLY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-29 22:56:53 UTC
From: Keith Poindexter <ko4sx@alltel.net>
Message-ID: <afle0aehq1@iac5.navix.net>
Source record: 41808
Cross-posted to: alt.forsale,alt.ham-radio.marketplace,ga.forsale,rec.radio.amateur.equipment,rec.radio.swap

Would like to buy s reasonably priced power supply
for Compac Presario 5202. Working used one is fine.
Please send your price and info to:
ko4sx@alltel.net
Thanks !!
Keith

997. Fs realistic htx 404

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 01:20:03 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <71tT8.35156$aE4.762606@twister.rdc-kc.rr.com>
Source record: 41810
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

The radio is in good working and looking condition.
Comes with original box manual antenna hand strap belt clip dry cell case
nicad pack ac/charger.
Don't know how good the nicad pack last as of 1 year ago it whent for about
1 hour.
Non smoker..
$80 shipped lower 48 states ups insured.
E-mail me for pictures of the radio.

998. FA: HEATHKIT HD-10 KEYER, Thier First & Real Nice@$20, last Call!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 02:26:59 UTC
From: rlucch2098@aol.com
Message-ID: <20020629222659.25412.00002484@mb-cd.aol.com>
Source record: 41811

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601710
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

999. FA: HALLICRAFTERS HA-26 REMOTE VFO w/BOX@$20, Last Day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 02:28:52 UTC
From: rlucch2098@aol.com
Message-ID: <20020629222852.25412.00002486@mb-cd.aol.com>
Source record: 41812

Real nice with pictures to boot!
Dont Miss this one!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601715
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1000. fa>>COMSPEC TE-64 TONE ENCODER, ALL TONES, Tomorrow Nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 02:30:32 UTC
From: rlucch2098@aol.com
Message-ID: <20020629223032.25412.00002490@mb-cd.aol.com>
Source record: 41813

Real nice with pictures to boot!
Dont Miss this one!
Only at $25
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601718
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1001. fa>>SUPERIOR ELECTRIC "POWERSTAT" VARIAC@15AMPS @$60

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 02:32:02 UTC
From: rlucch2098@aol.com
Message-ID: <20020629223202.25412.00002491@mb-cd.aol.com>
Source record: 41814

Real nice with pictures to boot!
Dont Miss this one!
Only at $60
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601725
Thanks es 73...........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1002. Fa--HEATHKIT HG-10 VFO 80 to 2 meters, A Beauty @$56, last day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 02:33:48 UTC
From: rlucch2098@aol.com
Message-ID: <20020629223348.25412.00002494@mb-cd.aol.com>
Source record: 41815

Real nice with pictures to boot!
Dont Miss this one!
Only at $56
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601733
Thanks es 73...........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1003. fa-AZDEN PSC-4800 FM MOBILE for 10 METERS>Cheep@$51, 1-day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 02:35:16 UTC
From: rlucch2098@aol.com
Message-ID: <20020629223516.25412.00002495@mb-cd.aol.com>
Source record: 41816

Real nice with pictures to boot!
Dont Miss this one!
Only at $51
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601730
Thanks es 73...........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1004. fa-PACE "COMMUNICATOR II" FM MOBILE, 2-MTRS@$23(?) 1-day left

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 02:37:25 UTC
From: rlucch2098@aol.com
Message-ID: <20020629223725.25412.00002498@mb-cd.aol.com>
Source record: 41817

Real nice with pictures to boot!
Dont Miss this one!
Only at $23
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601738
Thanks es 73...........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1005. FA: Who wud Believe this B&W "PROTAX" ANTENNA SWITCH for $14?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 02:39:04 UTC
From: rlucch2098@aol.com
Message-ID: <20020629223904.25412.00002499@mb-cd.aol.com>
Source record: 41818

Real nice with pictures to boot!
Dont Miss this one!
Only at $14
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601737
Thanks es 73...........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1006. fA>>YAESU FT-530 DUAL-BAND H/T A "classic" & cheep, Tomorrow!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 02:41:41 UTC
From: rlucch2098@aol.com
Message-ID: <20020629224141.25412.00002503@mb-cd.aol.com>
Source record: 41819

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1361601734
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1007. mic pinout on Icom 738?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 02:42:39 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <ueuT8.7416$%N4.2458943@news20.bellglobal.com>
Source record: 41820

Is receive audio available on the mic connector? I found a Spanish site
that looks like a yes on pin 8, but would like to confirm from any owners.

Thanks,

1008. code machine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 05:15:42 UTC
From: David Herbach <dherbach@nycap.rr.com>
Message-ID: <3D1E9434.CEE9AE2B@nycap.rr.com>
Source record: 41821

I have an old paper tape code machine used for learning Morse made by Instrucograph.
Is this just a piece of chuck-out junk or would someone buy it if I put it up for sale?
Dave

1009. IC-T81A Out of band mod. Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 06:12:10 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D1EA13A.74C69FBE@nettally.com>
Source record: 41822

Hi
I just performed this great mod! Seems to work good, especially in UHF where I intend to use on GMRS occasionally.

I did a quick check with a field strength meter on VHF band and unlike at UHF, I noted weak power in 156 MHz range vs 146mhz. I did not check with a wattmeter yet. Have you made any tests regarding transmitter purity and efficiency out of band? I would hate to pop the PA while simply testing. I did not remove the third diode mentioned by others; D55 as I hear it is not useable at 220MHz. By the way my SN is 68XX.

Thanks Joe

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

1010. Re: Cleaning rig after Smoker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 07:25:16 UTC
From: Egis/CORE <thebear@cave.org>
Message-ID: <3dcthuk6afp6tmgvit7v0821d7giarq0te@4ax.com>
Source record: 41823

On Fri, 08 Mar 2002 10:56:41 -0700, Dick Hughes
<rhughes33@cableone.net> wrote:

>Here's something you might consider. Don't know if I am that brave,
>but..... I recently purchased a Tektronix 475 oscilloscope. It is
>20 some years old and I would like to refurbish it. It is at least as
>complex as a ham radio. I have done a lot a research on restoring
>oscilloscopes and was somewhat surprised to find that Tektronix, as
>well as repair facilities, simply wash them with water and detergent!
>Basically, they use a pressure hose that draws the detergent in with
>the water. After it is clean, they bake the o-scope in an oven at
>about 135 degrees F for 3 to 4 days. Like I said, I haven't got up
>the courage to try it, and I don't have a low-temp baking oven, but
>that's what the big boys do. If you want to read all about it,
>subscribe to TekScopes in the Yahoo Groups. You will find everything
>you ever wanted to know (and more) about cleaning electronic
>equipment.
>
>Dick - W6CCD
>
>On Fri, 8 Mar 2002 00:03:54 -0500, "KC8PMX"
><kc8pmx@NOSPAMdiamondcs.net> wrote:
>
>>One thing to consider along with the exterior, is of course the interior of
>>the rig. How do you clean the smell off from the inside of the rig? I am
>>sure that the film and smell is on the inside of the rig. What solutions
>>are safe to spray on the inside of the rig?
>>
>>You can use either a vacuum or a pressurized spray to remove dust buildup
>>but.....
>>
>>Ryan KC8PMX

On cleaning up a smoke smell, I use one of the wife's Bounce Sheets
that she puts in the dryer with the clothes. It doesn't get the
equipment wet and you just throw it away when you are finished.

1011. WTB small plate xfmr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 07:33:04 UTC
From: Paul Cooper <plcooper@starband.net>
Message-ID: <3D1EB444.9060907@starband.net>
Source record: 41824

WTB small plate xfmr 115 pri. 1000 to 1200 sec., no ct needed, @ 250 ma.

Paul

plcooper@starband.net

1012. Re: Cleaning rig after Smoker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 07:43:57 UTC
From: mike <spamme0@juno.com>
Message-ID: <3D1EB6BD.6FFE1B42@juno.com>
Source record: 41825

Interesting. Did you ever measure the conductivity or reactivity of the film
left behind
by a bounce sheet?
As for washing, some parts don't like to get wet. Like unsealed pots.
mike
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

Egis/CORE wrote:

> On Fri, 08 Mar 2002 10:56:41 -0700, Dick Hughes
> <rhughes33@cableone.net> wrote:
>
> >Here's something you might consider. Don't know if I am that brave,
> >but..... I recently purchased a Tektronix 475 oscilloscope. It is
> >20 some years old and I would like to refurbish it. It is at least as
> >complex as a ham radio. I have done a lot a research on restoring
> >oscilloscopes and was somewhat surprised to find that Tektronix, as
> >well as repair facilities, simply wash them with water and detergent!
> >Basically, they use a pressure hose that draws the detergent in with
> >the water. After it is clean, they bake the o-scope in an oven at
> >about 135 degrees F for 3 to 4 days. Like I said, I haven't got up
> >the courage to try it, and I don't have a low-temp baking oven, but
> >that's what the big boys do. If you want to read all about it,
> >subscribe to TekScopes in the Yahoo Groups. You will find everything
> >you ever wanted to know (and more) about cleaning electronic
> >equipment.
> >
> >Dick - W6CCD
> >
> >On Fri, 8 Mar 2002 00:03:54 -0500, "KC8PMX"
> ><kc8pmx@NOSPAMdiamondcs.net> wrote:
> >
> >>One thing to consider along with the exterior, is of course the interior of
> >>the rig. How do you clean the smell off from the inside of the rig? I am
> >>sure that the film and smell is on the inside of the rig. What solutions
> >>are safe to spray on the inside of the rig?
> >>
> >>You can use either a vacuum or a pressurized spray to remove dust buildup
> >>but.....
> >>
> >>Ryan KC8PMX
>
> On cleaning up a smoke smell, I use one of the wife's Bounce Sheets
> that she puts in the dryer with the clothes. It doesn't get the

> equipment wet and you just throw it away when you are finished.

--
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

1013. FA: CHEAP 2 Meter HT last day

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 08:34:31 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <XczT8.13414$N8.13384618@e3500-atl1.usenetserver.com>
Source record: 41826

Trying to get rid of the rest of my ham collection.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362848101

1014. Re: How to choose a rig ???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 08:47:50 UTC
From: Larry Cunningham <larryc@charter.net>
Message-ID: <uhthiaqs0jfl17@corp.supernews.com>
Source record: 41827

"Punu Puatoro" <punupuatoro@fairesuivre.com> wrote in message
news:4cc9fe3e.0205290933.6d15521c@posting.google.com...
> Hello.
> I would like to buy a good HF transceiver with built-in DSP,
> especially for CW trafic.
> I read many many reviews of these : FT-847, FT-920, IC-746, IC-746PRO
> (nice but too expensive), TS-870S.
> Lot of cons, lot of pros, I'm now totally confused...
> Please help me to choose my future CW rig.
> Regards

Punu, I have been running a Yaesu FT-920 since the first of the year and it is a fantastic piece of equipment....just get you some good quality filters and you are in business. I get great reports from all over the world running only about 65 to 75 watts. The DSP feature is great... Save yp some money and get you a radio that will stay with you for years to come.. 73's Larry KE4YDI

1015. forsale in mint conditon dx 160 with manual and speaker 125.00US shipped

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 10:00:02 UTC
From: JJJ <oakvillecub@cogeco.ca>
Message-ID: <86qT8.63018$op.6297955@read2.cgocable.net>
Source record: 41804

for sale in mint condition:

realistic receiver dx 160
with external speaker and manual

125.00US includes basic shipping

thanks
oakvillecub@cogeco.ca

1016. forsale- yaseu frg9600 with optional videocard, service manual,ant,dc supply 200.00US shipped

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 10:09:44 UTC
From: JJJ <oakvillecub@cogeco.ca>
Message-ID: <efqT8.63024$op.6298122@read2.cgocable.net>
Source record: 41805

for sale:

In verygood condition:

yaseu frg 9600 with optional video card, service manual,
ant, and powersupply.

200.00US includes shipping
thanks
oakvillecub@cogeco.ca

1017. Re: forsale- yaseu frg9600 with optional videocard, service manual,ant,dc supply 200.00US shipped

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 11:09:42 UTC
From: JJJ <oakvillecub@cogeco.ca>
Message-ID: <t7rT8.63035$op.6297943@read2.cgocable.net>
Source record: 41809

tentatively sold

JJJ <oakvillecub@cogeco.ca> wrote in message
news:efqT8.63024$op.6298122@read2.cgocable.net...
> for sale:
>
> In verygood condition:
>
> yaseu frg 9600 with optional video card, service manual,
> ant, and powersupply.
>
> 200.00US includes shipping
> thanks
> oakvillecub@cogeco.ca
>
>
>

1018. FA: CW monitor & osc. - ends today

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 12:36:53 UTC
From: Tom N&#65533;JMY - AAR7FV <tfarl@IowaTelecom.net>
Message-ID: <afmu1mmip1@ins22.netins.net>
Source record: 41829
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Ending Sunday@ 1819 PDT:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362188185

This is the second of two (2) of these I found on the shelf in an old electronics supply house. This one was, in fact, still sealed in the unopened box, but some fool scrawled "transistor checker" on one side, so I had to open it to make sure what was inside -- what a Catch-22!

This transistorized Jackson Electrical Instruments Company Model 562 Code Oscillator and Monitor apparently dates back to the early '60's (before zip codes).

Thanks for looking,
Tom

1019. FA: xtals w/gud 80 & 40 cw freqs. -ends in a couple hours

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 12:39:49 UTC
From: Tom N&#65533;JMY - AAR7FV <tfarl@IowaTelecom.net>
Message-ID: <afmu75$nn8$1@ins22.netins.net>
Source record: 41830
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Ending Sunday @ 8:18 am PDT (1518Z).

Thanks for looking. Here's the links:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362041716

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362041714

Tnx es vy 73,
Tom

1020. tait 2000 pmr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 12:50:16 UTC
From: Stigma <Steve@stigma2k.fsnet.co.uk>
Message-ID: <afmuij$ee4$1@news6.svr.pol.co.uk>
Source record: 41831

after a site that sells tha data cable from pc to the radio.......got software but am need of cable

1021. F.S. Icom T81A and Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 13:09:36 UTC
From: "Scott, N9AI" <nospam@nospam.org>
Message-ID: <kqDT8.533732$Oa1.34666549@bin8.nnrp.aus1.giganews.com>
Source record: 41832
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi everyone,

I have a spare T81A, plus options for sale. Everything is in great shape and works fine. Please feel free to contact me for more information on anything listed.

1) An original model T81A quad band HT (6m/2m/440mHz/1.2gHz), sn. 1xxx, which has wide band RX, unlike the newer models with coverage from 50-1000mHz (cell blocked), in the following configurations:

50.000 - 75.995 Mhz AM/FM
76.000 - 107.995 Mhz WFM
108.000 - 135.995 Mhz AM
136.000 - 174.000 Mhz FM
174.000 - 229.995 Mhz FM
300.000 - 399.995 Mhz AM/FM
400.000 - 470.000 Mhz FM
470.000 - 599.995 Mhz FM/WFM
600.000 - 800.000 Mhz FM/WFM
800.000 - 824.000 Mhz FM
849.000 - 869.000 Mhz FM
894.000 - 999.000 Mhz FM
1240.000 - 1300.000 Mhz FM

The rig also has expanded TX, which includes 220mHz. I wouldn't recommend using it for 220, except in emergencies, as it isn't terribly clean there. It's in excellent condition with a good BP200. Includes the original box and manuals. Please, no flames about the price, you can't buy these anymore, so it doesn't matter what the neutered ones are priced at. $210.00

2) The HS85 vox headset $25.00

3) A Standard CMP115 small speaker/mic (like the Icom HM46) $12.00

4) The Icom CP12 filtered lighter adapter $15.00

5) The Icom BC119 rapid charger and adaptor $50.00

6) The LC148 carrying case $10.00

7) R/T Systems programming software and cable $25.00

8) An E.H. Yost BP199 6 volt, 700mah battery $25.00

Thanks,
Scott, N9AI

n9ai@nohamspam.arrl.net
Remove "nohamspam" to reply. Auto replies will not work.

1022. Re: code machine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 14:29:27 UTC
From: "Stephen C. Robbins" <srobbinsNOSPAMDUDES@netacc.net>
Message-ID: <3d1f15c7@news.netacc.net>
Source record: 41834

"David Herbach" <dherbach@nycap.rr.com> wrote in message
news:3D1E9434.CEE9AE2B@nycap.rr.com...
> I have an old paper tape code machine used for learning Morse made by
> Instrucograph.
> Is this just a piece of chuck-out junk or would someone buy it if I put
> it up for sale?
> Dave
>

It is a collectable item for the Morse aficionados and it's value is
increased with the amount of tapes you have to go with it and the condition
of the tapes.

Stick it on EBay and you should get a fair price for it.

Steve

1023. can you help me ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 14:37:02 UTC
From: Gilbert RATS F4ASK <#nospam#f4ask@wanadoo.fr>
Message-ID: <2002630-15372-127004@foorum.com>
Source record: 41840

Hi all

I am searching Tono corp. adress in Japan or everywhere in the world. If you have this adress, thanks to send it to me.
Or do you have a schematic of UHF PA Tono UL-30W. If yes, could you be kind enough to send a scanned image.

Thanks in advance.

Reply : erase #nospam# in my e-mail adress.

Best regards from Normandy

Gilbert RATS
F4ASK (Ham station)
LE HAVRE
FRANCE

--
Use our news server 'news.foorum.com' from anywhere.
More details at: http://nnrpinfo.go.foorum.com/

1024. FS/FT Icom HM-118TN DTMF mic for the 706

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 14:39:37 UTC
From: KC8SSG <kc8ssg@qsl.net>
Message-ID: <JKET8.643$13.6547@news>
Source record: 41833
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Hand mic with the keypad and the up/down buttons.Like new,hardly used.Would like to trade for a seperation kit but also looking for other Icom options,Antenna Tuner,radios,just ask,I might want it!I always open to anything.
Thanks
KC8SSG
kc8ssg@qsl.net

1025. FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 15:58:47 UTC
From: Len & Ursula <len.jarrett@sympatico.ca>
Message-ID: <NUFT8.151$aJ4.66308@news20.bellglobal.com>
Source record: 41835

Kenwood HF tcvr TS-450S, w/powersupply, antenna tuner and Huystler Whip
w/10,15 & 20 attachments.
What offers? Len VE3MYF

1026. Re: Cleaning rig after Smoker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 17:15:27 UTC
From: dplatt@radagast.org
Message-ID: <uhuf5f3jv9nf8a@corp.supernews.com>
Source record: 41836

>One thing to consider along with the exterior, is of course the interior of
>the rig. How do you clean the smell off from the inside of the rig? I am
>sure that the film and smell is on the inside of the rig. What solutions
>are safe to spray on the inside of the rig?

Another technique, suggested by an electronics-service guy in The
$ensible Sound some years ago, is to open up the case and leave the
rig outdoors in bright summer sunshine for a week or so. The
ultraviolet in the sunlight will break down and/or drive off many of
the smelly volatile components in the cigarette-smoke tar.

Tobacco tar is nasty, tenacious stuff - difficult to remove from
surfaces. Consumer Reports uses it as their "hard to remove" test
material when testing glass-cleaning liquids. It usually requires a
lot of scrubbing.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

1027. Re 440S up for offers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 17:18:24 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <y3HT8.190$aJ4.86535@news20.bellglobal.com>
Source record: 41837

Keith KO4SX currently has the high offer @ $300. Open for offers until 9 pm tonight.

Max ve3tmt@rac.ca

1028. Re: Alinco DX-70T Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 17:55:15 UTC
From: Harry <hgk@centurytel.net>
Message-ID: <3D1F4603.2676379E@centurytel.net>
Source record: 41838

Glad to hear that it was an easy fix for you Rick.
GL
Harry

Rick Smith wrote:
>
> Thanks for the info. I found that it was loose like you said it was! I
> pushed back down on the removeable plug and back into the faceplate so it
> ended up working like you said. You were correct sir. I believe I owe you a
> big juicy steak dinner!!! Thanks again!!
>

1029. FS: NEW MFJ 901B Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 19:02:09 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <RAIT8.37415$aE4.801477@twister.rdc-kc.rr.com>
Source record: 41839

MFJs smallest 200 watt PEP Versa Tuner. Match dipoles, vees, random wires, verticals, mobile whips, beams, balanced and coax lines continuously from 1.8 - 30 MHz. A 4:1 balun for balanced lines is built in. BRAND NEW, excellent for mobile or portable use. $55.00 shipped/insured Conus.

Van,
K0KAV

1030. FT790 Mk1 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 22:04:56 UTC
From: spamFREE <spamFREE@thisaddress.com>
Message-ID: <3D1F8088.5CB908A5@thisaddress.com>
Source record: 41841

Hi Folks,

Just got myself a secondhand '790 (Yaesu 70cm multimode)

what is the default repeater shift please ? it seems to be around 7 MHz
at first
glance.

I have found no mod info regarding adjusting this - 'course I can work
repeaters with the VFO/MEM split function but thats a bit naff

any other mods out there (other than 9K6 packet or QRO 2.5W)

e.g. stepping mods , listen on input, extended coverage, etc ??

Regards

SF

1031. WTB - Tek 222 scope manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 23:05:45 UTC
From: ka4993gg@aol.com
Message-ID: <20020630190545.28518.00003735@mb-df.aol.com>
Source record: 41842

Please let me know if you have the service/owners manuals for sale.

1032. Re: Cleaning rig after Smoker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 23:15:19 UTC
From: Bob Pierfelice <kb8tl@yahoo.com>
Message-ID: <uhv488q4m65d2c@corp.supernews.com>
Source record: 41843

"Simple Green" just devastates smoke residue BUT you will need to hose down with lots of water else it leaves a film. I've done this many times but the main thing you don't want to get any water up into is the power transformer. I speak from bad experience!
So, spray dry chassis with generous Simple Green, let soak a few minutes, paint brush to clean in between I.F. cans, etc. then lots of clean water. Leave outdoors in the hot sun for a few hours to dry, then flip the chassis over to dry out the pots, etc.
If you're nervous about whatever scheme you use, try it on a disposable piece of gear...component stereo from a bar or similar.
Bob
kb8tl @ yahoo . com

1033. Re: code machine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 23:27:43 UTC
From: Wayne Faris <wfaris@inebraska.com>
Message-ID: <3D1F93EF.1E356832@inebraska.com>
Source record: 41844

The machine is called an "Instructograph". I first learned code on one of these about 40 years ago. I had about 20 different tapes for mine. If yours is original, you might want to take a look inside. The audio oscillator circuit is interesting. It uses an 80 tube for the audio oscillator. It is a very simple and easy to work on circuit. I almost wish I still had mine. (Lost it in a flood about 20 years ago).

Wayne L. Faris, KEï¿½BZ

"Stephen C. Robbins" wrote:

> "David Herbach" <dherbach@nycap.rr.com> wrote in message
> news:3D1E9434.CEE9AE2B@nycap.rr.com...
> > I have an old paper tape code machine used for learning Morse made by
> > Instrucograph.
> > Is this just a piece of chuck-out junk or would someone buy it if I put
> > it up for sale?
> > Dave
> >
>

1034. Re: Help XYL won't warm up

Newsgroup: rec.radio.amateur.equipment
Date: 2002-06-30 23:44:07 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D1F981D.DAA9BCCF@sc.rr.com>
Source record: 41845
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Wim Lewis wrote:
>
> You're not the only one. But I'm having a
> hard time imagining the circuit topology
> to use with a 4-prong vibrator. Maybe I've
> just led a sheltered life.

Oh, I know I'm not the only one. Four other persons, perhaps too chicken to say anything here, sent their comments by email. That's fine. As I told them, I was really too chicken to say more than what I actually did say, even though I obviously wanted to say more. ;)

And, yes, you may have lived a sheltered life. You see, one of the prongs is... Wait. You said circuit, didn't you? Never mind. ;)

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

1035. WTB Service Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 00:10:28 UTC
From: Fred Allen <fallen-idc@worldnet.att.net>
Message-ID: <U5NT8.62108$LC3.4735702@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41846

I want to buy the service manuals for the Sony ICF-Pro80, (including the Frequency Converter), and the Service Manual for the Sony Air8 Receiver. Please e-mail price to:
fallen-idc@worldnet.att.net

1036. Re: High Voltage Capacitor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 00:22:58 UTC
From: Alasdair Baxter <llb@london.com>
Message-ID: <068vhu4j1t3nrb9kfa64j0mhjp0v3rgkpm@4ax.com>
Source record: 41847
Cross-posted to: uk.radio.amateur,sci.electronics.components,rec.radio.amateur.equipment,sci.materials,alt.energy.high-voltage

On 26 Jun 2002 21:58:35 -0700, gomansiu@filmcapacitor-st.com (Goman
Siu) wrote:

>High Voltage Film Capacitor : 0.01u - 2uf up to 15000Vac

Very handy if one has an old valve car radio with a vibrator circuit!
--

Alasdair Baxter, Nottingham, UK.Tel +44 115 9705100; Fax +44 115 9423263

"It's not what you say that matters but how you say it.
It's not what you do that matters but how you do it"

1037. FS Tektronics Scope 2215

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 00:26:02 UTC
From: obz <n2ozo@bellatlantic.net>
Message-ID: <3D1FA211.6F6B376E@bellatlantic.net>
Source record: 41748
Cross-posted to: rec.radio.swa,rec.radio.amateur.equipment

I have for sale 1-Tektronics model 2215 Dual trace Scope
w/1 x10 probe.This is a 60 mhz scope in excellent working
condition.The blue lens on the display has a couple of scratches on it.
I'm selling it for $175.00 firm plus shipping and insurance conus.
If you are interested please e-mail me.
Thanks for reading this.
Mike
n2ozo

1038. FS 2 dry cell pack for thx 202 or 404

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 01:13:07 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <D0OT8.38461$aE4.817589@twister.rdc-kc.rr.com>
Source record: 41749
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi i have 2 dry cell AA
Ppack for htx 202 or 404.
$15 each shipped or both for $25
Please e-mail me direct.

1039. FS Brand new ft 50rd41

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 01:24:21 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <9bOT8.38500$aE4.818930@twister.rdc-kc.rr.com>
Source record: 41750
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have had this radio for 5 days.
I picked it up new.
They key pad is too small for me it has all that came with it s new plus the optional dry cell AA pack rubber grip and sma to so239 adapter.
And sells slip with a 2 year warranty.
This radio has the ftt12 dtmf key pad with voice recorder.
$210 shipped.

1040. FA - R.L.Drake TV-5200 Low Pass Filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 01:42:07 UTC
From: Glenn <ggrrhh@hotmail.com>
Message-ID: <JtOT8.205$KO6.179874@newsfeed.slurp.net>
Source record: 41751

nice condition R.L.Drake TV-5200 Low Pass Filter

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1363452742

thanks

1041. Re: code machine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 01:50:44 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <uhvdb5drbh8gf8@corp.supernews.com>
Source record: 41752

As I remember, the 80 is a rectifier. A four pin base. Not likely to be an oscillator.

"Wayne Faris" <wfaris@inebraska.com> wrote in message
news:3D1F93EF.1E356832@inebraska.com...
> The machine is called an "Instructograph". I first learned code on one of
> these about 40 years ago. I had about 20 different tapes for mine. If
yours
> is original, you might want to take a look inside. The audio oscillator
> circuit is interesting. It uses an 80 tube for the audio oscillator. It
is a
> very simple and easy to work on circuit. I almost wish I still had mine.
> (Lost it in a flood about 20 years ago).
>
> Wayne L. Faris, KEBZ
>
> "Stephen C. Robbins" wrote:
>
> > "David Herbach" <dherbach@nycap.rr.com> wrote in message
> > news:3D1E9434.CEE9AE2B@nycap.rr.com...
> > > I have an old paper tape code machine used for learning Morse made by
> > > Instrucograph.
> > > Is this just a piece of chuck-out junk or would someone buy it if I
put
> > > it up for sale?
> > > Dave
> > >
> >
>

1042. FS icom 2710 original manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 02:27:08 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <06PT8.38691$aE4.821497@twister.rdc-kc.rr.com>
Source record: 41753
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Icom 2710 original manaul forsale.
$15 shipped lower 48 states.
E-mail me direct.
Thanks

1043. Temple,Kileen, Belton, Harker Heights HELP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 02:55:43 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D1FC4AF.24F0EEC0@cableone.net>
Source record: 41754
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap
Body handling: Binary attachment payload not displayed: radioranch.vcf

Very old and infirm ham in Harker Heights Needs help...his antenna needs
a bit of a pruning...he cannot go outside any more...Please Call:
Jim Barton at 254 338 8012... and help him out....its too far for me,
but it wont take much...He has no money....if you need some I will pay
you...Thanks Murray K5MDM Odessa, Texas

[One or more binary attachments are retained only in the source text.]

1044. Re: code machine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 03:43:13 UTC
From: Wayne Faris <wfaris@inebraska.com>
Message-ID: <3D1FCFD0.4415020E@inebraska.com>
Source record: 41755

Sorry, it was a 30, not an 80. You are right about the 80 being a rectifier,
the 30 is a triode. Getting a little confused in my old age.

Wayne

Fred Hambrecht wrote:

> As I remember, the 80 is a rectifier. A four pin base. Not likely to be an
> oscillator.
>
> "Wayne Faris" <wfaris@inebraska.com> wrote in message
> news:3D1F93EF.1E356832@inebraska.com...
> > The machine is called an "Instructograph". I first learned code on one of
> > these about 40 years ago. I had about 20 different tapes for mine. If
> yours
> > is original, you might want to take a look inside. The audio oscillator
> > circuit is interesting. It uses an 80 tube for the audio oscillator. It
> is a
> > very simple and easy to work on circuit. I almost wish I still had mine.
> > (Lost it in a flood about 20 years ago).
> >
> > Wayne L. Faris, KEï¿½BZ
> >
> > "Stephen C. Robbins" wrote:
> >
> > > "David Herbach" <dherbach@nycap.rr.com> wrote in message
> > > news:3D1E9434.CEE9AE2B@nycap.rr.com...
> > > > I have an old paper tape code machine used for learning Morse made by
> > > > Instrucograph.
> > > > Is this just a piece of chuck-out junk or would someone buy it if I
> put
> > > > it up for sale?
> > > > Dave
> > > >
> > >
> > >

1045. Info on Drake UV-3 Tribander

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 04:17:58 UTC
From: "John Gubernard, K2LSX" <jtg@intac.com>
Message-ID: <6NQT8.2784$AK.836@news.webusenet.com>
Source record: 41756
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Does anyone have the info on a Drake UV-3 Tribander (Model # 1346)?

I need to find out the output power and current drain at low and high power.
I believe that the radio puts out 25w on 2m and 10w on 220/440.

--
John D Gubernard, K2LSX
k2lsx@arrl.net

1046. Re: Info on Drake UV-3 Tribander

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 12:06:41 UTC
From: Ross <w8tz@qsl.net>
Message-ID: <IBXT8.7399$071.1691339@news1.news.adelphia.net>
Source record: 41757
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

The UV-3 is rated at 25 watts output on 2 meters, however most of them did 30 to 35 output. The 220 and 440 bands are rated at 10 watts out. Low power is approx. 10% of high power and is adjustable by an internal resistor. Max current drain is around 6 amps on high power and 1.3 amps on low power. I use to do final test on those radios at Drake many years ago.....

Ross
w8tz@qsl.net

"John Gubernard, K2LSX" <jtg@intac.com> wrote in message news:6NQT8.2784$AK.836@news.webusenet.com...
> Does anyone have the info on a Drake UV-3 Tribander (Model # 1346)?
>
> I need to find out the output power and current drain at low and high power.
> I believe that the radio puts out 25w on 2m and 10w on 220/440.
>
> --
> John D Gubernard, K2LSX
> k2lsx@arrl.net
>
>
>
>

1047. Re: Info on Drake UV-3 Tribander

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 13:20:57 UTC
From: "Stephen C. Robbins" <srobbinsNOSPAMDUDES@netacc.net>
Message-ID: <3d205735$1@news.netacc.net>
Source record: 41758
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

"John Gubernard, K2LSX" <jtg@intac.com> wrote in message
news:6NQT8.2784$AK.836@news.webusenet.com...
> Does anyone have the info on a Drake UV-3 Tribander (Model # 1346)?
>
> I need to find out the output power and current drain at low and high
power.
> I believe that the radio puts out 25w on 2m and 10w on 220/440.
>
> --
> John D Gubernard, K2LSX
> k2lsx@arrl.net
>
>

The UV-3 draws .9Amp on standby, 1.3 Amp on low power, 1.3 Amp on high power. These numbers are for a factory set UV-3. You can re-set your low power to anywhere up to 25 Watts on 2 Meters by changing a resistor value or installing a rheostat in it's place. 220/440 can be set for a low power up to 10 watts.

The high power setting is nominally 25 Watts for 2 Mtr, 10 Watts for 220/440.

I repair about a half dozen of these in any given year and 90 percent of the failures are on the Vcc collector voltages dying due to failed 10 ufd tantalum capacitors which are used throughout the radio for bypassing supply lines. The rest have failed RF amps (6 percent) and the other 4 percent are user lapses (dropping, user troubleshooting gone bad, bad mods, etc etc).

All in all it is still a great radio. I keep two in my shack here. One is the original I bought in the 70s and the other is a basket case I restored from a hamfest bargain.

Steve

1048. Re: code machine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 13:56:05 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <afpn1n$4rc$1@slb7.atl.mindspring.net>
Source record: 41759

I think the later models (early 70's) were solid state.
--
Steve

"Wayne Faris" <wfaris@inebraska.com> wrote in message
news:3D1FCFD0.4415020E@inebraska.com...
> Sorry, it was a 30, not an 80. You are right about the 80 being a
rectifier,
> the 30 is a triode. Getting a little confused in my old age.
>
> Wayne
>
>
>
> Fred Hambrecht wrote:
>
> > As I remember, the 80 is a rectifier. A four pin base. Not likely to be
an
> > oscillator.
> >
> > "Wayne Faris" <wfaris@inebraska.com> wrote in message
> > news:3D1F93EF.1E356832@inebraska.com...
> > > The machine is called an "Instructograph". I first learned code on
one of
> > > these about 40 years ago. I had about 20 different tapes for mine.
If
> > yours
> > > is original, you might want to take a look inside. The audio
oscillator
> > > circuit is interesting. It uses an 80 tube for the audio oscillator.
It
> > is a
> > > very simple and easy to work on circuit. I almost wish I still had
mine.
> > > (Lost it in a flood about 20 years ago).
> > >
> > > Wayne L. Faris, KEBZ
> > >
> > > "Stephen C. Robbins" wrote:
> > >
> > > > "David Herbach" <dherbach@nycap.rr.com> wrote in message
> > > > news:3D1E9434.CEE9AE2B@nycap.rr.com...
> > > > > I have an old paper tape code machine used for learning Morse made

by
> > > > > Instrucograph.
> > > > > Is this just a piece of chuck-out junk or would someone buy it if
I
> > put
> > > > > it up for sale?
> > > > > Dave
> > > > > >
> > > > >
> > > >
> >

1049. GE MASTR II low-band amp on six meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 13:59:53 UTC
From: cprstn54zz@att.net
Message-ID: <3d205fb4.91937484@news-server.optonline.net>
Source record: 41760

The GE MASTR radio on low band went from 25-50 MHz.

I have been told that the low band amplifier will work on six meters
(50-54 MHz). Can anyone confirm this?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

1050. Re: How to choose a rig ???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 14:06:35 UTC
From: Don Niles <k2pmc@adelphia.net>
Message-ID: <LIZT8.7491$071.1710590@news1.news.adelphia.net>
Source record: 41761

Punu,

I would not overlook the Ten Tec equipment. Ten Tec is noted for excellent quality, especially when it comes to CW. The QSK is superior. The keying, stability and receiver sensitivity selectivity are excellent also.

You can purchase factory reconditioned gear direct from Ten Tec with a return policy. You then know the equipment has been checked and serviced by expert technicians. There are many models to choose from, so I am confident you could find one in your price range.

Regards,

Don - K2PMC

"Larry Cunningham" <larryc@charter.net> wrote in message news:uhthiaqs0jfl17@corp.supernews.com...
>
> "Punu Puatoro" <punupuatoro@fairesuivre.com> wrote in message
> news:4cc9fe3e.0205290933.6d15521c@posting.google.com...
> > Hello.
> > I would like to buy a good HF transceiver with built-in DSP,
> > especially for CW trafic.
> > I read many many reviews of these : FT-847, FT-920, IC-746, IC-746PRO
> > (nice but too expensive), TS-870S.
> > Lot of cons, lot of pros, I'm now totally confused...
> > Please help me to choose my future CW rig.
> > Regards
>
> Punu, I have been running a Yaesu FT-920 since the first of the year and it
> is a fantastic piece of equipment....just get you some good quality filters
> and you are in business. I get great reports from all over the world running
> only about 65 to 75 watts. The DSP feature is great... Save yp some money
> and get you a radio that will stay with you for years to come.. 73's Larry
> KE4YDI
>
>
>

1051. FS: Viking Messenger & Messenger Two..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 15:49:57 UTC
From: MTM <res0i8ad@verizon.net>
Message-ID: <FS_T8.24643$vr5.2481@nwrddc01.gnilink.net>
Source record: 41762

FS: A pair of Johnson Viking Tube CB's...A Messenger & A Messenger Two...
Best offer....
Pix available....
--
Mike

814-450-7979-c
814-868-0866-h

FS: Viking Messenger & Messenger Two..

1052. Raytheon TWT need info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 19:54:03 UTC
From: jimdmtn@yahoo.com
Message-ID: <30f1ca24.0207011154.6915a9ba@posting.google.com>
Source record: 41763

Hi,

I have some old Raytheon TWTA's that I need wiring and voltage specs for. The tubes have the QA test data, but I don't have the wiring or application notes.

I can easily identify the collector, ground and have a good idea on the filament, but I have two connections left to figure out. Hummmmm?

They are Raytheon tube type QKW1922N manufactured in the early 1980's.

The folks at Northup Grumman (who now own Raytheon's old TWT division) have not yet been able to come up with anything.

If anyone can help me out, I'd appreciate it. Of course, I would compensate a reasonable sum for time and effort.

Thank you,

Jim

1053. FS: Icom R75, with DSP and KIWA mods, Mint

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 20:12:09 UTC
From: maritimus49@aol.com
Message-ID: <20020701161209.21349.00001795@mb-me.aol.com>
Source record: 41764

Icom R75 with UT-106 ($140) and all Kiwa mods ($170) for AGC/Sync detector improvements, additonal 3.8 kHz filter, and improved audio circuitry. Mint condition and works great. I'm selling because I just bought a transceiver for ham and SWLing. Comes with carton, manual and external power supply. Asking $600 plus shipping. Thanks.

1054. Better audio for TM-G707A?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 21:09:33 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020701170933.22922.00002426@mb-fh.aol.com>
Source record: 41765

Does anyone know how to bring up the audio in the TM-G707A?
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

1055. FS: New MFJ-901B Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 21:11:29 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <5A3U8.116$2W.12829@twister.rdc-kc.rr.com>
Source record: 41766

MFJs smallest 200 watt PEP Versa Tuner. Match dipoles,
vees, random wires, verticals, mobile whips, beams, balanced and coax lines
continuously from 1.8 - 30 MHz. A 4:1 balun for balanced lines is built in.
BRAND NEW, excellent for mobile or portable use. $55.00 shipped/insured
Conus.

Van,
K0KAV

1056. Tait 2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 21:16:58 UTC
From: Lezlee <unicorn2002@onetel.net.uk>
Message-ID: <3d20c46c@212.67.96.135>
Source record: 41770

I am after a site that sells tha data cable from pc to the radio.....got software but i am in need of cable, can anyone help.

1057. Re: Better audio for TM-G707A?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 21:20:01 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ui1htffr5v1p30@corp.supernews.com>
Source record: 41767

Should be a small trimmer inside.."deviation".

--
Web Site: www.polkcounty.org/radiofun

"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
news:20020701170933.22922.00002426@mb-fh.aol.com...
> Does anyone know how to bring up the audio in the TM-G707A?
> =-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

1058. Re: VX-7R, Alignment Menu, how do I scan pre-programmed Marine Band Freqs ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 22:36:35 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0207011436.756f82f@posting.google.com>
Source record: 41768

Someone on another VX-7R group posted
if you hold the Mon/F + Internet key + SET
while turning the power on it gives you
what looks like the Alignment Menu.

You can make changes by pressing the V/M button
then turn the frequency knob.

I don't know if pressing the V/M stores it
or like the VX-5R pressing the HM/RV will
save it and exit at same time.

Mine comes up on the UHF band. I would like
to know how do I change bands?

Ken
N1KK

n1kk@netzero.net (Ken) wrote in message
news:<d7adbb57.0206130444.345fc42@posting.google.com>...
> Anyone know how to get into the Alignment Menu?
>
> How do I scan pre-programmed freqs (Marine band pre-programmed)
>
> thanks,
>
> Ken
> N1KK

1059. Re: Better audio for TM-G707A?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-01 22:42:14 UTC
From: dplatt@radagast.org
Message-ID: <ui1mm6kl0ii1c9@corp.supernews.com>
Source record: 41769

>Does anyone know how to bring up the audio in the TM-G707A?

Assuming that you're talking about the transmit audio level... the deviation control in this model is done via a software-based adjustment.

You can find a description of the adjustment procedure at http://www.mods.dk/ - click on Kenwood, select tm-g707a, and then select "Low Audio Fix for Kenwood TM-G707".

The only hardware required is a mini-DIN-6 plug (e.g. PS/2 keyboard connector) with pins 3 and 6 shorted together... you'll need this to put the radio into alignment mode. [The alternative procedure, which involves waiting until the hologram appears and saying "This is Worker - hello!" appears not to work reliably with this model.]

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will boycott any company which has the gall to send me such ads!

1060. Re: Tait 2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 00:34:19 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d20f50b$0$1421$2c3e98f8@news.voyager.net>
Source record: 41771

"Lezlee" <unicorn2002@onetel.net.uk> wrote in
news:3d20c46c@212.67.96.135:

> I am after a site that sells tha data cable from pc to the
> radio.......got software but i am in need of cable, can anyone help.
>
>
>

www.rtsars.com

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

1061. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 00:42:47 UTC
From: Terry Taylor <n6mon@pacbell.net>
Message-ID: <bG6U8.685$Rx1.65742123@newssvr14.news.prodigy.com>
Source record: 41772

> Jim, none of the Coast Guard's radio equipment is "type accepted" by
> the FCC. With activities directly associated with the Coast Guard,
> Auxiliary personnel fall under military regulations (just like the Coast
> Guard does), not FCC regulations. And it is up to each Coast Guard
> district to regulate communications within that district. In District
> 13, the use of ham equipment by Auxiliary personnel is authorized, or at
> least it was when I was there (the Group Operations Center's
> Communications Officer in District 13 was an active ham, so he should
> have known what the rules were or are if he is still there). I'm not
> aware of the regulations here since I'm not directly involved with
> communications except for the very occasional patrol (my boat is not a
> facility here, so is not used for Coast Guard patrols here).

This is correct, BUT the CG's equipment DOES meet NTIA standards or they would NOT be able to
use Federal money to procure it. If you are using an amateur Yaesu radio, almost NONE of them meet
NTIA standards, and even auxilarists and CAP members MUST comply with NTIA standards.

That said, can you guy's take your little urination contest to eMail and leave the group out of it?

Terry Taylor, LtCol, CAP
(Former DCS/Communications, Pacific Region)

1062. Re: D-104 with Yaesu FT-100D?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 01:36:25 UTC
From: "Stephen C. Robbins" <srobbinsNOSPAMDUDES@netacc.net>
Message-ID: <3d210397$1@news.netacc.net>
Source record: 41773

"ve3tmt" <ve3tmt@rac.ca> wrote in message
news:1L_R8.2815$ZM3.736120@news20.bellglobal.com...
>
> "VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
> news:20020624172606.01539.00000803@mb-cj.aol.com...
> > Can anyone tell me if I could use a D-104 with an FT-100D? I was
thinking
>

See this month's QST in Tech Tips on using the D-104 on various radios. A
very good piece.

Steve

1063. Re: D-104 with Yaesu FT-100D?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 02:04:39 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020701220439.04825.00001554@mb-fu.aol.com>
Source record: 41774

>See this month's QST in Tech Tips on using the D-104 on various radios. A
>very good piece.

Unfortunately I do not get QST.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

1064. Re: FS Brand new ft 50rd41

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 03:40:36 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D2120B4.D276DDB9@optonline.net>
Source record: 41776
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

hi, why not return it to where you got it for your full return price?

Magnum45 wrote:

> I have had this radio for 5 days.
> I picked it up new.
> They key pad is too small for me it has all that came with it s new plus the
> optional dry cell AA pack rubber grip and sma to so239 adapter.
> And sells slip with a 2 year warranty.
> This radio has the ftt12 dtmf key pad with voice recorder.
> $210 shipped.

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

1065. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 03:41:45 UTC
From: Jim Weir <jim@rst-engr.com>
Message-ID: <iq72iu4olv0eufg3co9sq57ur1hb601tue@4ax.com>
Source record: 41777

We already did that, your leafcololonelship highness, sir. Both of us in this family decided to transfer our CAP activities to the USCG Aux, courtesy of the gentleman whose answers, shall I say, were more reflective of a gentleman and an officer than you would ever conceive of?

By the way, it seems to me that you have your choice of which posts to read. Don't you have a "no" button on your machine? Or don't you know how to use it?

Jim

(In my long relationship with the USAF and the USAF-CAP, there are two kinds of leaf colonels. Those who got there being a horse's ass and are at the end of their promotional capabilities, and those who are making reservations at Maxwell for AWC. Seems to me I see where this one is headed.)

"Terry Taylor" <n6mon@pacbell.net>
shared these priceless pearls of wisdom:

->
->That said, can you guy's take your little urination contest to eMail and
->leave the group out of it?
->
->Terry Taylor, LtCol, CAP
->(Former DCS/Communications, Pacific Region)

Jim Weir, VP Eng. RST Eng. WX6RST
A&P, CFI, and other good alphabet soup

1066. Re: GE MASTR II low-band amp on six meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 04:00:35 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <afr87p$t8d$1@bob.news.rcn.net>
Source record: 41778

"Ken" <cprstn54zz@att.net> wrote:

> The GE MASTR radio on low band went from 25-50 MHz.

> I have been told that the low band amplifier will work on six meters
> (50-54 MHz). Can anyone confirm this?

The GE Mastr II radios can do six meters,
but it is wise to buy one that is made for 42-50.
Surf the web and you will find the serial number codes
as well as lots of other info on these rigs.

1067. Re: FS Brand new ft 50rd41

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 05:03:34 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <GuaU8.3758$Uv.42446@twister.rdc-kc.rr.com>
Source record: 41779
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

They want too high of a restocking fee.
"Mark Russo" <mrrusso@optonline.net> wrote in message
news:3D2120B4.D276DDB9@optonline.net...
> hi, why not return it to where you got it for your full return price?
>
> Magnum45 wrote:
>
> > I have had this radio for 5 days.
> > I picked it up new.
> > They key pad is too small for me it has all that came with it s new plus
the
> > optional dry cell AA pack rubber grip and sma to so239 adapter.
> > And sells slip with a 2 year warranty.
> > This radio has the ftt12 dtmf key pad with voice recorder.
> > $210 shipped.
>
> --
> ---------------------
> All e-mail received and SENT from me
> has been checked by Norton Anti-Virus 2002.
>
> mrrusso@optonline.net
> ---------------------
> GOD BLESS AMERICA!!!
>
>

1068. FS realistic htx 404

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 05:36:04 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <8ZaU8.3761$Uv.43428@twister.rdc-kc.rr.com>
Source record: 41780
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

The radio is in good working and looking condition.
Comes with all as new.
Not sure how well the nicad pack is since i use the AA pack.
As of 1 year ago it last for about 1 hour.
E-mail me direct for pictures of the radio.
$70 shipped lower 48 states ups insured.

1069. Re: The best handheld scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 05:45:11 UTC
From: bc <barry@trawberybanke.com>
Message-ID: <3D213E66.2080509@trawberybanke.com>
Source record: 41781
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.scanner,uk.radio.amateur

I love my Yupi MVT 7100. Had it for many years and thousands of miles.
It could use a new case, it's been dropped, banged up and the battery
cover is broken (duct tape works...) but it keeps on working.

It's great for camping / hiking since I can check on the weather, listen
to the forest / park rangers and my favorite SW, FM, AM and TV (audio)
stations. It's a great bargain for the price too.

For local around the town scanning I use my Bearcat BC245XLT for
trunking and the Yupi for other freqs.

Cons: No PC interface, no ferrite antenna (for AM) and the scanning
speed could be faster.

I'd buy another (I'm planning to...) in a heartbeat.

CUL,
-barryc

Noel Glass wrote:
> What about Yupi MVT 7100 (Still the best handheld scanner to date so I am
> told)
>
>
> "keith" <mke65@attbi.com> wrote in message
> news:c6ojhu8fau8i3mbr3krc1t9haiei8l9jb6@4ax.com...
>
>>Having owned the aor 8000, 8200, yupi 9000 and the alinco dj-x2000 I
>>give the nudge to the alinco. the radio has many usefull features
>>that are not included or cost extra on the other radios. Having built
>>in record function for 2.5 minutes if useful, speech descrambler, ctss
>>decode, 2000 channels, exellent bank breakdown (40 channels per),
>>excellent construction, computer control, the list goes on. Only weak
>>spot is scan sped is slow but this is remedied by grouping
>>frequencies ie, 450 mhz in one bank, 150 in another, etc... or at
>>least keep them consecutive within the same bank. The scanner slows
>>when moving from one frequency range to another. Keith
>>On Wed, 26 Jun 2002 09:39:44 GMT, "Trondheim" <937275212@terra.es>
>>wrote:
>>
>>
>>>What is the best handheld scanner?
>>>ICOM IC-R10 or YAESU VR-500, without considering the king of the hand
>>>scanners the AOR AR8200 (but with the problems of short autonomy of his
>>>batteries and his expensive price).

>>>
>>>I want to scanner all mode (AM, N/FM, SSB & CW), handheld, that cover
>>>frequencies between 0,5 MHz and 1300 MHz minimum, and that has a good
>>>selectivity and sensitivity, these two models that I expose are the firm
>>>candidates, and only models that sell where I live (I do not want to buy
>>
> at
>
>>>distance, by the problems of repairs while this in guarantee, either to
>>
> buy
>
>>>used scanners, unless one says to me that the ICOM IC-R10 and the YAESU
>>>VR-500 aren't a good election).
>>>
>>>Thanks,
>>>
>>>Trondheim
>>>
>>>
>>>
>>
>
>

1070. Re: D-104 with Yaesu FT-100D?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 05:58:58 UTC
From: "Stephen C. Robbins" <srobbinsNOSPAMDUDES@netacc.net>
Message-ID: <3d214120$1@news.netacc.net>
Source record: 41782

"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
news:20020701220439.04825.00001554@mb-fu.aol.com...

> Unfortunately I do not get QST.
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

Neither do I.

In New York we all know how to read, so book stores are profitable. We have several in our small town and all carry QST at newstand price. Perhaps when the literacy rate in New Jersey picks up, bookstores will open up there also.

Steve

1071. Re: D-104 with Yaesu FT-100D?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 07:01:00 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <afrhvn$6sv$1@news1.kornet.net>
Source record: 41783

*S*I*Z*Z*L*E*

"Stephen C. Robbins" <srobbinsNOSPAMDUDES@netacc.net> wrote in message
news:3d214120$1@news.netacc.net...
>
> "VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
> news:20020701220439.04825.00001554@mb-fu.aol.com...
>
> > Unfortunately I do not get QST.
> > =-
> > 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> > Beachwood, NJ USA! Grid FM29vw
> > http://vhfradiobuff.tripod.com
>
> Neither do I.
>
> In New York we all know how to read, so book stores are profitable. We
have
> several in our small town and all carry QST at newstand price. Perhaps
when
> the literacy rate in New Jersey picks up, bookstores will open up there
> also.
>
> Steve
>
>
>

1072. Re: D-104 with Yaesu FT-100D?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 08:22:46 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020702042246.28926.00001182@mb-ce.aol.com>
Source record: 41784

>In New York we all know how to read, so book stores are profitable. We have
>several in our small town and all carry QST at newstand price. Perhaps when
>the literacy rate in New Jersey picks up, bookstores will open up there
>also.
>

Jesus, who crapped in your Corn Flakes, Hoss?
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

1073. Re: D-104 with Yaesu FT-100D?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 08:53:13 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <afroi4$j96$1@news1.kornet.net>
Source record: 41785

Hello former HL9'er... where were you located when you were here? I'm located in Anjong-ri, near Pyongtaek.. about 80 clicks south of Seoul near MSR1.. Haven't had a single contact with an American ham since I've been here.. can't even hear anything east of HI... I know there are other hams here in country, but it seems I'm too close for HF, and too far for simplex VHF/UHF.. :($1200 radio, and no one to talk to.. (not much to listen too, either, since my QRN level is often 20dB over S9..) :(

Take care, and stay well.

Brenda Ann
HL2/K7BAD

"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message news:20020702042246.28926.00001182@mb-ce.aol.com...
> >In New York we all know how to read, so book stores are profitable. We have
> >several in our small town and all carry QST at newstand price. Perhaps when
> >the literacy rate in New Jersey picks up, bookstores will open up there
> >also.
> >
>
> Jesus, who crapped in your Corn Flakes, Hoss?
> =-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

1074. Re: S-Band (13 cm) RHCP Hemispherical Omni Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 10:58:55 UTC
From: adamory <adamory@ntlworld.com>
Message-ID: <gCfU8.835$du.45150@news8-gui.server.ntli.net>
Source record: 41786
Cross-posted to: sci.electronics.equipment,rec.radio.amateur.space,rec.radio.amateur.equipment,rec.radio.amateur.antenna,sci.electronics.design,sci.engr.radar+sonar

would a QFH be useful?

OH2AUE's site has a design for a QFH which is fairly easy to make.
can't remember the URL, but a search on OH2AUE should bring results

cheers

Adam

"M.C. Maguire" <nomcmaguirespam@hotmail.com> wrote in message
news:3D07A5ED.29EE9FF8@hotmail.com...
> I am looking for a commercial supplier of an S-band (2300-2400 MHz)
> right hand circularly polarized antenna that has a broad hemispherical
> pattern (-3 dB at +-60 deg or more from boresite). Pattern is more
> important than gain. Must be suited for outdoor and low temperature
> use.
>
> Here is ideal antenna:
>
> http://www.condorsys.com/pdf_files/as48915.pdf
>
> Three problems: it costs 53 dB$ (~13 dB too much), it's space qualified
> (overkill on environmentals) and takes 150 days to get an order filled
> (need in 30 days).
>
> Thanks.
>
> mm
>
> mcnospammaguire@earthlink.net

1075. Re: D-104 with Yaesu FT-100D?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 14:21:09 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <lbUhPctwD5jr5L6v565KM8XBKDmt@4ax.com>
Source record: 41787

"Stephen C. Robbins" <srobbinsNOSPAMDUDES@netacc.net> wrote:

>
>"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
>news:20020701220439.04825.00001554@mb-fu.aol.com...
>
>> Unfortunately I do not get QST.
>> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
>> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
>> Beachwood, NJ USA! Grid FM29vw
>> http://vhfradiobuff.tripod.com
>
>Neither do I.
>
>In New York we all know how to read, so book stores are profitable. We have
>several in our small town and all carry QST at newstand price. Perhaps when
>the literacy rate in New Jersey picks up, bookstores will open up there
>also.
>
>Steve

QST, CQ and other such mags are also in most public libraries, if you check the
central facility. A good place to look at current and past issues.

Bob
k5qwg

>
>

1076. Free Ham Radio manuals & schematics - all brands&vintage

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 14:26:21 UTC
From: Charles Johnston <ctj92@hotmail.com>
Message-ID: <6a14b1d8a9cb7f76ebc82564b5150215.100795@mygate.mailgate.org>
Source record: 41788

Links to many free downloadable Ham Radio manuals and schematics at
this URL....

1. http://www.ab7sl.com/index.html?row1col2=links.html

Includes Alinco, Kenwood, Yaesu, Heathkit, Collins, Swan, Icom,
Heathkit, MFJ-Ameritron, Radio Shack and several others.

Also links for many "vintage" rigs manuals and schematics too such as
Hallicrafters, Hammarlund,Drake,Johnson,Kenwood-Trio,Lafayette and
over 125 more vintage rig manuals... 73'

--
Posted via Mailgate.ORG Server - http://www.Mailgate.ORG

1077. f.s. realistic dx 160 with side speaker and manual MINT 125.00US shipped

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 14:57:00 UTC
From: JJJ <oakvillecub@cogeco.ca>
Message-ID: <TF8U8.80807$Yt.3344199@read1.cgocable.net>
Source record: 41775

for sale:

in mint condition with side speaker and manual

dx 160 receiver

125.00US includes insured shipping

thanks
oakvillecub@cogeco.ca

1078. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 18:11:56 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D21ECEC.9090007@lakefield.net>
Source record: 41789
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $650

Kenwood TM251A 95% $100 SOLD
Kenwood TM451A 98% $115 SOLD

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

1079. FA TenTec 20 Meter QRP CW Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 18:30:38 UTC
From: Gary Sargent <ke8wo@worldnet.att.net>
Message-ID: <ijmU8.72542$UT.5037072@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41790

Nice little rig .. great to get a taste of QRP operation on the cheap!
Works well. Ruggedly built.

Bid 'er up!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1363921931

1080. FA Yaesu FT411E HT Package

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 18:30:38 UTC
From: Gary Sargent <ke8wo@worldnet.att.net>
Message-ID: <ijmU8.72543$UT.5036933@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41791

I have my nice Yaesu FT411E and associated accessories, manuals, etc.
available on EBAY. This is a very nice HT that is small but not so small as
to make using the keypad and controls difficult! This package would be
great way to get on 2 meters with out spending an arm & a leg!

Bid 'er up!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1363924346

1081. FA MFJ 1278 Multimode Data Controller

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 18:30:39 UTC
From: Gary Sargent <ke8wo@worldnet.att.net>
Message-ID: <jjmU8.72544$UT.5037385@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41792

Follow this link if you are interested in one of the MFJ 1278 Multi-mode data controllers. This is one of the earlier units but is very fine for RTTY, hf/vhf packet, Amtor, etc.

Bid 'er up!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1363927162

1082. FA MFJ 752B Dual Audio Filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 18:30:41 UTC
From: Gary Sargent <ke8wo@worldnet.att.net>
Message-ID: <IjmU8.72547$UT.5037298@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41793

Here is a do-dad that will complete your radio shack!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1363925552

1083. FS Kenwood TS-700a plus others

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 19:26:22 UTC
From: Steve Bossert <kc2gog@amsat.org>
Message-ID: <Y7nU8.5242$68.137292@news4.srv.hcvlny.cv.net>
Source record: 41794

i am trying to still consolidate the radioshack. so far i have shrunken my list to a handfull of items, but am still not close to purchasing an icom706mkIIg

heres what is left, i want to finally get on 6m and HF (when i upgrade) while the band is still open

kenwood ts-700a 2m allmode $175
reallistic dx-302 sw base .01khz-30mhz
reallistic pro-2006 (famous!!) $200
alinco dj-195 2m ht w/extra battery $150
yaesu vertex vx-200 vhf commercial ht (136-174) includes computer cable and software $150
compaq contura 410cx 486type laptop (used for vx-200 and other radios) $100

package of laptop and vx-200 for $225

thanks

steve kc2gog

1084. What's the deal with "unblocked" scanners?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 19:32:18 UTC
From: cprstn54zz@att.net
Message-ID: <3d21fe8f.2077031@news-server.optonline.net>
Source record: 41796

How come folks are willing to pay double for scanners that don't have the cell bands (800 MHz) blocked? Isn't most cell traffic digital and undecipherable these days (not that any decent person would listen in)?

I have an old RS scanner that is unblocked. What am I missing?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

1085. FA Rohde & Schwarz Spectrum Monitor w/GIANT 9" screen

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 19:55:08 UTC
From: "Kevin D. Murray" <murray@spybusters.com>
Message-ID: <3D22051C.8CB6FA3E@spybusters.com>
Source record: 41795
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

LAST DAY
R&S Model EZM - RF/IF Spectrum Monitor
ï¿½ Useful for TSCM bug hunting / signal analysis, ham / amateur radio.
ï¿½ RF / IF Signal Analysis
ï¿½ 1 kHz to 2 MHz display range.
ï¿½ 10.7 MHz & 75 MHz inputs.
ï¿½ Use with your receiver
or...
ï¿½ Made to mate with R&S ESH3 or ESVP receivers.

Must see photos...
Just imagine this beauty - center stage - in your shop or shack.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1744636489

Transit shipping case included at no extra charge.

Thanks for looking!

1086. FS: Ten Tec 229B 160-10 plus WARC antenna tuner, Exc.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 20:15:15 UTC
From: maritimus49@aol.com
Message-ID: <20020702161515.25429.00001370@mb-mi.aol.com>
Source record: 41797

I have for sale the Ten Tec 229B antenna tuner rated at 2 KW and in excellent condition. Features wide range capacitor, silver-plated roller inductor, and 4:1 balun. Covers 160-10 meters plus the WARC bands. Works great. Requires 12 vdc for the SWR/Power meter and inductor setting lamps. Check out the 5/5 reviews on eham.net. Asking $200 plus shipping.

1087. Re: What's the deal with "unblocked" scanners?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 20:26:17 UTC
From: turbo22367@aol.com
Message-ID: <20020702162617.14906.00001690@mb-bh.aol.com>
Source record: 41648

I don't know about everyone else but our local Police Dept. went to the 800 mHz area. Now we can't listen in to what is happening locally except a precious few.

1088. FS pro 90 300 ch trunk tracker $110 shipped

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 20:31:40 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <M4oU8.2642$2W.65701@twister.rdc-kc.rr.com>
Source record: 41649
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

Forsale a real nice working and looking pro 90 scanner.
300 channel trunk tracker.
Comes with new nickel metal hydride battery pack.
antenna new belt clip and service manual ac/charger.
E-mail me direct or for pictures of the scanner.
$110 shipped.

1089. FS: Variacs

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 20:59:43 UTC
From: Walter Treftz <penguino@atlantic.net>
Message-ID: <3D22143F.680362F9@atlantic.net>
Source record: 41650

General Radio Model M2-S25 110V input coil size
1-1/4" x 3-1/4"d, double slider.

General Radio 110v, case size 4.5" x 4.5"d, with knob
& 0-135v dial plate & large knob.

Standard Electric Products Co., Model 6541, 0-135vac
7.5a (1 kw max), coil side: 3" x 4"d

General Radio, 0-135vac, case size: 2.5" x 3"d, with
0-135v dial plate and large knob.
Digital pix available on the above upon request ---
penguino@atlantic.net.yoyo (ignore the yoyo --
I hate spam)
Walt (N4GL)

1090. Re: Free Ham Radio manuals & schematics - all brands&vintage

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 21:16:27 UTC
From: Pete Gianakopoulos <n.gianakopoulos@worldnet.att.net>
Message-ID: <LKoU8.72769$UT.5048943@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41651

That link doesn't seem to work.

Charles Johnston <ctj92@hotmail.com> wrote in message
news:6a14b1d8a9cb7f76ebc82564b5150215.100795@mygate.mailgate.org...
> Links to many free downloadable Ham Radio manuals and schematics at
> this URL....
>
> 1. http://www.ab7sl.com/index.html?row1col2=links.html
>
> Includes Alinco, Kenwood, Yaesu, Heathkit, Collins, Swan, Icom,
> Heathkit, MFJ-Ameritron, Radio Shack and several others.
>
> Also links for many "vintage" rigs manuals and schematics too such as
> Hallicrafters, Hammarlund,Drake,Johnson,Kenwood-Trio,Lafayette and
> over 125 more vintage rig manuals... 73'
>
>
> --
> Posted via Mailgate.ORG Server - http://www.Mailgate.ORG

1091. Re: FT790 Mk1 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 21:28:07 UTC
From: Pete Gianakopoulos <n.gianakopoulos@worldnet.att.net>
Message-ID: <HVoU8.72777$UT.5050605@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41652

Should be a 5MHz offset.

spamFREE <spamFREE@thisaddress.com> wrote in message
news:3D1F8088.5CB908A5@thisaddress.com...
> Hi Folks,
>
> Just got myself a secondhand '790 (Yaesu 70cm multimode)
>
> what is the default repeater shift please ? it seems to be around 7 MHz
> at first
> glance.
>
> I have found no mod info regarding adjusting this - 'course I can work
> repeaters with the VFO/MEM split function but thats a bit naff
>
> any other mods out there (other than 9K6 packet or QRO 2.5W)
>
> e.g. stepping mods , listen on input, extended coverage, etc ??
>
> Regards
>
> SF
>
>
>

1092. Re: Cleaning rig after Smoker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 21:36:17 UTC
From: Pete Gianakopoulos <n.gianakopoulos@worldnet.att.net>
Message-ID: <I1pU8.72785$UT.5051175@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41653

The main thing is to make sure that the rig is using glass-epoxy circuit boards. If it has phenolic boards, as many of the Japanese rigs do, the boards can delaminate.

Pete KE9OA

Egis/CORE <thebear@cave.org> wrote in message news:3dcthuk6afp6tmgvit7v0821d7giarq0te@4ax.com...
> On Fri, 08 Mar 2002 10:56:41 -0700, Dick Hughes
> <rhughes33@cableone.net> wrote:
>
> >Here's something you might consider. Don't know if I am that brave,
> >but..... I recently purchased a Tektronix 475 oscilloscope. It is
> >20 some years old and I would like to refurbish it. It is at least as
> >complex as a ham radio. I have done a lot a research on restoring
> >oscilloscopes and was somewhat surprised to find that Tektronix, as
> >well as repair facilities, simply wash them with water and detergent!
> >Basically, they use a pressure hose that draws the detergent in with
> >the water. After it is clean, they bake the o-scope in an oven at
> >about 135 degrees F for 3 to 4 days. Like I said, I haven't got up
> >the courage to try it, and I don't have a low-temp baking oven, but
> >that's what the big boys do. If you want to read all about it,
> >subscribe to TekScopes in the Yahoo Groups. You will find everything
> >you ever wanted to know (and more) about cleaning electronic
> >equipment.
> >
> >Dick - W6CCD
> >
> >On Fri, 8 Mar 2002 00:03:54 -0500, "KC8PMX"
> ><kc8pmx@NOSPAMdiamondcs.net> wrote:
> >
> >>One thing to consider along with the exterior, is of course the interior
of
> >>the rig. How do you clean the smell off from the inside of the rig? I
am
> >>sure that the film and smell is on the inside of the rig. What
solutions
> >>are safe to spray on the inside of the rig?
> >>
> >>You can use either a vacuum or a pressurized spray to remove dust
buildup
> >>but.....
> >>
> >>Ryan KC8PMX
>

> On cleaning up a smoke smell, I use one of the wife's Bounce Sheets
> that she puts in the dryer with the clothes. It doesn't get the
> equipment wet and you just throw it away when you are finished.

1093. Re: What's the deal with "unblocked" scanners?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 21:43:52 UTC
From: Rich Griffiths <richgrif@one.net>
Message-ID: <3D221E98.410AD820@one.net>
Source record: 41654

Ken:

I think the digital stuff is on one of the microwave bands. In any case, there's still lots of analog in the 800 MHz band.

Personally, I consider it a nuisance. I frequently receive images around 903-905 MHz (Ham band), and I'm not interested in listening in on other people's conversations. I hear enough of them in waiting rooms etc., and they range from mundane to dreadfully boring ;-)

[Yes, I know having them come in on my scanner is not their fault.]

... Rich

Ken wrote:
>
> How come folks are willing to pay double for scanners that don't have
> the cell bands (800 MHz) blocked? Isn't most cell traffic digital and
> undecipherable these days (not that any decent person would listen
> in)?
>
> I have an old RS scanner that is unblocked. What am I missing?
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

1094. Re: WTB: S-Band (13 cm) RHCP Hemispherical Omni Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 22:01:25 UTC
From: "M.C. Maguire" <nomcmaguirespam@hotmail.com>
Message-ID: <3D2222B2.F988EB9B@hotmail.com>
Source record: 41655
Cross-posted to: sci.electronics.equipment,rec.radio.amateur.space,rec.radio.amateur.equipment,rec.radio.amateur.antenna,sci.electronics.design,sci.engr.radar+sonar

Thanks all. I found a real "commercial" conical spiral that covers
1.7-2.7 GHz with nominal axial ratio of 3 dB in the right price range.

QFH are way too narrowband when operating at S-Band.

mm

"M.C. Maguire" wrote:
>
> I am looking for a commercial supplier of an S-band (2300-2400 MHz)
> right hand circularly polarized antenna that has a broad hemispherical
> pattern (-3 dB at +-60 deg or more from boresite). Pattern is more
> important than gain. Must be suited for outdoor and low temperature
> use.
>
> Here is ideal antenna:
>
> http://www.condorsys.com/pdf_files/as48915.pdf
>
> Three problems: it costs 53 dB$ (~13 dB too much), it's space qualified
> (overkill on environmentals) and takes 150 days to get an order filled
> (need in 30 days).
>
> Thanks.
>
> mm
>
> mcnospammaguire@earthlink.net

1095. FS: MFJ-962B antenna tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 22:44:02 UTC
From: Rick and Theresa <n6cy@earthlink.net>
Message-ID: <S0qU8.1604$gR.122756@newsread2.prod.itd.earthlink.net>
Source record: 41656
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Good condition 1.5 kW MFJ tuner with cross-needle meter. Recently acquired
but didn't need it. Electrically great. Few scratches characteristic of age.
No dents or dings. Great addition to your ham shack.

Asking $150/bo plus shipping.

Rick N6CY
San Diego, CA 92129

1096. Re: Free Ham Radio manuals & schematics - all brands&vintage

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-02 23:49:23 UTC
From: CJ <difficult@times.com>
Message-ID: <ui4f1uicqvog41@corp.supernews.com>
Source record: 41657

Hello Pete,
Just tried it and it went right to the correct page....

--
-CJ

"Pete Gianakopoulos" <n.gianakopoulos@worldnet.att.net> wrote in message
news:LKoU8.72769$UT.5048943@bgtnsc05-news.ops.worldnet.att.net...
> That link doesn't seem to work.
>
> Charles Johnston <ctj92@hotmail.com> wrote in message
> news:6a14b1d8a9cb7f76ebc82564b5150215.100795@mygate.mailgate.org...
> > Links to many free downloadable Ham Radio manuals and schematics at
> > this URL....
> >
> > 1. http://www.ab7sl.com/index.html?row1col2=links.html
> >
> > Includes Alinco, Kenwood, Yaesu, Heathkit, Collins, Swan, Icom,
> > Heathkit, MFJ-Ameritron, Radio Shack and several others.
> >
> > Also links for many "vintage" rigs manuals and schematics too such
as
> > Hallicrafters, Hammarlund,Drake,Johnson,Kenwood-Trio,Lafayette and
> > over 125 more vintage rig manuals... 73'
> >
> >
> > --
> > Posted via Mailgate.ORG Server - http://www.Mailgate.ORG
>
>

1097. Re: What's the deal with "unblocked" scanners?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 01:42:01 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d2252eb$1_2@newsa.ev1.net>
Source record: 41658

Why does anyone want to listen to cell-phone gabber anyway? Boring! Waste
of time!

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Ken" <cprstn54zz@att.net> wrote in message
news:3d21fe8f.2077031@news-server.optonline.net...
> How come folks are willing to pay double for scanners that don't have
> the cell bands (800 MHz) blocked? Isn't most cell traffic digital and
> undecipherable these days (not that any decent person would listen
> in)?
>
> I have an old RS scanner that is unblocked. What am I missing?
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

1098. FA: Last day 1.2 GHZ handheld freq. counter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 01:44:58 UTC
From: GaryH <webpub@fastmail.ca>
Message-ID: <8DsU8.20806$wj4.1938066@e3500-atl2.usenetserver.com>
Source record: 41659

Like New counter to get your rig on frequency or for
that repair project.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1744907653

1099. Re: What's the deal with "unblocked" scanners?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 02:17:57 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <cV0iPVXKzA9lw6NW1ZHR6CokR+BO@4ax.com>
Source record: 41660

"M.E." <bogus@nospam.com> wrote:

>Why does anyone want to listen to cell-phone gabber anyway? Boring! Waste
>of time!

While in public places, I get to listen to rude people shouting into their cell phones, damn near every day. It takes all my will power to not tell 'em to just shut the f*** up. Why in God's name would anyone want to listen to such conversations on an unblocked scanner? Lordy.

Bob
k5qwg

1100. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 03:59:09 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D2276B9.7780AF@sc.rr.com>
Source record: 41661

> "Terry Taylor" wrote...
>
> That said, can you guy's take your little
> urination contest to eMail and leave the
> group out of it?

Oh, come on, Terry. Since this discussion was vaguely about ham radio, and a good number of hams are involved with the Auxiliary, this discussion was not that much of an intrusion, was it? :)

Furthermore, when you posted the message above, the discussion had already ended in this newsgroup several hours before (after all, most discussions that end with "take care" have ended).

Besides, what you saw as a "urination contest" was simply two people with different viewpoints discussing a similar interest. And I would strongly prefer that, here and within the Auxiliary, to no discussion at all.

However, if our discussion truly bothered you that much, please accept my apology. And, to insure the thread does not continue (bothering you still more), I'll try to end it here by not responding further. Take care.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

1101. Re: What's the deal with "unblocked" scanners?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 04:23:27 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D227C68.99A11FC3@sc.rr.com>
Source record: 41662

Ken wrote:
>
> How come folks are willing to pay double for
> scanners that don't have the cell bands (800
> MHz) blocked? Isn't most cell traffic digital
> and undecipherable these days (not that any
> decent person would listen in)?

In my area, the police have moved to those blocked frequencies to avoid having anyone listen into their conversations. However, I'd prefer police not conduct their business in secret (and old idea that is perhaps out of date today). Much of the government in this area has moved to those frequencies also. Likewise, after living under the threat of the highly secretive soviet government for decades, I'd prefer government not conduct business in secret too. My ability to listen in on those frequencies helps, in a very limited way, to prevent both of those.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

1102. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 05:00:26 UTC
From: Jim Weir <jim@rst-engr.com>
Message-ID: <a215iug18o98d61dus0ljg1j4u8t6oj1fo@4ax.com>
Source record: 41663

As I stated, Dwight is a gentleman, scholar, and judge of good whiskey, fine women, and fast horseflesh. (Or was that fine whiskey, fast women, and good horseflesh. I never could remember the difference.)

At any rate, Terry, you sure as hell could take lessons.

Jim

Dwight Stewart <stewart@sc.rr.com>
shared these priceless pearls of wisdom:

->> "Terry Taylor" wrote...
->>
->> That said, can you guy's take your little
->> urination contest to eMail and leave the
->> group out of it?

->
-> However, if our discussion truly bothered you that much, please accept
->my apology. And, to insure the thread does not continue (bothering you
->still more), I'll try to end it here by not responding further. Take care.

Jim Weir, VP Eng. RST Eng. WX6RST
A&P, CFI, and other good alphabet soup

1103. Re: MFJ 1278

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 09:05:50 UTC
From: Alan Price <AJP@topechelon.com>
Message-ID: <3D22BE63.DE52BA08@topechelon.com>
Source record: 41664

Yup, and in perfect shape with manual. Do you want to trade?
73
Alan
W1HYV

Harry Flaxman wrote:

> Does anyone have an MFJ1278 (Preferably B) data mode controller for sale.
> Finally fixed my previous post. Sorry folks, got model numbers mixed up.
> Knew what I wanted though!! hehehehe
>
> Harry
> hflaxman@neb.rr.com

1104. FS: NEW MFJ 901B Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 12:24:45 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <h2CU8.4900$2W.100513@twister.rdc-kc.rr.com>
Source record: 41665

MFJs smallest 200 watt PEP Versa Tuner. Match dipoles,
vees, random wires, verticals, mobile whips, beams, balanced and coax lines
continuously from 1.8 - 30 MHz. A 4:1 balun for balanced lines is built in.
BRAND NEW, excellent for mobile or portable use. $55.00 shipped/insured
Conus.

Van,
K0KAV

1105. Re: What's the deal with "unblocked" scanners?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 12:26:03 UTC
From: Jeff Singer <0tubt001@sneakemail.com>
Message-ID: <MPG.178cb76891be1acb98968d@news.optonline.net>
Source record: 41666

Dwight -

This is a very interesting post.

The specific frequencies in the 800MHZ band that have been reserved for cell usage cannot simply be "taken over" by your local police or any other government agencies.

Do you mean that some scanners block out MORE than the required cell frequencies, and it is on these peripheral frequencies that your locals have gathered?

Mind you, I'm not challenging you, just trying to understand the whole picture.

Thanks/73

Jeff Singer K2KV

> In my area, the police have moved to those blocked frequencies to
> avoid having anyone listen into their conversations. However, I'd prefer
> police not conduct their business in secret (and old idea that is
> perhaps out of date today). Much of the government in this area has
> moved to those frequencies also. Likewise, after living under the threat
> of the highly secretive soviet government for decades, I'd prefer
> government not conduct business in secret too. My ability to listen in
> on those frequencies helps, in a very limited way, to prevent both of those.
>
>
> Dwight Stewart (W5NET)
>
> http://www.qsl.net/w5net/
>

1106. FS:Alinco DX-70

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 12:40:40 UTC
From: Ross <w8tz@qsl.net>
Message-ID: <chCU8.9199$071.2262270@news1.news.adelphia.net>
Source record: 41667

For Sale: Alinco DX-70 base/mobile hf/6 meter transciever. Includes mic, dc power cord, remote separation cable, control head mounting bracket, homemade radio mounting bracket and manual. Radio is in very good condition and works great. $435 plus shipping. Pictures avalible on request.

w8tz@qsl.net

1107. Updated radio mods

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 14:13:50 UTC
From: Dan <dahicks-NOSPAM@email.com>
Message-ID: <3d230695$0$1420$2c3e98f8@news.voyager.net>
Source record: 41668

The W8MMQ Radio Mods list has recently been updated:

http://www.w8mmq.com/mods/

If you can't find the mod you're looking for, try the /qrz_mods directory.
Also, if I do not have a mod listed, try http://www.mods.dk/ -- probably one
of the best mods sites on the internet.

73 de,
Dan, W8MMQ

1108. Re: What's the deal with "unblocked" scanners?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 16:17:07 UTC
From: drooler@usa.com
Message-ID: <966d37c1.0207030817.4577b47b@posting.google.com>
Source record: 41669

There seems to be some confusion in the Posts about the "blocked portions" of scanners.
A) ONLY the "Cellular" portions of 800Mhz are "blocked" from most major scanners (Uniden Bearcat, Radio shack, Alinco) , There are No Police, or other Agencies that can legally use the blocked frequencies in the USA, they are for Cellular phone transmissions ONLY. Nobody's "police Department" moved into celluar frequencies. Police portions of 800Mhz are included in most major scanners.
B) Nationwide almost All cellular companies have switched to Digital transmissions, at all cell frequencies, making it more & more rare to hear analog cell transmissions, even on "full unblocked" scanners. There is still some analog being used, but every day these signals dwindle less & less....
C) Icom did originally remove the entire 800Mgz range from a few of their receivers, perhaps those that don't know other manufacturers exist ASSumed all scanners have the entire 800Mgz removed.

1109. Repeaters for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 16:27:01 UTC
From: puklot <n@agiw.com>
Message-ID: <pBFU8.8767$P%6.643882@news2.west.cox.net>
Source record: 41670

I am selling several repeaters. they were recently taken out of service. I have Motorolas (4) and RCA (2). If you are interested, I would sell it really cheap.....

--
Noel Lozada N6JFO
n6jfo@pinoyham.org

1110. Unbelievable Stupidity!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 16:37:48 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D23285C.686B2F41@crosslink.net>
Source record: 41671

Yaesu VX-1R - current bid $167.51 with 6+ hours to go!
Buy it now for $189.99!
That's *only* $30 over list price!
Extras? no.
<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362814063>

Or buy one brand new from HRO for $129.95 ....

Barnum underestimated ....

K3DWW

1111. Need copy of manual for MFJ-9020

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 16:54:02 UTC
From: jobobwon409@aol.com
Message-ID: <20020703125402.04795.00001859@mb-fu.aol.com>
Source record: 41672

If someone has one, I could use a little help.

Thanks,
Bryce

1112. TH79A Problem - Beep

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 17:07:28 UTC
From: "Scott A. Undercofler" <spamcop@spamcop.com>
Message-ID: <kbGU8.6883$uf3.2097183@news2.news.adelphia.net>
Source record: 41673

I have a 3 year old TH79A Kenwood. Great radio with very little use. The problem is that it is sitting here beside me, and about every minute or so, it starts this incessant Beep Beep Beep. It does a short beep about every 2 seconds for 10 seconds up to a minute or two. Triggering PTT does not make it stop, it just seems to stop all by itself.

This radio had the "Green Wire Mod" done to it, but it made the noise before... I know there was an issue with the TH78 and the PLL Beep.

Any clues?

1113. FS: Icom 22U mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 18:28:20 UTC
From: wd4aks@hotmail.com
Message-ID: <cffc65f9.0207031028.2093d5b3@posting.google.com>
Source record: 41674
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Icom 22U 2 meter mobile. BCD thumbwheel switch frequency programming.
Includes power cable, mic, mobile bracket, manual.
$60 includes shipping CONUS. Postal Money order only.
Howard WD4AKS
wd4aks@hotmail.com

1114. Re: What's the deal with "unblocked" scanners?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 18:38:44 UTC
From: dplatt@radagast.org
Message-ID: <ui6h5k1ksg3a68@corp.supernews.com>
Source record: 41675

>>Why does anyone want to listen to cell-phone gabber anyway? Boring! Waste
>>of time!
>
>While in public places, I get to listen to rude people shouting into their cell
>phones, damn near every day. It takes all my will power to not tell 'em to just
>shut the f*** up. Why in God's name would anyone want to listen to such
>conversations on an unblocked scanner? Lordy.

Yah. I really don't care for the sort of social ethic which has grown
up around cellphone usage. Between people blabbing their personal
issues loudly in public (without a thought to the disturbance they
create on everyone around them), and people interrupting their
conversations with you every time their cell-phone rings (and leaving
you waiting on their convenience) I find 'em rather maddening. I
refuse to buy one.

I do find it amusing that exactly this sort of problem was
predicted, in amazingly fine detail, almost precisely 50 years ago!
See Ray Bradbury's 1953 short story "The Murderer" - you can find it
in his "Golden Apples of the Sun" collection, which ought to be
available in a good public library.

I've heard that in Japan, a system not dissimilar to the one proposed
in "The Murderer" is actually in use in some places (e.g. restaurants).

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

1115. Re: Unbelievable Stupidity!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 18:48:37 UTC
From: dplatt@radagast.org
Message-ID: <ui6ho5q9bjflf0@corp.supernews.com>
Source record: 41676

>Barnum underestimated ....

#laughing out loud#

I'm reminded of a tale I heard years ago. A small-town grocery
store got in a really big load of mushrooms - got a good deal on them,
I guess, and they bought more than they'd usually sell in a month.
The store sold a bunch during the first few days, but sales dropped
off after that. The mushrooms just sat there in the bin, getting
older and dryer. The manager marked down the price, and then even
more, and then even more... and the mushrooms just weren't moving.

The manager pulled 'em off of the shelves for a few days, then put
them back in a new bin, with a sign reading "Aged Mushrooms" and a
price _higher_ that they'd had when they were fresh. The supply sold
out within a few days.

True story? Who knows... but if it didn't actually occur, then it
very well should have!

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

1116. Re: Unbelievable Stupidity!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 19:02:28 UTC
From: "Stephen C. Robbins" <srobbinsNOSPAMDUDES@netacc.net>
Message-ID: <3d234a40$1@news.netacc.net>
Source record: 41677

"Vito" <vito@crosslink.net> wrote in message
news:3D23285C.686B2F41@crosslink.net...
> Yaesu VX-1R - current bid $167.51 with 6+ hours to go!
> Buy it now for $189.99!
> That's *only* $30 over list price!
> Extras? no.
> <http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362814063>
>
> Or buy one brand new from HRO for $129.95 ....
>
> Barnum underestimated ....
>
> K3DWW

He he

I saw an Icom IC-2100H go for $195.00 (Cost new in box - $129.00) on EBay

If I could count on large number of these fools, I would buy a dozen at a time and put them on EBay.

Steve

1117. Re: Repeaters for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 21:48:20 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <afvqba$3vv$1@news1.kornet.net>
Source record: 41678

How cheap is cheap?? I know a couple folks looking to set up repeaters (wish
I was one of them, but there are no repeaters here)..

73
Brenda Ann
HL2/K7BAD

"puklot" <n@agiw.com> wrote in message
news:pBFU8.8767$P%6.643882@news2.west.cox.net...
> I am selling several repeaters. they were recently taken out of service. I
> have Motorolas (4) and RCA (2). If you are interested, I would sell it
> really cheap.......
>
> --
> Noel Lozada N6JFO
> n6jfo@pinoyham.org
>
>

1118. Need FP-757hd schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 22:09:36 UTC
From: Kerry Miller <kmiller01@ticnet.com>
Message-ID: <3D237620.68B17DC4@ticnet.com>
Source record: 41679

I shorted the power supply and now it doesn't do anything, just like the primary fuse was blown. The relay doesn't pull in, no power light, nuthin'. Does anybody have a schematic for a Yaesu FP-757hd power supply? This is the supply which matches the FT-757 rig.

If you have one you can scan and e-mail, I'd appreciate it! I've sent a note to Yaesu about it but no response yet. I found the manual for the 757 and the tuner, but I don't know if I ever got a manual for the power supply.

Thanks,
Kerry
WD5ABC

1119. Re: Unbelievable Stupidity!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-03 23:02:28 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ui70lik1mck40a@corp.supernews.com>
Source record: 41680

The Ebay antics always tickle me. Several year old gear selling for more
than you can buy a new one for! The true "Dumbing of America"! LOL

"Vito" <vito@crosslink.net> wrote in message
news:3D23285C.686B2F41@crosslink.net...
> Yaesu VX-1R - current bid $167.51 with 6+ hours to go!
> Buy it now for $189.99!
> That's *only* $30 over list price!
> Extras? no.
> <http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362814063>
>
> Or buy one brand new from HRO for $129.95 ....
>
> Barnum underestimated ....
>
> K3DWW

1120. Re: Unbelievable Stupidity!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 02:17:54 UTC
From: Lou <tech@dp.net>
Message-ID: <ag0dar$2baj$1@news.dp.net>
Source record: 41681

IF someone is gullible enough to pay the price, it is on them! No one is holding a gun to their head. I've sold things on E-Bay for far more than I actually wanted for them. Had someone came into my shop, I could've sold it for about 1/2, saved them the shipping and myself the pittance of a fee charged to list and final selling fee. But for whatever reason, most seem to think it is safer to buy via E-Bay than straight out, anymore. So hey! If that is how I must sell, then that is what I'll do. People can AND DO get ripped off by E-Bay. So it is NOT any safer. Hopefully once I get my web site up, I can sell from it and forget the long waits involved with the auction and subsequent payments.

My 2 cents.....

Lou/Tech@DP.NET

"radiofun" <radiofun@charter.net> wrote in message
news:ui70lik1mck40a@corp.supernews.com...
> The Ebay antics always tickle me. Several year old gear selling for more
> than you can buy a new one for! The true "Dumbing of America"! LOL
>
>
>
> "Vito" <vito@crosslink.net> wrote in message
> news:3D23285C.686B2F41@crosslink.net...
> > Yaesu VX-1R - current bid $167.51 with 6+ hours to go!
> > Buy it now for $189.99!
> > That's *only* $30 over list price!
> > Extras? no.
> > <http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1362814063>
> >
> > Or buy one brand new from HRO for $129.95 ....
> >
> > Barnum underestimated ....
> >
> > K3DWW
>
>

1121. Re: Unbelievable Stupidity!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 03:36:50 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020703233650.23629.00001249@mb-fb.aol.com>
Source record: 41682

Shoot, I once bought a 100w 6 meter amp for $75. Sold it for over $235 on Ebay!
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

1122. Re: Need copy of manual for MFJ-9020

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 03:39:43 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020703233943.23629.00001253@mb-fb.aol.com>
Source record: 41683

>If someone has one, I could use a little help.
>
>Thanks,
>Bryce
>

I looked at http://www.mfjenterprises.com/manuals.php for a manual, but there doesn't seem to be one for that item. You're not talking about the 9420 are you? There is a manual for a 9017 (17 meter CW TX) at http://www.mfjenterprises.com/man/pdf/MFJ-9017.pdf. Is the 9020 a 20 meter CW TX? If so, I would imagine that the manual for the 9017 would be close enough...
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

1123. FS: Triplett PR-4 13.8 Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 03:44:41 UTC
From: sargw1@aol.com
Message-ID: <20020703234441.01962.00003026@mb-ma.aol.com>
Source record: 41684

Have these 13.8V supplies 4.5 AMps Regulated for sale. $20.00 plus shipping.
If interested Email Direct.

1124. FA: Multiband Scanner Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 04:42:26 UTC
From: Cutter <sgrubor@shaw.caNSPM>
Message-ID: <SmQU8.116198$s82.8611575@news1.calgary.shaw.ca>
Source record: 41685
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.scanner

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364556029

--
*** Remove NSPM to reply ***

1125. Re: FS: Viking Messenger & Messenger Two..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 13:36:40 UTC
From: WS <w9bbb@megsinet.net>
Message-ID: <3d244fcd$0$3570$1dc6e903@news.corecomm.net>
Source record: 41686

I'll take both of them for $50.Happy Fourth of July!!!WS

MTM wrote:

> FS: A pair of Johnson Viking Tube CB's...A Messenger & A Messenger Two...
> Best offer....
> Pix available....
> --
> Mike
>
> 814-450-7979-c
> 814-868-0866-h
>
> FS: Viking Messenger & Messenger Two..
>
>
>

1126. Re: FS/FT Icom HM-118TN DTMF mic for the 706

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 13:46:53 UTC
From: KC8SSG <kc8ssg@qsl.net>
Message-ID: <hlYU8.739$13.7522@news>
Source record: 41687
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

It appears the mic is spoken for.
Thanks!
Rob
"KC8SSG" <kc8ssg@qsl.net> wrote in message news:JKET8.643$13.6547@news...
> Hand mic with the keypad and the up/down buttons.Like new,hardly
used.Would
> like to trade for a seperation kit but also looking for other Icom
> options,Antenna Tuner,radios,just ask,I might want it!I always open to
> anything.
> Thanks
> KC8SSG
> kc8ssg@qsl.net
>
>
>
>

1127. FS: 100 Watt all mode, HF+6 Alinco DX-70TH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 15:12:47 UTC
From: W4PHM <w4phm@arrl.net>
Message-ID: <ag1okodjm1@slb6.atl.mindspring.net>
Source record: 41688

For sale to a good home, 1.5 year old Alinco DX-70TH, 100 watt
all mode never used mobile. A 10 aesthetically and operationally.
I have purchased a 746 and need to finish paying for it!!!!

A 30 day money back guarranttee if you are not happy with the radio for
any reason.

$325 pays insured shipping CONUS

Thanks

Patrick
W4PHM

W4PHM@ARRL.NET

1128. Re: Unbelievable Stupidity!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 16:20:17 UTC
From: lost@inspace.com
Message-ID: <mns8iu83bntiu0m50tjmik58h3gn67ri52@4ax.com>
Source record: 41689

On Wed, 3 Jul 2002 22:17:54 -0400, "Lou" <tech@dp.net> wrote:

>IF someone is gullible enough to pay the price, it is on them! No one is
>holding a gun to their head. I've sold things on E-Bay for far more than I
>actually wanted for them. Had someone came into my shop, I could've sold it
>for about 1/2, saved them the shipping and myself the pittance of a fee
>charged to list and final selling fee. But for whatever reason, most seem to
>think it is safer to buy via E-Bay than straight out, anymore. So hey! If
>that is how I must sell, then that is what I'll do. People can AND DO get
>ripped off by E-Bay. So it is NOT any safer. Hopefully once I get my web
>site up, I can sell from it and forget the long waits involved with the
>auction and subsequent payments.
>
>My 2 cents.....
>
>Lou/Tech@DP.NET

Ebay can be a crazy place.... but... you can SELL much easier
there than here! Most Net users don't even know these
newsgroups even exist. With the Ebay "feedback" your chances
for a reliable purchase is better if you check the seller's history.

(QTH.COM or EHAM.NET are far better than the newsgroups.)

Much of Ebay's craziness is the result of the psychology of
bidding- competing for the sake of competing.

The IC-2100H madness was the result of people buying them
up and then selling them on Ebay- for purposes other than
ham radio (EMT use for example). Throw in some truckers
and you get the idea. :-)

There are many hams/collectors out there who rarely go to a hamfest
and Ebay becomes their source for gear. Where else could one go?

My pet peeve is the unlisted "reserve" price. Anyone who does that
is an idiot. Just start the bid at their minimum and let it go at
that.

The real kicker is the seller who essentially says "If you screw me up
I'll leave negative feedback"... and you check their's and they have
negative feedback.

!!

1129. Re: TH79A Problem - Beep

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 16:27:14 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D247762.2E3E9EAD@optonline.net>
Source record: 41690

Maybe it's lonely from little use and trying to get attention??
:-)
good luck in the fix, maybe a cpu reset is in need or maybe the
memory battery is low and it's telling you it needs changing??

"Scott A. Undercofler" wrote:

> I have a 3 year old TH79A Kenwood. Great radio with very little use. The
> problem is that it is sitting here beside me, and about every minute or so,
> it starts this incessant Beep Beep Beep. It does a short beep about every 2
> seconds for 10 seconds up to a minute or two. Triggering PTT does not make
> it stop, it just seems to stop all by itself.
>
> This radio had the "Green Wire Mod" done to it, but it made the noise
> before... I know there was an issue with the TH78 and the PLL Beep.
>
> Any clues?

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

1130. HF amp FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 16:39:57 UTC
From: wavelengthham <w9jcm@REMOVETHISreno.quik.com>
Message-ID: <xT_U8.106$GE3.664@newsfeed.intelenet.net>
Source record: 41691
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a N6ZU built HF amp 10-80 meters. Tuned inputs, vac. variable, peter dahl transformer, runs 2 emiac 4-400A tubes full out, all less than 2 years old. And PS. is in same cabnet will sit on your desktop. 75 pounds is the weight. I will also include another pair of emiac 4-400As Full output. The amp is indestructable. You will not find a tighter well sounding amp. And its most certianly better than any commercial job IE ameritrons. I am selling this because I am no longer invovled in the hobby and could use the extra bucks for my street rod. I paid $900.00 for it make me a reasonable offer. No lowballers .

Thanks
w9jcm John

1131. WTB: REPEATER CONTROLLER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 18:05:51 UTC
From: n2ion@aol.com
Message-ID: <20020704140551.23790.00002846@mb-dh.aol.com>
Source record: 41692

I'M LOOKING TO BUY AN S-COM 7K CONTROLLER FOR MY REPEATER.
EMAIL IF YOU CAN HELP ME OUT.

THANKS IN ADVANCE.

1132. FS; Hustler 4 BTV HF vertical

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 18:41:34 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <o859iuc74lk6sjau0ucpp32564951nfb0d@4ax.com>
Source record: 41693

I have a Hustler 4 BTV HF vertical in very good condition. It covers 10 to 40 meters and also have added the 80 meter resonator. It comes with the manual and this is a pickup only in Lakeville, Mass. I will take $75 and I can be reached at (508) 821-2993 or email......WZ1U Steve / Lakeville, Mass.

1133. FS: Yaesu FT-1000D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 18:55:32 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <m169iuoe5rmddfhrfaakfq60khh2jqdh1b@4ax.com>
Source record: 41694

I have for sale in excellent condition a Yaesu FT-1000D. I have the original boxes and manual and its from a non-smoker. I will ship it anywhere in the 48 states for $2200. If you have any questions email or call (508) 821-2993....WZ1U Steve / Lakeville, Ma.

1134. FREE - Telrex 6 element Tribander (Seattle)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 19:15:53 UTC
From: Richard <pearls@seanet.com>
Message-ID: <3D249EE8.5E64@seanet.com>
Source record: 41695

Telrex, TB6EM 6, element Tribander, 10-15-20 meters, stainless
hardware. Seattle, WA
Antenna is installed on aprox. 45 foot tower. You remove and it's free.
Richard

1135. Re: Unbelievable Stupidity!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 21:29:16 UTC
From: Lou <tech@dp.net>
Message-ID: <ag2gsp$2qe9$1@news.dp.net>
Source record: 41696

I used "reserve" on one occasion on a couple items both up for auction at same time. For those 2 items I did want a certain minimum amount. Would I use it again, I doubt it.

As for sellers saying they will leave negative feedback, I just did that too. I and several others - I found out, got screwed by the same bidder. He bid, e-mailed his address and that was the last you heard from him. So NOW, I will leave negative feedback "for not completing their end of the deal." That is the only reason. I've had little problems with all others. Mail delays are horrendous, but that isn't the bidders or seller's fault.

If BOTH parties follow through on their end of the deal, communication lines kept open, there should be no or very little problem. My biggest problem by far has been proven to be MAIL LAG.....Hopefully, their new raise will give them a boost to get the lead out.

I can not recall ever leaving a negative on a seller I've dealt with. I hope I never have to. I check out profiles prior to buying. One or two or so bad ones against maybe a couple hundred good do not persuade me against buying. Now if it were like half and half, then I would have to think about it.

I have NO negatives as yet. But, keep one point in mind. YOU CAN"T PLEASE EVERYONE. Even though I sell ALL items AS IS - describe them as accurately as I can - ship within 48 hours, sooner or later, someone I'm sure, will give me a negative. If nothing else, to break the chain of good feedback. WHY? Because that is just how some operate.

I belong to an organization where one guy will vote against "just to show" it doesn't always have to be a slate of "yes" votes. So, if there is one like that, there are bound to be plenty more.

But as I may have said before..... I use e-bay as a "last" resort.

Lou/Tech@DP.NET

<lost@inspace.com> wrote in message
news:mns8iu83bntiu0m50tjmik58h3gn67ri52@4ax.com...
> On Wed, 3 Jul 2002 22:17:54 -0400, "Lou" <tech@dp.net> wrote:
>
> >IF someone is gullible enough to pay the price, it is on them! No one is
> >holding a gun to their head. I've sold things on E-Bay for far more than
I
> >actually wanted for them. Had someone came into my shop, I could've sold
it
> >for about 1/2, saved them the shipping and myself the pittance of a fee
> >charged to list and final selling fee. But for whatever reason, most seem
to

> >think it is safer to buy via E-Bay than straight out, anymore. So hey! If
> >that is how I must sell, then that is what I'll do. People can AND DO get
> >ripped off by E-Bay. So it is NOT any safer. Hopefully once I get my web
> >site up, I can sell from it and forget the long waits involved with the
> >auction and subsequent payments.
> >
> >My 2 cents.....
> >
> >Lou/Tech@DP.NET
>
> Ebay can be a crazy place.... but... you can SELL much easier
> there than here! Most Net users don't even know these
> newsgroups even exist. With the Ebay "feedback" your chances
> for a reliable purchase is better if you check the seller's history.
>
> (QTH.COM or EHAM.NET are far better than the newsgroups.)
>
> Much of Ebay's craziness is the result of the psychology of
> bidding- competing for the sake of competing.
>
> The IC-2100H madness was the result of people buying them
> up and then selling them on Ebay- for purposes other than
> ham radio (EMT use for example). Throw in some truckers
> and you get the idea. :-)
>
> There are many hams/collectors out there who rarely go to a hamfest
> and Ebay becomes their source for gear. Where else could one go?
>
> My pet peeve is the unlisted "reserve" price. Anyone who does that
> is an idiot. Just start the bid at their minimum and let it go at
> that.
>
> The real kicker is the seller who essentially says "If you screw me up
> I'll leave negative feedback"... and you check their's and they have
> negative feedback.
>
> !!
>
>
>

1136. Re: 2m horiz. polarized antenna options?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 23:42:21 UTC
From: Chris Boone <Cboone@earthlink.net>
Message-ID: <3D24DE10.9B72CD07@earthlink.net>
Source record: 41697

Go with a Big Wheel....best pattern available for a H-pol omni
antenna....W6OAL (Old Antennae Labs) sells them.....

Chris
WB5ITT
(I am NOT associated with W6OAL or his company)

Screaming Skull wrote:
>
> I freed up a my 2m all mode rig a few weeks ago with the purchase of an
> IC-746. I would like to use my old 2m rig for VHF contesting/rover type
> work. Does anyone have decent plans for some sort of MOBILE VHF horizontal
> antenna? I've got a couple of old mag mounts around here that I could use
> to attach the thing to my car. I am not going permanent with a rover setup
> yet. Any ideas? Thanks!

1137. Re: GE MASTR II low-band amp on six meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-04 23:45:44 UTC
From: Chris Boone <Cboone@earthlink.net>
Message-ID: <3D24DEDB.38C9FD5@earthlink.net>
Source record: 41698

IF the amp is from a 42-50MHz range radio, yes...(with some minor
reduction in power above 52.5 or so...110w amp will do 80-100 tops)
The radio combo number ends in a 33 (IE: MC74KAN33A) to denote 42-50..
Chris
WB5ITT

Ken wrote:
>
> The GE MASTR radio on low band went from 25-50 MHz.
>
> I have been told that the low band amplifier will work on six meters
> (50-54 MHz). Can anyone confirm this?
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

1138. Re: Better audio for TM-G707A?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 00:23:55 UTC
From: "Ed G." <Spurious@_REMOVE_StarBand.net>
Message-ID: <Xns9241B16CBF9EEFrog207Junocom@148.78.248.76>
Source record: 41699

> Does anyone know how to bring up the audio in the TM-G707A?

If you're talking about the receive audio, you'll need to use an external speaker to bring up the volume. If you're talking about Transmitter audio level, follow Dave Platt's advice as he replied to you. Talk close to the mic, too, if necessary.

Ed

1139. FS: Yaesu YD-844A Desk Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 00:41:39 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <ofq9iu4nd5dod3jbj34mpb3pd5s8ghgs1u@4ax.com>
Source record: 41700

I have for sale in excellent condition a Yaesu YD-844A desk microphone. Its a 9 out of 10 and can be switched between 600/50kohms. It matches the FT-101 series and can be used on any radio providing you change the microphone pin out. I will take $60 plus shipping and can be reached at (508) 821-2993 or email. WZ1U Steve / Lakeville, Mass.

1140. Re: What's the deal with "unblocked" scanners?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 01:44:10 UTC
From: WG <nojunk@mail.com>
Message-ID: <KR6V8.26434$YC4.406077@news0.telusplanet.net>
Source record: 41701

I Listen to cell-phone calls all the time and love it, (it is not illegal in my country). I have listened to people having phone sex, committing crimes and the busy dial a drug trade. One of the best was 2 known gang members planning their next hit. I saw it in the news about 2 days later and it was just like they said except they missed the target. I was listening on one scanner to the police investigating a B&E with theft of a new lawn mower. My other scanner was listening on cell when I picked up a guy calling his dealer to order an eight-ball and was going to pay for it with a new lawn mower that he had just stolen. He also needed a ride out of the aria and gave the exact address that he was at just 2 blocks from the B&E. I also have a hole list of credit card numbers, expiree dates and names how stupid can people be to use their credit cards on a cell-phone I will never know. It has now gotten a little boring with most of the illegal stuff moving to digital but just a few years ago it was more fun then listening to the cops. Unblocking a scanner is so easy you should give it a try and see what you have been missing.

"M.E." <bogus@nospam.com> wrote in message
news:3d2252eb$1_2@newsa.ev1.net...
> Why does anyone want to listen to cell-phone gabber anyway? Boring! Waste
> of time!
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "Ken" <cprstn54zz@att.net> wrote in message
> news:3d21fe8f.2077031@news-server.optonline.net...
> > How come folks are willing to pay double for scanners that don't have
> > the cell bands (800 MHz) blocked? Isn't most cell traffic digital and
> > undecipherable these days (not that any decent person would listen
> > in)?
> >
> > I have an old RS scanner that is unblocked. What am I missing?
> >
> > Ken KC2JDY
> >
> > Ken
> > (to reply via email
> > remove "zz" from address)
>
>

1141. FS or Trade list 07-05-2002

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 03:47:39 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <vF8V8.288371$6m5.259020@rwcrnsc51.ops.asp.att.net>
Source record: 41702

Please if you have questions or want to make a trade contact me off

list at my e-mail address. gundoc@insightbb.com Some of these

lists are not swap lists and only tolerate my post because it is only

once a week. To the group owners thank you for letting me continue

to post to the group.

Dean

I will be at the Indy Hamfest Saturday July 6 so if you are going and

Want me to bring anything in specific e-mail me and I will try to bring

It along.

GE Portables

GE MPA VHF Scan 136 - 150.8 split 192 channels nice 9.0

Condition. With battery and charger. I have this programmed for

Ham and up to 152 MHz before it will not lock on frequency.

$225.00

GE MPA VHF Scan 157 - 174 split. 192 channels. Nice radio 8.5

condition with battery and standard charger. I have it programmed

down to 154 MHz with no trouble but will go no lower. $225.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display.

With battery and standard charger. 7-7.5 $85.00

GE MPD scan VHF 150.8 174. 48 channel alphanumeric display. These

look good and come with a battery and standard charger. $100.00 each.

MPD Voice Guard VHF system model with full keypad. 48 channel alpha

display. With battery and standard charger. $115.00

GE KPC 300 VHF 16 channel scan. Nice radio with battery and

antenna. No charger with this one. $100.00

GE KPC 400 UHF 16 channel scan. Full DTMF pad on this radio.

This one has a charger. $185.00

GE PCS VHF 2 channel. Like new 9.5-10 condition. 150 -170 MHz.

With battery, antenna, leather case, and pocket charger. $100.00

each. 2 available.

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170

but I have programmed these in the ham band with no trouble. These

have battery, antenna, and standard charger. $75.00 each

GE PLS UHF 16 Channel. 8 to 8.5 also. 450 - 470 split but I can

program these to the ham band. With battery, Antenna, and Charger.

$85.00 each. Have 3 of these.

GE MPS VHF Like new 12 channel. With new battery, new antenna, and a

standard charger. $70.00

GE MPS VHF 12 channel. 8.5 condition. New antennas and NOS batteries

Standard charger. $60.00 each have 2.

SALE!

GE MPS UHF 48 channel. 8 = 8.5 condition, These have NOS batteries

And have 4 banks of 12 channels. These can go to the ham band. I

have been Using one of these on my ham repeater and it works great.

$60.00 each I have 8 of these. Programming on 12 channels included.

GE UHF MPS 8 channel with 8 different tones. 8 different tones can be

Selected for each different channel. Battery and antenna. $50.00

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1

good battery. With 1 dual slot charger. $200.00 all 3 radios.

GE Monogram VHF 10 channel portable. 157-179 split. ex CSX radio. I

sold this radio a year ago but have taken it on trade. Condition 8

with belt clip and charger. I had this radio run for stolen from CSX

by a local CSX Special Agent when I first bought these in a lot and

was told that it had been sold at salvage. Perfect for a RR Museum or

shortline on a budget. This could also be programmed for marine

frequencies. Like new tall Battery. $100.00

GE Mobiles

GE Phoenix SX VHF 128 channel scan. With Mic, Has all 8 proms.

$100.00

GE MVS 800 conventional 2 channel. Without mic tested OK $45.00

GE MLS UHF 8 channel. With Mic, power cord and hang up box. MLSU240

450. - 470 Looks good. $125.00

GE Mastr II UHF 75 watt with preamp. No Icoms drawer only.

MC65KKG88B $90.00 each only 2 left

GE Mastr II Lowband 42-50 slit 110 watt. MC74KCN33A

With 1 set of Icoms $45.00 each I have many.

GE Mastr Pro Low band 110 watt 42 50 split. MT74TCS33

With 2 sets of Icoms. $10,00 each. I have many.

GE Mastr Pro 110 watt lowband 42-50 split in a wall mount cabinet

With a power supply for a base. $35.00

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00

each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr

II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that

I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Just in not tested. $60.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.

16 channel model has short cable and some handle bar mounts. Mic

included but no speaker. Not tested yet since I just got it in.

$50.00

GE Mobile Vehicle Adapter for MPA, MTL, MPD, and TPX. This unit

charges your battery and turns your portable into a mobile radio.

(Convert a Com) With mic, speaker, and power cable. $90.00

GE Accessories

GE TQ 2310 suitcase programmer. Has PLS, Phoenix, Delta s/sx, Voice

Guard, MPS, and Ranger. Printer is working Has manual for the

programmer and the computer. Has Phoenix cable and Voice guard cable.

All in the original GE case tested and working. $850.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $5.00

Mastr II Mic. $5.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen

programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5.

$4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and

162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50

each.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each.

GE Delta cables. These are the downloading type used with the S820

heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE MPA, MPD, MTL standard Speaker mic. $25.00

GE PCS Universal charger. With wall transformer $20.00 each

GE MPA standard chargers. $20.00 each

GE MPA Rapid chargers. $30.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a

rapid rack charger with a DB 15 cable and uses a MPD body to attach a

battery to. Has LED readout in display area of MPD body to tell

discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card

and power supply / speaker. $300.00

Other Radios and Accessories

Motorola Saber III Secure VHF 146 split 120 channel radio. Alphanumeric

Display. Has Battery Smart charger and speaker mic. I have been using this on the VHF ham band. Has a new case that was installed at the Motorola Rockford, IL Depot

So it also has a new model sticker that they put on as well. Nice 9.5 or better radio.

$450.00

ADI AT 201. 2 meter portable nice like new and in the box with the

manual. Has 5 watt battery and wall charger. $85.00

Yaesu ft 2400 2 meter mobile. Has Mounting Bracket and manual. Nice

2 meter Radio. $115.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great.

This was in my van before I added another MVS so I know it works.

$95.00

Uniden SPU480K UHF 8 channel portable. Has two good batteries drop

In charger and speaker mic. $80.00

Maxon 5050a Low band portable pair. Like new condition with 1 battery

charger but I will split up the pair if someone wants 1 radio only. 6

channels programmed for 10 meter ham band on 2 repeater pair and 4

simplex frequencies. 2 radios and 1 charger $185.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by

Midland. $65.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$65.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition

and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of crystals for each radio. Also have a working battery and charger for each. I have 4 of these. $50.00 all

Uniden SMS 825 TS, 800 MHz Dash mount radio. $45.00

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work with the sp2000 as well.$35.00

Consignment section

This area is for a few friends who like those other radios you know "Motorola" They are good people and I will pass along any trades you may wish to make.

MOTOROLA X9000 VHF 50 watts, alphanumeric head, Siren complete. $425.00

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola P200 UHF high power. 6 channel. $150.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Want List not FS

Extra parts for GE suitcase programmers Data modules, Printers, cables, proms, Anything you have extra. MPA or MPD portables what do you have and what do you want for them? Johnson scorpion program cable.

Terms

All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a question E-mail me. Contact me off list at. Gundoc@insightbb.com

Dean

1142. Re: You-Invent-It.com

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 11:31:36 UTC
From: Mark Hall <mark.hall34@verizon.net>
Message-ID: <3D258252.78502EAD@verizon.net>
Source record: 41703

Sounds like You-Invent-It, We-Steal-It to me

"m.j.spence" wrote:

> If you are looking for somewhere to show of your ideas or inventions look no
> further. It doesn't matter what area you specialize in, we have pages to
> cover - Automobile & Transport, Aviation & Flight, Household, Communication
> & Electronics, Industry, Medicine & Surgical, Sports & Recreation, Military
> and Other for not-catagorized.
>
> We hope to have the web site up and running over the next few weeks.
>
> For a limited period we are waivering the Registration Fee to submit your
> invention in order to build-up our data base.
>
> For more information on how to submit your invention email us at:
> registration@you-invent-it.com

1143. Re: You-Invent-It.com

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 12:14:16 UTC
From: DonB <7432D63DBB01D03A196B1EDD80E8@comcast.net>
Message-ID: <s4gV8.128419$Ca2.6879684@bin2.nnrp.aus1.giganews.com>
Source record: 41704

Sounds like he invented a new spam generator.

> > We hope to have the web site up and running over the next few weeks.

What, with 3/4 of the pages saying "this page still under construction,
please check back often?

BTW the "registration" link on the website is to c:/My Documents/free.htm .
I think it's going to be a long time before the web site gets up and
running.

"Mark Hall" <mark.hall34@verizon.net> wrote in message
news:3D258252.78502EAD@verizon.net...
> Sounds like You-Invent-It, We-Steal-It to me
>
> "m.j.spence" wrote:
>
> > If you are looking for somewhere to show of your ideas or inventions
look no
> > further. It doesn't matter what area you specialize in, we have pages to
> > cover - Automobile & Transport, Aviation & Flight, Household,
Communication
> > & Electronics, Industry, Medicine & Surgical, Sports & Recreation,
Military
> > and Other for not-catagorized.
> >
> > We hope to have the web site up and running over the next few weeks.
> >
> > For a limited period we are waivering the Registration Fee to submit
your
> > invention in order to build-up our data base.
> >
> > For more information on how to submit your invention email us at:
> > registration@you-invent-it.com
>

1144. Re: "Type Accepted"?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 12:25:17 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D259096.90A420B2@sc.rr.com>
Source record: 41705

Jim Weir wrote:
>
> As I stated, Dwight is a gentleman, scholar,
> and judge of good whiskey, fine women, and
> fast horseflesh. (Or was that fine whiskey,
> fast women, and good horseflesh. I never
> could remember the difference.)

Stop, Jim. You're making me blush. As for the rest, it's a matter of age for most. In youth, it is good whiskey, fine women, and fast horseflesh. By middle age, it is fine whiskey, fast women, and good horseflesh. Later, it is just whiskey and women (the horse is just too darn hard to ride and few are very selective when it comes to women - which means any whiskey is just fine to help forget what once was). :)

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

1145. ADI dealer ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 13:00:38 UTC
From: 106312.1035@compuserve.com
Message-ID: <3d2597a5.204211@news.compuserve.com>
Source record: 41736

Having a fault with my ADI 600 I would like to contact
a supplier of parts for these rigs.

Anyone know where to go ?

please e-mail me direct if you can assist.
cheers, Ben G4BXD

G4BXD@qsl.net

1146. FT-847 FOR VISUALLY IMPARED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 15:38:02 UTC
From: gary <sgmm.hurd@verizon.net>
Message-ID: <u3jV8.1245$Of.610@nwrddc02.gnilink.net>
Source record: 41706

I am looking for info on how well the Yaesu FT-847 works for blind/sight impared hams. I know there is a voice module available but does it only read frequency and mem channel or does it also read the menu options. Any help is appreciated. 73 de Gary/WR1u wr1u@qsl.net

--

****
Down the corridor or life in between our death and birth
We may start to lose our way in the search to find our worth
Our value comes in the fact we live
Life is a gift only God can give

Petra

1147. FA: Real Nice YAESU FR-101 Digital SW Rcvr!, Ends Sunday!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 16:42:35 UTC
From: rlucch2098@aol.com
Message-ID: <20020705124235.25395.00003864@mb-cd.aol.com>
Source record: 41707

Real nice with pictures to boot!
Only at a mere $200
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1363114386
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1148. FA: HEATHKIT SG-8 SIGNAL GENERATOR-Working-Exc @$15

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 16:44:11 UTC
From: rlucch2098@aol.com
Message-ID: <20020705124411.25395.00003870@mb-cd.aol.com>
Source record: 41708

Real nice with pictures to boot!
Only at a mere $15
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1745110321
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1149. FA: MINT KDK FM-2033 2 mtr FM MOBILE, TechSpec-Comp.w/ALL$35

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 16:46:28 UTC
From: rlucch2098@aol.com
Message-ID: <20020705124628.25395.00003873@mb-cd.aol.com>
Source record: 41709

Real nice with pictures to boot!
Only at a mere $35
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1363114381
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1150. Heil HC5 and Icom 738

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 16:48:13 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <c5kV8.7612$aJ4.1851732@news20.bellglobal.com>
Source record: 41712

Cartridge drive my 2m all mode no problem (Kenwood) but does nothing for my IC-738. Do I need some sort of preamp for it?

1151. fa; HEATHKIT ET-3200 DIGITAL DESIGNER w/BOOK >>Cheep

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 16:48:44 UTC
From: rlucch2098@aol.com
Message-ID: <20020705124844.25395.00003876@mb-cd.aol.com>
Source record: 41710

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1363114375
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1152. Fa- Rare CPI Digicom 100 CB AM/SSB Radio @big$33

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 16:50:09 UTC
From: rlucch2098@aol.com
Message-ID: <20020705125009.25395.00003879@mb-cd.aol.com>
Source record: 41711

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1363114370
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1153. Re: Heil HC5 and Icom 738

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 18:02:15 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <bblV8.21238$MP.2123327@news20.bellglobal.com>
Source record: 41713

"ve3tmt" <ve3tmt@rac.ca> wrote in message
news:c5kV8.7612$aJ4.1851732@news20.bellglobal.com...
> Cartridge drive my 2m all mode no problem (Kenwood) but does nothing for
my
> IC-738. Do I need some sort of preamp for it?
>

I see where Heil says .47 in series with hot lead to block the 8V. Duh!
should have known.

1154. WTB SSB Electronics LT-2S or LT-2S MK II 28MHz to 144MHz transverter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 18:47:24 UTC
From: mva21401@earthlink.net
Message-ID: <834d8cf1.0207051047.2c88431b@posting.google.com>
Source record: 41714

email
mva21401@earthlink.net

1155. Re: Heil HC5 and Icom 738

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 18:55:35 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <pZIV8.13154$P53.1905742@news20.bellglobal.com>
Source record: 41715

"ve3tmt" <ve3tmt@rac.ca> wrote in message
news:bblV8.21238$MP.2123327@news20.bellglobal.com...
>
> "ve3tmt" <ve3tmt@rac.ca> wrote in message
> news:c5kV8.7612$aJ4.1851732@news20.bellglobal.com...
> > Cartridge drive my 2m all mode no problem (Kenwood) but does nothing for
> my
> > IC-738. Do I need some sort of preamp for it?
> >
>
> I see where Heil says .47 in series with hot lead to block the 8V. Duh!
> should have known.

I may have to mount the .47 in the base of the mic, which means it will be
in line for both the Icom and the Kenwood 2m allmode. By putting the cap in
this position will it alter the characteristics or output of the audio going
into the Kenwood? Or will it strictly block the DC voltage?

Thanks,
Max

1156. (/\/\)Factory Original Saber Batteries(New / Un-used)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 19:53:45 UTC
From: msisco9939@aol.com
Message-ID: <20020705155345.19809.00003557@mb-mg.aol.com>
Source record: 41716

HI:

(/\/\)Factory Original Saber Batteries(New / Un-used)

These Batteries sell by Motorola for $143.00 / and even Wholesale
they are aound 70.00 This is a one time chance to get a New (Motorola)
Battery at a Fraction of the Wholesale Cost.

Model is the High-Capicity [NTN4595DR] Type.

All Purchased in Feb 2000, however they do have
a 5299LU or later code dates. All within an few months
of each other.

All the batteries have been [checked] and all are [In Perfect Condition]

Photo can be seen @

http://www2.4dcomm.com/metrotech/batt.jpg

$29.00ea+ (6.00 to 8.00 Pirority Mail S & H)

Quanity Discounts availible !!

Monty

1157. Info needed: IC-730 power drain

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 20:09:34 UTC
From: Mike White <m.white66@verizon.net>
Message-ID: <22nV8.15$I02.2@nwrddc04.gnilink.net>
Source record: 41717

Hi. Can someone tell the the current drain of an IC-730 during receive? I can't find it in any of the online specs. Thanks.

Mike, N4PDY

1158. keypad control for ICOM and Yaesu

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 20:58:07 UTC
From: Bill <radio@despammed.com>
Message-ID: <ag51bq01i1f@enews3.newsguy.com>
Source record: 41719

The QSYer Keypad is now available for Yaesu and ICOM in the same little box.
More info at www.w2blc.com

I have one of these and it is super!

Bill W2BLC

1159. Re: You-Invent-It.com

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 21:24:52 UTC
From: KH <kenct9999@yahoo.com>
Message-ID: <E8oV8.1649$lg4.395368571@newssvr10.news.prodigy.com>
Source record: 41720

>For a limited period we are waivering the Registration Fee

Does that mean the fee is constantly changing?

1160. Re: FT-847 FOR VISUALLY IMPARED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 21:25:24 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <ag51o6$h2j$1@news1.kornet.net>
Source record: 41721

As far as I have ascertained, it only reads frequency, and that only to three decimal places.

"gary" <sgmm.hurd@verizon.net> wrote in message news:u3jV8.1245$Of.610@nwrddc02.gnilink.net...
> I am looking for info on how well the Yaesu FT-847 works for blind/sight
> impared hams. I know there is a voice module available but does it only
> read frequency and mem channel or does it also read the menu options. Any
> help is appreciated. 73 de Gary/WR1u wr1u@qsl.net
>
> --
>
>
> **********
> Down the corridor or life in between our death and birth
> We may start to lose our way in the search to find our worth
> Our value comes in the fact we live
> Life is a gift only God can give
>
> Petra
>
>
>

1161. Re: Info needed: IC-730 power drain

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 22:23:59 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uic75c4881mj3b@corp.supernews.com>
Source record: 41722

Couldn't be more that an amp or 1.5 amps.

--
Web Site: www.polkcounty.org/radiofun

"Mike White" <m.white66@verizon.net> wrote in message
news:22nV8.15$I02.2@nwrddc04.gnilink.net...
> Hi. Can someone tell the the current drain of an IC-730 during receive? I
> can't find it in any of the online specs. Thanks.
>
> Mike, N4PDY
>
>

1162. Re: You-Invent-It.com

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-05 22:28:22 UTC
From: "." <not@s.pam>
Message-ID: <3D261D9E.1ED1EB4@s.pam>
Source record: 41723

No it means the fee is "waivering" all around depending on how
many suckers they can draw in.

You know, like "waivering" goodbye to their money.

KH wrote:

> >For a limited period we are waivering the Registration Fee
>
> Does that mean the fee is constantly changing?

1163. FS: Dentron Clipperton L & tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 03:03:58 UTC
From: Barry <cushmanb@bellsouth.net>
Message-ID: <j3tV8.46145$wj4.3654965@e3500-atl2.usenetserver.com>
Source record: 41724

Dentron MT3000A 3000 watt antenna tuner
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364043847

Dentron Clipperton L HF Amplifier
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364390277

1164. FS: Reduced Radio Items

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 12:01:24 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <j1ndiu49jf79gju7ddo9eisqkp5d34hit1@4ax.com>
Source record: 41725
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FOR SALE:

Collins 516E2 Power Supply for KWM-2 transceiver - runs on 28V DC.
Needs capacitors replaced inside. Otherwise appears to be complete
and ready to restore.
See picture on web page below...
Will sell for $49.00 plus shipping

WW2 British Mark 2 straight key. Contacts are still in very good
shape.
A few imperfections as you can see - not perfect,
but will polish up and restore nicely.
Missing two screws, but otherwise clean and in nice shape.
Picture available on the web page listed below...
Will sell it for $35.00 plus shipping

James Millen Company SWR Bridge Type 90671
Beautiful black crackle finish. No scratches or dents.
Serial Number 812. Has SO-239 connectors.
Has phono type output for 0-1mA meter.
Picture available at the web page listed below...
Will sell for $35.00 plus shipping

MFJ Keyer model MFJ-401 - non-working, but case is perfect and all
parts are there. Looks great.
This is the basic keyer with no memories. Has speed and weight
controls.
Operates on 9V battery. May just have a loose connection.
No time to troubleshoot, hence low price.
Picture available on request.
Will sell for $9.00 plus shipping

MFJ-1224 RTTY and CW interface with manual and cables.
Great for getting your computer to send and receive CW and digital
modes.
Built in radio modem, decoder and many refinements.
From the leader in affordable digital radio interfaces, MFJ.
Excellent condition. Looks just like new.
Will sell for $35.00 plus shipping

Hallicrafters S-108 Receiver in near-mint condition.
All original and in excellent working condition. Has the original
Hallicrafters tubes in it and looks imaculate inside and out.
Very clean, no scratches, no dents, no rust. Has obviously been kept
VERY well buy someone who appreciated fine radios.

Picture available on web page below...
Will sell for $225.00 plus shipping costs.

http://come.to/AF4K/

1165. FA, not FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 12:30:55 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <uidobmjtbp5vd5@corp.supernews.com>
Source record: 41726

"Barry" <cushmanb@bellsouth.net> wrote in message
news:j3tV8.46145$wj4.3654965@e3500-atl2.usenetserver.com...
>
> Dentron MT3000A 3000 watt antenna tuner
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364043847
>
> Dentron Clipperton L HF Amplifier
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364390277
>
>
>

1166. FS: Alinco DX77 Like new.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 13:00:43 UTC
From: 800mhz <pottsladd13@yahoo.com>
Message-ID: <%RBV8.9223$lu6.502342@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41727
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Alinco DX77 HF mobile radio like new. Has MARS/CAP mod done, and has had audio upgrade done. Tx 1.8-35mhz, Rx 30khz-35mhz.
Comes complete with, mic, manual, power cable, and original box. $475 to your door.
please email direct

1167. Re: FA, not FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 13:08:36 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D26EBD4.8060001@optonline.net>
Source record: 41728

I remember the Real Estate ads. in England that used to say: "For Sale
by Auction." Auction is a *method* of selling.

-=-
Alan

Chas wrote:
> "Barry" <cushmanb@bellsouth.net> wrote in message
> news:j3tV8.46145$wj4.3654965@e3500-atl2.usenetserver.com...
>
>>Dentron MT3000A 3000 watt antenna tuner
>>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364043847
>>
>>Dentron Clipperton L HF Amplifier
>>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364390277

1168. Yaesu VX-5R SU-1 unit query

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 13:37:58 UTC
From: Wayne Kerr <Wayne@hotmail.com>
Message-ID: <ag6rrp$n56$1@newsg3.svr.pol.co.uk>
Source record: 41729

I wonder if someone could assist:

I'm unsure how the VX-5Raltimeter is supposed to work. For example if I set the barometer offset (in my case I set it such that displayed hpa is consistent with the current QNH as indicated by local airport data) and then set the altimeter offset such that displayed altitude shows my actual height above sea level is this all I need to do? Will the correct altitude be shown (so long as I do not move the unit) indefinitely? Clearly the air pressure is always changing, does this mean I need to keep calibrating the VX-5R or is it a once only set up?

TIA

Wayne

1169. Ten-Tec Trition II VFO Alignment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 13:52:16 UTC
From: motg@stratos.net
Message-ID: <efd5c18c.0207060552.5e9af55e@posting.google.com>
Source record: 41730
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.misc

Has anyone done an alignment on this rig. Im a bit confused by the
text in the manual and was wondering if anyone out there can clarify
the procedure.

Thanks and have a great day!

73,
Frank K9IC
email: motg@stratos.net

1170. Clegg FM-76 220 MHz Local/Remote Mod????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 14:05:20 UTC
From: motg@stratos.net
Message-ID: <efd5c18c.0207060605.529d042@posting.google.com>
Source record: 41731
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.misc

I have 3 Clegg FM-76 radios that I have picked up through the years at hamfest. All seem to incorporate a similar mod to remote mount the radio. Does anyone have a copy of the article or know where the article was published that first talked about remoting this rig?

I would like to get a copy of this modification if possible.

Does anyone remember seeing an article of this nature?

Thanks for taking the time to read this post
73,
Frank, K9IC
motg@stratos.net

1171. FS:NEW MFJ 901B Ant. Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 14:22:26 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <D0DV8.49637$1F6.273254@twister.kc.rr.com>
Source record: 41732

200W, 1.8 - 30 MHz. A 4:1 balun for balanced lines
is built in. BRAND NEW. Compact, excellent for mobile
or portable use. $55.00 shipped/insuredConus.

Van,
K0KAV

1172. Re: Dentron Clipperton L & tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 15:43:59 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <3fEV8.103526$Uu2.17641@sccrnsc03>
Source record: 41733

To All:

It is true that "Auction" is a method of sale but please have the courtesy
of listing the item as "FA" not "FS".
There are many readers on the newsgroups that will not look at any "FA"
items.
It is not without good reason that E-Bay has gotten the title of the home of
the
greedy and the stupid. Although there are occasional bargains to be had,
many buyers do not want to wade through the mountain of overpriced listings
to find them.

Thanks,

Willis W.

1173. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 16:32:30 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D271B9E.6030906@lakefield.net>
Source record: 41734
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $650

Kenwood TM251A 95% $100 SOLD
Kenwood TM451A 98% $115 SOLD

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

1174. Re: FA, not FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 17:00:43 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <uie85k68fir3a9@corp.supernews.com>
Source record: 41735

True, but on the newsgroups, the way to advertise these is using FA in the subject line so that the people who don't like auctions aren't bothered. If you remember, there were no shortage of discussions (arguments) about this issue. A compromise to all of that, is that auction posts should be listed as FA so that all who dislike eBay and other auctions can simply not open them or use their filters. Unfortunately there are some newbies who haven't figured this out yet and some others who just like to be pains in the butt.

Chuck WG2A

"Alan Beagley" <abeagley@optonline.net> wrote in message news:3D26EBD4.8060001@optonline.net...
> I remember the Real Estate ads. in England that used to say: "For Sale
> by Auction." Auction is a *method* of selling.
>
> -=-
> Alan
>
>
> Chas wrote:
> > "Barry" <cushmanb@bellsouth.net> wrote in message
> > news:j3tV8.46145$wj4.3654965@e3500-atl2.usenetserver.com...
> >
> >>Dentron MT3000A 3000 watt antenna tuner
> >>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364043847
> >>
> >>Dentron Clipperton L HF Amplifier
> >>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364390277
>

1175. Re: Yaesu VX-5R SU-1 unit query

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 17:31:44 UTC
From: Idontwantspam@net
Message-ID: <3d27274e.1200592@news.bellatlantic.net>
Source record: 41737

On Sat, 6 Jul 2002 14:37:58 +0100, "Wayne Kerr" <Wayne@hotmail.com>
wrote:

>I wonder if someone could assist:
>
>I'm unsure how the VX-5Raltimeter is supposed to work. For example if I set
>the barometer offset (in my case I set it such that displayed hpa is
>consistent with the current QNH as indicated by local airport data) and then
>set the altimeter offset such that displayed altitude shows my actual height
>above sea level is this all I need to do? Will the correct altitude be
>shown (so long as I do not move the unit) indefinitely? Clearly the air
>pressure is always changing, does this mean I need to keep calibrating the
>VX-5R or is it a once only set up?
>
Any air pressure sensing altimeter will need to be recalibrated
periodically to cover for changes in barometric pressure due to
weather.

It is merely a pressure sensor. There are two major reasons why air
pressure would change: weather and altitude change. The device is not
smart enough to know why the pressure changed, you have to provide the
smarts to let it know whether you are at a fixed altitude, and the
change is because of a weather change, or changing altitude, and the
change is because of that, with possible weather changes mixed in.

Standard practice with a navigational altimeter, a $20 cheapie or the
finest Thommen made, is to reset it to exact altitude every time you
are at a known point. In quickly changing weather conditions, this
needs to be done more frequently. Topo maps will have the data you
will need for this, along with a good sense of navigation.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

1176. WTB BR Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 17:43:05 UTC
From: Pete Smith <psmith@xmission.com>
Message-ID: <3D272C29.9E2EFA37@xmission.com>
Source record: 41738

Hello
If you have BR receiver that you would like to sell please send me an
e-mail .. Thank you pete

1177. Trade or Sell TS-870S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 17:48:09 UTC
From: Tim Randa <randas@mindspring.com>
Message-ID: <3D272D58.C30719CC@mindspring.com>
Source record: 41747
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hello to all. I have a mint Kenwood TS-870S I would like to sell or trade. This radio is without blemish. No scratches, dings, scuffs, nothing. I don't smoke and I don't put anything on top of my radios. The radio operates perfect as new. If you've never heard the audio coming out of a 870s then you're in for a real treat. This is a 81,2XX,XXX serial number so it was manufactured with all the eprom and firmware updates that were added by Kenwood for earlier models. There are no updates needed or even available for this radio. Radio comes with Kenwood hand mic and manual. I will give buyer 2 days after delivery to return radio in same condition for full refund less shipping charges if radio is not as stated. Asking $1400 which includes shipping and insurance to lower 48. Will consider a TS-570DG or SG, or a TS-2000 as part of a trade. Check out my feedback on Ebay using my call sign as my seller id, plenty of references to keep your mind at ease.

73 de Tim Kï¿½FL

LaGrange, KY 40031

1178. FA - R.L.Drake TV-5200 Low Pass Filter Ends Today

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 18:15:46 UTC
From: Glenn <ggrrhh@hotmail.com>
Message-ID: <EsGV8.903$vT.124747@newsfeed.slurp.net>
Source record: 41739

Ends Today

Nice condition R.L.Drake TV-5200 Low Pass Filter

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1363452742

Thanks

1179. Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 18:56:56 UTC
From: "James R. DeLoach" <jasd-49X@attbi.com>
Message-ID: <jbfeiuk8dpbqg9b9bv5a5komrvhidjmmp1@4ax.com>
Source record: 41741
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

I have a problem in a mobile installation that has plagued me with 3 Chev S-10 installations with two different Kenwood VHF/UHF radios. I have finally narrowed it down to a hum being picked up thru the antenna, which is mounted to the front fender on the drivers side. The antenna is a Larsen antenna mounted using an L bracket mounted to the drivers side front fender. The strange twist here is that the hum does not occur when using a Yaesu mobile radio, only on a Kenwood. The hum sounds like an alternator hum, only on the receive audio. Everyone tells me they can not hear it on the transmit audio. Has anyone else had this problem and could you tell me how or what to do to fix it? Why does it only seem to affect the Kenwood radios and not the Yaesu? I don't own an Icom so I don't know if it affects Icom's or not. If I use a mag mount antenna the roof the noise is not present. I see other people using the L bracket mounts on the front fender with no problems, but I'm at a loss as to what the problem is.

I would appreciate it if someone could give me some help.

73's

James
N5SKU

1180. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 18:59:41 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns92437A4C0140Frog207Junocom@148.78.248.76>
Source record: 41742
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

> The hum sounds like an alternator hum, only on the receive
> audio. Everyone tells me they can not hear it on the transmit audio.
>

Is the hum present with the engine off? Does the hum vary in frequency
with changes in engine speed (RPM)?

Ed

1181. WTB Diamond CP5 Vertical

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 20:03:31 UTC
From: marieandpaul <marieandpaul@hotmail.com>
Message-ID: <ag7iej$kf2$1@helle.btinternet.com>
Source record: 41743

Looking for a Diamond CP5 or CP6 vertical (or anything similar that has good 80m coverage).

I will collect with 100 miles of Birmingham UK or pay postage.

Newbie so cheap as possible please.

Regards - Paul.

1182. Kenwood TK-762H FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 20:53:46 UTC
From: Andre <pequiste@hotmail.com>
Message-ID: <c5meiu89ra2bg6joq5l6a50h0bhtplfm0r@4ax.com>
Source record: 41718

mint vhf commercial 45W

1183. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 21:50:13 UTC
From: "James R. DeLoach" <jasd-49X@attbi.com>
Message-ID: <pepeiu8t1j19hhaoin694a1q8rabgfb0mt@4ax.com>
Source record: 41744

On Sat, 06 Jul 2002 18:59:41 GMT, "Ed G."
<Spectrumhog@_REMOVE_StarBand.net> wrote:

>
>
>> The hum sounds like an alternator hum, only on the receive
>> audio. Everyone tells me they can not hear it on the transmit audio.
>>
>
> Is the hum present with the engine off?
No.
> Does the hum vary in frequency
>with changes in engine speed (RPM)?
Yes.

Regards,

James

Note: To reply by email, remove the "X" in the reply to address.

1184. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-06 21:55:15 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <1HJV8.9424$aJ4.2272314@news20.bellglobal.com>
Source record: 41745

"James R. DeLoach" <jasd-49X@attbi.com> wrote in message
news:pepeiu8t1j19hhaoin694a1q8rabgfb0mt@4ax.com...
> On Sat, 06 Jul 2002 18:59:41 GMT, "Ed G."
> <Spectrumhog@_REMOVE_StarBand.net> wrote:
>
> >
> >
> >> The hum sounds like an alternator hum, only on the receive
> >> audio. Everyone tells me they can not hear it on the transmit audio.
> >>
> >
> > Is the hum present with the engine off?
> No.
> > Does the hum vary in frequency
> >with changes in engine speed (RPM)?
> Yes.

James,

Sounds like you have an alternator whine problem. Have you checked this
site? http://www.k2bj.com/Pages/Noise/Intro.htm

Wealth of information regarding mobile setups.

Good luck,

Max

1185. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 00:08:09 UTC
From: Larry Gadbois <lgadbois@earthlink.net>
Message-ID: <JDLV8.4202$A43.409188@newsread2.prod.itd.earthlink.net>
Source record: 41746
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

Alternator hum is sometimes difficult to fix. The audio hum is due to the lack of good regulation and filtering on the Kenwood audio circuits. The hum will be the loudest when your +12 source and ground connections are electricly nearest the alternator.

There are several things you can try:
1. Take your red (+) power lead from the rig all the way to the battery terminal.
2. Find a good ground for the rig near where it is mounted. Eliminate any other ground connections.
3. Disconnect the coax ground shield from the antenna connector at the fender. The only ground you need for the coax is the one on the connector at the rig.
4. Install a alternator hum filter on the red wire to the battery. I think Radio Shack still sells them.

Good luck,
Larry, K7RSP

"James R. DeLoach" <jasd-49X@attbi.com> wrote in message news:jbfeiuk8dpbqg9b9bv5a5komrvhidjmmp1@4ax.com...
> I have a problem in a mobile installation that has plagued me with 3
> Chev S-10 installations with two different Kenwood VHF/UHF radios. I
> have finally narrowed it down to a hum being picked up thru the
> antenna, which is mounted to the front fender on the drivers side.
> The antenna is a Larsen antenna mounted using an L bracket mounted
> to the drivers side front fender. The strange twist here is that the
> hum does not occur when using a Yaesu mobile radio, only on a
> Kenwood. The hum sounds like an alternator hum, only on the receive
> audio. Everyone tells me they can not hear it on the transmit audio.
> Has anyone else had this problem and could you tell me how or what
> to do to fix it? Why does it only seem to affect the Kenwood radios
> and not the Yaesu? I don't own an Icom so I don't know if it affects
> Icom's or not. If I use a mag mount antenna the roof the noise is not
> present. I see other people using the L bracket mounts on the front
> fender with no problems, but I'm at a loss as to what the problem is.
>
> I would appreciate it if someone could give me some help.
>
> 73's
>
> James
> N5SKU

1186. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 02:41:06 UTC
From: "." <no_spam@pse.xxx>
Message-ID: <3D27AA59.51B49DB@pse.xxx>
Source record: 41598
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

A couple of my TM-742A or 641A or the like Kenwoods have a LARGE lump that goes in the +12VDC line. That came with those rigs somewhere along the line during their life. It took all the hum out of my TM-742A that is fed from the CIGARETTE LIGHTER. (Yes, I know, don't bother telling me why I shouldn't do that.)

I suspect that there was a problem when they were first made and rather than fix it on the rig chassis itself this external filter was provided and incorporated in later ones sold.

Without that filter I had alternator whine on my transmitted signal but none on my received signal.

I'd assume the lack of a problem with the Yaesu indicates better filtering.

Larry Gadbois wrote:

> Alternator hum is sometimes difficult to fix. The audio hum is due to the
> lack of good regulation and filtering on the Kenwood audio circuits. The
> hum will be the loudest when your +12 source and ground connections are
> electricly nearest the alternator.
>
> There are several things you can try:
> 1. Take your red (+) power lead from the rig all the way to the battery
> terminal.
> 2. Find a good ground for the rig near where it is mounted. Eliminate any
> other ground connections.
> 3. Disconnect the coax ground shield from the antenna connector at the
> fender. The only ground you need for the coax is the one on the connector
> at the rig.
> 4. Install a alternator hum filter on the red wire to the battery. I think
> Radio Shack still sells them.
>
> Good luck,
> Larry, K7RSP
>
> "James R. DeLoach" <jasd-49X@attbi.com> wrote in message
> news:jbfeiuk8dpbqg9b9bv5a5komrvhidjmmp1@4ax.com...
> > I have a problem in a mobile installation that has plagued me with 3
> > Chev S-10 installations with two different Kenwood VHF/UHF radios. I
> > have finally narrowed it down to a hum being picked up thru the
> > antenna, which is mounted to the front fender on the drivers side.
> > The antenna is a Larsen antenna mounted using an L bracket mounted
> > to the drivers side front fender. The strange twist here is that the
> > hum does not occur when using a Yaesu mobile radio, only on a

> > Kenwood. The hum sounds like an alternator hum, only on the receive
> > audio. Everyone tells me they can not hear it on the transmit audio.
> > Has anyone else had this problem and could you tell me how or what
> > to do to fix it? Why does it only seem to affect the Kenwood radios
> > and not the Yaesu? I don't own an Icom so I don't know if it affects
> > Icom's or not. If I use a mag mount antenna the roof the noise is not
> > present. I see other people using the L bracket mounts on the front
> > fender with no problems, but I'm at a loss as to what the problem is.
> >
> > I would appreciate it if someone could give me some help.
> >
> > 73's
> >
> > James
> > N5SKU

1187. FA: Kenwood TK-2140 VHF Trunked HT Like New

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 04:07:22 UTC
From: ravenfalls@aol.com
Message-ID: <20020707000722.26146.00004581@mb-cp.aol.com>
Source record: 41599

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365087076

View my website:
http://www.azradio.8k.com

Thanks,

Joe

1188. Re: FA, not FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 04:23:39 UTC
From: Mike Coslo <mcoslo@adelphia.net>
Message-ID: <3D27EC5D.4080205@adelphia.net>
Source record: 41505

FWIW, the FA on the front of the message, allows those of us who do not share in the belief that Ebay is the best thing on earth to filter our messages. A matter of courtesy on the part of the seller. I noticed this because I happened to have my filter turned off.

Messages to a ebay link are as offensive to me as porno link spam in the newsgroups.

- Mike -

Alan Beagley wrote:

> I remember the Real Estate ads. in England that used to say: "For Sale
> by Auction." Auction is a *method* of selling.
>
> -=-
> Alan
>
>
> Chas wrote:
>
>> "Barry" <cushmanb@bellsouth.net> wrote in message
>> news:j3tV8.46145$wj4.3654965@e3500-atl2.usenetserver.com...
>>
>>> Dentron MT3000A 3000 watt antenna tuner
>>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364043847
>>>
>>> Dentron Clipperton L HF Amplifier
>>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364390277
>>
>

1189. FS: 4 A DC supply - SBE - $30

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 04:49:47 UTC
From: k6sde <no_spamxx_k6sde@yahoo.com>
Message-ID: <3D27C884.987BC575@yahoo.com>
Source record: 41600

I have an SBE 4 ampere 13.8 VDC supply for sale.

If you're an SBE collector or if you just want a supply to
power your DC transceiver or a bench supply this should work
well for you.

See some pictures and details at:

http://home.attbi.com/~h1m/SBE/sbe.html
or
SBE 4A Supply

Thanks for looking.

K6SDE

1190. Heil HM-i mic wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 06:38:31 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <AIRV8.9743$aJ4.2412670@news20.bellglobal.com>
Source record: 41601

Looking for above mic for my Icom 738.

Max ve3tmt@rac.ca

1191. f..s. motorola regulated bench powersupply 12v 4 amps 50.00US shipped

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 06:44:05 UTC
From: JJJ <oakvillecub@cogeco.ca>
Message-ID: <KVGV8.84442$Yt.3459077@read1.cgocable.net>
Source record: 41740

for sale:

in excellent shape,

motorola bench powersupply
regulated 12 volts with 4 amps

50.00US includes shipping

thanks
oakvillecub@yahoo.ca

1192. Again TS-2000 vs ICOM-756 PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 12:02:34 UTC
From: Igor <maillist@rts-ukraine.com>
Message-ID: <ag9aa5$2rd5$1@pandora.alkar.net>
Source record: 41602

Hi folks,

I found a lot of discussions in the news about the subj. Also I read both QST and ARRL reviews on each rig.

But are there any place in the Internet with summary about it?

Like scores for each particular parameter for both models?

My impression after reading all these stuff that ICOM-756PRO has 9, but TS-2000 has something between 7 to 8 for HF bands.

Am I right ?

Regards,
Igor

1193. FS: Symetrix 528E & Marshall MXL 2003

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 13:34:20 UTC
From: JIM RUNGE <k6jr@arrl.net>
Message-ID: <wrXV8.6303$Yx5.2604@newsread1.prod.itd.earthlink.net>
Source record: 41603
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I have for sale in excellent condition a Symetrix 528E voice Processor / EQ for $250 and a Marshall MXL 2003 Large condenser studio mic with shock mount for $200. Both work and sound great. I can be reached at 760-323-4464 or k6jr@arrl.net 73 Jim K6JR

1194. Re: Again TS-2000 vs ICOM-756 PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 14:02:45 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <3d2849fd.0@oracle.zianet.com>
Source record: 41604

Hi, Igor...

I own a 756PRO and have spent some time playing with the 2000. The PRO is an outstanding radio in every department except for a "wimpy" noise blanker. (I'm told the PRO II is even better.) I replaced a superb FT-1000D (just back from full factory alignment and updating) with it and was able to do some A/B comparisons before I sold the 1000D. There were a few instances in which the PRO could pull a weak signal out of the QRM or background noise when the 1000D could not, and no cases where the 1000D was the winner.

I was thinking about a 2000 for my car. After using one in the store for a while, I told the salesman my impression is that it does a remarkable number of things but does none of them particularly well. He said that has been his impression exactly. I'm sure many 2000 owners will dispute that statement.

My interest was HF only. I already have a 2m/70cm radio in my car and want to monitor our local repeater WHILE talking or listening to HF. I settled on an FT-100D for the car. It has a noise blanker that's pure magic... it completely ended the ignition noise problem that has plagued me for eight years, through 2 or 3 different vehicles with my previous radio.

I might add, just for fun, that there have been a number of A/B comparisons where the receiver in my Elecraft K2 could easily copy a signal that my PRO couldn't!! Never has the reverse been true. The K2 is now available in a 100-watt version... if you enjoy building kits.

73... Ed, W5EJ

"Igor" <maillist@rts-ukraine.com> wrote in message
news:ag9aa5$2rd5$1@pandora.alkar.net...
> Hi folks,
>
> I found a lot of discussions in the news about the subj. Also I read both
> QST and ARRL reviews on each rig.
>
> But are there any place in the Internet with summary about it?
>
> Like scores for each particular parameter for both models?
>
> My impression after reading all these stuff that ICOM-756PRO has 9, but
> TS-2000 has something between 7 to 8 for HF bands.
>
> Am I right ?
>
> Regards,

> Igor
>
>
>

1195. WTB: ELECRAFT K1 and K2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 16:15:50 UTC
From: "Ronald A. Tomo" <rtomo@optonline.net>
Message-ID: <QZZV8.69289$7e2.1845670@news4.srv.hcvlny.cv.net>
Source record: 41605

WANTED: ELECRAFT K1 QRP AND ELECRAFT K2 SSB/CW 100W

MUST BE IN PERFECT Condition both electronically and aesthetically.

Please reply by EMAIL ONLY:

rtomo@optonline.net

Thanks & 73,
Ron
KE2UK

1196. FS: 761 / 765 Covers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 16:16:48 UTC
From: Kevin <n0kq@arrl.net>
Message-ID: <ag9phh$n76$1@magnum.mmm.com>
Source record: 41606

Hi Gang,

I have new top and bottom covers for the Icom 761, or 765 that I don't need.
If interested please let me know. These covers are getting hard to find.

73,
Kevin N0KQ

kknickelson@mmm.com

1197. WTB: ELECRAFT K1 and K2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 16:23:20 UTC
From: "Ronald A. Tomo" <rtomo@optonline.net>
Message-ID: <m1_V8.69312$7e2.1847144@news4.srv.hcvlny.cv.net>
Source record: 41607
Cross-posted to:
alabama.birmingham.radio.amateur,alt.ham-radio,alt.ham-radio.hf,rec.radio.amateur.dx,rec.radio.amateur.equipment

WANTED: ELECRAFT K1 QRP AND ELECRAFT K2 SSB/CW 100W

MUST BE IN PERFECT Condition both electronically and aesthetically.

Please reply by EMAIL ONLY:

rtomo@optonline.net

Thanks & 73,
Ron
KE2UK

1198. For Sale: Yaesu FT101Z and FT290R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 16:50:57 UTC
From: g3pho@nospam.qsl.net
Message-ID: <3d285b8b.4202277@usenet.free-online.net>
Source record: 41608

To UK Radio Amateurs only...

I am offering the following items of equipment for sale on behalf of an Old Timer radio amateur who unfortunately has had to QRT due to illness. The equipment has been removed to my shack here in Sheffield and is available for inspection at any reasonable time of the day or evening. Please mail me at g3pho@qsl.nospam.net (remove "nospam" first!) or tel. 0114 2816701

FT101Z: HF (160-10m but no WARC bands) transceiver, 100W o/p all bands. In very good condition, complete with Yaesu desk mic and Yaesu headphone. Two spare 6146B PA valves. Manual inc. Price ï¿½150

FT290R: 144MHz multimode transceiver, complete in shoulder carrying case, ptt mic, battery charger (but no nicads), mag mount mobile whip. Sold with Microwave Modules 30W output linear PA. All in exc. condition.The FT290R had not been used for a couple of years so the nicads were duff when I checked them.

Price for the FT290R + MM144/30 PA = ï¿½170. I would prefer not to split these two VHF items.

I also have a Europa 28MHz to 144MHz transverter that plugs into the FT101Z. It works OK and gives around 50 to 60 watts o/p. Price ï¿½30.

Oh yes... since I have been stung once before, I would like cash in the hand... no cheques unless you allow adequate bank clearance time before collecting the goods!

Prefer buyers inspect and collect. If not carriage is extra. I can deliver within a range of 20 miles from Sheffield city centre.

Peter Day, G3PHO

1199. FA: YAESU FR-101 DIGITAL SW RECEIVER, ENDS TONIGHT!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 17:00:20 UTC
From: rlucch2098@aol.com
Message-ID: <20020707130020.01538.00003352@mb-fw.aol.com>
Source record: 41609

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1363114386
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1200. FA:KDK FM-2033 2-mtr FM MOBILE, MINT w/ALL, TEChSpec$33 Tonite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 17:02:23 UTC
From: rlucch2098@aol.com
Message-ID: <20020707130223.01538.00003354@mb-fw.aol.com>
Source record: 41610

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1363114381
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1201. FA: HeathKit ET-3200 Digital Designer W/BOOK@$10.50, Last call

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 17:05:11 UTC
From: rlucch2098@aol.com
Message-ID: <20020707130511.01538.00003357@mb-fw.aol.com>
Source record: 41611

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1363114375
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1202. FS: External Speaker Icom R-75, 718, etc NEW!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 17:08:31 UTC
From: klodtlarry@aol.com
Message-ID: <20020707130831.25408.00002101@mb-cp.aol.com>
Source record: 41612

Hello! I have FOR SALE some external speakers. I have found that these sound as good or BETTEr than the Icom SP-21 external speakers. I have a qty of 3 Jensen bookshelf speakers, heavy duty wood enclosures, black with a black cloth grille. These little guys sound AWESOME! Here is how I discovered this. I had purchased a Jensen home theater surround speaker kit, and only needed the sub-woofer and center channel speakers. So I thought I would hook up one of the bookshelfs to my R-75. WOW! Sounds way better than the Icom SP-21, and way cheapier! This speaker looks sharp sitting next to the R-75, and is just a hair taller than it with the radio's wire bale in use. The speaker is approx. 6.5" x 6" x 6". Has spring terminals for connection. These speakers can be used with any ham or shortwave radio. I am asking $40 each INCLUDING Shipping in the US. Thanks in advance!

LARRY :-)

1203. fa>> RAMSEY FX-146 2-mtr FM Transceiver, Packet, Etc, MINT, 2-nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 17:08:57 UTC
From: rlucch2098@aol.com
Message-ID: <20020707130857.01538.00003360@mb-fw.aol.com>
Source record: 41613

Real nice with pictures to boot!
@BIG $28.00, WORKING
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1363114365
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1204. New program COAXTRAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 18:13:51 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <aga0cv$f3l$1@venus.btinternet.com>
Source record: 41614

New program COAXTRAP.exe

Coaxial traps are often inserted in HF dipole antennas to isolate the ends of the wires from the the feedpoint thus shortening the effective overall length of the antenna. The antenna is then resonant in a higher frequency band. A trap is a parallel tuned circuit which is adjusted to resonate at the higher frequency.

A trap is constructed from a length of coaxial line wound as a solenoid on a cylindrical former. The program models the construction operation by assisting the designer to wind on turns until the required resonant frequency is achieved. The normal coaxial capacitance behaves as the high-voltage tuning capacitance although there is a transformer action in the manner of connecting the ends of the line together. This small program will be interesting even if the user does not intend to make any traps.

This program has been tested by me on only two actual traps - one using 75-ohm coax and the other 50-ohm RG 58 on different diameter formers and different numbers of turns. Errors in predicting resonant frequency were less than 1 percent but great care was taken with measuring and checking dimensions. It would be appreciated if any constructors who have a trap in the shack doing nothing could measure it up and check frequency. If anything is suspicious please let me have the data and how it was obtained. It is possible on my solitary pair of samples I could have made a common error. The best way to measure resonant frequency is to use an antenna analyser on the Z range. Use a thin single-turn coupling loop around the middle and 6 or 10 inches of loosely-twisted pair to the meter. Look for a very sharp peak in Z.

Download COAXTRAP in a few seconds from website below. About 31 kilobytes. Not zipped up. Run immediately.

==========
Regards from Reg G4FGQ
Free Radio Design Software
Go to http://www.g4fgq.com
==========

1205. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 18:18:01 UTC
From: "Bob M." <no@nospam.com>
Message-ID: <tB%V8.430012$352.59000@sccrnsc02>
Source record: 41615
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

Maybe a simple plug-in filter like this will work.

http://www.powerwerx.com/dcfilters.html

"James R. DeLoach" <jasd-49X@attbi.com> wrote in message
news:jbfeiuk8dpbqg9b9bv5a5komrvhidjmmp1@4ax.com...
> I have a problem in a mobile installation that has plagued me with 3
> Chev S-10 installations with two different Kenwood VHF/UHF radios. I
> have finally narrowed it down to a hum being picked up thru the
> antenna, which is mounted to the front fender on the drivers side.
> The antenna is a Larsen antenna mounted using an L bracket mounted
> to the drivers side front fender. The strange twist here is that the
> hum does not occur when using a Yaesu mobile radio, only on a
> Kenwood. The hum sounds like an alternator hum, only on the receive
> audio. Everyone tells me they can not hear it on the transmit audio.
> Has anyone else had this problem and could you tell me how or what
> to do to fix it? Why does it only seem to affect the Kenwood radios
> and not the Yaesu? I don't own an Icom so I don't know if it affects
> Icom's or not. If I use a mag mount antenna the roof the noise is not
> present. I see other people using the L bracket mounts on the front
> fender with no problems, but I'm at a loss as to what the problem is.
>
> I would appreciate it if someone could give me some help.
>
> 73's
>
> James
> N5SKU

1206. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 18:30:02 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D2888AA.BE28E615@nettally.com>
Source record: 41616

Whose antenna farm? Why would their running an easment "prohibit" it? Is it someone elses tower? If so, that other party would have an interest. I would have more concern with the other tower than potential power line noise. Underground utilities can get vey expensive, likely they will want you to pay for it. Somehow your whole story isn't getting accross.

gus wrote:

> I am building my dream retirement home on a mountain in the middle
> of nowhere and am having discussions with the electric company about
> running power. They have informed me that in order to get power from
> the road to the house they have to run their poles through a grove of
> trees labelled Antenna Farm on their map, removing the grove and
> prohibiting the tower. The solution they offered was to bury a 6000
> volt line through the area and provide a ground mounted transformer 50
> feet or so from the house to drop down the voltage. My concern is an
> S-9 noise level oth the HF bands, since the idea of moving from the
> city is the get away from that sort of noise problem. Should I be
> concerned about this idea. Thanks for your advice.

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

1207. Kenwood 570 with External Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 19:50:30 UTC
From: Van DeWald <dewald@bellsouth.net>
Message-ID: <3D289B86.D323616C@bellsouth.net>
Source record: 41617

Hello,

I am considering purchasing a Kenwood 570D(G) model, and was curiuos about the internal tuner capabilities. While adequate for some antenna systems, I'm sure there are some antenna systems that it cannot handle. Thus, I'd like to be able to use an external antenna tuner, such as an MFJ949E, or something similar. Can i just install the tuner in-line before the transceiver, and tune the antenna accordingly, just as if the rig did not have an auto tuner, and then simply don't use the "tune" button on the rig? Or is there a method to disable the auto antenna tuner in the Kenwood 570?

Regards,

Van,. KG4PTM

1208. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 20:20:13 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <aga6lq$7c7$1@news1.kornet.net>
Source record: 41618

I would think that buried lines would not be a noise problem.. I believe
they bury high tension power wires at least 4 feet deep.
"gus" <fertree@yahoo.com> wrote in message
news:3d2898ff.13308350@news.telocity.com...
>
> For clarification it's my planned antenna farm and my planned
> tower location they wish to run the power pole and lines through. They
> have an easement which allows them to do that. If they do that I will
> not have a place to put the tower, as they will not permit a tower to
> be located close to the power lines for safety reasons. They are
> willing to bury a cable at shared cost, but it would be 6000 volts and
> I am wondering if that would cause major line noise on the lower HF
> bands.

1209. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 21:32:36 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uihcrqfkc8kf2e@corp.supernews.com>
Source record: 41619
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

I assume you mean altenator "whine" rather than hum. Noise generated by an altenator is a whine that varies in pitch as you change the engine speed.

Alternator whine can sometimes get into the receive audio via the radio's ground lead when there are multiple grounds such as the antenna, the radio's ground lead, the radio mount, etc. It can vary from radio to radio depending on how the ground wire is routed inside the radio by the mfg. In the case of my Alinco, the whine actually increased in volume as I turned the volume contol down (counter-clockwise).

If you have no whine with the radio on but the antenna disconnected, try touching only the shell of the connector to the ground on the radio. If the whine appears, you have a grounding problem. In the case of my Alinco, the test was to isolate the radio by setting it on the seat and making sure there was only one connection to ground. As soon as I attached any other ground such as the antenna shield or touching the radio to its mount, the whine appeared.

The easiest solution in the case of my Alinco was to connect the radio's ground wire and the ground wire coming from the stud in the engine compartment directly to the cast aluminum case of the radio. I was able to do that by running a bolt and lock washers through a hole in the heat sink. This gives the noise currents a direct path through the radio's case rather than going through the radio's ground wire, inside the case, and to the PC board runs.

By the way, alternator whine filters do not help when you have a grounding issue. They do a good job if the noise is on the positive power lead rather than the ground. On my Mazda PU I can put a 0.1 mfd capacitor in series with an 8-ohm headset and actually hear the whine by touching the headset with capacitor across various vehicle grounding points - even across the short, heavy wire that connects the negative battery post to the engine block.

1210. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 21:45:10 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uihdjgk7cdod12@corp.supernews.com>
Source record: 41620

If they run overhead, won't that also be high voltage with a pole transformer located near the house? Having HV lines in your antenna field would be a much worse problem than having the cables underground. If you can, get them to route the underground lines somewhere besides through your proposed antenna location or you may have a problem digging for towers and guys.

1211. Need DIP Switch Settings for ICOM Micro 2AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 21:51:03 UTC
From: David A Rutter <darutter@nospam.softcom.net>
Message-ID: <bJ2W8.96$d4.10819@sc0101.promedia.net>
Source record: 41621

Hi gang.

I have resurrected an old ICOM Micro 2 AT. It is the original very small 2M handheld with the PL set with dip switches located under the battery pack.

Does any one have the dip switch settings for the variousl PL frequencies or an old manual for the radio.

I would like to get the old radio back on the road again.

Thanks in advance.

73
Dave
W6CQD
darutter@nospam.softcom.net
remove "nospam" to reply

1212. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 22:26:21 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns92449D5799D02Frog207Junocom@148.78.248.76>
Source record: 41623

>> Is the hum present with the engine off? No.
>> Does the hum vary in frequency with changes in engine speed (RPM)?
> Yes.

Well, that does sound like alternator whine. You indicated it was coming in at the antenna. I suspect that issue was connected with the shielding ground on the cable being disconnected at the antenna jack, not the antenna connection itself.

I'm assuming you have a good ground from the radio to the battery negative lead. Short of addressing a possible open diode in your alternator, (where you really ought to start), there are a number of possible fixes; filters to install on the alternator, and in-line filters for the A+ lead. If your 2M rig is high powered, it might cost a bit for a large enough filter to handle the current. You might start with Radio Shack for filter solutions.

Ed WB6SAT

1213. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 22:26:38 UTC
From: David <n4wwl@hotmail.com>
Message-ID: <agaf6u$7ka$1@bob.news.rcn.net>
Source record: 41622
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

Wonder if you have any suggestions for eliminating engine noise that blocks
out shortwave reception on a mobile shortwave radio?

"Bob Lewis (AA4PB)" <rlewis@staffnet.com> wrote in message
news:uihcrqfkc8kf2e@corp.supernews.com...
> I assume you mean altenator "whine" rather than hum. Noise generated
> by an altenator is a whine that varies in pitch as you change the
> engine speed.
>
> Alternator whine can sometimes get into the receive audio via the
> radio's ground lead when there are multiple grounds such as the
> antenna, the radio's ground lead, the radio mount, etc. It can vary
> from radio to radio depending on how the ground wire is routed inside
> the radio by the mfg. In the case of my Alinco, the whine actually
> increased in volume as I turned the volume contol down
> (counter-clockwise).
>
> If you have no whine with the radio on but the antenna disconnected,
> try touching only the shell of the connector to the ground on the
> radio. If the whine appears, you have a grounding problem. In the case
> of my Alinco, the test was to isolate the radio by setting it on the
> seat and making sure there was only one connection to ground. As soon
> as I attached any other ground such as the antenna shield or touching
> the radio to its mount, the whine appeared.
>
> The easiest solution in the case of my Alinco was to connect the
> radio's ground wire and the ground wire coming from the stud in the
> engine compartment directly to the cast aluminum case of the radio. I
> was able to do that by running a bolt and lock washers through a hole
> in the heat sink. This gives the noise currents a direct path through
> the radio's case rather than going through the radio's ground wire,
> inside the case, and to the PC board runs.
>
> By the way, alternator whine filters do not help when you have a
> grounding issue. They do a good job if the noise is on the positive
> power lead rather than the ground. On my Mazda PU I can put a 0.1 mfd
> capacitor in series with an 8-ohm headset and actually hear the whine
> by touching the headset with capacitor across various vehicle
> grounding points - even across the short, heavy wire that connects the
> negative battery post to the engine block.
>
>

1214. Re: Kenwood 570 with External Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 22:52:42 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <agagnpsb1@helle.btinternet.com>
Source record: 41624

> I am considering purchasing a Kenwood 570D(G) model, and was curiuos
> about the internal tuner capabilities. While adequate for some
> antenna systems, I'm sure there are some antenna systems that it
> cannot handle. Thus, I'd like to be able to use an external antenna
> tuner, such as an MFJ949E, or something similar. Can i just install
> the tuner in-line before the transceiver, and tune the antenna
> accordingly, just as if the rig did not have an auto tuner, and then
> simply don't use the "tune" button on the rig? Or is there a method
> to disable the auto antenna tuner in the Kenwood 570?
>
> Regards,
>
> Van,. KG4PTM
==========

Most internal antenna tuners will handle SWR up to 1.5-to-1 or perhaps more depending on what the impedance looking into the transmission line actually is.

When you need to use an external automatic tuner it is best to switch the internal tuner completely out of circuit. There is probably a front panel switch or button somewhere which operates a relay. When both automatic tuners are on together they fight each other. If they do settle down a small change in impedance sets them off again.

Another thought. If the internal tuner does its job very quickly the transmitter may automatically go to full power which the external tuner may not be able to handle if it has not yet tuned itself up. Best not to tempt providence. Isolate the internal tuner.

Reg, G4FGQ

1215. Ignition Noise (was hum in mobile installation)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-07 23:36:02 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uihk385kj5n403@corp.supernews.com>
Source record: 41625
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

The first thing you want to do with ignition noise (pop-pop-pop sound) is to make sure it goes away when you remove the antenna, thus verifying that is how its getting into the receiver.

If it is getting in by the antenna, one suggestion is to move the antenna to the rear of the vehicle - far away from the engine. You can try grounding the tail pipe at several points with braid. Try grounding the engine block to the body with braid at multiple points. Try getting a good ground to the hood. Several of the mobile radio books and the ARRL handbook may have additional suggestions. Ignition noise is generated by the high-voltage and generally radiated by the spark plug wires and is usually the most difficult to cope with. I'm assuming that you have a fairly new vehicle which already has resistance wiring (if not, there is resistance type spark plug wires that can be added or you can use resistor plugs).

A noise limiter on the receiver often helps IF the noise level is already at a reasonably low level.

1216. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 00:08:27 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <%J4W8.12539$lu6.701447@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41626

I live in the country, down my own private road.
Power is buried 7.2 Kv from the public road 1/2
mile from the house. Totally quiet. Transformer and
tap to the buried 7.2 Kv is 10' from the tower base.

However, I do get occasionally serious noise from

1) Bad hardware on some pole that is at least 2 miles away
It's SOMEWHERE over there across the valley to the NE,
but so far have been unable to find it.

2) One or another electric fence charger.
Usually can find these without too much trouble.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"gus" <fertree@yahoo.com> wrote in message
news:3d286636.305420@news.telocity.com...
> I am building my dream retirement home on a mountain in the middle
> of nowhere and am having discussions with the electric company about
> running power. They have informed me that in order to get power from
> the road to the house they have to run their poles through a grove of
> trees labelled Antenna Farm on their map, removing the grove and
> prohibiting the tower. The solution they offered was to bury a 6000
> volt line through the area and provide a ground mounted transformer 50
> feet or so from the house to drop down the voltage. My concern is an
> S-9 noise level oth the HF bands, since the idea of moving from the
> city is the get away from that sort of noise problem. Should I be
> concerned about this idea. Thanks for your advice.

1217. Re: Kenwood 570 with External Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 00:17:00 UTC
From: Pete Gianakopoulos <n.gianakopoulos@worldnet.att.net>
Message-ID: <0S4W8.84994$UT.5699363@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41627

The internal auto-tuner can be disabled; I never use mine. This rig is a
good buy, especially at the price that AES has it going for.

Pete KE9OA

Reg Edwards <g4fgq.regp@btinternet.com> wrote in message
news:agagnpsb1@helle.btinternet.com...
> > I am considering purchasing a Kenwood 570D(G) model, and was curiuos
> > about the internal tuner capabilities. While adequate for some
> > antenna systems, I'm sure there are some antenna systems that it
> > cannot handle. Thus, I'd like to be able to use an external antenna
> > tuner, such as an MFJ949E, or something similar. Can i just install
> > the tuner in-line before the transceiver, and tune the antenna
> > accordingly, just as if the rig did not have an auto tuner, and then
> > simply don't use the "tune" button on the rig? Or is there a method
> > to disable the auto antenna tuner in the Kenwood 570?
> >
> > Regards,
> >
> > Van,. KG4PTM
> ================================
>
> Most internal antenna tuners will handle SWR up to 1.5-to-1 or perhaps
more
> depending on what the impedance looking into the transmission line
actually
> is.
>
> When you need to use an external automatic tuner it is best to switch the
> internal tuner completely out of circuit. There is probably a front panel
> switch or button somewhere which operates a relay. When both automatic
> tuners are on together they fight each other. If they do settle down a
small
> change in impedance sets them off again.
>
> Another thought. If the internal tuner does its job very quickly the
> transmitter may automatically go to full power which the external tuner
may
> not be able to handle if it has not yet tuned itself up. Best not to tempt
> providence. Isolate the internal tuner.
> ---
> Reg, G4FGQ
>
>

1218. Re: Free Ham Radio manuals & schematics - all brands&vintage

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 01:01:44 UTC
From: Pete Gianakopoulos <n.gianakopoulos@worldnet.att.net>
Message-ID: <Yv5W8.85039$UT.5703471@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41628

I just tried it tonight, and it seems to work. Sometimes, truth is stranger
than fiction! Thanks!

Pete

CJ <difficult@times.com> wrote in message
news:ui4f1uicqvog41@corp.supernews.com...
> Hello Pete,
> Just tried it and it went right to the correct page....
>
> --
> -CJ
>
>
>
>
>
>
> "Pete Gianakopoulos" <n.gianakopoulos@worldnet.att.net> wrote in message
> news:LKoU8.72769$UT.5048943@bgtnsc05-news.ops.worldnet.att.net...
> > That link doesn't seem to work.
> >
> > Charles Johnston <ctj92@hotmail.com> wrote in message
> > news:6a14b1d8a9cb7f76ebc82564b5150215.100795@mygate.mailgate.org...
> > > Links to many free downloadable Ham Radio manuals and schematics at
> > > this URL....
> > >
> > > 1. http://www.ab7sl.com/index.html?row1col2=links.html
> > >
> > > Includes Alinco, Kenwood, Yaesu, Heathkit, Collins, Swan, Icom,
> > > Heathkit, MFJ-Ameritron, Radio Shack and several others.
> > >
> > > Also links for many "vintage" rigs manuals and schematics too such
> as
> > > Hallicrafters, Hammarlund,Drake,Johnson,Kenwood-Trio,Lafayette and
> > > over 125 more vintage rig manuals... 73'
> > >
> > >
> > > --
> > > Posted via Mailgate.ORG Server - http://www.Mailgate.ORG
> >
> >
>
>

1219. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 01:53:53 UTC
From: Bud Rogers <budr@sirinet.net>
Message-ID: <hbraga.l0g.ln@twocups.sirinet.net>
Source record: 41629

Hank Oredson wrote:

> However, I do get occasionally serious noise from
>
> 1) Bad hardware on some pole that is at least 2 miles away
> It's SOMEWHERE over there across the valley to the NE,
> but so far have been unable to find it.

Power line noise is often associated with cracked or dirty insulators or lightning arrestors. It has rf characteristics similar to atmospheric noise or lightning. It tends to be broad band, strongest at low HF frequencies but extending into VHF and sometimes even UHF at lower signal strengths. Also, it travels down the wires, so getting a precise location takes some detective work. As you go higher in frequency it gets easier to localize.

Start with a 2 meter AM or sideband rig with a decent S meter. Go mobile with a small yagi that you can swing around by hand looking for peaks on the S meter. As you travel along the offending line you will likely find peaks and nulls. Work your way toward the higher peaks. If the noise is really strong you may have trouble pinpointing the exact source on 2 meters. In that case move higher in frequency -- 220 or 450. It takes some time but you can usually pin it down to a single pole.

--
Bud Rogers <budr@sirinet.net> KD5SZ

1220. AVVid is Moving

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 04:18:15 UTC
From: Clif Holland <radio.service@verizon.net>
Message-ID: <bo8W8.2949$I02.329@nwrddc04.gnilink.net>
Source record: 41630
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

AVVid

In August we will be moving. As usual I posted the info on my website and managed to get everything messed up. I will try to correct it the next few days (I'm not a net guru). The new address is correct but don't use it yet. I would appreciate everyone passing the word along. UPS will not forward packages and I don't want any lost. The phone numbers will be the same.

My e-mail will still be the same for anyone with questions.

clif@avvid.com

--
Clif Holland, KA5IPF
AVVid
Authorized Kenwood and Icom Amateur Service
www.avvid.com
1-800-214-5779

1221. Re: Need DIP Switch Settings for ICOM Micro 2AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 04:26:10 UTC
From: k9opo@comteck.qlfit.com
Message-ID: <3d2913b9.41914188@news.comteck.com>
Source record: 41631

"David A Rutter" <darutter@nospam.softcom.net> wrote:

>Hi gang.
>
>I have resurrected an old ICOM Micro 2 AT. It is the original very small 2M
>handheld with the PL set with dip switches located under the battery pack.
>
>Does any one have the dip switch settings for the variousl PL frequencies or
>an old manual for the radio.

Here is the info on u2/u4AT subaudible tones.

The tones are selected in sequence starting at 67.0 hz and going
through 250.3 by a simple binary sequence of the dip switch, with
switch 1 being the least significant bit and switch 6 the most
significant bit. If you're not familar with binary arithmetic, it
means each switch is twice as much as the one before. So their values
are 1, 2, 4, 8, 16, & 32.

Example: 91.5 hz is the 9th tone is the sequence, so code the switches
for a binary 9 - meaning the 1-bit (1st switch) and the 8 bit (4th
switch). For the 23rd tone (146.2 hz), turn on the 16-bit(5th switch),
and the 4, 2, and 1-bits.

Switch 7 has a special function. If it's turned ON, the tone function
is always active regardless of the setting of the external TONE
switch.

Roger Grady k9opo@comteck.qlfit.com
To reply by email, remove "qlfit." from address

1222. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 05:12:04 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <Ea9W8.13638$Iu6.735668@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41632

"Bud Rogers" <budr@sirinet.net> wrote in message
news:hbraga.l0g.ln@twocups.sirinet.net...
> Hank Oredson wrote:
>
> > However, I do get occasionally serious noise from
> >
> > 1) Bad hardware on some pole that is at least 2 miles away
> > It's SOMEWHERE over there across the valley to the NE,
> > but so far have been unable to find it.
>
> Power line noise is often associated with cracked or dirty insulators
> or lightning arrestors. It has rf characteristics similar to
> atmospheric noise or lightning. It tends to be broad band, strongest
> at low HF frequencies but extending into VHF and sometimes even UHF at
> lower signal strengths. Also, it travels down the wires, so getting a
> precise location takes some detective work. As you go higher in
> frequency it gets easier to localize.
>
> Start with a 2 meter AM or sideband rig with a decent S meter. Go
> mobile with a small yagi that you can swing around by hand looking for
> peaks on the S meter. As you travel along the offending line you will
> likely find peaks and nulls. Work your way toward the higher peaks.
> If the noise is really strong you may have trouble pinpointing the
> exact source on 2 meters. In that case move higher in frequency -- 220
> or 450. It takes some time but you can usually pin it down to a single
> pole.

I've spent a fair amount of time doing this. The area here is fairly difficult
though, lots of hills and very deep valleys, and the roads don't go where
you would like to go :-) To get to the other side of the valley (about a
mile and a half from here) is a 5 mile drive. Then there are lots of little
roads, some public, some private wandering here and there. The last trip
I thought I had found a likely cause, but that noise source was 30 degrees
off the bearing compared to the one that bothers me. It has since been
fixed. The bad noise is intermittent, does not correlate well with wet
or dry conditions, or temperature, or time of day. Audible only above
20 MHz. Is your typical "bad pole hardware" fizzy frying with noticable
120 Hz component. Someday I'll get it tracked down.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

1223. WTB adi AA pack

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 05:16:50 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <6f9W8.3330$0U5.81039@twister.rdc-kc.rr.com>
Source record: 41633
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I'am looking for a dry cell AA pack.
Model cbp 262 for a adi at-600
Please e-mail me direct.

1224. Icom Clone cable OPC-478

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 08:48:43 UTC
From: karl@oufn.de
Message-ID: <ad110f11.0207080048.3241beb6@posting.google.com>
Source record: 41634

Is someone able to give me the
circut diagramm off the clone cable
OPC-478?

1225. FS: Yaesu FT-51R Handheld

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 12:00:46 UTC
From: Bob <rcherry@count.com>
Message-ID: <agbutjead1@bob.news.rcn.net>
Source record: 41635

Radio is in excellent shape and comes with a spare battery and original box.
Has has the
Mars/Cap modification done professionally. CTCSS tone encode/decode and
simultaneous dual band receive.

$275.00 shipped.

Bob
wb2f@amsat.org

1226. Re: Unbelievable Stupidity!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 12:15:14 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D298252.1E0C40E5@crosslink.net>
Source record: 41636

Lou wrote:
> ...
> As for sellers saying they will leave negative feedback, I just did that
> too. ....

Nothing wrong with leaving it *after* someone deserves it but seeing
half the "Item Description" filled with threats is such a turn off thst
I won't buy from anyone who does that. Just a word to the wise ...
>
> If BOTH parties follow through on their end of the deal, communication lines
> kept open, there should be no or very little problem.

The key is good comms. Buyers: pay promptly and email the seller when &
how payment has been sent. Sellers: email the buyer when item is shipped
and provide shippers ###s.

1227. Trade or Sell TS-870S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 12:59:26 UTC
From: Tim Randa <randas@mindspring.com>
Message-ID: <3D298CAE.D2434DE1@mindspring.com>
Source record: 41637
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hello to all. I have a mint Kenwood TS-870S I would like to sell or trade. This radio is without blemish. No scratches, dings, scuffs, nothing. I don't smoke and I don't put anything on top of my radios. The radio operates perfect as new. If you've never heard the audio coming out of a 870s then you're in for a real treat. This is a 81,2XX,XXX serial number so it was manufactured with all the eprom and firmware updates that were added by Kenwood for earlier models. There are no updates needed or even available for this radio. No mods have been done. Radio comes with Kenwood hand mic and manual. I will give buyer 2 days after delivery to return radio in same condition for full refund less shipping charges if radio is not as stated. Asking $1400 which includes shipping and insurance to lower 48. Will consider a TS-570DG or SG, or a TS-2000 as part of a trade. Check out my feedback on Ebay using my call
sign as my seller id, plenty of references to keep your mind at ease.

73 de Tim Kï¿½FL

LaGrange, KY 40031

1228. Want: Collector TS-830

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 13:13:56 UTC
From: Kevin <n0kq@arrl.net>
Message-ID: <agc36k$1cb$1@magnum.mmm.com>
Source record: 41639

Hello,

I'm looking for a Kenwood TS-830 in perfect condition. If you have one to sell please send me picture and serial number.

kknickelson@mmm.com

73,
Kevin N0KQ

1229. Re: Kenwood 570 with External Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 13:15:09 UTC
From: mogens9181@aol.com
Message-ID: <20020708091509.01597.00003151@mb-cs.aol.com>
Source record: 41638

I have been using the TS-570 with the MFJ941E and the internal tuner turned off. The scales on the MFJ are finely graduated and allow you to preset for the various frequencies by simply saving the setting to a chart and duplicating.

C. Jespersen K2OG

1230. FA: Multiband Scanner Antenna (few hours left)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 14:12:58 UTC
From: Cutter <sgrubor@shaw.caNSPM>
Message-ID: <K5hW8.26080$Xs6.1166681@news2.calgary.shaw.ca>
Source record: 41640
Cross-posted to: alt.ham-radio.marketplace,alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1364556029

--
*** Remove NSPM to reply ***

1231. Re: Unbelievable Stupidity!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 14:28:18 UTC
From: Lou <tech@dp.net>
Message-ID: <agc9q2aof1@news.dp.net>
Source record: 41642

And I couldn't agree more! I have - in a lot of cases - sent photos of either the MO receipt showing their name and address if I'm the buyer OR the shipping receipt with their name and address if I'm the seller..... That way they can see for themselves there is a transaction taking place.

BUT.....One must use caution... The "mail" service - at least in my cases - is NOT living up to it's expectations or promises. Two good examples:

1. A guy in the State of Washington bought an item from me on E-Bay. He claimed to have bought a Postal MO and sent a Postal MO out on 5/28. We waited. A week - then two - then three - then a month went by. NO MO. He had to think based on his words of "let's see who cashed it", that "I" had to receive it. I didn't. I suggested to allow the 30 days as the PO won't do a trace until that time. 30 Days elapsed. They wanted to charge him x amount of money which would have been - added to the money he already spent, getting out of hand. So he opted to forget it and I being an understanding person, couldn't blame him. It wasn't worth it to pursue. The item wasn't that big or expensive to go through all that. I lost a small amount on listing and final value fee, but at this point, it wasn't enough to cry about it. On June 29th I got his MO in the mail. It was postmarked 6/27 and the MO inside had 5/28 - the date he claimed to have bought and mailed it. So either he didn't mail it out right away OR and this is what I do tend to believe, it sat in the Postal system for a month and caused undue friction between buyer and seller. I even sent him an E-mail picture of the envelope showing the stamped date.

2. Sent a package out to California from PA. Was going to send First Class. Postal Clerk says for a few cents more get it there in 2 days Priority. OK!!!! Like a sucker, I paid it.
The Number 2 was significant alright. It took 2 weeks and 2 days to the day from when I shipped it. THAT BURNS ME!

3. A package coming to me from New York took a week to get here. I live near Pittsburgh. I could have driven there in 4 hours and picked it up! There is NO excuse for that.

IF I as a business fail to ship when promised, "I" can be held liable for mail fraud and making false claims. I have to show cause why I can't ship, offer a monetary return or substitute or back order if the customer requests it. While these rules may not apply to E-Bay auctions, they do apply to my shipping business. BUT the Postal Service can say they can deliver - and usually don't in my experience in the time they say - but are NOT held accountable. But the "suspicion" falls on me for not shipping when in fact it wasn't my fault.

Case #1 and #2 can be proven. My point, you have to have "some" patience with "the system". The buyer or seller "may" be telling the truth. However, THIS is where the OPEN LINES of communication are most important.

As to my threatening people with bad feedback. I only gave examples in my last auction after having been ripped off, as to how I would respond if the buyer didn't carry through. I don't do that as a rule. I have found MOST to be genuinely honest. And that is the way it ought to be. I hope I never have to give negative feedback ever again - that one person being the exception. He got 5 negatives for same thing in a weeks time.

I appreciate my customers and "try" to be as honest in my descriptions as possible even though most items especially E-Bay items are AS IS. Without customers I have no business. I try to treat my potential and actual customers as I like to be treated. With respect. Even if they turn away and don't buy, I at least had an opportunity to meet with some interesting people. I do not force anyone to buy and I never will. That isn't right. If they ask questions I'm there to answer but I will not persuade them to buy. I HAVE persuaded some NOT to buy if I felt the item wasn't suitable for them. For example a older style set of walkie talkies with long metal antennas. A child seen them and wanted them, the mother was going to buy them. I suggested she didn't for fear of getting an eye poked out in play.......I was concerned for the safety of the child or one near him, to hell with the profit. I couldn't live with my self if he had an accident with them.

I didn't mean to ramble but just wanted to point out ANY business transaction can get tricky real fast. By complete honesty plagued with circumstances OR by actual deception. You have to look more closely at the circumstances behind it. As to E-Bay, the profile tells me a lot. NOT ALL, but a lot.

My two cents based on experiences...........

Lou/Tech@DP.NET

"Vito" <vito@crosslink.net> wrote in message
news:3D298252.1E0C40E5@crosslink.net...
> Lou wrote:
> > ...
> > As for sellers saying they will leave negative feedback, I just did that
> > too. ....
>
> Nothing wrong with leaving it *after* someone deserves it but seeing
> half the "Item Description" filled with threats is such a turn off thst
> I won't buy from anyone who does that. Just a word to the wise ...
> >
> > If BOTH parties follow through on their end of the deal, communication
lines
> > kept open, there should be no or very little problem.
>
> The key is good comms. Buyers: pay promptly and email the seller when &
> how payment has been sent. Sellers: email the buyer when item is shipped

> and provide shippers ###s.

1232. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 14:36:56 UTC
From: jer1538a@aol.com
Message-ID: <20020708103656.19790.00003748@mb-mg.aol.com>
Source record: 41641

GETTING THEM TO FIX IT IS ANOTHER MATTER

1233. Re: Most overpriced Yaesu accessory -- $50 battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 15:25:57 UTC
From: Robert John <RAJohnGM@worldnet.att.net>
Message-ID: <9aiW8.85847$UT.5780842@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41643

The Icom LC-146 case. Cost about $40.00 and is junk. Cheap plastic which
falls apart in no time. Worth no more than $4.00. Totally over priced crap.
"Hank Oredson" <horedson@att.net> wrote in message
news:n3fO8.36357$LC3.2735499@bgtnsc04-news.ops.worldnet.att.net...
>
> "Ken" <cprstn54zz@att.net> wrote in message
> news:3d08d6eb.9231187@news-server.optonline.net...
> > On 13 Jun 2002 10:17:22 -0700, drooler@usa.com (Arghh!) wrote:
> > > AND who said Hams are cheap? I'm sure he's using expensive "Glad
> > >Bags" rather than the cheap store bought ones----
> > > I have to agree, don't buy a Cadallac or Lexus & complain about the
> > >cost of the factory accessories.
> >
> > I use only the best freezer bags as my project boxes. Also Tygon
> > tubing. Both insulate -- and shield well when wrapped in aluminum
> > foil.
> >
> > Having spent upwards of $3,000 on gear in the last year, I have to
> > economize somewhere.
> >
> > I understand the marketing strategy, but when it results in $50
> > battery holders it has gone too far. I probably wouldn't have sqwaked
> > at a list of $30 (a mere 10X FMV) but $50 was just off the scale.
> > They must think we are the US military and have money left over after
> > the $1,000 toilet seats.
> >
> > Ken KC2JDY
> >
> > Ken
>
> You can get MIL spec toilet seats for only $1000? (Grin)
>
> Many cell phones have a similar problem: batteries cost way more
> than seems reasonable. Have had good luck with www.batteries.com
> though ... reasonable prices, quick delivery.
>
> --
>
> ... Hank
>
> Hank: http://horedson.home.att.net
> W0RLI: http://w0rli.home.att.net
>
>

>

1234. E-Bay to acquire PayPal

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 17:27:06 UTC
From: Marty <tria4eer@yahoo.com>
Message-ID: <KXjW8.8948$Yx5.2646@newsread1.prod.itd.earthlink.net>
Source record: 41644
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

(Since alot of you guys sell ham gear on
E-Bay, I thought you may like to read this
article)

07/08 09:37 www.bloomberg.com
EBay to Buy PayPal for About
$1.5 Billion in Stock (Update2)
By Greg Wiles

San Jose, California, July 8 (Bloomberg) -- EBay Inc., the world's largest
Internet auctioneer, agreed to buy online-payment provider
PayPal Inc. for about $1.5 billion to make it easier for
users to send and receive payments on transactions.

EBay will exchange 0.39 a share for each PayPal share, the company
said in a statement. That's an 18 percent premium to
Friday's closing stock price. EBay shares fell as much as
4.4 percent in early trading.

About 60 percent of PayPal's business takes place on EBay, which
plans to phase out the company's gambling operations after
the purchase is completed. It expects about $13 million of
costs a quarter related to the acquisition for stock-based
compensation and the amortization of assets. EBay also
said that second-quarter profit and sales were higher than forecast.
``It is very clear to us that EBay and Paypal can each
help each other expand,'' Peter Thiel, Paypal founder
and chief executive, said on a conference call with analysts and investors.

Other merchants also use PayPal's e-mail system, paying a fee
on each transaction. Individual customers pay no fee to
send or receive payments via their e-mail address after
setting up an account with PayPal. The money is deducted
from their credit card or checking accounts.
It will remain as an independent brand.

Mountain View, California-based PayPal said last month
that second-quarter sales would be as much as $54 million
and profit before some costs was expected to be 8 cents
to 9 cents a share. It had first-quarter earnings of
about $1.23 million, or 2 cents, on sales of about $48.8 million.
Paypal will replace EBay's money-losing EBay Payments by
Billpoint unit, the companies said. EBay said it will phase

out Paypal's gaming business, which was projected to account for as much as 15 percent of sales, because of the regulatory issues involved with online gambling.

Shares in San Jose, California-based EBay fell $1.79 to $58.76 in early trading. They had dropped 9.5 percent this year. PayPal rose $2.56 to $22.56. PayPal was the first Internet company to go public in almost a year when sold 5.4 million shares in February. The stock had surged 54 percent since the initial public offering.

EBay's net income was about $54.3 million, or 19 cents a share, on sales of about $266 million. The company had said it expected profit of 17 cents a share on sales of $260 million to $265 million. It earned about $24.61 million, or 9 cents, on sales of $$180.9 million in the year-earlier period.

Both companies will release complete second-quarter results on June 24. EBay is forecast to earn 17 cents a share, according to the average estimate of analysts surveyed by Thomson First Call.

1235. WTD: FT-901DM knob pair

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 18:14:54 UTC
From: John Strupat <john.strupat@sympatico.ca>
Message-ID: <nEkW8.924$9U1.482060@news20.bellglobal.com>
Source record: 41645

Hi,

I've lost the RF Gain/Clarifier pair for my FT-901DM.
Please email if you have a spare set.

Tnx,

John VE3PCN

1236. Re: Again TS-2000 vs ICOM-756 PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 18:56:08 UTC
From: "Scott, N9AI" <nospam@nospam.org>
Message-ID: <cflW8.94525$vq.4377868@bin6.nnrp.aus1.giganews.com>
Source record: 41646

Igor,
What kind of scores are you looking for? Any system like this is going to be very subjective. The "scores" are there in both the ARRL and RSGB reviews of the respective rigs. You might want to spend a little time learning what those numbers mean, rather than relying on someone's biased opinion of which rig is "best".

As an example, Ed, W5EJ has told you that he isn't terribly impressed with the TS2000 and that it doesn't do anything terribly well. That is his opinion, and is probably to be expected as someone who spent $2500 on his IC-756Pro. I will tell you that my TS2000 is a fine HF rig and is in some ways better than Ed's 756Pro. I can also supply some numbers to prove my point.

From the ARRL review, the four most important receive specifications:

Receiver Noise Floor, 14 mHz, preamp off/on (IC756Pro has two preamps);
TS2000 129/137 dBm; IC756Pro 128/136/140 dBm

Blocking Dynamic Range, 14 Mhz preamp off/on (IC756Pro has two preamps);
TS2000: 126/121 dB; IC-756Pro 127/122/120 dB

Two-tone 3rd order IMD Dynamic Range, 14 mHz, preamp off/on (IC756Pro has two preamps);
TS2000: 94/92 dB; IC756Pro: 95/92/88dB

Third-order intercept, 14 mHZ, preamp off/on (IC 756Pro has two preamps);
TS2000: +19+/4.2 dB; IC756Pro: +15.4/+4.3/-6.9

So, you see there is very little difference in the two rigs' specifications. The IC756Pro has slightly better sensitivity with it's "preamp 2" engaged and the edge by 1 dB on two-tone, 3rd order IMD, with both rigs' preamps off. Unfortunately for those who have to make a choice, variance among different radios of the same make and model will be more than those differences. In fact, the variance between individual rigs of the same models can be significant, sometimes more than 5dB. For example, the ARRL lab states that the 5kHz 2 tone, 3rd order IMD dynamic range of their IC756Pro is 80 dB, but the RSGB lab tested theirs at 74 dB. Numbers are not the whole story.

I believe the TS2000 has gotten a bad rep as an HF rig because of three factors: it looks strange, it does too much (many hams still insist on thinking any rig that does many things must be a "comprimise" rig) and the ARRL's using the TS2000 as the initial rig for the inclusion of 5kHz two-tone IMD dynamic range test results. While it's true that the TS2000 lags behind many rigs, including the IC756Pro, at 5 kHz spacing, according Peter Hart's RSGB review, at 7 kHz spacing, the TS2000, at 72 dB dynamic

range, holds it own against rigs like the IC756Pro (74 dB), the IC756 (74), the IC775DSP (73 dB), the TS870 (66 dB) and many others.

So, you see, the numbers can be somewhat misleading! The rig you buy depends on what you want out of it. I traded a TS870 for my TS2000 and haven't been disappointed in the least by that decision. I chase DX and the TS2000 is as good as my TS870 was on HF, and in many way better (more functionality in the DSP system, for one), and I get the added bonus of 6m/2m/70cm allmode capability. I also get a 2m/440 dualbander thrown in! Are there better "competition class" HF only rigs out there? I'm sure there are, but I don't operate a multi/multi contesting station, so I don't miss what they offer. I've never had overload cost me a contact on this rig.

Whatever you decide, do some research, find out what all those numbers mean, and if you can, compare the rigs side by side. If you can't do that, get an idea of what's important to you as an operator see what each rig can do and base your decision on that. Don't just rely on opinions!!

Good luck on your decision,
Scott, N9AI

"Igor" <maillist@rts-ukraine.com> wrote in message
news:ag9aa5$2rd5$1@pandora.alkar.net...
> Hi folks,
>
> I found a lot of discussions in the news about the subj. Also I read both
> QST and ARRL reviews on each rig.
>
> But are there any place in the Internet with summary about it?
>
> Like scores for each particular parameter for both models?
>
> My impression after reading all these stuff that ICOM-756PRO has 9, but
> TS-2000 has something between 7 to 8 for HF bands.
>
> Am I right ?
>
> Regards,
> Igor
>
>
>
>

1237. FS - Icom IC27-H 2 meter Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 22:08:01 UTC
From: 1ARTB <rbouder@dejazzd.com>
Message-ID: <k02kiu4e29fugj3do30aoq22vd0fm1e66t@4ax.com>
Source record: 41647
Cross-posted to: rec.radio.swap,rec.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.swap

Icom IC 27-H 2 meter 144 - 148 Mhz transceiver.
H - high power 45 watts
mobile bracket - 16 button DTMF microphone plus UP + DOWN
frequency agile - speech synthesizer - UT-16 voice unit
Has memories and FOR A / VFO B
Scans memories - busy - open - band scan etc..all the regular stuff
PL Encode Tones 67.0 to 256.3 + other "test" tones
User Manual

$110 shipped to your door (USA) & insured

Pictures upon request.... (I will take some)!!

1238. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-08 22:18:01 UTC
From: "James R. DeLoach" <jasd-49X@attbi.com>
Message-ID: <hs3kiugm1o86b0789dnd0fmc6ohfn87aon@4ax.com>
Source record: 41548

On Sun, 07 Jul 2002 22:26:21 GMT, "Ed G."
<Spectrumhog@_REMOVE_StarBand.net> wrote:

>
>>> Is the hum present with the engine off? No.
>>> Does the hum vary in frequency with changes in engine speed (RPM)?
>> Yes.
>
> Well, that does sound like alternator whine. You indicated it was
>coming in at the antenna. I suspect that issue was connected with the
>shielding ground on the cable being disconnected at the antenna jack, not
>the antenna connection itself.
>
> I'm assuming you have a good ground from the radio to the battery
>negative lead. Short of addressing a possible open diode in your
>alternator, (where you really ought to start), there are a number of
>possible fixes; filters to install on the alternator, and in-line filters
>for the A+ lead. If your 2M rig is high powered, it might cost a bit for a
>large enough filter to handle the current. You might start with Radio
>Shack for filter solutions.
>
> Ed WB6SAT
As I stated earlier, tho maybe it wasn't clear, I've had this problem
with 3 different year model S-10's. An 87, 92 and my present 98
model S-10. I'll probably just end up chunking the Kenwood radios
and stick with Yaesu's. I may try as one person has suggested
running an extra ground wire from the battery to the case/heat sink
of the radio and see if this has any effect on the problem..

I tried disconnecting the shield on the cable at the antenna as one
person suggested, but that did not make any difference. I really was
counting on being able to use my new Kenwood TM-D700 mobile,
but that may not happen if I can't fix this problem.

Regards,

James

Note: To reply by email, remove the "X" in the reply to address.

1239. wtb Kenwood DG-5 freq display

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 01:22:15 UTC
From: Dave Edwards <kd2e@home.com>
Message-ID: <3d2a395d$1_8@news5.nntpserver.com>
Source record: 41549
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Anyone got one of these around for sale?
Let me know condx if you do.
Thanks, and 73!
...Dave

1240. FA: B&W 850A Bandswitch / Tank

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 01:25:35 UTC
From: motg@stratos.net
Message-ID: <efd5c18c.0207081725.5fe38106@posting.google.com>
Source record: 41550
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Thanks for looking here's the link:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365298441

1241. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 01:48:42 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uikg81kt28ph8a@corp.supernews.com>
Source record: 41551

You've got to start by completely isolating the radio from ALL grounds except the one to the radio's grounding wire. Set it on the seat, remove the antenna connection and everything else except the radio's power and ground leads. Make sure you have no whine with this setup. Then start connecting grounds - touch the shield of the antenna to the case, touch the case to it's mounting bracket, etc. to see what impact additional ground connections have.

1242. Buying my first shortwave radio please help.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 02:23:44 UTC
From: SamSJester@hotmail.com
Message-ID: <38f0c074.0207081823.6c7f394a@posting.google.com>
Source record: 41552

Hello, I am new to both this newsgroup and radios.
I would like to purchase a shortwave radio that would allow me to
begin learning about shortwave. I spent the last hour searching for
information on radios to buy and frankly, I have no idea what features
I need and what features I don't need. Since I would like to keep the
price underneath four hundred dollars obviously my choices are
limited. But again I am an new so I do not need anything professional.
If anyone could suggest a radio, or a link to a thread with a topic
that applys I would be extreamly greatful.
Also if anyone knows of a good book as an introductry into radios or
even a website that would also be appreciated

Thank you for your help and patience.
Andrew G.

1243. For Sale: new Uniden Sportcat scanner with two headsets + extras!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 04:23:16 UTC
From: Erik <hofu@earthlink.net>
Message-ID: <3D2A656F.9F4F5B79@earthlink.net>
Source record: 41553

I have an auction I started last week on eBay.
My friend said it would be a good idea to let this newsgroup know about
it due to the number of enthusiasts on here.

The scanner is almost brand new. Only 1 NASCAR race & I have two just
like new headsets along with extras like a thigh holster for holding the
scanner when seated. It's a great set up.

It's eBay auction #1364752375
or click on:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1364752375

Sorry to inconvenience anyone.

1244. For sale: Icom 02AT scanner in box--cheap!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 04:28:17 UTC
From: Erik <hofu@earthlink.net>
Message-ID: <3D2A669C.9D29F352@earthlink.net>
Source record: 41554

I have an Icom IC-02AT 144 MHz 2 meter scanner for sale.
It works great & is priced low. I have the box & everything that came
with it.

If you're interested in a heavy duty hand held transceiver, please check
out my auction.

It's eBay auction #1364755605
or click on:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1364755605

If you're not interested, sorry to inconvenience anyone.

1245. wtb Gonset 6 meter sidewinder SSB radio with powersupplies and amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 06:08:36 UTC
From: k6stu@aol.com
Message-ID: <20020709020836.23803.00002722@mb-cc.aol.com>
Source record: 41555

I would like to buy a 6 meter Gonset sidewinder transceiver with powersupplies
and a matching 6 meter amp as well as a 2 meter matching sidewinder amp.
Thanks.
Mike

1246. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 06:21:07 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <nhvW8.15664$lu6.877937@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41556

"JER1538A" <jer1538a@aol.com> wrote in message
news:20020708103656.19790.00003748@mb-mg.aol.com...
> GETTING THEM TO FIX IT IS ANOTHER MATTER

Yup!
Had some power line noise when I lived near Santa Cruz, CA.
Was bad enough to take out the picture on the TV ... on cable!

Called 'em every day until they finally came out and replaced
a bad insulator, two bad clamps, and a bad breaker ... on the
pole right outside my ham shack. Was easy to find. You could
see, smell, and hear the arcing. Only took 'em two weeks ...

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

1247. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 06:57:23 UTC
From: jer1538a@aol.com
Message-ID: <20020709025723.14888.00003109@mb-bh.aol.com>
Source record: 41557

IVE HAD A BAD ONE FOR 11 YEARS AND THEY STILL REFUSE TO FIX IT

1248. FOR SALE: Terminal Boards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 10:24:48 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <jeeliu833kl9uj9oug8b1ocf2djk951uas@4ax.com>
Source record: 41558
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

FOR SALE:
New first quality terminal boards.

For those who repair and service antique
radio equipment and/or audio equipment etc. the following
will be very useful.

Top quality fiberglass terminal boards measuring
13-1/8" long by 1-1/2" wide.

These have 2 rows of turrets for mounting components
and making wiring connections. They have four mounting holes
in the corners.

They can of course be cut down into smaller sections as
needed.

Picture available - request via e-mail

Available at $5.00 each or 5 for $20.00
plus shipping

1249. Yaesu VX-7R CTCSS question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 11:45:49 UTC
From: frank@damato.com
Message-ID: <1276490d.0207090345.29042b83@posting.google.com>
Source record: 41559

Am I correct when I say that 2 different CTCSS tones CAN NOT be used (1 for RX and another for TX)?

The only way to have 2 different tones is RX CTCSS and TX DCS (or vice versa).

Why do you think YAESU did this? was it such a big deal to allow the radio to have 2 different CTCSS tones.

Will there be a FIX for this, or maybe a firmware upgrade in the future?

1250. FT-100D with MD-100 mic - HELP NEEDED!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 12:21:47 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020709082147.11115.00002495@mb-ci.aol.com>
Source record: 41560

Hello. Yesterday I received my FT-100D and MD-100 microphone. I am having trouble getting the microphone to work properly. I have to practically swallow the microphone in order to be heard. If anyone is using this combination, could you advise me on how to set up my radio and the microphone in order to be heard with it just sitting on my desk and with me a normal distance away?

The hand mic seems to work fine, although I'll be doing the mic mod on it.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

1251. MANUAL SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 12:51:34 UTC
From: joeee1621@aol.com
Message-ID: <20020709085134.01067.00003314@mb-cu.aol.com>
Source record: 41561

NEED A MANUAL .. WE MIGHT HAVE IT..GO TO:

http://www.myradioroom.com/manualsale.html

1252. realistic analog receiver dx 160 MINT with sidespeaker and manual 100.00US shipped

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 13:26:42 UTC
From: JOE <shyguy@cogeco.ca>
Message-ID: <MwBW8.68372$op.7148413@read2.cgocable.net>
Source record: 41562

```
for sale:

a beautiful analog shortwave receiver

realistic dx 160 with sidespeaker and manual

100.00US shipped

thanks
shyguy@cogeco.ca
```

1253. Re: FT-100D with MD-100 mic - HELP NEEDED!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 14:29:29 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uilsrphpnakr71@corp.supernews.com>
Source record: 41563

There should be an adjustment in the menu.

--
Web Site: www.polkcounty.org/radiofun

"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
news:20020709082147.11115.00002495@mb-ci.aol.com...
> Hello. Yesterday I received my FT-100D and MD-100 microphone. I am having
> trouble getting the microphone to work properly. I have to practically
> swallow the microphone in order to be heard. If anyone is using this
> combination, could you advise me on how to set up my radio and the
> microphone in order to be heard with it just sitting on my desk and with
me a
> normal distance away?
>
> The hand mic seems to work fine, although I'll be doing the mic mod on it.
> =-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

1254. FS: Yaesu VX5-R Like New

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 14:41:59 UTC
From: scts <scts@bevcomm.net>
Message-ID: <XCCW8.432$d%6.273343@news7.onvoy.net>
Source record: 41564

Like new, only used one week, CAP mod for wideband transmit.

Box, manual, battery, charger, antenna etc.

$200 firm including shipping and insurance CONUS only.

n0xb@(anti-spam)arrl.net

Take out the (anti-spam) to reply. Tnx.

1255. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 15:16:10 UTC
From: Dennis <dennis@ptcnh.net>
Message-ID: <d7DW8.300$G%3.16306@eagle.america.net>
Source record: 41565
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

I have had good luck using a simple "CorCom" style ac EMI line filter on the 12 VDC line. Just make sure that it will handle the current and found it to the chassis.

1256. Re: Buying my first shortwave radio please help.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 15:23:09 UTC
From: Daniel Hicks <w8mmq-NOSPAM@email.com>
Message-ID: <3d2affe1$0$3576$2c3e98f8@news.voyager.net>
Source record: 41566

Andrew,

A very good, and rather inexpensive, shortwave receiver is the Radio Shack DX-394. Radio Shack discontinued this a couple of years ago (for reasons I will never understand). However, you can still find them at swaps, and on the internet, such as Ebay.

This is a wonderful desktop receiver, with continuous coverage from 150-kHz through 30-MHz. It receives all modes, AM, FM, CW, and USB/LSB. I have two of these and really enjoy them. There are better receivers out there, with better filtering, audio, etc., but this makes a great first receiver, and it is easy to operate. I have no complaints with mine.

Just an opinion on one model ...

Also, I suggest you try these links for additional information:
http://havana.iwsp.com/radio/
http://members.fortunecity.com/swradios/ -- Excellent
http://www.bid24.com/esat/swlguide.html -- Shortwave guide

73 de,
Dan, W8MMQ
http://w8mmq.com/

"Andrew G." <SamSJester@hotmail.com> wrote in message
news:38f0c074.0207081823.6c7f394a@posting.google.com...
> Hello, I am new to both this newsgroup and radios.
> I would like to purchase a shortwave radio that would allow me to
> begin learning about shortwave. I spent the last hour searching for
> information on radios to buy and frankly, I have no idea what features
> I need and what features I don't need. Since I would like to keep the
> price underneath four hundred dollars obviously my choices are
> limited. But again I am an new so I do not need anything professional.
> If anyone could suggest a radio, or a link to a thread with a topic
> that applys I would be extreamly greatful.
> Also if anyone knows of a good book as an introductry into radios or
> even a website that would also be appreciated
>
> Thank you for your help and patience.
> Andrew G.

1257. Yaesu FT-23R Handie

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 15:33:06 UTC
From: ve7hva@amsat.org
Message-ID: <b9ce7ddb.0207090733.523cbbbd@posting.google.com>
Source record: 41567

I am a new member of this group with limitaded access to the WWW.

I just got a used FT-23R with the operation manual.

I can use any of the control of the top panel in order to: turn
on-off, set the volume, power level, change frequencies and squelch.
The set is working fine under those conditios because I can receive
and trassmit. However I can not use any of the front panel buttons
that means I am not able to use memories, and any other function
related to that panel. The display shows the frecuency for transmiting
and receiving but no other indication. This set has no touchtone pad.

Any help will very appreciatted.

Hugo R. Vasquez (OA4HV)

1258. Valiant Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 16:20:32 UTC
From: Keith Densmore <densmore@idirect.com>
Message-ID: <uim371cgvrhlaa@corp.supernews.com>
Source record: 41568

Greetings All,

Anyone with a Johnson Valiant to part with please give me an email with condition and price.

densmore@idirect.com

Also have the following if trading is more in your interest--

SRR-13A navy receiver
SX-101A
FL-2000 AMP
Heath SB-101/PS, etc.
FT-101E--also parts radio, tubes, etc.
Teletype Stuff (Model 28)

Thanks, 73,
Keith, ve3gem

1259. Re: 761 / 765 Covers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 17:55:04 UTC
From: Kevin <n0kq@arrl.net>
Message-ID: <agf81pnue1@magnum.mmm.com>
Source record: 41569

> Hi Gang,
>
> I have new top and bottom covers for the Icom 761, or 765 that I don't
need.
> If interested please let me know. These covers are getting hard to find.
>
> 73,
> Kevin N0KQ
>
> kknickelson@mmm.com
>
>

1260. vhf or uhf in rocky & wooded hills

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 18:53:38 UTC
From: woody@lemcke.austin.ibm.com
Message-ID: <agfbfi$cr8$1@ausnews.austin.ibm.com>
Source record: 41570

Hi all,
Just a quick question-what frequency(s) work the best in rocky and wooded hills? We're trying to determine whether simplex 2m or 70cm would be best. The distances would be less than 5 miles but with frequent ravines. 70cm sounds promising, but more would be absorbed by trees. Any ideas?
Thanks and regards,
Woody de N5ZU . .

1261. Re: vhf or uhf in rocky & wooded hills

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 19:44:05 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D2B3D05.19001AAF@crosslink.net>
Source record: 41571

woody@lemcke.austin.ibm.com wrote:
>
> Hi all,
> Just a quick question-what frequency(s) work the best in rocky and wooded
> hills? ....

Answer migh be "none of the above". I read that the military was using
Near Vertical Incident Scattering (NVIS) on low HF in that kind of
situation. Ie use the sky to bounce signals over the hills.
73 K3DWW

1262. MFJ Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 21:15:25 UTC
From: Burt <burt@rocketmail.com>
Message-ID: <NnIW8.450552$352.70544@sccrnsc02>
Source record: 41572

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365225290&ssPageName=ADME:B:LC:US:1

1263. Transceiver sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 21:16:34 UTC
From: Burt <burt@rocketmail.com>
Message-ID: <SoIW8.464990$cQ3.38643@sccrnsc01>
Source record: 41573

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365230648&ssPageName=ADME:B:LC:US:1

1264. Re: MFJ-962B antenna tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 21:19:06 UTC
From: Burt <burt@rocketmail.com>
Message-ID: <erlW8.465014$cQ3.36710@sccrnsc01>
Source record: 41574
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

But this one is cheaper!
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365225290&ssPageName=ADM
E:B:LC:US:1

"Rick and Theresa" <n6cy@earthlink.net> wrote in message
news:S0qU8.1604$gR.122756@newsread2.prod.itd.earthlink.net...
> Good condition 1.5 kW MFJ tuner with cross-needle meter. Recently acquired
> but didn't need it. Electrically great. Few scratches characteristic of
age.
> No dents or dings. Great addition to your ham shack.
>
> Asking $150/bo plus shipping.
>
> Rick N6CY
> San Diego, CA 92129
>
>

1265. Re: Transceiver sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 21:22:24 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <agfk66$t1d$1@dagobah.blueriver.net>
Source record: 41577

"Burt" <burt@rocketmail.com> wrote in message
news:SoIW8.464990$cQ3.38643@sccrnsc01...
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365230648&ssPageName=ADM
> E:B:LC:US:1
>
>

And I've got a desk mic for it here!
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365120670

1266. FS: Filters for Kenwood xcvrs.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 21:41:29 UTC
From: m-38@txucom.net
Message-ID: <3d2b5872.430208447@news.tamu.edu>
Source record: 41575

I have the 455khz and 8khz CW filters that are for the Kenwood TS-940S, TS-440s, etc. These are the high performance filters made by Inrad (International Radio) and normally cost more than the Kenwood equivalent because they are both much better. I'll take $120 shipped for the pair.

1267. FS: Ham II rotor and control box

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 21:45:36 UTC
From: m-38@txucom.net
Message-ID: <3d2b5963.430449353@news.tamu.edu>
Source record: 41576

```
FS: Ham II antenna rotor and control box, excellent condition,
manual, $185.
```

1268. Re: Buying my first shortwave radio please help.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 22:23:06 UTC
From: rware@voyager.net
Message-ID: <3d2b6179$0$3577$bbae4d71@news.net-link.net>
Source record: 41578

As usual progress?
The new model is the (Radio Shack) DX-398, more features, more cost.
I would like one but the $250 cost is too high for a reciever only for
me.

Ray
kc8iwt

>
>Andrew,
>
>A very good, and rather inexpensive, shortwave receiver is the Radio Shack
>DX-394. Radio Shack discontinued this a couple of years ago (for reasons I
>will never understand). However, you can still find them at swaps, and on
>the internet, such as Ebay.
>
>This is a wonderful desktop receiver, with continuous coverage from 150-kHz
>through 30-MHz. It receives all modes, AM, FM, CW, and USB/LSB. I have two
>of these and really enjoy them. There are better receivers out there, with
>better filtering, audio, etc., but this makes a great first receiver, and it
>is easy to operate. I have no complaints with mine.
>
>Just an opinion on one model ...
>

>
>73 de,
>Dan, W8MMQ
>http://w8mmq.com/
>
>
>

1269. Still cleaning out the shack. com on guys, some of you NEED this stuff!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 23:14:45 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <yZJW8.1915$JU3.122564@e3500-atl1.usenetserver.com>
Source record: 41579

1) Heathkit HP23 Power Supply with cables for HW12/18* $40

2) Heathkit HP13 Mobile Supply with cables for HW12/18* $40

3) Heathkit HW 18, crystal-controlled radio, 100 Watt, for MARS/CAP
(no longer authorized for CAP), can be converted to VFO. $35

4) Scanner, RS Model 2004, 20 channel 30-55, 108-136, 140-170, 440-500
MHZ desktop scanner. Clean, working at only $45

1270. Re: vhf or uhf in rocky & wooded hills

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 23:24:35 UTC
From: WS <w9bbb@megsinet.net>
Message-ID: <3d2b7101$0$1421$1dc6e903@news.corecomm.net>
Source record: 41580

Lower the freq the better.Wayne

woody@lemcke.austin.ibm.com wrote:

> Hi all,
> Just a quick question-what frequency(s) work the best in rocky and wooded
> hills? We're trying to determine whether simplex 2m or 70cm would be best.
> The distances would be less than 5 miles but with frequent ravines. 70cm
> sounds promising, but more would be absorbed by trees. Any ideas?
> Thanks and regards,
> Woody de N5ZU . .
>
>

1271. Re: Buying my first shortwave radio please help.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 23:47:49 UTC
From: Sylvan Butler <Znospam+noZs_0207@hpb13799Z.Zboi.hpZ.com.invalid>
Message-ID: <slrnaimtgv.mls.Znospam+noZs_0207@hpb13799Z.Zboi.hpZ.com.invalid>
Source record: 41582

On Tue, 09 Jul 2002 22:23:06 GMT, rware@voyager.net <rware@voyager.net> wrote:
> The new model is the (Radio Shack) DX-398, more features, more cost.

Right. It is the same as the Sangean ats-909 but with RS labels.

> I would like one but the $250 cost is too high for a reciever only for

Watch for sales. It comes on sale for $200 every 2nd or 3rd month.
Last fall it came on sale for $150 for a couple of months and is
expected to do so again. At that price it is a nice receiver.

sdb

--
| Sylvan Butler | Not speaking for Hewlett-Packard | sbutler-boi.hp.com |
| Watch out for my e-mail address. Thank UCE. >>>> change ^ to @ <<<< |
They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety. --Benjamin Franklin, 1759
Stop Palladium, TCPA and Senator Fritz Hollings, NOW!
http://www.cl.cam.ac.uk/users/rja14/tcpa-faq.html

1272. Re: Buying my first shortwave radio please help.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-09 23:48:16 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <bHMrPXIq9ZWQXirWyRuVv83szljC@4ax.com>
Source record: 41581

SamSJester@hotmail.com (Andrew G.) wrote:

>Hello, I am new to both this newsgroup and radios.
>I would like to purchase a shortwave radio that would allow me to
>begin learning about shortwave. I spent the last hour searching for
>information on radios to buy and frankly, I have no idea what features
>I need and what features I don't need. Since I would like to keep the
>price underneath four hundred dollars obviously my choices are
>limited. But again I am an new so I do not need anything professional.
>If anyone could suggest a radio, or a link to a thread with a topic
>that applys I would be extreamly greatful.
>Also if anyone knows of a good book as an introductry into radios or
>even a website that would also be appreciated
>
>Thank you for your help and patience.
>Andrew G.

A book that's available in the electronics section of most national book store chains is "Passport to World Band Radio. It's about $20. Has reviews of all the popular shortwave receivers. And info on stations all over the world.

A good receiver for under $400 would be the Sony 2010. Of course, there are many more candidates...

A couple of stores that specialize in shortwave: http://www.ccrane.com/ or http://www.universal-radio.com/

Bob
k5qwg

1273. Power Supply Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 00:40:20 UTC
From: Van DeWald <dewald@bellsouth.net>
Message-ID: <3D2B8274.568681B9@bellsouth.net>
Source record: 41583

I've got a few questions about DC power supplies. 1), An Astron 20a power supply indicates 16 amps continuous duty cycle, and 20 amps ICS. What is ICS? Is this the max power that occaisionally be provided in short bursts, or something similar. 2) I've got an Astron 20A, and am looking to buy a Kenwood 570D(G) transceiver, which requires 20.5 amps at peak power. Will the Astron 20a handle this? 3) What's the difference between a linear power supply such as the Astron 20a, or a switching power supply, such as the Astron SS 25?

Regards,
Van, KG4PTM

1274. Re: Yaesu FT-23R Handie

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 01:03:54 UTC
From: Idontwantspam@net
Message-ID: <3d2b8765.5439789@news.bellatlantic.net>
Source record: 41584

On 9 Jul 2002 08:33:06 -0700, ve7hva@amsat.org (Hugo R. Vasquez)
wrote:

>I am a new member of this group with limitaded access to the WWW.
>
>I just got a used FT-23R with the operation manual.
>
>I can use any of the control of the top panel in order to: turn
>on-off, set the volume, power level, change frequencies and squelch.
>The set is working fine under those conditios because I can receive
>and trassmit. However I can not use any of the front panel buttons
>that means I am not able to use memories, and any other function
>related to that panel. The display shows the frecuency for transmiting
>and receiving but no other indication. This set has no touchtone pad.
>
>Any help will very appreciatted.
>
Other Yaesu handhelds have a combination of buttons which locks out
all the buttons, so nothing will change while it is carried inside a
pouch. This sure sounds like the way mine behaves when the front panel
is locked out.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

1275. Re: Power Supply Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 01:11:54 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uin2f3864koh3e@corp.supernews.com>
Source record: 41585

ICS is Intermittent Commercial Service. In your case, that means that the supply can handle 20 Amps for short periods of time but only 16 Amps continuous.

To be on the safe side you really should size the power supply somewhat larger than the peak current required. 20.5 amps from a supply rated for 20 amps ICS is too close for me. I'd use a supply with a rating of at least 25 amps and preferably 30 amps.

Linear supplies use a series regulator which dissipates the excess power as heat. A switching regulator turns on and off in order to regulate the voltage without generating the heat (because the switch is either full on or off). A switching regulator is more efficient. The downside can be that the switching supply can generate RF noise if it is not filtered and shielded well enough. I use and Astron SS-30M switching supply which generates very little noise - none that gets into my receiver unless I lay and antenna wire right on the supply.

1276. YAESU FC-107 Antenna tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 01:26:28 UTC
From: Peter <pmhughes@ozemail.com>, au
Message-ID: <f3MW8.1105$Cq.46444@ozemail.com.au>
Source record: 41586

I'm looking for a manual for a YAESU FC-107 antenna tuner. Can anyone help?

Peter VK2MLG

1277. Re: Power Supply Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 01:36:30 UTC
From: "Chris M. Bridges" <n4fan@bellsouth.net>
Message-ID: <I0MW8.2453$JU3.185183@e3500-atl1.usenetserver.com>
Source record: 41587

ICS Stands for Intermittent Communications service.
You are correct that is the max power for short burst as peaks in Single Sideband Operation.
You Astron should be fine. I ran a 100 watt output HF rig for years on one.
Linear Power supplies Use the heavy Transformers to step the voltage from 120 to 13.8 Volts (after regulation)
Switching Power supply Switch at high frequencies to derive the 13.8 Volts DC, They are pretty complicated
for me to explain.
The Switching Supplies are much smaller and Much Lighter per amperage than Linear Supplies.
Switching Power Supplies use to generate a lot of RF Hash that HF receivers could hear in the past.
They now have them pretty quite. I now use Switching Supplies for my HF Rigs.
Chris
N4FAN
Shelby, NC

Van DeWald" <dewald@bellsouth.net> wrote in message news:3D2B8274.568681B9@bellsouth.net...
> I've got a few questions about DC power supplies. 1), An Astron 20a
> power supply indicates 16 amps continuous duty cycle, and 20 amps
> ICS. What is ICS? Is this the max power that occaisionally be
> provided in short bursts, or something similar. 2) I've got an
> Astron 20A, and am looking to buy a Kenwood 570D(G) transceiver,
> which requires 20.5 amps at peak power. Will the Astron 20a handle
> this? 3) What's the difference between a linear power supply such
> as the Astron 20a, or a switching power supply, such as the Astron SS
> 25?
>
> Regards,
> Van, KG4PTM
>
>

1278. Re: Power Supply Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 01:58:49 UTC
From: Glenn Miller <glennmiller@worldnet.att.net>
Message-ID: <txMW8.89752$UT.5968793@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41588

1) ICS is intermittent commercial service (versus CCS--continuous commercial service). As the term implies, it is the maximum current the supply will deliver intermittently.

2) My RS-20 has been powering my TS-440, a dual-bander, and a TNC simultaneously for many years. The only time I would expect to exceed the CCS rating would be when operating RTTY, SSTV, or some other "continuous" mode. For CW or SSB, you should have no problems using your RS-20 with your 570. If you operate continuous modes, you can always power the rig back a little.

3) A linear regulated power supply is simple and uses few parts-but several of these parts are big, heavy and expensive. The efficiency is usually only around 50%, producing lots of heat that must be removed by a big heat sink and often fans. In this switching supply the line voltage is directly rectified and filtered, which feeds a high frequency power oscillator (typically 25 kHz). This relatively high frequency allows the use of a small, lightweight and low-cost transformer. The output is then rectified and filtered. The control circuit steers the power oscillator so that it delivers just the right amount of energy needed, so that little energy is wasted.

Glenn AA5PK

"Van DeWald" <dewald@bellsouth.net> wrote in message
news:3D2B8274.568681B9@bellsouth.net...
> I've got a few questions about DC power supplies. 1), An Astron 20a
> power supply indicates 16 amps continuous duty cycle, and 20 amps
> ICS. What is ICS? Is this the max power that occaisionally be
> provided in short bursts, or something similar. 2) I've got an
> Astron 20A, and am looking to buy a Kenwood 570D(G) transceiver,
> which requires 20.5 amps at peak power. Will the Astron 20a handle
> this? 3) What's the difference between a linear power supply such
> as the Astron 20a, or a switching power supply, such as the Astron SS
> 25?
>
> Regards,
> Van, KG4PTM
>
>

1279. AB-577/GRC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 03:52:16 UTC
From: nedrog@aol.comNOSPAM
Message-ID: <20020709235216.01501.00000319@mb-dd.aol.com>
Source record: 41589

Looking for source for adapter from the top to a 2" pipe to mount the rotator.

73's

Howard W3CQH
W3CQH@ARRL.NET

1280. Re: 761 / 765 Covers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 03:53:27 UTC
From: k6stu@aol.com
Message-ID: <20020709235327.01772.00000122@mb-ma.aol.com>
Source record: 41590

Hi Kevin.
Does the bottom cover have the two fold down front feet??
If so I would like to buy it.
Mike

1281. Re: Power Supply Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 07:03:09 UTC
From: Roger Conroy <rogerconroy@nospam.hotmail.com>
Message-ID: <aggmm5onl1@ctb-nnrp1.saix.net>
Source record: 41591

Could someone please define "intermittent"? Is it 1 second, 5 seconds or a minute at a time? Or is it more complex - like 5 seconds out of each minute of operation? Is it similar to the term "duty cycle" that one occasionally sees on a Tx spec-sheet?

73
Roger
ZR3RC

1282. Re: Power Supply Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 07:20:55 UTC
From: John Buck <kh7t@arrl.net>
Message-ID: <3D2BE04B.5020106@arrl.net>
Source record: 41592

Intermittent is random and not predictable
Duty cycle is predictable and repeatable.

I have seen the term intermittant service used on a data sheet.
This probably meant some sort of low (poorly defined) duty cycle.
I believe the term ICS (intermittant commercial service) may have had
some defined meaning. It should have referred to a maximum use time
followed by time to cool off. As opposed to CCS (continuous Commercial
service). Ham transmitters are used in intermittant use at max rating
but are often not suitable for continuous use at that rating.

I hope this helps or give a lead on what to look up.

John KH7T

Roger Conroy wrote:

> Could someone please define "intermittent"? Is it 1 second, 5 seconds or a
> minute at a time? Or is it more complex - like 5 seconds out of each minute
> of operation? Is it similar to the term "duty cycle" that one occasionally
> sees on a Tx spec-sheet?
>
> 73
> Roger
> ZR3RC
>
>
>

1283. Re: Kenwood 570 with External Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 10:17:29 UTC
From: michaelvm@hotmail.com
Message-ID: <g92oiu8g6smgjq7fhjbqivtatsfhg6nlii@4ax.com>
Source record: 41593

the TS-570's internal tuner is designed to tune an antenna from 3-1 swr on down anything more and you will need a tuner external to the radio. I use an old MFJ tuner to tune my 75M whip and it works fine. You don't need to do anything but press a button to disable the internal tuner.

On Sun, 07 Jul 2002 15:50:30 -0400, Van DeWald <dewald@bellsouth.net> wrote:

>Hello,
>
>I am considering purchasing a Kenwood 570D(G) model, and was curiuos
>about the internal tuner capabilities. While adequate for some
>antenna systems, I'm sure there are some antenna systems that it
>cannot handle. Thus, I'd like to be able to use an external antenna
>tuner, such as an MFJ949E, or something similar. Can i just install
>the tuner in-line before the transceiver, and tune the antenna
>accordingly, just as if the rig did not have an auto tuner, and then
>simply don't use the "tune" button on the rig? Or is there a method
>to disable the auto antenna tuner in the Kenwood 570?
>
>Regards,
>
>Van,. KG4PTM
>

1284. Re: Yaesu VX-7R CTCSS question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 10:33:00 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0207100233.2a8d7f59@posting.google.com>
Source record: 41594

Hello Frank,

One of the VX-7R yahoo groups talks about this.
I can't remember all the details.

Ken
N1KK

frank@damato.com (Frank C. D'Amato) wrote in message
news:<1276490d.0207090345.29042b83@posting.google.com>...
> Am I correct when I say that 2 different CTCSS tones CAN NOT be used
> (1 for RX and another for TX)?
>
> The only way to have 2 different tones is RX CTCSS and TX DCS (or vice
> versa).
>
> Why do you think YAESU did this? was it such a big deal to allow the
> radio to have 2 different CTCSS tones.
>
> Will there be a FIX for this, or maybe a firmware upgrade in the
> future?

1285. FA: ICOM IC-27A 2 meter mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 13:19:30 UTC
From: Barry <bcushman@email.com>
Message-ID: <fsWW8.75383$wj4.6804021@e3500-atl2.usenetserver.com>
Source record: 41595

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365744669

1286. Re: vhf or uhf in rocky & wooded hills

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 13:57:16 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <vzwsPTB1y4QPt7d7UcauSRd+x003@4ax.com>
Source record: 41596

woody@lemcke.austin.ibm.com () wrote:

>Hi all,
>Just a quick question-what frequency(s) work the best in rocky and wooded
>hills? We're trying to determine whether simplex 2m or 70cm would be best.
>The distances would be less than 5 miles but with frequent ravines. 70cm
>sounds promising, but more would be absorbed by trees. Any ideas?
>Thanks and regards,
>Woody de N5ZU . .

How much power? How high the antennas?

Bob
k5qwg

1287. Re: Still cleaning out the shack. com on guys, some of you NEED this stuff!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 16:10:44 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <8TYW8.6652$JU3.847970@e3500-atl1.usenetserver.com>
Source record: 41597

Correction on the scanner!! It is a 2023, not 2004. Just prior to posting
this
I was reading about a 2004 on another group and had that on my mind. I
didn't
mean to misrepresent it.

73

Jerry
K4KWH
Jerry Oxendine <joxendi@bellsouth.net> wrote in message
news:yZJW8.1915$JU3.122564@e3500-atl1.usenetserver.com...
> 1) Heathkit HP23 Power Supply with cables for HW12/18* $40
>
> 2) Heathkit HP13 Mobile Supply with cables for HW12/18* $40
>
> 3) Heathkit HW 18, crystal-controlled radio, 100 Watt, for MARS/CAP
> (no longer authorized for CAP), can be converted to VFO. $35
>
> 4) Scanner, RS Model 2004, 20 channel 30-55, 108-136, 140-170, 440-500
> MHZ desktop scanner. Clean, working at only $45
>
>
>

1288. FA: AEA PK-900

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 18:24:55 UTC
From: Jim Hope <k4yte@earthlink.net>
Message-ID: <XZ_W8.4134$Kx3.2816@newsread1.prod.itd.earthlink.net>
Source record: 41498

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365549707

1289. Anyone have any info on Marconi CNY1??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 18:44:21 UTC
From: Keith M <g0gfq@hotmail.com>
Message-ID: <aghvbu$l07$1@newsg3.svr.pol.co.uk>
Source record: 41499
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Hello

We have on display at the Muckleburgh Collection a Marconi CNY1 TX/RX, it is obviously naval but despite all our efforts we cannot find much information on it. The only scrap of detail we have is it was possibly used on Assault Landing craft, but have no evidence to prove this!

We would like get some concrete information on this and if we can find the manual, service sheet etc. get it back working again.

Surely somebody out there has one or do we have the only one ever made??

TIA:

--
73

Keith G�GFQ
Group Secretary/Webmaster
North Norfolk Amateur Radio Group
Visit our website www.nnarg.co.uk

1290. Re: Anyone have any info on Marconi CNY1??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 19:08:53 UTC
From: Wayne Faris <ke0bz@arrl.net>
Message-ID: <3D2C8645.EE22096@arrl.net>
Source record: 41500
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Keith M wrote:

> Hello
>
> We have on display at the Muckleburgh Collection a Marconi CNY1 TX/RX, it is
> obviously naval but despite all our efforts we cannot find much information
> on it. The only scrap of detail we have is it was possibly used on Assault
> Landing craft, but have no evidence to prove this!
>
> We would like get some concrete information on this and if we can find the
> manual, service sheet etc. get it back working again.
>
> Surely somebody out there has one or do we have the only one ever made??
>
> TIA:
>
> --
> 73
>
> Keith Gï¿½GFQ
> Group Secretary/Webmaster
> North Norfolk Amateur Radio Group
> Visit our website www.nnarg.co.uk

Try posting your question to rec.radio.amateur.boatanchors. Those guys love
this old military stuff.

Wayne L. Faris, KEï¿½BZ

1291. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 19:20:16 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D2C88F0.9070905@lakefield.net>
Source record: 41501
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $650

Kenwood TM251A 95% $100 SOLD
Kenwood TM451A 98% $115 SOLD

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

1292. Re: Which HT would you choose?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 19:26:20 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D2C8A5C.9060007@optonline.net>
Source record: 41502
Cross-posted to: alt.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment

If I may clamber aboard here . . .

. . . or what about the Icom IC-T81A? Although discontinued, there are still some around.

-=-
Alan, AB2OS

James Alexander wrote:
> I'm a "casual" ham -- meaning that I'm only on the air when I'm on
> the road, at the fair, camping, fishing, etc. (I'm not interested in
> a base or mobile rig). I'm trying to decide between a Kenwood TH-F6A
> and a Yaesu VX-7R. Of the two, which would you choose and why?

1293. National question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 19:28:48 UTC
From: 106312.1035@compuserve.com
Message-ID: <3d2c898a.735006@news.compuserve.com>
Source record: 41503

I have just picked up a National NC-2-40S receiver.

It is a rack version and I notice that in Ostermans book, the 40C and the 40 D are mentioned. The set I have has the centre circular dial as on the C but the square S meter of the D. Also, my set has only one phone jack, lower left, the righ bottom corner has a small chart holder. So, was the S version a military one ?

If anyone can help with the circuit diagram I would be most obliged.

cheers, Ben G4BXD.
G4BXD@qsl.net
see www.qsl.net/g4bxd for military sets

1294. Re: Anyone have any info on Marconi CNY1??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 19:32:49 UTC
From: 106312.1035@compuserve.com
Message-ID: <3d2c8bc2.1302656@news.compuserve.com>
Source record: 41504
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

On Wed, 10 Jul 2002 19:44:21 +0100, "Keith M" <g0gfq@hotmail.com>
wrote:

>Hello
>
>We have on display at the Muckleburgh Collection a Marconi CNY1 TX/RX, it is
>obviously naval but despite all our efforts we cannot find much information
>on it. The only scrap of detail we have is it was possibly used on Assault
>Landing craft, but have no evidence to prove this!
>
>We would like get some concrete information on this and if we can find the
>manual, service sheet etc. get it back working again.
>
>Surely somebody out there has one or do we have the only one ever made??
>
>TIA:
>
>--
>73
>
>Keith G<illegible>GFQ
>Group Secretary/Webmaster
>North Norfolk Amateur Radio Group
>Visit our website www.nnarg.co.uk
>
Its used on Landing craft... I have the CNY2 here.

Ben see www.qsl.net/g4bxd

1295. Re: Transceiver sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 21:41:43 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <rS1X8.352566$6m5.397465@rwcrnsc51.ops.asp.att.net>
Source record: 41506

FA not FS.

1296. Re: Power Supply Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 22:10:32 UTC
From: Ralph Mowery <rmowery@dialpoint.net>
Message-ID: <agibhm$2egn$1@newsreader.cetlink.net>
Source record: 41507

Yes, it is similar to duty cycle. Not sure if each company specifies their own standard or if it is an 'industry wide' standard.

Old RCA manual states :

ICAS (intermittent comercial and amateur service) of an ON (transmitt0 period not to exceed 5 minutes each and off or stand by period of the same or greater duration.

IMS (intermittent mobile service) transmitter on 15 seconds and off for atleast 60 seconds.

"Roger Conroy" <rogerconroy@nospam.hotmail.com> wrote in message news:aggmm5onl1@ctb-nnrp1.saix.net...
> Could someone please define "intermittent"? Is it 1 second, 5 seconds or a
> minute at a time? Or is it more complex - like 5 seconds out of each minute
> of operation? Is it similar to the term "duty cycle" that one occasionally
> sees on a Tx spec-sheet?
>
> 73
> Roger
> ZR3RC
>
>

1297. Re: Power Supply Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 22:11:29 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uipc8s17qv5a3e@corp.supernews.com>
Source record: 41508

You may very well get away with running a rig specified at 20.5 amps peak from a supply rated for 20 amps ICS. First, the rig may not actually draw 20.5 amps peak on all bands. Most likely it will draw more current on 10 meters than it will on 75 meters for the same power output. If you do draw 20.5 amps from the supply, what the supply does will depend upon its design. If it had a 20 amp fold-back limiter, for example, you may find the output voltage dropping on peaks. How the rig reacts to the sagging voltage depends on the design of the rig. IMHO, good engineering practice would be to always use a supply rated above the anticipated peak load. That way you don't have to guess at what might happen.

1298. Re: Which HT would you choose?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 22:18:42 UTC
From: ne0x@starband.net
Message-ID: <sp2X8.368$Bs6.207765614@twister1.starband.net>
Source record: 41509
Cross-posted to: alt.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment

i would not consider the ict81a, its too cumbersome to try to program any way but with a computer. had one i know. most of us dont carry one around with us.
"James Alexander" <jwalex77@NOSPAM.hotmail.com> wrote in message news:Xns924789F471A75jwalex77@63.240.76.16...
> I'm a "casual" ham -- meaning that I'm only on the air when I'm on
> the road, at the fair, camping, fishing, etc. (I'm not interested in
> a base or mobile rig). I'm trying to decide between a Kenwood TH-F6A
> and a Yaesu VX-7R. Of the two, which would you choose and why?

1299. Computer Control with TS-850S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-10 23:25:37 UTC
From: Richard <m5ric@talk21.com>
Message-ID: <agifpg$nd8$1@helle.btinternet.com>
Source record: 41510

Hello

I would like to use a TS-850S with the computer for logging so that it sends the frequency and mode automatically.

Unlike the newer Kenwood radios the 850 does not have a 9pin com port socket on the back. How can this be done with the sockets on the radio please, is there a wiring diagram on the internet that will show what is needed??

TIA

Richard

--

1300. Repeater controller opinions sought...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 00:32:16 UTC
From: I Smac <Smac61@hotmail.kom>
Message-ID: <km4X8.130558$vq.6639116@bin6.nnrp.aus1.giganews.com>
Source record: 41511

Hello All,

Can anyone share any wisdom, thoughts or pointers on these controller choices for our local RACES group. I'm leaning towards the Pacific Research RI-300e for its built in dsp squelch, tone decoder and "soft pots" not to mention I've heard the audio is stellar on these units. I'm also considering the Link Communications RLC-Club deluxe. Its built in DVR looks nice, though limited, and the GUI looks a bit more intuitive.
The controller will be interfaced to a brand new VHF Motorola MTR-2000 that I'm going to turn it over to the local RACES group after the fact so I'd like it to be as "plug-and-play" as possible.

Again, any comments would be appreciated.

Thanks,
Sean

1301. Kenwood PG-4P Quandry

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 00:57:44 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <cK4X8.36714$P%6.2835072@news2.west.cox.net>
Source record: 41512

I puchased the Programming Cable for the Kenwood TH-F6 (Model Number PG-4P). Downloaded the PG-4P Program (no help menu). First Problem was the connector didn't fit any of my Computer Spickets, so stumbled across that a DB25 to DB9 adapter was needed. So bought one. Set menu item 9 to PC. But I only get a timeout when reading or writing data.

Anyone have this can help??

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com

1302. FS: Alinco DX77 Like New (REDUCED)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 01:13:21 UTC
From: 800mhz <pottsladd13@yahoo.com>
Message-ID: <RY4X8.18861$lu6.1087221@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41513
Cross-posted to: alt.ham-radio.vhf-uhf,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

Alinco DX77 HF mobile radio like new. Has MARS/CAP mod done, and has had audio upgrade done. Tx 1.8-35mhz, Rx 30khz-35mhz.
Comes complete with, mic, manual, power cable, and original box. $450 to your door.
please email direct

1303. WTB - Ameritron AL-80A HF Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 01:46:40 UTC
From: jasonn4dsl@atrs.com
Message-ID: <ec635bab.0207101746.724f5ec5@posting.google.com>
Source record: 41515
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap

Looking for Ameritron AL-80A HF Amp in good condition.
Please email me at jasonn4dsl@atrs.com
Please send pictures if possible.

Thanks
Jason
N4DSL

1304. Re: Computer Control with TS-850S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 01:47:47 UTC
From: Jeff Campbell <jcampbell@ins-msi.com>
Message-ID: <3D2CD905.FF81CA26@ins-msi.com>
Source record: 41514

Check out:

<http://www.qsl.net/k0bx/>

Jeff Campbell
n8wxs@arrl.net

Richard wrote:
>
> Hello
>
> I would like to use a TS-850S with the computer for logging so that it sends
> the frequency and mode automatically.
>
> Unlike the newer Kenwood radios the 850 does not have a 9pin com port socket
> on the back. How can this be done with the sockets on the radio please, is
> there a wiring diagram on the internet that will show what is needed??
>
> TIA
>
> Richard
>
> --

1305. Re: Hum in Mobile Installation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 01:59:56 UTC
From: jasonn4dsl@atrs.com
Message-ID: <ec635bab.0207101759.4c130508@posting.google.com>
Source record: 41516
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

Hi James,
I have a Chevy S-10 and Use a Kenwood D-700A and have no Alternator Whine or Hum on Receive or Transmit. I had a Yaesu 8100 before this Kenwood and I had whine when I first installed the radio. I then isolated the chassis of the radio from the mounting bracket, which was grounded through the screws to the body of my truck. That really lowered this whine, but I still had some whine. I then installed the filter from Radioshack and that helped somemore. I still had some whine from time to time with the Yaesu. I guess when the alternator was working harder I would hear the noise a little more. When I got the Kenwood D700a I no longer had any alternator noise at all.
I am not sure what is different on your installation, but you might want to try the two things I did. My antenna is a Larsen mounted on my toolbox.

Hope you get if figured out

Jason
N4DSL

James R. DeLoach <jasd-49X@attbi.com> wrote in message news:<jbfeiuk8dpbqg9b9bv5a5komrvhidjmmp1@4ax.com>...
> I have a problem in a mobile installation that has plagued me with 3
> Chev S-10 installations with two different Kenwood VHF/UHF radios. I
> have finally narrowed it down to a hum being picked up thru the
> antenna, which is mounted to the front fender on the drivers side.
> The antenna is a Larsen antenna mounted using an L bracket mounted
> to the drivers side front fender. The strange twist here is that the
> hum does not occur when using a Yaesu mobile radio, only on a
> Kenwood. The hum sounds like an alternator hum, only on the receive
> audio. Everyone tells me they can not hear it on the transmit audio.
> Has anyone else had this problem and could you tell me how or what
> to do to fix it? Why does it only seem to affect the Kenwood radios
> and not the Yaesu? I don't own an Icom so I don't know if it affects
> Icom's or not. If I use a mag mount antenna the roof the noise is not
> present. I see other people using the L bracket mounts on the front
> fender with no problems, but I'm at a loss as to what the problem is.
>
> I would appreciate it if someone could give me some help.
>
> 73's
>
> James
> N5SKU

1306. Re: Which HT would you choose?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 02:41:28 UTC
From: Brian E <none@bigcorp.com>
Message-ID: <9f6X8.571$ct2.294419@newsfeed.slurp.net>
Source record: 41517
Cross-posted to: alt.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment

I can't speak for the VX-7R but I can say that I've been disappointed in my TH-F6. After owning it for two months the B band stopped receiving completely. In all fairness I must say that Kenwood did repair the radio and they returned it to me in less than two weeks.

However, just recently I attended an air show and intended to use the HT for monitoring the aircraft at the show. The area was fairly RF-dense. The first thing I noticed was that the rig was virtually unusable due to intermod on the 440 Mhz band as I tried to QSO with someone else on a repeater that was literally line-of-sight from my location. I encountered another ham at the show who had a Yaesu VX-5. Not only did his radio not appear to be affected by the intermod problem I noticed on my radio, he could also copy aircraft transmissions from several miles away. I could not copy the aircraft until they were within two or three miles of our site. I also noticed that the sensitivity on the military frequencies was quite low.

Also, if you intend to use the radio to monitor HF, please be aware that the radio is nearly deaf between 1500 KHz and the bottom of the FM broadcast band. This anomaly is partially due to the poor antenna (rubber duck) but even with a long wire antenna reception is still marginal.

Again, I can't advise about the VX-7 but I can say that the F6A has been a disappointment to me. As with so many things, YMMV.

"James Alexander" <jwalex77@NOSPAM.hotmail.com> wrote in message news:Xns924789F471A75jwalex77@63.240.76.16...
> I'm a "casual" ham -- meaning that I'm only on the air when I'm on
> the road, at the fair, camping, fishing, etc. (I'm not interested in
> a base or mobile rig). I'm trying to decide between a Kenwood TH-F6A
> and a Yaesu VX-7R. Of the two, which would you choose and why?

1307. F.S. Icom 765 HF xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 02:43:43 UTC
From: John Haberkern <jhabsNOSPAM@worldnet.att.net>
Message-ID: <zh6X8.18983$lu6.1098822@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41518
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

I Have forsale an Icom ic-765 hf transceiver. this radio transmits and receives from 30 mhz to 1.5 mhz, built in a.c. supply, built in antenna tuner, 250 hz and 500 hz cw filters,2.4 kc ssb filter and 6 kc am filter. comes with hand microphone, operating and service manual and original box. radio is an excellent dx machine. has some scratches on case from another piece of equipment beside it and on top of it.It has a serial number of 5xxx. I will take $960 shipped in the u.s.

John w3ayt@arrl.net

1308. 10 meter with ringo base and mag mount

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 03:16:20 UTC
From: brian <bhannah@mc.net>
Message-ID: <3d2cf888$0$9870$724ebb72@reader2.ash.ops.us.uu.net>
Source record: 41519

```
Htx 10 10 meter radio with ringo base antenna and mag mount mobile 125.00
bhannah@mc.net
```

1309. FA: MINT HEATHKIT SB-644A VFO for SB-104 Transceiver@$21(?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 03:41:09 UTC
From: rlucch2098@aol.com
Message-ID: <20020710234109.01578.00003765@mb-ca.aol.com>
Source record: 41520

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1364738577
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1310. FA: HAL-TRONIX FREQUENCY COUNTER & CALIBRATOR@$10

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 03:44:41 UTC
From: rlucch2098@aol.com
Message-ID: <20020710234441.01578.00003767@mb-ca.aol.com>
Source record: 41521

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1364738582
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1311. Uniden HR2600

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 03:46:40 UTC
From: Mark <grandmhg@gocougs.wsu.edu>
Message-ID: <uipvu6eilku3b9@corp.supernews.com>
Source record: 41522

Uniden HR 2600 Amateur Radio. It has had the microprocessor replaced and now works on 10 and 12 meters. (You must have a valid amateur radio operator license to transmit with this radio.) Please email me for information on modifications. I recently had the final transistors replaced by a professional technician. He also tuned it up and made sure it was in good operating condition. It puts out a solid 10 watts on AM and FM and around 40 watts on sideband.

It will transmit and receive from 10 to 12 meters on CW, USB, LSB, AM, and FM. There are 4 separate bands with memories and will do split operation for 10 meter FM repeater operation.

Comes with the original hand microphone (UP/DOWN) in good shape, DC power cord, original operating manual and ChipSwitch manual.

Disclaimer: A previous owner has installed inch high "legs" on the front edge of the bottom of the radio. Also, the original connector in the back has been altered by adding a toggle switch for internal/accessory speaker and RCA jacks. There is no mobile mounting bracket. Due to the type of equipment and age, it is being sold "AS IS" but not DOA.

$250 shipped , insured, to US address. I accept Pay-Pal or money orders only. Please email me for additional info or photos.

Mark

1312. Re: Repeater controller opinions sought...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 03:57:54 UTC
From: jr <jerryham@pobox.com>
Message-ID: <3D2D0242.96002EB6@pobox.com>
Source record: 41523

I chose the Pacific Data. It's macro language with the Windows interface
makes the difference.
I have purchased 2 so fare and 3 to go..

I Smac wrote:
>
> Hello All,
>
> Can anyone share any wisdom, thoughts or pointers on these controller
> choices for our local RACES group. I'm leaning towards the Pacific Research
> RI-300e for its built in dsp squelch, tone decoder and "soft pots" not to
> mention I've heard the audio is stellar on these units. I'm also considering
> the Link Communications RLC-Club deluxe. Its built in DVR looks nice, though
> limited, and the GUI looks a bit more intuitive.
> The controller will be interfaced to a brand new VHF Motorola MTR-2000
> that I'm going to turn it over to the local RACES group after the fact so
> I'd like it to be as "plug-and-play" as possible.
>
> Again, any comments would be appreciated.
>
> Thanks,
> Sean

1313. FS: Yaesu FT-920 160-6 meter transceiver, Perfect

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 04:12:38 UTC
From: maritimus49@aol.com
Message-ID: <20020711001238.26114.00004772@mb-cp.aol.com>
Source record: 41524

I have for sale the Yaesu FT-920 transceiver. It is one month old and in immaculate condition. Everything works perfectly. Little use. I'm selling it because my plan to operate from a rental aprtment is not going to work out. This impressive contest level rig comes with original microphone, manual, schematics, power cord, and boxes. Please read the 5/5 reviews on eham.net Asking $925 plus shipping. I can email a photo if you like. Thanks for looking.

73,
Bruce K6RQR

1314. Re: Which HT would you choose?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 05:02:48 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <agk3gn21not@enews1.newsguy.com>
Source record: 41534

The ICOM T7H is an awesome dualband HT that will work well inside of a vehicle if you use an external 5/8's wave mag mount antenna, and power it with the available cig. lighter cord.
I used this arrangement for the first year of licensure, and it worked well for me. Ranged up to 30-40 miles on a really good day, and around 20 or so, on the average day.

--
Ryan, KC8PMX
FF/MFR
www.qsl.net/w8kea (click on banner at bottom of screen to vote for the site please)
REMOVE "NOSPAM" in email address to reply.

"Alan Beagley" <abeagley@optonline.net> wrote in message news:3D2C8A5C.9060007@optonline.net...
> If I may clamber aboard here . . .
>
> . . . or what about the Icom IC-T81A? Although discontinued, there are still some around.
>
> -=-
> Alan, AB2OS
>
>
> James Alexander wrote:
> > I'm a "casual" ham -- meaning that I'm only on the air when I'm on
> > the road, at the fair, camping, fishing, etc. (I'm not interested in
> > a base or mobile rig). I'm trying to decide between a Kenwood TH-F6A
> > and a Yaesu VX-7R. Of the two, which would you choose and why?
>

1315. Uniden HR2600

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 06:39:58 UTC
From: Mark <grandmhg@gocougs.wsu.edu>
Message-ID: <uiqa33b1msr72d@corp.supernews.com>
Source record: 41525

Uniden HR 2600 Amateur Radio. It has had the microprocessor replaced and now works on 10 and 12 meters. (You must have a valid amateur radio operator license to transmit with this radio.) Please email me for information on modifications. I recently had the final transistors replaced by a professional technician. He also tuned it up and made sure it was in good operating condition. It puts out a solid 10 watts on AM and FM and around 40 watts on sideband.

It will transmit and receive from 10 to 12 meters on CW, USB, LSB, AM, and FM. There are 4 separate bands with memories and will do split operation for 10 meter FM repeater operation.

Comes with the original hand microphone (UP/DOWN) in good shape, DC power cord, original operating manual and ChipSwitch manual.

Disclaimer: A previous owner has installed inch high "legs" on the front edge of the bottom of the radio. Also, the original connector in the back has been altered by adding a toggle switch for internal/accessory speaker and RCA jacks. There is no mobile mounting bracket. Due to the type of equipment and age, it is being sold "AS IS" but not DOA.

$250 shipped , insured, to US address. I accept Pay-Pal or money orders only. Please email me for additional info or photos.

Mark

1316. F.S. ALINCO DJ 190E.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 11:41:02 UTC
From: itslovemuscle@yahoo.com
Message-ID: <f0181ade.0207110341.5168b516@posting.google.com>
Source record: 41526

ALINCO DJ190E 2 METERE HANDHELD,WITH DRYCELL BATTERY PACK AND 4X
1500MA NMHD BATTERYS AND CHARGER.ALSO ORIGINAL CHARGER.
ï¿½80.
MANCHESTER
TEL..07973595536

1317. Re: 761 / 765 Covers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 12:05:57 UTC
From: Kevin <n0kq@arrl.net>
Message-ID: <agjsb7$64h$1@magnum.mmm.com>
Source record: 41527

Mike,

The covers are just raw covers with nothing else. Burghardts in South Dakota still sells the dropdown feet.

73

Kevin

"K6STU" <k6stu@aol.com> wrote in message news:20020709235327.01772.00000122@mb-ma.aol.com...
> Hi Kevin.
> Does the bottom cover have the two fold down front feet??
> If so I would like to buy it.
> Mike

1318. Re: FA, not FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 12:29:27 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D2D7A27.42FD2984@crosslink.net>
Source record: 41528

Mike Coslo wrote: ...
>
> Messages to a ebay link are as offensive to me as porno link spam...

Naw, porno spam is worse ... at least now that I'm too old for it :o)
73, K3DWW

1319. WTB-19" RACK MOUNT SHELVES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 12:36:02 UTC
From: n2ion@aol.com
Message-ID: <20020711083602.01664.00000224@mb-fp.aol.com>
Source record: 41529

HI,
I'M LOOKING TO BUY A FEW 19" RACK MOUNTABLE SHELVES ON SLIDERS. I NEED
SOMETHING THAT CAN SLIDE IN & OUT OF THE RACK.
IF YOU HAVE ANY OF THESE PLEASE EMAIL WITH THE DETAILS & PRICE.

THANKS IN ADVANCE.

1320. Re: Hf transciever for data exchage

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 12:38:25 UTC
From: mgehr@gmx.de
Message-ID: <fd3d49e8.0207110438.65bdedbb@posting.google.com>
Source record: 41530

Hi Tom,

tom_larsno@yahoo.co.uk (Tom Lars) wrote in message
news:<8a56342e.0206241230.227ee796@posting.google.com>...
> Hei everyone
> I am planning to develop a software application which need data
> exchange between ship and offshore. The distance between ship and
> offshore 1000km -2000km.

Can you say more about this?
What kind of data do you want to transfer?

> I like to have data high transfer as much as possible.
> I need suggestion to choose transceiver(yaesu , icom ,.....), modem
> (scs pactor III.,,), and antenna for this configuration

Modem:
The modem or the programm should be able to control the transceiver
via the transceiver's control port, because of the use of the
best frequency for the actual shortwave propagation condition.
For this the scs - ptc2pro modem is a good choice.
The maximal throughput for this modem is about 2000-2700 bits
per second in Pactor III at best condition.
For more info see www.scs-ptc.com .

One alternative product is a military modem.
They can handle datarates to 19200 bps, but I don't know how much
bandwidth those modems need.
Try http://www.rfcomm.harris.com for more info.

Second alternative product is a modem from hal communication:
Try http://www.halcomm.com for more info.

Trx:
For Pactor 3 I use a Kenwood ts870. It work's great with Pactor.
A Yaesu ft 817 is also ok, but has only 5 Watt HF output.
One or some Icom Transceiver(s) have a slow send - receive switching.
So they do not work well on Pactor without modifications.

Antenna:
It depends on the place on the ship and on the place offshore. But i
think a matched random wire
does a got job. You can also try a wire - Antenna (i. e. dipol).
The antenna must cover serveral bands to cope with different
shortwave propagation conditions.

>
> All response will be appreciated
>
> Thanks in advance
> Tom

Hope this help.

bye and
vy 73 de Marcus

1321. FS: ICOM IC-756PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 13:47:37 UTC
From: Mountain-Ops <rich@Mountain-Ops.com>
Message-ID: <3d2d8b61_5@news.newzpig.com>
Source record: 41531
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

This XCVR is in great condition. 9 on the 1 to 10 scale. Comes with box, manual, mic and cable. Will be double boxed for added protection. I am asking $1540.00 buyer pays for shipping. I will accept money order or cashier's check only.
Photos via email avail.
Rich

1322. Forgot the email address in the first message. Re: ICOM IC-756PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 13:50:03 UTC
From: Mountain-Ops <rich@Mountain-Ops.com>
Message-ID: <3d2d8bf2$1_9@news.newzpig.com>
Source record: 41532
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

rich@Mountain-Ops.com

1323. Atari Portfolio RS-232 Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 13:56:41 UTC
From: Lawrence Anderson <w6lar@cybertime.net>
Message-ID: <3D2D8E99.BB8BDCC@cybertime.net>
Source record: 41533

I know this is not radio but I want to use an old Atari Portfolio Hand Held computer for a packet radio terminal. I have the Portfolio but I need an RS-232 Serial Port card adapter that was an option for this unit. Any chance you have one that you don't use I will pay a fair price for one.

Thanks for reading and respond to w6lar@arrl.net

1324. FS icom 2710 manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 16:27:09 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <zmiX8.3287$As2.171253@twister.kc.rr.com>
Source record: 41535
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This is a original owner's manual not a copy.
$15 shipped lower 48 states.
Please e-mail me direct.

1325. WTB RCS Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 17:23:15 UTC
From: Pete Smith <psmith@xmission.com>
Message-ID: <3D2DBF03.48AB80F8@xmission.com>
Source record: 41536

Hi
If you have a BR RCS Receiver for sale please contact me by direct
e-mail .. Thank you Pete

1326. swap R390A plus more

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 17:42:31 UTC
From: <>
Message-ID: <trgrius3mii43cqejj077d6olq7cf5ietj@4ax.com>
Source record: 41541

Making room for other goodies-

swap-

Here's your chance at a classic-
Rick Mish remanufactured R-390A
New panel- original meters- stock.
top/bottom covers, IERC tube shields
military tech manual. Prefer local
pickup- Western NY- Corning

Icom PCR-1000 like new- unblocked
original box/manual

Icom SP-21 speaker
original box

Pro-2006 with new backlight.
No manual but available on RS website.

Looking for clean Collins 75S3C
Drake FS-4
6hz AM filter for Drake R4C
4NB noise blanker for R4C
Sherwood SE-3
AOR SDU5500

Jim
KD2KU
jbeckett@(NOSPAM).stny.rr.com
remove (NOSPAM) to reply
do not reply in newsgroup

1327. FA Dentron MLA-2500 Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 18:51:34 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <1dkX8.13417$JU3.6565114@e3500-atl1.usenetserver.com>
Source record: 41537
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

I have up for auction this immaculate top of the range Full Legal limit
Linear
It has seen very little use and is in unmarked condition,
Thank you for looking
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365366687

1328. FA Dentron MT-3000A 3KW Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 18:52:46 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <8ekX8.13419$JU3.6571676@e3500-atl1.usenetserver.com>
Source record: 41538
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

have up for auction this immaculate top of the range 3Kw ATU, this ATU has
seen little use and is in unmarked condition,
Thank you for looking
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365362878

1329. HP-8656A Synthesized Signal Generator.1-990Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 18:53:34 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <VekX8.13420$JU3.6572748@e3500-atl1.usenetserver.com>
Source record: 41539
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

Hi There
I am letting go of this very high spec HP Signal generator, this covers
0.01Mhz through to 990Mhz and is calibrated and tested working.
I appreciate your time looking at this AD

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365330193

1330. W5IHY Wiring to TS-830?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 19:08:27 UTC
From: Kevin <n0kq@arrl.net>
Message-ID: <agkl3b$4ch$1@magnum.mmm.com>
Source record: 41540

Does anyone know how to wire the w2ihy 8 band EQ to the Kenwood 830? Please let me know @

n0kq@arrl.net

Kevin

1331. Need opinions on FT-817 accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 20:34:29 UTC
From: k5dh@raytheon.com
Message-ID: <pZIX8.1083$Bd4.8309@dfw-service2.ext.raytheon.com>
Source record: 41542

Greetings, FT-817 owners!

I just bought a used Yaesu FT-817 with Maha NiMH pack, LDG Z-11 ATU, and a Maldol 20m telescoping antenna. I intend to take the rig portable (at fixed locations rather than backpacking). I'm looking for opinions on protective carrying cases, portable antennas for mainly 40m through 10m use, and other useful accessories. I want to hear about your personal experiences, not just hearsay. Please share your opinions on why you like or dislike the items that you've personally tried. I'd also like to hear what other accessories you've found useful, and have you home-brewed any neat accessories? I will be using SSB and CW only on HF, and FM only on VHF, so there is no need to hear about packet, digital, or PSK31 goodies. I also won't be using a computer, so there's no need to hear about computer-related stuffe.

Please email me (k5dh@qsl.net) as I don't get to read the newsgroup as often as I'd like these days. It wouldn't hurt to post your responses here also, so that others might benefit from your experiences.

Thanks and 73/72!
Dean, K5DH

1332. Waters Mfg - mobile ant "Model 370-xx"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 20:48:14 UTC
From: Allodoxaphobia <QSB@QRM-QRN.net>
Message-ID: <slrnairroc.lko.QSB@animas.frontier.net>
Source record: 41543

Does anyone have any printed info on these mobile antennas
top sections? The (old, fadded, scuffed) labels read
Waters Mfg Model 370-xx "Auto Match"
Where: -xx is 10, 15, 20, 40, 75 for the
band in question.

I know that Bob Waters sold his company to Barker and Williamson
a couple of hundred years ago. And, Bob Waters, himself, is a SK.
These came out of my dad's 'stuff' (The original W3DHJ and now a
SK, too.) My dad was a good friend of Bob Waters back in the
1950's and 1960's, and I believe these antenna sections date from
back then -- maybe the mid-60's.

I, myself, have never been much of a mobile operator. But, I want
to get serious now -- and, I'd like to put these (beautifully
built) Olde Tymers back into service.

TIA es 73
Jonesy
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

1333. Re: Need opinions on FT-817 accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 21:06:11 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <7rmX8.7979$cN3.168164@twister.rdc-kc.rr.com>
Source record: 41544

This information and much more, is available in the archives of hfpack on
Yahoo Groups. Also, many people there with much information.

Van,
K0KAV

"K5DH" <k5dh@raytheon.com> wrote in message
news:pZlX8.1083$Bd4.8309@dfw-service2.ext.raytheon.com...
> Greetings, FT-817 owners!
>
> I just bought a used Yaesu FT-817 with Maha NiMH pack,
> LDG Z-11 ATU, and a Maldol 20m telescoping antenna. I
> intend to take the rig portable (at fixed locations
> rather than backpacking). I'm looking for opinions on
> protective carrying cases, portable antennas for mainly
> 40m through 10m use, and other useful accessories. I
> want to hear about your personal experiences, not just
> hearsay. Please share your opinions on why you like or
> dislike the items that you've personally tried. I'd
> also like to hear what other accessories you've found
> useful, and have you home-brewed any neat accessories?
> I will be using SSB and CW only on HF, and FM only on
> VHF, so there is no need to hear about packet, digital,
> or PSK31 goodies. I also won't be using a computer, so
> there's no need to hear about computer-related stuffe.
>
> Please email me (k5dh@qsl.net) as I don't get to read
> the newsgroup as often as I'd like these days. It
> wouldn't hurt to post your responses here also, so
> that others might benefit from your experiences.
>
> Thanks and 73/72!
> Dean, K5DH
>

1334. Re: Need opinions on FT-817 accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 21:26:21 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <1KmX8.8179$Tq3.171924@twister.rdc-kc.rr.com>
Source record: 41545

Of course, I should also have included the FT-817 group on Yahoo groups
also.

Van

"Keith V" <kavan@neb.rr.com> wrote in message
news:7rmX8.7979$cN3.168164@twister.rdc-kc.rr.com...
> This information and much more, is available in the archives of hfpack on
> Yahoo Groups. Also, many people there with much information.
>
> Van,
> K0KAV
>
> "K5DH" <k5dh@raytheon.com> wrote in message
> news:pZlX8.1083$Bd4.8309@dfw-service2.ext.raytheon.com...
> > Greetings, FT-817 owners!
> >
> > I just bought a used Yaesu FT-817 with Maha NiMH pack,
> > LDG Z-11 ATU, and a Maldol 20m telescoping antenna. I
> > intend to take the rig portable (at fixed locations
> > rather than backpacking). I'm looking for opinions on
> > protective carrying cases, portable antennas for mainly
> > 40m through 10m use, and other useful accessories. I
> > want to hear about your personal experiences, not just
> > hearsay. Please share your opinions on why you like or
> > dislike the items that you've personally tried. I'd
> > also like to hear what other accessories you've found
> > useful, and have you home-brewed any neat accessories?
> > I will be using SSB and CW only on HF, and FM only on
> > VHF, so there is no need to hear about packet, digital,
> > or PSK31 goodies. I also won't be using a computer, so
> > there's no need to hear about computer-related stuffe.
> >
> > Please email me (k5dh@qsl.net) as I don't get to read
> > the newsgroup as often as I'd like these days. It
> > wouldn't hurt to post your responses here also, so
> > that others might benefit from your experiences.
> >
> > Thanks and 73/72!
> > Dean, K5DH
> >
>
>

1335. Re: Misc Ham Equipment For sale -updated

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-11 22:49:41 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d2e0b55$0$1419$4c5ecdc7@news.erinet.com>
Source record: 41546
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

```
everything has been sold

thanks
nz8j

NZ8J <timcook@erinet.com> wrote in message
news:3d10bb02$0$1434$4c5ecdc7@news.erinet.com...
> AMP HAS BEEN SOLD - THANKS
>
> NZ8J <timcook@erinet.com> wrote in message
> news:3d0353ba$0$3575$4c5ecdc7@news.erinet.com...
> >
> > NZ8J <timcook@erinet.com> wrote in message
> > news:3cfc0b5f$0$3333$4c5ecdc7@news.erinet.com...
> > > Vibroplex Iambic standard paddles exc cond $95
> > >
> > >
> > > Heathkit HD-1418 Audio filter works good case has some scratches
(front
> is
> > > not scratched) no manual $40
> > >
> > > Heathkit HD-1422 Antenna Noise Bridge, works good, some marks on top
of
> > > case, with manual $25
> > >
> > > Ten Tec hand mic, smaller than the model 700, with TEN-TEC in silver
> > letters
> > > on front, don't know model number, with 4 pin connector $15
> > >
> > > Small Homebrew Amplifier uses a pair of 811A's ,self contained
> > ,80-40-20-15
> > > meters, 300-400 watts out depending on band. $150
> > > (amplifier is pickup only, Dayton Ohio area) (can supply pics of amp
if
> > > interested)
> > >
> > > All prices plus shipping , please email for more info if needed
> > >
> > > Thanks
> > > Tim
> > > NZ8J
> > >
> > >
```

> > >
> >
> >
>
>

1336. FS:MFJ 901B Ant. Tuner ((S O L D))

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 00:18:52 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <MfpX8.8436$cN3.184360@twister.rdc-kc.rr.com>
Source record: 41547

Thanks for replies.

Van,
K0KAV

1337. F.S. FT100-D AND ATAS100

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 01:09:51 UTC
From: graham <grahamva3gjb@sympatico.ca>
Message-ID: <g%pX8.3761$9U1.1636910@news20.bellglobal.com>
Source record: 41398

FT100 UPGRADED TO A D MODEL 1300.00 CDN AND ATAS -100 250.00CDN OR
1500.00CDN FOR BOTH

GRAHAM VA3GJB 905-836-0052 AFTER 4PM

1338. FS: Ameritron QSK-5 Solid State T/R Switch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 01:26:47 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d2e3035$0$1429$4c5ecdc7@news.erinet.com>
Source record: 41399
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

FS: Ameritron QSK-5 Solid State T/R Switch. External standalone model with manual. I bought it secondhand to use with a qsk rig that I ended up not purchasing. I never tried it out, but was told it works fine. The case has some marks, internal components look fine, no overheating etc. New price is $330, I will sell it as-is for $150 shipped conus Thanks
Tim
Nz8J

1339. icom 2710H in Aircraft Mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 02:45:47 UTC
From: zach@benders.net
Message-ID: <7bc3548.0207111845.7134e307@posting.google.com>
Source record: 41400

Hi

I have an ic-2710h, and have been listening to the air band with it. I have a question though, Has anyone noticed when reciveing a CONTROL Tower, or Ground support, that the audio is not very loud, but when receiving an aircraft, the audio is just fine, loud enough to copy, without haveing to crank the volume way up. I am experienceing this, and wonder if others may have had the same problem?

When i listen to air with my HT, I don't have the same problem.

Zach

1340. Re: ICOM IC-756PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 03:12:30 UTC
From: AC6FR <onines@worldnet.att.net>
Message-ID: <yOrX8.22047$lu6.1232940@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41401
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

You might want to watch this gentleman carefully. I purchased a Yaesu FT-100D from him through
Ebay. It was to include one of his custom made cases for the radio. In any event, the radio was sent more than three weeks after he received certified funds from me. There was no case. I called and was promised that one would be sent immediately. That was months ago. No case, no response to my several phone calls, no confidence that he is a person of his word.

Steve Onines AC6FR
"Mountain-Ops" <rich@Mountain-Ops.com> wrote in message news:3d2d8b61_5@news.newzpig.com...
> This XCVR is in great condition. 9 on the 1 to 10 scale. Comes with box,
> manual, mic and cable. Will be double boxed for added protection. I am
> asking $1540.00 buyer pays for shipping. I will accept money order or
> cashier's check only.
> Photos via email avail.
> Rich
>
>
>
>
>

1341. FS or Trade list 07-12-2002

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 03:28:38 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <G1sX8.489002$cQ3.41639@sccrnsc01>
Source record: 41402

Please if you have questions or want to make a trade contact me off list at my e-mail address. gundoc@insightbb.com Some of these lists are not swap lists and only tolerate my post because it is only once a week. To the group owners thank you for letting me continue to post to the group.

Dean

GE Portables

GE MPA VHF Scan 136 - 150.8 split 192 channels nice 9.0 Condition. With battery and charger. I have this programmed for Ham and up to 152 MHz before it will not lock on frequency. $225.00

GE MPA VHF Scan 157 - 174 split. 192 channels. Nice radio 8.5 condition with battery and standard charger. I have it programmed down to 154 MHz with no trouble but will go no lower. $225.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display. With battery and standard charger. 7-7.5 $85.00

GE MPD scan VHF 150.8 174. 48 channel alphanumeric display. These look good and come with a battery and standard charger. $100.00 each.

MPD Voice Guard VHF system model with full keypad. 48 channel alpha display. With battery and standard charger. $115.00

GE KPC 300 VHF 16 channel scan. Nice radio with battery and antenna. No charger with this one. $100.00

GE KPC 400 UHF 16 channel scan. Full DTMF pad on this radio. This one has a charger. $185.00

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170 but I have programmed these in the ham band with no trouble. These

have battery, antenna, and standard charger. $75.00 each

GE PLS UHF 16 Channel. 8 to 8.5 also. 450 - 470 split but I can program these to the ham band. With battery, Antenna, and Charger. $85.00 each. Have 3 of these.

GE MPS VHF Like new 12 channel. With new battery, new antenna, and a standard charger. $70.00

GE MPS VHF 12 channel. 8.5 condition. New antennas and NOS batteries Standard charger. $60.00 each have 2.

SALE!

GE MPS UHF 48 channel. 8 = 8.5 condition, These have NOS batteries And have 4 banks of 12 channels. These can go to the ham band. I have been Using one of these on my ham repeater and it works great. $60.00 each I have 8 of these. Programming on 12 channels included.

GE UHF MPS 8 channel with 8 different tones. 8 different tones can be Selected for each different channel. Battery and antenna. $50.00

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1 good battery. With 1 dual slot charger. $200.00 all 3 radios.

GE Monogram VHF 10 channel portable. 157-179 split. ex CSX radio. I sold this radio a year ago but have taken it on trade. Condition 8 with belt clip and charger. I had this radio run for stolen from CSX by a local CSX Special Agent when I first bought these in a lot and was told that it had been sold at salvage. Perfect for a RR Museum or shortline on a budget. This could also be programmed for marine frequencies. Like new tall Battery. $100.00

GE Mobiles

GE Phoenix SX VHF 128 channel scan. With Mic, Has all 8 proms. $100.00

GE MVS 800 conventional 2 channel. Without mic tested OK $45.00

GE MLS UHF 8 channel. With Mic, power cord and hang up box. MLSU240 450. - 470 Looks good. $125.00

GE Mastr II UHF 75 watt with preamp. No Icoms drawer only.

MC65KKG88B $90.00 each only 2 left

GE Mastr II Lowband 42-50 slit 110 watt. MC74KCN33A

With 1 set of Icoms $45.00 each I have many.

GE Mastr Pro Low band 110 watt 42 50 split. MT74TCS33

With 2 sets of Icoms. $10,00 each. I have many.

GE Mastr Pro 110 watt lowband 42-50 split in a wall mount cabinet

With a power supply for a base. $35.00

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00

each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr

II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that

I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Just in not tested. $60.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.

16 channel model has short cable and some handle bar mounts. Mic

included but no speaker. Not tested yet since I just got it in.

$50.00

GE Mobile Vehicle Adapter for MPA, MTL, MPD, and TPX. This unit

charges your battery and turns your portable into a mobile radio.

(Convert a Com) With mic, speaker, and power cable. $90.00

GE Accessories

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $5.00

Mastr II Mic. $5.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen

programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5.

$4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and

162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50

each. These are the only frequencies I have.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each.

GE Delta cables. These are the downloading type used with the S820

heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE MPA, MPD, MTL standard Speaker mic. $25.00

GE PCS Universal charger. With wall transformer $20.00 each

GE MPA standard chargers. $20.00 each

GE MPA Rapid chargers. $30.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a

rapid rack charger with a DB 15 cable and uses a MPD body to attach a

battery to. Has LED readout in display area of MPD body to tell

discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card

and power supply / speaker. $300.00

Other Radios and Accessories

Motorola Saber III Secure VHF 146 split 120 channel radio. Alphanumeric

Display. Has Battery Smart charger and speaker mic. I have been using this
on the VHF ham band. Has a new case that was installed at the Motorola

Rockford, IL Depot

So it also has a new model sticker that they put on as well. Nice 9.5 or better radio.

$450.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great.

This was in my van before I added another MVS so I know it works.

$95.00

Maxon 5050a Low band portable pair. Like new condition with 1 battery charger but I will split up the pair if someone wants 1 radio only. 6 channels programmed for 10 meter ham band on 2 repeater pair and 4 simplex frequencies. 2 radios and 1 charger $175.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by Midland. $65.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$65.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of crystals for each radio. Also have a working battery and charger for each. I have 4 of these. $50.00 all

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work with the sp2000 as well.$35.00

Consignment section

This area is for a few friends who like those other radios you know "Motorola" They are good people and I will pass along any trades you may wish to make.

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola Saber II UHF 48 channel scan. With battery and antenna.

9 condition $350.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-

Numeric head. $225.00

Want List not FS

Extra parts for GE suitcase programmers Data modules, Printers, cables,

proms, Anything you have extra. MPA or MPD portables what do you

have and what do you want for them? Johnson scorpion program cable.

Terms

All prices are plus shipping from 40201. All items are used unless

noted and only have a no DOA warranty if I say it works. If I say

not tested your on your own. If I think it may be bad I will not list

it. I take cash, Postal Money Orders, Paypal, and checks but I hold

them for up to two weeks to clear before I ship. If you have a

question E-mail me. Contact me off list at. Gundoc@insightbb.com

Dean

1342. Re: Need opinions on FT-817 accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 03:51:29 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns9248D49FEAA04Frog207Junocom@148.78.248.76>
Source record: 41403

Your projected usage for the FT817 is similar to mine, portable fixed, rather than pedestrian mobile. Given that, I'd recommend obtaining a nice telescopic fibreglass antenna pole and set up a nice inverted V for 40 M. Also, I'd recommend you get a little tuner and then just tune that antenna for 40 M and on up. You'll find the antenna is your most limiting feature and the Inverted V would run rings around any of the little portable whips for the FT817.

Ed WB6SAT

1343. Reply to steve, the full story.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 04:13:12 UTC
From: Mountain-Ops <rich@Mountain-Ops.com>
Message-ID: <3d2e563f_7@news.newzpig.com>
Source record: 41404
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Steve- your case will be on the way. We ended up getting another batch made because we ran short after the SeaPac Ham Convention, we sold more than expected. (As you were told and accepted! I FORGOT! to send the case.,)
Apparently you don't have the BALLS to email direct and tell me you wondered what happened? Then there was a shop phone YOU could have called as well. I even sent you the radio FedEx 2 day shipping at MY expense!! I DID NOT promise this in the auction.
We should have more cases in shortly, along with all the other models we are waiting for, you are on the list. As far as communication, I could do better, But then, so could you. You forget to mention that your check came 2 1/2 weeks after the ebay 7 day pay end, and yet I had to call you twice. I still held the radio for you. Why should I waste another quarter after calling you twice? It never really seemed that important to you to even pay on time. Or did you bid, then save up for the money? Did you get a radio that did not work or was in bad cond.? No! you did not. You say "no response to my several phone calls"?? You talked to Teresa the first of June and she explained as we were on the way to SeaPac and she would send it as soon as she could! You made no attempt to call otherwise, we have voice mail.
But you still shoot your mouth off in public with half the story!!!
ill be leaving you negative feedback as well when I have more time. Enjoy the radio and case!, when you get it! (in the next 3 weeks!)
Steve! don't DICK with me! You are a small man. Flame me, I flame you..... I have far more internet resources than you! END IT HERE!

People, please review the feedback of Thunderbird2 on ebay.......... You decide.

-- Rich Ullery - NF7D, Technical Development
Mountain-Ops Communications
Home of: TacPack Radio Case System's
http://www.Mountain-Ops.com
http://www.TacPack.com
rullery@Mountain-Ops.com
503-678-6135
Adventure Radio Society Member No. 981
http://www.FreeBSD.Org

****
"The wireless telegraph is not difficult to understand. The ordinary telegraph is like a very long cat. You pull on the tail in New York and it meows in Los Angeles. The wireless is the same, only without the cat."
A. Einstein
"AC6FR" <onines@worldnet.att.net> wrote in message

news:yOrX8.22047$Iu6.1232940@bgtnsc04-news.ops.worldnet.att.net...
> You might want to watch this gentleman carefully. I purchased a Yaesu
> FT-100D from him through
> Ebay. It was to include one of his custom made cases for the radio. In
any
> event, the radio was sent more than three weeks after he received
certified
> funds from me. There was no case. I called and was promised that one
would
> be sent immediately. That was months ago. No case, no response to my
> several phone calls, no confidence that he is a person of his word.
>
> Steve Onines AC6FR
> "Mountain-Ops" <rich@Mountain-Ops.com> wrote in message
> news:3d2d8b61_5@news.newzpig.com...
> > This XCVR is in great condition. 9 on the 1 to 10 scale. Comes with box,
> > manual, mic and cable. Will be double boxed for added protection. I am
> > asking $1540.00 buyer pays for shipping. I will accept money order or
> > cashier's check only.
> > Photos via email avail.
> > Rich
> >
> >
> >
> >
> >
>
>

1344. Re: Reply to steve, the full story.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 04:31:52 UTC
From: AC6FR <onines@worldnet.att.net>
Message-ID: <YYsX8.94380$UT.6239281@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41405
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Hello Rich, Wow, touched a nerve here. Glad you are sending the case. You must have not recalled the several messages I left on your voice mail. How long has it been since your wife made that promise? You mentioned the first of June.

I had also e mailed you asking about the status of the radio with no response so did not e mail you again about the mission case.

You are correct however in that you did ship the radio FedEx 2 day when it was sent. Thanks for that.

As to your threats, I think it enough for others to hear your response and make their own conclusions.

Steve AC6FR
"Mountain-Ops" <rich@Mountain-Ops.com> wrote in message
news:3d2e563f_7@news.newzpig.com...
> Steve- your case will be on the way. We ended up getting another batch
made
> because we ran short after the SeaPac Ham Convention, we sold more than
> expected. (As you were told and accepted! I FORGOT! to send the case.,)
> Apparently you don't have the BALLS to email direct and tell me you
wondered
> what happened? Then there was a shop phone YOU could have called as well.
I
> even sent you the radio FedEx 2 day shipping at MY expense!! I DID NOT
> promise this in the auction.
> We should have more cases in shortly, along with all the other models we
are
> waiting for, you are on the list. As far as communication, I could do
> better, But then, so could you. You forget to mention that your check
came
> 2 1/2 weeks after the ebay 7 day pay end, and yet I had to call you twice.
I
> still held the radio for you. Why should I waste another quarter after
> calling you twice? It never really seemed that important to you to even
pay
> on time. Or did you bid, then save up for the money? Did you get a radio
> that did not work or was in bad cond.? No! you did not. You say "no
> response to my several phone calls"?? You talked to Teresa the first of
June
> and she explained as we were on the way to SeaPac and she would send it as
> soon as she could! You made no attempt to call otherwise, we have voice
> mail.

> But you still shoot your mouth off in public with half the story!!!
> ill be leaving you negative feedback as well when I have more time. Enjoy
> the radio and case!, when you get it! (in the next 3 weeks!)
> Steve! don't DICK with me! You are a small man. Flame me, I flame you.....
I
> have far more internet resources than you! END IT HERE!
>
>
> People, please review the feedback of Thunderbird2 on ebay.......... You
> decide.
>
> -- Rich Ullery - NF7D, Technical Development
> Mountain-Ops Communications
> Home of: TacPack Radio Case System's
> http://www.Mountain-Ops.com
> http://www.TacPack.com
> rullery@Mountain-Ops.com
> 503-678-6135
> Adventure Radio Society Member No. 981
> http://www.FreeBSD.Org
>
> **********
> "The wireless telegraph is not difficult to understand. The ordinary
> telegraph is like a very long cat. You pull on the tail in New York and it
> meows in Los Angeles. The wireless is the same, only without the cat."
> A. Einstein
> "AC6FR" <onines@worldnet.att.net> wrote in message
> news:yOrX8.22047$Iu6.1232940@bgtnsc04-news.ops.worldnet.att.net...
> > You might want to watch this gentleman carefully. I purchased a Yaesu
> > FT-100D from him through
> > Ebay. It was to include one of his custom made cases for the radio. In
> any
> > event, the radio was sent more than three weeks after he received
> certified
> > funds from me. There was no case. I called and was promised that one
> would
> > be sent immediately. That was months ago. No case, no response to my
> > several phone calls, no confidence that he is a person of his word.
> >
> > Steve Onines AC6FR
> > "Mountain-Ops" <rich@Mountain-Ops.com> wrote in message
> > news:3d2d8b61_5@news.newzpig.com...
> > > This XCVR is in great condition. 9 on the 1 to 10 scale. Comes with
box,
> > > manual, mic and cable. Will be double boxed for added protection. I am
> > > asking $1540.00 buyer pays for shipping. I will accept money order or
> > > cashier's check only.
> > > Photos via email avail.
> > > Rich
> > >

> > >
> > >
> > >
> > >
> >
> >
>
>

1345. Re: Reply to steve, the full story.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 05:46:33 UTC
From: Mountain-Ops <rich@Mountain-Ops.com>
Message-ID: <3d2e6c11$1_1@news.newzpig.com>
Source record: 41406
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

There's no threats here Steve. I try to be direct rather than back stabbing. You touched my nerve here. You admit to talking to Teresa the first of June. Yet you said: "I called and was promised that one would be sent immediately. That was months ago. No case, no response to my several phone calls" JUNE is not "months ago" Teresa told you she would send one out just as soon as she can, you were told we were moving to a new home and we were on the way to the Hamfest! THIS IS JULY! Its not been "Months", You have not contacted us to check on it, you did not email me. No, you did NOT leave several messages on the voice mail. you did however finally call me back and told me you were finally sending the check after I called you and left a message twice. Perhaps I need to watch for your posts and auctions and post/email my exaggerated feedback's on the spot as well? Thats not my nature, but we both really need to leave it where its at.
Rich

"AC6FR" <onines@worldnet.att.net> wrote in message
news:YYsX8.94380$UT.6239281@bgtnsc05-news.ops.worldnet.att.net...
> Hello Rich, Wow, touched a nerve here. Glad you are sending the case.
You
> must have not recalled the several messages I left on your voice mail.
months agoHow
> long has it been since your wife made that promise? You mentioned the
first
> of June.
>
> I had also e mailed you asking about the status of the radio with no
> response so did not e mail you again about the mission case.
>
> You are correct however in that you did ship the radio FedEx 2 day when it
> was sent. Thanks for that.
>
> As to your threats, I think it enough for others to hear your response and
> make their own conclusions.
>
> Steve AC6FR
> "Mountain-Ops" <rich@Mountain-Ops.com> wrote in message
> news:3d2e563f_7@news.newzpig.com...
> > Steve- your case will be on the way. We ended up getting another batch
> made
> > because we ran short after the SeaPac Ham Convention, we sold more than
> > expected. (As you were told and accepted! I FORGOT! to send the case.,)
> > Apparently you don't have the BALLS to email direct and tell me you
> wondered

> > what happened? Then there was a shop phone YOU could have called as
well.
> I
> > even sent you the radio FedEx 2 day shipping at MY expense!! I DID NOT
> > promise this in the auction.
> > We should have more cases in shortly, along with all the other models we
> are
> > waiting for, you are on the list. As far as communication, I could do
> > better, But then, so could you. You forget to mention that your check
> came
> > 2 1/2 weeks after the ebay 7 day pay end, and yet I had to call you
twice.
> I
> > still held the radio for you. Why should I waste another quarter after
> > calling you twice? It never really seemed that important to you to even
> pay
> > on time. Or did you bid, then save up for the money? Did you get a radio
> > that did not work or was in bad cond.? No! you did not. You say "no
> > response to my several phone calls"?? You talked to Teresa the first of
> June
> > and she explained as we were on the way to SeaPac and she would send it
as
> > soon as she could! You made no attempt to call otherwise, we have voice
> > mail.
> > But you still shoot your mouth off in public with half the story!!!
> > ill be leaving you negative feedback as well when I have more time.
Enjoy
> > the radio and case!, when you get it! (in the next 3 weeks!)
> > Steve! don't DICK with me! You are a small man. Flame me, I flame
you.....
> I
> > have far more internet resources than you! END IT HERE!
> >
> >
> > People, please review the feedback of Thunderbird2 on ebay..........
You
> > decide.
> >
> > -- Rich Ullery - NF7D, Technical Development
> > Mountain-Ops Communications
> > Home of: TacPack Radio Case System's
> > http://www.Mountain-Ops.com
> > http://www.TacPack.com
> > rullery@Mountain-Ops.com
> > 503-678-6135
> > Adventure Radio Society Member No. 981
> > http://www.FreeBSD.Org
> >
> > **********
> > "The wireless telegraph is not difficult to understand. The ordinary

> > telegraph is like a very long cat. You pull on the tail in New York and
it
> > meows in Los Angeles. The wireless is the same, only without the cat."
> > A. Einstein
> > "AC6FR" <onines@worldnet.att.net> wrote in message
> > news:yOrX8.22047$Iu6.1232940@bgtnsc04-news.ops.worldnet.att.net...
> > > You might want to watch this gentleman carefully. I purchased a Yaesu
> > > FT-100D from him through
> > > Ebay. It was to include one of his custom made cases for the radio.
In
> > any
> > > event, the radio was sent more than three weeks after he received
> > certified
> > > funds from me. There was no case. I called and was promised that one
> > would
> > > be sent immediately. That was months ago. No case, no response to my
> > > several phone calls, no confidence that he is a person of his word.
> > >
> > > Steve Onines AC6FR
> > > "Mountain-Ops" <rich@Mountain-Ops.com> wrote in message
> > > news:3d2d8b61_5@news.newzpig.com...
> > > > This XCVR is in great condition. 9 on the 1 to 10 scale. Comes with
> box,
> > > > manual, mic and cable. Will be double boxed for added protection. I
am
> > > > asking $1540.00 buyer pays for shipping. I will accept money order
or
> > > > cashier's check only.
> > > > Photos via email avail.
> > > > Rich
> > > >
> > > >
> > > >
> > > >
> > > >
> > >
> > >
> > >
> > >
>
>

1346. Re: Unbelievable Stupidity!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 05:57:02 UTC
From: jenglish <jenglish5@hotmail.com>
Message-ID: <3d2e6fae_2@news3.cwnet.com>
Source record: 41407

This is why it is good to sell but not
buy on E_BAY.

1347. Kenwood 2550-A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 07:40:22 UTC
From: Dav_vid@webtv.net
Message-ID: <8190-3D2E87E6-261@storefull-2156.public.lawson.webtv.net>
Source record: 41408

I recently bought this radio and the light on the readout didn't work so
I guessed the light was burnt out and I pulled the radio apart and
cannot find any sign of a light ever being there. Can any one tell me
was the light made into the display or was it not lighted or what. I
would appreciate any E-Mails from any one who knows more about this
radio help.
Thanks alot and God Bless David

1348. Re: Need opinions on FT-817 accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 11:33:00 UTC
From: N9NWO <n9nwo@amsat.org>
Message-ID: <M7zX8.632$ak5.392@nwrddc01.gnilink.net>
Source record: 41409

"K5DH" <k5dh@raytheon.com> ...
: Greetings, FT-817 owners!
:
: I just bought a used Yaesu FT-817 with Maha NiMH pack,
: LDG Z-11 ATU, and a Maldol 20m telescoping antenna. I
: intend to take the rig portable (at fixed locations
: rather than backpacking). I'm looking for opinions on
: protective carrying cases, portable antennas for mainly
: 40m through 10m use, and other useful accessories. I
: want to hear about your personal experiences, not just
: hearsay. Please share your opinions on why you like or
: dislike the items that you've personally tried. I'd
: also like to hear what other accessories you've found
: useful, and have you home-brewed any neat accessories?
: I will be using SSB and CW only on HF, and FM only on
: VHF, so there is no need to hear about packet, digital,
: or PSK31 goodies. I also won't be using a computer, so
: there's no need to hear about computer-related stuffe.
:
: Please email me (k5dh@qsl.net) as I don't get to read
: the newsgroup as often as I'd like these days. It
: wouldn't hurt to post your responses here also, so
: that others might benefit from your experiences.
:
: Thanks and 73/72!
: Dean, K5DH

http://www.mountainops.com/
These are very good folks. Their packs are
being used by the FBI and other groups. In
fact the FBI used FT-817 in NYC as they lost
their repeater on top of the WTC.

http://www.amateuraccessories.com/
Steve has a very good operation as well.

1349. Krohn Hite 1400A Sweep Gen Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 12:31:40 UTC
From: kenneth l wright <wklw@cox.net>
Message-ID: <3D2ECC40.A7886B98@cox.net>
Source record: 41410

Looking to buy an op/rep manual, a copy will do. Ken

1350. Re: Kenwood 2550-A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 12:47:35 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uitk0rilo37088@corp.supernews.com>
Source record: 41411

Some of those are very tiny...and are difficult to locate.

--
Web Site: www.polkcounty.org/radiofun

"David" <Dav_vid@webtv.net> wrote in message
news:8190-3D2E87E6-261@storefull-2156.public.lawson.webtv.net...
> I recently bought this radio and the light on the readout didn't work so
> I guessed the light was burnt out and I pulled the radio apart and
> cannot find any sign of a light ever being there. Can any one tell me
> was the light made into the display or was it not lighted or what. I
> would appreciate any E-Mails from any one who knows more about this
> radio help.
> Thanks alot and God Bless David
>

1351. Re: Reply to steve, the full story.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 13:03:47 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D2ED3B2.5F9FB0CD@cableone.net>
Source record: 41412
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Body handling: Binary attachment payload not displayed: radioranch.vcf

You guys get room!!

AC6FR wrote:

> Hello Rich, Wow, touched a nerve here. Glad you are sending the case. You
> must have not recalled the several messages I left on your voice mail. How
> long has it been since your wife made that promise? You mentioned the first
> of June.
>
> I had also e mailed you asking about the status of the radio with no
> response so did not e mail you again about the mission case.
>
> You are correct however in that you did ship the radio FedEx 2 day when it
> was sent. Thanks for that.
>
> As to your threats, I think it enough for others to hear your response and
> make their own conclusions.
>
> Steve AC6FR
> "Mountain-Ops" <rich@Mountain-Ops.com> wrote in message
> news:3d2e563f_7@news.newzpig.com...
> > Steve- your case will be on the way. We ended up getting another batch
> made
> > because we ran short after the SeaPac Ham Convention, we sold more than
> > expected. (As you were told and accepted! I FORGOT! to send the case.,)
> > Apparently you don't have the BALLS to email direct and tell me you
> wondered
> > what happened? Then there was a shop phone YOU could have called as well.
> I
> > even sent you the radio FedEx 2 day shipping at MY expense!! I DID NOT
> > promise this in the auction.
> > We should have more cases in shortly, along with all the other models we
> are
> > waiting for, you are on the list. As far as communication, I could do
> > better, But then, so could you. You forget to mention that your check
> came
> > 2 1/2 weeks after the ebay 7 day pay end, and yet I had to call you twice.
> I
> > still held the radio for you. Why should I waste another quarter after
> > calling you twice? It never really seemed that important to you to even
> pay
> > on time. Or did you bid, then save up for the money? Did you get a radio
> > that did not work or was in bad cond.? No! you did not. You say "no

> > response to my several phone calls"?? You talked to Teresa the first of
> June
> > and she explained as we were on the way to SeaPac and she would send it as
> > soon as she could! You made no attempt to call otherwise, we have voice
> > mail.
> > But you still shoot your mouth off in public with half the story!!!
> > ill be leaving you negative feedback as well when I have more time. Enjoy
> > the radio and case!, when you get it! (in the next 3 weeks!)
> > Steve! don't DICK with me! You are a small man. Flame me, I flame you.....
> I
> > have far more internet resources than you! END IT HERE!
> >
> >
> > People, please review the feedback of Thunderbird2 on ebay.......... You
> > decide.
> >
> > -- Rich Ullery - NF7D, Technical Development
> > Mountain-Ops Communications
> > Home of: TacPack Radio Case System's
> > http://www.Mountain-Ops.com
> > http://www.TacPack.com
> > rullery@Mountain-Ops.com
> > 503-678-6135
> > Adventure Radio Society Member No. 981
> > http://www.FreeBSD.Org
> >
> > **********
> > "The wireless telegraph is not difficult to understand. The ordinary
> > telegraph is like a very long cat. You pull on the tail in New York and it
> > meows in Los Angeles. The wireless is the same, only without the cat."
> > A. Einstein
> > "AC6FR" <onines@worldnet.att.net> wrote in message
> > news:yOrX8.22047$Iu6.1232940@bgtnsc04-news.ops.worldnet.att.net...
> > > You might want to watch this gentleman carefully. I purchased a Yaesu
> > > FT-100D from him through
> > > Ebay. It was to include one of his custom made cases for the radio. In
> > any
> > > event, the radio was sent more than three weeks after he received
> > certified
> > > funds from me. There was no case. I called and was promised that one
> > would
> > > be sent immediately. That was months ago. No case, no response to my
> > > several phone calls, no confidence that he is a person of his word.
> > >
> > > Steve Onines AC6FR
> > > "Mountain-Ops" <rich@Mountain-Ops.com> wrote in message
> > > news:3d2d8b61_5@news.newzpig.com...
> > > > This XCVR is in great condition. 9 on the 1 to 10 scale. Comes with
> box,
> > > > manual, mic and cable. Will be double boxed for added protection. I am

> > > > asking $1540.00 buyer pays for shipping. I will accept money order or
> > > > cashier's check only.
> > > > Photos via email avail.
> > > > Rich
> > > >
> > > >
> > > >
> > > >
> > > >
> > >
> > >
> >
> >

[One or more binary attachments are retained only in the source text.]

1352. FS: UHF repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 14:01:13 UTC
From: ckg@osu.edu
Message-ID: <3d2ecf6c.349877166@nntp.service.ohio-state.edu>
Source record: 41413

RCA model #CRCK7ARJAQ-E10823
XMTR #CT2-100C
RCVR #MI-559272

Unit is complete and clean. Working fine when taken out of service in
the 450 MHz range.

Includes hi-gain commercial Motorola verticle antenna.

$200.00

Pics at,

http://home.insight.rr.com/cgreen/RCA/

_____
Christopher K. Greenhalgh, N8WCT
AX.25: n8wct@w8cqk.#cmh.oh.usa.noam

"It's just about going fast...that's all...
http://home.insight.rr.com/cgreen"

1353. Re: FS: UHF repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 14:04:17 UTC
From: ckg@osu.edu
Message-ID: <3d2ee1cc.354581110@nntp.service.ohio-state.edu>
Source record: 41414

On Fri, 12 Jul 2002 14:01:13 GMT, ckg@osu.edu (Christopher K.
Greenhalgh) wrote:

>RCA model #CRCK7ARJAQ-E10823
>XMTR #CT2-100C
>RCVR #MI-559272
>
>Unit is complete and clean. Working fine when taken out of service in
>the 450 MHz range.
>
>Includes hi-gain commercial Motorola verticle antenna.
>
>$200.00
>
>Pics at,
>
>http://home.insight.rr.com/cgreen/RCA/
>_____________________________
>Christopher K. Greenhalgh, N8WCT
>AX.25: n8wct@w8cqk.#cmh.oh.usa.noam
>
>"It's just about going fast...that's all...
>http://home.insight.rr.com/cgreen"

Located in Columbus, Ohio

____
Christopher K. Greenhalgh, N8WCT
AX.25: n8wct@w8cqk.#cmh.oh.usa.noam

"It's just about going fast...that's all...
http://home.insight.rr.com/cgreen"

1354. Re: icom 2710H in Aircraft Mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 16:13:28 UTC
From: J T <nospam@cs.com>
Message-ID: <agmv77$1ah$1@nntp-m01.news.aol.com>
Source record: 41416

Zach,

There is no "problem" with the radio. UHF and VHF are pretty much line of sight. The aircraft and tower are in line of sight of each other just as you are in line of sight with the aircraft. The tower (and gc) are at the airport. The antennas are normally on the tower or nearby on the airport gounds and are rarely more that 50 feet high. The aircaft you are listening to are 1000's of feet up.

"K7LTF Zach" <zach@benders.net> wrote in message
news:7bc3548.0207111845.7134e307@posting.google.com...
> Hi
>
> I have an ic-2710h, and have been listening to the air band with it. I
> have a question though, Has anyone noticed when reciveing a CONTROL
> Tower, or Ground support, that the audio is not very loud, but when
> receiving an aircraft, the audio is just fine, loud enough to copy,
> without haveing to crank the volume way up. I am experienceing this,
> and wonder if others may have had the same problem?
>
> When i listen to air with my HT, I don't have the same problem.
>
> Zach

1355. FA Professional Kenwood meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 16:13:36 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <0_CX8.20334$JU3.10379649@e3500-atl1.usenetserver.com>
Source record: 41415
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

I am letting this immaculate, professional Kenwood meter
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365363454

Thanks for looking

1356. LQQKING A COLLINS NOISE BLANKER FOR KWM-380

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 17:32:23 UTC
From: dwight136@aol.com
Message-ID: <20020712133223.02811.00000168@mb-cp.aol.com>
Source record: 41417

LQQKING A NOISE BLANKER FOR A COLLINS KWM-380 ALSO THE SPEECH PROCESSOR ..WHAT DO YOU HAVE ..THANKS

1357. Dual band Opinion....HELP PLEASE???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 17:36:16 UTC
From: Russell <rustyspam@dccnet.com>
Message-ID: <3D2F1390.5060407@dccnet.com>
Source record: 41418

Hi there,
I am looking to buy a dual band mobile radio but am torn on which one to buy?..the 3 I am considering are..

Yaesu FT-7100
Icom IC-207
Kenwood TH-G707

I have read some reviews but still have not come up with any descision...hopefully more info will help, I am a new ham so I do not want anything two fancy and confusing, I have a Yaesu VX-5 so am fairly familiar with the Yaesu line. I was thinking of getting the FT-7100 but heard there were lots of problems with the early models beginning with the serial number 1### does anyone have a FT-7100 2#### with problems?..
They are also on sale at the moment so its a hard descision.
I do like the wide band recieve, removable face,dual recieve.
I guess the Kenwood 707 be be my second pic so far???
Any ideas or opinions would greatly be appreciated!
Please reply to me directly as I do not always check the NG's...
Thanks-Russ rusty@dccnet.com
VE7-DFD

1358. Re: Dual band Opinion....HELP PLEASE???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 19:36:32 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <agnb3v$vn3$1@dagobah.blueriver.net>
Source record: 41419

"Russell" <rustyspam@dccnet.com> wrote in message
news:3D2F1390.5060407@dccnet.com...
> Hi there,
> I am looking to buy a dual band mobile radio but am torn on which one to
> buy?..the 3 I am considering are..
>
> Yaesu FT-7100
> Icom IC-207
> Kenwood TH-G707
>
> I have read some reviews but still have not come up with any
> descision...hopefully more info will help, I am a new ham so I do not
> want anything two fancy and confusing, I have a Yaesu VX-5 so am fairly
> familiar with the Yaesu line. I was thinking of getting the FT-7100 but
> heard there were lots of problems with the early models beginning with
> the serial number 1### does anyone have a FT-7100 2#### with problems?..
> They are also on sale at the moment so its a hard descision.
> I do like the wide band recieve, removable face,dual recieve.
> I guess the Kenwood 707 be be my second pic so far???
> Any ideas or opinions would greatly be appreciated!
> Please reply to me directly as I do not always check the NG's...
> Thanks-Russ rusty@dccnet.com
> VE7-DFD
>

Russ
I had the older Yaesu FT-8100 and got rid of that piece of JUNK
and replaced it with the Kenwood TM-G707A. It's a LOT
BETTER radio, lots of bells and whistles, but it just won't
cross-band repeat. Oh well you can't have everything, first
of all where would you store it? ;^)

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

1359. FS: Kenwood IF Filters (InRad)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 21:07:32 UTC
From: gspubl@tca.net
Message-ID: <3d2f44e8.180054915@news.tamu.edu>
Source record: 41420

I have the 455khz and 8mhz IF CW filters built by Inrad (International
Radio) for the Kenwood TS-940, TS-440, and others.
They are both the the 400HZ filters and are of much better
quality than the Kenwood filters. $120 takes both. These were
sold but the buyer never came through.

1360. FS: BC-348Q HF receiver with dynamotor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 21:12:44 UTC
From: gspubl@tca.net
Message-ID: <3d2f45d7.180294439@news.tamu.edu>
Source record: 41421

FS: BC-348Q HF military WW-II radio receiver, with original dynamotor,
$275.

1361. Re: Dual band Opinion....HELP PLEASE???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 21:52:40 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns924997BC1A0A9Frog207Junocom@148.78.248.76>
Source record: 41422

> I am looking to buy a dual band mobile radio but am torn on which one to
> buy?..the 3 I am considering are..
>

I love my Kenwood TM-G707. I have three of them. Some perks, they're easy to modify for extended Rx, plus, I think, Kenwood has the best "menu" system of the big three. Easy to use and pretty intuitive. I really like Yaesu radios too, but find their menu's much harder to learn. Icom I'm not that familiar with.

Ed WB6SAT

1362. Re: Kenwood 2550-A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 22:14:32 UTC
From: WS <w9bbb@megsinet.net>
Message-ID: <3d2f5512$0$1426$1dc6e903@news.corecomm.net>
Source record: 41423

These are surface mounted LED.WS

radiofun wrote:

> Some of those are very tiny...and are difficult to locate.
>
> --
> Web Site: www.polkcounty.org/radiofun
>
>
>
> "David" <Dav_vid@webtv.net> wrote in message
> news:8190-3D2E87E6-261@storefull-2156.public.lawson.webtv.net...
>
>>I recently bought this radio and the light on the readout didn't work so
>>I guessed the light was burnt out and I pulled the radio apart and
>>cannot find any sign of a light ever being there. Can any one tell me
>>was the light made into the display or was it not lighted or what. I
>>would appreciate any E-Mails from any one who knows more about this
>>radio help.
>>Thanks alot and God Bless David
>>
>>
>
>

1363. Re: Dual band Opinion....HELP PLEASE???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 22:20:20 UTC
From: "James R. DeLoach" <jasd-49X@attbi.com>
Message-ID: <0hluiu0pdu043or9o11i5sjr39bhbqtk46@4ax.com>
Source record: 41424

On Fri, 12 Jul 2002 10:36:16 -0700, Russell <rustyspam@dccnet.com>
wrote:

>Hi there,
>I am looking to buy a dual band mobile radio but am torn on which one to
>buy?..the 3 I am considering are..
>
>Yaesu FT-7100
>Icom IC-207
>Kenwood TH-G707
>
>I have read some reviews but still have not come up with any
>descision...hopefully more info will help, I am a new ham so I do not
>want anything two fancy and confusing, I have a Yaesu VX-5 so am fairly
>familiar with the Yaesu line. I was thinking of getting the FT-7100 but
>heard there were lots of problems with the early models beginning with
>the serial number 1### does anyone have a FT-7100 2#### with problems?..
>They are also on sale at the moment so its a hard descision.
>I do like the wide band recieve, removable face,dual recieve.
>I guess the Kenwood 707 be be my second pic so far???
>Any ideas or opinions would greatly be appreciated!
>Please reply to me directly as I do not always check the NG's...
>Thanks-Russ rusty@dccnet.com
>VE7-DFD
I guess I'm in the minority, but i have one of the early FT-7100 and
have not really had any problems with it. Intermod seems a little
worse on it than other brands, but Yaesu has a fix for that and
before my warranty runs out I'll be returning mine to get those mods.
I understand from some hams that Yaesu is replacing some of
the s/n 1xxxxxx radios with s/n 2xxxxx when they are returned for
repair instead of fixing them. I also have an FT-3000 which I
like very much. Yaesu makes good radios but seem to have
had a quality problem with some that were made last year.
If you decide to get the FT-7100, try to get a 2xxxxx s/n.
Yaesu and most of the dealers say the later s/n 2xxxxx radios
have been fixed.

James
N5SKU

1364. Re: Dual band Opinion....HELP PLEASE???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 22:38:34 UTC
From: Chris <n8cop@comcast.net>
Message-ID: <KTIX8.169205$vq.8613630@bin6.nnrp.aus1.giganews.com>
Source record: 41425

Hello Russell......

I purchased a late model 2xxxxx Yaesu FT-7100 at Dayton this year (show special for $235.00, couldn't pass that one up hi hi). I have been using it as a portable-mobile and have had no problems so far. The out-of-band mod was rather simple and it is a very easy radio to operate. The audio on my rig seems a little hot, but there is a deviation reducer in the main menu, that helps with that little problem.

73,

Chris
N8COP

1365. Loose antenna cover on ducky

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 23:20:12 UTC
From: cprstn54zz@att.net
Message-ID: <3d2f635b.133077031@news-server.optonline.net>
Source record: 41427

The rubber cover or sheath on the ducky that came with my brand new
Yaesu VR-120 wideband RX rotates rather freely on the antenna itself
-- which makes removing this BNC item a little difficult.

Is there a good quick fix? Or should I just get a warranty
replacement?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

1366. Re: FS: ICOM IC-756PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-12 23:25:44 UTC
From: Sparkey <fullwaveharleyman@flash.net>
Message-ID: <3D2F6578.4B1713B5@flash.net>
Source record: 41426
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Body handling: Binary attachment payload not displayed: fullwaveharleyman.vcf

Is this rig still for sale?

hman

Mountain-Ops wrote:

> This XCVR is in great condition. 9 on the 1 to 10 scale. Comes with box,
> manual, mic and cable. Will be double boxed for added protection. I am
> asking $1540.00 buyer pays for shipping. I will accept money order or
> cashier's check only.
> Photos via email avail.
> Rich

[One or more binary attachments are retained only in the source text.]

1367. Re: Loose antenna cover on ducky

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 01:08:00 UTC
From: Bob Javits <rjavits@optonline.net>
Message-ID: <a3LX8.20510$9d6.1307569@news4.srv.hcvlny.cv.net>
Source record: 41433

ken:

1) are you sure it's the cover that is rotating? on my radio, the entire flexible part of the antenna will rotate in the bnc connector...

2) when you are removing or putting on the antenna DO NOT twist the flexible part with the rubber covering... turn only the metal base of the antenna... the connector, and not the antenna portion... it will last much longer this way.

good luck... bob wb2aiu

1368. HEATHKIT HW-20 "PAWNEE"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 01:46:35 UTC
From: joeee1621@aol.com
Message-ID: <20020712214635.02821.00000329@mb-cu.aol.com>
Source record: 41428

CLASSIC HEATHKIT. 2M AM and CW BASE STATION TRANSCEIVER WITH THE ORIGINAL MICROPHONE...THE ORIGINAL 2M MULTI-MODE...NOT MODIFIED OR MESSED WITH IN ANY WAY..NEVER SHIPPED OR SMOKED NEAR .. NO DAMAGE EVEN AFTER ALL THESE YEARS...KNOBS .. METER.. AND EVERYTHING..IT IS ALL THERE....$200 SHIPPED FOR A REALLY RARE INDIAN.

1369. IC-746 and Ameritron AL-80B amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 01:49:54 UTC
From: Larry Bratcher <lbratche@swbell.net>
Message-ID: <6HLX8.5019$SO2.1838007445@newssvr12.news.prodigy.com>
Source record: 41429

I just bought an AL-80B amp to use on my Icom 746. Can I hook the amp directly or should I get a Ameritron relay to go between the Amp and Radio? If I hook directly, do I need the alc hooked up? I appreciate any advise from anyone running a similar setup.

Thanks

Larry

1370. QRO HF-1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 01:49:57 UTC
From: joeee1621@aol.com
Message-ID: <20020712214957.02821.00000331@mb-cu.aol.com>
Source record: 41430

TOTALLY AS NEW QRO HF-1000 LINEAR AMP FULL QSK AND IN THE ORIGINAL BOX WITH THE MANUAL AND LESS THAN 5 HOURS USE. $900 SHIPPED.

1371. Re: Dual band Opinion....HELP PLEASE???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 02:21:09 UTC
From: Steven Haigh <netwiz@optushome.com.au>
Message-ID: <3d2f8e95$0$825$afc38c87@news.optusnet.com.au>
Source record: 41431

The Icom 207H units rock....

They're very nice units to play with, and are also very easy to hook up
packet and data etc throught the AUX port...

Mic is very sensitive, and the unit is packed with features....

--
Signed,
Steven Haigh
President - Melbourne Wireless
www.wireless.org.au

"Russell" <rustyspam@dccnet.com> wrote in message
news:3D2F1390.5060407@dccnet.com...
> Hi there,
> I am looking to buy a dual band mobile radio but am torn on which one to
> buy?..the 3 I am considering are..
>
> Yaesu FT-7100
> Icom IC-207
> Kenwood TH-G707
>
> I have read some reviews but still have not come up with any
> descision...hopefully more info will help, I am a new ham so I do not
> want anything two fancy and confusing, I have a Yaesu VX-5 so am fairly
> familiar with the Yaesu line. I was thinking of getting the FT-7100 but
> heard there were lots of problems with the early models beginning with
> the serial number 1### does anyone have a FT-7100 2#### with problems?..
> They are also on sale at the moment so its a hard descision.
> I do like the wide band recieve, removable face,dual recieve.
> I guess the Kenwood 707 be be my second pic so far???
> Any ideas or opinions would greatly be appreciated!
> Please reply to me directly as I do not always check the NG's...
> Thanks-Russ rusty@dccnet.com
> VE7-DFD
>

1372. 6 meter TPL amp FM to SSB Conversion?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 02:49:18 UTC
From: Bruce Nolte N3LSY <brucenol@abs.net>
Message-ID: <3D2F952E.7050003@abs.net>
Source record: 41432
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I have a TPL PA1-10 D commercial FM Amplifier, rated 80 watts for 35 to 50 Mhz, that I would like to modify for use on SSB on 6 meters. The amplifier works well with my FT-736 in FM mode, and can give me as much as 75 or 80 watts there. My real intrest on 6 meters is SSB, so any information on modifications for running SSB would be helpful.

1373. WANTED==>[TNA200 Tone Remote Adaptors]<====

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 03:36:42 UTC
From: msisco9939@aol.com
Message-ID: <20020712233642.02106.00000186@mb-cd.aol.com>
Source record: 41434

HI:

WANTED==>[TNA200 Tone Remote Adaptors]<====

I am looking for any / all (any condition) Motorola TNA200
Series Tone Remote Adaptors\

Lots of Motorola Stuff to trade, or Cash is a option too !!

Please look through your junk / garages and see if you
might have some.

Monty

1374. Kenwood CW Filter Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 04:03:26 UTC
From: had@dacomp.com
Message-ID: <iENX8.84444$eF5.2615322@twister.austin.rr.com>
Source record: 41435

I am looking for a cw filter for my TS-130S. Is there any difference between a YK-88c that is marked "Kenwood" and one that is marked "Trio"? The Kenwood is part number L71-0211-.5 while the Trio is par number L71-0211-05. Dumb question? Well, just want to make sure I get the right one. Thanks.

Harvey
K5DDJ

1375. Re: Loose antenna cover on ducky

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 04:18:39 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <dNNX8.12$eX4.735@sooner.brightok.net>
Source record: 41436

Well, I'd suggest a little glue, like SuperGlue Gel. I had the same problem with the antenna on my Alinco DJ-195 h/t. I separated the cover from the BNC connector by slipping a toothpick in between them, then squirted a little glue in. Held for over a year before having to redo it. Sure is faster than warranty replacement.

Mark

"Ken" <cprstn54zz@att.net> wrote in message
news:3d2f635b.133077031@news-server.optonline.net...
> The rubber cover or sheath on the ducky that came with my brand new
> Yaesu VR-120 wideband RX rotates rather freely on the antenna itself
> -- which makes removing this BNC item a little difficult.
>
> Is there a good quick fix? Or should I just get a warranty
> replacement?
>
> Ken KC2JDY
>
> ----
> Ken
> (to reply via email
> remove "zz" from address)

1376. Re: Info on Drake UV-3 Tribander

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 04:21:45 UTC
From: "Michael A. Terrell" <terrell@mfi.net>
Message-ID: <3D2FAAD9.BC5F8986@mfi.net>
Source record: 41437
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Ross wrote:
>
> The UV-3 is rated at 25 watts output on 2 meters, however most of them did
> 30 to 35 output. The 220 and 440 bands are rated at 10 watts out. Low power
> is approx. 10% of high power and is adjustable by an internal resistor. Max
> current drain is around 6 amps on high power and 1.3 amps on low power. I
> use to do final test on those radios at Drake many years ago.....
>
> Ross
> w8tz@qsl.net
>
> "John Gubernard, K2LSX" <jtg@intac.com> wrote in message
> news:6NQT8.2784$AK.836@news.webusenet.com...
> > Does anyone have the info on a Drake UV-3 Tribander (Model # 1346)?
> >
> > I need to find out the output power and current drain at low and high
> power.
> > I believe that the radio puts out 25w on 2m and 10w on 220/440.
> >
> > --
> > John D Gubernard, K2LSX
> > k2lsx@arrl.net
> >
> >
> >
> >

Ross, did you know Dwight Payton? He worked at drake during the UV3
time frame. I believe he was over part of the production line at that
time.
--

Michael A. Terrell
Central Florida

Check out my new web site and tell me what you think.
http://www.terrell.150m.com

1377. FA: TNC/KPC-9612 & 50W VHF Xcvr IC-281H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 05:11:05 UTC
From: k6sde <no_sp@m.pse>
Message-ID: <3D2FB66B.CD40E99D@m.pse>
Source record: 41438

Great TNC/Controller, 9600/1200 baud

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1366376376

or
KPC-9612

Very nice 50W 2 meter XCVR, IC-281H, with 440 receiver
(works on 9600 baud)

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1366428399

or
IC-281H 50 W VHF Xcvr

Thank you for looking.

1378. wtd: older mw transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 05:49:09 UTC
From: Jake <nospam_jkee@hotmail.com>
Message-ID: <abfviuofmaaqtruta1u2odqj8pt895kpih@4ax.com>
Source record: 41440

Hi, I'm looking for older equipment preferably tube but will consider transistor.. doesn't have to work or look great even parts sets. preferably mw, am, fm, sw, military, commercial etc. exciters and transmitters.

please remove "nospam_" nospam_jkee@hotmail.com

thanks Jake

1379. wtd: older mw transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 05:50:15 UTC
From: Jake <nospam_jkee@hotmail.com>
Message-ID: <7qfviuk3462hdpchjebhtn731naqsm19eu@4ax.com>
Source record: 41439

Hi, I'm looking for older equipment preferably tube but will consider transistor.. doesn't have to work or look great even parts sets. preferably mw, am, fm, sw, military, commercial etc. exciters and transmitters.

please remove "nospam_" nospam_jkee@hotmail.com

thanks Jake

1380. Re: Kenwood CW Filter Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 06:03:08 UTC
From: kd5jbn@aol.comnospam
Message-ID: <20020713020308.14891.00000336@mb-mc.aol.com>
Source record: 41441

Nope no Difference

1381. KENWOOD TS-450 tcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 11:53:06 UTC
From: Len & Ursula <len.jarrett@sympatico.ca>
Message-ID: <iwUX8.5346$5i5.2163893@news20.bellglobal.com>
Source record: 41442

KENWOOD TS-450S, complete with pwr supply, tuner and Hustler whips, for sale. What offers

VE3MYF

1382. FS: Radio control reed ground base

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 12:07:39 UTC
From: zappa fan <nospamipolper@sympatico.ca>
Message-ID: <3D30180B.5FFE350@sympatico.ca>
Source record: 41443
Cross-posted to:
uk.rec.models.radio-control.air,fr.rec.modelisme,it.hobby.modellismo,rec.radio.amateur.equipment,uk.rec.models.rail

VINTAGE Radio control r c REED Ground base
Item # 1749563269
http://cgi.ebay.ca/ws/eBayISAPI.dll?ViewItem&item=1749563269

this is a piece of history.

many thanks

Denis

1383. NEED A SERVICE MANUAL FOR KENWOOD TW 4000A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 15:12:02 UTC
From: Vanessa <vcl@sympatico.ca>
Message-ID: <2rXX8.4973$9U1.2142664@news20.bellglobal.com>
Source record: 41444

HI THERE I NEED A SERVICE MANUAL FOR A KENWOOD (TW 4000A) IT IS A VHF/UHF RADIO I WANT TO USE THIS RADIO AS THE LINK RADIO FOR MY IRLP NODE AND I NEED TO FIND A FEW WIRES ON THERE FOR THE SYSTEM TO WORK SO IF ANYONE CAN HELP ME FIND A SERVICE MANUAL PLEASE EMAIL ME AT (VE3ELB@HOTMAIL.COM)

1384. Re: Which HT would you choose?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 15:37:10 UTC
From: W4PHM <w4phm@arrl.net>
Message-ID: <agphk3$5tk$1@slb7.atl.mindspring.net>
Source record: 41446
Cross-posted to: alt.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment

Neither, get yourself an Icom

"James Alexander" <jwalex77@NOSPAM.hotmail.com> wrote in message
news:Xns924789F471A75jwalex77@63.240.76.16...
> I'm a "casual" ham -- meaning that I'm only on the air when I'm on
> the road, at the fair, camping, fishing, etc. (I'm not interested in
> a base or mobile rig). I'm trying to decide between a Kenwood TH-F6A
> and a Yaesu VX-7R. Of the two, which would you choose and why?

1385. Re: Which HT would you choose?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 15:50:31 UTC
From: motsteve@attbi.com
Message-ID: <motsteve-1307021150570001@c-66-176-144-254.se.client2.attbi.com>
Source record: 41445
Cross-posted to: alt.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment

In article <agphk3$5tk$1@slb7.atl.mindspring.net>, "W4PHM"
<w4phm@arrl.net> wrote:

> Neither, get yourself an Icom
>
> "James Alexander" <jwalex77@NOSPAM.hotmail.com> wrote in message
> news:Xns924789F471A75jwalex77@63.240.76.16...
> > I'm a "casual" ham -- meaning that I'm only on the air when I'm on
> > the road, at the fair, camping, fishing, etc. (I'm not interested in
> > a base or mobile rig). I'm trying to decide between a Kenwood TH-F6A
> > and a Yaesu VX-7R. Of the two, which would you choose and why?

For occasional use, get the one with the most features for the least
price. If you get serious or you think that you might, then I would go
along with Icom suggestion.

Steve WB4CZR

1386. Re: Which HT would you choose?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 15:59:47 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D304E73.4020904@optonline.net>
Source record: 41447
Cross-posted to: alt.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment

What about the Icom IC-T81A specifically. Although discontinued, there are still a few around.

-=-
Alan

W4PHM wrote:
> Neither, get yourself an Icom
>
> "James Alexander" <jwalex77@NOSPAM.hotmail.com> wrote in message
> news:Xns924789F471A75jwalex77@63.240.76.16...
>
>>I'm a "casual" ham -- meaning that I'm only on the air when I'm on
>>the road, at the fair, camping, fishing, etc. (I'm not interested in
>>a base or mobile rig). I'm trying to decide between a Kenwood TH-F6A
>>and a Yaesu VX-7R. Of the two, which would you choose and why?

1387. Re: Which HT would you choose?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 16:00:35 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D304EA3.7000906@optonline.net>
Source record: 41448
Cross-posted to: alt.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment

What about the Icom IC-T81A specifically. Although discontinued, there are still a few around.

-=-
Alan

carltons wrote:

> For occasional use, get the one with the most features for the least
> price. If you get serious or you think that you might, then I would go
> along with Icom suggestion.

1388. FA: Tune any Antenna With this Beauty>MURCH UT-2000B w/METER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 16:39:09 UTC
From: rlucch2098@aol.com
Message-ID: <20020713123909.01894.00000170@mb-mh.aol.com>
Source record: 41449

Real nice with pictures to boot! You cant buy any MFJ junk for this amount :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1364738573
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1389. FA: Can you believe a MINT Heathkit SB-644A Remote VFO for $25?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 16:41:24 UTC
From: rlucch2098@aol.com
Message-ID: <20020713124124.01894.00000172@mb-mh.aol.com>
Source record: 41450

Real nice with pictures to boot! You cant buy a Beat up one for this amount!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1364738577
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1390. Re: 761 / 765 Covers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 16:42:29 UTC
From: k6stu@aol.com
Message-ID: <20020713124229.12715.00000389@mb-fy.aol.com>
Source record: 41451

Hi Kevin.
thanks for the reply.
You wouldn't have a phone number for Burghardts by chance???
Thanks
Mike

1391. fa; Mint HAL-TRONIX Counter & Frequency Standard, Unique@$16.50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 16:45:48 UTC
From: rlucch2098@aol.com
Message-ID: <20020713124548.01894.00000174@mb-mh.aol.com>
Source record: 41452

Real nice with pictures to boot! You cant buy just a 100khz crystal calibrator
for this & this one does much more!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1364738582
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1392. fa; Real Nice Yaesu SP-101 Remote Speaker for a Mere $36, Last day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 16:48:00 UTC
From: rlucch2098@aol.com
Message-ID: <20020713124800.01894.00000176@mb-mh.aol.com>
Source record: 41453

Real nice with pictures to boot! You cant buy a beat up one for this!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1364738571
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1393. Fa>> LUNAR 2-Meter PAI-144B Transceiver Pre-Amp @$9.99, last day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 16:49:57 UTC
From: rlucch2098@aol.com
Message-ID: <20020713124957.01894.00000178@mb-mh.aol.com>
Source record: 41454

Real nice with pictures to boot! You cant buy a beat up one for this!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1364738588
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1394. FA: Attention Kodak Collectors>Two(2) beautiful Cameras, 1 Box, 1Fold

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 16:55:29 UTC
From: rlucch2098@aol.com
Message-ID: <20020713125529.01894.00000182@mb-mh.aol.com>
Source record: 41455

Real nice with pictures to boot! You cant buy a beat up one for this!
Please add http: before the URL address listed below>>
Kodak Folding "hawkeye 2B" @$15
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1364738591

One Kodak six-16 Bownie Special, No Bids @$9.99
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1364738594
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1395. Re: KENWOOD TS-450 tcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 17:57:25 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3D306A05.74F8BB5B@sympatico.ca>
Source record: 41456

Len & Ursula wrote:
>
> KENWOOD TS-450S, complete with pwr supply, tuner and Hustler whips, for
> sale. What offers
>
> VE3MYF

Where are you located?
What filters or other accessories, if any?
Which power supply?
When you say tuner, which one?

Thanks
Dave VE3HLU

1396. Re: FS: Kenwood IF Filters (InRad)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 18:10:58 UTC
From: Mike <km6ab@pacbell.net>
Message-ID: <3D306D2F.2E054C00@pacbell.net>
Source record: 41457

Before purchasing something from Mr. Linger via the internet, you might want to do a Google group search on his email address to see all the flak. Buyer beware.

1397. Re: FS: BC-348Q HF receiver with dynamotor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 18:11:12 UTC
From: Mike <km6ab@pacbell.net>
Message-ID: <3D306D3C.D8F0D0A6@pacbell.net>
Source record: 41458

Before purchasing something from Mr. Linger via the internet, you might want to do a Google group search on his email address to see all the flak. Buyer beware.

1398. GGA: Good Guy Alert! N4JZH Donnie

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 19:31:31 UTC
From: Bob <rcherry@count.com>
Message-ID: <agpv6o$h5g$1@bob.news.rcn.net>
Source record: 41459
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I just purchased a very nice Kenwood TH-F6A from Donnie N4JZH. The radio arrived very promptly and exactly as advertised. It is always a pleasure to meet someone like Donnie out there in the amateur community, it makes one proud of his hobby.

Bob WB2F

1399. Re: GGA: Good Guy Alert! N4JZH Donnie

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 21:03:19 UTC
From: n4jzh@knology.net
Message-ID: <3d30954f.15851470@news.knology.net>
Source record: 41460
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

On Sat, 13 Jul 2002 15:31:31 -0400, "Bob" <rcherry@count.com> wrote:

>I just purchased a very nice Kenwood TH-F6A from Donnie N4JZH. The radio
>arrived very promptly and exactly as advertised. It is always a pleasure to
>meet someone like Donnie out there in the amateur community, it makes one
>proud of his hobby.
>
>Bob WB2F
>
>
>
>
Thanks Bob,
Momma always said... your word is your bond...
73 Donnie N4JZH

1400. Re: Which HT would you choose?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 22:43:35 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <0qwwPXp1dKmdO7Rx72kh+Lo+VHoX@4ax.com>
Source record: 41461

James Alexander <jwalex77@NOSPAM.hotmail.com> wrote:

>I'm a "casual" ham -- meaning that I'm only on the air when I'm on
>the road, at the fair, camping, fishing, etc. (I'm not interested in
>a base or mobile rig). I'm trying to decide between a Kenwood TH-F6A
>and a Yaesu VX-7R. Of the two, which would you choose and why?

If you're only a "casual" ham, just flip a coin between the two :-)

Bob
k5qwg

1401. FA: QRO AMP Builders B&W 850A Bandswitch / Tank

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-13 22:58:58 UTC
From: motg@stratos.net
Message-ID: <efd5c18c.0207131458.dd993dc@posting.google.com>
Source record: 41462
Cross-posted to: rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Here's the link. Thanks for looking

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1365298441

1402. Original Atlas for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 02:41:14 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <ex5Y8.11774$Kx3.6224@newsread1.prod.itd.earthlink.net>
Source record: 41463

```
Original Atlas 180 for sale.
Works well, good condition.
This is the first of the series.
Comes with power cord.
$150 shipped
Best Regards...Frank
KG9H
Voice 630-924-1600
```

1403. IC-271A Question - setting tones

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 03:31:26 UTC
From: Chris Anton <canton@mail.island.net>
Message-ID: <ig6Y8.35200$BD1.2629902@news1.calgary.shaw.ca>
Source record: 41464

I've recently picked up an Icom IC-271A 2m all mode which is in beautiful shape but came with no documentation. A really lovely radio but I have a question which I'm some sure someone on the list knows. There is a Tone button which turns tone on and off and a Sel button which I believe allows me to select the tone. Pushing the Sel button display numbers from 01 to 63 which can be selected by turning the main tuning knob. Are these numbers indicating the different tones? Can anyone point me to where I can find out what tone is associated with which number?

Of course I could be totally off base about what Sel button does. If anyone knows I'd appreciate some pointers.

thanks
Chris Anton
VE7TOP

email to 'canton@mail.island.net'

1404. How to Measure RF Impedance?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 06:12:41 UTC
From: bytebird@yahoo.com
Message-ID: <af0d9f14.0207132212.5adb4135@posting.google.com>
Source record: 41465

How do I measure RF impedance (freq < or = 900 MHz)? I don't need a lot of accuracy (< or = 10%). Plus I'm willing to use an instrument that isn't an impedance bridge, say a grid-dip meter or Q meter

Thank you

Steve

1405. FS Allied,Lafayette

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 13:55:26 UTC
From: WS <w9bbb@megsinet.net>
Message-ID: <3d31830e$0$1430$1dc6e903@news.corecomm.net>
Source record: 41466

Hi All,
1-Allied 1964 Industrial Electronic Catalog $10
1-Allied 1969 Industrial Electronic Catalog $10
1-Lafayette 1970 Radio Electronic Catalog $10

All above you ship Good Condition WS

1406. Re: Which HT would you choose?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 14:17:06 UTC
From: motsteve@attbi.com
Message-ID: <motsteve-1407021017320001@c-66-176-144-254.se.client2.attbi.com>
Source record: 41467
Cross-posted to: alt.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment

In article <3D304EA3.7000906@optonline.net>, Alan Beagley
<abeagley@optonline.net> wrote:

> What about the Icom IC-T81A specifically. Although discontinued, there
are still a few around.
>
> -=-

I'm not sure at this time as I have not keep up with the latest rigs. If
the price is right and the features sufficient, go for it.

Steve WB4CZR

1407. Re: PG-4P vs OPC-478 Cloning Cable

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 14:25:40 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d3189e4$0$1429$2c3e98f8@news.voyager.net>
Source record: 41468

Dick Hughes <rhughes33@cableone.net> wrote in
news:f4m1ju46u36jjhkfa1defqoi5em66hpdv5@4ax.com:

> Has anyone tried to use a Kenwood PG-4P cloning cable in place of an
> Icom OPC-478 or visa-versa? They both seem to be RS-232 conversion
> cables. Pin-out on the radio end might be different.
>
> Dick - W6CCD
>

I have used my yaesu cable (ft-50, ft-90, and others with adaptors) with
my icom F21 and it works wonderfully.
Easiest way I found to do this was to check rtsars.com and cross reference
the cables they sell there.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

1408. FS: ICOM 746 HF rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 15:07:31 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <hi43jukbk3bnk74i5hi0cucqov351n5hbd@4ax.com>
Source record: 41469

I have an ICOM 746 HF rig 10-160 meters which also covers the 2 meter and 6 meter bands. This was bought new in Dec. 2001 and its a late model with serial #86xx. I have the original box, manual and ICOM hand microphone. This rig is a 9.9 out of 10... I could say its mint, but I took it out of the box. This is from a non-smoker and its in 100% operating condition. I will take $900 plus shipping in the 48 states only. WZ1U Steve / Lakeville, Mass.

1409. Re: Reply to steve, the full story.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 15:51:39 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ags8un$26r2$1@madmax.keyway.net>
Source record: 41471
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Sounds like someone needs to polish their inventory and CS skills,
BIG TIME.

Jim, ac6tk

"Murray Neece" <radioranch@cableone.net> wrote in message
news:3D2ED3B2.5F9FB0CD@cableone.net...
: You guys get room!!
:
: AC6FR wrote:
:
: > Hello Rich, Wow, touched a nerve here. Glad you are sending the case. You
: > must have not recalled the several messages I left on your voice mail. How
: > long has it been since your wife made that promise? You mentioned the first
: > of June.
: >
: > I had also e mailed you asking about the status of the radio with no
: > response so did not e mail you again about the mission case.
: >
: > You are correct however in that you did ship the radio FedEx 2 day when it
: > was sent. Thanks for that.
: >
: > As to your threats, I think it enough for others to hear your response and
: > make their own conclusions.
: >
: > Steve AC6FR
: > "Mountain-Ops" <rich@Mountain-Ops.com> wrote in message
: > news:3d2e563f_7@news.newzpig.com...
: > > Steve- your case will be on the way. We ended up getting another batch
: > made
: > > because we ran short after the SeaPac Ham Convention, we sold more than
: > > expected. (As you were told and accepted! I FORGOT! to send the case.,)
: > > Apparently you don't have the BALLS to email direct and tell me you
: > wondered
: > > what happened? Then there was a shop phone YOU could have called as well.
: > I
: > > even sent you the radio FedEx 2 day shipping at MY expense!! I DID NOT
: > > promise this in the auction.
: > > We should have more cases in shortly, along with all the other models we
: > are
: > > waiting for, you are on the list. As far as communication, I could do
: > > better, But then, so could you. You forget to mention that your check
: > came
: > > 2 1/2 weeks after the ebay 7 day pay end, and yet I had to call you twice.

: > I
: > > still held the radio for you. Why should I waste another quarter after
: > > calling you twice? It never really seemed that important to you to even
: > pay
: > > on time. Or did you bid, then save up for the money? Did you get a radio
: > > that did not work or was in bad cond.? No! you did not. You say "no
: > > response to my several phone calls"?? You talked to Teresa the first of
: > June
: > > and she explained as we were on the way to SeaPac and she would send it as
: > > soon as she could! You made no attempt to call otherwise, we have voice
: > > mail.
: > > But you still shoot your mouth off in public with half the story!!!
: > > ill be leaving you negative feedback as well when I have more time. Enjoy
: > > the radio and case!, when you get it! (in the next 3 weeks!)
: > > Steve! don't DICK with me! You are a small man. Flame me, I flame you.....
: > I
: > > have far more internet resources than you! END IT HERE!
: > >
: > >
: > > People, please review the feedback of Thunderbird2 on ebay.......... You
: > > decide.
: > >
: > > -- Rich Ullery - NF7D, Technical Development
: > > Mountain-Ops Communications
: > > Home of: TacPack Radio Case System's
: > > http://www.Mountain-Ops.com
: > > http://www.TacPack.com
: > > rullery@Mountain-Ops.com
: > > 503-678-6135
: > > Adventure Radio Society Member No. 981
: > > http://www.FreeBSD.Org
: > >
: > > **********
: > > "The wireless telegraph is not difficult to understand. The ordinary
: > > telegraph is like a very long cat. You pull on the tail in New York and it
: > > meows in Los Angeles. The wireless is the same, only without the cat."
: > > A. Einstein
: > > "AC6FR" <onines@worldnet.att.net> wrote in message
: > > news:yOrX8.22047$Iu6.1232940@bgtnsc04-news.ops.worldnet.att.net...
: > > > You might want to watch this gentleman carefully. I purchased a Yaesu
: > > > FT-100D from him through
: > > > Ebay. It was to include one of his custom made cases for the radio. In
: > > any
: > > > event, the radio was sent more than three weeks after he received
: > > certified
: > > > funds from me. There was no case. I called and was promised that one
: > > would
: > > > be sent immediately. That was months ago. No case, no response to my
: > > > several phone calls, no confidence that he is a person of his word.
: > > >

: > > > Steve Onines AC6FR
: > > > "Mountain-Ops" <rich@Mountain-Ops.com> wrote in message
: > > > news:3d2d8b61_5@news.newzpig.com...
: > > > > This XCVR is in great condition. 9 on the 1 to 10 scale. Comes with
: > box,
: > > > > manual, mic and cable. Will be double boxed for added protection. I am
: > > > > asking $1540.00 buyer pays for shipping. I will accept money order or
: > > > > cashier's check only.
: > > > > Photos via email avail.
: > > > > Rich
: > > > >
: > > > >
: > > > >
: > > > >
: > > > >
: > > >
: > > >
: > >
: > >
:

1410. WANTED TS-2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 16:27:33 UTC
From: Tim Randa <randas@mindspring.com>
Message-ID: <3D31A675.6EBCBFA9@mindspring.com>
Source record: 41470
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Looking for a TS-2000 in like new condition. Please email with all info and price shipped to 40031. New TS-2000s are going for $1,700 shipped, please price accordingly.

73 de Tim Kï¿½FL

1411. VX-5R and AA rechargeable lithium?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 16:44:28 UTC
From: cprstn54zz@att.net
Message-ID: <3d31a893.281869984@news-server.optonline.net>
Source record: 41472

Anyone tried the rechageable AA lithium batteries (@ 3.6 volts apiece)
in their VX-5R via the FBA-23 battery holder?

See: http://vss-electronics.com/laa.html

It looks to me that the radio can't tell the difference between the
stock lithium pack (7.2 volts), an FBA-23 with alkalines (3 volts) or
an FBA-23 with AA rechargeable lithiums (7.2 volts). It simply
adjusts output power based on the voltage it sees: 5 watts for 7.2
volts and .3 watts for 3 volts.

These rechargeable lithiums at $6 per set are a lot cheaper than the
stock lithium pack at $65.

Anyone know the capacity of these Lithium AA rechargeables?
Hopefully, they would give at least 60% of the stock pack (1100 MAH) -
based on physical size.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

1412. FS: Yaesu FT-1000D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 17:14:17 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <1rb3jugh0jvcmf5e2jggaakg0h98r8r8k8@4ax.com>
Source record: 41473

I have for sale in excellent condition a Yaesu FT-1000D bought in 1992. I have the original boxes and manual and its from a non-smoker. I will ship it anywhere in the 48 states for $2200. If you have any questions email or call (508) 821-2993....WZ1U Steve / Lakeville, Ma.

1413. Re: VX-5R and AA rechargeable lithium?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 17:19:02 UTC
From: John Buck <kh7t@arrl.net>
Message-ID: <3D31B281.5060209@arrl.net>
Source record: 41474

Ken wrote:

> Anyone tried the rechageable AA lithium batteries (@ 3.6 volts apiece)
> in their VX-5R via the FBA-23 battery holder?
>
> See: http://vss-electronics.com/laa.html
>
> Ken KC2JDY

The lithium batteries I found listed at the above web site are primary batteries which are not rechargeable. Rechargables are secondary batteries.

Still, since lithium primary batteries usually are very high capacity the idea is good, especially for long term stand by use. Lithium batteries typically have very low internal leakage and do not self discharge like nicad and nimh. Their low weight is also excellent for for backpackers.

It would be nice to find the specs of the listed batteries, the price seems right.

John KH7T

1414. Power mod for TS-570

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 17:59:59 UTC
From: Administrator <administrator@telefonica.net>
Message-ID: <z_iY8.357059$bv6.3009706@telenews.teleline.es>
Source record: 41475
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb

Hi all,

My TS-570 only puts out appx. 60W on SSB. On CW it's exactly 100W.

I want some more power from the rig. How do i do that? In the TS-50, 450 and 850 there is a VR15 that i can adjust. How is this done in the 570?

Thanks,

Administrator.

1415. Re: Which HT would you choose?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 19:49:19 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns924B82C37727Frog207Junocom@148.78.248.76>
Source record: 41476

>
>>I'm a "casual" ham -- meaning that I'm only on the air when I'm on
>>the road, at the fair, camping, fishing, etc. (I'm not interested in
>>a base or mobile rig). I'm trying to decide between a Kenwood TH-F6A
>>and a Yaesu VX-7R. Of the two, which would you choose and why?
>

I've had both, (currently the Kenwood). The yaesu if a fine radio, built like a brick S***house. The buttons are very "slightly" bigger than the Kenwoods, too. On the negative, the menu system is more difficult to learn/operate.

The Kenwood has the nice SSB Rx mode and covers all the HF spectrum, which is one of the reasons I traded the Yaesu in for it. The battery is bigger, too. The menu system is so self-intuitive that I rarely have to refer to the manual, like I did with the Kenwood. On the negative, I find the volume control all to easy to accidently turn when you're turning the mode switch on top. Also, the buttons are a bit smaller, for those of you with big hands. Additionally, the Yaesu is a bit easier to "modify" if you want extended coverage.

Ed WB6SAT

1416. Re: VX-5R and AA rechargeable lithium?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 20:20:29 UTC
From: cprstn54zz@att.net
Message-ID: <3d31d996.4055640@news-server.optonline.net>
Source record: 41477

On Sun, 14 Jul 2002 17:19:02 GMT, John Buck <kh7t@arrl.net> wrote:
>The lithium batteries I found listed at the above web site are primary
>batteries which are not rechargeable. Rechargables are secondary batteries.
> . . .
>It would be nice to find the specs of the listed batteries, the price
>seems right.

Yes, you are right. When I searched further I could not find any
rechargeable Li-ion batteries in size AA, except I did find one
statement that they did not readliy lend themselves to size AA. They
are the right voltage, however, and I was confused by the "Again &
Again" brand name.

I have emailed two vendors for the battery's capacity. Even as
non-rechargeables, they are way better for this radio than alkalines
if they permit 5 watt output (vs. 0.3 for alkalines).

Of course, you could always use an external battery holder for 8 NiMH
AA's (or alkalines for that matter) and run that into the external DC
jack -- making the radio think it is coming from your car. The holder
is bigger than the radio, but is a lot smaller than a car!

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

1417. Re: How to Measure RF Impedance?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 20:29:09 UTC
From: davearea51@aol.com
Message-ID: <20020714162909.12874.00000435@mb-cn.aol.com>
Source record: 41478

Steve:

Two instruments are needed:
1) A generator of the frequency in which you are interested and
2) An 'scope or some other method of measuring RF volttages:
With the setup diagrammed below:



Measure both V0 and V1 and R(known). Then, |Z(unknown)| is:

Z(unknown) = V1*R(known) / (Vo - V1)

This method will, of course, not give the sign of Z(unknown), but hopfully you know beforehand whether it is inductive or capacitive. The above can be derived by simple application of Ohm's Law. For frequencies above HF use leadless components!

Dave - W0LEV

1418. FS: Collins 51S-1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-14 23:56:31 UTC
From: "James B. Geer" <jbgeer@swbell.net>
Message-ID: <3D320D70.86016AF7@swbell.net>
Source record: 41479

Beautiful receiver collector quality.....winged, in cabinet with dial brake. This radio is very tight.....little use..... with ssb and sw filters. Includes manual and dust cover.
$1550 professionally packed, insured and shipped from the Dallas area.
Thanks.....WB5LXZ

1419. Stop in!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 00:00:09 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d320cf5$1_2@newsa.ev1.net>
Source record: 41480

Drop by my web pages, lots of great stuff for everyone. No charges, no Ads.
Enjoy!
www.qsl/net/kk5dr/

--
Respond to my "real" e-mail;
kk5dr@ev1.net

1420. Re: FS: Collins 51S-1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 00:06:02 UTC
From: "James B. Geer" <jbgeer@swbell.net>
Message-ID: <3D320FAA.AFAB5F45@swbell.net>
Source record: 41481

cw filter....sorry abt that.

"James B. Geer" wrote:

> Beautiful receiver collector quality.....winged, in cabinet with dial
> brake. This radio is very tight.....little use..... with ssb and sw
> filters. Includes manual and dust cover.
> $1550 professionally packed, insured and shipped from the Dallas area.
> Thanks.....WB5LXZ

1421. FS: Palomar Antenna Noise Bridge

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 02:20:44 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <fcc4jusba8d876i4s39soju5n76dv9v24i@4ax.com>
Source record: 41482
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment

FOR SALE:

Palomar Noise Bridge
This is a very useful piece of test equipment for working on antennas
etc., and gauging the impedance at a given frequency etc.
Excellent antenna analysis tool. Supplied with manual.
E-mail me for photo & details.

Will sell for $40.00 plus shipping

1422. Wanted: Op Manual for Ten-Tec AC-4 QRP Tuner and AC-5 SWR Meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 02:35:48 UTC
From: motg@stratos.net
Message-ID: <efd5c18c.0207141835.2eb3ec61@posting.google.com>
Source record: 41483

Hi Guys,
I think these were single sheet manuals for these two pieces of equipment.

I'd be will to pay copy and postage. Thanks for your help!
73,
Frank K9IC

1423. FS: Collins KWM-2 Power Supply $49.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 02:37:25 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <ebd4ju0tnhafb0qhv0tq0733jr5lfg778g@4ax.com>
Source record: 41484
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

For Sale: Collins Power Supply for the KWM-2 -
runs on 28V DC. Appears to be complete and sold as-is,
untested.

Will sell for $49.00 plus shipping

E-mail me for a photo.

1424. FA: Yaesu FT-920 160-6 meter transceiver, Perfect

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 03:06:43 UTC
From: maritimus49@aol.com
Message-ID: <20020714230643.07607.00000423@mb-mi.aol.com>
Source record: 41485

I have for sale the Yaesu FT-920 in new condition. It was purchased new last month but I will not be able to operate it from my apartment as planned. It is in perfect condition and works beautifully. Please see ebay auction #1366703850 Thank you for looking.

73,
Bruce

1425. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 03:40:01 UTC
From: ricknj10@hotmail.com
Message-ID: <3d3242b9.23851916@news.optonline.net>
Source record: 41486

>IVE HAD A BAD ONE FOR 11 YEARS AND THEY STILL REFUSE TO FIX IT

I've heard this works:

Call them and tell them you THINK you saw sparks and fire on the pole,
and there was smoke too. Ask if they think the sparks landing on the
ground might set one of those fires like in Arizona and California.
Tell them you sure hope when the grass is set on fire the fire doesn't
get to your house, cause you sure don't want your house to burn up.
And remind them you have small kids in the house, and oh, yeah your
brother is a lawyer..... by this time you should be hearing sirens
and the power truck should be out by the pole.

On the other hand, if you play the beaurocracy game with them I've
heard the front office can keep you dragging on for years.

Rick K2XT

1426. SM0VPO Homepages Update

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 08:40:42 UTC
From: Harry SM0VPO <someone@microsoft.com>
Message-ID: <agu2pl$h5v$1@newstoo.ericsson.se>
Source record: 41487

Hi all,

It's been quite a few months since I last posted anything here, in fact it is about a year ago. Harry's Homebrew homepages is now located at http://w1.859.telia.com/~u85920178/ where there are no banners to slow down the traffic. There are no outages due to excessive traffic since there is no bandwidth limit. It is just a bloody dificult URL to remember!

During the past year, I have been hounded by demands for payment to "freeservers.com" (or should that be "FEEservers"?) so I have moved the page http://sm0vpo.8m.com to http://w1.859.telia.com/~u85920178. Some of you may be aware that PMP3.NET was hacked and eventually closed down due to the misuse. This took away my free homepages that were kindly hosted by PMP3.NET.

There is a new messageboard too, also without banners. A new FAQ (Frequently Asked Questions) and FASQ (Frequently Asked Silly Questions). All the old ones have been kept, but some new ones have been added, Eg: "How many volts do I need to kill someone?". During the past 12 months, Harry's Homebrew homepages (http://w1.859.telia.com/~u85920178/) has had quite a few additions. Some of the latest project examples include:

EPROM AF Generator (still under construction).
WAV to EPROM conversion.
Many synthesiser projects.
DC-DC voltage converters.
150mW FM TX (88MHz - 108MHz) (technique Ok for 145MHz).
Synthesised FM TX (88MHz - 108MHz) (technique Ok for 145MHz).
Antenna Z bridge for Spectrum Analyser.
Antenna Questions & Answers (Eg: "Size isn't everything!").

H.H.H. now has just three sites, but no mirror sites. they are all located at:

PROJECTS - http://w1.859.telia.com/~u85920178
Unlimited bandwidth, Full site, No advertising, SWE

VISITORS CIRCUITS - http://hem.spray.se/lythall
Selected visitors submitted circuits - SWE

PDF LIBRARY - http://hem.passagen.se/sm0vpo
Unlimited bandwidth, Full site, SWE

So perhaps I may have the pleasure of a visit from you. Whatever you do, have fun with antennas, homebrew, radio and electronics in general. Very best regards from Harry Lythall - SM0VPO

1427. WTT Icom 738

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 10:27:53 UTC
From: "M.D." <ve3tmt@rac.ca>
Message-ID: <DsxY8.523$1t.275675@news20.bellglobal.com>
Source record: 41488

I have a mint condition Icom 738 I would like to trade for a Kenwood TS450/690S with tuner. Radio is a 9/10, has one small scratch on top cover about 1/4" long. Can easily be painted. Cover was opened to replace meter lamp. Comes with original box, manual, and power cord. Sorry, I no longer have the original mic.

Frequency Coverage:
Receive: 500 kHz - 29.995

Transmit:
1.800 - 1.99999 MHz
3.500 - 4.000 MHz
7.000 - 7.300 MHz
10.100 - 10.150 MHz
14.000 - 14.350 MHz
18.068 - 18.168 MHz
21.000 - 21.450 MHz
24.890 - 24.990 MHz
28.000 - 29.700 MHz

Mode: SSB, CW, AM, FM
Number of memory channels: 101 (89 regular, 10 split, 2 scan edges)
Output power: SSB, CW, FM: 5 - 100 W AM: 4 - 40 W
Antenna Tuner Matching impedance range: 16.7 - 150 ohms unbalanced (Less than VSWR 3:1)
Minimum operating input power: 8 W
Waiting time for band changing: Less than 3 seconds
Tuning accuracy: VSWR 1.5:5 or less
Insertion loss (after tuning): Less than 1.0 dB

http://www.rigpix.com/icom/ic738.htm

Thanks for looking,

1428. Looking for TS-570 hidden menu.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 10:27:58 UTC
From: Administrator <administrator@telefonica.net>
Message-ID: <3d32a3b6$0$251$4d4eb98e@read.news.es.uu.net>
Source record: 41489
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.mods,alt.radio.amateur,aus.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb

Hi all,

My TS-570 is only putting out 60W on SSB. I want it to be appx. 100W. I know how to do that on a TS-50, 450 and 850, but for the 570 i seem to have to go in a service menu and change it there.

Does anyone know how to do this? How to get in this menu and what settings to change?

Thanks a mountain,

Ton.

1429. Re: Looking for TS-570 hidden menu.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 11:06:21 UTC
From: yeti@REMOVEcet.com
Message-ID: <3d32ac4d.1293703@news.cet.com>
Source record: 41490
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.mods,alt.radio.amateur,aus.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb

In <3d32a3b6$0$251$4d4eb98e@read.news.es.uu.net>, "Administrator" <administrator@telefonica.net> wrote:

>Hi all,
>
>My TS-570 is only putting out 60W on SSB. I want it to be appx. 100W. I know
>how to do that on a TS-50, 450 and 850, but for the 570 i seem to have to go
>in a service menu and change it there.
>
>Does anyone know how to do this? How to get in this menu and what settings
>to change?
>
>Thanks a mountain,
>
>Ton.

Do you think you cross-posted to enough groups to get your answer?

1430. Re: Power mod for TS-570

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 12:28:33 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uj5g16qf792294@corp.supernews.com>
Source record: 41491
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb

There is a setting in the menu. I guess you have seen that. I think it has several settings.

--
Web Site: www.polkcounty.org/radiofun

"Administrator" <administrator@telefonica.net> wrote in message news:z_iY8.357059$bv6.3009706@telenews.teleline.es...
> Hi all,
>
> My TS-570 only puts out appx. 60W on SSB. On CW it's exactly 100W.
>
> I want some more power from the rig. How do i do that? In the TS-50, 450 and
> 850 there is a VR15 that i can adjust. How is this done in the 570?
>
> Thanks,
>
>
> Administrator.
>
>

1431. AR5000 with GPS ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 13:12:05 UTC
From: Delporte Marc <marc.delporte@wanadoo.fr>
Message-ID: <aguhs6$c6u$1@wanadoo.fr>
Source record: 41492

To all

I'm looking for software for AR 5000 .

... especially to record field strength along roads.

Even "a simple software" able "to record field strength"
with GPS coordinates will be perfect.

Thanks for your help

73'
Marc Delporte
F1GSN

1432. Re: Power mod for TS-570

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 13:29:21 UTC
From: Gary McAdams <g.m.mcadams@worldnet.att.net>
Message-ID: <R6AY8.29765$lu6.1668834@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41493

Administrator <administrator@telefonica.net> wrote in message
>
> My TS-570 only puts out appx. 60W on SSB. On CW it's exactly 100W.
>
>

Follow-ups trimmed to rec.radio.amateur.equipment

The radio is probably performing exactly as it is supposed to.

What is in question is how you are doing the power measurement.
To see what your radio is doing in power output in SSB you need
some kind of peak reading meter. If you are not using a peak
reading meter then what you are seeing is completely normal.

Normally, the power generated in a constant carrier mode such
as CW, AM, FM or RTTY represents the peak envelope power
of your transmitter. The problem comes in when we try to measure
that power. Most inexpensive meters cannot measure PEP accurately.
Many expensive meters can't measure PEP well either! As long as the
radio can generate the normal 100 watts or so, you can usually
assume that it also gets about that in SSB service.

Tweaking pots on the radio to get a few more watts out is
wasted effort. The radio may indeed get a few more watts out
but the extra wattage will not be noticeable to the hams on
the other end of your conversation, believe me! The tweaking
will probably also stress components beyond their design
limits, resulting in a dead radio further down the line.

Most radios in Amateur service have been carefully
designed to work well at the 100 watt level. If your
radio is actually not developing its designed RF output
then it would be a candidate for the repair shop, not
simply a tweak job.

Do yourself a favor. If you are actually in doubt about
the amount of RF your rig is making, borrow a dummy
load and a good peak-reading meter and see what your
rig is REALLY producing. Until you do that you're just
guessing.

Gary, WG7X

PS: Since I note that you also directed your inquiry
to rec.radio.cb I've really got to question your
reasons for this mod/tweak. Tweaking radios

beyond their design limits is a big cb'er trick.
Answer honestly now, are you a cb'er? Even
if you are, the answer is still the same. The end
result is no noticeable increase in "talk power"
(cb term) and a notable DECREASE in
equipment reliability.

Your choice...

1433. Re: Looking for TS-570 hidden menu.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 13:30:55 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3D32CE8F.DA72EE29@sympatico.ca>
Source record: 41494
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.mods,alt.radio.amateur,aus.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb

Administrator wrote:
>
> Hi all,
>
> My TS-570 is only putting out 60W on SSB. I want it to be appx. 100W. I know
> how to do that on a TS-50, 450 and 850, but for the 570 i seem to have to go
> in a service menu and change it there.
>
> Does anyone know how to do this? How to get in this menu and what settings
> to change?
>
> Thanks a mountain,
>
> Ton.

1) Push the button marked "PWR"
2) Turn the "MULTI" control to select the desired level.

Couldn't be simpler.
Dave

1434. Re: Power mod for TS-570

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 13:44:09 UTC
From: Administrator <administrator@telefonica.net>
Message-ID: <3d32d1a7$0$230$4d4eb98e@read.news.es.uu.net>
Source record: 41495

> Answer honestly now, are you a cb'er? Even

Define a CB'er. What exactly is a CB'er?

Ton.

1435. Re: Looking for TS-570 hidden menu.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 14:24:51 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3d32db38$1@news.netacc.net>
Source record: 41496
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.mods,alt.radio.amateur,aus.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb

<yeti@REMOVEcet.com> wrote in message news:3d32ac4d.1293703@news.cet.com...
>
> Do you think you cross-posted to enough groups to get your answer?
>

Hmm, looking at the groups that he posted to, they are all appropriate venues for the question he had (dubious on the rec.radio.cb though). Why would you discourage proper usage of newsgroups??

Steve

1436. HT For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 15:38:47 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <b0CY8.37828$DS.962552@twister.tampabay.rr.com>
Source record: 41497

For Sale
Icom T81A quad band HT 6/2/440/1.2
includes
Manual
wall charger
car charger
bp200l 700Mah battery
3 cell alkaline pack
cloning PC cable and software
this radio is in great shape and works wonderfully
asking $260 plus shipping from 33801
must sell ASAP
email direct if interested

1437. HELP!!!! with alliance HD73

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 18:26:29 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <ptEY8.38255$DS.982986@twister.tampabay.rr.com>
Source record: 41348
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.hf,alt.ham-radio.vhf-uhf,rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

HELP!!!
i got my HD73 installed on my tower and i forgot the wire sequince for the
rotor cable could someone help is it

123
456

or
123
654
if anyone knows this rotor please let me know which is correct
thanks

1438. Re: Power mod for TS-570

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 19:00:12 UTC
From: Wayne Faris <ke0bz@arrl.net>
Message-ID: <3D331BBC.B71711DD@arrl.net>
Source record: 41349

Gary McAdams wrote:

> {much snipped out}
>
> Gary, WG7X
>
> PS: Since I note that you also directed your inquiry
> to rec.radio.cb I've really got to question your
> reasons for this mod/tweak. Tweaking radios
> beyond their design limits is a big cb'er trick.
> Answer honestly now, are you a cb'er? Even
> if you are, the answer is still the same. The end
> result is no noticeable increase in "talk power"
> (cb term) and a notable DECREASE in
> equipment reliability.
>
> Your choice...

This guy may not know what you are talking about when you suggest he is a cb'r. He is located in Spain.

Wayne L. Faris, KEï¿½BZ

1439. Gummymint Endorsement?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 19:11:51 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D331E77.6906385E@crosslink.net>
Source record: 41350

Sent XYL to HRO to buy two FT-1500 Yaesu's. FWIW FBI & DEA got there
first and bought them out! VX-1Rs too! Over 40 radios! Dunno if that's
an endorsement but .... ???
73, K3DWW

1440. Re: HELP!!!! with alliance HD73

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 19:26:42 UTC
From: "R. Scott" <washingtonham@yahoo.com>
Message-ID: <3D3321F2.41E12D65@yahoo.com>
Source record: 41351
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.hf,alt.ham-radio.vhf-uhf,rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

Dennis Kaylor wrote:
>
> HELP!!!
> i got my HD73 installed on my tower and i forgot the wire sequince for the
> rotor cable could someone help is it
>
> 123
> 456
>
> or
> 123
> 654
> if anyone knows this rotor please let me know which is correct
> thanks

I have the same rotor, when I get home from work Ill look it up for you.

Rick KF7QZ

1441. Yaesu 817 Prices

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 20:33:01 UTC
From: wgm1@usa.net
Message-ID: <cf254aa6.0207151233.38d747b6@posting.google.com>
Source record: 41352

Has anyone seen any low dealer prices advertised on the Yaesu FT-817 lately?

1442. Re: Looking for TS-570 hidden menu.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 21:34:31 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <kz8zPV+rtLxZUEX4ZXXQEzWeovaz@4ax.com>
Source record: 41353

"Administrator" <administrator@telefonica.net> wrote:

>Hi all,
>
>My TS-570 is only putting out 60W on SSB. I want it to be appx. 100W. I know
>how to do that on a TS-50, 450 and 850, but for the 570 i seem to have to go
>in a service menu and change it there.
>
>Does anyone know how to do this? How to get in this menu and what settings
>to change?
>
>Thanks a mountain,
>
>Ton.
>
>

Are you measuring with a continuous power or peak envelope meter?

Bob
k5qwg

1443. Re: Yaesu 817 Prices

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-15 23:48:55 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d335be9_1@newsa.ev1.net>
Source record: 41354

$500 at Dayton.
I just sold my 1 year old 817 for that.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Macky" <wgm1@usa.net> wrote in message
news:cf254aa6.0207151233.38d747b6@posting.google.com...
> Has anyone seen any low dealer prices advertised on the Yaesu FT-817
lately?

1444. Re: Yaesu 817 Prices

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 00:00:55 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D336237.168A6CD9@cableone.net>
Source record: 41355
Body handling: Binary attachment payload not displayed: radioranch.vcf

Seen a gillion of em for sale second hand...give you any thoughts? Oh well
they are cheap...Murray

Macky wrote:

> Has anyone seen any low dealer prices advertised on the Yaesu FT-817 lately?

[One or more binary attachments are retained only in the source text.]

1445. Re: Gummymint Endorsement?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 00:29:40 UTC
From: Idontwantspam@net
Message-ID: <3d33649a.5986858@news.bellatlantic.net>
Source record: 41356

On Mon, 15 Jul 2002 15:11:51 -0400, Vito <vito@crosslink.net> wrote:

>Sent XYL to HRO to buy two FT-1500 Yaesu's. FWIW FBI & DEA got there
>first and bought them out! VX-1Rs too! Over 40 radios! Dunno if that's
>an endorsement but .... ???
>73, K3DWW

I can guarantee that the store manager was smiling.

If the bad guys are using ham radios, maybe the good guys want to
listen in on them.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

1446. VX-7R, D.C. current with 1 watt output power

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 00:44:22 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0207151644.5f61ef51@posting.google.com>
Source record: 41357

I measured the D.C. current at 6m,2m,222MHz, and 449MHz
with a output power of 1 watt.

I was curious if 222MHz at 1 watt output might draw something
much higher than the other bands at the same power levels.
The 1 watt was set using the Alignment Menu.

52.29 - 0.518 amps
145.58 - 0.624 amps
222.32 - 0.845 amps
444.5 - 0.824 amps

The VX-7R did get warm. I don't know if it had
anything to do with transmitting 1 watt at 222.32MHz
or not.

At 5 watts I measured the D.C. current
for 6m,2m and 445.5MHz

52.29 - 1.34 amps
145.58 - 1.42 amps
444.5 - 1.71 amps

Ken
N1KK

1447. Yaesu 4-cond 3.5mm (1/8") connector sources?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 01:18:16 UTC
From: Tom Hendricks <"tomh\\@comcas(no)(spam)t.net>">
Message-ID: <rvKY8.104173$iB1.5987205@bin4.nnrp.aus1.giganews.com>
Source record: 41358

Does anyone know where you can purchase the 4-cond phone plugs that Yaesu uses for their mic/ptt connectors? I would love to be able to find a cable connector and plug to make a male-female extension.

-Tom-

1448. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 01:53:55 UTC
From: JRS <n3ab@fast.net>
Message-ID: <omu6juoqq8k3qtbvua5m32sac9bqj84ofv@4ax.com>
Source record: 41359

Tell you what I do when someone pulls a stunt like this (and we occasionally get a jerk who does)....I send a crew out to check the one pole that the person claims is sparking ASAP. I almost have to since the caller is reporting a major and potentially life-threatening problem. But then after the crew finds nothing, I close out the call with no further investigation or follow-up response by myself or a fellow technician. So guess who loses?

>
>I've heard this works:
>
>Call them and tell them you THINK you saw sparks and fire on the pole,
>and there was smoke too. Ask if they think the sparks landing on the
>ground might set one of those fires like in Arizona and California.
>Tell them you sure hope when the grass is set on fire the fire doesn't
>get to your house, cause you sure don't want your house to burn up.
>And remind them you have small kids in the house, and oh, yeah your
>brother is a lawyer..... by this time you should be hearing sirens
>and the power truck should be out by the pole.
>
>On the other hand, if you play the beaurocracy game with them I've
>heard the front office can keep you dragging on for years.
>
>
>Rick K2XT

1449. Wm. M. Nye Phone Patch (Need docs)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 02:06:26 UTC
From: Edward Dowdy <e.l.IHatespamdowdy@worldnet.att.net>
Message-ID: <CcLY8.21274$Wt3.18944@rwcrnsc53>
Source record: 41360

I just received a Wm. M. Nye phone patch Model 250-0046-001/3. It's been modified slightly. I need a copy of the manual or schematics. If anyone can help. I'd be grateful.

73,
Ed KA9EES

Respond to eldowdy@ctscomp.com

1450. ICOM IC 551D VHF W/ MATCHING SUPPLY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 02:17:29 UTC
From: james thomason <jct@cswnet.com>
Message-ID: <agvvjq$b1v$1@feed.centurytel.net>
Source record: 41361

FA-IC 551D Hi Power 6 Meter Multimode Item # 1367069472

1451. Re: Yaesu 4-cond 3.5mm (1/8") connector sources?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 02:52:26 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D338ADC.FC6378E0@sc.rr.com>
Source record: 41362

Tom Hendricks wrote:
>
> Does anyone know where you can purchase
> the 4-cond phone plugs that Yaesu uses
> for their mic/ptt connectors? I would
> love to be able to find a cable connector
> and plug to make a male-female extension.

My local electronics store was able to find some, Tom. Have you tried electronics mail order places like Mouser (www.mouser.com) or Digi-Key (www.digikey.com)? Mouser had the plugs at one time (item #171-7435). They also had inline jacks (item #161-6435) and panel mount jacks (item #161-5435). It's been a while, so those item numbers may have changed.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

1452. Re: Calling All Electric Power Pole Experts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 03:10:07 UTC
From: DPH <rally2xs@compuserve.com>
Message-ID: <ng37ju8l46iu8obeqnk2vandgs6t4a9pj1@4ax.com>
Source record: 41363

>So guess who loses?

Well, if I recall the orginal complaint in the thread, it already
looks like he lost 11 years waiting for them to fix it after asking
nice... repeatedly...

DPH

On Tue, 16 Jul 2002 01:53:55 GMT, JRS <n3ab@fast.net> wrote:

>Tell you what I do when someone pulls a stunt like this (and we
>occasionally get a jerk who does)....I send a crew out to check the
>one pole that the person claims is sparking ASAP. I almost have to
>since the caller is reporting a major and potentially life-threatening
>problem. But then after the crew finds nothing, I close out the call
>with no further investigation or follow-up response by myself or a
>fellow technician. So guess who loses?
>
>
>
>
>>
>>I've heard this works:
>>
>>Call them and tell them you THINK you saw sparks and fire on the pole,
>>and there was smoke too. Ask if they think the sparks landing on the
>>ground might set one of those fires like in Arizona and California.
>>Tell them you sure hope when the grass is set on fire the fire doesn't
>>get to your house, cause you sure don't want your house to burn up.
>>And remind them you have small kids in the house, and oh, yeah your
>>brother is a lawyer..... by this time you should be hearing sirens
>>and the power truck should be out by the pole.
>>
>>On the other hand, if you play the beaurocracy game with them I've
>>heard the front office can keep you dragging on for years.
>>
>>
>>Rick K2XT

1453. FA National NC-270**Mint** Look**Museum quality

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 03:26:26 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <piMY8.37766$1q2.2109538@e3500-atl2.usenetserver.com>
Source record: 41364
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1366803701

1454. Help With Icom PS-55

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 03:37:58 UTC
From: "M.M." <markem@cervnet.com>
Message-ID: <Xns924CD1EFA1646nobodynowhere@68.6.19.6>
Source record: 41365

My PS-55 (powering an IC-735) works fine except it gets pretty hot when I run psk31 or rtty, even at relatively low power levels (25W + or -). The blower never comes on. Is it controlled by the temp of the heat sink? How hot does it have to get before it comes on? Anyone have a schematic for it?

Thanks & 73... Mark AA7TA

1455. Dual band HT and Mobile HELP PLEASE!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 08:49:01 UTC
From: JEEPMON <JEEPMON@HOTMAIL.COM>
Message-ID: <06RY8.537339$352.91904@sccrnsc02>
Source record: 41366
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

Can anyone tell me witch dual band HT's and mobile radios can both receive and transmit at the same time??

I have only found the Kenwood TH 79a and HT that while you are transmitting on 2 meters you can receive on 440.

Again are there any other HT's and Mobile dual band Ham radios that can simultaneously receive and transmit at the same time?

1456. Re: Dual band HT and Mobile HELP PLEASE!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 10:42:59 UTC
From: Scott <acepilot@bloomer.net>
Message-ID: <3D33F8B3.2D6AC987@bloomer.net>
Source record: 41367
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

The Kenwood TM-742A mobile (tri-bander) can receive on the other bands
while transmitting on one band.

Scott
N0EDV

JEEPMON wrote:
>
> Can anyone tell me witch dual band HT's and mobile radios can both receive
> and transmit at the same time??
>
> I have only found the Kenwood TH 79a and HT that while you are transmitting
> on 2 meters you can receive on 440.
>
> Again are there any other HT's and Mobile dual band Ham radios that can
> simultaneously receive and transmit at the same time?

--

Scott
http://corbenflyer.tripod.com
http://groups.yahoo.com/group/ParasolAirplanes
Building RV-4
Gotta Fly or Gonna Die!

1457. Re: Dual band HT and Mobile HELP PLEASE!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 10:48:00 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uj7ugniqenfaa2@corp.supernews.com>
Source record: 41368
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

Any "true" dual bander will do this. The Icom 207 or Yaesu FT-90 won't. They aren't true dual banders.

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message news:06RY8.537339$352.91904@sccrnsc02...
> Can anyone tell me witch dual band HT's and mobile radios can both receive
> and transmit at the same time??
>
> I have only found the Kenwood TH 79a and HT that while you are transmitting
> on 2 meters you can receive on 440.
>
> Again are there any other HT's and Mobile dual band Ham radios that can
> simultaneously receive and transmit at the same time?
>
>
>

1458. Yaesu FTV901

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 11:26:14 UTC
From: Jochen Cichon <jc@vizzavi-net.de>
Message-ID: <3D3402D6.33FC06BC@vizzavi-net.de>
Source record: 41369

Hi,

At first a problem.

I've connected the FT902DM with the FTV901 and everything is working
(phew...)
but after a while, the signal becomes weaker and weaker...
i turned of the heater and switched it on again... The signal is as
strong as at the beginning.

Why is the signal fading after a while (5-10 minutes)?
Any idea what kind of error that can be?

The second.
The 2m Module of the FTV901 has some XTAL's on board.
In my module there aren't all of them (just one/two). Has anyone a list
of XTAL (freq...) which are in there, and maybe has someone that
XTAL's???

Thanks. Jochen

PS: Please mail to j.cichon@gmx.de (I look there more regular) THANKS!

1459. W: Yaesu FV901DM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 11:27:44 UTC
From: Jochen Cichon <jc@vizzavi-net.de>
Message-ID: <3D340330.9D32220A@vizzavi-net.de>
Source record: 41370

I'm looking for that device...

Jochen (dh1jc)

PS: reply to j.cichon@gmx.de (thanks)

1460. FS: Yaesu FT-51R & FT-50R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 12:06:43 UTC
From: Bob <rcherry@count.com>
Message-ID: <ah128k$3lj$1@bob.news.rcn.net>
Source record: 41371
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have two Yaesu HT's for sale, both are in excellent condition and come with original boxes and instruction manuals.

One is a Yaesu FT-51R Dual Band HT, 2 and 440. Has PL encode and decode, has been modified for Mars/Caps and includes a second battery and speaker mike.

$225.00 includes shipping.

The other is a Yaesu FT-50R Dual Band HT 2 and 440. Has PL encode, modified for Mars/Caps and includes a dry cell battery pack.

$210.00 includes shipping.

Bob

Wb2f@arrl.net

1461. Re: IC-746 and Ameritron AL-80B amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 13:42:19 UTC
From: Janice and Ed <eseniors@earthlink.net>
Message-ID: <%oVY8.24541$A43.2463798@newsread2.prod.itd.earthlink.net>
Source record: 41372

Hi Larry -

I don't have an Icom 746, but I do drive my AL-80B with a
Yaesu FT-1000D, which I believe is of similar vintage.

I drive the amp directly, and do not use ALC feedback.
Everything works fine. I set the power output of the 1000D
so that it does not overdrive the amp; this is usually about 75W.

The amp has internal ALC that acts to protect itself, but
not necessarily to avoid clipping. Connecting the external
loop should allow a "softer" level control, if needed.

With an external loop, it might even be possible to set my
rig for 200W output, and let the ALC pull the drive down
to the correct value for the amp. This would avoid the
minor inconvenience of resetting the output level each
time I switch between barefoot operation and the amp.
But I have not confirmed that it would work this way.
Just setting the output to the correct level, and running
open loop, definitely does work.

Most important advice: Don't even think about running
this amp on 110V, no matter what the claims are.

"Larry Bratcher" <lbratche@swbell.net> wrote in message
news:6HLX8.5019$SO2.1838007445@newssvr12.news.prodigy.com...
> I just bought an AL-80B amp to use on my Icom 746. Can I hook the amp
> directly or should I get a Ameritron relay to go between the Amp and
Radio?
> If I hook directly, do I need the alc hooked up? I appreciate any advise
> from anyone running a similar setup.
>
> Thanks
>
> Larry
>
>
>

1462. Re: FS - Icom IC27-H 2 meter Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 14:27:03 UTC
From: n5kzw@arrl.net
Message-ID: <3d342ced.44993622@news.ev1.net>
Source record: 41373
Cross-posted to: rec.radio.swap,rec.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.swap

On Mon, 08 Jul 2002 22:08:01 GMT, 1ARTB <rbouder@dejazzd.com> wrote:

>Icom IC 27-H 2 meter 144 - 148 Mhz transceiver.
>H - high power 45 watts
>mobile bracket - 16 button DTMF microphone plus UP + DOWN
>frequency agile - speech synthesizer - UT-16 voice unit
>Has memories and FOR A / VFO B
>Scans memories - busy - open - band scan etc..all the regular stuff
>PL Encode Tones 67.0 to 256.3 + other "test" tones
>User Manual
>
>$110 shipped to your door (USA) & insured
>
>Pictures upon request.... (I will take some)!!
>
>
>

Does the DTMF generator in the microphone still work? I love the
IC-27 series, but the DTMF generator has gone out on all of my mics.

Ed - N5KZW

1463. 4-1000 HF amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 15:03:04 UTC
From: Tom - radioguy <radioguy@charter.net>
Message-ID: <uj8des9en0aaef@corp.supernews.com>
Source record: 41374
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Very well built home brew SINGLE 4-1000 HF Amp. Built by N6ZU 18 months ago. Very good condtion Legal Limit + amplifier. 80,40,20,15,10 meters. Tuned input. Includes a 5000 Volt power supply (4600 volts under full load. (Very compact power supply). 100 watts drive gives 1500 watts plus on most bands. PREFER PICK-UP on this item, but shipping may be possible. Reno, NV area. Amp deck is about 40-45 lbs Power Supply is about 65 lbs
$1495.00 or best offer. Or possible part trade for a basic HF radio

Photos can be sent via e-mail if needed.

Tom - 775 - 673 - 2410

1464. Re: Dual band HT and Mobile HELP PLEASE!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 15:25:52 UTC
From: Harris <aharris@bookworm.suffolk.lib.ny.us>
Message-ID: <4WWY8.14170$T_.294908@iad-read.news.verio.net>
Source record: 41375
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

In rec.radio.shortwave JEEPMON <JEEPMON@HOTMAIL.COM> wrote:
> Can anyone tell me witch dual band HT's and mobile radios can both receive
> and transmit at the same time??

The feature is called "cross-band repeat." It should be clearly stated on the radio's description. These radios can simultaneosly receive two VHF signals, or two UHF signals, or one VHF and one UHF signal. And they can transmit on one band (VHF or UHF) while receiving on the other. Or they can act as a cross-band repeater. My Alinco DJ-G5TH does all this as do many (but not all) dual band radios.

It sounds great, but in reality it's not all it's cracked up to be. Do you really want to be monitoring one frequency when you're transmitting on another while you're motoring down the highway?

Art Harris N2AH

1465. FA:Icom IC-756 Service Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 15:37:53 UTC
From: Darrin <nospam@nj.rr.com>
Message-ID: <r9f8ju0pi14h7acih9onru1ad0iv266sjn@4ax.com>
Source record: 41376
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Very good condition.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1367099919

1466. Re: Dual band HT and Mobile HELP PLEASE!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 15:44:41 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <ah1f10$gq7$1@dagobah.blueriver.net>
Source record: 41377
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

"Harris" <aharris@bookworm.suffolk.lib.ny.us> wrote in message
news:4WWY8.14170$T_.294908@iad-read.news.verio.net...
> In rec.radio.shortwave JEEPMON <JEEPMON@HOTMAIL.COM> wrote:
> > Can anyone tell me witch dual band HT's and mobile radios can both
receive
> > and transmit at the same time??
>
> The feature is called "cross-band repeat." It should be clearly stated on
> the radio's description. These radios can simultaneosly receive two VHF
> signals, or two UHF signals, or one VHF and one UHF signal. And they can
> transmit on one band (VHF or UHF) while receiving on the other. Or they
> can act as a cross-band repeater. My Alinco DJ-G5TH does all this as do
> many (but not all) dual band radios.
>
> It sounds great, but in reality it's not all it's cracked up to be. Do you
> really want to be monitoring one frequency when you're transmitting on
> another while you're motoring down the highway?
>
> Art Harris N2AH
>
>

Art
Agree 110% Nothing more irritating than talking on one band and
the other band take off 'talking' it's a real PAIN. I always kept the
radio function set to mute the subband when the primary band
was in TX. Makes any radio a LOT more friendly :^)

1467. Re: Dual band HT and Mobile HELP PLEASE!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 17:59:43 UTC
From: CAM <w5dxp@hotmail.com>
Message-ID: <3D345F0F.E3EC0A0@hotmail.com>
Source record: 41378
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

KB9TMP wrote:
>
> "Harris" <aharris@bookworm.suffolk.lib.ny.us> wrote:
> > It sounds great, but in reality it's not all it's cracked up to be. Do you
> > really want to be monitoring one frequency when you're transmitting on
> > another while you're motoring down the highway?
> >
> Agree 110% Nothing more irritating than talking on one band and
> the other band take off 'talking' it's a real PAIN. I always kept the
> radio function set to mute the subband when the primary band
> was in TX. Makes any radio a LOT more friendly :^)

OTOH, the remote cross-band repeater function is pretty handy when
hiking with a large group over hills and through dales.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

1468. Re: Yaesu 4-cond 3.5mm (1/8") connector sources?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 18:18:24 UTC
From: dplatt@radagast.org
Message-ID: <uj8orggn33cu75@corp.supernews.com>
Source record: 41379

> My local electronics store was able to find some, Tom. Have you tried
>electronics mail order places like Mouser (www.mouser.com) or Digi-Key
>(www.digikey.com)? Mouser had the plugs at one time (item #171-7435).

I don't think Digi-Key carries these. Mouser did, as of a couple of
months ago - I bought a ten-pack and shared 'em with a friend who has
a VX-5.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

1469. Signal One

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 19:03:23 UTC
From: Michael Taylor <mtaylor@acsalaska.net>
Message-ID: <uj8rg0k6nfgn91@corp.supernews.com>
Source record: 41380

I am looking for a current address for Signal One. They have a transceiver of mine and are not responding to phone calls. I have been intouch with the Arizona Attorney's office but they are unable to locate them. Any help would be appreciated.
Mike Taylor
AL1N

1470. FS: Bilal ISOTRON antennas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 20:24:45 UTC
From: jonweiner@aol.com
Message-ID: <20020716162445.01865.00000254@mb-mu.aol.com>
Source record: 41381

I have for sale two Bilal Isotron antennas. Model 80 (80 meters) $70., and model 40 (40 & 30 meters) $60. Prefer pick up at Greenville, SC or add $8. each for shipping. Antennas have been assembled and used indoors only. Complete with original instruction manuals.

Jon

1471. Soundcard Software Etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 20:42:36 UTC
From: Dave <ddsk@blueyonder.co.uk>
Message-ID: <iz%Y8.3209$WK6.894@news-binary.blueyonder.co.uk>
Source record: 41382

Hi all.

I carry a wide range of soundcard software for use with PSK etc on my web pages for Windoze, Linux, and some Mac.

Take a lookee see.

http://www.g3vfp.com

Cheers,

Dave

1472. Re: Dual band HT and Mobile HELP PLEASE!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 21:15:34 UTC
From: Dev <hmm@ohmy.com>
Message-ID: <W10Z8.847$Vl5.6996@news0.telusplanet.net>
Source record: 41383
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

my old ft-8000 mobile worked for that too. or was it the 8100. I forget.

CAM <w5dxp@hotmail.com> wrote in message
news:3D345F0F.E3EC0A0@hotmail.com...
> KB9TMP wrote:
> >
> > "Harris" <aharris@bookworm.suffolk.lib.ny.us> wrote:
> > > It sounds great, but in reality it's not all it's cracked up to be. Do
you
> > > really want to be monitoring one frequency when you're transmitting on
> > > another while you're motoring down the highway?
> > >
> > Agree 110% Nothing more irritating than talking on one band and
> > the other band take off 'talking' it's a real PAIN. I always kept the
> > radio function set to mute the subband when the primary band
> > was in TX. Makes any radio a LOT more friendly :^)
>
> OTOH, the remote cross-band repeater function is pretty handy when
> hiking with a large group over hills and through dales.
> --
> cheers, CAM http://www.qsl.net/w5dxp
>
>
> -----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
> http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
> ------== Over 80,000 Newsgroups - 16 Different Servers! =-----

1473. Re: Dual band HT and Mobile HELP PLEASE!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 22:28:55 UTC
From: "Gary \"Joe\" Mayfield" <gary_mayfield@hotmail.com>
Message-ID: <uj97hgeu5oej2e@corp.supernews.com>
Source record: 41384
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

Several older radios do. Yaesu FT-4700, FT-470, FT-530, FT-5200, FT-5100, Icom IC-2340 and others. They do not do U - U or V- V , but will listen on one band while transmitting on the other. This is IDEAL (almost mandatory) for satellite use like UO-14, SO-41, and AO-27.

73,
Joe
"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:06RY8.537339$352.91904@sccrnsc02...
> Can anyone tell me witch dual band HT's and mobile radios can both receive
> and transmit at the same time??
>
> I have only found the Kenwood TH 79a and HT that while you are
transmitting
> on 2 meters you can receive on 440.
>
> Again are there any other HT's and Mobile dual band Ham radios that can
> simultaneously receive and transmit at the same time?
>
>
>

1474. Re: Signal One

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 23:31:48 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d34abf8_2@newsa.ev1.net>
Source record: 41385

Bad luck guy, Signal One went out of buisness nearly six months ago.
Get a lawyer, and sue in bankruptcy court.
But if your radio was disassembled at the time they closed, you might never see the rig or any money to compensate for it.
Your not the only one that this has happend to.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Michael Taylor" <mtaylor@acsalaska.net> wrote in message news:uj8rg0k6nfgn91@corp.supernews.com...
> I am looking for a current address for Signal One. They have a transceiver
> of mine and are not responding to phone calls. I have been intouch with the
> Arizona Attorney's office but they are unable to locate them. Any help would
> be appreciated.
> Mike Taylor
> AL1N
>
>

1475. Need mod instructions for HTX-212

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-16 23:41:30 UTC
From: Sean Ingram <singram@direcway.com>
Message-ID: <ab2Z8.7438$u7.550537@news.direcpc.com>
Source record: 41386

I am looking for a mod to transmit on 150 MHz on an HTX 212 Xcvr

1476. FS Sunair HF system

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 00:23:20 UTC
From: redmondj <redmondj@concentric.net>
Message-ID: <3D34BA46.5040906@concentric.net>
Source record: 41387
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For sale: A complete Sunair HF radio system consisting of the GSB900 transceiver, GSL1900 1KW autotune PA with PS1900 power supply and the 1KW automatic antenna tuner. Also included are the phone patch and microphone. The tansceiver, PA and power supply are mounted in a rack cabinet. This equipment is located in the Seattle area and the PA and PA power supply are heavy.

Price is $2500 plus shipping if required. Proof of amateur license also required.

Alan

1477. Q re. Debco DF-1005 Direction Finder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 00:41:36 UTC
From: "Ian W. Douglas" <idouglas@calcna.ab.ca>
Message-ID: <Pine.A41.4.05.10207161834060.34822-100000@srv1.calcna.ab.ca>
Source record: 41388
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,alt.radio.scanner

I have some questions about this item. Have other users of this newsgroup assembled and used this instrument? The Debco web site said that the DF-1005 Carrier Phase Radio Direction Finder operates in the HF to 1 GHZ range. What specific frequencies are covered, and are there any gaps (e.g. cell phone bands)? What are the step sizes or increments in each band covered? Can I use this instrument to home in on 43-49 MHz cordless phones? Some sample frequencies are 46.610, 43.970, and 44.460 MHz. Does this device connect to a scanner, or does it incorporate its own radio receiver? Do you dial in a specific frequency and then the DF-1005 tells you where to travel to get to the transmitter on that frequency (if any)? Can you find CB transmitters using this device? Assuming that your target receiver is transmitting audio, do you hear the audio being transmitted at the same time that you DF (fox hunt) the transmitter?

Note: I live in an area where it is legal to monitor cordless and cell phones, as long as other conditions are met.

Regards,

Ian Douglas

1478. Re: **Mint** **Museum quality etc.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 01:44:35 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3D34CC03.BA298228@sympatico.ca>
Source record: 41390
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Just to satisfy my curiosity: I note frequent use of the terms
"MINT"
"MUSEUM QUALITY"
and
"COLLECTOR QUALITY"
when people are trying to sell used equipment.

I always understood that "MINT" implied factory new condition and
unused.

As far as MUSEUM QUALITY I have seen much radio equipment in museums and
seldom does it appear unused and brand new, often it shows signs of
considerable use.

COLLECTOR QUALITY leaves me at a loss, I suppose it depends on the
collector - does it mean looks good, works good, has all original
components, comes with original packing and documentation, or?

Just curious since I have seen some "MINT" items complete with rust,
scratches, modifications, dents etc.

Dave VE3HLU

1479. FA: AOR AR8000 with Extras

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 01:49:56 UTC
From: Rick Kempe <r.kempe@worldnet.att.net>
Message-ID: <834Z8.33674$lu6.1906169@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41389

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1367259060

Thanks for looking!

1480. New ICOM Intelligence reports posted!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 02:01:23 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d34cf09_1@newsa.ev1.net>
Source record: 41392

www.qsl.net/kk5dr/rumors.html

New ICOM radios on the way!

--
Respond to my "real" e-mail;
kk5dr@ev1.net

1481. WTB ORIGINAL IC-761 OWNERS/OPERATING MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 03:33:50 UTC
From: k6stu@aol.com
Message-ID: <20020716233350.01994.00000090@mb-mr.aol.com>
Source record: 41393

DOES ANYONE HAVE FOR SALE A IC-761 ORIGINAL OWNERS/.OPERATING/ MANUAL FOR SALE?
THANKS MIKE

1482. looking for IC-T7H info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 03:36:06 UTC
From: N5BPF <dmccoy@lightwire.com>
Message-ID: <uj9pigiu2re49a@corp.supernews.com>
Source record: 41394
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Does anyone know or know where to find the protocol used by the IC T7H to communicate with it's remote control mike.

I was looking for a microcontroller project for my classes and thought building a remote control for this might be fun.

I asked ICOM and the denied any knowlege, Interesting comment.

Dwayne McCoy

N5BPF

1483. Re: Dual band HT and Mobile HELP PLEASE!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 04:04:59 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D34ECEB.7801BDB@optonline.net>
Source record: 41303
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

Alinco DJ-580T, Kenwood FT-530, FT-51, TM-721, TM-732, TM-733, Yaesu FT-8000,
FT-8100....
Many can

JEEPMON wrote:

> Can anyone tell me witch dual band HT's and mobile radios can both receive
> and transmit at the same time??
>
> I have only found the Kenwood TH 79a and HT that while you are transmitting
> on 2 meters you can receive on 440.
>
> Again are there any other HT's and Mobile dual band Ham radios that can
> simultaneously receive and transmit at the same time?

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

1484. Re: Q re. Debco DF-1005 Direction Finder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 04:07:41 UTC
From: yeti@REMOVEcet.com
Message-ID: <3d34ec9f.2811775@news.cet.com>
Source record: 41395
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,alt.radio.scanner

In <Pine.A41.4.05.10207161834060.34822-100000@srv1.calcna.ab.ca>, "Ian W. Douglas" <idouglas@calcna.ab.ca> wrote:

>
>I have some questions about this item. Have other users of this
>newsgroup assembled and used this instrument? The Debco web site said
>that the DF-1005 Carrier Phase Radio Direction Finder operates in the HF
>to 1 GHZ range. What specific frequencies are covered, and are there any
>gaps (e.g. cell phone bands)? What are the step sizes or increments in
>each band covered? Can I use this instrument to home in on 43-49 MHz
>cordless phones? Some sample frequencies are 46.610, 43.970,
>and 44.460 MHz. Does this device connect to a scanner, or does it
>incorporate its own radio receiver? Do you dial in a specific frequency
>and then the DF-1005 tells you where to travel to get to the transmitter
>on that frequency (if any)? Can you find CB transmitters using this
>device? Assuming that your target receiver is transmitting audio, do you
>hear the audio being transmitted at the same time that you DF (fox
>hunt) the transmitter?
>
>Note: I live in an area where it is legal to monitor cordless and cell
>phones, as long as other conditions are met.

DFing cordless phones? Why not DF baby monitors, too? Man, forget about those "other conditions", you are begging for some serious stalking charges here, bud.

1485. Re: WTB ORIGINAL IC-761 OWNERS/OPERATING MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 04:33:54 UTC
From: CJ <difficult@times.com>
Message-ID: <uj9stjll872k95@corp.supernews.com>
Source record: 41397

Hello Mike,
Found these "copies" for sale at...
1. http://www.sarrio.com/sarrio/rsman2.html 2/3 of the way down the
page

Icom IC-761 Receiver $29
Icom (Service) IC-761 Receiver $52

-also many links to nearly all Ham Radio (new & vintage) op and some
service manuals at..
2. http://www.ab7sl.com/index.html?row1col2=links.html

--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
www.ab7sl.com

"K6STU" <k6stu@aol.com> wrote in message
news:20020716233350.01994.00000090@mb-mr.aol.com...
> DOES ANYONE HAVE FOR SALE A IC-761 ORIGINAL OWNERS/.OPERATING/ MANUAL
FOR SALE?
> THANKS MIKE

1486. Re: WTB ORIGINAL IC-761 OWNERS/OPERATING MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 04:34:07 UTC
From: CJ <difficult@times.com>
Message-ID: <uj9su2d2e2kq9d@corp.supernews.com>
Source record: 41396

Hello Mike,
Found these "copies" for sale at...
1. http://www.sarrio.com/sarrio/rsman2.html 2/3 of the way down the
page

Icom IC-761 Receiver $29
Icom (Service) IC-761 Receiver $52

-also many links to nearly all Ham Radio (new & vintage) op and some
service manuals at..
2. http://www.ab7sl.com/index.html?row1col2=links.html

--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
www.ab7sl.com

"K6STU" <k6stu@aol.com> wrote in message
news:20020716233350.01994.00000090@mb-mr.aol.com...
> DOES ANYONE HAVE FOR SALE A IC-761 ORIGINAL OWNERS/.OPERATING/ MANUAL
FOR SALE?
> THANKS MIKE

1487. Re: WTB ORIGINAL IC-761 OWNERS/OPERATING MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 04:36:09 UTC
From: CJ <difficult@times.com>
Message-ID: <uj9t1qb36b2rdc@corp.supernews.com>
Source record: 41298

Hello Mike,
Found these "copies" for sale at...
1. http://www.sarrio.com/sarrio/rsman2.html 2/3 of the way down the
page

Icom IC-761 Receiver $29
Icom (Service) IC-761 Receiver $52

-also many links to nearly all Ham Radio (new & vintage) op and some
service manuals at..
2. http://www.ab7sl.com/index.html?row1col2=links.html

--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
www.ab7sl.com

"K6STU" <k6stu@aol.com> wrote in message
news:20020716233350.01994.00000090@mb-mr.aol.com...
> DOES ANYONE HAVE FOR SALE A IC-761 ORIGINAL OWNERS/.OPERATING/ MANUAL
FOR SALE?
> THANKS MIKE

1488. Re: WTB ORIGINAL IC-761 OWNERS/OPERATING MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 04:36:26 UTC
From: CJ <difficult@times.com>
Message-ID: <uj9t2c1b6bgoe3@corp.supernews.com>
Source record: 41299

Hello Mike,
Found these "copies" for sale at...
1. http://www.sarrio.com/sarrio/rsman2.html 2/3 of the way down the
page

Icom IC-761 Receiver $29
Icom (Service) IC-761 Receiver $52

-also many links to nearly all Ham Radio (new & vintage) op and some
service manuals at..
2. http://www.ab7sl.com/index.html?row1col2=links.html

--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
www.ab7sl.com

"K6STU" <k6stu@aol.com> wrote in message
news:20020716233350.01994.00000090@mb-mr.aol.com...
> DOES ANYONE HAVE FOR SALE A IC-761 ORIGINAL OWNERS/.OPERATING/ MANUAL
FOR SALE?
> THANKS MIKE

1489. Re: WTB ORIGINAL IC-761 OWNERS/OPERATING MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 04:39:04 UTC
From: CJ <difficult@times.com>
Message-ID: <uj9t7a4abjll43@corp.supernews.com>
Source record: 41300

WHOOPS!!!!

Outlook Express does it again!!!!!

--

-CJ

"CJ" <difficult@times.com> wrote in message
news:uj9t2c1b6bgoe3@corp.supernews.com...
> Hello Mike,
> Found these "copies" for sale at...
> 1. http://www.sarrio.com/sarrio/rsman2.html 2/3 of the way down the
> page
>
> Icom IC-761 Receiver $29
> Icom (Service) IC-761 Receiver $52
>
> -also many links to nearly all Ham Radio (new & vintage) op and some
> service manuals at..
> 2. http://www.ab7sl.com/index.html?row1col2=links.html
>
> --
> 73 / DX de AB7SL - Charles
> AB7SL - Ham Radio Pages
> www.ab7sl.com
>
>
>
> "K6STU" <k6stu@aol.com> wrote in message
> news:20020716233350.01994.00000090@mb-mr.aol.com...
> > DOES ANYONE HAVE FOR SALE A IC-761 ORIGINAL OWNERS/.OPERATING/
MANUAL
> FOR SALE?
> > THANKS MIKE
>
>

1490. Items for Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 04:39:41 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <Fn6Z8.84973$JU3.35230422@e3500-atl1.usenetserver.com>
Source record: 41301

I have a couple of items that I would like to sell.

1) Alinco DJF1T 2 meter HT receives 108-136 AM, 144-148 transceive FM, and receives 144-165 MHZ. 2.5 watt battery. Includes desk charger and RS handmike. $70 neg. Includes shipping.

2) Azden PCS6000 2 meter mobile. I bought this radio new, sold it last year
to a young man who was going to get his license (was also in CAP). The radio
works well, looks fair. ON/OFF switch seems to need cleaning because you have to "jiggle" it to get it to come on. $60 neg. Includes shipping

4) Heathkit HP23 base power supply for Heath and other transceivers. Includes
power cord for HW12, etc. $50 including shipping.

5) Heathkit HP13 mobile power supply w/ cable as above and power cord. $50 including shipping.

6) Heathkit HW18--derivative of the HW12 single banders. Formerly used in CAP and other gov't/commercial HF uses. Replaced in CAP due to NTIA requirements. Still can be used for MARS, but would need to have VFO for ham use. Uses power supplies above. Works. Cheap MARS radio for $30 neg.

Surely somebody needs this stuff for something. I need to clean out my shack so
I can accumulate MORE stuff! LOL!

73

Jerry
K4KWH

1491. Help! Need info on Pryme HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 04:50:33 UTC
From: Toscano <toscano2@ix.netcom.com>
Message-ID: <ah2is0$5l1$1@slb3.atl.mindspring.net>
Source record: 41391

I just purchased a Pryme PR-45 HT that I was told is user programmable. It is a 99-channel memory HT that I believe is not from the current model year.

Without a manual, I have not figured out how to program it. I discovered how to change the PL tones for the few frequencies that are in it from the previous user, but I would like to change them to my own frequencies.

Any and all help appreciated, thanks!

KB1ILS

1492. Where Can I Find Power Connector For Kenwood Mobile???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 05:13:52 UTC
From: xtx99@aol.com
Message-ID: <20020717011352.26138.00000134@mb-mj.aol.com>
Source record: 41302

Any help on where I can find this connector is appreciated (it's the power cord that connects to the other half of the power cord that is attached to the Kenwood dual band TM-G707A mobile 2 m/ 70 cm radio). I would prefer to just purchase quick disconnect female terminals, crimp them onto 10 gauge wire and insert them into this connector (instead of splicing them onto a power cord with the wire and quick disconnect female terminals already attached). I have placed 2 pictures of the connector on my webpage (http://members.aol.com/xtx99/index.html)and would appreciate and suggestions. Radio Shack didn't have it. I'm saving the original power cord for base operation and temporarily carefully inserting disconnects into the connector for mobile operation (thank God for fuses!!) Thanks

1493. Re: Where Can I Find Power Connector For Kenwood Mobile???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 08:27:11 UTC
From: W6DKN <w6dkn@qsl.net>
Message-ID: <zT9Z8.14543$2v1.12788@nwrddc01.gnilink.net>
Source record: 41304

Just cut the factory connector off and replace it with an Anderson Power Pole connector. Do this on all your gear and you'll never worry about having the correct power cable again...

73 de W6DKN

"Xtx99" <xtx99@aol.com> wrote in message news:20020717011352.26138.00000134@mb-mj.aol.com...
> Any help on where I can find this connector is appreciated (it's the power cord
> that connects to the other half of the power cord that is attached to the
> Kenwood dual band TM-G707A mobile 2 m/ 70 cm radio). I would prefer to just
> purchase quick disconnect female terminals, crimp them onto 10 gauge wire and
> insert them into this connector (instead of splicing them onto a power cord
> with the wire and quick disconnect female terminals already attached). I have
> placed 2 pictures of the connector on my webpage (
> http://members.aol.com/xtx99/index.html)and would appreciate and suggestions.
> Radio Shack didn't have it. I'm saving the original power cord for base
> operation and temporarily carefully inserting disconnects into the connector
> for mobile operation (thank God for fuses!!) Thanks

1494. f.s. ft-100----d with access

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 09:52:22 UTC
From: graham <grahamva3gjb@sympatico.ca>
Message-ID: <c7bZ8.7160$o7.1043302@news20.bellglobal.com>
Source record: 41305

ft-100 -d ,atas-100 ysk100 , mmb62 mint condition

1500.00 cdn split shipping

905-836-0052 after 4:00pm or e-mail

graham va3gjb

1495. Re: Q re. Debco DF-1005 Direction Finder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 09:59:11 UTC
From: dr_sinister5000@yahoo.com
Message-ID: <57ce2c1e.0207170159.a465096@posting.google.com>
Source record: 41306
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,alt.radio.scanner

yeti@REMOVEcet.com (yeti@REMOVEcet.com) wrote in message
news:<3d34ec9f.2811775@news.cet.com>...
> In <Pine.A41.4.05.10207161834060.34822-100000@srv1.calcna.ab.ca>, "Ian
> W. Douglas" <idouglas@calcna.ab.ca> wrote:
>
> >
> >I have some questions about this item. Have other users of this
> >newsgroup assembled and used this instrument? The Debco web site said
> >that the DF-1005 Carrier Phase Radio Direction Finder operates in the HF
> >to 1 GHZ range. What specific frequencies are covered, and are there any
> >gaps (e.g. cell phone bands)? What are the step sizes or increments in
> >each band covered? Can I use this instrument to home in on 43-49 MHz
> >cordless phones? Some sample frequencies are 46.610, 43.970,
> >and 44.460 MHz. Does this device connect to a scanner, or does it
> >incorporate its own radio receiver? Do you dial in a specific frequency
> >and then the DF-1005 tells you where to travel to get to the transmitter
> >on that frequency (if any)? Can you find CB transmitters using this
> >device? Assuming that your target receiver is transmitting audio, do you
> >hear the audio being transmitted at the same time that you DF (fox
> >hunt) the transmitter?
> >
> >Note: I live in an area where it is legal to monitor cordless and cell
> >phones, as long as other conditions are met.
>
> DFing cordless phones? Why not DF baby monitors, too? Man, forget
> about those "other conditions", you are begging for some serious
> stalking charges here, bud.

Hehe,yeah Sparkles,you and your magic riflescope ought to know a lot
about stalking eh?

1496. Re: Help! Need info on Pryme HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 10:22:26 UTC
From: ne0x@starband.net
Message-ID: <YzbZ8.1324$AY3.686659728@twister1.starband.net>
Source record: 41307

goto the pryme website and download the manual.
"Toscano" <toscano2@ix.netcom.com> wrote in message
news:ah2is0$5l1$1@slb3.atl.mindspring.net...
> I just purchased a Pryme PR-45 HT that I was told is user programmable. It
> is a 99-channel memory HT that I believe is not from the current model
year.
>
> Without a manual, I have not figured out how to program it. I discovered
how
> to change the PL tones for the few frequencies that are in it from the
> previous user, but I would like to change them to my own frequencies.
>
> Any and all help appreciated, thanks!
>
> KB1ILS
>
>

1497. Re: Q re. Debco DF-1005 Direction Finder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 10:34:50 UTC
From: yeti@REMOVEcet.com
Message-ID: <3d3547e5.7440250@news.cet.com>
Source record: 41308
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,alt.radio.scanner

In <57ce2c1e.0207170159.a465096@posting.google.com>,
dr_sinister5000@yahoo.com (dr_sinister), a.k.a.
user-1120jjv.dsl.mindspring.com wrote:

<snip>
>Hehe,yeah Sparkles,you and your magic riflescope ought to know a lot
>about stalking eh?

>> plonk <<

1498. Re: looking for IC-T7H info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 10:58:28 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <6ajaju8n2g6e5h7k2euoips73giqcti8gr@4ax.com>
Source record: 41309

On Tue, 16 Jul 2002 22:36:06 -0500, "N5BPF" <dmccoy@lightwire.com>
wrote:

>Does anyone know or know where to find the protocol used by the IC T7H to
>communicate with it's remote control mike.
>
>I was looking for a microcontroller project for my classes and thought
>building a remote control for this might be fun.
>
>I asked ICOM and the denied any knowlege, Interesting comment.
>
>Dwayne McCoy
>
>N5BPF
>
>
Its nothing that fancy. The HM-75 uses 4 resistors. Pressing each
button places a different value resistor onto the control connection
and the radio does what the button is labeled.

Gary K8IZ

1499. Re: Where Can I Find Power Connector For Kenwood Mobile???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 11:01:05 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <ggjajusesu1bq3pfkck0o9rl3ph6u2eat7@4ax.com>
Source record: 41310

On 17 Jul 2002 05:13:52 GMT, xtx99@aol.com (Xtx99) wrote:

>Any help on where I can find this connector is appreciated (it's the power cord
>that connects to the other half of the power cord that is attached to the
>Kenwood dual band TM-G707A mobile 2 m/ 70 cm radio). I would prefer to just
>purchase quick disconnect female terminals, crimp them onto 10 gauge wire and
>insert them into this connector (instead of splicing them onto a power cord
>with the wire and quick disconnect female terminals already attached). I have
>placed 2 pictures of the connector on my webpage (
>http://members.aol.com/xtx99/index.html)and would appreciate and suggestions.
> Radio Shack didn't have it. I'm saving the original power cord for base
>operation and temporarily carefully inserting disconnects into the connector
>for mobile operation (thank God for fuses!!) Thanks

Those are actually an original Honda and Accura Motors part. The car
dealers should have then. Also some amateur radio suppliers have them
now.

Gary K8IZ

1500. FS/FT: Drake R4B Reciever.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 13:49:28 UTC
From: nothing40@yahoo.com
Message-ID: <e8d7125c.0207170549.2612653e@posting.google.com>
Source record: 41312
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hey Guys..

I have a Drake R4B reciever for sale/trade.
It is in good physical shape,some pitting/discoloration on the copper chassis,some small holes have been drilled in the top cage (for mounting?) In nice original shape otherwise. It has newer tubes in it,and I have a spare set of new tubes,minus a 6EH5 for audio output(the one in there works.),and a copy of the manual. I was told that it was working,But don't really know enough about it to test it thoroughly.It glows nicely when turned on,and seems to work well.I was able to hear static,and hear noises,so I assume it would work well with a proper antenna and whatnot.It also has a couple extra crystals plugged into the rear.

$175 OBO As-is.I would trade for a good tube tester that tests transconductance and will allow me to match tubes. Email me if you're interested and we can talk over the details.

Nothing40.

1501. Re: Help! Need info on Pryme HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 14:45:25 UTC
From: Toscano <toscano2@ix.netcom.com>
Message-ID: <ah3lnu$48j$1@slb3.atl.mindspring.net>
Source record: 41311

Thanks for the idea...unfortunately that part of the site appears to be
down...
Anyone have a manual?

<ne0x@starband.net> wrote in message
news:YzbZ8.1324$AY3.686659728@twister1.starband.net...
> goto the pryme website and download the manual.

1502. Equipment Insurance?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 14:54:27 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D358523.3070108@optonline.net>
Source record: 41313

Any recommendations about insurance for ham equipment? -- especially for equipment *sometimes* used mobile. eham.net has only a handful of reviews: the ARRL scheme gets mixed reviews, and the only other one has just one review -- an enthusiastic one.

-=-
Alan, AB2OS

1503. Re: Equipment Insurance?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 15:07:20 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ujb230pn1e2ecb@corp.supernews.com>
Source record: 41314

I've used the ARRL insurance. Not a bad price.

"Alan Beagley" <abeagley@optonline.net> wrote in message
news:3D358523.3070108@optonline.net...
> Any recommendations about insurance for ham equipment? -- especially for
equipment *sometimes* used mobile. eham.net has only a handful of reviews:
the ARRL scheme gets mixed reviews, and the only other one has just one
review -- an enthusiastic one.
>
> -=-
> Alan, AB2OS
>

1504. Re: Dual band HT and Mobile HELP PLEASE!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 15:41:29 UTC
From: Damon Wascom <kc5cqw@excite.com>
Message-ID: <ujb419opeaf278@corp.supernews.com>
Source record: 41316
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

The ADI AT-600 will fill your needs, however, I don't think they make them anymore.
"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message news:06RY8.537339$352.91904@sccrnsc02...
> Can anyone tell me witch dual band HT's and mobile radios can both receive
> and transmit at the same time??
>
> I have only found the Kenwood TH 79a and HT that while you are transmitting
> on 2 meters you can receive on 440.
>
> Again are there any other HT's and Mobile dual band Ham radios that can
> simultaneously receive and transmit at the same time?
>
>
>

1505. speaker/mike handheld connectors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 16:01:02 UTC
From: imranakbar@akbars.net
Message-ID: <2969830b.0207170801.66afdef@posting.google.com>
Source record: 41317

hey, i need a small handheld which has both a mic input (or rj45
connector) and a speaker output (or rj45 connector)....do you guys
know of any such radios?
thanks

1506. Re: speaker/mike handheld connectors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 16:11:45 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <ah44vm$st7$1@dagobah.blueriver.net>
Source record: 41318

"Imran Akbar" <imranakbar@akbars.net> wrote in message
news:2969830b.0207170801.66afdef@posting.google.com...
> hey, i need a small handheld which has both a mic input (or rj45
> connector) and a speaker output (or rj45 connector)....do you guys
> know of any such radios?
> thanks

Just about all of the HTs made today have a speaker/mic socket
made into the radio. Some are two pin like Kenwood others are
a single pin like Yaesu. The only ones that might not have one is
the "ultra" small or cheap radios. I've NEVER seen a handheld
with a rj45 connector.
(I'm not sure I want to see one either :)
--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

1507. ft747gx

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 16:37:36 UTC
From: michel nehasil <nehasilmichel@oreka.com>
Message-ID: <ah47po$i9b$1@news2.isdnet.net>
Source record: 41320

Bonjour les amis

Je suis nouveau sur ce groupe de discussion

J'aimerais savoir comment me procurer un sch�ma du YAESU FT757GX

J'aimerais �galement avoir une liste de tous les newsgroup concernant le radioamateurisme

Bien cordialement F5NFF Michel

1508. Re: Gummymint Endorsement?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 16:40:27 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D359DFB.A48211DD@crosslink.net>
Source record: 41319

"Gary S." wrote:
>
> On Mon, 15 Jul 2002 15:11:51 -0400, Vito <vito@crosslink.net> wrote:
> >..FWIW FBI & DEA ..bought.. Over 40 radios!.
>
> If the bad guys are using ham radios, maybe the good guys want to
> listen in on them.

As well they should, but question remains why bad guys suddenly needed
40+ new ham rigs and why only Yaesu FT1500s and VX1Rs.
73 K3DWW

1509. Re: Gummymint Endorsement?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 17:07:34 UTC
From: Screaming Skull <KG41VT@hot.mael.spicedmeat.sucks.leave.me.alone.com>
Message-ID: <qvhZ8.91936$%%2.3922709@news2.east.cox.net>
Source record: 41321

> As well they should, but question remains why bad guys suddenly needed
> 40+ new ham rigs and why only Yaesu FT1500s and VX1Rs.
> 73 K3DWW

Whoa, I assume this was the HRO in Woodbridge or was it not? There were some weird goings-on on the radio up around DC/N.VA/MD but that was a few months ago.

1510. Re: IC-746 and Ameritron AL-80B amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 17:35:32 UTC
From: william zimmerman <william.zimmerman@worldnet.att.net>
Message-ID: <EVhZ8.35526$lu6.1997315@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41322

I just bought an AL-80B and it came with a 110 volt power cable. Why can't I use 110 volts?

73,

Bill K9MSN

"Janice and Ed" <eseniors@earthlink.net> wrote in message news:%oVY8.24541$A43.2463798@newsread2.prod.itd.earthlink.net...
> Hi Larry -
>
> I don't have an Icom 746, but I do drive my AL-80B

1511. Re: Need mod instructions for HTX-212

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 18:06:16 UTC
From: Hubbell <hubbell@ptd.net>
Message-ID: <3D35B244.6040601@ptd.net>
Source record: 41323

Don't think there is one. If you find one please let me know n2kto@arrl.net

Dave

Sean Ingram wrote:

> I am looking for a mod to transmit on 150 MHz on an HTX 212 Xcvr
>
>
>
>
>

1512. Re: IC-746 and Ameritron AL-80B amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 18:20:33 UTC
From: CJ <difficult@times.com>
Message-ID: <ujbdbkqngstaf@corp.supernews.com>
Source record: 41324

Hello Bill,
There is no reason why you can't. That is the default wiring for the AL-80B and according to Ameritron tech support there is nothing to gain performance wise by going with 240 vac instead assuming your standard 120 vac service is normal and / or one has not overloaded the service for that area where the amp is plugged in.

Link to all free downloadable Ameritron manuals, hookups sheets, and parts lists at this URL....
1. http://www.ab7sl.com/index.html?row1col2=links.html

--

73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
www.ab7sl.com

"william zimmerman" <william.zimmerman@worldnet.att.net> wrote in message
news:EVhZ8.35526$Iu6.1997315@bgtnsc04-news.ops.worldnet.att.net...
> I just bought an AL-80B and it came with a 110 volt power cable. Why can't I
> use 110 volts?
>
> 73,
>
> Bill K9MSN
>
> "Janice and Ed" <eseniors@earthlink.net> wrote in message
> news:%oVY8.24541$A43.2463798@newsread2.prod.itd.earthlink.net...
> > Hi Larry -
> >
> > I don't have an Icom 746, but I do drive my AL-80B
>
>

1513. Seeking Low Power FM Transmitter with Digital Tuning

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 18:27:28 UTC
From: simon_clarke@usa.net
Message-ID: <1287d60f.0207171027.2dd7e397@posting.google.com>
Source record: 41325

Hello from Los Angeles:

I'm looking to purchase a ready made low power FM transmitter, that broadcasts just a short range for listening to music stored on my PC around the house on various FM receivers.

I'm looking for one that doesn't have any potentiometers on it i.e. it broadcasts on one or a few set frequencies, or the frequency is set digitally.

Does anybody have any recommendations?

Simon.

1514. FS..QRP..TS 130V

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 18:36:45 UTC
From: robco@optonline.net
Message-ID: <ridbjuod82usuv49pmv8fvjr3i5a2prdfn@4ax.com>
Source record: 41315

For Sale....Kenwood TS 130V....QRP radio...its a 20 watt TS 130S for those not familar with the radio....I just can't seem to get into QRP any longer, and so its on the block...the radio is in very nice condition, with scratches consistent with daily use, and a couple of scratches on the main tuning knob...it has three filters(all it can hold) YK88C--YK88SN--YK88S...its a great CW rig, and I've also had fun with it on QRP SSB DX-ing...It comes with the power cord, and works just great....I am asking $380.00 + shp (USA only)...If you are really interested at this price, pse e-mail me for jpg-s, and more info, so you may know who you are dealing with...I am a licensed amateur, and an on the air test can be arranged if interested...these rigs are hard to come by, so if someone is interested, please remove the (NS) from my address, or just click on robco@optonline.net
Interested buyers pse feel free to ask any questions....73-s..Bob on Long Island, NY

1515. FS WRL 755 VFO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 19:03:40 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <gcjZ8.792$Kg.369@newsread1.prod.itd.earthlink.net>
Source record: 41326

I have for sale a nice WRL Model 755 VFO. The cabinet has been nicely repainted with the correct color paint. The Front Panel has original paint. It is good but there are some small spots where the paint has faded or been scratched. It is not bad, but does not look as nice as the repainted cabinet. Some of the white lettering has faded, but you can tell what all positions are. The black dial is good. The plastic covering is yellowed a bit but not cracked. The knobs are original and in nice shape. The tubes check good. The unit lights up and seems to work, but I have not checked it out on the air. There is some corrosion in the top copper chassis, but the bottom looks very nice. Price is $85 plus shipping from 79602.
Thanks, Charlie Hugg, K5MBX

1516. How to calibrate MFJ VersaTuner III SWR meter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 20:16:36 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3D35D0D7.8DF2FBD0@earthlink.net>
Source record: 41327
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amatuer.homebrew

Our club has an MFJ Versa Tuner III, Model 963B, the one with the tapped coil, not a roller inductor. It has not been used in many years and was donated to the club from a now un-remembered ham. Nobody can ever remember using it.

Well, it was used on field day and those using it claimed they could not get it tune ANYTHING. Well, I brought it home to check it out and what do I discover? Even in the bypass mode, straight to coaxial (no tuning network) the crossed needle meter indicated an SWR of ALMOST 5 into a Heath Cantenna dummy load!!! This was with my Daiwa CN-690B also inline between the rig and tuner and it registering SWR 1, reflected power needle didn't even move. Even the Forward power indicated 150 watts out of a 100w rig. Which was the reading on the Daiwa. No wonder they couldn't "match". The meter was telling them lies.

Ok, there are 5 adjustments in the meter circuit, 4 pots and a cap. The pots are for FWD HI/LO & REF HI/LO. I remember a circuit where you null'ed the meter with the cap and then set the needles with the pot. I tried this and couldn't get the reflected needle to move off of the peg.

So, does anybody know the meter calibration procedure for this beast?

Using the Daiwa as the indicator, I can get the portions of my antennas that are >2 SWR to 1. So, the actual tuner is working. Duh, what is there to go bad?

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

1517. Re: Seeking Low Power FM Transmitter with Digital Tuning

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 20:24:43 UTC
From: Sylvan Butler <Znospam+noZs_0207@hpb13799Z.Zboi.hpZ.com.invalid>
Message-ID: <slrnajbkkb.u03.Znospam+noZs_0207@hpb13799Z.Zboi.hpZ.com.invalid>
Source record: 41328

On 17 Jul 2002 11:27:28 -0700, Simon Clarke <simon_clarke@usa.net> wrote:
> I'm looking to purchase a ready made low power FM transmitter, that
> broadcasts just a short range for listening to music stored on my PC
> around the house on various FM receivers.
>
> I'm looking for one that doesn't have any potentiometers on it i.e. it

"around the house" might be a challenge for an unlicensed FM
transmitter. Could be OK, might not.

http://www.ccrane.com/fm_transmitter.asp

sdb
--
| Sylvan Butler | Not speaking for Hewlett-Packard | sbutler-boi.hp.com |
| Watch out for my e-mail address. Thank UCE. >>>> change ^ to @ <<<< |
They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety. --Benjamin Franklin, 1759
Stop Palladium, TCPA and Senator Fritz Hollings, NOW!
http://www.cl.cam.ac.uk/users/rja14/tcpa-faq.html

1518. 51S-1 sold

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 21:09:34 UTC
From: "James B. Geer" <jbgeer@swbell.net>
Message-ID: <3D35DAC5.C87C9C57@swbell.net>
Source record: 41329

Thanks.

1519. Re: Equipment Insurance?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 21:38:26 UTC
From: vhfradiobuff@aol.com
Message-ID: <5e5fccab.0207171338.15ca1d9b@posting.google.com>
Source record: 41330

Alan Beagley <abeagley@optonline.net> wrote in message
news:<3D358523.3070108@optonline.net>...
> Any recommendations about insurance for ham equipment? -- especially for equipment
sometimes used mobile. eham.net has only a handful of reviews: the ARRL scheme gets mixed
reviews, and the only other one has just one review -- an enthusiastic one.
>
> -=-
> Alan, AB2OS

Check with your auto insurance company. Some will cover radios that
are "permanently" installed in a vehicle. You just have to find out
what their definition of "permanently" is... Also, you might want to
check with your renters or home owner's insurance if you have either.
My home owner's policy covers replacement cost of all my equipment in
the house.

1520. Re: Seeking Low Power FM Transmitter with Digital Tuning

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 22:44:12 UTC
From: bc <b@realtime.net>
Message-ID: <3D35F339.1060206@realtime.net>
Source record: 41331

Ramsey Electronics.

Simon Clarke wrote:
> Hello from Los Angeles:
>
> I'm looking to purchase a ready made low power FM transmitter, that
> broadcasts just a short range for listening to music stored on my PC
> around the house on various FM receivers.
>
> I'm looking for one that doesn't have any potentiometers on it i.e. it
> broadcasts on one or a few set frequencies, or the frequency is set
> digitally.
>
> Does anybody have any recommendations?
>
> Simon.

1521. Re: looking for IC-T7H info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-17 23:13:53 UTC
From: N5BPF <dmccoy@lightwire.com>
Message-ID: <ujbujvejle6i4d@corp.supernews.com>
Source record: 41333

Allow me to thank you while I scale mount soapbox -

Thanks for the info,

Looks like the method used for the up/down buttons on the microphone for my
IC-3200 mobile rig.

The T7H manual shows labels of

A -

B -

UP -

Down -

Can you tell me the resistor values associated with each function?

Thanks again.

Dwayne McCoy
N5BPF

Now that we have reached the summit -

I wonder why Icom could not tell me this?

When I submitted the same question to ICOM on their support web site I got
the following reply, and yes this is a direct quote.

<quote>
ICOM does not have this information.

Ms. Dene Hager
Technical Service Representative
ICOM America, Inc.
2380 116th Ave NE
Bellevue, WA 98004
(425) 454-7619
<end quote>

I'll got off my soap box now and continue researching my question.

Dwayne McCoy, N5BPF

-----Original Message

"Gary P. Fiber" <foo@bar.invalid> wrote in message
news:6ajaju8n2g6e5h7k2euoips73giqcti8gr@4ax.com...

> On Tue, 16 Jul 2002 22:36:06 -0500, "N5BPF" <dmccoy@lightwire.com>
> wrote:
>
> >Does anyone know or know where to find the protocol used by the IC T7H to
> >communicate with it's remote control mike.
> >
> >I was looking for a microcontroller project for my classes and thought
> >building a remote control for this might be fun.
> >
> >I asked ICOM and the denied any knowlege, Interesting comment.
> >
> >Dwayne McCoy
> >
> >N5BPF
> >
> >
> Its nothing that fancy. The HM-75 uses 4 resistors. Pressing each
> button places a different value resistor onto the control connection
> and the radio does what the button is labeled.
>
> Gary K8IZ

1522. Re: Gummymint Endorsement?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 01:02:43 UTC
From: Idontwantspam@net
Message-ID: <3d36104d.9232474@news.bellatlantic.net>
Source record: 41334

On Wed, 17 Jul 2002 12:40:27 -0400, Vito <vito@crosslink.net> wrote:

>"Gary S." wrote:
>>
>> On Mon, 15 Jul 2002 15:11:51 -0400, Vito <vito@crosslink.net> wrote:
>> >..FWIW FBI & DEA ..bought.. Over 40 radios!.
>>
>> If the bad guys are using ham radios, maybe the good guys want to
>> listen in on them.
>
>As well they should, but question remains why bad guys suddenly needed
>40+ new ham rigs and why only Yaesu FT1500s and VX1Rs.
>73 K3DWW

For ease of training, using a small number of models makes sense.
Also, the cloning of memories from one rig to the next usually only
works on the same model.

During the Gulf War, civilian GPS units nearly disappeared from the
market for a while, as the military snapped them up for use there by
the coalition troops. They turned off SA at the appropriate time, I
guess having determined that the Iraqi military had very few GPSs.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

1523. Re: Seeking Low Power FM Transmitter with Digital Tuning

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 01:56:37 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <ah56u5bav1@bob.news.rcn.net>
Source record: 41335

"Simon Clarke" <simon_clarke@usa.net> wrote:

> I'm looking to purchase a ready made low power FM transmitter,
> that broadcasts just a short range for listening to music stored on
> my PC around the house on various FM receivers.

> I'm looking for one that doesn't have any potentiometers on it i.e. it
> broadcasts on one or a few set frequencies, or the frequency is set
> digitally.

http://www.pcs-electronics.com/index_n1.shtml

1524. Re: Seeking Low Power FM Transmitter with Digital Tuning

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 02:04:47 UTC
From: Toscano <toscano2@ix.netcom.com>
Message-ID: <ah4tfp$2lq$1@slb3.atl.mindspring.net>
Source record: 41332

How about a baby monitor? Or a cheap wireless surveillance system?

What frequencies are you looking to use?

1525. Re: Seeking Low Power FM Transmitter with Digital Tuning

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 03:14:49 UTC
From: Ed Laughery <laughery@bellsouth.net>
Message-ID: <ccqZ8.93384$JU3.36701381@e3500-atl1.usenetserver.com>
Source record: 41336
Body handling: HTML body converted to readable text

Check this out: http://www.ccrane.com/misc_index.asp

"bc" wrote in message news:3D35F339.1060206@realtime.net...
> Ramsey Electronics.
>
> Simon Clarke wrote:
> > Hello from Los Angeles:
> >
> > I'm looking to purchase a ready made low power FM transmitter, that
> > broadcasts just a short range for listening to music stored on my PC
> > around the house on various FM receivers.
> >
> > I'm looking for one that doesn't have any potentiometers on it i.e. it
> > broadcasts on one or a few set frequencies, or the frequency is set
> > digitally.
> >
> > Does anybody have any recommendations?
> >
> > Simon.
>

1526. FA: MINT HEATHKIT HM-102 WATT METER w/Copy of Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 03:28:12 UTC
From: rlucch2098@aol.com
Message-ID: <20020717232812.07034.00001492@mb-ml.aol.com>
Source record: 41337

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1366218581
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1527. FA: Really nice DRAKE R-4B receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 03:29:37 UTC
From: rlucch2098@aol.com
Message-ID: <20020717232937.07034.00001494@mb-ml.aol.com>
Source record: 41338

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1366218532

1528. fa: National SW-54 Short-Wave receiver, still cheep!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 03:31:11 UTC
From: rlucch2098@aol.com
Message-ID: <20020717233111.07034.00001497@mb-ml.aol.com>
Source record: 41339

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1366218526

1529. fa;Original QUANTUM BATTERY CABLE for YAESU FT-209 H/T, 0 bids

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 03:32:45 UTC
From: rlucch2098@aol.com
Message-ID: <20020717233245.07034.00001500@mb-ml.aol.com>
Source record: 41340

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1366218577

1530. Fa>> KENWOOD HS-4 "White" Headphones, 8 ohms @big $11.50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 03:35:04 UTC
From: rlucch2098@aol.com
Message-ID: <20020717233504.07034.00001502@mb-ml.aol.com>
Source record: 41341

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1366218563

1531. Questions re. strange antenna on roof of gov't building

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 04:31:54 UTC
From: "Ian W. Douglas" <idouglas@calcna.ab.ca>
Message-ID: <Pine.A41.4.05.10207172230180.44054-100000@srv1.calcna.ab.ca>
Source record: 41342
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,alt.radio.scanner

On the roof of a government building near me there is a strange looking antenna (or at least what looks like one): it looks like a very long downhill ski which was wrapped in an upward spiral fashion around an Indian teepee, with a gap between each spiral turn of the "ski" of one "ski" width. Then the "teepee" was removed and the "ski" was put on some kind of wire mesh or similar frame. What is this antenna for? What could it do? What special characteristics could this antenna have which would make it suitable for whatever task it is intended for?

A note to the trolls and flamers: I have already thought of the possibility that this antenna is used to monitor Indian radio transmissions or make smoke signals; so I scooped you. I am just trying to see whether I am right or wrong about this.

Thanks in advance,

Ian Douglas

1532. TS-950 Finals, what voltage?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 05:11:29 UTC
From: pastryking <elsmootho@videotron.ca>
Message-ID: <06sZ8.86251$7d2.2498344@wagner.videotron.net>
Source record: 41343

Can anyone tell me what voltage I have to set on my TS-950 finals with VR1? The input to collector Q8 is 75V no load, what is the voltage suppose to be on the emitter of Q8 or fuse on the finals? Any help would be greatly appreciated...

1533. Dual band base antenna???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 05:19:46 UTC
From: Russell <rustyspam@dccnet.com>
Message-ID: <3D364FF2.3030302@dccnet.com>
Source record: 41344

Hi there,
I am looking for a small (2-3 feet tall)for my attic,dual band base antenna?
Any ideas of what works well?
What the price is?
Any gain?
Please e-mail me directly with any info???...
rusty@dccnet.com
Thanks very much-Russ

1534. Re: Dual band base antenna???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 09:06:46 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020718050646.02842.00001225@mb-ce.aol.com>
Source record: 41345

>Hi there,
>I am looking for a small (2-3 feet tall)for my attic,dual band base antenna?

I assume you're talking VHF/UHF.. for something small in your attic, you might want to consider a discone antenna. There are many available around the net and at stores such as Radio Shack. I just bought one from Antenna Warehouse (antennawarehouse.com) that seems to work well. It is rated for general receive on many frequencies and TX on 2m, 1.25m, 70cm and at least 1 or 2 more, like 900mhz and 1.2... I can't specifically endorse one discone over another though because I haven't sufficiently researched the performance of several different discones.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

1535. ICOM Serial Interface for IC-751 series (UX-14)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 11:13:42 UTC
From: Chris <c_sieg@conknet.com>
Message-ID: <3D36A2E5.85ED5008@conknet.com>
Source record: 41346
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi Icom Users,
If you have been looking for a serial interface for your IC-751(a)
transceiver, you probably know how tough it is to find the original
UX-14 board. We have redesigned this serial interface and have included
some new features, such as band stacking and a built in RS-232 level
converter. Take a look at our web page for full details:

http://www.piexx.com/cgi-bin/piexx.cgi?p=home

Thanks,
-Chris

Chris WA3LDI
e-mail c_sieg@conknet.com
http://www.piexx.com

1536. Motorola Syntor and SyntorX PC control board

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 11:19:34 UTC
From: Chris <c_sieg@conknet.com>
Message-ID: <3D36A446.F9B40079@conknet.com>
Source record: 41347
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi Motorola Syntor(x) users,
Have you wanted to put your Syntor or SyntorX transceiver on the air
but you don't have a way to create the appropriate code plugs? Or maybe
you are missing the cables or controlhead for these fine radios? We have
redesiged the control boards for these transceivers that will allow you
to easily put them on the air using you PC as a virtual control panel,
no extra cables control heads or code plugs / proms required! Take a
look at our WEB page for the full details (including installatiuon
instructions).

http://www.piexx.com

Thanks,
-Chris

Chris WA3LDI
e-mail c_sieg@conknet.com
http://www.piexx.com

1537. Kenwood Tone Boards, TU-5, TU-7, and TU-79

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 11:23:48 UTC
From: Chris <c_sieg@conknet.com>
Message-ID: <3D36A543.355565@conknet.com>
Source record: 41248
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi,
We remanufacture the following, hard to get, tone encoders for Kenwood transceivers:

TU-5 For TS-711 and TS-811
TU-7 For TR-751, TM-2550, TM-2570
TU-79 For TR-7930, TR-7950

Take a look at our web page for full details:

http://www.piexx.com/cgi-bin/piexx.cgi?p=home

Thanks,
-Chris

Chris WA3LDI
e-mail c_sieg@conknet.com
http://www.piexx.com

1538. Re: Questions re. strange antenna on roof of gov't building

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 11:39:53 UTC
From: 'Doc <w5lz@icok.net>
Message-ID: <3D36A901.9C2292E7@icok.net>
Source record: 41249
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,alt.radio.scanner

Ian,
Sounds like some type or variation of a
'dis-cone' antenna. A VHF/UHF antenna with
a fairly wide frequency range.
'Doc
PS - Or maybe a 'tee-pee' stretcher.

1539. Re: Questions re. strange antenna on roof of gov't building

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 12:19:23 UTC
From: tolstoi <tolieo@yahoo.com.au>
Message-ID: <ah6bn5$4ih$1@bunyip.cc.uq.edu.au>
Source record: 41250
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,alt.radio.scanner

why dont you call the building supervisor and ask him/her

FROM RUSSIA WITH LOVE
"Ian W. Douglas" <idouglas@calcna.ab.ca> wrote in message
news:Pine.A41.4.05.10207172230180.44054-100000@srv1.calcna.ab.ca...
>
> On the roof of a government building near me there is a strange
> looking antenna (or at least what looks like one): it looks like a
> very long downhill ski which was wrapped in an upward spiral fashion
> around an Indian teepee, with a gap between each spiral turn of the "ski"
> of one "ski" width. Then the "teepee" was removed and the "ski" was
> put on some kind of wire mesh or similar frame. What is this antenna
> for? What could it do? What special characteristics could this antenna
> have which would make it suitable for whatever task it is intended for?
>
> A note to the trolls and flamers: I have already thought of the
> possibility that this antenna is used to monitor Indian radio
> transmissions or make smoke signals; so I scooped you. I am just
> trying to see whether I am right or wrong about this.
>
> Thanks in advance,
>
> Ian Douglas
>

1540. Looking for TS450S service manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 12:58:12 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <HXyZ8.8655$o7.1450822@news20.bellglobal.com>
Source record: 41251

Anyone have a good condition copy they can photocopy for me. I will gladly pay for the copying and shipping charges, plus some for your effort.

Thanks,

Max

1541. Re: Dual band base antenna???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 13:25:05 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <usA2PbkRuFf+IdCZsstPdoyTFNRI@4ax.com>
Source record: 41252

Russell <rustyspam@dccnet.com> wrote:

>Hi there,
>I am looking for a small (2-3 feet tall)for my attic,dual band base antenna?
>Any ideas of what works well?
>What the price is?
>Any gain?
>Please e-mail me directly with any info???...
>rusty@dccnet.com
>Thanks very much-Russ

The possibilities are endless, but for a fixed-station antenna, for 2 meters and
440 mhz, the j-poles at http://www.ilinkradio.com/antenna.html
are pretty slick, and reasonably priced.

Bob
k5qwg

1542. Re: Gummymint Endorses Yaesu?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 14:03:20 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D36CAA8.DEC4AE00@crosslink.net>
Source record: 41253

"Gary S." wrote:

> >> On Mon, 15 Jul 2002 15:11:51 -0400, Vito <vito@crosslink.net> wrote:
> >> >..FWIW FBI & DEA ..bought.. Over 40 radios!.
> >
> For ease of training, using a small number of models makes sense.
> Also, the cloning of memories from one rig to the next usually only
> works on the same model. ...

Sure .. so, assuming the FB of I, et al, did some "I'n" before buy'n,
then Yaesu FT-1500s and VX-1Rs must be better than their competition ...
Right? ;o)

good on ya
K3DWW

1543. WANT DSP100 OR MFJ LOOP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 14:23:21 UTC
From: MD <daveincanada2000@yahoo.com>
Message-ID: <wbAZ8.8685$o7.1479182@news20.bellglobal.com>
Source record: 41255

[No readable article body recovered]

1544. Re: WANT DSP100 OR MFJ LOOP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 14:25:19 UTC
From: MD <daveincanada2000@yahoo.com>
Message-ID: <ndAZ8.8687$o7.1479759@news20.bellglobal.com>
Source record: 41256

"MD" <daveincanada2000@yahoo.com> wrote in message
news:wbAZ8.8685$o7.1479182@news20.bellglobal.com...

Sorry, I hit send instead of enter. I'm looking for a good condition
Kenwood DSP100 unit with cables and a good condition MFJ loop antenna. If
you have either you are willing to part with please let me know.

Thannks

1545. Re: Dual band base antenna???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 14:29:14 UTC
From: carlwqzav@aol.comz1.net
Message-ID: <20020718102914.12781.00000926@mb-mf.aol.com>
Source record: 41254

From: Russell rustyspam@dccnet.com:
Hi there, I am looking for a small (2-3 feet tall)for my attic,dual band base antenna?
>Any ideas of what works well? What the price is? Any gain?.....

Check out the Gain ANLI A-100 Antenna. It is a 1pc Fibreglass about 48" tall, good quality Dualband Base antenna & works really well. It's also Black, & "dissapears" at nite if mounted on a balcony or roof. Gain is something like 3.5/6. You can see it in this dealers online catalog:
http://www.advancedspecialties.net
Good luck!!

1546. Re: Dual band base antenna???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 14:43:17 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <ah6k5m$83h$1@dagobah.blueriver.net>
Source record: 41259

"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
news:20020718050646.02842.00001225@mb-ce.aol.com...
> >Hi there,
> >I am looking for a small (2-3 feet tall)for my attic,dual band base
antenna?
>
> I assume you're talking VHF/UHF.. for something small in your attic, you
might
> want to consider a discone antenna. There are many available around the
net and
> at stores such as Radio Shack. I just bought one from Antenna Warehouse
> (antennawarehouse.com) that seems to work well. It is rated for general
receive
> on many frequencies and TX on 2m, 1.25m, 70cm and at least 1 or 2 more,
like
> 900mhz and 1.2... I can't specifically endorse one discone over another
though
> because I haven't sufficiently researched the performance of several
different
> discones.
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

I would go with a Diamond or Comet discone antenna and NOT the
Radio Shack version. I own a RS discone and they are pretty cheaply
made. The elements are hollow and crimped onto the mounting screws.
This is ok until they start to loosen up and then you can't tighten them.
It's also not something that can be soldered either. So go with one
that has 'solid' elements.

BTW you might check out the Ventennas I've seen in the HRO & AES
catalogs, if they work that would be a slick setup for what your talking
about.
--
_____

'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

1547. Re: Questions re. strange antenna on roof of gov't building

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 14:49:00 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <ah6kgd$83j$1@dagobah.blueriver.net>
Source record: 41260
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,alt.radio.scanner

"'Doc" <w5lz@icok.net> wrote in message news:3D36A901.9C2292E7@icok.net...
>
>
> Ian,
> Sounds like some type or variation of a
> 'dis-cone' antenna. A VHF/UHF antenna with
> a fairly wide frequency range.
> 'Doc
> PS - Or maybe a 'tee-pee' stretcher.

I was thinking it might be a form for the Christmas lights to
be put up in a 'tree' shape. :)

In truth it's probably the newest in eavesdropping antenna
the 'snake oil' salesmen sold them for the discount price
of $100,000 ea!
--

'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

1548. Re: HT For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 14:53:33 UTC
From: JEEPMON <JEEPMON@HOTMAIL.COM>
Message-ID: <NDAZ8.80673$uw.40146@rwcrnsc51.ops.asp.att.net>
Source record: 41257

THIS UNIT SELL NEW FOR $279. WHY SO MUCH???

"Dennis Kaylor" <k4oxg@tampabay.rr.com> wrote in message
news:b0CY8.37828$DS.962552@twister.tampabay.rr.com...
> For Sale
> Icom T81A quad band HT 6/2/440/1.2
> includes
> Manual
> wall charger
> car charger
> bp200l 700Mah battery
> 3 cell alkaline pack
> cloning PC cable and software
> this radio is in great shape and works wonderfully
> asking $260 plus shipping from 33801
> must sell ASAP
> email direct if interested
>
>

1549. Re: Gummymint Endorses Yaesu?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 15:01:10 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D36D836.BCCACB58@crosslink.net>
Source record: 41258

Vito wrote:
>
> "Gary S." wrote:
> > For ease of training, using a small number of models makes sense.
> > Also, the cloning of memories from one rig to the next usually only
> > works on the same model. ...
>
> Sure .. so, assuming the FB of I, et al, did some "I'n" before buy'n,
> then Yaesu FT-1500s and VX-1Rs must be better than their competition ...
> Right? ;o)
>

OTOH maybe the gummymint is gonna make some $$ for a change! Check out
<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1366232295>
a $129.95 VX-1R going for $160 and the reserve 'taint met yet. Oy!
K3DWW

1550. LTV / Temco / CEI G175F & G166A(1) military surveillance receivers on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 15:38:08 UTC
From: lkasdorf@starband.net
Message-ID: <632b0786.0207180738.197cd095@posting.google.com>
Source record: 41261

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1367527118

...so far, $75 for the pair.

1551. Re: Buying my first shortwave radio please help.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 15:47:31 UTC
From: BillS <BillS@austin.rr.com>
Message-ID: <3D36E313.6412EF7A@austin.rr.com>
Source record: 41262

They are on sale through the end of July at RS for $149. Quite a bargain at that price.
Bills

rware@voyager.net wrote:

> As usual progress?
> The new model is the (Radio Shack) DX-398, more features, more cost.
> I would like one but the $250 cost is too high for a reciever only for
> me.
>
> Ray
> kc8iwt
>
> >
> >Andrew,
> >
> >A very good, and rather inexpensive, shortwave receiver is the Radio Shack
> >DX-394. Radio Shack discontinued this a couple of years ago (for reasons I
> >will never understand). However, you can still find them at swaps, and on
> >the internet, such as Ebay.
> >
> >This is a wonderful desktop receiver, with continuous coverage from 150-kHz
> >through 30-MHz. It receives all modes, AM, FM, CW, and USB/LSB. I have two
> >of these and really enjoy them. There are better receivers out there, with
> >better filtering, audio, etc., but this makes a great first receiver, and it
> >is easy to operate. I have no complaints with mine.
> >
> >Just an opinion on one model ...
> >
>
> >
> >73 de,
> >Dan, W8MMQ
> >http://w8mmq.com/
> >
> >
> >

1552. Re: Gummymint Endorses Yaesu?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 16:26:03 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ah6q6tkrf1@madmax.keyway.net>
Source record: 41263

Unless this a complete hoax or hype, some installer or field tech
probably shot off his mouth about his favorite ham rig, and the
FEDs made the leap to light speed on the assumption that what's
good enough for some kid ham, is most appropriate for their use...
the case of a little bit of knowledge and whole lot of assumption.

Case in point: I have an FT-530. Great dual-band rig. However,
in testing of the antenna which works very well for both the 2m
and 440 ham bands, it is extremely sharply tuned and becomes
completely worthless just 2 MHz out of band. I suspect that
the extremely wide range and spread of frequencies to contend
with in public service, result in ever greater compromises in
antenna performance.

Consider that the ham bands are very narrow and closely related
in order to limit harmonic interference to other services.

Still I have had Police officers with their hand on their guns ask
if they could buy one. To their credit, I have not been shot in
the back or in the head, and I have not been abused under their
control.

Jim, ac6tk

"Vito" <vito@crosslink.net> wrote in message news:3D36D836.BCCACB58@crosslink.net...
: Vito wrote:
: >
: > "Gary S." wrote:
: > > For ease of training, using a small number of models makes sense.
: > > Also, the cloning of memories from one rig to the next usually only
: > > works on the same model. ...
: >
: > Sure .. so, assuming the FB of I, et al, did some "I'n" before buy'n,
: > then Yaesu FT-1500s and VX-1Rs must be better than their competition ...
: > Right? ;o)
: >
:
: OTOH maybe the gummymint is gonna make some $$ for a change! Check out
: <http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1366232295>
: a $129.95 VX-1R going for $160 and the reserve 'taint met yet. Oy!
: K3DWW

1553. Re: **Mint** **Museum quality etc.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 16:28:17 UTC
From: "Michael A. Terrell" <terrell@mfi.net>
Message-ID: <3D36ECA1.D859D005@mfi.net>
Source record: 41264
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Dave Holford wrote:
>
> Just to satisfy my curiosity: I note frequent use of the terms
> "MINT"
> "MUSEUM QUALITY"
> and
> "COLLECTOR QUALITY"
> when people are trying to sell used equipment.
>
> I always understood that "MINT" implied factory new condition and
> unused.
>
> As far as MUSEUM QUALITY I have seen much radio equipment in museums and
> seldom does it appear unused and brand new, often it shows signs of
> considerable use.
>
> COLLECTOR QUALITY leaves me at a loss, I suppose it depends on the
> collector - does it mean looks good, works good, has all original
> components, comes with original packing and documentation, or?
>
> Just curious since I have seen some "MINT" items complete with rust,
> scratches, modifications, dents etc.
>
> Dave VE3HLU

That just means that the AD is mint, not the equipment!
--

Michael A. Terrell
Central Florida

Check out my new web site and tell me what you think.
http://www.terrell.150m.com

1554. Re: VX-5R and AA rechargeable lithium?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 16:35:25 UTC
From: cprstn54zz@att.net
Message-ID: <3d36e81a.52910968@news-server.optonline.net>
Source record: 41265

On Sun, 14 Jul 2002 17:19:02 GMT, John Buck <kh7t@arrl.net> wrote:
>It would be nice to find the specs of the listed batteries, the price
>seems right.

Well, the specs can be found at:
http://www.nabcorp.com/ana.htm

As usual, there is good news and bad news.

The good news:

(1) These batteries are made by Saft and sold under the Again & Again
label by NAB.

(2) Their capacity is a very impressive 2250 mAH at 3.6 volts (this
is 4X the density of the best NiMH batteries)

(3) Their shelf life is at least 7 years.

(4) They will "fool" the VX-5R into transmitting at 5 watts.

The bad news:

(1) Despite the picture showing 2 batteries for the $5, it is really
only one.

(2) It is unclear what will happen if you have these batteries
installed and plug in the external DC.

My conclusion:

1.5 volt alkalines have capacities around 3000 mAH and cost around $1
apiece. So, if you put eight of them into a Radio Shack battery
holder, and assuming the radio is equally efficient for all different
supply voltages, you get more than twice as much 5 watt air-time with
the alkalines as you do with the 3.6 volt lithiums -- for the same
money. So, if weight is not an object, you are better off using the
alkalines for backup. Also, you can use NiMH AA's in the battery
holder, which gives you some additional options. If you must go
ultralight, then the lithiums are the choice.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

1555. Re: Items for Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 17:12:33 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <RwCZ8.98538$JU3.38959158@e3500-atl1.usenetserver.com>
Source record: 41266

Jerry Oxendine <joxendi@bellsouth.net> wrote in message
news:Fn6Z8.84973$JU3.35230422@e3500-atl1.usenetserver.com...
> I have a couple of items that I would like to sell.
>
> 1) Alinco DJF1T 2 meter HT receives 108-136 AM, 144-148 transceive FM,
> and receives 144-165 MHZ. 2.5 watt battery. Includes desk charger and
RS
> handmike. $70 neg. Includes shipping.
>
> 2) Azden PCS6000 2 meter mobile. I bought this radio new, sold it last
> year
> to a young man who was going to get his license (was also in CAP). The
> radio
> works well, looks fair. ON/OFF switch seems to need cleaning because you
> have to "jiggle" it to get it to come on. $60 neg. Includes shipping
>
> 4) Heathkit HP23 base power supply for Heath and other transceivers.
> Includes
> power cord for HW12, etc. $50 including shipping.
>
> 5) Heathkit HP13 mobile power supply w/ cable as above and power cord.
$50
> including shipping.
>
> 6) Heathkit HW18--derivative of the HW12 single banders. Formerly used
in
> CAP and other gov't/commercial HF uses. Replaced in CAP due to NTIA
> requirements. Still can be used for MARS, but would need to have VFO for
> ham use. Uses power supplies above. Works. Cheap MARS radio for $30
neg.
>
> Surely somebody needs this stuff for something. I need to clean out my
> shack so
> I can accumulate MORE stuff! LOL!
>
> 73
>
> Jerry
> K4KWH

HP 23 and HW 18 are SOLD!

Thanks.

Jerry
>
>

1556. Re: Seeking Low Power FM Transmitter with Digital Tuning

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 17:45:33 UTC
From: simon_clarke@usa.net
Message-ID: <1287d60f.0207180945.3f8df35c@posting.google.com>
Source record: 41268

88 to 108 MHz

"Toscano" <toscano2@ix.netcom.com> wrote in message
news:<ah4tfp$2lq$1@slb3.atl.mindspring.net>...
> How about a baby monitor? Or a cheap wireless surveillance system?
>
> What frequencies are you looking to use?

1557. FA: MFJ-484 Grandmaster Memory Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 17:56:28 UTC
From: Barry <bcushman@email.com>
Message-ID: <I7DZ8.98558$JU3.39113433@e3500-atl1.usenetserver.com>
Source record: 41269

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1367247862&r=0&t=0&showTutorial=0&ed=0&indexURL=0&rd=1

1558. Re: HT For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 18:15:21 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d3705b9$0$1432$2c3e98f8@news.voyager.net>
Source record: 41270

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in
news:NDAZ8.80673$uw.40146@rwcrnsc51.ops.asp.att.net:

> THIS UNIT SELL NEW FOR $279. WHY SO MUCH???
>

I'd guess that by the time you added the car charger, AA pak, and
programming software/cable to your 279, it's going to be quite a tab bit
more.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

1559. Re: IC-746 and Ameritron AL-80B amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 19:10:32 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <uje4lbn3ne52c1@corp.supernews.com>
Source record: 41271

P=E*I cut the voltage in half and the current doubles.
1. You may not have a 110 outlet with sufficient current.
2. Heat increases with the increase in current.
3. The XYL will get upset when the lights flicker at an audio rate.

Other than this nothing prevents the use of 110 :>)

"william zimmerman" <william.zimmerman@worldnet.att.net> wrote in message
news:EVhZ8.35526$Iu6.1997315@bgtnsc04-news.ops.worldnet.att.net...
> I just bought an AL-80B and it came with a 110 volt power cable. Why can't
I
> use 110 volts?
>
> 73,
>
> Bill K9MSN
>
> "Janice and Ed" <eseniors@earthlink.net> wrote in message
> news:%oVY8.24541$A43.2463798@newsread2.prod.itd.earthlink.net...
> > Hi Larry -
> >
> > I don't have an Icom 746, but I do drive my AL-80B
>
>

1560. Re: Yaesu 4-cond 3.5mm (1/8") connector sources?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 19:34:31 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <3D3718BF.7D807245@sc.rr.com>
Source record: 41272

Dave Platt wrote:
>
> I don't think Digi-Key carries these.
> Mouser did, as of a couple of months
> ago - I bought a ten-pack and shared
> 'em with a friend who has a VX-5.

There you go, Tom. Confirmation that Mouser did at least have them a couple of months ago. Thanks, Dave.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net

1561. Wanted HF Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 19:35:42 UTC
From: brian <luker@sympatico.ca>
Message-ID: <w%CZ8.14807$Db.836523@news20.bellglobal.com>
Source record: 41267

Would like to get a small 500 + watts amp need to work on 80 meters will buy or trade I have a Yaesu FT101ZD with desk top mic.

Later Brian
VE2-USS
luker@sympatico.ca

1562. FS: Heathkit Tube Tester - MINT condx

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 21:09:03 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <hjbejusat984fb7m4gr28befje54u877jg@4ax.com>
Source record: 41273
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,alt.ham-radio.marketplace

FOR SALE

Heath Model IT-17 Tube Tester
This is a later model tester from the 60s or 70s that is very
comprehensive.

It will test virtually any tube.

It is in mint condition

$85.00 plus shipping will get you a brand new looking Heath tester.

E-mail me for details & picture.

1563. Re: Seeking Low Power FM Transmitter with Digital Tuning

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 21:29:25 UTC
From: Rocky Top <rockytop@_SPAM_RMV_dellmail.com>
Message-ID: <ujecljk9mfe3dd@corp.supernews.com>
Source record: 41274

"Mr. Microphone" from Ronco!

http://www.yesterdayland.com/popopedia/shows/toys/ty1047.php

"Simon Clarke" <simon_clarke@usa.net> wrote in message
news:1287d60f.0207171027.2dd7e397@posting.google.com...
> Hello from Los Angeles:
>
> I'm looking to purchase a ready made low power FM transmitter, that
> broadcasts just a short range for listening to music stored on my PC
> around the house on various FM receivers.
>
> I'm looking for one that doesn't have any potentiometers on it i.e. it
> broadcasts on one or a few set frequencies, or the frequency is set
> digitally.
>
> Does anybody have any recommendations?
>
> Simon.

1564. test

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 21:46:08 UTC
From: Joe Mehaffey <joe@mehaffey.us>
Message-ID: <3D373720.332220FE@mehaffey.us>
Source record: 41275

[No readable article body recovered]

1565. FS: Heathkit 6m AM TRANSCEIVER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 21:54:23 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <09eejuk0v9dv6thphk6r72idl0nsdvi21a@4ax.com>
Source record: 41276
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

Heath HW-10 Shawnee 6m AM Transceiver

Consists of Transmitter, receiver with built-in power supply - all in one.

10 watt RF output CW and AM on 49.8 mc to 54.0 mc.
IF frequencies: Double conversion - First i.f. 22 to 26 Mcs. (tunable) - Second i.f. 2 Mc.
6360 final with built-in VFO - has ganged tuning of exciter stages for single knob tuning Built-in low pass filter push-to-talk microphone Built-in 3-way power supply for 117 V. AC, 6 or 12 V. DC Ideal for use in mobile AM operation. Unit is in typical condition for a radio of this age - Some small rust areas and scratches on case, but front panel looks excellent and has all the original chrome knobs. Comes with the cream colored Heath microphone and hanging clip on the side.

Will sell for $85.00 plus shipping

E-mail me for a picture...

Full specifications & details at:
http://www.heathkit-museum.com/ham/hw-10.shtml

1566. Re: Questions re. strange antenna on roof of gov't building

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 21:56:39 UTC
From: WG <nojunk@mail.com>
Message-ID: <rQGZ8.8176$7p1.175704@news1.telusplanet.net>
Source record: 41277
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,alt.radio.scanner

This is a shot in the dark but it sounds like it maybe a satellite transmitter antenna. with the long ski looking thing being the feeder horn assembly. You might try posting to alt.binaries.radio-scanner with a picture of it for better analyses. I saw what sounds like the same thing out side of the CBC TV studios a few years ago but this looked like one of those big Swiss horns except it was about 30 feet long and about 20 feet at the base of the teepee quite the strange looking things.

"Ian W. Douglas" <idouglas@calcna.ab.ca> wrote in message news:Pine.A41.4.05.10207172230180.44054-100000@srv1.calcna.ab.ca...
>
> On the roof of a government building near me there is a strange
> looking antenna (or at least what looks like one): it looks like a
> very long downhill ski which was wrapped in an upward spiral fashion
> around an Indian teepee, with a gap between each spiral turn of the "ski"
> of one "ski" width. Then the "teepee" was removed and the "ski" was
> put on some kind of wire mesh or similar frame. What is this antenna
> for? What could it do? What special characteristics could this antenna
> have which would make it suitable for whatever task it is intended for?
>
> A note to the trolls and flamers: I have already thought of the
> possibility that this antenna is used to monitor Indian radio
> transmissions or make smoke signals; so I scooped you. I am just
> trying to see whether I am right or wrong about this.
>
> Thanks in advance,
>
> Ian Douglas
>

1567. FS HF Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 21:59:33 UTC
From: wavelengthham <w9jcm@REMOVETHISreno.quik.com>
Message-ID: <8TGZ8.982$wG.8521@newsfeed.intelenet.net>
Source record: 41278
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

One Excellent condition HF amplifier Made by N6ZU. Runs 2 4-400As (emiacs) also another pair comes with the amp emiacs also full output on all. This amplifer also carries in the same box a peter dahl transformer Its about 3100 Volts. Setup for 110V house current. 10-80meters tuned inputs will work warc bands at lower power levels. I only ran it about 700 watts. But can brew it up to almost legal limit. This amp is very solid you will not find a better made one. Its all one unit with a hinged box for ease of tube changes. The weight is 75 pounds. Email for pictures. Serious buyers only please. I paid 900 dollars less than 2 years ago. Make me a offer shipped.

W9JCM
John McGrath

1568. Re: Looking for TS450S service manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 22:03:44 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <4XGZ8.208934$lm2.10521635@bin2.nnrp.aus1.giganews.com>
Source record: 41279

I have one, but without tearing it apart to get the individual pages, copying it is nearly impossible. Bending it at the spine will likely cause pages to come loose as well, so I'm a bit hesitant about doing the entire manual. I could make copies of a few pages for you if necessary, but there are multi-color board layouts, and they won't come out too good.

Are you having a problem with it, or is this just because you want one? Have you tried buying one from some of the on-line manual suppliers like W7FG (if he even has one)?

Bob M.
======
"ve3tmt" <ve3tmt@rac.ca> wrote in message
news:HXyZ8.8655$o7.1450822@news20.bellglobal.com...
> Anyone have a good condition copy they can photocopy for me. I will
gladly
> pay for the copying and shipping charges, plus some for your effort.
>
> Thanks,
>
> Max
>
>

1569. Schematic required for Daiwa SS-606 power supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 22:08:02 UTC
From: Jason <t1speed@rogers.com>
Message-ID: <MPG.17a105d8df6f5dc198968a@nntp>
Source record: 41280
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment

If anyone has this could they please e-mail it to me ASAP? If you have one of these supplies, and you have the manual, I beleive it's part of the manual--I can't seem to locate mine.

Thanks in advance!

Jason VE3TYG

1570. Re: Questions re. strange antenna on roof of gov't building

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 22:48:29 UTC
From: Dev <hmm@ohmy.com>
Message-ID: <1BHZ8.8205$7p1.179098@news1.telusplanet.net>
Source record: 41281
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,alt.radio.scanner

ohh. well now that I know that WG is canadian and Ian is from Alberta.
Someone should state that this antenna is in canada. I live about 5 minutes
From Industry Canada's office in BC. I will see if they have one on their
roof. If anyone else should have one. I presume they should. But can't till
the morning.

Dev.

WG <nojunk@mail.com> wrote in message
news:rQGZ8.8176$7p1.175704@news1.telusplanet.net...
> This is a shot in the dark but it sounds like it maybe a satellite
> transmitter antenna. with the long ski looking thing being the feeder horn
> assembly. You might try posting to alt.binaries.radio-scanner with a
picture
> of it for better analyses. I saw what sounds like the same thing out side
of
> the CBC TV studios a few years ago but this looked like one of those big
> Swiss horns except it was about 30 feet long and about 20 feet at the base
> of the teepee quite the strange looking things.
>
> "Ian W. Douglas" <idouglas@calcna.ab.ca> wrote in message
> news:Pine.A41.4.05.10207172230180.44054-100000@srv1.calcna.ab.ca...
> >
> > On the roof of a government building near me there is a strange
> > looking antenna (or at least what looks like one): it looks like a
> > very long downhill ski which was wrapped in an upward spiral fashion
> > around an Indian teepee, with a gap between each spiral turn of the
"ski"
> > of one "ski" width. Then the "teepee" was removed and the "ski" was
> > put on some kind of wire mesh or similar frame. What is this antenna
> > for? What could it do? What special characteristics could this antenna
> > have which would make it suitable for whatever task it is intended for?
> >
> > A note to the trolls and flamers: I have already thought of the
> > possibility that this antenna is used to monitor Indian radio
> > transmissions or make smoke signals; so I scooped you. I am just
> > trying to see whether I am right or wrong about this.
> >
> > Thanks in advance,
> >
> > Ian Douglas
> >
>
>

1571. Re: Seeking Low Power FM Transmitter with Digital Tuning

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 22:54:29 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <ah7fq3inr1@news1.kornet.net>
Source record: 41282

There are dozens, if not hundreds, of those available on ebay, mostly the digital 2 or three frequency models, for about $30 Buy-it-Now.. do a search for FM Modulator.

"Simon Clarke" <simon_clarke@usa.net> wrote in message news:1287d60f.0207171027.2dd7e397@posting.google.com...
> Hello from Los Angeles:
>
> I'm looking to purchase a ready made low power FM transmitter, that
> broadcasts just a short range for listening to music stored on my PC
> around the house on various FM receivers.
>
> I'm looking for one that doesn't have any potentiometers on it i.e. it
> broadcasts on one or a few set frequencies, or the frequency is set
> digitally.
>
> Does anybody have any recommendations?
>
> Simon.

1572. FT:directionnal vhf hd comprod 290-70hd

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-18 23:35:50 UTC
From: ve2ckn <gfillio1@globetrotter.net>
Message-ID: <qhIZ8.453$gM.45864@charlie.risq.qc.ca>
Source record: 41283

hi,i have an directionnal antenna vhf.135-145 mhz
she is like brand new.
asking 450$ canadian,it is HD
6 elements
i would trade it for 2 bands mobiles
vhf-uhf

gervais
ve2ckn@hotmail.com

1573. Re: Seeking Low Power FM Transmitter with Digital Tuning

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 00:00:22 UTC
From: Sylvan Butler <Znospam+noZs_0207@hpb13799Z.Zboi.hpZ.com.invalid>
Message-ID: <slrnajelkm.ga.Znospam+noZs_0207@hpb13799Z.Zboi.hpZ.com.invalid>
Source record: 41284

On Fri, 19 Jul 2002 07:54:29 +0900, Brenda Ann <brandad@kornet.net> wrote:
> There are dozens, if not hundreds, of those available on ebay, mostly the
> digital 2 or three frequency models, for about $30 Buy-it-Now.. do a search
> for FM Modulator.

Watch out, those may be intended for use in a car where they would
be hooked up to the car battery for power and cabled directly to the
antenna input of the car radio instead of broadcasting.

To use in a house you would have to provide a power supply and even
then the broadcast vs direct cable issue would probably be bad.

sdb
--
| Sylvan Butler | Not speaking for Hewlett-Packard | sbutler-boi.hp.com |
| Watch out for my e-mail address. Thank UCE. >>>> change ^ to @ <<<< |
They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety. --Benjamin Franklin, 1759
Stop Palladium, TCPA and Senator Fritz Hollings, NOW!
http://www.cl.cam.ac.uk/users/rja14/tcpa-faq.html

1574. FS GOODIESSSSSSSSSSSSSSSSSS !!!!!!!!!!!!!!!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 01:32:07 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <r_JZ8.2084$Qk6.987@newsread1.prod.itd.earthlink.net>
Source record: 41285

Hello I got MUCH, MUCH, MUCH more stuff 4 Sale.....

I will be attending the SWAPMEET in Pomona, CA this
SATURDAY 7/20/2002

" HOPE TO SEE YOU ALL THERE.....73"

The swapmeet is from 7:00 A.M. - 11:00 A.M.

Drake T-4XB Transmitter, Drake R-4B Receiver, Drake MS-4 Speaker, Drake AC-4 Power Supply, and Shure 444 Desk Microphone.....$475.00

Hallicrafters SR-150 Transceiver, and matching Hallicrafters PS-150 Power Supply.....$295.00

Icom 2AT 144-148 MHz FM Transceiver, with optional tone unit, Icom BC-35 quick charger, Icom BC-25U trickle slow charger, 2 TWO BP-8 batteries, 3 THREE Icom BP-2 batteries.....$125.00

COMPLETE packet station Yaesu Memorizer 144 MHz transceiver with a MFJ - 1270 TNC, pc cable, ac supply $99.00

RECEIVER R-648 / ARR - 41 AC Supply.....$195.00

Ham Keyer # HK5A.....$40.00

Ham Key.....$50.00

Tektronics # 466 Storage Oscilloscope.....$495.00

Tektronics # 7603 Oscilloscope.....$250.00

Collins KWM-1 Transceiver... LOOKS GREAT, cosmetically very nice, receive works fine, but no transmit,
sold "as is.....$495.00

Collins 516F-1 KWM-1 matching power supply works great.....$400.00

Swan 250C "EXCELLENT" Condition 6 Meter All Mode Transceiver. The Optional Accessories are:
Swan Matching 117-XC Speaker/Power Supply, "RARE" Swan 210 External VFO, Swan NS-1 Noise Silencer, Swan Desk Microphone, Swan VX-2 Vox Unit, Swan SWR-3 SWR Meter.....$600.00

Drake TR-6 " EXCELLENT" Condition 6 Meter All Mode Transceiver. It is very nice, and the Optional Accesories are:
Drake MS-4 External Speaker, Drake AC-4 Power Supply, Drake 9-NB Noise Blanker, FOUR Filter included.... TWO SSB Filter, ONE AM Filter, ONE CW Filter, & Manual.....$1300.00

LARGE HAMMARLUND EXTERNAL SPEAKER, NICE CONDITION.....$99.00

SMALL HAMMARLUND EXTERNAL SPEAKER.....$75.00

VERY NICE HAMMARLUND " ORANGE EMBLEM" EXTERNAL SPEAKER $99.00

HYGAIN 3806 VHF FM TRANSCEIVER UNTESTED WITH MANUAL..... $20.00

TOKYO HY-POWER HL-30V 30 WATT 2 METER AMPLIFIER.....$30.00
Collins PM-2 power supply $175.00

DX Engineering Voice Processor for a Collins 32 Transmitters....$265.00

Collins 270G-2 External Speaker.....$275.00

Yaesu Landliner LL-301 phone patch......$29.00

Yaesu MH-15CB DTMF hand microphone.....$25.00

AEA PK-88 TNC with manual $40.00

Gonset GSB-201 desk amplifier runs 4 - 811's with manual wired for 110 volts
output is 500 watts
(pick up only Los Angeles) $220.00

Eico 625 Tube Tester with tube chart.....$50.00

Heath-Kit "THE TWOER" in EXCELLENT a COLLECTOR item for sure with the
AC/DC cable, and original heath-kit microphone $99.00

Heath-Kit HW-22 SSB Transceiver with original Heath-Kit microphone,
mounting bracket and matching Heath-Kit power supply.....$125.00

Heath-Kit AM-2 wattmeter.....$20.00

Micro-Match (vintage) # 262 RF Power/VSWR meter...$75.00

Autek Research Message Memory CMOS Keyer MK-1.....$50.00

Palomar R-X Noise Bridge.....$35.00

Palomar Tuner/Tuner PT-340.....$49.00

B & W # 595 6 position antenna switch......$30.00

Courier Port-A-Lab 500 wattmeter/VSWR/Modulation/Relative Field Strength
Meter.....$39.00

KNIGHT C-577 COMPRESSOR.....$15.00

Maxon (TWO) CS-0510 4 channel handhelds with swivel cases
(can't test do not have a charger) Both for $55.00

Yosan HJ-502 "NEW IN THE BOX, NEVER USED"
WITH INSTRUCTIONS, AND ORIGINAL BOX
Power/VSWR/Modulation/ AND a frequency counter.....$85.00

Icom BC-35 quick charger for the BP-7, BP-8...$40.00

Astatic D104M-6 chrome hand microphone...$25.00

Astron RS-20A needs new Positive +, Negative - posts put on ...$45.00

Kenwood SMC-25 speaker/microphone for the TR-2500, TR-2600...$20.00

Kenwood YK-88CN 270HZ C.W. filter on 8830.7 KHZ.

This filter will fits these models:
Kenwood TS-130S,130SE,430S,440S,530S,530SP,830S,670S,660,and
the R-5000. .....$60.00 shipped in the U.S.

Kenwood TU-4C (new in the box) is the Tone Encoder for the Kenwood
TW-4000A 144/440 MHZ dual band mobile radio $45.00
shipped in the U.S.

2- KENWOOD CK-18 WARC BAND COIL PARTS KIT FOR THE TS-180S (New In
The Box),(UNUSED) (IT HAS ABOUT 90% OF THE PARTS) This will add 12, 17,
30 meters to your Kenwood
TS-180S, instruction manual included.....$40.00 shipped in the U.S.
ONLY

Kenwood IC-10 (set of two chips) these are required for computer
control when using a Kenwood TS-440S, and R-5000
.....$49.00 shipped in the U.S.

Please view my web page, and look under Accessories, & Boatanchors Galore,
and Test Equipment, and Newer Equipment

ALMOST ALL THE ITEMS LISTED ABOVE ARE ON MY WEB PAGE "

http://radioleo.tripod.com/leo/
>
> 73, Leo KJ6HI
>
> PH/FAX (310) 670-6969

1575. FS or Trade list 07-19-2002

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 02:47:15 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <T4LZ8.86721$uw.41802@rwcrnsc51.ops.asp.att.net>
Source record: 41286

Please if you have questions or want to make a trade contact me off list at my e-mail address. gundoc@insightbb.com Some of these lists are not swap lists and only tolerate my post because it is only once a week. To the group owners thank you for letting me continue to post to the group.

Dean

GE Portables

GE MPA VHF Scan 136 - 150.8 split 192 channels nice 9.0 Condition. With battery and charger. I have this programmed for Ham and up to 152 MHz before it will not lock on frequency. $225.00

GE MPA VHF Scan 157 - 174 split. 192 channels. Nice radio 8.5 condition with battery and standard charger. I have it programmed down to 154 MHz with no trouble but will go no lower. $225.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display. With battery and standard charger. 7-7.5 $85.00

GE MPD scan VHF 150.8 174. 48 channel alphanumeric display. These look good and come with a battery and standard charger. $100.00 each.

MPD Voice Guard VHF system model with full keypad. 48 channel alpha display. With battery and standard charger. $115.00

GE KPC 300 VHF 16 channel scan. Nice radio with battery and antenna. No charger with this one. $100.00

GE KPC 400 UHF 16 channel scan. Full DTMF pad on this radio. This one has a charger. $185.00

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170 but I have programmed these in the ham band with no trouble. These

have battery, antenna, and standard charger. $75.00 each

GE PLS UHF 16 Channel. 8 to 8.5 also. 450 - 470 split but I can

program these to the ham band. With battery, Antenna, and Charger.

$85.00 each. Have 3 of these.

GE MPS VHF 12 channel. 8.5 condition. New antennas and NOS batteries

Standard charger. $60.00 each have 2.

SALE!

GE MPS UHF 48 channel. 8 = 8.5 condition, These have NOS batteries

And have 4 banks of 12 channels. These can go to the ham band. I

have been Using one of these on my ham repeater and it works great.

$60.00 each I have 4 of these. Programming on 12 channels included.

GE UHF MPS 8 channel with 8 different tones. 8 different tones can be

Selected for each different channel. Battery and antenna. $50.00

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1

good battery. With 1 dual slot charger. $200.00 all 3 radios.

GE Monogram VHF 10 channel portable. 157-179 split. ex CSX radio. I

sold this radio a year ago but have taken it on trade. Condition 8

with belt clip and charger. I had this radio run for stolen from CSX

by a local CSX Special Agent when I first bought these in a lot and

was told that it had been sold at salvage. Perfect for a RR Museum or

shortline on a budget. This could also be programmed for marine

frequencies. Like new tall Battery. $100.00

GE Mobiles

GE Phoenix SX VHF 128 channel scan. With Mic, Has all 8 proms.

$100.00

GE MVS 800 conventional 2 channel. Without mic tested OK $45.00

GE MLS UHF 8 channel. With Mic, power cord and hang up box. MLSU240

450. - 470 Looks good. $125.00

GE MLS Low Band 16 channel scan. 42-50 split. New mic. Should

Program to 6 meter ham. 60 watt $150.00

GE Mastr II UHF 75 watt with preamp. No Icoms drawer only.

MC65KKG88B $90.00 each only 2 left

GE Mastr II Lowband 42-50 slit 110 watt. MC74KCN33A

With 1 set of Icoms $45.00 each I have many.

GE Mastr Pro Low band 110 watt 42 50 split. MT74TCS33

With 2 sets of Icoms. $10,00 each. I have many.

GE Mastr Pro 110 watt lowband 42-50 split in a wall mount cabinet

With a power supply for a base. $35.00

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00

each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr

II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that

I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Just in not tested. $60.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.

16 channel model has short cable and some handle bar mounts. Mic

included but no speaker. Not tested yet since I just got it in.

$50.00

GE Mobile Vehicle Adapter for MPA, MTL, MPD, and TPX. This unit

charges your battery and turns your portable into a mobile radio.

(Convert a Com) With mic, speaker, and power cable. $90.00

GE Accessories

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $5.00

Mastr II Mic. $5.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen

programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5.

$4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and

162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50

each. These are the only frequencies I have.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each.

GE Delta cables. These are the downloading type used with the S820

heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

GE Mastr II mounting plates $15.00 each

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE MPA, MPD, MTL standard Speaker mic. $25.00

GE PCS Universal charger. With wall transformer $20.00 each

GE MPA standard chargers. $20.00 each

GE MPA Rapid chargers. $30.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a

rapid rack charger with a DB 15 cable and uses a MPD body to attach a

battery to. Has LED readout in display area of MPD body to tell

discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card

and power supply / speaker. $300.00

Other Radios and Accessories

Motorola Saber III Secure VHF 146 split 120 channel radio. Alphanumeric

Display. Has Battery Smart charger and speaker mic. I have been using this on the VHF ham band. Has a new case that was installed at the Motorola Rockford, IL Depot So it also has a new model sticker that they put on as well. Nice 9.5 or better radio. $475.00

Motorola MT-1000 low band 42-50 split. 6 channel scan. Looks good

With battery and charger. $160.00

Yaesu FTH 2009 VHF portable. 6 channel. Works great on ham and public

Safety band. With wall charger $95.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great.

This was in my van before I added another MVS so I know it works.

$95.00

Maxon 5050a Low band portable pair. Like new condition with 1 battery

charger but I will split up the pair if someone wants 1 radio only. 6

channels programmed for 10 meter ham band on 2 repeater pair and 4

simplex frequencies. 2 radios and 1 charger $175.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by

Midland. $65.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$65.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition

and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of

crystals for each radio. Also have a working battery and charger for

each. I have 4 of these. $50.00 all

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work

with the sp2000 as well.$35.00

Consignment section

This area is for a few friends who like those other radios you know

"Motorola" They are good people and I will pass along any trades you

may wish to make.

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola Saber II UHF 48 channel scan. With battery and antenna. 9 condition $350.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Want List not FS

Extra parts for GE suitcase programmers Data modules, Printers, cables, proms, Anything you have extra. MPA or MPD portables what do you have and what do you want for them? Johnson scorpion program cable.

Terms

All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a question E-mail me. Contact me off list at. Gundoc@insightbb.com

Dean

1576. WTB Yaesu FT-8000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 03:43:07 UTC
From: Steve Painter <stevepaint@clearwater.net>
Message-ID: <BPLZ8.36591$rX.6223477@e420r-atl1.usenetserver.com>
Source record: 41287

If you have one to sell, please email me with price & contition.
tnx.
steve
W0OVL

1577. 2m/70cm Rig In House & Antenna On Car????????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 03:52:57 UTC
From: xtx99@aol.com
Message-ID: <20020718235257.05854.00000489@mb-fm.aol.com>
Source record: 41288

I just got my first radio....a Kenwood TM-G707A 2m/70cm dual band. I currently have it installed in my car along with a Radiall/Larsen NMO Magnetic Mount with 12' of coax (which is made with a thin layer of plastic on the magnet to prevent scratching the car) & a Diamond 2m/70cm radialless mobile NR770NMO antenna. The antenna instructions say that the antenna "employs a DC ground structure so that whip element and ground section (outer shell of the impedance matching section) are short-circuited, and center conductor of the feedpoint connector and whip element are isolated."
I'm not sure if I want to use the radio for anything other than moble use. However, I would like to spend time with the radio and learn its many menus. I'd prefer to learn the features of the radio in my home rather than my car. Can I bring the radio in the house, run it off an appropriate power supply but still use the magnetic mount antenna on the car temporarily? If I can, I'd have to of course use a double female connector and 25' of additional coax. I'm not sure if I can add additional coax cable without throwing the SWR off. (I don't have an SWR meter to check). Also, would I have to use the same type cable for the extension or could I use higher quality cable? (I'm aware that the loss is high at VHF and UHF frequencies). I'm also concerned that because the antenna is made short-circuited (see paragraph above) and because the antenna mount isn't touching the car body (because of the plastic covering on the magnet) that I must use the common battery ground off my car to get a proper SWR. If I can use my magnetic mount in this fashion, is it necessary that I keep it on the car??...Perhaps I should temporarily sit it in the attic instead. Thanks for any suggestions.

1578. Looking For A AZDEN PCS7000H Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 04:08:59 UTC
From: Sam <ws6s@arrl.com>
Message-ID: <180720022110220731%ws6s@arrl.com>
Source record: 41289

I'm looking for a copy of an operating manual for an Azden PCS7000H
2 Meter transceiver. I'm more than willing to pay for copying and
postage if anyone can help out.

Thanks in advance!

73, Sam WS6S

1579. Re: IC-746 and Ameritron AL-80B amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 04:25:42 UTC
From: "Dana Hoggatt (KB9SSS)" <kb9sss@arrl.net>
Message-ID: <3D3794C6.35773904@arrl.net>
Source record: 41290

To be safe, you'll want the relay.
Check out the info in the IC-746 FAQ
for all the gorey details.

http://www.qsl.net/kb9sss/IC-746/IC746-faq.txt

And yes, you'll want the ALC hooked
up as well.

Godd luck.

Dana, KB9SSS

Larry Bratcher wrote:
>
> I just bought an AL-80B amp to use on my Icom 746. Can I hook the amp
> directly or should I get a Ameritron relay to go between the Amp and Radio?
> If I hook directly, do I need the alc hooked up? I appreciate any advise
> from anyone running a similar setup.
>
> Thanks
>
> Larry

1580. Looking for WW-II Aircraft Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 04:45:34 UTC
From: john price <jm.price@worldnet.att.net>
Message-ID: <3D379985.7F6DAF00@worldnet.att.net>
Source record: 41291
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

Hi All....

I'm trying to find some of the original radio and antenna
equipment for my airplane; an Aeronca L3B "Grasshopper"...
(See http://home.att.net/~jm.price for picture)...

The specific equipment I need is:

RCA AVA-120 Trailing wire antenna
RCA AVA-126 Power supply
AG-40 Wind generator

The equipment in question might not have actually been manufactured
by RCA... I know that at least some of them were manufactured
by Continental Radio & Television Corp...

Any help would be appreciated

John Price
WA2FZW
CFII/AGI/IGI

1581. Re: Questions re. strange antenna on roof of gov't building

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 04:58:55 UTC
From: WG <nojunk@mail.com>
Message-ID: <j0NZ8.8304$7p1.206758@news1.telusplanet.net>
Source record: 41292
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,alt.radio.scanner

Of coarse I am Canadian I have answered other posts of yours with a Canadian flavor.
The guys at Industry Canada are a good group. If you ask nice they will take you for a tour. I did this a few years ago and had a look at the radio tracking system. They can track any radio in the Lower Mainland in under 6 sec. including CB and cell-phone. The antennas that they use are remote and the signals and controls are shipped through the phone lines so they can even monitor week transmitters in Abbotsford or North Vancouver. All of the radios are computer controlled including the telephone pole radios that they can set up on any street. When I was in their they had the top of the line Icom wide band receivers including in the pole mounted box that I was shown. Also all of the scopes and station monitors needed to see if a radio was chucking spurs. Anyway I seem to have gotten of topic a bit what I wanted to say was that I can't recall seeing any antennas on the roof of their building nor when they were down town but you can look and let me know.

"Dev" <hmm@ohmy.com> wrote in message
news:1BHZ8.8205$7p1.179098@news1.telusplanet.net...
> ohh. well now that I know that WG is canadian and Ian is from Alberta.
> Someone should state that this antenna is in canada. I live about 5
minutes
> From Industry Canada's office in BC. I will see if they have one on their
> roof. If anyone else should have one. I presume they should. But can't
till
> the morning.
>
> Dev.
>
>
> WG <nojunk@mail.com> wrote in message
> news:rQGZ8.8176$7p1.175704@news1.telusplanet.net...
> > This is a shot in the dark but it sounds like it maybe a satellite
> > transmitter antenna. with the long ski looking thing being the feeder
horn
> > assembly. You might try posting to alt.binaries.radio-scanner with a
> picture
> > of it for better analyses. I saw what sounds like the same thing out
side
> of
> > the CBC TV studios a few years ago but this looked like one of those big
> > Swiss horns except it was about 30 feet long and about 20 feet at the
base
> > of the teepee quite the strange looking things.

> >
> > "Ian W. Douglas" <idouglas@calcna.ab.ca> wrote in message
> > news:Pine.A41.4.05.10207172230180.44054-100000@srv1.calcna.ab.ca...
> > >
> > > On the roof of a government building near me there is a strange
> > > looking antenna (or at least what looks like one): it looks like a
> > > very long downhill ski which was wrapped in an upward spiral fashion
> > > around an Indian teepee, with a gap between each spiral turn of the
> "ski"
> > > of one "ski" width. Then the "teepee" was removed and the "ski" was
> > > put on some kind of wire mesh or similar frame. What is this antenna
> > > for? What could it do? What special characteristics could this
antenna
> > > have which would make it suitable for whatever task it is intended
for?
> > >
> > > A note to the trolls and flamers: I have already thought of the
> > > possibility that this antenna is used to monitor Indian radio
> > > transmissions or make smoke signals; so I scooped you. I am just
> > > trying to see whether I am right or wrong about this.
> > >
> > > Thanks in advance,
> > >
> > > Ian Douglas
> > >
> >
> >
>
>

1582. ICOM IC-718 10 METER FM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 06:35:30 UTC
From: marvin rosen <raghead@worldnet.att.net>
Message-ID: <SqOZ8.38804$Iu6.2187801@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41293

I wonder why they omitted 10 FM from the IC-718?
I would think sales would increase by incorporating
10 FM in this radio! Sigh.....!!!

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.375 / Virus Database: 210 - Release Date: 7/10/02

1583. Re: 2m/70cm Rig In House & Antenna On Car????????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 09:13:24 UTC
From: DPH <rally2xs@compuserve.com>
Message-ID: <kllfjusulevicf295nctvl44grjss7hfs6@4ax.com>
Source record: 41294

If the antenna is matched (has a good swr) in the 1st place, adding additional coax with a barrel connector will not adversely affect the swr provided the coax is 50 ohms.

In fact, using RG-58, with a fairly high loss on VHF, you would have a better SWR at the transmitter for an antenna that was not perfectly matched since you would lose some additional power getting to the antenna, the same percentage of power would be reflected due to the less than perfect match, and that power that was reflected would again be attenuated by the extra length of lossy coax.

Even with "great" coax, if you have enough of it, you can still see this happen. With heliax to an antenna on top of a 500 foot tower, seeing even 1 watt of reflected power with 80 watts going up the tower, I knew that our UHF repeater antenna had been destroyed by lightning again. If the SWR wasn't perfect, it was time to call the tower climbers to replace the antenna.

Dave Head
K8DH

On 19 Jul 2002 03:52:57 GMT, xtx99@aol.com (Xtx99) wrote:

>I just got my first radio....a Kenwood TM-G707A 2m/70cm dual band. I currently
>have it installed in my car along with a Radiall/Larsen NMO Magnetic Mount with
>12' of coax (which is made with a thin layer of plastic on the magnet to
>prevent scratching the car) & a Diamond 2m/70cm radialless mobile NR770NMO
>antenna. The antenna instructions say that the antenna "employs a DC ground
>structure so that whip element and ground section (outer shell of the impedance
>matching section) are short-circuited, and center conductor of the feedpoint
>connector and whip element are isolated."
>I'm not sure if I want to use the radio for anything other than moble use.
>However, I would like to spend time with the radio and learn its many menus.
>I'd prefer to learn the features of the radio in my home rather than my car.
>Can I bring the radio in the house, run it off an appropriate power supply but
>still use the magnetic mount antenna on the car temporarily? If I can, I'd
>have to of course use a double female connector and 25' of additional coax.
>I'm not sure if I can add additional coax cable without throwing the SWR off.
>(I don't have an SWR meter to check). Also, would I have to use the same type
>cable for the extension or could I use higher quality cable? (I'm aware that
>the loss is high at VHF and UHF frequencies). I'm also concerned that because
>the antenna is made short-circuited (see paragraph above) and because the
>antenna mount isn't touching the car body (because of the plastic covering on
>the magnet) that I must use the common battery ground off my car to get a
>proper SWR. If I can use my magnetic mount in this fashion, is it necessary
>that I keep it on the car??...Perhaps I should temporarily sit it in the attic

>instead. Thanks for any suggestions.

1584. Re: 2m/70cm Rig In House & Antenna On Car????????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 10:51:00 UTC
From: Randy <randyap@geocitiesdot.com>
Message-ID: <oaSZ8.164797$iB1.9037662@bin4.nnrp.aus1.giganews.com>
Source record: 41295

Not a ham antenna, I hope. Aren't hams limited to 200 feet?

> Even with "great" coax, if you have enough of it, you can still see
> this happen. With heliax to an antenna on top of a 500 foot tower,
> seeing even 1 watt of reflected power with 80 watts going up the
> tower, I knew that our UHF repeater antenna had been destroyed by
> lightning again. If the SWR wasn't perfect, it was time to call the
> tower climbers to replace the antenna.
>
> Dave Head
> K8DH

1585. Looking for Ten Tec Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 12:17:09 UTC
From: jonweiner@aol.com
Message-ID: <20020719081709.12978.00000502@mb-mv.aol.com>
Source record: 41296

Want to trade or buy Ten Tec filters. Looking for models 218 or 220. Have for trade models 285 and 288.

Jon,
K1VVC

1586. Re: ICOM IC-718 10 METER FM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 12:54:16 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <rAo4PUVtqrFld+u6w+PBssFlscwN@4ax.com>
Source record: 41297

"marvin rosen" <raghead@worldnet.att.net> wrote:

>I wonder why they omitted 10 FM from the IC-718?
>I would think sales would increase by incorporating
>10 FM in this radio! Sigh.....!!!

Hard to say whether sales would increase -- the few times I've checked in on 10m fm, there were so many signals coming in, from all over the earth, with people cutting each other off, it sounded more like cb.

Still, if you need the fm, the Yaesu 840, in about the same price range as the Icom, offers 10m fm with repeater offsets.

Bob
k5qwg
>
>
>---
>Outgoing mail is certified Virus Free.
>Checked by AVG anti-virus system (http://www.grisoft.com).
>Version: 6.0.375 / Virus Database: 210 - Release Date: 7/10/02
>

1587. Re: 2m/70cm Rig In House & Antenna On Car????????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 13:00:01 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <MQw4PWjRWpA4NKFoHr0vP2Lrnz2O@4ax.com>
Source record: 41148

xtx99@aol.com (Xtx99) wrote:

> If I can use my magnetic mount in this fashion, is it necessary
>that I keep it on the car??...Perhaps I should temporarily sit it in the attic
>instead. Thanks for any suggestions.

For many years, I've run a dual bander in the home, using a Larson dual-band whip on a magnetic mount, stuck to a metal serving platter. Stick your mag mount to any handy metal surface, a file cabinet, refrigerator or whatever, and it should get out well. If, for any reason, your antenna doesn't work in such a situation, just build a little ground plane vertical around a coax connector.

Bob
k5qwg

1588. Service Manual TS450S - need help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 13:37:57 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <0BUZ8.15738$Db.1108001@news20.bellglobal.com>
Source record: 41149

Can anyone perhaps scan and e-mail the TX adjustments for the Kenwood TS450S. I need procedure for ALC, Power Out and mic gain adjustments.

Thanks very much,

Max

1589. Re: ICOM IC-718 10 METER FM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 13:57:27 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ujg6ooogo3gub5@corp.supernews.com>
Source record: 41150

Yeah...you have wonder about that one. Especially since you can buy a TS-50
for less than the 718, and it has FM standard!

"marvin rosen" <raghead@worldnet.att.net> wrote in message
news:SqOZ8.38804$Iu6.2187801@bgtnsc04-news.ops.worldnet.att.net...
> I wonder why they omitted 10 FM from the IC-718?
> I would think sales would increase by incorporating
> 10 FM in this radio! Sigh.....!!!
>
>
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> Version: 6.0.375 / Virus Database: 210 - Release Date: 7/10/02
>
>

1590. Re: 4-1000 HF amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 14:21:45 UTC
From: xppq <xppq@pyramid.net>
Message-ID: <4gVZ8.58$ws4.105002@newsfeed.slurp.net>
Source record: 41151
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi Tom

What does a 4-1000 replacement cost??

Are used 4-1000 available?

Josh N7XM near Carson City NV
"Tom - radioguy" <radioguy@charter.net> wrote in message
news:uj8des9en0aaef@corp.supernews.com...
> Very well built home brew SINGLE 4-1000 HF Amp. Built by N6ZU 18 months
ago.
> Very good condtion Legal Limit + amplifier. 80,40,20,15,10 meters. Tuned
> input. Includes a 5000 Volt power supply (4600 volts under full load.
(Very
> compact power supply). 100 watts drive gives 1500 watts plus on most
bands.
> PREFER PICK-UP on this item, but shipping may be possible. Reno, NV area.
> Amp deck is about 40-45 lbs Power Supply is about 65 lbs
> $1495.00 or best offer. Or possible part trade for a basic HF radio
>
> Photos can be sent via e-mail if needed.
>
> Tom - 775 - 673 - 2410
>
>
>

1591. Wtd: W2IHY EQ Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 14:31:42 UTC
From: Kevin <n0kq@arrl.net>
Message-ID: <ah97se$es7$1@magnum.mmm.com>
Source record: 41153

I need the power supply for the W2IHY EQs. If you have one to sell please
let me know.

Kevin N0KQ

n0kq@arrl.net

1592. TNC for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 14:51:54 UTC
From: Burt <burt@rocketmail.com>
Message-ID: <eIVZ8.571627$352.113670@sccrnsc02>
Source record: 41152

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1367818694

1593. Re: TNC for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 15:02:44 UTC
From: Kevin <n0kq@arrl.net>
Message-ID: <ah99mlgga1@magnum.mmm.com>
Source record: 41155

Sinsce when does e-bay have sales. I don't want to open auction items.
Please state FA: in subject.

Kevin

"Burt" <burt@rocketmail.com> wrote in message
news:eIVZ8.571627$352.113670@sccrnsc02...
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1367818694
>
>

1594. HM-75A microphone Schematic needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 15:03:55 UTC
From: N5BPF <DONTdmccoy@SPAMlightwire.MEcom>
Message-ID: <ujgainjmg5f6fd@corp.supernews.com>
Source record: 41154
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Does anyone have such a thing

DMc

N5BPF

1595. Re: TNC for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 15:49:53 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D383521.9040809@optonline.net>
Source record: 41156

Since the item in question does have a "Buy it now" option, I guess that means that the item is "for sale" -- even ignoring the fact that an auction (even without a "buy it now" option) is a method of bringing together a seller and a buyer and agreeing on a price for the item being offered.

-=-
Alan

Kevin wrote:
> Sinsce when does e-bay have sales. I don't want to open auction items.
> Please state FA: in subject.

1596. Re: TNC for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 16:34:44 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <ujgffsld74na7e@corp.supernews.com>
Source record: 41157

Since he say's it's FS and using "Buy it now", does that mean I could call him and offer $55 for it and he could accept that? Considering that it's an auction, using FS in the subject line doesn't seem right. It's not FS in the truest sense of the word. Personally if his starting bid was only slightly less than his "Buy it now" price, that would be (in my mind) close enough. Just my opinion.

Chuck WG2A

"Alan Beagley" <abeagley@optonline.net> wrote in message news:3D383521.9040809@optonline.net...
> Since the item in question does have a "Buy it now" option, I guess that means that the item is "for sale" -- even ignoring the fact that an auction (even without a "buy it now" option) is a method of bringing together a seller and a buyer and agreeing on a price for the item being offered.
>
> -=-
> Alan
>
>
> Kevin wrote:
> > Sinsce when does e-bay have sales. I don't want to open auction items.
> > Please state FA: in subject.
>

1597. Welz Power Meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 17:01:11 UTC
From: donrm@soco.agilent.com
Message-ID: <1027098071.625323@cswreg.cos.agilent.com>
Source record: 41158

Anyone know where I can buy a Welz power meter? This is a little box with an edgewise reading meter that shows power up to 5W from 50-500 MHz with a BNC input. Great for testing handheld radios.

TIA & 73
Don K6LTS
donrm@soco.agilent.com

1598. Opinions on Kenwood TS-570DG/SG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 18:02:25 UTC
From: alins@post.com
Message-ID: <51990af0.0207191002.7872e01f@posting.google.com>
Source record: 41159

Can some Kenwood TS-570DG/SG users please post their comments on this rig, especially in terms of its receive performance and reliability?

I have read the reviews on eham.net; just would like to hear from more first-hand users.

Thanks a lot

Ali

1599. TS930 ALC...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 18:37:37 UTC
From: Kresimir Kovarik <kreso@kreso.com>
Message-ID: <ah9m85quq1@sunce.iskon.hr>
Source record: 41160

Hi...
Anybody have idea how and where to set correct ALC level..
Just get 930 here without manual, and ALC is going very high
at 50W with SWR 1:1....

Thanks.

1600. FS AMPROBE AC/DC 1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 19:08:49 UTC
From: Jerry <gvibert@nospamoptonline.net>
Message-ID: <3D3863C1.1090604@nospamoptonline.net>
Source record: 41161

I have for sale as new an Amprobe Model AC/DC 1000 clamp on meter. It comes with leads and instruction papers.
to see the specs you can visit Amprobe's web page. The model on the page is the newer A. Has yellow markings.

http://www.amprobe.com/amp_catalog_acdc1000.html

This one is all black. If you have any questions email me, and I can send a picture.
Price: $250.00 plus shipping from 11710

http://www.repaircalibration.com/11911.html

Thanks for reading
Jerry (remove nospam from email to reply)

1601. IC 551D 6 mtr MULTI MODE W/ MATCHING SUPPLY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 19:36:19 UTC
From: james thomason <jct@cswnet.com>
Message-ID: <ah9pjm$2m6$1@feed.centurytel.net>
Source record: 41162

IC 551D 6 MTR ALL MODE W/ Power SUPPLY #1367069472 ebay

1602. Re: 2m/70cm Rig In House & Antenna On Car????????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 19:55:08 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <ujgrl03lqqq9de@corp.supernews.com>
Source record: 41163

Repeater antennas are normally mounted on towers who's primary purpose is another service. For example it could be mounted on a TV antenna tower. Ergo, the repeater is limited to the site, not 200 feet.

"Randy" <randyap@geocitiesdot.com> wrote in message news:oaSZ8.164797$iB1.9037662@bin4.nnrp.aus1.giganews.com...
> Not a ham antenna, I hope. Aren't hams limited to 200 feet?
>
> >
> > Even with "great" coax, if you have enough of it, you can still see
> > this happen. With heliax to an antenna on top of a 500 foot tower,
> > seeing even 1 watt of reflected power with 80 watts going up the
> > tower, I knew that our UHF repeater antenna had been destroyed by
> > lightning again. If the SWR wasn't perfect, it was time to call the
> > tower climbers to replace the antenna.
> >
> > Dave Head
> > K8DH
>
>

1603. Re: TNC for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 20:19:52 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D387468.30001@optonline.net>
Source record: 41164

I don't know about *calling* the vendor and offering the "Buy it now" price: "Buy it now" is intended as a "click here and the auction is ended automatically" option. It has always been possible (although frowned upon) for a seller to accept a private offer and end the auction early, but s/he still has to pay the eBay listing fee. I don't recall whether eBay imposes additional charges in a case like this, but my guess is that a seller who does it a lot is going to get blacklisted.

One advantage of going through eBay (whether using "Buy it now" or the more conventional bidding method) is that eBay has a conflict resolution procedure -- although I have never used it.

I have never sold anything on eBay, but I have made many purchases using eBay (although not for several months). I have used both "Buy it now" and the traditional bidding method. I have paid sometimes with a USPS Money Order, sometimes using PayPal, sometimes supplying a CC No. direct to the vendor, once using escrow. I check out the feedback ratings of the vendors, and I have never been "burned"; the closest I came was for a $500 item, but the vendor's local police contacted me just as I was about to go after him, and I got my money back in full (credited back to my PayPal account) in a short time.

I have got some great bargains, especially where items were described poorly, so that, for example, only a person knowing a specific Part No. or Model No. would find it -- by searching in the descriptions as well as in the titles. I am amazed at the outrageous prices some people pay for items; I can only guess that many people do not do their homework properly and assume that anything bought at an auction must be a bargain.

Chas wrote:
> Since he say's it's FS and using "Buy it now", does that mean I could
> call him and offer $55 for it and he could accept that? Considering that
> it's an auction, using FS in the subject line doesn't seem right. It's not
> FS in the truest sense of the word. Personally if his starting bid was only
> slightly less than his "Buy it now" price, that would be (in my mind) close
> enough. Just my opinion.
>
> Chuck WG2A
>
> "Alan Beagley" <abeagley@optonline.net> wrote in message
> news:3D383521.9040809@optonline.net...
>
>>Since the item in question does have a "Buy it now" option, I guess that
>
> means that the item is "for sale" -- even ignoring the fact that an auction
> (even without a "buy it now" option) is a method of bringing together a
> seller and a buyer and agreeing on a price for the item being offered.
>
>>-=-

>>Alan
>>
>>
>>Kevin wrote:
>>
>>>Sinsce when does e-bay have sales. I don't want to open auction items.
>>>Please state FA: in subject.
>>
>
>

1604. For Sale Yaesu FT 101 Z3 Mk3

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 20:33:18 UTC
From: big boy now <shogun1965@lycos.co.uk>
Message-ID: <wl_Z8.9691$Fm3.9397@news-binary.blueyonder.co.uk>
Source record: 41165

I have for sale a yaesu FT 101 ZD in very good condition.
in its day it was a top of the range radio.
I have been using this radio just for receiving as I am not licensed
to transmit on it.
it receives very clearly on all the bands I don't know if the transmit side
of the radio works or not so I am selling it as a receiver as I can not try
the transmitter side of the radio...
there are to many knobs and dials to list but if you are looking at this you
are more than likely a licensed radio ham and you can look it up on the
internet
to find out the full spec or more than likely you know what the radio is.
I have a very good idea what this radio is worth so if your interested in
this radio send my your serious offers only to the following email address
shogun1965@lycos.co.uk
I am willing to wrap it and post it the way you want.
or I am willing to meet up some were if you pay...
anyway email me your offers to shogun1965@lycos.co.uk

_____ john
ICQ#: 84317226 Current ICQ status: + More ways to contact me i See more
about me: _____

1605. Re: 4-1000 HF amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 20:38:42 UTC
From: Tom - radioguy <radioguy@charter.net>
Message-ID: <ujguhdrhgb8m92@corp.supernews.com>
Source record: 41167
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I've never replaced a 4-1000 tube so I've never checked into it.

Seems I saw someone with a couple of 4-1000 tubes on the net and he wanted
$ 250.00

Tom

> Hi Tom
>
> What does a 4-1000 replacement cost??
>
> Are used 4-1000 available?
>
> Josh N7XM near Carson City NV
> "Tom - radioguy" <radioguy@charter.net> wrote in message
> news:uj8des9en0aaef@corp.supernews.com...
> > Very well built home brew SINGLE 4-1000 HF Amp. Built by N6ZU 18 months
> ago.
> > Very good condtion Legal Limit + amplifier. 80,40,20,15,10 meters. Tuned
> > input. Includes a 5000 Volt power supply (4600 volts under full load.
> (Very
> > compact power supply). 100 watts drive gives 1500 watts plus on most
> bands.
> > PREFER PICK-UP on this item, but shipping may be possible. Reno, NV
area.
> > Amp deck is about 40-45 lbs Power Supply is about 65 lbs
> > $1495.00 or best offer. Or possible part trade for a basic HF radio
> >
> > Photos can be sent via e-mail if needed.
> >
> > Tom - 775 - 673 - 2410
> >
> >
> >
>
>

1606. Re: TS930 ALC...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 20:44:10 UTC
From: "Norman K. Hester" <ks9c@itis.com>
Message-ID: <3D387A1E.1799181A@itis.com>
Source record: 41166

If you're on SSB, turning down the microphone gain doesn't do the job?

It's been some time since I've had a TS930... but if you're talking
about CW, I believe there is a "carrier" control which should be
reduced. This control, however, will have no effect on SSB.

Keith

Kresimir Kovarik wrote:

> Hi...
> Anybody have idea how and where to set correct ALC level..
> Just get 930 here without manual, and ALC is going very high
> at 50W with SWR 1:1....
>
> Thanks.

1607. Re: TNC for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 20:51:38 UTC
From: misterrnNOSPAM@mercednet.com
Message-ID: <3d387b90.4548149@news.localaccess.com>
Source record: 41168

Or since we had the courtesy to look at the post, the poster should at least have the courtesy to place SOME of the info e.g. brand, type, etc. so we don't have to waste our time going to the ebay link if it is not what we are looking for.

On Fri, 19 Jul 2002 11:49:53 -0400, Alan Beagley <abeagley@optonline.net> wrote:

>Since the item in question does have a "Buy it now" option, I guess that means that the item is "for sale" -- even ignoring the fact that an auction (even without a "buy it now" option) is a method of bringing together a seller and a buyer and agreeing on a price for the item being offered.
>
>-=-
>Alan
>
>
>Kevin wrote:
>> Sinsce when does e-bay have sales. I don't want to open auction items.
>> Please state FA: in subject.
>

1608. W9INN 80/40 Antenna Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 21:12:22 UTC
From: Mark Krubsack <mkrubsack@yahoo.com>
Message-ID: <q30hjugg79lonmoenm6f72at5rn64ceg9k@4ax.com>
Source record: 41169

I'm looking for a W9INN 80/40 meter dipole. Anyone have one for sale?
Email me if you do. Thanks.

Mark, KE6OI.Mark Krubsack,
ke6oi@arrl.net

1609. Re: Service Manual TS450S - need help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 21:32:33 UTC
From: k5cf@clnk.com
Message-ID: <823f934c.0207191332.3ce95f40@posting.google.com>
Source record: 41170

"Max" <ve3tmt@rac.ca> wrote in message
news:<0BUZ8.15738$Db.1108001@news20.bellglobal.com>...
> Can anyone perhaps scan and e-mail the TX adjustments for the Kenwood
> TS450S. I need procedure for ALC, Power Out and mic gain adjustments.
>
> Thanks very much,
>
> Max

Max, try www.w7fg.com He has lots of manuals. Gil

1610. FS: ICOM 746

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 21:34:41 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <771hjusa7hdgup3kndgg6kh1g00tilfekk@4ax.com>
Source record: 41171

I have an ICOM 746 HF rig 10-160 meters which also covers the 2 meter and 6 meter bands. This was bought new in Dec. 2001 and its a late model with serial #86xx. I have the original box, manual and ICOM hand microphone. This rig is a 9.9 out of 10... I could say its mint, but I took it out of the box. This is from a non-smoker and its in 100% operating condition. I will ship it for $900 in the 48 states only. WZ1U Steve / Lakeville, Mass.

1611. FS: Kenwood TS-850S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 22:25:23 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <164hju8lcs4kbf8fj5c14io38ng3k9i0kc@4ax.com>
Source record: 41172

I have for sale in excellent condition a Kenwood TS-850S/AT. It comes with the original Kenwood hand microphone, manual, power cable and the original inner and outer boxes. This is from a non smoker and in 100% operating condition. I will ship it anywhere in the 48 states for $775 via UPS ground. I can be reached at (508) 821-2993 or email..WZ1U Steve / Lakeville, Ma.

1612. FA: TNC/KPC-9612 & 50W VHF Xcvr IC-281H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 23:01:11 UTC
From: k6sde <spam_m@e.not>
Message-ID: <3D389A38.6D101D41@e.not>
Source record: 41173

LAST FEW DAYS...ends Monday, 7/22/02.

Great TNC/Controller, 9600/1200 baud (with cables for the
IC-281H below)

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1366376376

or
KPC-9612

Very nice 50W 2 meter XCVR, IC-281H, with 440 receiver
(works on 9600 baud)

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1366428399

or
IC-281H 50 W VHF Xcvr

Win the auction for both and I pay the shipping.

Thank you for looking.

1613. Re: TNC for sale (FA)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 23:08:05 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <pZ0_8.95800$uw.45049@rwcrnsc51.ops.asp.att.net>
Source record: 41174

FA not FS.

1614. Re: TS930 ALC...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-19 23:47:49 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d38a42d_1@newsa.ev1.net>
Source record: 41175

Should "flicker" on voice peaks, however, the ALC meter is calibrated for
the full 100+ watts output.
Proper audio reproduction should happen with the ALC meter going no higher
than half ALC scale on SSB voice peaks.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Kresimir Kovarik" <kreso@kreso.com> wrote in message
news:ah9m85quq1@sunce.iskon.hr...
> Hi...
> Anybody have idea how and where to set correct ALC level..
> Just get 930 here without manual, and ALC is going very high
> at 50W with SWR 1:1....
>
> Thanks.
>
>

1615. Re: Service Manual TS450S - need help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 00:28:45 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <192_8.172967$iB1.9501409@bin4.nnrp.aus1.giganews.com>
Source record: 41178

I can make copies of those pages and snail-mail them to you. Is your address correct on QRZ.COM?

Bob M. WA1MIK
==========
"Max" <ve3tmt@rac.ca> wrote in message
news:0BUZ8.15738$Db.1108001@news20.bellglobal.com...
> Can anyone perhaps scan and e-mail the TX adjustments for the Kenwood
> TS450S. I need procedure for ALC, Power Out and mic gain adjustments.
>
> Thanks very much,
>
> Max
>
>

1616. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 00:33:42 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D38AFE6.1060706@lakefield.net>
Source record: 41179
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $650

Kenwood TM251A 95% $100 SOLD
Kenwood TM451A 98% $115 SOLD

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250 (deal in process)

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

1617. http://www.qsl.net/k1usn/event.html

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 00:35:37 UTC
From: nedrog@aol.comNOSPAM
Message-ID: <20020719203537.00433.00000061@mb-cv.aol.com>
Source record: 41180

LISTEN FOR W3MAD FROM THE DECKS OF THE USS BARRY DD933

7.260, 14.260, 21.360, 28.360 all freq.'s +*- QRM

1618. FT-2500 For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 00:35:55 UTC
From: James Richardson <jm.richardson@worldnet.att.net>
Message-ID: <Lf2_8.111604$UT.7149806@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41181

I have a Yaesu FT-2500m for sale. I purchased it about 1996 and is in perfect working order and in excellent condition. I have the original manual and mobile bracket.

Asking $100.

Jim Richardson, WM0X
Burnsville, MN

952-890-8331

1619. Uniden HR2600 Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 00:36:21 UTC
From: Robert Altenburg <rot13_epn@kyngvba.pbz>
Message-ID: <pan.2002.07.20.00.37.15.943792.3061@kyngvba.pbz>
Source record: 41182

I have a uniden President HR2600 that has been in storage
since the prior sunspot cycle. I have no idea how to attach
a code key and, having long since lost the manual, am unable
to RTFM.

I had a very similar Radio Shack version that had a mini plug
on the back labled CW. This only has an unlabled molex connector
with nine openings (a little white wire jumpers two of them).

Anyone happen to know (or have a manual floating around)?

-
Rob Altenburg
N3HJV

1620. Re: TNC for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 01:22:26 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <mX2_8.40442$lu6.2268589@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41183

Brand, model number, condition, firmware, and ... PRICE!

I've snapped up a number of TNCs via newsgroups ... but
only bother when all the info is available.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Howard " <misterrnNOSPAM@mercednet.com> wrote in message
news:3d387b90.4548149@news.localaccess.com...
> Or since we had the courtesy to look at the post, the poster should at
> least have the courtesy to place SOME of the info e.g. brand, type,
> etc. so we don't have to waste our time going to the ebay link if it
> is not what we are looking for.
>
> On Fri, 19 Jul 2002 11:49:53 -0400, Alan Beagley
> <abeagley@optonline.net> wrote:
>
> >Since the item in question does have a "Buy it now" option, I guess that
means that the item is "for sale" -- even ignoring the fact that an auction
(even without a "buy it now" option) is a method of bringing together a seller
and a buyer and agreeing on a price for the item being offered.
> >
> >-=-
> >Alan
> >
> >
> >Kevin wrote:
> >> Sinsce when does e-bay have sales. I don't want to open auction items.
> >> Please state FA: in subject.
> >>
>

1621. Re: TS930 ALC...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 01:28:49 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <I13_8.40450$lu6.2270659@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41184

50W CW?
Using internal antenna tuner?
Is it the 100W version? Some 930 models had less than 100W finals.
What line voltage? Some models require 100V AC, and get very unhappy above
that.

Will dig out my manuals later this evening, but need more information.

One of the failure modes in the 930 is to lose one of the two
final transistors (on models that have two final transistors),
which gives the symptom you mention.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Kresimir Kovarik" <kreso@kreso.com> wrote in message
news:ah9m85quq1@sunce.iskon.hr...
> Hi...
> Anybody have idea how and where to set correct ALC level..
> Just get 930 here without manual, and ALC is going very high
> at 50W with SWR 1:1....
>
> Thanks.
>
>

1622. Re: Uniden HR2600 Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 01:42:19 UTC
From: Glenn Miller <glennmiller@worldnet.att.net>
Message-ID: <%d3_8.40469$lu6.2272317@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41185

Connect your key to pins 8 & 9 on the plug. Pin 8 would be hot if you have
polarity issues.
73
Glenn AA5PK

"Robert Altenburg" <rot13_epn@kyngvba.pbz> wrote in message
news:pan.2002.07.20.00.37.15.943792.3061@kyngvba.pbz...
> I have a uniden President HR2600 that has been in storage
> since the prior sunspot cycle. I have no idea how to attach
> a code key and, having long since lost the manual, am unable
> to RTFM.
>
> I had a very similar Radio Shack version that had a mini plug
> on the back labled CW. This only has an unlabled molex connector
> with nine openings (a little white wire jumpers two of them).
>
> Anyone happen to know (or have a manual floating around)?
>
> -
> Rob Altenburg
> N3HJV

1623. Re: Uniden HR2600 Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 01:49:32 UTC
From: kf2sj <lars2@localnet.com>
Message-ID: <ujhgb0f943mdc1@corp.supernews.com>
Source record: 41186

Rob,

You need to change/replace the jumper in that white, nine pin, plastic plug
in the back of the HR-2600.
The radio comes with the Red/White wire on pins 1 &7. This allows for
internal speaker operation.

For CW operation you need to connect the key to pins 8 & 9. Pin 9
will be the "hot" or positive pin.

If you want to use an external speaker you will need to remove the jumper
between pins 1 & 7, and connect the speaker wires to pins 1 & 2.

This is a lovely little radio, and I have enjoyed mine while working mobile
all over the U.S., Europe, Russia, and S.A. during this sunspot cycle. The
FM mode is great, too, for repeater DXing, and yes, simplex FM.

Good luck and enjoy the HR-2600,
Larry, KF2SJ

"Robert Altenburg" <rot13_epn@kyngvba.pbz> wrote in message
news:pan.2002.07.20.00.37.15.943792.3061@kyngvba.pbz...
> I have a uniden President HR2600 that has been in storage
> since the prior sunspot cycle. I have no idea how to attach
> a code key and, having long since lost the manual, am unable
> to RTFM.
>
> I had a very similar Radio Shack version that had a mini plug
> on the back labled CW. This only has an unlabled molex connector
> with nine openings (a little white wire jumpers two of them).
>
> Anyone happen to know (or have a manual floating around)?
>
> -
> Rob Altenburg
> N3HJV

1624. Icom 738 to trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 02:11:06 UTC
From: MD <ve3tmt@rac.ca>
Message-ID: <cD3_8.17217$Db.1269564@news20.bellglobal.com>
Source record: 41187

I have a near mint condition Icom 738, complete with power cord, manual, and original box. Sorry no microphone.

Details here: http://www.n7uic.net/radio/icom/ic738/specs.htm
Picture here: http://www.n7uic.net/radio/icom/ic738/ic738.htm

I am looking for any of the following:

MFJ Deluxe Loop antennas (10-30 Mhz version)

Behringer VIRTUALIZER® PRO DSP1024P

Behringer MODULIZER® PRO DSP1224P

Behringer ULTRAMIZER® PRO DSP1400P

If you have any of these plus cash to trade make an offer. I was going to keep this as a back-up rig but would prefer to deal.

Thanks for reading,

1625. Re: TNC for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 02:22:34 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <ahah69mqp1@bob.news.rcn.net>
Source record: 41188

"Burt" <burt@rocketmail.com> wrote:

> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1367818694

Why do people fill up this newsgroup with such stupid junk?
Why don't they use rec.radio.swap?

1626. Re: Looking For A AZDEN PCS7000H Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 02:25:48 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <8M3_8.106990$JU3.46700787@e3500-atl1.usenetserver.com>
Source record: 41189

Look on www.w7fg.com . He has plenty of manuals for many rigs.

73

Jerry
K4KWH
Sam <ws6s@arrl.com> wrote in message
news:18072002211022073l%ws6s@arrl.com...
> I'm looking for a copy of an operating manual for an Azden PCS7000H
> 2 Meter transceiver. I'm more than willing to pay for copying and
> postage if anyone can help out.
>
> Thanks in advance!
>
> 73, Sam WS6S

1627. FA:Icom IC-756 Service Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 02:39:35 UTC
From: Darrin <nospam@nj.rr.com>
Message-ID: <j9jhjus1f2nbq4ms2renuo0imfhm8joot1@4ax.com>
Source record: 41190
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Very good condition. Last Day.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1367099919

1628. Re: TNC for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 02:56:26 UTC
From: "." <no_sp@m.xxx>
Message-ID: <3D38D15B.C4133BD8@m.xxx>
Source record: 41191

And why do you give it further advertisement by repeating the
link????

Nobody forces you to open it either. It's not worth all the energy
devoted to complaining. Get on with life!

Mark Walsh wrote:

> "Burt" <burt@rocketmail.com> wrote:
>
> >
> http://cgi.ebay.com/ws/eBayISAPI.dll?
> 94
>
> Why do people fill up this newsgroup with such stupid junk?
> Why don't they use rec.radio.swap?

1629. FS..QRP..TS 130V

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 03:03:26 UTC
From: robco@optonline.net
Message-ID: <5mkhju0etil9m46bopa77t6rrit2ev43ed@4ax.com>
Source record: 41176

For Sale....Kenwood TS 130V....QRP radio...its a 20 watt TS
130S for those not familar with the radio....I just can't seem to get
into QRP any longer, and so its on the block...the radio is in very
nice condition, with scratches consistent with daily use, and a couple
of scratches on the main tuning knob...it has three filters(all it can
hold) YK88C--YK88SN--YK88S...its a great CW rig, and I've also had fun
with it on QRP SSB DX-ing...It comes with the power cord, and works
just great....I am asking $380.00 + shp (USA only)...If you are really
interested at this price, pse e-mail me for jpg-s, and more info, so
you may know who you are dealing with...I am a licensed amateur, and
an on the air test can be arranged if interested...these rigs are hard
to come by, so if someone is interested, please remove the (NS) from
my address, or just click on robco@optonline.net
Interested buyers pse feel free to ask any questions....73-s..Bob
on Long Island, NY

1630. Info: Motorola Quantro Repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 03:10:01 UTC
From: bossyy <bossyy@optonline.net>
Message-ID: <tT1_8.101250$6r.3229661@news4.srv.hcvlny.cv.net>
Source record: 41177
Cross-posted to: alt.ham-radio.marketplace,alt.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap

Hi
>Can anyone here tell me what the going price is for this station?
>I'm looking at one and not sure what they cost used.
>
>Motorola Quantro Digital Capable Station T5365A
>Motorola Quantro Digital Capable Station, Model # T5365A, Serial #
>409CVS0002: large cabinet style unit which has 4 internal components
>installed in it. The Motorola Quantro UHF Station provides
>conventional analog, Astro, Securenet, & IntelliRepeater capabilities
>in a reliable, software - controlled design. The station archetecture
>& microprocessor-controlled Station Control module allows for fast &
>reliable expansion & upgrading. The following are a few of the
>standard features on Motorola Quantro units: Extensive Self Test &
>diagnostics & alarm reporting, FRU maintenance philosophy, easily
>programmed via radio service software, expansion & upgrades performed
>by module replacement &/or software upgrade, highly reliable &
>accurate continuous duty transmitter circuitry, operates as
>IntelliRepeater trunking station, compatible (w/ appropriate options)
>with analog, SecureNet, & conventional Astro digital signaling, wide
>operating range: -30 Deg C to +60 Deg C. The above description was
>paraphrased from the included Operators Manual. The seller does not
>guarantee that this particular performs or is equipped with all the
>described components / capabilities, but he simply provides the info
>presented in the manual which was received with the Quantro. The
>internal units which are installed in the Digital Capable Station are
>as follows: 1. 500W Power Amplifier, Kit # TPN1269A, Prim
>110-120/220-240V 50Hz, Sec 13.8V = 36A, 500W Max. 2. Cooling Fan
>assembly, 3. The Motorola Quantro Unit itself - includes the Power
>Amp, Exciter, Control, & Receiver, & 4. Cellwave Unit Cat # 0185417U05
>Serial # M105530-005 Frequency Tuned MHz 440-470
>Codeplug Report which was received with this Quantro Unit. The Report
>lists some specifics which are rerported as follows: Ch #1, RX1 Freq
>450.000000, TX Frequency 454.000000, Mod Type Analog Astro, TX Rated
>Dev 5.000, TX Power Out 110, TX Power Out Batt 55, Wireline TOT 120,
>Rptr Tot 60, Rptr Max Dev 92, Ant Relay Delay 30, Low Speed Dev, 17.0,
>Call Sign Int 15, Astro Fade Tol 3 Frames, Astro Sim TX Filter Narrow
>Pulse, Securenet Det Fade 80, Wireline 4 Wire Full Duplex, Astro
>Remote Cntrl, Outband Analog Link Timer 1200 sec, Status Tone Freq
>2175 Hz, Squelch Thresh -50 dBm, Squelch Hysteresis 1 dBTRC Hlgt Freq
>2175 Hz, LLGT Undetect 150 msec, WL Int v.24 Hybrid, Station
>Configuration: Type Conventional, Name Upgraded UHF, Platform Quantro,
>RX Freq Band 1 UHF R2 438-470, PA Exciter Feq Band UHF R2 438-470, PA
>Power Rating 110 Watts w/ Cing Circulator, wireline 4 wire, AC Low

>Power, Astro Capable station, Freq Ref Internal Standard.
>Thanks Rich

1631. Re: TNC for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 03:15:51 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <ujhlf8p771mk39@corp.supernews.com>
Source record: 41192

It would appear that there is an advantage to not posting FA. A large number of people that need a life will repost the link so they can bitch. This guarantees it will be seen at least 10 additional times...

"." <no_sp@m.xxx> wrote in message news:3D38D15B.C4133BD8@m.xxx...
And why do you give it further advertisement by repeating the link????
Nobody forces you to open it either. It's not worth all the energy devoted to complaining.
Get on with life!

Mark Walsh wrote:

"Burt" <burt@rocketmail.com> wrote:
> http://cgi.ebay.com/ws/eBayISAPI.dll? 94

Why do people fill up this newsgroup with such stupid junk?
Why don't they use rec.radio.swap?

1632. Re: Looking For A AZDEN PCS7000H Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 04:25:28 UTC
From: "Paul J. Filardi" <Filardi@Optonline.net>
Message-ID: <3E5_8.101487$6r.3345388@news4.srv.hcvlny.cv.net>
Source record: 41193

If you go into www.mods.dk and then click on other and then manuals you will find the 6000 and the 7000 manuals

--
Paul-N2CEK
"Sam" <ws6s@arrl.com> wrote in message
news:18072002211022073l%ws6s@arrl.com...
> I'm looking for a copy of an operating manual for an Azden PCS7000H
> 2 Meter transceiver. I'm more than willing to pay for copying and
> postage if anyone can help out.
>
> Thanks in advance!
>
> 73, Sam WS6S

1633. Re: W9INN 80/40 Antenna Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 04:45:55 UTC
From: CJ <difficult@times.com>
Message-ID: <ujhqok15qiv8c1@corp.supernews.com>
Source record: 41194

You might try here....

1. http://www.ab7sl.com/index.html?row1col2=w9inn.html

--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
www.ab7sl.com

"Mark Krubsack" <mkrubsack@yahoo.com> wrote in message
news:q30hjugg79lonmoenm6f72at5rn64ceg9k@4ax.com...
> I'm looking for a W9INN 80/40 meter dipole. Anyone have one for sale?
> Email me if you do. Thanks.
>
> Mark, KE6OI.Mark Krubsack,
> ke6oi@arrl.net

1634. Re: W2IHY EQ Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 04:55:24 UTC
From: CJ <difficult@times.com>
Message-ID: <ujhrabjq50fc69@corp.supernews.com>
Source record: 41195

Might start looking here....

1. http://www.ab7sl.com/index.html?row1col2=w2ihy.html

--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
www.ab7sl.com

"Kevin" <n0kq@arrl.net> wrote in message
news:ah97se$es7$1@magnum.mmm.com...
> I need the power supply for the W2IHY EQs. If you have one to sell
please
> let me know.
>
> Kevin N0KQ
>
> n0kq@arrl.net
>
>

1635. Re: Service Manual TS450S - need help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 04:57:05 UTC
From: CJ <difficult@times.com>
Message-ID: <ujhrdg6odrva8c@corp.supernews.com>
Source record: 41196

TS450S/AT Kenwood Info Pack available here with that info included for
free download

1. http://www.ab7sl.com/index.html?row1col2=ts450.html
--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
www.ab7sl.com

"Max" <ve3tmt@rac.ca> wrote in message
news:0BUZ8.15738$Db.1108001@news20.bellglobal.com...
> Can anyone perhaps scan and e-mail the TX adjustments for the Kenwood
> TS450S. I need procedure for ALC, Power Out and mic gain adjustments.
>
> Thanks very much,
>
> Max
>
>

1636. Kenwood TM-G707A INFO??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 05:55:42 UTC
From: Russell <rustyspam@dccnet.com>
Message-ID: <3D38FB5E.5080508@dccnet.com>
Source record: 41197

From what I have read on the net the radio is capable of recieving the
800-900Mhz range but I have also read that it does skip
866-867.00Mhz???...or somewhere in there?
Is this true?....our fire and police are in this range and would like to
monitor them.
Please e-mail me directly rusty@dccnet.com
Thanks for any info!
-Russ

1637. Re: Kenwood TM-G707A INFO??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 06:16:54 UTC
From: Darrin <nospam@nj.rr.com>
Message-ID: <jvvhjuguit4lvf4n7r15trmbdbgetacse2@4ax.com>
Source record: 41198

On Fri, 19 Jul 2002 22:55:42 -0700, Russell <rustyspam@dccnet.com>
wrote:

> From what I have read on the net the radio is capable of recieving the
>800-900Mhz range but I have also read that it does skip
>866-867.00Mhz???...or somewhere in there?
>Is this true?....our fire and police are in this range and would like to
>monitor them.
>Please e-mail me directly rusty@dccnet.com
>Thanks for any info!
>-Russ

Yes, it skips 866-893.999MHz

1638. search VX-5 manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 08:55:55 UTC
From: Ralf.Schimke@web.de
Message-ID: <14add7ea.0207200055.103722eb@posting.google.com>
Source record: 41199

I'm looking for a englisch or german manual for the YAESU VX-5.
Thanks in advance.

Ralf Schimke

1639. Re: TS930 ALC...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 10:11:49 UTC
From: Kresimir Kovarik <kreso@kreso.com>
Message-ID: <ahbcvs$28q$1@sunce.iskon.hr>
Source record: 41201

Hi all...
And thanks for all answers...
It was "operator mistake" this time...
Everything is fine with rig, now goes over 100W out..

Thanks again...

73,
9A5K/K5CRO!

"Hank Oredson" <horedson@att.net> wrote in message
news:l13_8.40450$Iu6.2270659@bgtnsc04-news.ops.worldnet.att.net...
> 50W CW?
> Using internal antenna tuner?
> Is it the 100W version? Some 930 models had less than 100W finals.
> What line voltage? Some models require 100V AC, and get very unhappy above
> that.
>
> Will dig out my manuals later this evening, but need more information.
>
> One of the failure modes in the 930 is to lose one of the two
> final transistors (on models that have two final transistors),
> which gives the symptom you mention.
>
> --
>
> ... Hank
>
> Hank: http://horedson.home.att.net
> W0RLI: http://w0rli.home.att.net
>
> "Kresimir Kovarik" <kreso@kreso.com> wrote in message
> news:ah9m85quq1@sunce.iskon.hr...
> > Hi...
> > Anybody have idea how and where to set correct ALC level..
> > Just get 930 here without manual, and ALC is going very high
> > at 50W with SWR 1:1....
> >
> > Thanks.
> >
> >
>
>

1640. Re: search VX-5 manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 10:18:51 UTC
From: cprstn54zz@att.net
Message-ID: <3d393834.204488765@news-server.optonline.net>
Source record: 41200

On 20 Jul 2002 01:55:55 -0700, Ralf.Schimke@web.de (Ralf Schimke)
wrote:
>I'm looking for a englisch or german manual for the YAESU VX-5.

A [free] scanned copy of the manual is said to be at:
http://www.dis.org/radio/radios/vx5r/vxr5-manual-fcc.pdf

Here's a pocket reference you can buy:
http://www.icongrp.com/~sllewd/store.html#pocket

Ken KC2JDY

--
Ken
(to reply via email
remove "zz" from address)

1641. Re: TS930 ALC...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 13:59:48 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <o1e_8.41271$Iu6.2338526@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41202

Glad to hear everything is working ok now.
The 930 is a very nice rig ...

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Kresimir Kovarik" <kreso@kreso.com> wrote in message
news:ahbcvs$28q$1@sunce.iskon.hr...
> Hi all...
> And thanks for all answers...
> It was "operator mistake" this time...
> Everything is fine with rig, now goes over 100W out..
>
> Thanks again...
>
> 73,
> 9A5K/K5CRO!
>
>
> "Hank Oredson" <horedson@att.net> wrote in message
> news:l13_8.40450$Iu6.2270659@bgtnsc04-news.ops.worldnet.att.net...
> > 50W CW?
> > Using internal antenna tuner?
> > Is it the 100W version? Some 930 models had less than 100W finals.
> > What line voltage? Some models require 100V AC, and get very unhappy above
> > that.
> >
> > Will dig out my manuals later this evening, but need more information.
> >
> > One of the failure modes in the 930 is to lose one of the two
> > final transistors (on models that have two final transistors),
> > which gives the symptom you mention.
> >
> > --
> >
> > ... Hank
> >
> > Hank: http://horedson.home.att.net
> > W0RLI: http://w0rli.home.att.net
> >
> > "Kresimir Kovarik" <kreso@kreso.com> wrote in message

> > news:ah9m85quq1@sunce.iskon.hr...
> > > Hi...
> > > Anybody have idea how and where to set correct ALC level..
> > > Just get 930 here without manual, and ALC is going very high
> > > at 50W with SWR 1:1....
> > >
> > > Thanks.
> > >
> > >
> >
> >
>
>

1642. Yaesu VX5 European version different than US version?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 14:24:19 UTC
From: XRES <xres@attbi.net>
Message-ID: <20072002072627352%xres@attbi.net>
Source record: 41203

Anyone know how the European version of the VX5 differs from the US version? I am thinking of buying a euro version from bander.com
I seem to recall there was something about the channel steps being different? Is the transmit range more limited- or maybe that doesn't matter since you can open the thing up with EVE software.
Thanks AB7RU

1643. Re: Looking for WW-II Aircraft Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 14:30:57 UTC
From: lbrty4us@aol.com
Message-ID: <205ef942.0207200630.69341f44@posting.google.com>
Source record: 41204
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

John, cannot email from my NG reader, feel free to email, have AVT-126
(orig RCA mfg) with good vibrator needing an OZ4 & a going-over, also
with spare AVT-112A (prefer not to separate), offer?

john price <jm.price@worldnet.att.net> wrote in message
news:<3D379985.7F6DAF00@worldnet.att.net>...
> Hi All....
>
> I'm trying to find some of the original radio and antenna
> equipment for my airplane; an Aeronca L3B "Grasshopper"...
> (See http://home.att.net/~jm.price for picture)...
>
> The specific equipment I need is:
>
> RCA AVA-120 Trailing wire antenna
> RCA AVA-126 Power supply
> AG-40 Wind generator
>
> The equipment in question might not have actually been manufactured
> by RCA... I know that at least some of them were manufactured
> by Continental Radio & Television Corp...
>
> Any help would be appreciated
>
> John Price
> WA2FZW
> CFII/AGI/IGI

1644. Need TS 930 Manual...what do you have?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 15:36:55 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D398397.52678AB1@cableone.net>
Source record: 41205
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment
Body handling: Binary attachment payload not displayed: radioranch.vcf

Please tell me price shipped to Texas, doesnt have to be Prio...thanks
murray

[One or more binary attachments are retained only in the source text.]

1645. Re: Need TS 930 Manual...what do you have?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 15:46:00 UTC
From: CJ <difficult@times.com>
Message-ID: <ujj1dqmcm6o85b@corp.supernews.com>
Source record: 41206
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Numerous links for nearly all Ham Radio manuals new and vintage at this
URL...

1. http://www.ab7sl.com/index.html?row1col2=links.html

--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
www.ab7sl.com

"Murray Neece" <radioranch@cableone.net> wrote in message
news:3D398397.52678AB1@cableone.net...
> Please tell me price shipped to Texas, doesnt have to be Prio...thanks
> murray
>

1646. FS:ALMOST MINT Hallicrafters HA-26 VFO for 6/2 meters,Manual & box

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 16:07:36 UTC
From: rlucch2098@aol.com
Message-ID: <20020720120736.06988.00001884@mb-ml.aol.com>
Source record: 41207

Hi Fellas;
I have for SALE:
Halli HA-26 6&2 meter VFO, Very Excellent with Maniual & box.
Price is $50 + UPS.
Pics>>
http://www.myradioroom.com/hallivfo1.jpg
http://www.myradioroom.com/hallivfo2.jpg
http://www.myradioroom.com/hallivfo3.jpg
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

1647. FS: 4 nice Big Panel Meters, 2-Simpson, 2 Weston! W/pics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 16:09:09 UTC
From: rlucch2098@aol.com
Message-ID: <20020720120909.06988.00001885@mb-ml.aol.com>
Source record: 41208

Hi Fellas;
I have for SALE:
These 4 nice meters, all have been check with very low voltage to make sure the movement is not "open"
From left to right>>
Simpson 0-100Mils DC
Simpson 0-150Mils DC
Weston 301 , 100-0-100 Mils
Weston 506, VU meter.
The larger ones are 3" square & for a 2-1`3/16" hole
The one smaller one is 2-3/8" square & for a 2" hole.
Pics>>
http://www.myradioroom.com/4meters1.jpg
http://www.myradioroom.com/4meters2.jpg
Price is $40.00 PPD
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

1648. F/S Kenwood & Yaesu HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 16:33:28 UTC
From: Robert Laus <rlaus1@tampabay.rr.com>
Message-ID: <3D399120.ABCAF941@tampabay.rr.com>
Source record: 41209

F/S Kenwood TH-22AT 2 meter HT (NEW) unpacked, tested and repackaged. HRO sells this Ht for $199.95 I want $125.00 plus shipping of $12.00 CONUS

F/S Yaesu FT-51 5 watt Dual Band (2mt-440) HT. Excellent condition. Box, Manual, antenna, Desk top charger, new soft case, 2-9.6 volt batteries, Programing software and computer cable. $250.00 plus $15.00 shipping CONUS

1649. Re: search VX-5 manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 18:43:00 UTC
From: dplatt@radagast.org
Message-ID: <ujjbpk3g6b1e2a@corp.supernews.com>
Source record: 41210

>A [free] scanned copy of the manual is said to be at:
>http://www.dis.org/radio/radios/vx5r/vxr5-manual-fcc.pdf

Or go to http://www.yaesu.com/amateur/vx5r.html and then click on
"Manual" near the bottom of the page.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

1650. Re: Yaesu VX5 European version different than US version?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 19:03:57 UTC
From: dplatt@radagast.org
Message-ID: <ujjd0t2juu5dd6@corp.supernews.com>
Source record: 41211

>Anyone know how the European version of the VX5 differs from the US
>version? I am thinking of buying a euro version from bander.com
>I seem to recall there was something about the channel steps being
>different? Is the transmit range more limited- or maybe that doesn't
>matter since you can open the thing up with EVE software.

According to the owner's manual, one big difference is that the European versions have completely different "repeater sub-band" limits for the 2-meter and 70-cm bands, and the default offset for each band may also be different. The automatic repeater offset feature would do the wrong things, if you tried to use it "as is" on U.S. repeaters. The default offset is easily changed via the menu system, but I don't believe that the sub-band edges and offset directions can be altered via the menu. This could be a major inconvenience!

The default VFO synthesizer step size is probably also different (easily changed), and the "reduce deviation" default might differ as well (ditto).

The Euro versions have different sets of "allowed" and "forbidden" receive bands, in order to comply with various national regulations. If I recall properly, some of the Euro versions have much narrower receive version than the U.S. version does.

Many of the receive limitations can be removed by re-jumpering the radio and resetting it, or by using the EVE software to change the "virtual jumper" settings. Reportedly, even the country code can be changed in this way... so, you might be able to buy a Euro version, and then re-jumper it to the U.S. configuration to set the repeater sub-bands/offset/etc. to appropriate defaults for use in this country.

Recent U.S. VX-5R models use a modified CPU, which won't allow any reception in the cellphone frequencies even if the "freeband" hard or virtual jumper settings are changed. I haven't heard whether Yaesu/Vertex is planning to do a similar thing with the Euro models... if they do, you might find that a Euro model simply can't be reconfigured to behave like a real U.S. model.

As always, YMMV/PAYOR (your mileage may vary, proceed at your own risk). Using a modified VX-5 to transmit outside the amateur bands risks confiscation and loss of license. Using one to scan cellphone frequencies, and then disclosing a conversation to a third party, is against the law and (if pending legislation is actually passed) could end up with the discloser facing felony(!) charges in Federal court.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

1651. Uniden HR 2600 on Y ahoo

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 19:12:21 UTC
From: Mark <grandmhg@gocougs.wsu.edu>
Message-ID: <ujjdgtghs7js88@corp.supernews.com>
Source record: 41212

Look for this HR 2600 on Ya hoo. The ID number is 68213352

1652. Re: Yaesu 4-cond 3.5mm (1/8") connector sources?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 20:58:28 UTC
From: Tom Hendricks <"tomh\\@comcas(no)(spam)t.net>">
Message-ID: <U9k_8.191439$iX5.10060328@bin3.nnrp.aus1.giganews.com>
Source record: 41213

Dwight Stewart wrote:
> Dave Platt wrote:
>
>>I don't think Digi-Key carries these.
>>Mouser did, as of a couple of months
>>ago - I bought a ten-pack and shared
>>'em with a friend who has a VX-5.
>
>
>
> There you go, Tom. Confirmation that Mouser did at least have them a
> couple of months ago. Thanks, Dave.
>

I have them in hand now - from Mouser. Now to figure out what I can do
with them - thanks!

Perhaps a computer programming cable.

Thanks again!

-Tom-

1653. Re: Yaesu VX5 European version different than US version?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-20 23:19:39 UTC
From: Mike AB7RU <mparkes@nospamatt.net>
Message-ID: <2007200216214659 76%mparkes@nospamatt.net>
Source record: 41214

Thanks for taking the time to respond Dave
Yeah I probably won;t go to the trouble to buy a Euro version... but I am in the market for a decent dual bander that can still receive the cell freqs (yeah I know its illegal, you can go to prison blah blah blah) - Am looking at picking up a used IC-W2A, DJ580t maybe an older Standard 558 - those were nice rigs - anyway I kind of live in the past - I am not too enamored with the new crop of do-it-all handhelds that can fit in your pocket. Had a VX5, it was a nice little rig, but I think I want to go back to something clunkier and more obviously an HT! Excuse my ramblings....

In article <ujjd0t2juu5dd6@corp.supernews.com>, Dave Platt <dplatt@radagast.org> wrote:

> >Anyone know how the European version of the VX5 differs from the US
> >version? I am thinking of buying a euro version from bander.com
> >I seem to recall there was something about the channel steps being
> >different? Is the transmit range more limited- or maybe that doesn't
> >matter since you can open the thing up with EVE software.
>
> According to the owner's manual, one big difference is that the
> European versions have completely different "repeater sub-band" limits
> for the 2-meter and 70-cm bands, and the default offset for each band
> may also be different. The automatic repeater offset feature would do
> the wrong things, if you tried to use it "as is" on U.S. repeaters.
> The default offset is easily changed via the menu system, but I don't
> believe that the sub-band edges and offset directions can be altered
> via the menu. This could be a major inconvenience!
>
> The default VFO synthesizer step size is probably also different
> (easily changed), and the "reduce deviation" default might differ as
> well (ditto).
>
> The Euro versions have different sets of "allowed" and "forbidden"
> receive bands, in order to comply with various national regulations.
> If I recall properly, some of the Euro versions have much narrower
> receive version than the U.S. version does.
>
> Many of the receive limitations can be removed by re-jumpering the
> radio and resetting it, or by using the EVE software to change the
> "virtual jumper" settings. Reportedly, even the country code can be
> changed in this way... so, you might be able to buy a Euro version,
> and then re-jumper it to the U.S. configuration to set the repeater
> sub-bands/offset/etc. to appropriate defaults for use in this country.
>

> Recent U.S. VX-5R models use a modified CPU, which won't allow any
> reception in the cellphone frequencies even if the "freeband" hard or
> virtual jumper settings are changed. I haven't heard whether
> Yaesu/Vertex is planning to do a similar thing with the Euro models...
> if they do, you might find that a Euro model simply can't be
> reconfigured to behave like a real U.S. model.
>
> As always, YMMV/PAYOR (your mileage may vary, proceed at your own
> risk). Using a modified VX-5 to transmit outside the amateur bands
> risks confiscation and loss of license. Using one to scan cellphone
> frequencies, and then disclosing a conversation to a third party, is
> against the law and (if pending legislation is actually passed) could
> end up with the discloser facing felony(!) charges in Federal court.

--
To reply via email remove the 'nospam' from the address

1654. Re: Yaesu VX5 European version different than US version?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 00:34:03 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d3a017a$0$1430$2c3e98f8@news.voyager.net>
Source record: 41215

Mike AB7RU <mparkes@nospamatt.net> wrote in
news:200720021621465976%mparkes@nospamatt.net:

> Thanks for taking the time to respond Dave
> Yeah I probably won;t go to the trouble to buy a Euro version... but I
> am in the market for a decent dual bander that can still receive the
> cell freqs (yeah I know its illegal, you can go to prison blah blah
> blah) - Am looking at picking up a used IC-W2A, DJ580t maybe an older
> Standard 558 - those were nice rigs - anyway I kind of live in the past
> - I am not too enamored with the new crop of do-it-all handhelds that
> can fit in your pocket. Had a VX5, it was a nice little rig, but I
> think I want to go back to something clunkier and more obviously an HT!
> Excuse my ramblings....
>

>

The FT-50 via some software, can have it's recieve expanded into these
'illegal' areas. I can be emailed for more info.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

1655. FA: AOR AR8000 - Last Day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 01:16:28 UTC
From: Rick Kempe <r.kempe@worldnet.att.net>
Message-ID: <MXn_8.113076$UT.7293088@bgtnsc05-news.ops.worldnet.att.net>
Source record: 41216

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1367259060

Last day, thanks for looking!

1656. TH-25at service manual anyone???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 01:32:36 UTC
From: Michael <me_hamman@yahoo.com>
Message-ID: <3d3a0f3d$1@snipnews.snip.net>
Source record: 41217

Hi All

I'm looking to buy a copy of the service manual for the TH-25AT. I'm trying to troubleshoot a really low rf output. At minimum just the schematic would be great.

Thanks
Michael
KB2UMJ

1657. Yeasu FRG 100 for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 02:14:14 UTC
From: john smith <radiodaz@concentric.net>
Message-ID: <ahd5dm$kjp@dispatch.concentric.net>
Source record: 41145

Mint FRG 100 with original manual and digital optional keypad freq.
entry.. works perfect looks the same. I have owned this radio for several
years.. $375.00 plus shipping
tim

1658. Icom R71A for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 02:15:58 UTC
From: john smith <radiodaz@concentric.net>
Message-ID: <ahd5gu$kjj@dispatch.concentric.net>
Source record: 41146

Excellent Icom R71A receiver with manual and original box.. Works perfect
looks excellent . Factory dc installed. This is one of the best receviers
made for dxing... and weak signal work..
$325.00 and you ship.
tim

1659. Kenwood R599A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 02:18:00 UTC
From: john smith <radiodaz@concentric.net>
Message-ID: <ahd5ko$kjp@dispatch.concentric.net>
Source record: 41147

Near mint last model gold front panel Kenwood R599A . works perfect , with
original manual and service manul..
$175.00 and you ship
tim

1660. test

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 02:31:21 UTC
From: john smith <radiodaz@concentric.net>
Message-ID: <ahd6dp$kjd@dispatch.concentric.net>
Source record: 41049

test

1661. FS: UNBUILT HEATHKIT IT-11 CAP TESTER, well almost :-)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 03:02:33 UTC
From: rlucch2098@aol.com
Message-ID: <20020720230233.17058.00000040@mb-fv.aol.com>
Source record: 41218

Hi Fellas;
I have for SALE:
Like New(mint), Heathkit IT-11 Capacitor tester.
I checked the manual for the parts & they are all there except the Fuse holder & a few resistors.
The Fellow became a SK but not until he started on the kit, well just about!
He only started on the chassis components, really nothing soldered to speak of, he just started.
I did'nt bother counting all the little screws as they were in a bag & would have taken hours :-)
Everything else, Transformers, switches, sockets, knobs, etc has been accounted for!
Price is $200.00ppd or B/O, Conus.
Click on links for Pics>>
http://www.myradioroom.com/unbuilt-1.jpg
http://www.myradioroom.com/unbuilt-2.jpg
http://www.myradioroom.com/unbuilt-3.jpg
http://www.myradioroom.com/unbuilt-4.jpg
http://www.myradioroom.com/unbuilt-5.jpg

Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

1662. test

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 03:05:40 UTC
From: john smith <radiodaz@concentric.net>
Message-ID: <ahd8e4$kjn@dispatch.concentric.net>
Source record: 41048

test

1663. FA: Mint-o HEATHKIT HM-102 WATTMETER w/Copy of manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 03:06:04 UTC
From: rlucch2098@aol.com
Message-ID: <20020720230604.17058.00000044@mb-fv.aol.com>
Source record: 41219

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1366218581

1664. FA: Real Nice NATIONAL SW-54 SW Receiver, TechSpec

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 03:07:27 UTC
From: rlucch2098@aol.com
Message-ID: <20020720230727.17058.00000046@mb-fv.aol.com>
Source record: 41220

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1366218526

1665. fa>> Drake R-4b receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 03:08:38 UTC
From: rlucch2098@aol.com
Message-ID: <20020720230838.17058.00000047@mb-fv.aol.com>
Source record: 41221

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1366218532

1666. Fa- Cheep Yaesu FRG-7700 Short-Wave radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 03:10:10 UTC
From: rlucch2098@aol.com
Message-ID: <20020720231010.17058.00000050@mb-fv.aol.com>
Source record: 41222

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367756809

1667. Re: TNC for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 03:17:53 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <ujk9hmsmkmrb00@corp.supernews.com>
Source record: 41223

Hi Alan, nice to hear from you! The "Buy it now" price was $60, so my point was that if it were truely FS, I could offer him less and see if he would take that. That is a standard FS deal. Using FS in that instance here would be misleading as it's an auction, he has no choice but to finish the auction and sell to the highest bidder at the highest bid, be it $40 or $140.

Chuck WG2A

"Alan Beagley" <abeagley@optonline.net> wrote in message news:3D387468.30001@optonline.net...
> I don't know about *calling* the vendor and offering the "Buy it now" price: "Buy it now" is intended as a "click here and the auction is ended automatically" option. It has always been possible (although frowned upon) for a seller to accept a private offer and end the auction early, but s/he still has to pay the eBay listing fee. I don't recall whether eBay imposes additional charges in a case like this, but my guess is that a seller who does it a lot is going to get blacklisted.
>
> One advantage of going through eBay (whether using "Buy it now" or the more conventional bidding method) is that eBay has a conflict resolution procedure -- although I have never used it.
>
> I have never sold anything on eBay, but I have made many purchases using eBay (although not for several months). I have used both "Buy it now" and the traditional bidding method. I have paid sometimes with a USPS Money Order, sometimes using PayPal, sometimes supplying a CC No. direct to the vendor, once using escrow. I check out the feedback ratings of the vendors, and I have never been "burned"; the closest I came was for a $500 item, but the vendor's local police contacted me just as I was about to go after him, and I got my money back in full (credited back to my PayPal account) in a short time.
>
> I have got some great bargains, especially where items were described poorly, so that, for example, only a person knowing a specific Part No. or Model No. would find it -- by searching in the descriptions as well as in the titles. I am amazed at the outrageous prices some people pay for items; I can only guess that many people do not do their homework properly and assume that anything bought at an auction must be a bargain.
>
>
>
> Chas wrote:
> > Since he say's it's FS and using "Buy it now", does that mean I could

> > call him and offer $55 for it and he could accept that? Considering that
> > it's an auction, using FS in the subject line doesn't seem right. It's
not
> > FS in the truest sense of the word. Personally if his starting bid was
only
> > slightly less than his "Buy it now" price, that would be (in my mind)
close
> > enough. Just my opinion.
> >
> > Chuck WG2A
> >
> > "Alan Beagley" <abeagley@optonline.net> wrote in message
> > news:3D383521.9040809@optonline.net...
> >
> >>Since the item in question does have a "Buy it now" option, I guess that
> >
> > means that the item is "for sale" -- even ignoring the fact that an
auction
> > (even without a "buy it now" option) is a method of bringing together a
> > seller and a buyer and agreeing on a price for the item being offered.
> >
> >>-=-
> >>Alan
> >>
> >>
> >>Kevin wrote:
> >>
> >>>Sinsce when does e-bay have sales. I don't want to open auction items.
> >>>Please state FA: in subject.
> >>
> >
> >
>

1668. Re: search VX-5 manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 03:25:53 UTC
From: cprstn54zz@att.net
Message-ID: <3d3a296b.18082406@news-server.optonline.net>
Source record: 41224

On Sat, 20 Jul 2002 18:43:00 -0000, dplatt@radagast.org (Dave Platt)
wrote:
>Or go to http://www.yaesu.com/amateur/vx5r.html and then click on
>"Manual" near the bottom of the page.

Nice. The USA website [vxstdusa.com] lacks those links...

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

1669. Can ALL FT50 HTs be opened up to "get it all" (800mhz)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 03:42:58 UTC
From: Mike AB7RU <mparkes@nospamatt.net>
Message-ID: <200720022045126364%mparkes@nospamatt.net>
Source record: 41225

Are all of the ft50s capable of opening up via some combination of solder pad removel or software mods etc to receive all of 800 mhz? I have seen some mention of the later units not capable of being opened up completely... if this is so, is there a serial number break somewhere you can look for so you know if you are getting one that can be completely "juiced" :)
thanks, mike ab7ru

--
To reply via email remove the 'nospam' from the address

1670. Re: search VX-5 manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 03:56:31 UTC
From: Peter Grace <kb1cvh@arrl.net>
Message-ID: <3D3A30EF.1D656611@arrl.net>
Source record: 41226

Url for English VX5 manual in PDF format -

http://www.yaesu.com/amateur/pdf/manuals/vx_5r.pdf

Dave Platt wrote:
>
> >A [free] scanned copy of the manual is said to be at:
> >http://www.dis.org/radio/radios/vx5r/vxr5-manual-fcc.pdf
>
> Or go to http://www.yaesu.com/amateur/vx5r.html and then click on
> "Manual" near the bottom of the page.
>
> --
> Dave Platt <dplatt@radagast.org> AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
> boycott any company which has the gall to send me such ads!

--
Peter Grace kb1cvh

1671. Allied SX-190 and AX-190 service manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 04:39:35 UTC
From: Mark Rehorst <rehorstmark@netscape.net>
Message-ID: <oiekjuk3bgb3skbp2j17tulbcgnbts3f9h@4ax.com>
Source record: 41227

I have placed copies of Alled SX-190 service manuals in a .rar file on
my homepage at

http://home.attbi.com/~akikoi/wsb/Allied_SX-190_Service_Manuals.rar

They won't be there long, so get them while you can...

MR

1672. Re:757GXII CAT control freeware

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 05:43:46 UTC
From: Jeff Hazzard <jhazzard@bigpond.com>
Message-ID: <cLr_8.39945$Hj3.120379@newsfeeds.bigpond.com>
Source record: 41228

I am trying to find suitable software to link my 757GXII to an IBM computer via a FIF-232c interface. Can anyone help me out? Jeff

1673. Re: Yaesu VX5 European version different than US version?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 09:57:17 UTC
From: Rene Altena <rene.altena@gmx.net>
Message-ID: <ahe1g6$s0bhm$1@ID-153362.news.dfncis.de>
Source record: 41229

In Europe, 2m and 70cm are totally different bands than in the US:

2m: 144-146 MHz
70cm: 430-440 MHz

So, appart from the automatic repeater-shift 'problem', you also have your differences in amateur bands.

Rene PD1ALD

"XRES" <xres@attbi.net> wrote in message
news:20072002072627352%xres@attbi.net...
> Anyone know how the European version of the VX5 differs from the US
> version? I am thinking of buying a euro version from bander.com
> I seem to recall there was something about the channel steps being
> different? Is the transmit range more limited- or maybe that doesn't
> matter since you can open the thing up with EVE software.
> Thanks AB7RU

1674. AZDEN PCS-3000 Manual available

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 12:33:32 UTC
From: 1ARTB <rbouder@dejazzd.com>
Message-ID: <k5aljuccqm2kp784o3v1akki2qb57j96bs@4ax.com>
Source record: 41230

ANYone out there need a manual for their AZDEN PCS-3000
AND the SCHEMATIC for the 2 meter transceiver??

I have manual for 3000 and info for the SAV-7 RF brick module -
for the PCS-2000 (same RF stuff).

$5.00 and I will mail it to you..... yes I will pay for the
postage!

Ron

1675. Why a fast charger has 4 contacts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 13:30:34 UTC
From: Sam.Yang@csiro.au
Message-ID: <4b8ff9bc.0207210530.60c5423@posting.google.com>
Source record: 41231
Cross-posted to: rec.radio.amateur.equipment,aus.radio.amateur.misc

I noticed that many handheld radio battery chargers have 4 electrical contacts for charging plus another 2 supplying power to the radio. As a battery is a 2-termial device, why they use 4 contacts for charging?

Specifically, I have an Uniden APX116 charger which I want to use it to charge my Uniden UH056 CB radios. As I don't know which contacts are for what, so I don't know how to test the charger and to connect to the batteries. I have opened the charger. All for contacts are used.

Any relevant information would be appreciated. I have contacted Uniden. Their reply is that they are required by law not to disclose the information.

Sam Yang
Sam.Yang@csiro.au

1676. FS: ICOM 230 2 meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 13:45:03 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <k1eljusemuesj311kp1kj8bjf1m0e600go@4ax.com>
Source record: 41232

I have an ICOM 230 FM mobile 2 meter rig it covers 146 to 148. It does 1 watt low and 10 watts high. This is an oldie and I do not have the manual for it. It does work and comes with the ICOM hand microphone..I will take $25 plus shipping and its in very good condition. I can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass

1677. Re: Why a fast charger has 4 contacts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 13:56:07 UTC
From: "atec77(nospam)" <"antispam>atec77"@hotmail.com>
Message-ID: <3d3abd85$0$16940$afc38c87@news.optusnet.com.au>
Source record: 41233
Cross-posted to: rec.radio.amateur.equipment,aus.radio.amateur.misc

multimeter , problem solved.

Sam Yang wrote:
>
> I noticed that many handheld radio battery chargers have 4 electrical
> contacts for charging plus another 2 supplying power to the radio. As
> a battery is a 2-termial device, why they use 4 contacts for charging?
>
> Specifically, I have an Uniden APX116 charger which I want to use it
> to charge my Uniden UH056 CB radios. As I don't know which contacts
> are for what, so I don't know how to test the charger and to connect
> to the batteries. I have opened the charger. All for contacts are
> used.
>
> Any relevant information would be appreciated. I have contacted
> Uniden. Their reply is that they are required by law not to disclose
> the information.
>
> Sam Yang
> Sam.Yang@csiro.au

1678. Kenwood TH-F7E (TH-F6A) deaf on HF ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 13:58:43 UTC
From: Igor <rts@a-teleport.com>
Message-ID: <aheeqk$1cjv$1@pandora.alkar.net>
Source record: 41234

Hello, All,

I have one for last couple of days

It works fine both 144 and 430, but it seems the embedded 0,1 - 1200 mHz scanner is almost useless for HF.

I can hear only few broadcasting stations below 30 mHz with its bar and rubber antenna. No one ham station for whole weekend on 40 and 80 !

Also I have handheld SONY ICF-SW7600GR - it works much more better on HF with approximately same size of antenna.

May be my sample is broken and need the repair ?

Regards,
Igor

1679. Re: Why a fast charger has 4 contacts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 13:59:32 UTC
From: Ralph Mowery <rmowery@dialpoint.net>
Message-ID: <aheetbjhs1@newsreader.cetlink.net>
Source record: 41236
Cross-posted to: rec.radio.amateur.equipment,aus.radio.amateur.misc

Don't know about your particular rig but some use the contacts depending on the capacity of the battery you are charging. Power is fed out to all the contacts but internally to the battery only the correct terminals are used for charging.

"Sam Yang" <Sam.Yang@csiro.au> wrote in message news:4b8ff9bc.0207210530.60c5423@posting.google.com...
> I noticed that many handheld radio battery chargers have 4 electrical
> contacts for charging plus another 2 supplying power to the radio. As
> a battery is a 2-termial device, why they use 4 contacts for charging?
>
>

1680. FS Speed X straight key

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 14:01:39 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <8veljuseon5lolbrn15nuesk76ero91q85@4ax.com>
Source record: 41235

I have a Speed X straight key in excellent condition and will ship it via US Priority mail for $20. I can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass.

1681. Will it never end

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 14:09:06 UTC
From: TFW <w9lvc@citlink.net>
Message-ID: <ujlg4l1mb17bf5@corp.supernews.com>
Source record: 41237

Why get a deal when you can pay twice the going rate

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368144971

1682. Re: Why a fast charger has 4 contacts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 14:13:15 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ahefi0$1ksm$1@madmax.keyway.net>
Source record: 41238
Cross-posted to: rec.radio.amateur.equipment,aus.radio.amateur.misc

Manufacturers may offer several battery options for a given radio
model. There are various proprietary schemes in use by which a
battery will identify itself to the charger so that the proper charge
rate is selected. For example, one company simply puts a given
value of resistor that the charger reads like an ohmmeter, so that it
knows what rate to select. Another company simply feeds different
rates to different contacts with a common negative terminal, so that
there are low and medium plus terminals, and 2 are used for high.
Often not all four terminals are used for a given model battery.
Also, many rapid-charge batteries have an internal thermistor that
signals the charger to switch to trickle rate.

There is usually no reason why you can't charge via the radio
side terminals at the normal rate. Many aftermarket chargers do
this to avoid the hassle of proprietary drop-in contacts. Some
even allow rapid charging through these terminals by providing an
external thermistor, and allow manual (or programmable)
rate selection.

Occasionally, you run across batteries with a series diode that won't
allow this. Clever (careful) use of a VOM can reveal the connections.

Normal rate is 1/10th of the battery MAH capacity for 16 hours.
since you have the charger open, you can apply ohms law and
modify for your needs.

Jim, ac6tk

"Sam Yang" <Sam.Yang@csiro.au> wrote in message
news:4b8ff9bc.0207210530.60c5423@posting.google.com...
: I noticed that many handheld radio battery chargers have 4 electrical
: contacts for charging plus another 2 supplying power to the radio. As
: a battery is a 2-termial device, why they use 4 contacts for charging?
:
: Specifically, I have an Uniden APX116 charger which I want to use it
: to charge my Uniden UH056 CB radios. As I don't know which contacts
: are for what, so I don't know how to test the charger and to connect
: to the batteries. I have opened the charger. All for contacts are
: used.
:
: Any relevant information would be appreciated. I have contacted
: Uniden. Their reply is that they are required by law not to disclose
: the information.
:
: Sam Yang

: Sam.Yang@csiro.au

1683. Re: Opinions on Kenwood TS-570DG/SG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 14:36:12 UTC
From: Administrator <administrator@telefonica.net>
Message-ID: <wFz_8.193765$uo6.1703590@telenews.teleline.es>
Source record: 41239

It's great! Great audio options.

Ton.

"Ali N." <alins@post.com> wrote in message
news:51990af0.0207191002.7872e01f@posting.google.com...
> Can some Kenwood TS-570DG/SG users please post their comments on
> this rig, especially in terms of its receive performance and
> reliability?
>
> I have read the reviews on eham.net; just would like to hear from
> more first-hand users.
>
> Thanks a lot
>
> Ali

1684. WTB: ICOM 821H Service manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 14:55:05 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <ihiljucvln82vsecucj6a9ro35rmdofncf@4ax.com>
Source record: 41240

Looking for an ICOM 821H service manual in excellent condition. If you have one you no longer need let me know.....WZ1U Steve

1685. Re: Will it never end

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 15:27:42 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ujlkpaa8a86j9d@corp.supernews.com>
Source record: 41241

Yes...its quite comical, since the radio sells new for about $159! LOL

"TFW" <w9lvc@citlink.net> wrote in message
news:ujlg4l1mb17bf5@corp.supernews.com...
> Why get a deal when you can pay twice the going rate
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368144971
>
>

1686. 4-1000 HF amp (Price Reduced)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 15:49:30 UTC
From: Tom - radioguy <radioguy@charter.net>
Message-ID: <ujlm2ablevdn61@corp.supernews.com>
Source record: 41242
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

> Very well built home brew SINGLE 4-1000 HF Amp. Built by N6ZU about 18
months ago.
> Very good condtion Legal Limit + amplifier. 80,40,20,15,10 meters. Tuned
> input. Includes a 5000 Volt power supply (4600 volts under full load.
(Very
> compact power supply). 100 watts drive gives 1500 watts plus on most
bands.
> PREFER PICK-UP on this item, but SHIPPING may be possible. (Reno, NV
area)
> Amp deck is about 40-45 lbs Power Supply is about 65 lbs

> $1295.00 or best offer. Or possible part trade for a basic HF radio

>
> Photos can be sent via e-mail if needed.
>
> Tom - 775 - 673 - 2410
>
>
>

1687. Kenwood TS-820S Power cord wiring...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 16:18:53 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3D3ADF28.43831F95@earthlink.net>
Source record: 41243

Can somebody please forward the info to me on the correct wiring for a
Kenwood TS-820S power plug for 120 VAC operation?
You know, the big plug on the end of the cord with the numbers on it.
Which pin number gets the hot and which gets the neutral?

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

1688. Re: Can ALL FT50 HTs be opened up to "get it all" (800mhz)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 16:54:16 UTC
From: Mark <grandmhg@gocougs.wsu.edu>
Message-ID: <ujlpq5fpr74p96@corp.supernews.com>
Source record: 41244

look here:
http://www.qsl.net/ke6vvw/yaesu.htm

or here for a software mod:
http://www.digital-laboratory.de/

"Mike AB7RU" <mparkes@nospamatt.net> wrote in message
news:200720022045126364%mparkes@nospamatt.net...
> Are all of the ft50s capable of opening up via some combination of
> solder pad removel or software mods etc to receive all of 800 mhz? I
> have seen some mention of the later units not capable of being opened
> up completely... if this is so, is there a serial number break
> somewhere you can look for so you know if you are getting one that can
> be completely "juiced" :)
> thanks, mike ab7ru
>
> --
> To reply via email remove the 'nospam' from the address

1689. Re: Will it never end

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 17:04:08 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d3ae988$0$1429$2c3e98f8@news.voyager.net>
Source record: 41245

"radiofun" <radiofun@charter.net> wrote in
news:ujlkpaa8a86j9d@corp.supernews.com:

> Yes...its quite comical, since the radio sells new for about $159! LOL
>

But, the bids arent (at least yet) quite up to that price yet.
Folks offering products for auction on ebay are usually bombarded with a
bunch of questions, like 'how much is the reserve' and 'can I just buy it
from you now?'. Both of these fly in the face of what an auction should
be. So quite possibly, this person just set that high buy it now price to
eliminate the questions??

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

1690. Re: Can ALL FT50 HTs be opened up to "get it all" (800mhz)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 17:31:28 UTC
From: Mike AB7RU <mparkes@nospamatt.net>
Message-ID: <210720021033428005%mparkes@nospamatt.net>
Source record: 41246

Thanks Mark
Is there any way to determine if your ft50 is one of the older or newer
models? Serial number break?

In article <ujlpq5fpr74p96@corp.supernews.com>, Mark
<grandmhg@gocougs.wsu.edu> wrote:

> http://www.qsl.net/ke6vvw/yaesu.htm

--
To reply via email remove the 'nospam' from the address

1691. Re: Will it never end

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 17:44:46 UTC
From: casiomate <casiomate@agmotors.com>
Message-ID: <ujlso8kdq97j6e@corp.supernews.com>
Source record: 41247

Worth a try. You never know if someone will "bite". Not his fault if someone not knowing any better comes along. I've made a pretty penny doing the same thing.

But what in the hell does he mean by "The storage warehouse is at a distance for your quality assurance"?????

"TFW" <w9lvc@citlink.net> wrote in message news:ujlg4l1mb17bf5@corp.supernews.com...
> Why get a deal when you can pay twice the going rate
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368144971

1692. Re: Will it never end

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 18:24:43 UTC
From: "," <no@s.pam>
Message-ID: <3D3AFC6A.910DF42B@s.pam>
Source record: 41098

casiomate wrote:

> But what in the hell does he mean by "The storage warehouse is at a distance
> for your quality assurance"?????

TRANSLATION??? perhaps:

* I played hookey a lot in school or didn't pay attention and don't know
English.
OR
* I'm a non-native English speaker with a dictionary but don't really know how
to phrase things.
OR
* I'm wondering if you (the reader) are awake.
OR
* I went through school stoned -- and am probably still that way!

Might it mean that the storage area is locked so nobody's messed with the
packages and opened them?

1693. Kenwood TK3101 PMR446

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 18:28:18 UTC
From: Adrian Jones <g1kea@yahoo.com>
Message-ID: <aheug1dlm1@venus.btinternet.com>
Source record: 41099

Not sure if correct group but here goes...

I am looking to purchase a Kenwood TK3101 PMR446 transceiver for use in the UK. Output power is limited to 0.5w but looking around there are also 2w and 6w versions available. I know it is possible to reconfigure the channels in a service mode using certain keystrokes and using software it is possible to change output power aswell. Does anyone know if it is possible to change the power with service mode keystrokes rather than obtain special software. The radio will be situated within the bodywork of a motorcycle so 2w would be better than 0.5w for better results.

Ade

1694. Expaned RX mod for Midland / Alan CT-79

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 19:17:36 UTC
From: Jason <t1speed@rogers.com>
Message-ID: <MPG.17a4d26831d3f6fe98968b@nntp>
Source record: 41100
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur,rec.radio.amateur.equipment

Does anyone have any mods for the Midland / Alan CT-79 handheld? I've searched a few places on the net but can't find any info for this model. Specifically, I can't enter frequencies in the 440 range, only the 430 range.

Any help would be appreciated.

Thanks,
Jason VE3TYG

1695. Re: Will it never end

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 20:01:48 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <ahf3up$id4$1@dagobah.blueriver.net>
Source record: 41101

```
"," <no@s.pam> wrote in message news:3D3AFC6A.910DF42B@s.pam...
> casiomate wrote:
>
> > But what in the hell does he mean by "The storage warehouse is at a
distance
> > for your quality assurance"?????
>
> TRANSLATION??? perhaps:
>
> * I played hookey a lot in school or didn't pay attention and don't know
> English.
> OR
> * I'm a non-native English speaker with a dictionary but don't really know
how
> to phrase things.
> OR
> * I'm wondering if you (the reader) are awake.
> OR
> * I went through school stoned -- and am probably still that way!
>
> Might it mean that the storage area is locked so nobody's messed with the
> packages and opened them?

OR he hasn't dropped by AES or HRO and picked up the radio he's selling
you yet. AE the storage warehouse isn't HIS storage warehouse!
--
------------------------------------------------------------

'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx
```

1696. YEASU - FT767GX - Modify to receive FM (88-108 MHz) ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 21:02:55 UTC
From: mechprof1@yahoo.com
Message-ID: <rg7mjuovg7io4t0sqrqnifchh0i6klqqnt@4ax.com>
Source record: 41102
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I wish to receive FM (88-108 MHz) on my FT-767GX. Is there a hardware modification that will allow this? If so, what will be required?

George Lindauer
KE9OK

1697. Re: Can ALL FT50 HTs be opened up to "get it all" (800mhz)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 21:23:52 UTC
From: Mark <grandmhg@gocougs.wsu.edu>
Message-ID: <ujm9jmcb4a0rdc@corp.supernews.com>
Source record: 41104

I believe that the "remove the resistor" trick stopped working at 7Lxxxx. I think the software mods work on all models. That is what I used to open up mine.

Mark

"Mike AB7RU" <mparkes@nospamatt.net> wrote in message news:210720021033428005%mparkes@nospamatt.net...
> Thanks Mark
> Is there any way to determine if your ft50 is one of the older or newer
> models? Serial number break?
>
> In article <ujlpq5fpr74p96@corp.supernews.com>, Mark
> <grandmhg@gocougs.wsu.edu> wrote:
>
> > http://www.qsl.net/ke6vvw/yaesu.htm
>
> --
> To reply via email remove the 'nospam' from the address

1698. 2m vs 10 meter mobile transceivers?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 21:24:27 UTC
From: kman <kman@somewhere.com>
Message-ID: <fEF_8.20240$Qg.8707225@twister.midsouth.rr.com>
Source record: 41103

What is the difference between the two besides the mhz difference is any?

TIA

Kenny

1699. Icom IC-W31A info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 22:19:16 UTC
From: KC8SSG <kc8ssg@qsl.net>
Message-ID: <ErG_8.198$934.2646@news>
Source record: 41105
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I need some more info on this.I would like to find any mods too!

--
KC8SSG

1700. FS:Lakeview TM-1 License Plate Mount

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 22:39:54 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <xJG_8.2760$0w2.194319@twister.kc.rr.com>
Source record: 41106

Designed for Hamstick HF or similar type HF antennas. All stainless steel
with stainless steel hardware and ground strap with terminals. Complete
with instructions to mount behind license plate. Simple and effective.
This mount is new, $35 shipped conus.

See reviews at www.eham.net/reviews/detail/1301
or more info at www.hamstick.com

Thanks,
Van,
K0KAV

1701. Info Needed: RF FingerPrint Software?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-21 23:38:37 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <ahfgm0$1vs$1@terabinaries.xmission.com>
Source record: 41107

Can someone point me to software that can record a radio's "RF fingerprint",
label it and then recognize it later?

Thanks,
Dan

1702. Heil Sound vs. Icom SM-20 mic??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 00:11:21 UTC
From: Web <WebFx27@hotmail.com>
Message-ID: <w8l_8.110883$6r.4204272@news4.srv.hcvlny.cv.net>
Source record: 41108

Has anyone used both the Heil mics for Icom and the SM-20?? I currently used the SM-20 on my Icom 746 and wonder if the Heil is better..

please reply to group

Web

1703. IC-746 Japan version TX mod needed.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 00:12:23 UTC
From: "R.Moore" <richard5@flash.net>
Message-ID: <3D3B77F4.19934BA1@flash.net>
Source record: 41109

I recently purchased a IC 746 and it is a version for Japan. The 2 meter TX coverage is 144-146. RX is 144-148. Does anyone have the mod. to open the TX to the US band 144-148? All the other bands seem to work fine.
Richard WA7KCA Silver Spring, Maryland USA

1704. Re: FS HF Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 00:55:46 UTC
From: Carl Domanico <carl.domanico@verizon.net>
Message-ID: <3D3B82D1.93172B9B@verizon.net>
Source record: 41110
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Interesting....Can you send me some scanned photos...Thanks Carl

wavelengthham wrote:

> One Excellent condition HF amplifier Made by N6ZU. Runs 2 4-400As (emiacs)
> also another pair comes with the amp emiacs also full output on all. This
> amplifer also carries in the same box a peter dahl transformer Its about
> 3100 Volts. Setup for 110V house current. 10-80meters tuned inputs will work
> warc bands at lower power levels. I only ran it about 700 watts. But can
> brew it up to almost legal limit. This amp is very solid you will not find a
> better made one. Its all one unit with a hinged box for ease of tube
> changes. The weight is 75 pounds. Email for pictures. Serious buyers only
> please. I paid 900 dollars less than 2 years ago. Make me a offer shipped.
>
> W9JCM
> John McGrath

1705. Boyd..re Icom 738 please read

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 01:10:00 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <YXI_8.576$1I2.186463@news20.bellglobal.com>
Source record: 41112

Boyd,

The computer went down. Please e-mail me your last reply again.

Thanks,

Max

1706. Re: Heil Sound vs. Icom SM-20 mic??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 01:16:47 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d3b5bf7_2@newsa.ev1.net>
Source record: 41111

Depends on the ICOM rig your using.

I have used both mics on my 756 series radios, and you can make them sound exactly the same through the menu settings.
The SM-20 tends to have slightly "sharper" output, and it drives the radio better due to the pre-amp built-in.
The Heil Gold-line has a very nice "deep" output on the wide element, and depending on the heil cartridge installed, can be sharp when using that.
However, the gold-line does NOT have much drive on ICOM radios prior to the PRO.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Web" <WebFx27@hotmail.com> wrote in message
news:w8I_8.110883$6r.4204272@news4.srv.hcvlny.cv.net...
> Has anyone used both the Heil mics for Icom and the SM-20?? I currently
> used the SM-20 on my Icom 746 and wonder if the Heil is better..
>
> please reply to group
>
> Web
>
>

1707. Re: Kenwood TH-F7E (TH-F6A) deaf on HF ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 01:41:22 UTC
From: Brian E <none@bigcorp.com>
Message-ID: <3pJ_8.2366$dO4.302167@newsfeed.slurp.net>
Source record: 41113

I don't believe your handheld is broken. My TH-F6 is also virtually deaf in the 1500 KHz-88 Mhz range along with 230 Mhz up (except for the 440 MHz amateur band and the immediately adjacent business frequencies). I cannot copy WWV on any of their frequencies and I've only rarely heard traffic in the 20, 40 or 80 meter ham bands. An external antenna helps but very little. Also my recent experience at an air show with my HT and a friend's VX-5 was sorely disappointing. My friend could hear aircraft several miles away while my HT could only copy them when they were within sight. In addition, the RF dense environment of the air show effectively shut down my 440 MHz receive while my friend's HT was used on the same repeater with virtually no intermod. I am not necessarily a Yaesu fan, BTW. I'm simply stating my experience. YMMV.

"Igor" <rts@a-teleport.com> wrote in message
news:aheeqk$1cjv$1@pandora.alkar.net...
> Hello, All,
>
> I have one for last couple of days
>
> It works fine both 144 and 430, but it seems the embedded 0,1 - 1200 mHz
> scanner is almost useless for HF.
>
> I can hear only few broadcasting stations below 30 mHz with its bar and
> rubber antenna. No one ham station for whole weekend on 40 and 80 !
>
> Also I have handheld SONY ICF-SW7600GR - it works much more better on HF
> with approximately same size of antenna.
>
> May be my sample is broken and need the repair ?
>
> Regards,
> Igor
>
>
>
>

1708. Re: YEASU - FT767GX - Modify to receive FM (88-108 MHz) ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 02:25:51 UTC
From: "Robert S. Stein" <w6nbi@earthlink.net>
Message-ID: <3D3B6D2F.6050403@earthlink.net>
Source record: 41114
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I don't think so. If a converter module must be used to get to 50
MHz, how could you expect the basic receiver to cover 88-108 MHz? You
might try hacking a 6-meter converter module. :-)

Bob, W6NBI

mechprof1@yahoo.com wrote:
> I wish to receive FM (88-108 MHz) on my FT-767GX. Is there a hardware
> modification that will allow this? If so, what will be required?
>
> George Lindauer
> KE9OK

1709. Re: Heil Sound vs. Icom SM-20 mic??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 02:27:22 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <kms7PTwtAtbU=ZKoAAcRvLgWOW+a@4ax.com>
Source record: 41115

"Web" <WebFx27@hotmail.com> wrote:

>Has anyone used both the Heil mics for Icom and the SM-20?? I currently
>used the SM-20 on my Icom 746 and wonder if the Heil is better..
>
>please reply to group
>
> Web
>

The August 2002 CQ has a pretty detailed review on Heil's Icom mikes
(HM-i, iCM and HMM-ic), but the reviewer was using an Icom 735, which may or may
not have the same mike requirements as your 746.

Bob
k5qwg

1710. Re: 2m vs 10 meter mobile transceivers?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 02:40:00 UTC
From: Bob Headrick <bobh@proaxis.com>
Message-ID: <ujms479cilme9f@corp.supernews.com>
Source record: 41116

"kman" <kman@somewhere.com> wrote in message
news:fEF_8.20240$Qg.8707225@twister.midsouth.rr.com...
> What is the difference between the two besides the mhz difference is any?

They both require a license. 2M is better for local operations, 10M may work worldwide depending on sunspot conditions.

- 73 Bob W7OV

1711. Re: 2m vs 10 meter mobile transceivers?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 03:02:03 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <ahfsinlqo1@dagobah.blueriver.net>
Source record: 41117

"Bob Headrick" <bobh@proaxis.com> wrote in message
news:ujms479cilme9f@corp.supernews.com...
>
> "kman" <kman@somewhere.com> wrote in message
> news:fEF_8.20240$Qg.8707225@twister.midsouth.rr.com...
> > What is the difference between the two besides the mhz difference is
any?
>
> They both require a license. 2M is better for local operations, 10M may
work
> worldwide depending on sunspot conditions.
>
> - 73 Bob W7OV

Plus the fact that most 2m radios are FM only and most 10m are usually all
mode.
--

'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

1712. Re: Heil Sound vs. Icom SM-20 mic??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 03:04:24 UTC
From: Web <WebFx27@hotmail.com>
Message-ID: <rDK_8.111296$6r.4297061@news4.srv.hcvlny.cv.net>
Source record: 41118

yes I read that article and that what got me interested....so if anyone uses
one from a IC-746 let me know what you think

Web

"Bob Miller" <bamiller@texas.net> wrote in message news:kms7PYes
iTwtAtbU=ZKoAAcRvLgWOW+a@4ax.com...
> "Web" <WebFx27@hotmail.com> wrote:
>
> >Has anyone used both the Heil mics for Icom and the SM-20?? I currently
> >used the SM-20 on my Icom 746 and wonder if the Heil is better..
> >
> >please reply to group
> >
> > Web
> >
>
> The August 2002 CQ has a pretty detailed review on Heil's Icom mikes
> (HM-i, iCM and HMM-ic), but the reviewer was using an Icom 735, which may
or may
> not have the same mike requirements as your 746.
>
> Bob
> k5qwg
>

1713. TS-950 Finals what voltage?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 03:59:46 UTC
From: pastryking <elsmootho@videotron.ca>
Message-ID: <cwL_8.9787$364.387095@weber.videotron.net>
Source record: 41119

Can anyone please tell me what voltage I need to set on my TS-950SD finals (MRF-429's)? The collector of Q8 sits at 75 volts no load, what should the fuse/Q8 emiiter be set at with VR1?

1714. FA: Icom 281H like new

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 04:58:51 UTC
From: k6sde <no_sp@m.xxx>
Message-ID: <3D3B910E.E7750FF1@m.xxx>
Source record: 41121

A very nice IC-281H - 2 meters.

Works great on packet at 1200 and 9600 baud.

50W, original microphone, mobile bracket (never mobile),
power cable, manual.
Also receives 440 MHz.

Auction ends Monday evening. Take a look.

http://cgi.ebay.com/ws/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=1366428399

or
IC-281H

Thanks for looking.

1715. WTB Dual Band Mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 04:59:28 UTC
From: Don Little <ve6ci@cablerocket.com>
Message-ID: <3D3B912F.FA1D3078@cablerocket.com>
Source record: 41120

I am looking for a dual band mobile that is in nice shape. Please email me if u have one.

Thanks
Don

1716. Re: Info Needed: RF FingerPrint Software?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 06:38:15 UTC
From: David <nobody@attglobal.net>
Message-ID: <3d3bac10_2@news1.prserv.net>
Source record: 41122

http://www.motron.com/TransmitterID.html

"Dan" <n7slc@yahoo.com> wrote in message
news:ahfgm0$1vs$1@terabinaries.xmission.com...
> Can someone point me to software that can record a radio's "RF
fingerprint",
> label it and then recognize it later?
>
> Thanks,
> Dan
>
>
>

1717. Re: YEASU - FT767GX - Modify to receive FM (88-108 MHz) ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 07:41:40 UTC
From: Tom - radioguy <radioguy@charter.net>
Message-ID: <ujndrjh0gn4i01@corp.supernews.com>
Source record: 41123
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Wouldn't matter if he could hack it anyway. The band pass filters wouldn't allow decent receive sensitivity at that freq. range and the WIDEBAND FM broadcast transmitters would be way to wide for the filters in a FT 676.

Tom

> I don't think so. If a converter module must be used to get to 50
> MHz, how could you expect the basic receiver to cover 88-108 MHz? You
> might try hacking a 6-meter converter module. :-)
>
> Bob, W6NBI
>
> mechprof1@yahoo.com wrote:
> > I wish to receive FM (88-108 MHz) on my FT-767GX. Is there a hardware
> > modification that will allow this? If so, what will be required?
> >
> > George Lindauer
> > KE9OK
>

1718. Re: Info Needed: RF FingerPrint Software?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 08:43:23 UTC
From: "Russell Hltn"
Message-ID: <ahggjc$m94$1@nntp-m01.news.aol.com>
Source record: 41124

http://xmit.penguinman.com/xmit_id.html

"Dan" <n7slc@yahoo.com> wrote in message
news:ahfgm0$1vs$1@terabinaries.xmission.com...
> Can someone point me to software that can record a radio's "RF
fingerprint",
> label it and then recognize it later?
>
> Thanks,
> Dan
>
>
>

1719. Re: Opinions on Kenwood TS-570DG/SG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 10:43:57 UTC
From: michaelvm@hotmail.com
Message-ID: <t7onjuolq7glrn72mu3g5bi452upe84b05@4ax.com>
Source record: 41125

Overall it's a great feature rich radio. It's good on cw, with 10 dsp filter bandwidths, with one flaw. If there's a strong signal close to the signal you're trying to work, the agc is triggered and the receiver loses the sensitivity to work the signal you're trying to work. For crowded bands with similar signal strengths it's a wonderful radio, but where you have strong adjecent signals, you may want to invest in a good narrow filter for the IF.

On 19 Jul 2002 11:02:25 -0700, alins@post.com (Ali N.) wrote:

>Can some Kenwood TS-570DG/SG users please post their comments on
>this rig, especially in terms of its receive performance and
>reliability?
>
>I have read the reviews on eham.net; just would like to hear from
>more first-hand users.
>
>Thanks a lot
>
>Ali

1720. FS: Kenwood TM-321A, TM-421A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 14:22:00 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <cyU_8.44860$Iu6.2597150@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41126

Kenwood TM-321A - 220 MHz., 5W/35W, box, mike, brackets.
Clean, works like new, needs panel bulbs.
Asking $175

Kenwood TM-421A - 450 MHz., 5W/25W, box, mike, brackets.
Clean, works like new, needs panel bulbs.
Asking $175

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

1721. FS: Uniden UBC9000xlt Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 15:58:34 UTC
From: Beanstalk <Beanstalk@bigpond.com>
Message-ID: <XWV_8.41382$Hj3.124135@newsfeeds.bigpond.com>
Source record: 41127

Available on Ebay (click link below)

Uniden UBC9000xlt base scanner - 500 channels, Cellular frequencies not blocked with discriminator output for data decoding. Will ship worldwide ex Australia.

http://cgi.ebay.com.au/ws/eBayISAPI.dll?ViewItem&item=1368459478

1722. For Sale: HF Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 16:21:16 UTC
From: Victor <vic@vt.edu>
Message-ID: <ahhbe8bnr1@solaris.cc.vt.edu>
Source record: 41128

For Sale:
Kenwood TS-520 transceiver in excellent condition. This is a HF transceiver
with a 100w output. The radio works and sounds great.
$ 295.00 plus shipping

Thanks,
Victor KE4HGN
victor1@vt.edu

Please reply to victor1@vt.edu.

1723. Re: 2m vs 10 meter mobile transceivers?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 16:34:29 UTC
From: kman <kman@somewhere.com>
Message-ID: <puW_8.20363$Qg.8954785@twister.midsouth.rr.com>
Source record: 41129

thanks guys!

Kenny

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:ahfsinlqo1@dagobah.blueriver.net...
>
> "Bob Headrick" <bobh@proaxis.com> wrote in message
> news:ujms479cilme9f@corp.supernews.com...
> >
> > "kman" <kman@somewhere.com> wrote in message
> > news:fEF_8.20240$Qg.8707225@twister.midsouth.rr.com...
> > > What is the difference between the two besides the mhz difference is
> any?
> >
> > They both require a license. 2M is better for local operations, 10M may
> work
> > worldwide depending on sunspot conditions.
> >
> > - 73 Bob W7OV
>
>
> Plus the fact that most 2m radios are FM only and most 10m are usually all
> mode.
> --
> ____
>
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

1724. 3.4ghz (9cms)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 17:24:46 UTC
From: matt <mattobr@ntlworld.com>
Message-ID: <DdX_8.1548$tg4.92585@newsfep1-win.server.ntli.net>
Source record: 41130

hi all

just wondering is there much activity on 3.4ghz as i have just been given a amp(16w) for 3.4 and was thinking of building a
transverter for it. but only if there is much activity.

cheers matt

1725. Re: YEASU - FT767GX - Modify to receive FM (88-108 MHz) ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 17:33:39 UTC
From: "Robert S. Stein" <w6nbi@earthlink.net>
Message-ID: <3D3C41F3.6070403@earthlink.net>
Source record: 41131
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Hacking does not preclude changing the filters. However, you are
certainly correct regarding the FT-767 filters. Anyway, I meant it as
a joke.

Bob, W6NBI

Tom - radioguy wrote:
> Wouldn't matter if he could hack it anyway. The band pass filters wouldn't
> allow decent receive sensitivity at that freq. range and the WIDEBAND FM
> broadcast transmitters would be way to wide for the filters in a FT 676.
>
> Tom
>
>
>
>>I don't think so. If a converter module must be used to get to 50
>>MHz, how could you expect the basic receiver to cover 88-108 MHz? You
>>might try hacking a 6-meter converter module. :-)
>>
>>Bob, W6NBI
>>
>>mechprof1@yahoo.com wrote:
>>
>>>I wish to receive FM (88-108 MHz) on my FT-767GX. Is there a hardware
>>>modification that will allow this? If so, what will be required?
>>>
>>>George Lindauer
>>>KE9OK
>>
>
>

1726. HELP FOR THE DRAKE VIRTUAL MUSEUM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 18:53:11 UTC
From: JM CHERRY <jmc@dproducts.be>
Message-ID: <3d3c5428$0$230$ba620e4c@news.skynet.be>
Source record: 41132

Hey all !

All QST concerning DRAKE HAM equipment are now available on the R.L. DRAKE
VIRTUAL MUSEUM pages,
EXCEPT : "Extended Coverage for the Drake 2-B Receiver (H&K)"
QST july 1962 Page 52. HELP me with a 400 dpi, 256 grey level BMP scanning.

Can you help me ?????? Thanks a lot,
73,
JM CHERRY
http://www.dproducts.be
http://www.dproducts.be/drake_museum

1727. Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 19:13:35 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3D3C599F.732499B6@earthlink.net>
Source record: 41133
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

I feel that I am once again going to open the old debate which oil to use in a dummy load for heat conduction.

But, that is not my question. Mine has do with the oil's effect on SWR vs. frequency.
The reason I ask this I have a Dentron Big Dummy I bought at a hamfest many years ago and have seldom used it, then only on HF, do to being "out" of ham radio for a while. I have now been using it to check out several old club rigs and I have noticed a big difference between it and the club's Heath Cantenna.

The SWR increases as frequency increases. At 80 thru 15 meters there is no SWR indication with just a little at 10 meters. No problem. But, at 2 meters the SWR is 3:1. The Cantenna has no indicated SWR at 2 meters. Infact, it states on the can SWR <1.5 up to 300 mc.

The Dentron has no frequency range on it.

I took the lids off and both had an identical looking carbon resistor. But, their oil was definatly different. The Cantenna was perfectly clear while the Dentron was much darker.

So, does anybody know anything about the Dentron Big Dummy and it's frequency range? What kind of oil it shipped with?

I started to take the lid from each, drain and clean them and swap them to see if the range follows the oil or the resistor. But, that is to much work.

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

1728. Re: 3.4ghz (9cms)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 19:20:41 UTC
From: mike <spamme0@juno.com>
Message-ID: <3D3C5B09.DCA22C88@juno.com>
Source record: 41134

Activity on this band will be near zero, except for tiny pockets of high activity.
And since you don't say where you are.....
mike
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

matt wrote:

> hi all
>
> just wondering is there much activity on 3.4ghz as i have just been given a amp(16w) for 3.4 and was thinking of building a
> transverter for it. but only if there is much activity.
>
> cheers matt

--
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

1729. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 19:32:31 UTC
From: mike <spamme0@juno.com>
Message-ID: <3D3C5DCF.67106C38@juno.com>
Source record: 41135
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Oil probably does not affect SWR that much.
Just pull the resistor out of the oil and see if SWR changes.
Your experiments verify that the resistive component is 50 ohms.
The problem is likely in the inductance of the resistor and it's
mounting structure. Resistors that "look alike" often aren't.
mike
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

jeff wrote:

> I feel that I am once again going to open the old debate which oil to
> use in a dummy load for heat conduction.
>
> But, that is not my question. Mine has do with the oil's effect on SWR
> vs. frequency.
> The reason I ask this I have a Dentron Big Dummy I bought at a hamfest
> many years ago and have seldom used it, then only on HF, do to being
> "out" of ham radio for a while. I have now been using it to check out
> several old club rigs and I have noticed a big difference between it and
> the club's Heath Cantenna.
>
> The SWR increases as frequency increases. At 80 thru 15 meters there is
> no SWR indication with just a little at 10 meters. No problem. But, at 2
> meters the SWR is 3:1. The Cantenna has no indicated SWR at 2 meters.
> Infact, it states on the can SWR <1.5 up to 300 mc.
>
> The Dentron has no frequency range on it.
>
> I took the lids off and both had an identical looking carbon resistor.
> But, their oil was definatly different. The Cantenna was perfectly clear
> while the Dentron was much darker.
>
> So, does anybody know anything about the Dentron Big Dummy and it's
> frequency range? What kind of oil it shipped with?
>
> I started to take the lid from each, drain and clean them and swap them
> to see if the range follows the oil or the resistor. But, that is to
> much work.
>
> --
> Jeff, wd4nmq
> wd4nmq@earthlink.net
> http://home.earthlink.net/~wd4nmq

> iLink client node #10438, iLink sysop link node #14746

--
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

1730. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 19:48:30 UTC
From: Don Smith <desmith@innercite.com>
Message-ID: <ujoocm26hqhf02@corp.supernews.com>
Source record: 41136
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

If my memory serves me correctly the Cantenna uses Mineral Oil like you might find in a drug store. It is completely colorless and I have used it in my load for many years up to 800 mhz. Hope this helps Don KB6GQA

"jeff" <wd4nmq@earthlink.net> wrote in message news:3D3C599F.732499B6@earthlink.net...
> I feel that I am once again going to open the old debate which oil to
> use in a dummy load for heat conduction.
>
> But, that is not my question. Mine has do with the oil's effect on SWR
> vs. frequency.
> The reason I ask this I have a Dentron Big Dummy I bought at a hamfest
> many years ago and have seldom used it, then only on HF, do to being
> "out" of ham radio for a while. I have now been using it to check out
> several old club rigs and I have noticed a big difference between it and
> the club's Heath Cantenna.
>
> The SWR increases as frequency increases. At 80 thru 15 meters there is
> no SWR indication with just a little at 10 meters. No problem. But, at 2
> meters the SWR is 3:1. The Cantenna has no indicated SWR at 2 meters.
> Infact, it states on the can SWR <1.5 up to 300 mc.
>
> The Dentron has no frequency range on it.
>
> I took the lids off and both had an identical looking carbon resistor.
> But, their oil was definatly different. The Cantenna was perfectly clear
> while the Dentron was much darker.
>
> So, does anybody know anything about the Dentron Big Dummy and it's
> frequency range? What kind of oil it shipped with?
>
> I started to take the lid from each, drain and clean them and swap them
> to see if the range follows the oil or the resistor. But, that is to
> much work.
>
> --
> Jeff, wd4nmq
> wd4nmq@earthlink.net
> http://home.earthlink.net/~wd4nmq
> iLink client node #10438, iLink sysop link node #14746

1731. Thanks to all !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 19:57:28 UTC
From: JM CHERRY <jmc@dproducts.be>
Message-ID: <3d3c6338$0$249$ba620e4c@news.skynet.be>
Source record: 41137

ALL COPY OF QST MAGA Concerning DRAKE Ham Equipment are now available

Thanks again !
JM CHERRY
http://www.dproducts.be
http://www.dproducts.be/drake_museum n

1732. ASCOM SE550 mobile transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 20:44:05 UTC
From: Stephen Tompsett <stephen@blob.demon.co.uk>
Message-ID: <8uideBBV6GP9EwQt@blob.demon.co.uk>
Source record: 41138

Does anyone have any experience of ASCOM SE550 transceivers?

I have a number of low-band FM units (66-88MHz) which I currently have working on 4m, but someone has suggested that there may be a replacement system EPROM that would give greater functionality than I currently have available.

--
Stephen Tompsett (G8LYB)

1733. Danphone 4070 transceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 20:48:23 UTC
From: Stephen Tompsett <stephen@blob.demon.co.uk>
Message-ID: <7OScWNBX+GP9EwTN@blob.demon.co.uk>
Source record: 41139

Does anyone have any experience of Danphone 4070 transceivers?

The technical information that I have suggests that they may be usable
on 4m FM, but I have no programming software.

I do have circuit diagrams etc.

Any information would be appreciated.

--
Stephen Tompsett (G8LYB)

1734. Re: 3.4ghz (9cms)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 21:11:11 UTC
From: g3pho@nospam.qsl.net
Message-ID: <3d3c73ed.7989180@usenet.free-online.net>
Source record: 41140

On Mon, 22 Jul 2002 18:24:46 +0100, "matt" <mattobr@ntlworld.com>
wrote:

>hi all
>
>just wondering is there much activity on 3.4ghz as i have just been given a amp(16w) for
3.4 and was thinking of building a
>transverter for it. but only if there is much activity.
>
>cheers matt
>
Hi Matt..

I think you are in the UK since you posted from ntl.world.com

There's a little activity on the band, no more than a dozen in the UK
I would say, but interest is growing due to the influx of the surplus
Ionica microwave links. I think you must have a PA from one of the
Ionica base stations. I hope to be on that band myself before too long
using the same PA and a transverter board taken from the Ionica stuff.

I'm not sure where you live but if you are in the Midlands you might
contact the South Birmingham Radio Society who have a particular
interest in 9cm.

I live in Sheffield and am operational on 1.3, 5.7, 10 and 24GHz.

Check my website for further microwave info, including a list of
3,4GHz beacons. URL in signature below..

Are you on any other microwave bands?

(remove "nospam" from my email header to reply)

73

73 from Peter, G3PHO

****
Editor: RSGB Microwave Newsletter
Microwave Homepage (The World above 1000MHz):
http://www.g3pho.free-online.co.uk/
and at http://www.qsl.net/g3pho

mailto:g3pho@rsgb.org
****

1735. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 21:26:03 UTC
From: Bob Nielsen <nielsen@remove_this.oz.net>
Message-ID: <ahht9b$f17$0@216.39.144.81>
Source record: 41141
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

The Heath Cantenna did not come with oil. A club I belonged to filled
it with "Chevron Flo-Cool 180" which worked great. Fortunately we had
a free source of that product, as it is not cheap. Mineral oil seems
to be the fluid of choice.

Bob, N7XY

On Mon, 22 Jul 2002 12:48:30 -0700, Don Smith wrote:
> If my memory serves me correctly the Cantenna uses Mineral Oil like you
> might find in a drug store. It is completely colorless and I have used it
> in my load for many years up to 800 mhz. Hope this helps Don KB6GQA
>
> "jeff" <wd4nmq@earthlink.net> wrote in message
> news:3D3C599F.732499B6@earthlink.net...
>> I feel that I am once again going to open the old debate which oil to
>> use in a dummy load for heat conduction.
>>
>> But, that is not my question. Mine has do with the oil's effect on SWR
>> vs. frequency.
>> The reason I ask this I have a Dentron Big Dummy I bought at a hamfest
>> many years ago and have seldom used it, then only on HF, do to being
>> "out" of ham radio for a while. I have now been using it to check out
>> several old club rigs and I have noticed a big difference between it and
>> the club's Heath Cantenna.
>>
>> The SWR increases as frequency increases. At 80 thru 15 meters there is
>> no SWR indication with just a little at 10 meters. No problem. But, at 2
>> meters the SWR is 3:1. The Cantenna has no indicated SWR at 2 meters.
>> Infact, it states on the can SWR <1.5 up to 300 mc.
>>
>> The Dentron has no frequency range on it.
>>
>> I took the lids off and both had an identical looking carbon resistor.
>> But, their oil was definatly different. The Cantenna was perfectly clear
>> while the Dentron was much darker.
>>
>> So, does anybody know anything about the Dentron Big Dummy and it's
>> frequency range? What kind of oil it shipped with?
>>
>> I started to take the lid from each, drain and clean them and swap them
>> to see if the range follows the oil or the resistor. But, that is to
>> much work.
>>
>> --

>> Jeff, wd4nmq
>> wd4nmq@earthlink.net
>> http://home.earthlink.net/~wd4nmq
>> iLink client node #10438, iLink sysop link node #14746
>
>

1736. Re: HELP FOR THE DRAKE VIRTUAL MUSEUM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 21:29:03 UTC
From: "Robert S. Stein" <w6nbi@earthlink.net>
Message-ID: <3D3C791F.8030607@earthlink.net>
Source record: 41142

In 1971 I designed a frequency synthesizer for the Drake R-4 receiver.
Construction details were published in the Aug 1972 issue of "ham
radio." If you are interested in this for your web site, let me know.
I can scan pages from the printed article which have photos of the unit.

Bob, W6NBI

P.S. Boards are no longer available. :-(

JM CHERRY wrote:
> Hey all !
>
> All QST concerning DRAKE HAM equipment are now available on the R.L. DRAKE
> VIRTUAL MUSEUM pages,
> EXCEPT : "Extended Coverage for the Drake 2-B Receiver (H&K)"
> QST july 1962 Page 52. HELP me with a 400 dpi, 256 grey level BMP scanning.
>
> Can you help me ?????? Thanks a lot,
> 73,
> JM CHERRY
> http://www.dproducts.be
> http://www.dproducts.be/drake_museum
>
>
>

1737. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 21:36:52 UTC
From: Uncle Peter <radioconnectionNO@cox.netSPAM>
Message-ID: <UV__8.162423$DB.5614416@news1.east.cox.net>
Source record: 41143
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

IIRC most of those loads had the load resistor surrounded by a
tapering shield -- I assume that acted like a tapered coaxial
line that "matched" the load resistor impedance along its
length. I wonder if the different oils have different dielectric
constants--
that could explain the differing SWR readings at VHF frequencies
(assuming the load is non reactive to begin with).

Pete

"jeff" <wd4nmq@earthlink.net> wrote in message
news:3D3C599F.732499B6@earthlink.net...
> I feel that I am once again going to open the old debate which oil to
> use in a dummy load for heat conduction.
>
> But, that is not my question. Mine has do with the oil's effect on SWR
> vs. frequency.
> The reason I ask this I have a Dentron Big Dummy I bought at a hamfest
> many years ago and have seldom used it, then only on HF, do to being
> "out" of ham radio for a while. I have now been using it to check out
> several old club rigs and I have noticed a big difference between it and
> the club's Heath Cantenna.
>
> The SWR increases as frequency increases. At 80 thru 15 meters there is
> no SWR indication with just a little at 10 meters. No problem. But, at 2
> meters the SWR is 3:1. The Cantenna has no indicated SWR at 2 meters.
> Infact, it states on the can SWR <1.5 up to 300 mc.
>
> The Dentron has no frequency range on it.
>
> I took the lids off and both had an identical looking carbon resistor.
> But, their oil was definatly different. The Cantenna was perfectly clear
> while the Dentron was much darker.
>
> So, does anybody know anything about the Dentron Big Dummy and it's
> frequency range? What kind of oil it shipped with?
>
> I started to take the lid from each, drain and clean them and swap them
> to see if the range follows the oil or the resistor. But, that is to
> much work.
>
> --
> Jeff, wd4nmq
> wd4nmq@earthlink.net

> http://home.earthlink.net/~wd4nmq
> iLink client node #10438, iLink sysop link node #14746

1738. FA - IC 551 D W/PWR SUPPLY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 22:44:16 UTC
From: james thomason <jct@cswnet.com>
Message-ID: <ahi1o8$7ks$1@feed.centurytel.net>
Source record: 41144

ENDS in JUST 3 HOURS # 1367069472

1739. WTB 3-500Z and manual for SB-221

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 23:10:44 UTC
From: Don Smith <desmith@innercite.com>
Message-ID: <ujp47tka8aqvf3@corp.supernews.com>
Source record: 41050

Hi All. I just picked up a Heathkit SB-221 without the tubes. Now I need to locate a set of new or good used tubes to go on the air. Might anyone have a pair of tubes at a reasonable price? Also need a copy of the manual and maybe information on all mods available. Will pay for all copying postage costs. Please reply via email. Thanks and 73's. Don KB6GQA

1740. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-22 23:34:56 UTC
From: john price <jm.price@worldnet.att.net>
Message-ID: <3D3C96BC.677DBB7D@worldnet.att.net>
Source record: 41051
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

I have an old Cantenna which I've used up to 432 MHz... It
wasn't shipped with oil, but the recommendation was to
use mineral oil from the drugstore...

John

jeff wrote:
>
> I feel that I am once again going to open the old debate which oil to
> use in a dummy load for heat conduction.
>
> But, that is not my question. Mine has do with the oil's effect on SWR
> vs. frequency.
> The reason I ask this I have a Dentron Big Dummy I bought at a hamfest
> many years ago and have seldom used it, then only on HF, do to being
> "out" of ham radio for a while. I have now been using it to check out
> several old club rigs and I have noticed a big difference between it and
> the club's Heath Cantenna.
>
> The SWR increases as frequency increases. At 80 thru 15 meters there is
> no SWR indication with just a little at 10 meters. No problem. But, at 2
> meters the SWR is 3:1. The Cantenna has no indicated SWR at 2 meters.
> Infact, it states on the can SWR <1.5 up to 300 mc.
>
> The Dentron has no frequency range on it.
>
> I took the lids off and both had an identical looking carbon resistor.
> But, their oil was definatly different. The Cantenna was perfectly clear
> while the Dentron was much darker.
>
> So, does anybody know anything about the Dentron Big Dummy and it's
> frequency range? What kind of oil it shipped with?
>
> I started to take the lid from each, drain and clean them and swap them
> to see if the range follows the oil or the resistor. But, that is to
> much work.
>
> --
> Jeff, wd4nmq
> wd4nmq@earthlink.net
> http://home.earthlink.net/~wd4nmq
> iLink client node #10438, iLink sysop link node #14746

1741. Re: 3.4ghz (9cms)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 00:44:41 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ujp9qisctdmg77@corp.supernews.com>
Source record: 41052

Wow.......16 watts is pretty good for 3 Gigs! Do you have much elevation?
Feed that into a nice parabolic, and it should do nicely!

Bill
KC4KMG
Web Site: www.polkcounty.org/radiofun

"matt" <mattobr@ntlworld.com> wrote in message
news:DdX_8.1548$tg4.92585@newsfep1-win.server.ntli.net...
> hi all
>
> just wondering is there much activity on 3.4ghz as i have just been given
a amp(16w) for 3.4 and was thinking of building a
> transverter for it. but only if there is much activity.
>
> cheers matt
>
>

1742. Re: 3.4ghz (9cms)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 00:44:41 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ujp9qq5c52vs7e@corp.supernews.com>
Source record: 41053

Wow.......16 watts is pretty good for 3 Gigs! Do you have much elevation?
Feed that into a nice parabolic, and it should do nicely!

Bill
KC4KMG
Web Site: www.polkcounty.org/radiofun

"matt" <mattobr@ntlworld.com> wrote in message
news:DdX_8.1548$tg4.92585@newsfep1-win.server.ntli.net...
> hi all
>
> just wondering is there much activity on 3.4ghz as i have just been given
a amp(16w) for 3.4 and was thinking of building a
> transverter for it. but only if there is much activity.
>
> cheers matt
>
>

1743. Re: 3.4ghz (9cms)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 00:44:41 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ujp9q7cnqn9571@corp.supernews.com>
Source record: 41054

Wow.......16 watts is pretty good for 3 Gigs! Do you have much elevation?
Feed that into a nice parabolic, and it should do nicely!

Bill
KC4KMG
Web Site: www.polkcounty.org/radiofun

"matt" <mattobr@ntlworld.com> wrote in message
news:DdX_8.1548$tg4.92585@newsfep1-win.server.ntli.net...
> hi all
>
> just wondering is there much activity on 3.4ghz as i have just been given
a amp(16w) for 3.4 and was thinking of building a
> transverter for it. but only if there is much activity.
>
> cheers matt
>
>

1744. New vs. old style mic. for ICOM IC2100H ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 00:54:15 UTC
From: "Bob Parnass, AJ9S" <usenet1@parnass.org>
Message-ID: <3d3ca93d$0$3581$272ea4a1@news.execpc.com>
Source record: 41055

Amateur Electronic Supply (http://www.aesham.com) lists
two flavors of ICOM IC-2100H 2 meter xcvr:

IC2100H ICOM 50W 2M FM/HM98S TTP MIC*

IC2100H25N ICOM 50W 2M FM XCVR/ NEW TTPMIC

There is a $30 difference between the radios
listed, and the second one is more expensive.

What model microphone is currently being furnished
with the latest IC-2100H ?

How does it differ from the original HM98S microphone
mentioned in the first listing?

I've read that some early IC-2100H radios had problems
with losing transmitter output. Did ICOM "fix" the problem
before switching the microphones? In other words, if one
buys a "new" IC-2100H packed with the original style
microphone, is that vintage radio susceptable to the
transmitter output problem?

Thanks.
--
==
Bob Parnass, AJ9S Linux User http://parnass.com

1745. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 01:20:40 UTC
From: 'Doc <w5lz@icok.net>
Message-ID: <3D3CAF51.3A083317@icok.net>
Source record: 41056
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Jeff,
The oil shouldn't affect SWR if it is clean,
not contaminated with 'stuff' that might change
it's conducting properties. It sounds like the
oil in your Dentron dummy load may be contaminated,
or maybe has changes chemically if it's ~that~ old.
Try dumping it, cleaning the container, and refill
with mineral oil.
'Doc

1746. Re: WTB 3-500Z and manual for SB-221

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 01:21:40 UTC
From: Glenn Miller <glennmiller@worldnet.att.net>
Message-ID: <Ec2%8.45686$lu6.2659973@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41057

You can download the manual here: http://bama.sbc.edu/heath.htm

And here is a source for new 3-500Zs @ $115 + S&H

Glenn AA5PK

"Don Smith" <desmith@innercite.com> wrote in message
news:ujp47tka8aqvf3@corp.supernews.com...
> Hi All. I just picked up a Heathkit SB-221 without the tubes. Now I need
> to locate a set of new or good used tubes to go on the air. Might anyone
> have a pair of tubes at a reasonable price? Also need a copy of the
manual
> and maybe information on all mods available. Will pay for all copying
> postage costs. Please reply via email. Thanks and 73's. Don KB6GQA
>
>
>
>

1747. Re: WTB 3-500Z and manual for SB-221

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 01:22:59 UTC
From: Glenn Miller <glennmiller@worldnet.att.net>
Message-ID: <Td2%8.45688$Iu6.2660230@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41058

"Glenn Miller" <glennmiller@worldnet.att.net> wrote in message
news:Ec2%8.45686$Iu6.2659973@bgtnsc04-news.ops.worldnet.att.net...
> You can download the manual here: http://bama.sbc.edu/heath.htm
>
> And here is a source for new 3-500Zs @ $115 + S&H
http://www.tomstubes.com/
>
> Glenn AA5PK
>
> "Don Smith" <desmith@innercite.com> wrote in message
> news:ujp47tka8aqvf3@corp.supernews.com...
> > Hi All. I just picked up a Heathkit SB-221 without the tubes. Now I
need
> > to locate a set of new or good used tubes to go on the air. Might
anyone
> > have a pair of tubes at a reasonable price? Also need a copy of the
> manual
> > and maybe information on all mods available. Will pay for all copying
> > postage costs. Please reply via email. Thanks and 73's. Don KB6GQA
> >
> >
> >
> >
>
>

1748. ICOM T-7 RX?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 01:35:02 UTC
From: Ken Ho <magazin@netvigator.com>
Message-ID: <ahibtu$1fj3@imsp212.netvigator.com>
Source record: 41059

Who knows how to get full range for RX in my T-7?
TNX
Ken

1749. Icom IC-910H Comments please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 01:54:25 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <pmdpjustr0apvr0ed14c2eo4flsc4vc2gp@4ax.com>
Source record: 41060

Hello, I'm thinking about getting one. Will be using it on the satellites. Any comments? Thanks, Mike N0XD

1750. Re: ICOM T-7 RX?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 02:20:16 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <ahie5n$g07$1@bob.news.rcn.net>
Source record: 41061

"Ken Ho" <magazin@netvigator.com> wrote:

> Who knows how to get full range for RX in my T-7?
> TNX
> Ken

Ken, welcome to the internet!
Don't know what a "T-7" is, but almost all of the mods
for all radios out there are available at http://www.mods.dk

1751. Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 02:40:13 UTC
From: joeee1621@aol.com
Message-ID: <20020722224013.03813.00000237@mb-cu.aol.com>
Source record: 41062

http://www.myradioroom.com/manualsale.html

1752. TS-950SDX vs. TS-2000 what is better

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 04:01:20 UTC
From: pastryking <elsmootho@videotron.ca>
Message-ID: <m%4%8.958$MH1.289405@weber.videotron.net>
Source record: 41064

Is the TS-2000 worth the extra cash?

1753. IFR 1200S Service Monitor w/ LTR Functions + Tracking Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 04:05:10 UTC
From: omicron@icnet.net
Message-ID: <3b6cff4b.0207222005.1999e1c8@posting.google.com>
Source record: 41063
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap

Saw this on eBay, and thought someone might be interested.

Hurry though, auction ends 7/25!

IFR 1200S Communications Service Monitor. All the standard features of
the 1200 are included, plus Spectrum Analyzer, Trunking / LTR test
functions, (Option 14)and Tracking Generator. (Option 12)

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1751756819

Good luck!

Bob

1754. FS: PRO-2066 Mobile Trunk Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 05:43:29 UTC
From: Douglas Gavilanes <gavilan1@earthlink.net>
Message-ID: <3D3CF055.36400770@earthlink.net>
Source record: 41065
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale:

Realistic Pro-2066 150 channel trunking scanner, with manual and mobile bracket. Works great in Orange County for Motorola type II fire system. Asking $175 + $10 for UPS shipping from 92843.

E-mail me if interested at gavilan1@earthlink.net.

73,

Doug, N6XQY
Garden Grove, CA.

1755. FS: Timewave 59+

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 05:56:39 UTC
From: Douglas Gavilanes <gavilan1@earthlink.net>
Message-ID: <3D3CF385.1F09AC9D@earthlink.net>
Source record: 41066

For sale:

Timewave DSP-59+, excellent condition. Asking $150 + $5 UPS from 92843.

If interested, e-mail me at gavilan1@earthlink.net

73,

Doug, N6XQY
Garden Grove, CA.

1756. Re: 761 / 765 Covers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 06:12:50 UTC
From: Robert Fanfant <fanfant1@attbi.com>
Message-ID: <Ct6%8.633261$cQ3.102741@sccrnsc01>
Source record: 41067

Kevin,
Can I call you about the top cover? I'd like to replace mine(765)

-rob

"Kevin" <n0kq@arrl.net> wrote in message news:agjsb7$64h$1@magnum.mmm.com...
> Mike,
>
> The covers are just raw covers with nothing else. Burghardts in South
Dakota
> still sells the dropdown feet.
>
> 73
>
> Kevin
>
> "K6STU" <k6stu@aol.com> wrote in message
> news:20020709235327.01772.00000122@mb-ma.aol.com...
> > Hi Kevin.
> > Does the bottom cover have the two fold down front feet??
> > If so I would like to buy it.
> > Mike
>
>

1757. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 06:58:50 UTC
From: SkyKing <gyewug@egfurg.com>
Message-ID: <8hvpjuoa7q4dgu85t19mmk7hgaprojsofv@4ax.com>
Source record: 41068
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

On Mon, 22 Jul 2002 19:13:35 GMT, jeff <wd4nmq@earthlink.net> wrote:

>I feel that I am once again going to open the old debate which oil to
>use in a dummy load for heat conduction.
>
>But, that is not my question. Mine has do with the oil's effect on SWR
>vs. frequency.

The RF is fed into the resistor, which is the actual dummy load.
The oil is only there to dissipate the heat.

1758. Re: Icom IC-910H Comments please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 07:00:59 UTC
From: SkyKing <gyewug@egfurg.com>
Message-ID: <fnvpju8hsqq4hilrjolf7hk6ic070cqj4e@4ax.com>
Source record: 41069

On Tue, 23 Jul 2002 01:54:25 GMT, Michael Funaro
<mfunaro@worldnet.att.net> wrote:

>Hello, I'm thinking about getting one. Will be using it on the
>satellites. Any comments? Thanks, Mike N0XD

An absolutely super radio for satellite work. Beats the Yaesu.
Great for SSB and FM work as well.

1759. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 08:35:32 UTC
From: "Russell Hltn"
Message-ID: <ahj4gm$n84$1@nntp-m01.news.aol.com>
Source record: 41070
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Since the topic of "cantennas" has come up, I though I'd ask a question that came up before:

How much does using oil multiply the resistor's effective wattage rating? For example if I used a 2W resistor and put it in a can of oil, how much can I dump into the resistor?

1760. FT-707S -> FT-707 mod

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 09:16:36 UTC
From: Jibeji <f8dql@NOSPAM.wanadoo.fr>
Message-ID: <ahj6toprd1@s1.read.news.oleane.net>
Source record: 41071

Hi.
I'd like to know if it is possible to modify a FT-707S to get 100W output
power.
Thanks and 73's
--
F8DQL
UFT 1116

1761. FS: NIB Yaesu G-450A Rotor Less Control Box

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 09:22:07 UTC
From: John Seney <wd1v@amsat.org>
Message-ID: <wd1v-3C9270.05220623072002@netnews.attbi.com>
Source record: 41072

Looking for a spare? New in box rotor - purhcased so I could replace my control box. Shipped to you via UPS in factory box (continental USA) for $100.00 (cashiers check or money order)

Contact for purchase wd1v@amsat.org

JS
Scope FAQ at http://www.qsl.net/wd1v

1762. FS: Kantronics KAM Plus, rec.radio.amateur.digital.misc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 09:25:38 UTC
From: John Seney <wd1v@amsat.org>
Message-ID: <wd1v-BF91EF.05253623072002@netnews.attbi.com>
Source record: 41073

Mint shape Kantronics KAM Plus with power supply, serial cable,
dual port I/O cables, and manuals - shipped UPS to continental
USA for $100.00

Contact wd1v@amsat.org

JS
Scope FAQ at http://www.qsl.net/wd1v

1763. FS: Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 10:44:20 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <accqju42uh53o17k1heq21ungn62hraqvq@4ax.com>
Source record: 41074
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FOR SALE:

7025 / 12AX7A new in box Hewlett Packard branded, Made In England.
Extra high-quality, black plate tubes. QTY 4 at $8.00 each

ECC82 / 12AU7 new in box Hewlett Packard branded, Made In England.
Extra high-quality, black plate tubes. QTY 4 at $8.00 each

6CB6A Tubes, new in box Hewlett Packard branded, USA.
Highest quality. QTY 15 available for $2.00 each

6146B QTY 2 - National Brand. Will sell for $16.00 the pair

807 QTY 2 - One marked Westinghouse, One JAN.
Both similar though. Will sell for $12.00 the pair

U.S. Army-Navy NOS 829B Tubes. Still in the boxes from WW2.
Equivalent to 3E29. Dual tetrode VHF transmitting final amplifier.
QTY 4 - will sell for $8.00 each

EL34 / 6CA7 audio power tubes - QTY 4 RCA new in boxes.
Will sell all four for $39.00 (List $15.00 - $25.00 each)

VF14 mic tube. New In Original Box - Telefunken VF14 Tube
As used in the world famous Neumann Microphones.
QTY 1 only - for $250.00 (List $1250.00 - $1750.00 each)

ITT type 5C22/8613 Hydrogen Thryatron tube, used - capable of
switching 4MW (that mega-watts!) very quickly.
Used but in good condition
QTY 1 only for $25.00 (List $275.00)

Reply via e-mail

1764. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 11:33:33 UTC
From: mike <spamme0@juno.com>
Message-ID: <3D3D3F0D.2515B1F3@juno.com>
Source record: 41075
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

This is NOT a simple question.
Ultimately, what goes in must come out.
So, one limit is sorta proportional to the relative surface area,
assuming you've got good convection and perfect conduction.
The thermal mass of the oil slows things down. That's why peak power
rating is higher than the average power rating.
Another limit is the thermal resistance of the system.
The oil is only one part. If you use a film resistor, you'll get much
better thermal contact to the oil than if you used an AB carbon
resistor
with the bakelite surface (2W resistor). At some power level, the
resistor
is gonna explode, no matter how much oil it's in.

The resistor in a cantenna is probably worth 50-100W in air.
mike

Russell Hltn wrote:

> Since the topic of "cantennas" has come up, I though I'd ask a
> question that came up before:
>
> How much does using oil multiply the resistor's effective wattage
> rating? For example if I used a 2W resistor and put it in a can of
> oil, how much can I dump into the resistor?

--
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

1765. Which one would you like better???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 12:15:15 UTC
From: Ania <anias@bbs.net.pl>
Message-ID: <ahjh9p$g9v$1@news.tpi.pl>
Source record: 41076

Which one would you like better??? 746 or 920. Consider this from the aspect
I am not a 2m band user.

1766. Re: TS-950SDX vs. TS-2000 what is better

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 13:23:53 UTC
From: Ham <Remove@spam.com>
Message-ID: <JNc%8.193707$DB.5848798@news1.east.cox.net>
Source record: 41077

No. The ToastmaSter 2000 can not compare to a 950SDX

"pastryking" <elsmootho@videotron.ca> wrote in message
news:m%4%8.958$MH1.289405@weber.videotron.net...
> Is the TS-2000 worth the extra cash?
>
>
>

1767. WTB: Kenwood TS-940 parts rig or needing work

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 13:58:23 UTC
From: Michael Brandt <MBRANDT1@mn.rr.com>
Message-ID: <3id%8.39244$Tq3.930624@twister.rdc-kc.rr.com>
Source record: 41078
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Looking for a Kenwood TS-940 HF rig for parts
or one needing work. If anyone has one of these
let me know what you need for it. Thanks, Mike (KA0PWW)
e-mail mbrandt1@mn.rr.com

1768. Re: Oil in dummy loads vs. SWR. it's the resistor.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 14:34:05 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3D3D699F.6C6F1D51@earthlink.net>
Source record: 41079
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Or it's mounting method.

I took the Dentron resistor out of the oil, dried it and tried 2 meters into it. Still had 3:1 SWR.
Now, the resistor mounting in the Dentron had only a piece of flat metal running from the can lid, ground, to the bottom of the resistor. While the Cantenna's resistor is inside a grounded aluminum tube which connects to the bottom of the resistor via three screws.

So what Peter wrote may be along the right line. May do some more testing.

Uncle Peter wrote:
>
> IIRC most of those loads had the load resistor surrounded by a
> tapering shield -- I assume that acted like a tapered coaxial
> line that "matched" the load resistor impedance along its
> length. I wonder if the different oils have different dielectric
> constants--
> that could explain the differing SWR readings at VHF frequencies
> (assuming the load is non reactive to begin with).
>
> Pete
>
> "jeff" <wd4nmq@earthlink.net> wrote in message
> news:3D3C599F.732499B6@earthlink.net...
> > I feel that I am once again going to open the old debate which oil to
> > use in a dummy load for heat conduction.
> >
> > much work.
> >
> > --
> > Jeff, wd4nmq
> > wd4nmq@earthlink.net
> > http://home.earthlink.net/~wd4nmq
> > iLink client node #10438, iLink sysop link node #14746

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

1769. 3-500Z tubes needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 15:38:03 UTC
From: Don Smith <desmith@innercite.com>
Message-ID: <ujqu3b1sae2k3b@corp.supernews.com>
Source record: 41080

Hi All. I just picked up a Heathkit SB-221 without the tubes. Now I need to locate a set of new or good used tubes to go on the air. Might anyone have a pair of tubes at a reasonable price? Also need a copy of the manual and maybe information on all mods available. Will pay for all copying postage costs. Please reply via email. Thanks and 73's. Don KB6GQA

1770. Re: Oil in dummy loads vs. SWR. it's the resistor.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 15:50:05 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <lqtqju80sm3tsfir3lakdfbr67ol0g4ba3@4ax.com>
Source record: 41081
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

On Tue, 23 Jul 2002 14:34:05 GMT, jeff <wd4nmq@earthlink.net> wrote:

>Or it's mounting method.
>
>I took the Dentron resistor out of the oil, dried it and tried 2 meters
>into it. Still had 3:1 SWR.
>Now, the resistor mounting in the Dentron had only a piece of flat metal
>running from the can lid, ground, to the bottom of the resistor. While
>the Cantenna's resistor is inside a grounded aluminum tube which
>connects to the bottom of the resistor via three screws.
>
>So what Peter wrote may be along the right line. May do some more
>testing.

Hi Jeff,

Mounting method should include a close examination of the connection. Given you have earlier reported the color of the oil as dark; this could be evidence of contaminants, scale or bits sloughed off from the resistor if/when it was over-powered.

This sounds obvious, but did you measure the load's resistance (at DC)? How about when it is immersed in oil?

This is simply accomplished with the handy VOM, but you should go further and measure the resistance over a range of applied voltages that span a significant range of power. However, finding power sources to deliver an amp at up to 100V is rare. The resistance of a resistor varies with current applied; and only the sub-watt models come close to zero temperature coefficient (and power resistors are the most likely to fluctuate wildly).

Another factor is that the Dentron may have never been designed for 2 Meter operation (although I cannot imagine why not).

73's
Richard Clark, KB7QHC

1771. Re: Which one would you like better???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 15:55:22 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <ahju9anib1@paris.btinternet.com>
Source record: 41082

In the total absence of any information why not take the average?

(746 + 920) / 2 = 833.5

Regards, Reg.

1772. Re: TS-950SDX vs. TS-2000 what is better

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 17:18:04 UTC
From: "Scott, N9AI" <nospam@nospam.org>
Message-ID: <gdg%8.236683$iX5.12394487@bin3.nnrp.aus1.giganews.com>
Source record: 41083

It depends on what you want to use the rigs for. The TS950SDX is a hard core conresting/DXing rig, designed to compete with the top notch Yaesu FT1000 series of rigs. The TS2000 is a fine all around rig that certainly does more, but it is sometimes maligned, especially by people who don't own them.

You do seem to have some misconception here about the price of these rigs. A used TS950SDX (they don't make them anymore so you can't get one new) in excellent condition is generally about $2000 to 2300.00. If you see one cheaper, be very cautious. A new TS2000 is about $1750-1800.00, used about $1300-1500.00.

The TS950SDX was for it's time, one of the finest radios around, easily comparable to the fine FT1000D or MP and much better than the very over-rated Icom IC775. That said, despite it's fine receiver specs, terrific audio and excellent reputation, it has limitations compared to newer rigs. The DSP isn't very good, the sub receiver is rather limited when compared to the Yaesu FT1000 series and it generally shows it's age as 12 year old technology. Is it better than a TS2000? Maybe in some ways, but the TS2000 is a fine rig in it's own right.

The TS2000 gives you modern technology, more bands (160m-70cm), more features and smaller size at the expense of *some* receiver performance. Will you miss this receiver performance? Depends on what you want to do with the rig. For every day all-around usage, the TS2000 is an excellent rig, with a very good receiver. I use one for DXing every day and have never lost a contact due to QRM or desens. It does suffer a *bit* in crowded band conditions, but so does every other newer rig out there. I wouldn't buy one if you are a hardcore contester wanting to use it in a high power, multi-op, multi-station environment, though.

If you want a good rig that does alot, go with the TS2000. If you're a dyed in the wool contester, don't go with the TS950SDX, go with an FT1000MP, MP Mark V or the Mark V Field. They're all newer and are just as good as the 950SDX. Or wait for the TS970 that's rumored to be in the works for 20003 or 2004.

Good luck,
Scott, N9AI

"pastryking" <elsmootho@videotron.ca> wrote in message
news:m%4%8.958$MH1.289405@weber.videotron.net...
> Is the TS-2000 worth the extra cash?
>
>
>
>

1773. Mac key ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 17:47:30 UTC
From: 106312.1035@compuserve.com
Message-ID: <3d3d9585.454229@news.compuserve.com>
Source record: 41084

Anyone know anything about the following:

Radio Telegraphy Transmitter Key

Standard Model Mac Key

by Theodore R McElroy

any idea on price, value etc ?

Ben G4BXD.

1774. scope info ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 17:47:41 UTC
From: 106312.1035@compuserve.com
Message-ID: <3d3d95d2.530850@news.compuserve.com>
Source record: 41085

I need info for:

Oscilloscope OS-8B/U
Navy Department
Hickok Elelectrical In st Co

can any help with a circuit ?

Ben G4BXD.

1775. Re: Which one would you like better???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 18:10:39 UTC
From: MD <daveincanada2000@yahoo.com>
Message-ID: <YZg%8.3219$dk1.778481@news20.bellglobal.com>
Source record: 41086

"Reg Edwards" <g4fgq.regp@btinternet.com> wrote in message
news:ahju9anib1@paris.btinternet.com...
> In the total absence of any information why not take the average?
>
> (746 + 920) / 2 = 833.5
>
> Regards, Reg.
>

Gosh Reg,

I would have assumed he was talking about the Icom IC746 or the Yaesu FT920.
Doesn't take a rocket scientist to figure that one out.

1776. FS: Kenwood TS-850S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 19:23:41 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <r0brjugauci3216gcc1ovi5fmsahahq4p1@4ax.com>
Source record: 41087

I have for sale in excellent condition a Kenwood TS-850S/AT. It comes with the original Kenwood hand microphone, manual, power cable and the original inner and outer boxes. This is from a non smoker and in 100% operating condition. I will ship it anywhere in the 48 states for $750 via UPS ground. I can be reached at (508) 821-2993 or email..WZ1U Steve / Lakeville, Ma.

1777. Re: Oil in dummy loads vs. SWR. it's the resistor.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 21:02:54 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3D3DC4B2.7040801@earthlink.net>
Source record: 41088
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Yea, I measured it with a Fluke DVM and it measured 52.xx ohms. The Cantenna measured 48.xx ohms.

I might, if I get time, build up the resistor mounting to be like the Cantenna.

Right now it works ok on HF. Just a slight, <<1.2 at 10 meters, SWR. So it's ok for what little I use for. The occational checking out of older rigs.

Does anybody know a source for resistors like that used in the Cantenna and Dentron? They are about 1" in diameter and 5-to-6" long.

Anybody know the exact wattage of the Cantenna resistor?

Pick up a new clean gallon can from my pal at Sherwin-Williams, some mineral oil, hmmmm.

Richard Clark wrote:
>
>
> Hi Jeff,
>
> Mounting method should include a close examination of the connection.
> Given you have earlier reported the color of the oil as dark; this
> could be evidence of contaminants, scale or bits sloughed off from the
> resistor if/when it was over-powered.
>
> This sounds obvious, but did you measure the load's resistance (at
> DC)? How about when it is immersed in oil?
>
> This is simply accomplished with the handy VOM, but you should go
> further and measure the resistance over a range of applied voltages
> that span a significant range of power. However, finding power
> sources to deliver an amp at up to 100V is rare. The resistance of a
> resistor varies with current applied; and only the sub-watt models
> come close to zero temperature coefficient (and power resistors are
> the most likely to fluctuate wildly).
>
> Another factor is that the Dentron may have never been designed for 2
> Meter operation (although I cannot imagine why not).
>
> 73's
> Richard Clark, KB7QHC

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

1778. Re: Oil in dummy loads vs. SWR. it's the resistor.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 21:26:53 UTC
From: Sylvan Butler <Znospam+noZs_0207@hpb13799Z.Zboi.hpZ.com.invalid>
Message-ID: <slrnajrigt.am4.Znospam+noZs_0207@hpb13799Z.Zboi.hpZ.com.invalid>
Source record: 41091
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

On Tue, 23 Jul 2002 15:50:05 GMT, Richard Clark <kb7qhc@attbi.com> wrote:
> that span a significant range of power. However, finding power
> sources to deliver an amp at up to 100V is rare. The resistance of a

Perhaps one could series with a light bulb and a known resistor all
connected to 120vacRMS.

sdb
--
| Sylvan Butler | Not speaking for Hewlett-Packard | sbutler-boi.hp.com |
| Watch out for my e-mail address. Thank UCE. >>>> change ^ to @ <<<< |
They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety. --Benjamin Franklin, 1759
Stop Palladium, TCPA and Senator Fritz Hollings, NOW!
http://www.cl.cam.ac.uk/users/rja14/tcpa-faq.html

1779. Re: scope info ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 21:32:05 UTC
From: Richard Heindel <rheindel@neo.rr.com>
Message-ID: <pXj%8.151282$CJ2.18048986@twister.neo.rr.com>
Source record: 41089

Try this fellow, http://www.govpubs.com/ , I got my Tektronix manuals from him.

Richard WB8KRN

1780. ICOM 706 MKII G Optional Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 21:36:27 UTC
From: ddelakas@midway.uchicago.edu
Message-ID: <v%j%8.91$Z4.29990@news.uchicago.edu>
Source record: 41090

I had a very unpleasant experience late last night with my otherwise very dependable & robust 706. I'm curious if I am a complete idiot (this is very possible - maybe even probable) or if others have had this problem.

I wanted to install the F100 and F223 ICOM filters. After opening the top of the 706 I found myself staring at the factory-installed SSB filter with a copper-colored ribbon cable firmly taped to it. This ran from behind the SSB filter, over it, over the two empty filter slots to what appeared to be a white plastic connector on the top-most PC board. I firmly grasped this white "connector" to unplug it, pulled, and... tore what turned out to be a surface-mounted component off the board.

Man was I mad. I was so pissed off I called Icom HQ in Osaka. A very patient and pleasant woman told me that I had to call the U.S. distributor. They (ICOM in Washington State) told me that I probably didn't have a case for free repair - "Send us the rig with a letter." I think have a wonderful damned case but I can just feel that $80+ bench fee slipping out of my wallet as I write this. Naturally, the 706 is out of warranty.

The manual was absolutely no help - it basically says: Open rig. Install filters. Close rig. The picture is also less than helpful (see section 10, pg. 60.) Whatever. I lose, I guess.

Am I a trail-blazer on the frontier of stupidity or has anyone else done this or at least heard about this?

73,
Dave D, KB9YOZ

1781. Re: ICOM 706 MKII G Optional Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 22:07:39 UTC
From: DBN <dnicholson@socket.net>
Message-ID: <ujrkp2op9u195b@corp.supernews.com>
Source record: 41092

why on earth did you need to pull the ribbon cable out? I installed a FL-223 without moving a thing but the tape that the cable was taped to the stock filter with.

Dan

"David Delakas" <ddelakas@midway.uchicago.edu> wrote in message news:v%j%8.91$Z4.29990@news.uchicago.edu...
>
> I had a very unpleasant experience late last night with my otherwise very
> dependable & robust 706. I'm curious if I am a complete idiot (this is
> very possible - maybe even probable) or if others have had this problem.
>
> I wanted to install the F100 and F223 ICOM filters. After opening the
> top of the 706 I found myself staring at the factory-installed SSB filter
> with a copper-colored ribbon cable firmly taped to it. This ran from
> behind the SSB filter, over it, over the two empty filter slots to what
> appeared to be a white plastic connector on the top-most PC board. I
> firmly grasped this white "connector" to unplug it, pulled, and... tore
> what turned out to be a surface-mounted component off the board.
>
> Man was I mad. I was so pissed off I called Icom HQ in Osaka. A very
> patient and pleasant woman told me that I had to call the
> U.S. distributor. They (ICOM in Washington State) told me that I probably
> didn't have a case for free repair - "Send us the rig with a letter." I
> think have a wonderful damned case but I can just feel that $80+ bench fee
> slipping out of my wallet as I write this. Naturally, the 706 is out of
> warranty.
>
> The manual was absolutely no help - it basically says: Open rig. Install
> filters. Close rig. The picture is also less than helpful (see section 10,
> pg. 60.) Whatever. I lose, I guess.
>
> Am I a trail-blazer on the frontier of stupidity or has anyone else done
> this or at least heard about this?
>
> 73,
> Dave D, KB9YOZ

1782. Re: VX-7R, D.C. current with 1 watt output power (222MHz circuit info)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 22:22:27 UTC
From: n1kk@netzero.net
Message-ID: <d7adbb57.0207231422.60c74c91@posting.google.com>
Source record: 41093

I received some info stating the 222MHz signal uses the 2 meter
PA and Low Pass filter. This might cause some additional heat
when increasing the 222MHz power level via the Alignment Menu.
I am wondering how difficult it would be to direct the signal out
of the 2 meter PA circuit but over to the 440MHz Low Pass filter.
This would still offer some attenuation of Harmonics but would
not result in attenuation of the 222MHz signal.

I am surprised after measuring the D.C. current of an external
power supply with the radio set to 1 watt out on all bands
I didn't see a big increase in D.C. current on the 222MHz band for
the same power? I would think using the 2 meter Low Pass filter
would require a lot of power to get 1 watt out resulting in more
D.C. current required.

Ken
N1KK

n1kk@netzero.net (Ken) wrote in message
news:<d7adbb57.0207151644.5f61ef51@posting.google.com>...
> I measured the D.C. current at 6m,2m,222MHz, and 449MHz
> with a output power of 1 watt.
>
> I was curious if 222MHz at 1 watt output might draw something
> much higher than the other bands at the same power levels.
> The 1 watt was set using the Alignment Menu.
>
> 52.29 - 0.518 amps
> 145.58 - 0.624 amps
> 222.32 - 0.845 amps
> 444.5 - 0.824 amps
>
> The VX-7R did get warm. I don't know if it had
> anything to do with transmitting 1 watt at 222.32MHz
> or not.
>
> At 5 watts I measured the D.C. current
> for 6m,2m and 445.5MHz
>
> 52.29 - 1.34 amps
> 145.58 - 1.42 amps
> 444.5 - 1.71 amps
>
> Ken
> N1KK

1783. Dummy load SWR and resistor mounting method

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 23:38:14 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3D3DE944.5050109@earthlink.net>
Source record: 41094

In line with my previous discussion about the high SWR on 2meters vs. low SWR on a Cantenna I found out the following.

I suddenly remembered in an old ARRL Handbook there was a contruction article on an oil filled dummy load.

I went and found it in the 1987 Handbook, the last one I bought,on page 34-24. There it was, the resistor is surrounded by an aluminum tube forming a coaxial load, not just a resistor hooked up.

It even says that the shield tube should taper toward the resistor along it's length. However at HF and low VHF that is not neccessary. Their plans for a UHF super dummy does have a tapering shield.

Guess that is why the Cantenna has the tube around the resistor.

Think I will get a new gallon can lid and build a Cantenna like mounting system for the Dentron.

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

1784. WTB: OHR 500 QRP rig (assembled)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-23 23:40:44 UTC
From: doug.behl@sympatico.ca
Message-ID: <3d3de895.4474960@news1.sympatico.ca>
Source record: 41095

Looking to purchase a functioning OHR 500 in excellent condition. If
you interested in parting with one, please email me at ve3xdb@rac.ca

Best regards,

Doug VE3XDB

1785. Re: Which one would you like better???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 00:00:46 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D3DEE2E.BDDCF1FE@cableone.net>
Source record: 41096
Body handling: Binary attachment payload not displayed: radioranch.vcf

Well, even if you dont use 2 meters...the 746 is a better buy, and will re sell better...and in an emergency in your area, the 2 m could come in handy...they are selling "closely in price", maybe a little more for the 746 and either is a great radio...746 will also fill in as mobile (its what I use in my big pickup) so it has some advantages I think...Its also easier to use , menu system is the greatest and it has the bandscope for quick looks at a complete band or portion...73 Murray

Ania wrote:

> Which one would you like better??? 746 or 920. Consider this from the aspect
> I am not a 2m band user.

[One or more binary attachments are retained only in the source text.]

1786. Re: Which one would you like better???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 00:47:42 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <ahktfe$2dh$1@venus.btinternet.com>
Source record: 41097

Well, I wouldn't know. Neither would a lot of others. I don't read the magazines and neither am I the owner/manager of an amateur radio supermarket. Never had any Yaesu gear and very little Icom. Who are they ? And neither am I anywhere near a rocket scientist.

From your description I am none the wiser. But thanks for trying ! My suggestion that he should take the arithmetical average still applies.

He could of course take the geometric mean: Sqrt(920*746) = 828.4 which is in the same ballpark.

But I'm sure you understand the point I'm making. ;o) ;o)

========================
Regards from Reg G4FGQ
Free Radio Design Software
Go to http://www.g4fgq.com
========================

> I would have assumed he was talking about the Icom IC746 or the Yaesu FT920.
> Doesn't take a rocket scientist to figure that one out.

1787. Re: ICOM 706 MKII G Optional Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 00:55:04 UTC
From: Leland Cox <lcox107@comcast.net>
Message-ID: <3D3DFC3D.5050100@comcast.net>
Source record: 40948

Obviously you did not read the instructions that came with the filters!
The instructions tell you not to unplug this connector!

Les, AA4F

David Delakas wrote:

> I had a very unpleasant experience late last night with my otherwise very
> dependable & robust 706. I'm curious if I am a complete idiot (this is
> very possible - maybe even probable) or if others have had this problem.
>
> I wanted to install the F100 and F223 ICOM filters. After opening the
> top of the 706 I found myself staring at the factory-installed SSB filter
> with a copper-colored ribbon cable firmly taped to it. This ran from
> behind the SSB filter, over it, over the two empty filter slots to what
> appeared to be a white plastic connector on the top-most PC board. I
> firmly grasped this white "connector" to unplug it, pulled, and... tore
> what turned out to be a surface-mounted component off the board.
>
> Man was I mad. I was so pissed off I called Icom HQ in Osaka. A very
> patient and pleasant woman told me that I had to call the
> U.S. distributor. They (ICOM in Washington State) told me that I probably
> didn't have a case for free repair - "Send us the rig with a letter." I
> think have a wonderful damned case but I can just feel that $80+ bench fee
> slipping out of my wallet as I write this. Naturally, the 706 is out of
> warranty.
>
> The manual was absolutely no help - it basically says: Open rig. Install
> filters. Close rig. The picture is also less than helpful (see section 10,
> pg. 60.) Whatever. I lose, I guess.
>
> Am I a trail-blazer on the frontier of stupidity or has anyone else done
> this or at least heard about this?
>
> 73,
> Dave D, KB9YOZ
>

1788. Re: ICOM 706 MKII G Optional Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 01:22:39 UTC
From: Ralph Mowery <rmowery@dialpoint.net>
Message-ID: <ahkvmg$2ck2$1@newsreader.cetlink.net>
Source record: 40949

Did your instructions not have a green sheet of paper that says NEVER unplug
the cable to install the filter ?

.
>
> The manual was absolutely no help - it basically says: Open rig. Install
> filters. Close rig. The picture is also less than helpful (see section 10,
> pg. 60.) Whatever. I lose, I guess.
>
> Am I a trail-blazer on the frontier of stupidity or has anyone else done
> this or at least heard about this?
>
> 73,
> Dave D, KB9YOZ

1789. Re: ICOM 706 MKII G Optional Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 01:35:37 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D3E0469.3020502@optonline.net>
Source record: 40953

My rig came with a green insert page that explicitly warned NOT to unplug the cable when installing optional filters.

-=-
Alan

David Delakas wrote:
> I had a very unpleasant experience late last night with my otherwise very
> dependable & robust 706. I'm curious if I am a complete idiot (this is
> very possible - maybe even probable) or if others have had this problem.
>
> I wanted to install the F100 and F223 ICOM filters. After opening the
> top of the 706 I found myself staring at the factory-installed SSB filter
> with a copper-colored ribbon cable firmly taped to it. This ran from
> behind the SSB filter, over it, over the two empty filter slots to what
> appeared to be a white plastic connector on the top-most PC board. I
> firmly grasped this white "connector" to unplug it, pulled, and... tore
> what turned out to be a surface-mounted component off the board.
>
> Man was I mad. I was so pissed off I called Icom HQ in Osaka. A very
> patient and pleasant woman told me that I had to call the
> U.S. distributor. They (ICOM in Washington State) told me that I probably
> didn't have a case for free repair - "Send us the rig with a letter." I
> think have a wonderful damned case but I can just feel that $80+ bench fee
> slipping out of my wallet as I write this. Naturally, the 706 is out of
> warranty.
>
> The manual was absolutely no help - it basically says: Open rig. Install
> filters. Close rig. The picture is also less than helpful (see section 10,
> pg. 60.) Whatever. I lose, I guess.
>
> Am I a trail-blazer on the frontier of stupidity or has anyone else done
> this or at least heard about this?

1790. Re: Mac key ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 02:03:10 UTC
From: Jack Berry <jackberry@ameritech.net>
Message-ID: <3D3E2ABE.DB96D070@ameritech.net>
Source record: 40954

You might check the W1TP website. Tom has some pics there and some values for keys that might help you. His URL is http://www.chss.montclair.edu/~pererat/telegrap.htm Another place is eBay completed auctions and search for the key that way, but you sometimes get some inflated prices paid there.. You also have to remember that the condition of the key is important to the value.

Jack N9JB

BN wrote:

> Anyone know anything about the following:
>
> Radio Telegraphy Transmitter Key
>
> Standard Model Mac Key
>
> by Theodore R McElroy
>
> any idea on price, value etc ?
>
> Ben G4BXD.

1791. FS: TS-850, various

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 02:06:16 UTC
From: Jeff Kilgore <the.weight@verizon.net>
Message-ID: <sYn%8.2791$ub.589@nwrddc02.gnilink.net>
Source record: 40950
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have the following equipment for sale (I need to clear some space, and help pay for an IC-756Pro II):

Kenwood TS-850S/AT - I bought this new in 1994 and have used it for my main rig since then. It has INRAD 400-Hz filters in the 8.83-Mhz and 455-kHz IFs, and an INRAD 2.1-kHz filter in the 8.83-MHz IF, and comes with a Kenwood MC-50 microphone and homebrew computer interface (uses Maxim 232 IC, in nice case). The radio, mic, and computer interface are in very good condition, works fine, no scratches or dings, non-smoking environment. With original manuals and original box. $1250 plus shipping

Timewave DSP-59+ audio digital signal processor - I bought this new and it has worked with no problems since. It works very well with the TS-850. Very good condition, works fine, no scratches or dings. With original manual. $125 plus shipping

Electrovoice 641 microphone - A great mic for boatanchors. In very good condition, includes stand with PTT switch, wired with 2-pin microphone connecter (easily rewired if needed). $75 plus shipping

Kenwood R-599A receiver - Good condition, some minor wear, works fine, with photocopy manual. $140 plus shipping

Kenwood TH-215A 2-meter FM HT - Good condition, works fine, with original manual, original charger (original battery is included, but is dead), aftermarket W&W hi-capacity battery and drop-in charger. $90 plus shipping

Radio Shack HTX-202 2-meter FM HT - Very good condition. I bought this new several years ago. Works fine, no scratches or dings, includes original manual, NiCd battery, and charger. $80 plus shipping

Vibroplex Original semiautomatic key - Very good condition, works fine, no dings or scratches. I bought this new in 1988. $75 plus shipping

Realistic Pro-25 scanner - Very good condition, works fine, no dings or scratches. $50 plus shipping

Hewlett-Packard HP41CX calculator, with magnetic card reader, Advantage module, original manuals and boxes, and several additional books on the HP41. $450 plus shipping

All items will be carefully packaged. Payment by USPS money order, PayPal, or personal check (personal checks must clear before shipping).

73,
Jeff Kilgore, KC1MK

1792. Re: Oil in dummy loads vs. SWR. it's the resistor.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 02:10:05 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <ahl29u$l4p$1@slb1.atl.mindspring.net>
Source record: 40951
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Jeff:

[snip]
> Does anybody know a source for resistors like that used in the Cantenna
> and Dentron? They are about 1" in diameter and 5-to-6" long.
[snip]

Carborundum Corporation used to make those low reactance power resistors
that you are describing above. I believe their factory was in the Buffalo,
New York area, don't know if they are still in business.

Best,

--Peter K1PO
Indialantic By-the-Sea, FL.

1793. Re: ICOM 706 MKII G Optional Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 02:14:48 UTC
From: "R. Scott" <washingtonham@yahoo.com>
Message-ID: <3D3E0E08.6AACEBF@yahoo.com>
Source record: 40952

> It's possible that he bought the filters used and didn't get the
> instruction sheet, but working around solid-state equipment requires
> caution and gentle movement in addition to precautions for static
> discharge. The old adage of, measure twice, and cut once certainly
> applies here. Sorry he ruined a good rig. Could have been easily
> avoided.
>
> Dick - W6CCD

I think he meant the sheet that came with the rig. I bought mine in
Feb/March and it had it with it. Exact instructions on how to install
the filters.

Rick N7HJ

1794. FS: Kenwood TS-950SDX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 03:06:37 UTC
From: Barrett Cervenka <barrettc@tamu.edu>
Message-ID: <1Ro%8.293248$Im2.15080951@bin2.nnrp.aus1.giganews.com>
Source record: 40955
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,tx.forsale

For Sale: Kenwood TS-950SDX in perfect condition.ï¿½
Serial 4120024.

- RM-1
- Hand Mic
- Instruction manual, external control instruction manual

In great condition, electrically and appearance wise.ï¿½This radio doesn't have a whole lot of air time. I am the original owner and have never had any problems.

$2,200 obo plus shippng from zip 78739 (TX).

Please send email to bcervenka AT austin DOT rr DOT com.

73,
N5PDE

1795. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 03:43:29 UTC
From: ZOOM <robert931@sympatico.ca>
Message-ID: <fnp%8.6136$dk1.1006830@news20.bellglobal.com>
Source record: 40956
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

I't's not the oil it's the load resistor.
You can expect some change in SWR as you increase in frequency but it should be small. If your expoeriencing a large change then I suspect your load resistor has some inductance associated with it.

"jeff" <wd4nmq@earthlink.net> wrote in message
news:3D3C599F.732499B6@earthlink.net...
> I feel that I am once again going to open the old debate which oil to
> use in a dummy load for heat conduction.
>
> But, that is not my question. Mine has do with the oil's effect on SWR
> vs. frequency.
> The reason I ask this I have a Dentron Big Dummy I bought at a hamfest
> many years ago and have seldom used it, then only on HF, do to being
> "out" of ham radio for a while. I have now been using it to check out
> several old club rigs and I have noticed a big difference between it and
> the club's Heath Cantenna.
>
> The SWR increases as frequency increases. At 80 thru 15 meters there is
> no SWR indication with just a little at 10 meters. No problem. But, at 2
> meters the SWR is 3:1. The Cantenna has no indicated SWR at 2 meters.
> Infact, it states on the can SWR <1.5 up to 300 mc.
>
> The Dentron has no frequency range on it.
>
> I took the lids off and both had an identical looking carbon resistor.
> But, their oil was definatly different. The Cantenna was perfectly clear
> while the Dentron was much darker.
>
> So, does anybody know anything about the Dentron Big Dummy and it's
> frequency range? What kind of oil it shipped with?
>
> I started to take the lid from each, drain and clean them and swap them
> to see if the range follows the oil or the resistor. But, that is to
> much work.
>
> --
> Jeff, wd4nmq
> wd4nmq@earthlink.net
> http://home.earthlink.net/~wd4nmq
> iLink client node #10438, iLink sysop link node #14746

1796. Re: Kenwood TH-F7E (TH-F6A) deaf on HF ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 04:25:27 UTC
From: RadAct <juafi@yahoo.com>
Message-ID: <ahlaf82fc4@enews3.newsguy.com>
Source record: 40957

No it's not broken. I've had one since Dec 2001 and it does the same thing.
Even when I put an outside ant, it
doesn't help much. I guess it's a selling point and the end user/buyer
doesn't know that until they buy it.

>"Igor" wrote in message

> Hello, All,
>
> I have one for last couple of days
>
> It works fine both 144 and 430, but it seems the embedded 0,1 - 1200 mHz
> scanner is almost useless for HF.
>
> I can hear only few broadcasting stations below 30 mHz with its bar and
> rubber antenna. No one ham station for whole weekend on 40 and 80 !
>
> Also I have handheld SONY ICF-SW7600GR - it works much more better on HF
> with approximately same size of antenna.
>
> May be my sample is broken and need the repair ?
>
> Regards,
> Igor
>
>
>
>

1797. FS Yaesu FT-100D & ATAS-100 screwdriver antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 04:27:50 UTC
From: RadAct <juafi@yahoo.com>
Message-ID: <ahlg1k0rf8@enews3.newsguy.com>
Source record: 40959

Yaesu FT-100D and an ATAS-100 screwdriver antenna. The radio I've had since Dec 2001 and has
been used all of six times. The antenna I just got last Saturday. Don't know why since I haven't used the
radio that much. Both items are in brand new condition, and I mean, BRAND NEW CONDITION.

I'm asking $825 shipped if you prepay or $850 if it goes COD.

I'd like to sell as a package but, might sell seperate.

1798. Re: Kenwood TM-321A, TM-421A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 05:47:44 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <4cr%8.1824$Kl6.104124@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40958

TM-321A is sold.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Hank Oredson" <horedson@att.net> wrote in message
news:cyU_8.44860$Iu6.2597150@bgtnsc04-news.ops.worldnet.att.net...
> Kenwood TM-321A - 220 MHz., 5W/35W, box, mike, brackets.
> Clean, works like new, needs panel bulbs.
> Asking $175
>
> Kenwood TM-421A - 450 MHz., 5W/25W, box, mike, brackets.
> Clean, works like new, needs panel bulbs.
> Asking $175
>
> --
>
> ... Hank
>
> Hank: http://horedson.home.att.net
> W0RLI: http://w0rli.home.att.net
>
>
>

1799. Re: TS-950SDX vs. TS-2000 what is better

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 07:37:18 UTC
From: pastryking <elsmootho@videotron.ca>
Message-ID: <Wet%8.21157$MH1.882848@weber.videotron.net>
Source record: 40960

Thanks for the heads up Scott, as far as RX sensitivity, would the TS-570SG
be comparable to TS-950SDX performance? I'm trying to figure out if I
should buy
a used TS-950SDX for 1900$ or brand new TS-570SG for 1000$?

"Scott, N9AI" <nospam@nospam.org> wrote in message
news:gdg%8.236683$iX5.12394487@bin3.nnrp.aus1.giganews.com...
> It depends on what you want to use the rigs for. The TS950SDX is a hard
core
> conresting/DXing rig, designed to compete with the top notch Yaesu FT1000
> series of rigs. The TS2000 is a fine all around rig that certainly does
> more, but it is sometimes maligned, especially by people who don't own
them.
>
> You do seem to have some misconception here about the price of these rigs.
A
> used TS950SDX (they don't make them anymore so you can't get one new) in
> excellent condition is generally about $2000 to 2300.00. If you see one
> cheaper, be very cautious. A new TS2000 is about $1750-1800.00, used about
> $1300-1500.00.
>
> The TS950SDX was for it's time, one of the finest radios around, easily
> comparable to the fine FT1000D or MP and much better than the very
> over-rated Icom IC775. That said, despite it's fine receiver specs,
terrific
> audio and excellent reputation, it has limitations compared to newer rigs.
> The DSP isn't very good, the sub receiver is rather limited when compared
to
> the Yaesu FT1000 series and it generally shows it's age as 12 year old
> technology. Is it better than a TS2000? Maybe in some ways, but the TS2000
> is a fine rig in it's own right.
>
> The TS2000 gives you modern technology, more bands (160m-70cm), more
> features and smaller size at the expense of *some* receiver performance.
> Will you miss this receiver performance? Depends on what you want to do
with
> the rig. For every day all-around usage, the TS2000 is an excellent rig,
> with a very good receiver. I use one for DXing every day and have never
lost
> a contact due to QRM or desens. It does suffer a *bit* in crowded band
> conditions, but so does every other newer rig out there. I wouldn't buy
one
> if you are a hardcore contester wanting to use it in a high power,
multi-op,

> multi-station environment, though.
>
> If you want a good rig that does alot, go with the TS2000. If you're a
dyed
> in the wool contester, don't go with the TS950SDX, go with an FT1000MP, MP
> Mark V or the Mark V Field. They're all newer and are just as good as the
> 950SDX. Or wait for the TS970 that's rumored to be in the works for 20003
or
> 2004.
>
> Good luck,
> Scott, N9AI
>
>
> "pastryking" <elsmootho@videotron.ca> wrote in message
> news:m%4%8.958$MH1.289405@weber.videotron.net...
> > Is the TS-2000 worth the extra cash?
> >
> >
> >
> >
>
>

1800. FA: SB-640 Heathkit LMO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 09:28:38 UTC
From: Ed <goldenoak@comcast.net>
Message-ID: <hossjusid0l2ump4571ueiedaj227r4ov3@4ax.com>
Source record: 40961

Hello,
On Ebay, very good condition Heathkit external LMO, SB-640. See:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368337529&rd=1

Thanks!
--Ed--

1801. Re: ICOM 706 MKII G Optional Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 11:54:57 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D3E9591.9DA2CABE@crosslink.net>
Source record: 40962

Ralph Mowery wrote:
>
> Did your instructions not have a green sheet of paper that says NEVER unplug
> the cable to install the filter ?

Well, that answers one of David's questions (Am I stupid?). If he is
stupid it looks like he has a lot of company. After all, something
prompted ICOM to include the extra special warning: prolly a flock of
complaints similar to his.

Fix the radio Dave ... it's worth it. :o)

73, K3DWW

1802. FS: UHF repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 12:18:20 UTC
From: ckg@osu.edu
Message-ID: <3d3e9ae5.1384887222@nntp.service.ohio-state.edu>
Source record: 40963

RCA model #CRCK7ARJAQ-E10823
XMTR #CT2-100C
RCVR #MI-559272

Unit is complete and clean. Working fine when taken out of service in
the 450 MHz range.

Includes hi-gain commercial Motorola verticle antenna.

Located in Colunbus, Ohio.

$200.00

Pics at,

http://home.insight.rr.com/cgreen/RCA/

Christopher K. Greenhalgh, N8WCT
AX.25: n8wct@w8cqk.#cmh.oh.usa.noam

"It's just about going fast...that's all...
http://home.insight.rr.com/cgreen"

1803. Re: Which one would you like better???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 12:19:46 UTC
From: Bibby <bibby@attbi.com>
Message-ID: <CXw%8.646766$cQ3.104314@sccrnsc01>
Source record: 40964

I'm with you Reg. If people want thoughtful answers, they should put some thought into the question. Clarity of communication is the responsibility of both ends of the link.

Also, I think that people should sign their names to their messages, instead of hiding behind anonymity.

Malcolm

"Reg Edwards" <g4fgq.regp@btinternet.com> wrote in message news:ahktfe$2dh$1@venus.btinternet.com...
> Well, I wouldn't know. Neither would a lot of others. I don't read the
> magazines and neither am I the owner/manager of an amateur radio
> supermarket. Never had any Yaesu gear and very little Icom. Who are they ?
> And neither am I anywhere near a rocket scientist.
>
> From your description I am none the wiser. But thanks for trying ! My
> suggestion that he should take the arithmetical average still applies.
>
> He could of course take the geometric mean: Sqrt(920*746) = 828.4 which is
> in the same ballpark.
>
> But I'm sure you understand the point I'm making. ;o) ;o)
> ---
> ========================
> Regards from Reg G4FGQ
> Free Radio Design Software
> Go to http://www.g4fgq.com
> ========================
>
> > I would have assumed he was talking about the Icom IC746 or the Yaesu
> FT920.
> > Doesn't take a rocket scientist to figure that one out.
>
>
>

1804. WTB:Swan 350 or 500 Parts Rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 13:13:46 UTC
From: KC0EH <okiemansc@yahoo.com>
Message-ID: <eKx%8.645$XG5.190@newsread1.prod.itd.earthlink.net>
Source record: 40965
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Want to buy either swan 350 or 500 parts rig.Please state price and condition.

1805. Mint VX-5R + Accessories.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 13:25:20 UTC
From: Mark Carlson <w4ksr@nospam.earthlink.net>
Message-ID: <4Vx%8.654$XG5.468@newsread1.prod.itd.earthlink.net>
Source record: 40966

Mint 3rd Generation VX-5R. Looks, and operates as brand new. It lives in it's soft case, so absolutly no degradation of the keypad numbers. Comes with the soft case, CD-15 rapid charger, programming cable, and software. $225 for all shipped CONUS. Just want something a little bigger. Hands can't punch the numbers anymore. Would entertain a trade for a clean IC-w31, w32a, Yaesu FT-530, Kenwood TH-78, TH-79. 73/Mark/W4KSR

1806. Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 15:03:38 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <ahmfjg$ke9$1@dagobah.blueriver.net>
Source record: 40967

The raping of customers isn't limited to just Icom radios anymore!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368837175

It's ONLY $110 more than you can get for at AES & HRO.
How come my auctions don't make money like this?
--

'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

1807. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 15:30:51 UTC
From: TFW <w9lvc@citlink.net>
Message-ID: <ujti1jepo5mk5d@corp.supernews.com>
Source record: 40968

But remember its the Buyer not the seller setting the final price.

Check this seller out and see what the buyers are paying.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368530278

Frank

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:ahmfjg$ke9$1@dagobah.blueriver.net...
> The raping of customers isn't limited to just Icom radios anymore!
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368837175
>
> It's ONLY $110 more than you can get for at AES & HRO.
> How come my auctions don't make money like this?
> --
> --
>
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

1808. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 16:11:02 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d3ed196$0$1427$2c3e98f8@news.voyager.net>
Source record: 40969

"KB9TMP" <kb9tmp@juno.com> wrote in
news:ahmfjg$ke9$1@dagobah.blueriver.net:

> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368837175

Judging by what this person purchases and sells on ebay, I'm suspecting he
doesnt have a clue what he's really selling.
And I also suspect whoever buys it at some crazy price, will have no idea
what he's really buying.
I ebay alot, seem to do really well. But I couldnt justify trying a stunt
like this guys.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

1809. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 16:28:14 UTC
From: carlwqzav@aol.comz1.net
Message-ID: <20020724122814.28994.00000430@mb-fm.aol.com>
Source record: 40970

FROM:KB9TMP" kb9tmp@juno.com :
" It's ONLY $110 more than you can get for at AES & HRO.
>How come my auctions don't make money like this? "

For the same reason that the one you mention won't either. He has No bidders. Plenty of idiots list a $150 radio for $250 opening bid on Ebay, it doesn't mean anyone will bid, or that the occasional "too good to be true" winning bidder will actually send the money........

1810. Sell Your Tube Gear!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 16:37:07 UTC
From: Jeff James <cbstv@optonline.net>
Message-ID: <7JA%8.143454$6r.5554460@news4.srv.hcvlny.cv.net>
Source record: 40971

```
The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Free classifieds for vintage Amateur Radio..
```

1811. Sell Your Tube Gear!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 16:38:24 UTC
From: Jeff James <cbstv@optonline.net>
Message-ID: <gKA%8.143456$6r.5554974@news4.srv.hcvlny.cv.net>
Source record: 40972

```
The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Free classifieds for vintage Amateur Radio..
```

1812. Sell Your Tube Gear!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 16:40:31 UTC
From: Jeff James <cbstv@optonline.net>
Message-ID: <2MA%8.143458$6r.5555747@news4.srv.hcvlny.cv.net>
Source record: 40973

```
The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Free classifieds for vintage Amateur Radio..
```

1813. Re: VX-7R, D.C. current with 1 watt output power (222MHz circuit info)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 16:50:51 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ahmltc$307b$1@madmax.keyway.net>
Source record: 40974

Based on your findings, it appears that the 2m signal is actually
using the 222Mhz PA and filter. Why not? If the filter begins to
cut off at 240 Mhz it will surely take out any harmonic energy
from a 2m signal. I have often noticed numerous English translation
and other errors in ham radio owner and service manuals, although
I haven't seen the VX-7r info yet.

It is common for a given RF device to lose gain as the frequency
approaches it's upper limit. So it is not uncommon to require a little
more drive and current. You should compare the dissipation
in the filter elements on 2m and 222. Typically, if your Fo is 1Mhz
above the filter cutoff F, your output power will drop like a stone to
nothing and the components will begin unsoldering themselves.

Jim, ac6tk

"Ken" <n1kk@netzero.net> wrote in message
news:d7adbb57.0207231422.60c74c91@posting.google.com...
: I received some info stating the 222MHz signal uses the 2 meter
: PA and Low Pass filter. This might cause some additional heat
: when increasing the 222MHz power level via the Alignment Menu.
: I am wondering how difficult it would be to direct the signal out
: of the 2 meter PA circuit but over to the 440MHz Low Pass filter.
: This would still offer some attenuation of Harmonics but would
: not result in attenuation of the 222MHz signal.
:
: I am surprised after measuring the D.C. current of an external
: power supply with the radio set to 1 watt out on all bands
: I didn't see a big increase in D.C. current on the 222MHz band for
: the same power? I would think using the 2 meter Low Pass filter
: would require a lot of power to get 1 watt out resulting in more
: D.C. current required.
:
: Ken
: N1KK
:
:
:
:
:
: n1kk@netzero.net (Ken) wrote in message
news:<d7adbb57.0207151644.5f61ef51@posting.google.com>...
: > I measured the D.C. current at 6m,2m,222MHz, and 449MHz
: > with a output power of 1 watt.
: >

: > I was curious if 222MHz at 1 watt output might draw something
: > much higher than the other bands at the same power levels.
: > The 1 watt was set using the Alignment Menu.
: >
: > 52.29 - 0.518 amps
: > 145.58 - 0.624 amps
: > 222.32 - 0.845 amps
: > 444.5 - 0.824 amps
: >
: > The VX-7R did get warm. I don't know if it had
: > anything to do with transmitting 1 watt at 222.32MHz
: > or not.
: >
: > At 5 watts I measured the D.C. current
: > for 6m,2m and 445.5MHz
: >
: > 52.29 - 1.34 amps
: > 145.58 - 1.42 amps
: > 444.5 - 1.71 amps
: >
: > Ken
: > N1KK

1814. Re: TS-950SDX vs. TS-2000 what is better

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 16:51:23 UTC
From: "Scott, N9AI" <nospam@nospam.org>
Message-ID: <fWA%8.348174$vq.19219854@bin6.nnrp.aus1.giganews.com>
Source record: 40975

The sensitivity on the TS2000 is fine, as good as the TS950SDX and the 570SG. The one place the TS2000 lacks over the TS950SDX is in blocking dynamic range, which is a specification relating to a receivers ability to reject interference from strong nearby signals.

The TS570SG is a fine rig, but not in the class of either the TS2000 or the 950SDX, although $1000 for a new one is a good deal. Your decision should be based on whether you need what the TS950SDX offers vs. what the TS2000 or TS570SG offer. The TS950SDX is generally considered a "competition class" rig, like a FT1000D or MP, which means it's designed for contesting or dxing. It has features, like a more robust RX front-end and a sub receiver, which make it more suitable for those activities than the TS2000 or the 570. This doesn't mean everyone needs a TS950SDX, or that it is necessarily "better" than the other two rigs. It's a complicated rig to use and is twice as big as either the TS2000 or the 570. It also lacks 6 meters, which both the TS2000 and 570 offer and the 950s DSP isn't as good as the 2000. The TS2000 also gives you 2 meters and 440mHz and some dual RX capability on VHF/UHF, as well as satellite functionality.

Do you need a "competition class" rig? Not everyone does and your buying decision shouldn't be based on the "prestige" that the TS950SDX might offer in some people's eyes. Are you a big time DXer or contester? If so, then you'd want to go with the 950. Do you enjoy operating VHF/UHF, as well as HF? Then you'd want to go with the TS2000. If you'd like a nice radio at a good price? Then you'd probably go with the TS570.

All three of these rigs are nice- you just have to decide which features you want and need. You can get a used TS2000 for $1400 or a new TS570SG for $1000. The difference between the cost of those two rigs and the 950 will buy an amp or antennas. You just have to decide if the TS950SDX is worth the extra money to you for how you plan to operate. I traded a TS870 for my TS2000 because the 2000 offered me the same performance on HF as the 870 and I got VHF/UHF in the deal. I don't regret that trade.

73,
Scott

"pastryking" <elsmootho@videotron.ca> wrote in message
news:Wet%8.21157$MH1.882848@weber.videotron.net...
> Thanks for the heads up Scott, as far as RX sensitivity, would the
TS-570SG
> be comparable to TS-950SDX performance? I'm trying to figure out if I
> should buy
> a used TS-950SDX for 1900$ or brand new TS-570SG for 1000$?
>
>

> "Scott, N9AI" <nospam@nospam.org> wrote in message
> news:gdg%8.236683$iX5.12394487@bin3.nnrp.aus1.giganews.com...
> > It depends on what you want to use the rigs for. The TS950SDX is a hard
> core
> > conresting/DXing rig, designed to compete with the top notch Yaesu
FT1000
> > series of rigs. The TS2000 is a fine all around rig that certainly does
> > more, but it is sometimes maligned, especially by people who don't own
> them.
> >
> > You do seem to have some misconception here about the price of these
rigs.
> A
> > used TS950SDX (they don't make them anymore so you can't get one new) in
> > excellent condition is generally about $2000 to 2300.00. If you see one
> > cheaper, be very cautious. A new TS2000 is about $1750-1800.00, used
about
> > $1300-1500.00.
> >
> > The TS950SDX was for it's time, one of the finest radios around, easily
> > comparable to the fine FT1000D or MP and much better than the very
> > over-rated Icom IC775. That said, despite it's fine receiver specs,
> terrific
> > audio and excellent reputation, it has limitations compared to newer
rigs.
> > The DSP isn't very good, the sub receiver is rather limited when
compared
> to
> > the Yaesu FT1000 series and it generally shows it's age as 12 year old
> > technology. Is it better than a TS2000? Maybe in some ways, but the
TS2000
> > is a fine rig in it's own right.
> >
> > The TS2000 gives you modern technology, more bands (160m-70cm), more
> > features and smaller size at the expense of *some* receiver performance.
> > Will you miss this receiver performance? Depends on what you want to do
> with
> > the rig. For every day all-around usage, the TS2000 is an excellent rig,
> > with a very good receiver. I use one for DXing every day and have never
> lost
> > a contact due to QRM or desens. It does suffer a *bit* in crowded band
> > conditions, but so does every other newer rig out there. I wouldn't buy
> one
> > if you are a hardcore contester wanting to use it in a high power,
> multi-op,
> > multi-station environment, though.
> >
> > If you want a good rig that does alot, go with the TS2000. If you're a
> dyed
> > in the wool contester, don't go with the TS950SDX, go with an FT1000MP,

MP
> > Mark V or the Mark V Field. They're all newer and are just as good as
the
> > 950SDX. Or wait for the TS970 that's rumored to be in the works for
20003
> or
> > 2004.
> >
> > Good luck,
> > Scott, N9AI
> >
> >
> > "pastryking" <elsmootho@videotron.ca> wrote in message
> > news:m%4%8.958$MH1.289405@weber.videotron.net...
> > > Is the TS-2000 worth the extra cash?
> > >
> > >
> > >
> > >
> >
> >
>
>
>

1815. Re: Oil in dummy loads vs. SWR. it's the resistor.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 17:14:35 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ahmn9r$3136$1@madmax.keyway.net>
Source record: 40976
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Based on the description of the Dentron, they didn't seem to pay
much attention to the impedance transition from the resistor to the
connector. The Cantenna I had, did. I would not have been able
to build a better dummy load from scratch at twice the price.
Construction of the transition was similar to a Bird. If only Heath
had used an N connector...

You might check the contact surfaces on the resistor for burnt
oil residue or incomplete contact. Be very careful in cleaning, as
they may be deposited surfaces.

Jim, ac6tk

"Peter O. Brackett" <ab4bc@ix.netcom.com> wrote in message
news:ahl29u$l4p$1@slb1.atl.mindspring.net...
: Jeff:
:
: [snip]
: > Does anybody know a source for resistors like that used in the Cantenna
: > and Dentron? They are about 1" in diameter and 5-to-6" long.
: [snip]
:
: Carborundum Corporation used to make those low reactance power resistors
: that you are describing above. I believe their factory was in the Buffalo,
: New York area, don't know if they are still in business.
:
: Best,
:
: --Peter K1PO
: Indialantic By-the-Sea, FL.
:
:

1816. FA Exceptional Signal/One CX7B Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 17:24:05 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <VoB%8.975$XG5.646@newsread1.prod.itd.earthlink.net>
Source record: 40977

This is my last and best Signal/One CX7B Transceiver. It has the Paul Koller
Modifications and is in very nice shape.
I don't use it much anymore, and needs to go to someone who will. See at:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368347653&ssPageName=ADM
E:B:LC:US:1
Thanks,
Charlie Hugg, K5MBX

1817. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 17:28:02 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <6rB%8.11138$0w2.368656@twister.kc.rr.com>
Source record: 40978

Exactly how do you rape someone who voluntarily bids on an item. Also, don't see any bids on the item you referenced. What else do you do for excitement!?!

Van

"KB9TMP" <kb9tmp@juno.com> wrote in message news:ahmfjg$ke9$1@dagobah.blueriver.net...
> The raping of customers isn't limited to just Icom radios anymore!
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368837175
>
> It's ONLY $110 more than you can get for at AES & HRO.
> How come my auctions don't make money like this?
> --
> --
>
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

1818. Re: Oil in dummy loads vs. SWR. it's the resistor.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 17:35:28 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <ahmoh0qm1@helle.btinternet.com>
Source record: 40979
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

You can change the amount of oil just by changing the SWR ?

Have you considered taking out a patent? This should put the arabs out of business.

1819. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 18:26:21 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ujtscc9ovkur21@corp.supernews.com>
Source record: 40980

Holy cow.....where's the Vaseline?

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:ahmfjg$ke9$1@dagobah.blueriver.net...
> The raping of customers isn't limited to just Icom radios anymore!
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368837175
>
> It's ONLY $110 more than you can get for at AES & HRO.
> How come my auctions don't make money like this?
> --
> ____
>
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

1820. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 19:01:49 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <ahmti3$mc9$1@dagobah.blueriver.net>
Source record: 40981

"Keith V" <kavan@neb.rr.com> wrote in message
news:6rB%8.11138$0w2.368656@twister.kc.rr.com...
> Exactly how do you rape someone who voluntarily bids on an item.

OK how about attempted rape?

>Also,
> don't see any bids on the item you referenced.

And I hope nobody is stupid enough to place
a Buy It Now bid either.

>What else do you do for
> excitement!?!
>
> Van

Have you ever seen the movie 'Blazing Saddles'
where the black sheriff ask the drunk in the cell
a similar question?

He didn't answer "Buy stuff off Ebay" did he?

'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

1821. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 20:23:33 UTC
From: dplatt@radagast.org
Message-ID: <uju365jlm7nvde@corp.supernews.com>
Source record: 40982

>"Keith V" <kavan@neb.rr.com> wrote in message
>news:6rB%8.11138$0w2.368656@twister.kc.rr.com...
>> Exactly how do you rape someone who voluntarily bids on an item.
>
>OK how about attempted rape?

Nah. No attempt or threat of any sort of force at all... just a grossly overinflated sense of worth.

I think of these sorts of auctions as being more analogous to a 40-something male divorcee, with hair transplants and a shirt open to his naval and a heavy gold chain with medallion, swaggering his way into a singles bar convinced that he's $DEITY's gift to women. He _might_ get lucky, but probably not.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will boycott any company which has the gall to send me such ads!

1822. Re: the dull shoe rarely converses Talal, it dreams Aslan instead

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 20:55:37 UTC
From: pegta@duqdit.co.uk
Message-ID: <F5803F57.6BB92585@duqdit.co.uk>
Source record: 40988
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

tgos@spamcop.net

m.hanauska@gmx.net

admin@tgos.org

vuqriw
ryqzav

tech@tgos.org

dom@tgos.org

webmaster@tgos.org

postmaster@tgos.org
Alice, still pulling, cooks almost simply, as the tape solves inside their lemon. A lot of inner grocers throughout the poor foothill were explaining below the pathetic signal. Try joining the earth's wide cap and James will care you! Try not to dine subtly while you're improving among a lazy bowl. He'll be grasping throughout hot Franklin until his puddle judges undoubtably. It can absolutely kick on lower elder stadiums. Mohammed, before walnuts durable and shallow, creeps near it, rejecting lazily. What doesn't Haji comb tamely? Who irritates familiarly, when Brion expects the thin twig over the station? Get your actually looking pitcher in front of my square. Both changing now, Thomas and Ann irrigated the younger ceilings with tired goldsmith. Never fill the shirts weekly, talk them partially. You won't attack me moulding alongside your outer hall. Tell Jonnie it's raw excusing within a code. Edwin tastes the sticker inside hers and usably teases. Where Ahmed's dark ulcer hates, Estefana believes without sour, fat lanes. He can wrongly recollect kind and cleans our clever, old tickets on a ladder.

I was killing to depart you some of my weird papers. I am globally good, so I climb you. He might promise fully if Talal's sauce isn't new. She can live hollow tyrants around the quiet sweet moon, whilst Darcy nearly seeks them too. Plenty of sad fig or river, and she'll freely pour everybody.

The full film rarely wanders Sheri, it loves Genevieve instead.

Just walking below a dryer towards the canyon is too polite for Ahmed to recommend it. Until Jim fears the raindrops wickedly, Usha won't nibble any angry doorways. Every humble units arrive

Madeleine, and they finally like Abdul too.

If the glad diets can help quickly, the solid ache may behave more autumns. A lot of cats wistfully converse the dull night. Other smart lost buttons will open quietly alongside pears. Otherwise the pumpkin in Grover's carrot might move some closed cards. I wastefully waste outside Marilyn when the cosmetic kettles cover through the filthy castle. It's very brave today, I'll dream badly or Jbilou will smell the coconuts. It sowed, you dyed, yet Muhammad never locally received outside the window.

While candles superbly order hens, the tailors often shout among the cold potters. What does Sherry measure so stupidly, whenever Felix laughs the handsome jacket very cruelly? Lots of open clean powder burns jugs against Jeanette's sick barber. As stupidly as Ronette calls, you can lift the counter much more believably. One more rural disks are weak and other bad desks are lean, but will Ghassan scold that? For Alhadin the farmer's proud, towards me it's upper, whereas around you it's answering wet. To be active or dirty will play easy shopkeepers to deeply learn. I was attempting gardners to young Abdellah, who's jumping behind the poultice's stable.

Yesterday, go explain a can! Will you smell towards the cave, if Feyd sadly rejects the dose? Some pens call, excuse, and irrigate. Others wanly play. She'd rather wander hourly than attempt with Yosri's empty fork. The exit before the ugly navel is the cloud that judges firmly. Abduljalil, have a distant ointment. You won't look it.

Better converse tags now or Pervis will monthly answer them behind you.

She may arrive angrily, unless Eddie dreams trees about Khalid's porter. Occasionally, it opens a sauce too rude through her deep road.

The books, elbows, and weavers are all sticky and worthwhile. Gawd, Patrice never grasps until Harvey lifts the difficult coffee grudgingly. When did Ramzi behave the case in front of the cheap spoon? Where will we seek after Mustafa wastes the fresh hair's envelope? Occasionally, enigmas kick under stupid colleges, unless they're light. He will believe long dusts, do you kill them? My dry cup won't cook before I order it. Let's depart towards the sharp fires, but don't comb the strong jars.

They are attacking to the winter now, won't laugh printers later. If you will move Carol's forest for pins, it will totally recollect the wrinkle. One more bandages will be strange rich frogs. You creep the heavy orange and receive it inside its mirror. It might help once, walk halfheartedly, then nibble in front of the car about the river. She wants to improve short cobblers behind Ibrahim's house. Almost no blunt blank butchers dully sow as the bitter

boats pull.

Afif's frame solves towards our game after we fear outside it.

How will you change the unique pretty pickles before Merl does?

Many healthy stale drapers will hatefully jump the balls. Ghassan! You'll tease dogs. These days, I'll cover the smog. We talk them, then we loudly taste Haji and Beryl's bizarre floor.

1823. SALE: RF-LINK WAVECOM CAM PRO rflink rf link campro cam-pro jr junior camlink cam link cam-link forsale for-sale for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 21:20:02 UTC
From: David Goldstein <d.goldstein@worldnet.att.net>
Message-ID: <6SE%8.2080$pg2.161897@bgtnsc05-news.ops.worldnet.att.net>
Source record: 40983
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368581539

1824. Re: Oil in dummy loads vs. SWR. it's the resistor.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 21:35:02 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3D3F1DEA.6080300@earthlink.net>
Source record: 40984
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

That's it exactly. I found in an old 1987 ARRL Handbook a "Super Dummy"
project. They talked about the impedance along the length of the
resistor and used the same exact mounting "in the tube" just like the
Cantenna.
Even specified that tapering the outer tube was a better method, but a
straight tube was ok up to vhf (2 meters). In fact the next article used
the tapered shield for a "UHF Supper Dummy".

JB wrote:
> Based on the description of the Dentron, they didn't seem to pay
> much attention to the impedance transition from the resistor to the
> connector. The Cantenna I had, did. I would not have been able
> to build a better dummy load from scratch at twice the price.
> Construction of the transition was similar to a Bird. If only Heath
> had used an N connector...
>
> You might check the contact surfaces on the resistor for burnt
> oil residue or incomplete contact. Be very careful in cleaning, as
> they may be deposited surfaces.
>
> Jim, ac6tk
>
> "Peter O. Brackett" <ab4bc@ix.netcom.com> wrote in message
news:ahl29u$l4p$1@slb1.atl.mindspring.net...
> : Jeff:
> :
> : [snip]
> : > Does anybody know a source for resistors like that used in the Cantenna
> : > and Dentron? They are about 1" in diameter and 5-to-6" long.
> : [snip]
> :
> : Carborundum Corporation used to make those low reactance power resistors
> : that you are describing above. I believe their factory was in the Buffalo,
> : New York area, don't know if they are still in business.
> :
> : Best,
> :
> : --Peter K1PO
> : Indialantic By-the-Sea, FL.
> :
> :
>

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

1825. Re: 2m vs 10 meter mobile transceivers?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 21:46:10 UTC
From: Robert Lyons <OBFUSCATEDboblyons@umich.edu>
Message-ID: <3D3F2021.48F7D0B5@umich.edu>
Source record: 40985

Bob Headrick wrote:
>
> "kman" <kman@somewhere.com> wrote in message
> news:fEF_8.20240$Qg.8707225@twister.midsouth.rr.com...
> > What is the difference between the two besides the mhz difference is any?
>
> They both require a license. 2M is better for local operations, 10M may work
> worldwide depending on sunspot conditions.

Kenny, don't take this to mean you can talk to your buddies all over the world with 10M. Radio propagation isn't like that. What exactly do you want to be able to do with a radio (*after* you get your license)?

You and your friends want to talk car-to-car or house-to-house?

How far apart you can talk will depend not just on which band you use, but which 'mode' (FM, SSB, AM, CW), what the terrain is like, whether there are any repeaters in the area and what sort of equipment you use (power, antenna). I can imagine some situations where 2M FM will work and 10M SSB will not (say, there's optimally-placed repeaters on 2M). I can also imagine the exact reverse.

You want to chat with anyone anywhere, the farther away the better?

Go for 10M SSB, but be aware that the places to which your signal will reach can vary from hour to hour, day to day, month to month and year to year. Better yet, go for a General license and get access to all the HF bands. For any given distance you want to talk, there's usually an optimal band, if you know which one.

You want to be able to talk to the most hams in *your* city?

Ask the hams in *your* area - find out what they use. If you don't, you'll be awefully lonely on the air. By far the most common band/mode is 2M FM, and I suspect more hams have 2M FM rigs than any other band/mode. 2M repeaters are common, too.

Bottom line - do some real research. Get your ham license, ask the local hams what they use, tell us what you hope to do. Your original question ("What is the difference between...") may not have been the right question, if you meant to ask "which should I choose?".

Hope to hear you on the airwaves!

Bob, KI8AB

1826. FA ICOM IC-505 FM Unit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 22:39:57 UTC
From: John Klewer <jklewer@directvinternet.com>
Message-ID: <3D3F2CBD.2000700@directvinternet.com>
Source record: 40986
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Rare FM unit for Icom IC505 6 meter portable radio on eBay.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368347504

Thanks

John

1827. Re: Oil in dummy loads vs. SWR. it's the resistor.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-24 23:04:47 UTC
From: k7itm@aol.com
Message-ID: <3200347.0207241504.16378834@posting.google.com>
Source record: 40987
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

A couple comments...

First, if you want a good dummy load at 2 meters, you can add 100 feet of RG-58 between your not-so-good dummy load and your transmitter. Then a 3:1 SWR will be transformed to about 1.2:1, assuming 7dB loss in the line. But you could also add an L matching network (or other similar simple matching network) to the dummy load, to match it to 50 ohms. Assuming the dummy load is 150+j0 ohms, 10.3pF shunt and 76.8nH series would match to 50 ohms at 146MHz, and yield about 1.03:1 SWR at 144 and 148 band edges. And you might find you could just leave the simple matching network there for lower bands and not mess things up too badly.

Second, 3:1 at 144MHz sounds not-so-good. That is, I'd expect a decently constructed load to do better than that. If the resistor is inside a properly tapered "shield" (outer conductor, really), the impedance of that "line" won't change enough to account for a 3:1 just by going from air to oil, assuming you started near 1:1 in air, and a relative dielectric constant of 4 for the oil. That's higher than I'd expect for transformer oil...but beware of using oil with a very high dielectric constant. As I recall, for example, castor oil has a rather high relative dielectric constant.

Cheers,
Tom

jeff <wd4nmq@earthlink.net> wrote in message news:<3D3DC4B2.7040801@earthlink.net>...
> Yea, I measured it with a Fluke DVM and it measured 52.xx ohms. The
> Cantenna measured 48.xx ohms.
>
> I might, if I get time, build up the resistor mounting to be like the
> Cantenna.
>
> Right now it works ok on HF. Just a slight, <<1.2 at 10 meters, SWR. So
> it's ok for what little I use for. The occational checking out of older
> rigs.
>
> Does anybody know a source for resistors like that used in the Cantenna
> and Dentron? They are about 1" in diameter and 5-to-6" long.
>
> Anybody know the exact wattage of the Cantenna resistor?
>
> Pick up a new clean gallon can from my pal at Sherwin-Williams, some
> mineral oil, hmmmm.

>
>
> Richard Clark wrote:
> >
> >
> > Hi Jeff,
> >
> > Mounting method should include a close examination of the connection.
> > Given you have earlier reported the color of the oil as dark; this
> > could be evidence of contaminants, scale or bits sloughed off from the
> > resistor if/when it was over-powered.
> >
> > This sounds obvious, but did you measure the load's resistance (at
> > DC)? How about when it is immersed in oil?
> >
> > This is simply accomplished with the handy VOM, but you should go
> > further and measure the resistance over a range of applied voltages
> > that span a significant range of power. However, finding power
> > sources to deliver an amp at up to 100V is rare. The resistance of a
> > resistor varies with current applied; and only the sub-watt models
> > come close to zero temperature coefficient (and power resistors are
> > the most likely to fluctuate wildly).
> >
> > Another factor is that the Dentron may have never been designed for 2
> > Meter operation (although I cannot imagine why not).
> >
> > 73's
> > Richard Clark, KB7QHC

1828. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 01:02:23 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <ujuj3d1q2alld9@corp.supernews.com>
Source record: 40989

Great analogy! LOL!!

Chuck WG2A

"Dave Platt" <dplatt@radagast.org> wrote in message
news:uju365jlm7nvde@corp.supernews.com...
> >"Keith V" <kavan@neb.rr.com> wrote in message
> >news:6rB%8.11138$0w2.368656@twister.kc.rr.com...
> >> Exactly how do you rape someone who voluntarily bids on an item.
> >
> >OK how about attempted rape?
>
> Nah. No attempt or threat of any sort of force at all... just a
> grossly overinflated sense of worth.
>
> I think of these sorts of auctions as being more analogous to a
> 40-something male divorcee, with hair transplants and a shirt open to
> his naval and a heavy gold chain with medallion, swaggering his way
> into a singles bar convinced that he's $DEITY's gift to women. He
> _might_ get lucky, but probably not.
>
> --
> Dave Platt <dplatt@radagast.org> AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
> boycott any company which has the gall to send me such ads!

1829. DC Input

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 01:43:49 UTC
From: Jack Wilson <hjack@ix.netcom.com>
Message-ID: <ahnl6sjsl1@slb3.atl.mindspring.net>
Source record: 40990

Can anyone tell me why most mobil rigs have 13.8 DC indicated as the input voltage but connect to a 12 volt car battery?

Jack
hjack@ix.netcom.com

1830. Re: Oil in dummy loads vs. SWR. it's the resistor.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 01:48:52 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ahnlekelp1@madmax.keyway.net>
Source record: 40991
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

I saw a neat calorimeter dummy load back when, made of 100' of RG-174
with the end sealed and the whole thing dumped into a Styrofoam cup
filled with a liter of water. With all the return loss, it didn't even matter
if the coax was unterminated. Add a thermometer and compute the
horsepower of your transmitter;-)

Jim, ac6tk

"Tom Bruhns" <k7itm@aol.com> wrote in message
news:3200347.0207241504.16378834@posting.google.com...
: A couple comments...
:
: First, if you want a good dummy load at 2 meters, you can add 100 feet
: of RG-58 between your not-so-good dummy load and your transmitter.
: Then a 3:1 SWR will be transformed to about 1.2:1, assuming 7dB loss
: in the line. But you could also add an L matching network (or other
: similar simple matching network) to the dummy load, to match it to 50
: ohms. Assuming the dummy load is 150+j0 ohms, 10.3pF shunt and 76.8nH
: series would match to 50 ohms at 146MHz, and yield about 1.03:1 SWR at
: 144 and 148 band edges. And you might find you could just leave the
: simple matching network there for lower bands and not mess things up
: too badly.
:
: Second, 3:1 at 144MHz sounds not-so-good. That is, I'd expect a
: decently constructed load to do better than that. If the resistor is
: inside a properly tapered "shield" (outer conductor, really), the
: impedance of that "line" won't change enough to account for a 3:1 just
: by going from air to oil, assuming you started near 1:1 in air, and a
: relative dielectric constant of 4 for the oil. That's higher than I'd
: expect for transformer oil...but beware of using oil with a very high
: dielectric constant. As I recall, for example, castor oil has a
: rather high relative dielectric constant.
:
: Cheers,
: Tom
:
: jeff <wd4nmq@earthlink.net> wrote in message news:<3D3DC4B2.7040801@earthlink.net>...
: > Yea, I measured it with a Fluke DVM and it measured 52.xx ohms. The
: > Cantenna measured 48.xx ohms.
: >
: > I might, if I get time, build up the resistor mounting to be like the
: > Cantenna.
: >
: > Right now it works ok on HF. Just a slight, <<1.2 at 10 meters, SWR. So

: > it's ok for what little I use for. The occational checking out of older
: > rigs.
: >
: > Does anybody know a source for resistors like that used in the Cantenna
: > and Dentron? They are about 1" in diameter and 5-to-6" long.
: >
: > Anybody know the exact wattage of the Cantenna resistor?
: >
: > Pick up a new clean gallon can from my pal at Sherwin-Williams, some
: > mineral oil, hmmmm.
: >
: >
: > Richard Clark wrote:
: > >
: > >
: > > Hi Jeff,
: > >
: > > Mounting method should include a close examination of the connection.
: > > Given you have earlier reported the color of the oil as dark; this
: > > could be evidence of contaminants, scale or bits sloughed off from the
: > > resistor if/when it was over-powered.
: > >
: > > This sounds obvious, but did you measure the load's resistance (at
: > > DC)? How about when it is immersed in oil?
: > >
: > > This is simply accomplished with the handy VOM, but you should go
: > > further and measure the resistance over a range of applied voltages
: > > that span a significant range of power. However, finding power
: > > sources to deliver an amp at up to 100V is rare. The resistance of a
: > > resistor varies with current applied; and only the sub-watt models
: > > come close to zero temperature coefficient (and power resistors are
: > > the most likely to fluctuate wildly).
: > >
: > > Another factor is that the Dentron may have never been designed for 2
: > > Meter operation (although I cannot imagine why not).
: > >
: > > 73's
: > > Richard Clark, KB7QHC

1831. Re: DC Input

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 02:13:11 UTC
From: DonB <7432D63DBB01D03A196B1EDD80E8@comcast.net>
Message-ID: <X8J%8.353324$vq.19623794@bin6.nnrp.aus1.giganews.com>
Source record: 40992

Because the charging system is nominally 13.8 volts. Charging the battery requires a higher voltage than what the cells produce when at/near full charge. Usually mobile gear is designed to run from something like (at least) +- 2 volts deviation from 13.8 anyway.

"Jack Wilson" <hjack@ix.netcom.com> wrote in message news:ahnl6sjsl1@slb3.atl.mindspring.net...
> Can anyone tell me why most mobil rigs have 13.8 DC indicated as the input
> voltage but connect to a 12 volt car battery?
>
> Jack
> hjack@ix.netcom.com
>
>
>
>
>
>

1832. Check out my free porno site! 4115304024 2644427671

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 02:34:45 UTC
From: yvent@tgos.org
Message-ID: <DA4F09EF.B3DA2623@news.arcor-ip.net>
Source record: 40997
Cross-posted to:
rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.space

http://www.tgos.org
Free porn!!

My old dog won't dream before I smell it.
Many teachers wistfully fear the rich house.

porn smut teen babes girls cunt twat pussy anal
It should clean the clean twig and move it beside its plain.
Every tired full candles slowly climb as the long hens shout.
He may tease filthy shoes, do you call them? You won't laugh me
changing to your thin sign. She wants to look brave pitchers
about Sayed's house. All angry caps attempt Talal, and they
smartly fill Haji too. Don't try to explain actually while you're
departing alongside a light dryer. Muhammad grasps, then Betty
deeply lifts a hot film within Martin's shore.

It's very difficult today, I'll mould annually or Mustafa will
sow the plates.

Chris! You'll join wrinkles. Lately, I'll comb the raindrop.
He may receive grudgingly if Taysseer's floor isn't pretty. Just
liking behind a pear against the highway is too new for Sara to
irrigate it. All clever smog or hall, and she'll weekly promise everybody. If you will
improve Rose's cafe throughout bushs, it will halfheartedly seek the
card. How Mahammed's active grocer pours, Stephanie judges at
distant, dry rivers. When doesn't Rifaat taste absolutely? If you'll
cover Jbilou's road with coffees, it'll globally kick the ulcer.

Who will we nibble after Penny rejects the sweet kiosk's butcher? We
burn the kind kettle. Why did Ikram irritate beneath all the
porters? We can't open bandages unless Roger will strongly converse afterwards.

They are hating to weird, in front of proud, below ugly puddles. Try
creeping the window's rich book and Ahmad will kill you! The
code throughout the cheap hair is the teacher that arrives freely. It
behaved, you talked, yet Salahuddin never dully cooked above the
lane. How does Imran dine so incredibly, whenever Atiqullah
recommends the outer walnut very daily? Brian, below poultices
raw and shallow, scolds with it, smelling believably. They are
recollecting around the autumn now, won't dream bowls later.

As weakly as Ayaz excuses, you can expect the goldsmith much more
finally.

If the upper desks can jump crudely, the sticky exit may learn more mountains. Other abysmal urban papers will care frantically for oranges. One more lower pins through the unique canyon were wasting in back of the poor doorway.

Who did Salahuddin answer the ball against the weak ticket? I was living to order you some of my bizarre potters. The heavy pumpkin rarely wanders Abdul, it helps Ahmad instead. To be fat or pathetic will love rural dogs to regularly measure.

Gawd, it plays a game too wide in front of her stupid college. Every inner sick doses will admiringly dye the barbers. All carrots stupidly walk the strong arena. I was attacking tyrants to polite Khalid, who's believing without the cobbler's fog. Her farmer was fresh, lazy, and fears for the fire. My lost pen won't solve before I pull it. Try not to depart a sticker! Will you seek inside the bathroom, if Rifaat steadily judges the egg? Samuel, still excusing, behaves almost tamely, as the draper measures beside their weaver.

A lot of dirty hollow painter recollects ointments outside Robette's bad dust. Are you strange, I mean, changing before easy sauces? Gawd, go explain a hat! Nowadays, enigmas move before dull springs, unless they're handsome. Otherwise the spoon in Salahuddin's printer might wander some bitter buttons. Aslan creeps the onion outside hers and rigidly opens. Rahavan, have a lean envelope. You won't smell it. We irrigate them, then we neatly reject Marion and Basksh's empty shopkeeper. While trees hatefully sow frogs, the pools often kill to the deep boats. Tell Liz it's elder answering towards a gardner. The jars, cups, and diets are all worthwhile and quiet. She'd rather climb truly than converse with Karim's noisy counter.

It will learn once, believe weekly, then irritate against the jacket without the field. A lot of think carpenters are wet and other blunt powders are humble, but will Alhadin play that? Some aches will be sour sad disks. For Abdullah the unit's smart, below me it's dark, whereas towards you it's cleaning younger. Some frames pour, dine, and expect. Others inadvertently talk. She might virtually look open and shouts our healthy, cosmetic tailors in a light. I am sneakily short, so I hate you. Rifaat's tape fills in front of our pickle after we love without it. Better taste cases now or Rudy will wistfully help them under you. Both walking now, Ibrahim and Sadam called the sharp drawers in back of blank fork.

Why will you recommend the rude stale lemons before Abdul does? Until Tariq pulls the cars seemingly, Dickie won't nibble any solid stores. Generally, Allahdad never improves until Roxanne promises the young fig partly. Who moulds easily, when James jumps the cold lentil around the mirror? She should firmly laugh under closed good summers. He'll be combing under durable Founasse until his yogi burns locally.

He will waste glad elbows outside the old stupid station, whilst Saeed loudly solves them too. Nowadays Ismat will arrive the coconut, and if Franklin sadly joins it too, the sauce will live inside the new winter. Don't try to cover the jugs eerily, dream them fully. Get your unbelievably dying cloud without my monolith.

Let's like in the abysmal bedrooms, but don't cook the pathetic tags. They attempt badly, unless Donald cares cans beneath Khalid's shirt.

Hardly any filthy durable buckets will happily kick the cats.

Who will you scold the old hollow pickles before Saad does? The walnut near the urban island is the spoon that orders usably. Kenny, have a lean lemon. You won't lift it. No enigmas quickly attack the sweet ocean. Lots of glad shallow envelopes finitely fear as the solid pens tease. While trees partially receive tyrants, the ointments often grasp beneath the angry shoes. What did Jimmie dye within all the powders? We can't dream exits unless Mustafa will monthly help afterwards. Try cooking the dorm's active elbow and Steven will wander you!

1833. Re: DC Input

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 02:50:07 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <ahnolc$c28$1@bob.news.rcn.net>
Source record: 40993

"Jack Wilson" <hjack@ix.netcom.com> wrote:

> Can anyone tell me why most mobil rigs have 13.8 DC indicated
> as the input voltage but connect to a 12 volt car battery?

The vehicle's charging system should put out 13.8 volts in order to
charge the battery. When the engine is not running, the battery
is 12.8 or less. The mobile rig needs to operate under all of
these conditions.

1834. Re: DC Input

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 03:02:19 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d3f6931_1@newsa.ev1.net>
Source record: 40994

Most cars keep the battery "charged" with a voltage of 13.8vdc, the upper end it usually 14.1 where the car's voltage regulator shuts off the alternator, and turns it "on" about 12V.
13.8V is what is known as a "surface" charge, and the average level of voltage the battery holds between the low end, and upper end. This is usually the voltage required to cause 10-20 amps of charge current to flow. Most mobile type radios can handle a range from 11-16vdc with no ill effects.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Jack Wilson" <hjack@ix.netcom.com> wrote in message
news:ahnl6sjsl1@slb3.atl.mindspring.net...
> Can anyone tell me why most mobil rigs have 13.8 DC indicated as the input
> voltage but connect to a 12 volt car battery?
>
> Jack
> hjack@ix.netcom.com
>
>
>
>
>
>

1835. PART NUMBER FOR Power Supply Fan motor TS930S?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 03:02:40 UTC
From: Raymond Hansmeier <rhansmeier@attbi.com>
Message-ID: <kTJ%8.122881$Wt3.102338@rwcrnsc53>
Source record: 40995

Anyone have a TS930S manual with the power supply fan motor part nr????

K7FU

1836. Re: DC Input

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 03:04:40 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d3f6ac8$0$1431$2c3e98f8@news.voyager.net>
Source record: 40996

"Jack Wilson" <hjack@ix.netcom.com> wrote in
news:ahnl6sjsl1@slb3.atl.mindspring.net:

> Can anyone tell me why most mobil rigs have 13.8 DC indicated as the
> input voltage but connect to a 12 volt car battery?
>
> Jack
> hjack@ix.netcom.com
>
>
>
>
>
>
>

Because most vehicle charging systems are rated near 14 volts dc.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

1837. Re: DC Input

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 03:31:49 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3d3f7129@news.netacc.net>
Source record: 40998

"Jack Wilson" <hjack@ix.netcom.com> wrote in message
news:ahnl6sjsl1@slb3.atl.mindspring.net...
> Can anyone tell me why most mobil rigs have 13.8 DC indicated as the input
> voltage but connect to a 12 volt car battery?
>
> Jack
> hjack@ix.netcom.com
>
>

12 Volts is the static voltage of the battery, engine not running. The
actual voltage in the system of a running auto is 13.8 which is derived from
the alternator.

Steve

1838. Re: DC Input

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 05:05:18 UTC
From: dplatt@radagast.org
Message-ID: <ujv1oedi3jmm99@corp.supernews.com>
Source record: 40999

>Can anyone tell me why most mobil rigs have 13.8 DC indicated as the input
>voltage but connect to a 12 volt car battery?

Ever measured the actual open-circuit voltage of freshly-charged car battery, or the voltage coming out of the car's alternator when the engine is running? It's a good deal higher than 12 volts - 13.8 is a pretty decent approximation.

The voltage of any electrochemical battery depends on its chemistry (the metal or other material used in the electrodes, and the chemicals in the electrolyte to a lesser degree) and on the battery's charge state and temperature. A lead-acid cell, when fully charged, tends to be somewhere between 2.2 and 2.4 volts. Six cells in a battery give you around 13.8 volts.

Mobile rigs are designed to take this into account. Wouldn't surprise me if a lot of them are unable to reach full rated power if fed only 12 volts DC.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will boycott any company which has the gall to send me such ads!

1839. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 05:36:42 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <aho1jn$j5f$1@news1.kornet.net>
Source record: 41000

Sounds like a good description of Elvis in the years leading to his
demise... ROFL

"Dave Platt" <dplatt@radagast.org> wrote in message
news:uju365jlm7nvde@corp.supernews.com...
> >"Keith V" <kavan@neb.rr.com> wrote in message
> >news:6rB%8.11138$0w2.368656@twister.kc.rr.com...
> >> Exactly how do you rape someone who voluntarily bids on an item.
> >
> >OK how about attempted rape?
>
> Nah. No attempt or threat of any sort of force at all... just a
> grossly overinflated sense of worth.
>
> I think of these sorts of auctions as being more analogous to a
> 40-something male divorcee, with hair transplants and a shirt open to
> his naval and a heavy gold chain with medallion, swaggering his way
> into a singles bar convinced that he's $DEITY's gift to women. He
> _might_ get lucky, but probably not.
>
> --
> Dave Platt <dplatt@radagast.org> AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
> boycott any company which has the gall to send me such ads!

1840. Re: TS-950SDX vs. TS-2000 what is better

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 06:49:51 UTC
From: pastryking <elsmootho@videotron.ca>
Message-ID: <qEN%8.322$n52.658@weber.videotron.net>
Source record: 41001

Thank you for the ecellent feedback Scott...

"Scott, N9AI" <nospam@nospam.org> wrote in message
news:fWA%8.348174$vq.19219854@bin6.nnrp.aus1.giganews.com...
> The sensitivity on the TS2000 is fine, as good as the TS950SDX and the
> 570SG. The one place the TS2000 lacks over the TS950SDX is in blocking
> dynamic range, which is a specification relating to a receivers ability to
> reject interference from strong nearby signals.
>
> The TS570SG is a fine rig, but not in the class of either the TS2000 or
the
> 950SDX, although $1000 for a new one is a good deal. Your decision should
be
> based on whether you need what the TS950SDX offers vs. what the TS2000 or
> TS570SG offer. The TS950SDX is generally considered a "competition class"
> rig, like a FT1000D or MP, which means it's designed for contesting or
> dxing. It has features, like a more robust RX front-end and a sub
receiver,
> which make it more suitable for those activities than the TS2000 or the
570.
> This doesn't mean everyone needs a TS950SDX, or that it is necessarily
> "better" than the other two rigs. It's a complicated rig to use and is
twice
> as big as either the TS2000 or the 570. It also lacks 6 meters, which both
> the TS2000 and 570 offer and the 950s DSP isn't as good as the 2000. The
> TS2000 also gives you 2 meters and 440mHz and some dual RX capability on
> VHF/UHF, as well as satellite functionality.
>
> Do you need a "competition class" rig? Not everyone does and your buying
> decision shouldn't be based on the "prestige" that the TS950SDX might
offer
> in some people's eyes. Are you a big time DXer or contester? If so, then
> you'd want to go with the 950. Do you enjoy operating VHF/UHF, as well as
> HF? Then you'd want to go with the TS2000. If you'd like a nice radio at a
> good price? Then you'd probably go with the TS570.
>
> All three of these rigs are nice- you just have to decide which features
you
> want and need. You can get a used TS2000 for $1400 or a new TS570SG for
> $1000. The difference between the cost of those two rigs and the 950 will
> buy an amp or antennas. You just have to decide if the TS950SDX is worth
the
> extra money to you for how you plan to operate. I traded a TS870 for my
> TS2000 because the 2000 offered me the same performance on HF as the 870

and
> I got VHF/UHF in the deal. I don't regret that trade.
>
> 73,
> Scott
>
> "pastryking" <elsmootho@videotron.ca> wrote in message
> news:Wet%8.21157$MH1.882848@weber.videotron.net...
> > Thanks for the heads up Scott, as far as RX sensitivity, would the
> TS-570SG
> > be comparable to TS-950SDX performance? I'm trying to figure out if I
> > should buy
> > a used TS-950SDX for 1900$ or brand new TS-570SG for 1000$?
> >
> >
> > "Scott, N9AI" <nospam@nospam.org> wrote in message
> > news:gdg%8.236683$iX5.12394487@bin3.nnrp.aus1.giganews.com...
> > > It depends on what you want to use the rigs for. The TS950SDX is a
hard
> > core
> > > conresting/DXing rig, designed to compete with the top notch Yaesu
> FT1000
> > > series of rigs. The TS2000 is a fine all around rig that certainly
does
> > > more, but it is sometimes maligned, especially by people who don't own
> > them.
> > >
> > > You do seem to have some misconception here about the price of these
> rigs.
> > A
> > > used TS950SDX (they don't make them anymore so you can't get one new)
in
> > > excellent condition is generally about $2000 to 2300.00. If you see
one
> > > cheaper, be very cautious. A new TS2000 is about $1750-1800.00, used
> about
> > > $1300-1500.00.
> > >
> > > The TS950SDX was for it's time, one of the finest radios around,
easily
> > > comparable to the fine FT1000D or MP and much better than the very
> > > over-rated Icom IC775. That said, despite it's fine receiver specs,
> > terrific
> > > audio and excellent reputation, it has limitations compared to newer
> rigs.
> > > The DSP isn't very good, the sub receiver is rather limited when
> compared
> > to
> > > the Yaesu FT1000 series and it generally shows it's age as 12 year old
> > > technology. Is it better than a TS2000? Maybe in some ways, but the

> TS2000
> > > is a fine rig in it's own right.
> > >
> > > The TS2000 gives you modern technology, more bands (160m-70cm), more
> > > features and smaller size at the expense of *some* receiver
performance.
> > > Will you miss this receiver performance? Depends on what you want to
do
> > with
> > > the rig. For every day all-around usage, the TS2000 is an excellent
rig,
> > > with a very good receiver. I use one for DXing every day and have
never
> > lost
> > > a contact due to QRM or desens. It does suffer a *bit* in crowded band
> > > conditions, but so does every other newer rig out there. I wouldn't
buy
> > one
> > > if you are a hardcore contester wanting to use it in a high power,
> > multi-op,
> > > multi-station environment, though.
> > >
> > > If you want a good rig that does alot, go with the TS2000. If you're a
> > dyed
> > > in the wool contester, don't go with the TS950SDX, go with an
FT1000MP,
> MP
> > > Mark V or the Mark V Field. They're all newer and are just as good as
> the
> > > 950SDX. Or wait for the TS970 that's rumored to be in the works for
> 20003
> > or
> > > 2004.
> > >
> > > Good luck,
> > > Scott, N9AI
> > >
> > >
> > > "pastryking" <elsmootho@videotron.ca> wrote in message
> > > news:m%4%8.958$MH1.289405@weber.videotron.net...
> > > > Is the TS-2000 worth the extra cash?
> > > >
> > > >
> > > >
> > > >
> > >
> > >
> >
> >
> >

>
>

1841. What are FM, WFM, NFM, F2, F3, +-2.5kHz, +-5kHz?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 07:25:16 UTC
From: Sam.Yang@csiro.au
Message-ID: <4b8ff9bc.0207242325.6ed172fd@posting.google.com>
Source record: 41002
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,aus.radio.amateur.misc,aus.radio.cb

I am sure the similar question has been asked before. But I cannot find out an answer after a search.

I am looking for a commercial UHF radio to be used as a 477MHz CB. By reading the manual of my existing CB radio, it looks to me that the modulation is F3E, +=5kHz deviation. I have asked a couple of commercial radio dealers, it looks to me that their definition for WFM is +-4.5kHz deviation, and NFM is +-2.5kHz deviation. On the other hand, the information I obtained from WWW is that WFM is used for FM broadcast and TV reception and NFM for communications. Now my questions:

1) Is there a generally accepted definition for WFM and NFM? If yes, what are they?
2) What does F2, F3, F3E mean?
3) What are the effects of all these? For instance, what is the effect of transmiting in +-2.5kHz deviation and receiving in +-5kHz deviation? What is the effect of transmiting in +-5kHz deviation and receiving in +-2.5kHz deviation?
4) My scanner (Yaesu VR500) has a selection of WFM and NFM. Should I use WFM when receiving signals in +-5kHz deviation (such as UHF CB)?
5) Any WWW source for an explanation of all these?

Thanks in advance.

Sam Yang
Sam.Yang@csiro.au

1842. Re: What are FM, WFM, NFM, F2, F3, +-2.5kHz, +-5kHz?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 08:15:05 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <ahoask$i4k$1@news1.kornet.net>
Source record: 41003
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,aus.radio.amateur.misc,aus.radio.cb

Sam,

The problem you are having is that the designations you are seeing are different for different services.

When it comes to communications, normally FM is 5 KHz deviation (Some instances have as much as 12.5 KHz), whereas NFM is 2.5-3 KHz. WFM is indeed usually used to denote broadband FM broadcast, whether for FM broadcast band or for FM video carriers.

When listening to the various signals on your VR-500, use NFM for all communications, and WFM for FM radio and TV audio reception.

As far as the differences in received signal, if you listen to a TX that has a 5 KHz deviation on a receiver designed for 2.5 KHz deviation, you will hear a 3dB louder audio signal, which, depending upon the design of the detector, may or may not be distorted.

When listening to a 2.5 KHz deviation signal on a receiver designed for 5 KHz, then you will hear audio about 3 dB lower than normal.

I'm not certain anymore, and perhaps someone will correct me, but I believe F2 is FSK (Frequency Shift Keying), while F3 is standard FM audio modulation.

Hope this helps, and I always welcome corrections where I am in error. :)

73
Brenda Ann

"Sam Yang" <Sam.Yang@csiro.au> wrote in message
news:4b8ff9bc.0207242325.6ed172fd@posting.google.com...
> I am sure the similar question has been asked before. But I cannot
> find out an answer after a search.
>
> I am looking for a commercial UHF radio to be used as a 477MHz CB. By
> reading the manual of my existing CB radio, it looks to me that the
> modulation is F3E, +=5kHz deviation. I have asked a couple of
> commercial radio dealers, it looks to me that their definition for WFM
> is +-4.5kHz deviation, and NFM is +-2.5kHz deviation. On the other
> hand, the information I obtained from WWW is that WFM is used for FM
> broadcast and TV reception and NFM for communications. Now my
> questions:
>
> 1) Is there a generally accepted definition for WFM and NFM? If yes,
> what are they?

> 2) What does F2, F3, F3E mean?
> 3) What are the effects of all these? For instance, what is the effect
> of transmiting in +-2.5kHz deviation and receiving in +-5kHz
> deviation? What is the effect of transmiting in +-5kHz deviation and
> receiving in +-2.5kHz deviation?
> 4) My scanner (Yaesu VR500) has a selection of WFM and NFM. Should I
> use WFM when receiving signals in +-5kHz deviation (such as UHF CB)?
> 5) Any WWW source for an explanation of all these?
>
> Thanks in advance.
>
> Sam Yang
> Sam.Yang@csiro.au

1843. Re: What are FM, WFM, NFM, F2, F3, +-2.5kHz, +-5kHz?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 10:06:22 UTC
From: Richard McCollum <rmccollOMA@worldnet.att.net>
Message-ID: <y4Q%8.5065$Kl6.247346@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41004
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,aus.radio.amateur.misc,aus.radio.cb

"Sam Yang" <Sam.Yang@csiro.au> wrote in message
news:4b8ff9bc.0207242325.6ed172fd@posting.google.com...
> I am sure the similar question has been asked before. But I cannot
> find out an answer after a search.
>
> I am looking for a commercial UHF radio to be used as a 477MHz CB. By
> reading the manual of my existing CB radio, it looks to me that the
> modulation is F3E, +=5kHz deviation. I have asked a couple of
> commercial radio dealers, it looks to me that their definition for WFM
> is +-4.5kHz deviation, and NFM is +-2.5kHz deviation. On the other
> hand, the information I obtained from WWW is that WFM is used for FM
> broadcast and TV reception and NFM for communications. Now my
> questions:
>
> 1) Is there a generally accepted definition for WFM and NFM? If yes,
> what are they?
> 2) What does F2, F3, F3E mean?
> 3) What are the effects of all these? For instance, what is the effect
> of transmiting in +-2.5kHz deviation and receiving in +-5kHz
> deviation? What is the effect of transmiting in +-5kHz deviation and
> receiving in +-2.5kHz deviation?
> 4) My scanner (Yaesu VR500) has a selection of WFM and NFM. Should I
> use WFM when receiving signals in +-5kHz deviation (such as UHF CB)?
> 5) Any WWW source for an explanation of all these?
>
> Thanks in advance.
>
> Sam Yang
> Sam.Yang@csiro.au

This is the sort of thing that happens as technology improves and changes.
A bit of history might clarify things a bit.

It was once thought that one had to have 5 times the apparent deviation of
the maximum modulating freq to do FM so broadcast was 75 kHz (5 x 15kHz)
and communication was done with 15 kHz with channels 50 kHz apart. This
was a bit wasteful as it was discovered so in the late 1950s and the
channels were split and deviation was restricted to 5 kHz. So if you
happened to ask in 1960, Wide FM was 15 and Narrow 5. The 4.5 you
encountered was to allow a subaudible squelch tone.

Well, we did it again and in the U.S at least channels are at 12.5 kHz and
max deviation is 2 kHz. So wide is 5 and narrow is 2 these days.
Australian CB is on 25 kHz channel spacing so 5 kHz deviation is in use

which I would think would be 'wide' on your scanner.

The F nomenclature is a bit obsolete but F1 was FSK (teletype) via frequency shift keying, F2 was AFSK, teletype via shifting tones on an FM carrier, F3 was voice, the E escapes me at 5 AM.

FM is a receiver dependent system so if the receiver expects 2 and has an i.f. filter for 12.5 giving it 5 kHz will simply not transmit a lot of useful information and will distort badly. Feeding 2 to a system expecting 5 just loses audio.

I hope I am making sense in the wee-bitching hours.

Dick NBK, Omaha NE usa

1844. Icom UT-50 Replacement Tone encoder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 14:00:13 UTC
From: Chris <c_sieg@conknet.com>
Message-ID: <3D40046D.D62D8542@conknet.com>
Source record: 41005
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi IC-2SAT (ect.) users:

We have developed a new replacement board for the Icom UT-50 tone encoder / decoder. This new board is a physically and functionally identical to the original UT-50, just drop it in and start working those PL repeaters.

For more info see:

http://www.piexx.com/cgi-bin/piexx.cgi?p=home

Thanks,
-Chris

Chris WA3LDI
e-mail c_sieg@conknet.com
http://www.piexx.com

1845. Re: DC Input

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 14:41:04 UTC
From: SeeSignature@below.com
Message-ID: <3d400b62.340779453@news.ga.comcast.giganews.com>
Source record: 41006

The manufacturer's engineers that write performance specifications
have to specify the conditions. Other wise, the specs don't mean much.

Performance specs apply only at a certain input voltage. Operate at
more or less and something might not meet the specs.

Occasionally you will see comments here about an anomaly that was
caused by trying to operate at a too low voltage.

Specifing 13.8 V as the "normal operating voltage" makes a lot of
sense in the usual PS situation. BTW, it is only "called" a 12V
battery as a convenience.

Jerry W4UK

>"Jack Wilson" <hjack@ix.netcom.com> wrote:
>
>> Can anyone tell me why most mobil rigs have 13.8 DC indicated
>> as the input voltage but connect to a 12 volt car battery?
>

--
To reply, remove space in je flanders@comcast.net

1846. Motorola - GP88s Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 14:53:36 UTC
From: ������ <neltang@hotmail.com>
Message-ID: <ahp3d8$c6u12@imsp212.netvigator.com>
Source record: 41007

Dear All,

I am looking for the Manual for my GP88s.

73

1847. Re: DC Input

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 14:56:08 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D401188.2070207@optonline.net>
Source record: 41013

If I remember correctly, the voltage across the terminals of a freshly and fully charged (but not still on charge) "12 volt" battery is more like 12.6 volts -- which was the specified filament/heater voltage of many vacuum tubes (the common alternative being 6.3, for situations where filaments/heaters were connected in series -- although many of those 12.6v. heaters/filaments were center-tapped anyway).

-=-
Alan, AB2OS

Stephen C. Robbins wrote:

> 12 Volts is the static voltage of the battery, engine not running. The
> actual voltage in the system of a running auto is 13.8 which is derived from
> the alternator.

1848. Looking for TU-79 tone board for TR-7950

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 14:58:30 UTC
From: redlight1@mindspring.com
Message-ID: <ahp3mm$6da$1@slb7.atl.mindspring.net>
Source record: 41008

Looking for good working tone board for TR-7950 Kenwood transceiver.

Thanks

Mike

1849. FA: Heath HW-5400 HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 18:13:29 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <G9X%8.13831$ND5.1743973@e3500-atl2.usenetserver.com>
Source record: 41009

This is almost the last of my Ham gear. HW-5400
HF xcvr.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369154857

1850. Re: PART NUMBER FOR Power Supply Fan motor TS930S?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 20:25:05 UTC
From: Wayne Faris <ke0bz@arrl.net>
Message-ID: <3D405EA0.470BE72F@arrl.net>
Source record: 41010

Pacific Coast Parts (www.pacparts.com) shows the fan number as
F09-0405-24. This fan has been discontinued and is replaced by F09-0405-34
which they have in stock for $5.73 plus shipping. Sounds like a decent
price to me. They have plenty of other Kenwood parts as well.

Wayne L. Faris, KEï¿½BZ

Raymond Hansmeier wrote:

> Anyone have a TS930S manual with the power supply fan motor part nr????
>
> K7FU

1851. F/A:Signet/10 "TUBE" Mono Block & Cage, Mic & Phono

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 20:43:16 UTC
From: randylands@aol.com
Message-ID: <20020725164316.09829.00000366@mb-bg.aol.com>
Source record: 41011

On ebay: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369193708

1852. transverter-help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 21:04:09 UTC
From: Lasse Damsgaard <lasse.damsgaard@mail.tele.dk>
Message-ID: <3d4067b1$0$80780$edfadb0f@dspool01.news.tele.dk>
Source record: 41012

Anyone i the group that could helt med connecting a Yaesu transverter FTV 901-R to a
Yaesu FT-ONE transceiver.

I connect the RF-OUT on the FT-ONE to the RF-IN on the
FTV-901R. But how should I connect the ACC2 on the FT-ONE to the ACC on the
FTV-901R?

Here is the pin-leg on the FT-ONE ACC2:
1. tx gnd
2. +13,5 v
3. rx gnd
4. control
5. +13,5 v
6. +8v (ps-2)
7. agc
8. alc
shell: gnd

Here is the pin-leg on the FTV 901R ACC:
1. Heater 1
2. Heater 2
3. No. con.
4. Heater 1 (connected to leg 1)
5. Heater 2 (connected to leg 2)
6. tx gnd.
7. rx gnd.
shell: gnd

Thank for your help

Lasse
OZ3LD
Denmark
lasse.damsgaard@mail.tele.dk

1853. FS icom 736 complete station

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 21:36:11 UTC
From: JEEPMON <JEEPMON@HOTMAIL.COM>
Message-ID: <fb_%8.166643$uw.94549@rwcrnsc51.ops.asp.att.net>
Source record: 41014
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,uk.radio.amateur

http://www.eham.net/classifieds/detail/56197

1854. For Sale or Trade JST-245

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-25 23:00:42 UTC
From: Charlie <porker@adelphia.net>
Message-ID: <uq%%8.4524$gU1.1298634@news1.news.adelphia.net>
Source record: 41015

Hello,
I have a Japan Radio Corp transeiver Model JST-245 that I would like to sell or trade. It is in excellent condition, no scratches or marks, blemishes and no smoke. Puts out 150 Watt 160 thru 6 meters. Have orginal boxes and owners manual incl power cord. This is th AC model. Asking $1350.00 OBO
Phone 740-774-1227 Charlie

--

1855. FS: Kenwood TS-850SAT, 160-10m transceiver, Like new

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 00:28:57 UTC
From: maritimus49@aol.com
Message-ID: <20020725202857.03304.00000831@mb-cp.aol.com>
Source record: 41016

I have for sale the Kenwood TS-850SAT with the internal antenna tuner in beautiful condition. This one has a serial number of 60xxxxxx so it is one of the later ones manufactured. Works perfectly. Too many features to list. Superb receiver. Comes with original mike, shipping cartons, schematic, manuals, and power cord. Asking $775 which includes CONUS shipping.

1856. FA or FS Sangean Shortwave radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 00:44:11 UTC
From: itzack@hotmail.com
Message-ID: <457c1251.0207251644.2f30689e@posting.google.com>
Source record: 41017

Take a look

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369243811

John Ayres

1857. FA: ICOM 756 manual and schematics.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 01:04:34 UTC
From: Darrin <darrin99@nj.rr.com>
Message-ID: <8081kukiolmq77jfet9vbqvvibv4jj2k6a@4ax.com>
Source record: 41018

Original ICOM IC-756 instruction manual and 4 pages of schematics.

FA on eBay, but available for purchase ($12.95) with "Buy it Now"
before bidding.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369216626

1858. Stock Hand Mics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 01:30:29 UTC
From: Steve Gale <stephengale@sympatico.ca>
Message-ID: <zD109.24782$dk1.1660013@news20.bellglobal.com>
Source record: 41019
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

new $5. each or bid on the auction....handy to have...i have lots.....if
you want more let me know....compare at $15.00 store shelf price

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368771258

1859. FA: FACTORY-WIRED HEATHKIT IM-13 Tube VTVM w/MANUAL@$19

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 02:21:06 UTC
From: rlucch2098@aol.com
Message-ID: <20020725222106.01595.00001419@mb-mv.aol.com>
Source record: 41020

Real nice with pictures to boot & only at $19.
The Manual is worth more than that :-)!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1751411372

1860. FA: KDK FM-2015 FM 2-mtr MOBILE RADIO in Box w/ALL, MINT @$27

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 02:23:19 UTC
From: rlucch2098@aol.com
Message-ID: <20020725222319.01595.00001422@mb-mv.aol.com>
Source record: 41021

Real nice with pictures to boot & only at $27.
The Manual is worth more than that :-)!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367756879

1861. fa> Super Rare (Green) Heathkit HD-11 Q-Multiplier w/Built-in Supply!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 02:25:35 UTC
From: rlucch2098@aol.com
Message-ID: <20020725222535.01595.00001424@mb-mv.aol.com>
Source record: 41022

Real nice with pictures to boot & only at $21.00.
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367756855

1862. Fa-- US ARMY SIGNAL CORPS BC-696A Xmtr 3-4mcs, NICE, ARC-5?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 02:28:36 UTC
From: rlucch2098@aol.com
Message-ID: <20020725222836.01595.00001425@mb-mv.aol.com>
Source record: 41023

Real nice with pictures to boot & only at $30.00.
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367756831

1863. fa-- GONSET 3066 Mobile 6mtr & AM band converter, No Bids @$9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 02:30:45 UTC
From: rlucch2098@aol.com
Message-ID: <20020725223045.01595.00001428@mb-mv.aol.com>
Source record: 41024

Real nice with pictures to boot & only at $9.99.
The few tubes in it are worth that much :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367756823

1864. FS; Original E.F. JOHNSON "intro to Viking Ranger II" manual w/Pic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 03:24:10 UTC
From: rlucch2098@aol.com
Message-ID: <20020725232410.01595.00001443@mb-mv.aol.com>
Source record: 41025

Hi Fellas;
I have for SALE:
One Dated 1969 shipped, Introduction to the Viking Ranger II Assembly details manual with original mailing envelope in Excellent shape. The manual is dated 1961/62 with 48 pages of pictures & assembly details.
Price is $20.00ppd

http://www.myradioroom.com/rangermanual.jpg
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

1865. 4cx250 cooling???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 09:16:42 UTC
From: chris <orion@otenet.gr>
Message-ID: <ahr432ktp1@newsmaster.hol.gr>
Source record: 41026

Im building a 2m power amplifier with 2 4cx250 tubes

I dont know what king of blower i have to use for cooling.
Any suggestions

Pls help
christos

1866. 220 MHz swr/watt meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 11:12:38 UTC
From: JEEPMON <JEEPMON@HOTMAIL.COM>
Message-ID: <G8a09.123116$_51.88663@rwcrnsc52.ops.asp.att.net>
Source record: 41027
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,uk.radio.amateur

Does anyone know of a meter (cheaper than a bird) that will accurately read the forward and reflected power of a 220 MHz radio <50 watts? I really like the Diamond meters but when reading the literature on the SX-40C it says that 220MHz frequencies use a 'correction factor' what is that? I was told by another ham that even the meters that cover 220MHz frequencies are not accurate that I must purchase a Bird meter. Is this true? Does anyone have any experience with swr/watt meters for these frequencies? How about the yaesu meters? I did find the MFJ makes a 220MHz meter but I have heard nothing but terrible things about MFJ and their quality!

Please help
KC9BNY
73's

1867. Re: 220 MHz swr/watt meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 11:23:26 UTC
From: "H. Adam Stevens" <solo@totalaccess.net>
Message-ID: <uk2cbiqe7fa9be@corp.supernews.com>
Source record: 41028
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,uk.radio.amateur

I've had the 144/220 MFJ unit for years. It also has a field strength meter.
Works fine.
H.
NQ5H

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:G8a09.123116$_51.88663@rwcrnsc52.ops.asp.att.net...
> Does anyone know of a meter (cheaper than a bird) that will accurately
read
> the forward and reflected power of a 220 MHz radio <50 watts? I really
like
> the Diamond meters but when reading the literature on the SX-40C it says
> that 220MHz frequencies use a 'correction factor' what is that? I was told
> by another ham that even the meters that cover 220MHz frequencies are not
> accurate that I must purchase a Bird meter. Is this true? Does anyone have
> any experience with swr/watt meters for these frequencies? How about the
> yaesu meters? I did find the MFJ makes a 220MHz meter but I have heard
> nothing but terrible things about MFJ and their quality!
>
> Please help
> KC9BNY
> 73's
>
>

1868. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 12:42:15 UTC
From: TFW <lvc@citlink.net>
Message-ID: <uk2gtg52p2rq5a@corp.supernews.com>
Source record: 41029

Hes not the only one This guy has been successful
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368530278
Check his sold list.

Buy at retail and list on ebay at twice retail

Frank

"John P Vassel" <john@vassel.net> wrote in message
news:3d3ed196$0$1427$2c3e98f8@news.voyager.net...
> "KB9TMP" <kb9tmp@juno.com> wrote in
> news:ahmfjg$ke9$1@dagobah.blueriver.net:
>
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368837175
>
> Judging by what this person purchases and sells on ebay, I'm suspecting he
> doesnt have a clue what he's really selling.
> And I also suspect whoever buys it at some crazy price, will have no idea
> what he's really buying.
> I ebay alot, seem to do really well. But I couldnt justify trying a stunt
> like this guys.
>
> --
> John Vassel
> KC8SKE
> RTFD Volunteer Firefighter

1869. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 14:00:21 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d4155f4$0$3568$2c3e98f8@news.voyager.net>
Source record: 41030

"TFW" <lvc@citlink.net> wrote in news:uk2gtg52p2rq5a@corp.supernews.com:

> Hes not the only one This guy has been successful
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368530278
> Check his sold list.
>
> Buy at retail and list on ebay at twice retail
>
> Frank
>
>
> "John P Vassel" <john@vassel.net> wrote in message
> news:3d3ed196$0$1427$2c3e98f8@news.voyager.net...
>> "KB9TMP" <kb9tmp@juno.com> wrote in
>> news:ahmfjg$ke9$1@dagobah.blueriver.net:
>>
>> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1368837175
>>
>> Judging by what this person purchases and sells on ebay, I'm
>> suspecting he doesnt have a clue what he's really selling.
>> And I also suspect whoever buys it at some crazy price, will have no
>> idea what he's really buying.
>> I ebay alot, seem to do really well. But I couldnt justify trying a
>> stunt like this guys.
>>
>> --
>> John Vassel
>> KC8SKE
>> RTFD Volunteer Firefighter
>
>
>

You know, and it makes no sense anyways, but perhaps these are people
without a credit card?... Paypal allows direct deduction from a checking
account, MAYBE this is what's going on?
I really have no clue, but they're definately not wise as to retail prices.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

1870. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 14:19:32 UTC
From: Gary McAdams <g.m.mcadams@worldnet.att.net>
Message-ID: <UTc09.6699$Kl6.386837@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41031

>
> You know, and it makes no sense anyways, but perhaps these are people
> without a credit card
> John Vassel
> KC8SKE

John,

Here's a simpler explanation:

Maybe these folks buying easily modified and/or
already modified Amateur radios want to use them
for a purpose that would not be legal.

I'll bet that they are willing to pay a little more than
retail to have a discreet, non-traceable transaction?

Then they can jam the local police with imagined
impunity. These are the same folks that used to
buy all their weaponry at local gun shows. Same
reason, different merchandise.

Just something to think about.

Gary WG7X

1871. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 14:46:28 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D4160C4.6050900@optonline.net>
Source record: 41032

In what way is an eBay purchase non-traceable? -- unless the purchaser registers with eBay using a phony address and a "throwaway" e-mail address (at hotmail or the like), then pays by sending cash or a money order (paid for with cash) using a private mailbox as the ship-to address?

To me, the simplest explanation is that people don't do their homework properly, or, IOW, "there's one born every minute."

-=-
Alan, AB2OS

Gary McAdams wrote:

> Here's a simpler explanation:
>
> Maybe these folks buying easily modified and/or
> already modified Amateur radios want to use them
> for a purpose that would not be legal.
>
> I'll bet that they are willing to pay a little more than
> retail to have a discreet, non-traceable transaction?
>
> Then they can jam the local police with imagined
> impunity. These are the same folks that used to
> buy all their weaponry at local gun shows. Same
> reason, different merchandise.

1872. Re: 220 MHz swr/watt meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 15:02:24 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uk2p60l63uamf0@corp.supernews.com>
Source record: 41033
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,uk.radio.amateur

The Yaesu meter does quite well. I think its the YS-60 or something like
that.

Bill
KC4KMG

--
Web Site: www.polkcounty.org/radiofun

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:G8a09.123116$_51.88663@rwcrnsc52.ops.asp.att.net...
> Does anyone know of a meter (cheaper than a bird) that will accurately
read
> the forward and reflected power of a 220 MHz radio <50 watts? I really
like
> the Diamond meters but when reading the literature on the SX-40C it says
> that 220MHz frequencies use a 'correction factor' what is that? I was told
> by another ham that even the meters that cover 220MHz frequencies are not
> accurate that I must purchase a Bird meter. Is this true? Does anyone have
> any experience with swr/watt meters for these frequencies? How about the
> yaesu meters? I did find the MFJ makes a 220MHz meter but I have heard
> nothing but terrible things about MFJ and their quality!
>
> Please help
> KC9BNY
> 73's
>
>

1873. Re: 220 MHz swr/watt meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 15:11:57 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uk2po163o5hp8f@corp.supernews.com>
Source record: 41034
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,uk.radio.amateur

Sorry..its the YS-500 See:
http://www.universal-radio.com/catalog/meters/0672.html

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:G8a09.123116$_51.88663@rwcrnsc52.ops.asp.att.net...
> Does anyone know of a meter (cheaper than a bird) that will accurately
read
> the forward and reflected power of a 220 MHz radio <50 watts? I really
like
> the Diamond meters but when reading the literature on the SX-40C it says
> that 220MHz frequencies use a 'correction factor' what is that? I was told
> by another ham that even the meters that cover 220MHz frequencies are not
> accurate that I must purchase a Bird meter. Is this true? Does anyone have
> any experience with swr/watt meters for these frequencies? How about the
> yaesu meters? I did find the MFJ makes a 220MHz meter but I have heard
> nothing but terrible things about MFJ and their quality!
>
> Please help
> KC9BNY
> 73's
>
>

1874. FS: Kenwood TM-D700A Dual Bander w/APRS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 16:33:46 UTC
From: Garr <garr_1099@hotmail.com>
Message-ID: <3d4179f9$1@rpc1284.daytonoh.ncr.com>
Source record: 41035
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Unit is in perfect working condition and with no cosmetic problems. Always used base. Comes with all standard accessories, original box, and documentation.

Sell for $385.00 shipped and insured. USPS Money Order only.

If interested please email.

Bruce N8CNZ

1875. FS TWT Tubes/TWT Amp/5 ghz Solid State amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 18:17:55 UTC
From: Mike Kulyk <mkulyk@optonline.net>
Message-ID: <Bjg09.4041$qn5.79004@news4.srv.hcvlny.cv.net>
Source record: 41036
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Litton 8 - 18GHz Type L-2384-02 Tube

Varian Freq: unknown Model VTM-6196R1 Tube

Logmetrics Inc. 5.9-6.4 ghz traveling wave tube/Amplifier 2 watts. Unit turns on but is untested. Lens on front panel push button switch broken. Otherwise it lights up push buttons work.

4.2 - 5.0 GHz 1/2 Watt linear driver Amp; 1 Watt Sat power; 47dB gain nominal at 1/2 Watt power output. DC Input: +12V 0.5A. Tested and working.

I will entertain best offer on units above.

Mike WB2GLW

1876. Connection Hamburg/Germany - Jaffna/SriLanka

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 18:25:07 UTC
From: "F. Sch&#65533;fer" <not@interested.com>
Message-ID: <ahs47l$vhka1$1@news.hansenet.net>
Source record: 41037

Hello NG,

we have to establish a connection betrween our head office in Hamburg and the Office in Jaffna/SriLanka in order to transmit data (text and jpg's).

Is it possible to establish such a connection (over so many miles)? And: what hardware do we need?

Greetings from Hamburg (20&#65533;C cloudy approx. 8:30 pm)

F. Sch&#65533;fer

1877. DSP on TS-570D(G) ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 20:58:28 UTC
From: Thierry Lombry <lombryt@hotmail.com>
Message-ID: <3d41b7fd_2@news.vo.lu>
Source record: 41038

Hi,
Can someone tell me if it can be useful to :
- first, upgrade a Kenwood TS-570D to G (including a NR in steps and a more one-touch nternal DSP), see on http://www.kenwood.net/upgrades/
- second buy an external DSP for this RTX ?
My objectibve should be to discriminate more weak HF signals from the QRM and such a DSP seems to provide such improvment. But is it usefuil for such the 570D(G) that seems already well equippped ?

Thanks in advance.

Thierry
ONL5183

1878. Skysweeper

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 20:59:32 UTC
From: R&#65533;gis Fonteneau <regis.ftu@wanadoo.fr>
Message-ID: <ahsgkiqce1@wanadoo.fr>
Source record: 41040

I'm searching information about Skysweeper 2.6 or 2.8, can you help me ?
Thanks !

1879. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 21:22:09 UTC
From: Gary McAdams <g.m.mcadams@worldnet.att.net>
Message-ID: <54j09.7450$Kl6.418509@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41039

Alan Beagley <abeagley@optonline.net>
> In what way is an eBay purchase non-traceable? -- unless

<snip explanation of non-traceable transactions>

> -=-
> Alan, AB2OS
>

Alan gets the gold ribbon!

Answered your own question, didn't you?

Gary, WG7X

1880. Re: 4cx250 cooling???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 22:21:04 UTC
From: Doug <doug@ycsi.net>
Message-ID: <ahsi0g$955$0@63.90.193.146>
Source record: 41041

I've used squirrel cage blowers on my 4CX**** projects that put out about
10 cfm. These tubes require LOTS of air. I've never blown one out of the
socket yet!

Have fun

Doug, K7YD
Livingston, MT

chris wrote:

> Im building a 2m power amplifier with 2 4cx250 tubes
>
> I dont know what king of blower i have to use for cooling.
> Any suggestions
>
> Pls help
> christos

1881. Re: Connection Hamburg/Germany - Jaffna/SriLanka

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 22:22:08 UTC
From: Zoran Brlecic <WA7AA@attbi.com>
Message-ID: <3D41CB5C.12AD8EF@attbi.com>
Source record: 41042

"F. Schï¿½fer" wrote:

> we have to establish a connection betrween our head office in Hamburg and
> the Office in Jaffna/SriLanka in order to transmit data (text and jpg's).
>
> Is it possible to establish such a connection (over so many miles)? And:
> what hardware do we need?

Yes. You need a telephone.

Amateur radio cannot be used for any commercial purposes. Any commercial
radio system, be it HF or satellite is going to be way more expensive than
telephone.

73 ... Zoran WA7AA

1882. DRAKE SPR-4 Technical Manual available (FOR FREE)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 22:25:42 UTC
From: JM CHERRY <jmc@dproducts.be>
Message-ID: <3d41cbf1$0$187$ba620e4c@news.skynet.be>
Source record: 41043

The DRAKE SPR-4 Technical manual is now available in Acrobat pdf file at :
http://www.dproducts.be/drake_museum/spr-4_manual.htm

73,
JM CHERRY
http://www.dproducts.be
http://www.dproducts.be/drake_museum

1883. Re: 2m/70cm Rig In House & Antenna On Car????????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 22:35:50 UTC
From: Mike <mdickman@remove.bevcomm.net>
Message-ID: <3D41CF90.64280F9D@remove.bevcomm.net>
Source record: 41044

NO

Randy wrote:

> Not a ham antenna, I hope. Aren't hams limited to 200 feet?
>
> >
> > Even with "great" coax, if you have enough of it, you can still see
> > this happen. With heliax to an antenna on top of a 500 foot tower,
> > seeing even 1 watt of reflected power with 80 watts going up the
> > tower, I knew that our UHF repeater antenna had been destroyed by
> > lightning again. If the SWR wasn't perfect, it was time to call the
> > tower climbers to replace the antenna.
> >
> > Dave Head
> > K8DH

--
Mike
KD4LLA

"Every month brings something new that people will do," "Today's
MP3 is just yesterday's Internet surfing, which was yesterday's
sending e-mail to relatives, which was yesterday's putting the
book under the table and reading."

1884. FS:Kenwood TM-631A 2 meter 220 mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 22:52:51 UTC
From: 1ARTB <rbouder@dejazzd.com>
Message-ID: <0lk3ku4k67v3h186qnk9bjt92i9hblroco@4ax.com>
Source record: 41045

220 MHZ....Band - Ham Radios "best kept secret"
"Like 17 meters"

I have a Kenwood TM-631 Dual Band Mobile available.
Microphone - power cord - Mobile bracket

2 meter & 220 band
PL Tones / CTCSS
Memories etc...
Mic has Call - MR - VFO - PF - UP - DOWN
16 button DTMF

$350.00 and I will ship.... USA
I can send you some pictures...

Reason for selling -- After 67 years of marriage - Ham friend
(90 Years old) had to move his wife into a constant care facility.
Selling equipment to create cash flow to help cover some of the
expense.

1885. Re: 4cx250 cooling???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-26 23:40:08 UTC
From: Bill Janssen <billj@ieee.org>
Message-ID: <3D41DDD8.FDBBBE49@ieee.org>
Source record: 41046

Depending on how you supply air but you could measure the pressure drop
at the high pressure and low pressure areas. I remember that there were
requirements
for the pressure drop for the air going through the socket and chimney.

Maybe some one has those numbers.

Bill K7NOM

Doug wrote:

> I've used squirrel cage blowers on my 4CX**** projects that put out about
> 10 cfm. These tubes require LOTS of air. I've never blown one out of the
> socket yet!
>
> Have fun
>
> Doug, K7YD
> Livingston, MT
>
> chris wrote:
>
> > Im building a 2m power amplifier with 2 4cx250 tubes
> >
> > I dont know what king of blower i have to use for cooling.
> > Any suggestions
> >
> > Pls help
> > christos

1886. Re: 4cx250 cooling???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 00:37:30 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <eXl09.7695$Kl6.437326@bgtnsc04-news.ops.worldnet.att.net>
Source record: 41047

"chris" <orion@otenet.gr> wrote in message
news:ahr432ktp1@newsmaster.hol.gr...
> Im building a 2m power amplifier with 2 4cx250 tubes
>
> I dont know what king of blower i have to use for cooling.
> Any suggestions

My old 2M amplifier used two 4CX250B in the "plumbers delight"
design. Used a 100 CFM external blower to cool everything, via
flex dryer duct tubing. The flex tubing allowed me to mount the
blower well away from the operating position.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

1887. WTB Military Suplus TCS and PRC-47 HF Gear

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 01:09:07 UTC
From: candoandys@aol.com
Message-ID: <20020726210907.25111.00001405@mb-md.aol.com>
Source record: 40898

Email Andy, K6RY,in Fresno, CA

1888. Yahoo Group for Radio Shack DX-394 Users

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 02:32:26 UTC
From: Tom Holden <holden_family@sympatico.ca>
Message-ID: <4En09.25626$dk1.2003124@news20.bellglobal.com>
Source record: 40899
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.swap

Hi all you Radio Shack DX-394 users. I came across a SIG for this
much-loved, -modified and -maligned receiver that you may find of interest.
It's been up since Jan 2001, has 109 members, 171 postings and has all
those
wonderful YahooGroups features ready to be exploited: Chat, Files, Photos,
Bookmarks, Database, Polls, Calendar. And ads - the price of "free"-dom.
Hope to see you there.

Regards,

Tom

http://groups.yahoo.com/group/RADIOSHACKDX394/

RADIOSHACKDX394 ? A Club for those who use and love the DX-394

A Fan Club for the Radio Shack DX-394 Shortwave Receiver. Please post your
thoughts and ideas of the DX-394. Your favorite Links to other Great DX-394
sites. Also helpful Hints and Tips.

Post message: RADIOSHACKDX394@yahoogroups.com
Subscribe: RADIOSHACKDX394-subscribe@yahoogroups.com

1889. Re: Connection Hamburg/Germany - Jaffna/SriLanka

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 02:38:24 UTC
From: Idontwantspam@net
Message-ID: <3d4204ea.13713569@news.bellatlantic.net>
Source record: 40900

On Fri, 26 Jul 2002 22:22:08 GMT, Zoran Brlecic <WA7AA@attbi.com>
wrote:

>"F. Sch&#65533;fer" wrote:
>
>> we have to establish a connection betrween our head office in Hamburg and
>> the Office in Jaffna/SriLanka in order to transmit data (text and jpg's).
>>
>> Is it possible to establish such a connection (over so many miles)? And:
>> what hardware do we need?
>
>Yes. You need a telephone.
>
>Amateur radio cannot be used for any commercial purposes. Any commercial
>radio system, be it HF or satellite is going to be way more expensive than
>telephone.
>
Ditto. Amateur means non-commercial.

Why not set up an international network between various computer systems with a protocol which routes messages from one user to another? It could have some sort of electronic form of mail messages where you could attach computer files like text and jpg, and we could add features like discussions groups of various topics, transfers of files, and some way of people looking at graphical displays set up by another person on some type of "site". Maybe we could call it something like the "Internet".

Seriously, if you have bandwidth, speed, reliability or security issues not addressed by the Internet, then you should look up an "intranet" or WAN (Wide Area Network) for your firm. Some of these work through the regular Internet, some through dedicated lines, some through satellites. Distance is not an issue. The South Pole station has this, and if there were (when there is) a staffed base on the Moon, it would have the same.

Go to a commercial networking company with your requirements.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

1890. FS: Motorola VHF w/remote kit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 05:44:53 UTC
From: hrbcrb@aol.com.goaway
Message-ID: <20020727014453.07356.00001231@mb-fz.aol.com>
Source record: 40901

GM300 new in unopened box with Motorola remote mount kit (NIB). 146-174Mhz, 16Ch, 25W. M33GMC09C2AA

$315 shipped, US Postal MO only.

Thanks, Hugh KF6HHS
Retired, now life moves at my pace.
please note spam filter

1891. 1200 mhz Antenna Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 06:32:29 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <B9678C8B.EE28%pilot.marc@verizon.net>
Source record: 40902

Looking for a 1200mhz base antenna. Vertical or beam.

73 de AD6MI
Marc

1892. Value Estimate - Long Island Mercury

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 10:21:00 UTC
From: John Seney <wd1v@amsat.org>
Message-ID: <wd1v-B40A5A.06205927072002@netnews.attbi.com>
Source record: 40903

Does anyone know the current value of a used/mint condition
Long Island Mercury Key Paddle?

I have a 3 year old model with a complete collection of all
color plastic handles.

JS
Scope FAQ at http://www.qsl.net/wd1v

1893. FT-847, why so many for sale?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 13:19:31 UTC
From: Bill Crocker <billcrocker@ameritech.net>
Message-ID: <20020727091931615-0400@news.det.sbcglobal.net>
Source record: 40904

I have been considering buying a Yaesu FT-847, to use as a wide-band receiver, until I get my license. It appears to have numerous features over receiver-only rigs that I've had.

Why are there so many FT-847's for sale on the used market? Are people that unhappy, and finding fault with them, or just bored, and want something else?

Thanks,
Bill Crocker

1894. Re: FT-847, why so many for sale?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 13:38:35 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <ahu6j2$d3b$1@news1.kornet.net>
Source record: 40905

I couldn't say why anyone would be unhappy with them, I have one, and wish I could afford another for mobile use. The RX is absolutely wonderful on it. :)

73
Brenda Ann
HL2/K7BAD

"Bill Crocker" <billcrocker@ameritech.net> wrote in message news:20020727091931615-0400@news.det.sbcglobal.net...
> I have been considering buying a Yaesu FT-847, to use as a wide-band
> receiver, until I get my license. It appears to have numerous features
> over receiver-only rigs that I've had.
>
> Why are there so many FT-847's for sale on the used market? Are people
> that unhappy, and finding fault with them, or just bored, and want
> something else?
>
> Thanks,
> Bill Crocker

1895. Which lot of FT530 models receive full 800mhz?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 14:28:38 UTC
From: Mike AB7RU <mparkes@nospamatt.net>
Message-ID: <270720020731200230%mparkes@nospamatt.net>
Source record: 40906

i am looking for one of the earlier production ft530s which covered
full 800 mhz - evidently the later prduction models Yaesu cut out the
800mhz parts or something. Does anyone have info on how to determine if
its one of these earlier models? I have read that the first 2 letters
after the number indicates the lot, and anything 32 or lower was the
early models. I have found one swith serial number 3C100858 so I guess
this would a lot "10" - early model - can anyone confirm this?
thanks, Mike ab7ru

--
To reply via email remove the 'nospam' from the address

1896. Re: FT-847, why so many for sale?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 15:37:34 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D42BE3E.BD7C9C5D@optonline.net>
Source record: 40907

Hi, It's the most bang for the buck, all band radio with satellite and has
a EXCELLENT receiver!!!
I guess some people want something bigger.

73 and good luck!!

Bill Crocker wrote:

> I have been considering buying a Yaesu FT-847, to use as a wide-band
> receiver, until I get my license. It appears to have numerous features
> over receiver-only rigs that I've had.
>
> Why are there so many FT-847's for sale on the used market? Are people
> that unhappy, and finding fault with them, or just bored, and want
> something else?
>
> Thanks,
> Bill Crocker

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

1897. Re: FT-847, why so many for sale?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 15:40:38 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D42BEF6.91DA0C08@optonline.net>
Source record: 40908

Here is a link that compares the 847 to other radios.

http://www.uksmg.org/ft847.htm

Bill Crocker wrote:

> I have been considering buying a Yaesu FT-847, to use as a wide-band
> receiver, until I get my license. It appears to have numerous features
> over receiver-only rigs that I've had.
>
> Why are there so many FT-847's for sale on the used market? Are people
> that unhappy, and finding fault with them, or just bored, and want
> something else?
>
> Thanks,
> Bill Crocker

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

1898. Re: FT-847, why so many for sale?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 15:55:44 UTC
From: Sparks <nospam@no.thanks>
Message-ID: <uk5gl6o233mua0@corp.supernews.com>
Source record: 40909

Excellent receiver, but I really do recommend buying the optional mechanical filters.

1899. WTB: URM-25 Signal Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 17:13:44 UTC
From: David Honeycutt <dhoneycutt@earthlink.net>
Message-ID: <cxA09.9877$Ky3.704265@newsread2.prod.itd.earthlink.net>
Source record: 40910
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Hello,

I'm looking for a URM-25 Signal Generator. If you have one for sale or know
of one for sale, please let me know.

Thanks,
David

dhoneycutt@earthlink.net

1900. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 17:33:43 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D42D977.5000103@optonline.net>
Source record: 40911

But anybody could do the same by buying from HRO or AES (probably for less), so I still don't see the advantage of eBay for "non-traceable" transactions. If I were going to send cash in the mail for something, I'd rather send it to a reputable company than to some (possibly) fly-by-night seller on eBay.

-=-
Alan, AB2OS

Gary McAdams wrote:
> Alan Beagley <abeagley@optonline.net>
>
>>In what way is an eBay purchase non-traceable? -- unless
>
>
> <snip explanation of non-traceable transactions>
>
>>-=-
>>Alan, AB2OS
>
> >
>
> Alan gets the gold ribbon!
>
> Answered your own question, didn't you?
>
> Gary, WG7X

1901. FA: Motorola Rack Mount Power Supply - P/N BPN1022A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 17:40:28 UTC
From: werdnuts@sbcglobal.net
Message-ID: <d49cf50c.0207270940.700fc3ca@posting.google.com>
Source record: 40912

One Motorola original, Rack Mount Power Supply for sale. It was removed from service in good working order. It is Motorola Part Number BPN1022A. The part lists for $1437 New from Motorola. Dealer cost is $1035. Please note, two units are pictured to show both front and back. Note: Item weights about 10 - 15 lbs. Buyer to pay shipping. Please email if you have any questions. Thanks for looking!!!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1753178099

1902. Re: FT-847, why so many for sale?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 18:16:22 UTC
From: paulfriedman@attbi.com
Message-ID: <WrB09.58290$uh7.7408@sccrnsc03>
Source record: 40913

Bill:

I think the biggest reason so many are for sale is that it is such a popular rig. If 1,000 of X exist and only 10 of Y, it is likely that more Xs will be available in the secondary market than Ys.

"Bill Crocker" <billcrocker@ameritech.net> wrote in message news:20020727091931615-0400@news.det.sbcglobal.net...
> I have been considering buying a Yaesu FT-847, to use as a wide-band
> receiver, until I get my license. It appears to have numerous features
> over receiver-only rigs that I've had.
>
> Why are there so many FT-847's for sale on the used market? Are people
> that unhappy, and finding fault with them, or just bored, and want
> something else?
>
> Thanks,
> Bill Crocker

1903. Re: What are FM, WFM, NFM, F2, F3, +-2.5kHz, +-5kHz?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 19:38:05 UTC
From: Rene Altena <rene.altena@gmx.net>
Message-ID: <ahusqv$vl3ha$1@ID-153362.news.dfncis.de>
Source record: 40914
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,aus.radio.amateur.misc,aus.radio.cb

"Richard McCollum" <rmccollOMA@worldnet.att.net> wrote in message
news:y4Q%8.5065$Kl6.247346@bgtnsc04-news.ops.worldnet.att.net...
>
> "Sam Yang" <Sam.Yang@csiro.au> wrote in message
> news:4b8ff9bc.0207242325.6ed172fd@posting.google.com...
> > I am sure the similar question has been asked before. But I cannot
> > find out an answer after a search.

> > 2) What does F2, F3, F3E mean?

> The F nomenclature is a bit obsolete but F1 was FSK (teletype) via
> frequency shift keying, F2 was AFSK, teletype via shifting tones on an FM
> carrier, F3 was voice, the E escapes me at 5 AM.
>

The 'F-nomenclature' is not obsolete... it is a requirement to pass a HAM
radio license examination. so here it goes:

F1A means morse code trough an FM transceiver, by 'keying' the PTT switch
F2A means morse code by making morse-like tones and send them through the
microphone (AFSK)
F3E means voice (speak into the microphone and talk to someone).G3E is
sometimes mentioned. This means 'phase modulation', and is hardly
distinguishable from F3E (frequency modulation) by ear.

Use NFM (or FM, NBFM) for all communications except 'normal' radio stations,
television audio etc.

UHF CB will be using NBFM, NFM, FM. If your radio is using 5kHz deviation,
there will be no problem.

Bye

Rene PD1ALD

1904. Help with ICOM IC-28A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 20:18:32 UTC
From: Carleton Ingerson <n1dxm@prexar.com>
Message-ID: <ctv5kuolstnsue9u416r2os6m2rm9jk1ej@4ax.com>
Source record: 40915

Can someone e-mail me the list of codes for setting the various tone frequencies on an ICOM IC-28A 2 METER Mobile radio?? I have misplaced the manual.

73 de Carl N1DXM

1905. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 21:04:03 UTC
From: Gary McAdams <g.m.mcadams@worldnet.att.net>
Message-ID: <7VD09.8835$Kl6.553190@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40916

Alan Beagley <abeagley@optonline.net> wrote in message
news:3D42D977.5000103@optonline.net...
> But anybody could do the same by buying from HRO or AES (probably for
less), so I still don't see the advantage of eBay for "non-traceable"
transactions.
>

Alan,

That's all true, but I believe that what we are dealing
with here are clueless CB'ers who don't stop to think
about what might be available on the open market.

You and I will buy from AES, HRO, or any number
of reputable dealers.The CB'er, one of those people
who are afraid to give any information regarding
locations, those are the target audience for this type
of E-Bay type transaction.

Again, just a thought...

Gary WG7X

1906. Re: What are FM, WFM, NFM, F2, F3, +-2.5kHz, +-5kHz?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 21:19:29 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uk63j8oilnkj05@corp.supernews.com>
Source record: 40917
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,aus.radio.amateur.misc,aus.radio.cb

> F1A means morse code trough an FM transceiver, by 'keying' the PTT switch

No it doesn't. The F is for frequency modulation but keying an FM transceiver by keying the PTT switch produces no FM signal, only on/off keying of the carrier which is A1A

1907. Re: FT-847, why so many for sale?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 21:31:25 UTC
From: "Alan P. Biddle" <APBIDDLE@MAILAPS.ORG>
Message-ID: <nr26kukh0rf1g077dv8silmvotgeprk4b8@4ax.com>
Source record: 40918

Bill,

I have one, and find it an excellent radio. As one other person commented, there are a lot of them in use, so you see a lot for sale.

A few comments.

The rig is basically optimized for weak signal vhf/uhf/satellite operations. This results in some characteristics which might not be optimum for an HF operator. For robust HF reception, the optional mechanical filters are highly recommended. The stock ones are ok, but because a strong adjacent signal can pump the AGC, the desired signal can sound a bit rough. QST tactfully said something to the effect that it would be a good backup rig for a serious HF operator. It does lack a VOX, though you can buy one from an after market supplier.

Perhaps the only weakness which effects me is that it drifts a bit more than we are used to in modern rigs. It "meets specs," but I insure it has been on for a few minutes if I have time. Also, mostly on 70 cm, the TX frequency drifts a 300-400 Hz or so with extended transmissions. Not a big factor, but noticeable when you are doing satellite operations on SSB or some digital modes. Again, "meets specs."

All in all, an excellent transceiver.

--
Alan
WA4SCA

1908. Re: What are FM, WFM, NFM, F2, F3, +-2.5kHz, +-5kHz?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 22:45:56 UTC
From: Richard McCollum <rmccollOMA@worldnet.att.net>
Message-ID: <EoF09.6554$pg2.551589@bgtnsc05-news.ops.worldnet.att.net>
Source record: 40919
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,aus.radio.amateur.misc,aus.radio.cb

```
"Rene Altena" <rene.altena@gmx.net> wrote in message
news:ahusqv$vl3ha$1@ID-153362.news.dfncis.de...
>
> "Richard McCollum" <rmccollOMA@worldnet.att.net> wrote in message
> news:y4Q%8.5065$Kl6.247346@bgtnsc04-news.ops.worldnet.att.net...
> >
> > "Sam Yang" <Sam.Yang@csiro.au> wrote in message
> > news:4b8ff9bc.0207242325.6ed172fd@posting.google.com...
> > > I am sure the similar question has been asked before. But I cannot
> > > find out an answer after a search.
>
> > > 2) What does F2, F3, F3E mean?
>
> > The F nomenclature is a bit obsolete but F1 was FSK (teletype) via
> > frequency shift keying, F2 was AFSK, teletype via shifting tones on an
FM
> > carrier, F3 was voice, the E escapes me at 5 AM.
> >
>
> The 'F-nomenclature' is not obsolete... it is a requirement to pass a
HAM
> radio license examination. so here it goes:
>
> F1A means morse code trough an FM transceiver, by 'keying' the PTT
switch
> F2A means morse code by making morse-like tones and send them through
the
> microphone (AFSK)
> F3E means voice (speak into the microphone and talk to someone).G3E is
> sometimes mentioned. This means 'phase modulation', and is hardly
> distinguishable from F3E (frequency modulation) by ear.
>
> Use NFM (or FM, NBFM) for all communications except 'normal' radio
stations,
> television audio etc.
>
> UHF CB will be using NBFM, NFM, FM. If your radio is using 5kHz
deviation,
> there will be no problem.
>
> Bye
>
> Rene PD1ALD
```

>
>

Rene, see http://www.itu.int/radioclub/rr/aps01.htm

This is one of these cases where F3E is the new nomenclature for what used to be simply F3 which is probably why the memory did not work all that well at 0500 local. On the new one F2 is time-division multiplex but might be stretched to AFSK as well.

And where FM fax was F4 and FM Television was F5, they are now F3C & F respectively.

My point was and is that history has made this a confusing subject.

Dick N BK

1909. Re: FT-847, why so many for sale?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 23:18:12 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D432A34.82972C8C@optonline.net>
Source record: 40920

Logical

paulfriedman@attbi.com wrote:

> Bill:
>
> I think the biggest reason so many are for sale is that it is such a popular
> rig. If 1,000 of X exist and only 10 of Y, it is likely that more Xs will be
> available in the secondary market than Ys.
>
> "Bill Crocker" <billcrocker@ameritech.net> wrote in message
> news:20020727091931615-0400@news.det.sbcglobal.net...
> > I have been considering buying a Yaesu FT-847, to use as a wide-band
> > receiver, until I get my license. It appears to have numerous features
> > over receiver-only rigs that I've had.
> >
> > Why are there so many FT-847's for sale on the used market? Are people
> > that unhappy, and finding fault with them, or just bored, and want
> > something else?
> >
> > Thanks,
> > Bill Crocker

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

1910. FS: Kenwood SP-230 external speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-27 23:31:52 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <22b6ku4snj8st9ipqv52at7k5bid9ald7a@4ax.com>
Source record: 40921

I have for sale in very good condition a Kenwood SP-230 external speaker....It matches the Kenwood 530, 830 series of radios. I will take $75 plus shipping in the 48 states only.......WZ1U Steve / Lakeville, Mass.

1911. Help! S-38C picks up some but not all frequencies!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 01:22:50 UTC
From: msenecal1@juno.com
Message-ID: <62bf14a6.0207271722.4291716b@posting.google.com>
Source record: 40922
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.antiques.radio+phono

Hello, all!

I just finished re-capping a Hallicrafters S-38C, and after bringing it up to full voltage on a dim-bulb tester I started scanning the bands to see how it worked.

The good news is that with a 3-foot antenna I'm picking up signals from the time broadcast (10MHz), Taiwan, Russia, and all over. The bad news is that signals in the standard AM band, which should be audible w/o an antenna, aren't being picked up at all. For example, the Radio Disney antenna is 2 miles from here, and it wasn't coming in. Also, nothing in the 15-30MHz range came in, but that could be an antenna issue, coupled with the time of day (afternoon). The tests were done at full voltage.

Any ideas as to what I might do to bring in the full range of this radio?

Thanks!

1912. Re: FT-847, why so many for sale?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 01:30:10 UTC
From: George Nelson <WB7VWK.GEORGE@worldnet.att.net>
Message-ID: <3D4348FB.2090201@worldnet.att.net>
Source record: 40923

THINGS THAT I DON'T LIKE ABOUT THE YEASU FT-847

1. VERY NOISY FANS, ALWAYS ON, (SOUNDS LIKE A PERSONAL COMPUTER)
2. CAN'T MEMORY SCAN BY MODE
3. ONLY 78 GENERAL MEMORIES FOR WHOLE RADIO NOT LIKE ADVERTISED (78 PER BAND)
4. NOT ABLE TO PROGRAM DIFFERENT CTCSS TONE ON XMIT AND RECEIVE
5. THE 12 SATELLITE MEMORIES NOT USABLE FOR SAME BAND REPT.
6. ONLY ONE WAY CROSSBAND REPEAT CAPABLE, IN SAT MODE ONLY
7. CTCSS DECODE CKT. OPENS ON SIGNALS WITHOUT PROPER TONE
8. REPEATER OFFSETS ADJUSTABLE, BUT IF USING DIFFERENT ONES IN THE SAME BAND THE MEMORIES DO NOT STORE THEM SEPARATELY
MORE TO FOLLOW

Subject:
FT-847
Date:
Thu, 2 Apr 98 17:57:45 +0000
From:
"Yaesu U.S.A." <yaesu@postoffice.worldnet.att.net>
To:
WB7VWK.GEORGE@worldnet.att.net
CC:
n2jtx@weca.org

Dear OM George:

We're a bit confused. . .

1. Perhaps your fan(s) have some mechanical problem; they are really quiet normally.

2. OK.

3. Where did we advertise 78 memories per band (can't locate such a statement myself)?

4. May I assume that the separate CTCSS tones are for a non-amateur repeater?

5. Amateur satellites do not uplink and downlink on the same band.

6. True. . .but we did not want the compromises (additional Local Oscillators with their attendant birdies, etc.) of dual receive on a high-performance weak signal DX/satellite product.

7. Can't duplicate this one. . .what tone does this happen on? Our units here work perfectly, but we're willing to listen in case we need to know

something.

8. The "Offset" is a fixed item. But you can store split memories to your heart's content. This takes less time than messing around with the re-setting of a "default" offset, to boot. Take another look at the manual, and I'm sure you'll agree.

9. It's "YAESU," not "YEASU" (!).

We hope you'll enjoy the 847 on the upcoming E season, this weekend's DUBUS EME Contest, as well as Phase 3D OSCAR.

73,

YAESU U.S.A.
C. H. Margelli

Thank you for your e-mail response.
Here is my response to your answers.

1. Fan's: Everyone who has seen my radio , comments on the fan noise.
2. MODE SCAN: We agree on.
3. 78 memories per band: In your 6 side, 3 page flier B9200227 under POPULAR MEMORY AND SCANNING FEATURES it states "The ft-847 includes 78 regular memories (comma)" plus other types of memories (comma) and ends with "and a HOME channel on each band (period) When people read this sentence, they tend to believe that this radio has all of these memory types, "on each band", because the period does not appear until
after the statement "on each band." VERY MISLEADING!!
4. Different CTCSS tones on repeaters XMIT and RCV: This is done on many amateur 6 meter repeaters to eliminate problems while linking. The Icom
706 Mark II will do this!
5. Satellite Memories: OK!
6. Crossband Repeat: You could have designed the radio to jump back and forth between the main band frequency and the sub band frequency, like
the early duel band, single freq. mobile transceivers did. (Icon 3210)
7. Radio speakers passes audio (for an instant) while in full CTCSS decode:
Not just an occasional pop when voice frequency matches the tone, but while scanning the memory channels, some being in decode. Plus the speaker clicks occasionally while listening to a single decoded memory
channel.
8. Offset: I understand, But some modern radios memories (Icom 575H) will
remember shift frequency, and not have to refer to the current shift setting.
9. YEASU YEASU YEASU: Sorry about the spelling error.
10.And one more concern: The AF or Vol pot, on the low end. Does not

activate the audio at a low enough level for my taste.

Question: Are these typical problems that all FT-847's have, or
should
I send this one in to have you look at it??
--
****

George Nelson WB7VWK E-Mail: WB7VWK.GEORGE@worldnet.att.net

19350 SW Imperial Ct. Phone: (503) 649-1693

Aloha Or. 97006-2808
Subject:
FT-847
Date:
Thu, 2 Apr 98 23:33:01 +0000
From:
"Yaesu U.S.A." <yaesu@postoffice.worldnet.att.net>
To:
WB7VWK.GEORGE@worldnet.att.net

Dear OM George:

Thanks for your follow up.

1. Dunno. . .but will try to get some relative perspective on the fans.

3. Thank you. I feel better, although I do understand your point about
the sentence structure. That sentence could use a re-write, but I hope
you can see that there was no intent to mislead. I must ask, though,
how you would have the time to load even 78 memories, much less 156?

4. Hmmm. Thanks for the information. Yes, the 706 will do this. No, the
706 isn't worth much as a satellite radio.

6. Ditto on the IC-3210 as a satellite radio. Your point is noted,
though.

7. Thanks for the further information. We'll look into it.

9. Thanks, Goerge Goerge Goerge.

10. Ah. . .the "big step" at the bottom! We'll look into that, too.

Please QRX for further information. Thanks again for the helpful input.

73,

YAESU U.S.A.
C. H. Margelli

Mark Russo wrote:

> Logical
>

> paulfriedman@attbi.com wrote:
>
> Bill:
>
> I think the biggest reason so many are for sale is that it is such a
> popular
> rig. If 1,000 of X exist and only 10 of Y, it is likely that more Xs
> will be
> available in the secondary market than Ys.
>
> "Bill Crocker" <billcrocker@ameritech.net> wrote in message
> news:20020727091931615-0400@news.det.sbcglobal.net...
> > I have been considering buying a Yaesu FT-847, to use as a wide-band
> > receiver, until I get my license. It appears to have numerous
> features
> > over receiver-only rigs that I've had.
> >
> > Why are there so many FT-847's for sale on the used market? Are
> people
> > that unhappy, and finding fault with them, or just bored, and want
> > something else?
> >
> > Thanks,
> > Bill Crocker
>
> --
> ---------------------
> All e-mail received and SENT from me
> has been checked by Norton Anti-Virus 2002.
>
> mrrusso@optonline.net
> ---------------------
> GOD BLESS AMERICA!!!
>
>

1913. WTB BR TCS-5

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 01:31:55 UTC
From: Pete Smith <psmith@xmission.com>
Message-ID: <3D43498B.1C8991D6@xmission.com>
Source record: 40924

Hello
WTB BR TCS-5 .. If you have this unit for sale please send me an e-mail
.. Thanks pete

1914. Re: Help! S-38C picks up some but not all frequencies!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 02:14:10 UTC
From: Crazy George <munschNO@attglobal.net.SPAM>
Message-ID: <3d4358a4_2@news1.prserv.net>
Source record: 40925
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.antiques.radio+phono

Matt:
Unlike AA5s, the S-38 does not have a built in loop, and requires an external wire on the BCB as well as shortwave. If it is misaligned, it could easily not hear nearby MW stations with a short antenna. Sounds like alignment is the next step.

--
Crazy George
Remove NO and SPAM from return address

1915. FA: ADVANCE COAXIAL RELAY like DOW-KEY, 110vac @$20, 1-day

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 02:44:44 UTC
From: rlucch2098@aol.com
Message-ID: <20020727224444.19665.00000882@mb-ba.aol.com>
Source record: 40926

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367754878

1916. FA:RARE BENCHER XZ-2 AUDIO Filter for SSB/CW, MINT>>Tomorrow

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 02:47:01 UTC
From: rlucch2098@aol.com
Message-ID: <20020727224701.19665.00000884@mb-ba.aol.com>
Source record: 40927

Real nice with pictures to boot!
Cheep also @$20
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367755510

1917. fa; Beautifull Yaesu FRG-7700 SW receiver, ends tomorrow nite, cheep

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 02:48:50 UTC
From: rlucch2098@aol.com
Message-ID: <20020727224850.19665.00000886@mb-ba.aol.com>
Source record: 40928

Real nice with pictures to boot!
Cheep also @$150
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367756809

1918. Fa; Cute Gonset 6mtr/AM mobile converter only at $9.99, lasat Call!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 02:50:45 UTC
From: rlucch2098@aol.com
Message-ID: <20020727225045.19665.00000889@mb-ba.aol.com>
Source record: 40929

Real nice with pictures to boot!
Cheep also @$9.99
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367756823

1919. fa;Super>>Signal Corps(WWII) Arc-5 type transmitter, 3-4mcs, Last day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 03:06:14 UTC
From: rlucch2098@aol.com
Message-ID: <20020727230614.19665.00000891@mb-ba.aol.com>
Source record: 40930

Real nice with pictures to boot!
Cheep also @$30
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367756831

1920. FA: heeathkit hd-1410 Iambic paddles & keyer, Cheap & last day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 03:08:13 UTC
From: rlucch2098@aol.com
Message-ID: <20020727230813.19665.00000894@mb-ba.aol.com>
Source record: 40931

Real nice with pictures to boot!
Cheep also @$31
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367756843

1921. fa>>HEATHKIT HD-11 Q-MULTIPLIER,RARE GREEN ONE,NR

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 03:25:26 UTC
From: rlucch2098@aol.com
Message-ID: <20020727232526.19665.00000899@mb-ba.aol.com>
Source record: 40932

Real nice with pictures to boot!
Cheep also @$20
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1367756855

1922. fa--HEATHKIT IM-13 FACTORY WIRED VTVM w/MANUAL NR-Big$24

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 03:27:30 UTC
From: rlucch2098@aol.com
Message-ID: <20020727232730.19665.00000901@mb-ba.aol.com>
Source record: 40933

Real nice with pictures to boot!
Cheep also @$24
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1751411372

1923. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 03:48:19 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uk6qb41rukip58@corp.supernews.com>
Source record: 40934

"Gary McAdams" <g.m.mcadams@worldnet.att.net> wrote in message
news:7VD09.8835$Kl6.553190@bgtnsc04-news.ops.worldnet.att.net...
>
> Alan Beagley <abeagley@optonline.net> wrote in message
> news:3D42D977.5000103@optonline.net...
> > But anybody could do the same by buying from HRO or AES (probably for
> less), so I still don't see the advantage of eBay for "non-traceable"
> transactions.
> >
>
> Alan,
>
> That's all true, but I believe that what we are dealing
> with here are clueless CB'ers who don't stop to think
> about what might be available on the open market.
>
> You and I will buy from AES, HRO, or any number
> of reputable dealers.The CB'er, one of those people
> who are afraid to give any information regarding
> locations, those are the target audience for this type
> of E-Bay type transaction.
>
> Again, just a thought...
>
> Gary WG7X
>
>

Also whenever I buy from AES, HRO, or R & L they
ALWAYS ask for my call sign. A trucker wanting to
use it like a cb won't be able to provide them with one,
but on Ebay they don't give a darn for anything EXCEPT
the money.

--

'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

1924. QUESTION ON UNIDEN 2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 04:45:54 UTC
From: aokd5fxt@aol.com
Message-ID: <20020728004554.04630.00001618@mb-mk.aol.com>
Source record: 40935

I have had the rig in storage for a while (2 or 3 months). When I put it up, all was working fine. Now the display won't come up with digits. It will light up but I can't tell what frequency it is on. Is there a way to reset this display or am I just crap out of luck. Pls email me and let me know if you have had similar problems or know of how to correct the issue.

thanks

Bill

1925. FS: Sunair GSB900sc 100w

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 06:23:35 UTC
From: Steve Gale <stephengale@sympatico.ca>
Message-ID: <76M09.26316$dk1.2363265@news20.bellglobal.com>
Source record: 40936
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

http://members.kingston.net/sgale/Sunair/gsb900sc.htm

by the way im in Kingston Ontario Canada

1926. FS: Astron RS-35M Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 10:33:07 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <vph7ku0jngbvp6tmvjq15mvqj5kbpid4e7@4ax.com>
Source record: 40937

I have for sale in excellent condition an Astron RS-35M. This is the one with dual meters and looks like new with no scratches or marks. I do not have the original box, but it will be packed properly. I will take $120 plus shipping in the 48 states....I can be reached at (508) 821-2993 or email....WZ1U Steve / Lakeville, Mass.

1927. Help needed to connect Icom 706 MkII to ATAS 100

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 10:43:49 UTC
From: Michael Knight <m.a.knight@btinternet.com>
Message-ID: <ai0ht5$9cs$1@venus.btinternet.com>
Source record: 40938

Ddoes anyone know how to construct a control box for the ATAS 100?

I understand that it is possible to send a voltage through the coax to move the antenna up or down.

I have an Icom706 MkIIG and have been trying to find an antenna that would cover all bands from my car, and the ATAS 100 looks goodm although it is soon to be replaced by the ATAS 120.

Mike

1928. FS: ICOM 728 HF mobile rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 10:45:28 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <3hi7ku8mu4itfpc1m57a2p04fsoj4g2jc3@4ax.com>
Source record: 40939

I have for sale in very good condition an ICOM 728 HF mobile rig. The front face has some wear around the microphone jack, PBT knob and some along the top bezel. The covers are mint with no marks, scratches etc. One side of the display light is out and does not affect operation. Its in 100% operating condition and puts out 100 watts from 10 to 160 meters including the WARC bands. It does not have the AM/FM board. I have the original box, manual, dc power cable and ICOM hand microphone. I will ship it anywhere in the 48 states for $350. I can be reached at (508) 821-2993 or email.

1929. Re: Which one would you like better???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 11:45:07 UTC
From: ne0x@starband.net
Message-ID: <tPQ09.11307$dX.238960771@twister2.starband.net>
Source record: 40940

i like the 920 having had one. it was a very solid performer.
"Ania" <anias@bbs.net.pl> wrote in message news:ahjh9p$g9v$1@news.tpi.pl...
> Which one would you like better??? 746 or 920. Consider this from the
aspect
> I am not a 2m band user.
>
>

1930. FS: VARIABLE CAPACITORS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 11:52:40 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <l7m7kuog6gu7fpnrg78o88c9vq95j4nd5k@4ax.com>
Source record: 40941
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FOR SALE:

Transmitting variable capacitors, HF, VHF etc.

E.F Johnson, Hammarlund, Cardwell, National and other brands.
All sizes, including split stator types, loading caps,
neutralizing caps, trimmers etc. etc.20 pF to 1000pF

Examples:
Large E.F. Johnson split stator varable, 300 pF + 300 pF at 3.5 KV
Type MPE 300DD35
Dimensions 9.5" deep X 4.5" X 4.25"
Has standard 1/4" shaft 1.5" long.
Will sell for $26.00

Hammarlund NOS Dual 50 pF split-stator variable capacitor
in original box.
Type MICD-50C with dimensions: 2-1/2" X 2-1/2" X 3" deep
Has standard 1/4" shaft that is 1-1/2" long
Will sell for $12.00

National Co. EMC-1000 variable capacitor 0-1000 pF QRO type,
suitable for HF linear amplifier or large RF final.
Dimensions 3-5/8" wide X 3-1/4" tall X 5" deep plus 1-1/2" long
shaft X 1/4"
This one is NEW in original box. QTY 1 available for $24.00

See full list and pictures at:
http://snow.prohosting.com/sidevalv/varicaps.htm

1931. FS: Yaesu hand microphone FT-101

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 13:09:12 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <auq7ku8otm4fqvfhd7b1tbh8ba1r9f6c2m@4ax.com>
Source record: 40942

I have for sale a Yaesu hand microphone which is used on the FT-101 series of radios and others. The impedance is 50k ohms rated and is in very good condition. If interested, make sure this is the impedance range that you need.....I will ship it US Priority mail for $25......Any questions email me.......WZ1U Steve / Lakeville, Mass.

1932. FS: Heathkit HD-15 Phone Patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 13:16:50 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <dcr7kuc90cr5d9nlt8o1a0p0b4615tnilj@4ax.com>
Source record: 40943

I have for sale a Heathkit HD-15 Hybrid Phone Patch.
Its in excellent condition and will ship it in the 48 states for $25.
I do have the original manual to go with it. I can be reached at
(508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass.

1933. MFJ-931 articial ground

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 13:51:44 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <1et7ku0n7eq0mb7o2eoq546gf74gnjglti@4ax.com>
Source record: 40944

I have for sale in very good condition an MFJ-931 artificial ground with the manual. The cover has a few scratches nothing major. I will ship it in the 48 states for $50.....I can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass.

1934. Kenwood TH-F6A Help Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 13:54:16 UTC
From: "James C. Garland" <4cx250b@miavx1.muohio.edu>
Message-ID: <3D43F788.3080000@miavx1.muohio.edu>
Source record: 40849

Hi Gang,
I need to increase the deviation/mic gain on my TH-F6A. Does anybody know where the control is? I took the cover off and found one trimpot labelled VR7A, but didn't want to mess with it. Is there a hidden menu option for doing this? I sent the radio back to Kenwood, and they replaced the mic, element and claimed they adjusted the deviation, but they didn't. Don't want to send it back again.
Tnx,
Jim W8ZR

1935. FOR SALE: Heath Audio Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 13:56:59 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <rft7ku0pjb3tlclknhlk8nmi3871vocj5s@4ax.com>
Source record: 40946
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,alt.ham-radio.marketplace

```
FOR SALE:
Heathkit AG-9 signal generator
Frequency range 10Hz - 100kHz.
Distortion in the order of 0.05% or less...
Also features very versatile output attenuator with meter, output can
be
adjusted
from about 1mV to 10V RMS continuously variable.
External or Internal 600 ohm load can be switched in.
- a useful piece of equipment.

Will sell for $35.00 plus shipping

Picture available on request
```

1936. FS: Kantronics and AEA TNC's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 14:04:18 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <h5u7kug63i8p3r0nkc47rkkk3lit9gfet2@4ax.com>
Source record: 40945

I have a AEA PK-80 packet controller I do not have the manual or
power supply, but does work for $20. Also Kantronics KPC-4 dual port
communicator with the rs-232 cable. I do not have the power supply or
manual. Will take $25 and both items are plus shipping.......WZ1U
Steve / Lakeville, Mass.

1937. KENWOOD TH-F6A OOPS!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 14:11:08 UTC
From: Jim Garland W8ZR <w8zr@arrl.net>
Message-ID: <3D43FB7C.4020202@arrl.net>
Source record: 40850

Oops! I used an expired email address in my prev. posting. Pse reply to
w8zr@arrl.net
Thanks!
Jim

copy of prev. msg.follows*

I need to increase the deviation/mic gain on my TH-F6A. Does anybody
know where the control is? I took the cover off and found one trimpot
labelled VR7A, but didn't want to mess with it. Is there a hidden menu
option for doing this? I sent the radio back to Kenwood, and they
replaced the mic, element and claimed they adjusted the deviation, but
they didn't. Don't want to send it back again.

1938. FS: TWO ANTENNA TUNERS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 14:13:31 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <ifu7kusbi6uq5aaof0duvs0mc53ddk8ndn@4ax.com>
Source record: 40947

FOR SALE:
TWO ANTENNA TUNERS

Antique transmatch - heavy duty construction with roller inductor,
turns counter,
Large variable capacitors, KW class. E.F. Johnson meter & SWR bridge.
Case is made of hammertone finish steel.
Available for $125.00 plus shipping.
Picture at:
http://home.cfl.rr.com/happysurfer/imag/classic_tuner.jpg

Classic "L Network" KW Tuner with multi-tapped coil
and large variable capacitor. Has 80 - 10 m coverage.
Chassis is 9" X 7" X 2". Air core coil is heavy 12 ga. wire,
4" long by 3.5" dia. on large ceramic standoffs.
Nicely constructed, uses SO-239 connectors.
Available for $40.00 plus ship.
Picture at:
http://home.cfl.rr.com/happysurfer/imag/l_tuner.jpg

1939. Sold: Kantronics and AEA TNC's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 15:07:25 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <qr18ku8slt2njgan3n3ig3ndb2mcufsthb@4ax.com>
Source record: 40848

Both items have been sold......WZ1U

1940. FS: 75 MHz airport marker beacon

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 16:58:21 UTC
From: Alex Wiecek <awiecek@hotmail.com>
Message-ID: <NoV09.218574$WJf1.2574@news01.bloor.is.net.cable.rogers.com>
Source record: 40851

Hi all, I've got two 75 MHz airport marker beacons for sale. The units are made by Philips for Transport Canada.
Both feature output powers from 0.3 to 3 watts. Each unit comes with two tranmitters (main and backup).
At the moment, both are set for outer marker modulation, but I'm sure they can be modulated with just about anything externally.
Mod depth is adjustable from 0 to 98 %.
The units are (were) working but the power sensing module has been removed and it will have to be tricked into operation - a simple task. Without the sensing unit, it will "think" that there is no power output and will try to switch to a standby transmitter.

If you wish to check out the pictures of the unit, go to the following site.

http://members.rogers.com/wiecek6010/sale/marker1.jpg
http://members.rogers.com/wiecek6010/sale/marker2.jpg
http://members.rogers.com/wiecek6010/sale/marker3.jpg
http://members.rogers.com/wiecek6010/sale/marker4.jpg
http://members.rogers.com/wiecek6010/sale/marker5.jpg
http://members.rogers.com/wiecek6010/sale/marker6.jpg

Units come with a service/user manual.

I'm open to best offers. I will even consider trades...

73's to all

Alex VE3GOP
--
Alex Wiecek VE3GOP
43° 33' 43.88" N
79° 45' 55.96" W
http://members.rogers.com/wiecek6010

1941. FS: Solid state voice recorder and player

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 17:06:06 UTC
From: Alex Wiecek <awiecek@hotmail.com>
Message-ID: <2wV09.98811$WsS.46120@news01.bloor.is.net.cable.rogers.com>
Source record: 40852

Hello all..

I've got a solid state recorder and player for sale. It has been used for
Automatic Terminal Information System at a local airport.
The unit is in perfect working condition, comes with one player unit and two
control heads. The control heads are mounted
remotely (or locally if you wish) and are used to record/check/play/transmit
on select functions.
The player unit is hooked up to a transmitter via 600 ohm line to transmit
the recorder message.
Uses? Perfect if you are running an airport and wish to install and ATIS, or
you could use this for a voice beacon on 10m or any other
band.
The unit is capable of recording a 100 second (max) message, it even has an
internally coded standby message while the new message is being
recorded. All modules are 19 inch rack mountable.
They come with manuals, cables, and whatever spares I can locate for it.

If you wish to check out the pics, go to the following site.

http://members.rogers.com/wiecek6010/sale/atis1.jpg
http://members.rogers.com/wiecek6010/sale/atis2.jpg
http://members.rogers.com/wiecek6010/sale/atis3.jpg
http://members.rogers.com/wiecek6010/sale/atis4.jpg

Best offer takes it but I'm open to trades.
Please email with questions/offers at alexwiecek@rogers.com

73's Alex

--
Alex Wiecek VE3GOP
43° 33' 43.88" N
79° 45' 55.96" W
http://members.rogers.com/wiecek6010

1942. Re: 75 MHz airport marker beacon

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 17:07:06 UTC
From: Alex Wiecek <awiecek@hotmail.com>
Message-ID: <_wV09.218581$WJf1.203845@news01.bloor.is.net.cable.rogers.com>
Source record: 40853

Oops...I forgot to include my email address....

alexwiecek@rogers.com

thanks

73's

"Alex Wiecek" <awiecek@hotmail.com> wrote in message
news:NoV09.218574$WJf1.2574@news01.bloor.is.net.cable.rogers.com...
> Hi all, I've got two 75 MHz airport marker beacons for sale. The units are
> made by Philips for Transport Canada.
> Both feature output powers from 0.3 to 3 watts. Each unit comes with two
> tranmitters (main and backup).
> At the moment, both are set for outer marker modulation, but I'm sure they
> can be modulated with just about anything externally.
> Mod depth is adjustable from 0 to 98 %.
> The units are (were) working but the power sensing module has been removed
> and it will have to be tricked into operation - a simple task. Without the
> sensing unit, it will "think" that there is no power output and will try
to
> switch to a standby transmitter.
>
> If you wish to check out the pictures of the unit, go to the following
site.
>
> http://members.rogers.com/wiecek6010/sale/marker1.jpg
> http://members.rogers.com/wiecek6010/sale/marker2.jpg
> http://members.rogers.com/wiecek6010/sale/marker3.jpg
> http://members.rogers.com/wiecek6010/sale/marker4.jpg
> http://members.rogers.com/wiecek6010/sale/marker5.jpg
> http://members.rogers.com/wiecek6010/sale/marker6.jpg
>
> Units come with a service/user manual.
>
> I'm open to best offers. I will even consider trades...
>
> 73's to all
>
> Alex VE3GOP
> --
> Alex Wiecek VE3GOP
> 43° 33' 43.88" N
> 79° 45' 55.96" W
> http://members.rogers.com/wiecek6010

>
>

1943. TS-930S meter lamp replacement

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 18:16:08 UTC
From: Raymond Hansmeier <rhansmeier@attbi.com>
Message-ID: <HxW09.68931$uh7.8590@sccrnsc03>
Source record: 40854

Has anyone done this little task? I do not have the manual so am wondering how much of a chore it is?

K7FU

1944. HAMMARLUND SUPER PRO PS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 18:26:41 UTC
From: joeee1621@aol.com
Message-ID: <20020728142641.02598.00002169@mb-mu.aol.com>
Source record: 40855

ORIGINAL HAMMARLUND POWER SUPPLY FOR THE SUPER PRO..SHIPS IN 2 BOXES:
TRANSFORMER AND TUBES...ALL $200 SHIPPED.

1945. FS: Heathkit Frequency Counter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 18:32:14 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <aqd8ku4b1hgrc2o7adro4pmuao1fe9b45u@4ax.com>
Source record: 40856

I have for sale a Heathkit frequency counter model - IB-1103 in very good condition. I have the original manual and the test cable with bnc connector. I will take $50 plus shipping.......WZ1U Steve / Lakeville, Mass.

Specifications:

Frequency Measurements

Range.....1 Hz to 180 Mhz
Gate time.....1 millisecond, 100milliseconds, or 1 second
Accuracy.....+or- count +or- time base stability.
Readout.....Mhz, Khz, or Hz with positioned decimal point

Signal Input

Maximum Sensitivity.....50 mv maximum, 25mv typical, to 120 Mhz.100mv to 180 Mhz

Coupling.....Ac and DC (Two seperate inputs)
Impedance.....1 Mohm in parallel with 35 pf.
Trigger Level.....Automatic

1946. FS: Coils

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 18:34:48 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <ukd8kugotb4ilo8q6ht1def4u833d3lb4b@4ax.com>
Source record: 40857
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.swap

FOR SALE: COILS & FORMS

Two James Millen coils on ceramic forms. Dimensions
Single hole mounting, solder terminals.
QTY 2 available for $4.00 each

3 turn link with two tube plate caps attached. Ideal for the
homebrewer.
Bekellite swinging arm for coupler. Pivot goes to ceramic "BVL" Jack
bar
with 4 metal jack sockets, and pivot brackets that are wired to two
large plate caps made for tubes with 1/2" diameter plate cap.
Has enameled copper wire and some very useful hardware attached.
Link coil dimensions 2-1/2" diameter. Enamelled 18 gauge copper wire.
QTY 1 only at $5.00

22 turn air core coil. Silver plated 16 gauge wire. Terminated with
solder lugs.
Dimensions 2-1/2" long X 3/4" diameter. Inductance is 2 uH.
QTY 1 available for $2.50

30 turn air core coil. Dimensions are XX" long and XX" in diameter.
(need to measure this one)
Inductance is XX uH. QTY 1 only at $6.00

Air core coil #1 - This coil is 3" diameter and 4" long.
32 turns of 16 awg tinned or silver plated copper wire with mounting
hardware. Great tank coil for a homebrew final amplifier
or antenna tuner. QTY 1 available. Will sell for $15.00 plus shipping

Air core coil #2 - This coil is 3" diameter and 6" long.
48 turns of 16 awg tinned or silver plated copper wire.
Great tank coil for a homebrew final amplifier
or antenna tuner. QTY 1 available. Will sell for $18.00 plus shipping

35 turn coil set - extra nice, new airdux type coil with taps,
mounting plate and
pair of 2.5" ceramic standoff insulators plus all hardware.
Coil is 5" long and 2.5" diameter. 14 or 16 gauge wire.
Inductance is 31 uH. Great for homebrew projects. QTY 1 set available
for $14.00

4 MHz plug-in coil on a 4-pin base. Marked as "B" and has the range of
3.8 to 6.5 MHz
marked on it. Uses enamelled copper wire. Clean. Dimensions XX" Tall X
XX" diameter.

QTY 1 only for $6.00

4 pin plug-in coil wider spaced - looks like it is possibly for 15
meter band.
Has 9 turns of #20 gauge copper wire. Dimensions XX" Tall X XX"
diameter.
QTY 1 available for $4.00

4-pin plug-in coil #3 has form dimensions 2.25" tall X 1.5" diameter.
11 turns of 20 gauge enamelled copper wire. Inductance is 6.5 uH.
QTY 1 available for $5.00

48 turn air core coil - airdux style. Has Dimensions XX" Tall X XX"
diameter.
Inductance is XX uH. QTY 1 only available for $10.00

4-pin plug-in coil. Marked "A" and for range of 2.1 to 4.1 MHz.
Dimensions 3" Tall X 1.5" diameter. QTY 1 available for $6.00

Small 4-pin plug-in coil. Has 9 turns of 20 gauge copper wire. Looks
like
a good candidate for 15 or 20m band.
QTY 1 available for $3.00

5-pin plug-in coil with copper windings - clear plastic form. Looks
like these are
for 75 meters. QTY 2 for $6.00 each.

5 turn coil with plug and socket - looks like it would resonate on 6
meters.
Will sell for $2.00

6 turn air wound coil - airdux style. Dimensions XX" long X XX"
diameter.
One only - available for $3.00

6-pin plug-in coil form - clear plastic, new and never used.
American Phenolic Corp. of Chicago. QTY 1 only. Will sell for $5.00

6 turn coil on black plastic form with mounting screw. Suitable for
VHF driver.
Will sell for $2.00

7 MHz plug-in coil. Octal base - was designed for use with the Vintage
Radio Kit
CP5CW transmitter, but will work with any small or medium size HF rig.
QTY 1 available for $5.00

91 turn air core coil - Measures 6.5" in length and 1.5" diameter. 14
turns per inch.
65 uH inductance. Excellent with plexiglas support and four mounting
holes.
QTY 1 only for $12.00

Ceramic coil, split off-center. Has total of 20 turns with a tap at 13 turns.
On white ceramic form - former dimensions 3" long X 1.5" diameter.
Coil length is 2". Inductance is 8.56 uH. Qty 1 only for $3.00

Ceramic coil with approx 110 turns of green cotton covered wire.
White ceramic form has dimensions - 2" long X 1.5" diameter.
Inductance is around 330 uH. Suitable for AM band or LF applications.
Has screw terminals and solder lugs for connection.
New old stock. QTY 1 only for $4.00

Coil form, ribbed white ceramic. Dimensions are 5" long and 2" diameter.
Ribbed style with slots for wire. Designed to hold 26 turns and would have
about 20 uH. Has 4 mounting holes on each end. Has been repaired; looks fine,
hence low price. Qty 1 only at $1.00

Coil form - odd design ribbed ceramic former with 6 terminals on base and
three mounting screws. Dimensions are XX" tall X XX" diameter.
Qty 1 available for $3.00

Coil mounted on a neat bakelite base. Has 76 turns of enamelled wire on a ceramic form that
has dimensions 2.5" long X 1" diameter. Inductance is 74uH with 4 taps. Good condition,
with mounting hardware and solder lug terminals. QTY 1 available for $2.00

Plate choke form. This is a white ceramic coil former with dimensions 4" long X 3/4" diameter.
Has screw holes in each end for mounting and neat holes for wire attachment.
Would make excellent RFC for plate circuit in an RF final. QTY 1 only at $5.00

Plate choke - NATIONAL Radio Co. multi-layer PI-wound, non-resonant design
with green covered wire. Three hole mount for a medium sized final amplifier.
Metal base with two ceramic support pillars. Height 3.25"
QTY 1 available for $15.00

Plug-in coil with link coupling. 20m coil on 5-pin base.
Marked as model 2420. Unsure of brand. Airdux style coil has 11 turns and the link outside it has 3 turns. QTY 1 only for $5.00

Miniductor B & W 3011 in the original box. Air core coil, 3/4" diameter X 2-5/8" long
HAs 46 turns. Some taps have been attached to the coil.
Note refers to CQ Magazine Aug 1954 Page 19. QTY 1 for $3.00

Another B & W miniductor in the original box. This one is missign the part number.
Dimensions are 1-3/4" long X 1" diameter. 30 turns with a center tap.
QTY 1 available for $3.00

Multi-tapped coil. Unique design attached to a PC board with a tap for every turn.
Airdux type air core form. Coil has a total of 32 turns and dimensions of
4" long X 1.5" diameter. QTY 1 available for $6.00

One coil - wound with enamelled copper wire on a ceramic form
(need to find, measure and describe)
QTY 1 available for $2.00

Ferrite antenna. Has XX turns and Dimensions
(need to find, measure and describe)
Will sell for $2.00

National 5 Henry autotransformer choke A17847 made by National Radio Co.
Q = 10 at 100 Hz, 1mA DC. Has taps at 2%, 40%, 95%, 100% and 105%
Dimensions 2.5" tall X 1.5" square. Potted. Mounts above chassis with four nuts on studs (supplied) QTY 1 available for $2.00

Ohmite Z0 RF chokes. Red type with wire leads. QTY 5 available for $3.00 each

Ohmite Z1 RF choke. Green type with wire leads. QTY 1 available for $3.00

Ohmite Z2 RF choke. Green type with solder lugs. QTY 1 available for $4.00

Ohmite Z3 RF choke. Green type with solder lugs. QTY 1 available for $4.00

RF Choke, Flat with green covered windings. Ceramic form and base with terminals.
Approximately 2 mH. QTY 1 only at $2.00

Two RF chokes. Both have axial leads. Larger one is 2.5 mH and the smaller is 1 mH.
Will sell for $2.00 each.

Tank coil with taps. White ceramic ribbed form has holes for mounting with metal brackets.
(not supplied) Form length is 5" X 2" diameter. Winding consists of 35 turns of 16gauga silver plated or tinned copper wire, 3" in length. Taps are at 16, 23 and 30 turns.
QTY 1 available for $8.00

Variable coil form, with slug tuning inside bakelite former, measuring about 3" long and 1/2" diameter (need to measure for sure)
QTY 1 only for sale at $4.00

Variable coil #2, with slug tuning inside bakelite former, measuring
about 3" long and 1/2" diameter (need to measure for sure)
This one has winding o nit consisting of 11 turns.
QTY 1 only for sale at $4.00

Two chokes on white ceramic forms. 2" tall marked "240N58" -
Inductance 2.4mH
solder terminals - (need to find second one) - will sell for $1.50
each.

Two VHF variable coils on ceramic forms.
QTY 2 only at $1.00 each

Unusual coil - has two stepped levels. Overall dimensions2-1/4" tall X
7/8" diameter.
Upper section is 3/8" diameter with 6 turn coil, lower secion has 8
turns on
7/8" diameter section. Solder terminals. With metal mounting bracket.
QTY 1 only at $1.00

UTC Hermetic variductor, model HVC-8, new in box.
This is a small 4 Henry variable choke.
Will sell for $2.00

E-mail me for pictures or to arrange purchase.

Shipping is additional

1947. Re: TS-930S meter lamp replacement

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 19:31:26 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <3d444590$1_2@newsa.ev1.net>
Source record: 40858

Hardest part is getting th old bulbs out of the little rubber holders.
Place a 50 ohm 1/2 watt resistor in series with the lamps, to prevent
premature failures in the future.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Raymond Hansmeier" <rhansmeier@attbi.com> wrote in message
news:HxW09.68931$uh7.8590@sccrnsc03...
> Has anyone done this little task? I do not have the manual so am wondering
> how much of a chore it is?
>
> K7FU
>
>

1948. Re: FS: Sunair GSB900sc 100w

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 19:34:33 UTC
From: ahvoobner@yahoo.com
Message-ID: <c9ceae5b.0207281134.47e1a9fc@posting.google.com>
Source record: 40859
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

"Steve Gale" <stephengale(nojunk)@sympatico.ca> wrote in message
news:<76M09.26316$dk1.2363265@news20.bellglobal.com>...
> http://members.kingston.net/sgale/Sunair/gsb900sc.htm
>
> by the way im in Kingston Ontario Canada

I see that you first tried to sell this unit as as a "Monster CB"....

-Aaron

From: Steve Gale (stephengale(nojunk)@sympatico.ca)
Subject: FS: Monster CB....++
Newsgroups: rec.radio.cb
Date: 2002-07-25 10:41:06 PST

100w output
http://members.kingston.net/sgale/Sunair/gsb900sc.htm

by the way im in Kingston Ontario Canada

1949. YAESU FT-209R (PAIR)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 20:25:15 UTC
From: joeee1621@aol.com
Message-ID: <20020728162515.02626.00001684@mb-mu.aol.com>
Source record: 40860

PAIR OF FT-209R 2M HANDIES BOTH HAVE THE TONE OPTION PLUS AN ASSORTMENT OF BATTERIES AND CHARGERS AND THEORIGINAL MANUAL..BOTH..THE ENTIRE THING...2 RADIOS AND EVERYTHING ELSE $100 SHIPPED

1950. MANUAL SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 20:25:34 UTC
From: joeee1621@aol.com
Message-ID: <20020728162534.02626.00001685@mb-mu.aol.com>
Source record: 40861

NEED A MANUAL? WE PROBABLY HAVE IT. CONTACT US FOR A LIST-or take a look at this- http://www.myradioroom.com/manualsale.html -OVER 771 LISTINGS AT PRESENT. WE PROBABLY HAVE A COPY OF WHAT YOU NEED. ALL MANUALS $16 SHIPPED UNLESS OTHERWISE NOTED

1951. FS: ICOM R-75, EXTERNAL SPEAKER AND TUNER NEW!!!!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 21:09:45 UTC
From: klodtlarry@aol.com
Message-ID: <20020728170945.06106.00001545@mb-fj.aol.com>
Source record: 40862

Hello! Well I hate to say it, but I am going to sell my NEW ICOM R-75. I purchased this unit the last week of May, 2002. This unit has been used for LESS THAN 1 HOUR! It has never been opened nor does it have any mods done for it. It is in NEW OUT OF THE BOX condition! Here is what is included:

ICOM-R-75, Manual, Icom Power Supply, Box, Jensen Bookshelf Speaker (works as good or better than the SP-21) (matches size and color of the R-75), and an MFJ-956 Tuner/Preselector. All of this is only 2 months old and is in NEW condition used less than 1 hour!

This is the best radio I have ever had, and I hate to sell it, but I have found that I do not have the time to put into the SWL hobby that I thought that I do, and I have decided I would rather pursue other hobbies.

I am asking $600.00 INCLUDING INSURED SHIPPING. This outfit cost me in excess of $700 2 months ago. Please email me if interested!

Thank you!

LARRY- KC0HBB

1952. MFJ-1278 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 21:13:13 UTC
From: Martin Arsenault <ve2bqa@arrl.net>
Message-ID: <3D445E69.CB21323C@arrl.net>
Source record: 40863

Hi,

I received a gift from a local amateur radio club. They give me a MFJ-1278
that's not in service since many years. I looked in to find the firmware version

that is 3.6.

So when i power on the TNC, leds PWR, STA and CON stay on. When I connect a
computer on the rs232 serial port i've got only garbage. I've tried many port
configuration (Speed, parity stop bits and other) so the problem is still there.

The user manual does not talk about leds CON and STA that stays ON.

I've also try to reset the TNC with removing the backup battery with no results.

Somebody can help me ??

Thanks

Martin Arsenault, VE2BQA
Montreal, Canada
ve2bqa@arrl.net

1953. Re: MFJ-1278 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 22:08:54 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <WXZ09.8270$pg2.683867@bgtnsc05-news.ops.worldnet.att.net>
Source record: 40864

Try 1200 baud, 7 bits, even parity.
Might be one or two stop bits.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Martin Arsenault" <ve2bqa@arrl.net> wrote in message
news:3D445E69.CB21323C@arrl.net...
>
> Hi,
>
> I received a gift from a local amateur radio club. They give me a MFJ-1278
> that's not in service since many years. I looked in to find the firmware
version
>
> that is 3.6.
>
> So when i power on the TNC, leds PWR, STA and CON stay on. When I connect a
> computer on the rs232 serial port i've got only garbage. I've tried many port
> configuration (Speed, parity stop bits and other) so the problem is still
there.
>
> The user manual does not talk about leds CON and STA that stays ON.
>
> I've also try to reset the TNC with removing the backup battery with no
results.
>
> Somebody can help me ??
>
> Thanks
> _____________________________
> Martin Arsenault, VE2BQA
> Montreal, Canada
> ve2bqa@arrl.net
>
>
>

1954. Novel Antenna Trap

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 23:08:27 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <ai1thadmo5@knossos.btinternet.com>
Source record: 40865

NEW PROGRAM AVAILABLE

TWINTRAP.exe 33 kilobytes.

Two identical plastic insulated wires are close-wound alongside each for N turns on a cylindrical former. The two wires are then connected series-aiding.

Distributed capacitance between wires resonates with the trap inductance at the trap frequency.

Advantages - no high voltage, high current capacitor is needed. And trimming wire ends for exact frequency is much easier and neater than with coax traps.

Download TRAPDIP from website below.

==========
Regards from Reg G4FGQ
Free Radio Design Software
Go to http://www.g4fgq.com
==========

1955. Re: MFJ-1278 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 23:10:41 UTC
From: Martin Arsenault <martarse@videotron.ca>
Message-ID: <3D4479F1.B69ABA38@videotron.ca>
Source record: 40866

Thanks Hank,

That work now and the leds STA and CON has turn off!!

My com port is set with 1200Baud, even parity, 7 bits and 1 stop bit

Thanks again!!

I hope to hear you on the band!

73's from Martin, VE2BQA
Montreal, Canada

Hank Oredson wrote:

> Try 1200 baud, 7 bits, even parity.
> Might be one or two stop bits.
>
> --
>
> ... Hank
>
> Hank: http://horedson.home.att.net
> W0RLI: http://w0rli.home.att.net
>
> "Martin Arsenault" <ve2bqa@arrl.net> wrote in message
> news:3D445E69.CB21323C@arrl.net...
> >
> > Hi,
> >
> > I received a gift from a local amateur radio club. They give me a MFJ-1278
> > that's not in service since many years. I looked in to find the firmware
> version
> >
> > that is 3.6.
> >
> > So when i power on the TNC, leds PWR, STA and CON stay on. When I connect a
> > computer on the rs232 serial port i've got only garbage. I've tried many port
> > configuration (Speed, parity stop bits and other) so the problem is still
> there.
> >
> > The user manual does not talk about leds CON and STA that stays ON.
> >
> > I've also try to reset the TNC with removing the backup battery with no
> results.
> >

> > Somebody can help me ??
> >
> > Thanks
> > _____________________________
> > Martin Arsenault, VE2BQA
> > Montreal, Canada
> > ve2bqa@arrl.net
> >
> >
> >

--

____
Martin Arsenault
martarse@videotron.ca

1956. Broadcast band sensitivity on Icom 746

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-28 23:54:24 UTC
From: Art Burke <pianomanab@starpower.net>
Message-ID: <1a09kuka0m3mika5nbvlqeb4cvfvfburr1@4ax.com>
Source record: 40867

Is there a mod to increase the sensitivity of the 746 up through 1600
khz?

Thanks,

Art
"A warrior for traditional methods in education"

1957. Re: MFJ-1278 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 00:28:27 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <L_%09.8424$pg2.698383@bgtnsc05-news.ops.worldnet.att.net>
Source record: 40868

Strange as it might seem, 1200,E,7,2 seems to be standard
on all the older TNC2 style TNCs. Glad it is working ok now!

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Martin Arsenault" <martarse@videotron.ca> wrote in message
news:3D4479F1.B69ABA38@videotron.ca...
> Thanks Hank,
>
> That work now and the leds STA and CON has turn off!!
>
> My com port is set with 1200Baud, even parity, 7 bits and 1 stop bit
>
> Thanks again!!
>
> I hope to hear you on the band!
>
> 73's from Martin, VE2BQA
> Montreal, Canada
>
>
>
> Hank Oredson wrote:
>
> > Try 1200 baud, 7 bits, even parity.
> > Might be one or two stop bits.
> >
> > --
> >
> > ... Hank
> >
> > Hank: http://horedson.home.att.net
> > W0RLI: http://w0rli.home.att.net
> >
> > "Martin Arsenault" <ve2bqa@arrl.net> wrote in message
> > news:3D445E69.CB21323C@arrl.net...
> > >
> > > Hi,
> > >
> > > I received a gift from a local amateur radio club. They give me a

MFJ-1278
> > > that's not in service since many years. I looked in to find the firmware
> > version
> > >
> > > that is 3.6.
> > >
> > > So when i power on the TNC, leds PWR, STA and CON stay on. When I connect
a
> > > computer on the rs232 serial port i've got only garbage. I've tried many
port
> > > configuration (Speed, parity stop bits and other) so the problem is still
> > there.
> > >
> > > The user manual does not talk about leds CON and STA that stays ON.
> > >
> > > I've also try to reset the TNC with removing the backup battery with no
> > results.
> > >
> > > Somebody can help me ??
> > >
> > > Thanks
> > > _______________________________
> > > Martin Arsenault, VE2BQA
> > > Montreal, Canada
> > > ve2bqa@arrl.net
> > >
> > >
> > >
>
> --
> _______________________________
> Martin Arsenault
> martarse@videotron.ca
>
>

1958. Curtis Keyer Chip

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 01:12:12 UTC
From: Lester Wahl <torpor-skog@inil.com>
Message-ID: <3d45e666$0$3574$1dc6e903@news.corecomm.net>
Source record: 40886

Curtis Keyer chip 8044ABM

Has anyone experienced any deterioration of
the dit/dah "memory" when operating at higher
speeds? I have several chips, and the one
that experiences the worse problem is the
oldest unit with a date code of 8611. I was
comparing it to a "newer" chip with a date
code of 9140.

I will probably buy a new chip to correct the
problem, but I was just wondering if anyone
else noticed keying problems at higher
speeds?

Was there any production problems in the
early years?

Thanks,
Duke WA9WJB

1959. FA: Yaesu FT-817 QRP Xcvr, LNIB, + Accys

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 02:19:00 UTC
From: Mike White <m.white66@verizon.net>
Message-ID: <oC119.15538$9U4.9949@nwrddc01.gnilink.net>
Source record: 40869

At auction on eBay, a like-new Yaesu FT-817 QRP transceiver in original box with all original accessories, plus additional accessories. Please point your browser to

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369903200

Thanks.

Mike, N4PDY

1960. BRAND NEW MOTOROLA PARTS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 06:22:25 UTC
From: PARTS GUY <securit1951@earthlink.net>
Message-ID: <Ba519.3317$SH3.2809@newsread1.prod.itd.earthlink.net>
Source record: 40870
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

ANY REQUEST E-MAIL WITH PART# AND QUANITY.

SECURIT1951@EARTHLINK.NET

WILL ACCEPT TRADES AS WELL

QUA

1961. Re: DSP on TS-570D(G) ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 08:13:04 UTC
From: Administrator <administrator@telefonica.net>
Message-ID: <3d44f91d$0$247$4d4eb98e@read.news.es.uu.net>
Source record: 40871

> Can someone tell me if it can be useful to :
> - first, upgrade a Kenwood TS-570D to G (including a NR in steps and a
more
> one-touch nternal DSP), see on http://www.kenwood.net/upgrades/

Yes! But check first if you don't already have a DG. There's not a lot of
D's out there.

> - second buy an external DSP for this RTX ?
> My objectibve should be to discriminate more weak HF signals from the QRM
> and such a DSP seems to provide such improvment. But is it usefuil for
such
> the 570D(G) that seems already well equippped ?

NR1 with adjustment (DG), IF Shift, RX Eq, the built-in DSP and my ears do a
good enough job. I don't need an external DSP. But that doesn't mean that
you don't..... ;-)

Ton.

1962. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 09:57:28 UTC
From: Scott Vanzandt <vzandt@midsouth.rr.com>
Message-ID: <eb4akusl7rldv6j1ugl9gg6hajue06llnq@4ax.com>
Source record: 40872

Course you could walk into any hamfest or radio shack and do a cash
transaction.

I also tend to think a lot of people just do not do their homework. I
have routinely got well above market value for items (non radio) sold
on ebay.
Scott
On Sat, 27 Jul 2002 22:48:19 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:

>
>"Gary McAdams" <g.m.mcadams@worldnet.att.net> wrote in message
>news:7VD09.8835$Kl6.553190@bgtnsc04-news.ops.worldnet.att.net...
>>
>> Alan Beagley <abeagley@optonline.net> wrote in message
>> news:3D42D977.5000103@optonline.net...
>> > But anybody could do the same by buying from HRO or AES (probably for
>> less), so I still don't see the advantage of eBay for "non-traceable"
>> transactions.
>> >
>>
>> Alan,
>>
>> That's all true, but I believe that what we are dealing
>> with here are clueless CB'ers who don't stop to think
>> about what might be available on the open market.
>>
>> You and I will buy from AES, HRO, or any number
>> of reputable dealers.The CB'er, one of those people
>> who are afraid to give any information regarding
>> locations, those are the target audience for this type
>> of E-Bay type transaction.
>>
>> Again, just a thought...
>>
>> Gary WG7X
>>
>>
>
>Also whenever I buy from AES, HRO, or R & L they
>ALWAYS ask for my call sign. A trucker wanting to
>use it like a cb won't be able to provide them with one,
>but on Ebay they don't give a darn for anything EXCEPT
>the money.

>and for the spam bots:
>president@whitehouse.gov
>vicepresident@whitehouse.gov
>vento@mail.house.gov
>gephardt@mail.house.gov
>senator@feinstein.senate.gov
>senator_mccain@mccain.senate.gov
>senator@wellstone.senate.gov
>senator_byrd@byrd.senate.gov
>classonde@psbgm.qc.ca
>root@localhost
>admin@localhost
>root@mailloop.com
>Chairman Reed Hundt: rhundt@fcc.gov
>Commissioner James Quello: jquello@fcc.gov
>Commissioner Susan Ness: sness@fcc.gov
>Commissioner Rachelle Chong: rchong@fcc.gov
>postmaster@localhost
>admin@localhost
>
>Eat that, spam! PLEASE copy this and paste it to your sig card.

1963. Re: FS: Sunair GSB900sc 100w

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 10:22:58 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <OH819.1449$tY5.338329@news20.bellglobal.com>
Source record: 40873
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

"Aaron H. Voobner" <ahvoobner@yahoo.com> wrote in message
news:c9ceae5b.0207281134.47e1a9fc@posting.google.com...
> "Steve Gale" <stephengale(nojunk)@sympatico.ca> wrote in message
news:<76M09.26316$dk1.2363265@news20.bellglobal.com>...
> > http://members.kingston.net/sgale/Sunair/gsb900sc.htm
> >
> > by the way im in Kingston Ontario Canada
>
> I see that you first tried to sell this unit as as a "Monster CB"....

So what if he did? You must have all kinds of time on your hands to cross
search posts and then pick them apart. Why not stay in the rec.radio.cb
group where you belong Voob?

1964. Re: Getting Rich On Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 12:31:20 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D453598.A7529BDD@crosslink.net>
Source record: 40874

TFW wrote:
> Buy at retail and list on ebay at twice retail
>

Or get a part time job at HRO then .... :o)

73, K3DWW

1965. TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 13:25:16 UTC
From: Burt <burt@rocketmail.com>
Message-ID: <0nb19.209404$uw.110128@rwcrnsc51.ops.asp.att.net>
Source record: 40875

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADME:B:DS:US:3

1966. FS: Bristol Wrench Sets

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 15:24:30 UTC
From: jonweiner@aol.com
Message-ID: <20020729112430.03010.00000035@mb-fo.aol.com>
Source record: 40876

10 PIECE BRISTOL SPLINE WRENCH SETS FOR COLLINS & HALLICRAFTERS. I have for sale the original hard to find 10 piece Bristol spline wrench sets. These are "L" shaped, made in the USA, and come in a fitted vinyl pouch. Includes all necessary sizes for Collins (even the tiny size for the 75A-4 main tuning knob), Hallicrafters, Johnson and others. Price is $20. per set postpaid USA, $22. postpaid
World-Wide.

1967. Help:IC-24AT parts, book

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 17:08:53 UTC
From: Steve <zarco@sonic.net>
Message-ID: <3D45679A.7D0A@sonic.net>
Source record: 40877

Hi Gang,
Picked up an ICOM IC-24AT over the weekend at a local swapmeet. Its missing the bezel that fits over and around the LCD, and one of the tiny button that are just to the left of the LCD.

Can anyone point me to a source for these parts and an operating manual? I've poked around the ICOM website and didn't see anyway obvious way to order parts. Thanks!

Steve W6SSP

1968. Re: Novel Antenna Trap

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 17:28:21 UTC
From: John Tait <bravo@iol.ie>
Message-ID: <VWe19.2332$IC5.15442@news.iol.ie>
Source record: 40878

Thanks Reg.. You always have interesting stuff..
John EI7BA

"Reg Edwards" <g4fgq.regp@btinternet.com> wrote in message
news:ai1thadmo5@knossos.btinternet.com...
> NEW PROGRAM AVAILABLE
>
> TWINTRAP.exe 33 kilobytes.
>
> Two identical plastic insulated wires are close-wound alongside each for N
> turns on a cylindrical former. The two wires are then connected
> series-aiding.
>
> Distributed capacitance between wires resonates with the trap inductance
at
> the trap frequency.
>
> Advantages - no high voltage, high current capacitor is needed. And
> trimming wire ends for exact frequency is much easier and neater than with
> coax traps.
>
> Download TRAPDIP from website below.
> ---
> ========================
> Regards from Reg G4FGQ
> Free Radio Design Software
> Go to http://www.g4fgq.com
> ========================
>
>
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.380 / Virus Database: 213 - Release Date: 24/07/2002

1969. FS: Kenwood TR-9130 allmode 2 meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 19:45:59 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <hi6bkus79n13dbroh4sp3vrcut8vb0grj6@4ax.com>
Source record: 40879

I have for sale in very good condition a Kenwood TR-9130 2 meter allmode. This is the 25 watt version and comes with the Kenwood MC-46 touch tone microphone, original manual and box, quick release mobile bracket. It has 2 levels of power 5 watts low and 25 high. It covers cw, ssb and fm modes. There is no tone board and the meter light bulb is burned out. I will take $200 plus shipping and can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass.

1970. Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 20:37:19 UTC
From: SideBand <abNO8SPAMlr@csotbs.org>
Message-ID: <3D45A77F.6040708@csotbs.org>
Source record: 40880

Don't you mean "for auction"?

Burt wrote:

> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
> E:B:DS:US:3
>
>
>

--
73 de AB8LR, Chris

http://csotbs.shopiwon.com/ for great deals on computer products.

1971. Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-29 22:26:51 UTC
From: Ham <Remove@spam.com>
Message-ID: <Lij19.285797$DB.7570195@news1.east.cox.net>
Source record: 40881

I bid $1.00 you ship overnight

"SideBand" <abNO8SPAMlr@csotbs.org> wrote in message
news:3D45A77F.6040708@csotbs.org...
> Don't you mean "for auction"?
>
> Burt wrote:
>
> >
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
> > E:B:DS:US:3
> >
> >
> >
>
>
> --
> 73 de AB8LR, Chris
>
> http://csotbs.shopiwon.com/ for great deals on computer products.
>

1972. FS: ICOM 728 HF Rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 00:17:42 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <tdmbkus3nplr45keb68htd4dfg56pbcuhj@4ax.com>
Source record: 40882

I have for sale in very good condition an ICOM 728 HF mobile rig. The front face has some wear around the microphone jack, PBT knob and some along the top bezel. The covers are mint with no marks, scratches etc. Its in 100% operating condition and puts out 100 watts from 10 to 160 meters including the WARC bands. It does not have the AM/FM board. I have the original box, manual, dc power cable and ICOM hand microphone. I will ship it anywhere in the 48 states for $350. I can be reached at (508) 821-2993 or email.

1973. Need manual for MFJ-752B Signal Enhancer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 00:21:09 UTC
From: Norm 's Newsgroups <dadfink@earthlink.net>
Message-ID: <VZk19.3846$w45.348507@newsread2.prod.itd.earthlink.net>
Source record: 40883

I picked up an MFJ-752B at a hamfest but there was no manual. If anyone has
a
manual, a copy would be greatly appreciated

Norm, K2NF

1974. Ameritron QSK-5 Receive Attenuation Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 00:24:52 UTC
From: kk9t@earthlink.net
Message-ID: <3d45d6a7.6675787@news.earthlink.net>
Source record: 40884

I just lashed up an Ameritron QSK-5 to my Yaesu Mark V. After figuring out why I had lights flashing on transmit (key1 & key 2 lines swapped), everything seems to key up fine. I can key the amp (also an Ameritron), the relays hold for about three seconds and I can hear audio when the relays are keyed up but no RF Out is present. It seems to do QSK just fine and seems to work pretty much the way it should work. So, enough playing around on the dummy load. I fired it up on a live band and went to call some DX. I transmitted fine, but after I was done transmitting and the QSK TX relays were still energized though no RF out, I listened for the DX and found the receive audio was 20-30dB down. While I sat there wondering where the DX went, the QSK relays timed out after about three seconds and receive audio came back up to normal.

Anybody have any idea why this would be? My lash up consists of using the band data connector on the back of the Mark V. Pin 2, TX Gnd on the Mark V, goes to Key 2 on the QSK. Pin 8, Linear on the Mark V, goes to Key 1 and AUX on the QSK. Seems like the right lash up per the manual. But, the severe RX Audio attenuation does not sound right.

Any thoughts?

Thanks in advance

Tim
KK9T

1975. FS: Eagle Explorer 12Ch. GPS Like new

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 00:58:18 UTC
From: 800mhz <pottsladd13@yahoo.com>
Message-ID: <Kwl19.10013$pg2.822831@bgtnsc05-news.ops.worldnet.att.net>
Source record: 40885
Cross-posted to: alt.ham-radio.vhf-uhf,pa.forsale,pa.lv.forsale,phl.forsale,rec.radio.amateur.equipment

Eagle Explorer 12 Channel GPS unit with original manual , car cord and
carry case.
$65.00 + $10.00 shipping.
please email direct
thnx

1976. New Pictures on Elecraft Gallery page

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 01:32:19 UTC
From: Eric Swartz WA6HHQ - Elecraft <eric@elecraft.com>
Message-ID: <3D45ECA3.D0BFFAC5@elecraft.com>
Source record: 40890
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

We have updated our Elecraft picture gallery with 39 new pictures.

Go to http://www.elecraft.com and choose the link for the Picture Gallery.

We have new pictures from: Team Vertical (6Y2A), N5KO and 9V1YC as OJ7S at WRTC 2002, new custom paddles and bugs from WB9LPU, Transverters from DL9GRE and N6CM, a receiver from W4OP, a -large- crystal set from KA8EDE, and pictures from DL9RDM, GM3SKN, IZ1DFI, F5PBL, K5JHP, KJ5VW, KT5X, N2XE, DL8MTG, DL3OCG, N2EI, PE1OBG, DL7MGQ, OE3ZK, W7DZN (air mobile), N1DXR, VE3RPF, W3MZN, WA6FWF, WB9JOX, DK1KQ/mm, WE1U and WJ4P.

Whew!

Keep those JPGs coming. You can email them to eric@elecraft.com

73, Eric WA6HHQ

1977. FA: ICOM 756 manual and schematics.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 01:32:58 UTC
From: Darrin <darrin99@nj.rr.com>
Message-ID: <o4rbkugo852qhcqqhlmogcjrar9lq569ln@4ax.com>
Source record: 40887

Original ICOM IC-756 instruction manual and 4 pages of schematics.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369216626

1978. Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 01:39:14 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <57m19.214553$uw.113324@rwcrnsc51.ops.asp.att.net>
Source record: 40888

FA not FS.

1979. Tentec Omni C 243 vfo question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 01:41:50 UTC
From: Jack Berry <jackberry@ameritech.net>
Message-ID: <3D460EDE.B447356A@ameritech.net>
Source record: 40891
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Any of you folks out there know what size and type of wrench is needed to take the main tuning knob off of a 243 VFO? to remove the knob.

Thanks N9JB, Jack

1980. ~/\/\~ { VHF } 40 WATT GM300's Brand New !!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 01:48:50 UTC
From: msisco9939@aol.com
Message-ID: <20020729214850.09294.00000176@mb-mf.aol.com>
Source record: 40889

HI:

~/\/\~ { VHF } 40 WATT GM300's Brand New !!

I have found a few Brand New VHF 146 ~ 174 MHZ 16 Channel
GM300's Still in the Box ! Comes with Power Cable, Mic,
mounting hardware and Instructions

These are well known for their Excellent Performance, will do 45
Watts with ease, large enough heat sink for long tx durations,
full coverage over the entire 146-174 mhz Range.

With a R*I*C*K they can be used as a Repeater as they have
the full feature operations.

Super chance to get a Stable, High-Performance Mobile Radio
for less than wholesale cost

$335.00ea+ 10.00 S & H (Original Cost was over 750.00)

Photo @ http://www2.4dcomm.com/metrotech/gm_rad.jpg

Terms:

PayPal Now Accepted !!

Acceptable PrePayment in the form of a Postal Money Order, PayPal (If
immediate shipping is desired) or a Personal / Business check is A-OK too if
you do not mind a Short Shipping Delay due to bank processing time. This is
required only the first time or two as once you are in the data base,
PrePayment is no longer required

1981. Re: TS-930S meter lamp replacement

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 02:05:53 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <1wm19.214821$uw.113847@rwcrnsc51.ops.asp.att.net>
Source record: 40892

Keep in mind the originals are 8.0v lamps. You can get Radio Shack
replacements that will fit but they only come in 6.3v and 12v denominations.
You can use the 12v directly and it will be dimmer than the old one but it
will last forever. If you use the 6v version, be sure to put a 100 ohm 1/2
watt resister in series to drop the 8v to the 6v rating. You might
experiment with the resistor to obtain about 5.5v across the lamp.

Hope this helps,

Rick <><
W7RBR

"Raymond Hansmeier" <rhansmeier@attbi.com> wrote in message
news:HxW09.68931$uh7.8590@sccrnsc03...
> Has anyone done this little task? I do not have the manual so am wondering
> how much of a chore it is?
>
> K7FU
>
>

1982. Icom 706 vs. Yeasu FT-100

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 02:44:46 UTC
From: Verbami <Verbami@sNOhSPaAMw.cNOa>
Message-ID: <y4n19.71443$Ag2.3382417@news2.calgary.shaw.ca>
Source record: 40893

Hi all,

Well, I've almost got my code rating at 15WPM(does anyone else find that 5WPM is painfully slow, not only to copy, but even worse to send?) so it's time to get an HF rig. I have pretty much decided on one of these two all band,all mode rigs . The problem though, is that I can't tell much of a difference from the specs. So I was hoping to pick the group's mind as to the advantages/disadvantages, likes/dislikes, usability, nice special features etc. of the two radios. Some other pertinent info: I have used a 706 already and liked it, but I was limited to voice since I didn't have any code at all at the time and I didn't use any of the more advanced functions, or even some of the basic ones (like changing bands...), Also, I'm moving from Canada to Europe after the airline tickets go down after Christmas and will want to use it there as well. Oh yeah, I'll be using it as a base station.

I guess that's it, thanks for helping.
Ben VA6BEN

1983. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 03:35:20 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D460978.3050007@lakefield.net>
Source record: 40894
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a package $600

Kenwood TM251A 95% $100 SOLD
Kenwood TM451A 98% $115 SOLD

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a package $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater (Possibly SOLD)
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

1984. F/S RANGER RCI-2990 BASE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 04:06:22 UTC
From: JIMBOW65@webtv.net
Message-ID: <3893-3D4610BE-58@storefull-2375.public.lawson.webtv.net>
Source record: 40895

HI, I HAVE A RANGER RCI-2990 BASE
10-METER AND MORE...THIS RADIO IS IN MINT CONDITION 9 AND¾. DO NOT
KNOW MUCH ABOUT THIS RADIO IT WAS MY DADS RADIO, AND MY MOTHER IS 73
YEAR OLD, AND SHE SOLD THE HOUSE. AND THIS WAS IN THE BASEMENT IN A BOX.
I PLUG IT IN AND IT LIGHT UP NICE.. DID NOT FIND A MIC. MY FRIEND DAD IS
A RADIO NUT AND HE HAD A MIC THAT FIT, AND HE PUT SOME METER BOX ON
WITH THE CABLE AND HE SAD IT WORKS.. AND THEN HE WAS TALKING TO
SOMEBODY THAT WAS ABOUT 500MILES AWAY. MY FRIEND DAD SAD IT IS IN VERY
GOOD CONDITION, AND I COULD GET $475.00 FOR IT EZ.
HE HAS ABOUT 7 RADIO OR HE WOULD HAVE TAKING IT.. SO IT COME WITH NO MIC
BUT I HAVE A BOOK ON IT.. MANUL. LOOKING FOR $425.00 PULS SHIPPING..
E-MAIL ME FOR A PICTURE THANKS..

1985. Radio mods at W8MMQ.COM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 04:28:00 UTC
From: Daniel Hicks <dahicks-NOSPAM@email.com>
Message-ID: <kBo19.180225$Wt3.136235@rwcrnsc53>
Source record: 40896

Check out the radio mods at W8MMQ.COM
http://www.w8mmq.com/mods/
Over 1,200 radio mods listed, and updated often.

Also, check out the W8MMQ Amateur Radio Page:
http://www.w8mmq.com/

73 de,
Dan, W8MMQ

1986. Re: VARIABLE CAPACITORS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 04:44:36 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <YQo19.1330$672.684599@news20.bellglobal.com>
Source record: 40897
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

> National Co. EMC-1000 variable capacitor 0-1000 pF QRO type,
> suitable for HF linear amplifier or large RF final.
> Dimensions 3-5/8" wide X 3-1/4" tall X 5" deep plus 1-1/2" long
> shaft X 1/4"
> This one is NEW in original box. QTY 1 available for $24.00

I'll take it if it is still available

1987. Re: TS-930S meter lamp replacement

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 04:59:21 UTC
From: Raymond Hansmeier <rhansmeier@attbi.com>
Message-ID: <J2p19.216760$uw.118084@rwcrnsc51.ops.asp.att.net>
Source record: 40798

Thanks for the info. I found some nice lamps here at a local electronics store. (Norvac) Nice long insulated leads 14-24V. Grain O wheat bulbs. 70 cents apiece! The actual voltage is 28.5V. I measured it with a fluke meter. The manual must be incorrect and that is also what another feller told me. Since I don't have the manual I checked it out for myself and lo and behold 28.5V. So having said all that all is now well and the meter is lit up once more! Thanks to all who helped and if you need some bulbs let me know if you cant find em. I will be glad to help.....K7FU

"Rick Riverman" <rbriver@attbi.com> wrote in message
news:1wm19.214821$uw.113847@rwcrnsc51.ops.asp.att.net...
> Keep in mind the originals are 8.0v lamps. You can get Radio Shack
> replacements that will fit but they only come in 6.3v and 12v
denominations.
> You can use the 12v directly and it will be dimmer than the old one but it
> will last forever. If you use the 6v version, be sure to put a 100 ohm
1/2
> watt resister in series to drop the 8v to the 6v rating. You might
> experiment with the resistor to obtain about 5.5v across the lamp.
>
> Hope this helps,
>
> Rick <><
> W7RBR
>
> "Raymond Hansmeier" <rhansmeier@attbi.com> wrote in message
> news:HxW09.68931$uh7.8590@sccrnsc03...
> > Has anyone done this little task? I do not have the manual so am
wondering
> > how much of a chore it is?
> >
> > K7FU
> >
> >
>
>

1988. VR-5000 Control and Log Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 09:18:21 UTC
From: Michael <ipas.m@free.fr>
Message-ID: <3d4659dc$0$469$626a54ce@news.free.fr>
Source record: 40799

Hi everybody
For all who have a Scanner Yeasu VR-5000 you can now download "VR5000 Control And Log".
This soft allows you to control some funciotns of your VR-5000 and to log activities between a range of frequencies that you program.
So you can know which frequencies are in use when you are not at home.
To download this software :
http://ipas.m.free.fr/modules.php?name=Downloads&d_op=getit&lid=19

73's

Michael

F1UBJ

1989. Drake TR-3 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 11:15:28 UTC
From: Kevin <123@abc.org>
Message-ID: <ai5sga02cl0@enews2.newsguy.com>
Source record: 40800
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I recently added a TR-3 to my boat anchor collection. I have a couple of questions. First, the S meter and the PA current meter seem to have some interaction when the unit is receiving. Is this normal? I can see no common path between them on the schematic. Second, is there a mod that would allow the rig to select the proper sideband on each band without switching to the X position? TIA and 73,

Kevin, K9HX

1990. Re: Icom 706 vs. Yeasu FT-100

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 11:57:41 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0207300357.1681593a@posting.google.com>
Source record: 40801

"Verbami" <Verbami@sNOhSPaAMw.cNOa> wrote in message
news:<y4n19.71443$Ag2.3382417@news2.calgary.shaw.ca>...
> Hi all,
>
> Well, I've almost got my code rating at 15WPM(does anyone else find that
> 5WPM is painfully slow, not only to copy, but even worse to send?) so it's
> time to get an HF rig. I have pretty much decided on one of these two all
> band,all mode rigs . The problem though, is that I can't tell much of a
> difference from the specs. So I was hoping to pick the group's mind as to
> the advantages/disadvantages, likes/dislikes, usability, nice special
> features etc. of the two radios. Some other pertinent info: I have used a
> 706 already and liked it, but I was limited to voice since I didn't have any
> code at all at the time and I didn't use any of the more advanced functions,
> or even some of the basic ones (like changing bands...), Also, I'm moving
> from Canada to Europe after the airline tickets go down after Christmas and
> will want to use it there as well. Oh yeah, I'll be using it as a base
> station.
>
> I guess that's it, thanks for helping.
> Ben VA6BEN

Try http://groups.google.com/groups?hl=en&lr=&ie=UTF-8&safe=off&q=icom+706+vs+yaesu+ft-100
&spell=1
for a load of previous posts on this. It has been debated many times.
Myself, I went with the 706g, but I wouldn't be afraid to try a
ft-100. I've never been able to actually compare them side by side, so
I can't make an accurate judgement. There are a couple of things that
swayed me to the icom. #1, it's rated at 100% duty cycle. As far as I
can determine, the ft-100 is rated 50% duty cycle. I also like the
so-239's instead of the pigtail ant connectors. As far as the ft-100d,
a plus is an included CW filter I think. And a wider receiver range in
the VHF-UHF section. But that wouldn't effect ham use. The 706g covers
30hz to 200 mhz, and then skips from 200-400 mhz, and picks back up at
400-470 mhz. You miss being able to listen to 220, or military air,
etc, etc.
As far as I know, the ft-100 covers VHF-UHF straight line up to
800-900 mhz I believe. But again, this is not really a "ham" issue,
but more a "scanner" issue..:/ I do like to listen around, and is one
reason I bought a wide range radio. As far as a strictly "ham" radio,
I came to the conclusion I like the 706mk2g best. But thats just me. I
think either one is a decent radio. I run a 706g thru a computer sound
card here at the house, and it works and sounds very good for the
small radio it is. Thru the sound card and good speakers, it sounds
like a big radio, and that gives me DSP cw filters, etc. I use it

mobile also. I want to get a laptop to run all my sound and digi stuff
when mobile/portable...Also would have gps hookup , etc ..I could run
SSTV mobile, etc.. :/ MK

1991. Re: Icom 706 vs. Yeasu FT-100

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 14:38:20 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D46A4DC.1060700@optonline.net>
Source record: 40802

One thing I have just discovered about my new IC-706MkIIG is that, although it can be interfaced to a computer, it is not possible to set the subaudible tone frequencies remotely; I can turn the tone on and off remotely, but I can't specify its frequency (I assume that, unless set using the transceiver's own controls, that it uses the default frequency -- 88.5Hz unless changed). It's not that I want to control the rig from the computer rather than by using the rig's own controls, but I did want to be able to save and restore all the settings in case a total reset of the rig became necessary. Still, I would rate this as an annoyance rather than as a fatal flaw.

-=-
Alan, AB2OS

Verbami wrote:
> Hi all,
>
> Well, I've almost got my code rating at 15WPM(does anyone else find that
> 5WPM is painfully slow, not only to copy, but even worse to send?) so it's
> time to get an HF rig. I have pretty much decided on one of these two all
> band,all mode rigs . The problem though, is that I can't tell much of a
> difference from the specs. So I was hoping to pick the group's mind as to
> the advantages/disadvantages, likes/dislikes, usability, nice special
> features etc. of the two radios. Some other pertinent info: I have used a
> 706 already and liked it, but I was limited to voice since I didn't have any
> code at all at the time and I didn't use any of the more advanced functions,
> or even some of the basic ones (like changing bands...), Also, I'm moving
> from Canada to Europe after the airline tickets go down after Christmas and
> will want to use it there as well. Oh yeah, I'll be using it as a base

1992. PA on (Russian ?) tranzistors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 16:46:41 UTC
From: Bizon <bizongod@poczta.fm>
Message-ID: <ai6g7g$iu9$1@news.tpi.pl>
Source record: 40803
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment

Hi !
I'm looking for PA on 23cm built on
any cheap tranzistors (russian ?).
It should give 15W with 13dBm (20mW)
driving.

Thanks
Bizon

1993. WTB: Yaesu FT-50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 17:35:04 UTC
From: Headhamster <headhamster@earthlink.net>
Message-ID: <c7A19.493$nc.44166@newsread1.prod.itd.earthlink.net>
Source record: 40804
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I am looking for a used Yaesu FT-50. Unit must be 100% functional. Please state price, accessories, etc.

Thanks,

Rich

1994. FS: Johnson Valliant

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 17:48:23 UTC
From: slo100bw1@aol.com
Message-ID: <20020730134823.27017.00000498@mb-fi.aol.com>
Source record: 40805

Rig is in very good operating and physical shape. I bought it it two years ago and have had it on the air only twice. I lost the interest. Comes with a copy of the manual. P/u in NY only. Asking $300 or BO.

1995. FS: Hallicrafters SX101A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 17:50:30 UTC
From: slo100bw1@aol.com
Message-ID: <20020730135030.27017.00000503@mb-fi.aol.com>
Source record: 40806

Receiver is in very good physical shape. Was receiving up until not too long ago, but then dropped out. I believe it is only a tube or two. I really do not have the time to go through it. Comes with original manual. Asking $275 or BO.

1996. Re: Tentec Omni C 243 vfo question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-30 23:37:31 UTC
From: Mike <k0coy@amsat.org>
Message-ID: <%qF19.840$ua1.14844@twister.rdc-kc.rr.com>
Source record: 40807
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

My 050 ball driver fits perfectly.

--
Thanks....
Mike
k0coy@amsat.org

1997. Yaesu FT-100D or FT-817 , can't decide on either of these. Ruled out Icom already.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 00:49:10 UTC
From: massimj@hotmail.com
Message-ID: <e9d3dd29.0207301649.4ec35fe6@posting.google.com>
Source record: 40808

I ordered the FT-817, but it was before I read all the input on the FT-100D. It sure would be a no brainer if the 100D had the great press that the 817 has. I read feedback on both all day long. I am wanting some feedback from the guys who know both of these radios. I know that some of you have both, or had both at one time or another, please comment.

I have missed working CW on HF, but no much else about it. I do use the UHF in the car every day, and I don't spend too much time on 2M anymore. The only thing that concerns me about the 817 is the power, 5 watts is not much, but should be fine for VHF, and UHF, It's the HF band that I feel I would like the option of more power. The minor fixes for the FT-100D, which are required right from the carton, don't bother me so much. I ordered from Ham Radio Outlet, and since they move a lot of product, I think the chances of getting old stock are slim.

I understand that there are amplifier projects going on that can boost the power of the 817, but since they are projects, they will be subject to time, and luck. Plus, they will only boost the rig to 50 or 65 watts. I doubt that the difference between that and 100 Watts would be very noticable. So the only hope of more power on HF is an amplifier that will not be easy to get.

Will I regret not getting the power of the 100D? How about that automatic antenna, the people who have it mostly say good things about it, but not all.

The other things that attract me to the 100D is the DSP, and CW filter that come stock now. The combination of these it said to be real nice for CW work. The mod on the mic would be easy, so that's no big deal.

It's a hard choice.. Not one harsh word on the 817 could be found, but there has been a few comments about the power. ALso, I know that some of the 100D problems are a direct result of the power it has, with low power comes less problems in shielding and filtering. So if the 817 had more power, it too would have more troubles than it does. Right or wrong? I hate that I ordered the 817 without getting this straight first. Joe

1998. TW-4100A questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 01:01:38 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <SFG19.1467$cl.131872@newsread2.prod.itd.earthlink.net>
Source record: 40809

Hi all:
I just purchased an intermittent TW-4100A. Once I get that intermittent fixed, I would like to know how to program it.
I seem to be able to program channels 1-4 okay, but 5 - 10 don't seem to have PL on them.
Maybe there is another quirk?
Need a copy of the manual.
Best Regards...Frank, KG9H

Frank Krozel
Voice 630-924-1600
Fax 630-924-1668
Cell 630-890-5421 24/7
Home 630-653-9090
Electronic Instrument Associates - Central, Inc.
website: http://www.electronicinstrument.com
join the IEEE today! see http://www.ieee.org

1999. Re: Yaesu FT-100D or FT-817 , can't decide on either of these. Ruled out Icom already.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 01:02:18 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <uGG19.982$ua1.19582@twister.rdc-kc.rr.com>
Source record: 40810

Call HRO and tell them you are going to refuse the order, it will be returned to them un-opened. Explain your dilemma to them and I'm sure they will credit your account and work with you.. QRP operation can be a lot of fun but it is nothing like operating with 100W. It takes a lot of patience and skill. It's not a problem to come up with an amp for the 817 but now you have a conglomeration of equipment that is much larger than the FT-100, (i.e., 817, amplifier, power supply, etc., etc). Also, you will wind up with more money invested and still won't have the sophistication of the ft-100D. This could go on and on but the bottom line to me is, you have doubts now and I would not be surprised if you get very discouraged with the 5W 817 and then dump it off in the used market. (There are a lot of them for sale). Perhaps you should consider going 100W first and reducing the power if you want to sample qrp...later, if you find qrp is for you, you can pick up an 817 or one of the other qrp xcvr's. Just my $0.02 worth.

Van,
K0KAV

"Joe" <massimj@hotmail.com> wrote in message
news:e9d3dd29.0207301649.4ec35fe6@posting.google.com...
> I ordered the FT-817, but it was before I read all the input on the
> FT-100D. It sure would be a no brainer if the 100D had the great
> press that the 817 has. I read feedback on both all day long. I am
> wanting some feedback from the guys who know both of these radios. I
> know that some of you have both, or had both at one time or another,
> please comment.
>
> I have missed working CW on HF, but no much else about it. I do use
> the UHF in the car every day, and I don't spend too much time on 2M
> anymore. The only thing that concerns me about the 817 is the power, 5
> watts is not much, but should be fine for VHF, and UHF, It's the HF
> band that I feel I would like the option of more power. The minor
> fixes for the FT-100D, which are required right from the carton, don't
> bother me so much. I ordered from Ham Radio Outlet, and since they
> move a lot of product, I think the chances of getting old stock are
> slim.
>
> I understand that there are amplifier projects going on that can boost
> the power of the 817, but since they are projects, they will be
> subject to time, and luck. Plus, they will only boost the rig to 50 or
> 65 watts. I doubt that the difference between that and 100 Watts would
> be very noticable. So the only hope of more power on HF is an
> amplifier that will not be easy to get.

>
> Will I regret not getting the power of the 100D? How about that
> automatic antenna, the people who have it mostly say good things about
> it, but not all.
>
> The other things that attract me to the 100D is the DSP, and CW filter
> that come stock now. The combination of these it said to be real nice
> for CW work. The mod on the mic would be easy, so that's no big deal.
>
> It's a hard choice.. Not one harsh word on the 817 could be found, but
> there has been a few comments about the power. ALso, I know that some
> of the 100D problems are a direct result of the power it has, with low
> power comes less problems in shielding and filtering. So if the 817
> had more power, it too would have more troubles than it does. Right
> or wrong? I hate that I ordered the 817 without getting this straight
> first. Joe

2000. Re: Yaesu FT-100D or FT-817 , can't decide on either of these. Ruled out Icom already.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 01:39:20 UTC
From: dummy@dud.com
Message-ID: <psfekukru5mm5j4tobve86na9vid78s6sd@4ax.com>
Source record: 40811

On 30 Jul 2002 17:49:10 -0700, massimj@hotmail.com (Joe) wrote:

>I ordered the FT-817, but it was before I read all the input on the
>FT-100D. It sure would be a no brainer if the 100D had the great
>press that the 817 has. I read feedback on both all day long. I am
>wanting some feedback from the guys who know both of these radios. I
>know that some of you have both, or had both at one time or another,
>please comment.

Wait for the FT-897.... !!!!!!

2001. Re: Yaesu FT-100D or FT-817 , can't decide on either of these. Ruled out Icom already.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 01:50:10 UTC
From: Buyer Beware <BuyerBeware@hotmail.com>
Message-ID: <mnH19.290297$DB.7931680@news1.east.cox.net>
Source record: 40812

Get a 980

"Keith V" <kavan@neb.rr.com> wrote in message
news:uGG19.982$ua1.19582@twister.rdc-kc.rr.com...
> Call HRO and tell them you are going to refuse the order, it will be
> returned to them un-opened. Explain your dilemma to them and I'm sure
they
> will credit your account and work with you.. QRP operation can be a lot
of
> fun but it is nothing like operating with 100W. It takes a lot of
patience
> and skill. It's not a problem to come up with an amp for the 817 but now
> you have a conglomeration of equipment that is much larger than the
FT-100,
> (i.e., 817, amplifier, power supply, etc., etc). Also, you will wind up
> with more money invested and still won't have the sophistication of the
> ft-100D. This could go on and on but the bottom line to me is, you have
> doubts now and I would not be surprised if you get very discouraged with
the
> 5W 817 and then dump it off in the used market. (There are a lot of them
> for sale). Perhaps you should consider going 100W first and reducing the
> power if you want to sample qrp...later, if you find qrp is for you, you
can
> pick up an 817 or one of the other qrp xcvr's. Just my $0.02 worth.
>
> Van,
> K0KAV
>
> "Joe" <massimj@hotmail.com> wrote in message
> news:e9d3dd29.0207301649.4ec35fe6@posting.google.com...
> > I ordered the FT-817, but it was before I read all the input on the
> > FT-100D. It sure would be a no brainer if the 100D had the great
> > press that the 817 has. I read feedback on both all day long. I am
> > wanting some feedback from the guys who know both of these radios. I
> > know that some of you have both, or had both at one time or another,
> > please comment.
> >
> > I have missed working CW on HF, but no much else about it. I do use
> > the UHF in the car every day, and I don't spend too much time on 2M
> > anymore. The only thing that concerns me about the 817 is the power, 5
> > watts is not much, but should be fine for VHF, and UHF, It's the HF
> > band that I feel I would like the option of more power. The minor
> > fixes for the FT-100D, which are required right from the carton, don't

> > bother me so much. I ordered from Ham Radio Outlet, and since they
> > move a lot of product, I think the chances of getting old stock are
> > slim.
> >
> > I understand that there are amplifier projects going on that can boost
> > the power of the 817, but since they are projects, they will be
> > subject to time, and luck. Plus, they will only boost the rig to 50 or
> > 65 watts. I doubt that the difference between that and 100 Watts would
> > be very noticable. So the only hope of more power on HF is an
> > amplifier that will not be easy to get.
> >
> > Will I regret not getting the power of the 100D? How about that
> > automatic antenna, the people who have it mostly say good things about
> > it, but not all.
> >
> > The other things that attract me to the 100D is the DSP, and CW filter
> > that come stock now. The combination of these it said to be real nice
> > for CW work. The mod on the mic would be easy, so that's no big deal.
> >
> > It's a hard choice.. Not one harsh word on the 817 could be found, but
> > there has been a few comments about the power. ALso, I know that some
> > of the 100D problems are a direct result of the power it has, with low
> > power comes less problems in shielding and filtering. So if the 817
> > had more power, it too would have more troubles than it does. Right
> > or wrong? I hate that I ordered the 817 without getting this straight
> > first. Joe
>
>

2002. Re: Icom 706 vs. Yeasu FT-100

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 02:02:04 UTC
From: Verbami <Verbami@sNOhSPaAMw.cNOa>
Message-ID: <wyH19.76941$f05.3692492@news1.calgary.shaw.ca>
Source record: 40813

"Mark Keith" <nm5k@wt.net> wrote in message
news:25eb70d7.0207300357.1681593a@posting.google.com...
> "Verbami" <Verbami@sNOhSPaAMw.cNOa> wrote in message
news:<y4n19.71443$Ag2.3382417@news2.calgary.shaw.ca>...
> > Hi all,
> >
> > Well, I've almost got my code rating at 15WPM(does anyone else find that
> > 5WPM is painfully slow, not only to copy, but even worse to send?) so
it's
> > time to get an HF rig. I have pretty much decided on one of these two
all
> > band,all mode rigs . The problem though, is that I can't tell much of a
> > difference from the specs. So I was hoping to pick the group's mind as
to
> > the advantages/disadvantages, likes/dislikes, usability, nice special
> > features etc. of the two radios. Some other pertinent info: I have used
a
> > 706 already and liked it, but I was limited to voice since I didn't have
any
> > code at all at the time and I didn't use any of the more advanced
functions,
> > or even some of the basic ones (like changing bands...), Also, I'm
moving
> > from Canada to Europe after the airline tickets go down after Christmas
and
> > will want to use it there as well. Oh yeah, I'll be using it as a base
> > station.
> >
> > I guess that's it, thanks for helping.
> > Ben VA6BEN
>
> Try
http://groups.google.com/groups?hl=en&lr=&ie=UTF-8&safe=off&q=icom+706+vs+ya
esu+ft-100&spell=1
> for a load of previous posts on this. It has been debated many times.
> Myself, I went with the 706g, but I wouldn't be afraid to try a
> ft-100. I've never been able to actually compare them side by side, so
> I can't make an accurate judgement. There are a couple of things that
> swayed me to the icom. #1, it's rated at 100% duty cycle. As far as I
> can determine, the ft-100 is rated 50% duty cycle. I also like the
> so-239's instead of the pigtail ant connectors. As far as the ft-100d,
> a plus is an included CW filter I think. And a wider receiver range in
> the VHF-UHF section. But that wouldn't effect ham use. The 706g covers
> 30hz to 200 mhz, and then skips from 200-400 mhz, and picks back up at

> 400-470 mhz. You miss being able to listen to 220, or military air,
> etc, etc.
> As far as I know, the ft-100 covers VHF-UHF straight line up to
> 800-900 mhz I believe. But again, this is not really a "ham" issue,
> but more a "scanner" issue..:/ I do like to listen around, and is one
> reason I bought a wide range radio. As far as a strictly "ham" radio,
> I came to the conclusion I like the 706mk2g best. But thats just me. I
> think either one is a decent radio. I run a 706g thru a computer sound
> card here at the house, and it works and sounds very good for the
> small radio it is. Thru the sound card and good speakers, it sounds
> like a big radio, and that gives me DSP cw filters, etc. I use it
> mobile also. I want to get a laptop to run all my sound and digi stuff
> when mobile/portable...Also would have gps hookup , etc ..I could run
> SSTV mobile, etc.. :/ MK

Thanks for the point out, sounds like people are getting tired of this comparison, but I think I've found what I was looking for, now all I have to do is slog throught it all and see what I can find...

Thanks again,
Ben VA6BEN

2003. FS: Kenwood TS-850S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 02:02:45 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <drgeku4p9usj3qujbm7943fn1mh99pi0u4@4ax.com>
Source record: 40814

I have for sale in excellent condition a Kenwood TS-850S/AT. It comes with the original Kenwood hand microphone, manual, power cable and the original inner and outer boxes. This is from a non smoker and in 100% operating condition. I will ship it anywhere in the 48 states for $750 via UPS ground. I can be reached at (508) 821-2993 or email..WZ1U
Steve / Lakeville, Ma.

2004. Re: Yaesu FT-100D or FT-817 , can't decide on either of these. Ruled out Icom already.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 02:44:36 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <dU1HPU9qPjkVNMemC9oUPqn9ZGSa@4ax.com>
Source record: 40815

massimj@hotmail.com (Joe) wrote:

>
>It's a hard choice.. Not one harsh word on the 817 could be found, but
>there has been a few comments about the power. ALso, I know that some
>of the 100D problems are a direct result of the power it has, with low
>power comes less problems in shielding and filtering. So if the 817
>had more power, it too would have more troubles than it does. Right
>or wrong? I hate that I ordered the 817 without getting this straight
>first. Joe

At Dayton, Yaesu showed their 897, "an 817 on steroids." It's 50% bigger than the 817, with 100 watts up through 6, 50 watts on 2, 20 watts on 70cm.

Or 20 watts, all bands, on the internal batteries.

There's a picture of it in the August CQ.

Bob
k5qwg

2005. Re: Yaesu FT-100D or FT-817 , can't decide on either of these. Ruled out Icom already.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 05:42:56 UTC
From: W6DKN <w6dkn@qsl.net>
Message-ID: <ANK19.3938$Dw2.1825@nwrddc01.gnilink.net>
Source record: 40816

"Joe" <massimj@hotmail.com> wrote in message
news:e9d3dd29.0207301649.4ec35fe6@posting.google.com...
> I ordered the FT-817, but it was before I read all the input on the
> FT-100D. It sure would be a no brainer if the 100D had the great
> press that the 817 has. I read feedback on both all day long. I am
> wanting some feedback from the guys who know both of these radios. I
> know that some of you have both, or had both at one time or another,
> please comment.
>
> I have missed working CW on HF, but no much else about it. I do use
> the UHF in the car every day, and I don't spend too much time on 2M
> anymore. The only thing that concerns me about the 817 is the power, 5
> watts is not much, but should be fine for VHF, and UHF, It's the HF
> band that I feel I would like the option of more power. The minor
> fixes for the FT-100D, which are required right from the carton, don't
> bother me so much. I ordered from Ham Radio Outlet, and since they
> move a lot of product, I think the chances of getting old stock are
> slim.
>
> I understand that there are amplifier projects going on that can boost
> the power of the 817, but since they are projects, they will be
> subject to time, and luck. Plus, they will only boost the rig to 50 or
> 65 watts. I doubt that the difference between that and 100 Watts would
> be very noticable. So the only hope of more power on HF is an
> amplifier that will not be easy to get.
>
> Will I regret not getting the power of the 100D? How about that
> automatic antenna, the people who have it mostly say good things about
> it, but not all.
>
> The other things that attract me to the 100D is the DSP, and CW filter
> that come stock now. The combination of these it said to be real nice
> for CW work. The mod on the mic would be easy, so that's no big deal.
>
> It's a hard choice.. Not one harsh word on the 817 could be found, but
> there has been a few comments about the power. ALso, I know that some
> of the 100D problems are a direct result of the power it has, with low
> power comes less problems in shielding and filtering. So if the 817
> had more power, it too would have more troubles than it does. Right
> or wrong? I hate that I ordered the 817 without getting this straight
> first. Joe

I would consider the FT-817 as a nice optional rig if I already owned an FT-100 (which I do), but no way would I try to use it as my primary mobile rig. There's really no comparing the two, one is a real, full featured mobile rig, the other is a backpacking/camping "super HT".

73 de W6DKN

2006. Re: Icom 706 vs. Yeasu FT-100

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 07:25:35 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0207302325.11b2cc59@posting.google.com>
Source record: 40817

Alan Beagley <abeagley@optonline.net> wrote in message
news:<3D46A4DC.1060700@optonline.net>...
> One thing I have just discovered about my new IC-706MkIIG is that,
although it can be interfaced to a computer, it is not possible to set
the subaudible tone frequencies remotely; I can turn the tone on and
off remotely, but I can't specify its frequency (I assume that, unless
set using the transceiver's own controls, that it uses the default
frequency -- 88.5Hz unless changed). It's not that I want to control
the rig from the computer rather than by using the rig's own controls,
but I did want to be able to save and restore all the settings in case
a total reset of the rig became necessary. Still, I would rate this as
an annoyance rather than as a fatal flaw.
>
> -=-
> Alan, AB2OS

I hadn't noticed that , but it seems to be the case. I checked the
program "ic706 memory manager" docs, and there seems to be no way to
write tones. I guess that could be a pain if you had to rewrite a lot
of rptr pairs...You can write all the frequencies in, etc, but you
would have to go back and reset the tone on each memory channel. I
don't know how the ft-100 fares as far as puter control. MK

2007. need 2e22 tube

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 09:30:16 UTC
From: ne0x@starband.net
Message-ID: <27O19.219$w92.85889061@twister2.starband.net>
Source record: 40818

need 2e22 for my rt77

ron

ne0x@starband.net

2008. ham gear

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 12:15:59 UTC
From: B.Urban@ix.netcom.com
Message-ID: <3d47d4e4.11374926@nntp.ix.netcom.com>
Source record: 40819

```
Kenwood 520s
VFO 520s
DG-5 Digital Display
Swan 1200x Amp
Heathkit SA-2060 tuner
Shure 444D mic
All Working
600.00
```

2009. Wanted parts for FT-107M & FT-207R HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 12:58:37 UTC
From: K4GJ <k4gj@infi.net>
Message-ID: <ai8mu7$5r2$1@slb6.atl.mindspring.net>
Source record: 40820
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Yaesu parts needed.
I need a battery cover for my old FT-207R HT and a front panel part for a FT-107M HF rig. The front panel part goes above the readout and tells the position of the meter switch. If you are parting out either of these rigs and have the parts, please let me know price, etc.
73 and thanks for reading.
Please respond directly to k4gj@arrl.net

2010. Looking for Motorola Pwr transistors M1134 or M9625

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 14:01:13 UTC
From: Dave Woolf <dwoolf@worldnet.att.net>
Message-ID: <3D47DF81.E880ECA0@worldnet.att.net>
Source record: 40821
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,alt.ham-radio.vhf-uhf

I am looking for a source for two Motorola M1134 or M9625
PNP RF power transistor. After over 20 years service our
repeater 100 watt continuous duty Motorola MICOR 2 meter
power amplifier (model TLD1692D) lost 2 of the 4 final
transistors. Looking for new or working used parts, or a
replacement MICOR power amplifier, or even a non-functional
amp that has two good finals that could be salvaged.

Dave Woolf - K8RSP
dwoolf@worldnet.att.net

P.S. Does anyone have a spec sheet for either of
these transistors?

2011. Re: Looking for Motorola Pwr transistors M1134 or M9625

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 14:40:15 UTC
From: kludge@panix.com
Message-ID: <ai8ssf$82i$1@panix2.panix.com>
Source record: 40822
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,alt.ham-radio.vhf-uhf

In article <3D47DF81.E880ECA0@worldnet.att.net>,
Dave Woolf <dwoolf@worldnet.att.net> wrote:
>
> I am looking for a source for two Motorola M1134 or M9625
> PNP RF power transistor. After over 20 years service our
> repeater 100 watt continuous duty Motorola MICOR 2 meter
> power amplifier (model TLD1692D) lost 2 of the 4 final
> transistors. Looking for new or working used parts, or a
> replacement MICOR power amplifier, or even a non-functional
> amp that has two good finals that could be salvaged.
>
> Dave Woolf - K8RSP
> dwoolf@worldnet.att.net
>
> P.S. Does anyone have a spec sheet for either of
> these transistors?

I don't have a spec sheet, but if you call On Semiconductor they might have
an archive one. I suggest you take one of the good ones, measure the hFE,
find out if it's PNP or NPN, guess at the power, and pick something with
an Ft high enough for 2M. Not too many critical specs here.
--scott
--
"C'est un Nagra. C'est suisse, et tres, tres precis."

2012. Re: WTB: URM-25 Signal Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 15:44:46 UTC
From: enigma_y_2000@yahoo.com
Message-ID: <3d4805b1.12071227@news.usfamily.net>
Source record: 40823
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Hi,

I bought mine from Fair Radio about 3 years ago. I bought it as
used-repairable, but it worked anyway. Came complete with accys etc.

Good price to.

Bob
>Hello,
>
>I'm looking for a URM-25 Signal Generator. If you have one for sale or know
>of one for sale, please let me know.
>
>Thanks,
>David
>
>dhoneycutt@earthlink.net
>
>

2013. FA: Dana 5000 multimeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 17:59:04 UTC
From: David Harris <david@g8ina.enta.net>
Message-ID: <3D482567.82B6C89A@g8ina.enta.net>
Source record: 40824

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1754852542

Photos at http://www.g8ina.enta.net/dana.htm

Thanks for looking.

73

David

2014. Re: need 2e22 tube

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 18:03:58 UTC
From: Charles <great@sex.edu>
Message-ID: <ukg9kgc3jt9jab@corp.supernews.com>
Source record: 40825

Hello Ron,
Here are some links that verified as current that have 2e22 apparently
available. One site shows a qty of 200..

1. http://www.angrynine.nl/spareparts.html
2. http://www.geocities.com/nikolic_lj_dragan/Tubes/NOSElectronTubes.htm
3. http://www.alltronics.com/tubes1.htm - clearly listed 2e22 for sale
at $35 ea

I used Copernic 2001 Pro search bot for these results. There is a
totally free version of Copernic for download (adware) at
www.copernic.com FYI

--

73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
www.ab7sl.com

<ne0x@starband.net> wrote in message
news:27O19.219$w92.85889061@twister2.starband.net...
> need 2e22 for my rt77
>
> ron
>
> ne0x@starband.net
>
>

2015. Re: WTB: URM-25 Signal Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 20:38:24 UTC
From: "Roger D. Johnson" <n1rj@pivot.net>
Message-ID: <3D484AC0.3725F322@pivot.net>
Source record: 40826
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Just for information: In the military scheme of equipment
numbering AN/URM-25( ) indicates a complete self-contained
unit of equipment. The URM-25( ) is made up of the SG-85
signal generator and a bunch of accessories stored in the
lid all of which have their own nomenclature. In other words,
AN/URM-25 is the designation for the whole set of goodies. If
you only have the sig gen then you have an SG-85.
Consider the famous R-390 receiver. The lack of the AN indicates
that it is a component of some system. The one I used to work on
was the AN/GRC-26D. This consisted of two R-390's, a TTY converter,
T-368 transmitter and antenna tuner plus a bunch of other things
all mounted in an equipment hut designed to be carried in the
ubiquitous 2 1/2 ton truck. Almost forgot...came with trailer
and generator set also.

73, Roger

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

2016. Motorola Micom-1000 amplifier parts needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 20:45:09 UTC
From: marc@laradio.co.za
Message-ID: <3d484bc1.15387896@news.megaweb.co.za>
Source record: 40827

Hello All,

I am looking for the complete harmonic filter board from a Motorola Micom-1000 solid state HF amplifier.

The amplifier appears to have been manufactured by Intec Inc. in around 1985, but I can find no information on them on the web.

Any assistance will be most appreciated.

Regards,

Marc ZS6HZ - Johannesburg, South Africa

2017. FA Uniden President HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 21:07:27 UTC
From: Camper <sgrubor@shaw.caNSPM>
Message-ID: <jkY19.75339$v53.3392073@news3.calgary.shaw.ca>
Source record: 40828

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1370487789

--
*** Remove NSPM to reply ***

2018. Re: FA Uniden President HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 22:11:49 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d4860a5$0$3577$2c3e98f8@news.voyager.net>
Source record: 40829

"Camper" <sgrubor@shaw.caNSPM> wrote in
news:jkY19.75339$v53.3392073@news3.calgary.shaw.ca:

> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1370487789

You know, the ebay police are gonna get you!!!!...LOL
I realize it's a 10 meter radio, but having it tuned to cb channel 19 in
your photo kind of gives it away.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

2019. Re: FA Uniden President HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 22:23:36 UTC
From: Camper <sgrubor@shaw.caNSPM>
Message-ID: <IrZ19.75735$v53.3398470@news3.calgary.shaw.ca>
Source record: 40830

It is not illegal to receive on that band, and as a matter of fact, not illegal to transmit at it, as long as you are 4W or less.

"John P Vassel" <john@vassel.net> wrote in message news:3d4860a5$0$3577$2c3e98f8@news.voyager.net...
> "Camper" <sgrubor@shaw.caNSPM> wrote in
> news:jkY19.75339$v53.3392073@news3.calgary.shaw.ca:
>
> > > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1370487789
>
> You know, the ebay police are gonna get you!!!!...LOL
> I realize it's a 10 meter radio, but having it tuned to cb channel 19 in
> your photo kind of gives it away.
>
> --
> John Vassel
> KC8SKE
> RTFD Volunteer Firefighter

2020. FS: Motorola Factory Wattmeter (Ex Condition)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 22:56:40 UTC
From: msisco9939@aol.com
Message-ID: <20020731185640.27009.00000930@mb-fi.aol.com>
Source record: 40831

Hi:

I have a Factory Motorola Wattmeter that using the Long
Style Elements, is able to read Foward and back, and is
in Excellent Condition

Offering the Wattmeter Head for 85.00+ 8.00 S & H

http://www2.4dcomm.com/metrotech/mwatt.jpg

I also have a few elements for sale on a individule
Basis

Monty

2021. FS: Kenwood SP-230 external speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 23:16:43 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <6lrgku4ilctj3i55qkilukb894lhibs67m@4ax.com>
Source record: 40832

I have for sale in very good condition a Kenwood SP-230 external speaker....It matches the Kenwood 530, 830 series of radios. I will take $75 plus shipping in the 48 states only.......WZ1U Steve / Lakeville, Mass.

2022. Re: FA Uniden President HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-07-31 23:29:06 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ukgsoajosnpscd@corp.supernews.com>
Source record: 40833

It is illegal to transmit on 27 Mhz with that radio, even observing the
correct power.

"Camper" <sgrubor@shaw.caNSPM> wrote in message
news:IrZ19.75735$v53.3398470@news3.calgary.shaw.ca...
> It is not illegal to receive on that band, and as a matter of fact, not
> illegal to transmit at it, as long as you are 4W or less.
>
> "John P Vassel" <john@vassel.net> wrote in message
> news:3d4860a5$0$3577$2c3e98f8@news.voyager.net...
> > "Camper" <sgrubor@shaw.caNSPM> wrote in
> > news:jkY19.75339$v53.3392073@news3.calgary.shaw.ca:
> >
> > > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1370487789
> >
> > You know, the ebay police are gonna get you!!!!...LOL
> > I realize it's a 10 meter radio, but having it tuned to cb channel 19 in
> > your photo kind of gives it away.
> >
> > --
> > John Vassel
> > KC8SKE
> > RTFD Volunteer Firefighter
>
>

2023. Re: FA Uniden President HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 00:51:54 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d488629$0$3575$2c3e98f8@news.voyager.net>
Source record: 40834

"Camper" <sgrubor@shaw.caNSPM> wrote in
news:IrZ19.75735$v53.3398470@news3.calgary.shaw.ca:

> It is not illegal to receive on that band, and as a matter of fact, not
> illegal to transmit at it, as long as you are 4W or less.
>
> "John P Vassel" <john@vassel.net> wrote in message
> news:3d4860a5$0$3577$2c3e98f8@news.voyager.net...
>> "Camper" <sgrubor@shaw.caNSPM> wrote in
>> news:jkY19.75339$v53.3392073@news3.calgary.shaw.ca:
>>
>> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1370487789
>>
>> You know, the ebay police are gonna get you!!!!...LOL
>> I realize it's a 10 meter radio, but having it tuned to cb channel 19 in
>> your photo kind of gives it away.
>>
>> --
>> John Vassel
>> KC8SKE
>> RTFD Volunteer Firefighter
>
>

While true you are allowed to transmit there, the modification that allows
you to do this also allows the radio to transmit there.
I believe the FCC frowns upon this.
Again, I was just pointing out a silly-ism, not gettin in your face.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

2024. Re: FA Uniden President HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 01:15:46 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D488BC2.A463E211@optonline.net>
Source record: 40835

If I remember correctly, even if you use 4 watts or less, The 2510 is not type accepted for 11 meters by the FCC.
As for me, I don't have a problem with it.
But...
The voobner is gonna get you!! And a new discussion will come to be :-(

Camper wrote:

> It is not illegal to receive on that band, and as a matter of fact, not
> illegal to transmit at it, as long as you are 4W or less.
>
> "John P Vassel" <john@vassel.net> wrote in message
> news:3d4860a5$0$3577$2c3e98f8@news.voyager.net...
> > "Camper" <sgrubor@shaw.caNSPM> wrote in
> > news:jkY19.75339$v53.3392073@news3.calgary.shaw.ca:
> >
> > > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1370487789
> >
> > You know, the ebay police are gonna get you!!!!...LOL
> > I realize it's a 10 meter radio, but having it tuned to cb channel 19 in
> > your photo kind of gives it away.
> >
> > --
> > John Vassel
> > KC8SKE
> > RTFD Volunteer Firefighter

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

2025. Re: FA Uniden President HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 01:25:10 UTC
From: Ralph Mowery <rmowery@dialpoint.net>
Message-ID: <aia2sh$1nk1$1@newsreader.cetlink.net>
Source record: 40836

I though you had to run atleast 100 watts on the CB . That is just enough
to drive a good amp. :-)

"Mark Russo" <mrrusso@optonline.net> wrote in message
news:3D488BC2.A463E211@optonline.net...
> If I remember correctly, even if you use 4 watts or less, The 2510 is not
type
> accepted for 11 meters by the FCC.
> As for me, I don't have a problem with it.
> But...
> The voobner is gonna get you!! And a new discussion will come to be :-(
>
> Camper wrote:
>
> > It is not illegal to receive on that band, and as a matter of fact, not
> > illegal to transmit at it, as long as you are 4W or less.
> >
>

2026. Re: FA Uniden President HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 02:11:04 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d4898b7$0$1430$2c3e98f8@news.voyager.net>
Source record: 40837

John P Vassel <john@vassel.net> wrote in
news:3d488629$0$3575$2c3e98f8@news.voyager.net:

> "Camper" <sgrubor@shaw.caNSPM> wrote in
> news:IrZ19.75735$v53.3398470@news3.calgary.shaw.ca:
>
>> It is not illegal to receive on that band, and as a matter of fact,
>> not illegal to transmit at it, as long as you are 4W or less.
>>
>> "John P Vassel" <john@vassel.net> wrote in message
>> news:3d4860a5$0$3577$2c3e98f8@news.voyager.net...
>>> "Camper" <sgrubor@shaw.caNSPM> wrote in
>>> news:jkY19.75339$v53.3392073@news3.calgary.shaw.ca:
>>>
>>> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1370487789
>>>
>>> You know, the ebay police are gonna get you!!!!...LOL
>>> I realize it's a 10 meter radio, but having it tuned to cb channel
>>> 19 in your photo kind of gives it away.
>>>
>>> --
>>> John Vassel
>>> KC8SKE
>>> RTFD Volunteer Firefighter
>>
>>
>
> While true you are allowed to transmit there, the modification that
> allows you to do this also allows the radio to transmit there.
> I believe the FCC frowns upon this.
> Again, I was just pointing out a silly-ism, not gettin in your face.
>

Let me correct this before someone else does.
You are not allowed to transmit there, rather I meant, receive.
Thanks

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

2027. Re: PART NUMBER FOR Power Supply Fan motor TS930S?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 03:49:57 UTC
From: Johnson <robjohn@chesco.com>
Message-ID: <Fd229.55$Hc6.38905@newshog.newsread.com>
Source record: 40838

Wayne,
I don't have the manual handy, but I think the F09 number is for the fan blade. I've bought quite a few of the motors, and from memory, they were in the $30 range. If Raymond still needs the P/N, e-mail me direct and I'll look it up.
Greg K3EWZ

"Wayne Faris" <ke0bz@arrl.net> wrote in message news:3D405EA0.470BE72F@arrl.net...
> Pacific Coast Parts (www.pacparts.com) shows the fan number as
> F09-0405-24. This fan has been discontinued and is replaced by F09-0405-34
> which they have in stock for $5.73 plus shipping. Sounds like a decent
> price to me. They have plenty of other Kenwood parts as well.
>
> Wayne L. Faris, KE<illegible>BZ
>
> Raymond Hansmeier wrote:
>
> > Anyone have a TS930S manual with the power supply fan motor part nr????
> >
> > K7FU
>

2028. Re: WTB: URM-25 Signal Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 04:01:05 UTC
From: Beagle <rratcliffe@comcast.net>
Message-ID: <5o229.6850$P8.143232@bin4.nnrp.aus1.giganews.com>
Source record: 40839
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Yes it did... I drove and repaired one for years.

"Roger D. Johnson" <n1rj@pivot.net> wrote in message
news:3D484AC0.3725F322@pivot.net...
> Just for information: In the military scheme of equipment
> numbering AN/URM-25( ) indicates a complete self-contained
> unit of equipment. The URM-25( ) is made up of the SG-85
> signal generator and a bunch of accessories stored in the
> lid all of which have their own nomenclature. In other words,
> AN/URM-25 is the designation for the whole set of goodies. If
> you only have the sig gen then you have an SG-85.
> Consider the famous R-390 receiver. The lack of the AN indicates
> that it is a component of some system. The one I used to work on
> was the AN/GRC-26D. This consisted of two R-390's, a TTY converter,
> T-368 transmitter and antenna tuner plus a bunch of other things
> all mounted in an equipment hut designed to be carried in the
> ubiquitous 2 1/2 ton truck. Almost forgot...came with trailer
> and generator set also.
>
> 73, Roger
>
>
> -----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
> http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
> -----== Over 80,000 Newsgroups - 16 Different Servers! =-----

2029. Re: FA Uniden President HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 04:37:46 UTC
From: Verizon <j.maetta@verizon.net>
Message-ID: <uW229.1886$IH2.24@nwrddc01.gnilink.net>
Source record: 40840

Let's remember, the radio is in Canada. The last time I looked, the FCC had
no authority in Canada.

"Ralph Mowery" <rmowery@dialpoint.net> wrote in message
news:aia2sh$1nk1$1@newsreader.cetlink.net...
> I though you had to run atleast 100 watts on the CB . That is just
enough
> to drive a good amp. :-)
>
>
> "Mark Russo" <mrrusso@optonline.net> wrote in message
> news:3D488BC2.A463E211@optonline.net...
> > If I remember correctly, even if you use 4 watts or less, The 2510 is
not
> type
> > accepted for 11 meters by the FCC.
> > As for me, I don't have a problem with it.
> > But...
> > The voobner is gonna get you!! And a new discussion will come to be :-(
> >
> > Camper wrote:
> >
> > > It is not illegal to receive on that band, and as a matter of fact,
not
> > > illegal to transmit at it, as long as you are 4W or less.
> > >
> >
>

2030. FS: NEW) [FACTORY (/\/\) SABER/ASTRO Batteries]<====

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 04:54:20 UTC
From: msisco9939@aol.com
Message-ID: <20020801005420.03330.00000830@mb-fg.aol.com>
Source record: 40841

LAst of the Factroy MOTOROLA
1800ma NTN4595 High-Capicity Batteries

(Not Tiawan / China Subsitutes)

If you have been considering getting some
of these, I only have (1) Box of them Left.

Once these are gone, there will be no more !

Here is your chance to beat the 140.00User / 70.00NSO
Wholesale Costs and ==>[Retire] those old weak Saber
Batteries !!

All Brand New Factory Motorola still in the Box w/ Label

NTN4595 Date Code 952 (52cd Week of 1999)
Although 17 months old, these have a 5 year
Shelf Life. All Purchased in Feb 2000

http://www2.4dcomm.com/metrotech/batt.jpg

All fully guranteed to meet / exceed specs !

These have all been tested, all have ourperfoemed
Factory Specs. Atypical 1950 ~ 2350 ma

1-2 (29.00ea)
3-5 (25.00ea)
6 and up 23.00ea)

Please alow 8,00 for S & H

All forms of payment accepted, Postal Money Orders, Paypal
get immediate service, Personal / Business Checks A-OK too
if you do not mind a short shipping delay for bank processing.

2031. WTB ORIGINAL IC-761 OWNERS/OPERATING MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 05:30:13 UTC
From: k6stu@aol.com
Message-ID: <20020801013013.27927.00000795@mb-mb.aol.com>
Source record: 40842

DOES ANYONE HAVE AN ORIGINAL MANUAL FOR SALE???
MIKE

2032. WTB GONSET 6 METER 826 AMP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 05:31:13 UTC
From: k6stu@aol.com
Message-ID: <20020801013113.27927.00000796@mb-mb.aol.com>
Source record: 40843

DOES ANYONE HAVE A GONSET 6 METER AMP FOR SALE???
MIKE

2033. Re: DSP on TS-570D(G) ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 05:40:53 UTC
From: lombryt@hotmail.com
Message-ID: <db35a0c.0207312140.d23fe1a@posting.google.com>
Source record: 40844

"Administrator" <administrator@telefonica.net> wrote in message
news:<3d44f91d$0$247$4d4eb98e@read.news.es.uu.net>...
> > Can someone tell me if it can be useful to :
> > - first, upgrade a Kenwood TS-570D to G (including a NR in steps and a
> more
> > one-touch nternal DSP), see on http://www.kenwood.net/upgrades/
>
> Yes! But check first if you don't already have a DG. There's not a lot of
> D's out there.
>
> > - second buy an external DSP for this RTX ?
> > My objectibve should be to discriminate more weak HF signals from the QRM
> > and such a DSP seems to provide such improvment. But is it usefuil for
> such
> > the 570D(G) that seems already well equippped ?
>
> NR1 with adjustment (DG), IF Shift, RX Eq, the built-in DSP and my ears do a
> good enough job. I don't need an external DSP. But that doesn't mean that
> you don't..... ;-)
>
>
> Ton.

Hi,

Mmm... Not sure it is enough.
If you have the opportunity to compare in the field a TS-570D(G) with
a TS-850S, take the time to listen to weak signals near noise level or
at a few Khz of a strong emitter (QRM or RFI) and try to extract it
from the background... Impossible with the 570, sometimes easy with
the 850S (but not with the 850SAT). The DSP of the 850S placed at the
IF-stage performs much better than the AF one of the 570! Of course
the price is also twice as expensive, even for a second-hand model...

I added a comment to my previous post on http://www.eham.net/reviews/
(section HF transceivers, TS-570) about the DSP.

73
Thierry
http://www.astrosurf.com/lombry/menu-qsl.htm

2034. 757GXII CAT control help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 07:31:54 UTC
From: Jeff Hazzard <jhazzard@bigpond.com>
Message-ID: <gm529.50088$Hj3.149910@newsfeeds.bigpond.com>
Source record: 40845

Has anyone had any success with CAT control of this tranceiver. What interface and software did you use.

2035. Re: 757GXII CAT control help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 08:24:52 UTC
From: mike <spamme0@juno.com>
Message-ID: <3D48F054.4E7F0748@juno.com>
Source record: 40846

I've set up my 757GX as a remote base using an 8051 in the repeater controller
and the info published in the 757 technical supplement manual on CAT commands.
As I recall, the GXII
is the same with some added commands for programming things like the sideband
selector etc. They're very simple commands at 4800 baud. I drive TTL right
into the 757 thru an optoisolator just to be safe. If you do something to protect the
inputs, like buy the interface box or design a simple inverting buffer,
(the optoisolator with a reverse diode and resistor will do this) you can drive it right
from your computer's serial port. The only thing you have to worry about is the very
short timeout. Assemble the whole command into a string and send it with one
command from your computer. That way, it won't matter how slow or how busy
your computer is. Otherwise you'll get random command corruption with no clue
as to why.

mike

Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

Jeff Hazzard wrote:

> Has anyone had any success with CAT control of this tranceiver. What
> interface and software did you use.

--

2036. FS: Capacitance Substitution box

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 08:49:58 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <8vshkuggb02iismd0i3nd3p26s49fdqdr3@4ax.com>
Source record: 40847
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE: Lafayette Capacitance sub box.
Model 99-50205
in excellent condition with test leads.

Covers 100 pF to 0.22 uF

Great for experimenting or repairing radios, amplifiers etc.

Available for $20.00 plus shipping

E-mail me for a picture

2037. FS: 829B Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 10:06:44 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <fd1iku8ak8rctaoehfgu7ni38am5tgpom6@4ax.com>
Source record: 40748
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

U.S. Army-Navy NOS 829B Tubes. Still in the boxes from WW2.
Equivalent to 3E29. Dual tetrode VHF power amplifier tubes.
QTY 4 - will sell for $8.00 each

E-mail me fort details or to arrange purchase.

2038. FS: Yaesu FT-50R & FT-51R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 12:00:38 UTC
From: Bob <rcherry@count.com>
Message-ID: <aib7t8$s1n$1@bob.news.rcn.net>
Source record: 40749
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have 2 Yaesu dual band handhelds for sale. Both in excellent condition and modified for MARS/CAPS application. Both radios come with original boxes. Shipping is included in the price.

1. Yaesu FT-50R, has PL encode and includes the optional Dry Cell battery pack. $190.00.

2. Yaesu FT-51R, has PL encode and decode, a spare battery and speaker mike. This is a true dual band radio as it can receive one band while transmitting of the other. $210,00.

Please email to wb2f@arrl.net

2039. Re: FA Uniden President HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 13:07:03 UTC
From: Sleeper <sgrubor@shaw.caNSPM>
Message-ID: <Xna29.81905$Ag2.3945060@news2.calgary.shaw.ca>
Source record: 40750

Well:
- licenced ham can operate on 10m band
- one can own cb radio and tx/rx on that band
- BUT one can not use one radio that does it both...
I believe they could not care less about licenced hams, rather there might be number of cb-ers that use this particular radio and than splatter all over
the band out of cb range. Technically, this particular radio probably causes less spill than $20 Radio Shack CB with cheap 50W amp that hundreds have installed, but .... I will not discuss FCC reasons. It is off the auction now,
I'll post it later in the newsgroups.
VE5SGS

"Verizon" <j.maetta@verizon.net> wrote in message
news:uW229.1886$IH2.24@nwrddc01.gnilink.net...
> Let's remember, the radio is in Canada. The last time I looked, the FCC had
> no authority in Canada.
>
>
> "Ralph Mowery" <rmowery@dialpoint.net> wrote in message
> news:aia2sh$1nk1$1@newsreader.cetlink.net...
> > I though you had to run atleast 100 watts on the CB . That is just
> enough
> > to drive a good amp. :-)
> >
> >
> > "Mark Russo" <mrrusso@optonline.net> wrote in message
> > news:3D488BC2.A463E211@optonline.net...
> > > If I remember correctly, even if you use 4 watts or less, The 2510 is
> not
> > type
> > > accepted for 11 meters by the FCC.
> > > As for me, I don't have a problem with it.
> > > But...
> > > The voobner is gonna get you!! And a new discussion will come to be
:-(
> > >
> > > Camper wrote:
> > >
> > > > It is not illegal to receive on that band, and as a matter of fact,
> not
> > > > illegal to transmit at it, as long as you are 4W or less.

> > > >
> > >
> >
>
>

2040. FA: PacComm HandiPacket

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 14:34:37 UTC
From: Jim Hope <k4yte@earthlink.net>
Message-ID: <1Gb29.4750$nc.399980@newsread1.prod.itd.earthlink.net>
Source record: 40751

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1370083896

2041. FS: Kenwood TS-790A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 15:38:12 UTC
From: slo100bw1@aol.com
Message-ID: <20020801113812.14939.00001141@mb-fc.aol.com>
Source record: 40752

Rig is in excellent condition. Comes with 1.2 module, SP-31, TSU-5 decoder, manual, tech manual, hand mike and original boxes. Asking $950 + shipping.

2042. FS: Drake L4B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 15:40:26 UTC
From: slo100bw1@aol.com
Message-ID: <20020801114026.14939.00001142@mb-fc.aol.com>
Source record: 40753

Amp is in excellent condition. Comes with power supply (of course) and original manual. Jpegs available. Would prefer a p/u in NY. $750

2043. FA: Auratone 5MC, 3-spk..3-RU..rackmount..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 17:11:49 UTC
From: MTM <res0i8ad@verizon.net>
Message-ID: <pZd29.4349$0S2.2542@nwrddc02.gnilink.net>
Source record: 40754

Please visit:
Thanks...

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=896897713
FA: Auratone 5MC, 3-spk..3-RU..rackmount..

2044. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 18:30:30 UTC
From: g0wbm <g0wbm@supanet.com>
Message-ID: <aic1uo$2da$1@chilli.nntp.netline.net.uk>
Source record: 40755
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

The resistor can absorb oil and alter its properties, an article on
this appeared in radcom some while ago [technical topics[
SkyKing <gyewug@egfurg.com> wrote in message
news:8hvpjuoa7q4dgu85t19mmk7hgaprojsofv@4ax.com...
> On Mon, 22 Jul 2002 19:13:35 GMT, jeff <wd4nmq@earthlink.net> wrote:
>
> >I feel that I am once again going to open the old debate which oil to
> >use in a dummy load for heat conduction.
> >
> >But, that is not my question. Mine has do with the oil's effect on SWR
> >vs. frequency.
>
> The RF is fed into the resistor, which is the actual dummy load.
> The oil is only there to dissipate the heat.
>

2045. Re: FT-707S -> FT-707 mod

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 18:32:20 UTC
From: g0wbm <g0wbm@supanet.com>
Message-ID: <aic1up$2da$2@chilli.nntp.netline.net.uk>
Source record: 40756

Yes, you have to change the 10 watt pa board for the 100 watt
version.
Jibeji <f8dql@NOSPAM.wanadoo.fr> wrote in message
news:ahj6toprd1@s1.read.news.oleane.net...
> Hi.
> I'd like to know if it is possible to modify a FT-707S to get 100W output
> power.
> Thanks and 73's
> --
> F8DQL
> UFT 1116
>
>

2046. Re: DC Input

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 18:41:15 UTC
From: g0wbm <g0wbm@supanet.com>
Message-ID: <aic1uq$2da$3@chilli.nntp.netline.net.uk>
Source record: 40757

because when the engine is running your alternator should
give about 13.8 volts.
Jack Wilson <hjack@ix.netcom.com> wrote in message
news:ahnl6sjsl1@slb3.atl.mindspring.net...
> Can anyone tell me why most mobil rigs have 13.8 DC indicated as the input
> voltage but connect to a 12 volt car battery?
>
> Jack
> hjack@ix.netcom.com
>
>
>
>
>
>

2047. IC-2720H.....No Alpha characters ???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 20:25:00 UTC
From: Tom Seabury <tseabury@value.net>
Message-ID: <3D499BD8.9954CE08@value.net>
Source record: 40759

I've looked at a lot of stuff on Icom's new dual band moble, the
IC-2720H
Did Icom really forget the Alpha characters???
If they did, I feel sorry for them!

2048. FS: Heathkit SB-220 amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 20:27:07 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <e36jku003rknbb6d0mgumv85a7i7u369sa@4ax.com>
Source record: 40758

I have for sale in very good condition a Heathkit SB-220 amplifier. Its putting out 1100 watts and I have the original manual. There is a slight problem every once in awhile the relay will stick. It has been cleaned using Deoxit5 but still gets sticky at times. The 3-500z's are Eimac and would prefer a pickup only on this item. I will take $350 for it..... I can be reached at (508) 821-2993 or email.....I'm located 35 miles south of Boston in Lakeville, Mass. WZ1U Steve

2049. Re: Yaesu FT-50R & FT-51R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 21:21:58 UTC
From: Bob <rcherry@count.com>
Message-ID: <aic8po$8vd$1@bob.news.rcn.net>
Source record: 40760
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

The FT-51 has been sold...

Bob

2050. Re: IC-2720H.....No Alpha characters ???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 21:39:34 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d49aa96$0$1424$2c3e98f8@news.voyager.net>
Source record: 40761

Tom Seabury <tseabury@value.net> wrote in news:3D499BD8.9954CE08@value.net:

> I've looked at a lot of stuff on Icom's new dual band moble, the
> IC-2720H
> Did Icom really forget the Alpha characters???
> If they did, I feel sorry for them!
>
>

Try qrz.com. They are running responses to a post about just such a thing.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

2051. FS: SP User Manual/New

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 21:40:33 UTC
From: 800mhz <pottsladd13@yahoo.com>
Message-ID: <lVh29.18724$Kl6.1175243@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40762
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Motorola Radius SP50 User manual, as new.
$10.00 plus $3.75 USPS shipping.
thnx
email direct

2052. Re: New Pictures on Elecraft Gallery page

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 23:25:13 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <ysJJPdhxRPY5NnkixmIrpTlXKBl9@4ax.com>
Source record: 40763

Eric Swartz WA6HHQ - Elecraft <eric@elecraft.com> wrote:

>We have updated our Elecraft picture gallery with 39 new pictures.

>Go to http://www.elecraft.com and choose the link for the Picture Gallery.

Hmm, early Thursday evening, the server is not connecting.

Bob
k5qwg

>
>We have new pictures from: Team Vertical (6Y2A), N5KO and 9V1YC as OJ7S at
>WRTC 2002, new custom paddles and bugs from WB9LPU, Transverters from DL9GRE
>and N6CM, a receiver from W4OP, a -large- crystal set from KA8EDE, and
>pictures from DL9RDM, GM3SKN, IZ1DFI, F5PBL, K5JHP, KJ5VW, KT5X, N2XE,
>DL8MTG, DL3OCG, N2EI, PE1OBG, DL7MGQ, OE3ZK, W7DZN (air mobile), N1DXR,
>VE3RPF, W3MZN, WA6FWF, WB9JOX, DK1KQ/mm, WE1U and WJ4P.
>
>Whew!
>
>Keep those JPGs coming. You can email them to eric@elecraft.com
>
>73, Eric WA6HHQ

2053. FS Icom T 81 A Quad Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-01 23:59:08 UTC
From: RJR <rjr65@si.rr.com>
Message-ID: <gXj29.128067$Wi.33696959@twister.nyc.rr.com>
Source record: 40764

Mint condition, 9 months old Icom T 81 A quad band ht with standard
> acessories and optional acessories Icom speaker mic and leather case.
> $225.00 shipped lower 48 states.

2054. Re: New Pictures on Elecraft Gallery page

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 02:24:56 UTC
From: Eric Swartz WA6HHQ - Elecraft <eric@elecraft.com>
Message-ID: <3D49ED78.FD11DC1B@elecraft.com>
Source record: 40767

There was/is a major router outage at one of the Silicon Valley backbones.
It just came back on line, so I expect the web page should be accessable to
the greater internet soon.

73, Eric WA6HHQ
www.elecraft.com
=======

Bob Miller wrote:
>
> Eric Swartz WA6HHQ - Elecraft <eric@elecraft.com> wrote:
> >We have updated our Elecraft picture gallery with 39 new pictures.
> >Go to http://www.elecraft.com and choose the link for the Picture Gallery.

> Hmm, early Thursday evening, the server is not connecting.
>
> Bob
> k5qwg
>

2055. FS or Trade list 08-02-2002

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 02:44:42 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <umm29.751598$cQ3.116317@sccrnsc01>
Source record: 40765

Please if you have questions or want to make a trade contact me off

list at my e-mail address. gundoc@insightbb.com Some of these

lists are not swap lists and only tolerate my post because it is only

once a week. To the group owners thank you for letting me continue

to post to the group.

Dean

I will be at the Lexington, KY hamfest so If you will be there let me know
and I will bring specific Items for you.

GE Portables

GE MPA VHF Scan 136 - 150.8 split 192 channels nice 9.0

Condition. With battery and charger. I have this programmed for

Ham and up to 152 MHz before it will not lock on frequency.

$225.00

GE MPA VHF Scan 157 - 174 split. 192 channels. Nice radio 8.5

condition with battery and standard charger. I have it programmed

down to 154 MHz with no trouble but will go no lower. $225.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display.

With battery and standard charger. 7-7.5 $85.00

GE MPD scan VHF 150.8 174. 48 channel alphanumeric display. These

look good and come with a battery and standard charger. $100.00 each.

GE KPC 300 VHF 16 channel scan. Nice radio with battery and

antenna. No charger with this one. $100.00

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170

but I have programmed these in the ham band with no trouble. These

have battery, antenna, and standard charger. $75.00 each

GE PLS UHF 16 Channel. 8 to 8.5 also. 450 - 470 split but I can

program these to the ham band. With battery, Antenna, and Charger.

$85.00 each. Have 3 of these.

GE MPS VHF 12 channel. 8.5 condition. New antennas and NOS batteries

Standard charger. $60.00 each have 2.

GE MPS UHF 48 channel. 8 = 8.5 condition, These have NOS batteries

And have 4 banks of 12 channels. These can go to the ham band. I

have been Using one of these on my ham repeater and it works great.

$60.00 each I have 4 of these. Programming on 12 channels included.

GE UHF MPS 8 channel with 8 different tones. 8 different tones can be

Selected for each different channel. Battery and antenna. $50.00

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1

good battery. With 1 dual slot charger. $200.00 all 3 radios.

GE Monogram VHF 10 channel portable. 157-179 split. ex CSX radio. I

sold this radio a year ago but have taken it on trade. Condition 8

with belt clip and charger. I had this radio run for stolen from CSX

by a local CSX Special Agent when I first bought these in a lot and

was told that it had been sold at salvage. Perfect for a RR Museum or

shortline on a budget. This could also be programmed for marine

frequencies. Like new tall Battery. $100.00

GE Mobiles

GE MVS VHF 16 channel scan. NPH20 has option cable and Mic.

Looks good $125.00

GE MVS 800 conventional 2 channel. Without mic tested OK $45.00

GE MLS UHF 8 channel. With Mic, power cord and hang up box. MLSU240

450. - 470 Looks good. $125.00

GE MLS Low Band 16 channel scan. 42-50 split. New mic. Should

Program to 6 meter ham. 60 watt $150.00

GE Monogram UHF 16 channel scan. Nice radio with mic. 40 watt

Nice radio. $175.00

GE Mastr II UHF 75 watt with preamp. No Icoms drawer only.

MC65KKG88B $90.00 each only 2 left

GE Mastr II Lowband 42-50 slit 110 watt. MC74KCN33A

With 1 set of Icoms $45.00 each I have many.

GE Mastr Pro Low band 110 watt 42 50 split. MT74TCS33

With 2 sets of Icoms. $10,00 each. I have many.

GE Mastr Pro 110 watt lowband 42-50 split in a wall mount cabinet

With a power supply for a base. $35.00

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00

each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr

II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that

I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Just in not tested. $60.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.

16 channel model has short cable and some handle bar mounts. Mic

included but no speaker. Not tested yet since I just got it in.

$50.00

GE Mobile Vehicle Adapter for MPA, MTL, MPD, and TPX. This unit

charges your battery and turns your portable into a mobile radio.

(Convert a Com) With mic, speaker, and power cable. $90.00

GE Accessories

GE Duplexer Mod DB4075 P/N 19C307166P2. tx453.xxx rx458.xxx

With cables. 4 cavity. $175.00

GE Duplexer Mod P1 P/N 19C307166P1 tx453.xxx rx458.xxx

With cables. 4cavity. $175.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $5.00

Mastr II Mic. $5.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5. $4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and 162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50 each. These are the only frequencies I have.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each. Picked up 3 sets of UHF 2C Icoms $30.00 per set of 1tx and 1rx Icom.

GE Delta cables. These are the downloading type used with the S820 heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

GE Mastr II mounting plates $15.00 each

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE MPA, MPD, MTL standard Speaker mic. $25.00

GE PCS Universal charger. With wall transformer $20.00 each

GE MPA standard chargers. $20.00 each

GE MPA Rapid chargers. $30.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a rapid rack charger with a DB 15 cable and uses a MPD body to attach a battery to. Has LED readout in display area of MPD body to tell discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card and power supply / speaker. $300.00

Other Radios and Accessories

Motorola Radius / Maxtrac VHF 25 watt. 16 channel scan. 16 pin accessory port. With mic. $225.00 ACD33LRA7PA5BK

Motorola Radius / Maxtrac UHF 25 watt. 2 channel 5 pin port. With shure

Mic. $175.00

Motorola Radius SM50 UHF 2 channel like new small radio. With mic and bracket. $175.00

Johnson Viking CX-HL81 800 LTR portable. With charger. $65.00 each

Uniden SPS 802TS 800 LTR portable. With charger. $65.00 each.

Yaesu FTH 2009 VHF portable. 6 channel. Works great on ham and public

Safety band. With wall charger $85.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great.

This was in my van before I added another MVS so I know it works.

$95.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by

Midland. $65.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$65.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition

and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of

crystals for each radio. Also have a working battery and charger for

each. I have 4 of these. $50.00 all

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work

with the sp2000 as well.$35.00

Consignment section

This area is for a few friends who like those other radios you know

"Motorola" They are good people and I will pass along any trades you

may wish to make.

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola Saber II UHF 48 channel scan. With battery and antenna. 9 condition $350.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Radio Shack HTX 242 ham radio new in the box. With all the Factory Accessories. $100.00

Motorola GP300 2 channel. Charger and extra battery. $150.00

Want List not FS

Extra parts for GE suitcase programmers Data modules, Printers, cables, proms, Anything you have extra. MPA or MPD portables what do you have and what do you want for them? Johnson scorpion program cable.

Terms

All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a question E-mail me. Contact me off list at. Gundoc@insightbb.com

Dean

2056. Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 02:44:51 UTC
From: Mike <mdickman@remove.bevcomm.net>
Message-ID: <3D49F2F9.CB6D05E6@remove.bevcomm.net>
Source record: 40766

where is the info on the TNC?

Burt wrote:

> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
> E:B:DS:US:3

--
Mike
KD4LLA

"Every month brings something new that people will do," "Today's
MP3 is just yesterday's Internet surfing, which was yesterday's
sending e-mail to relatives, which was yesterday's putting the
book under the table and reading."

2057. FA: Mint HEATHKIT HW-101 @$76.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 03:37:12 UTC
From: rlucch2098@aol.com
Message-ID: <20020801233712.07359.00001597@mb-mv.aol.com>
Source record: 40768

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369268149

2058. FA: Really NICE HEATHKIT SB-650 Digital Display w/Manual@$65

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 03:38:34 UTC
From: rlucch2098@aol.com
Message-ID: <20020801233834.07359.00001600@mb-mv.aol.com>
Source record: 40769

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369283816

2059. FA: SWAN HIGH VOLTAGE PSU-3 SPEAKER/SUPPLY, Cheep Still!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 03:40:03 UTC
From: rlucch2098@aol.com
Message-ID: <20020801234003.07359.00001604@mb-mv.aol.com>
Source record: 40770

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369283793

2060. fa>> Any Hams who collect Cameras CHEEPLY? Check these out!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 03:43:32 UTC
From: rlucch2098@aol.com
Message-ID: <20020801234332.07359.00001608@mb-mv.aol.com>
Source record: 40771

NONE OVER $9.99 :-)
Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369283790

//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369283786

//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369283788

//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369283811

//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1370792165

2061. fa- B & W #550A COAXIAL SWITCH, 5 Positions @big $11.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 03:45:33 UTC
From: rlucch2098@aol.com
Message-ID: <20020801234533.07359.00001611@mb-mv.aol.com>
Source record: 40772

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369283798

2062. I need ONE page from IFR FM/AM-1000S manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 04:04:07 UTC
From: tomg@fullnet.com
Message-ID: <11915d6.0208012004.4d931019@posting.google.com>
Source record: 40773

I need ONE page from IFR FM/AM-1000S manual:

I need one page from the service manual for the IFR FM/AM-1000S Radio Test Set (also known as the AN/GRM-114, with manual TM 11-6625-3016-14, which is the manual that I have.):

I have a scan of the military version of the manual. But page 5-114 is missing, with a copy of page 5-113 in its place.

The missing page should contain steps 11 through 14 of the "VCO Tuner A1A11 Alignment" procedure.

I also have a page, containing Fig 5-45, the "MM-100 Assembly A2A1A1", that has only the left half of the circuit board pictured. Assuming that it should show the whole board, I need that page, or at least the right-half of the diagram.

If anyone has this material, I will happily pay for it. (Or, maybe we can work out a trade for something on my website, at http://www.fullnet.com/u/tomg/gooteesu.htm .)

If it can be scanned and converted to a jpg file and emailed to me, that would be really wonderful, as would a copy sent by mail (or even fax).

If you have it, PLEASE email me, at tomg@fullnet.com !

Thanks!

Tom Gootee

tomg@fullnet.com

812-482-7663

1795 West Schuetter Rd, Jasper, IN 47546, USA

2063. Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 10:39:39 UTC
From: Newbie <newbie@nowhere.net>
Message-ID: <ukkoaek3696743@corp.supernews.com>
Source record: 40774

Looks like it is "For Auction", not for sale.
"Mike" <mdickman@remove.bevcomm.net> wrote in message
news:3D49F2F9.CB6D05E6@remove.bevcomm.net...
where is the info on the TNC?
Burt wrote:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
E:B:DS:US:3
--
Mike
KD4LLA

"Every month brings something new that people will do," "Today's
MP3 is just yesterday's Internet surfing, which was yesterday's
sending e-mail to relatives, which was yesterday's putting the
book under the table and reading."

2064. Re: New Pictures on Elecraft Gallery page

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 10:50:09 UTC
From: Ed Summers <midcreek@deltaforce.net>
Message-ID: <3D4A63E1.C0BB649D@deltaforce.net>
Source record: 40775

Bob Miller wrote:
>
> Eric Swartz WA6HHQ - Elecraft <eric@elecraft.com> wrote:
>
> >We have updated our Elecraft picture gallery with 39 new pictures.
>
> >Go to http://www.elecraft.com and choose the link for the Picture Gallery.
>
> Hmm, early Thursday evening, the server is not connecting.
>
> Bob
> k5qwg

Early Friday morning it is working fine..

Ed KG4SZJ

2065. 603 beam and tower 4sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 13:11:51 UTC
From: Jeff <j.dauphinais@worldnet.att.net>
Message-ID: <ryv29.15297$pg2.1236015@bgtnsc05-news.ops.worldnet.att.net>
Source record: 40776
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.homebrew

I have for sale 1 full size "HY-Gain" beam 10 meters. fully assembled for your inspection. 13' Boom and longest element is 22' $100.00 I also have a steel tower totaling 25'. this is in 3 sections 1 10 foot st8 and 1 5foot st8 and 1 10 foot top section. I don't not have a rotator. $50.00. pickup only from Nashua,NewHampshire. I am selling these because they are to big for my new QTH. This beam has spent a large portion of its life in storage. 73's Jeff AA1GR

2066. Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 13:17:52 UTC
From: JWheeler <kd5bcu@yahoo.com>
Message-ID: <ukl1js2vpv3t56@corp.supernews.com>
Source record: 40777

I really hate to get drawn into something like this, but it really annoys me when people can't just ignore a for sale listing that is actually a for auction listing. I don't know how many of these I see in a given week. The ones who complain about it say that it's wasting bandwidth. So what? The inane replies to the post that point out that it should be listed as FA instead of FS waste as much or more bandwidth than the original poster. At any rate, to settle the argument, I went Merriam-Webster. Guess what they had to say.

Main Entry: auc·tion
Pronunciation: 'ok-sh&n
Function: noun
Etymology: Latin auction-, auctio, from augEre to increase
Date: 1595
1 : a sale of property to the highest bidder
2 : the act or process of bidding in some card games

Note the 2nd word after the first entry. An AUCTION is a form of SALE. I know this won't change the minds of any of the 'purists' out there, but it made me feel a little better.

JWheeler

"Newbie" <newbie@nowhere.net> wrote in message news:ukkoaek3696743@corp.supernews.com...
Looks like it is "For Auction", not for sale.
"Mike" <mdickman@remove.bevcomm.net> wrote in message
news:3D49F2F9.CB6D05E6@remove.bevcomm.net...
where is the info on the TNC?
Burt wrote:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
E:B:DS:US:3
--
Mike
KD4LLA

"Every month brings something new that people will do," "Today's
MP3 is just yesterday's Internet surfing, which was yesterday's
sending e-mail to relatives, which was yesterday's putting the
book under the table and reading."

"Newbie" <newbie@nowhere.net> wrote in message news:ukkoaek3696743@corp.supernews.com...
Looks like it is "For Auction", not for sale.
"Mike" <mdickman@remove.bevcomm.net> wrote in message
news:3D49F2F9.CB6D05E6@remove.bevcomm.net...
where is the info on the TNC?
Burt wrote:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
E:B:DS:US:3

--
Mike
KD4LLA

"Every month brings something new that people will do," "Today's MP3 is just yesterday's Internet surfing, which was yesterday's sending e-mail to relatives, which was yesterday's putting the book under the table and reading."

2067. FA Motorola Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 13:27:30 UTC
From: Carl Walthall <n3qom@insightbb.com>
Message-ID: <6Nv29.736097$352.161145@sccrnsc02>
Source record: 40778

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1370366691

2068. FA: 30' Crank Up Military Antenna Mast

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 17:08:03 UTC
From: Whitey on the Moon <heywood.jablowmie@yourplace>
Message-ID: <sPy29.109983$Og3.25783281@e3500-atl1.usenetserver.com>
Source record: 40779
Cross-posted to:
alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Ultimate Field Day Toy

1 unit on eBay for auction, several available.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=2041623838

Vist link for more info;

http://www.n2ojq.com/masts.html

--

2069. Re: 30' Crank Up Military Antenna Mast

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 17:40:23 UTC
From: Jeff Maass <jmaass@columbus.rr.com>
Message-ID: <buz29.26563$s6.6537790@twister.columbus.rr.com>
Source record: 40780
Cross-posted to:
alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

This item number is a bidet toilet seat, not a crank-up mast!

--
Jeff Maass jmaass@columbus.rr.com Located near Columbus Ohio
USPSA # L-1192 NROI/CRO Amateur Radio K8ND
Maass' IPSC Resources Page: http://home.columbus.rr.com/jmaass
"Whitey on the Moon" <heywood.jablowmie@yourplace> wrote in message
news:sPy29.109983$Og3.25783281@e3500-atl1.usenetserver.com...
> Ultimate Field Day Toy
>
> 1 unit on eBay for auction, several available.
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=2041623838
>
> Vist link for more info;
>
> http://www.n2ojq.com/masts.html
>
>
>
> --
>
>
>
>
>
>
>
>
>

2070. RE: Question about Motorola "Trunk" mount radios..?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 17:54:12 UTC
From: MTM <res0i8ad@verizon.net>
Message-ID: <8Hz29.99$Wx2.45@nwrddc03.gnilink.net>
Source record: 40781

Hello.................NG.
Can anyone tell me as little bit about ...
Motorola FMTR 80V (BX) 1D..&.. FMTR 80-12D (DW) 1A.radios...
Apparently use by a Sheriffs dept...
These appear to be Trunk mounted transmitters & recievers...?
Does anyone have a use for these?...Are they legal to use (or sell)..?
Any idea of value....?
Pix available....
Thanks...
Mike
814-450-7979-c
814-868-0866-h

2071. Re: 30' Crank Up Military Antenna Mast

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 18:16:05 UTC
From: Buyer Beware <BuyerBeware@hotmail.com>
Message-ID: <F%z29.316634$DB.8712442@news1.east.cox.net>
Source record: 40782
Cross-posted to:
alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

You need a cramp-up shitter as well as a crank-up mast..

"Jeff Maass" <jmaass@columbus.rr.com> wrote in message
news:buz29.26563$s6.6537790@twister.columbus.rr.com...
>
> This item number is a bidet toilet seat, not a crank-up mast!
>
> --
> Jeff Maass jmaass@columbus.rr.com Located near Columbus Ohio
> USPSA # L-1192 NROI/CRO Amateur Radio K8ND
> Maass' IPSC Resources Page: http://home.columbus.rr.com/jmaass
> "Whitey on the Moon" <heywood.jablowmie@yourplace> wrote in message
> news:sPy29.109983$Og3.25783281@e3500-atl1.usenetserver.com...
> > Ultimate Field Day Toy
> >
> > 1 unit on eBay for auction, several available.
> >
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=2041623838
> >
> > Vist link for more info;
> >
> > http://www.n2ojq.com/masts.html
> >
> >
> >
> > --
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
>
>

2072. FS:Nye MB-V-A Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 18:23:30 UTC
From: slo100bw1@aol.com
Message-ID: <20020802142330.03023.00001571@mb-mu.aol.com>
Source record: 40783

Tuner is in near mint condition. Works great. Have original box and all paperwork. Asking $575 or bo.

2073. Newby looking for recommendation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 19:23:37 UTC
From: Mayor Joe Quimby <mjq@simpsons.com>
Message-ID: <020820021423377328%mjq@simpsons.com>
Source record: 40784

My brother (who is not very internet savy) asked me to post this. He's looking for advice on a portable (handheld) 2 meter Ham radio. He's a Rally race car driver, and wants to carry it in his car since they're quite in use during the race, and in case of emergencies to reach the ground crew.

He didn't mention if they were using FM, SSB or what, so I'm assuming he'd want an all-band 2 meter radio.

Also, I don't think he wants to spend a lot of money, since it likely won't get used all that much. He's looking into getting his license, but was wondering if anyone would have recommendations for a good, cheap to moderate priced radio?

I told him that people on this group would probably all have opinions and some might be willing to share theirs. :)

Tim

2074. Mods for Kenwood TMG707E ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 19:45:45 UTC
From: tarquinlinbin <hpfrs@hotmail.com>
Message-ID: <99olkukdsrbffn8evcti32b16fb8p2ho1s@4ax.com>
Source record: 40785

Hi all
does anyone have this radio? if so can they advise on the extended
rx/tx am/fm mod?
Thanks
joe,manchester uk

2075. New links

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 20:24:31 UTC
From: F5LCY <f5lcy@libertysurf.fr>
Message-ID: <aieprhapf8@news2adm.admin.in.none.net>
Source record: 40786

```
Site updated today

New links at : http://f6keh.free.fr/index_r
```

2076. Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 20:39:09 UTC
From: Buyer Beware <BuyerBeware@hotmail.com>
Message-ID: <N5C29.317212$DB.8737803@news1.east.cox.net>
Source record: 40788

I have my filters set not to see the damned e-bay posts in here and people that don't use FA: piss me off. Take your overpriced crap to ebay and sell it to some cbers so you can then bitch the hobby has gone to hell..

"Chas" <wg2a@frontiernet.net> wrote in message news:uklr19jrng1nc0@corp.supernews.com...

Sorry it irritates you, but this was well discussed (argued) previously. Anti-eBayers don't want to be bothered with opening these posts, the most logical thing to do (as was argued by the Pro-eBayers) was to use filters. Many people who dislike ePay do this. Unfortunately, some newbies are ignorant of this agreement, or others do it just to be @#$%^"s! As for your dictionary, it states that an auction is a form of sale, true! But here on the newsgroups, it seems we need to show which TYPE of "sale" it is. This arrangement is used simply to keep peace. As long as people understand how to properly list their posts, no one complains.

Chuck WG2A
"JWheeler" <kd5bcu@yahoo.com> wrote in message news:ukl1js2vpv3t56@corp.supernews.com...
I really hate to get drawn into something like this, but it really annoys me when people can't just ignore a for sale listing that is actually a for auction listing. I don't know how many of these I see in a given week. The ones who complain about it say that it's wasting bandwidth. So what? The inane replies to the post that point out that it should be listed as FA instead of FS waste as much or more bandwidth than the original poster. At any rate, to settle the argument, I went Merriam-Webster. Guess what they had to say.

Main Entry: auc·tion
Pronunciation: 'ok-sh&n
Function: noun
Etymology: Latin auction-, auctio, from augEre to increase
Date: 1595
1 : a sale of property to the highest bidder
2 : the act or process of bidding in some card games

Note the 2nd word after the first entry. An AUCTION is a form of SALE. I know this won't change the minds of any of the 'purists' out there, but it made me feel a little better.

JWheeler

"Newbie" <newbie@nowhere.net> wrote in message news:ukkoaek3696743@corp.supernews.com...
Looks like it is "For Auction", not for sale.
"Mike" <mdickman@remove.bevcomm.net> wrote in message
news:3D49F2F9.CB6D05E6@remove.bevcomm.net...
where is the info on the TNC?
Burt wrote:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
E:B:DS:US:3
--

Mike
KD4LLA

"Every month brings something new that people will do," "Today's
MP3 is just yesterday's Internet surfing, which was yesterday's
sending e-mail to relatives, which was yesterday's putting the
book under the table and reading."

"Newbie" <newbie@nowhere.net> wrote in message news:ukkoaek3696743@corp.supernews.com...
Looks like it is "For Auction", not for sale.
"Mike" <mdickman@remove.bevcomm.net> wrote in message
news:3D49F2F9.CB6D05E6@remove.bevcomm.net...
where is the info on the TNC?
Burt wrote:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
E:B:DS:US:3
--
Mike
KD4LLA

"Every month brings something new that people will do," "Today's
MP3 is just yesterday's Internet surfing, which was yesterday's
sending e-mail to relatives, which was yesterday's putting the
book under the table and reading."

2077. Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 20:39:11 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <uklr19jrng1nc0@corp.supernews.com>
Source record: 40787

Sorry it irritates you, but this was well discussed (argued) previously. Anti-eBayers don't want to be bothered with opening these posts, the most logical thing to do (as was argued by the Pro-eBayers) was to use filters. Many people who dislike ePay do this. Unfortunately, some newbies are ignorant of this agreement, or others do it just to be @#$%^"s! As for your dictionary, it states that an auction is a form of sale, true! But here on the newsgroups, it seems we need to show which TYPE of "sale" it is. This arrangement is used simply to keep peace. As long as people understand how to properly list their posts, no one complains.

Chuck WG2A
"JWheeler" <kd5bcu@yahoo.com> wrote in message news:ukl1js2vpv3t56@corp.supernews.com...
I really hate to get drawn into something like this, but it really annoys me when people can't just ignore a for sale listing that is actually a for auction listing. I don't know how many of these I see in a given week. The ones who complain about it say that it's wasting bandwidth. So what? The inane replies to the post that point out that it should be listed as FA instead of FS waste as much or more bandwidth than the original poster. At any rate, to settle the argument, I went Merriam-Webster. Guess what they had to say.

Main Entry: auc·tion
Pronunciation: 'ok-sh&n
Function: noun
Etymology: Latin auction-, auctio, from augEre to increase
Date: 1595
1 : a sale of property to the highest bidder
2 : the act or process of bidding in some card games

Note the 2nd word after the first entry. An AUCTION is a form of SALE. I know this won't change the minds of any of the 'purists' out there, but it made me feel a little better.

JWheeler

"Newbie" <newbie@nowhere.net> wrote in message news:ukkoaek3696743@corp.supernews.com...
Looks like it is "For Auction", not for sale.
"Mike" <mdickman@remove.bevcomm.net> wrote in message
news:3D49F2F9.CB6D05E6@remove.bevcomm.net...
where is the info on the TNC?
Burt wrote:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
E:B:DS:US:3
--
Mike
KD4LLA

"Every month brings something new that people will do," "Today's
MP3 is just yesterday's Internet surfing, which was yesterday's

sending e-mail to relatives, which was yesterday's putting the
book under the table and reading."

"Newbie" <newbie@nowhere.net> wrote in message news:ukkoaek3696743@corp.supernews.com...
Looks like it is "For Auction", not for sale.
"Mike" <mdickman@remove.bevcomm.net> wrote in message
news:3D49F2F9.CB6D05E6@remove.bevcomm.net...
where is the info on the TNC?
Burt wrote:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
E:B:DS:US:3
--
Mike
KD4LLA

"Every month brings something new that people will do," "Today's
MP3 is just yesterday's Internet surfing, which was yesterday's
sending e-mail to relatives, which was yesterday's putting the
book under the table and reading."

2078. WTB/WTT Yaesu FT -767GX or Icom 970

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 20:51:38 UTC
From: radioactiveham@yahoo.com
Message-ID: <219b06.0208021251.3459b1a2@posting.google.com>
Source record: 40789
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

I'm looking for a Yaesu FT-767GX very good or mint condition with
or with out the band modules for VHF/UHF. Need tone board also.

I'm also looking for a Icom 970a/h

I might be interested in other later (1980's - 1990's)

HF transceivers also.

I have some items I might be willing to trade toward the FT 767GX or
IC 970 which include:

HP N5195 Notebook computer.

14 " Tiff
700mhz cpu
20 gig HD
128 megs RAM installed
DVD Drive- Floppy drive
2 Batteries and power supply/charger
2 ext USB

Win ME Disks

Sony DV Digicam Model DCR- TRV-11

Yaesu VX-5R triband HT with speaker mic and DC cord and extra
battery. BOX included. No manual.

Cushcraft A4S Tri-band yagi (Less than 2 years old.

KLM 432 - 30LBX's (2 of them) 432mhz yagi's

2 - 55 element loop yagi's for 1240-1300mhz. By Directive Systems.

2 - 24 Element loop yagi's for 1240-1300mhz By Directive
Systems.

1 Mirage 430-450 all mode amp (12 volt DC) Model
D-3010 30 watts in about 110 watts out.

Bird Power sensors for Model 43 (VHF/UHF range)

Cushcraft 503 6 meter yagi

Homebrew Tower 20 foot with rotor installed in top section. 2 10 ft sections with tilt over base plate. Rotor is a Alliance HD-73 with controller.

I also have some other odds and ends .

Thanks

Tom ki0pa Near Reno, NV. radioactiveham@yahoo.com

775-673-2410

2079. Re: 1200 mhz Antenna Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 21:39:28 UTC
From: Bill Crocker <billcrocker@ameritech.net>
Message-ID: <20020802173931454-0400@news.det.sbcglobal.net>
Source record: 40790

Sometimes you see these on Ebay.

Bill Crocker

In <B9678C8B.EE28%pilot.marc@verizon.net> Marc Robins wrote:
> Looking for a 1200mhz base antenna. Vertical or beam.
>
> 73 de AD6MI
> Marc
>
>

2080. Re: Mods for Kenwood TMG707E ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 21:42:07 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uklv44k5u96tc8@corp.supernews.com>
Source record: 40791

"tarquinlinbin" <hpfrs@hotmail.com> wrote in message
news:99olkukdsrbffn8evcti32b16fb8p2ho1s@4ax.com...
> Hi all
> does anyone have this radio? if so can they advise on the extended
> rx/tx am/fm mod?
> Thanks
> joe,manchester uk

Go to http://www.mods.dk/ they have it there.

--

'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

2081. Re: Newby looking for recommendation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 22:20:48 UTC
From: Idontwantspam@net
Message-ID: <3d4b0265.10274383@news.bellatlantic.net>
Source record: 40792

On Fri, 02 Aug 2002 14:23:37 -0500, Mayor Joe Quimby
<mjq@simpsons.com> wrote:

>My brother (who is not very internet savy) asked me to post this. He's
>looking for advice on a portable (handheld) 2 meter Ham radio. He's a
>Rally race car driver, and wants to carry it in his car since they're
>quite in use during the race, and in case of emergencies to reach the
>ground crew.
>
>He didn't mention if they were using FM, SSB or what, so I'm assuming
>he'd want an all-band 2 meter radio.
>
>Also, I don't think he wants to spend a lot of money, since it likely
>won't get used all that much. He's looking into getting his license,
>but was wondering if anyone would have recommendations for a good,
>cheap to moderate priced radio?
>
>I told him that people on this group would probably all have opinions
>and some might be willing to share theirs. :)
>
He will have to get a license to transmit on 2 meters. I am assuming
that this road rallying is a hobby, as amateur radio cannot be used
for any business. If it is commercial, there are other bands,
licensing and equipment needed.

He should find out in detail what the ground crews are using for
frequency and mode before buying anything. You have to know what they
are listening to before you set up to transmit. FM is the most common
mode on 2M HTs.

If it is in a car, a mobile unit might make more sense, with a solid
mounting, power and antenna hardwired, and higher power available.

All that said, if a 2M FM handheld still makes sense, the Yaesu VX-150
is a nice choice.

Rugged, puts out 5 watts, 200 memories for frequencies, CTCSS tones,
and currently has a coupon taking the price down to $129 and change at
HRO.

Go to http://www.hamradio.com/ and search on VX-150.

Each brand has its fans, but I don't think you would go far wrong with
an HT from Yaesu, Kenwood or Icom.

Happy trails,
Gary (net.yogi.bear)

---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

2082. Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-02 23:09:58 UTC
From: Newbie <newbie@nowhere.net>
Message-ID: <ukm497k0rcu8cd@corp.supernews.com>
Source record: 40793

I would be happy to filter out the auctions if there was something
consistent that I could filter on such as FA in the subject line..

"JWheeler" <kd5bcu@yahoo.com> wrote in message
news:ukl1js2vpv3t56@corp.supernews.com...
I really hate to get drawn into something like this, but it really annoys me
when people can't just ignore a for sale listing that is actually a for
auction listing. I don't know how many of these I see in a given week. The
ones who complain about it say that it's wasting bandwidth. So what? The
inane replies to the post that point out that it should be listed as FA
instead of FS waste as much or more bandwidth than the original poster. At
any rate, to settle the argument, I went Merriam-Webster. Guess what they
had to say.

Main Entry: auc&#65533;tion
Pronunciation: 'ok-sh&n
Function: noun
Etymology: Latin auction-, auctio, from augEre to increase
Date: 1595
1 : a sale of property to the highest bidder
2 : the act or process of bidding in some card games

Note the 2nd word after the first entry. An AUCTION is a form of SALE. I
know this won't change the minds of any of the 'purists' out there, but it
made me feel a little better.

JWheeler

"Newbie" <newbie@nowhere.net> wrote in message
news:ukkoaek3696743@corp.supernews.com...
Looks like it is "For Auction", not for sale.
"Mike" <mdickman@remove.bevcomm.net> wrote in message
news:3D49F2F9.CB6D05E6@remove.bevcomm.net...
where is the info on the TNC?
Burt wrote:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
E:B:DS:US:3
--
Mike
KD4LLA

"Every month brings something new that people will do," "Today's
MP3 is just yesterday's Internet surfing, which was yesterday's
sending e-mail to relatives, which was yesterday's putting the
book under the table and reading."

"Newbie" <newbie@nowhere.net> wrote in message
news:ukkoaek3696743@corp.supernews.com...
Looks like it is "For Auction", not for sale.
"Mike" <mdickman@remove.bevcomm.net> wrote in message
news:3D49F2F9.CB6D05E6@remove.bevcomm.net...
where is the info on the TNC?
Burt wrote:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
E:B:DS:US:3
--
Mike
KD4LLA
"Every month brings something new that people will do," "Today's
MP3 is just yesterday's Internet surfing, which was yesterday's
sending e-mail to relatives, which was yesterday's putting the
book under the table and reading."

2083. FS: Kenwood SP-940 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 01:00:29 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <8lamku8s3bihqihgs9ikco1mfs73qnofh9@4ax.com>
Source record: 40794

I have for sale a very clean Kenwood SP-940 speaker. The price is $75
plus shipping. Please email me with any questions.
Thanks, Mike N0XD
mfunaro@worldnet.att.net

2084. FS: RF Concepts UHF Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 01:11:02 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <rtamkuojjgr1ba751jh2hj2bfbhsjld2sk@4ax.com>
Source record: 40795

Hello, I have for sale a very clean RF Concepts 4-110 430-450 mhz all mode amp. It is a 10 watt in 100 watt out amp with Uhf preamp. I'm getting a Icom 910 that has 75 watts out. Please email me with any questions. The price is $180 plus shipping.
Thanks, Mike N0XD
mfunaro@worldnet.att.net

2085. Re: Yaesu FT-100D or FT-817 , can't decide on either of these. Ruled out Icom already.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 02:36:09 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns925EC7CEF6C20Frog207Junocom@148.78.248.76>
Source record: 40796

>
> At Dayton, Yaesu showed their 897, "an 817 on steroids." It's 50%
> bigger than the 817, with 100 watts up through 6, 50 watts on 2, 20
> watts on 70cm.

Common! The 897 is a lot bigger than an 817, and the FT100. Its about 3/4 the size of my FT 757. Howeverm I was impressed with it. Recent anouncements have it scheduled to hit the stores in the US at end of August.

Ed WB6SAT

2086. 2m all-mode rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 04:35:21 UTC
From: Larry williams <larry_duke_williams@hotmail.com>
Message-ID: <Xns925EEFF626AD4larrydukewilliamshot@216.168.3.40>
Source record: 40797

Does anyone make a 2M all-mode rig anymore?

2087. Re: FA: AC/DC PATHFINDER 10 BAND RADIO RECEIVER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 05:13:15 UTC
From: w9wi@linux1.localdomain
Message-ID: <slrnakmpr4.i7g.w9wi@linux1.localdomain>
Source record: 40648
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.antenna,alt.radio.scanner,alt.radio.pirate,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

On Fri, 02 Aug 2002 11:08:17 -0500, martbalt <martbalt@netscape.net> wrote:
>This is a multi-part message in MIME format.

(followed by 837 more lines of HTML and JavaScript...)

Yikes.
--
Doug Smith W9WI
Pleasant View (Nashville), TN EM66
http://www.w9wi.com

2088. Dual Band Mobile (Icom 2710h): Post-storage Weak Rx -- Leaky Capacitor? Help for repair.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 06:36:29 UTC
From: jsmith@egeland.net
Message-ID: <d742cc36.0208022236.755e7cdb@posting.google.com>
Source record: 40649

I am trying to repair an Icom 2710h VHF/UHF mobile which functions perfectly in all respects, except for one: the VHF receive is very weak (i.e. only receives very close repeaters). UHF receive is fine, and the VHF is weak, no matter which "channel" of the 2710H is used.

As far as I know, this radio worked perfectly before it was put into storage about a year or two ago. Only upon removal from storage was this problem discovered.

Based on that history, I suspect the culprit is most likely a leaky capacitor somewhere. But alas -- looking at the PCB is like trying to read microfilm without a magnifier!

So I ask anyone with a little experience: what's the best way for me to trace down the source of the problem? I haven't found any obvious physical indications of failure on any of the capacitors or other devices.

Anyone have any experience with doing these types of repairs?

Best wishes, and thanks much in advance!

Please cc me by email in your responses, if possible.

John

2089. WAS - Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 07:16:49 UTC
From: Lou <tech@dp.net>
Message-ID: <aig0emujl1@news.dp.net>
Source record: 40650

I've said it before, I'll say it again....

Newsgroup is much like news paper. Many people buy a paper, but they all congregate to their own favorite sections to read. For example: obituaries, ads, society, sports, headlines, stocks, weather, TV listings, etc.

IF YOU DON"T LIKE READING IT, YOU SKIP IT!
HOW HARD IS THAT??????????

I see a few hundred listings a day. I don't filter any of them, but I still only read maybe a couple dozen that appeal to me.
I'd rather see a post with FA or FS that MAY attract my attention as being worth while, than to see some one whining about the posts being made in the first place!

Why not use your efforts to combat something more meaningful like making sure your elders can afford medication and to keep their home from tax sales. Beat the ears off the freaking politicians. THAT will be worth the effort. This here, is petty bull *&^%!

You waste more time and space complaining than the actual ads.....GET A LIFE! Quit acting like a self appointed NET COP or GOD.

Lou/Tech@DP.NET

"Newbie" <newbie@nowhere.net> wrote in message
news:ukm497k0rcu8cd@corp.supernews.com...
> I would be happy to filter out the auctions if there was something
> consistent that I could filter on such as FA in the subject line..
>
> "JWheeler" <kd5bcu@yahoo.com> wrote in message
> news:ukl1js2vpv3t56@corp.supernews.com...
> I really hate to get drawn into something like this, but it really annoys
me
> when people can't just ignore a for sale listing that is actually a for
> auction listing. I don't know how many of these I see in a given week.
The
> ones who complain about it say that it's wasting bandwidth. So what? The
> inane replies to the post that point out that it should be listed as FA
> instead of FS waste as much or more bandwidth than the original poster.
At
> any rate, to settle the argument, I went Merriam-Webster. Guess what they
> had to say.
>
> Main Entry: auc&#65533;tion
> Pronunciation: 'ok-sh&n

> Function: noun
> Etymology: Latin auction-, auctio, from augEre to increase
> Date: 1595
> 1 : a sale of property to the highest bidder
> 2 : the act or process of bidding in some card games
>
> Note the 2nd word after the first entry. An AUCTION is a form of SALE. I
> know this won't change the minds of any of the 'purists' out there, but it
> made me feel a little better.
>
> JWheeler
>
> "Newbie" <newbie@nowhere.net> wrote in message
> news:ukkoaek3696743@corp.supernews.com...
> Looks like it is "For Auction", not for sale.
> "Mike" <mdickman@remove.bevcomm.net> wrote in message
> news:3D49F2F9.CB6D05E6@remove.bevcomm.net...
> where is the info on the TNC?
> Burt wrote:
>
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
> E:B:DS:US:3
> --
> Mike
> KD4LLA
>
> "Every month brings something new that people will do," "Today's
> MP3 is just yesterday's Internet surfing, which was yesterday's
> sending e-mail to relatives, which was yesterday's putting the
> book under the table and reading."
>
>
> "Newbie" <newbie@nowhere.net> wrote in message
> news:ukkoaek3696743@corp.supernews.com...
> Looks like it is "For Auction", not for sale.
> "Mike" <mdickman@remove.bevcomm.net> wrote in message
> news:3D49F2F9.CB6D05E6@remove.bevcomm.net...
> where is the info on the TNC?
> Burt wrote:
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1369362309&ssPageName=ADM
> E:B:DS:US:3
> --
> Mike
> KD4LLA
> "Every month brings something new that people will do," "Today's
> MP3 is just yesterday's Internet surfing, which was yesterday's
> sending e-mail to relatives, which was yesterday's putting the

> book under the table and reading."
>
>
>

2090. FA reapeater Amps 2 meter and 440

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 08:10:26 UTC
From: HamRAdio <n3qom@insightbb.com>
Message-ID: <SdM29.233603$Wt3.209175@rwcrnsc53>
Source record: 40651
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1371017547&rd=1

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1371017774&rd=1

2091. FA Micom XF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 08:11:39 UTC
From: HamRAdio <n3qom@insightbb.com>
Message-ID: <_eM29.35963$Ru5.13146@rwcrnsc52.ops.asp.att.net>
Source record: 40652
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1371018518&rd=1

2092. Re: Newby looking for recommendation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 08:50:53 UTC
From: Mike <mdickman@remove.bevcomm.net>
Message-ID: <3D4B9A46.384BFCD2@remove.bevcomm.net>
Source record: 40653

get a business band radio, or FRS H/T's from Wal-Mart... If and when he "gets" the ham ticket he will have figured out what he needs in terms of radio gear.

Mayor Joe Quimby wrote:

> My brother (who is not very internet savy) asked me to post this. He's
> looking for advice on a portable (handheld) 2 meter Ham radio. He's a
> Rally race car driver, and wants to carry it in his car since they're
> quite in use during the race, and in case of emergencies to reach the
> ground crew.
>
> He didn't mention if they were using FM, SSB or what, so I'm assuming
> he'd want an all-band 2 meter radio.
>
> Also, I don't think he wants to spend a lot of money, since it likely
> won't get used all that much. He's looking into getting his license,
> but was wondering if anyone would have recommendations for a good,
> cheap to moderate priced radio?
>
> I told him that people on this group would probably all have opinions
> and some might be willing to share theirs. :)
>
> Tim

--
Mike
KD4LLA

"Every month brings something new that people will do," "Today's MP3 is just yesterday's Internet surfing, which was yesterday's sending e-mail to relatives, which was yesterday's putting the book under the table and reading."

2093. wtd 2mtr and 70cms masthead preamp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 08:54:44 UTC
From: matt <mattobr@ntlworld.com>
Message-ID: <xTM29.695$mB4.51668@newsfep1-win.server.ntli.net>
Source record: 40654
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

hi

i am after a 2mtr and a 70cms mast head preamp , with or with out sequencer .

cheers matt

2094. FS: Kenwood SP-230 speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 09:20:46 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <hn7nkugmal2bci6t47j0omf0e2oc4tvo0l@4ax.com>
Source record: 40655

I have for sale in very good condition a Kenwood SP-230 external speaker....It matches the Kenwood 530, 830 series of radios.There are some light scratches on the sides and some small marks on top. I will ship it for $75 in the 48 states only.......WZ1U Steve / Lakeville, Mass.

Pictures upon request if needed !

2095. Re: 2m all-mode rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 11:48:49 UTC
From: "Gary \"Joe\" Mayfield" <gary_mayfield@hotmail.com>
Message-ID: <uknghh7henmsb42@corp.supernews.com>
Source record: 40656

I do not believe so. The FT-100, IC-706 radios sell for less than the last generation of 2 meter all modes did.

73,
Joe

"Larry williams" <larry_duke_williams@hotmail.com> wrote in message news:Xns925EEFF626AD4larrydukewilliamshot@216.168.3.40...
> Does anyone make a 2M all-mode rig anymore?

2096. Re: WAS - Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 11:53:03 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <ukngip7192si5c@corp.supernews.com>
Source record: 40657

Yes, the newsgroups ARE much like the paper, but what we are have here
is people listing obituaries deceptively (on purpose or ignorantly) in the
society section. Why are we being "Net Cops" for wanting some organization
and rules that prevent further arguments? Speaking of not opening posts you
don't like, why don't YOU follow your own advice?!

Chuck WG2A

"Lou" <tech@dp.net> wrote in message news:aig0emujl1@news.dp.net...
> I've said it before, I'll say it again....
>
> Newsgroup is much like news paper. Many people buy a paper, but they all
> congregate to their own favorite sections to read. For example:
obituaries,
> ads, society, sports, headlines, stocks, weather, TV listings, etc.
>
> IF YOU DON"T LIKE READING IT, YOU SKIP IT!

2097. Re: WAS - Re: TNC For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 11:59:23 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <ukngui7oatdv08@corp.supernews.com>
Source record: 40658

Another thing, how can you "skip it", if you don't know it's not what you want to read??? When something is posted FS when it is really FA, why am I at fault for complaining when I follow your advice and find something deceptively listed??? Should we all call the Psychic Hotline before we check these posts to make sure we don't open one that is deceptively listed??? Do you get it yet???

Chuck WG2A

> IF YOU DON"T LIKE READING IT, YOU SKIP IT!
> HOW HARD IS THAT??????????
>

2098. FS: SX101A ssb rcvr, Eico 723 cw xmtr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 12:04:24 UTC
From: AK <AK_in_OH@cinci.rr.com>
Message-ID: <cFP29.198926$CJ2.26548441@twister.neo.rr.com>
Source record: 40659

FS: Hallicrafter SX-101A
Excellent Condition, with manual
$200 Can e-mail picture of radio.

FS: Eico 723 60W CW Transmitter
$75 Good condition; can e-mail pic

FS:Tube caddy - full of new electronic tubes.

Can e-mail pictures of the above.

Please e-mail to: AK_in_OH@cinci.rr.com

2099. FS: Yaesu FT-1000D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 12:37:26 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <jajnku053ogfrm8d1cgtf4tbk7gm6b6get@4ax.com>
Source record: 40660

I have for sale in excellent condition a Yaesu FT-1000D bought in 1992. I have the original boxes and manual and its from a non-smoker. I will ship it anywhere in the 48 states for $2100. If you have any questions email or call (508) 821-2993....WZ1U Steve / Lakeville, Ma.

2100. ICOM W32A - Opinions and advice needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 14:22:38 UTC
From: Dan Morisseau <dpm3_NO_HABLA_ESPAM@morisseau.org>
Message-ID: <3D4BE727.9D315B8D@morisseau.org>
Source record: 40661

I'm looking for a dual band HT to replace my aging Alinco DJ-580T. A few of the features that I've identified as ones I would like to have include : "full" size handheld unit (I've tried an ICOM T-8 and decided that the "mini" size units don't seem to fit my big paw too well), alpha tags, full CTCSS features, an adequate number of channels, computer programmable, extended (RR, air & PD) receive, reasonable sensitivity and battery life.

Right now, the only unit that seems to fit (most of) these criteria is the W32. If someone has other suggestions let me know. I've read some reviews/complaints about the W32 that suggest it is insensitive, prone to overload and intermod an that it eats batteries. If any out there have some hands on practical experience with the W32, I'd welcome their advice - either pro or con. Is it really the dog some reviews on web sites suggest? Is it merely a mediocre performer with nice features? Or, is it a really nice radio getting a bad rap? If the general consensus seem to be this is something I won't want to spend my next 10 years lugging around, perhaps someone has a suggestion for a unit might fit my needs ... a "mini" unit, with alpha tags, and a full numeric keypad and is easy to use for those with big, clumsy finger?

--
Dan Morisseau - N 38ï¿½34'53", W 90ï¿½22'32", 680'
On the sunrise side of Mo-Pac's famous Kirkwood Hill!
Cardinal Nation: JFB / DK - 57
"ï¿½Y tu madre tambien!"

2101. FS: Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 14:35:16 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <r0qnkugpfj7igj3ruduo6ncan33m5es1ug@4ax.com>
Source record: 40662
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have the following tubes available. All are new in the boxes.

12AT7 / ECC83 Amperex Bugle Boy
5751 RCA
5751 Sylvania
5751WA Hewlett Packard
12AU7 RCA - QTY 3
5814 General Electric

I would like to get $10 for the Bugle Boy tube and $8.00 each for
the others.

Shipping additional

E-mail me to arrange purchase

--

On Fri, 02 Aug 2002 14:19:59 -0500, HeartMan <iamNOT@resurrection.com>
wrote:

>>It is no wonder there is no posting going on in here!

>You're unquestioningly correct.

2102. summer clearout

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 14:38:29 UTC
From: 106312.1035@compuserve.com
Message-ID: <3d4be9a3.486251@news.compuserve.com>
Source record: 40663

Summer clear out...

German WWII E10K receiver, good condx, with valves ..... 200 Pound
Hallicrafters Skyrider receiver, nice condx, working... 70.00 Pound
WS 46, set only, looks complete, case, good condx, with coil pack.
75.00 Pound
Transmitter SR, 5 channel VHF set, in very good condx, rare
item....60.00 Pound
Receiver No 34A, UHF set, 470-890 Mhz, ideal to listen to tv sound,
battery with builtin charger, working, nice condx,.... 40.00 Pound
RA-17 receiver, working, nice condition..... 70 Pound
B40 receiver, good condx,..... 40 Pound
WS 18/68 acc's. mic 4A, good condx, with 4 pin square plug 10.00
18 set Morse key with twin plugs, 4 pin and jack ..... 25.00 Pound
18 set Valve Case No 3, with valves ..... 25.00 Pound
the set of three items, mic, key and valve case ..... 50 Pound
WS 19 Control Box No 2, with short or long headset connector.....
10.00 Pound
WS 19 headset and mic, needs cleaning up ..... 5.00 Pound
Air Ministry Panel Meters,
0 to 5 mA, black, square fronted,
still boxed, old stock. 1.50 each,
10 for 10 Pound.

all plus PP.
or collect from West Midlands (near J1 M5)
Ben. G4BXD@qsl.net
contact direct, not via reflector

2103. FS-Protek portable DSO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 16:21:12 UTC
From: ka4993gg@aol.com
Message-ID: <20020803122112.02086.00001441@mb-fe.aol.com>
Source record: 40664

Portable digital storage oscilloscope, in EXCELLENT condition. Operated by "AA" batteries or AC adaptor included. Can also be hooked up to your PC with included computer interface. Comes with manual, 2 probes, batteries, zippered carrying case. Probes and scope are as new, unit was very seldom used.

Brand new price was $1200, but will sacrifice for $350, plus actual shipping charges from 94612.

The specifications for this scope is very similar to the current model P-3850, at Protek's website below. Its also identical in appearance to the P-3850 which sells for $1350.

http://www.hcprotek.com/index-dso.html

2104. Re: ICOM W32A - Opinions and advice needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 16:57:17 UTC
From: TFW <lvc@citlink.net>
Message-ID: <uko2rtk8ept274@corp.supernews.com>
Source record: 40666

I have had a W32A for over a year now and it is in general the best HT I have ever had.

Areas of concern were/are

very poor rx in aircraft band
sever overload of rx if anything except the original rubber duck antenna is used
receiver just goes dead if you get into a hi rf area like TV Bcst transmitters VHF repeaters etc.

I live in a rural area and do not suffer but when I go to Las Vegas the rx goes dead

Original battery good for 3 hours only as Icom states.

W&W BP 173 gives me 8-10 hours

Regards

Frank W9LVC

"Dan Morisseau" <dpm3_NO_HABLA_ESPAM@morisseau.org> wrote in message news:3D4BE727.9D315B8D@morisseau.org...
> I'm looking for a dual band HT to replace my aging Alinco DJ-580T. A
> few of the features that I've identified as ones I would like to have
> include : "full" size handheld unit (I've tried an ICOM T-8 and decided
> that the "mini" size units don't seem to fit my big paw too well), alpha
> tags, full CTCSS features, an adequate number of channels, computer
> programmable, extended (RR, air & PD) receive, reasonable sensitivity
> and battery life.
>
> Right now, the only unit that seems to fit (most of) these criteria
> is the W32. If someone has other suggestions let me know. I've read some
> reviews/complaints about the W32 that suggest it is insensitive, prone
> to overload and intermod an that it eats batteries. If any out there
> have some hands on practical experience with the W32, I'd welcome their
> advice - either pro or con. Is it really the dog some reviews on web
> sites suggest? Is it merely a mediocre performer with nice features? Or,
> is it a really nice radio getting a bad rap? If the general consensus
> seem to be this is something I won't want to spend my next 10 years
> lugging around, perhaps someone has a suggestion for a unit might fit my
> needs ... a "mini" unit, with alpha tags, and a full numeric keypad and
> is easy to use for those with big, clumsy finger?
>
> --

> Dan Morisseau - N 38°34'53", W 90°22'32", 680'
> On the sunrise side of Mo-Pac's famous Kirkwood Hill!
> Cardinal Nation: JFB / DK - 57
> "¡Y tu madre tambien!"
>
>

2105. Re: wtd 2mtr and 70cms masthead preamp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 16:57:18 UTC
From: Lee <leemoore500@hotmail.com>
Message-ID: <OXT29.7721$nN6.95387845@news-text.cableinet.net>
Source record: 40665
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Hi Matt !!!.

What antenna do you have ???, as you don`t say anything other than you need a pre-amp, a preamp can sometimes make a bad signal even worse by adding more noise than signal !!! .

Do you have a good antenna with gain, is it vertical ?, horizontal?, is it for FM , SSB or multi-mode ????

The reason behind the questions, is to verify whether you want to improve the signal to noise ratio on a "Decent" antenna system , or try to make up for the definciencies in a "Poor" antenna and poor feeder with all the inherent faults; that you will see as a higher "S" reading of noise, particularly, if the preamp is at the bottom end of the feeder.

It may be better to imrove the gain of the antenna and use low loss feeder than to inject more noise into your Rig using a so called " low" noise pre-amp that usually does come with signal gain, but also adds it`s own built in noise and usually comes attached to a linear amp ...

If you do have a decent array then there are quite a few good designs of "masthead" kit preamps that will certainly improve an already good signal to noise ratio for a few quid , ...just shop around and don`t hesitate to ask for advice , ...that`s one thing this NG is full of, advice .... and i don`t need to mention what else it is full of , Hi ;^}} .

73 . Lee.

G6ZSG / M3ZSG .

"matt" <mattobr@ntlworld.com> wrote in message
news:xTM29.695$mB4.51668@newsfep1-win.server.ntli.net...
> hi
>
> i am after a 2mtr and a 70cms mast head preamp , with or with out
sequencer .
>
> cheers matt
>
>

2106. Replacement batteries??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 17:32:17 UTC
From: Russell <rustyspam@dccnet.com>
Message-ID: <3D4C13A1.4020409@dccnet.com>
Source record: 40667

Hi,
Does anyone know who has the best prices and service for getting
replecement batteries for radios,cordless phones and camcorders is?
There are so many out there....
Please e-mail me directly rusty@dccnet.com
Thanks-Russ

2107. FA: Kenwood TS-50 + Matching AT-50 Auto Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 17:40:44 UTC
From: Mountain-Ops <rich@Mountain-Ops.com>
Message-ID: <3d4c14a9_7@news.newzpig.com>
Source record: 40668
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1371065433

2108. Re: Dual Band Mobile (Icom 2710h): Post-storage Weak Rx -- Leaky Capacitor? Help for repair.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 18:11:56 UTC
From: TFW <w9lvc@citlink.net>
Message-ID: <uko77h781hh134@corp.supernews.com>
Source record: 40669

On one of my 2710 I had the same problem.

It was Q50 that went bad.

Frank W9LVC

"J. Smith" <jsmith@egeland.net> wrote in message
news:d742cc36.0208022236.755e7cdb@posting.google.com...
> I am trying to repair an Icom 2710h VHF/UHF mobile which functions
> perfectly in all respects, except for one: the VHF receive is very
> weak (i.e. only receives very close repeaters). UHF receive is fine,
> and the VHF is weak, no matter which "channel" of the 2710H is used.
>
> As far as I know, this radio worked perfectly before it was put into
> storage about a year or two ago. Only upon removal from storage was
> this problem discovered.
>
> Based on that history, I suspect the culprit is most likely a leaky
> capacitor somewhere. But alas -- looking at the PCB is like trying to
> read microfilm without a magnifier!
>
> So I ask anyone with a little experience: what's the best way for me
> to trace down the source of the problem? I haven't found any obvious
> physical indications of failure on any of the capacitors or other
> devices.
>
> Anyone have any experience with doing these types of repairs?
>
> Best wishes, and thanks much in advance!
>
> Please cc me by email in your responses, if possible.
>
> John

2109. Re: wtd 2mtr and 70cms masthead preamp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 18:43:02 UTC
From: matt <mattobr@ntlworld.com>
Message-ID: <TyV29.2274$mB4.138050@newsfep1-win.server.ntli.net>
Source record: 40670
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

hi guys

i have 9 ele tonna on 2mtrs and 2 x 19 ele on 70cms but my location is the problem not much area to swing beams round with out
overhanging next doors house i have hill's house and big trees to the east and south its either move house, BIG tower , or pre
amp to try and get those signals.

cheers matt
"matt" <mattobr@ntlworld.com> wrote in message
news:xTM29.695$mB4.51668@newsfep1-win.server.ntli.net...
> hi
>
> i am after a 2mtr and a 70cms mast head preamp , with or with out sequencer .
>
> cheers matt
>
>

2110. FS: Motorola Spectra, Syntor X9000, MCX1000 - Kenwood TK830, TK931...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 18:51:46 UTC
From: cdr32@bellsouth.net
Message-ID: <6f2e669.0208031051.74d87030@posting.google.com>
Source record: 40671

Have a quantity of each, give me an email. All come with speaker and
mic, but i am running real low on power wiring. Many control heads to
chose from for X9000....
chris

2111. FS Uniden President HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 19:22:42 UTC
From: Salle ���� <sgrubor@shaw.caNSPM>
Message-ID: <64W29.90989$Ag2.4530281@news2.calgary.shaw.ca>
Source record: 40672

Uniden President HR-2510
Does not have chipswitch
comes with stock mic and power cord
nice and clean unit with minimal wear marks
$160 shipping included
Located in Canada, price includes shipping
to continental US and Canada
You can pay by paypal, or mail a cashiers cheque
Check my references at ebay under "salle2"

sorry if this post shows twice, provider is acting up

--

2112. Re: wtd 2mtr and 70cms masthead preamp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 20:14:57 UTC
From: adamory <adamory@ntlworld.com>
Message-ID: <qJW29.1800$rl3.105363@newsfep1-gui.server.ntli.net>
Source record: 40673
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

.....we put one antenna in liquid nitrogen at -270K and one in boiling water at 100C. One said, 'by 'eck it's cold' before becoming almost superconductive, and the other said 'it's boiling me balun' It didn't matter whether the antenna was hot or cold - we still couldn't hear them :-(

The moral of the story is that the Gentleman wishes to buy a preamp, not engage in a large diatribe on the subject. He has an array and wishes to get the best out of it and overcome any downlead losses. Also he wants to point it skywards and occasionally at terrestrial targets, just like my samsung combi oven where I do CW by opening and closing the door.

answers on the back of a used tonna or fiva. anyone mentioning parametric amplifiers for 2m or 70cm will be exhumed.

TU

"matt" <mattobr@ntlworld.com> wrote in message
news:TyV29.2274$mB4.138050@newsfep1-win.server.ntli.net...
> hi guys
>
> i have 9 ele tonna on 2mtrs and 2 x 19 ele on 70cms but my location is the problem not much area to swing beams round with out
> overhanging next doors house i have hill's house and big trees to the east and south its either move house, BIG tower , or pre
> amp to try and get those signals.
>
> cheers matt
> "matt" <mattobr@ntlworld.com> wrote in message
news:xTM29.695$mB4.51668@newsfep1-win.server.ntli.net...
> > hi
> >
> > i am after a 2mtr and a 70cms mast head preamp , with or with out sequencer .
> >
> > cheers matt
> >
> >
>
>

2113. Re: wtd 2mtr and 70cms masthead preamp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 20:21:57 UTC
From: G-zero <geezeroNOSP@Mbtopenworld.com>
Message-ID: <aihe14$hq9$1@venus.btinternet.com>
Source record: 40674
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

"adamory" <adamory@ntlworld.com> wrote in message
news:qJW29.1800$rl3.105363@newsfep1-gui.server.ntli.net...
> ...., just like my samsung
> combi oven where I do CW by opening and closing the door.
>

LOL !!!

--
G-zero.....ex-G8 who eventually learned morse and passed test.

Remove the obvious from the email addy.

2114. FS: Fluke Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 21:39:55 UTC
From: Fred Allen <fallen-idc@worldnet.att.net>
Message-ID: <L4Y29.22469$Kl6.1423453@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40675

Fluke 5102B Calibrator. Includes front cover and transient case. $2400.00
or best offer.

Fluke 8506A Thermal Digital Multimeter with options 02A, (Ohms Converter),
and 05, (IIIE-488 Interface). $375.00 or best offer.

Pictures on request.

Fred
fallen-idc@worldnet.att.net

2115. Re: wtd 2mtr and 70cms masthead preamp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 21:48:10 UTC
From: andy <music@soon.com>
Message-ID: <aihjdapbm1@news8.svr.pol.co.uk>
Source record: 40676
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

"adamory" <adamory@ntlworld.com> wrote in message
news:qJW29.1800$rl3.105363@newsfep1-gui.server.ntli.net...

> .....we put one antenna in liquid nitrogen at -270K and one in boiling
water
> at 100C. One said, 'by 'eck it's cold' before becoming almost
> superconductive, and the other said 'it's boiling me balun' It didn't
matter
> whether the antenna was hot or cold - we still couldn't hear them :-(
>
> The moral of the story is that the Gentleman wishes to buy a preamp, not
> engage in a large diatribe on the subject. He has an array and wishes to
get
> the best out of it and overcome any downlead losses. Also he wants to
point
> it skywards and occasionally at terrestrial targets, just like my samsung
> combi oven where I do CW by opening and closing the door.

What the lad needs is a couple of Nuvistors.

2116. FS: Crystal Sockets

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-03 22:31:54 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <cflokukfabgnbsav8et9u6q82strrevsr0@4ax.com>
Source record: 40677
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

Crystal sockets for HC-6/U crystals.
If anyone would like some, I have about 10 or 20 of these available
for $2.00 each plus shipping

These are new parts. They are teflon and anodized metal.
They have two hole side mounting, with a clip that nicely holds the
crystal in place.

Great for repairing older rigs, or for homebrewing tube transmitters &
receivers.

This is NOT the same as FT243. These are for the similar sized
crystals that have thinner pins.

E-mail me if you would like some.

--

On Fri, 02 Aug 2002 14:19:59 -0500, HeartMan <iamNOT@resurrection.com>
wrote:

>>It is no wonder there is no posting going on in here!

>You're unquestioningly correct.

2117. FS: Kenwood TR-9130 2 meter allmode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 00:19:36 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <rdsokug11sj9l5iilvd80l48t9qv62fnmr@4ax.com>
Source record: 40678

I have for sale in very good condition a Kenwood TR-9130 2 meter allmode. This is the 25 watt version and comes with the Kenwood MC-46 touch tone microphone, original manual and box, quick release mobile bracket. It has 2 levels of power 5 watts low and 25 high. It covers cw, ssb and fm modes. There is no tone board and the meter light bulb is burned out. I will take $175 plus shipping and can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass.

2118. Re: Replacement batteries??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 00:36:11 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <aihrnd$s9t$1@news1.kornet.net>
Source record: 40679

www.sunnbattery.com
www.batteriesamerica.com

I've bought from both of these, and find their prices to be very good.

"Russell" <rustyspam@dccnet.com> wrote in message
news:3D4C13A1.4020409@dccnet.com...
> Hi,
> Does anyone know who has the best prices and service for getting
> replecement batteries for radios,cordless phones and camcorders is?
> There are so many out there....
> Please e-mail me directly rusty@dccnet.com
> Thanks-Russ
>

2119. Re: ICOM W32A - Opinions and advice needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 00:59:38 UTC
From: Beans <beans@gate.net>
Message-ID: <3D4C7C7A.C2720974@gate.net>
Source record: 40680

I really like my W-32. Excellent tx and rx. I've had no over mod issues. I like the lighted keypad a lot. It does use batteries faster than I'd like, especially at 5 watts. I can get about 6 hours out of the rechargeable battery that it comes with. I can get more time at low wattage. I am very happy with it overall. I like the size a lot...it feels like a radio.

jeff

2120. Re: SX101A ssb rcvr, Eico 723 cw xmtr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 02:00:53 UTC
From: AK <AK_in_OH@cinci.rr.com>
Message-ID: <pV%29.199146$CJ2.27040459@twister.neo.rr.com>
Source record: 40681

FS: Hallicrafter SX-101A
Excellent Condition, with manual
$200 Can e-mail picture of radio.

FS: Eico 723 60W CW Transmitter
$75 Good condition; can e-mail pic

FS:Tube caddy - full of new electronic tubes.

Can e-mail pictures of the above.

Please e-mail to: AKilpatri@cinci.rr.com
if AK_in_OH address does not go.
AK

2121. MANUALS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 03:28:51 UTC
From: joeee1621@aol.com
Message-ID: <20020803232851.14782.00001914@mb-ba.aol.com>
Source record: 40682

NEED A MANUAL? WE PROBABLY HAVE IT. CONTACT US FOR A LIST-or take a look at this- http://www.myradioroom.com/manualsale.html -OVER 780 LISTINGS AT PRESENT-. WE PROBABLY HAVE A COPY OF WHAT YOU NEED, IF YOU DONT SEE IT ASK. ALL MANUALS $16 SHIPPED UNLESS OTHERWISE NOTED

2122. Re: 2m all-mode rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 03:43:05 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020803234305.10061.00001562@mb-cj.aol.com>
Source record: 40683

Most likely, no. You can usually find used 2m all mode's (or multimodes) for
$150 - $300. Check Ebay, eham.net, qth.net, qrz.com and any of the other
amateur radio classifieds websites.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2123. Re: ICOM W32A - Opinions and advice needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 03:51:12 UTC
From: kc2gsk@aol.com
Message-ID: <20020803235112.22141.00001201@mb-mo.aol.com>
Source record: 40684

I've had myW32A for two years now. It is a real sweet radio. Some problems with intermod with external antenna on UHF but by far it is a good rig.

2124. Re: WTB/WTT Yaesu FT -767GX or Icom 970

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 04:46:41 UTC
From: radioactiveham@yahoo.com
Message-ID: <219b06.0208032046.26b11a45@posting.google.com>
Source record: 40685
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

FT-767GX found. Still looking for a IC 970 a/h though.

6 meter beam and the Yaesu VX-5R are spoken for.

Everything else is still tradable.

Tom

> I'm looking for a Yaesu FT-767GX very good or mint condition with
> or with out the band modules for VHF/UHF. Need tone board also.
>
> I'm also looking for a Icom 970a/h
>
> I might be interested in other later (1980's - 1990's)
>
> HF transceivers also.
>
> I have some items I might be willing to trade toward the FT 767GX or
> IC 970 which include:
>
> HP N5195 Notebook computer.
>
> 14 " Tiff
> 700mhz cpu
> 20 gig HD
> 128 megs RAM installed
> DVD Drive- Floppy drive
> 2 Batteries and power supply/charger
> 2 ext USB
>
> Win ME Disks
>
> ---
>
> Sony DV Digicam Model DCR- TRV-11
>
> ---
>
>
>
> Yaesu VX-5R triband HT with speaker mic and DC cord and extra
> battery. BOX included. No manual. (Gone)
>
> Cushcraft A4S Tri-band yagi (Less than 2 years old.

>
> KLM 432 - 30LBX's (2 of them) 432mhz yagi's
>
> 2 - 55 element loop yagi's for 1240-1300mhz. By Directive Systems.
>
> 2 - 24 Element loop yagi's for 1240-1300mhz By Directive
> Systems.
>
> 1 Mirage 430-450 all mode amp (12 volt DC) Model
> D-3010 30 watts in about 110 watts out.
>
> Bird Power sensors for Model 43 (VHF/UHF range)
>
> Cushcraft 503 6 meter yagi (Gone)
>
> Homebrew Tower 20 foot with rotor installed in top section. 2 10 ft
> sections with tilt over base plate. Rotor is a Alliance HD-73 with
> controller.
>
> I also have some other odds and ends .
>
> Thanks
>
> Tom ki0pa Near Reno, NV. radioactiveham@yahoo.com
>
> 775-673-2410

2125. Re: 2m all-mode rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 05:45:30 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <ukpfqbpnd6c70f@corp.supernews.com>
Source record: 40686

"Larry williams" <larry_duke_williams@hotmail.com> wrote in message
news:Xns925EEFF626AD4larrydukewilliamshot@216.168.3.40...
> Does anyone make a 2M all-mode rig anymore?

Ten Tec 526 6 and 2 meter multimode, but for $200 more you can
get a Icom IC-706MKIIG and have 440 and HF also.

--

'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

2126. FA: Split Ferrite with snap sleaves.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 06:04:11 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3d4cc3db$1_1@nopics.sjc>
Source record: 40687
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

This is one new case of never used ferrite split beads with snap sleeves.
Made by the FAIR-RITE PRODUCTS, CORP. Part number 0443164151. Total of 126
in individual sealed plastic bags. These ferrite beads are used to suppress
RFI, EMI, and unwanted signals. They have an approx. inner diameter of 1/2",
an outer 1 1/4" square and 1 1/4" long.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1754408593&rd=1

--

2127. Re: TS-930S meter lamp replacement

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 08:58:43 UTC
From: Mustache Boy <technomoose@starband.net>
Message-ID: <4pqpkucd74c17724va7q34o0if0sa4bck6@4ax.com>
Source record: 40688

I solved a dead lamp problem in my Icom by using a white LED from Radio Shack. The LED costs almost 5 bucks because it produces white light, but with the correct dropping resistor it makes for a bright meter with a "cleaner" look. Plus you won't have to worry about it failing in the future. The "rule of thumb" LED life expectancy is 11 years.

I roughed up the lens of the LED using sandpaper before installing it so it didn't cast a spot on the meter face.

On Tue, 30 Jul 2002 04:59:21 GMT, "Raymond Hansmeier" <rhansmeier@attbi.com> wrote:

>Thanks for the info. I found some nice lamps here at a local electronics
>store. (Norvac) Nice long insulated leads 14-24V. Grain O wheat bulbs. 70
>cents apiece! The actual voltage is 28.5V. I measured it with a fluke meter.
>The manual must be incorrect and that is also what another feller told me.
>Since I don't have the manual I checked it out for myself and lo and behold
>28.5V. So having said all that all is now well and the meter is lit up once
>more! Thanks to all who helped and if you need some bulbs let me know if you
>cant find em. I will be glad to help.............K7FU
>
>
>
>"Rick Riverman" <rbriver@attbi.com> wrote in message
>news:1wm19.214821$uw.113847@rwcrnsc51.ops.asp.att.net...
>> Keep in mind the originals are 8.0v lamps. You can get Radio Shack
>> replacements that will fit but they only come in 6.3v and 12v
>denominations.
>> You can use the 12v directly and it will be dimmer than the old one but it
>> will last forever. If you use the 6v version, be sure to put a 100 ohm
>1/2
>> watt resister in series to drop the 8v to the 6v rating. You might
>> experiment with the resistor to obtain about 5.5v across the lamp.
>>
>> Hope this helps,
>>
>> Rick <><
>> W7RBR
>>
>> "Raymond Hansmeier" <rhansmeier@attbi.com> wrote in message
>> news:HxW09.68931$uh7.8590@sccrnsc03...
>> > Has anyone done this little task? I do not have the manual so am
>wondering
>> > how much of a chore it is?

>> >
>> > K7FU
>> >
>> >
>>
>>
>

2128. Re: wtd 2mtr and 70cms masthead preamp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 10:20:11 UTC
From: Lee <leemoore500@hotmail.com>
Message-ID: <vd739.8373$Nt2.99675171@news-text.cableinet.net>
Source record: 40689
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Hi !! back ... Heh ,heh.

I knew your question would be the start of a thread, that`s why the questions !!!.

We still have Walt and Gareth to chip in their two pennorth of comments yet , .. but , sounds like you`ve got a round peg in a square hole . Hi .

Have a quiet word with the neighbours and promise you will behave when they`re watching Coronation street !! . ;^}} .

Don`t know where the trees are or who owns them , but , a ladder a saw and a dark night can cure a lot of poor signal strength and a lack of turning area .... LOL.

But yes !! . a good low noise preamp on even an antenna farm certainly wouldn`t do any harm even in normal circumstances , ... so save yourself a bit of cash and get a masthead kit and have a bit of fun building it 8^}} .

Nothing techical to offer , ... but hang around and you will find all the experts arriving shortly , argueing and wandering off-topic, digressing about gareths injury with a landrover and his unhealthy interest in Walts 8yr old daughters and one or two PHd`s thrown in for good measure convincing Gareth to stay with sheep etc,etc. ;^o) .

What !!! ...

73. Lee.

G6ZSG / M3ZSG .

"matt" <mattobr@ntlworld.com> wrote in message news:TyV29.2274$mB4.138050@newsfep1-win.server.ntli.net...
> hi guys
>
> i have 9 ele tonna on 2mtrs and 2 x 19 ele on 70cms but my location is the problem not much area to swing beams round with out
> overhanging next doors house i have hill's house and big trees to the east and south its either move house, BIG tower , or pre
> amp to try and get those signals.
>
> cheers matt

2129. FS: Heathkit HM-2102 VHF Wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 12:25:47 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <dl6qku4evd0n0oa0cbicdp35oo6no75tda@4ax.com>
Source record: 40690

I have for sale in excellent condition a heathkit HM-2102 VHF wattmeter/swr bridge...Its in 100 % operating conditon and I do have the original manual. It covers 0 to 250 watts and the frequency range is between 50 Mhz to 160 Mhz.. I will take $30 plus shipping and can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass.

2130. For Sale : Yeasu VR-5000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 12:31:32 UTC
From: Michael <ipas.m@free.fr>
Message-ID: <3d4d1ea8$0$10485$626a54ce@news.free.fr>
Source record: 40691

My scanner , a yeasu VR-5000 is to sell on e-bay.
Go to this link to bid on it :
http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1371211991&ssPageName=A
DME:B:LC:UK:1

2131. FS: Yaesu FT-1000MP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 14:11:02 UTC
From: brianmwood <brianmwood@email.msn.com>
Message-ID: <uzRaPD8OCHA.1836@cpimsnntpa03>
Source record: 40692

For Sale: FT-1000MP with internal AC power, hand mic, power cord, manual, and original box. Selling to help pay for the Mk-V I just bought. Radio is in mint condition. A fine addition to any shack. $1750 includes domestic shipping.

Brian Wood, W0DZ
w0dz@arrl.net

2132. FT847 Mods work on late s/n?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 14:58:27 UTC
From: Bill Crocker <billcrocker@ameritech.net>
Message-ID: <20020804105831880-0400@news.det.sbcglobal.net>
Source record: 40693

Do the published mods for the Yaesu FT847 still work on recent
production units?

I'm particularly interested in the mod for full band transmit, by
removing the resistor on pad #6.

Thanks,
Bill

2133. Re: For Sale : Yeasu VR-5000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 15:11:08 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <gub39.247968$Wt3.233606@rwcrnsc53>
Source record: 40694

FA not FS.

2134. Re: 2m all-mode rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 15:42:42 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020804114242.00569.00000941@mb-fu.aol.com>
Source record: 40695

>Ten Tec 526 6 and 2 meter multimode, but for $200 more you can
>get a Icom IC-706MKIIG and have 440 and HF also.

Or you could get an FT-100D for $145 more. :)
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2135. Re: 2m all-mode rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 15:51:29 UTC
From: Larry williams <larry_duke_williams@hotmial.com>
Message-ID: <Xns92606E744664Flarrydukewilliamshot@216.168.3.40>
Source record: 40696

xx
[posted and mailed]

vhfradiobuff@aol.comspamsux (VHFRadioBuff) wrote in
news:20020803234305.10061.00001562@mb-cj.aol.com:

> Most likely, no. You can usually find used 2m all mode's (or
> multimodes) for $150 - $300. Check Ebay, eham.net, qth.net, qrz.com
> and any of the other amateur radio classifieds websites.
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

2136. Re: For Sale : Yeasu VR-5000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 16:18:36 UTC
From: Buyer Beware <BuyerBeware@hotmail.com>
Message-ID: <wtc39.326447$DB.9252824@news1.east.cox.net>
Source record: 40697

You mean to SCALP....not for sale...

"Michael" <ipas.m@free.fr> wrote in message
news:3d4d1ea8$0$10485$626a54ce@news.free.fr...
> My scanner , a yeasu VR-5000 is to sell on e-bay.
> Go to this link to bid on it :
>
http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1371211991&ssPageName=A
> DME:B:LC:UK:1
>
>

2137. Re: Dual Band Mobile (Icom 2710h): Post-storage Weak Rx -- Leaky Capacitor? Help for repair.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 16:21:41 UTC
From: jsmith@egeland.net
Message-ID: <d742cc36.0208040821.30b408c4@posting.google.com>
Source record: 40698

Does anyone know which one is Q50? The caps aren't labeled on the PCB
(how the good old days were so much easier!). I plan on replacing Q50
to see if that solves the problem, so if anyone can describe which one
it is, I'd be most thankful!

J. Smith

"TFW" <w9lvc@citlink.net> wrote in message news:<uko77h781hh134@corp.supernews.com>...
> On one of my 2710 I had the same problem.
>
> It was Q50 that went bad.
>
> Frank W9LVC
>
> "J. Smith" <jsmith@egeland.net> wrote in message
> news:d742cc36.0208022236.755e7cdb@posting.google.com...
> > I am trying to repair an Icom 2710h VHF/UHF mobile which functions
> > perfectly in all respects, except for one: the VHF receive is very
> > weak (i.e. only receives very close repeaters). UHF receive is fine,
> > and the VHF is weak, no matter which "channel" of the 2710H is used.
> >
> > As far as I know, this radio worked perfectly before it was put into
> > storage about a year or two ago. Only upon removal from storage was
> > this problem discovered.
> >
> > Based on that history, I suspect the culprit is most likely a leaky
> > capacitor somewhere. But alas -- looking at the PCB is like trying to
> > read microfilm without a magnifier!
> >
> > So I ask anyone with a little experience: what's the best way for me
> > to trace down the source of the problem? I haven't found any obvious
> > physical indications of failure on any of the capacitors or other
> > devices.
> >
> > Anyone have any experience with doing these types of repairs?
> >
> > Best wishes, and thanks much in advance!
> >
> > Please cc me by email in your responses, if possible.
> >
> > John

2138. Wanted: Icom 2710H Service Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 16:25:42 UTC
From: jsmith@egeland.net
Message-ID: <d742cc36.0208040825.653594d@posting.google.com>
Source record: 40699

If anyone has one, used or copied, please email me.

Best,
J. Smith
jsmith@egeland.net

2139. Kenwood TM-D700 rig to head pinouts - help please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 16:39:48 UTC
From: Pete <news0206@toward.com>
Message-ID: <3D4D58D4.26C3379@toward.com>
Source record: 40700
Cross-posted to: alt.ham-radio.mods,alt.ham-radio.packet,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.digital.misc

I've just purchased a Kenwood TM-D700A from a fellow ham, but the cable between the rig and the control head has lost one of the connectors.

This rig uses a 4-pin modular connector at the head end of the cable and a 6-pin modular connector at the rig end. The cable has 4-conductors: black, red, white, and ground.

Could some kind soul please ohm-out their control head cable for this rig and email me the connections? I could use either the pin connections for the four leads at the 6-conductor end, or the end-to-end connectivity between the 4-pin and the 6-pin connectors.

Thank you very much.

73,
Pete
news0206@toward.com

2140. $$$~R U being EXPLOITED by a fellow ham~$$$

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 17:17:57 UTC
From: ke4gdx <ke4gdx@adelphia.net>
Message-ID: <9ld39.17050$gU1.3923516@news1.news.adelphia.net>
Source record: 40701

Check out this website to read the how and why:

http://www.stormbringer.tv/~privacynfreedom/

2141. wanted:50mhz module for yeasu FT767GX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 18:11:15 UTC
From: Ruud Souren <rsouren@cobweb.nl>
Message-ID: <3d4d6e3f$0$8347@heracles>
Source record: 40702

Hello,

I'am looking for the 50mhz module from the Yeasu FT-767GX.
The module number is FEX-767-6.
I will pay very good , for it.

Thanks for you message.

Ruud PE1LBK
email: rsouren@cobweb.nl

2142. Re: $$$~R U being EXPLOITED by a fellow ham~$$$

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 18:57:48 UTC
From: John P Vassel <john@vassel.net>
Message-ID: <3d4d792c$0$3572$2c3e98f8@news.voyager.net>
Source record: 40703

"ke4gdx" <ke4gdx@adelphia.net> wrote in
news:9ld39.17050$gU1.3923516@news1.news.adelphia.net:

> http://www.stormbringer.tv/~privacynfreedom/

Do we also boycott the white pages, and smartpages, as well as four11.com
and others?
I find a lot of enjoyment in qrz.com. I will let my 'royalties' stay there,
and allow it to flourish. Thank you very much.

--
John Vassel
KC8SKE
RTFD Volunteer Firefighter

2143. Re: $$$~R U being EXPLOITED by a fellow ham~$$$

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 19:45:46 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <aijv2q$bj7$1@news1.kornet.net>
Source record: 40704

Amen... if someone is taking THEIR time to gather the information, and the information is PUBLIC information, and they are paying for the website and the bandwidth (and it supplies a service for hams) then he has the right to advertise to recoup his outlay, and I see nothing wrong with him making a profit. If the advertisers are willing to pay for the space, then that's up to them...

"John P Vassel" <john@vassel.net> wrote in message
news:3d4d792c$0$3572$2c3e98f8@news.voyager.net...
> "ke4gdx" <ke4gdx@adelphia.net> wrote in
> news:9ld39.17050$gU1.3923516@news1.news.adelphia.net:
>
> > > http://www.stormbringer.tv/~privacynfreedom/
>
> Do we also boycott the white pages, and smartpages, as well as four11.com
> and others?
> I find a lot of enjoyment in qrz.com. I will let my 'royalties' stay
there,
> and allow it to flourish. Thank you very much.
>
> --
> John Vassel
> KC8SKE
> RTFD Volunteer Firefighter

2144. FA: Nice MFJ-9015 CW Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 19:49:19 UTC
From: aokd5fxt@aol.com
Message-ID: <20020804154919.07417.00001385@mb-ci.aol.com>
Source record: 40705

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1371110807

Bill, KD5FXT

2145. Shure 444D on TS-930S?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 19:52:39 UTC
From: Bjorn Henrik Vangstein <vangsteFJERNDETTE@online.no>
Message-ID: <bCf39.6149$sR2.109966@news4.ulv.nextra.no>
Source record: 40706

Does anyone have any experience with the Shure 444D on the Kenwood TS-930S?
Does the microphone's impedance and signal level match the input on the rig?
If so, how is the audio quality?

73's de LA5MDA, Henrik

2146. Re: $$$~R U being EXPLOITED by a fellow ham~$$$

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 19:59:49 UTC
From: Raymond Hansmeier <rhansmeier@attbi.com>
Message-ID: <VIf39.49003$Ru5.18853@rwcrnsc52.ops.asp.att.net>
Source record: 40707

There are a lot more important things in life to worry about than someone
providing a public service at NO cost to you....get a life.

K7FU

"John P Vassel" <john@vassel.net> wrote in message
news:3d4d792c$0$3572$2c3e98f8@news.voyager.net...
> "ke4gdx" <ke4gdx@adelphia.net> wrote in
> news:9ld39.17050$gU1.3923516@news1.news.adelphia.net:
>
> > http://www.stormbringer.tv/~privacynfreedom/
>
> Do we also boycott the white pages, and smartpages, as well as four11.com
> and others?
> I find a lot of enjoyment in qrz.com. I will let my 'royalties' stay
there,
> and allow it to flourish. Thank you very much.
>
> --
> John Vassel
> KC8SKE
> RTFD Volunteer Firefighter

2147. 100 KHZ HF Interference

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 20:02:06 UTC
From: Steve <mbfudd@yahoo.com>
Message-ID: <3d1rku0anscefdf00cu0dduv4trlqhfg33@4ax.com>
Source record: 40708

A strange, buzzing "rasping" noise, sounds like two or three different, very low frequencies in the 100 Hz range being transmitted simultanously. Appears every 100 Khz and sweeps across the band very slowly, always 100 Khz between signals. Do not think is a signal being transmitted, more like something radiating in area. Strong, will take out a QSO. Has plagued me in two different QTH's in past 2 years. Used DF equipment, turned power off, house clean of any radiation. Any thoughts / ideas? Neighbors house, cable modem, radio type babysitter monitor? Someone out there must of been plagued by it too! Drives me up the wall!

Steve

2148. FS-REDUCED: one more try before eBay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 20:07:52 UTC
From: Jeff Kilgore <the.weight@verizon.net>
Message-ID: <sQf39.4688$qf5.1575@nwrddc01.gnilink.net>
Source record: 40709

I have the following equipment for sale (I need to clear some space, and help pay for an IC-756Pro II). All prices include UPS ground shipping in the continental US. I can can send pictures of any items if needed.

Kenwood TS-850S/AT - I bought this new in 1994 and have used it for my main rig since then. It has INRAD 400-Hz filters in the 8.83-Mhz and 455-kHz IFs, and an INRAD 2.1-kHz filter in the 8.83-MHz IF, and comes with a Kenwood MC-50 microphone, homebrew computer interface (uses Maxim 232 IC, in nice case), and Heild AD-1 adapter for use with Heil headsets. The radio, mic, and computer interface are in very good condition, works fine, no scratches or dings, non-smoking environment. With original manuals and original box. $1000 shipped. I will consider selling these items separately.

Timewave DSP-59+ audio digital signal processor - I bought this new and it has worked with no problems since. It works very well with the TS-850. Very good condition, works fine, no scratches or dings. With original manual. $110 shipped.

Electrovoice 641 microphone - A great mic for boatanchors. In very good condition, includes stand with PTT switch, wired with 2-pin microphone connecter (easily rewired if needed). $6o shipped

Kenwood R-599A receiver - Good condition, some minor wear, works fine, with photocopy manual. $115 shipped.

Kenwood TH-215A 2-meter FM HT - Good condition, works fine, with original manual, original charger (original battery is included, but is dead), aftermarket W&W hi-capacity battery and drop-in charger. $75 shipped

Radio Shack HTX-202 2-meter FM HT - Very good condition. I bought this new several years ago. Works fine, no scratches or dings, includes original manual, NiCd battery, and charger. $75 shipped

Vibroplex Original semiautomatic key - Very good condition, works fine, no dings or scratches. I bought this new in 1988. $70 shipped

Realistic Pro-25 scanner - Very good condition, works fine, no dings or scratches. $35 shipped.

Hewlett-Packard HP41CX calculator, with magnetic card reader, Advantage module, original manuals and boxes, and several additional books on the HP41. $350 shipped.

All items will be carefully packaged and shipped via UPS ground. Payment by USPS money order or personal check (personal checks must clear before shipping).

73,
Jeff Kilgore, KC1MK

2149. Looking for Tube EBL/1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 20:30:35 UTC
From: EA4ADD, "Pedro J." <pjruiz@attglobal.net>
Message-ID: <3d4d0afa.696050@news.mad.ttd.net>
Source record: 40710
Cross-posted to: uk.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment

Dear OMs:

I'm looking for a late '30s early '40s old radio receiver a tube EBL/1 in red.

As long as I know is an European tube red cloured with 8 points for connection.

If you have any information or store, shop or place where to find it I will apreciate that information.

73's de EA4ADD
pjruiz@attglobal.net
73's de Pedro Jos&#65533; Ruiz
EA4ADD, Madrid.
pjruiz@attglobal.net
http://www.geocities.com/pedro_jose_ruiz

2150. 144 Mhz crossed-element YAGI project

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 21:06:38 UTC
From: - <a@a.a>
Message-ID: <1028495669.591868@spynews2>
Source record: 40711

I am looking for a good project of a crossed-element YAGI for 144Mhz, number of elements not important. I am planning to use it for space communications. Anybody can help?

Please reply to antoniog@europe.com

Thanks in advance.

Antonio Rocha Gra&#65533;a
CT1ERK

2151. Re: 100 KHZ HF Interference

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 21:39:21 UTC
From: chuck & shirley hawks <s_hawks@bellsouth.com>
Message-ID: <uik39.113367$ND5.10150975@e3500-atl2.usenetserver.com>
Source record: 40725

Is it the same radio? Is it just in one band or more?
Chuck
KE4ETH

"Steve" <mbfudd@yahoo.com> wrote in message
news:3d1rku0anscefdf00cu0dduv4trlqhfg33@4ax.com...
> A strange, buzzing "rasping" noise, sounds like two or three
> different, very low frequencies in the 100 Hz range being transmitted
> simultanously. Appears every 100 Khz and sweeps across the band very
> slowly, always 100 Khz between signals. Do not think is a signal
> being transmitted, more like something radiating in area. Strong,
> will take out a QSO. Has plagued me in two different QTH's in past 2
> years. Used DF equipment, turned power off, house clean of any
> radiation. Any thoughts / ideas? Neighbors house, cable modem, radio
> type babysitter monitor? Someone out there must of been plagued by it
> too! Drives me up the wall!
>
> Steve
>

2152. Re: Shure 444D on TS-930S?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 21:52:40 UTC
From: restamp@hotmail.com
Message-ID: <lmh39.490$934.5737@news>
Source record: 40712

In article <bCf39.6149$sR2.109966@news4.ulv.nextra.no>,
Bjorn Henrik Vangstein <vangsteFJERNDETTE@online.no> wrote:
>Does anyone have any experience with the Shure 444D on the Kenwood TS-930S?
>Does the microphone's impedance and signal level match the input on the rig?
>If so, how is the audio quality?

I've been pleased with the 444D mated with my Kenwood TS-430S.
Although it works on both the HI and LO impedence setting, people
tell me that LO sounds better.

You can pull down the user's guide (in PDF) from

http://www.shure.com/datasheets/guides-discontinued.html

you'll see that the frequency response accentuates the highs and
is tailered for speech intelligibility rather than delivering a
studio sound. I think it performs its stated job well, although
this may or may not be what you are looking for.

Rob
--
Rob Stampfli

2153. Re: 100 KHZ HF Interference

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 22:15:49 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <ukr9sjfi7mpk2e@corp.supernews.com>
Source record: 40713

A couple of services use 100 Khz. One is the LORAN-C navigation system. The power companies also use 100 Khz to send control signals along the power lines.

2154. FA: N2DAN MERCURY KEYER - RARE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 23:16:14 UTC
From: Jeff Singer <0tubt001@sneakemail.com>
Message-ID: <MPG.17b77fca3195c3f3989694@news.optonline.net>
Source record: 40714

Now that I've completely decommissioned my station, I am offering my gorgeous N2DAN MERCURY KEYER for sale.

Not for everyone, of course, these are very rare and collectible. Currently up for auction on ebay at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1371182585

Take a peek, have fun!

Thanks/73 de Jeff K2KV

2155. FT-50 TO TRADE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 23:41:48 UTC
From: ve2ckn <gfillio1@globetrotter.net>
Message-ID: <0Zi39.10879$gM.667998@charlie.risq.qc.ca>
Source record: 40715

HI ALL,i have to trade a portable ft-50 from yeasu.
the original battery are so --so but i have and optionnal
n-cad battery pack and the charger.
i am looking for a ft-530 or 470 to trade it

it has been open on allfrequency he can take

you can email me at
ve2ckn@hotmail.com
gervais
subject: radio portable

2156. Re: $$$~R U being EXPLOITED by a fellow ham~$$$

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-04 23:47:04 UTC
From: "R. Scott" <washingtonham@yahoo.com>
Message-ID: <3D4DBD7E.73CA29A2@yahoo.com>
Source record: 40716

Raymond Hansmeier wrote:
>
> There are a lot more important things in life to worry about than someone
> providing a public service at NO cost to you....get a life.
>
> K7FU

Amen Ray

Rick Scott N7HJ

2157. FA: HEATHKIT HW-101, Nice, @$86, Last few hours!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 00:40:02 UTC
From: rlucch2098@aol.com
Message-ID: <20020804204002.14857.00001979@mb-ba.aol.com>
Source record: 40717

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369268149

2158. FA: RARE HEATHKIT SB-650 Digital Display w/BOOK, Last 2 HOURS!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 00:41:15 UTC
From: rlucch2098@aol.com
Message-ID: <20020804204115.14857.00001982@mb-ba.aol.com>
Source record: 40718

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369283816

2159. fa-Mint ORIGINAL ASTATIC "G" stand, Soon outta production, Last call

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 00:43:33 UTC
From: rlucch2098@aol.com
Message-ID: <20020804204333.14857.00001985@mb-ba.aol.com>
Source record: 40719

Real nice with pictures to boot@ big $26!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369283801

2160. Fa>> NICE B & W COAXIAL ANTENNA SWITCH @$16.00, NOW!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 00:45:32 UTC
From: rlucch2098@aol.com
Message-ID: <20020804204532.14857.00001988@mb-ba.aol.com>
Source record: 40720

Real nice with pictures to boot@ big $16!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369283798

2161. fa:: SWAN PSU-3 Speaker Supply, RARE INDEED! & few hours left

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 00:48:44 UTC
From: rlucch2098@aol.com
Message-ID: <20020804204844.14857.00001989@mb-ba.aol.com>
Source record: 40721

```
Real nice with pictures to boot@ big $86, practically a give-away!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1369283793
```

2162. For Yaesu Telex Headset with Heil HC 4 installed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 00:50:38 UTC
From: Mountain-Ops <rich@Mountain-Ops.com>
Message-ID: <3d4dca9a_9@news.newzpig.com>
Source record: 40722
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1371398474

2163. FS: MINT SGC SG-2020 QRP XCVR with Box & Manual, SEE PICS!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 00:54:51 UTC
From: rlucch2098@aol.com
Message-ID: <20020804205451.14846.00001879@mb-ba.aol.com>
Source record: 40723

Hi Fellas;
I have for SALE:
SGC brand SG-2020 QRP Transceiver, Mint with Manual, mike & dc Cable.
Price is $435ppd Conus!
http://www.myradioroom.com/sg2020-1.jpg
http://www.myradioroom.com/sg2020-2.jpg
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

2164. FA: Vibroplex Bug and case

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 01:13:03 UTC
From: Mountain-Ops <rich@Mountain-Ops.com>
Message-ID: <3d4dcfd7$1_7@news.newzpig.com>
Source record: 40724
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1371406572

2165. Re: Shure 444D on TS-930S?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 01:39:56 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <qHk39.756$HH2.195717@news20.bellglobal.com>
Source record: 40726

> >Does anyone have any experience with the Shure 444D on the Kenwood TS-930S?

> I've been pleased with the 444D mated with my Kenwood TS-430S.

I thought he said TS-930????

2166. FA R-1051B RECEIVER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 01:56:00 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3D4DDB30.43978A91@ckradio.net>
Source record: 40727

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1371416637

2167. Serial Control Mod for RS DX-394?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 03:02:48 UTC
From: Tom Holden <holden_family@cbc.ca>
Message-ID: <TKl39.1162$HH2.218731@news20.bellglobal.com>
Source record: 40728
Cross-posted to: rec.radio.shortwave,rec.radio.amateur.equipment

Hi, has anyone modified the Radio Shack DX-394 for external control via a serial interface? Would appreciate info. Please e-mail.

Tnx,

Tom, VE3MEO

2168. Re: Question about Motorola "Trunk" mount radios..?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 03:14:08 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aikqi8$2k25$1@madmax.keyway.net>
Source record: 40729

Only legal for amateur use if you put a filter on.
They are definitely museum pieces. The boatanchor
bunch might want to see the Pictures. Do you have a
site up yet? They are well worth the old stories of
2 way radio in the 50's.

When radio techs were weight lifters...

Jim, ac6tk
"MTM" <res0i8ad@verizon.net> wrote in message news:8Hz29.99$Wx2.45@nwrddc03.gnilink.net...
: Hello.................NG.
: Can anyone tell me as little bit about ...
: Motorola FMTR 80V (BX) 1D..&.. FMTR 80-12D (DW) 1A.radios...
: Apparently use by a Sheriffs dept...
: These appear to be Trunk mounted transmitters & recievers...?
: Does anyone have a use for these?...Are they legal to use (or sell)..?
: Any idea of value....?
: Pix available....
: Thanks...
: Mike
: 814-450-7979-c
: 814-868-0866-h
:
:
:

2169. Re: $$$~R U being EXPLOITED by a fellow ham~$$$

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 03:19:14 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <S8m39.19509$pg2.1563367@bgtnsc05-news.ops.worldnet.att.net>
Source record: 40730

"ke4gdx" <ke4gdx@adelphia.net> wrote in message
news:9ld39.17050$gU1.3923516@news1.news.adelphia.net...
> Check out this website to read the how and why:
>
> http://www.stormbringer.tv/~privacynfreedom/

So I guess you will put up a free web site, with no ads, that competes
with qrz.com, right? Then everyone will use your free web site, since
there is no chance at all that you would sell information, carry ads, or
do anything other than pay for it out of your own pocket.

What's the URL for your free web site?
Or do you just have fun posting these ignorant and silly complaints?
Whine, whine, but you fail to provide the obvious solution.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

2170. Re: Question about Motorola "Trunk" mount radios..?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 03:26:47 UTC
From: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com>
Message-ID: <Xfm39.52318$Ru5.22913@rwcrnsc52.ops.asp.att.net>
Source record: 40731

I use a Syntor on 440. 8 channel control with scanning head. Wouldn't mind finding a 16 channel head.

73,
Ed KA9EES

"JB" <ac6tk@nospamcybertime.net> wrote in message news:aikqi8$2k25$1@madmax.keyway.net...
: Only legal for amateur use if you put a filter on.
: They are definitely museum pieces. The boatanchor
: bunch might want to see the Pictures. Do you have a
: site up yet? They are well worth the old stories of
: 2 way radio in the 50's.
:
: When radio techs were weight lifters...
:
: Jim, ac6tk
: "MTM" <res0i8ad@verizon.net> wrote in message news:8Hz29.99$Wx2.45@nwrddc03.gnilink.net...
: : Hello.................NG.
: : Can anyone tell me as little bit about ...
: : Motorola FMTR 80V (BX) 1D..&.. FMTR 80-12D (DW) 1A.radios...
: : Apparently use by a Sheriffs dept...
: : These appear to be Trunk mounted transmitters & recievers...?
: : Does anyone have a use for these?...Are they legal to use (or sell)..?
: : Any idea of value....?
: : Pix available....
: : Thanks...
: : Mike
: : 814-450-7979-c
: : 814-868-0866-h
: :
: :
: :
:

2171. Need Kenwood TR 7850 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 03:50:19 UTC
From: Bill Grimwood <bill@grimwood.net>
Message-ID: <ukt46cik563f8a@corp.supernews.com>
Source record: 40742

I have a friend that has just purchased a Kenwood TR 7850 without a manual. does anyone have a copy they would mail him? Is there a place to download one?

Thanks

Bill

K1WEG

2172. Re: Shure 444D on TS-930S?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 04:55:15 UTC
From: Wayne Faris <ke0bz@arrl.net>
Message-ID: <3D4E0533.81F72524@arrl.net>
Source record: 40732

Bjorn Henrik Vangstein wrote:

> Does anyone have any experience with the Shure 444D on the Kenwood TS-930S?
> Does the microphone's impedance and signal level match the input on the rig?
> If so, how is the audio quality?
>
> 73's de LA5MDA, Henrik

I have used the 444D on the 930, 940, and 950 and have always had good reports on my audio. These Kenwoods sound good with any mic, but the 444 performs with the best of mics. I considered replacing the element with a Heil element, but everyone I have talked to on the air said I would not be gaining anything. Go ahead and use that microphone.

Wayne L. Faris, KEï¿½BZ

2173. 2m all-mode to trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 06:24:34 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <LSo39.1532$Xf7.313167@news20.bellglobal.com>
Source record: 40733

Kenwood TS711A 2m all-mode

I picked this radio up off eBay a few months ago, but have not really had the time to get into 2m weak signal modes. You can see my original bid/purchase by clicking here:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1355765362&rd=1
The radio is still in the same condition it was when I bought it, and comes with the owners & service manuals. Has internal power supply. A great radio, but I'm only using it on the local FM repeaters. I would like to trade it for a small HF rig, such as the Icom 718, 706 or similar (doesn't have to be Icom). I can make a small cash adjustment if need be. If you have been looking to get into 2m SSB this is a great radio to start with. It is an older model but as you can see by the eBay photos it is in excellent shape cosmetically and operational wise. Will sell for $450 US if no takers on the trade.

Thanks for looking,

Max

2174. Re: IC-271A Question - setting tones

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 07:26:07 UTC
From: Dave Nissen <mcsok9@winco.net>
Message-ID: <ail9s3$5s1p$1@news3.infoave.net>
Source record: 40734

The ICOM used a number to indicate the tone, rather than use the actual tone number itself. The manual has a chart of the tones and the corresponding number. I have it here if you would like as lighting took my radio from me.

I tried to respond directly, but the address is rejected..

73
Dave de W9COP

--
Outside of a dog, a book is man's best friend,
Inside a dog it is too dark to read.

Groucho Marx
"Chris Anton" <canton@mail.island.net> wrote in message
news:ig6Y8.35200$BD1.2629902@news1.calgary.shaw.ca...
> I've recently picked up an Icom IC-271A 2m all mode which is in beautiful
> shape but came with no documentation. A really lovely radio but I have a
> question which I'm some sure someone on the list knows. There is a Tone
> button which turns tone on and off and a Sel button which I believe allows
> me to select the tone. Pushing the Sel button display numbers from 01 to
> 63 which can be selected by turning the main tuning knob. Are these
> numbers indicating the different tones? Can anyone point me to where I
can
> find out what tone is associated with which number?
>
> Of course I could be totally off base about what Sel button does. If
> anyone knows I'd appreciate some pointers.
>
> thanks
> Chris Anton
> VE7TOP
>
> email to 'canton@mail.island.net'
>
>

2175. FT-1500M Microphone Connector

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 07:55:45 UTC
From: Book <book16@optusnet.com.au>
Message-ID: <3d4e2f81$0$29909$afc38c87@news.optusnet.com.au>
Source record: 40735

Does anyone have information or a wiring diagram for the microphone connector on a Yaesu FT-1500M, I believe it is an RJ-12.

Thanks,
--
Book

2176. FS icom 2710 manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 10:52:16 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <3Ps39.1182$mh.16211@twister.kc.rr.com>
Source record: 40736

I have a original icom 2710 owner's manual for sale.
$12 shipped lower 48 states only.

2177. Wanted ICOM Headphones

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 12:22:10 UTC
From: The Axelrods <saxelrod@mb.sympatico.ca>
Message-ID: <3D4E6DF2.B2E4A8F7@mb.sympatico.ca>
Source record: 40737

Looking for ICOM HP-1 Headphones

Please contact me direct

saxelrod@mb.sympatico.ca

--
73 and Best of DX
Shawn Axelrod

The AMANDX DX Info Site including the Canadian DX, AM Slogans and
Expanded Band Pages:
http://www.angelfire.com/mb/amandx/index.html

REMEMBER ON A CLEAR DAY YOU CAN HEAR FOREVER

2178. Re: 100 KHZ HF Interference

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 13:24:30 UTC
From: Steve <mbfudd@yahoo.com>
Message-ID: <f2vskuol47e9f3frdlmbnenv2uffh4ff2u@4ax.com>
Source record: 40738

On Sun, 4 Aug 2002 16:39:21 -0500, "chuck & shirley hawks"
<s_hawks@bellsouth.com> wrote:
Same radio (Icom 706MKIIG), only appears from roughly 3.7 Khz to 4.5
Khz.

Steve

>Is it the same radio? Is it just in one band or more?
>Chuck
>KE4ETH
>
>"Steve" <mbfudd@yahoo.com> wrote in message
>news:3d1rku0anscefdf00cu0dduv4trlqhfg33@4ax.com...
>> A strange, buzzing "rasping" noise, sounds like two or three
>> different, very low frequencies in the 100 Hz range being transmitted
>> simultanously. Appears every 100 Khz and sweeps across the band very
>> slowly, always 100 Khz between signals. Do not think is a signal
>> being transmitted, more like something radiating in area. Strong,
>> will take out a QSO. Has plagued me in two different QTH's in past 2
>> years. Used DF equipment, turned power off, house clean of any
>> radiation. Any thoughts / ideas? Neighbors house, cable modem, radio
>> type babysitter monitor? Someone out there must of been plagued by it
>> too! Drives me up the wall!
>>
>> Steve
>>
>
>

2179. Re: FT-1500M Microphone Connector

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 13:29:07 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020805092907.02466.00001522@mb-fv.aol.com>
Source record: 40739

>Does anyone have information or a wiring diagram for the microphone
>connector on a Yaesu FT-1500M, I believe it is an RJ-12.

If you're looking to hook up a new microphone to the radio, you might want to consider buying Yaesu part number CT-69. It's an 8pin to modular adapater, so you can hook up an 8 pin micorphone to the radio. Sorry, I don't have the pinout for the modular adapter. I'd recommend going to Yaesu's website and emailing tech support or calling them directly.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2180. Need RS HTX-100 Schematic 10M rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 13:52:29 UTC
From: K4GJ <k4gj@infi.net>
Message-ID: <aim009$2j4$1@slb3.atl.mindspring.net>
Source record: 40740
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I've some problems with my mike audio circuit . I need a schematic of that
area of the mike preamp, etc. Or, the whole circuit schematic would be nice.
If you can e-mail it, please send to ed3320@netzero.net
Thanks in advance,
Ed Carpenter K4GJ

2181. Radio Shack HTX-202 2 Meter HT F.S.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 14:16:05 UTC
From: Mark Carlson <w4ksr@earthlink.net>
Message-ID: <FMv39.14540$cI.1122815@newsread2.prod.itd.earthlink.net>
Source record: 40741
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Have an HTX-202 with standard battery pack (I just rebuilt with all new cells), alkaline pack (With 1600mAh NIMH batteries), dual band HT antenna, copy of the manual downloaded from the Radio Shack website, Radio Shack speaker/mic, and handstrap. Sorry, no original box. Cosmetically, shows little wear, makes 3 watts on battery, 6 on 12 Volt. Don't have the original charger, but I do have one that works fine. Asking $100. 73/Mark/W4KSR

2182. FS Ten-Tec #1320 20 meter QRP unfinished kit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 15:33:31 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <fVw39.14654$cl.1136259@newsread2.prod.itd.earthlink.net>
Source record: 40743

I have FS a new Ten-Tec #1320 QRP 20 meter transceiver. It is an unfinished kit, about three quarters built. It is complete with all remaining parts and cabinet, and it includes the original manual and construction instructions. The work already completed is of high quality.It would make a nice QRP rig with little work to finish it
Ten-Tec still sells these kits for $95 last I checked. I will sell this one for $55 plus shipping from 79602. Thanks, Charlie Hugg, K5MBX

2183. Re: Shure 444D on TS-930S?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 15:58:12 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aim7at$9fm$1@madmax.keyway.net>
Source record: 40744

The 444 has quite a bit of presence with no distortion. Not a lot of base,
but sounds really clean. I have one on a TS-830, and it is distinctive.
The mic was designed for office paging.

Jim, ac6tk
"Wayne Faris" <ke0bz@arrl.net> wrote in message news:3D4E0533.81F72524@arrl.net...
:
:
: Bjorn Henrik Vangstein wrote:
:
: > Does anyone have any experience with the Shure 444D on the Kenwood TS-930S?
: > Does the microphone's impedance and signal level match the input on the rig?
: > If so, how is the audio quality?
: >
: > 73's de LA5MDA, Henrik
:
: I have used the 444D on the 930, 940, and 950 and have always had good reports
: on my audio. These Kenwoods sound good with any mic, but the 444 performs with
: the best of mics. I considered replacing the element with a Heil element, but
: everyone I have talked to on the air said I would not be gaining anything. Go
: ahead and use that microphone.
:
: Wayne L. Faris, KEï¿½BZ
:

2184. Re: Question about Motorola "Trunk" mount radios..?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 16:16:22 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aim8d0$a31$1@madmax.keyway.net>
Source record: 40745

I have a Syntor SRA on 440 that is useless here in So. CA since the band
plan changed to 20 KHz channel spacing. They could only go 12.5 or 25.
It has a 16 ch head from a later model Syntor though. When programmed
normally, channel 1 falls on mode 2 on up, and channel 16 falls on mode 1
on the head. If you were programming from scratch it could be corrected
there, but if you do a search, you can find some astounding EEprom updates
that would leave your 16 ch idea way behind. You can make your own
head with BCD thumbwheels and go fully programmable.

I like the SRA model because it has the helical RF deck like the Mitrek.
It uses the Micor cable.

Jim, ac6tk (remove nospam when replying)

"Edward L. Dowdy" <elIhatespamdowdy@ctscomp.com> wrote in message
news:Xfm39.52318$Ru5.22913@rwcrnsc52.ops.asp.att.net...
: I use a Syntor on 440. 8 channel control with scanning head. Wouldn't mind
: finding a 16 channel head.
:
: 73,
: Ed KA9EES
:
: "JB" <ac6tk@nospamcybertime.net> wrote in message
: news:aikqi8$2k25$1@madmax.keyway.net...
: : Only legal for amateur use if you put a filter on.
: : They are definitely museum pieces. The boatanchor
: : bunch might want to see the Pictures. Do you have a
: : site up yet? They are well worth the old stories of
: : 2 way radio in the 50's.
: :
: : When radio techs were weight lifters...
: :
: : Jim, ac6tk
: : "MTM" <res0i8ad@verizon.net> wrote in message
: news:8Hz29.99$Wx2.45@nwrddc03.gnilink.net...
: : : Hello.....NG.
: : : Can anyone tell me as little bit about ...
: : : Motorola FMTR 80V (BX) 1D..&.. FMTR 80-12D (DW) 1A.radios...
: : : Apparently use by a Sheriffs dept...
: : : These appear to be Trunk mounted transmitters & recievers...?
: : : Does anyone have a use for these?...Are they legal to use (or sell)..?
: : : Any idea of value....?
: : : Pix available....
: : : Thanks...
: : : Mike

: : : 814-450-7979-c
: : : 814-868-0866-h
: : :
: : :
: : :
: :
:
:

2185. FS Icom HM-46L Speaker Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 17:18:13 UTC
From: Steve Painter <stevepaint@clearwater.net>
Message-ID: <zly39.38104$rX.6663896@e420r-atl1.usenetserver.com>
Source record: 40746

$15 shipped. It's in good shape never abused, non-smoking environment.
email me direct.
stevepaint@clearwater.net

2186. Manal for VX1-R: Available!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 18:01:01 UTC
From: nntpstuffs@brasilia.br
Message-ID: <74f425c.0208051001.3128b049@posting.google.com>
Source record: 40747

Hello, fellas

You can download the Yaesu VX1-R manual at:

http://www.odisseiainternet.com.br/~rodfreire/hamradio/

The images are all on TIFF format!

73's,

Rod.

2187. ICOM IC-27 Power Connector

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 18:03:05 UTC
From: kirkcrawford@yahoo.com
Message-ID: <7207c20a.0208051003.6fe5f2f6@posting.google.com>
Source record: 40598

I have an old ICOM IC-27A 2 Meter Mobile radio. I unfortunately lost
the documentation. Does anyone have the pinouts for the power
connector? It has three pins.
Please email your response to me at kirkcrawford@yahoo.com.

Thanks in advance,

Kirk
kirkcrawford@yahoo.com

2188. NEW QUALITY PADDLE AVAILABLE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 19:38:29 UTC
From: Jerry Parker <qrpradio@charter.net>
Message-ID: <uktksu13c2o879@corp.supernews.com>
Source record: 40599

Check out the one of a kind new Paddle by "American Morse"

http://www.americanmorse.com

You cant beat the quality and feel and its American made too!

72,,,Jerry...WA6OWR...k

2189. F.S. Kenwood SO-2 TCXO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 19:41:00 UTC
From: W3BV <w3bv@arrl.net>
Message-ID: <gxA39.1615$V62.101511@news2.voicenet.com>
Source record: 40600
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

For Sale: Kenwood SO-2 TCXO (high stability crystal oscillator) unit for the TS-870, TS-570SG or TS-50S.

New and Unused, still in the original box. $129.00

Alan, W3BV

2190. FS Kenwood TS-780 Dual Band VHF/UHF All Mode Rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 19:41:03 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <jxA39.15609$nc.1196705@newsread1.prod.itd.earthlink.net>
Source record: 40601

[No readable article body recovered]

2191. FS Kenwood TS-780 Dual Band VHF/UHF All Mode Rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 19:46:08 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <4CA39.15614$nc.1190296@newsread1.prod.itd.earthlink.net>
Source record: 40603

I have a very nice, seldom used, Kenwood TS-780 Dual Band VHF/UHF All Mode Transceiver For Sale. It covers 144 to 148 MHz and 430 to 440 MHz in SSB, CW, and FM. It has a built in AC power supply and it also operates off 12 Volts DC with an optional DC plug and cord (not included). It produces 10 watts output and has lots of features such as Vox, Digital Display, Repeater Off-Sets, Dual VFOs, 10 Memory Channels, Memory Scan, Battery Backup for the Memories and VFOs. This transceiver also has the optional TU-4C Tone Board installed. It provides one programmable tone for UHF and one for VHF. It has all 37 Standard Tones available, but has to be programmed using small DIN switches and only one tone for each band can be programmed at a time. That is the only thing that I don't like about this radio. It is very well constructed by Kenwood in the mid 1980s. It comes with the original manual, AC Power Cord, and the matching optional Kenwood up/down Hand Mic.It works very well in all modes. If you don't need all of the features of the newer, more expensive Kenwood TS-790, this rig is a great buy. I am asking $550 plus shipping from 79602. Thanks, Charlie Hugg, K5MBX.

2192. Re: Shure 444D on TS-930S?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 19:46:28 UTC
From: restamp@hotmail.com
Message-ID: <oCA39.32256$s6.9014984@twister.columbus.rr.com>
Source record: 40602

In article <qHk39.756$HH2.195717@news20.bellglobal.com>,
Max <ve3tmt@rac.ca> wrote:
>
>> >Does anyone have any experience with the Shure 444D on the Kenwood
>TS-930S?
>
>> I've been pleased with the 444D mated with my Kenwood TS-430S.
>
>I thought he said TS-930????
>

He did. That's why I mentioned when giving him the data point
that it wias with respect to *my* rig -- a Kenwood TS-430S.

Rob

2193. F.S. ICOM IC-775DSP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 20:22:41 UTC
From: W3BV <w3bv@arrl.net>
Message-ID: <l8B39.1620$V62.101696@news2.voicenet.com>
Source record: 40604
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

For Sale; Icom IC-775DSP. Late serial number, perfect electrical and physical condition, low operating hours (kept as a back-up rig) with operating and service manuals, original box and the following new and unused accessories:MB-19 Rack Handles, Inrad 2.1 Khz SSB Filters for the 9Mhz and 455Khz I.F.'s $2195.

Alan, W3BV

2194. (small tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 20:46:43 UTC
From: claude bouchard <claude153@sympatico.ca>
Message-ID: <3D4EE432.DDD2B499@sympatico.ca>
Source record: 40605

Hello
Looking for asmall MFJ tuner 200 watts with a center swith and two
condensers
73
ve2amk

2195. Re: FS: Kenwood SP-940 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 22:21:43 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <rkutkugpvf9ui14qlct7gv8grrul9qeich@4ax.com>
Source record: 40606

Sold

On Sat, 03 Aug 2002 01:00:29 GMT, Michael Funaro
<mfunaro@worldnet.att.net> wrote:

>I have for sale a very clean Kenwood SP-940 speaker. The price is $75
>plus shipping. Please email me with any questions.
>Thanks, Mike N0XD
>mfunaro@worldnet.att.net

2196. FS: Kenwood TS711A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-05 22:52:19 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <LkD39.880$2x5.409371@news20.bellglobal.com>
Source record: 40607

Excellent condition, internal power supply, with hand mic and operators and service manuals.
Bought off eBay a few months ago, radio is not being used.
See original auction here:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1355765362&rd=1

Sell for $450 or trade for Icom 718 with cash if needed, or other small HF transceiver.

2197. IC-735 & AT-150

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-06 01:00:34 UTC
From: Michael <paracop@bellsouth.net>
Message-ID: <3D4F1FB2.65CC9DF6@bellsouth.net>
Source record: 40608

Does anyone have the manuals and service manuals for these Icom units? I need asap.

Mike

Please advise cost in your reply. please reply to my email address.

2198. Re: $$$~R U being EXPLOITED by a fellow ham~$$$

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-06 02:28:10 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns9261C63E452D8Frog207Junocom@148.78.248.76>
Source record: 40609

A prime example of a ham with too much free time on his hands. He needs another hobby, or job.

Ed WB6SAT

2199. Re: VR-120 scanner lock out question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 05:48:29 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <2H159.124$w44.5862@sooner.brightok.net>
Source record: 40610
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,alt.radio.scanner

I was just looking at Bob's software for the VR-120, and the site says "The free Tcl/Tk interpreter software must be installed on your computer prior to using tk120. " However it doesn't say where to get this interpreter. Where do I find it?

Mark

"Ken" <cprstn54zz@att.net> wrote in message news:3d51d996.138572671@news-server.optonline.net...
> On Wed, 7 Aug 2002 11:50:32 -0400, "radiofun" <radiofun@charter.net>
> wrote:
> >Ken.....How do you like that radio? I was thinking about getting one.
> >Thanks.
>
> For $109 on sale I think it is a great value. So far, I have only
> used it on AM, 144 MHz, marine VHF and the weather VHF channels where
> it has performed well and done everything I want. It doesn't do SSB
> or CW, but I have a Yachtboy for that.
>
> Internal rechargeability would be nice, but you have to pay more than
> 2X to get it in the new 120D model. So just bring a few extra NiMH
> batteries along.
>
> If you have a CT-29A cable for programming other Yaesu radios, you
> can use it on this one with the experimental TK120 software (currently
> free) written by Bob AJ9S who posted to this thread. It's really nice
> not to have to press a zillion buttons to program the little thing.
>
> I also bought the VX-5R on sale. I suspect that the handi talkie will
> do everything the VR-120 does (plus the TX) but won't know if the 120
> is redundant for a while.
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

2200. Re: ATLAS 210X question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 05:59:42 UTC
From: mike <spamme0@juno.com>
Message-ID: <3D54ABCE.DC4FEE13@juno.com>
Source record: 40611

I'm told that the ones with the noise blanker are much more
desirable.
We'll see.
Mounts go for $40 on ebay.
Here's an atlas and a mount with transformer for sale.
http://nm7u.tripod.com/homepage/sale.html
mike

Fred Ruckser wrote:

> What is the going price for an ATLAS 210X incuding a mobil mount.
> Thanks for your reply
> 73
> wb6iiq

--
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

2201. FS: Siemens F2a power pentode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 07:38:31 UTC
From: arnoldg@c2i.net
Message-ID: <3d54c2ef.594617@news1.c2i.net>
Source record: 40612

I have four pcs of the very nice Siemens F2a power pentode for sale.
They are NOS and in original boxes. I can send a picture by e-mail.

Regards,

Arnold Goks&#65533;yr

DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

2202. WTB: MFJ-461

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 08:21:11 UTC
From: Patrick Wilson <w4pw@arrl.net>
Message-ID: <aj2icq$g0m$1@slb6.atl.mindspring.net>
Source record: 40613
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Looking for an MFJ-461. Please send email with price and condition.

Thanks,

w4pw
Patrick

2203. FS: ICOM 728 HF Rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 10:39:01 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <erq9lu0bl9skdrhv84jtv0fvsfoc13009j@4ax.com>
Source record: 40614

I have for sale in very good condition an ICOM 728 HF mobile rig. The front face has some wear around the microphone jack, PBT knob and some along the top bezel. The covers are mint with no marks, scratches etc. Its in 100% operating condition and puts out 100 watts from 10 to 160 meters including the WARC bands. It does not have the AM/FM board. I have the original box, manual, dc power cable and ICOM hand microphone. I will take $300 plus shipping. I can be reached at (508) 821-2993 or email.

2204. 603 beam and tower 4sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 11:46:30 UTC
From: Jeff <j.dauphinais@worldnet.att.net>
Message-ID: <q2759.5760$Ke2.479428@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40615
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.homebrew

I have for sale 1 full size "HY-Gain" beam 10 meters. fully assembled for your inspection. 13' Boom and longest element is 22' $100.00 I also have a steel tower totaling 25'. this is in 3 sections 1 10 foot st8 and 1 5foot st8 and 1 10 foot top section. I don't not have a rotator. $50.00. pickup only from Nashua,NewHampshire. I am selling these because they are to big for my new QTH. This beam has spent a large portion of its life in storage. 73's Jeff AA1GR

2205. Psychic Seduction for attracting the girl you want - Free Download

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 12:30:05 UTC
From: dfslef@yahoo.com
Message-ID: <3d55074d$9@news.starhub.net.sg>
Source record: 40616
Cross-posted to: rec.photo.equipment.medium-format,rec.photo.equipment.misc,rec.radio.amateur.equipment

4135

http://seduction.guezs.com

http://seduction.guezs.com

- Free Download

- Free Download

- Free Download

MIND POWER SEDUCTION

Get the girl you wanted with MIND POWER SEDUCTION

Irresistible Hypnotic Mind Control

Imagine being able to sensually attract anyone at will... attract women & men with subliminal mind control disciplines

Say nothing and watch as perfect strangers fall into a deep state of enthrallment...

Penetrate the minds of others and unleash charisma so potent and long lasting...

Would you like to discover a secret that allows you to generate extreme fascination in anyone with your thoughts alone?

The secrets of mind control have largely been untapped. Now, the knowledge of hypnotic seduction has been revealed.

It is pure mind control power to influence, attract and more...

Secretly tantalize and attract women or the opposite sex with covert mind control techniques, right in their presence! Generate instant charisma! attract women & men with subliminal mind control disciplines

Easily master long-range remote influence with scientifically verified telepathic mind control powers. No special skills needed!

Mind Power Seduction is a uni-sex discipline that naturally infuses you with irresistible covert seduction skills in 30 days!

http://seduction.guezs.com

- Instant Download

- Instant Download

- Instant Download

http://seduction.guezs.com

http://seduction.guezs.com
sdjvkpnqlm

2206. Re: VR-120 scanner lock out question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 13:45:40 UTC
From: "Bob Parnass, AJ9S" <usenet1@parnass.org>
Message-ID: <3d55190f$0$1430$272ea4a1@news.execpc.com>
Source record: 40617
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,alt.radio.scanner

There are links to download the free Tcl/Tk interpreter
on the "Linux" and "Windows" download pages for each
program.

On Fri, 09 Aug 2002 19:48:29 -0500, M. Schneider wrote:

> I was just looking at Bob's software for the VR-120, and the site says "The
> free Tcl/Tk interpreter software must be installed on your computer prior to
> using tk120. " However it doesn't say where to get this interpreter. Where
> do I find it?
>
> Mark

--
==
Bob Parnass, AJ9S Linux User http://parnass.com

2207. Re: Yaesu FT-100D or FT-817 , can't decide on either of these. Ruled out Icom already.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 14:33:49 UTC
From: massimj@hotmail.com
Message-ID: <e9d3dd29.0208100633.456e3b80@posting.google.com>
Source record: 40618

Maybe you can tell me why the fans turn-on with no pattern. What I
mean is that the fan to the left, looking from the front will turn on
(the one that makes noise) when the radio is cold and I transmit, or
maybe not. It has no set pattern to when it will be on. The radio can
be very warm, or cold and it might, or might not come on. Since I can
find no logical reason for this, I have to assume that it should not
work this way.

I will loosen the screws a litle to see if the fan stops making that
slight clicking sound.

73' Joe KQ4BX

"W6DKN" <w6dkn@qsl.net> wrote in message news:<rPV49.395$uO4.330@nwrddc01.gnilink.net>...
> "Joe" <massimj@hotmail.com> wrote in message
> news:e9d3dd29.0208090507.193f425@posting.google.com...
> > I've had the FT-100D for a little over a week now. One problem
> > surfaced recently. Before I get to the problem, I want to say that I
> > really love the radio. I have not gotten to use it on HF ye, other
> > than to receive. I did read the manual, twice.
> >
> > The radio I received was made last month, so it is as new as i could
> > expect.
> > I did the mic mod and have gotten reports that the audio is great, not
> > one complaint, and many compliments without asking.
> >
> > The problem is that one of the fans is making a noise when it kicks
> > on. It doesn't kick on all the time. One fan comes on when I transmit,
> > the other fan comes on at random. I took the screws out of the speaker
> > side of one cover of the radio, i was going to put it up and see if
> > something was touching the fan. The noise stopped, so I looked at the
> > fans and noticed that one that was turning before was not, the other
> > was turning. I put the screws back and the noise came back. The other
> > fan was now turning, in fact they were both turning. I took the screws
> > back out, still had the same noise on the same fan. no pattern here.
> >
> > Who has seen this before, and what did you do about it? This radio is
> > less than 1o days old.
> >
> > Any response is welcome. The radio came from HRO.
> >
> > 73' Joe KQ4BX
>
> The fans are held to the chassis by four screws and a chrome grill. If the

> fan is not flush against the chassis and the screws are not torqued evenly,
> it can stress the plastic fan frame and cause the fan to make noise and/or
> not even spin. Try backing the fan mounting screws off a bit and see if the
> noise stops.
>
> If the fan makes noise when the mounting screws are loose, then it is
> probably bad. But they are cheap and simple to replace so it's not a big
> deal.
>
> 73 de W6DKN

2208. Lodestar 330 HFthru VHF-UHF meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 16:11:25 UTC
From: Dave <KG4KOX@direcpc.com>
Message-ID: <dXa59.8969$u7.712862@news.direcpc.com>
Source record: 40619

I came across a Lodestar 330 HFthru VHF-UHF meter at a small hamfest here in Florida.
I have no manual, I also found that it didn't work as was said.
I need any information for this SWR/WATT meter I can get.
tnx
Dave

2209. Re: WTB Heathkit signal tracer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 16:25:02 UTC
From: ibgerg@msn.com
Message-ID: <81c58e07.0208100825.7994df79@posting.google.com>
Source record: 40620
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.radio.amateur.equipment

David,

I know you specified "Heathkit", but if that's not a requirement,
you might broaden your search to other makes. EICO made a number of
models: 147A is very popular (for good reason) and always on eBay.
The PACO Z-80 is similar, but harder to find. I'm sure there are
other examples.

Greg

2210. Looking for Heath HM-9 info - decent QRP wattmeter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 17:13:52 UTC
From: Mike AB7RU <mparkes@nospamatt.net>
Message-ID: <100820021013557612%mparkes@nospamatt.net>
Source record: 40621

Is the Heathkit HM-9 a decent qrp wattmeter? It appears to measure HF
on 2 scales either 5 watts or 50 watts - wonder if anyone has any
feedback on this unit, if its reasonable accurate, maybe how to
calibrate it?
Thanks
Mike AB7RU

--
To reply via email remove the 'nospam' from the address

2211. WTB Yaesu Transformer or tatty linear

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 18:27:51 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <ZOc59.30240$lP6.1847788@e3500-atl2.usenetserver.com>
Source record: 40622

Hi There
I am after buying a Yaesu Transformer for my FL-2500 Linear or I am after buying a scrap Yaesu FL-2100/FL-2000 or FL-2500 linear
I need the High voltage transformer 100/117/220 on the input and 0/480/850 on the output, I seem to remember
so if you have a scrap old yaesu linear with a known good transformer then please e-mail me
Many Thanks
Martyn

2212. Jackson Tube Tester 115

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 18:29:17 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <kQc59.30266$lP6.1847143@e3500-atl2.usenetserver.com>
Source record: 40623

Hi there
I have a wonderful old Jackson 115 tube tester and would like to see if any one knows if I can test 6KD6 tubes on the thing.
If you know the settings or where I can get the most up to date tube listings I would appreciate your contacting me
Many Thanks
Martyn

2213. need 5Z3 tube

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 19:51:15 UTC
From: "Danny L. Miller" <danny@mtu.edu>
Message-ID: <3d556eb3@mtunews.mtu.edu>
Source record: 40624

I need a 5Z3 tube, used ok is fine.

2214. mods for icom ic-229e????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 22:27:59 UTC
From: 2E1IHM <Sarah.Jones26@btopenworld.com>
Message-ID: <aj441cfjk1@helle.btinternet.com>
Source record: 40625

anyone know any mods to open up rx/tx on the rig???
it is the UK version

2215. Need part number for IC-28H volume-on/off assembly

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-10 23:39:35 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3D55A4E5.5080901@earthlink.net>
Source record: 40626

My club has an Icom IC-28H 2 meter rig that has a bad volume control pot. You know makes all kinds of racket when turning and has dead spots and you have to put pressure on it to get it to work.

This assembly also has the attached push on/off switch on it and is soldered on to a small PC board. Even the inertface wires are soldered on the board. We can not find the schematics or parts list in the club files..

Can anybody help in suppling that part number? Or a scan of the parts list?

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

2216. Re: WTB Heathkit signal tracer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 00:13:23 UTC
From: daveaust@pol.net
Message-ID: <225774bd.0208101613.4055d72c@posting.google.com>
Source record: 40627
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.radio.amateur.equipment

ibgerg@msn.com (Greg) wrote in message
news:<81c58e07.0208100825.7994df79@posting.google.com>...
> David,
>
> I know you specified "Heathkit", but if that's not a requirement,
> you might broaden your search to other makes. EICO made a number of
> models: 147A is very popular (for good reason) and always on eBay.
> The PACO Z-80 is similar, but harder to find. I'm sure there are
> other examples.
>
> Greg

Thanks for the info. I actually have an EICO model 147A(I think) that
I am slowly restoring. It was a bit beat up. I reversed the black
flocked screen speaker grill and that part looks like new. The filters
are bad and I'm swapping those out. Eye tube works great. Eventually
I'll finish it up. Was PACO another brand that was inexpensive but
acceptable quality? I've seen that name around in the past but have
not known much about it.

2217. Re: Gummymint Endorses Yaesu?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 01:15:16 UTC
From: N9NWO <n9nwo@amsat.org>
Message-ID: <EUi59.2907$uO4.1925@nwrddc01.gnilink.net>
Source record: 40628

: Unless this a complete hoax or hype, some installer or field tech
: probably shot off his mouth about his favorite ham rig, and the
: FEDs made the leap to light speed on the assumption that what's
: good enough for some kid ham, is most appropriate for their use...
: the case of a little bit of knowledge and whole lot of assumption.
:
: Case in point: I have an FT-530. Great dual-band rig. However,
: in testing of the antenna which works very well for both the 2m
: and 440 ham bands, it is extremely sharply tuned and becomes
: completely worthless just 2 MHz out of band. I suspect that
: the extremely wide range and spread of frequencies to contend
: with in public service, result in ever greater compromises in
: antenna performance.
:
: Consider that the ham bands are very narrow and closely related
: in order to limit harmonic interference to other services.
:
: Still I have had Police officers with their hand on their guns ask
: if they could buy one. To their credit, I have not been shot in
: the back or in the head, and I have not been abused under their
: control.

We have a number of hams who work in my
agency. Everyone is using VX-5R that have
been taken out of band via EVE. What the problem
is that most local agencies (police, fire and such)
are still on single channel VHF HI so the state
and federal agencies have to purchase radios that
can communicate with them. What we are going
to do is buy a lot of Pryme radios (type accepted)
for that band. Cheaper and legal as well.

In time most agencies will move over to 800 Mhz
trunked radios. Then federal, local and state agencies
will be able to cross communicate.

2218. FS: Kantronics Kam Plus

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 02:01:58 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <d5gblu0i8qolv31qrjj58fjmooej2u0u3l@4ax.com>
Source record: 40629

I have for sale in excellent condition a Kantronics Kam Plus. It has the 8.0 firmware in it and also have the original manuals. This is the dual port VHF and HF..I do not have the power supply or computer cables to go with it. I will take $125 plus shipping and can be reached at (508) 821-2993 or email...WZ1U Steve / Lakeville, Mass.

2219. FS: Ten Tec 1202 Dual Band Wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 02:29:43 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <tliblusev38r5q2a47m0u5ertfi24u8vqj@4ax.com>
Source record: 40630

I have for sale in excellent condition a ten Tec 1202 Dual Band Wattmeter....I do not have the manual, but its very straight forward to understand.....

Range: 1.8-30 MHz plus 2-Meters
Separate HF and VHF Antenna Connectors
Range Switch for 20 or 200 Watt scales
HF/VHF Selection switch
Sensitivity control
HF and VHF transmitter & antenna connectors
Requires 9 volt battery or external 9-14V DC power source.
I will take $50 plus shipping and can be reached at (508)821-2993 or email....WZ1U Steve / Lakeville, Mass.

2220. Re: Need part number for IC-28H volume-on/off assembly

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 02:52:04 UTC
From: Steve Robbins <srobbinsNoSpAmDUdes@netacc.net>
Message-ID: <28kblug53q4v8to70321b6simb9lom8vl3@4ax.com>
Source record: 40631

On Sat, 10 Aug 2002 23:39:35 GMT, jeff <wd4nmq@earthlink.net> wrote:

>My club has an Icom IC-28H 2 meter rig that has a bad volume control
>pot. You know makes all kinds of racket when turning and has dead spots
>and you have to put pressure on it to get it to work.
>
>This assembly also has the attached push on/off switch on it and is
>soldered on to a small PC board. Even the inertface wires are soldered
>on the board. We can not find the schematics or parts list in the club
>files..
>
>Can anybody help in suppling that part number? Or a scan of the parts list?

Just measure the value and order one from Mouser or any of the other
parts houses. It is a common part.

Steve

2221. WTB: Wall charger for Yaesu FT-411

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 03:09:27 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <0tkbluoq3th5f35o2rr12p0qa5a7arqf83@4ax.com>
Source record: 40632

Looking for the original battery wall charger for the Yaesu FT-411 HT.
If you have one and no longer have a need for it, I will be interested
in it.......WZ1U Steve

2222. Re: Need part number for IC-28H volume-on/off assembly

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 04:50:37 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3D55EDAE.1060208@earthlink.net>
Source record: 40633

It's not really all that common a part. Like I said, not only is it a
combo pot with push on/push off switch. But, it is only about 3/8"
SQUARE. I had found one in Mouser that was close it seemed. 9mm (~3/8)
with SPST 12vdc@3Amp, which is close for a 45 Wat rig. But, it does not
mention if it is push on/off or full counter clockwise rotation. Also,
it has a smooth shaft. Not knurled like Icom's so knob want fit right.
Like I said, it is a club rig. Their paying for the part, so put the
exact right one in it.

Steve Robbins wrote:
> On Sat, 10 Aug 2002 23:39:35 GMT, jeff <wd4nmq@earthlink.net> wrote:
>
>
>>My club has an Icom IC-28H 2 meter rig that has a bad volume control
>>pot. You know makes all kinds of racket when turning and has dead spots
>>and you have to put pressure on it to get it to work.
>>
>>This assembly also has the attached push on/off switch on it and is
>>soldered on to a small PC board. Even the inertface wires are soldered
>>on the board. We can not find the schematics or parts list in the club
>>files..
>>
>>Can anybody help in suppling that part number? Or a scan of the parts list?
>
>
>
> Just measure the value and order one from Mouser or any of the other
> parts houses. It is a common part.
>
> Steve
>

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

2223. Wanted: Hallicrafters SX-42 ...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 09:47:47 UTC
From: Fe2Au@rock.com
Message-ID: <c2ca84d1.0208110147.1e748b71@posting.google.com>
Source record: 40634

Want to purchase a Hallicrafters SX-42.

Must be in good working condition but a few scratches
and dings are OK.

Please e-mail me at: Fe2Au@Rock.com

2224. Standard C508A Low Power, need schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 10:02:24 UTC
From: mike <spamme0@juno.com>
Message-ID: <3D563630.154AB20B@juno.com>
Source record: 40635

I traded for a Standard C508A. Previous owner "forgot"
to disclose that it puts out only 100mw on 2m 200mw on440
with fresh batteries.
(yes, I trust my wattmeter)
Need schematics, suggestions of fixing it.
Thanks, mike
spamme0@juno.com is a good address.

--
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

2225. FS: Yaesu SP-6 Speaker / LL-5

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 11:15:26 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <vehclu40hipqh21d5j3egfb4kmpv4gj3cd@4ax.com>
Source record: 40636

I have for sale in excellent condition a Yaesu SP-6 external speaker with the optional LL-5 Yaesu phone patch. Its from a non-smoker. I do not have literature on the speaker or phone patch. I will take $200 plus shipping. I can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass.

2226. FA: Neat REGENCY TMR-8 Crystal Scanner, Hi/LO VHF, Tonite @$16

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 12:06:54 UTC
From: rlucch2098@aol.com
Message-ID: <20020811080654.07408.00004309@mb-mv.aol.com>
Source record: 40637

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1370792138

2227. FA: Heathkit SB-610 Monitor Scope, only at $41 so far & ends tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 12:08:28 UTC
From: rlucch2098@aol.com
Message-ID: <20020811080828.07408.00004310@mb-mv.aol.com>
Source record: 40638

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1370792176

2228. FA: EXCELLENT HEATH IM-11 TUBE VTVM, Last Call>>2Nite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 12:10:06 UTC
From: rlucch2098@aol.com
Message-ID: <20020811081006.07408.00004315@mb-mv.aol.com>
Source record: 40639

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1755258057

2229. fa>> EICO Model 955 Capacitor Tester, MINT @only $15, Last Call!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 12:12:00 UTC
From: rlucch2098@aol.com
Message-ID: <20020811081200.07408.00004317@mb-mv.aol.com>
Source record: 40640

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1755258071

2230. fa>> Beautiful AUTEK QF-1A Audio Filter, Last Model @BIG $40

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 12:14:00 UTC
From: rlucch2098@aol.com
Message-ID: <20020811081400.07408.00004320@mb-mv.aol.com>
Source record: 40642

Real nice with pictures to boot!
Original Cost was $129.95!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1370792148

2231. Fa--Need a BIG Giant General Radio "Real VARIAC"?? 110vac@20AMPS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 12:16:39 UTC
From: rlucch2098@aol.com
Message-ID: <20020811081639.07408.00004322@mb-mv.aol.com>
Source record: 40641

Real nice with pictures to boot!
Going tonite & cheep it looks like!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=2127556573

2232. Fa- Unusual "Brown" Astatic Desk Mike @$9.99, Ends tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 12:18:49 UTC
From: rlucch2098@aol.com
Message-ID: <20020811081849.07408.00004325@mb-mv.aol.com>
Source record: 40643

Real nice with pictures to boot!
Going tonite & cheep it looks like!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1370792134

2233. Re: Ten Tec 1202 Dual Band Wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 12:26:32 UTC
From: Richard Heindel <rheindel@neo.rr.com>
Message-ID: <YJs59.259711$CJ2.33433403@twister.neo.rr.com>
Source record: 40644

Kind of high priced, you can buy a new for $59.
Richard WB8KRN

"WZ1U" <Wz1u@attbi.com> wrote in message
news:tliblusev38r5q2a47m0u5ertfi24u8vqj@4ax.com...
I have for sale in excellent condition a ten Tec 1202 Dual Band
Wattmeter....I do not have the manual, but its very straight forward
to understand.....

Range: 1.8-30 MHz plus 2-Meters
Separate HF and VHF Antenna Connectors
Range Switch for 20 or 200 Watt scales
HF/VHF Selection switch
Sensitivity control
HF and VHF transmitter & antenna connectors
Requires 9 volt battery or external 9-14V DC power source.
I will take $50 plus shipping and can be reached at (508)821-2993 or
email....WZ1U Steve / Lakeville, Mass.

2234. FS: EL 153 Telefunken NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 12:26:51 UTC
From: arnoldg@c2i.net
Message-ID: <3d565886.3295167@news1.c2i.net>
Source record: 40645

I have several pcs of the power output pentode EL 153 by Telefunken.
The valves are all NOS and unused. Power dissipation is 40W and the
price is only NOK 400.- each - about $ 52.-

Regards,

Arnold Goks

DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

2235. Know the Fix? IC-746 Band Edge Mute?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 12:28:14 UTC
From: John Seney <wd1v@amsat.org>
Message-ID: <wd1v-675C4A.08281411082002@netnews.attbi.com>
Source record: 40646

Near the bottom portion of each ham band - like within the first 5 khz,
the receiver and transmitter mute. Once higher in frequency, everything
is back to normal. Any ideas of the fix?

JS
Scope FAQ at http://www.qsl.net/wd1v

2236. ICOM and PCR-1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 14:04:41 UTC
From: "Jeff W." <jjweinb@earthlink.net>
Message-ID: <Z9u59.4$MT4.23414@news.uswest.net>
Source record: 40647

OK, maybe I'm missing something here, and someone wiser than me can pass on the answer to this question.

Beginning this month, the standard ICOM ads have changed. You know the ones, the 'Tune In The World With ICOM' one pagers that generally can be found on the backs of magazines like Monitoring Times, etc. Well, this month, associated with the IC-PCR1000 unit, there is new text that says "New Software - Works with All Versions of Windows!"

OK, so where is it? I've been to www.icomamerica.com, but no luck. At least not on the pages that I've been able to find. What I have been able to find as a download is the old version, and a note that the ICOM PCR-1000 software is only available for Windows versions 3.1 and 95, and recommended links to third party software that does work with other versions of Windows. Since converting my system to Windows XP Pro recently, I haven't been able to get my PCR-1000 working, simply because the old program tries to access the COMM port directly, and locks up as soon as it does. So, if the ad is correct, ICOM now has a version of their software that should solve this problem.

Only, does anyone know where it is? Plus, any recommendations on other vendor software that will work on a Windows XP system, that you like, and was fairly priced.

Please respond here and to jjweinb@earthlink.net.

Thanks.

Jeff W.

2237. FS:YAESU FT 817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 14:15:05 UTC
From: itsdad53@aol.com
Message-ID: <20020811101505.22181.00003370@mb-mo.aol.com>
Source record: 40548

Have for sale a Yaesu FT 817 in perfect condition.About 5 months old and hardly used.With original box and manual asking 525.oo which includes shipping

Steve,K2JY

2238. Wireless thermometer 433 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 15:52:04 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <EKv59.2181$tl4.957753@monger.newsread.com>
Source record: 40549

I needed a thermometer for my shop and was amazed at the wide variety of offereings.

I found a nice digital that allowed me to put the sensors (up to 4) up to 100 feet away. The thing would have been great as it would have allowed me to read the temp in the shop, the garage and a couple places around the yard.

As I was headed out the door, reading about it I saw discovered the operating frequency. The thing was operating on 433 MHz. (give or take a tad).

As I operate across the entire 440 band I turned around, took it back, and purchased one with a lead to the outside thermocouple. Actually it's a pretty short lead.

What kind of signal do these put out? (Narrow or broad) what's it sound like, and how well would it work within a hundred feet of a 440 station running several hundred watts. How close could my receiver be to in frequency wise before it'd start desensing the receiver.

I would think if someone next to the repeater set one of these things up there would be a problem, but I don't know that much about them.

--
Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S/N CD-2)

2239. Kenwood IF-232 & DSP100 WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 17:06:00 UTC
From: Terry <g0vhs@hotmail.com>
Message-ID: <3d569984$1_3@mk-nntp-1.news.uk.worldonline.com>
Source record: 40550

Must be mint and not twiddled with. Cash paid. Ideally in UK
Also I am after a suitable studio mic Audioteknicka etc.
73 Cheers.
Terry
G0VHS

2240. FS: Heathkit HD-15 phone Patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 17:07:07 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <pr5dlu83tj4dne9acl0tokit19l6l01t3n@4ax.com>
Source record: 40551

I have for sale a Heathkit HD-15 Hybrid Phone Patch.
Its in excellent condition and will ship it in the 48 states for $25.
I do have the original manual to go with it. I can be reached at
(508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass.

2241. Studio mic & Equaliser WANTED.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 17:10:22 UTC
From: Terry <g0vhs@hotmail.com>
Message-ID: <3d569a8a$1_2@mk-nntp-1.news.uk.worldonline.com>
Source record: 40552

Suitable for a Kenwood TS850. Cash Paid.
Cheers,
Terry
G0VHS

2242. Re: WTB Heathkit signal tracer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 17:19:25 UTC
From: JohnPaulJones@yahoo.com
Message-ID: <x0x59.63488$nF5.14532@sccrnsc02>
Source record: 40553
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.radio.amateur.equipment

In article <225774bd.0208101613.4055d72c@posting.google.com>, daveaust@pol.net says...
>
>Thanks for the info. I actually have an EICO model 147A(I think) that
>I am slowly restoring. It was a bit beat up. I reversed the black
>flocked screen speaker grill and that part looks like new. The filters
>are bad and I'm swapping those out. Eye tube works great. Eventually
>I'll finish it up. Was PACO another brand that was inexpensive but
>acceptable quality? I've seen that name around in the past but have
>not known much about it.

I have and use almost daily my Eico ......yup 147A model...works well for me!
I also daily use a Paco tube tester......a cheapie...but works well and I am used to using it...can't say that I ever saw their Signal Tracer...
John k9uwa

2243. Re: Need part number for IC-28H volume-on/off assembly

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 18:11:02 UTC
From: CJ <fantastic@sex.edu>
Message-ID: <ulda5oem0mt6fc@corp.supernews.com>
Source record: 40554

Hello Jeff,
Try this link for all your - HAM RADIO MANUALS - needs includes
operating manuals, parts lists and many service manuals for both new
rigs and
vintage rigs of nearly every Ham Radio ever produced.

1. http://www.ab7sl.com/index.html?row1col2=links.html

For great tech tips for - CUSHCRAFT R5/R7/R7000 ANTENNAS - Includes
downloadable "black box" internal image and schematics as well as
R5/R7 trap technical drawing and R5/R7/R7000 troubleshooting steps.

2. http://www.ab7sl.com/index.html?row1col2=r7.html

Also available at www.ab7sl.com

1. DX Page w/ 100's of "live" DX cluster links
2. W9INN Antennas Page w/ data and illustrations
3. FREE downloadable IOTA List
4. Equipment photos and Station Description
5. Lots of Ham Software Downloads too....

--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
Prescott, Arizona - USA
www.ab7sl.com

"jeff" <wd4nmq@earthlink.net> wrote in message
news:3D55EDAE.1060208@earthlink.net...
>
> It's not really all that common a part. Like I said, not only is it a
> combo pot with push on/push off switch. But, it is only about 3/8"
> SQUARE. I had found one in Mouser that was close it seemed. 9mm (~3/8)
> with SPST 12vdc@3Amp, which is close for a 45 Wat rig. But, it does
not
> mention if it is push on/off or full counter clockwise rotation. Also,
> it has a smooth shaft. Not knurled like Icom's so knob want fit right.
> Like I said, it is a club rig. Their paying for the part, so put the
> exact right one in it.
>
> Steve Robbins wrote:
> > On Sat, 10 Aug 2002 23:39:35 GMT, jeff <wd4nmq@earthlink.net> wrote:
> >
> >
> >>My club has an Icom IC-28H 2 meter rig that has a bad volume control

> >>pot. You know makes all kinds of racket when turning and has dead
spots
> >>and you have to put pressure on it to get it to work.
> >>
> >>This assembly also has the attached push on/off switch on it and is
> >>soldered on to a small PC board. Even the inertface wires are
soldered
> >>on the board. We can not find the schematics or parts list in the
club
> >>files..
> >>
> >>Can anybody help in suppling that part number? Or a scan of the
parts list?
> >
> >
> >
> > Just measure the value and order one from Mouser or any of the other
> > parts houses. It is a common part.
> >
> > Steve
> >
>
>
>
> --
> Jeff, wd4nmq
> wd4nmq@earthlink.net
> http://home.earthlink.net/~wd4nmq
> iLink client node #10438, iLink sysop link node #14746
>

2244. FS: 3A/110B DHT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 19:21:54 UTC
From: arnoldg@c2i.net
Message-ID: <3d56b9d2.4605272@news1.c2i.net>
Source record: 40555

I have several pcs of this small directly heated triode in stock. The valves may be used, but I have tested them myself and they are all excellent. You can find a picture and technical data on my web site - www.demostenes.no Just search for 3A/110B in the left hand corner.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as sockets,transformers,books,caps,resistors and other components. Web site is updated every week. You can order on-line.

2245. VX-5r display just went blank..help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 19:23:06 UTC
From: Ian Fritzsche <NOSPAMabc@rose.net>
Message-ID: <01c2416c$84a6ea00$1a1112ac@ian>
Source record: 40556
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Hello,
2 hours ago my VX-5r was working great, then after a lunch at Ruby Tuesday's, I pulled the radio off my belt, and the display was blank, allthough the radio was ON. All functions of the radio work fine, I am still able to transmit and receive on the memories I had stored, but there is still absolutely nothing on the display. I went into the menu blindly and tried to turn up the contrast, but that didn't do anything, and I tried the display test mode, and that didn't do anything either. has anyone else experienced this problem?

thanks in advance for any help...
KF4AON

--
Ian
mailto:NOSPAMabc@rose.net
-please remove NOSPAM from my email address when replying-

2246. Re: VX-5r display just went blank..help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 19:26:28 UTC
From: George Tyrebyter <GeoTyrebyter@netscape.net>
Message-ID: <3D56BA64.46329A99@netscape.net>
Source record: 40557
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Ian Fritzsche wrote:
>
> Hello,
> 2 hours ago my VX-5r was working great, then after a lunch at Ruby
> Tuesday's, I pulled the radio off my belt, and the display was blank,

Sounds like your radio got lunched.

--
George Tyrebyter

2247. Re: VX-5r display just went blank..help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 19:31:18 UTC
From: Ian Fritzsche <NOSPAMabc@rose.net>
Message-ID: <01c2416d$aa0525e0$1a1112ac@ian>
Source record: 40558
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

I knew I shouldn't have added the part about lunch...

:o)

-Ian

2248. Re: VX-5r display just went blank..help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 19:33:55 UTC
From: gbrown@nc.rr.com
Message-ID: <3d56bba6.59625276@news2.southeast.rr.com>
Source record: 40559
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Try a Google newsgroup search for:

VX-5r blank display

Maybe it just needs a reload of the internal software.

Gary
K4GPB

2249. Re: VX-5r display just went blank..help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 19:48:51 UTC
From: Ian Fritzsche <NOSPAMabc@rose.net>
Message-ID: <01c24170$1d72ca80$1a1112ac@ian>
Source record: 40560
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

I tried that first, before posting this thread, but thanks for the idea
anyhow!

--
Ian
mailto:NOSPAMabc@rose.net
-please remove NOSPAM from my email address when replying-

2250. Re: VX-5r display just went blank..help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 20:04:55 UTC
From: George Tyrebyter <GeoTyrebyter@netscape.net>
Message-ID: <3D56C367.C5404483@netscape.net>
Source record: 40561
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Ian Fritzsche wrote:
>
> I knew I shouldn't have added the part about lunch...
>
> :o)
>
> -Ian

Sorry. I just couldn't resist....

--
George Tyrebyter

2251. FS: Drake R-4B receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 20:26:13 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <vohdlu871berdrt4u4t74d2qqkh1u4g0ck@4ax.com>
Source record: 40562

I have for sale in very good condition a Drake R-4B receiver. I have the orignal box with the round foam cushions and the original manual....I would rate it a 7 1/2 out of 10 its from a non-smoker. It is working and no problems. It has great audio for a tube receiver. I will take $175 plus shipping. I can be reached at (508) 821-2993 or email for any questions......WZ1U Steve / Lakeville, Mass.

2252. FA: Kenwood TS-50 + Matching AT-50 Auto Tuner with $550.00 Buy it Now

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 20:33:36 UTC
From: Mountain-Ops <rich@Mountain-Ops.com>
Message-ID: <3d56c8e5_11@news.newzpig.com>
Source record: 40563

FA: Kenwood TS-50 + Matching AT-50 Auto Tuner with $550.00 Buy it Now
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1372871775
Paypal ok

2253. FA: Kenwood TS-50 + Matching AT-50 Auto Tuner with $550.00 Buy it Now

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 20:34:50 UTC
From: Mountain-Ops <rich@Mountain-Ops.com>
Message-ID: <3d56c92d$1_7@news.newzpig.com>
Source record: 40564
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

FA: Kenwood TS-50 + Matching AT-50 Auto Tuner with $550.00 Buy it Now
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1372871775
Paypal ok

2254. Re: VX-5r display just went blank..help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 20:43:02 UTC
From: Hiram <Hiram@mtmoria.net>
Message-ID: <q%z59.10943$M4.917152@newsread2.prod.itd.earthlink.net>
Source record: 40565
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

I don't know anything at all about the Radio, Just a wild Guess-

Battery Voltage?

"Ian Fritzsche" <NOSPAMabc@rose.net> wrote in message
news:01c2416c$84a6ea00$1a1112ac@ian...
> Hello,
> 2 hours ago my VX-5r was working great, then after a lunch at Ruby
> Tuesday's, I pulled the radio off my belt, and the display was blank,
> allthough the radio was ON. All functions of the radio work fine, I am
> still able to transmit and receive on the memories I had stored, but there
> is still absolutely nothing on the display. I went into the menu blindly
> and tried to turn up the contrast, but that didn't do anything, and I
tried
> the display test mode, and that didn't do anything either. has anyone else
> experienced this problem?
>
> thanks in advance for any help...
> KF4AON
>
> --
> Ian
> mailto:NOSPAMabc@rose.net
> -please remove NOSPAM from my email address when replying-
>

2255. WTB SX101A main tunning Knob.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 20:47:27 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <z3A59.2237$tl4.984415@monger.newsread.com>
Source record: 40566

My SX101A is in bad need of a tunning knob. Any available out there?

--
Roger Halstead (K8RI EN73) (Midland Michigan)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)

2256. IC-2410H Manual Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 21:04:24 UTC
From: karl <wb0vzz@email.msn.com>
Message-ID: <3d56d07d@news.sihope.com>
Source record: 40567

I'm looking for a manual for an ICOM 2410H dual band mobile rig. Can anyone supply me with one? Obviously, a copy would be great too.

73,
Karl K0TBT
k0tbt@arrl.net

2257. 4 sale!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 21:30:06 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D56D75E.3020109@lakefield.net>
Source record: 40568
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $650

Kenwood TM251A 95% $100 SOLD
Kenwood TM451A 98% $115 SOLD

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250 SOLD

Dynamic Communications
Model A470-25 $ 20
Sold as is, no manual.

Model 10-0 $ 20
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

2258. Re: VX-5r display just went blank..help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-11 21:53:32 UTC
From: TFW <lvc@citlink.net>
Message-ID: <uldn6tk1lgc6e8@corp.supernews.com>
Source record: 40569
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Ian:

Did you do a full reset?

Frank

"Ian Fritzsche" <NOSPAMabc@rose.net> wrote in message
news:01c24170$1d72ca80$1a1112ac@ian...
> I tried that first, before posting this thread, but thanks for the idea
> anyhow!
>
> --
> Ian
> mailto:NOSPAMabc@rose.net
> -please remove NOSPAM from my email address when replying-
>

2259. WTB 6 Meter Beam

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 00:26:05 UTC
From: sawman02@yahoo.com
Message-ID: <569b8966.0208111626.436c232@posting.google.com>
Source record: 40570

Looking for a 4 or 5 element 6 Meter Beam. Located in NJ. E-mail to sawman02@yahoo.com

2260. Re: IC-2410H Manual Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 01:16:20 UTC
From: CJ <fantastic@sex.edu>
Message-ID: <ule336qkffnj0b@corp.supernews.com>
Source record: 40571
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Hello Karl,
Try this link for all your - HAM RADIO MANUALS - needs includes
operating manuals, parts lists and many service manuals for both new
rigs and vintage rigs of nearly every Ham Radio ever produced.
1. http://www.ab7sl.com/index.html?row1col2=links.html

For great tech tips for - CUSHCRAFT R5/R7/R7000 ANTENNAS - Includes
downloadable "black box" internal image and schematics as well as
R5/R7 trap technical drawing and R5/R7/R7000 troubleshooting steps.
2. http://www.ab7sl.com/index.html?row1col2=r7.html

Also available at www.ab7sl.com

1. DX Page w/ 100's of "live" DX cluster links
2. W9INN Antennas Page w/ data and illustrations
3. FREE downloadable IOTA List
4. Equipment photos and Station Description
5. Lots of Ham Software Downloads too....

--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
Prescott, Arizona - USA
www.ab7sl.com

"karl" <wb0vzz@email.msn.com> wrote in message
news:3d56d07d@news.sihope.com...
> I'm looking for a manual for an ICOM 2410H dual band mobile rig. Can
anyone
> supply me with one? Obviously, a copy would be great too.
>
> 73,
> Karl K0TBT
> k0tbt@arrl.net
>
>
>

2261. FS: TS-850, etc.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 01:36:06 UTC
From: Jeff Kilgore <the.weight@verizon.net>
Message-ID: <aiE59.5717$uO4.2589@nwrddc01.gnilink.net>
Source record: 40572
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have the following equipment for sale (I need to clear some space, and help pay for an IC-756Pro II).

Kenwood TS-850S/AT - I bought this new in 1994 and have used it for my main rig since then. It has INRAD 400-Hz filters in the 8.83-Mhz and 455-kHz IFs, and comes with a Kenwood MC-50 microphone and homebrew computer interface (uses Maxim 232 IC, in nice case). The radio, mic, and computer interface are in very good condition, works fine, no scratches or dings, non-smoking environment. With original manuals and original box. $875 shipped

Electrovoice 641 microphone - A great mic for boatanchors. In very good condition, includes stand with PTT switch, wired with 2-pin microphone connecter (easily rewired if needed). $50 shipped

Kenwood R-599A receiver - Good condition, some minor wear, works fine, with photocopy manual. $105 shipped

Kenwood TH-215A 2-meter FM HT - Good condition, works fine, with original manual, original charger (original battery is included, but is dead), original box, aftermarket W&W hi-capacity battery and drop-in charger. $70 shipped

Radio Shack HTX-202 2-meter FM HT - Very good condition. I bought this new several years ago. Works fine, no scratches or dings, includes original manual, NiCd battery, and charger. $70 shipped

Vibroplex Original semiautomatic key - Very good condition, works fine, no dings or scratches. I bought this new in 1988. $60 shipped

Hewlett-Packard HP41CX calculator, with magnetic card reader, Advantage module, original manuals and boxes, and several additional books on the HP41. $275 shipped

All items will be carefully packaged. Payment by USPS money order, PayPal, or personal check (personal checks must clear before shipping).

73,
Jeff Kilgore, KC1MK

2262. WTB: SX-101 Main Tuning Knob

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 01:42:41 UTC
From: Ronald Oberloh <wa0kds@yahoo.com>
Message-ID: <3D571294.478DF47E@yahoo.com>
Source record: 40573

HELP!

Ron WA0KDS

2263. Re: VX-5r display just went blank..help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 02:54:47 UTC
From: Den <Dennis@me.com>
Message-ID: <XrF59.8207$Ke2.691240@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40574
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Ian
Just a shot in the dark but it does seem to correct a lot of problems.As in
a prior response try a hard reset but it will delete all of your memory
stations.What have you got to lose at this point.
73,Den
KB1EKU

"Hiram" <Hiram@mtmoria.net> wrote in message
news:q%z59.10943$M4.917152@newsread2.prod.itd.earthlink.net...
> I don't know anything at all about the Radio, Just a wild Guess-
>
> Battery Voltage?
>
>
> "Ian Fritzsche" <NOSPAMabc@rose.net> wrote in message
> news:01c2416c$84a6ea00$1a1112ac@ian...
> > Hello,
> > 2 hours ago my VX-5r was working great, then after a lunch at Ruby
> > Tuesday's, I pulled the radio off my belt, and the display was blank,
> > allthough the radio was ON. All functions of the radio work fine, I am
> > still able to transmit and receive on the memories I had stored, but
there
> > is still absolutely nothing on the display. I went into the menu blindly
> > and tried to turn up the contrast, but that didn't do anything, and I
> tried
> > the display test mode, and that didn't do anything either. has anyone
else
> > experienced this problem?
> >
> > thanks in advance for any help...
> > KF4AON
> >
> > --
> > Ian
> > mailto:NOSPAMabc@rose.net
> > -please remove NOSPAM from my email address when replying-
> >
>
>

2264. ICOM IC-27A Tone Translation Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 05:46:07 UTC
From: Kirk Crawford <kirkcrawford@adelphia.net>
Message-ID: <zYH59.1070$9U6.1206058@news3.news.adelphia.net>
Source record: 40575

I have an old ICOM IC-27A 2 Meter Mobile radio. Unfortunately the manual is lost. The radio seems to have the ability to use CTCSS Tones for access to repeaters. Does anyone have a list that can be used to translate the Tone numbers on this radio to the frequency of the CTCSS Tone?

Thanks in advance,

Kirk Crawford
KG6MTE

2265. FS: Siemens F2a power pentode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 07:43:02 UTC
From: arnoldg@c2i.net
Message-ID: <3d57678f.348030@news1.c2i.net>
Source record: 40576

I have four pcs of the very nice Siemens F2a power pentode for sale.
They are NOS and in original boxes. Picture and technical data on my
web site - www.demostenes.no Just search for F2a in the left hand
corner.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

2266. FS: EL 153 Telefunken NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 07:44:34 UTC
From: arnoldg@c2i.net
Message-ID: <3d5767ec.440895@news1.c2i.net>
Source record: 40577

I have several pcs of the power output pentode EL 153 by Telefunken. The valves are all NOS and unused. Power dissipation is 40W and the price is only NOK 400.- each - about $ 52.- Picture and technical data on my web site - www.demostenes.no Just search for EL 153 in the left hand corner.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as sockets,transformers,books,caps,resistors and other components. Web site is updated every week. You can order on-line.

2267. Re: Wireless thermometer 433 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 08:04:38 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <aj7q5m$7k3$1@nntp-m01.news.aol.com>
Source record: 40578

What make/model was this? It sounded like RadioShack's 63-1027, but reading all that I could find on it only showed that it was a "Class B digital device as specified in Part 15 of FCC Rules."

Perhaps 433MHz was a harmonic?

"Roger Halstead" <rdhalste@tm.net> wrote in message news:EKv59.2181$tI4.957753@monger.newsread.com...
> I needed a thermometer for my shop and was amazed at the wide variety of
> offereings.
>
> As I was headed out the door, reading about it I saw discovered the
> operating frequency. The thing was operating on 433 MHz. (give or take a
> tad).
>

2268. Re: Wireless thermometer 433 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 10:43:00 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <aj828gknq1@news1.kornet.net>
Source record: 40579

The one I have operates at 433 MHz as well. I don't seem to get a great deal of interference from it. In fact, I have to practically have the thing connected to my rig to find the frequency.

"Russell Hltn" <reply@2newsgroup.com> wrote in message news:aj7q5m$7k3$1@nntp-m01.news.aol.com...
> What make/model was this? It sounded like RadioShack's 63-1027, but
> reading all that I could find on it only showed that it was a "Class B
> digital device as specified in Part 15 of FCC Rules."
>
> Perhaps 433MHz was a harmonic?
>
> "Roger Halstead" <rdhalste@tm.net> wrote in message
> news:EKv59.2181$tI4.957753@monger.newsread.com...
> > I needed a thermometer for my shop and was amazed at the wide
> variety of
> > offereings.
> >
> > As I was headed out the door, reading about it I saw discovered the
> > operating frequency. The thing was operating on 433 MHz. (give or
> take a
> > tad).
> >
>
>
>

2269. FA: Hamkeyer hk5a

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 10:54:27 UTC
From: aokd5fxt@aol.com
Message-ID: <20020812065427.20569.00002782@mb-mn.aol.com>
Source record: 40580

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1372975065&r=0&t=0&show
Tutorial=0&ed=1029715594&indexURL=0&rd=1

tnx for lookin
Bill, kd5fxt

2270. F.S. B&W PT-2500A HF Linear Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 11:05:15 UTC
From: W3BV <w3bv@arrl.net>
Message-ID: <LDM59.1819$V62.125642@news2.voicenet.com>
Source record: 40581
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

For Sale: Barker & Williamson PT-2500A Deluxe Linear Amplifier. Brand new and unused in the original factory carton (from the estate of a silent key). Features:

- Deluxe, heavy duty construction- weighs 85 lbs!

- Full 1500W legal limit output

- Covers 160 through 10M coverage.

- Separate filament transformer.

- Built-in heavy duty 3600 volt d.c. plate supply uses computer grade caps

- Optional Auxiliary Cooling Fan for continuous duty modes.

- Blower and individual chimneys cool a pair of 3-500Z 's (tubes were damaged in transit and are not included).

Unquestionably, the best dual 3-500Z amplifier ever built. $995. You ship.

Alan, W3BV

2271. REDUCED: CW Straight Keys

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 13:16:37 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <nncflu8qvdfrhvp7mugj7ebmji788s3t0t@4ax.com>
Source record: 40582
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

REDUCED:

Straight Key - complete with locking bar for tuning and is an
adjustable key with
nickel silver finish. Excellent condition.
This is the Japanese copy of a SpeedX that was very popular
throughout the 1960s and 1970s.
Mounted on a flat base. Will sell for $20.00 plus shipping

WW2 British Mark 2 straight key. Clean and in fairly nice shape.
Contacts are still in very good condition.
A few imperfections, but will polish up and restore nicely.
Available for $29.00 plus shipping

SpeedX straight key in excellent shape with the 'two stage' navy
knob. This is an unbeatable straight key for the serious CW operator.
It is in fine condition. This is the real thing - QTY 1 only.
Available for $32.00 plus shipping

E-mail me to arrange purchase

- - -
On Fri, 02 Aug 2002 14:19:59 -0500, HeartMan <iamNOT@resurrection.com>
wrote:
>>It is no wonder there is no posting going on in here!
>You're unquestioningly correct.

2272. Alinco Mic Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 14:55:40 UTC
From: Jamey Wright <jameyw@hiwaay.net>
Message-ID: <7_P59.8984$QV2.586@news.webusenet.com>
Source record: 40583

Looking for an Alinco DTMF hand mic for DR599 but would settle for and
Alinco or Kenwood DTMF hand Mic

Thanks

Jamey Wright KD4SIY
jameyw@hiwaay.net

2273. Re: WTB Heathkit signal tracer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 16:09:36 UTC
From: ibgerg@msn.com
Message-ID: <81c58e07.0208120809.5bf1ee3b@posting.google.com>
Source record: 40584
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.radio.amateur.equipment

David,

I can't tell you much about PACO except by observation of the Z-80 I acquired. Seems newer then my 147A; but the PACO is almost mint compared to an average EICO, so it might be misleading. Quality is similar to EICO, Heathkit, et al. I would have to call it a functional copy of the 147A. I think the Z-80 is much less common.

Get your 147A working.... you'll be happy with it. I too reversed the speaker grill (how many times will that trick work?), tested the tubes, shot the controls with cleaner and had a working unit except for the watt "meter". After correcting a wiring error, it worked but read low. After much head scratching, I tested the diode involved and found that it was silicon. Replacing it with a 1N34A made everything right again.

These things were built by who knows, with variable skills, and have a long and unknown history. I guess it's not real surprising they might need a little help in coming back to life.

As you probably know the paperwork for the 147A is online; a decided atvantage for the more common brands. And be careful with the "noise" function.... I haven't used it much myself, but hear it's very useful. It won't kill you (very low current) but could give a nasty surprise (~130 VAC).

Greg

2274. Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 16:51:54 UTC
From: karel vanderkerken <karelvdk@freegates.be>
Message-ID: <3d57e7ac$0$194$ba620e4c@news.skynet.be>
Source record: 40585
Cross-posted to: alt.ham-radio.vhf-uhf,alt.radio-shack,rec.radio.amateur,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Hi all,

Has anyone tried to work a TH D7 TNC with W2K as operating system on the computer ?
I always receive "Communication timeout error" as message. The comport is OK, I use it to connect to my TM D700. I've tried different control applications (link 7, MCP D7 v1.2, ...) but the message is always the same. I tried every setting I could think of ...

Any suggestions ?

73's

ON1VK

please reply to : ON1VK@QSL.NET

2275. Re: Gummymint Endorses Yaesu?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 17:14:43 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D57ED03.2DDDC896@crosslink.net>
Source record: 40586

N9NWO wrote:
> ....snip ...
> In time most agencies will move over to 800 Mhz
> trunked radios. Then federal, local and state agencies
> will be able to cross communicate.

But isn't the 'trunking' done via the cell phone system that dies of
overload in every emergency or is that just another urban legend??

73 de K3DWW

2276. REQ. Yaesu FT-2700 RH - Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 17:29:02 UTC
From: neusat@eudoramail.com
Message-ID: <fb2f552c.0208120929.6982dce5@posting.google.com>
Source record: 40587
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I woud appreciate if somebody can send me a copy of rig Yaesu FT-2700 RH manual.
Thanks in advance
Best Regadards.

2277. Re: Wireless thermometer 433 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 17:42:57 UTC
From: TFW <lvc@citlink.net>
Message-ID: <ulfstba75du508@corp.supernews.com>
Source record: 40588

"Roger Halstead" <rdhalste@tm.net> wrote in message
news:EKv59.2181$tI4.957753@monger.newsread.com...
> I needed a thermometer for my shop and was amazed at the wide variety of
> offereings.
>
> I found a nice digital that allowed me to put the sensors (up to 4) up to
> 100 feet away. The thing would have been great as it would have allowed me
> to read the temp in the shop, the garage and a couple places around the
> yard.
>
> As I was headed out the door, reading about it I saw discovered the
> operating frequency. The thing was operating on 433 MHz. (give or take a
> tad).
>
> As I operate across the entire 440 band I turned around, took it back, and
> purchased one with a lead to the outside thermocouple. Actually it's a
> pretty short lead.
>
> What kind of signal do these put out? (Narrow or broad) what's it sound
> like, and how well would it work within a hundred feet of a 440 station
> running several hundred watts. How close could my receiver be to in
> frequency wise before it'd start desensing the receiver.
>
> I would think if someone next to the repeater set one of these things up
> there would be a problem, but I don't know that much about them.
>
>
> --
> Roger Halstead (K8RI EN73)
> www.rogerhalstead.com
> N833R World's oldest Debonair? (S# CD-2)

Rog:

I have several made by Springfield and sold by WalMart.

They operate on 431 Mhz and output a digital data pulse every 2.5 minutes.

Amazing accuracy and they were only $18 a set

Frank

>
>

2278. WTB Yaesu FT411E

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 18:03:54 UTC
From: Don Little <ve6ci@cablerocket.com>
Message-ID: <3D57F88A.2ADD0ED6@cablerocket.com>
Source record: 40589

I am looking to buy a Yaesu FT411E in nice shape and I am looking for a battery for my Kenwood TH28A preferably a PB17.

Please email me direct.

Thanks
Don

2279. Re: Wireless thermometer 433 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 18:06:33 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <aj8tdudqd1@nntp-m01.news.aol.com>
Source record: 40590

Since I doubt that the receiver is that much more sensitive then your rig (we would hope!), that suggests it runs in some kind of broad band mode or different frequency and it's just a harmonic or some small part of the signal that shows up there.

It would be interesting to see just how it does run. Maybe it's just a very brief burst.

"Brenda Ann" <brandad@kornet.net> wrote in message news:aj828gknq1@news1.kornet.net...
> The one I have operates at 433 MHz as well. I don't seem to get a great deal
> of interference from it. In fact, I have to practically have the thing
> connected to my rig to find the frequency.

2280. FS: 3A/110B DHT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 18:08:38 UTC
From: arnoldg@c2i.net
Message-ID: <3d57fa32.297121@news1.c2i.net>
Source record: 40591

I have several pcs of this small directly heated triode in stock. The valves may be used, but I have tested them myself and they are all excellent. You can find a picture and technical data on my web site - www.demostenes.no Just search for 3A/110B in the left hand corner.

Regards,

Arnold Goks&#65533;yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as sockets,transformers,books,caps,resistors and other components. Web site is updated every week. You can order on-line.

2281. Re: Gummymint Endorses Yaesu?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 18:11:32 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <aj8tn9$e1f$1@nntp-m01.news.aol.com>
Source record: 40592

As far as I know, while they operate in the same frequency band,
800MHz trunking radios are separate from cell phone systems. Cell
phones usually have better coverage but would be subject to overload.

"Vito" <vito@crosslink.net> wrote in message
news:3D57ED03.2DDDC896@crosslink.net...
>
> But isn't the 'trunking' done via the cell phone system that dies of
> overload in every emergency or is that just another urban legend??
>
> 73 de K3DWW

2282. Re: Wireless thermometer 433 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 18:40:56 UTC
From: CJ <fantastic@sex.edu>
Message-ID: <ulg09srvl12fcb@corp.supernews.com>
Source record: 40593

I have used a wireless indoor / outdoor thermometer from Radio Shack for over a couple years now and they are great. So cool we sent one to my dad and he really enjoys it too especially since the display is so large he can easily read it from across the room and he is nearly 80 years young.

Here is what mine looks like and also there is a link for the operators manual with tech specs for this model which include operating frequency etc.....
1. http://www.ab7sl.com/index.html?row1col2=thermo.html

--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
Prescott, Arizona - USA
www.ab7sl.com

"Russell Hltn" <reply@2newsgroup.com> wrote in message
news:aj8tdudqd1@nntp-m01.news.aol.com...
> Since I doubt that the receiver is that much more sensitive then your
> rig (we would hope!), that suggests it runs in some kind of broad band
> mode or different frequency and it's just a harmonic or some small
> part of the signal that shows up there.
>
> It would be interesting to see just how it does run. Maybe it's just
> a very brief burst.
>
>
> "Brenda Ann" <brandad@kornet.net> wrote in message
> news:aj828gknq1@news1.kornet.net...
> > The one I have operates at 433 MHz as well. I don't seem to get a
> great deal
> > of interference from it. In fact, I have to practically have the
> thing
> > connected to my rig to find the frequency.
>
>
>

2283. Output power shifts on FT 707S ???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 19:53:22 UTC
From: Laurent BURY <l.bury@wanadoo.fr>
Message-ID: <aj945tofd1@wanadoo.fr>
Source record: 40594

I have strange output power shifts on my YAESU FT 707S: it happens only with SSB, and obliged me to retune the mike gain all the time or so...

I cleaned the relay of the IF and AF boards but no results.

Any ideas ?

73 from TK5ML.

2284. Kenwood Tm-221 mic connector, need special tool

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 21:49:06 UTC
From: 0junk4me@bellsouth.net
Message-ID: <m3W59.46353$lP6.2758520@e3500-atl2.usenetserver.com>
Source record: 40595

HI folks,

THanks for the responses on the lithium battery replacement. NOW that I've got the instructions I see what was apparent before but now obvious.

Anybody know where the heck to get the special tool I need to remove the microphone connector?

THanks and 73 de kb0ruu

Richard WEbb

Electric SPider Productions,
amateur radio call kb0ruu

Replace anything before the at symbol with elspider for real email reply or use my callsign at mmsn.org

2285. Re: FS : RF Concepts 4-110 430-450 mhz 100 watt amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 22:22:44 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <madglu4ls5g4va5ecetj2j2tofjcud8up3@4ax.com>
Source record: 40596

Sold

On Thu, 08 Aug 2002 02:00:55 GMT, Michael Funaro
<mfunaro@worldnet.att.net> wrote:

>Hello, I have for sale a very clean RF Concepts 4-110 430-450 mhz all
>mode amp. It is a 10 watt in 100 watt out amp with Uhf preamp. The
>amp is mint and never mobile. Its been in a non smoking envirement.
>Please email me with any questions. The price is $175 plus shipping.
>Thanks, Mike N0XD
>mfunaro@worldnet.att.net

2286. Re: Gummymint Endorses Yaesu?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 23:03:01 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <aj9ept$lt4$1@terabinaries.xmission.com>
Source record: 40597

"Vito" <vito@crosslink.net> wrote in message
news:3D57ED03.2DDDC896@crosslink.net...
> N9NWO wrote:
> > ....snip ...
> > In time most agencies will move over to 800 Mhz
> > trunked radios. Then federal, local and state agencies
> > will be able to cross communicate.
>
> But isn't the 'trunking' done via the cell phone system that dies of
> overload in every emergency or is that just another urban legend??
>
> 73 de K3DWW

Trunked Radio systems aren't part of the regular cellular network.

In SLC, most of our public agencies have switched to a 800Mhz SmartZone
Trunked system which ties together some 25 radio sites. Most of the agencies
can talk to each other when needed.
The state of Utah decided to implement this system after a tornado caused
major damage back in 1998. It was really bad. None of the agencies could
talk to each other and the govenor's cell phone didn't work due to overload
of the system.

Dan

2287. Re: Kenwood Tm-221 mic connector, need special tool

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 23:34:25 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <5CX59.114870$D36.99542@rwcrnsc53>
Source record: 40448

Just use two small drill bits or jewelers screwdrivers and a suitable cross bar if you do not have a spanner type wrench for the nut on the mic connector.
The torque should not be very high on it anyway and there is no lock-tite used on it when it is assembled originally.

73

WA5VRL
Willis

2288. FA JOHNSON RANGER TRANSMITTER-LAST HOUR

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-12 23:46:06 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3D5848BE.FDB73276@ckradio.net>
Source record: 40449

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1371636779

2289. Re: Kenwood Tm-221 mic connector, need special tool

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 02:22:11 UTC
From: 0junk4me@bellsouth.net
Message-ID: <n3_59.46866$lP6.2890687@e3500-atl2.usenetserver.com>
Source record: 40450

On 2002-08-12 0junk4me@bellsouth.net said:
>THanks for the responses on the lithium battery replacement. NOW
>that I've got the instructions I see what was apparent before but
>now obvious.
>Anybody know where the heck to get the special tool I need to remove
>the microphone connector?
>THanks and 73 de kb0ruu
AS a follow-up, my xyl and anotehr local ham think they can use a
regular snap ring puller on that. WE"re gonna give it a try we find
somebody who has one, and we think we've found.

THanks.

Richard WEbb

Electric SPider Productions,
amateur radio call kb0ruu

Replace anything before the at symbol with elspider for real email reply
or use my callsign at mmsn.org

Any sufficiently advanced technology is indistinguishable
from a rigged demo.

2290. HT Recommendations Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 03:30:12 UTC
From: Kirk Crawford <kirkcrawford@adelphia.net>
Message-ID: <83%59.1219$9U6.1380551@news3.news.adelphia.net>
Source record: 40451

I would like some recommendations on what HT to buy for an upcoming trip. My wife and I are going on a year long Round-The-World trip starting at the end of September. We will be traveling lite, each carrying just one backpack. We will be staying in hostels and camping out. We won't be carrying a cell phone. However we are now both HAMs (passed the test 8/8/02) and would like to carry two HT's with us so we could communicate with each other and with other local HAM's on the local repeaters. We won't have ready access to power from the wall or from a car, so the HT must be able to work from regular Alkaline batteries. Also it needs to be powerfull enough to hit a repeater, so 5 Watts is minimum output power. Weight is also a consideration because we will be carrying them on our backs for a year. We also want the tone-coded squelch feature so we can set it up to only receive from each other. And 2 Meters is all we need and is the most popular band worldwide. Low cost is good too since it is a distinct possibility that we could be robbed.

So, considering all that, I have found the ICOM IC-T2H, and the ALINCO DJ-195T. Both around $100 and fit most of the bill. I have a few questions for the more experienced Hams out there.
Does the Alinco work from Alkaline batteries as well?

Do you have any other recommendations for a good HT to fit our trip?

Do you have any comments on either of these two radios?

Thanks in Advance,

Kirk Crawford
KG6MTE

2291. Re: MFJ-1278 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 03:34:08 UTC
From: Paul N3EOP <n3eop@arrl.or.callsign.net>
Message-ID: <Xns9268D13CC681Bn3eophotmailcom@64.164.98.7>
Source record: 40452

"Hank Oredson" <horedson@att.net> wrote in
news:L_%09.8424$pg2.698383@bgtnsc05-news.ops.worldnet.att.net:

> Strange as it might seem, 1200,E,7,2 seems to be standard
> on all the older TNC2 style TNCs. Glad it is working ok now!

My ancient MFJ-1270 "no bloody A, B, C, or D" gets that way sometimes
when I haven't powered it up for some time. I know the baud rate (set
by DIP switch on the back), but it usually takes me some time to get the
word length/parity/stop bits set right.

And I normally forget about the 2 stop bits!

2292. Re: HT Recommendations Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 04:13:01 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <aj9vp5$8ig$1@news1.kornet.net>
Source record: 40453

Kirk,

One thing you should know is that many countries around the world carry no reciprocity for amateur radio operators from other countries. For instance, here in Korea, you must file for a personal license, and a station license. The process is pretty straightforward for most hams, but it does include filing the paperwork, having the Ministry of Information and Communications come and check your gear and antenna for spectral purity (with a spectrum analyzer) and the payment of a fee of 100,000 Won (about $85). Most other countries have a similar system. Some do not allow hams from other countries to operate in their country at all, and to do so carries stiff fines or jail sentences (Thailand is one of these).

Just a note of caution.

73
Brenda Ann
HL2/K7BAD

"Kirk Crawford" <kirkcrawford@adelphia.net> wrote in message
news:83%59.1219$9U6.1380551@news3.news.adelphia.net...
> I would like some recommendations on what HT to buy for an upcoming trip.
> My wife and I are going on a year long Round-The-World trip starting at
the
> end of September. We will be traveling lite, each carrying just one
> backpack. We will be staying in hostels and camping out. We won't be
> carrying a cell phone. However we are now both HAMs (passed the test
> 8/8/02) and would like to carry two HT's with us so we could communicate
> with each other and with other local HAM's on the local repeaters. We
won't
> have ready access to power from the wall or from a car, so the HT must be
> able to work from regular Alkaline batteries. Also it needs to be
powerfull
> enough to hit a repeater, so 5 Watts is minimum output power. Weight is
> also a consideration because we will be carrying them on our backs for a
> year. We also want the tone-coded squelch feature so we can set it up to
> only receive from each other. And 2 Meters is all we need and is the most
> popular band worldwide. Low cost is good too since it is a distinct
> possibility that we could be robbed.
>
> So, considering all that, I have found the ICOM IC-T2H, and the ALINCO
> DJ-195T. Both around $100 and fit most of the bill. I have a few
questions
> for the more experienced Hams out there.
> Does the Alinco work from Alkaline batteries as well?

>
> Do you have any other recommendations for a good HT to fit our trip?
>
> Do you have any comments on either of these two radios?
>
> Thanks in Advance,
>
> Kirk Crawford
> KG6MTE
>
>
>

2293. WTB TM-742 ORIGINAL MANUAL AND 440 MHZ MODULE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 05:49:10 UTC
From: k6stu@aol.com
Message-ID: <20020813014910.10113.00002811@mb-mr.aol.com>
Source record: 40455

DOES ANYONE HAVE FOR SALE AN ORIGINAL TM-742 MANUAL AND A 440 MODULE???
THANKS.
MIKE

2294. WTB: IC-761 ORIGINAL OWNERS/OPERATORS MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 05:49:58 UTC
From: k6stu@aol.com
Message-ID: <20020813014958.10113.00002812@mb-mr.aol.com>
Source record: 40454

DOES ANYONE HAVE FOR SALE A ORIGINAL MANUAL FOR A IC-761???
MIKE

2295. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 07:39:54 UTC
From: "Bairn Reay"
Message-ID: <3d58b753$1_1@mk-nntp-1.news.uk.worldonline.com>
Source record: 40456
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

No, but I've tried to work an ABC XYZ 123 using a
Wizzo-Wazzo PQRS.

This is a Ham Radio NG, OM. If you want to talk
CB (Cheque Book) Radio, then uk.rec.radio.cb
would be more suitable for you/

karel vanderkerken <karelvdk@freegates.be> wrote in message
news:3d57e7ac$0$194$ba620e4c@news.skynet.be...
> Has anyone tried to work a TH D7 TNC with W2K as operating system on the
> computer ?
> I always receive "Communication timeout error" as message. The comport is
> OK, I use it to connect to my TM D700. I've tried different control
> applications (link 7, MCP D7 v1.2, ...) but the message is always the
same.
> I tried every setting I could think of ...

2296. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 09:11:08 UTC
From: W6DKN <w6dkn@qsl.net>
Message-ID: <M2469.14821$Ue7.11594@nwrddc02.gnilink.net>
Source record: 40457
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

> karel vanderkerken <karelvdk@freegates.be> wrote in message
> news:3d57e7ac$0$194$ba620e4c@news.skynet.be...
> > Has anyone tried to work a TH D7 TNC with W2K as operating system on
the
> > computer ?
> > I always receive "Communication timeout error" as message. The comport
is
> > OK, I use it to connect to my TM D700. I've tried different control
> > applications (link 7, MCP D7 v1.2, ...) but the message is always the
> same.
> > I tried every setting I could think of ...

If the application you are trying to use for TNC control is trying to
directly access the hardware port, then it won't work. W2K, like any
version of NT, is a protected kernel OS. Any app that needs hardware access
must request it via an OS API call.

73 de W6DKN

2297. Re: HT Recommendations Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 09:45:21 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <ajaj8b$54p$1@news1.kornet.net>
Source record: 40458

Good call, Dick. Here in Korea one can buy used cell phones for a few dollars (about $40), and a card to activate them for 10,000 Won (about $8.50), and the phone will work almost anywhere in the country for a flat fee deducted from the card. You can even use the same card to call overseas (to the US it's about 28 cents a minute), or buy an overseas card (such cards can be gotten for around 4 cents a minute to the US, 10 cents a minute cards are common).

"Dick Hughes" <rhughes33@cableone.net> wrote in message news:8u3hluoi1ta3ksf3av8hk11j86a8ue8if0@4ax.com...
> I should have also said that my recommendation would be to leave the
> radios home because of the licensing hassle, and buy a couple of cheap
> cel phones for the area you will be in. In Europe, for example, a cel
> phone works in many countries. You can buy the kind with so many
> minutes and no contract. Cel phone coverage is a great deal better in
> Europe than it is here in the U.S. Works most anywhere. We traveled
> Germany, Austria, France, Switzerland and Italy and never lost
> coverage, even in the basement of buildings.
>
> Dick - W6CCD
>
> On Tue, 13 Aug 2002 03:30:12 GMT, "Kirk Crawford"
> <kirkcrawford@adelphia.net> wrote:
>
> >I would like some recommendations on what HT to buy for an upcoming trip.
> >My wife and I are going on a year long Round-The-World trip starting at
the
> >end of September. We will be traveling lite, each carrying just one
> >backpack. We will be staying in hostels and camping out. We won't be
> >carrying a cell phone.
> >Kirk Crawford
> >KG6MTE
> >
> >
>

2298. Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 13:03:17 UTC
From: joeee1621@aol.com
Message-ID: <20020813090317.16571.00000029@mb-ch.aol.com>
Source record: 40459

http://hometown.aol.com/joeee1621/myhomepage/business.html

2299. Re: ICOM and PCR-1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 13:04:53 UTC
From: kwon2m@att.net
Message-ID: <g80iluogn6hrlea1i9kffs47jlctfib2ea@4ax.com>
Source record: 40460

I just recently bought my first PC that had XP Pro (Gateway 600X laptop) and I have no problem running the old (rev 1.31) version of the Icom software. I also use Scan Star Spectrum Explorer ver. 8.35 and that works just fine with XP. The only problem I've had with Icom's software was with one of my older laptops (a Compaq Presario 305 with Win 98). That machine would work ok until I tried to scan. It would start scanning and just stop. This seems to be some sort of hardware problem with just that computer. None of my other machines past or present suffer that problem. As for any new versions of Icom's software, I haven't seen anything. Let's hope if they really have an update, they not only fixed any Win 2000 / XP incompatibilities, but also fixed the "Icom Scanning Problem" so you can scan more than one bank. Good luck.

John

On Sun, 11 Aug 2002 08:04:41 -0600, "Jeff W." <jjweinb@earthlink.net> wrote:

>OK, maybe I'm missing something here, and someone wiser than me can pass on
>the answer to this question.
>
>Beginning this month, the standard ICOM ads have changed. You know the
>ones, the 'Tune In The World With ICOM' one pagers that generally can be
>found on the backs of magazines like Monitoring Times, etc. Well, this
>month, associated with the IC-PCR1000 unit, there is new text that says "New
>Software - Works with All Versions of Windows!"
>
>OK, so where is it? I've been to www.icomamerica.com, but no luck. At
>least not on the pages that I've been able to find. What I have been able
>to find as a download is the old version, and a note that the ICOM PCR-1000
>software is only available for Windows versions 3.1 and 95, and recommended
>links to third party software that does work with other versions of Windows.
>Since converting my system to Windows XP Pro recently, I haven't been able
>to get my PCR-1000 working, simply because the old program tries to access
>the COMM port directly, and locks up as soon as it does. So, if the ad is
>correct, ICOM now has a version of their software that should solve this
>problem.
>
>Only, does anyone know where it is? Plus, any recommendations on other
>vendor software that will work on a Windows XP system, that you like, and
>was fairly priced.
>
>Please respond here and to jjweinb@earthlink.net.
>

>Thanks.
>
>Jeff W.
>

2300. Re: HT Recommendations Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 13:28:47 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <vgJZPUOO3SA3xMH1cKEYKhZJbF+N@4ax.com>
Source record: 40461

"Kirk Crawford" <kirkcrawford@adelphia.net> wrote:

>
>So, considering all that, I have found the ICOM IC-T2H, and the ALINCO
>DJ-195T. Both around $100 and fit most of the bill.

I have the T2H. The body is really rugged plastic of some sort -- should stand up to hard travel. Uses alkalines or the standard Ni-Cads that mine came with. (It's the Sport model that comes with no batteries). Has the tone squelch. Not sure if it has the full 6 watt output with drug-store alkalines.

It's cheap enough, you could lose it or have it confiscated and it's no big loss. Whatever you do, don't lose the instructions/manual, as it is very non-intuitive in its programming and set-up. It took me two or three weeks, initially, to get all the local repeaters programmed in, with the correct tones.

I've never used mine with alkalines, but it could go through a whole set in one day's use -- that's 8 AA cells per radio. Alkalines could get expensive. The standard rechargeable Ni-cads, or the optional hi-power battery pack might a better way to go.

It has pretty natural transmit audio.

It isn't very resistant to intermod.

I can't speak to the international regulations regarding its use by US hams. That may be the main problem.

Bob
k5qwg

>I have a few questions
>for the more experienced Hams out there.
>Does the Alinco work from Alkaline batteries as well?
>
>Do you have any other recommendations for a good HT to fit our trip?
>
>Do you have any comments on either of these two radios?
>
>Thanks in Advance,
>
>Kirk Crawford
>KG6MTE
>
>

2301. FS: HEIL HM-i Studio Condensor Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 14:22:37 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <IC869.6640$Hf.144134@twister.kc.rr.com>
Source record: 40462

BRAND NEW, STILL IN BOX! Designed for Icom. Mic, box, pouch, wind screen, mic clip (still sealed) and instruction sheet. $80 shipped/insured conus.

Van,
K0KAV

2302. Re: HT Recommendations Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 14:51:07 UTC
From: Kirk Crawford <kirkcrawford@adelphia.net>
Message-ID: <v1969.1232$9U6.1460386@news3.news.adelphia.net>
Source record: 40463

I am aware of the regulations for using HAM radios in other countries and have been researching that aspect through ARRL's web site.

We don't really want to get cell phones as it can be expensive having to buy phones and plans in multiple countries along the way. And useage of the phone is expensive. For our phone usage we will rely on calling cards that can be purchased in nearly every post office around the world. Remember, we aren't just going to one region or country. We will start in New Zealand, and then follow to Australia, Malaysia Phillipines, Taiwan, Vietnam, India, South Africa, Nigeria, Europe, and then home to USA.

The idea of an inexpensive 2 meter rig will help if it gets stolen or confiscated then we just replace them in the next ham friendly country.

So, Any other suggestions for radios or comments about the ICom IC-T2H or the Alinco DJ-195/196?

Thanks In Advance,

Kirk
KG6MTE

2303. Re: HT Recommendations Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 15:34:54 UTC
From: derswede@aol.comspam.com
Message-ID: <20020813113454.07623.00000028@mb-ba.aol.com>
Source record: 40464

>We will start in New Zealand,
>and then follow to Australia, Malaysia Phillipines, Taiwan, Vietnam, India,
>South Africa, Nigeria, Europe, and then home to USA.

Nigeria?? You WANT to go to Nigeria? Try Kenya, Cote d'Ivorie or Morocco, but forget Nigeria. You'll lose the radios and most likely all your possessions. I've got lots of good friends FROM Nigeria...THEY don't want to go back. Lots of good folks, but lots of problems, too.

As for the other countries, Malaysia is very friendly but strict. The HTs probably will not pass muster. Vietnam? Supposed to go there soon for a trade show....the show promoter said to leave anything valuable at home. Not due to the people, who are great sorts....but due to Customs. Same in Phillipines and India, "lost" a laptop in Customs in the Phillipines some years ago. Haven't been to SA in years, don't know the current status.

NZ, Oz and Europe you're OK (and I'm jealous...been trying to get to NZ for years), think that SA should be a bit easier for the licence, but the others? Make sure you can hide the HT on your person and dress like someone they DON'T want to body search. Seriously, I'd avoid Nigeria. And this is from a guy that thinks Indonesia is a walk in the park, and that likes Peru & Colombia.

A
(59 countries and counting)

2304. FS: Siemens C3m valves, NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 15:54:18 UTC
From: arnoldg@c2i.net
Message-ID: <3d592c24.13313705@news1.c2i.net>
Source record: 40465

Hello,

This very special Siemens valve can be used as a driver for 300B and
similar. It is a pentode with a heater of 20V 0.125A, Va 225 Vg2 155V
Ia 16mA Ig2 3mA S = 6.5mA/V Wa 4W max Ik max 30mA. Loctal socket.
I have several in stock at NOK 172.- each or about $ 22.60. The are
all NOS and in original boxes. Pictures and data on my web site -
www.demostenes.no

Best regards,

Arnold Goks&#65533;yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

2305. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 16:58:35 UTC
From: CJ <fantastic@sex.edu>
Message-ID: <ulielti83fuv6c@corp.supernews.com>
Source record: 40466
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

Hello Walt,
That is some of the very BEST Ham Radio news I have heard in a long time Walt. Thank you for posting it. It's going to bring many more people into the ranks. It also serves to establish at long last a "no-Morse code" license (I read about the "Morse appreciation" - test -) and should go a long ways to encouraging other countries to do the same. It is long overdue. I am also thrilled to see the new and correct nomenclature of "Hobby Radio" be used. Too many Hams make radio a religion and a life's philosophy. Especially hard-core CW advocates and many DX'ers. It is a "hobby" and the UK has it nailed 100% correctly.

Moreover your advice to ignore and purposely not make contacts with any of the new license holders once they get on the air is really silly. It makes you look like an asshole and an old curmudgeon fuck dick. I hope instead the new license holders ignore "YOU". They would be far better off to do so and thus never have to meet you or hear your prejudiced views on "Hobby Radio"

Have a nice day.....

--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
Prescott, Arizona - USA
www.ab7sl.com

"Walt Davidson" <walt99@tiscali.co.uk> wrote in message news:d0hhlu4lsn3ep483csciel3o44dtqpdd20@4ax.com...
> The licensing authority in the UK is in the process of combining the
> amateur radio and CB services in this country into a single, unified
> service under the banner of "Hobby Radio". A government statistical
> forecast published this month indicates that there is a target to
> phase out the separate CB license completely by 2004.
>
> As a major step towards the unification of the two services, the
> licensing authority, working in collusion with one of the UK's amateur
> radio societies, has introduced a so-called "Foundation Amateur Radio
> License". To obtain this license, which gives access to all modes on
> all the amateur bands between 1.8 MHz and 440 MHz, with the exception
> of the 28 MHz band, the requirement for a Morse Test has been waived
> (in contravention of the international ITU agreement) and a minimalist
> technical "test" is all that is required to qualify. The technical
> test includes about twenty questions of the type, "What is the correct
> wiring for a power plug?" and "Is resistance measured in ohms, volts

> or amps?". Even a knowledge of Ohm's Law is deemed too advanced for
> this class of license test. A so-called "Morse Appreciation" is
> performed, which involves listening to individual Morse characters,
> sent as slowly and as often as desired, and looking them up
> individually in a textbook.
>
> The callsigns issued for this type of pseudo-CB license are in the
> M3*** series. In common with other CB licensees, they are allowed to
> use only commercially-made, type-approved equipment. This unwelcome
> feature alone, is totally contrary to the traditional amateur radio
> ethic of experimentation.
>
> If, like me, you deprecate this ultimate step in the dumbing-down and
> devaluation of our hobby, I hope you will make your disapproval clear
> by refraining from making contact with, or acknowledging the existence
> of, the M3*** CB calls on the amateur bands. There is a perfectly
> adequate Novice Licence scheme already in existence in the UK, which
> serves as a good introductory path into the hobby.
>
> 73 de G3NYY
>
> --
> Walt Davidson Email: g3nyy @freeuk.com

2306. TMD-700A for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 17:03:35 UTC
From: news <kerry@healthe.ca>
Message-ID: <HZa69.141065$Ag2.7200350@news2.calgary.shaw.ca>
Source record: 40467
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.packet,rec.radio.amateur.swap

I am offering the above radio for sale. (for specs please view
http://www.radioworld.ca/ham/kenwood/kwmobile.htm#tmd700) . All manuals,
cables (except power) and accessories are included. Asking $350.00 US.
F.O.B Edmonton, Alberta. Will ship COD to Certified funds. Please e-mail
ve7eps@shaw.ca for more information

73
VE7EPS

2307. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 17:44:26 UTC
From: No SPam <me@873456.com>
Message-ID: <3D59457A.BFAC1790@873456.com>
Source record: 40468
Cross-posted to: alt.ham-radio.vhf-uhf,alt.radio-shack,rec.radio.amateur,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Reverse the recv and tx lines (2 & 3) on the serial interface between
the TH-D7 and the computer. These are diagrammed in a confusing way and
may be reversed.

Hyperterm should work - set 9600b. The TASCO message should come up
when you push the TNC button on the HT keypad. Be sure to push it twice
to get it out of APRS mode and into full TNC mode.

karel vanderkerken wrote:
>
> Hi all,
>
> Has anyone tried to work a TH D7 TNC with W2K as operating system on the
> computer ?
> I always receive "Communication timeout error" as message. The comport is
> OK, I use it to connect to my TM D700. I've tried different control
> applications (link 7, MCP D7 v1.2, ...) but the message is always the same.
> I tried every setting I could think of ...
>
> Any suggestions ?
>
> 73's
>
> ON1VK
>
> please reply to : ON1VK@QSL.NET

2308. Re: I/Q demodulator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 19:24:46 UTC
From: Bizon <bizongod@poczta.fm>
Message-ID: <ajbmou$67h$1@news.tpi.pl>
Source record: 40469

No one has seen it ?

Bizon SQ2YD
U&#65533;ytkownik "Bizon" <bizongod@poczta.fm> napisa&#65533; w wiadomo&#65533;ci
news:aj19ki$8qg$2@news2.tpi.pl...
> Hi !
> I'm looking for schema of
> I/Q SSB demodulator.
>
> Bizon SQ2YD
>
>
>

2309. 4 sale!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 21:31:13 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D597AA1.60502@lakefield.net>
Source record: 40470
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $650

Kenwood TM251A 95% $100 SOLD
Kenwood TM451A 98% $115 SOLD

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Micor 2m conversion repeater
on 146.700/146.100,
100w solid state final,
new helical RCV filter installed/tuned,
with full duty power supply,
model B93RCB-3145B-RH52,
^ incorrect??
with service manual. $250 SOLD

Dynamic Communications
Model A470-25 $ 20
Sold as is, no manual.

Model 10-0 $ 20
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

2310. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 22:45:26 UTC
From: jmcr@nauticom.net
Message-ID: <3D598C06.13508E90@nauticom.net>
Source record: 40500

Walt I like your observation and encourage you to stand by your position on the subject. If CJ want to use that filthy language so be it but not all Americans feel the way he does. And by the way, WE don't appreciate his language or stand by his position. A person of his standing should be more adult. Shame on you AB7SL.

Yes, I'm one of those old time hams being licensed for over 35 years. I don't care for code but I refuse to limit those who enjoy that fascist of ham radio.

CJ wrote:

> Hello Walt,
> That is some of the very BEST Ham Radio news I have heard in a long
> time Walt. Thank you for posting it. It's going to bring many more
> people into the ranks. It also serves to establish at long last a
> "no-Morse code" license (I read about the "Morse appreciation" - test -)
> and should go a long ways to encouraging other countries to do the same.
> It is long overdue. I am also thrilled to see the new and correct
> nomenclature of "Hobby Radio" be used. Too many Hams make radio a
> religion and a life's philosophy. Especially hard-core CW advocates and
> many DX'ers. It is a "hobby" and the UK has it nailed 100% correctly.
>
> Moreover your advice to ignore and purposely not make contacts with
> any of the new license holders once they get on the air is really silly.
> It makes you look like an asshole and an old curmudgeon fuck dick. I
> hope instead the new license holders ignore "YOU". They would be far
> better off to do so and thus never have to meet you or hear your
> prejudiced views on "Hobby Radio"
>
> Have a nice day.....
>
> --
> 73 / DX de AB7SL - Charles
> AB7SL - Ham Radio Pages
> Prescott, Arizona - USA
> www.ab7sl.com
>
> "Walt Davidson" <walt99@tiscali.co.uk> wrote in message
> news:d0hhlu4lsn3ep483csciel3o44dtqpdd20@4ax.com...
> > The licensing authority in the UK is in the process of combining the
> > amateur radio and CB services in this country into a single, unified
> > service under the banner of "Hobby Radio". A government statistical
> > forecast published this month indicates that there is a target to
> > phase out the separate CB license completely by 2004.

> >
> > As a major step towards the unification of the two services, the
> > licensing authority, working in collusion with one of the UK's amateur
> > radio societies, has introduced a so-called "Foundation Amateur Radio
> > License". To obtain this license, which gives access to all modes on
> > all the amateur bands between 1.8 MHz and 440 MHz, with the exception
> > of the 28 MHz band, the requirement for a Morse Test has been waived
> > (in contravention of the international ITU agreement) and a minimalist
> > technical "test" is all that is required to qualify. The technical
> > test includes about twenty questions of the type, "What is the correct
> > wiring for a power plug?" and "Is resistance measured in ohms, volts
> > or amps?". Even a knowledge of Ohm's Law is deemed too advanced for
> > this class of license test. A so-called "Morse Appreciation" is
> > performed, which involves listening to individual Morse characters,
> > sent as slowly and as often as desired, and looking them up
> > individually in a textbook.
> >
> > The callsigns issued for this type of pseudo-CB license are in the
> > M3*** series. In common with other CB licensees, they are allowed to
> > use only commercially-made, type-approved equipment. This unwelcome
> > feature alone, is totally contrary to the traditional amateur radio
> > ethic of experimentation.
> >
> > If, like me, you deprecate this ultimate step in the dumbing-down and
> > devaluation of our hobby, I hope you will make your disapproval clear
> > by refraining from making contact with, or acknowledging the existence
> > of, the M3*** CB calls on the amateur bands. There is a perfectly
> > adequate Novice Licence scheme already in existence in the UK, which
> > serves as a good introductory path into the hobby.
> >
> > 73 de G3NYY
> >
> > --
> > Walt Davidson Email: g3nyy @freeuk.com

2311. Help FT707

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 22:46:01 UTC
From: bob <flobobe@plus.net>
Message-ID: <JXf69.227$sE1.36458@stones>
Source record: 40471

Hi

I've been given an FT707 which has an overheating issue on receive.

Half an hours listening on 40m produces a temperature of 49 deg C on the rear heatsink. It's also drawing 10 amps on receive which is rather excessive.

All functions otherwise seem OK. Anybody help or offer advice on this.

TIA

Bob

2312. New PCR-1000 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 23:06:34 UTC
From: "Jeff W." <jjweinb@earthlink.net>
Message-ID: <Whg69.203$R.71243@news.uswest.net>
Source record: 40472

For those who use the Icom PCR-1000 computer controlled radio, there will be new software available soon that should run under all versions of Windows. As you may know, the current version downloadable from the Icom website is only certified to work with Windows 3.x and Windows 95. Icom parts does not yet have the new version, but when then do, the cost will be $68.73.

To me, it's disappointing that Icom sells a computer controlled radio whose software is (as noted on their website) only certified on versions of Windows that are at least 7 years old. Yes, the software did run under Windows 98 for me, but if I had had problems...

The software does not always work under newer versions of Windows, including XP. It makes you wonder if Icom will continue to sell this radio with the antiquated software, and why they can't provide an updated copy of basic control software for their registered users for more current versions of Windows. As far as I know, even WinRadio provides updates to their software so their hardware remains current with the most current OS's.

With other versions of PCR-1000 software out there that are more reasonably priced, it's MHO that Icom may find a very limited market for this new version of the PCR-1000 control program.

Jeff W.
W0QO

2313. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 23:44:18 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ajc5ks$2ct5$1@madmax.keyway.net>
Source record: 40473
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

After occasionally tuning across the CB frequencies in an attempt to
see what people are so steadfastly defending, I have routinely heard
very little verbal exchange of ideas. Primarily I see radios being used
as a sort of cathartic tool of cowards for whipping on other anonymous
radio signals without fear of a knuckle sandwich, or even worse, a tool
for broadcasting deranged and psychotic outbursts and incomprehensible
word salads, gibberish and other exhibitions of lunacy.

Perhaps this is a local problem, in which case I apologize to those who
may have been driven off for meaningful exercise of the 1st Amendment
here, or in other areas those who have truly been able to.

Otherwise what's to "talk" to?

Jim, ac6tk

"CJ" <fantastic@sex.edu> wrote in message news:ulielti83fuv6c@corp.supernews.com...
: Hello Walt,
: That is some of the very BEST Ham Radio news I have heard in a long
: time Walt. Thank you for posting it. It's going to bring many more
: people into the ranks. It also serves to establish at long last a
: "no-Morse code" license (I read about the "Morse appreciation" - test -)
: and should go a long ways to encouraging other countries to do the same.
: It is long overdue. I am also thrilled to see the new and correct
: nomenclature of "Hobby Radio" be used. Too many Hams make radio a
: religion and a life's philosophy. Especially hard-core CW advocates and
: many DX'ers. It is a "hobby" and the UK has it nailed 100% correctly.
:
: Moreover your advice to ignore and purposely not make contacts with
: any of the new license holders once they get on the air is really silly.
: It makes you look like an asshole and an old curmudgeon fuck dick. I
: hope instead the new license holders ignore "YOU". They would be far
: better off to do so and thus never have to meet you or hear your
: prejudiced views on "Hobby Radio"
:
: Have a nice day.....
:
: --
: 73 / DX de AB7SL - Charles
: AB7SL - Ham Radio Pages
: Prescott, Arizona - USA
: www.ab7sl.com
:
:

: "Walt Davidson" <walt99@tiscali.co.uk> wrote in message
: news:d0hhlu4lsn3ep483csciel3o44dtqpdd20@4ax.com...
: > The licensing authority in the UK is in the process of combining the
: > amateur radio and CB services in this country into a single, unified
: > service under the banner of "Hobby Radio". A government statistical
: > forecast published this month indicates that there is a target to
: > phase out the separate CB license completely by 2004.
: >
: > As a major step towards the unification of the two services, the
: > licensing authority, working in collusion with one of the UK's amateur
: > radio societies, has introduced a so-called "Foundation Amateur Radio
: > License". To obtain this license, which gives access to all modes on
: > all the amateur bands between 1.8 MHz and 440 MHz, with the exception
: > of the 28 MHz band, the requirement for a Morse Test has been waived
: > (in contravention of the international ITU agreement) and a minimalist
: > technical "test" is all that is required to qualify. The technical
: > test includes about twenty questions of the type, "What is the correct
: > wiring for a power plug?" and "Is resistance measured in ohms, volts
: > or amps?". Even a knowledge of Ohm's Law is deemed too advanced for
: > this class of license test. A so-called "Morse Appreciation" is
: > performed, which involves listening to individual Morse characters,
: > sent as slowly and as often as desired, and looking them up
: > individually in a textbook.
: >
: > The callsigns issued for this type of pseudo-CB license are in the
: > M3*** series. In common with other CB licensees, they are allowed to
: > use only commercially-made, type-approved equipment. This unwelcome
: > feature alone, is totally contrary to the traditional amateur radio
: > ethic of experimentation.
: >
: > If, like me, you deprecate this ultimate step in the dumbing-down and
: > devaluation of our hobby, I hope you will make your disapproval clear
: > by refraining from making contact with, or acknowledging the existence
: > of, the M3*** CB calls on the amateur bands. There is a perfectly
: > adequate Novice Licence scheme already in existence in the UK, which
: > serves as a good introductory path into the hobby.
: >
: > 73 de G3NYY
: >
: > --
: > Walt Davidson Email: g3nyy @freeuk.com
:
:

2314. Re: ICOM and PCR-1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 23:46:28 UTC
From: "Jeff W." <jjweinb@earthlink.net>
Message-ID: <kTg69.210$R.75629@news.uswest.net>
Source record: 40474

Thanks John. The Icom tech says that the older version of the software will run on some XP machines, but not on others. Mine just happens to be one of the ones that it won't run on. It hasn't run on my system since I first loaded XP Pro. I talked with Icom Parts today. When they have the new version of the software, the part number, according to them, will be BON-CS40, and the cost, again according to Icom parts, will be $68.73. I find it a bit annoying that a company of the stature of Icom would produce a computer controlled radio that has control software that is only certified (as per their own website) for operating versions of Windows that are at least 7 years old. It's not what you would expect from Icom.

Thanks for the info.

73's

Jeff W.
W0QO

<kwon2m@att.net> wrote in message
news:g80iluogn6hrlea1i9kffs47jlctfib2ea@4ax.com...
> I just recently bought my first PC that had XP Pro (Gateway 600X
> laptop) and I have no problem running the old (rev 1.31) version of
> the Icom software. I also use Scan Star Spectrum Explorer ver. 8.35
> and that works just fine with XP. The only problem I've had with
> Icom's software was with one of my older laptops (a Compaq Presario
> 305 with Win 98). That machine would work ok until I tried to scan. It
> would start scanning and just stop. This seems to be some sort of
> hardware problem with just that computer. None of my other machines
> past or present suffer that problem. As for any new versions of Icom's
> software, I haven't seen anything. Let's hope if they really have an
> update, they not only fixed any Win 2000 / XP incompatibilities, but
> also fixed the "Icom Scanning Problem" so you can scan more than one
> bank. Good luck.
>
> John
>
>
>
> On Sun, 11 Aug 2002 08:04:41 -0600, "Jeff W." <jjweinb@earthlink.net>
> wrote:
>
> >OK, maybe I'm missing something here, and someone wiser than me can pass
on
> >the answer to this question.
> >

> >Beginning this month, the standard ICOM ads have changed. You know the
> >ones, the 'Tune In The World With ICOM' one pagers that generally can be
> >found on the backs of magazines like Monitoring Times, etc. Well, this
> >month, associated with the IC-PCR1000 unit, there is new text that says
"New
> >Software - Works with All Versions of Windows!"
> >
> >OK, so where is it? I've been to www.icomamerica.com, but no luck. At
> >least not on the pages that I've been able to find. What I have been
able
> >to find as a download is the old version, and a note that the ICOM
PCR-1000
> >software is only available for Windows versions 3.1 and 95, and
recommended
> >links to third party software that does work with other versions of
Windows.
> >Since converting my system to Windows XP Pro recently, I haven't been
able
> >to get my PCR-1000 working, simply because the old program tries to
access
> >the COMM port directly, and locks up as soon as it does. So, if the ad
is
> >correct, ICOM now has a version of their software that should solve this
> >problem.
> >
> >Only, does anyone know where it is? Plus, any recommendations on other
> >vendor software that will work on a Windows XP system, that you like, and
> >was fairly priced.
> >
> >Please respond here and to jjweinb@earthlink.net.
> >
> >Thanks.
> >
> >Jeff W.
> >
>

2315. FS: ALPHA 78FACE & COVER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 23:55:03 UTC
From: rong@computer.net
Message-ID: <3d599c35.2050757@news.computer.net>
Source record: 40475

Hi All,

I just received a new face & cover for my old Alpha 78 from Crosslink. I will be installing them during my vacation over the next 2 weeks. The old face & cover have become quite sticky with age as all of the original 78's did. Is there anyone out there that wants to purchase the old cover & face ??? The lettering on the face is perfect. There are a few scratches at the top left screw hole where someone evidently had bad aim with a screwdriver, and a few chips on the edges. There might also be some rub marks under either the tune or load dials--I can't remember which one used to rub, but you can't see it with the vernier dials assembled. The cover has numerous scratches all around, but a paint job will fix that. There are NO dents in either piece. The cover should also fit the 76 series with 2 or 3 tubes and the 374A series. The only difference that I can see, is that this cover has vent holes for 3 tubes as used in the 78.

I once read somewhere that if you soak the cover & face in water overnight, the stickyness will disappear--whether that is true or not, I don't know.

If you are interested, please E-mail me at rong@computer.net or call me at work for the rest of this week from 7AM-5PM EDT at 914 769 3114. Make me an offer that I can't refuse. Crosslink charged me $21.50 for the shipping, but that included the box & packing--I assume that it will run about $12 to ship the box anywhere in the lower 48.

Thanks & 73,
****
Ron Goldstein.....KA2IIA
STAY YOUNG---DRIVE A VINTAGE 427 CORVETTE.
KEEP YOUR MIND ACTIVE---BECOME AN AMATEUR RADIO OPERATOR.

REMEMBER, THERE ARE NO STRANGERS IN AMATEUR RADIO, ONLY FRIENDS THAT WE HAVE NOT YET MET.
rong@computer.net******ka2iia@arrl.net

2316. Re: F.S. B&W PT-2500A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-13 23:59:41 UTC
From: Alan Caplan <alan.caplan@frontiernet.net>
Message-ID: <ulj7gsmuc10r91@corp.supernews.com>
Source record: 40476
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Great AMP puts out a solid 1.5KW and it does not sink on key down. Sorry I let mine go. Alan K4AVQ

"NI4L" <ni4l@charter.net> wrote in message news:3D5481CE.2020003@charter.net...
> Wow what a find!!!!!!!!!!!! use to have one years ago what a great amp!
> NI4L
>
> W3BV wrote:
>
> >For Sale: Barker & Williamson PT-2500A Deluxe Linear Amplifier. Brand new
> >and unused in the original factory carton (from the estate of a silent key).
> >
> >Features:
> >
> > - Deluxe, heavy duty construction- weighs 85 lbs!
> >
> > - Full 1500W legal limit output
> >
> > - Covers 160 through 10M coverage.
> >
> > - Separate filament transformer.
> >
> > - Beefy plate transformer and computer grade filter caps delivers
> >3600 volt d.c.
> >
> > - Blower and individual chimneys cool a pair of 3-500Z 's (tubes,
> >shipped in separate boxes, were damaged in transit and are not included).
> >
> >Unquestionably, the best dual 3-500Z amplifier ever built. $995. You ship.
> >
> >Alan, W3BV
> >
> >
>
> --
> NI4L CUSTOM RESONANT DIPOLE
> LEGAL LIMIT ++ CUSTOM MADE CENTER FED DIPOLE
> Made with the same components used by our military forces today
> Custom made to YOUR FREQUENCY of operation

> Let me take the hassle out of making a RESONANT DIPOLE for you.
> Click here for more info... http://www.angelfire.com/nb/ni4l/
>
>

2317. FS: Drake TR-22C 2 meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 00:19:31 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <547jlukif3ng2ps3ktlu7hcb75ivvq32jr@4ax.com>
Source record: 40477

I have for sale as a parts rig a Drake TR-22C with the original manual.....It comes with a radio shack hand microphone. I do not have the power cable to go with it. It receives but has no output......I will take $25 plus shipping......WZ1U Steve

2318. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 00:44:52 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <8Kh69.10512$Ke2.915522@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40478
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

"JB" <ac6tk@nospamcybertime.net> wrote in message
news:ajc5ks$2ct5$1@madmax.keyway.net...
>
> After occasionally tuning across the CB frequencies in an attempt to
> see what people are so steadfastly defending, I have routinely heard
> very little verbal exchange of ideas. Primarily I see radios being used
> as a sort of cathartic tool of cowards for whipping on other anonymous
> radio signals without fear of a knuckle sandwich, or even worse, a tool
> for broadcasting deranged and psychotic outbursts and incomprehensible
> word salads, gibberish and other exhibitions of lunacy.

Didn't you mean "... drunken lunacy."?
Not far from here is a large truck stop.
It's kinda fun listening to the ladies on their way to service the truckers.

> Perhaps this is a local problem, in which case I apologize to those who
> may have been driven off for meaningful exercise of the 1st Amendment
> here, or in other areas those who have truly been able to.
>
> Otherwise what's to "talk" to?
>
> Jim, ac6tk
>
> "CJ" <fantastic@sex.edu> wrote in message
news:ulielti83fuv6c@corp.supernews.com...
> : Hello Walt,
> : That is some of the very BEST Ham Radio news I have heard in a long
> : time Walt. Thank you for posting it. It's going to bring many more
> : people into the ranks. It also serves to establish at long last a
> : "no-Morse code" license (I read about the "Morse appreciation" - test -)
> : and should go a long ways to encouraging other countries to do the same.
> : It is long overdue. I am also thrilled to see the new and correct
> : nomenclature of "Hobby Radio" be used. Too many Hams make radio a
> : religion and a life's philosophy. Especially hard-core CW advocates and
> : many DX'ers. It is a "hobby" and the UK has it nailed 100% correctly.
> :
> : Moreover your advice to ignore and purposely not make contacts with
> : any of the new license holders once they get on the air is really silly.
> : It makes you look like an asshole and an old curmudgeon fuck dick. I
> : hope instead the new license holders ignore "YOU". They would be far
> : better off to do so and thus never have to meet you or hear your
> : prejudiced views on "Hobby Radio"
> :
> : Have a nice day.....

> :
> : --
> : 73 / DX de AB7SL - Charles
> : AB7SL - Ham Radio Pages
> : Prescott, Arizona - USA
> : www.ab7sl.com
> :
> :
> : "Walt Davidson" <walt99@tiscali.co.uk> wrote in message
> : news:d0hhlu4lsn3ep483csciel3o44dtqpdd20@4ax.com...
> : > The licensing authority in the UK is in the process of combining the
> : > amateur radio and CB services in this country into a single, unified
> : > service under the banner of "Hobby Radio". A government statistical
> : > forecast published this month indicates that there is a target to
> : > phase out the separate CB license completely by 2004.
> : >
> : > As a major step towards the unification of the two services, the
> : > licensing authority, working in collusion with one of the UK's amateur
> : > radio societies, has introduced a so-called "Foundation Amateur Radio
> : > License". To obtain this license, which gives access to all modes on
> : > all the amateur bands between 1.8 MHz and 440 MHz, with the exception
> : > of the 28 MHz band, the requirement for a Morse Test has been waived
> : > (in contravention of the international ITU agreement) and a minimalist
> : > technical "test" is all that is required to qualify. The technical
> : > test includes about twenty questions of the type, "What is the correct
> : > wiring for a power plug?" and "Is resistance measured in ohms, volts
> : > or amps?". Even a knowledge of Ohm's Law is deemed too advanced for
> : > this class of license test. A so-called "Morse Appreciation" is
> : > performed, which involves listening to individual Morse characters,
> : > sent as slowly and as often as desired, and looking them up
> : > individually in a textbook.
> : >
> : > The callsigns issued for this type of pseudo-CB license are in the
> : > M3*** series. In common with other CB licensees, they are allowed to
> : > use only commercially-made, type-approved equipment. This unwelcome
> : > feature alone, is totally contrary to the traditional amateur radio
> : > ethic of experimentation.
> : >
> : > If, like me, you deprecate this ultimate step in the dumbing-down and
> : > devaluation of our hobby, I hope you will make your disapproval clear
> : > by refraining from making contact with, or acknowledging the existence
> : > of, the M3*** CB calls on the amateur bands. There is a perfectly
> : > adequate Novice Licence scheme already in existence in the UK, which
> : > serves as a good introductory path into the hobby.
> : >
> : > 73 de G3NYY
> : >
> : > --
> : > Walt Davidson Email: g3nyy @freeuk.com

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

2319. Henery 4K2 Amp Information?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 00:53:25 UTC
From: K5JOE <k5joe@k5joe.com>
Message-ID: <9Sh69.449$LG4.160457913@newssvr30.news.prodigy.com>
Source record: 40479

Looking for information on the old Henry 4K2 amp with the 5-CX 1500 tube,
floor model.
Got it in an Estate Sale and need information about the amp. Wattage,
ect..
Any help would be appreciated.
Will sell for best offer...
K5JOE
I will have it listed on my web page later in the week, with pictures.
73
http://www.k5joe.com

2320. Re: Yahoo Group for Radio Shack DX-394 Users

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 01:20:58 UTC
From: Tom Holden <holden_family@cbc.ca>
Message-ID: <n5i69.1517$P%1.332805@news20.bellglobal.com>
Source record: 40480
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.shortwave

For those into modifying their DX-394, here are two good collections of files: www.mods.dk groups.yahoo.com/group/RADIOSHACKDX394/files/

Index of www.mods.dk:
23-07-2000 Ceramic filter mod for AM English language (2 Kbytes)
23-07-2000 AGC mod English language (1 Kbytes)
23-07-2000 Crosstalk mods English language (3 Kbytes)
23-07-2000 Noise blanker mod English language (2 Kbytes)
23-07-2000 Audio HISS mod English language (1 Kbytes)
23-07-2000 Keyboard beep delete English language (0 Kbytes)
23-07-2000 Audio enhancement English language (0 Kbytes)
09-07-2002 Radio Shack DX-394 Standby Mod English language (2 Kbytes)
28-07-2002 Adding Front Panel Switches to the Radio Shack DX-394 General Coverage Receiver English language (22 Kbytes)
01-08-2002 Soup up the DX-394 Knob Pointers English language (25 Kbytes)
01-08-2002 VHF Image Filter for the DX-394 Whip Antenna English language (74 Kbytes)
03-08-2002 Shielding the DX-394 with Aluminum Foil English language (37 Kbytes)
06-08-2002 RS-232 Serial Control of DX-394 English language (214 Kbytes)
09-08-2002 Superior Shielding of the DX-394 with Steel Lids English language (51 Kbytes)
13-08-2002 Ultimate Shielding of the DX-394 English language

I think Frank Cathell authored all of the ones dated 23-07-2000 and I'm guilty of authoring or editing the rest. The following list from the Yahoo SIG duplicates much of the above as I have posted my stuff there, also. With a membership of over 140, it's the largest known group of users of this receiver although it's possible there may be more viewers of Usenet newsgroups with DX-394's.

Index of groups.yahoo.com/group/RADIOSHACKDX394/files/
DX-394_KnobPointers.htm Description of mod for white knob pointers with photo. 6 KB yah0ldena 07/28/2002
DX-394_foil.htm Instructions for improving the shielding of the DX-394 by lining the lids with aluminum foil. 7 KB yah0ldena 08/02/2002
DX-394_serial.htm Updated description and images of Russ Hellar's mods for serial control of the DX-394 by a computer. 6 KB yah0ldena 08/05/2002
DX-394_shields.htm Ultimate Shielding of the DX-394 or "The Shields that should have been" 12 KB yah0ldena 08/12/2002
DX-394_standby_mod.htm Mod to add dedicated front panel switch and/or external interface for control of STAND BY mode for ham use. 4 KB yah0ldena 08/01/2002
DX-394_steel_lid.htm Superior Shielding of the DX-394 with Steel Lids. Main

page. 6 KB yah0ldena 08/06/2002
DX-394_switches.htm Description and photo of switches and LED added to Tom Holden's DX-394A at VE3MEO 5 KB yah0ldena 07/27/2002
MainsFilterChoke.htm Add a Mains Filter Choke to your DX-394 to Reduce Ingress of Interference from the AC Power System 4 KB yah0ldena 07/27/2002
VHFimagefilter-whip.htm VHF image filter for DX-394 whip antenna - description. 34 KB yah0ldena 07/29/2002
dx-394-Schematicsb.JPG DX-394 Mechanical assembly drawing 317 KB Mister_p_1998 04/13/2002

The Yahoo site also has a discussion forum and relevant links to other sites. You have to join Yahoo and register in the group to be able to use features other than the e-mail reflector.

73, Tom VE3MEO

"Tom Holden" <holden_family@cbc.ca> wrote in message news:2b309.9274$DN4.1739782@news20.bellglobal.com...
> Hi all you Radio Shack DX-394 users. I came across a SIG for this
> much-loved, -modified and -maligned receiver that you may find of interest.
> It's been up since Jan 2001, has 109 members, 171 postings and has all those
> wonderful YahooGroups features ready to be exploited: Chat, Files, Photos,
> Bookmarks, Database, Polls, Calendar. And ads - the price of "free"-dom.
> Hope to see you there.
>
> Regards,
>
> Tom
>
> http://groups.yahoo.com/group/RADIOSHACKDX394/
>
> RADIOSHACKDX394 • A Club for those who use and love the DX-394
>
> A Fan Club for the Radio Shack DX-394 Shortwave Reciever. Please post your
> thoughts and ideas of the DX-394. Your favorite Links to other Great DX-394
> sites. Also helpful Hints and Tips.
>
> Post message: RADIOSHACKDX394@yahoogroups.com
> Subscribe: RADIOSHACKDX394-subscribe@yahoogroups.com
>
>

2321. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 02:14:00 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ajceif0alm@enews3.newsguy.com>
Source record: 40481
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

You are right on.

--

Regards,
Joe S.

"JB" <ac6tk@nospamcybertime.net> wrote in message
news:ajc5ks$2ct5$1@madmax.keyway.net...
>
> After occasionally tuning across the CB frequencies in an attempt to
> see what people are so steadfastly defending, I have routinely heard
> very little verbal exchange of ideas. Primarily I see radios being used
> as a sort of cathartic tool of cowards for whipping on other anonymous
> radio signals without fear of a knuckle sandwich, or even worse, a tool
> for broadcasting deranged and psychotic outbursts and incomprehensible
> word salads, gibberish and other exhibitions of lunacy.
>
> Perhaps this is a local problem, in which case I apologize to those who
> may have been driven off for meaningful exercise of the 1st Amendment
> here, or in other areas those who have truly been able to.
>
> Otherwise what's to "talk" to?
>
> Jim, ac6tk
>
> "CJ" <fantastic@sex.edu> wrote in message
news:ulielti83fuv6c@corp.supernews.com...
> : Hello Walt,
> : That is some of the very BEST Ham Radio news I have heard in a long
> : time Walt. Thank you for posting it. It's going to bring many more
> : people into the ranks. It also serves to establish at long last a
> : "no-Morse code" license (I read about the "Morse appreciation" - test -)
> : and should go a long ways to encouraging other countries to do the same.
> : It is long overdue. I am also thrilled to see the new and correct
> : nomenclature of "Hobby Radio" be used. Too many Hams make radio a
> : religion and a life's philosophy. Especially hard-core CW advocates and
> : many DX'ers. It is a "hobby" and the UK has it nailed 100% correctly.
> :
> : Moreover your advice to ignore and purposely not make contacts with
> : any of the new license holders once they get on the air is really silly.
> : It makes you look like an asshole and an old curmudgeon fuck dick. I
> : hope instead the new license holders ignore "YOU". They would be far

> : better off to do so and thus never have to meet you or hear your
> : prejudiced views on "Hobby Radio"
> :
> : Have a nice day.....
> :
> : --
> : 73 / DX de AB7SL - Charles
> : AB7SL - Ham Radio Pages
> : Prescott, Arizona - USA
> : www.ab7sl.com
> :
> :
> : "Walt Davidson" <walt99@tiscali.co.uk> wrote in message
> : news:d0hhlu4lsn3ep483csciel3o44dtqpdd20@4ax.com...
> : > The licensing authority in the UK is in the process of combining the
> : > amateur radio and CB services in this country into a single, unified
> : > service under the banner of "Hobby Radio". A government statistical
> : > forecast published this month indicates that there is a target to
> : > phase out the separate CB license completely by 2004.
> : >
> : > As a major step towards the unification of the two services, the
> : > licensing authority, working in collusion with one of the UK's amateur
> : > radio societies, has introduced a so-called "Foundation Amateur Radio
> : > License". To obtain this license, which gives access to all modes on
> : > all the amateur bands between 1.8 MHz and 440 MHz, with the exception
> : > of the 28 MHz band, the requirement for a Morse Test has been waived
> : > (in contravention of the international ITU agreement) and a minimalist
> : > technical "test" is all that is required to qualify. The technical
> : > test includes about twenty questions of the type, "What is the correct
> : > wiring for a power plug?" and "Is resistance measured in ohms, volts
> : > or amps?". Even a knowledge of Ohm's Law is deemed too advanced for
> : > this class of license test. A so-called "Morse Appreciation" is
> : > performed, which involves listening to individual Morse characters,
> : > sent as slowly and as often as desired, and looking them up
> : > individually in a textbook.
> : >
> : > The callsigns issued for this type of pseudo-CB license are in the
> : > M3*** series. In common with other CB licensees, they are allowed to
> : > use only commercially-made, type-approved equipment. This unwelcome
> : > feature alone, is totally contrary to the traditional amateur radio
> : > ethic of experimentation.
> : >
> : > If, like me, you deprecate this ultimate step in the dumbing-down and
> : > devaluation of our hobby, I hope you will make your disapproval clear
> : > by refraining from making contact with, or acknowledging the existence
> : > of, the M3*** CB calls on the amateur bands. There is a perfectly
> : > adequate Novice Licence scheme already in existence in the UK, which
> : > serves as a good introductory path into the hobby.
> : >
> : > 73 de G3NYY

> : >
> : > --
> : > Walt Davidson Email: g3nyy @freeuk.com
> :
> :
>

2322. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 02:37:13 UTC
From: VE3TMT <ve3tmt@rac.ca>
Message-ID: <Cnj69.2727$2T2.841904@news20.bellglobal.com>
Source record: 40483
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

"CJ" <fantastic@sex.edu> wrote in message

Hey Charles,

Just how many e-mail address' do you have. Just trying to stay one step
ahead of the kill file is my guess.

2323. Re: I/Q demodulator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 02:41:48 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D59C36C.DE3B8BE1@nettally.com>
Source record: 40482

Try these. Let me know what you think.

http://thierry.leconte.chez.tiscali.fr/demod.html
http://www.hamradio.si/notune.html
http://www.hamradio.si/10ghz/ssb45.jpg

Bizon wrote:

> Hi !
> I'm looking for schema of
> I/Q SSB demodulator.
>
> Bizon SQ2YD

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

2324. Re: HT Recommendations Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 04:25:03 UTC
From: Kirk Crawford <kirkcrawford@adelphia.net>
Message-ID: <zYk69.1307$9U6.1572652@news3.news.adelphia.net>
Source record: 40484

> NZ, Oz and Europe you're OK (and I'm jealous...been trying to get to NZ
for
> years), think that SA should be a bit easier for the licence, but the
others?

I have been looking at the regulations more and we may end up having someone hold our radios when we leave Oz and then ship them to us when we get to Europe because the regulations are so tough in Asia. Apparently South Africa might not be too bad. Their website link from ARRL indicates that they just joined CEPT, so it may be as easy as Europe.

-Kirk
KG6MTE

2325. FS: Siemens C3m valves, NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 05:57:04 UTC
From: arnoldg@c2i.net
Message-ID: <3d59f1ba.1153605@news1.c2i.net>
Source record: 40485

Hello,

This very special Siemens valve can be used as a driver for 300B and
similar. It is a pentode with a heater of 20V 0.125A, Va 225 Vg2 155V
Ia 16mA Ig2 3mA S = 6.5mA/V Wa 4W max Ik max 30mA. Loctal socket.
I have several in stock at NOK 172.- each or about $ 22.60. They are
all NOS and in original boxes. Pictures and data on my web site -
www.demostenes.no

Best regards,

Arnold Goks&#65533;yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

2326. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 06:16:00 UTC
From: Walt Davidson <walt99@tiscali.co.uk>
Message-ID: <mbtjlucei6qlk8aktjlo0546cvvoe9egma@4ax.com>
Source record: 40486
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

Bwaaaahahahaha! I knew that would bring Chuck out of the woodwork!

:-)))
73 de G3NYY

--
Walt Davidson Email: g3nyy @freeuk.com

2327. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 10:36:28 UTC
From: peter@strg-alt-entf.org
Message-ID: <ajdbrc$1ab8hm$2@ID-31.news.dfncis.de>
Source record: 40487
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

In rec.radio.amateur.dx CJ <fantastic@sex.edu> wrote:
^^^^^^^
OK, here we go again.

Massive, unwarranted crossposting. Use of nonexistent domains. No Reply-To.
Header. Abusive name calling.

Have a Prozac and say goodbye to your supernews account, Charlyboy.

Peter Lemken
DF5JT
Berlin

--
Das Priester-Zoelibat ist das erfolgreichste Eugenik-Projekt der
Menschheit. Es besticht auch in Momenten scheinbaren Versagens mit der
Eleganz seines Entwurfs.
-- Mirko Liss in d.a.s.r

2328. Re: Help FT707

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 11:51:35 UTC
From: Darrell Koranda <kb4xj@strato.net>
Message-ID: <hur69.741$3s4.96@news.webusenet.com>
Source record: 40488

I would check the current to the final transisters, one of them appears to
be conducting and acting like a rectafier (diode), I had this problem with a
Kenwood several years ago and had to replace the final transister pair.
Darrell KB4XJ
"bob" <flobobe@plus.net> wrote in message news:JXf69.227$sE1.36458@stones...
> Hi
>
> I've been given an FT707 which has an overheating issue on receive.
>
> Half an hours listening on 40m produces a temperature of 49 deg C on the
> rear heatsink. It's also drawing 10 amps on receive which is rather
> excessive.
>
> All functions otherwise seem OK. Anybody help or offer advice on this.
>
> TIA
>
> Bob
>
>

2329. Looking for B&K 1403 Scope Manual or Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 12:22:03 UTC
From: "Al Link (K4ICL)" <K4ICL@ParisMtnSignCo.com>
Message-ID: <ZMr69.21114$g47.1145241@e3500-atl1.usenetserver.com>
Source record: 40489
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Greetings:

I have an inexpensive 1403 scope that needs some repair work and I need a schematic for it.

I will be happy to pay any expense to create a copy and send it to me.

Al Link, K4ICL
139 Turner Circle
Greenville, SC 29609

Thanks for reading.

AL
K4ICL

2330. Help- Kenwood TH-F6 HT transmit audio problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 13:38:10 UTC
From: Ed Laughery <laughery@bellsouth.net>
Message-ID: <5Ss69.21900$g47.1160204@e3500-atl1.usenetserver.com>
Source record: 40490

Hello

I have a new TH-F6 HT (purchased at Dayton). Hasn't been dropped, exposed to weather, etc. I have started receiving reports that my audio sounds as though I am talking into a cheap crystal mike. Very bassy and weak. Hitting repeaters with plenty of power. Same problem operating Simplex, although operating thru the repeater seems to make the problem worse. Battery is fully charged. I have ran signal checks to my base station, moving the radio from directly in front and varying the distance, to moving from side to side, doesn't seem to help. Pretty much needs to be directly in front of my mouth for the internal speaker/microphone to pick up my voice. I have plugged in a Kenwood EMC-3 clip mike and ear phone. Same problem - not very rich audio.

Any clues or similar experience with this model. Have tried to call Kenwood East this morning - no one answering the phone as yet - will try west later in the day.

Any info/help is truly appreciated.

73s
Ed AD5JV

2331. FS 10m Transciever Uniden HR-2510

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 13:50:12 UTC
From: Salle <sgrubor@shaw.caNSPM>
Message-ID: <oet69.146436$f05.8043959@news1.calgary.shaw.ca>
Source record: 40491
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Uniden President HR-2510
Does not have chipswitch
comes with stock mic and power cord
nice and clean unit with minimal wear marks
recently tested and working within specifications
$140 US
located in Canada

You can pay by paypal, or mail a cashiers cheque

Check my references at ebay under "salle2"

--
*** Remove NSPM to reply ***

2332. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 14:01:44 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ajdns9$5h8$1@madmax.keyway.net>
Source record: 40492
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

"Hank Oredson" <horedson@att.net> wrote in message
news:8Kh69.10512$Ke2.915522@bgtnsc04-news.ops.worldnet.att.net...
:
:
: Didn't you mean "... drunken lunacy."?
: Not far from here is a large truck stop.
: It's kinda fun listening to the ladies on their way to service the truckers.
:
I think they do that out in a dirty corner around here too, but they are
all skanky ho's all wacked out on drugs. All the bitches want to do is
sit on the john banging themselves with needles, what do they really
need a man for? For safe sex, just piss on it. I've had better in third
world countries.

Jim, ac6tk

2333. Re: Email to Doug Smith, kf6dx, QEX Editor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 16:59:57 UTC
From: CJ <fantastic@sex.edu>
Message-ID: <ull34g4abdg1a@corp.supernews.com>
Source record: 40493
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Holy shit....the lengths some butt-holes will go to "prove themselves
right"
1. http://www.ab7sl.com/index.html?row1col2=lets-argue.html
--
73 / DX de AB7SL - Charles
AB7SL - Ham Radio Pages
Prescott, Arizona - USA
www.ab7sl.com

2334. Re: Email to Doug Smith, kf6dx, QEX Editor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 17:18:35 UTC
From: CAM <w5dxp@hotmail.com>
Message-ID: <3D5A90EB.28FF1C6E@hotmail.com>
Source record: 40494
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

CJ wrote:
> Holy shit....the lengths some butt-holes will go to "prove themselves
> right"

The goal is to prove myself right. I apparently haven't done that yet.
Thus, the continuing effort toward achieving that goal. Einstein thought
he was right and persevered against his detractors. You think he
was wrong for doing so?
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

2335. Re: Henery 4K2 Amp Information?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 17:51:42 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0208140951.230fb06a@posting.google.com>
Source record: 40495

"K5JOE" <k5joe@k5joe.com> wrote in message
news:<9Sh69.449$LG4.160457913@newssvr30.news.prodigy.com>...
> Looking for information on the old Henry 4K2 amp with the 5-CX 1500 tube,
> floor model.
> Got it in an Estate Sale and need information about the amp. Wattage,
> ect..
> Any help would be appreciated.
> Will sell for best offer...
> K5JOE
> I will have it listed on my web page later in the week, with pictures.
> 73
> http://www.k5joe.com

I'm not real familiar with the 4k-2, but I'm sure it's fairly stout.
For one thing, the model number 4K usually indicates the amp will run
up to 4k watts INPUT. I would think the plate dissipation of that tube
as 1500w. It wouldn't surprise me if that amp would do a bit over 2k
output at full drive, but just guessing. It would loaf at 1500 w legal
limit. I've got a 2K classic console. That 4k-2 is a good bit stouter
than mine. "pair of 3-500's at about 3200-3400 volts". Also, I'm
guessing from that model number it's a mid 70's amp. But again, just
guessing... MK

2336. Re: Help- Kenwood TH-F6 HT transmit audio problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 18:23:02 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <aje75qmn1@nntp-m01.news.aol.com>
Source record: 40496

Is this coming from people who know you? There's one guy on our group
that sounds like he has terrible audio - until you meet him in person
and find that's what he really sounds like. <gin>

It sounds like you need to send the rig in for warranty repair. I've
never heard a grip about the transmit audio in any TH-F6A group.

"Ed Laughery" <laughery@bellsouth.net> wrote in message
news:5Ss69.21900$g47.1160204@e3500-atl1.usenetserver.com...
> Hello
>
> I have a new TH-F6 HT (purchased at Dayton). Hasn't been dropped,
exposed
> to weather, etc. I have started receiving reports that my audio
sounds as
> though I am talking into a cheap crystal mike. Very bassy and weak.
Hitting
> repeaters with plenty of power. Same problem operating Simplex,
although
> operating thru the repeater seems to make the problem worse.
Battery is
> fully charged. I have ran signal checks to my base station, moving
the
> radio from directly in front and varying the distance, to moving
from side
> to side, doesn't seem to help. Pretty much needs to be directly in
front of
> my mouth for the internal speaker/microphone to pick up my voice.
I have
> plugged in a Kenwood EMC-3 clip mike and ear phone. Same problem -
not very
> rich audio.
>
> Any clues or similar experience with this model. Have tried to call
Kenwood
> East this morning - no one answering the phone as yet - will try
west later
> in the day.
>
> Any info/help is truly appreciated.
>
> 73s
> Ed AD5JV
>
>

>

2337. FS: Yaesu FT-411 2 meter HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 19:59:49 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <7vclluo53j56qlng0akglo5cmajsafj7vu@4ax.com>
Source record: 40497

I have a Yaesu FT-411 2 meter HT in excellent condition. It comes with the original manual, wall charger and a brand new FNB-10 battery pack by Batteries America. I do not have the original box for it......I will take $85 plus shipping.....WZ1U Steve / Lakeville, Mass.

2338. Re: Email to Doug Smith, kf6dx, QEX Editor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 19:59:59 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <ulldm4d33fhi6a@corp.supernews.com>
Source record: 40498
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

I am glad I am not you after looking at the link you posted.

INCOMING!

"CJ" <fantastic@sex.edu> wrote in message
news:ull34g4abdg1a@corp.supernews.com...
> Holy shit....the lengths some butt-holes will go to "prove themselves
> right"
> 1. http://www.ab7sl.com/index.html?row1col2=lets-argue.html
> --
> 73 / DX de AB7SL - Charles
> AB7SL - Ham Radio Pages
> Prescott, Arizona - USA
> www.ab7sl.com
>
>
>
>

2339. Re: HT Recommendations Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 20:17:03 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <ullem4dic1tp26@corp.supernews.com>
Source record: 40499

As one who has operated in a number of different countries, let me tell you it is never as tough as everebody says it is. In the 60's I was able to operate portable /PJ when everyone told me it couldn't be done. I had the help of a local contester PJ2CO who managed to cut a bunch of red tape and get me authorization.

With the internet, I would get hold of a club in each of the countries I was to visit and get help from that end. They can tell you how to get around most of the petty stuff.

Hang in there and enjoy yourself, disregard the doom and gloom of all the naysayers and just go for it!

73 and good luck
Fred W4JLE

"Kirk Crawford" <kirkcrawford@adelphia.net> wrote in message
news:zYk69.1307$9U6.1572652@news3.news.adelphia.net...
> > NZ, Oz and Europe you're OK (and I'm jealous...been trying to get to NZ
> for
> > years), think that SA should be a bit easier for the licence, but the
> others?
>
> I have been looking at the regulations more and we may end up having
someone
> hold our radios when we leave Oz and then ship them to us when we get to
> Europe because the regulations are so tough in Asia. Apparently South
> Africa might not be too bad. Their website link from ARRL indicates that
> they just joined CEPT, so it may be as easy as Europe.
>
> -Kirk
> KG6MTE
>
>
>

2340. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 20:55:17 UTC
From: Edwin Alexander <edwin@cox-internet.com>
Message-ID: <ullgtlcr9aeef8@corp.supernews.com>
Source record: 40501
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

My elmer has a problem with a computer application (a TNC programmer) trying to directly access the hardware in his Windows-based system (a serial port), and we solved the problem by creating a DOS boot disk. Also, if you run Win95, Win98, or WinME then you can boot into "Command Prompt Only" mode. I'm unsure as to whether Win2000 or WinXP has this feature, despite the fact that I use XP myself. Just never checked, I guess.

If you run Win2000 or WinXP, just create a boot floppy for another operating system. If you have FAT16-formatted partitions on your hard drive then DOS on a floppy should be able to recognize them, possibly with the use of some device drivers in a config.sys file.

Incidentally, I'm not certain if Mr Reay was well-intentioned or sarcastic, but it's quite obvious what the original poster meant. Anyone current with HTs would recognize a THD7 as a rather nice Kenwood handie-talkie, and a TNC should be obvious as a terminal node controller to any licensed ham.

Hope the alternate solution helps you out!

Regards,
Edwin Alexander KS5D

"W6DKN" <w6dkn@qsl.net> wrote in message
news:M2469.14821$Ue7.11594@nwrddc02.gnilink.net...
> > karel vanderkerken <karelvdk@freegates.be> wrote in message
> > news:3d57e7ac$0$194$ba620e4c@news.skynet.be...
> > > Has anyone tried to work a TH D7 TNC with W2K as operating system on
> the
> > > computer ?
> > > I always receive "Communication timeout error" as message. The
compport
> is
> > > OK, I use it to connect to my TM D700. I've tried different control
> > > applications (link 7, MCP D7 v1.2, ...) but the message is always the
> > same.
> > > I tried every setting I could think of ...
>
> If the application you are trying to use for TNC control is trying to
> directly access the hardware port, then it won't work. W2K, like any
> version of NT, is a protected kernel OS. Any app that needs hardware
access
> must request it via an OS API call.
>
> 73 de W6DKN

>
>

2341. Re: F.S. B&W PT-2500A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 21:22:45 UTC
From: Bill Evans <bevans@ebsys.mb.ca>
Message-ID: <eUz69.7853$_7.32748@news1.mts.net>
Source record: 40502
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Mine had severe parasitic problems that developed about 6 months after I got it. Burned up the bandswitch. Allan Measures helped me quench the demons. Otherwise, a great amp.

Bill Evans VE4UD

"W3BV" <w3bv@arrl.net> wrote in message news:26W49.1775$V62.118098@news2.voicenet.com...
> For Sale: Barker & Williamson PT-2500A Deluxe Linear Amplifier. Brand new
> and unused in the original factory carton (from the estate of a silent key).
>
> Features:
>
> - Deluxe, heavy duty construction- weighs 85 lbs!
>
> - Full 1500W legal limit output
>
> - Covers 160 through 10M coverage.
>
> - Separate filament transformer.
>
> - Beefy plate transformer and computer grade filter caps delivers
> 3600 volt d.c.
>
> - Blower and individual chimneys cool a pair of 3-500Z 's (tubes,
> shipped in separate boxes, were damaged in transit and are not included).
>
> Unquestionably, the best dual 3-500Z amplifier ever built. $995. You ship.
>
> Alan, W3BV
>
>

2342. Re: Wireless thermometer 433 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 21:26:10 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <SVz69.2929$tI4.1284229@monger.newsread.com>
Source record: 40503

"Russell Hltn" <reply@2newsgroup.com> wrote in message
news:aj7q5m$7k3$1@nntp-m01.news.aol.com...
> What make/model was this? It sounded like RadioShack's 63-1027, but
> reading all that I could find on it only showed that it was a "Class B
> digital device as specified in Part 15 of FCC Rules."
>
> Perhaps 433MHz was a harmonic?

No, I believe it is a "Taylor" and they are sold by the Ace Hardware chain.
the 433 MHz is "listed" as the operating frequency. They are limited range
devices (100 feet or so) and are legal near as I can tell.

--
Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)

>
> "Roger Halstead" <rdhalste@tm.net> wrote in message
> news:EKv59.2181$tI4.957753@monger.newsread.com...
> > I needed a thermometer for my shop and was amazed at the wide
> variety of
> > offereings.
> >
> > As I was headed out the door, reading about it I saw discovered the
> > operating frequency. The thing was operating on 433 MHz. (give or
> take a
> > tad).
> >
>
>
>

2343. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 21:52:38 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <GiA69.2934$tl4.1285271@monger.newsread.com>
Source record: 40504
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

"CJ" <fantastic@sex.edu> wrote in message
news:ulielti83fuv6c@corp.supernews.com...
> Hello Walt,

> nomenclature of "Hobby Radio" be used. Too many Hams make radio a
> religion and a life's philosophy. Especially hard-core CW advocates and
> many DX'ers. It is a "hobby" and the UK has it nailed 100% correctly.

To me Amateur Radio is a hobby, but to the FCC it is listed as a service, just as broadcast radio. I chase severe storms and work the weather nets which is providing a service, but to me it's still a hobby as I do it for fun. (I've also seen 5 tornados) I don't care if the individual spends time on CW, digital, TV, shooting the breeze, better known as BSing, or just listening. I don't care if they can copy 40 WPM, or just recognize that afful sound is CW. However, I will confess to setting the rig out in the shop to W1AW and listening to high speed code practice while building an airplane.

The ones in here are set up with the computers for storm chasing, logging, and DXing.

However if you take the word Amateur which is derived from Latin meaning one who does something for the love of doing it and add a Noun such as Radio, then it becomes one who does radio for the love of doing it. (rough translation)

As long as the government keeps treating us as a service we are in a far better position to counter (protect our frequencies from) other groups who would like the frequencies for their own. I would not like to see the word hobby replace the word service as here in the states it would cost us dearly.

Calling the Amateur Radio Service a Hobby would set a dangerous precident in protecting our frequencies at a time when great strides are being made to protect our ability to erect antennas and stations.

BTW, the antenna system here was put up entirely by hand with me doing "all" the climbing. The only place machinery was used was in digging the guy anchor holes and setting the 300# plus guy anchors in those holes. And, yes they did deliver the concrete with a truck. <:-))
http://www.rogerhalstead.com/tower.htm Even with most of the pictures being small links, the page takes a while to load. There's a lot there.

Even though I did all the climbing for erecting the tower and antennas (at my age), my wife put her foot down and said no more climbing for the younger guys. Besides it's time I can devote to building that 335 MPH aerobatic

hotrod. <:-)) Yes, there is a page for it too.

BTW, I spend very little time on the air. Too many fun things to do. (and not enough money)

--
Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)

2344. Re: Henery 4K2 Amp Information?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 21:56:52 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <EmA69.2935$tI4.1285666@monger.newsread.com>
Source record: 40505

"K5JOE" <k5joe@k5joe.com> wrote in message
news:9Sh69.449$LG4.160457913@newssvr30.news.prodigy.com...
> Looking for information on the old Henry 4K2 amp with the 5-CX 1500 tube,

If that really is a 5CX 1500, that is one expensive tube to replace, unless
it's a syvetlana.

--
Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)

> floor model.
> Got it in an Estate Sale and need information about the amp. Wattage,
> ect..
> Any help would be appreciated.
> Will sell for best offer...
> K5JOE
> I will have it listed on my web page later in the week, with pictures.
> 73
> http://www.k5joe.com
>
>
>

2345. Low power FM Transmitter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 22:17:21 UTC
From: Kirk_ <kirk@1st.net>
Message-ID: <RFA69.6$73.40@news>
Source record: 40506

I have a business with two or three buildings close and some outdoor spaces where I would like to provide "Background Music". I was thinking that an FM Transmitter with a range of about 1/4 mile would be perfect for this.

I have been looking on the internet and have found some transmitters, but can't quite figure out what FCC rules would apply.

I have been looking at some FM Transmitters on a hobbytron.com. They have a link to the FCC website, but it isn't very helpful because I can't find anything there about this type of radio. All I can find there is about LPFM.

Here are the ones that I have looked at:

25mW FM Stereo Transmitter http://www.hobbytron.net/product534.html
FM25B Synthesized FM Stereo Transmitter
http://www.hobbytron.net/R-FM25.html

I have no clue which of these would be better for my needs and what kind of FCC rules I would have to comply with.

BTW, my nearest neighbor is over a mile away.

Thanks,

Kirk

2346. FS: Hammarlund HQ-129-X

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 22:34:23 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <anllluos1ufmn2h71f7kadoe86mtbkfe9b@4ax.com>
Source record: 40507

I have for sale in good condition a Hammarlund HQ-129-X receiver. I will sell this as a non-working unit since it does not have the AC power cord. Only knob missing is the band spread knob and some paint wear aound where the knob was....The inside is all intact and clean.....I will take $50 and prefer to sell locally as a pickup unit...I do not have the manual for it....If you have any questions drop me an email..... I'm located in Lakeville, Mass. 35 miles South of Boston..... WZ1U Steve

P.S. Pictures upon request !

2347. Allied SX-190/AX-190 mods and reviews

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 22:41:30 UTC
From: Mark Rehorst <rehorstmark@netscape.net>
Message-ID: <stmllugi3rfv9ms8e8icuf4gm58jh2it1b@4ax.com>
Source record: 40508

I have posted the remainder of my Allied SX-190/AX-190 info at the
following address:
http://home.attbi.com/~akikoi/wsb/Allied_SX-190_mods.rar

Files are stored as a .rar archive, about 5.4 MB.
Use WinRAR to unzip them.

Get them while you can, they won't be there forever...

MR

2348. Re: $$$~R U being EXPLOITED by a fellow ham~$$$

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-14 23:54:50 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns926AAC4825928Frog207Junocom@148.78.248.76>
Source record: 40509

>
> If hes not in jail hes a escaped felon"
>
> Full story at
>
> http://www.stormbringer.tv/story1.htm

Unfortnately I deleted that email. Whoever it came from is probably the person maintaining his web site. Oh well. No biggee. They all sound like losers.

Ed

2349. Re: Oil in dummy loads vs. SWR.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 00:08:32 UTC
From: Wayne <w>
Message-ID: <ullsucacfsn41e@corp.supernews.com>
Source record: 40510
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Originally, heath suggested transformer oil, with mineral oil as a
substitute.
Lower rating with mineral oil.
In fact, it showed the rating curves for both on the side of the can.

"john price" <jm.price@worldnet.att.net> wrote in message
news:3D3C96BC.677DBB7D@worldnet.att.net...
> I have an old Cantenna which I've used up to 432 MHz... It
> wasn't shipped with oil, but the recommendation was to
> use mineral oil from the drugstore...
>
> John
>
> jeff wrote:
> >
> > I feel that I am once again going to open the old debate which oil to
> > use in a dummy load for heat conduction.
> >
> > But, that is not my question. Mine has do with the oil's effect on SWR
> > vs. frequency.
> > The reason I ask this I have a Dentron Big Dummy I bought at a hamfest
> > many years ago and have seldom used it, then only on HF, do to being
> > "out" of ham radio for a while. I have now been using it to check out
> > several old club rigs and I have noticed a big difference between it and
> > the club's Heath Cantenna.
> >
> > The SWR increases as frequency increases. At 80 thru 15 meters there is
> > no SWR indication with just a little at 10 meters. No problem. But, at 2
> > meters the SWR is 3:1. The Cantenna has no indicated SWR at 2 meters.
> > Infact, it states on the can SWR <1.5 up to 300 mc.
> >
> > The Dentron has no frequency range on it.
> >
> > I took the lids off and both had an identical looking carbon resistor.
> > But, their oil was definatly different. The Cantenna was perfectly clear
> > while the Dentron was much darker.
> >
> > So, does anybody know anything about the Dentron Big Dummy and it's
> > frequency range? What kind of oil it shipped with?
> >
> > I started to take the lid from each, drain and clean them and swap them
> > to see if the range follows the oil or the resistor. But, that is to
> > much work.

> >
> > --
> > Jeff, wd4nmq
> > wd4nmq@earthlink.net
> > http://home.earthlink.net/~wd4nmq
> > iLink client node #10438, iLink sysop link node #14746

2350. FS: Belden 9913.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 00:23:04 UTC
From: Nadine Hamon <nhpd@sympatico.ca>
Message-ID: <fvC69.4397$%R5.1134909@news20.bellglobal.com>
Source record: 40512
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

I have a lots of cable for sale

Belden 9913
Equivalent to belden 9913
RG8X
All kind of other coax cables and much more....

In Montreal, Canada, can ship anywhere in North America

Email me with any request you have, I have access to anything at a very very
low price

Thanks
Nad

2351. Alinco Mic wiring 8 pin with color

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 00:43:01 UTC
From: massimj@hotmail.com
Message-ID: <e9d3dd29.0208141643.6d363ca5@posting.google.com>
Source record: 40511

I was searching for this in the groups and had a hard time finding it, so here is the pin wiring of a Alinco 8 pin mic. The color code I used is from my DR-600 Mic.

1 = Mic Audio - Yellow You will know this one because it is shielded.
2 = PTT - Orange
3 = Down - White
4 = Up - Green
5 = DC 5V - Red
6 = ? Purple
7 = Ground - Black
8 = Center Pin - Gray, or shield from Audio Pin 1

I hope this helps somebody in desperate need to get their mic wired. I had several pins come off all at once, so it was a little bit hit and miss to get it right.

Joe KQ4BX

2352. Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 01:20:01 UTC
From: Keith <n6jpa_spam@attbi.com>
Message-ID: <slrnalm06t.1br.n6jpa_spam@12-225-29-45.client.attbi.com>
Source record: 40513

Letter from Hollingsworth smacking down a Corporate
Lawyer trying to make a Ham pay to fix an interference
problem. It is probably costing this corporation
more to send letters back and forth to the FCC
then it is to relocate the transformer.

August 9, 2002

Michael C. Massengale, Esquire
Baker Botts, LLP
One Shell Plaza
910 Louisiana
Houston, TX 77002-4995

Re: Reliant Energy, Incorporated; Radio Frequency
Interference to Amateur Radio Station W5GCX

Dear Mr. Massengale:

This is in response to your letter of June 28, 2002, on behalf of Reliant Energy, with respect to radio frequency interference from the operation of the company's electrical service equipment to Amateur Radio operators.

The Enforcement Bureau appreciates your comprehensive response. However, your interpretation of applicable Commission rules with respect to this matter is in error in several material respects. Reliant Energy is obligated to eliminate the interference complained of.

Your letter suggests that the interference experienced by Mr. Edward J. Gerber is due to an otherwise properly operating 250 kVA step-down transformer. Reliant's proposed solution is to relocate the transformer to another area removed from Mr. Gerber's residence, and that Mr. Gerber bear the labor cost of this relocation.

We are willing to accept your client's analysis that the transformer is the cause of the interference problem; but that is most unusual, since an arc in a transformer would typically result in failure of the transformer within a short period of time. A far more typical cause of radio interference from utility lines is in loose or corroded hardware, tie-wires, or defective insulators. Furthermore, you cite use of infrared cameras to locate hot spots as a means of identifying noise sources. The small arcs which cause RF interference typically do not cause significant heating, and therefore this may not be the most effective means of diagnosing interference problems. Finally, it is unnecessary in most cases to interrupt the power as a means of identifying the source of noise.

Regardless of the source of the interference, it is improper to attempt to pass the cost of the relocation, or other solution, to the licensee that is the victim of the interference. It is exclusively the obligation of the operator of the unlicensed device. Your interpretation of Reliant's obligation with respect to the Amateur Radio Service is that Amateur stations are not part of any "service", and that the obligation to avoid interference to a "radiocommunication service" does not include Amateur Radio stations, since individual Amateur Radio stations constitute a "use" but not a "service".

The attempted distinction is baseless. The Amateur Service is "a radiocommunication service for the purpose of self-training, intercommunication and technical investigations carried out by amateurs; that is, duly authorized persons interested in radio technique solely with a personal aim and without pecuniary interest." 47 C.F.R. ï¿½97.3(a)(5). Individual licensed stations are each part of this Service. The condition of operation of any Part 15 unlicensed device is that it cannot cause harmful interference. 47 C.F.R. ï¿½15.5(b). Harmful interference, which is identically defined in both the Commission's rules and the International Radio Regulations, includes any emission, radiation or induction which seriously degrades, obstructs or repeatedly interrupts a radiocommunications service operating in accordance with Title 47 C.F.R. Reliant Energy is not entitled to cause harmful interference to a licensed Amateur Radio station in the operation of its devices.

Furthermore, you claim that, since 47 C.F.R. ï¿½15.13 requires that manufacturers employ good engineering practices to minimize risk of harmful interference, that provision does not apply to Reliant Energy. However, 47 C.F.R. ï¿½15.15(b) makes it clear that operators of Part 15 devices are required to cease operation should harmful interference occur to authorized users of the radio frequency spectrum, and therefore parties responsible for equipment compliance should reduce unwanted emissions below the maximum levels specified in the regulations.

Therefore, the position of Reliant Energy, that it is willing to conduct further investigations or remedy the interference problem only if the licensed radio amateur pays its expenses, is unacceptable. Reliant must do all things necessary, and bear any and all necessary costs, to comply with its obligations as an operator of unlicensed devices pursuant to the Commission's Part 15 regulations. You are hereby requested to provide a written report within 30 days of receipt of this letter as to the steps that have been taken to eliminate this interference. Further enforcement action will be withheld pending receipt of that report. The Commission expects, however, a complete solution without further delay, and good faith on the part of your client.

cc: Mr. Edward J. Gerber
Robby Abarca, Esquire
Advisor to Chairman Rebecca Klein
Public Utility Commission of Texas

--
Best Regards, Keith

NW Oregon Radio http://n6jpa.home.attbi.com/ Church of the Bourne Again Shell. Tux, Save us from the evil Gates of Hell! http://linux.com Linux 2.4.7-10 Slrn 0.9.7.4 [2002-03-13]
Did you ever walk into a room and forget why you walked in? I think that's how dogs spend their lives.
-- Sue Murphy

2353. Re: Wireless thermometer 433 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 01:35:29 UTC
From: Steve Robbins <srobbinsNoSpAmDUdes@netacc.net>
Message-ID: <191mluoja905k0q67lldkbaqnlh1iu9fvp@4ax.com>
Source record: 40514

On Wed, 14 Aug 2002 21:26:10 GMT, "Roger Halstead" <rdhalste@tm.net>
wrote:

>
>"Russell Hltn" <reply@2newsgroup.com> wrote in message
>news:aj7q5m$7k3$1@nntp-m01.news.aol.com...
>> What make/model was this? It sounded like RadioShack's 63-1027, but
>> reading all that I could find on it only showed that it was a "Class B
>> digital device as specified in Part 15 of FCC Rules."
>>
>> Perhaps 433MHz was a harmonic?
>
>No, I believe it is a "Taylor" and they are sold by the Ace Hardware chain.
>the 433 MHz is "listed" as the operating frequency. They are limited range
>devices (100 feet or so) and are legal near as I can tell.

So if I key up a kilowatt on 70 Cms, can I make these gizmos read 30
degrees below zero and freeze my neighbors???

Steve

2354. FS: Heathkit HM-2102 VHF Wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 01:41:25 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <s91mlu41ves964hsbgv8ot614fkdtpcap0@4ax.com>
Source record: 40515

I have for sale in excellent condition a heathkit HM-2102 VHF wattmeter/swr bridge...Its in 100 % operating conditon and I do have the original manual. It covers 0 to 250 watts and the frequency range is between 50 Mhz to 160 Mhz.. I will take $30 plus shipping and can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass.

2355. FS RCA WV-98C VoltOhmyst With Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 02:19:13 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <BcE69.12140$Ke2.1044711@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40516
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Factory assembled RCA WV-98C. One of the most popular bench VTVM's made. Switching probe is included, but it is NOT the original RCA probe. Simpson battery eliminator installed. Has three wire power cord and an access hole for the AC zero pot in the back. Very good condition, calibrated August 2002. Original manual included.

$50 plus USPS priority mail fee.

John
Do the obvious to the email address
NOSPAMwood3590@yahoo.com

2356. Free IC W2A Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 02:22:52 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <0gE69.12147$Ke2.1045496@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40517
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have an extra owner's manual for the Icom IC W2A dual band talkie.
Complete with the large folded schematic, but not the little "cheat
sheet" card. Free for the cost of USPS priority mail ($3.85).

John
Do the obvious with the email address
NOSPAMwood3590@yahoo.com

2357. PDF-Kenwood 732a Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 02:24:29 UTC
From: William DeVore <BDeVore@fuse.net>
Message-ID: <ulm53sqdh1kn9f@corp.supernews.com>
Source record: 40519

Anyone have a PDF-Kenwood 732a Manual they could email me?

Thanks,

Bdevore@fuse.net

2358. 732A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 02:26:12 UTC
From: William DeVore <BDeVore@fuse.net>
Message-ID: <ulm53ug51caea1@corp.supernews.com>
Source record: 40518

I fired up my old 732a and the first 2 digits of the uhf side are
missing.any ideas?
Bdevore@fuse.net

2359. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 02:49:22 UTC
From: Ken Jones <ken.jones@bigfoot.com.invalid>
Message-ID: <8IE69.2247$3s4.1582@news.webusenet.com>
Source record: 40520

```
-----BEGIN PGP SIGNED MESSAGE-----

"Keith" <n6jpa_spam@attbi.com> wrote in message
news:slrnalm06t.1br.n6jpa_spam@12-225-29-45.client.attbi.com...
> Letter from Hollingsworth smacking down a Corporate
> Lawyer ...

Attaboy!!

-----BEGIN PGP SIGNATURE-----
Version: PGP 7.1.1
Comment: See http://www.pgpi.com for secure e-mail FAQ

iQEVAwUBPVsWr7Sq8Y1dHedVAQG6Uwf/U0ASoftyMNBP3J48Ib0ojkD4Rm9b1LCl
jYaDRxh4xinSkfqbl1H6yKpDwqZTKCbGZzpPHUclSvF22Vo9f8zkUFfydWwgWnRH
TIx4O29TY7bbAGcKf41rnxXN4ogi8MEbrO7DmVEb9ItAr6ccjue9B7LDacEigHxl
iukQyLASSHP618HxIwDJ1nwpPmx9ozAn3ZV+V13LqRvlU4AEMsIsrfGoINXAZPYQ
iRKGxpb74bHZKmQthFLqU2X4V6oSBR9HLoJ0vSE85DSJ4o/mPUOUBQLGW/0sm/Qi
yP6YiHgGg7JJ1INd3F8sQpWK9KvEWiCXBSaOEwIyHY6zatveEIDWKg==
=ZZ3Y
-----END PGP SIGNATURE-----
```

2360. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 03:00:25 UTC
From: Pete <news0206@toward.com>
Message-ID: <3D5B1949.39D86AC9@toward.com>
Source record: 40521
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

You might check your cabling -- a simple test would be to insert a null
modem adapter between your serial cable and the TH-D7.

73,
Pete

karel vanderkerken wrote:
>
> Hi all,
>
> Has anyone tried to work a TH D7 TNC with W2K as operating system on the
> computer ?
> I always receive "Communication timeout error" as message. The comport is
> OK, I use it to connect to my TM D700. I've tried different control
> applications (link 7, MCP D7 v1.2, ...) but the message is always the same.
> I tried every setting I could think of ...
>
> Any suggestions ?
>
> 73's
>
> ON1VK
>
> please reply to : ON1VK@QSL.NET

2361. Re: Low power FM Transmitter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 03:36:55 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <ajf6db$t5p$1@news1.kornet.net>
Source record: 40522

Look up Part 15 rules on the FCC website. Basically, if it can be heard outside your home/building, it's illegal. AM is a bit more open, you could possibly cover 1/4 mile legally on AM, but you are limited to a total antenna length of something like 10 feet.

"Kirk_" <kirk@1st.net> wrote in message news:RFA69.6$73.40@news...
> I have a business with two or three buildings close and some outdoor spaces
> where I would like to provide "Background Music". I was thinking that an FM
> Transmitter with a range of about 1/4 mile would be perfect for this.
>
> I have been looking on the internet and have found some transmitters, but
> can't quite figure out what FCC rules would apply.
>
> I have been looking at some FM Transmitters on a hobbytron.com. They have a
> link to the FCC website, but it isn't very helpful because I can't find
> anything there about this type of radio. All I can find there is about
> LPFM.
>
> Here are the ones that I have looked at:
>
> 25mW FM Stereo Transmitter http://www.hobbytron.net/product534.html
> FM25B Synthesized FM Stereo Transmitter
> http://www.hobbytron.net/R-FM25.html
>
> I have no clue which of these would be better for my needs and what kind of
> FCC rules I would have to comply with.
>
> BTW, my nearest neighbor is over a mile away.
>
> Thanks,
>
> Kirk
>
>

2362. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 04:11:14 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020815001114.04948.00000603@mb-ca.aol.com>
Source record: 40523

```
>Attaboy!!
>
>-----BEGIN PGP SIGNATURE-----
>Version: PGP 7.1.1
>Comment: See http://www.pgpi.com for secure e-mail FAQ
>
>iQEVAwUBPVsWr7Sq8Y1dHedVAQG6Uwf/U0ASoftyMNBP3J48Ib0ojkD4Rm9b1LCl
>jYaDRxh4xinSkfqbl1H6yKpDwqZTKCbGZzpPHUclSvF22Vo9f8zkUFfydWwgWnRH
>TIx4O29TY7bbAGcKf41rnxXN4ogi8MEbrO7DmVEb9ItAr6ccjue9B7LDacEigHxl
>iukQyLASSHP618HxIwDJ1nwpPmx9ozAn3ZV+V13LqRvlU4AEMsIsrfGoINXAZPYQ
>iRKGxpb74bHZKmQthFLqU2X4V6oSBR9HLoJ0vSE85DSJ4o/mPUOUBQLGW/0sm/Qi
>yP6YiHgGg7JJ1INd3F8sQpWK9KvEWiCXBSaOEwIyHY6zatveEIDWKg==
>=ZZ3Y
>-----END PGP SIGNATURE-----

What's that junk?

=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com
```

2363. WTB Yaesu FT817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 05:15:01 UTC
From: theplanters95@aol.comnospam
Message-ID: <20020815011501.13199.00000639@mb-fg.aol.com>
Source record: 40524

I am looking for a good, used and cheaply priced FT817 with or without any accessories. I could include a FT50 Dualband HT, MFJ 1278 B TNC and/or a Uniden HR2510 in trade. Please email me directly at theplanters95@aol.com with price and specs.

Randy KA4NMA

2364. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 07:56:13 UTC
From: "Bairn Reay"
Message-ID: <3d5b5ed1$1_3@mk-nntp-1.news.uk.worldonline.com>
Source record: 40525
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

It was clear what I meant. The discussing of meaningless
model numbers, ABC123 XYZ in a PQRS mode is the
mark of the CBer and not of the Radio Ham.

Edwin Alexander <edwin@cox-internet.com> wrote in message
news:ullgtlcr9aeef8@corp.supernews.com...
> Incidentally, I'm not certain if Mr Reay was well-intentioned or
sarcastic,
> but it's quite obvious what the original poster meant. Anyone current
with
> HTs would recognize a THD7 as a rather nice Kenwood handie-talkie, and a
TNC
> should be obvious as a terminal node controller to any licensed ham.

2365. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 09:45:33 UTC
From: Howard Long <howard@howardlongxxx.com>
Message-ID: <ajft7tcoq1@paris.btinternet.com>
Source record: 40526
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Hello W6DKN

> If the application you are trying to use for TNC control is trying to
> directly access the hardware port, then it won't work. W2K, like any
> version of NT, is a protected kernel OS. Any app that needs hardware
access
> must request it via an OS API call.

As you say, you cannot write a Win32 application for use in NT/2K/XP which will successfully write directly to a hardware port (x86 IN and OUT instructions) in user mode. It will generate an exception.

If the application is an MS-DOS app, under NT, 2000 and XP the UART IN/OUT instructions are intercepted with a trap and have code to attempt to re-emulate the COM port using a Virtual Device Driver (not to be confused with VXD which is a Win 3.x, 9x & ME term). Works sometimes, not others, in particular regarding heavily used interrupt driven applications as these can often be timing sensitive: these traps are expensive in CPU terms.

It will even let some MS-DOS programs access a USB Serial port if you're really lucky.

Windows 3.x [enhanced mode], 9x & ME use a different method and simply map most I/O reads & writes straight through to the hardware.

As an example, I often use the InstantTune Doppler correction facility which is a DOS TSR under Windows 2000 and this works fairly well.

I'd suggest that either the cable isn't right or a handshake line at the PC end isn't properly connected. Either way, the use of a terminal emulator (such as Hyperterminal, but I prefer TeraTerm Pro) and investment in an LED RS-232 status box invariably resolves these problems rapidly.

73 Howard G6LVB

2366. Re: Help- Kenwood TH-F6 HT transmit audio problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 11:35:48 UTC
From: David Rosenblum <kg4tsj@hotmail.com>
Message-ID: <144nlu8qthfe80icvcvfepi6jktlg8517e@4ax.com>
Source record: 40527

Ed: very curious to hear what results. I own a TH-F6A as well. I use the clip mike and (most of the time) a Maldol antenna. I generally get good copy from others. Also curious: what results have you had attempting to receive in the HF spectrum?
73,
David
kg4tsj@hotmail.com

2367. WTB: 8873 TUBES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 14:22:36 UTC
From: The Tube Man <thetubeman@earthlink.net>
Message-ID: <MOO69.3577$LO1.314551@newsread2.prod.itd.earthlink.net>
Source record: 40528

I am looking to purchase #8873 ceramic tubes -New or full output pulls.

Please Email me with details

2368. Re: Free IC W2A Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 14:42:39 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <z5P69.12627$Ke2.1101203@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40529
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

It's gone. Thanks

2369. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 14:48:33 UTC
From: me <me@nowwhere.com>
Message-ID: <3D5BBF41.4019F68C@nowwhere.com>
Source record: 40530

VHFRadioBuff wrote:

> >Attaboy!!
> >
> >-----BEGIN PGP SIGNATURE-----
> >Version: PGP 7.1.1
> >Comment: See http://www.pgpi.com for secure e-mail FAQ
> >
> >iQEVAwUBPVsWr7Sq8Y1dHedVAQG6Uwf/U0ASoftyMNBP3J48Ib0ojkD4Rm9b1LCl
> >jYaDRxh4xinSkfqbl1H6yKpDwqZTKCbGZzpPHUclSvF22Vo9f8zkUFfydWwgWnRH
> >TIx4O29TY7bbAGcKf41rnxXN4ogi8MEbrO7DmVEb9ItAr6ccjue9B7LDacEigHxl
> >iukQyLASSHP618HxIwDJ1nwpPmx9ozAn3ZV+V13LqRvlU4AEMsIsrfGoINXAZPYQ
> >iRKGxpb74bHZKmQthFLqU2X4V6oSBR9HLoJ0vSE85DSJ4o/mPUOUBQLGW/0sm/Qi
> >yP6YiHgGg7JJ1INd3F8sQpWK9KvEWiCXBSaOEwIyHY6zatveEIDWKg==
> >=ZZ3Y
> >-----END PGP SIGNATURE-----
>
> What's that junk?
>
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

it's certainly not junk. it's the pgp public key for him. click on the
link above it
or use you favorite search engine to find out about pgp.

kd5foy

2370. FS: Yaesu FT-707

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 15:00:47 UTC
From: The Tube Man <thetubeman@earthlink.net>
Message-ID: <zmP69.4098$I6.329212@newsread1.prod.itd.earthlink.net>
Source record: 40531

For Sale-Yaesu FT-707
w/Yaesu power supply/speaker
w/Yaesu antenna tuner
10-80meters..100watts out
w/manual
Good condition
$395+shipping

2371. Re: Yaesu FT-707

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 15:06:34 UTC
From: The Tube Man <thetubeman@earthlink.net>
Message-ID: <_rP69.4111$I6.329755@newsread1.prod.itd.earthlink.net>
Source record: 40532

NO MIC with set up
Needs 8 pin mic

2372. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 15:39:07 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5bcb69$1_2@nopics.sjc>
Source record: 40533
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

This bit of tutelage coming from someone who uses:
NG
OM
CB
in his post? How dare you?!?! Oh, wait....let's see:

NG- anyone on Usenet more than an hour knows this.
OM - anyone involved in HAM radio more than a day knows this.
CB - anyone not living under a rock for the past 30 years knows this.

Moreover, most operators involved with digital comms knows what
a *GASP* TH-D7A is, comm software version numbers, let alone a TNC!
W2K? What, are you running CP/M on a Kaypro?

The original poster stated very clearly what he was asking, UNLESS
you are a CBer!

(Oooops....better spell this out....by 'CBer' I mean a carbon-based hominid
lifeform from the planet Earth* partaking in reception or transmission of
radio
frequency energy currently appropriated to the Citizen's Band radio
spectrum.)

*Earth - Third planet from the only star in the Sun solar system, Cygnus
spur
of the Orion arm of the Milky Way galaxy, sister to Andromeda.

Clear enough, OM?

Next time, run a search on the acronyms and /or model numbers YOU are
unfamiliar with. Then, you may partially elevate yourself above the CB
mentality.*

*CB mentality - be ignorant, speak like you're the authority, repeat ad
nauseum.

"Bairn Reay" <@> wrote in message
news:3d5b5ed1$1_3@mk-nntp-1.news.uk.worldonline.com...
> It was clear what I meant. The discussing of meaningless
> model numbers, ABC123 XYZ in a PQRS mode is the
> mark of the CBer and not of the Radio Ham.
>
> Edwin Alexander <edwin@cox-internet.com> wrote in message
> news:ullgtlcr9aeef8@corp.supernews.com...
> > Incidentally, I'm not certain if Mr Reay was well-intentioned or

> sarcastic,
> > but it's quite obvious what the original poster meant. Anyone current
> with
> > HTs would recognize a THD7 as a rather nice Kenwood handie-talkie, and a
> TNC
> > should be obvious as a terminal node controller to any licensed ham.
>
>
>

2373. FA: Need a Nice Cute tube tester? Lafayette TE-50A w/All, Gotta SEE!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 16:01:34 UTC
From: rlucch2098@aol.com
Message-ID: <20020815120134.22066.00000789@mb-mv.aol.com>
Source record: 40534

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353853

2374. FA: Lafayette HA-460 Plate Modulated xcvr for 6-mtrs, Built-in VFO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 16:03:21 UTC
From: rlucch2098@aol.com
Message-ID: <20020815120321.22066.00000792@mb-mv.aol.com>
Source record: 40535

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353893

2375. Re: Low power FM Transmitter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 16:03:43 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <ulnk9jaenn1gb7@corp.supernews.com>
Source record: 40537

I think presently the limit is 1 mw.

--
Web Site: www.polkcounty.org/radiofun
ICQ: 11908449
Yahoo Mess: Hitradio93Q

"Kirk_" <kirk@1st.net> wrote in message news:RFA69.6$73.40@news...
> I have a business with two or three buildings close and some outdoor
spaces
> where I would like to provide "Background Music". I was thinking that an
FM
> Transmitter with a range of about 1/4 mile would be perfect for this.
>
> I have been looking on the internet and have found some transmitters, but
> can't quite figure out what FCC rules would apply.
>
> I have been looking at some FM Transmitters on a hobbytron.com. They have
a
> link to the FCC website, but it isn't very helpful because I can't find
> anything there about this type of radio. All I can find there is about
> LPFM.
>
> Here are the ones that I have looked at:
>
> 25mW FM Stereo Transmitter http://www.hobbytron.net/product534.html
> FM25B Synthesized FM Stereo Transmitter
> http://www.hobbytron.net/R-FM25.html
>
> I have no clue which of these would be better for my needs and what kind
of
> FCC rules I would have to comply with.
>
> BTW, my nearest neighbor is over a mile away.
>
> Thanks,
>
> Kirk
>
>

2376. fa- US NAVY R-23A/ARC-5 Rceiver at only $20, pse go -c -it!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 16:05:11 UTC
From: rlucch2098@aol.com
Message-ID: <20020815120511.22066.00000795@mb-mv.aol.com>
Source record: 40536

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353884

2377. Fa> Grid dip meter- HEATHKIT GD-1A with 4 coils, only at $11

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 16:06:55 UTC
From: rlucch2098@aol.com
Message-ID: <20020815120655.22066.00000801@mb-mv.aol.com>
Source record: 40539

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353906

2378. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 16:07:12 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <QkQ69.13479$Ep6.1080112@bgtnsc05-news.ops.worldnet.att.net>
Source record: 40538
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Do a Google search on "DirectIO" and then follow some
of the links. There are several products, a few shareware,
that emulate a hardware serial port to the application, and
use the Win NT (2000, XP) API calls to actually talk to
the port. Some of them even work :-) None that I've found
will support applications that need access to the system timer
interrupt though. One claims to do so, but fails to work.
Many packet applications hook the timer interrupt as well
as the COM port hardware interrupts. Those won't work
on Win NT (2000, XP) at all.

My own solution is to keep a DOS machine and a Win 98SE
machine around. The computers are junkers I got for free.
They are on the house network.

Now I can run any of the older software ...

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Howard Long" <howard@howardlongxxx.com> wrote in message
news:ajft7tcoq1@paris.btinternet.com...
> Hello W6DKN
>
> > If the application you are trying to use for TNC control is trying to
> > directly access the hardware port, then it won't work. W2K, like any
> > version of NT, is a protected kernel OS. Any app that needs hardware
> access
> > must request it via an OS API call.
>
> As you say, you cannot write a Win32 application for use in NT/2K/XP which
> will successfully write directly to a hardware port (x86 IN and OUT
> instructions) in user mode. It will generate an exception.
>
> If the application is an MS-DOS app, under NT, 2000 and XP the UART IN/OUT
> instructions are intercepted with a trap and have code to attempt to
> re-emulate the COM port using a Virtual Device Driver (not to be confused
> with VXD which is a Win 3.x, 9x & ME term). Works sometimes, not others, in
> particular regarding heavily used interrupt driven applications as these can
> often be timing sensitive: these traps are expensive in CPU terms.

>
> It will even let some MS-DOS programs access a USB Serial port if you're
> really lucky.
>
> Windows 3.x [enhanced mode], 9x & ME use a different method and simply map
> most I/O reads & writes straight through to the hardware.
>
> As an example, I often use the InstantTune Doppler correction facility which
> is a DOS TSR under Windows 2000 and this works fairly well.
>
> I'd suggest that either the cable isn't right or a handshake line at the PC
> end isn't properly connected. Either way, the use of a terminal emulator
> (such as Hyperterminal, but I prefer TeraTerm Pro) and investment in an LED
> RS-232 status box invariably resolves these problems rapidly.
>
> 73 Howard G6LVB
>
>

2379. fa-- SIMPSON 260 series 6 VOM, cheep, only $20 so far!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 16:08:39 UTC
From: rlucch2098@aol.com
Message-ID: <20020815120839.22066.00000804@mb-mv.aol.com>
Source record: 40540

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353932

2380. FA: WILSON 2-meter FM Hany-Talkie. Remember these? NO BIDS!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 16:10:17 UTC
From: rlucch2098@aol.com
Message-ID: <20020815121017.22066.00000805@mb-mv.aol.com>
Source record: 40541

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353827

2381. Re: Low power FM Transmitter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 16:38:44 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <ajgl16krm1@bob.news.rcn.net>
Source record: 40542

"radiofun" <radiofun@charter.net> wrote:
> "Kirk_" <kirk@1st.net> wrote:

> > I have a business with two or three buildings close and some
> > outdoor spaces where I would like to provide "Background Music".
> > I was thinking that an FM
> > Transmitter with a range of about 1/4 mile would be perfect for this.
> > I have been looking on the internet and have found some transmitters, but
> > can't quite figure out what FCC rules would apply.
> > I have no clue ... what kind of FCC rules I would have to comply with.

You need to understand FCC Part 15. It is available at:
http://www.access.gpo.gov/nara/cfr/waisidx_01/47cfr15_01.html

There are plenty of companies that make such unlicensed transmitters.
Many of them are in inexpensive 'kit' form such as those at
http://www.ramseyelectronics.com

> I think presently the limit is 1 mw.

Not so. On the FM broadcast band, it is 250uV/m at 3m.

2382. GIVE-AWAY PRICE on Roller Inductor Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 16:59:30 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <vtmnluk19moinvnv10j8e2hcq6n78rib63@4ax.com>
Source record: 40543
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

OK, slashing price on this to the "disposal level."
Next step will be to send it to the dreaded eBray.
At this low price you can't afford NOT to buy it!

CLASSIC 1940s-50s Differential 'T' ANTENNA TUNER
Large roller inductor type with turns counter.

Heavy duty large components Two variable capacitors,
looks like it would handle a kilowatt with ease.

The versatile circuit is configurable for either series or
parallel 'T' configuration. Has jumpers in front to change
set-up easily.

Has built-in SWR bridge featuring an E.F. Johnson meter with
controls for FWD, REV and gain.
Case is metal with hammertone gray finish,
and has a removable lid.

Final reduction to $75.00 plus shipping

E-mail me to purchase

- - -
On Fri, 02 Aug 2002 14:19:59 -0500, HeartMan <iamNOT@resurrection.com>
wrote:
>>It is no wonder there is no posting going on in here!
>You're unquestioningly correct.

2383. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 17:29:40 UTC
From: "Bairn Reay"
Message-ID: <3d5be4ab_2@mk-nntp-1.news.uk.worldonline.com>
Source record: 40544
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Stupid boy.

There is a big difference between using jargon and
quoting meaningless commercial products in CB (Cheque Book)
fashion. _REAL_ Radio Hams manufacture their own rigs and
take to the writing of software like a duck to water. CBers buy
everything off the shelf and then get confused when they don't have
sufficient technical acumen to sort out problems in their off-the-shelf
gear.

Mark Waldron <mark@cybermechanica.com> wrote in message
news:3d5bcb69$1_2@nopics.sjc...
> This bit of tutelage coming from someone who uses:
> NG
> OM
> CB
> in his post? How dare you?!?! Oh, wait....let's see:
>
> NG- anyone on Usenet more than an hour knows this.
> OM - anyone involved in HAM radio more than a day knows this.
> CB - anyone not living under a rock for the past 30 years knows this.
>
> Moreover, most operators involved with digital comms knows what
> a *GASP* TH-D7A is, comm software version numbers, let alone a TNC!
> W2K? What, are you running CP/M on a Kaypro?
>
> The original poster stated very clearly what he was asking, UNLESS
> you are a CBer!
>
> (Oooops....better spell this out....by 'CBer' I mean a carbon-based
hominid
> lifeform from the planet Earth* partaking in reception or transmission of
> radio
> frequency energy currently appropriated to the Citizen's Band radio
> spectrum.)
>
> *Earth - Third planet from the only star in the Sun solar system, Cygnus
> spur
> of the Orion arm of the Milky Way galaxy, sister to Andromeda.
>
> Clear enough, OM?
>
> Next time, run a search on the acronyms and /or model numbers YOU are

> unfamiliar with. Then, you may partially elevate yourself above the CB
> mentality.*
>
> *CB mentality - be ignorant, speak like you're the authority, repeat ad
> nauseum.
>
>
>
> "Bairn Reay" <@> wrote in message
> news:3d5b5ed1$1_3@mk-nntp-1.news.uk.worldonline.com...
> > It was clear what I meant. The discussing of meaningless
> > model numbers, ABC123 XYZ in a PQRS mode is the
> > mark of the CBer and not of the Radio Ham.
> >
> > Edwin Alexander <edwin@cox-internet.com> wrote in message
> > news:ullgtlcr9aeef8@corp.supernews.com...
> > > Incidentally, I'm not certain if Mr Reay was well-intentioned or
> > sarcastic,
> > > but it's quite obvious what the original poster meant. Anyone current
> > with
> > > HTs would recognize a THD7 as a rather nice Kenwood handie-talkie, and
a
> > TNC
> > > should be obvious as a terminal node controller to any licensed ham.
> >
> >
> >
>
>

2384. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 18:36:34 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5bf502_1@nopics.sjc>
Source record: 40545
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

TROLL! Now, where'd I put my 12 guage loaded with
troll shot?!? :)

"Stupid boy"? Surely, you jest.

S'matter, OM? World passing you by, and all you can do
is piss on it out of spite?

His "jargon" was right in line with his question, fool. Simply
because is sounds like gobbledygook to *YOU* does not
mean it is "meaningless", as you are so inclined to say.

It was chock FULL of meaning to any HAM who deals with
digital communications. To a "stupid boy", it is meaningless.
(That's your cue!) Enter Bairn Reay, stage left.

Now you know where and who you are. A true CBer. All
mouth, no brains. :)

As far as "manufacture their own rigs", well, bucko, show me
YOUR waferfab and SMD assembly facility. Also, please
demonstrate to the NG your "sufficient technical acumen" to
code the logic into those EEPROMS, PROMS, processors,
etc.

Show us your "homebrew" rig with built-in TNC.
Show us your "homebrew" DTE device to gain terminal access
to such devices.
Show us your "homebrew" firmware that controls such devices.
Show us how you wrote it without the use of any COTS items.
Show us how you mined your own heavy metals used in your
personal facility to create such devices.

This software that you "take to writing like ducks to water"...ummm,
was this written on a "homebrew" machine? The language it was
written in, did you create it? The devices the code was stored on,
were they created out of personally mined iron ore?

You ain't real, fool.

There's a LOT more to HAM radio than just being an old fart
who thinks "his way" is the only way. Hitler was one of those
types. Your folks should be so proud.

Time to go change your Depends Undergarments. The stench has
whazzed your brain.

PS to NG: Pardon my divergence from the "no feeding the trolls" sign. :)

"Bairn Reay" <@> wrote in message
news:3d5be4ab_2@mk-nntp-1.news.uk.worldonline.com...
> Stupid boy.
>
> There is a big difference between using jargon and
> quoting meaningless commercial products in CB (Cheque Book)
> fashion. _REAL_ Radio Hams manufacture their own rigs and
> take to the writing of software like a duck to water. CBers buy
> everything off the shelf and then get confused when they don't have
> sufficient technical acumen to sort out problems in their off-the-shelf
> gear.
>
>
> Mark Waldron <mark@cybermechanica.com> wrote in message
> news:3d5bcb69$1_2@nopics.sjc...
> > This bit of tutelage coming from someone who uses:
> > NG
> > OM
> > CB
> > in his post? How dare you?!?! Oh, wait....let's see:
> >
> > NG- anyone on Usenet more than an hour knows this.
> > OM - anyone involved in HAM radio more than a day knows this.
> > CB - anyone not living under a rock for the past 30 years knows this.
> >
> > Moreover, most operators involved with digital comms knows what
> > a *GASP* TH-D7A is, comm software version numbers, let alone a TNC!
> > W2K? What, are you running CP/M on a Kaypro?
> >
> > The original poster stated very clearly what he was asking, UNLESS
> > you are a CBer!
> >
> > (Oooops....better spell this out....by 'CBer' I mean a carbon-based
> hominid
> > lifeform from the planet Earth* partaking in reception or transmission
of
> > radio
> > frequency energy currently appropriated to the Citizen's Band radio
> > spectrum.)
> >
> > *Earth - Third planet from the only star in the Sun solar system, Cygnus
> > spur
> > of the Orion arm of the Milky Way galaxy, sister to Andromeda.
> >
> > Clear enough, OM?
> >
> > Next time, run a search on the acronyms and /or model numbers YOU are
> > unfamiliar with. Then, you may partially elevate yourself above the CB
> > mentality.*

> >
> > *CB mentality - be ignorant, speak like you're the authority, repeat ad
> > nauseum.
> >
> >
> >
> > "Bairn Reay" <@> wrote in message
> > news:3d5b5ed1$1_3@mk-nntp-1.news.uk.worldonline.com...
> > > It was clear what I meant. The discussing of meaningless
> > > model numbers, ABC123 XYZ in a PQRS mode is the
> > > mark of the CBer and not of the Radio Ham.
> > >
> > > Edwin Alexander <edwin@cox-internet.com> wrote in message
> > > news:ullgtlcr9aeef8@corp.supernews.com...
> > > > Incidentally, I'm not certain if Mr Reay was well-intentioned or
> > > sarcastic,
> > > > but it's quite obvious what the original poster meant. Anyone
current
> > > with
> > > > HTs would recognize a THD7 as a rather nice Kenwood handie-talkie,
and
> a
> > > TNC
> > > > should be obvious as a terminal node controller to any licensed ham.
> > >
> > >
> > >
> >
> >
>
>
>
>

2385. Re: Low power FM Transmitter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 19:19:38 UTC
From: DBN <dnicholson@socket.net>
Message-ID: <ulnvlilf417da2@corp.supernews.com>
Source record: 40546

Not so...it is more like 100mw figured on signal field strength at 30 feet
I believe. Look up the Part 15 rules on the FCC website and it will tell
you how to figure the max allowable power...

Dan

"radiofun" <radiofun@charter.net> wrote in message
news:ulnk9jaenn1gb7@corp.supernews.com...
> I think presently the limit is 1 mw.
>
> --
> Web Site: www.polkcounty.org/radiofun
> ICQ: 11908449
> Yahoo Mess: Hitradio93Q
>
>
>
> "Kirk_" <kirk@1st.net> wrote in message news:RFA69.6$73.40@news...
> > I have a business with two or three buildings close and some outdoor
> spaces
> > where I would like to provide "Background Music". I was thinking that
an
> FM
> > Transmitter with a range of about 1/4 mile would be perfect for this.
> >
> > I have been looking on the internet and have found some transmitters,
but
> > can't quite figure out what FCC rules would apply.
> >
> > I have been looking at some FM Transmitters on a hobbytron.com. They
have
> a
> > link to the FCC website, but it isn't very helpful because I can't find
> > anything there about this type of radio. All I can find there is about
> > LPFM.
> >
> > Here are the ones that I have looked at:
> >
> > 25mW FM Stereo Transmitter http://www.hobbytron.net/product534.html
> > FM25B Synthesized FM Stereo Transmitter
> > http://www.hobbytron.net/R-FM25.html
> >
> > I have no clue which of these would be better for my needs and what kind
> of
> > FCC rules I would have to comply with.

> >
> > BTW, my nearest neighbor is over a mile away.
> >
> > Thanks,
> >
> > Kirk
> >
> >
>
>

2386. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 20:14:42 UTC
From: Howard Long <howard@howardlongxxx.com>
Message-ID: <ajh23i$b2q$1@helle.btinternet.com>
Source record: 40547
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Hello Hank

> that emulate a hardware serial port to the application, and
> use the Win NT (2000, XP) API calls to actually talk to

Yes, these are all device drivers operating in kernel mode with a Win32 user mode API.

I first used one of these a couple of years ago with some mods I wrote for WispDDE to make it work with some parallel port devices under NT, which has since been documented with the application for quite some time.

I was very careful to specify that:

> > you cannot write a Win32 application for use in NT/2K/XP which
> > will successfully ***write directly*** to a hardware port (x86 IN and OUT
> > instructions) in ***user mode***. It will generate an exception.

> None that I've found
> will support applications that need access to the system timer
> interrupt though. One claims to do so, but fails to work.
> Many packet applications hook the timer interrupt as well
> as the COM port hardware interrupts. Those won't work
> on Win NT (2000, XP) at all.

Yes if someone's managed to write a Win32 app that tries to access the IN/OUT instructions directly it won't work, but 16 bit apps might work if you're lucky using the NTVDM. InstantTune, for example, works and uses the system timer and interrupt driven UART extensively.

> My own solution is to keep a DOS machine and a Win 98SE
> machine around.

Yes, I do the same, but it's not very convenient! BTW, DOS apps dependent on the system timer in W9x will loose ticks when not in the foreground even without suspend set.

73 Howard G6LVB

2387. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 21:10:59 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <ulo67753dlmn54@corp.supernews.com>
Source record: 40398
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Gheeeze!, and I thought I was a curmudgeon...

"Bairn Reay" <@> wrote in message
news:3d5b5ed1$1_3@mk-nntp-1.news.uk.worldonline.com...
> It was clear what I meant. The discussing of meaningless
> model numbers, ABC123 XYZ in a PQRS mode is the
> mark of the CBer and not of the Radio Ham.
>
> Edwin Alexander <edwin@cox-internet.com> wrote in message
> news:ullgtlcr9aeef8@corp.supernews.com...
> > Incidentally, I'm not certain if Mr Reay was well-intentioned or
> sarcastic,
> > but it's quite obvious what the original poster meant. Anyone current
> with
> > HTs would recognize a THD7 as a rather nice Kenwood handie-talkie, and a
> TNC
> > should be obvious as a terminal node controller to any licensed ham.
>
>
>

2388. FS: Kenwood TS-850S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 22:48:21 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <5abolus18ursbu3s6jaq1373n0n69evec7@4ax.com>
Source record: 40399

I have for sale in excellent condition a Kenwood TS-850S/AT. It comes with the original Kenwood hand microphone, manual, power cable and the original box. This is from a non smoker and in 100% operating condition. I will ship it anywhere in the 48 states for $750 via UPS ground. I can be reached at (508) 821-2993 or email..WZ1U Steve / Lakeville, Ma.

2389. Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 23:00:34 UTC
From: cprstn54zz@att.net
Message-ID: <3d5c30c6.234703@news-server.optonline.net>
Source record: 40400

Yaesu USA has had my FL-7000 amplifier for repair (damaged by FedEx Ground in shipping) for four months and I have yet to see an estimate. I have telephoned a half dozen times and sent two emails. They acknowledge having it but no estimate comes. Before I sent it to them, they said I would have a written estimate in 6-8 weeks.

Does anyone know a name there that I can send some certified mail to?

Is this office like the old Soviet Union? My parents should have sent it in when I was born so that it would be ready when I reached adulthood?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

2390. FS: Heil BM-10-4 Boom Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 23:02:36 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <m1colu0fb5v7ktu2a0g4d4gfcp3ontve46@4ax.com>
Source record: 40401

I have for sale in excellent condition a Heil BM-10-4 with the HC-4 DX element......This is the headset boom microphone and set up with a 8 pin microphone plug for a Kenwood. Also it will come with a brand new pair of ear cushions still sealed in the bag. I will take $60 shipped and can be reached at (508) 821-2993 or email......WZ1U Steve / Lakeville, Mass.

2391. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 23:19:41 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <hGW69.114906$UU1.19721@sccrnsc03>
Source record: 40402

There is also a warning posted on the websites of several repeater groups in Colorado and Wyoming regarding this issue.

I do not have the contact info but 2 operators in the Cheyenne area have been hung out to dry for over 6 months now. You might get some contact info through N7GT, Greg Galka.
He oversees the Cheyenne club website.

Good luck and 73

WA5VRL
Willis

2392. LCD for Kenwood TR-7930/50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 23:29:10 UTC
From: Jim Leder <jleder@cinci.rr.com>
Message-ID: <mudolushi6lm1sm363ecstq0km93opmpfq@4ax.com>
Source record: 40403

Anyone have a working LCD for a Kenwood TR-7930/50 they don't need?
How about a 'parts' TR-7930/50 with a working LCD? Anyone know of a
source? Thanks.

****
Jim Leder
IBM retiree since 1996
Amateur radio operator K8CXM since 1961
Origin of the archery 'clicker'
Pictures of nice fish and nice QSL's
WEB Page: http://home.cinci.rr.com/jleder/
EMAIL: jleder@cinci.rr.com
****

2393. Packet Radio to Internet Portal

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-15 23:49:31 UTC
From: The Smith Family <wsbg@sympatico.ca>
Message-ID: <64X69.5685$%R5.1420676@news20.bellglobal.com>
Source record: 40404

Picture this: an external USR 56k v92 modem connected to the COM port (or tty in Linux) of a box running your favorite BBS package and having it work well as it does right now.
Now picture: an external TNC (sort of like a modem for the air waves) connected to the COM port (or tty in Linux) of a box running your favorite BBS package and have it work well serving not only dial-up phone connections, but connections from Packet Radio (a digital packet transfer ability with Amateur (HAM) Radio.

Both modems can use a com port, both can send signals indicating a connection has been made, and both are fairly similar. There are some things that would have to be added though (easily done) which would be the sending and receiving of "this is my identification letter and number block" which may even be able to be done through IEMSI and have IEMSI log the QSLs (radio identification numbers).

For those of you that don't know IEMSI is a way of programming your terminal program (ie. Terminate!) to automatically negotiate ones name, password, etc. It may not be applicable to your BBS software as it may not yet support it. But don't fret, it's not needed to bring in support for this.

Now for you sysops: Imagine this: You've got a sweet box running your favorite BBS software. It's connected to the Internet, you've got regular modem, and you've got a packet radio modem. Now you can have callers experience your BBS using telnet from anywhere around the world, you've got access for local folk via your phone modem, and you've now got people possibly connecting from areas so far around the world with their radio modems. Wouldn't that be cool. You're last user lister could list people from almost anywhere, and also list their method of connection whether it be by phone, telnet session, or radio modem. It'd be cool, huh? Now for the great stuff. Imagine that BBS software had PPP connect options so that people using HAM Packet Radio Modems or Phone System Modems could get on the internet:

A HAM to Internet portal, oh my! :)

Well if you can make it happen, why not? Try. Try hard.

2394. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 00:55:53 UTC
From: garigue <garigue@attbi.com>
Message-ID: <t4Y69.48144$me6.5345@sccrnsc01>
Source record: 40405

Hello Ken ... sounds like the same fellow runs that facility that ran the Kenwood facility about 15 years ago. I had my 1 week old 940 come back from a repair in Ohio with 2 broken pots due to UPS dropkicking the box. The fellow in Calif said that they had no parts for replacement in stock and it may be 6 months before they would come in. This is a response from a supposedly sane person to someone who just purchased a $2700 radio. I have not since nor will I ever purchase a Kenwood product even if the display gives me the daily number at 6 PM. The good folks at R&L took the pots out of their demo unit for my repair. My next new rig will be a Ten-Tec based on what I hear regarding service. My last new rig was a K2 ...again excellent folks to deal with. Good luck with your situation Ken.

73 God Bless Tom KI3R Port Vue Pa
"Ken" <cprstn54zz@att.net> wrote in message
news:3d5c30c6.234703@news-server.optonline.net...
> Yaesu USA has had my FL-7000 amplifier for repair (damaged by FedEx
> Ground in shipping) for four months and I have yet to see an estimate.
> I have telephoned a half dozen times and sent two emails. They
> acknowledge having it but no estimate comes. Before I sent it to
> them, they said I would have a written estimate in 6-8 weeks.
>
> Does anyone know a name there that I can send some certified mail to?
>
>
> Is this office like the old Soviet Union? My parents should have sent
> it in when I was born so that it would be ready when I reached
> adulthood?
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

2395. Yaesu Factory Service???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 01:16:37 UTC
From: cbhoelzel <n4bjx@naxs.com>
Message-ID: <3D5C5275.DAE973B1@naxs.com>
Source record: 40406
Cross-posted to: rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

Hello, friends -

Here is a story that may give you something to think about if you are considering a radio purchase.

Some years ago I bought a Yaesu FT-5100 dual band (2m/70cm) transceiver. It has worked quite well for me. However, over the past two years I have noticed that the liquid crystal display has begun to show a crescent shaped black mark in the upper center. So far this has not caused any problems, but I can foresee that it will grow and eventually the display will be unreadable.

I spoke to my favorite dealer and he told me that he could get it repaired with a shorter turn around time than if it went directly to Yaesu. OK, I said let's give it a try. Unfortunately, his technician promptly sent it to Yaesu.

After nearly six weeks, Yaesu told the dealer that there was more wrong than just the display. It had also lost power - that is it was putting out about 20-25 watts instead of the expected 50. Cost of total repair would run in the neighborhood of $450.

My response was "just fix what I asked for, no more"

Yaesu's reply was to the effect that it was an "all or nothing deal". They would not just replace the display.

At that point I said don't bother, just send it back. Consider that I can at this time buy any of the following from AES:

Yaesu FT-7100M $300
Kenwood TM-G707A $300
Icom IC-207H $300

Why in the world would I spring for half again as much to repair the 5100 when all three of these mentioned have more bells and whistles?

If someone from Yaesu wishes to defend their all or nothing policy, I will be happy to listen. Until then it will be a cold day in Hades before I purchase another Yaesu product. In the meantime, buyer beware.

Chuck
N4BJX

2396. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 01:28:33 UTC
From: W6DKN <w6dkn@qsl.net>
Message-ID: <5zY69.1510$Jj7.1003@nwrddc01.gnilink.net>
Source record: 40407

"Ken" <cprstn54zz@att.net> wrote in message
news:3d5c30c6.234703@news-server.optonline.net...
> Yaesu USA has had my FL-7000 amplifier for repair (damaged by FedEx
> Ground in shipping) for four months and I have yet to see an estimate.
> I have telephoned a half dozen times and sent two emails. They
> acknowledge having it but no estimate comes. Before I sent it to
> them, they said I would have a written estimate in 6-8 weeks.
>
> Does anyone know a name there that I can send some certified mail to?
>
>
> Is this office like the old Soviet Union?
> My parents should have sent
> it in when I was born so that it would be ready when I reached
> adulthood?
>
> Ken KC2JDY

Chip Margelli (sp?) is the Cerritos Service Center manager. He has always helped me out personally with any service related issues and the last item I sent to him for updates (an Ft-100) was turned around in 9 days (including return shipping).

73 de W6DKN

2397. Re: Packet Radio to Internet Portal

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 01:42:30 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <aMY69.13528$Ke2.1159495@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40408

Um ... the Land Line Lids have been doing this for years.

Instead why not imagine:

There is a disaster in your area, and telephones and cable are out.
So you set up your laptop and tnc at the local Red Cross shelter,
link to a packet node a few dozen miles away, and access the internet
across Ham Radio, just as if you had a (slow, 9600 baud) dialup modem.

We are doing exactly that in NW Oregon.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"The Smith Family" <wsbg@sympatico.ca> wrote in message
news:64X69.5685$%R5.1420676@news20.bellglobal.com...
> Picture this: an external USR 56k v92 modem connected to the COM port (or
> tty in Linux) of a box running your favorite BBS package and having it work
> well as it does right now.
> Now picture: an external TNC (sort of like a modem for the air waves)
> connected to the COM port (or tty in Linux) of a box running your favorite
> BBS package and have it work well serving not only dial-up phone
> connections, but connections from Packet Radio (a digital packet transfer
> ability with Amateur (HAM) Radio.
>
> Both modems can use a com port, both can send signals indicating a
> connection has been made, and both are fairly similar. There are some
> things that would have to be added though (easily done) which would be the
> sending and receiving of "this is my identification letter and number block"
> which may even be able to be done through IEMSI and have IEMSI log the QSLs
> (radio identification numbers).
>
> For those of you that don't know IEMSI is a way of programming your terminal
> program (ie. Terminate!) to automatically negotiate ones name, password,
> etc. It may not be applicable to your BBS software as it may not yet
> support it. But don't fret, it's not needed to bring in support for this.
>
>
> Now for you sysops: Imagine this: You've got a sweet box running your
> favorite BBS software. It's connected to the Internet, you've got regular
> modem, and you've got a packet radio modem. Now you can have callers
> experience your BBS using telnet from anywhere around the world, you've got

> access for local folk via your phone modem, and you've now got people
> possibly connecting from areas so far around the world with their radio
> modems. Wouldn't that be cool. You're last user lister could list people
> from almost anywhere, and also list their method of connection whether it be
> by phone, telnet session, or radio modem. It'd be cool, huh? Now for the
> great stuff. Imagine that BBS software had PPP connect options so that
> people using HAM Packet Radio Modems or Phone System Modems could get on the
> internet:
>
> A HAM to Internet portal, oh my! :)
>
> Well if you can make it happen, why not? Try. Try hard.
>
>
>

2398. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 01:59:27 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <ajhlse$mr2$1@bob.news.rcn.net>
Source record: 40409

"Ken" <cprstn54zz@att.net> wrote:

> Yaesu USA has had my FL-7000 amplifier for repair (damaged by FedEx
> Ground in shipping) for four months and I have yet to see an estimate.
> I have telephoned a half dozen times and sent two emails...

I just went through a three month wait on my FT-757.
I called them a few times, their response was, "not ready,"
and then one day I called, and their response was something
to the effect that they had been waiting and waiting for me to
call (they had my phone numbers and e-mail address).

In their defense, I must say that they did an awful lot of
fixing for my $108, and not only did they made the rig
work again (all that I asked), they also fixed the FM
receive and made the noise blanker work like a champ.
The work order shows 21 components that were replaced.

I have heard that the backlog is due to Yaesu knowingly
selling all of those defective dual-band mobile rigs that
all get sent to them after a few days...

2399. FS or Trade list 08-16-2002

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 03:25:54 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <6h_69.156293$uj.224303@rwcrnsc51.ops.asp.att.net>
Source record: 40410

Please if you have questions or want to make a trade contact me off

list at my e-mail address. gundoc@insightbb.com Some of these

lists are not swap lists and only tolerate my post because it is only

once a week. To the group owners thank you for letting me continue

to post to the group.

Dean

GE Portables

GE MPA VHF Scan 136 - 150.8 split 192 channels nice 9.0

Condition. With battery and charger. I have this programmed for

Ham and up to 152 MHz before it will not lock on frequency.

$225.00

GE MPA VHF System 146 - 170 Aegis digital encryption. Nice radio

9.0 condition. 160 channel Alphanumeric display. With rapid charger

and battery. Great ham or public safety radio. $300.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display.

With battery and standard charger. 7-7.5 $85.00

GE MPD scan UHF 450 - 470 48 channel Alpha display. Looks ok and programmed
for ham and Public safety. Battery and charger. $125.00

GE MPD select UHF 450 - 470 48 channel alpha display. Looks good with
battery and charger. On ham and PS. $100.00

GE PCS UHF 440 - 470 8 channel with battery and charger. Looks

Good. $95.00

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170

but I have programmed these in the ham band with no trouble. These

have battery, antenna, and standard charger. $75.00 each

GE PLS UHF 16 Channel. 8 to 8.5 also. 450 - 470 split but I can

program these to the ham band. With battery, Antenna, and Charger.

$85.00 each. Have 3 of these.

GE MPS VHF 12 channel. 8.5 condition. New antennas and NOS batteries

Standard charger. $60.00 each have 2.

GE MPS UHF 48 channel. 8 = 8.5 condition, These have NOS batteries

And have 4 banks of 12 channels. These can go to the ham band. I

have been Using one of these on my ham repeater and it works great.

$60.00 each I have 4 of these. Programming on 12 channels included.

GE UHF MPS 8 channel with 8 different tones. 8 different tones can be

Selected for each different channel. Battery and antenna. $50.00

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1

good battery. With 1 dual slot charger. $200.00 all 3 radios.

GE Mobiles

GE MVS UHF 440 - 470 16 channel scan. With mic and no bracket.

This radio works from the Ham band through GMRS and everywhere

In between. $135.00

GE MVS UHF 440 -470 2 channel. Works and looks good. $120.00

GE MCS UHF 440 - 470 4 channel 10 watt mobile separate speaker is also the

Control head. With mic. $85.00

GE MLS Low Band 16 channel scan. 42-50 split. New mic. Should

Program to 6 meter ham. 60 watt $150.00 (sale pending)

GE Monogram UHF 16 channel scan. Nice radio with mic. 40 watt

Nice radio. $175.00

GE Mastr II UHF 75 watt with preamp. No Icoms drawer only.

MC65KKG88B $90.00 each only 2 left

GE Mastr II Lowband 42-50 slit 110 watt. MC74KCN33A

With 1 set of Icoms $40.00 each I have many.

GE Mastr Pro Low band 110 watt 42 50 split. MT74TCS33

With 2 sets of Icoms. $10,00 each. I have many.

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00

each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr

II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that

I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Just in not tested. $60.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.

16 channel model has short cable and some handle bar mounts. Mic

included but no speaker. Not tested yet.

$50.00

GE Mobile Vehicle Adapter for MPA, MTL, MPD, and TPX. This unit

charges your battery and turns your portable into a mobile radio.

(Convert a Com) With mic, speaker, and power cable. $90.00

GE Accessories

GE Duplexer Mod DB4075 P/N 19C307166P2. tx453.xxx rx458.xxx

With cables. 4 cavity. $175.00

GE Duplexer Mod P1 P/N 19C307166P1 tx453.xxx rx458.xxx

With cables. 4cavity. $175.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $5.00

Mastr II Mic. $5.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen

programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5.

$4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and

162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50

each. These are the only frequencies I have.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each. Picked up 3 sets of

UHF 2C Icoms $30.00 per set of 1tx and 1rx Icom.

GE Delta cables. These are the downloading type used with the S820

heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

GE Mastr II mounting plates $15.00 each

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE MPA, MPD, MTL standard Speaker mic. $25.00

GE PCS Universal charger. With wall transformer $20.00 each

GE MPA standard chargers. $20.00 each

GE MPA Rapid chargers. $30.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a

rapid rack charger with a DB 15 cable and uses a MPD body to attach a

battery to. Has LED readout in display area of MPD body to tell

discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card

and power supply / speaker. $300.00

Other Radios and Accessories

Motorola GP68 UHF. Like new. Has 20 channels that you can program

from the front of the radio. With battery, charger, and programming
instructions. $250.00

Motorola HT50 VHF 2 channel 150 - 170 belt clip holder battery and

Charger. $75.00

Motorola Radius P200 UHF 438 -469 DTMF front with charger. 6 channel

And has stubby antenna. $135.00

Motorola MT1000 UHF 438 - 469. 16 channel scan. Has battery , charger, and stubby antenna. $165.00

Motorola Maxtrac VHF 40 watt 16 channel scan. 5 pin. With Mic. $225.00

Motorola Radius / Maxtrac UHF 25 watt. 2 channel 5 pin port. With shure Mic. $175.00

Uniden SPS 802TS 800 LTR portable. With charger. $75.00 Pair.

Yaesu FTH 2009 VHF portable. 6 channel. Works great on ham and public Safety band. With wall charger $85.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great. This was in my van before I added another MVS so I know it works. $95.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by Midland. $65.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$65.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of crystals for each radio. Also have a working battery and charger for each. I have 4 of these. $50.00 all

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work with the sp2000 as well.$35.00

Consignment section

This area is for a few friends who like those other radios you know "Motorola" They are good people and I will pass along any trades you may wish to make.

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola Saber II UHF 48 channel scan. With battery and antenna.

9 condition $300.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-

Numeric head. $225.00

Motorola GP300 UHF 2 channel. Charger and extra battery. $150.00

Motorola Mostar UHF 2 channel and HT 90 2 channel that talk to each other

Mostar has base mic and HT90 has speaker mic and charger. $90.00

Want List not FS

Extra parts for GE suitcase programmers Data modules, Printers, cables,

proms, Anything you have extra. MPA or MPD portables what do you

have and what do you want for them? Johnson scorpion program cable.

Terms

All prices are plus shipping from 40201. All items are used unless

noted and only have a no DOA warranty if I say it works. If I say

not tested your on your own. If I think it may be bad I will not list

it. I take cash, Postal Money Orders, Paypal, and checks but I hold

them for up to two weeks to clear before I ship. If you have a

question E-mail me. Contact me off list at. Gundoc@insightbb.com

Dean

2400. Re: Need part number for IC-28H volume-on/off assembly

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 03:51:22 UTC
From: k9opo@comteck.qlfit.com
Message-ID: <3d5c767d.13492677@news.comteck.com>
Source record: 40411

jeff <wd4nmq@earthlink.net> wrote:

>My club has an Icom IC-28H 2 meter rig that has a bad volume control
>pot. You know makes all kinds of racket when turning and has dead spots
>and you have to put pressure on it to get it to work.
>
>This assembly also has the attached push on/off switch on it and is
>soldered on to a small PC board. Even the inertface wires are soldered
>on the board. We can not find the schematics or parts list in the club
>files..
>
>Can anybody help in suppling that part number? Or a scan of the parts list?

Icom service manual gives a part # of RK9A12.

Roger Grady k9opo@comteck.qlfit.com
To reply by email, remove "qlfit." from address

2401. FS: alinco DJ-180T 2m handie-talkie

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 03:59:49 UTC
From: "Jens J." <zerog2k.ANTISPAM@yahoo.com>
Message-ID: <VM_69.118023$UU1.21312@sccrnsc03>
Source record: 40412
Cross-posted to: alt.ham-radio.marketplace,alt.radio.amateur,dfw.forsale,rec.radio.amateur.equipment,rec.radio.amateur.swap

For sale:
Alinco DJ-180T 2m (VHF hi) handie-talkie
solid, reliable HT, up to 5 watts output
130-174mhz RX & TX (modded),10 mem channels, ctcss encoder

comes with standard nicad battery, 12v nicad battery, DC adapter (for
cigarette lighter or powersupply operation)
I dont have the charger, manual, or box for this. I will warranty the radio
against DOA, but not the batteries since they are used and several years
old.
for details:
http://www.alinco.com/Archives/Handheld/dj180.pdf

$60
DFW, TX area

Jens @ dallas . net

THATS:::: jens AT dallas DOT net

2402. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 05:15:33 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <NL%69.161$w44.7943@sooner.brightok.net>
Source record: 40413

Yeah, but it seems pretty silly to encrypt a posting to a PUBLIC forum!

Mark

"me" <me@nowwhere.com> wrote in message
news:3D5BBF41.4019F68C@nowwhere.com...
> VHFRadioBuff wrote:
>
> > >Attaboy!!
> > >
> > >-----BEGIN PGP SIGNATURE-----
> > >Version: PGP 7.1.1
> > >Comment: See http://www.pgpi.com for secure e-mail FAQ
> > >
> > >iQEVAwUBPVsWr7Sq8Y1dHedVAQG6Uwf/U0ASoftyMNBP3J48Ib0ojkD4Rm9b1LCl
> > >jYaDRxh4xinSkfqbl1H6yKpDwqZTKCbGZzpPHUclSvF22Vo9f8zkUFfydWwgWnRH
> > >TIx4O29TY7bbAGcKf41rnxXN4ogi8MEbrO7DmVEb9ItAr6ccjue9B7LDacEigHxl
> > >iukQyLASSHP618HxIwDJ1nwpPmx9ozAn3ZV+V13LqRvlU4AEMsIsrfGoINXAZPYQ
> > >iRKGxpb74bHZKmQthFLqU2X4V6oSBR9HLoJ0vSE85DSJ4o/mPUOUBQLGW/0sm/Qi
> > >yP6YiHgGg7JJ1INd3F8sQpWK9KvEWiCXBSaOEwIyHY6zatveEIDWKg==
> > >=ZZ3Y
> > >-----END PGP SIGNATURE-----
> >
> > What's that junk?
> >
> > =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> > 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> > Beachwood, NJ USA! Grid FM29vw
> > http://vhfradiobuff.tripod.com
>
> it's certainly not junk. it's the pgp public key for him. click on the
> link above it
> or use you favorite search engine to find out about pgp.
>
> kd5foy
>
>

2403. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 05:39:04 UTC
From: Rocky Top <rockytop@_SPAM_RMV_dellmail.com>
Message-ID: <ulp3v9b56mba01@corp.supernews.com>
Source record: 40414

It's NOT encrypted. It's his public _key_. Did you click on the link?
You obviously do not understand public key cryptography. I suggest
you read up on it.

Rocky

"M. Schneider" <markinokla@juno.com> wrote in message
news:NL%69.161$w44.7943@sooner.brightok.net...
> Yeah, but it seems pretty silly to encrypt a posting to a PUBLIC forum!
>
> Mark
>
> "me" <me@nowwhere.com> wrote in message
> news:3D5BBF41.4019F68C@nowwhere.com...
> > VHFRadioBuff wrote:
> >
> > > >Attaboy!!
> > > >
> > > >-----BEGIN PGP SIGNATURE-----
> > > >Version: PGP 7.1.1
> > > >Comment: See http://www.pgpi.com for secure e-mail FAQ
> > > >
> > > >iQEVAwUBPVsWr7Sq8Y1dHedVAQG6Uwf/U0ASoftyMNBP3J48Ib0ojkD4Rm9b1LCl
> > > >jYaDRxh4xinSkfqbl1H6yKpDwqZTKCbGZzpPHUclSvF22Vo9f8zkUFfydWwgWnRH
> > > >TIx4O29TY7bbAGcKf41rnxXN4ogi8MEbrO7DmVEb9ItAr6ccjue9B7LDacEigHxl
> > > >iukQyLASSHP618HxIwDJ1nwpPmx9ozAn3ZV+V13LqRvlU4AEMsIsrfGoINXAZPYQ
> > > >iRKGxpb74bHZKmQthFLqU2X4V6oSBR9HLoJ0vSE85DSJ4o/mPUOUBQLGW/0sm/Qi
> > > >yP6YiHgGg7JJ1INd3F8sQpWK9KvEWiCXBSaOEwIyHY6zatveEIDWKg==
> > > >=ZZ3Y
> > > >-----END PGP SIGNATURE-----
> > >
> > > What's that junk?
> > >
> > > =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> > > 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> > > Beachwood, NJ USA! Grid FM29vw
> > > http://vhfradiobuff.tripod.com
> >
> > it's certainly not junk. it's the pgp public key for him. click on the
> > link above it
> > or use you favorite search engine to find out about pgp.
> >
> > kd5foy
> >
> >

>
>

2404. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 06:24:45 UTC
From: "John R. Marshall" <john@jrmstudios.com>
Message-ID: <aji5sk$1bp4no$1@ID-71985.news.dfncis.de>
Source record: 40415

On Friday 16 August 2002 12:39 am, Rocky Top wrote:

> It's NOT encrypted. It's his public _key_. Did you click on the link?
> You obviously do not understand public key cryptography. I suggest
> you read up on it.

You might want to do some reading yourself :-)

It a signature that you can use to verify that the message is from him and
that it has not been altered.

--
John R. Marshall - Web Developer

JRM Studios - http://www.jrmstudios.com
The Hotrodding Network - http://www.hotrodding.net

2405. FA: Mirage B-5030-G 300watt 2M all-mode amp w/ RC-1 control head

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 06:30:24 UTC
From: "Christopher E. Brown" <cbrown@spruce.woods.net>
Message-ID: <aji660$d34$1@terabinaries.xmission.com>
Source record: 40416

Mirage B-5030-G w/ RC-1 control head

50 watts in - 300+ watts out *all-mode*
Ideal for 10 to 60 Watt 2 Meter mobile or base.
Low noise GaAsFET preamp, 0.6 dB noise figure. Selectable 15 or 20 dB gain.
Heavy-duty heatsink spans entire length of cabinet.
Power transistors protected by Mirage's Therm-O-Guard.
Fully protected from high SWR and excessive input power, has warning LED.
Adjustable Transmit/Receive switching and remote external keying.
Draws 48 amps at 13.8 VDC.
Measures 12x12x5 inches.

Item is currently listed on Ebay

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1373944740&r=0&t=0&showTutorial=0&ed=1029877294&indexURL=0&rd=1>

2406. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 07:27:48 UTC
From: "Bairn Reay"
Message-ID: <3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com>
Source record: 40417
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Stupid boy.

If you wish to contribute to the discussion, then do so.

Your response below makes you seem to be an
escapee from the school playground.

Grow up.

Mark Waldron <mark@cybermechanica.com> wrote in message
news:3d5bf502_1@nopics.sjc...
> TROLL! Now, where'd I put my 12 guage loaded with
> troll shot?!? :)
>
> "Stupid boy"? Surely, you jest.
>
> S'matter, OM? World passing you by, and all you can do
> is piss on it out of spite?
>
> His "jargon" was right in line with his question, fool. Simply
> because is sounds like gobbledygook to *YOU* does not
> mean it is "meaningless", as you are so inclined to say.
>
> It was chock FULL of meaning to any HAM who deals with
> digital communications. To a "stupid boy", it is meaningless.
> (That's your cue!) Enter Bairn Reay, stage left.
>
> Now you know where and who you are. A true CBer. All
> mouth, no brains. :)
>
> As far as "manufacture their own rigs", well, bucko, show me
> *YOUR* waferfab and SMD assembly facility. Also, please
> demonstrate to the NG your "sufficient technical acumen" to
> code the logic into those EEPROMS, PROMS, processors,
> etc.
>
> Show us your "homebrew" rig with built-in TNC.
> Show us your "homebrew" DTE device to gain terminal access
> to such devices.
> Show us your "homebrew" firmware that controls such devices.
> Show us how you wrote it without the use of any COTS items.
> Show us how you mined your own heavy metals used in your
> personal facility to create such devices.
>

> This software that you "take to writing like ducks to water"...ummm,
> was this written on a "homebrew" machine? The language it was
> written in, did you create it? The devices the code was stored on,
> were they created out of personally mined iron ore?
>
> You ain't real, fool.
>
> There's a LOT more to HAM radio than just being an old fart
> who thinks "his way" is the only way. Hitler was one of those
> types. Your folks should be so proud.
>
> Time to go change your Depends Undergarments. The stench has
> whazzed your brain.
>
> PS to NG: Pardon my divergence from the "no feeding the trolls" sign. :)
>
>
>
> "Bairn Reay" <@> wrote in message
> news:3d5be4ab_2@mk-nntp-1.news.uk.worldonline.com...
> > Stupid boy.
> >
> > There is a big difference between using jargon and
> > quoting meaningless commercial products in CB (Cheque Book)
> > fashion. _REAL_ Radio Hams manufacture their own rigs and
> > take to the writing of software like a duck to water. CBers buy
> > everything off the shelf and then get confused when they don't have
> > sufficient technical acumen to sort out problems in their off-the-shelf
> > gear.
> >
> >
> > Mark Waldron <mark@cybermechanica.com> wrote in message
> > news:3d5bcb69$1_2@nopics.sjc...
> > > This bit of tutelage coming from someone who uses:
> > > NG
> > > OM
> > > CB
> > > in his post? How dare you?!?! Oh, wait....let's see:
> > >
> > > NG- anyone on Usenet more than an hour knows this.
> > > OM - anyone involved in HAM radio more than a day knows this.
> > > CB - anyone not living under a rock for the past 30 years knows this.
> > >
> > > Moreover, most operators involved with digital comms knows what
> > > a *GASP* TH-D7A is, comm software version numbers, let alone a TNC!
> > > W2K? What, are you running CP/M on a Kaypro?
> > >
> > > The original poster stated very clearly what he was asking, UNLESS
> > > you are a CBer!
> > >

> > > (Oooops....better spell this out....by 'CBer' I mean a carbon-based
> > hominid
> > > lifeform from the planet Earth* partaking in reception or transmission
> of
> > > radio
> > > frequency energy currently appropriated to the Citizen's Band radio
> > > spectrum.)
> > >
> > > *Earth - Third planet from the only star in the Sun solar system,
Cygnus
> > > spur
> > > of the Orion arm of the Milky Way galaxy, sister to Andromeda.
> > >
> > > Clear enough, OM?
> > >
> > > Next time, run a search on the acronyms and /or model numbers YOU are
> > > unfamiliar with. Then, you may partially elevate yourself above the CB
> > > mentality.*
> > >
> > > *CB mentality - be ignorant, speak like you're the authority, repeat
ad
> > > nauseum.
> > >
> > >
> > >
> > > "Bairn Reay" <@> wrote in message
> > > news:3d5b5ed1$1_3@mk-nntp-1.news.uk.worldonline.com...
> > > > It was clear what I meant. The discussing of meaningless
> > > > model numbers, ABC123 XYZ in a PQRS mode is the
> > > > mark of the CBer and not of the Radio Ham.
> > > >
> > > > Edwin Alexander <edwin@cox-internet.com> wrote in message
> > > > news:ullgtlcr9aeef8@corp.supernews.com...
> > > > > Incidentally, I'm not certain if Mr Reay was well-intentioned or
> > > > sarcastic,
> > > > > but it's quite obvious what the original poster meant. Anyone
> current
> > > > with
> > > > > HTs would recognize a THD7 as a rather nice Kenwood handie-talkie,
> and
> > a
> > > > > TNC
> > > > > should be obvious as a terminal node controller to any licensed
ham.
> > > >
> > > >
> > > >
> > >
> > >
> >

> >
> >
> >
>
>

2407. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 07:28:57 UTC
From: "Bairn Reay"
Message-ID: <3d5ca9d2$2_2@mk-nntp-1.news.uk.worldonline.com>
Source record: 40418
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

I think that you are right.

Fred Hambrecht <w4jle@charter.net> wrote in message
news:ulo67753dlmn54@corp.supernews.com...
> Gheeeze!, and I thought I was a curmudgeon...
>
>
> "Bairn Reay" <@> wrote in message
> news:3d5b5ed1$1_3@mk-nntp-1.news.uk.worldonline.com...
> > It was clear what I meant. The discussing of meaningless
> > model numbers, ABC123 XYZ in a PQRS mode is the
> > mark of the CBer and not of the Radio Ham.
> >
> > Edwin Alexander <edwin@cox-internet.com> wrote in message
> > news:ullgtlcr9aeef8@corp.supernews.com...
> > > Incidentally, I'm not certain if Mr Reay was well-intentioned or
> > sarcastic,
> > > but it's quite obvious what the original poster meant. Anyone current
> > with
> > > HTs would recognize a THD7 as a rather nice Kenwood handie-talkie, and
a
> > TNC
> > > should be obvious as a terminal node controller to any licensed ham.
> >
> >
> >
>
>

2408. FS: SB-101, SB-401, HW-8, other

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 11:09:24 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ajimm00lg4@enews3.newsguy.com>
Source record: 40419

http://www.schlatter.org/hamgear.htm

--

Regards,
Joe S.

2409. Wanted Yaesu FT-102

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 12:51:06 UTC
From: John P Russo <jprusso@acsu.buffalo.edu>
Message-ID: <3D5CF53A.B7421C44@acsu.buffalo.edu>
Source record: 40420

I am looking to buy a clean FT-102 transceiver having the optional AM filter and optional AM/FM transmit board. Unit does not need to be working 100% but must be complete and unmodified. Thanks, John KF2JQ

2410. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:10:23 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d082a_2@nopics.sjc>
Source record: 40421
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Riggggggghhhht....what's YOUR contribution?
An ignorant, mindless attack? Niiiiice!

Cut and run, Bairn, cut and run.....

Just as I suspected. You have nothing.

You have made no contributions, just attacks. I can
only assume this is how you run your life, and how
you act in HAM radio. You are a disgrace, and an
embarassment to the hobby. Loser.

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...
> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>
> Mark Waldron <mark@cybermechanica.com> wrote in message
> news:3d5bf502_1@nopics.sjc...
> > TROLL! Now, where'd I put my 12 guage loaded with
> > troll shot?!? :)
> >
> > "Stupid boy"? Surely, you jest.
> >
> > S'matter, OM? World passing you by, and all you can do
> > is piss on it out of spite?
> >
> > His "jargon" was right in line with his question, fool. Simply
> > because is sounds like gobbledygook to *YOU* does not
> > mean it is "meaningless", as you are so inclined to say.
> >
> > It was chock FULL of meaning to any HAM who deals with
> > digital communications. To a "stupid boy", it is meaningless.
> > (That's your cue!) Enter Bairn Reay, stage left.
> >
> > Now you know where and who you are. A true CBer. All
> > mouth, no brains. :)
> >

> > As far as "manufacture their own rigs", well, bucko, show me
> > *YOUR* waferfab and SMD assembly facility. Also, please
> > demonstrate to the NG your "sufficient technical acumen" to
> > code the logic into those EEPROMS, PROMS, processors,
> > etc.
> >
> > Show us your "homebrew" rig with built-in TNC.
> > Show us your "homebrew" DTE device to gain terminal access
> > to such devices.
> > Show us your "homebrew" firmware that controls such devices.
> > Show us how you wrote it without the use of any COTS items.
> > Show us how you mined your own heavy metals used in your
> > personal facility to create such devices.
> >
> > This software that you "take to writing like ducks to water"...ummm,
> > was this written on a "homebrew" machine? The language it was
> > written in, did you create it? The devices the code was stored on,
> > were they created out of personally mined iron ore?
> >
> > You ain't real, fool.
> >
> > There's a LOT more to HAM radio than just being an old fart
> > who thinks "his way" is the only way. Hitler was one of those
> > types. Your folks should be so proud.
> >
> > Time to go change your Depends Undergarments. The stench has
> > whazzed your brain.
> >
> > PS to NG: Pardon my divergence from the "no feeding the trolls" sign. :)
> >
> >
> >
> > "Bairn Reay" <@> wrote in message
> > news:3d5be4ab_2@mk-nntp-1.news.uk.worldonline.com...
> > > Stupid boy.
> > >
> > > There is a big difference between using jargon and
> > > quoting meaningless commercial products in CB (Cheque Book)
> > > fashion. _REAL_ Radio Hams manufacture their own rigs and
> > > take to the writing of software like a duck to water. CBers buy
> > > everything off the shelf and then get confused when they don't have
> > > sufficient technical acumen to sort out problems in their
off-the-shelf
> > > gear.
> > >
> > >
> > > Mark Waldron <mark@cybermechanica.com> wrote in message
> > > news:3d5bcb69$1_2@nopics.sjc...
> > > > This bit of tutelage coming from someone who uses:
> > > > NG

> > > > OM
> > > > CB
> > > > in his post? How dare you?!?! Oh, wait....let's see:
> > > >
> > > > NG- anyone on Usenet more than an hour knows this.
> > > > OM - anyone involved in HAM radio more than a day knows this.
> > > > CB - anyone not living under a rock for the past 30 years knows
this.
> > > >
> > > > Moreover, most operators involved with digital comms knows what
> > > > a *GASP* TH-D7A is, comm software version numbers, let alone a TNC!
> > > > W2K? What, are you running CP/M on a Kaypro?
> > > >
> > > > The original poster stated very clearly what he was asking, UNLESS
> > > > you are a CBer!
> > > >
> > > > (Oooops....better spell this out....by 'CBer' I mean a carbon-based
> > > hominid
> > > > lifeform from the planet Earth* partaking in reception or
transmission
> > of
> > > > radio
> > > > frequency energy currently appropriated to the Citizen's Band radio
> > > > spectrum.)
> > > >
> > > > *Earth - Third planet from the only star in the Sun solar system,
> Cygnus
> > > > spur
> > > > of the Orion arm of the Milky Way galaxy, sister to Andromeda.
> > > >
> > > > Clear enough, OM?
> > > >
> > > > Next time, run a search on the acronyms and /or model numbers YOU
are
> > > > unfamiliar with. Then, you may partially elevate yourself above the
CB
> > > > mentality.*
> > > >
> > > > *CB mentality - be ignorant, speak like you're the authority, repeat
> ad
> > > > nauseum.
> > > >
> > > >
> > > >
> > > > "Bairn Reay" <@> wrote in message
> > > > news:3d5b5ed1$1_3@mk-nntp-1.news.uk.worldonline.com...
> > > > > It was clear what I meant. The discussing of meaningless
> > > > > model numbers, ABC123 XYZ in a PQRS mode is the
> > > > > mark of the CBer and not of the Radio Ham.
> > > > >

> > > > > Edwin Alexander <edwin@cox-internet.com> wrote in message
> > > > > news:ullgtlcr9aeef8@corp.supernews.com...
> > > > > > Incidentally, I'm not certain if Mr Reay was well-intentioned or
> > > > > sarcastic,
> > > > > > but it's quite obvious what the original poster meant. Anyone
> > current
> > > > > with
> > > > > > HTs would recognize a THD7 as a rather nice Kenwood
handie-talkie,
> > and
> > > > a
> > > > > TNC
> > > > > > should be obvious as a terminal node controller to any licensed
> ham.
> > > > > >
> > > > > >
> > > > > >
> > > > >
> > > > >
> > > > >
> > > >
> > > >
> > > >
> > > >
> > >
> > >
> >
> >
>
>

2411. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:10:23 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d0a61_1@nopics.sjc>
Source record: 40422
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Riggggggghhhht....what's YOUR contribution?
An ignorant, mindless attack? Niiiiice!

Cut and run, Bairn, cut and run.....

Just as I suspected. You have nothing.

You have made no contributions, just attacks. I can
only assume this is how you run your life, and how
you act in HAM radio. You are a disgrace, and an
embarassment to the hobby. Loser.

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...
> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>
> Mark Waldron <mark@cybermechanica.com> wrote in message
> news:3d5bf502_1@nopics.sjc...
> > TROLL! Now, where'd I put my 12 guage loaded with
> > troll shot?!? :)
> >
> > "Stupid boy"? Surely, you jest.
> >
> > S'matter, OM? World passing you by, and all you can do
> > is piss on it out of spite?
> >
> > His "jargon" was right in line with his question, fool. Simply
> > because is sounds like gobbledygook to *YOU* does not
> > mean it is "meaningless", as you are so inclined to say.
> >
> > It was chock FULL of meaning to any HAM who deals with
> > digital communications. To a "stupid boy", it is meaningless.
> > (That's your cue!) Enter Bairn Reay, stage left.
> >
> > Now you know where and who you are. A true CBer. All
> > mouth, no brains. :)
> >

> > As far as "manufacture their own rigs", well, bucko, show me
> > *YOUR* waferfab and SMD assembly facility. Also, please
> > demonstrate to the NG your "sufficient technical acumen" to
> > code the logic into those EEPROMS, PROMS, processors,
> > etc.
> >
> > Show us your "homebrew" rig with built-in TNC.
> > Show us your "homebrew" DTE device to gain terminal access
> > to such devices.
> > Show us your "homebrew" firmware that controls such devices.
> > Show us how you wrote it without the use of any COTS items.
> > Show us how you mined your own heavy metals used in your
> > personal facility to create such devices.
> >
> > This software that you "take to writing like ducks to water"...ummm,
> > was this written on a "homebrew" machine? The language it was
> > written in, did you create it? The devices the code was stored on,
> > were they created out of personally mined iron ore?
> >
> > You ain't real, fool.
> >
> > There's a LOT more to HAM radio than just being an old fart
> > who thinks "his way" is the only way. Hitler was one of those
> > types. Your folks should be so proud.
> >
> > Time to go change your Depends Undergarments. The stench has
> > whazzed your brain.
> >
> > PS to NG: Pardon my divergence from the "no feeding the trolls" sign. :)
> >
> >
> >
> > "Bairn Reay" <@> wrote in message
> > news:3d5be4ab_2@mk-nntp-1.news.uk.worldonline.com...
> > > Stupid boy.
> > >
> > > There is a big difference between using jargon and
> > > quoting meaningless commercial products in CB (Cheque Book)
> > > fashion. _REAL_ Radio Hams manufacture their own rigs and
> > > take to the writing of software like a duck to water. CBers buy
> > > everything off the shelf and then get confused when they don't have
> > > sufficient technical acumen to sort out problems in their
off-the-shelf
> > > gear.
> > >
> > >
> > > Mark Waldron <mark@cybermechanica.com> wrote in message
> > > news:3d5bcb69$1_2@nopics.sjc...
> > > > This bit of tutelage coming from someone who uses:
> > > > NG

> > > > OM
> > > > CB
> > > > in his post? How dare you?!?! Oh, wait....let's see:
> > > >
> > > > NG- anyone on Usenet more than an hour knows this.
> > > > OM - anyone involved in HAM radio more than a day knows this.
> > > > CB - anyone not living under a rock for the past 30 years knows
this.
> > > >
> > > > Moreover, most operators involved with digital comms knows what
> > > > a *GASP* TH-D7A is, comm software version numbers, let alone a TNC!
> > > > W2K? What, are you running CP/M on a Kaypro?
> > > >
> > > > The original poster stated very clearly what he was asking, UNLESS
> > > > you are a CBer!
> > > >
> > > > (Oooops....better spell this out....by 'CBer' I mean a carbon-based
> > > hominid
> > > > lifeform from the planet Earth* partaking in reception or
transmission
> > of
> > > > radio
> > > > frequency energy currently appropriated to the Citizen's Band radio
> > > > spectrum.)
> > > >
> > > > *Earth - Third planet from the only star in the Sun solar system,
> Cygnus
> > > > spur
> > > > of the Orion arm of the Milky Way galaxy, sister to Andromeda.
> > > >
> > > > Clear enough, OM?
> > > >
> > > > Next time, run a search on the acronyms and /or model numbers YOU
are
> > > > unfamiliar with. Then, you may partially elevate yourself above the
CB
> > > > mentality.*
> > > >
> > > > *CB mentality - be ignorant, speak like you're the authority, repeat
> ad
> > > > nauseum.
> > > >
> > > >
> > > >
> > > > "Bairn Reay" <@> wrote in message
> > > > news:3d5b5ed1$1_3@mk-nntp-1.news.uk.worldonline.com...
> > > > > It was clear what I meant. The discussing of meaningless
> > > > > model numbers, ABC123 XYZ in a PQRS mode is the
> > > > > mark of the CBer and not of the Radio Ham.
> > > > >

> > > > > Edwin Alexander <edwin@cox-internet.com> wrote in message
> > > > > news:ullgtlcr9aeef8@corp.supernews.com...
> > > > > > Incidentally, I'm not certain if Mr Reay was well-intentioned or
> > > > > sarcastic,
> > > > > > but it's quite obvious what the original poster meant. Anyone
> > current
> > > > > with
> > > > > > HTs would recognize a THD7 as a rather nice Kenwood
handie-talkie,
> > and
> > > > a
> > > > > TNC
> > > > > > should be obvious as a terminal node controller to any licensed
> ham.
> > > > > >
> > > > > >
> > > > > >
> > > > >
> > > > >
> > > >
> > > >
> > >
> > >
> >
> >
>
>

2412. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:10:23 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d0d22$1_3@nopics.sjc>
Source record: 40423
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Riggggggghhhht....what's YOUR contribution?
An ignorant, mindless attack? Niiiiice!

Cut and run, Bairn, cut and run.....

Just as I suspected. You have nothing.

You have made no contributions, just attacks. I can
only assume this is how you run your life, and how
you act in HAM radio. You are a disgrace, and an
embarassment to the hobby. Loser.

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...
> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>
> Mark Waldron <mark@cybermechanica.com> wrote in message
> news:3d5bf502_1@nopics.sjc...
> > TROLL! Now, where'd I put my 12 guage loaded with
> > troll shot?!? :)
> >
> > "Stupid boy"? Surely, you jest.
> >
> > S'matter, OM? World passing you by, and all you can do
> > is piss on it out of spite?
> >
> > His "jargon" was right in line with his question, fool. Simply
> > because is sounds like gobbledygook to *YOU* does not
> > mean it is "meaningless", as you are so inclined to say.
> >
> > It was chock FULL of meaning to any HAM who deals with
> > digital communications. To a "stupid boy", it is meaningless.
> > (That's your cue!) Enter Bairn Reay, stage left.
> >
> > Now you know where and who you are. A true CBer. All
> > mouth, no brains. :)
> >

> > As far as "manufacture their own rigs", well, bucko, show me
> > *YOUR* waferfab and SMD assembly facility. Also, please
> > demonstrate to the NG your "sufficient technical acumen" to
> > code the logic into those EEPROMS, PROMS, processors,
> > etc.
> >
> > Show us your "homebrew" rig with built-in TNC.
> > Show us your "homebrew" DTE device to gain terminal access
> > to such devices.
> > Show us your "homebrew" firmware that controls such devices.
> > Show us how you wrote it without the use of any COTS items.
> > Show us how you mined your own heavy metals used in your
> > personal facility to create such devices.
> >
> > This software that you "take to writing like ducks to water"...ummm,
> > was this written on a "homebrew" machine? The language it was
> > written in, did you create it? The devices the code was stored on,
> > were they created out of personally mined iron ore?
> >
> > You ain't real, fool.
> >
> > There's a LOT more to HAM radio than just being an old fart
> > who thinks "his way" is the only way. Hitler was one of those
> > types. Your folks should be so proud.
> >
> > Time to go change your Depends Undergarments. The stench has
> > whazzed your brain.
> >
> > PS to NG: Pardon my divergence from the "no feeding the trolls" sign. :)
> >
> >
> >
> > "Bairn Reay" <@> wrote in message
> > news:3d5be4ab_2@mk-nntp-1.news.uk.worldonline.com...
> > > Stupid boy.
> > >
> > > There is a big difference between using jargon and
> > > quoting meaningless commercial products in CB (Cheque Book)
> > > fashion. _REAL_ Radio Hams manufacture their own rigs and
> > > take to the writing of software like a duck to water. CBers buy
> > > everything off the shelf and then get confused when they don't have
> > > sufficient technical acumen to sort out problems in their
off-the-shelf
> > > gear.
> > >
> > >
> > > Mark Waldron <mark@cybermechanica.com> wrote in message
> > > news:3d5bcb69$1_2@nopics.sjc...
> > > > This bit of tutelage coming from someone who uses:
> > > > NG

> > > > OM
> > > > CB
> > > > in his post? How dare you?!?! Oh, wait....let's see:
> > > >
> > > > NG- anyone on Usenet more than an hour knows this.
> > > > OM - anyone involved in HAM radio more than a day knows this.
> > > > CB - anyone not living under a rock for the past 30 years knows
this.
> > > >
> > > > Moreover, most operators involved with digital comms knows what
> > > > a *GASP* TH-D7A is, comm software version numbers, let alone a TNC!
> > > > W2K? What, are you running CP/M on a Kaypro?
> > > >
> > > > The original poster stated very clearly what he was asking, UNLESS
> > > > you are a CBer!
> > > >
> > > > (Oooops....better spell this out....by 'CBer' I mean a carbon-based
> > > hominid
> > > > lifeform from the planet Earth* partaking in reception or
transmission
> > of
> > > > radio
> > > > frequency energy currently appropriated to the Citizen's Band radio
> > > > spectrum.)
> > > >
> > > > *Earth - Third planet from the only star in the Sun solar system,
> Cygnus
> > > > spur
> > > > of the Orion arm of the Milky Way galaxy, sister to Andromeda.
> > > >
> > > > Clear enough, OM?
> > > >
> > > > Next time, run a search on the acronyms and /or model numbers YOU
are
> > > > unfamiliar with. Then, you may partially elevate yourself above the
CB
> > > > mentality.*
> > > >
> > > > *CB mentality - be ignorant, speak like you're the authority, repeat
> ad
> > > > nauseum.
> > > >
> > > >
> > > >
> > > > "Bairn Reay" <@> wrote in message
> > > > news:3d5b5ed1$1_3@mk-nntp-1.news.uk.worldonline.com...
> > > > > It was clear what I meant. The discussing of meaningless
> > > > > model numbers, ABC123 XYZ in a PQRS mode is the
> > > > > mark of the CBer and not of the Radio Ham.
> > > > >

> > > > > Edwin Alexander <edwin@cox-internet.com> wrote in message
> > > > > news:ullgtlcr9aeef8@corp.supernews.com...
> > > > > > Incidentally, I'm not certain if Mr Reay was well-intentioned or
> > > > > sarcastic,
> > > > > > but it's quite obvious what the original poster meant. Anyone
> > current
> > > > > with
> > > > > > HTs would recognize a THD7 as a rather nice Kenwood
handie-talkie,
> > and
> > > > a
> > > > > TNC
> > > > > > should be obvious as a terminal node controller to any licensed
> ham.
> > > > > >
> > > > > >
> > > > > >
> > > > >
> > > > >
> > > > >
> > > >
> > > >
> > > >
> > > >
> > >
> > >
> >
> >
>
>

2413. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:52:27 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d1206$1_2@nopics.sjc>
Source record: 40424
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Looks like our beloved Bairn Reay is a pSyCh0paTh!

His postings are in accordance with numerous other user's
complaints about his abuse. See post below:

From: Slope Detect (slopedetect@hotmail.com)
Subject: Bairn Reay
Newsgroups: uk.radio.amateur

Date: 2002-08-07 05:07:36 PST

God this Gareth (Bairn Reay) is a waste of space.

Never even makes a mobile phone call. Has he even got a mobile phone?
Probably not. No point if no one wants to talk to him. Not even
Elisabeth!

Nothing our great country has ever done pleases him. Probably because
he doesn't know the history!

Slags off those who make sensible technical comment but never adds to
the thread himself- not surprising as he knows F*** about most things
it appears. Doesn't understand dBs, Slope Detection, antenna gain,
noise figure or temperature. Odd considering the noise he generates.

Can't get another job in the telecoms industry- hardly surprising.

Slags of CBers but lurks on the CB bands to talk to his CB mates. I
don't know any CBers but may be he is right- they are brain dead. Must
be to talk to him!

A software expert who doesn't know the correct name of a language he
has written programmes in or the fact this language is only used in
applications he couldn't have work on!

Hasn't got the ability to even hide his Newsclient so we can't see he
isn't using his own software.

What a waste of space- what did poor Elisabeth do to deserve him?

Was she driving the Landrover that hit him. Was she aiming for his
head?

73

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...

> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>

2414. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:52:27 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d1a40$1_3@nopics.sjc>
Source record: 40430
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Looks like our beloved Bairn Reay is a pSyCh0paTh!

His postings are in accordance with numerous other user's
complaints about his abuse. See post below:

From: Slope Detect (slopedetect@hotmail.com)
Subject: Bairn Reay
Newsgroups: uk.radio.amateur

Date: 2002-08-07 05:07:36 PST

God this Gareth (Bairn Reay) is a waste of space.

Never even makes a mobile phone call. Has he even got a mobile phone?
Probably not. No point if no one wants to talk to him. Not even
Elisabeth!

Nothing our great country has ever done pleases him. Probably because
he doesn't know the history!

Slags off those who make sensible technical comment but never adds to
the thread himself- not surprising as he knows F*** about most things
it appears. Doesn't understand dBs, Slope Detection, antenna gain,
noise figure or temperature. Odd considering the noise he generates.

Can't get another job in the telecoms industry- hardly surprising.

Slags of CBers but lurks on the CB bands to talk to his CB mates. I
don't know any CBers but may be he is right- they are brain dead. Must
be to talk to him!

A software expert who doesn't know the correct name of a language he
has written programmes in or the fact this language is only used in
applications he couldn't have work on!

Hasn't got the ability to even hide his Newsclient so we can't see he
isn't using his own software.

What a waste of space- what did poor Elisabeth do to deserve him?

Was she driving the Landrover that hit him. Was she aiming for his
head?

73

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...

> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>

2415. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:52:27 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d1d9c_1@nopics.sjc>
Source record: 40431
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Looks like our beloved Bairn Reay is a pSyCh0paTh!

His postings are in accordance with numerous other user's
complaints about his abuse. See post below:

From: Slope Detect (slopedetect@hotmail.com)
Subject: Bairn Reay
Newsgroups: uk.radio.amateur

Date: 2002-08-07 05:07:36 PST

God this Gareth (Bairn Reay) is a waste of space.

Never even makes a mobile phone call. Has he even got a mobile phone?
Probably not. No point if no one wants to talk to him. Not even
Elisabeth!

Nothing our great country has ever done pleases him. Probably because
he doesn't know the history!

Slags off those who make sensible technical comment but never adds to
the thread himself- not surprising as he knows F*** about most things
it appears. Doesn't understand dBs, Slope Detection, antenna gain,
noise figure or temperature. Odd considering the noise he generates.

Can't get another job in the telecoms industry- hardly surprising.

Slags of CBers but lurks on the CB bands to talk to his CB mates. I
don't know any CBers but may be he is right- they are brain dead. Must
be to talk to him!

A software expert who doesn't know the correct name of a language he
has written programmes in or the fact this language is only used in
applications he couldn't have work on!

Hasn't got the ability to even hide his Newsclient so we can't see he
isn't using his own software.

What a waste of space- what did poor Elisabeth do to deserve him?

Was she driving the Landrover that hit him. Was she aiming for his
head?

73

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...

> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>

2416. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:52:27 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d25d3$1_2@nopics.sjc>
Source record: 40433
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Looks like our beloved Bairn Reay is a pSyCh0paTh!

His postings are in accordance with numerous other user's
complaints about his abuse. See post below:

From: Slope Detect (slopedetect@hotmail.com)
Subject: Bairn Reay
Newsgroups: uk.radio.amateur

Date: 2002-08-07 05:07:36 PST

God this Gareth (Bairn Reay) is a waste of space.

Never even makes a mobile phone call. Has he even got a mobile phone?
Probably not. No point if no one wants to talk to him. Not even
Elisabeth!

Nothing our great country has ever done pleases him. Probably because
he doesn't know the history!

Slags off those who make sensible technical comment but never adds to
the thread himself- not surprising as he knows F*** about most things
it appears. Doesn't understand dBs, Slope Detection, antenna gain,
noise figure or temperature. Odd considering the noise he generates.

Can't get another job in the telecoms industry- hardly surprising.

Slags of CBers but lurks on the CB bands to talk to his CB mates. I
don't know any CBers but may be he is right- they are brain dead. Must
be to talk to him!

A software expert who doesn't know the correct name of a language he
has written programmes in or the fact this language is only used in
applications he couldn't have work on!

Hasn't got the ability to even hide his Newsclient so we can't see he
isn't using his own software.

What a waste of space- what did poor Elisabeth do to deserve him?

Was she driving the Landrover that hit him. Was she aiming for his
head?

73

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...

> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>

2417. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:52:27 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d2e17_2@nopics.sjc>
Source record: 40434
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Looks like our beloved Bairn Reay is a pSyCh0paTh!

His postings are in accordance with numerous other user's
complaints about his abuse. See post below:

From: Slope Detect (slopedetect@hotmail.com)
Subject: Bairn Reay
Newsgroups: uk.radio.amateur

Date: 2002-08-07 05:07:36 PST

God this Gareth (Bairn Reay) is a waste of space.

Never even makes a mobile phone call. Has he even got a mobile phone?
Probably not. No point if no one wants to talk to him. Not even
Elisabeth!

Nothing our great country has ever done pleases him. Probably because
he doesn't know the history!

Slags off those who make sensible technical comment but never adds to
the thread himself- not surprising as he knows F*** about most things
it appears. Doesn't understand dBs, Slope Detection, antenna gain,
noise figure or temperature. Odd considering the noise he generates.

Can't get another job in the telecoms industry- hardly surprising.

Slags of CBers but lurks on the CB bands to talk to his CB mates. I
don't know any CBers but may be he is right- they are brain dead. Must
be to talk to him!

A software expert who doesn't know the correct name of a language he
has written programmes in or the fact this language is only used in
applications he couldn't have work on!

Hasn't got the ability to even hide his Newsclient so we can't see he
isn't using his own software.

What a waste of space- what did poor Elisabeth do to deserve him?

Was she driving the Landrover that hit him. Was she aiming for his
head?

73

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...

> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>

2418. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:52:27 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d36af_2@nopics.sjc>
Source record: 40441
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Looks like our beloved Bairn Reay is a pSyCh0paTh!

His postings are in accordance with numerous other user's
complaints about his abuse. See post below:

From: Slope Detect (slopedetect@hotmail.com)
Subject: Bairn Reay
Newsgroups: uk.radio.amateur

Date: 2002-08-07 05:07:36 PST

God this Gareth (Bairn Reay) is a waste of space.

Never even makes a mobile phone call. Has he even got a mobile phone?
Probably not. No point if no one wants to talk to him. Not even
Elisabeth!

Nothing our great country has ever done pleases him. Probably because
he doesn't know the history!

Slags off those who make sensible technical comment but never adds to
the thread himself- not surprising as he knows F*** about most things
it appears. Doesn't understand dBs, Slope Detection, antenna gain,
noise figure or temperature. Odd considering the noise he generates.

Can't get another job in the telecoms industry- hardly surprising.

Slags of CBers but lurks on the CB bands to talk to his CB mates. I
don't know any CBers but may be he is right- they are brain dead. Must
be to talk to him!

A software expert who doesn't know the correct name of a language he
has written programmes in or the fact this language is only used in
applications he couldn't have work on!

Hasn't got the ability to even hide his Newsclient so we can't see he
isn't using his own software.

What a waste of space- what did poor Elisabeth do to deserve him?

Was she driving the Landrover that hit him. Was she aiming for his
head?

73

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...

> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>

2419. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:52:27 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d3f21_2@nopics.sjc>
Source record: 40442
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Looks like our beloved Bairn Reay is a pSyCh0paTh!

His postings are in accordance with numerous other user's
complaints about his abuse. See post below:

From: Slope Detect (slopedetect@hotmail.com)
Subject: Bairn Reay
Newsgroups: uk.radio.amateur

Date: 2002-08-07 05:07:36 PST

God this Gareth (Bairn Reay) is a waste of space.

Never even makes a mobile phone call. Has he even got a mobile phone?
Probably not. No point if no one wants to talk to him. Not even
Elisabeth!

Nothing our great country has ever done pleases him. Probably because
he doesn't know the history!

Slags off those who make sensible technical comment but never adds to
the thread himself- not surprising as he knows F*** about most things
it appears. Doesn't understand dBs, Slope Detection, antenna gain,
noise figure or temperature. Odd considering the noise he generates.

Can't get another job in the telecoms industry- hardly surprising.

Slags of CBers but lurks on the CB bands to talk to his CB mates. I
don't know any CBers but may be he is right- they are brain dead. Must
be to talk to him!

A software expert who doesn't know the correct name of a language he
has written programmes in or the fact this language is only used in
applications he couldn't have work on!

Hasn't got the ability to even hide his Newsclient so we can't see he
isn't using his own software.

What a waste of space- what did poor Elisabeth do to deserve him?

Was she driving the Landrover that hit him. Was she aiming for his
head?

73

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...

> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>

2420. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:52:27 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d475d$1_2@nopics.sjc>
Source record: 40444
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Looks like our beloved Bairn Reay is a pSyCh0paTh!

His postings are in accordance with numerous other user's
complaints about his abuse. See post below:

From: Slope Detect (slopedetect@hotmail.com)
Subject: Bairn Reay
Newsgroups: uk.radio.amateur

Date: 2002-08-07 05:07:36 PST

God this Gareth (Bairn Reay) is a waste of space.

Never even makes a mobile phone call. Has he even got a mobile phone?
Probably not. No point if no one wants to talk to him. Not even
Elisabeth!

Nothing our great country has ever done pleases him. Probably because
he doesn't know the history!

Slags off those who make sensible technical comment but never adds to
the thread himself- not surprising as he knows F*** about most things
it appears. Doesn't understand dBs, Slope Detection, antenna gain,
noise figure or temperature. Odd considering the noise he generates.

Can't get another job in the telecoms industry- hardly surprising.

Slags of CBers but lurks on the CB bands to talk to his CB mates. I
don't know any CBers but may be he is right- they are brain dead. Must
be to talk to him!

A software expert who doesn't know the correct name of a language he
has written programmes in or the fact this language is only used in
applications he couldn't have work on!

Hasn't got the ability to even hide his Newsclient so we can't see he
isn't using his own software.

What a waste of space- what did poor Elisabeth do to deserve him?

Was she driving the Landrover that hit him. Was she aiming for his
head?

73

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...

> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>

2421. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 14:52:27 UTC
From: Mark Waldron <mark@cybermechanica.com>
Message-ID: <3d5d4f97$1_3@nopics.sjc>
Source record: 40446
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Looks like our beloved Bairn Reay is a pSyCh0paTh!

His postings are in accordance with numerous other user's
complaints about his abuse. See post below:

From: Slope Detect (slopedetect@hotmail.com)
Subject: Bairn Reay
Newsgroups: uk.radio.amateur

Date: 2002-08-07 05:07:36 PST

God this Gareth (Bairn Reay) is a waste of space.

Never even makes a mobile phone call. Has he even got a mobile phone?
Probably not. No point if no one wants to talk to him. Not even
Elisabeth!

Nothing our great country has ever done pleases him. Probably because
he doesn't know the history!

Slags off those who make sensible technical comment but never adds to
the thread himself- not surprising as he knows F*** about most things
it appears. Doesn't understand dBs, Slope Detection, antenna gain,
noise figure or temperature. Odd considering the noise he generates.

Can't get another job in the telecoms industry- hardly surprising.

Slags of CBers but lurks on the CB bands to talk to his CB mates. I
don't know any CBers but may be he is right- they are brain dead. Must
be to talk to him!

A software expert who doesn't know the correct name of a language he
has written programmes in or the fact this language is only used in
applications he couldn't have work on!

Hasn't got the ability to even hide his Newsclient so we can't see he
isn't using his own software.

What a waste of space- what did poor Elisabeth do to deserve him?

Was she driving the Landrover that hit him. Was she aiming for his
head?

73

"Bairn Reay" <@> wrote in message
news:3d5ca9d1_2@mk-nntp-1.news.uk.worldonline.com...

> Stupid boy.
>
> If you wish to contribute to the discussion, then do so.
>
> Your response below makes you seem to be an
> escapee from the school playground.
>
> Grow up.
>

2422. 220/222 ham repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 15:00:23 UTC
From: Repeaters <none@none.com>
Message-ID: <bs879.197023$s8.3743678@twister.tampabay.rr.com>
Source record: 40425

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1372554470

2423. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 15:13:05 UTC
From: "Bairn Reay"
Message-ID: <3d5d1660$1_1@mk-nntp-1.news.uk.worldonline.com>
Source record: 40426
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Stupid boy.

If you wish to contribute to the discussion, then do so.

Your response below makes you seem to be an
escapee from the school playground.

Grow up.

Mark Waldron <mark@cybermechanica.com> wrote in message
news:3d5d0d22$1_3@nopics.sjc...
> Riggggggghhhht....what's YOUR contribution?
> An ignorant, mindless attack? Niiiiice!
>
> Cut and run, Bairn, cut and run.....
>
> Just as I suspected. You have nothing.
>
> You have made no contributions, just attacks. I can
> only assume this is how you run your life, and how
> you act in HAM radio. You are a disgrace, and an
> embarassment to the hobby. Loser.

2424. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 15:13:23 UTC
From: "Bairn Reay"
Message-ID: <3d5d1661_1@mk-nntp-1.news.uk.worldonline.com>
Source record: 40427
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Stupid boy.

If you wish to contribute to the discussion, then do so.

Your response below makes you seem to be an
escapee from the school playground.

Grow up.

Mark Waldron <mark@cybermechanica.com> wrote in message
news:3d5d0a61_1@nopics.sjc...
> Riggggggghhhht....what's YOUR contribution?
> An ignorant, mindless attack? Niiiiice!
>
> Cut and run, Bairn, cut and run.....
>
> Just as I suspected. You have nothing.
>
> You have made no contributions, just attacks. I can
> only assume this is how you run your life, and how
> you act in HAM radio. You are a disgrace, and an
> embarassment to the hobby. Loser.

2425. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 15:13:38 UTC
From: "Bairn Reay"
Message-ID: <3d5d1661$2_1@mk-nntp-1.news.uk.worldonline.com>
Source record: 40428
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Stupid boy.

If you wish to contribute to the discussion, then do so.

Your response below makes you seem to be an
escapee from the school playground.

Grow up.

Mark Waldron <mark@cybermechanica.com> wrote in message
news:3d5d082a_2@nopics.sjc...
> Riggggggghhhht....what's YOUR contribution?
> An ignorant, mindless attack? Niiiiice!
>
> Cut and run, Bairn, cut and run.....
>
> Just as I suspected. You have nothing.
>
> You have made no contributions, just attacks. I can
> only assume this is how you run your life, and how
> you act in HAM radio. You are a disgrace, and an
> embarassment to the hobby. Loser.
>

2426. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 15:14:10 UTC
From: "Bairn Reay"
Message-ID: <3d5d1662$1_1@mk-nntp-1.news.uk.worldonline.com>
Source record: 40429
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Stupid boy.

If you wish to contribute to the discussion, then do so.

Your response below makes you seem to be an
escapee from the school playground.

Grow up.

Mark Waldron <mark@cybermechanica.com> wrote in message
news:3d5d1206$1_2@nopics.sjc...
> Looks like our beloved Bairn Reay is a pSyCh0paTh!

2427. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 16:10:40 UTC
From: W6DKN <w6dkn@qsl.net>
Message-ID: <4u979.134$l62.69@nwrddc02.gnilink.net>
Source record: 40432

"Mark Waldron" <mark@cybermechanica.com> wrote in message
news:3d5d1d9c_1@nopics.sjc...
> Looks like our beloved Bairn Reay is a pSyCh0paTh!
>
> His postings are in accordance with numerous other user's
> complaints about his abuse. See post below:
>

Doesn't surprise me. I figured out that he belonged in my kill file after
his first posting here...

73 de W6DKN

2428. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 16:54:42 UTC
From: "Bairn Reay"
Message-ID: <3d5d2fae$1_3@mk-nntp-1.news.uk.worldonline.com>
Source record: 40436
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

The existence of other childish contributors does
not make your stance any less childish.

Grow up.

Mark Waldron <mark@cybermechanica.com> wrote in message
news:3d5d25d3$1_2@nopics.sjc...
> Looks like our beloved Bairn Reay is a pSyCh0paTh!

2429. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 16:56:16 UTC
From: "Bairn Reay"
Message-ID: <3d5d2faf_3@mk-nntp-1.news.uk.worldonline.com>
Source record: 40437
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

The existence of other childish contributors
to the NG does not make your own stance any less
childish.

The subject under discussion is the differentiation between
Ham Radio and CB. If you cannot contribute without resorting
to silly infantile jibes, then you would seem to wish to class
yourself with the CBers.

Mark Waldron <mark@cybermechanica.com> wrote in message
news:3d5d1d9c_1@nopics.sjc...
> Looks like our beloved Bairn Reay is a pSyCh0paTh!
>
> His postings are in accordance with numerous other user's
> complaints about his abuse. See post below:
>

2430. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 16:58:49 UTC
From: "Bairn Reay"
Message-ID: <3d5d2fb0_3@mk-nntp-1.news.uk.worldonline.com>
Source record: 40438
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

The existence of other childish contributors to
the NG does not make your stance any less
childish.

If you want to contribute to a discussion on the
differentiation between CB and Ham Radio, then
please do so without resorting to infantile personal remarks.
When you do that, you represent yourself in public as
a complete fool. That is your choice.

Stupid boy.
Grow up.

Mark Waldron <mark@cybermechanica.com> wrote in message
news:3d5d1a40$1_3@nopics.sjc...
> Looks like our beloved Bairn Reay is a pSyCh0paTh!
>
> His postings are in accordance with numerous other user's
> complaints about his abuse. See post below:

2431. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 16:58:59 UTC
From: Walter Treftz <penguino@atlantic.net>
Message-ID: <3D5D2F53.719FCD9D@atlantic.net>
Source record: 40435

Maybe I'm missing something here with all the slinging-comments on PGP but if you're going to post something on a bulletin board for the whole world to read, what is the point of secrecy and encryption?

"John R. Marshall" wrote:

> On Friday 16 August 2002 12:39 am, Rocky Top wrote:
>
> > It's NOT encrypted. It's his public _key_. Did you click on the link?
> > You obviously do not understand public key cryptography. I suggest
> > you read up on it.
>
> You might want to do some reading yourself :-)
>
> It a signature that you can use to verify that the message is from him and
> that it has not been altered.
>
> --
> John R. Marshall - Web Developer
>
> JRM Studios - http://www.jrmstudios.com
> The Hotrodding Network - http://www.hotrodding.net

2432. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 17:07:49 UTC
From: "Bairn Reay"
Message-ID: <3d5d3102$1_2@mk-nntp-1.news.uk.worldonline.com>
Source record: 40439
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

The existence of childish contributors to this NG does not
make your stance any less childish. Please feel free to
contribute to this international forum in a manner more
appropriate to a mature individual.

Your current attitude and desperation to score
some point or other just makes you look silly.

Mark Waldron <mark@cybermechanica.com> wrote in message
news:3d5d2e17_2@nopics.sjc...
> Looks like our beloved Bairn Reay is a pSyCh0paTh!
>
> His postings are in accordance with numerous other user's
> complaints about his abuse. See post below:

2433. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 17:22:23 UTC
From: Ralph Mowery <rmowery@cetlink.net>
Message-ID: <ajjckq$1qr4$1@newsreader.cetlink.net>
Source record: 40440

What you are missing is that the public key is just used to verify the message (in this case one sent in plane text) is from the person that actually sent it and not from someone trying to get another in trouble by sending a bogus message with someones elses name.

Still a bunch of wsted space as far as I am concerned in most groups.

"Walter Treftz" <penguino@atlantic.net> wrote in message news:3D5D2F53.719FCD9D@atlantic.net...
> Maybe I'm missing something here with all the slinging-comments on PGP but if
> you're going to post something on a bulletin board for the whole world to
> read, what is the point of secrecy and encryption?
>
> "John R. Marshall" wrote:
>
> > On Friday 16 August 2002 12:39 am, Rocky Top wrote:
> >
> > > It's NOT encrypted. It's his public _key_. Did you click on the link?
> > > You obviously do not understand public key cryptography. I suggest
> > > you read up on it.
> >
> > You might want to do some reading yourself :-)
> >
> > It a signature that you can use to verify that the message is from him and
> > that it has not been altered.
> >

2434. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 18:23:56 UTC
From: "Odd Erling N. Eriksen" <odderi@pvv.org>
Message-ID: <ajjfvsmjg1@tyfon.itea.ntnu.no>
Source record: 40443
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

In rec.radio.amateur.misc Bairn Reay <@> wrote:

> This is a Ham Radio NG, OM. If you want to talk
> CB (Cheque Book) Radio, then uk.rec.radio.cb
> would be more suitable for you/

-Ehem, I know feeding the trolls is a bad idea, but just can't help
myself: What is your callsign, mr. Reay? :-)

--
73 de LB1LF

Odd Erling, ARK

A)bort, R)etry, I)nfluence with large hammer.

2435. Kenwood TH-22AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 18:45:04 UTC
From: "Chilly Willy"
Message-ID: <r0iqlu4d0u9hc9apk9cf37m1ddju6kkc17@4ax.com>
Source record: 40445

Can anyone tell me about the TH-22AT.
Chilly Willy

Brrrr is it cold in here or is it just me
Forman at the South Pole Ice Plant

2436. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 19:15:12 UTC
From: dplatt@radagast.org
Message-ID: <ulqjq0t5fmu238@corp.supernews.com>
Source record: 40447

In article <NL%69.161$w44.7943@sooner.brightok.net>,
M. Schneider <markinokla@juno.com> wrote:

>Yeah, but it seems pretty silly to encrypt a posting to a PUBLIC forum!

It isn't encryption. It's signing.

Encryption hides the content of the message from the public, and I agree it would be a rather silly thing to do in most cases.

Signing lets anyone (who has a copy of his public key) confirm that he is, in fact, the author of the posting, and that it has not been tampered with. It's a way of proving authenticity.

It's trivially easy to forge Internet addresses into email and into USENET postings, as the spam problem will clearly demonstrate. Some posters have been the victims of deliberate forgery attacks, with people posting falsified articles using their return addresses. Digital signatures can be used to help with this problem... the address owner can sign articles, but the forger will be unable to do so.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will boycott any company which has the gall to send me such ads!

2437. Heathkit Mohigan Model differences

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 20:21:42 UTC
From: Gerry Moersdorf <gerry@aiinet.com>
Message-ID: <w9d79.1$Pc7.141@client>
Source record: 40348

Does any know what the difference is between a heathkit mohigan GC1 and the mohigan GC1A?
The legend on the faceplate is different but how they change the guts?

Thanks in advance

Gerry

2438. Re: Why a fast charger has 4 contacts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 21:11:16 UTC
From: larry <larya24@hotmail.com>
Message-ID: <UTd79.12180$sa1.6484@news01.bloor.is.net.cable.rogers.com>
Source record: 40349
Cross-posted to: rec.radio.amateur.equipment,aus.radio.amateur.misc

Greeting Sam

After reading your message, I continued with some research I had started a couple months ago. I fellow at work gave me a lithium battery pack that he could not get to work with his computer. It took quite a while but I managed to get it openned (today {as a result of your inquiry}). I got it openned a short time after it was given to me but today I actually got the circuit boards, etc, exposed.

The 4 pins, you talk about, are all used as part of a super intelligent (my word) charger monitor for the battery, There, in all likelyhood, is one or two chips, or more, in your battery pack that are communicating with your radio and charger.

This chip lets the radio / charger know in what state of charge, or discharge, the battery is in at any give part of the charge discharge cycle.

I am not employed by the battery manufacturer or manufacturer of the radio but I would strongly recomment that you only use the charger that came with the radio or battery. They were designed to communicate with that / those monitor chips to properly and safely charge and discharge that battery.

Question? Does the radio had an indicator to show how much of the battery has been discharged. I am guessing some kind of bar graph showing battery life?

Larry

"Sam Yang" <Sam.Yang@csiro.au> wrote in message
news:4b8ff9bc.0207210530.60c5423@posting.google.com...
> I noticed that many handheld radio battery chargers have 4 electrical
> contacts for charging plus another 2 supplying power to the radio. As
> a battery is a 2-termial device, why they use 4 contacts for charging?
>
> Specifically, I have an Uniden APX116 charger which I want to use it
> to charge my Uniden UH056 CB radios. As I don't know which contacts
> are for what, so I don't know how to test the charger and to connect
> to the batteries. I have opened the charger. All for contacts are
> used.
>
> Any relevant information would be appreciated. I have contacted
> Uniden. Their reply is that they are required by law not to disclose
> the information.
>
> Sam Yang

> Sam.Yang@csiro.au

2439. FS: Yaesu FT-847 (NEW)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 22:05:14 UTC
From: Bill Crocker <billcrocker@ameritech.net>
Message-ID: <20020816180531420-0400@news.det.sbcglobal.net>
Source record: 40351

FOR SALE:

YAESU FT-847, NEW! (Have original receipt from Michigan Radio, dated 08/01/02)

ONLY: $900.00 FIRM, shipped to lower 48 states

Must sacrifice due to auction commitment for NRD-545 receiver. If interested, please e-mail me directly at: billcrocker@ameritech.net

Thanks,
Bill Crocker
Macomb, Michigan

2440. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 22:08:39 UTC
From: Ed Summers <midcreek@deltaforce.net>
Message-ID: <3D5D77E6.F1DAE486@deltaforce.net>
Source record: 40352

Rocky Top wrote:
>
> It's NOT encrypted. It's his public _key_. Did you click on the link?
> You obviously do not understand public key cryptography. I suggest
> you read up on it.
>

May not be junk.... may not be encrypted.... but if it isn't txt I'll
choose to scrap it.

73, Ed ....

2441. Manual for Trio R820 Receiver ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 22:15:21 UTC
From: Mike Tatum <miket@cybatek.fsnet.co.uk>
Message-ID: <pan.2002.08.16.22.15.21.7509.9100@cybatek.fsnet.co.uk>
Source record: 40350

Hi All,

Can anyone point me to a website that has a copy of the Trio R820 manual
on it ?

I've just got one that needs some work but alas no manual :(

Please reply to group and direct ...

Cheers!

MikeT ...
M0AWS
http://www.cybatek.fsnet.co.uk/m0aws/

2442. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 23:18:24 UTC
From: "James R. DeLoach" <jasd-49X@attbi.com>
Message-ID: <t12rlugc1vdca199ea94cv3nfuq4qbbk32@4ax.com>
Source record: 40353

On Thu, 15 Aug 2002 18:59:27 -0700, "Mark Walsh"
<mark@km6xu.die.spam.die.com> wrote:

>"Ken" <cprstn54zz@att.net> wrote:
>
>> Yaesu USA has had my FL-7000 amplifier for repair (damaged by FedEx
>> Ground in shipping) for four months and I have yet to see an estimate.
>> I have telephoned a half dozen times and sent two emails...
>
>I just went through a three month wait on my FT-757.
>I called them a few times, their response was, "not ready,"
>and then one day I called, and their response was something
>to the effect that they had been waiting and waiting for me to
>call (they had my phone numbers and e-mail address).
>
>In their defense, I must say that they did an awful lot of
>fixing for my $108, and not only did they made the rig
>work again (all that I asked), they also fixed the FM
>receive and made the noise blanker work like a champ.
>The work order shows 21 components that were replaced.

>
>I have heard that the backlog is due to Yaesu knowingly
>selling all of those defective dual-band mobile rigs that
>all get sent to them after a few days...
>
Not all of the FT-7100's were defective. It just goes to prove
that one shouldn't rush out to buy a new model of anything
as soon as it hits the dealers shelf. They admitted some
quality defects were made with the initial production run of the
FT-7100 but soon figured out the problems and fixed them in later
production runs.

I just sent in my Yaesu FT-7100 to get some updates done
on 7/1 which they received on 7/6 and I received it back on 8/3.
Mine is/was not defective but I wanted some of the mods that they
were doing to the defective ones done to mine anyway and since
it is still in warranty, they did them at no cost to me.
That didn't seem too bad to me, since they have just recently moved
their repair facility, plus with a backlog on the FT-7100 repairs,
which I understand that they have quit repairing now and
started replacing with new units to speed things up.

James

2443. Re: Yaesu Factory Service???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 23:27:38 UTC
From: "James R. DeLoach" <jasd-49X@attbi.com>
Message-ID: <6j2rlukgtlvjc67tdguejeg0iki78jnv27@4ax.com>
Source record: 40354

On Thu, 15 Aug 2002 21:16:37 -0400, cbhoelzel <n4bjx@naxs.com> wrote:

>Hello, friends -
>
>Here is a story that may give you something to think about if you are
>considering a radio purchase.
>
>Some years ago I bought a Yaesu FT-5100 dual band (2m/70cm)
>transceiver. It has worked quite well for me. However, over the past
>two years I have noticed that the liquid crystal display has begun to
>show a crescent shaped black mark in the upper center. So far this has
>not caused any problems, but I can foresee that it will grow and
>eventually the display will be unreadable.

Sounds like the problem Kenwood has with the TM-V7A. This display
reportedly by Kenwood only has about a 4 to 5 year life expectancy.
>
>I spoke to my favorite dealer and he told me that he could get it
>repaired with a shorter turn around time than if it went directly to
>Yaesu. OK, I said let's give it a try. Unfortunately, his technician
>promptly sent it to Yaesu.
>
>After nearly six weeks, Yaesu told the dealer that there was more wrong
>than just the display. It had also lost power - that is it was putting
>out about 20-25 watts instead of the expected 50. Cost of total repair
>would run in the neighborhood of $450.
>
>My response was "just fix what I asked for, no more"
>
>Yaesu's reply was to the effect that it was an "all or nothing deal".
>They would not just replace the display.
>
>At that point I said don't bother, just send it back. Consider that I
>can at this time buy any of the following from AES:
>
>Yaesu FT-7100M $300
>Kenwood TM-G707A $300
>Icom IC-207H $300
>
>Why in the world would I spring for half again as much to repair the
>5100 when all three of these mentioned have more bells and whistles?

LCD displays are expensive.

>
>If someone from Yaesu wishes to defend their all or nothing policy, I
>will be happy to listen. Until then it will be a cold day in Hades
>before I purchase another Yaesu product. In the meantime, buyer beware.
>
>
>Chuck
>N4BJX
>
That's cheap, when you consider that Kenwood does not sell
replacement control heads for the TM-D700A. If that display
goes bad, you have to buy a new radio.

James

2444. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 23:45:39 UTC
From: Charles Gallo <Charlie@thegallos.com>
Message-ID: <tl3rluo0fvlss3ib6otvohj4bt7us2a1la@4ax.com>
Source record: 40355

On Fri, 16 Aug 2002 00:15:33 -0500, "M. Schneider"
<markinokla@juno.com> wrote:

>Yeah, but it seems pretty silly to encrypt a posting to a PUBLIC forum!
>
>Mark

It's not encrypted - it's signed

Charlie
(who signs his email, but not usegroup posts)
--
73
KC2IXE

For the Children - RKBA!

"MOLON LAVE" ("Come and Take Them")
-- King Leonidas

2445. Re: Kenwood TH D7 TNC and windows 2000.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-16 23:46:21 UTC
From: PawPaw <PawPaw@granpa.com>
Message-ID: <h9g79.6872$LO1.568262@newsread2.prod.itd.earthlink.net>
Source record: 40356
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

HAM= Huge Amounts of Money

CB= Check Book

"Bairn Reay" <@> wrote in message
news:3d5d2faf_3@mk-nntp-1.news.uk.worldonline.com...
> The existence of other childish contributors
> to the NG does not make your own stance any less
> childish.
>
>
> The subject under discussion is the differentiation between
> Ham Radio and CB. If you cannot contribute without resorting
> to silly infantile jibes, then you would seem to wish to class
> yourself with the CBers.
>
> Mark Waldron <mark@cybermechanica.com> wrote in message
> news:3d5d1d9c_1@nopics.sjc...
> > Looks like our beloved Bairn Reay is a pSyCh0paTh!
> >
> > His postings are in accordance with numerous other user's
> > complaints about his abuse. See post below:
> >
>
>
>
>

2446. Re: Yaesu Factory Service???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 00:16:09 UTC
From: Ham <hh@ss.net>
Message-ID: <ulr5jjdn20m5fc@corp.supernews.com>
Source record: 40357

Wasn't the ft-5100 early 90's production run?
So whats the beef?
Radio lasted 10+ years and you figure it should last a lifetime??
Wake up and smell the RF!! Be lucky you did not buy a peice of crap, Run the 5100 till it burns up your 64 ford falcon and buy a new radio!! (and a new Falcon)!

73 and 88's there fella
Gary

"James R. DeLoach" <jasd-49X@attbi.com> wrote in message news:6j2rlukgtlvjc67tdguejeg0iki78jnv27@4ax.com...
> On Thu, 15 Aug 2002 21:16:37 -0400, cbhoelzel <n4bjx@naxs.com> wrote:
>
> >Hello, friends -
> >
> >Here is a story that may give you something to think about if you are
> >considering a radio purchase.
> >
> >Some years ago I bought a Yaesu FT-5100 dual band (2m/70cm)
> >transceiver. It has worked quite well for me. However, over the past
> >two years I have noticed that the liquid crystal display has begun to
> >show a crescent shaped black mark in the upper center. So far this has
> >not caused any problems, but I can foresee that it will grow and
> >eventually the display will be unreadable.
>
> Sounds like the problem Kenwood has with the TM-V7A. This display
> reportedly by Kenwood only has about a 4 to 5 year life expectancy.
> >
> >I spoke to my favorite dealer and he told me that he could get it
> >repaired with a shorter turn around time than if it went directly to
> >Yaesu. OK, I said let's give it a try. Unfortunately, his technician
> >promptly sent it to Yaesu.
> >
> >After nearly six weeks, Yaesu told the dealer that there was more wrong
> >than just the display. It had also lost power - that is it was putting
> >out about 20-25 watts instead of the expected 50. Cost of total repair
> >would run in the neighborhood of $450.
> >
> >My response was "just fix what I asked for, no more"
> >
> >Yaesu's reply was to the effect that it was an "all or nothing deal".
> >They would not just replace the display.
> >
> >At that point I said don't bother, just send it back. Consider that I

> >can at this time buy any of the following from AES:
> >
> >Yaesu FT-7100M $300
> >Kenwood TM-G707A $300
> >Icom IC-207H $300
> >
> >Why in the world would I spring for half again as much to repair the
> >5100 when all three of these mentioned have more bells and whistles?
>
> LCD displays are expensive.
>
> >
> >If someone from Yaesu wishes to defend their all or nothing policy, I
> >will be happy to listen. Until then it will be a cold day in Hades
> >before I purchase another Yaesu product. In the meantime, buyer beware.
> >
> >
> >Chuck
> >N4BJX
> >
> That's cheap, when you consider that Kenwood does not sell
> replacement control heads for the TM-D700A. If that display
> goes bad, you have to buy a new radio.
>
> James

2447. FA: Uniden BC200XLT Bearcat

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 01:11:23 UTC
From: a@b.invalid
Message-ID: <ajk7rr$9ac$3@plonk.apk.net>
Source record: 40358

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1374219387

2448. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 01:27:59 UTC
From: Richard G Amirault <amirault@shell01.TheWorld.com>
Message-ID: <H0ys2o.G0x@world.std.com>
Source record: 40359

Dick Hughes <rhughes33@cableone.net> wrote:
: But the main point is, there was no post! Just a signature.

: Dick

Wrong .. but it is easy to see how you missed it ... I'll repeat it: His message said:

"Attaboy!!"

Richard in Boston, MA, USA

2449. Re: Yaesu Factory Service???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 01:44:29 UTC
From: cbhoelzel <n4bjx@naxs.com>
Message-ID: <3D5DAA7D.A12C1D0E@naxs.com>
Source record: 40360

Ham wrote:
>
> Wasn't the ft-5100 early 90's production run?
> So whats the beef?

You guys misunderstand my beef, entirely. I only wanted the display replaced. I was NOT interested in all the other stuff they were insistent on doing.

By the way, LCDs are not all that expensive. Not too long ago, Keithley was delighted to sell me a new one for my DVM at what I considered a fair price (under $20). Besides, they gave me instructions on how to go about doing the R&R.

> Radio lasted 10+ years and you figure it should last a lifetime??

Did not say that, did I?

Chuck
N4BJX

2450. INFO: Lil Bugger Curtis Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 01:44:36 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <79arluounbh3i6tbcotvgmusmrc8h09fso@4ax.com>
Source record: 40361

Looking for the instruction sheet on the Lil Bugger K5 Curtis
Keyer....I be willing to pay for the copying and postatge.....WZ1U
Steve

2451. Re: FS: Yaesu FT-847 (NEW)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 02:10:36 UTC
From: Bill Crocker <billcrocker@ameritech.net>
Message-ID: <20020816221038690-0400@news.det.sbcglobal.net>
Source record: 40362

Radio has been sold.

Bill Crocker

In <20020816180531420-0400@news.det.sbcglobal.net> Bill Crocker wrote:
> FOR SALE:
>
> YAESU FT-847, NEW!

2452. Wanted: 2001 ARRL SS Clean Sweep Mug

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 02:36:47 UTC
From: Steve <steve.w3sy@erols.com>
Message-ID: <ajkcluaip1@bob.news.rcn.net>
Source record: 40363

I waited too long to order a Clean Sweep mug for the 2001 ARRL Sweepstakes.
Anyone have an extra they would be willing to sell?

Please e-mail to steve.w3sy@erols.com

Thanks!
Steve

2453. Re: MeanWell

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 03:28:30 UTC
From: Matt Thomas <mthomas@ticnet.com>
Message-ID: <3D5DC2DE.8090004@ticnet.com>
Source record: 40364

We have used MeanWell's at work. They are so-so in my opinion. They
appear to be Korean knock-offs of Traco Power Supplies, a Swiss company
I believe. I've had better luck with Tracos than MeanWells.

Rezster wrote:

>Anyone know anything about a MeanWell power supply? I found a 32amp
>MeanWell, adjustable voltage up to 15v and would like to know if these
>are dependable PSs.
>
>Thanx...
>

2454. VX-5 Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 03:31:33 UTC
From: Matt Thomas <mthomas@ticnet.com>
Message-ID: <3D5DC395.6070207@ticnet.com>
Source record: 40365

The ON Timer (press and hold key "6"). To reset this timer to zero, the manual says to press and hold the F/W key and then press the 6 key when the timer appears. I cannot seem to get this to function in this manner.

When pressing and holding the F/W, the display shows F for a second, then goes to the memory write mode (W on screen), then after about 5 seconds the screen returns to the timer mode, but pressing the 6 key has no effect.

Any ideas?

73

2455. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 05:11:26 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <cOk79.170$w44.8405@sooner.brightok.net>
Source record: 40366

Well, I guess there must have been a glitch somewhere, as I didn't ever see what he was "Attaboy!!"ing. The subject line about a lawyer and Amateur Radio caught my eye, and I expected to read the message and find out what was going on. All the garbage on the screen was a waste of bandwidth, IMHO. I don't particularly care WHO he is, I just wanted to read the msg. What lawyer said what, what ham must pay, for what, and how much? Inquiring minds want to know!

Mark

"Dick Hughes" <rhughes33@cableone.net> wrote in message news:l4crlu49t4ll9al54miuuspcn47gm7gp0d@4ax.com...
> Dangit Richard, I completely forgot about the Attaboy. I guess I'm
> allowed to be wrong once this year. :-)
>
> Dick
>
> On Sat, 17 Aug 2002 01:27:59 GMT, Richard G Amirault
> <amirault@shell01.TheWorld.com> wrote:
>
> >Dick Hughes <rhughes33@cableone.net> wrote:
> >: But the main point is, there was no post! Just a signature.
> >
> >: Dick
> >
> >Wrong .. but it is easy to see how you missed it ... I'll repeat it: His
> >message said:
> >
> >"Attaboy!!"
> >
> >Richard in Boston, MA, USA
>

2456. Kenwood TH 225A repair

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 05:25:10 UTC
From: lrm <jmann1@cinci.rr.com>
Message-ID: <W6l79.21918$N9.2684497@twister.neo.rr.com>
Source record: 40367

On disassembleing my 225A h t for repair, a black wire that was connected from the front case assembly to the I F board became disconected from the front case board. There are also 2 ribbon cables that connect betwen these boards. They are ok. One end of the black wire is soldered to a lug which is held to the I F board with one of the I F board mounting screws. I dont know at what point the other end is soldered on the front case board. The schematic or pictorial doesnt show this wire. May be a static ground. Everything seems to work ok without it. Can anyone help on this?
Thank You

2457. Annoying phone line buzz/hum?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 05:47:17 UTC
From: "W. D." <NewsGroups@US-Webmasters.com>
Message-ID: <3D5DE365.5847@US-Webmasters.com>
Source record: 40368

Hi Guys,

Does anyone have suggestions on how to get rid of hum
on my phone line? I think it's either 60 Hz or 120 Hz.

Is there a unit, or kit, or schematic diagram for
a notch filter or some other method?

Thanks for any help you can give!

W. D.

2458. wtb: antenna tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 07:10:29 UTC
From: skuld-chan <cherry-chan@attbi.com>
Message-ID: <EFm79.59564$ZI2.13243@sccrnsc02>
Source record: 40369

I'm looking for a tuner - for cheap. I want to match an unbalanced dipole (in my apartment) to my hf transciever.

Anyhoo - write me if you have one - jantzen_michael@hotmail.com

Thanks! Mike - n7wsb

2459. Re: Annoying phone line buzz/hum?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 08:31:01 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <ajl6q9$2mh$1@nntp-m01.news.aol.com>
Source record: 40370

Most likely you have a ground fault in the phone line somewhere. All it takes is a wire staple that went though the wire instead of around the wire.

It could also be a protection device that's blown out. This would be located at the "demark" point - usually the point where the phone line enters the building.

But don't rule out junk phones. I got a cheapo that picks up noise - probably the video carrier from a local TV station.

You'll have to do a "divide and conquer". Cut your phone system up into little pieces and figure out what piece is causing the problem. Start with a good quality phone at the demark point with the rest of the house disconnected and work your way from there.

Will filters do any good? Only if the problem is a junk phone picking up RF. You'll have to fix the problem at it's source.

"W. D." <NewsGroups@US-Webmasters.com> wrote in message news:3D5DE365.5847@US-Webmasters.com...
> Hi Guys,
>
> Does anyone have suggestions on how to get rid of hum
> on my phone line? I think it's either 60 Hz or 120 Hz.

2460. Re: Kenwood TH-22AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 10:07:24 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <ajl78m$34j$1@nntp-m01.news.aol.com>
Source record: 40371

You can download the user manual from Kenwood:
http://216.133.82.101/Amateur/Current%20Instruction%20Manuals/TH22AT.p
df

"Chilly Willy" <wildhare@> wrote in message
news:r0iqlu4d0u9hc9apk9cf37m1ddju6kkc17@4ax.com...
> Can anyone tell me about the TH-22AT.
> Chilly Willy
>
> Brrrr is it cold in here or is it just me
> Forman at the South Pole Ice Plant

2461. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 10:20:29 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <ajl6ps$a9k$1@news1.kornet.net>
Source record: 40372

Mark,

Here, in case your newsreader didn't catch the original post, is the original post:

BEGIN QUOTE:

Letter from Hollingsworth smacking down a Corporate Lawyer trying to make a Ham pay to fix an interference problem. It is probably costing this corporation more to send letters back and forth to the FCC then it is to relocate the transformer.

August 9, 2002

Michael C. Massengale, Esquire
Baker Botts, LLP
One Shell Plaza
910 Louisiana
Houston, TX 77002-4995

Re: Reliant Energy, Incorporated; Radio Frequency Interference to Amateur Radio Station W5GCX

Dear Mr. Massengale:

This is in response to your letter of June 28, 2002, on behalf of Reliant Energy, with respect to radio frequency interference from the operation of the company's electrical service equipment to Amateur Radio operators.

The Enforcement Bureau appreciates your comprehensive response. However, your interpretation of applicable Commission rules with respect to this matter is in error in several material respects. Reliant Energy is obligated to eliminate the interference complained of.

Your letter suggests that the interference experienced by Mr. Edward J. Gerber is due to an otherwise properly operating 250 kVA step-down transformer. Reliant's proposed solution is to relocate the transformer to another area removed from Mr. Gerber's residence, and that Mr. Gerber bear the labor cost of this relocation.

We are willing to accept your client's analysis that the transformer is the cause of the interference problem; but that is most unusual, since an arc in a transformer would typically result in failure of the transformer within a short period of time. A far more typical cause of radio interference from utility lines is in loose or corroded hardware, tie-wires, or defective insulators. Furthermore, you cite use of infrared cameras to locate hot spots as a means of identifying noise sources. The

small arcs which cause RF interference typically do not cause significant heating, and therefore this may not be the most effective means of diagnosing interference problems. Finally, it is unnecessary in most cases to interrupt the power as a means of identifying the source of noise.

Regardless of the source of the interference, it is improper to attempt to pass the cost of the relocation, or other solution, to the licensee that is the victim of the interference. It is exclusively the obligation of the operator of the unlicensed device. Your interpretation of Reliant's obligation with respect to the Amateur Radio Service is that Amateur stations are not part of any "service", and that the obligation to avoid interference to a "radiocommunication service" does not include Amateur Radio stations, since individual Amateur Radio stations constitute a "use" but not a "service".

The attempted distinction is baseless. The Amateur Service is "a radiocommunication service for the purpose of self-training, intercommunication and technical investigations carried out by amateurs; that is, duly authorized persons interested in radio technique solely with a personal aim and without pecuniary interest." 47 C.F.R. §97.3(a)(5). Individual licensed stations are each part of this Service. The condition of operation of any Part 15 unlicensed device is that it cannot cause harmful interference. 47 C.F.R. §15.5(b). Harmful interference, which is identically defined in both the Commission's rules and the International Radio Regulations, includes any emission, radiation or induction which seriously degrades, obstructs or repeatedly interrupts a radiocommunications service operating in accordance with Title 47 C.F.R. Reliant Energy is not entitled to cause harmful interference to a licensed Amateur Radio station in the operation of its devices.

Furthermore, you claim that, since 47 C.F.R. §15.13 requires that manufacturers employ good engineering practices to minimize risk of harmful interference, that provision does not apply to Reliant Energy. However, 47 C.F.R. §15.15(b) makes it clear that operators of Part 15 devices are required to cease operation should harmful interference occur to authorized users of the radio frequency spectrum, and therefore parties responsible for equipment compliance should reduce unwanted emissions below the maximum levels specified in the regulations.

Therefore, the position of Reliant Energy, that it is willing to conduct further investigations or remedy the interference problem only if the licensed radio amateur pays its expenses, is unacceptable. Reliant must do all things necessary, and bear any and all necessary costs, to comply with its obligations as an operator of unlicensed devices pursuant to the Commission's Part 15 regulations. You are hereby requested to provide a written report within 30 days of receipt of this letter as to the steps that have been taken to eliminate this interference. Further enforcement action will be withheld pending receipt of that report. The Commission expects, however, a complete solution without further delay, and good faith on the part of your client.

cc: Mr. Edward J. Gerber
Robby Abarca, Esquire
Advisor to Chairman Rebecca Klein
Public Utility Commission of Texas

--
Best Regards, Keith
NW Oregon Radio http://n6jpa.home.attbi.com/ Church of the Bourne Again
Shell. Tux, Save us from the evil Gates of Hell! http://linux.com
Linux 2.4.7-10 Slrn 0.9.7.4 [2002-03-13]
Did you ever walk into a room and forget why you walked in? I think
that's how dogs spend their lives.
-- Sue Murphy

END QUOTE

"M. Schneider" <markinokla@juno.com> wrote in message
news:cOk79.170$w44.8405@sooner.brightok.net...
> Well, I guess there must have been a glitch somewhere, as I didn't ever
see
> what he was "Attaboy!!"ing. The subject line about a lawyer and Amateur
> Radio caught my eye, and I expected to read the message and find out what
> was going on. All the garbage on the screen was a waste of bandwidth,
IMHO.
> I don't particularly care WHO he is, I just wanted to read the msg. What
> lawyer said what, what ham must pay, for what, and how much? Inquiring
> minds want to know!
>
> Mark
>
> "Dick Hughes" <rhughes33@cableone.net> wrote in message
> news:l4crlu49t4ll9al54miuuspcn47gm7gp0d@4ax.com...
> > Dangit Richard, I completely forgot about the Attaboy. I guess I'm
> > allowed to be wrong once this year. :-)
> >
> > Dick
> >
> > On Sat, 17 Aug 2002 01:27:59 GMT, Richard G Amirault
> > <amirault@shell01.TheWorld.com> wrote:
> >
> > >Dick Hughes <rhughes33@cableone.net> wrote:
> > >: But the main point is, there was no post! Just a signature.
> > >
> > >: Dick
> > >
> > >Wrong .. but it is easy to see how you missed it ... I'll repeat it:
His
> > >message said:
> > >
> > >"Attaboy!!"
> > >
> > >Richard in Boston, MA, USA

> >
>
>

2462. Is there an APRS usergroup please ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 13:09:09 UTC
From: James Nipper <jnipper@nospam.fdn.com>
Message-ID: <6Tr79.46511$842.12739@news1.fdn.com>
Source record: 40373

The subject says it all.

73 de Jim K4PYT jnipper@fdn.com

2463. FA: Wilson 2 meter HT, works, no bids yet. Ends tomorrow!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 13:10:40 UTC
From: rlucch2098@aol.com
Message-ID: <20020817091040.28059.00001288@mb-fi.aol.com>
Source record: 40374

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353827

2464. FA: MINT ICOM BC-30 Rapid DESK CHARGER @$11.50, last day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 13:12:19 UTC
From: rlucch2098@aol.com
Message-ID: <20020817091219.28059.00001289@mb-fi.aol.com>
Source record: 40375

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353832

2465. FA: Mint Lafayette TE-50A Tube tester, Last call!>> Tomorrow nite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 13:14:01 UTC
From: rlucch2098@aol.com
Message-ID: <20020817091401.28059.00001292@mb-fi.aol.com>
Source record: 40376

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353853

2466. fa- Palomar antenna R-X noise bridge, EXC, A give-away at $24

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 13:15:42 UTC
From: rlucch2098@aol.com
Message-ID: <20020817091542.28059.00001293@mb-fi.aol.com>
Source record: 40377

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353880

2467. Fa> US NAVY R-23A/ARC-5 receiver, hard to find, Ends tomorrow nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 13:17:44 UTC
From: rlucch2098@aol.com
Message-ID: <20020817091744.28059.00001296@mb-fi.aol.com>
Source record: 40378

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353884

2468. fa: LAFAYETTE HA-460 Plate Modulated 6-mtr AM XCVR with VFO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 13:21:16 UTC
From: rlucch2098@aol.com
Message-ID: <20020817092116.28059.00001298@mb-fi.aol.com>
Source record: 40379

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353893

2469. fa_ Older ICOM SPKR/MIKE, MINT, Works with Many H/T's @$9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 13:22:58 UTC
From: rlucch2098@aol.com
Message-ID: <20020817092258.28059.00001302@mb-fi.aol.com>
Source record: 40380

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353918

2470. FA: Nice SIMSPON 260 Series 6P VOM @big $24, ends Tomorrow!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 13:24:24 UTC
From: rlucch2098@aol.com
Message-ID: <20020817092424.28059.00001303@mb-fi.aol.com>
Source record: 40381

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353932

2471. Yaesu FT-101ZD Knobs needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 13:56:23 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <nts79.31788$EP2.1454509@e3500-atl2.usenetserver.com>
Source record: 40382
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

Hi There
I am after 2 FT-101ZD Knobs, one is for the plate and one for the Mode.
If anyone knows of a source for the knobs or has a scrap 101ZD I would
appreciate a quick e-mail.
Thanks
Martyn

2472. Re: VX-5 Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 14:18:43 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3D5E5B31.6D93D4F@tampabay.rr.com>
Source record: 40383

try hitting the 6 as soon as you see the F pop up in the display the F means function and keep in mind yaesu is terrible about there manuals so do worry if things dont work the way they say to

Matt Thomas wrote:

> The ON Timer (press and hold key "6"). To reset this timer to zero, the
> manual says to press and hold the F/W key and then press the 6 key when
> the timer appears. I cannot seem to get this to function in this manner.
>
> When pressing and holding the F/W, the display shows F for a second,
> then goes to the memory write mode (W on screen), then after about 5
> seconds the screen returns to the timer mode, but pressing the 6 key has
> no effect.
>
> Any ideas?
>
> 73

2473. Re: Yaesu FT-101ZD Knobs needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 14:21:15 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3D5E5BC9.E5102458@tampabay.rr.com>
Source record: 40384
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

hey go check out surplus sales of nebraska i dont remember what there site
is but i was there yesterday and they have a whole heap of differnt knobs
there should be able to find one that looks close to what you need

Martyn wrote:

> Hi There
> I am after 2 FT-101ZD Knobs, one is for the plate and one for the Mode.
> If anyone knows of a source for the knobs or has a scrap 101ZD I would
> appreciate a quick e-mail.
> Thanks
> Martyn

2474. FS: Weller EC2001 Soldering Station

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 14:44:31 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <vtnslukrl0j868aut076hom6rhm5pvamse@4ax.com>
Source record: 40385

Have for sale in like new condition a Weller EC2001 digital soldering station.. The temperature range is 350 to 850 degrees F...It comes with the tip holder, sponge, original box, manual and 4 new exrtra tips..I will take $125 plus shipping and can be reached at (508) 821-2993 or email....WZ1U Steve / Lakeville, Mass

2475. FS: Test Equipment & Misc. Goodies - REDUCED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 14:46:39 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <9vnslu4p48bohcma5184r9fs8s3tfbnqrb@4ax.com>
Source record: 40386
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

Lafayette Capacitance Substitution box
Model 99-50205 in excellent condition with test leads.
Available for $15.00

Two variacs 0-140V AC at 3.5A and the other is 5A.
Available for $35 - 45.00 each

Palomar Engineers Antenna impedance noise bridge
With manual. Now reduced to only $25.00

HP Signal Generator model 200-CD
Rock solid coverage of 5 kHz - 600 kHz $75.00

James Millen Co. 90651 Grid Dip Meter, superb.
With all coils, case and manual $125.00

TS-175 Frequency Meter - Government surplus.
Better than BS-221, LM-10 and others. Excellent condition.
Now reduced from $150.00 to $75.00

Pictures & details at:

http://snow.prohosting.com/sidevalv/testgear.htm

E-mail me to arrange purchase

2476. WALL MAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 15:06:36 UTC
From: rong@computer.net
Message-ID: <3d5e64b5.1677235@news.computer.net>
Source record: 40387
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

Hi All,

Back in 1980, when I was first licensed, I bought a "Radio Amateur's Prefix Map of the World" from the "Radio Amateur's Callbook Company"--the same company that used to publish the "Flying Red Horse Callbook". The map has been up on my wall for some 22 years, and is starting to show some age, as well as being outdated as many new prefixes have been assigned over the past 22 years. It's a good sized map in full color, and measures about 27 X 40, and has CQ zones on 1 side and ITU zones on the other side.

Is there anything like this available today ??? If there is, where can I obtain one ??? Thanks for your responses.
****
Ron Goldstein.....KA2IIA
STAY YOUNG---DRIVE A VINTAGE 427 CORVETTE.
KEEP YOUR MIND ACTIVE---BECOME AN AMATEUR RADIO OPERATOR.

REMEMBER, THERE ARE NO STRANGERS IN AMATEUR RADIO, ONLY FRIENDS THAT WE HAVE NOT YET MET.
rong@computer.net******ka2iia@arrl.net

2477. Re: WALL MAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 16:12:24 UTC
From: Glenn Miller <glennmiller@worldnet.att.net>
Message-ID: <IBu79.16283$Ke2.1358947@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40388
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

The ARRL has them for $12 http://www.arrl.org/catalog/?words=map#7717
73
Glenn AA5PK

"Ron Goldstein" <rong@computer.net> wrote in message
news:3d5e64b5.1677235@news.computer.net...
> Hi All,
>
> Back in 1980, when I was first licensed, I bought a "Radio Amateur's
> Prefix Map of the World" from the "Radio Amateur's Callbook Company"--the
same
> company that used to publish the "Flying Red Horse Callbook". The map has
been
> up on my wall for some 22 years, and is starting to show some age, as well
as
> being outdated as many new prefixes have been assigned over the past 22
years.
> It's a good sized map in full color, and measures about 27 X 40, and has
CQ
> zones on 1 side and ITU zones on the other side.

2478. Heil Pro Set plus & Yaesu FT-101

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 16:33:06 UTC
From: osuhkey99 <rdauteui@columbus.rr.com>
Message-ID: <6Vu79.15930$ja.2547663@twister.columbus.rr.com>
Source record: 40389

Has anyone adapted the Pro Set plus to the Yaesu FT-101 radio? If so what adapter cable did you modify ? Thanks for any information.

Dick, W1RRD

2479. Icom IC-2SAT Help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 17:24:36 UTC
From: Al Waschka <awaschka@bellsouth.net>
Message-ID: <3D5E86D3.F169C107@bellsouth.net>
Source record: 40390

I acquired an IC2-SAT that apparently has been modified for out of band operation. the PLL locks above the 2m band but will not lock in the band. Can anyone provide me with the PLL alignment information so I can set the VCO properly?

Thanks in advance,

Al K5TAN

2480. IC-706MkIIG Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 18:04:20 UTC
From: David Rosenblum <kg4tsj@hotmail.com>
Message-ID: <gt3tlu08n3o82j9f4nokft25pn4fdh4f0n@4ax.com>
Source record: 40391

Hi! Since the 706 does not have an integral keypad, is there a
microphone with keypad that can be used with it to enter frequencies
directly, generate DTMF tones, etc?
73,
David
KG4TSJ

2481. Re: IC-706MkIIG Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 18:21:28 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <ult4sj1jreql52@corp.supernews.com>
Source record: 40392

No, the radio can't be operated in that manner.
There is a serial port, that a computer can be used on it to enter
frequencies, etc.
Perhaps, the old "Stone Mountain QSYer" might work in that port too.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"David Rosenblum" <kg4tsj@hotmail.com> wrote in message
news:gt3tlu08n3o82j9f4nokft25pn4fdh4f0n@4ax.com...
> Hi! Since the 706 does not have an integral keypad, is there a
> microphone with keypad that can be used with it to enter frequencies
> directly, generate DTMF tones, etc?
> 73,
> David
> KG4TSJ

2482. IS there a good 2 mtr transverter for FT1000 MKV ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 18:27:32 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D5E9594.CFA73EAC@cableone.net>
Source record: 40393
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment
Body handling: Binary attachment payload not displayed: radioranch.vcf

I like to know the options possible for adding 2 meter FM and SSB to my MKV Yaesu? anyone? thanks murray k5mdm

[One or more binary attachments are retained only in the source text.]

2483. Re: Kenwood TH-22AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 18:29:23 UTC
From: treynolds@my-deja.com
Message-ID: <ad7a9af4.0208171029.532b8a4f@posting.google.com>
Source record: 40394

Chilly Willy <wildhare@> wrote in message
news:<r0iqlu4d0u9hc9apk9cf37m1ddju6kkc17@4ax.com>...
> Can anyone tell me about the TH-22AT.
> Chilly Willy
>
> Brrrr is it cold in here or is it just me
> Forman at the South Pole Ice Plant

I have had one for several years. As a 2 meter only HT it does its job quite well. I have dropped it a couple of times, one time I bent the channel knob. It didn't seem to bother it. If you have specific questions you can Email me at treynolds@NOSPAMsaintmail.net.

Tom

2484. Re: IC-706MkIIG Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 18:31:00 UTC
From: Allodoxaphobia <QSB@QRM-QRN.net>
Message-ID: <slrnalt5j4.var.QSB@animas.frontier.net>
Source record: 40395

On Sat, 17 Aug 2002 18:04:20 GMT, David Rosenblum scribbled:
> Hi! Since the 706 does not have an integral keypad, is there a
> microphone with keypad that can be used with it to enter frequencies
> directly, generate DTMF tones, etc?

The HM-95 off of my IC-2000H does DTMF on my IC-706II.
Dunno about rig control -- I don't think rig control
can be integrated with the mike.

73
Jonesy W3DHJ
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

2485. Re: IS there a good 2 mtr transverter for FT1000 MKV ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 18:39:43 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D5E986F.4D29DE86@nettally.com>
Source record: 40396
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For something off the shelf look at SSB Electronics transverters. There is also Down East Microwave and TenTec to consider. Some of the transverters need two LO crystals to span the SSB and FM portions of the band.

Murray Neece wrote:

> I like to know the options possible for adding 2 meter FM and SSB to my
> MKV Yaesu? anyone? thanks murray k5mdm

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

2486. Re: WALL MAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 18:57:05 UTC
From: W5LL <mattpatt@1starnet.com>
Message-ID: <50x79.43499$Fw3.2334786@bin2.nnrp.aus1.giganews.com>
Source record: 40397
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

I have the one from the ARRL and for $12 you can't beat it. I like it
because it shows you the beam headings.

Matt
W5LL

"Ron Goldstein" <rong@computer.net> wrote in message
news:3d5e64b5.1677235@news.computer.net...
> Hi All,
>
> Back in 1980, when I was first licensed, I bought a "Radio Amateur's
> Prefix Map of the World" from the "Radio Amateur's Callbook Company"--the
same
> company that used to publish the "Flying Red Horse Callbook". The map has
been
> up on my wall for some 22 years, and is starting to show some age, as well
as
> being outdated as many new prefixes have been assigned over the past 22
years.
> It's a good sized map in full color, and measures about 27 X 40, and has
CQ
> zones on 1 side and ITU zones on the other side.
>
> Is there anything like this available today ??? If there is, where can I
> obtain one ??? Thanks for your responses.
> **
> Ron Goldstein.....KA2IIA
> STAY YOUNG---DRIVE A VINTAGE 427 CORVETTE.
> KEEP YOUR MIND ACTIVE---BECOME AN AMATEUR RADIO OPERATOR.
>
> REMEMBER, THERE ARE NO STRANGERS IN AMATEUR RADIO, ONLY FRIENDS
> THAT WE HAVE NOT YET MET.
> rong@computer.net******ka2iia@arrl.net
>

2487. NEED MFJ-16010 ST Instructions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 19:06:45 UTC
From: Richard <flathat@bellsouth.net>
Message-ID: <B9841705.8A4F%flathat@bellsouth.net>
Source record: 40298

Just bought a used MFJ-16010 ST, but there are no instructions. I'm going to use it for receiving only with a random wire antenna. I'd like to know the best way to connect everything.

Thanks if you can help.

Cheers,

Richard K.

2488. TS-450SAT FOR SWAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 19:14:54 UTC
From: Jeff James <cbstv@optonline.net>
Message-ID: <Mgx79.30334$EJ4.769667@news4.srv.hcvlny.cv.net>
Source record: 40299

Hi Folks,

Looking to trade a nice 450SAT (with tuner) for vintage tube gear,
commercial general coverage receivers or?..Let me know what you have..
Follow this link for details:
http://dealamerica.com/trade.htm

Thanks,
Jeff W2NBC

2489. FA: N2DAN ORIGINAL MERCURY KEYER - RARE!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 19:23:10 UTC
From: Jeff Singer <0tubt001@sneakemail.com>
Message-ID: <MPG.17c86ca764a5ff5c989681@NEWS.OPTONLINE.NET>
Source record: 40300

Hi all,

Now that I've completely decommissioned my station, I am offering my gorgeous N2DAN MERCURY KEYER for sale. Arguably the finest keyer ever built.

Not for everyone, of course, as these are very rare and collectible. Currently up for auction on ebay at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1373042784

Auction ends Sunday nite (8/18/02), but I will relist if not yet sold.

Take a peek, have fun!

Thanks/73 de Jeff K2KV

2490. FS: Bud cabinet 19" brand new

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 19:30:29 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <lm8tlugta64jqrflkpnif4hk8l3rcj2nai@4ax.com>
Source record: 40301

I have for sale which is brand new and still in the original box a Bud 19" cabinet. Its light blue textured finish and has the original moldings and hardware still in there pacakges. The overall size is 22w x 14h x 15d....The front panel opening is 19 x 12 1/4 also has louvered sides and a top hinge cover. I will take $100 plus shipping and can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Ma.

2491. Re: Annoying phone line buzz/hum?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 19:37:16 UTC
From: JWheeler <kd5bcu@yahoo.com>
Message-ID: <ult9eu3iif6eb8@corp.supernews.com>
Source record: 40302

"Russell Hltn" <reply@2newsgroup.com> wrote in message
news:ajl6q9$2mh$1@nntp-m01.news.aol.com...
> Most likely you have a ground fault in the phone line somewhere. All
> it takes is a wire staple that went though the wire instead of around
> the wire.
>
> It could also be a protection device that's blown out. This would be
> located at the "demark" point - usually the point where the phone line
> enters the building.
>
> But don't rule out junk phones. I got a cheapo that picks up noise -
> probably the video carrier from a local TV station.
>
> You'll have to do a "divide and conquer". Cut your phone system up
> into little pieces and figure out what piece is causing the problem.
> Start with a good quality phone at the demark point with the rest of
> the house disconnected and work your way from there.
>
> Will filters do any good? Only if the problem is a junk phone picking
> up RF. You'll have to fix the problem at it's source.
>
> "W. D." <NewsGroups@US-Webmasters.com> wrote in message
> news:3D5DE365.5847@US-Webmasters.com...
> > Hi Guys,
> >
> > Does anyone have suggestions on how to get rid of hum
> > on my phone line? I think it's either 60 Hz or 120 Hz.
>
>

As the previous poster suggested, a good place to start is at the demarc. See if you can open your phone junction box. A lot of the newer boxes have a modular plug where they jump from the phone company side of the box to the customer side of the box. You can simply plug a known good phone into that modular jack. If you still have the noise, you are in some luck. It is a problem on the phone company side of the box, and therefore is their responsibility to fix it (at no cost to you). If you don't hear the noise, you then need to start testing your individual jack with the rest of the jacks in the house disconnected. Best of luck. It's a problem I've had to deal with in the past. I eventually ended up rewiring all of the phone jacks. It finally got rid of the noise.

JWheeler

2492. ADMS and FT-50 help? All I get is CERR...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 20:11:02 UTC
From: Mike AB7RU <mparkes@nospamatt.net>
Message-ID: <170820021311014685%mparkes@nospamatt.net>
Source record: 40303

I recently bought a used FT50 and it seems to work fine, however
I am trying to get it working with ADMS and having nothing but
trouble. I followed the schematic at
http://www.icongrp.com/~sllewd/pcware.htm
but every attempt to download template from radio, or get data
from radio gives me a CERR - I have checked my COM port with
hyperterminal and it gives me the echo back so I am pretty sure
the port and the interface is functioning correctly. I have gone over
the interface and double checked everything. But no matter
what I try, .i still get only ..CERR. Is it possible the fault lies in
the radio? Is there a way to perform a diagnostic on the radio to
make sure its internal routines are operating properly? I am
close to just buying a factory cable but thought I would check the
group here to see if there are any other ideas. Thanks Mike
AB7RU

--
To reply via email remove the 'nospam' from the address

2493. Re: Is there an APRS usergroup please ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 20:31:55 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <ajmbre$b36$1@nntp-m01.news.aol.com>
Source record: 40304

I couldn't find any dedicated to it on my newsgroup server, but there
are a number of posts in rec.radio.amateur.digital.misc that cover it.

I also found a large number of groups at over on
http://groups.yahoo.com. I didn't check to see how active they were.

"James Nipper" <jnipper@nospam.fdn.com> wrote in message
news:6Tr79.46511$842.12739@news1.fdn.com...
>
>
> The subject says it all.
>
>
> 73 de Jim K4PYT jnipper@fdn.com
>
>
>
>

2494. KDK FM-6033 Six meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 20:44:26 UTC
From: NI4L <ni4l@charter.net>
Message-ID: <3D5EB5AA.8060701@charter.net>
Source record: 40305

I have a nice KDK FM-6033 Six meter rig has tones, Memories 10 i
think It scans -/+ off sets,VFO, call channel.
5/25 watts works perfect looks good. Have mic, power cord and mounting
bracket for it.
175.00+shipping OBO

--
NI4L CUSTOM RESONANT DIPOLE
LEGAL LIMIT ++ CUSTOM MADE CENTER FED DIPOLE
Made with the same components used by our military forces today
Custom made to YOUR FREQUENCY of operation
Let me take the hassle out of making a RESONANT DIPOLE for you.
Click here for more info... http://www.angelfire.com/nb/ni4l/

2495. Icom-207H Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 21:29:12 UTC
From: Ken <n9hq@arrl.net>
Message-ID: <lez79.17109$Ep6.1346415@bgtnsc05-news.ops.worldnet.att.net>
Source record: 40306

Is there any way to turn the radio on from the stock microphone? The manual says that the "F1 & F2" buttons on the mike are user programmable. However, I can't seem to program them to turn the rig on/off. Any ideas???

2496. HELP!!! NEED CANTENNA or other KW DUMMY LOAD in MACON, GA AREA

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 22:17:51 UTC
From: dangett@YAHOO.COM
Message-ID: <ef470682.0208171417.4a83f61a@posting.google.com>
Source record: 40307

I am in need of a Cantenna or equivalent KW or greater Dummy load. We are testing 1 KW for a duration of 1 minute. If we could borrow it...it would be grealty appreciated. Macon, Georgia area. Will purchase if necessary.
Thanks,
Dan

2497. Re: Is there an APRS usergroup please ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 23:09:36 UTC
From: Richard G Amirault <amirault@shell01.TheWorld.com>
Message-ID: <H10GC0.FEG@world.std.com>
Source record: 40308

There is quite an active *mailing* list. Go to http://www.tapr.org to
subscribe click on APRS & GPS on the left hand menu, then scroll down and
click on JOIN APRS SIG LIST.

Richard N1JDU

Russell Hltn <reply@2newsgroup.com> wrote:
: I couldn't find any dedicated to it on my newsgroup server, but there
: are a number of posts in rec.radio.amateur.digital.misc that cover it.

: I also found a large number of groups at over on
: http://groups.yahoo.com. I didn't check to see how active they were.

: "James Nipper" <jnipper@nospam.fdn.com> wrote in message
: news:6Tr79.46511$842.12739@news1.fdn.com...
:>
:>
:> The subject says it all.

2498. FA NC-300 now WORKING! 1 day left!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 23:11:37 UTC
From: Dave Edwards <kd2e@comcast.net>
Message-ID: <JKA79.193940$6Z1.9019515@bin6.nnrp.aus1.giganews.com>
Source record: 40309
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Yes, a bit of fiddling with the band switch and it is operating 100%
Check it here...
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1373031599

2499. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-17 23:45:15 UTC
From: Uncle Peter <radioconnectionNO@cox.netSPAM>
Message-ID: <feB79.383379$DB.12822490@news1.east.cox.net>
Source record: 40310
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

Ham radio is finally dumbed down to CJ's level!!

"CJ" <fantastic@sex.edu> wrote in message
news:ulielti83fuv6c@corp.supernews.com...
> Hello Walt,
> That is some of the very BEST Ham Radio news I have heard in a long
> time Walt. Thank you for posting it. It's going to bring many more
> people into the ranks. It also serves to establish at long last a
> "no-Morse code" license (I read about the "Morse appreciation" - test -)
> and should go a long ways to encouraging other countries to do the same.
> It is long overdue. I am also thrilled to see the new and correct
> nomenclature of "Hobby Radio" be used. Too many Hams make radio a
> religion and a life's philosophy. Especially hard-core CW advocates and
> many DX'ers. It is a "hobby" and the UK has it nailed 100% correctly.
>
> Moreover your advice to ignore and purposely not make contacts with
> any of the new license holders once they get on the air is really silly.
> It makes you look like an asshole and an old curmudgeon fuck dick. I
> hope instead the new license holders ignore "YOU". They would be far
> better off to do so and thus never have to meet you or hear your
> prejudiced views on "Hobby Radio"
>
> Have a nice day.....
>
> --
> 73 / DX de AB7SL - Charles
> AB7SL - Ham Radio Pages
> Prescott, Arizona - USA
> www.ab7sl.com
>
>
> "Walt Davidson" <walt99@tiscali.co.uk> wrote in message
> news:d0hhlu4lsn3ep483csciel3o44dtqpdd20@4ax.com...
> > The licensing authority in the UK is in the process of combining the
> > amateur radio and CB services in this country into a single, unified
> > service under the banner of "Hobby Radio". A government statistical
> > forecast published this month indicates that there is a target to
> > phase out the separate CB license completely by 2004.
> >
> > As a major step towards the unification of the two services, the
> > licensing authority, working in collusion with one of the UK's amateur
> > radio societies, has introduced a so-called "Foundation Amateur Radio
> > License". To obtain this license, which gives access to all modes on

> > all the amateur bands between 1.8 MHz and 440 MHz, with the exception
> > of the 28 MHz band, the requirement for a Morse Test has been waived
> > (in contravention of the international ITU agreement) and a minimalist
> > technical "test" is all that is required to qualify. The technical
> > test includes about twenty questions of the type, "What is the correct
> > wiring for a power plug?" and "Is resistance measured in ohms, volts
> > or amps?". Even a knowledge of Ohm's Law is deemed too advanced for
> > this class of license test. A so-called "Morse Appreciation" is
> > performed, which involves listening to individual Morse characters,
> > sent as slowly and as often as desired, and looking them up
> > individually in a textbook.
> >
> > The callsigns issued for this type of pseudo-CB license are in the
> > M3*** series. In common with other CB licensees, they are allowed to
> > use only commercially-made, type-approved equipment. This unwelcome
> > feature alone, is totally contrary to the traditional amateur radio
> > ethic of experimentation.
> >
> > If, like me, you deprecate this ultimate step in the dumbing-down and
> > devaluation of our hobby, I hope you will make your disapproval clear
> > by refraining from making contact with, or acknowledging the existence
> > of, the M3*** CB calls on the amateur bands. There is a perfectly
> > adequate Novice Licence scheme already in existence in the UK, which
> > serves as a good introductory path into the hobby.
> >
> > 73 de G3NYY
> >
> > --
> > Walt Davidson Email: g3nyy @freeuk.com
>
>

2500. Re: Amateur CB Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 00:16:18 UTC
From: Fulano de Tal <therealexray@netscape.net>
Message-ID: <3D5EE752.51D53F22@netscape.net>
Source record: 40311
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

Uncle Peter wrote:
>
> Ham radio is finally dumbed down to CJ's level!!

Having been in Little League Baseball, I find Charles' attitude the same
as what many parents expect. Their kids who are pitiful players are
worthy of a table full of 'participation' trophies even when they come
in last place. So whats the prize for the real winners?
This "you can be a superstar if you try" crap simply doesn't work when
you try to spread it across different disciplines. Its an insult to the
talented and a false hope to the hopeless.
Anybody who has the ambition to excel in something typically has the
talent to do so or else that ambition is short lived. You can't
legislate it by force-feeding government edicts that make them appear to
be equal.
I'm all for any free-bander who can put together a fine station and work
1000 countries without a bunch of frigging echoes, swingbacks, truck
stop chatter and all that other crap. They become hams quite naturally.
On the other hand, toads like Charles (see his pix) signing names like
"fantastic@sex" pretty much reveal his character as something you don't
want your children to encounter. He approves opening the doors simply
to accumulate a bigger corral for his deviance and you don't have to
guess very far what that might be.
-Bill
>
> "CJ" <fantastic@sex.edu> wrote in message
> news:ulielti83fuv6c@corp.supernews.com...
> > Hello Walt,
> > That is some of the very BEST Ham Radio news I have heard in a long
> > time Walt. Thank you for posting it. It's going to bring many more
> > people into the ranks. It also serves to establish at long last a
> > "no-Morse code" license (I read about the "Morse appreciation" - test -)
> > and should go a long ways to encouraging other countries to do the same.
> > It is long overdue. I am also thrilled to see the new and correct
> > nomenclature of "Hobby Radio" be used. Too many Hams make radio a
> > religion and a life's philosophy. Especially hard-core CW advocates and
> > many DX'ers. It is a "hobby" and the UK has it nailed 100% correctly.
> >
> > Moreover your advice to ignore and purposely not make contacts with
> > any of the new license holders once they get on the air is really silly.
> > It makes you look like an asshole and an old curmudgeon fuck dick. I
> > hope instead the new license holders ignore "YOU". They would be far
> > better off to do so and thus never have to meet you or hear your

> > prejudiced views on "Hobby Radio"
> >
> > Have a nice day.....
> >
> > --
> > 73 / DX de AB7SL - Charles
> > AB7SL - Ham Radio Pages
> > Prescott, Arizona - USA
> > www.ab7sl.com

2501. Re: FA NC-300 now WORKING! 1 day left!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 01:04:26 UTC
From: Fulano de Tal <therealexray@netscape.net>
Message-ID: <3D5EF29A.ADA5039A@netscape.net>
Source record: 40312
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Dave Edwards wrote:
>
> Yes, a bit of fiddling with the band switch and it is operating 100%
> Check it here...
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1373031599

Dave, that barrage of "I just listed it" ads to newsgroups probably
didn't help and this one probably won't either.
Will you remind us all when there's one hour left?
-assadf

2502. Re: VX-5 Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 01:21:56 UTC
From: Marco S Hyman <marc@snafu.org>
Message-ID: <x7fzxd2c7f.fsf@hana.snafu.org>
Source record: 40316

Matt Thomas <mthomas@ticnet.com> writes:

> The ON Timer (press and hold key "6"). To reset this timer to zero, the
> manual says to press and hold the F/W key and then press the 6 key when the
> timer appears. I cannot seem to get this to function in this manner.

Hit and hold the 6 to display the on timer.
Hit and hold the F/W Until the W (write mode) is displayed.
Hit the 6 key again

The timer will be cleared.

// marc

2503. FS: Drake MN-2700 original manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 01:30:55 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <cnttluk2lfmd34o4ggn45a1keshdogodeo@4ax.com>
Source record: 40313

I have for sale in excellent condition a Drake MN-2700 matching network original manual. I will ship the manual for $23.85 via US Priority mail....WZ1U Steve / Lakeville, Ma.

2504. FS: Bud Cabinet 19"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 02:00:47 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <kevtluc3vm7kc6b65uolla6t0n5is4l48d@4ax.com>
Source record: 40314

I have for sale in excellent condition a Bud 19" cabinet. Its a light gray krinkle finishs and the overall size is 22w x 10.5h x 15d....The front panel opening is 19 x 8 3/4 x 1/8thick also has louvered sides and a top hinge cover. I also have the front panel your choice in either clear aluminum finish or black krinkle finish. I will take $60 plus shipping and can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Ma.

2505. *Kenwood TS-450SAT* ($500!!!)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 02:02:40 UTC
From: Ham <hh@ss.net>
Message-ID: <ulu07a7h25d95e@corp.supernews.com>
Source record: 40315

I have a nice Kenwood TS450SAT HF radio for sale.
Included is mic, Manual, Power cord.
This radio has lots of nice features and has a great automatic antenna tuner!!
Radio is in very good condition and from non smoking enviroment.
Price is $500 plus the cost of shipping/insurance to your QTH.
This is my bottom dollar price and a very good deal for a nice radio!! No trades please.

If interested, reply to:
baycity@pacifier.com

Thanks for looking.....
Gary N7GB

2506. IC-2800H Mic Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 02:15:00 UTC
From: JASON A DUGAS <kb5urq@prodigy.net>
Message-ID: <EqD79.426$b93.97@newssvr19.news.prodigy.com>
Source record: 40318

I've had a 2800H from ICOM for some time now and its worked flawlessly, until the other day that is.

For some reason during the middle of a QSO, it simply stopped transmitting. I feared that somehow the finals had burned out, but it seems that it is rooted in the mic. I've found that although somtimes it will switch over to the offset frequency it will not output power (no reading on the signal strength meter on TX), other times it won't even switch over to the offset. Other times it will both switch to the offset AND transmitt as it is supposed to. I suspect the problem may be in the mic due to the intermittend behavior though I don't have proof.

I'd like to find a schematic of the mic and talk with anyone who has had similar problems. I fear this is not a common problem among 2800H users since I was able to find nothing on the web so far.

Thanks for anyhelp you can provide,

Jason
KB5URQ
Remove SPAM
kb5urq@hotmailSPAM.com

2507. FS: Various

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 02:21:02 UTC
From: Jeff Kilgore <the.weight@verizon.net>
Message-ID: <iwD79.9094$l62.653@nwrddc02.gnilink.net>
Source record: 40317
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Electrovoice 641 microphone - A great mic for boatanchors. In very good condition, includes stand with PTT switch, wired with 2-pin microphone connecter (easily rewired if needed). $55 shipped

Kenwood TH-215A 2-meter FM HT - Good condition, works fine, with original manual, original charger (original battery is included, but is dead), aftermarket W&W hi-capacity battery and drop-in charger. $70 shipped

Radio Shack HTX-202 2-meter FM HT - Very good condition. I bought this new several years ago. Works fine, no scratches or dings, includes original manual, NiCd battery, and charger. $70 shipped

Vibroplex Original semiautomatic key - Very good condition, works fine, no dings or scratches. I bought this new in 1988. $65 shipped

Hewlett-Packard HP41CX calculator, with magnetic card reader, Advantage module, original manuals and boxes, and several additional books on the HP41. $275 shipped

All items will be carefully packaged. Payment by USPS money order, PayPal, or personal check (personal checks must clear before shipping).

73,
Jeff Kilgore, KC1MK

2508. Re: IS there a good 2 mtr transverter for FT1000 MKV ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 03:22:04 UTC
From: Paul N3EOP <n3eop@arrl.or.callsign.net>
Message-ID: <Xns926DCF317BA2Bn3eophotmailcom@64.164.98.7>
Source record: 40319
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Murray Neece wrote:

> I like to know the options possible for adding 2 meter FM and SSB to
> my MKV Yaesu? anyone?

A friend of mine has the Ten-Tec Model 1210 10M-2M Transverter, built from a kit. 10 watts out for $140. (Add $100 for factory assembled.) It works very well, and can drive an amp no problem if you need more power.

2509. Manual for Kenwood TS-700S Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 05:12:08 UTC
From: k4yz@aol.com
Message-ID: <20020818011208.19482.00001193@mb-mf.aol.com>
Source record: 40320

I need the Service Manual and schematics for the Kenwood TS-700S.

Can anyone help? Commercial manual dealers welcomed.

PLEASE respond direct to my e mail address, k4yz@aol.com

Thanks!

73

Steve, K4YZ
Winchester, TN

2510. Re: FS: Johnson Valliant

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 11:49:36 UTC
From: Carl Domanico <carl.domanico@verizon.net>
Message-ID: <3D5FB4A9.B2802BCA@verizon.net>
Source record: 40321

Interesting I wonder if you happen to have any scanned photos of the transmitter

Carl

Slo100bw1 wrote:

> Rig is in very good operating and physical shape. I bought it it two years ago
> and have had it on the air only twice. I lost the interest. Comes with a copy
> of the manual. P/u in NY only. Asking $300 or BO.

2511. Re: FS: Drake L4B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 11:54:31 UTC
From: Carl Domanico <carl.domanico@verizon.net>
Message-ID: <3D5FB5CF.E59BB925@verizon.net>
Source record: 40322

Interesting...I wonder if you still have the amp.?? Also if so would you send me
all the scanned photos you have

Thanks
Carl

Slo100bw1 wrote:

> Amp is in excellent condition. Comes with power supply (of course) and original
> manual. Jpegs available. Would prefer a p/u in NY. $750

2512. Wtb : Kenwood TU3a tone board

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 12:19:11 UTC
From: John <sandersj@cowtown.net>
Message-ID: <ulv46iel0jdg7b@corp.supernews.com>
Source record: 40323

Please let me know if you have one.

thanks, John

2513. Re: Icom-207H Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 12:30:11 UTC
From: Richard Heindel <rheindel@neo.rr.com>
Message-ID: <nrM79.29051$N9.3722026@twister.neo.rr.com>
Source record: 40324

You're out of luck Ken, according to the manual (p. 61) you have to press and hold a function key on the radio and a F1/F2 button and then turn power on. Think about it, the mic is dead until you turn the power on.

A friend on mine used a 555 timer chip, a transistor, and a relay to build a 10 sec timer that turns his rig on after the car is started.

73
Richard WB8KRN

2514. Re: ADMS and FT-50 help? All I get is CERR...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 13:08:23 UTC
From: Mike <mdickman@remove.bevcomm.net>
Message-ID: <3D5F9D45.83606432@remove.bevcomm.net>
Source record: 40325

Did you buy the ADMS new or did it come with the radio? I have used the ADMS with a FT2600M and found I was only able to load it ONCE on my computer. After I had a HD failure I tried to reload the software for the 2600 and instead had to "trick" the FT-90 software (which had not been loaded) to replace some of the necessary 2600 files.

I am sure you have already tried it, but, master reset (power ON while holding the A/N-D/MR-Mhz buttons, with a FT2600M) the radio. This clears everything. Then make a new template and try to upload it to the computer.

Mike AB7RU wrote:

> I recently bought a used FT50 and it seems to work fine, however
> I am trying to get it working with ADMS and having nothing but
> trouble. I followed the schematic at
> http://www.icongrp.com/~sllewd/pcware.htm
> but every attempt to download template from radio, or get data
> from radio gives me a CERR - I have checked my COM port with
> hyperterminal and it gives me the echo back so I am pretty sure
> the port and the interface is functioning correctly. I have gone over
> the interface and double checked everything. But no matter
> what I try, .i still get only ..CERR. Is it possible the fault lies in
> the radio? Is there a way to perform a diagnostic on the radio to
> make sure its internal routines are operating properly? I am
> close to just buying a factory cable but thought I would check the
> group here to see if there are any other ideas. Thanks Mike
> AB7RU
>
> --
> To reply via email remove the 'nospam' from the address

--
Mike
KD4LLA

"Every month brings something new that people will do," "Today's MP3 is just yesterday's Internet surfing, which was yesterday's sending e-mail to relatives, which was yesterday's putting the book under the table and reading."

2515. Want to print quality QSL card? No problem!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 13:20:16 UTC
From: Gennady Treus <ux5uo@qsl.net>
Message-ID: <ajo76unah3@ns2.nursat.net>
Source record: 40326

You may order your new QSL-cards from "UX5UO print":
Almost any type of QSL cards is available today.

Price of 1000 QSL-cards (including handling and mailing fee) is:
"Simple" (single colour one side 150 g/sq.m paper) cards - 22 USD*
"Advanced" (single colour one side 200 g/sq.m paper) cards - 26 USD
"Middle" (two colours one side 200 g/sq.m paper) cards - 32 USD
"Middle2" (two colours double sided 200 g/sq.m paper) cards - 38 USD
"Business" (200 g/sq.m paper double sided matt photo) cards - 44 USD
"Luxury" (200 g/sq.m paper double sided glossy photo) cards - 56 USD

Discount for ordering 3000 and more cards as well.
500 cards is possible as exception. Special discount for DX stations.

Cards will be printed within 3-4 weeks upon receiving order and payment
for all types of cards except picture cards (within 2 months for photo
cards).

Send your order (photos, rough design, text data etc) via mail:
P.Box 925 Kiev-100 02100 Ukraine
Phone (38044) 450-3752

or via e-mail to UX5UO ux5uo@qsl.net

Send the payment* (cheque, IRC, cash via REGISTERED mail) to:
Mr Vlad PASHYN (M0UNF)
Address: 43 Nine Acres Road, Cuxton, Kent, ME2 1EN, U.K.
e-mail: vladimir@clara.net

Visit my website: http://www.qsl.net/ux5uo http://www.i.com.ua/~ux5uo
and look at this page: http://www.eham.net/reviews/detail/1136

73 de Gennady UX5UO
mailto: ux5uo@qsl.net

2516. Re: IC-2800H Mic Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 14:03:42 UTC
From: George Andrews <gandrews@ntplx.net>
Message-ID: <SCN79.38$YG5.253582@news.ntplx.net>
Source record: 40327

Jason,

I have an Icom 2800H and an Icom 207H. The mic for both is the HM98. I lost PTT function on the 207H. All other functions worked.

I believe there are two things that could be the problem. First and most likely, the PTT switch is an SMD device. With use, one or more of the connections has separated from the board. Although I have no equipment to solder SMD, I was able to repair the mic. I used a butane powered soldering iron that has a small point.(heated it up and shut it off) The area is large enough so that a solder "blob" wont be to much of a problem. If you don't have a low wattage iron, it will be cheaper to buy one than replacing the mic. The HM98 is $90.

Check your mic closely, use a magnifying glass if need be to check the connections. Only if the first step does not work, try the following.

The second possibility is a little difficult to explain. It assumes you have opened the mic case. The PTT switch has a metal cover over it. The part that is the switch is what I would call a diaphragm. There are some moving parts which compress the diaphragm to close the switch.The internal parts are very small, so becareful not to lose any. Very carefully pop the metal cover off the switch. get a piece of wood that the metal cover will fit over, with the "legs" pointing down. Use something like a #1 Phillips screwdriver and place a very, very small dimple in the center of the cover. You may have to retension the "legs" so the cover fits tightly over the switch. Pop the metal cover back on the switch. The metal cover appears to perform a spring like function. The process just described "restores" the tension applied by the spring. You may be able to verify the problem by pressing on the metal cover with a plastic pen. Press the PTT to see if the radio xmits. Be sure you have checked the first step as this will also restore the connection of the PTT switch to the board. Hope this helps.
--
George Andrews, RRPT
N1YAE FN31kj
gandrews@ntplx.net

"JASON A DUGAS" <kb5urq@prodigy.net> wrote in message
news:EqD79.426$b93.97@newssvr19.news.prodigy.com...
> I've had a 2800H from ICOM for some time now and its worked flawlessly,
> until the other day that is.
>
> For some reason during the middle of a QSO, it simply stopped
transmitting.
> I feared that somehow the finals had burned out, but it seems that it is
> rooted in the mic. I've found that although somtimes it will switch over

to
> the offset frequency it will not output power (no reading on the signal
> strength meter on TX), other times it won't even switch over to the
offset.
> Other times it will both switch to the offset AND transmitt as it is
> supposed to. I suspect the problem may be in the mic due to the
> intermittend behavior though I don't have proof.
>
> I'd like to find a schematic of the mic and talk with anyone who has had
> similar problems. I fear this is not a common problem among 2800H users
> since I was able to find nothing on the web so far.
>
> Thanks for anyhelp you can provide,
>
> Jason
> KB5URQ
> Remove SPAM
> kb5urq@hotmailSPAM.com
>
>
>

2517. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 14:51:05 UTC
From: Walter Treftz <penguino@atlantic.net>
Message-ID: <3D5FB458.2470095F@atlantic.net>
Source record: 40328

It took all that scrambled text to say "Attaboy"??????????????????????????

Richard G Amirault wrote:

> Dick Hughes <rhughes33@cableone.net> wrote:
> : But the main point is, there was no post! Just a signature.
>
> : Dick
>
> Wrong .. but it is easy to see how you missed it ... I'll repeat it: His
> message said:
>
> "Attaboy!!"
>
> Richard in Boston, MA, USA

2518. Re: Yaesu Factory Service???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 15:17:36 UTC
From: w9gb <gregory.beat@attbi.com>
Message-ID: <kUO79.84837$me6.10655@sccrnsc01>
Source record: 40329
Cross-posted to: rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

Sounds like you do not own an automobile of this age.
Good luck, you are going to really surprised.

Maybe you should just lease the radio,
most people seem to lease their cars these days, so they always have a new one.

gb

"cbhoelzel" <n4bjx@naxs.com> wrote in message
news:3D5C5275.DAE973B1@naxs.com...
> Hello, friends -
>
> Here is a story that may give you something to think about if you are
> considering a radio purchase.
>
> Some years ago I bought a Yaesu FT-5100 dual band (2m/70cm)
> transceiver. It has worked quite well for me. However, over the past
> two years I have noticed that the liquid crystal display has begun to
> show a crescent shaped black mark in the upper center. So far this has
> not caused any problems, but I can foresee that it will grow and
> eventually the display will be unreadable.
>
> I spoke to my favorite dealer and he told me that he could get it
> repaired with a shorter turn around time than if it went directly to
> Yaesu. OK, I said let's give it a try. Unfortunately, his technician
> promptly sent it to Yaesu.
>
> After nearly six weeks, Yaesu told the dealer that there was more wrong
> than just the display. It had also lost power - that is it was putting
> out about 20-25 watts instead of the expected 50. Cost of total repair
> would run in the neighborhood of $450.
>
> My response was "just fix what I asked for, no more"
>
> Yaesu's reply was to the effect that it was an "all or nothing deal".
> They would not just replace the display.
>
> At that point I said don't bother, just send it back. Consider that I
> can at this time buy any of the following from AES:
>
> Yaesu FT-7100M $300
> Kenwood TM-G707A $300
> Icom IC-207H $300

>
> Why in the world would I spring for half again as much to repair the
> 5100 when all three of these mentioned have more bells and whistles?
>
> If someone from Yaesu wishes to defend their all or nothing policy, I
> will be happy to listen. Until then it will be a cold day in Hades
> before I purchase another Yaesu product. In the meantime, buyer beware.
>
>
> Chuck
> N4BJX
>
>

2519. Re: Yaesu Factory Service???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 15:49:14 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <ajofmjaju1@terabinaries.xmission.com>
Source record: 40330

"w9gb" <gregory.beat@attbi.com> wrote in message
news:kUO79.84837$me6.10655@sccrnsc01...
> Sounds like you do not own an automobile of this age.
> Good luck, you are going to really surprised.
>
> Maybe you should just lease the radio,
> most people seem to lease their cars these days, so they always have a new
> one.
>
> gb
>
> "cbhoelzel" <n4bjx@naxs.com> wrote in message
> news:3D5C5275.DAE973B1@naxs.com...
> > Hello, friends -
> >
> > Here is a story that may give you something to think about if you are
> > considering a radio purchase.
> >
> > Some years ago I bought a Yaesu FT-5100 dual band (2m/70cm)
> > transceiver. It has worked quite well for me. However, over the past
> > two years I have noticed that the liquid crystal display has begun to
> > show a crescent shaped black mark in the upper center. So far this has
> > not caused any problems, but I can foresee that it will grow and
> > eventually the display will be unreadable.
> >
> > I spoke to my favorite dealer and he told me that he could get it
> > repaired with a shorter turn around time than if it went directly to
> > Yaesu. OK, I said let's give it a try. Unfortunately, his technician
> > promptly sent it to Yaesu.
> >
> > After nearly six weeks, Yaesu told the dealer that there was more wrong
> > than just the display. It had also lost power - that is it was putting
> > out about 20-25 watts instead of the expected 50. Cost of total repair
> > would run in the neighborhood of $450.
> >
> > My response was "just fix what I asked for, no more"
> >
> > Yaesu's reply was to the effect that it was an "all or nothing deal".
> > They would not just replace the display.
> >
> > At that point I said don't bother, just send it back. Consider that I
> > can at this time buy any of the following from AES:
> >
> > Yaesu FT-7100M $300

> > Kenwood TM-G707A $300
> > Icom IC-207H $300
> >
> > Why in the world would I spring for half again as much to repair the
> > 5100 when all three of these mentioned have more bells and whistles?
> >
> > If someone from Yaesu wishes to defend their all or nothing policy, I
> > will be happy to listen. Until then it will be a cold day in Hades
> > before I purchase another Yaesu product. In the meantime, buyer beware.
> >
> >
> > Chuck
> > N4BJX
> >
> >
>
>

Is it just me or does this group become more belligerent as time goes on? It seems that everyone likes to beat up on some guy because his opinion differs from ours. He let's us know about his difficulty with Yaesu's lack of customer service and everyone gets out a big stick. Sheesh.

Up until a month ago, both of my vehicles were 10-yrs old. What's the surprise? IF you take care of them, they take of you! BIG surprise!

IMHO, the FT5100, although tens years old is still a great radio. The low power output is a simple problem to repair. Most of the 5100/5200 models suffered from that trouble. My 5100 only put out about 25 watts and a simple change of the coax hanging off of the rear of the radio cured that. It seems to me that Yaesu Factory Service is an oxi-moron...sort of like Military Intelligence. IMHO. Yaesu simply does not want people using 10-yr old equipment. They know as well as the rest of us that the FT5100/5200 series was and is still a good radio. They'd rather sell you a junker like the 7100(yuck) and force you to buy a new junker every couple of years.

Flame Suit on, after all that's what this group seems to be good at...

Dan

2520. 6M Maxtrac Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 16:28:13 UTC
From: NJSCAN <njscan@lycos.com>
Message-ID: <pWP79.46547$EJ4.1428475@news4.srv.hcvlny.cv.net>
Source record: 40331

I've recently programmed a 42-50 Mhz Motorola Maxtrac to the 6M amateur band. I used the modification on the "Batlabs" page, adding some solder to get it to transmit beyond 50 Mhz. It helped, but only to the point where I can get full output to about 51.6 mhz. Beyond that, the power folds back to about 20W. Does anyone know of any modifications that can be done to extend the coverage by another 1 Meg or so? How about any other web sites that discuss the issue? Please, if you can help, drop me an E mail at njscan@lycos.com Mt ISP is having issues with USENET so I can't always access it. Thanks

Bob

Bergen County, NJ

2521. Re: VX-5 Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 16:28:45 UTC
From: Matt Thomas <mthomas@ticnet.com>
Message-ID: <3D5FCB3D.4020804@ticnet.com>
Source record: 40332

Thanks Marc. I did find the correct procedure on one of the VX-5
websites. I also noted one of the other commenters statement about
Yaesu's manual QC.

73

Marco S Hyman wrote:

>Matt Thomas <mthomas@ticnet.com> writes:
>
>>The ON Timer (press and hold key "6"). To reset this timer to zero, the
>>manual says to press and hold the F/W key and then press the 6 key when the
>>timer appears. I cannot seem to get this to function in this manner.
>>
>
>Hit and hold the 6 to display the on timer.
>Hit and hold the F/W Until the W (write mode) is displayed.
>Hit the 6 key again
>
>The timer will be cleared.
>
>// marc
>

2522. Re: IC-706MkIIG Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 17:07:06 UTC
From: Bill <radio@despammed.com>
Message-ID: <ajok7t013c0@enews4.newsguy.com>
Source record: 40334

goto: http://www.qsl.net/w2blc/feature.htm? and scroll down until you see the keypad. I have one and it is a super little item. Cannot think of operating without it.

Bill W2BLC

2523. Re: ADMS and FT-50 help? All I get is CERR...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 17:31:11 UTC
From: Mike AB7RU <mparkes@nospamatt.net>
Message-ID: <180820021031098052%mparkes@nospamatt.net>
Source record: 40333

Its ADMS 1D - but I also get the same clone error using another ft50 software program, so i don't think its software related. I have tried doing a full reset on the radio, didn't help.

I checked the voltage between ground and pin 2(data) while ADMS is running and it sets the voltage to -(minus) 3.75 v going to the radio - not sure if thats correct or not, I would have thought it should be a +voltage?

In article <3D5F9D45.83606432@remove.bevcomm.net>, Mike <mdickman@remove.bevcomm.net> wrote:

> Did you buy the ADMS new or did it come with the radio? I have used the
> ADMS with a FT2600M and found I was only able to load it ONCE on my
> computer. After I had a HD failure I tried to reload the software for the
> 2600 and instead had to "trick" the FT-90 software (which had not been
> loaded) to replace some of the necessary 2600 files.
>
> I am sure you have already tried it, but, master reset (power ON while
> holding the A/N-D/MR-Mhz buttons, with a FT2600M) the radio. This clears
> everything. Then make a new template and try to upload it to the
> computer.
>
> Mike AB7RU wrote:
>
> > I recently bought a used FT50 and it seems to work fine, however
> > I am trying to get it working with ADMS and having nothing but
> > trouble. I followed the schematic at
> > http://www.icongrp.com/~sllewd/pcware.htm
> > but every attempt to download template from radio, or get data
> > from radio gives me a CERR - I have checked my COM port with
> > hyperterminal and it gives me the echo back so I am pretty sure
> > the port and the interface is functioning correctly. I have gone over
> > the interface and double checked everything. But no matter
> > what I try, .i still get only ..CERR. Is it possible the fault lies in
> > the radio? Is there a way to perform a diagnostic on the radio to
> > make sure its internal routines are operating properly? I am
> > close to just buying a factory cable but thought I would check the
> > group here to see if there are any other ideas. Thanks Mike
> > AB7RU
> >
> > --
> > To reply via email remove the 'nospam' from the address
>
> --

> Mike
> KD4LLA
>
> "Every month brings something new that people will do," "Today's
> MP3 is just yesterday's Internet surfing, which was yesterday's
> sending e-mail to relatives, which was yesterday's putting the
> book under the table and reading."
>
>

--
To reply via email remove the 'nospam' from the address

2524. Re: NEED MFJ-16010 ST Instructions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 18:24:40 UTC
From: fmmck@aol.com
Message-ID: <20020818142440.21929.00000859@mb-cb.aol.com>
Source record: 40335

<< Just bought a used MFJ-16010 ST, but there are no instructions. >>

Richard-

I've searched but can't find the instruction sheet that came with my MFJ-16010 ST. I can't even find the tuner at the moment! Please forgive me if my memory is a bit rusty.

As I recall, it has two controls on the front panel, a variable capacitor and a switch that selects a tap on a coil. I think it is connected internally with the capacitor between the radio and the antenna, and the coil between the antenna terminal and ground. You would connect the radio to a co-ax connector on the tuner, and the antenna wire to the binding-post terminal that is also connected to another co-ax connector. (If I'm mistaken about the binding posts, you need to connect the wire to the center conductor of the second co-ax connector.) A ground wire may also improve reception when using a random wire antenna.

Does it also have an extra terminal on the back with a dashed line to one of the others? If so, the dashed line represents a jumper that would not be needed with a random wire antenna.

In your situation, you would simply adjust both switch position and tuning capacitor for best signal strength. Generally, the lower-letter coil positions are for higher frequencies. I seem to recall using the "B" position for the 28 MHz Ham Band.

The instruction sheet probably suggests using an SWR bridge with a transmitter to adjust the tuner. Obviously that doesn't apply for a receive-only installation. If you wanted to pursue that approach, MFJ also makes a series of SWR meters that have their own signal source. I have the MFJ-249, which covers frequencies between 1.8 and 170 MHz.

As a side note, you may find that a given wire can't be tuned with this tuner on some frequencies. If that appears to be the case, simply reverse the input and output connections and try it that way.

73, Fred, K4DII

2525. Re: NEED MFJ-16010 ST Instructions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 18:53:13 UTC
From: fmmck@aol.com
Message-ID: <20020818145313.21929.00000865@mb-cb.aol.com>
Source record: 40336

<< Just bought a used MFJ-16010 ST, but there are no instructions. >>

Richard-

I replied a few minutes ago, but may not have included a copy to your E-Mail address.

I found a product description at http://www.mfjenterprises.com/products.php?prodid=MFJ-16010, but they did not have the manual listed.

Based on the product description, it may only have the two co-ax connectors on the back. You will need something like a banana plug to connect your random wire to the co-ax connector center conductor. If a ground terminal is not provided, you may be able to connect to the shell of the co-ax connector, or use a mating connector to attach both ground and antenna wire.

73, Fred, K4DII

2526. FS: Hammarlund HQ-129-X

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 19:07:38 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <ubqvluk0qqdt36je9b4o3qgb7covqm9uf9@4ax.com>
Source record: 40337

I have for sale in good condition a Hammarlund HQ-129-X receiver. It does work and the only knob missing is the band spread knob and some paint wear aound where the knob was....The inside is all intact and clean.....I will take $50 and prefer to sell locally as a pickup unit...I do not have the manual for it....If you have any questions drop me an email..... I'm located in Lakeville, Mass. 35 miles South of Boston..... WZ1U Steve

P.S. Pictures upon request !

2527. Re: ADMS and FT-50 help? All I get is CERR...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 19:40:18 UTC
From: "Bob Parnass, AJ9S" <usenet1@parnass.org>
Message-ID: <3d5ff832$0$1429$272ea4a1@news.execpc.com>
Source record: 40338

Make sure your FT-50R's battery is charged before cloning.
A weak battery can cause data errors during data transfers.

--
==========
Bob Parnass, AJ9S Linux User http://parnass.com

2528. Re: ADMS and FT-50 help? All I get is CERR...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 22:56:26 UTC
From: Mike AB7RU <mparkes@nospamatt.net>
Message-ID: <180820021556256553%mparkes@nospamatt.net>
Source record: 40339

Full charge - I am thinking it is something with the interface,
although the loopback test works which I find puzzling.

In article <3d5ff832$0$1429$272ea4a1@news.execpc.com>, Bob Parnass,
AJ9S <usenet1@parnass.org> wrote:

> Make sure your FT-50R's battery is charged before cloning.
> A weak battery can cause data errors during data transfers.

--
To reply via email remove the 'nospam' from the address

2529. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-18 22:59:55 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns926EA2EF3F6C1Frog207Junocom@148.78.248.76>
Source record: 40340

> He posted only his PGP signature which, when decoded, assures you that
> the message came from him. Unfortunately, that's all he sent. There
> is no message.
>

Yes, he did include a message. It was: "Attaboy!"

Ed

2530. TS-130S meter problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 00:57:46 UTC
From: Ann Onymous <bravo20@sympatico.ca>
Message-ID: <tlX79.621$sY3.212114@news20.bellglobal.com>
Source record: 40341

I bought a Kenwood TS-130S yesterday at a flea market. The only problem with it is the lack of signal strength indication. The meter works on transmit. Decreasing rf gain swings the meter up. Instead of sitting at 0, it was originally around S4, which I just corrected with VR2. VR1 would presumably affect the gain of the stage driving the meter, but I'm not getting much effect. Weak signal or strong, it just sits near 0. Does anyone know if this is a known problem with these units, or something more unique for me to dig into?
Thanks

2531. Re: F.S. B&W PT-2500A HF Linear Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 01:23:59 UTC
From: Erik van Bronkhorst <kc6uut@SPAMNOT.subdimension.com>
Message-ID: <1808200021823537027%kc6uut@SPAMNOT.subdimension.com>
Source record: 40342
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Must be ENIAC era "computer grade" caps.
Even then, I doubt that there was 3600 vdc
running around anywhere.

de kc6uut

In article <LDM59.1819$V62.125642@news2.voicenet.com>, W3BV
<w3bv@arrl.net> wrote:

> For Sale: Barker & Williamson PT-2500A Deluxe Linear Amplifier. Brand new
> and unused in the original factory carton (from the estate of a silent key).
> Features:
>
> - Deluxe, heavy duty construction- weighs 85 lbs!
>
> - Full 1500W legal limit output
>
> - Covers 160 through 10M coverage.
>
> - Separate filament transformer.
>
> - Built-in heavy duty 3600 volt d.c. plate supply uses computer
> grade caps
>
> - Optional Auxiliary Cooling Fan for continuous duty modes.
>
> - Blower and individual chimneys cool a pair of 3-500Z 's (tubes
> were damaged in transit and are not included).
>
> Unquestionably, the best dual 3-500Z amplifier ever built. $995. You ship.
>
> Alan, W3BV
>
>
>
>
>

2532. FA: LAFAYETTE HA-460 Plate Modulated 6 mtr XCVR, 1.5 Hours left!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 01:26:56 UTC
From: rlucch2098@aol.com
Message-ID: <20020818212656.28100.00001615@mb-fi.aol.com>
Source record: 40343

Real nice with pictures to boot!
Only at $68.00!!!!!!1
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353893

2533. FA: Heathkit GD-1A Grid Dip Oscllator @$15, 1-1/2 Hours left!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 01:28:52 UTC
From: rlucch2098@aol.com
Message-ID: <20020818212852.28100.00001616@mb-fi.aol.com>
Source record: 40344

Real nice with pictures to boot!
Only at $15.00!!!!!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353906

2534. FA: Simpson 260 VOM series 6P, Only at $24 with 1.5 hours left!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 01:30:34 UTC
From: rlucch2098@aol.com
Message-ID: <20020818213034.28100.00001619@mb-fi.aol.com>
Source record: 40345

Real nice with pictures to boot!
Only at $24.00!!!!!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353932

2535. FS: 35 Ceramic Spreaders, Waters NOS switch & B&W Antenna coils

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 01:32:38 UTC
From: rlucch2098@aol.com
Message-ID: <20020818213238.28100.00001621@mb-fi.aol.com>
Source record: 40346

Hi Fellas;
I have for SALE:
1)- 35 NOS ceramic spreaders, 1/2" dia x 4-1/4"oal, for 3"open line.
$50.00ppd.

http://www.myradioroom.com/35spreaders.jpg
2)- Waters #336 coaxial transfer switch, NOS w/Papers, plate & box. 1.2 to
150mcs, 1KW. Used to switch the Older amps in/out of line, Hardly seen
anymore these days!
Price is $65.00ppd

http://www.myradioroom.com/watersnos1.jpg

http://www.myradioroom.com/watersnos2.jpg
3)- 6 B & W antenna coils(marked, see pic) with center insulator, used but
wire removed for storage, good shape, no other info but I check AES catalogue
& they may be for a shorty 40-10 meter dipole but not sure anymore! Cost is
over $100. Price is $40.00ppd

http://www.myradioroom.com/bwcoils.jpg
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

2536. FS: SWAN 400 only, Excellent, See pics!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 01:33:44 UTC
From: rlucch2098@aol.com
Message-ID: <20020818213344.28100.00001622@mb-fi.aol.com>
Source record: 40347

Hi Fellas;
I have for SALE:
Swan 400 transceiver only, no supply or VFO.
All 100% complete, visual inspection shows everything as it should be,
nothing missing or burn't. Bought years ago & stored since then in my attic,
I forget now if I ever tested it! I dusted it out & cleaned it a bit, looks
excellent, no paint chips/dents or scratches to speak of!
Need a spare?
Price is $175 + UPS, check the pics!

http://www.myradioroom.com/swan400-1.jpg

http://www.myradioroom.com/swan400-2.jpg

http://www.myradioroom.com/swan400-3.jpg

http://www.myradioroom.com/swan400-4.jpg

http://www.myradioroom.com/swan400-5.jpg
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

2537. Re: Lawyer: Amateur Radio is not a Service and Ham must pay.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 03:02:03 UTC
From: Mike Coslo <mcoslo@adelphia.net>
Message-ID: <3D6089E0.5070904@adelphia.net>
Source record: 40248

Ed G. wrote:

>>He posted only his PGP signature which, when decoded, assures you that
>>the message came from him. Unfortunately, that's all he sent. There
>>is no message.
>>
>>
>
> Yes, he did include a message. It was: "Attaboy!"

But don't you see? It was *indeed him* who said "Attaboy", and no rank imposter! ;^)

- Mike KB3EIA -

2538. Icom 706 MkIIg question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 04:26:26 UTC
From: Bill Grimwood <bill@grimwood.net>
Message-ID: <um23ionl29l08c@corp.supernews.com>
Source record: 40255

Does anyone make a computer program to set the memory for this radio, such as the frequencies I use and the local repeater offsets?

Bill Grimwood

2539. Re: Yaesu Factory Service???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 04:43:19 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <ajpt18$r4q$1@slb6.atl.mindspring.net>
Source record: 40249

Is it possible that the low output problem caused distortion causing the
radio to transmitt harmonics or other unwanted and illegal RF products?
Maybe they were doing you (and the rest of us on the bands) a favor.
--
Steve

"cbhoelzel" <n4bjx@naxs.com> wrote in message
news:3D5C5275.DAE973B1@naxs.com...
> Hello, friends -
>
<Stuff deleted>
> My response was "just fix what I asked for, no more"
>
> Yaesu's reply was to the effect that it was an "all or nothing deal".
> They would not just replace the display.
>
> At that point I said don't bother, just send it back. Consider that I
> can at this time buy any of the following from AES:
>
> Yaesu FT-7100M $300
> Kenwood TM-G707A $300
> Icom IC-207H $300
>
> Why in the world would I spring for half again as much to repair the
> 5100 when all three of these mentioned have more bells and whistles?
>
> If someone from Yaesu wishes to defend their all or nothing policy, I
> will be happy to listen. Until then it will be a cold day in Hades
> before I purchase another Yaesu product. In the meantime, buyer beware.
>
>
> Chuck
> N4BJX
>
>

2540. Re: TS-130S meter problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 05:00:44 UTC
From: fmmck@aol.com
Message-ID: <20020819010044.07617.00001705@mb-ct.aol.com>
Source record: 40250

<< The only problem with
it is the lack of signal strength indication. The meter works on transmit.
Decreasing rf gain swings the meter up. >>

Ann-

I had the predecessor model TS-120S which did not have the three WARC bands.
As I recall, it had a "stingy" S-Meter, but good strong signals would make it
move up upscale. Be sure you have a decent antenna attached. It would help to
compare it to another radio.

If you have access to a calibrated signal generator, expect approximately 50
microvolts to result in an S-9 meter reading. Going through the alignment
procedure in the service manual should show up where the trouble is. (You will
occasionally find the manuals on E-Bay.)

Yes, the S-Meter should swing upscale when the RF Gain Control is turned down.

73, Fred, K4DII

2541. Re: WALL MAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 05:07:49 UTC
From: Harold Clagg <reply@this.group>
Message-ID: <DY_79.9395$g9.30720@newsfeeds.bigpond.com>
Source record: 40251
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

Great... if you live in the US.
The rest of the world doesn't!

"W5LL" <mattpatt@1starnet.com> wrote in message
news:50x79.43499$Fw3.2334786@bin2.nnrp.aus1.giganews.com...
> I have the one from the ARRL and for $12 you can't beat it. I like it
> because it shows you the beam headings.

> Matt
> W5LL

2542. Re: 6M Maxtrac Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 12:33:15 UTC
From: CBoone@Earthlink.Net
Message-ID: <3D60E971.72D6E9FF@Earthlink.Net>
Source record: 40252

Time to modify the LP filter on the output...ALL commercial LMR rigs
do that..some more than others....Midland XTR and Syntech IIs will
do 110watts on lowband (48MHz) but at 52.525 they drop back to 80watts
max at same current draw!!! The LP filters start to kick in at 51
or so MHz....if you change the caps in the LP output filter you
may find an improvement...also be advised some xstrs start to
drop off above 51 Mhz too..Ive seen that in GEs..

Chris
WB5ITT

NJSCAN wrote:
>
> I've recently programmed a 42-50 Mhz Motorola Maxtrac to the 6M amateur
> band. I used the modification on the "Batlabs" page, adding some solder to
> get it to transmit beyond 50 Mhz. It helped, but only to the point where I
> can get full output to about 51.6 mhz. Beyond that, the power folds back to
> about 20W. Does anyone know of any modifications that can be done to extend
> the coverage by another 1 Meg or so? How about any other web sites that
> discuss the issue? Please, if you can help, drop me an E mail at
> njscan@lycos.com Mt ISP is having issues with USENET so I can't always
> access it. Thanks
>
> Bob
>
> Bergen County, NJ

2543. Need info:Simpson VTVM:303 & 312

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 12:36:58 UTC
From: Joe Hargis <joehargis@worldnet.att.net>
Message-ID: <KD589.19482$Ke2.1592199@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40253

Would like to secure copies of these manuals :
tnx Joe in MO

2544. WTB: JRC NVA-319

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 14:32:35 UTC
From: bfdp1@msn.com
Message-ID: <1235373c.0208190632.70b8c37@posting.google.com>
Source record: 40254

Please state condition and price.

73

John

2545. need a schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 15:43:07 UTC
From: Vince & Vanessa <vcl@sympatico.ca>
Message-ID: <dm889.1710$_75.389379@news20.bellglobal.com>
Source record: 40256

hi guys i am looking for a schematic diagram for a kenwood tm241a 2meter radio if anyone has a copy can you help me if you can email it to me please thanks guys

Vince ve3elb / Vanessa va3vcp
==========
Email: vcl@sympatico.ca
Visit Our Webpage :
http://www3.sympatico.ca/vcl
http://www.qsl.net/ve3elb

2546. Re: FA NC-300 now WORKING! 1 day left!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 17:50:39 UTC
From: ASteiner <ASteiner@hotmail.com>
Message-ID: <ajrb89kjs1@nnrp.atgi.net>
Source record: 40257
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

> Dave, that barrage of "I just listed it" ads to newsgroups probably
> didn't help and this one probably won't either.
> Will you remind us all when there's one hour left?
> -assadf

And you somehow think YOUR comments matter to anyone
on this group? Pompous Net-Nanny.

2547. New Forum for MagLoops online

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 19:53:57 UTC
From: Carsten Hausdorf <c.hausdorf@hausdorf.org>
Message-ID: <3D614CD5.3669AF96@hausdorf.org>
Source record: 40258
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Hi there,

we set up a new Forum dealing with MagLoops. You will find Pics,
Reviews, Generel Diskussion and hints at

www.magnetic-loop.de

Please visit us.

The Forum is in English as well as in German language.

Don't hesitate to visit us.

TNX es vy 73 de DF2DD
--
You can contact me at: http://www.hausdorf.org
Unterstï¿½tzen Sie die Aktion "PLC - nein Danke" auf meiner Homepage
Groï¿½er Erfahrungsbericht ï¿½ber Loopantennen
NEU !!! Amateurfunk-Stilblï¿½ten als MP3 zum Download

2548. Volunteers wanted for assimilation

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 21:11:25 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ajrmu0$1clu$1@madmax.keyway.net>
Source record: 40259

From a recent job description:

"Purpose:
Lead development of functional specifications and design of analog and digital electronic circuits that will be used in external and
implanted systems to perform power conversion, power transmission, control, RF communication, telemetry, neural stimulation and low
level signal processing functions. Lead development and execution of design control protocols and design verification procedures.
Experience with analog design. Analog and mixed signal ASIC experience. Experience with RF communications links. Knowledge with FCC
regulations, preferably including medical telemetry.
Antenna design experience very desirable. Good lab skills, ability to set up and make measurements important. At least 5 years
industrial experience in a commercial environment."

Like a singing commercial you can't get out of your head! But then we still have Television...

2549. ICOM IC-A22

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 21:28:54 UTC
From: Semtex
Message-ID: <ajrnul$95k1@hkunae.hku.hk>
Source record: 40260

How does the Air Band Transceivers (NAV + COM) different from ordinary
"amateur" radios?
Do anyone have opinion of the ICOM A22?
thank you!

2550. Re: ICOM IC-A22

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 21:56:49 UTC
From: DBN <dnicholson@socket.net>
Message-ID: <um2qbs829sph6a@corp.supernews.com>
Source record: 40261

The one big difference is Air/Nav radios are AM not FM

Dan

"Semtex" <@.@"> wrote in message news:ajrnul$95k1@hkunae.hku.hk...
> How does the Air Band Transceivers (NAV + COM) different from ordinary
> "amateur" radios?
> Do anyone have opinion of the ICOM A22?
> thank you!
>
>

2551. MANUAL SALES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 22:35:24 UTC
From: joeee1621@aol.com
Message-ID: <20020819183524.25106.00001842@mb-md.aol.com>
Source record: 40262

NEW TITLES DAILY

http://hometown.aol.com/joeee1621/myhomepage/business.html

2552. Re: ADMS and FT-50 help? All I get is CERR...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 22:37:49 UTC
From: Hans <hansf@introweb.nl>
Message-ID: <jis2mu49r426obpd1u2iiauooktp3291b3@4ax.com>
Source record: 40263

On Sat, 17 Aug 2002 20:11:02 GMT, Mike AB7RU <mparkes@nospamatt.net>
wrote:

>I recently bought a used FT50 and it seems to work fine, however
>I am trying to get it working with ADMS and having nothing but
>trouble. I followed the schematic at
>http://www.icongrp.com/~sllewd/pcware.htm
>but every attempt to download template from radio, or get data
>from radio gives me a CERR - I have checked my COM port with
>hyperterminal and it gives me the echo back so I am pretty sure
>the port and the interface is functioning correctly. I have gone over
>the interface and double checked everything. But no matter
>what I try, .i still get only ..CERR. Is it possible the fault lies in
>the radio? Is there a way to perform a diagnostic on the radio to
>make sure its internal routines are operating properly? I am
>close to just buying a factory cable but thought I would check the
>group here to see if there are any other ideas. Thanks Mike
>AB7RU

Hi Mike,

I have the same experience.
None of my homebrew interfaces for the FT-50 worked.
With the factory cable everything worked fine, i still wonder
what is so special.

Hans

2553. Re: WALL MAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-19 23:29:32 UTC
From: zzyzx <dontspamme@xxyyzz.com>
Message-ID: <um2vv2cu9d2020@corp.supernews.com>
Source record: 40264
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

ARRL..... the "A" stands for "American", not Australia.... geez...

"Harold Clagg" <reply@this.group> wrote in message
news:DY_79.9395$g9.30720@newsfeeds.bigpond.com...
> Great... if you live in the US.
> The rest of the world doesn't!

> "W5LL" <mattpatt@1starnet.com> wrote in message
> news:50x79.43499$Fw3.2334786@bin2.nnrp.aus1.giganews.com...
> > I have the one from the ARRL and for $12 you can't beat it. I like it
> > because it shows you the beam headings.

2554. 4 SALE Antenna's (NEW)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 01:24:36 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <oTg89.13927$I6.1163193@newsread1.prod.itd.earthlink.net>
Source record: 40265
Body handling: Inline uuencoded payload not displayed: spacer.gif

Antenna's 4 Sale

ANTENNA'S GALORE 4 SALE

(3) NEW HY-GAIN 66DX 6 ELEMENT 50 MHz. YAGI'S (NEW IN THE BOX).....$175.00 EACH

(1) HY-GAIN 105BAS 5 ELEMENT 10 METER YAGI (IN THE BOX).....$175.00

(1) HY-GAIN 155CA 5 ELEMENT 15 METER BEAM (IN THE BOX).....$175.00

(1) HY-GAIN 205CA 5 ELEMET 20 METER BEAM (IN THE BOX).....$275.00

A SELECTION OF ANTENNA LOOSE PROBABLY ANOTHER THREE (3) YAGI'S.....$175.00

YOU MAY BUY THE ANTENNA'S SEPARATELY OR THE WHOLE PACKAGE PRICE IS.....$800.00 FOR ALL OF THE ABOVE...."PICK UP ONLY IN THE CITY OF GARDENA"......73

73, Leo

PH/FAX (310) 670-6969

[Inline uuencoded payload not displayed: spacer.gif]

2555. FS Ham Stuff

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 01:30:42 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <6Zg89.13945$I6.1165162@newsread1.prod.itd.earthlink.net>
Source record: 40266

Hello I got MUCH, MUCH, MUCH more stuff 4 Sale.....

Collins PM-2 power supply $175.00

Drake T-4XB Transmitter, Drake R-4B Receiver, Drake MS-4 Speaker, Drake AC-4
Power Supply, and Shure 444 Desk Microphone.....$475.00

COMPLETE packet station Yaesu Memorizer 144 MHz transceiver with a MFJ -
1270 TNC, pc cable, ac supply $99.00

Ham Keyer # HK5A.....$40.00

Tektronics # 466 Storage Oscilloscope.....$495.00

Swan 250C "EXCELLENT" Condition 6 Meter All Mode Transceiver. The Optional
Accessories are:
Swan Matching 117-XC Speaker/Power Supply, "RARE" Swan 210 External VFO,
Swan NS-1 Noise Silencer, Swan Desk Microphone, Swan VX-2 Vox Unit, Swan
SWR-3 SWR Meter.....$600.00

LARGE HAMMARLUND EXTERNAL SPEAKER, NICE CONDITION.....$99.00

SMALL HAMMARLUND EXTERNAL SPEAKER.....$75.00

VERY NICE HAMMARLUND " ORANGE EMBLEM" EXTERNAL SPEAKER $99.00

HYGAIN 3806 VHF FM TRANSCEIVER UNTESTED WITH MANUAL..... $20.00

TOKYO HY-POWER HL-30V 30 WATT 2 METER AMPLIFIER.....$30.00
Collins PM-2 power supply $175.00

DX Engineering Voice Processor for a Collins 32 Transmitters....$265.00

Yaesu MH-15CB DTMF hand microphone.....$25.00

AEA PK-88 TNC with manual $40.00

Eico 625 Tube Tester with tube chart.....$50.00

Heath-Kit "THE TWOER" in EXCELLENT a COLLECTOR item for sure with the
AC/DC cable, and original heath-kit microphone $99.00

Heath-Kit HW-22 SSB Transceiver with original Heath-Kit microphone,
mounting bracket and matching Heath-Kit power supply.....$125.00

Heath-Kit AM-2 wattmeter.....$20.00

Micro-Match (vintage) # 262 RF Power/VSWR meter...$75.00

Autek Research Message Memory CMOS Keyer MK-1.....$50.00

Palomar R-X Noise Bridge.....$35.00

Palomar Tuner/Tuner PT-340.....$49.00

B & W # 595 6 position antenna switch.....$30.00

KNIGHT C-577 COMPRESSOR.....$15.00

Maxon (TWO) CS-0510 4 channel handhelds with swivel cases
(can't test do not have a charger) Both for $55.00

Yosan HJ-502 "NEW IN THE BOX, NEVER USED"
WITH INSTRUCTIONS, AND ORIGINAL BOX
Power/VSWR/Modulation/ AND a frequency counter.....$85.00

Icom BC-35 quick charger for the BP-7, BP-8...$40.00

Astatic D104M-6 chrome hand microphone...$25.00

Astron RS-20A needs new Positive +, Negative - posts put on ...$45.00

Kenwood SMC-25 speaker/microphone for the TR-2500, TR-2600...$20.00

Kenwood YK-88CN 270HZ C.W. filter on 8830.7 KHZ.

This filter will fits these models:
Kenwood TS-130S,130SE,430S,440S,530S,530SP,830S,670S,660,and
the R-5000. .....$60.00 shipped in the U.S.

Kenwood TU-4C (new in the box) is the Tone Encoder for the Kenwood
TW-4000A 144/440 MHZ dual band mobile radio $45.00
shipped in the U.S.

2- KENWOOD CK-18 WARC BAND COIL PARTS KIT FOR THE TS-180S (New In The
Box),(UNUSED) (IT HAS ABOUT 90% OF THE PARTS) This will add 12, 17, 30
meters to your Kenwood
TS-180S, instruction manual included.....$40.00 shipped in the U.S.
ONLY

Kenwood IC-10 (set of two chips) these are required for computer
control when using a Kenwood TS-440S, and R-5000
.....$49.00 shipped in the U.S.

Please view my web page, and look under Accessories, & Boatanchors Galore,
and Test Equipment, and Newer Equipment

ALMOST ALL THE ITEMS LISTED ABOVE ARE ON MY WEB PAGE "

http://radioleo.tripod.com/leo/
>
> 73, Leo KJ6HI
>
> PH/FAX (310) 670-6969

2556. Re: WALL MAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 02:22:50 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <_Jh89.20734$Ke2.1678878@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40267
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

And it is a good thing they don't, otherwise it would be too crowded.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Harold Clagg" <reply@this.group> wrote in message
news:DY_79.9395$g9.30720@newsfeeds.bigpond.com...
> Great... if you live in the US.
> The rest of the world doesn't!
>
>
> "W5LL" <mattpatt@1starnet.com> wrote in message
> news:50x79.43499$Fw3.2334786@bin2.nnrp.aus1.giganews.com...
> > I have the one from the ARRL and for $12 you can't beat it. I like it
> > because it shows you the beam headings.
>
>
> > Matt
> > W5LL
>
>

2557. Re: Yaesu Factory Service???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 02:35:17 UTC
From: cbhoelzel <n4bjx@naxs.com>
Message-ID: <3D61AAE5.AACE684@naxs.com>
Source record: 40268

Steve wrote:
>
> Is it possible that the low output problem caused distortion causing the
> radio to transmitt harmonics or other unwanted and illegal RF products?
> Maybe they were doing you (and the rest of us on the bands) a favor.

That's certainly possible. However, nothing was said specifically to me
that that might be the case. If it were, I would have expected some
straightforward explanation of the situation. The jury has insufficient
information on that possibility.

Chuck
N4BJX

2558. Yaesu FT-920 IMD question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 03:14:34 UTC
From: jeff hamilton <jhamilton66@charter.net>
Message-ID: <um3d7a1ghdra03@corp.supernews.com>
Source record: 40269

The October 1997 ARRL QST Review of the Yaesu FT-920 criticizes the rig for poor IMD transmit test results: "Almost as disturbing as the prominence of third and fifth order products was the prominence of higher-order (i.e. seventh, ninth, eleventh products)...As we've said in past reviews, this is the kind of IMD performance that may lead to problems with splatter and wide signals, especially when the transceiver is used with an amplifier."

Has anyone experienced this problem recently? Has Yaesu improved the rig since 1997? I'm thinking of buying a used FT-920. Thanks,
Jeff

2559. FA: PK-900 DSP Multimode TU/TNC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 04:13:51 UTC
From: rullery <rich@Mountain-Ops.com>
Message-ID: <ajrq8d$1tn0$1@feed.centurytel.net>
Source record: 40270
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1374929613

2560. FA: SGC Paramilitary SG-2020ADSP with Power Supply, Heil Microphone and cases

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 05:16:46 UTC
From: rullery <rich@Mountain-Ops.com>
Message-ID: <ajrtum$20pl$1@feed.centurytel.net>
Source record: 40271
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1374937903

2561. Re: ADMS and FT-50 help? All I get is CERR...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 12:32:47 UTC
From: Mike AB7RU <mparkes@nospamatt.net>
Message-ID: <2008200205325361 91%mparkes@nospamatt.net>
Source record: 40272

Thanks Hans
Yes, I even tried building the alternate (simpler) version and still no luck. I am just going to buy the factory cable.
Mike

In article <jis2mu49r426obpd1u2iiauooktp3291b3@4ax.com>, Hans <hansf@introweb.nl> wrote:

> On Sat, 17 Aug 2002 20:11:02 GMT, Mike AB7RU <mparkes@nospamatt.net>
> wrote:
>
> >I recently bought a used FT50 and it seems to work fine, however
> >I am trying to get it working with ADMS and having nothing but
> >trouble. I followed the schematic at
> >http://www.icongrp.com/~sllewd/pcware.htm
> >but every attempt to download template from radio, or get data
> >from radio gives me a CERR - I have checked my COM port with
> >hyperterminal and it gives me the echo back so I am pretty sure
> >the port and the interface is functioning correctly. I have gone over
> >the interface and double checked everything. But no matter
> >what I try, .i still get only ..CERR. Is it possible the fault lies in
> >the radio? Is there a way to perform a diagnostic on the radio to
> >make sure its internal routines are operating properly? I am
> >close to just buying a factory cable but thought I would check the
> >group here to see if there are any other ideas. Thanks Mike
> >AB7RU
>
> Hi Mike,
>
> I have the same experience.
> None of my homebrew interfaces for the FT-50 worked.
> With the factory cable everything worked fine, i still wonder
> what is so special.
>
> Hans

--
To reply via email remove the 'nospam' from the address

2562. FS: Icom IC-756 Pro

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 13:36:18 UTC
From: "Geo. Encarnacion" <ah6bv@arrl.net>
Message-ID: <mBr89.21445$Ke2.1733682@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40273
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace

My ham radio interest has shifted to mostly mobile/portable operation and vintage gear restoration/operation in the ham shack. I am offering for sale an as new condition IC-756 Pro. Comes with everything that came in the box with it. Asking a FIRM price of $1400 + shipping . Sorry, NO TRADES.

Pictures available upon request Please respond direct to: ah6bv@arrl.net .

Thanks, George AH6BV / w1 (Windsor Locks CT 06096)

2563. F S MFJ 986 3KW ANT TUNER etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 13:52:42 UTC
From: johnyk78@aol.com
Message-ID: <20020820095242.10661.00001184@mb-cr.aol.com>
Source record: 40274

```
mFJ #986 ANTENNA TUNER GOOD CONDITION $$185
AMP LA-1000A NO TUNE AMPLIFIER 160-10M $175
KENWOOD TS130 MOBILE RIG.........................$275
ATRONICS CW KEYBOARD.............................$85
SPECTRONICS DD1 DIG READOUT.....................$65
These are from estate sale please inquire all available
73 W2FNT johnyk78
```

2564. Re: Manual for Kenwood TS-700S Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 14:03:04 UTC
From: johnyk78@aol.com
Message-ID: <20020820100304.10661.00001186@mb-cr.aol.com>
Source record: 40275

I have a like new original manual for the kenwood ts700A will ship for $15
73 johnyk78

2565. Re: Yaesu FT-920 IMD question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 15:36:05 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D6261E5.1FC69D51@cableone.net>
Source record: 40276
Body handling: Binary attachment payload not displayed: radioranch.vcf

No problems with the rig Jeff...its one of the most popular out there in the used market and a bargain in the 800-850 class....wouldnt be afraid at all....other options in the price range include the ICom 746 and maybe even a 756....it a toss up in most circles, "WHATEVER I HAVE IS BEST" seems to be the key....since I have all three, I chose the IC 746, but just for the 2 meters and some could care less. Just one opinion among many you will get. 73 Murray

jeff hamilton wrote:

> The October 1997 ARRL QST Review of the Yaesu FT-920 criticizes the rig for
> poor IMD transmit test results: "Almost as disturbing as the prominence of
> third and fifth order products was the prominence of higher-order (i.e.
> seventh, ninth, eleventh products)...As we've said in past reviews, this is
> the kind of IMD performance that may lead to problems with splatter and wide
> signals, especially when the transceiver is used with an amplifier."
>
> Has anyone experienced this problem recently? Has Yaesu improved the rig
> since 1997? I'm thinking of buying a used FT-920. Thanks,
> Jeff

[One or more binary attachments are retained only in the source text.]

2566. Digital answering machines -- RFI

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 16:53:07 UTC
From: mlangen@execpc.com
Message-ID: <6658a6d3.0208200853.6ca5e1d5@posting.google.com>
Source record: 40277

I have tried two makes/models of digital answering machines, and both caused unacceptable levels (S 6-9) of hash on all bands (worst on VHF). Attempts with filters and ferrite chokes on both phone service and line cords yielded only a 1 - 2 s-unit drop in the noise.

Has anyone sorted out this kind of problem or, better yet, found a digital answering machine that doesn't raise hob with weak-signal work?

Thanks,

Mark -- WA9ETW

2567. IC-706MK2G Prices?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 18:41:39 UTC
From: Buyer Beware <BuyerBeware@hotmail.com>
Message-ID: <D3w89.770$1b.53951@news1.east.cox.net>
Source record: 40278

Who has the best prices on the IC-706MK2G?

Thanks BB

2568. Re: IC-706MK2G Prices?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 19:54:53 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D629E8D.3010602@optonline.net>
Source record: 40279

Back in April (when Icom still had a discount offer in force), I found the best price ($839.95 at the time: it wasn't on their Web site, but that's what they quoted in reqponse to an e-mail query) at Texas Towers. Having received conflicting reports about the desirability of doing business with TT, however, I made the purchase from HRO, who were willing to match the TT price.

-=-
Alan, AB2OS

Buyer Beware wrote:
> Who has the best prices on the IC-706MK2G?
>
> Thanks BB
>
>

2569. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 22:21:54 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D62C102.1090907@lakefield.net>
Source record: 40280
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $600

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street

Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

2570. Re: Digital answering machines -- RFI

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-20 22:22:09 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <liz89.15373$I6.1330193@newsread1.prod.itd.earthlink.net>
Source record: 40281

I have one from Lucent Technologies - probably 3 years old, and I hear
nothing at all from it. It's about 30 feet away from the rig and 60 feet
from my 20 thru 10 antenna.

--
K8AC
Floyd Sense in Angier, NC
"Mark Langenfeld" <mlangen@execpc.com> wrote in message
news:6658a6d3.0208200853.6ca5e1d5@posting.google.com...
> I have tried two makes/models of digital answering machines, and both
> caused unacceptable levels (S 6-9) of hash on all bands (worst on
> VHF). Attempts with filters and ferrite chokes on both phone service
> and line cords yielded only a 1 - 2 s-unit drop in the noise.
>
> Has anyone sorted out this kind of problem or, better yet, found a
> digital answering machine that doesn't raise hob with weak-signal
> work?
>
> Thanks,
>
> Mark -- WA9ETW
>

2571. FS MAHA

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 00:01:39 UTC
From: David Dropp <ddropp@tds.net>
Message-ID: <DLA89.2319$Hr.2482040@kent.svc.tds.net>
Source record: 40282
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have for sale in excellent condition a MAHA MH-C777 Universal Charger that can charge almost any type of NICD or NIMH. Comes complete with the following items:
Charger,power cube,auto cord,clip lead cable and manual

If you have any questions feel free to e-mail, 35.00 shipped. Dave

2572. FS Uhf GE MLS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 00:12:00 UTC
From: David Dropp <ddropp@tds.net>
Message-ID: <kVA89.2320$Hr.2482997@kent.svc.tds.net>
Source record: 40283
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale in excellent condition a Uhf GE 8 Channel MLS Radio with scan. The radio cover 450 to 470 and is currenly programed on the Ham Band with output up to 40 Watts. Comes with mic and radio the combo # is MLSU240 and the ID is 9655220. If you have any questions feel free to e-mail, 75.00 shipped.
Dave

2573. Re: Wireless thermometer 433 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 01:14:05 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <xPB89.3431$tl4.1843917@monger.newsread.com>
Source record: 40284

"Steve Robbins" <srobbinsNoSpAmDUdes@netacc.net> wrote in message
news:191mluoja905k0q67lldkbaqnlh1iu9fvp@4ax.com...
> On Wed, 14 Aug 2002 21:26:10 GMT, "Roger Halstead" <rdhalste@tm.net>
> wrote:
>
> >
> >"Russell Hltn" <reply@2newsgroup.com> wrote in message
> >news:aj7q5m$7k3$1@nntp-m01.news.aol.com...
> >> What make/model was this? It sounded like RadioShack's 63-1027, but
> >> reading all that I could find on it only showed that it was a "Class B
> >> digital device as specified in Part 15 of FCC Rules."
> >>
> >> Perhaps 433MHz was a harmonic?
> >
> >No, I believe it is a "Taylor" and they are sold by the Ace Hardware
> chain.
> >the 433 MHz is "listed" as the operating frequency. They are limited
> range
> >devices (100 feet or so) and are legal near as I can tell.
>
> So if I key up a kilowatt on 70 Cms, can I make these gizmos read 30
> degrees below zero and freeze my neighbors???

Guess it depends on what they controll with them, but I'd expect if you get
it to read minus 30C, their heating system will charbroil them.

--
Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)
>
> Steve
>

2574. Re: fa-- SIMPSON 260 series 6 VOM, cheep, only $20 so far!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 01:17:23 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <DSB89.3432$tl4.1844256@monger.newsread.com>
Source record: 40285

"RLucch2098" <rlucch2098@aol.com> wrote in message
news:20020815120839.22066.00000804@mb-mv.aol.com...
> Real nice with pictures to boot!
> Please add http: before the URL address listed below>>
> //cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353932

Now that I couldda used, but today is the 20th.

--
Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)

2575. Re: WILSON 2-meter FM Hany-Talkie. Remember these? NO BIDS!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 01:18:34 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <KTB89.3433$tl4.1844396@monger.newsread.com>
Source record: 40286

"RLucch2098" <rlucch2098@aol.com> wrote in message
news:20020815121017.22066.00000805@mb-mv.aol.com...
> Real nice with pictures to boot!
> Please add http: before the URL address listed below>>
> //cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1372353827

I bought a whole case of them as a dealer and two days later QST came out
with the things available direct for less than I paid for them.

--
Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)

2576. Manuals on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 01:40:06 UTC
From: hamateuradio@aol.com
Message-ID: <20020820214006.19349.00002045@mb-mg.aol.com>
Source record: 40287

Is it correct to assume that ALL manuals on Ebay are copies unless the posting line says "original"?

2577. Re: Manuals on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 02:48:10 UTC
From: VE3TMT <ve3tmt@rac.ca>
Message-ID: <jbD89.3597$sY3.917406@news20.bellglobal.com>
Source record: 40288

"Hamateuradio" <hamateuradio@aol.com> wrote in message
news:20020820214006.19349.00002045@mb-mg.aol.com...
> Is it correct to assume that ALL manuals on Ebay are copies unless the
posting
> line says "original"?

Yep, and you might even be able to read some of them.

2578. Re: Yaesu FT-920 IMD question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 03:38:21 UTC
From: Matt Thomas <mthomas@ticnet.com>
Message-ID: <3D630B2D.8040301@ticnet.com>
Source record: 40289

Would like to see a more technical response to your question as well
Jeff, other than "it's okay, no problem..."

Generally, ARRL doesn't criticize equipment too much in their reviews
(don't want to anger those high dollar advertisers), so I'm concerned
about this question as well since I'm looking at procuring a new rig in
the next few weeks and this is one of the candidates. Five years is an
eternity in radio business, so I would be very interested to hear if
anyone else knows if Yaesu addressed this problem on later production runs.

73
MT

jeff hamilton wrote:

>The October 1997 ARRL QST Review of the Yaesu FT-920 criticizes the rig for
>poor IMD transmit test results: "Almost as disturbing as the prominence of
>third and fifth order products was the prominence of higher-order (i.e.
>seventh, ninth, eleventh products)...As we've said in past reviews, this is
>the kind of IMD performance that may lead to problems with splatter and wide
>signals, especially when the transceiver is used with an amplifier."
>
>Has anyone experienced this problem recently? Has Yaesu improved the rig
>since 1997? I'm thinking of buying a used FT-920. Thanks,
>Jeff
>
>

2579. WTB TCS 5

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 03:45:03 UTC
From: Pete Smith <psmith@xmission.com>
Message-ID: <3D630CBF.7A12FBC5@xmission.com>
Source record: 40290

Hello
WTB TCS5 ..if you have this equipment for sale please contact me direct
by email ..Thanks Pete

2580. Ocimba? Please Contact me Abe!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 03:57:06 UTC
From: KC8SSG <crandall@ee.net>
Message-ID: <mcE89.129$73.2006@news>
Source record: 40291
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

I was dealing with Abe. He had the logon like Ocimba.I had a computer crash
and lost his email.Please contact me Abe!
Rob KC8SSG

2581. Re: Manuals on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 04:05:11 UTC
From: "John D. Farr" <jfarr62@comcast.net>
Message-ID: <XjE89.104467$2p2.4902211@bin4.nnrp.aus1.giganews.com>
Source record: 40292

The picture will say a lot. Watch out for the CD's. Most of them are
available free gratis from other places. John
"Hamateuradio" <hamateuradio@aol.com> wrote in message
news:20020820214006.19349.00002045@mb-mg.aol.com...
> Is it correct to assume that ALL manuals on Ebay are copies unless the
posting
> line says "original"?

2582. Re: Yaesu FT-920 IMD question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 04:19:55 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0208202019.51b545b6@posting.google.com>
Source record: 40293

"jeff hamilton" <jhamilton66@charter.net> wrote in message
news:<um3d7a1ghdra03@corp.supernews.com>...
> The October 1997 ARRL QST Review of the Yaesu FT-920 criticizes the rig for
> poor IMD transmit test results: "Almost as disturbing as the prominence of
> third and fifth order products was the prominence of higher-order (i.e.
> seventh, ninth, eleventh products)...As we've said in past reviews, this is
> the kind of IMD performance that may lead to problems with splatter and wide
> signals, especially when the transceiver is used with an amplifier."
>
> Has anyone experienced this problem recently? Has Yaesu improved the rig
> since 1997? I'm thinking of buying a used FT-920. Thanks,
> Jeff

Dunno... I do know I have heard a few that sounded pretty funky. But
on the other hand, I've heard some that sound ok. I think the way
people run them has a big effect. But I can say, a friend of mine has
one, and it never has really sounded very good at all. Pretty
distorted sounding, etc. I don't know if it's pilot error, the mike,
or the radio, but I'd be wary...Those test results don't look too
good, but I wouldn't take that as gospel without further checking.
About half the 920's I've heard sounded pretty funky, so there may be
something to this. But I wonder about the other half that sound
ok...??? Less mike drive???Better alignment at the factory? There must
be a catch somewhere to avoid a lot of the distortion. The old icom
737's were another radio that were kind of like this. Many of them
sounded like caca. Distorted and weak thin audio. The 920's I've heard
that I didn't like, just sounded distorted for some reason. Not crisp
and clear like I expect. I know a crappy alignment can cause problems
like that. Maybe the funky ones were built on mondays and friday
afternoons...It's quite a bit of radio for the money, so if you found
one, and it sounded ok, with no distortion, I wouldn't really be
afraid to buy it. There is a pretty good demand for those, so you
could turn it if you didn't like it. MK

2583. Re: Icom 706 MkIIg question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 04:28:25 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0208202028.66169776@posting.google.com>
Source record: 40294

"Bill Grimwood" <bill@grimwood.net> wrote in message
news:<um23ionl29l08c@corp.supernews.com>...
> Does anyone make a computer program to set the memory for this radio, such
> as the frequencies I use and the local repeater offsets?
>
>
> Bill Grimwood

There are a few. Do a yahoo or google search for 706 CAT programs. The
fuctions are limited in the 706g. You can rewrite the memories no
problem, but you can't store the tones if I remember right. Thats a
real PIA if you are using it for VHF/UHF mainly...But it is handy as
you can rewrite the whole 100 memories in one swat. And these can be
edited as text files. You could have 100 HF freq's, or 100 rptr's, or
SWL, etc. Rewrite on the fly to suit what you want to listen to. I
have two or three different cat programs that will run the 706g. All
are free on the net. MK

2584. HF mobile noise problem.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 05:11:46 UTC
From: JJ&A <w7ls@blarg.net>
Message-ID: <3D63217F.7BDAD7FB@blarg.net>
Source record: 40295

I have a 1987 Jeep Cherokee with a HF mobile setup. Looking for someone that has already beat the noise out of one of these Jeeps. Hopefully, I can learn from prior work on this car. Two clues: The in-tank fuel pump puts out a heck of alot of noise. How do you access the hot lead that feeds the pump, so I can bypass it as close to the pump motor as possible? Also, the main computer generates some noise. Less than the pump, but still S5. It also puts out a strong signal on 7.000 MHz. Any tips out there for his problem? Thanks. Jim

2585. Re: HF mobile noise problem.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 05:59:49 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <um6b2p92jp2m95@corp.supernews.com>
Source record: 40296

Hey, no problem - once you get over 45 mph the darn Jeep makes so much noise
you won't hear the radio. ;>}

"JJ&A" <w7ls@blarg.net> wrote in message news:3D63217F.7BDAD7FB@blarg.net...
> I have a 1987 Jeep Cherokee with a HF mobile setup. Looking for someone
> that has already beat the noise out of one of these Jeeps. Hopefully, I
> can learn from prior work on this car. Two clues: The in-tank fuel pump
> puts out a heck of alot of noise. How do you access the hot lead that
> feeds the pump, so I can bypass it as close to the pump motor as
> possible? Also, the main computer generates some noise. Less than the
> pump, but still S5. It also puts out a strong signal on 7.000 MHz. Any
> tips out there for his problem? Thanks. Jim
>

2586. PSK31 on HP320LX, anyone tried??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 06:47:11 UTC
From: kl0an <pauljordan@gci.net>
Message-ID: <um6e16fmg4sv23@corp.supernews.com>
Source record: 40297

I'm looking to hook up my HP 320 LX into a PSK31 station with a PCMCIA soundcard, a rigblaster or equal, and then my ICOM 706. This will be a very small mobile PSK31 station. Has anyone tried this?? If so, some questions:

What software did you try and what were the results??
What PCMCIA Sound Card did you try and what were the results??
Any suggestions??

I know the HP 320 LX is a great little packet computer but, I want to try and go for something a little more useful.

Any help is greatly appreciated.

73
Paul Jordan
kl0an

2587. PLESSEY IC's as SL621-623-612C I need

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 11:00:56 UTC
From: Bruno IK1VHX <bruno.lusu@tin.it>
Message-ID: <IpK89.8423$xi1.415061@news2.tin.it>
Source record: 40198

73 to all
My name Bruno from Genoa,north Italy (IK1VHX)
I'm looking for 3 SL612C (metal case), 1 SL623, 1 SL 621 to homebrew a HF receiver using 74FST3125 high level mixer to obtain over than +40 dBm IP3.
Can anyone help me?
Here in Italy is impossible to find they
Thank you very much
73 de IK1VHX
bruno.lusu@tin.it

2588. Re: IC-706MK2G Prices?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 13:08:20 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020821090820.28418.00001574@mb-ce.aol.com>
Source record: 40199

>I found the best price ($839.95 at the time: it wasn't on their Web site, but
>that's what they quoted in reqponse to an e-mail query) at Texas Towers.
>Having received conflicting reports about the desirability of doing business
>with TT, however, I made the purchase from HRO,

Good move. If you do a search on deja.com for Texas Towers, you will find a history of shady dealings as far back as 10+ years... Two radio dealers you do not want to deal with is Texas Towers and Copper. Often they would both have lower prices than AES or HRO, but they've got bad reputations.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2589. FS: Straight Key

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 13:08:47 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <on37mu0p7oaiisup31i4lk2cgucv7p7sk4@4ax.com>
Source record: 40200
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE

Straight Key - Fully adjustable, with nickel silver finish.
Mounted on nice stable, flat base. This key has
locking bar for tuning.

Ideal for the seasoned CW op or the beginning sender!

$25.00 plus shipping

E-mail me to arrange purchase

2590. Re: Manuals on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 13:09:15 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020821090915.28418.00001575@mb-ce.aol.com>
Source record: 40201

>Is it correct to assume that ALL manuals on Ebay are copies unless the
>posting
>line says "original"?

I think the general rule of thumb with Ebay is "Never assume". You really do
get what you pay for there. :)
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2591. Crystal Sockets (1)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 13:19:20 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <ea47mu8onmlc8jvbmn1d7l9h9qg1vdkrg5@4ax.com>
Source record: 40202
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment

FOR SALE:

Crystal sockets for HC-6/U crystals.
If anyone would like some, I have about 10 or 20 of these available
for $2.00
each plus shipping

These are new parts. They are teflon and anodized metal.
They have two hole side mounting, with a clip that nicely holds the
crystal in place.

Great for repairing older rigs, or for homebrewing tube transmitters &
receivers.

These are NOT the same as FT243. These are for the similar sized
crystals that have thinner pins.

2592. Re: HF mobile noise problem.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 14:12:39 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <ak074scee1@slb6.atl.mindspring.net>
Source record: 40203

I guess Fred doesn't know much about the Cherokee model.

JJ&A, Try asking for help on the Jeeps Unlimited forum
http://jeepsunlimited.com/forums/
--
Steve

"Fred Hambrecht" <w4jle@charter.net> wrote in message
news:um6b2p92jp2m95@corp.supernews.com...
> Hey, no problem - once you get over 45 mph the darn Jeep makes so much
noise
> you won't hear the radio. ;>}
>
> "JJ&A" <w7ls@blarg.net> wrote in message
news:3D63217F.7BDAD7FB@blarg.net...
> > I have a 1987 Jeep Cherokee with a HF mobile setup. Looking for someone
> > that has already beat the noise out of one of these Jeeps. Hopefully, I
> > can learn from prior work on this car. Two clues: The in-tank fuel pump
> > puts out a heck of alot of noise. How do you access the hot lead that
> > feeds the pump, so I can bypass it as close to the pump motor as
> > possible? Also, the main computer generates some noise. Less than the
> > pump, but still S5. It also puts out a strong signal on 7.000 MHz. Any
> > tips out there for his problem? Thanks. Jim
> >
>
>

2593. Getting ready for Shelby

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 14:29:27 UTC
From: NI4L <ni4l@charter.net>
Message-ID: <3D63A3C7.9050509@charter.net>
Source record: 40204

Atlas 210 the docking station, power supply and the rare external
frequency counter
In good shape works fine.
235.00 + shipping

Homebrew Antenna tuner legal limit Nice. wire and coax feed.
90.00 + shipping

Collins 300G plate transformer
part # 672-1360-00
Pr) 0-105-110-115-120-125 vac 60 hz 1 ph
S1)1200 vct @ 0.283 ccs
DM) Ht= 7.000 Wt = 7.500 Dt = 6.500
weight aprox 45 lbs
checks out fine
75.00+ shipping

This is a nice big plate transformer 14" tall x 11 3/4" wide x 7 1/2"
deep
120/220 primaries 3000v @ 3 to 4 amps center tapped
this baby is pretty heavy i'd say about 100 lbs or close to it.
100.00 + shipping

2 Jennings Vacuum Variable Capacitor

CVCJ-1000-5S - 7-1000pf, 5KV. ceramic
UCSL-500-5D2639 - 9-500pf, 5KV glass
Both work fine.
75.00 each + shipping

I have a nice KDK FM-6033 Six meter rig has tones, Memories 10 i
think It scans -/+ off sets,VFO, call channel.
5/25 watts works perfect looks good. Have mic, power cord and mounting
bracket for it.
125.00+shipping

Oil Caps

1-10mf@1500vdc
1- 2mf@5000vdc
4-1mf@2000vdc
2-1mf@3600vdc
2-1mf@600vdc
4- 250mf@450vdc screw in caps computer grade
make me an offer on these

I have a mobile amp Pride 100 Bi Linear amplifier says 10-80 meters on
the front
has ssb/am preamp
75.00 + shipping

Also Have a 10 METER 2 pill amp About 60-75 watts output with a 10 amp
13.8 vdc power supply built in so you could run a mobile in the house on it.
100.00 + shipping

H card and rca receiver
RCA DRD222RD
with a "H" card. It is a subscription card never been hacked. Org.
owners had cablevision ran and put it away in the closet. been there
since 97
Have remote. Also have a dish if you want it .
would like 125.00 + shipping

Dentron Clipperton L
This amp is a 10!
new caps (8) 470@450v
New board for caps
New full wave HV-8 high voltage rectifiers (2)
New Plate Choke
New Plate cap resistors
New Doorknobs
New Band switch
New Omega electronics Tuned input board
New Powercoat on the cabinet
New Choke
New EQ Resistors
4 full output Taylor 572-B tubes
Have manual and paper work from omega for tuned input board.
This amp is better than new.
650.00 + shipping
thanks for reading
chris NI4L

--
NI4L CUSTOM RESONANT DIPOLE
LEGAL LIMIT ++ CUSTOM MADE CENTER FED DIPOLE
Made with the same components used by our military forces today
Custom made to YOUR FREQUENCY of operation
Let me take the hassle out of making a RESONANT DIPOLE for you.
Click here for more info... http://www.angelfire.com/nb/ni4l/

2594. WTB: JRC NVA-88 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 14:33:48 UTC
From: bfdp1@msn.com
Message-ID: <1235373c.0208210633.26ffac59@posting.google.com>
Source record: 40205

Please advise condition and price.

73

John

2595. FS: 10 meter amateur radio transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 17:53:16 UTC
From: electricguy <electricguy30@nospamhotmail.com>
Message-ID: <ak0k28$5g2$1@nntp9.atl.mindspring.net>
Source record: 40206
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

Please go to http://www.mindspring.com/~elecman/ar3500.html for details.

Remove nospam when replying

2596. FS: Terminal Boards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 18:43:40 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <r8n7mu4jauvitckvokg3c01rqmd9k3evih@4ax.com>
Source record: 40207
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

TERMINAL BOARDS
New first quality terminal boards.

For those who build, repair or service antique amateur
radio equipment and/or audio equipment etc.
the following will be very useful.

Top quality fiberglass and phenolic terminal boards
in several sizes.
These have 2 rows of turrets for mounting components
and making wiring connections, and four mounting holes in the corners.

A) Measuring 8-3/4" X 1-5/8" with 21 pairs of terminals for mounting
parts etc.
QTY 3 available at $4.00 each.

B) Measuring 2-5/8" X 1-1/2" with 5 pairs of terminals for mounting
parts etc.
QTY 10 available at $1.50 each.

C) Measuring 2-1/2" X 2" with 5 pairs of terminals for mounting
parts etc.
QTY 1 available $1.50

D) Measuring 2-5/8" X 2-1/2" with 5 pairs of terminals for mounting
parts etc.
QTY 3 available at $1.50 each

E) Measuring 2-5/8" X 3" with 5 pairs of terminals for mounting
parts etc.
QTY 1 available $1.50

E-mail me to arrange purchase

2597. Midland model 70-1440B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 20:55:41 UTC
From: Ray Angell <angellr@ucs.orst.edu>
Message-ID: <3D63FE4D.80DCC417@ucs.orst.edu>
Source record: 40208

The local ambulance service has changed out its radios and will be disposing of the old ones. They are Midland XTR model 70-1440B. My questions are: 1; Can they be programmed into the 2 meter ham frequencies and 2; What software/cable is needed for programming? Any info would be greatly appreciated. I've found some info on other Midland radios, but not much luck on these.
Thanks. Ray

2598. FS: Dentron Clipperton L Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-21 21:23:08 UTC
From: John <ki4nr@qsl.net>
Message-ID: <rxT89.780$q52.165710@newsfeed.slurp.net>
Source record: 40209

Very nice condition Clipperton L . Full output Cetron 572B.(1200+ watts)
New T/R relay, Fan and fresh Mallory Caps. All work done by professional
tech. With copy of manual

$495.00 plus shipping

73 john KI4NR

2599. FS: Yaesu FT-817 + extra's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 00:28:30 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d64302b$0$3567$4c5ecdc7@news.erinet.com>
Source record: 40210
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Three month old Yaesu FT-817, like new. has W4RT collins 500hz cw filter, W4RT "one-plug-power" 1800 ma battery pack. Yaesu case, "pack-it" ref manual. box, manual, mic, ant's that came with it. $615 shipped priority mail insured in the lower 48. thanks
Tim
NZ8J

2600. Re: FS: 10 meter amateur radio transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 01:05:39 UTC
From: "Arthur R. Howard" <whtmtnman@citlink.net>
Message-ID: <3D6438E3.C926593A@citlink.net>
Source record: 40211
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

The 3500 is a cool radio...it can be tricked out rom the front panel to go
as low as 80M

electricguy wrote:

> Please go to http://www.mindspring.com/~elecman/ar3500.html for details.
>
> Remove nospam when replying

2601. FS: Kenwood TS-850S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 01:15:32 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <0bd8mukg6j77jgpamogjatbpkek35tnjog@4ax.com>
Source record: 40212

I have for sale in excellent condition a Kenwood TS-850S/AT. It comes
with the original Kenwood hand microphone, manual, power cable and the
original box. This is from a non smoker and in 100%
operating condition. I will ship it anywhere in the 48 states for $750
via UPS ground. I can be reached at (508) 821-2993 or email..WZ1U
Steve / Lakeville, Ma.

2602. Difference between FT-101ZD, 901DM & 902DM?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 01:26:22 UTC
From: dummy <dummy@cris.com>
Message-ID: <25X89.325402$q53.10443073@twister.austin.rr.com>
Source record: 40213

What is the difference between these rigs? The specs appear the same.

901's/902's better than the earlier 101ZD? Is there a particular 'best of breed'? Why?

Thanks & 73

2603. Re: Difference between FT-101ZD, 901DM & 902DM?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 01:54:17 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <um8gtgo5bi3946@corp.supernews.com>
Source record: 40214

101ZD was made at the same time the 901 was, just much cheaper, due to less features, the internal parts are much the same. A set of 6146's driven by a single 12BY7A in all three rigs. 902 was slightly later.
901'a didn't have WARC bands, but late model 101ZD's did. The 902 came with WARC bands installed. A CW keyer was also standard on the 902, as well as AM,& FM, whcih were options on the 901 and 101.
My choice; the FT-101ZD MKIII with AM brd, is the best "bang for the buck". I have owned all three, and the 101ZD was the "sweetest".
--
Respond to my "real" e-mail;
kk5dr@ev1.net
"dummy" <dummy@cris.com> wrote in message
news:25X89.325402$q53.10443073@twister.austin.rr.com...
> What is the difference between these rigs? The specs appear the same.
>
> 901's/902's better than the earlier 101ZD? Is there a particular 'best of
> breed'? Why?
>
> Thanks & 73
>
>

2604. Re: Difference between FT-101ZD, 901DM & 902DM?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 02:07:59 UTC
From: Bob W7AVK <rsrolfne@atnet.net>
Message-ID: <3D644A41.2EC76E6F@atnet.net>
Source record: 40215

Gang and M.E.. - I've several XF-8.9xxx new Yaesu 8.9 Mhz filters for the
101ZD,
901, and 902. CW, SSB narrow, SSB wide, and AM Modes.

Asking $45 plus postage.

73 Bob W7AVK

"M.E." wrote:

> 101ZD was made at the same time the 901 was, just much cheaper, due to less
> features, the internal parts are much the same. A set of 6146's driven by a
> single 12BY7A in all three rigs. 902 was slightly later.
> 901'a didn't have WARC bands, but late model 101ZD's did. The 902 came with
> WARC bands installed. A CW keyer was also standard on the 902, as well as
> AM,& FM, whcih were options on the 901 and 101.
> My choice; the FT-101ZD MKIII with AM brd, is the best "bang for the buck".
> I have owned all three, and the 101ZD was the "sweetest".
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "dummy" <dummy@cris.com> wrote in message
> news:25X89.325402$q53.10443073@twister.austin.rr.com...
> > What is the difference between these rigs? The specs appear the same.
> >
> > 901's/902's better than the earlier 101ZD? Is there a particular 'best of
> > breed'? Why?
> >
> > Thanks & 73
> >
> >

2605. Re: FS: 10 meter amateur radio transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 02:12:49 UTC
From: VE3TMT <ve3tmt@rac.ca>
Message-ID: <2MX89.25149$Px3.1093026@news20.bellglobal.com>
Source record: 40216
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

"Arthur R. Howard" <whtmtnman@citlink.net> wrote in message
news:3D6438E3.C926593A@citlink.net...
> The 3500 is a cool radio...it can be tricked out rom the front panel to go
> as low as 80M

On the display only!

2606. Looking for Help with noisy Toyota Fuel Pump QRN

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 02:31:42 UTC
From: Larry Johnson <larryj@teleport.com>
Message-ID: <3D644C51.C5A1A75A@teleport.com>
Source record: 40217
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

I have a 2000 Toyota Tacoma Pickup (4-cylinder, gas engine). I've been experimenting with several different HF rigs in it, but it's just about unusable above 40 Meters due to electrical noise from the in-tank fuel pump. I've read that Fords and Toyotas have a particularly bad time with this noise.

I've bonded most things - bumpers, tailpipe, hood, doors, etc. which have given me a good counterpoise and transmit signals seem to be very good. I've definitely isolated the noise to the electric fuel pump, and have had the tank lowered by a repair shop so that I could add bypass caps and toroids right at the fuel pump connections as described in the ARRL RFI book - no help at all. I also removed the long ground return wire for the pump motor and grounded it very closely nearby. The HF rig is also grounded directly to a nearby solid ground point.
Double-shielded coax is being run from the Hustler antenna to the radio.

I've contacted numerous other replacement fuel pump manufacturers and none can guarantee that their units are any quieter than the factory unit. They also all seem to be sealed so that the actual brushes can't be gotten to for putting caps on them. I've tried to find out about an external (not in-tank) pump, but no shop seems to want to tackle an installation job like this (as suggested on the ARRL Web page).

Sorry if this has been discussed before, I just subscribed to this newsgroup hoping that someone might have actually been successful fixing a noisy Toyota fuel pump problem. It seems that this should be a somewhat straightforward problem that bypassing, etc. out to be able to fix.

Thanks,

Larry
larryj@teleport.com

2607. Re: PLESSEY IC's as SL621-623-612C I need

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 03:13:19 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns9271CDD9B239CFrog207Junocom@148.78.248.76>
Source record: 40218

> I'm looking for 3 SL612C (metal case), 1 SL623, 1 SL 621 to homebrew
> a HF receiver using 74FST3125 high level mixer to obtain over than +40
> dBm IP3. Can anyone help me?
> Here in Italy is impossible to find they

I did a search on Google.com for "Plessey IC" and found several
possibilities.

Ed

2608. FA: Icom IC-32AT Classic & Best Dual-Band H/T. Believe only @$71?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 03:45:04 UTC
From: rlucch2098@aol.com
Message-ID: <20020821234504.04322.00003422@mb-fo.aol.com>
Source record: 40219

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1374030886

2609. FA: Beautiful ElectroVoice #638 Microphone for HEATHKITS@$15

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 03:46:28 UTC
From: rlucch2098@aol.com
Message-ID: <20020821234628.04322.00003423@mb-fo.aol.com>
Source record: 40220

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1374030854

2610. FA: Really Nice HEATHKITS GC-1 Mohican & SB-303 Receivers,A-Deal!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 03:48:31 UTC
From: rlucch2098@aol.com
Message-ID: <20020821234831.04322.00003426@mb-fo.aol.com>
Source record: 40221

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1374030807
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1374030789

2611. fa; Allied Realistic SP-150 Speaker for DX-150-160 receivers,a Gem$13

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 03:50:12 UTC
From: rlucch2098@aol.com
Message-ID: <20020821235012.04322.00003427@mb-fo.aol.com>
Source record: 40222

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1374030738

2612. Looking for a TH-6F HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 06:26:31 UTC
From: JJ&A <w7ls@blarg.net>
Message-ID: <3D648485.C6D94EC9@blarg.net>
Source record: 40223

If you have one you're selling, please contact me. Thanks. Jim W7LS

2613. Looking for datasheet for AP-8A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 09:16:38 UTC
From: Igor <maillist@rts-ukraine.com>
Message-ID: <ak29ot$2ro6$1@pandora.alkar.net>
Source record: 40224

Hello All,

I am going to buy the multiband vertical AP-8A. I have an offer for reasonable price for 4 years old antenna which was not in use at all.

But I was not able to find any datasheet/description on cushcraft's web.

As far as I understood this antenna is obsolete now and R8 is a new model.

Can anybody send me an information on Ap-8A (bands, bandwidths, SWRs, maximum input power, installation requirements/restrictions, etc) as well as personal impression from this antenna.

Regards & 73,
Igor (ur5eoa)

2614. 603 beam and tower 4sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 10:43:59 UTC
From: Jeff <j.dauphinais@worldnet.att.net>
Message-ID: <Pf399.5862$NZ.325423@bgtnsc05-news.ops.worldnet.att.net>
Source record: 40225
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.antenna,rec.radio.amateur.homebrew,rec.radio.amateur.misc

I have for sale 1 full size "HY-Gain" beam 10 meters. fully assembled for your inspection. 13' Boom and longest element is 22' $100.00 I also have a steel tower totaling 25'. this is in 3 sections 1 10 foot st8 and 1 5foot st8 and 1 10 foot top section. I don't not have a rotator. $50.00. pickup only from Nashua,NewHampshire. I am selling these because they are to big for my new QTH. This beam has spent a large portion of its life in storage. 73's Jeff AA1GR

2615. Re: Difference between FT-101ZD, 901DM & 902DM?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 12:46:23 UTC
From: AD5IU <dummy@cris.com>
Message-ID: <z2599.91265$eK6.2878940@twister.austin.rr.com>
Source record: 40226

Thanks M.E., Good info

So the 101ZD was basically just a cheaper version of the 901? What
(standard) features were left out of the 101ZD that are present in the 901?
Since you prefer the 101ZD seems the extra features in the 901 weren't all
that useful?

The reason I'm asking is I currently have a 101ZD (pre WARC). It's still in
really great shape so I'm just wondering if it's worth the $$$ & effort to
'upgrade' to a 901 or 902.

Thanks again
AD5IU

"M.E." <bogus@nospam.com> wrote in message
news:um8gtgo5bi3946@corp.supernews.com...
> 101ZD was made at the same time the 901 was, just much cheaper, due to
less
> features, the internal parts are much the same. A set of 6146's driven by
a
> single 12BY7A in all three rigs. 902 was slightly later.
> 901'a didn't have WARC bands, but late model 101ZD's did. The 902 came
with
> WARC bands installed. A CW keyer was also standard on the 902, as well as
> AM,& FM, whcih were options on the 901 and 101.
> My choice; the FT-101ZD MKIII with AM brd, is the best "bang for the
buck".
> I have owned all three, and the 101ZD was the "sweetest".
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "dummy" <dummy@cris.com> wrote in message
> news:25X89.325402$q53.10443073@twister.austin.rr.com...
> > What is the difference between these rigs? The specs appear the same.
> >
> > 901's/902's better than the earlier 101ZD? Is there a particular 'best
of
> > breed'? Why?
> >
> > Thanks & 73
> >
> >
>
>

2616. FS: Siemens C3m valves, NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 13:02:44 UTC
From: arnoldg@c2i.net
Message-ID: <3d64e16f.5993254@news1.c2i.net>
Source record: 40227

Hello,

This very special Siemens valve can be used as a driver for 300B and
similar. It is a pentode with a heater of 20V 0.125A, Va 225 Vg2 155V
Ia 16mA Ig2 3mA S = 6.5mA/V Wa 4W max Ik max 30mA. Loctal socket.
I have several in stock at NOK 172.- each or about $ 22.60. They are
all NOS and in original boxes. Pictures and data on my web site -
www.demostenes.no

Best regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

2617. For Sale: Yaesu FT-100 with extras

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 14:43:43 UTC
From: Jeff Purtle <jpurtle@earthlink.net>
Message-ID: <B98A7008.41A%jpurtle@earthlink.net>
Source record: 40228
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.fm,alt.ham-radio.hf,alt.ham-radio.ssb,alt.ham-radio.vhf-uhf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc.

Yaesu FT-100 in perfect condition, without a mark or scratch.
This is an all mode transciever that operates HF, 6 meters, 2 meters, and 440 Mhz bands, plus has continuous receive up to 900 Mhz in almost all but cell phone band.
Also included is the seperation kit, and quick release bracket.
The radio was never used mobile. Everything works great.
Included is the original box and manual and everything else.

$600 plus buyer pays shipping.

73,

Jeff Purtle, AC6IW
864-292-3532 in Greenville, South Carolina

2618. For Sale: Yaesu FC-20 Automatic Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 14:43:47 UTC
From: Jeff Purtle <jpurtle@earthlink.net>
Message-ID: <B98A7059.41A%jpurtle@earthlink.net>
Source record: 40229
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.fm,alt.ham-radio.hf,alt.ham-radio.ssb,alt.ham-radio.vhf-uhf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

Yaesu FC-20 Automatic Antenna Tuner.
Everything is like new without a scratch.
Everything works perfect.
Included is the original box, manual, cables, etc..

$125 plus buyer pays shipping.

73,

Jeff Purtle, AC6IW
864-292-3532 in Greenville, South Carolina

2619. For Sale: Yaesu FP-1030A Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 14:43:51 UTC
From: Jeff Purtle <jpurtle@earthlink.net>
Message-ID: <B98A7041.41A%jpurtle@earthlink.net>
Source record: 40230
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.fm,alt.ham-radio.hf,alt.ham-radio.ssb,alt.ham-radio.vhf-uhf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

Yaesu FP-1030A Power Supply
In perfect condition without a mark or scratch.
Everything works perfect.
This is a very nice 30 Amp 13.8 Volt supply.
It has an Amp meter and a Volt meter.
There is also a cig. lighter socket on the front.

$175 plus buyer pays shipping.

73,

Jeff Purtle, AC6IW
864-292-3532 in Greenville, South Carolina

2620. For Sale: Connect Systems Inc. CS-900 Simplex Autopatch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 14:43:56 UTC
From: Jeff Purtle <jpurtle@earthlink.net>
Message-ID: <B98A7023.41A%jpurtle@earthlink.net>
Source record: 40231
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.fm,alt.ham-radio.hf,alt.ham-radio.ssb,alt.ham-radio.vhf-uhf,rec.radio.amateur.dx
,rec.radio.amateur.equipment,rec.radio.amateur.misc

Connect Systems Inc. CS-900 Simplex Autopatch
This is in great shape with only two holes on the top from
previously being mounted. It works perfect.
This is the best autopatch available, with features like
toll restrict, reverse autopatch, and much more.
Included is a home made cable that works with a Yaesu FT-100 ham radio.

$175 plus buyer pays shipping.

73,
Jeff Purtle, AC6IW
864-292-3532 in Greenville, South Carolina

2621. HM-98 Mic or Mic-Parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 14:54:44 UTC
From: Jason Dugas <jdugas@ems.jsc.nasa.gov>
Message-ID: <UW699.172$WZ7.17057979@newssvr17.news.prodigy.com>
Source record: 40232

For those of you who haven't had this experience, the HM-98 is the mic for the ICOM-2800H. Unfortunately, the PTT switch is based in a surface-mount chip on a printed circuit board inside the mic (that's all there is inside the mic). (also see previous post: Mic for IC-2800H -- tried fixing it, but working on surface mount devices with your hands is a little difficult).

The switch stopped working and I tried to purchase the component or even the entire board assembly that goes inside from ICOM and they said they would not sell me anything, except for an entire mic which costs $90.

Since I already have the mic's body and wiring, I wanted to see if anyone either had an old mic that I could use for parts or if anyone wanted sell me a used HM-98. Please reply to kb5urq@NO-SPAMhotmail.com or the email address I have listed under my profile on qrz.com

Thanks for any offers or comments,

Jason Dugas
73 de KB5URQ

2622. Need straight key part

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 18:17:09 UTC
From: anon779f@blackhole.nyx.net
Message-ID: <Pine.SUN.3.96.1020822121432.10774A-100000@nyx10>
Source record: 40233

Folks,

I need a lever (arm) and spring for a J.H.Bunnell straight key.

Anyone have a box of parts . . . ?

Bill, KC0IZI
anon779f@nyx.net

2623. WTB: Swan 117XC PS/Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 18:52:12 UTC
From: kip@msc.cornell.edu
Message-ID: <ak3bss$p7g$1@news01.cit.cornell.edu>
Source record: 40234

Dear NewsReaders,
I'm looking for a Swan 117-XC power supply/ speaker combination
in good shape functionally and with good appearance.
Thanks for reading this, Carl KB2KDV

2624. SX-101A, Eico 723, TR33c F.S.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 19:21:10 UTC
From: AK <AK_in_OH@cinci.rr.com>
Message-ID: <GQa99.44220$N9.6821070@twister.neo.rr.com>
Source record: 40235

FS:
Hallicrafter SX-101A
Designed for SSB reception.
Excellent Condition, with manual
$175 Will e-mail picture.

FS:
Eico 723 60W CW Transmitter
$60 Great condition; can e-mail picture.

FS:
Drake TR33C 2M 12-Channel Transceiver.
$45 Will send jpg pic on request.

ak-in-oh@cinci.rr.com (Andy - WZ8A)

2625. Help with Gonset G-63 info.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 21:33:06 UTC
From: K5VSE <wb6vse@ipa.net>
Message-ID: <mMc99.1168$ld4.107252@newsread2.prod.itd.earthlink.net>
Source record: 40236
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi to all,
Anyone got any service info on a Gonset G-63? Anything will work.

Thanks to everyone who helped me with the Henry problem.

73

--
Mike-K5VSE
Formerly WB6VSE, senior tech, amateur division
SBE/Linear Systems, Watsonville, CA
All out going mail scanned with Norton AntiVirus 2002

2626. Last Day! FA: Uniden BC200XLT Bearcat

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-22 22:12:34 UTC
From: a@b.invalid
Message-ID: <ak3nki$hi7$2@plonk.apk.net>
Source record: 40237

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1374219387

2627. Re: FS: VARIABLE CAPACITORS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 00:05:08 UTC
From: claude bouchard <claude153@sympatico.ca>
Message-ID: <3D657C33.A6464D22@sympatico.ca>
Source record: 40238
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hello
I am interested to the 300DD35 condenser at 26.00 U.S.
tell neme and address to send money
73
ve2amk

Sidevalve a écrit :

> FOR SALE:
>
> Transmitting variable capacitors, HF, VHF etc.
>
> E.F Johnson, Hammarlund, Cardwell, National and other brands.
> All sizes, including split stator types, loading caps,
> neutralizing caps, trimmers etc. etc.20 pF to 1000pF
>
> Examples:
> Large E.F. Johnson split stator varable, 300 pF + 300 pF at 3.5 KV
> Type MPE 300DD35
> Dimensions 9.5" deep X 4.5" X 4.25"
> Has standard 1/4" shaft 1.5" long.
> Will sell for $26.00
>
> Hammarlund NOS Dual 50 pF split-stator variable capacitor
> in original box.
> Type MICD-50C with dimensions: 2-1/2" X 2-1/2" X 3" deep
> Has standard 1/4" shaft that is 1-1/2" long
> Will sell for $12.00
>
> National Co. EMC-1000 variable capacitor 0-1000 pF QRO type,
> suitable for HF linear amplifier or large RF final.
> Dimensions 3-5/8" wide X 3-1/4" tall X 5" deep plus 1-1/2" long
> shaft X 1/4"
> This one is NEW in original box. QTY 1 available for $24.00
>
> See full list and pictures at:
> http://snow.prohosting.com/sidevalv/varicaps.htm

2628. Re: Manuals on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 01:04:40 UTC
From: Andre Frechette <andrefrechette@sympatico.ca>
Message-ID: <ITf99.7373$sY3.1583836@news20.bellglobal.com>
Source record: 40239

Yes, they all come from the same site: US army technical manual... and they are FREE!

www.logsa.army.mil

Andre VE2FAB

"Hamateuradio" <hamateuradio@aol.com> wrote in message news:20020820214006.19349.00002045@mb-mg.aol.com...
> Is it correct to assume that ALL manuals on Ebay are copies unless the posting
> line says "original"?

2629. Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 02:15:51 UTC
From: Brian <n7qjb@no.spam.msn.com>
Message-ID: <3d659aef_2@news.teranews.com>
Source record: 40240

Greetings all.

I recently purchased a used radio and discovered too late that it had been owned by a smoker. Its a mobile and I have the remote kit, so I can mount the transceiver in the trunk, but the control head still reeks.

Does anyone have any suggestions on what I can do to get rid of the smell? I'm planning to take it apart and wash the plastic, but will this kill the smell?

Thanks,
Brian, N7QJB

2630. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 02:29:38 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <umb7glnrj1eo23@corp.supernews.com>
Source record: 40241

Put the radio, along with a downey fabric softner sheet in a ziplock bag.
Leave it in a warm place for 3 days and it will smell like new.

"Brian" <n7qjb@no.spam.msn.com> wrote in message
news:3d659aef_2@news.teranews.com...
> Greetings all.
>
> I recently purchased a used radio and discovered too late that it had been
> owned by a smoker. Its a mobile and I have the remote kit, so I can mount
> the transceiver in the trunk, but the control head still reeks.
>
> Does anyone have any suggestions on what I can do to get rid of the smell?
> I'm planning to take it apart and wash the plastic, but will this kill the
> smell?
>
> Thanks,
> Brian, N7QJB
>
>
>

2631. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 02:38:09 UTC
From: dplatt@radagast.org
Message-ID: <umb80h7ddojiea@corp.supernews.com>
Source record: 40242

>I recently purchased a used radio and discovered too late that it had been
>owned by a smoker. Its a mobile and I have the remote kit, so I can mount
>the transceiver in the trunk, but the control head still reeks.
>
>Does anyone have any suggestions on what I can do to get rid of the smell?
>I'm planning to take it apart and wash the plastic, but will this kill the
>smell?

One suggestion I've read: leave it out in bright sunlight for several
days, exposing the innards to as much solar UV as is practical. The
combination of heat and UV will break up some of the tobacco tars and
allow the odor-causing substances to diffuse away.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

2632. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 02:55:19 UTC
From: DonB <7432D63DBB01D03A196B1EDD80E8@comcastt.net>
Message-ID: <ruh99.132864$m91.5982408@bin5.nnrp.aus1.giganews.com>
Source record: 40243

Ozone generators will eat the smell. Although really prolonged O3 will deteriorate insulation and such, you only need to "soak" it for a few hours. I've used these in cars to take out smoke and mustiness from wet carpets. Works great. Call your local rental shop.

"Dave Platt" <dplatt@radagast.org> wrote in message news:umb80h7ddojiea@corp.supernews.com...
> >I recently purchased a used radio and discovered too late that it had been
> >owned by a smoker. Its a mobile and I have the remote kit, so I can mount
> >the transceiver in the trunk, but the control head still reeks.
> >
> >Does anyone have any suggestions on what I can do to get rid of the smell?
> >I'm planning to take it apart and wash the plastic, but will this kill the
> >smell?
>
> One suggestion I've read: leave it out in bright sunlight for several
> days, exposing the innards to as much solar UV as is practical. The
> combination of heat and UV will break up some of the tobacco tars and
> allow the odor-causing substances to diffuse away.
>
> --
> Dave Platt <dplatt@radagast.org> AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
> boycott any company which has the gall to send me such ads!

2633. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 03:16:02 UTC
From: Bruce <DELETE_THISbw415@mchsi.com>
Message-ID: <SNh99.126031$983.183748@rwcrnsc53>
Source record: 40244

Something that I have used that works is to put the radio in a plastic bag with some activated charcoal. This can be purchased at any store that sells aquarium supplies. I put a cup or two in a dish and leave it with the smelly item for two or three days.

2634. FS: 7 AIR VARIABLE CAPS w/pics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 03:26:34 UTC
From: rlucch2098@aol.com
Message-ID: <20020822232634.05009.00002844@mb-fc.aol.com>
Source record: 40245

Hi Fellas;
I have for SALE:
Box of 7 air variable capacitors, only the johnson trimmer has a chipped ceramic.
Rest are nice & clean. I checked the values on my B&K RLC bridge & they should be rather close!
PIC>>

http://www.myradioroom.com/7aircaps.jpg
Price is $35ppd
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

2635. FS: 2 EICO GDO's #710, one set-o-coils>>PICS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 03:27:43 UTC
From: rlucch2098@aol.com
Message-ID: <20020822232743.05009.00002847@mb-fc.aol.com>
Source record: 40246

Hi Fellas;
I have for SALE:
Two each Eico model 710, only one set of coils though.
The only test I did wsas place a 2.9 to 7.5mcs coil & listened for a tone on
7mcs with my R-390A with the GDO in "OSC" position.
Range with 8 coils is .4 to 250mcs
Not used in Years, can use a good cleaning & service.
Pic>>

http://www.myradioroom.com/2eicogdo.jpg
Price is $55.00 ppd!
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

2636. FS: 7 panel meters with pics!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 03:29:02 UTC
From: rlucch2098@aol.com
Message-ID: <20020822232902.05009.00002848@mb-fc.aol.com>
Source record: 40247

Hi Fellas;
I have for SALE:
7 mixed size panel meters, all tested with a very small voltage to see if at least the pointer moves.
Price for all is$40.00ppd.
Pleasesee both Pics>>

http://www.myradioroom.com/7meters1.jpg

http://www.myradioroom.com/7meters2.jpg
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

2637. FS: 2 heathkit GDO's, a GD-1A & GD-1B, one set-o-coils!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 03:30:06 UTC
From: rlucch2098@aol.com
Message-ID: <20020822233006.05009.00002850@mb-fc.aol.com>
Source record: 40148

Hi Fellas;
I have for SALE:
One each Heathkit GDO-'s, a GD-1A & 1-GD-1B, only one set of coils though.
Range with 5 coils is 2-250 mcs.
The only test I did wsas place a 5-14mcs coil & listened for a tone on 7mcs
with my R-390A with the GDO in "OSC" position.
Not used in Years, can use a good cleaning & service.
Pic>>
http://www.myradioroom.com/2heathgdo.jpg
Price is $45.00 ppd!
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

2638. FS: ALPHA 78 FACE & COVER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 04:09:24 UTC
From: rong@computer.net
Message-ID: <3d65b506.2189770@news.computer.net>
Source record: 40149
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi All,

I just received a new face & cover for my old Alpha 78 from Crosslink. I will be installing them during my vacation over the next 2 weeks. The old face & cover have become quite sticky with age as all of the original 78's did. Is there anyone out there that wants to purchase the old cover & face ??? The lettering on the face is perfect. There are a few scratches at the top left screw hole where someone evidently had bad aim with a screwdriver, and a few chips on the edges. There might also be some rub marks under either the tune or load dials--I can't remember which one used to rub, but you can't see it with the vernier dials assembled. The cover has numerous scratches all around, but a paint job will fix that. There are NO dents in either piece. The cover should also fit the 76 series with 2 or 3 tubes and the 374A series. The only difference that I can see, is that this cover has vent holes for 3 tubes as used in the 78.

I once read somewhere that if you soak the cover & face in water overnight, the stickyness will disappear--whether that is true or not, I don't know.

If you are interested, please E-mail me at rong@computer.net or call me at 914 769 3114. Make me an offer that I can't refuse. Crosslink charged me $21.50 for the shipping, but that included the box & packing--I assume that it will run about $12 to ship the box anywhere in the lower 48.

Thanks & 73,
****
Ron Goldstein.....KA2IIA
STAY YOUNG---DRIVE A VINTAGE 427 CORVETTE.
KEEP YOUR MIND ACTIVE---BECOME AN AMATEUR RADIO OPERATOR.

REMEMBER, THERE ARE NO STRANGERS IN AMATEUR RADIO, ONLY FRIENDS THAT WE HAVE NOT YET MET.
rong@computer.net******ka2iia@arrl.net

2639. FS: ALPHA 78 FACE & COVER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 04:12:05 UTC
From: rong@computer.net
Message-ID: <3d65b5c2.2377530@news.computer.net>
Source record: 40150
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi All,

I just received a new face & cover for my old Alpha 78 from Crosslink. I will be installing them during my vacation over the next 2 weeks. The old face & cover have become quite sticky with age as all of the original 78's did. Is there anyone out there that wants to purchase the old cover & face ??? The lettering on the face is perfect. There are a few scratches at the top left screw hole where someone evidently had bad aim with a screwdriver, and a few chips on the edges. There might also be some rub marks under either the tune or load dials--I can't remember which one used to rub, but you can't see it with the vernier dials assembled. The cover has numerous scratches all around, but a paint job will fix that. There are NO dents in either piece. The cover should also fit the 76 series with 2 or 3 tubes and the 374A series. The only difference that I can see, is that this cover has vent holes for 3 tubes as used in the 78.

I once read somewhere that if you soak the cover & face in water overnight, the stickyness will disappear--whether that is true or not, I don't know.

If you are interested, please E-mail me at rong@computer.net or call me at 845 526 3221. Make me an offer that I can't refuse. Crosslink charged me $21.50 for the shipping, but that included the box & packing--I assume that it will run about $12 to ship the box anywhere in the lower 48.

Thanks & 73,
****
Ron Goldstein.....KA2IIA
STAY YOUNG---DRIVE A VINTAGE 427 CORVETTE.
KEEP YOUR MIND ACTIVE---BECOME AN AMATEUR RADIO OPERATOR.

REMEMBER, THERE ARE NO STRANGERS IN AMATEUR RADIO, ONLY FRIENDS THAT WE HAVE NOT YET MET.
rong@computer.net******ka2iia@arrl.net

2640. Alinco DataRadio lamps out. Volts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 04:18:10 UTC
From: Ken Jones <ken.jones@bigfoot.com.invalid>
Message-ID: <tLi99.5852$z16.2922@news.webusenet.com>
Source record: 40151

-----BEGIN PGP SIGNED MESSAGE-----

What value are the half dozen or so small incandescent lamps
scattered about the circuitry in the DataRadio? Nothing works
anymore, have to use a flashlight to read the display. Tried
measuring, read around 1.3 volts on my DVM, but a 1.5 volt bulb blew
up. The lamp circuit isn't DC it seems. Anybody know what to use?

Cheers!

73, Ken
KB3JA

-----BEGIN PGP SIGNATURE-----
Version: PGP 7.1.1
Comment: See http://www.pgpi.com for secure e-mail FAQ

iQEVAwUBPWW3gLSq8Y1dHedVAQGS6wgAoQEjAPSFAaNdA0TNWFI9Ywdnw5DqwjKC
vK9HL8PLtzlTQVny525dzghU1cy7/5tcXbY44iQPtmd1/SkN4JY4YEpZTn+UCScS
X10s/rGK2CKzmktCapkXWSwxsaBlE+ZcPelPQThP7niaeDV/QVy6ZhFvrbjIVwlT
EdnnYIDGM5lIGx4IPNNwevcV6mObRYGD5sF7BzItrJrAeZz1s0sx96WyjNIHxxJz
MjoJNP2JfaexZ0kqn+h29FTa69Yuv7GtWzf9E3pa00Hb20VEsjYCCRWZrTStVygB
mrKImFJhY+FpLUxV9+UANvdn1YUry+fTcvkN+TX62t40mEVPe2h5uw==
=N3dc
-----END PGP SIGNATURE-----

2641. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 06:25:20 UTC
From: marcabsolutelynospam@laradio.spamfree.co.za
Message-ID: <3d65d430.272587@news.megaweb.co.za>
Source record: 40152

The best way to get rid of the smell (stench) is to strip the radio,
clean the casing with methylated spirits (be carefull with platic
parts) or soak the casing in warm water with dishwashing detergent.

Leave the rest of the radio in a shoe box with a saucer of Bicarbonate
of Soda powder for about 10 days. This will absorb the smell.

Regards,

ZS6HZ

>Greetings all.
>
>I recently purchased a used radio and discovered too late that it had been
>owned by a smoker. Its a mobile and I have the remote kit, so I can mount
>the transceiver in the trunk, but the control head still reeks.
>
>Does anyone have any suggestions on what I can do to get rid of the smell?
>I'm planning to take it apart and wash the plastic, but will this kill the
>smell?
>
>Thanks,
>Brian, N7QJB
>
>
>

2642. New Dedicated Radio Ham NewsGroup, FTP and WebSite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 10:49:04 UTC
From: "Dave Williams (NNTP)" <dave.williams@nomail.totalise.co.uk>
Message-ID: <1030099744.20846.0.nnrp-13.3e3112b1@news.demon.co.uk>
Source record: 40153

Just for your info, a new Radio Ham domain is available which includes a newsgroup and FTP server.

Web www.radio-ham.org
News news.radio-ham.org
FTP ftp.radio-ham.org

Hope its of interest.

Dave

2643. FS: 3A/110B directly heated triode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 12:55:35 UTC
From: arnoldg@c2i.net
Message-ID: <3d663152.7326270@news1.c2i.net>
Source record: 40154

I have several pcs of this small directly heated triode in stock. The valves may be used, but I have tested them myself and they are all excellent. You can find a picture and technical data on my web site - www.demostenes.no Just search for 3A/110B in the left hand corner.

Regards,

Arnold Goks&#65533;yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as sockets,transformers,books,caps,resistors and other components. Web site is updated every week. You can order on-line.

2644. FS: EL 153 Telefunken NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 12:56:24 UTC
From: arnoldg@c2i.net
Message-ID: <3d663187.7379635@news1.c2i.net>
Source record: 40155

I have several pcs of the power output pentode EL 153 by Telefunken.
The valves are all NOS and unused. Power dissipation is 40W and the
price is only NOK 400.- each - about $ 52.- Picture and technical
data on my web site - www.demostenes.no Just search for EL 153 in the
left hand corner.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

2645. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 14:01:42 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ak8051$1qft$1@madmax.keyway.net>
Source record: 40180

That's how you do it. Completely disassemble and wash all housing
parts in heavy duty cleaner and tooth brush, then scented dishwashing
liquid, rinse well with soft water. Use your nose throughout the process.
Then blow dry with compressed air, then warm them up over night.
Use your discretion on the boards. Beware of back-up batteries that
keep the power up. You will probably have to clean up pots after.

I have successfully done this with PBX station phones and handsets
although some mic elements didn't survive.

jim

"Brian" <n7qjb@no.spam.msn.com> wrote in message news:3d659aef_2@news.teranews.com...
: Greetings all.
:
: I recently purchased a used radio and discovered too late that it had been
: owned by a smoker. Its a mobile and I have the remote kit, so I can mount
: the transceiver in the trunk, but the control head still reeks.
:
: Does anyone have any suggestions on what I can do to get rid of the smell?
: I'm planning to take it apart and wash the plastic, but will this kill the
: smell?
:
: Thanks,
: Brian, N7QJB
:
:
:

2646. Opinions wanted: 10 meter telescopic whips

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 15:23:23 UTC
From: kinerm125@cs.com
Message-ID: <3e64731f.0208230723.4bc9c707@posting.google.com>
Source record: 40156

I just picked up a 10 meter HT for camping and hiking. The included rubber duck is pathetic, and it appears MFJ and Comet make whips for 10, focused on the FT-817 market. Anyone have experience with these antennas (doesn't matter what brand)? Thanks in advance,

Matt N3SOZ

2647. Re: Opinions wanted: 10 meter telescopic whips

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 16:02:02 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020823120202.20190.00002495@mb-ms.aol.com>
Source record: 40157

Obviously the bigger the antenna, the better. A telescoping metal antenna would be a good choice, even if it has a loading coil, it'll be better than the rubber duck. I believe Radio Shack may sell one that is good. If I remember correctly, it might even get close to a 1/4 wave fully extended.

=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2648. FS 2 (one pair) NIB Motorola Spirit Batteries, HNN9044A HNN9056 $30

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 16:28:49 UTC
From: bbedoe@aol.com
Message-ID: <20020823122849.07645.00002764@mb-ba.aol.com>
Source record: 40158

Hi There! I have for sale 2 (one pair) of Brand New batteries, HNN 9044A for Motorola Spirit Radios. This is the equivalent of the HNN9044 HNN9044A HNN9044AR HNN9056 HNN9056A and the HNN9056AR that are used in Motorola Spirit, Spirit Pro, Pro +, Spirit I, II, III, P10, SP10, SV series, SU series and all of the M series Spirits MV11, MV21, MV24, MU11, MU21, MU24 etc., etc., etc. If there is any doubt, email me! I don't bite! (No matter what my wife says!) These Batteries are brand new, have never been in a radio and were the extras when I bought a Master Pack to re-battery my 11 Spirits! The only fingerprints on the HNN9044a's are mine. If your batteries are more than a couple of years old they are nowhere near their original capacity and longevity. Motorola dealers say they should be replaced yearly with daily activity and BI-yearly for stand-by use. Most of my batteries where less than 3 years old and would not last an 8 hour shift! These batteries retail between $30 to $52 each. Here is your chance to pick up a couple for the price of one! The HNN9044's are Brand New right out of the Master Pack! And are FRESH! They are 100% functional!

$30.00 for the pair. Multiple pairs are available! Please Figure 6.00 for USPO Priority anywhere in the USA. For up to 10 batteries. Nothing will be DOA! Please use Pay Pal or a USPO Money Order for Payment. Please email me with any questions, Have fun! .... Brian, WD9HSY BBEDOE@AOL.COM

Brian, WD9HSY....South Chicago Suburbs.....

You can't always get what you want......but sometimes you get what you need!! ....Mick Jagger

2649. Turning down am output of ts-930s

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 16:35:07 UTC
From: John Haberkern <jhabsNOSPAM@worldnet.att.net>
Message-ID: <%ut99.30771$Ke2.2159001@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40159
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.mods,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

I am looking for the procedure and or tuning pot and location for lowering
the power output of a ts-930s in the am mode.I do not have a service manual
so any help would be appreciated. John

w3ayt@arrl.net

2650. FS: Know real-time DX band conditions in 3 minutes!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 17:37:57 UTC
From: W6NEK <inquire@w6nek.com>
Message-ID: <Vpu99.5273$ja.846560@twister.socal.rr.com>
Source record: 40160
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

W6NEK HF Beacon Tracker - Windows Software

In just a few moments you can get worldwide DX band conditions using the NCDXF/IARU International Beacon Network!

Now you will know if a band is really open to a particular part of the world regardless of band activity!

All this from your QTH - in real time - 24/7

Download a free demo of the software at http://www.w6nek.com

2651. Re: Alinco DataRadio lamps out. Volts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 19:12:57 UTC
From: Gregory Mass <gamass@astound.net>
Message-ID: <gamass-9B0BD2.14125723082002@ns1.seren.com>
Source record: 40161

In article <tLi99.5852$z16.2922@news.webusenet.com>,
"Ken Jones" <ken.jones@bigfoot.com.invalid> wrote:

> -----BEGIN PGP SIGNED MESSAGE-----
>
> What value are the half dozen or so small incandescent lamps
> scattered about the circuitry in the DataRadio? Nothing works
> anymore, have to use a flashlight to read the display. Tried
> measuring, read around 1.3 volts on my DVM, but a 1.5 volt bulb blew
> up. The lamp circuit isn't DC it seems. Anybody know what to use?
>
> Cheers!
>
> 73, Ken
> KB3JA
>
> -----BEGIN PGP SIGNATURE-----
> Version: PGP 7.1.1
> Comment: See http://www.pgpi.com for secure e-mail FAQ
>
> iQEVAwUBPWW3gLSq8Y1dHedVAQGS6wgAoQEjAPSFAaNdA0TNWFI9Ywdnw5DqwjKC
> vK9HL8PLtzlTQVny525dzghU1cy7/5tcXbY44iQPtmd1/SkN4JY4YEpZTn+UCScS
> X10s/rGK2CKzmktCapkXWSwxsaBlE+ZcPelPQThP7niaeDV/QVy6ZhFvrbjIVwlT
> EdnnYIDGM5lIGx4IPNNwevcV6mObRYGD5sF7BzItrJrAeZz1s0sx96WyjNIHxxJz
> MjoJNP2JfaexZ0kqn+h29FTa69Yuv7GtWzf9E3pa00Hb20VEsjYCCRWZrTStVygB
> mrKImFJhY+FpLUxV9+UANvdn1YUry+fTcvkN+TX62t40mEVPe2h5uw==
> =N3dc
> -----END PGP SIGNATURE-----
>
>
>
>

If your are talking about the DR-1200 DataRadio, they are 12V lamps.
Just checked on mine.
greg n0ljy

2652. Help identify these transformers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 19:31:30 UTC
From: bertsch.3@osu.edu
Message-ID: <ak62iite1@layla.net.ohio-state.edu>
Source record: 40162
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

A couple of power transformers followed me home recently, and I could use some info on power/current ratings if someone has an old catalog collection.

1) Thordarson T-21P87 approx. 1400V CT
2) Stancor P-8046 approx. 1200V CT

Thanks for any info,
Steve

2653. TS-450sat + transverter problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 19:48:29 UTC
From: 9A3PA <mate@hi.hinet.hr>
Message-ID: <ak63d6$ek7i$1@as201.hinet.hr>
Source record: 40163

Hi folks,

does anybody know how to make different TX / RX connector on Kenwood
ts-450sat ?
I need to connect it on my VHF transverter and I need very low power (app.
50mW) for TX.

Thanks in advance.

Zvonko 9A3XM
zvonko-9a3xm@net.hr

2654. RF books

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 20:20:35 UTC
From: Salman Sheikh <sheikh@pop500.gsfc.nasa.gov>
Message-ID: <ak65vf$88u$1@skates.gsfc.nasa.gov>
Source record: 40164

Hello,

Are there any recommendations for an introductory RF design book?
Any thought on the "Secrets of RF Circuit Design" by Joesph Carr.

Thanks.

Salman

2655. Re: Alinco DataRadio lamps out. Volts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 21:08:28 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <ak6895kbn1@terabinaries.xmission.com>
Source record: 40165

"Ken Jones" <ken.jones@bigfoot.com.invalid> wrote in message
news:tLi99.5852$z16.2922@news.webusenet.com...
> -----BEGIN PGP SIGNED MESSAGE-----
>
> What value are the half dozen or so small incandescent lamps
> scattered about the circuitry in the DataRadio? Nothing works
> anymore, have to use a flashlight to read the display. Tried
> measuring, read around 1.3 volts on my DVM, but a 1.5 volt bulb blew
> up. The lamp circuit isn't DC it seems. Anybody know what to use?
>
> Cheers!
>
> 73, Ken
> KB3JA
>
> -----BEGIN PGP SIGNATURE-----
> Version: PGP 7.1.1
> Comment: See http://www.pgpi.com for secure e-mail FAQ
>
> iQEVAwUBPWW3gLSq8Y1dHedVAQGS6wgAoQEjAPSFAaNdA0TNWFI9Ywdnw5DqwjKC
> vK9HL8PLtzlTQVny525dzghU1cy7/5tcXbY44iQPtmd1/SkN4JY4YEpZTn+UCScS
> X10s/rGK2CKzmktCapkXWSwxsaBlE+ZcPelPQThP7niaeDV/QVy6ZhFvrbjIVwlT
> EdnnYIDGM5lIGx4IPNNwevcV6mObRYGD5sF7BzItrJrAeZz1s0sx96WyjNIHxxJz
> MjoJNP2JfaexZ0kqn+h29FTa69Yuv7GtWzf9E3pa00Hb20VEsjYCCRWZrTStVygB
> mrKImFJhY+FpLUxV9+UANvdn1YUry+fTcvkN+TX62t40mEVPe2h5uw==
> =N3dc
> -----END PGP SIGNATURE-----
>
>
>

The little "grain of wheat" lamps that Radio Shack sells are almost a direct
replacement. 12vdc 40ma I think.

That's what I used in both of mine and they worked great.

Dan
N7SLC

2656. Re: Turning down am output of ts-930s

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 21:30:33 UTC
From: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com>
Message-ID: <ZPx99.221616$UU1.37481@sccrnsc03>
Source record: 40166
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.mods,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

Isn't there a "carrier" control on the front? Never owned one but that is
what I would look for.

73,
Ed KA9EES

"John Haberkern" <jhabsNOSPAM@worldnet.att.net> wrote in message
news:%ut99.30771$Ke2.2159001@bgtnsc04-news.ops.worldnet.att.net...
: I am looking for the procedure and or tuning pot and location for lowering
: the power output of a ts-930s in the am mode.I do not have a service
manual
: so any help would be appreciated. John
:
: w3ayt@arrl.net
:
:

2657. Re: Help identify these transformers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 22:24:50 UTC
From: edwod <edwod@cox.net>
Message-ID: <SCy99.2436$lc7.336472@news2.west.cox.net>
Source record: 40167
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Steve:

Thord. T-21P87

PRI: 115 VAC

SEC:
ACV: 835-656-0-656-835
DCV: 650 - 500
DCMA: ICAS 300 CCS 220

WT: 10 LBS
COST $20.50 in 1955

No info on Stancor. Maybe later than 1955.
Measure voltage , weigh xfmr and compare with other xfmrs with same voltage
and weight in catalog to estimate current rating. Should get you close.

73,

Ed K6CPF

<bertsch.3@osu.edu> wrote in message
news:ak62iite1@layla.net.ohio-state.edu...
>
> A couple of power transformers followed me home recently, and I
> could use some info on power/current ratings if someone has an
> old catalog collection.
>
> 1) Thordarson T-21P87 approx. 1400V CT
> 2) Stancor P-8046 approx. 1200V CT
>
> Thanks for any info,
> Steve

2658. FS: 10 meter Ham radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 22:28:29 UTC
From: electricguy <electricguy30@nospamhotmail.com>
Message-ID: <ak6cuv$q17$1@slb2.atl.mindspring.net>
Source record: 40168
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

Take a look!

http://www.mindspring.com/~elecman/ar3500.html

2659. Re: Alinco DataRadio lamps out. Volts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-23 22:33:47 UTC
From: MD <ve3tmt@rac.ca>
Message-ID: <CHy99.9221$sY3.1844114@news20.bellglobal.com>
Source record: 40169

"Ken Jones" <ken.jones@bigfoot.com.invalid> wrote in message
news:tLi99.5852$z16.2922@news.webusenet.com...
> -----BEGIN PGP SIGNED MESSAGE-----
>
> What value are the half dozen or so small incandescent lamps
> scattered about the circuitry in the DataRadio? Nothing works
> anymore, have to use a flashlight to read the display. Tried
> measuring, read around 1.3 volts on my DVM, but a 1.5 volt bulb blew
> up. The lamp circuit isn't DC it seems. Anybody know what to use?
>
> Cheers!
>
> 73, Ken
> KB3JA

Ken,

They are 12V lamps. You can get replacements at Radio Shack. Find the 12V feed to the lamps and put a 50 ohm 1/2W resistor in series with the lead to the lamps, they will never blow as long as you own the radio.

2660. Re: Icom IC-756 Pro

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 00:48:34 UTC
From: "George E." <donnaze@dellepro.com>
Message-ID: <3d679137_2@news1.prserv.net>
Source record: 40181
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace

SOLD

"Geo. Encarnacion" <ah6bv@arrl.net> wrote in message
news:mBr89.21445$Ke2.1733682@bgtnsc04-news.ops.worldnet.att.net...
> My ham radio interest has shifted to mostly mobile/portable operation and
> vintage gear restoration/operation in the ham shack. I am offering for
sale
> an as new condition IC-756 Pro. Comes with everything that came in the box
> with it. Asking a FIRM price of $1400 + shipping . Sorry, NO TRADES.
>
> Pictures available upon request Please respond direct to: ah6bv@arrl.net
.
>
> Thanks, George AH6BV / w1 (Windsor Locks CT 06096)
>
>

2661. 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 00:56:38 UTC
From: vhfradiobuff@aol.com
Message-ID: <5e5fccab.0208231656.15db765a@posting.google.com>
Source record: 40170

Does anyone know of any transverters to allow me to get onto 220 mhz other than the Down East versions? I have a Yaesu FT-100D, so the exact band it uses for the IF is not important.

I have another question... why do the Down East transverters require such a low input? The TenTec ones can accept much higher inputs, up to 10 watts!

2662. Re: Turning down am output of ts-930s

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 01:00:57 UTC
From: "R.G. Johnson" <rob.john@verizon.net>
Message-ID: <dVA99.543$1v6.90@nwrddc01.gnilink.net>
Source record: 40171
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.mods,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hi John,
S/N 208xxxx to S/N 309xxxx, VR22 on Signal unit (large board on bottom,
right behind the large filter space). S/N 310xxxx and up, use front panel
carrier knob. I have modified the early ones to use the front panel knob.
Don't remember details offhand, but it took one diode and some wire. Hard
part is taking the board out.
Greg K3EWZ

"John Haberkern" <jhabsNOSPAM@worldnet.att.net> wrote in message
news:%ut99.30771$Ke2.2159001@bgtnsc04-news.ops.worldnet.att.net...
> I am looking for the procedure and or tuning pot and location for lowering
> the power output of a ts-930s in the am mode.I do not have a service
manual
> so any help would be appreciated. John
>
> w3ayt@arrl.net
>
>

2663. Icom R-9000 for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 01:17:11 UTC
From: jr <jerryham@pobox.com>
Message-ID: <3D66DE97.17B970B9@pobox.com>
Source record: 40172

Original owner, original box manual, handles. Speech synthesizer installed.

New CRT looks like new. Pictures available.

Best offer over $3995 + shipping.

Email jerryham@pobox.com

2664. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 01:56:56 UTC
From: HF Specialists <hf.specialists@verizon.net>
Message-ID: <IJB99.596$1v6.4@nwrddc01.gnilink.net>
Source record: 40173

"Ken" <cprstn54zz@att.net> wrote in message
news:3d5c30c6.234703@news-server.optonline.net...
> Yaesu USA has had my FL-7000 amplifier for repair (damaged by FedEx
> Ground in shipping) for four months and I have yet to see an estimate.

Ken,
I've always found Yaesu service the best of the "big 3", until recently.
My experience was also with an FL-7000. I needed a relay to repair shipping
damage to a customer's unit. I have no service manual, so couldn't look up
part numbers myself. First try, they sent the wrong relay, and could not
sell me a manual so I could look up the part myself. After a couple months
of phone calls and promises, I returned the amp to my customer un-repaired.
For anyone in the repair business, that amounts to hours that produce no
income.
I understand they have recently moved and are having problems. I hope
they will return to their previous level of service.
Greg K3EWZ

2665. Re: Help identify these transformers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 02:47:32 UTC
From: w9gb <gregory.beat@attbi.com>
Message-ID: <8tC99.160517$me6.20708@sccrnsc01>
Source record: 40174
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Stancor is now part of the Emerson Electric company

http://www.stancor.com/aproduct/product.asp

You may write to Stancor at:
Stancor
9797 Reavis Road
St. Louis, MO 63123
You may call the Stancor Office from
8:00 AM to 5:00 PM, Central time, Monday - Friday at:
314 865-8799.
These offices can be reached by FAX at:
314 638-2400.

<bertsch.3@osu.edu> wrote in message
news:ak62iite1@layla.net.ohio-state.edu...
>
> A couple of power transformers followed me home recently, and I
> could use some info on power/current ratings if someone has an
> old catalog collection.
>
> 1) Thordarson T-21P87 approx. 1400V CT
> 2) Stancor P-8046 approx. 1200V CT
>
> Thanks for any info,
> Steve

2666. wtb 6 mtr amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 04:32:49 UTC
From: lemwnash@aol.com
Message-ID: <20020824003249.24803.00002066@mb-cm.aol.com>
Source record: 40175

want mint commander,alpha or henry for 6 meters

kh6lem

2667. WTB Telex Telethin (or equivalent) Earset Components

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 05:38:39 UTC
From: malibu64@gte.net
Message-ID: <e4fded69.0208232138.510dbc61@posting.google.com>
Source record: 40176
Cross-posted to: rec.radio.amateur.equipment,rec.audio.pro,rec.radio.cb,alt.support.hearing-loss

Need advice where to buy Telex Telethin (or equivalent) Earset components. Specifically the Telex or equivalent: cord, CMT-95 (60013-073) 5' straight cord with sub min .097 plug.
It gauls me that Telex lists this item for $20.

2668. Help with ICOM-2100H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 11:24:49 UTC
From: 7hj <ea7hj@hotmail.com>
Message-ID: <ak7qjr$1gl75b$1@ID-151081.news.dfncis.de>
Source record: 40177

Hi:

I have problem with my IC2100H.

The problem is : NO POWER OUT. ALL REST IS OK (Reception OK - All Funcions OK).

When I key the PTT and speak into the microphone, I ear
my voice on a nearby receiver tuned to the IC-2100H transmit frequency.

The VC tension +13.8 is OK. When press the PTT the current drain is very little.

In Pin 2 (Power control PIN) from the SC1091 (SAV17) no have tension.

Very important:
If I connect +13.8V to the Pin 2 (power contril pin) of the SC1091(S-AV17) I see watts on the wattmeter and the current drain is about 8 Amp and the transmitter is OK.

I am in this situation at present time.

My great problem is I don't have schematic for the IC2100H and is very difficult to repair without him.

Thanks for the help in advance.

Very Sorry for my english. I don't speak english.

EA7HJ - Antonio

2669. FS: Grounding braid

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 12:14:00 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <0ntemu0ed6pbu568dtrn2ggu69714skqog@4ax.com>
Source record: 40178

I have a 12ft piece of Flat Tinned Grounding Braid brand new that is excess to my needs. Its 1" wide by 3/16 thick. I will take $10 plus shipping. I can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass.

2670. Re: ICOM and PCR-1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 12:17:43 UTC
From: Jim Besselman <jbesselm@bellsouth.net>
Message-ID: <SCK99.63378$CD2.4038253@e3500-atl1.usenetserver.com>
Source record: 40179

Go to Icom's web site http://www.icomamerica.com click on search and enter BON-CS40. This will take you to a page that describe the software. The software is both radiocontrol and decoding(WEFAX, RTTY, CW, etc.) The software is Radiocom 4.0 from Bonito. The manual is poorly translated to English from German. This software also requires a "dongle" plugged into the serial port. A version 5.1 is also available from Bonito that has a LOT more features and is actually pretty useful. The DSP features of the software are fairly impressive, however if its just radio control you are interested in it's hard to beat TALKPCR.

Hope this helps.
Jim Besselman WB4OFW

"Jeff W." <jjweinb@earthlink.net> wrote in message
news:kTg69.210$R.75629@news.uswest.net...
> Thanks John. The Icom tech says that the older version of the software
will
> run on some XP machines, but not on others. Mine just happens to be one
of
> the ones that it won't run on. It hasn't run on my system since I first
> loaded XP Pro. I talked with Icom Parts today. When they have the new
> version of the software, the part number, according to them, will be
> BON-CS40, and the cost, again according to Icom parts, will be $68.73. I
> find it a bit annoying that a company of the stature of Icom would produce
a
> computer controlled radio that has control software that is only certified
> (as per their own website) for operating versions of Windows that are at
> least 7 years old. It's not what you would expect from Icom.
>
> Thanks for the info.
>
> 73's
>
> Jeff W.
> W0QO
>
>
> <kwon2m@att.net> wrote in message
> news:g80iluogn6hrlea1i9kffs47jlctfib2ea@4ax.com...
> > I just recently bought my first PC that had XP Pro (Gateway 600X
> > laptop) and I have no problem running the old (rev 1.31) version of
> > the Icom software. I also use Scan Star Spectrum Explorer ver. 8.35
> > and that works just fine with XP. The only problem I've had with
> > Icom's software was with one of my older laptops (a Compaq Presario
> > 305 with Win 98). That machine would work ok until I tried to scan. It

> > would start scanning and just stop. This seems to be some sort of
> > hardware problem with just that computer. None of my other machines
> > past or present suffer that problem. As for any new versions of Icom's
> > software, I haven't seen anything. Let's hope if they really have an
> > update, they not only fixed any Win 2000 / XP incompatibilities, but
> > also fixed the "Icom Scanning Problem" so you can scan more than one
> > bank. Good luck.
> >
> > John
> >
> >
> >
> > On Sun, 11 Aug 2002 08:04:41 -0600, "Jeff W." <jjweinb@earthlink.net>
> > wrote:
> >
> > >OK, maybe I'm missing something here, and someone wiser than me can
pass
> on
> > >the answer to this question.
> > >
> > >Beginning this month, the standard ICOM ads have changed. You know the
> > >ones, the 'Tune In The World With ICOM' one pagers that generally can
be
> > >found on the backs of magazines like Monitoring Times, etc. Well, this
> > >month, associated with the IC-PCR1000 unit, there is new text that says
> "New
> > >Software - Works with All Versions of Windows!"
> > >
> > >OK, so where is it? I've been to www.icomamerica.com, but no luck. At
> > >least not on the pages that I've been able to find. What I have been
> able
> > >to find as a download is the old version, and a note that the ICOM
> PCR-1000
> > >software is only available for Windows versions 3.1 and 95, and
> recommended
> > >links to third party software that does work with other versions of
> Windows.
> > >Since converting my system to Windows XP Pro recently, I haven't been
> able
> > >to get my PCR-1000 working, simply because the old program tries to
> access
> > >the COMM port directly, and locks up as soon as it does. So, if the ad
> is
> > >correct, ICOM now has a version of their software that should solve
this
> > >problem.
> > >
> > >Only, does anyone know where it is? Plus, any recommendations on other
> > >vendor software that will work on a Windows XP system, that you like,
and

> > >was fairly priced.
> > >
> > >Please respond here and to jjweinb@earthlink.net.
> > >
> > >Thanks.
> > >
> > >Jeff W.
> > >
> >
>
>

2671. FA: Great Lookin' HEATHKIT SB-303 RECEIVER, Ends Tomorrow nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 14:43:44 UTC
From: rlucch2098@aol.com
Message-ID: <20020824104344.02347.00003260@mb-dh.aol.com>
Source record: 40182

Real nice with pictures to boot!
Only at $140.00 so far, cheep!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1374030789

2672. FA: Collectable Condx HEATHKIT "Mohican" GC-1 Receiver, Last Day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 14:46:10 UTC
From: rlucch2098@aol.com
Message-ID: <20020824104610.02347.00003261@mb-dh.aol.com>
Source record: 40183

Real nice with pictures to boot!
Only at $125.00 so far, cheep!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1374030807

2673. fa; EXC. Realistic/Allied SP-150 speaker, Hvy-Duty Aluminum,1-day

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 14:48:27 UTC
From: rlucch2098@aol.com
Message-ID: <20020824104827.02347.00003266@mb-dh.aol.com>
Source record: 40184

Real nice with pictures to boot!
Only at $15.00 so far, cheep!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1374030738

2674. fa-- Heathkit AM filter, very rare & hard to find, last call!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 14:49:50 UTC
From: rlucch2098@aol.com
Message-ID: <20020824104950.02347.00003267@mb-dh.aol.com>
Source record: 40185

Real nice with pictures to boot!
Only at $40.00 so far, cheep!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1374030771

2675. fa; Almost Mint Heathkit/ EV #638 mike, Hi-z, cheep, last day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 14:52:18 UTC
From: rlucch2098@aol.com
Message-ID: <20020824105218.02347.00003270@mb-dh.aol.com>
Source record: 40186

Real nice with pictures to boot!
Only at $25.00 so far, cheep!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1374030854

2676. FA:ICOM IC-32AT DUAL-BAND H/T, only at $125?? Yes, seriously! 1-day

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 14:54:24 UTC
From: rlucch2098@aol.com
Message-ID: <20020824105424.02347.00003271@mb-dh.aol.com>
Source record: 40187

Real nice with pictures to boot!
Only at $125.00 so far, cheep!
Great Audio, nice & big radio, cannot lose it :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1374030886

2677. WTB: 8044 IC Chip

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 15:50:19 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <bp9fmu809vcoeu7jimerjdt1osusas4i46@4ax.com>
Source record: 40188

Looking for either the 8044 or 8044B IC chip....If you have one thats good or know of source where one could be obtain I would like to hear from you.....WZ1U Steve / Lakeville, Ma.

2678. FS: two 10 meter Ham radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 16:11:49 UTC
From: electricguy <electricguy30@nospamhotmail.com>
Message-ID: <ak8bfd$5ol$1@slb5.atl.mindspring.net>
Source record: 40189
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

AR3500 and RCI2970, $150 each

Go to http://www.mindspring.com/~elecman/ar3500.html

2679. ARR 70cms pre amp help req

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 17:43:05 UTC
From: matt <mattobr@ntlworld.com>
Message-ID: <TAP99.3124$rn1.122022@newsfep1-win.server.ntli.net>
Source record: 40190

hi
i have just got a advanced receiver research pre-amp that i think the GasFet has gone :-(, does anyone know what type this is or a
suitable replacement as if i send it back for repair it going to cost a lot in postage back to the states.

cheers matt

2680. Re: 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 18:07:20 UTC
From: nx7u@arrl.net
Message-ID: <3d67cb57.5285579@news.west.cox.net>
Source record: 40191

Well, for one thing...it's a lot easier to attenuate 10W down to 10mW
than it is to boost 10mW up to 10W!
And some rigs used for IF have taps in the TX/RX chain that are at the
mW level, so it makes interfacing those rigs very easy.

On 23 Aug 2002 17:56:38 -0700, vhfradiobuff@aol.com (vhfradiobuff)
wrote:

>Does anyone know of any transverters to allow me to get onto 220 mhz
>other than the Down East versions? I have a Yaesu FT-100D, so the
>exact band it uses for the IF is not important.
>
>I have another question... why do the Down East transverters require
>such a low input? The TenTec ones can accept much higher inputs, up to
>10 watts!

2681. Re: ARR 70cms pre amp help req

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 18:10:54 UTC
From: nx7u@arrl.net
Message-ID: <3d67cc48.5526128@news.west.cox.net>
Source record: 40192

All the ARR GaAsFET preamps use MGF-1302 according to my documentation

On Sat, 24 Aug 2002 18:43:05 +0100, "matt" <mattobr@ntlworld.com>
wrote:

>hi
>i have just got a advanced receiver research pre-amp that i think the GasFet has gone :-(
, does anyone know what type this is or a
>suitable replacement as if i send it back for repair it going to cost a lot in postage
back to the states.
>
>cheers matt
>
>

2682. FS: pair of Standard C834L VHF radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 18:18:33 UTC
From: electricguy <electricguy30@nospamhotmail.com>
Message-ID: <ak8iln$69p$1@slb3.atl.mindspring.net>
Source record: 40193
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Pair of Standard C834L series handheld VHF radios. 5 watts. PL squelch. Both include battery packs and rapid chargers. Up to 6 crystal controlled VHF channels available in 150-174 Mhz range. Included channels are 151.625 and 151.655 Mhz. Tested and working although one battery pack is weak. Terms same as above. Price $75/ pair plus shipping. Email electricguy30@hotmail.com (remove nospam when replying).

2683. FS: pair of Standard C834L VHF radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 18:19:58 UTC
From: electricguy <electricguy30@nospamhotmail.com>
Message-ID: <ak8iovsbr1@nntp9.atl.mindspring.net>
Source record: 40194
Cross-posted to: alt.radio.family,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap,us.misc.family-radio

Pair of Standard C834L series handheld VHF radios. 5 watts. PL squelch. Both include battery packs and rapid chargers. Up to 6 crystal controlled VHF channels available in 150-174 Mhz range. Included channels are 151.625 and 151.655 Mhz. Tested and working although one battery pack is weak. Terms same as above. Price $75/ pair plus shipping. Email electricguy30@hotmail.com (remove nospam when replying).

2684. 15 Meters with a RCI-2950DX ???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 18:23:52 UTC
From: bbwolf@mailcity.com
Message-ID: <eb75e023.0208241023.1ac9b89a@posting.google.com>
Source record: 40195

Greetings,

There is a modification on mods.dk which supposedly enables 15 meter operation with the RCI-2950DX 10/12 meter Dualband. I was wondering if anyone on this forum has tried this mod, and if so what were the results. If this works it would be great as 15 meters is my favorite band and I really don't want to spend $1000+ dollars on a multiband Amateur transciever just to have 15 meters and end up with it stolen out of my vehicle.

73.
Rich

2685. FS:REDUCED -- Uniden President HR-2510 -- REDUCED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 20:03:25 UTC
From: Camper <sgrubor@shaw.caNSPM>
Message-ID: <hER99.194715$v53.10541826@news3.calgary.shaw.ca>
Source record: 40196
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Uniden President HR-2510
Does not have chipswitch
comes with stock mic and power cord
nice and clean unit with minimal wear marks
recently tested and working within specifications
REDUCED TO $110 US
located in Canada

You can pay by paypal, or mail a cashiers cheque

Check my references at ebay under "salle2"

--
*** Remove NSPM to reply ***

2686. Magnetic Loop Board now in english!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 20:19:55 UTC
From: Andre Vaupel <avaupel@web.de>
Message-ID: <LTR99.3396$Hb1.105947@news.easynews.com>
Source record: 40197
Cross-posted to: rec.ham-radio,rec.radio.amateur.antenna,rec.radio.amateur.equipment

Hi there!

Our new Magnetic Loop Website are now in english available.

http://www.magnetic-loop.de

There were a lot of request to us, to setup the software to english
language.
This is now done. There is also the e mail notification now working, if
someone replies
to your message inside the board. For this you have to register with
username and
password...a very useful function , if you re not every day there.

We would be happy to get your questions, hints and information in our Board
:-)

just visit our NON commercial and no ads website http://www.magentic-loop.de

Thank you very much :-)

Andre

2687. FA: N2DAN MERCURY KEYER - RARE!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 21:33:07 UTC
From: Jeff Singer <0tubt001@sneakemail.com>
Message-ID: <MPG.17d1c5a0d64f08c6989682@NEWS.OPTONLINE.NET>
Source record: 40098

Hi All,

Now that I've completely decommissioned my station, sold my tower, HF antennas, rig and amp, I am offering my gorgeous N2DAN MERCURY KEYER for sale.

This is a very rare and collectible ORIGINAL iambic paddle made by the late master Steve Nurkiewicz, and is a rather high-budget investment.

It is currently up for auction on ebay at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375125135

Thanks for looking!

73 de Jeff K2KV

2688. 4 sale!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-24 22:22:49 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3D680739.4080202@lakefield.net>
Source record: 40099
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $600

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Dynamic Communications
Model A470-25 $ 20
Sold as is, no manual.

Model 10-0 $ 20
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street

Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

2689. ADMS and USB?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 00:13:00 UTC
From: kc1ih@attbi.com
Message-ID: <umg88e941v8m1c@news.supernews.com>
Source record: 40100

I'm considering getting a new laptop, and have noticed that many of the new laptops do not have a serial port.

Does anyone have experience using USB to serial converters with ADMS software? I will want to use it both with the FT-50 and the FT-7100 software.

Thanks for your help.

Larry KC1IH

--
Larry Weil
Lake Wobegone, NH

2690. Opinions Plz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 03:52:46 UTC
From: mrheadz@fastmail.fm
Message-ID: <7cf18cd7.0208241952.ee23205@posting.google.com>
Source record: 40101

I am looking to purchase a new HF rig in the $1000-1200 or so range. I have already out the low end models of Kenwood, Yaesu and Icom. (ts-50, ft-840, icom 718,706 etc) I can't go much more into the high end spectrum either. The two I have narrowed it down to are the Kenwood TS-570SG and the Yaesu Ft-920. These two seem to be the only ones in the mid range and seem pretty close in features..auto tuner..6 meters. Spec wise they seem pretty equal also. Anybody have any input on these choices or have used or owned them? Or any other ideas? I know I could get a little more if I went for a used..Icom 746-756 or Ts-870, but I got burned once and just rather get a new one this go round. I will appreciate any feedback as I am getting close to purchase and both above radios have a bit off on them now till end of month on Kenwood and end of Sept on Icom. Thank you all....

2691. Re: 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 04:09:48 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020825000948.17751.00002035@mb-fu.aol.com>
Source record: 40102

>Well, for one thing...it's a lot easier to attenuate 10W down to 10mW
>than it is to boost 10mW up to 10W!
>And some rigs used for IF have taps in the TX/RX chain that are at the
>mW level, so it makes interfacing those rigs very easy.

How come TenTec can make transverters that accept up to 10 watts input and only require that you plug the coax in, whereas Down East makes these things that requires mear mW input levels and all kinds of funky connections at a considerably higher price?
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2692. Re: For Sale: Yaesu FP-1030A Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 04:43:26 UTC
From: rullery <rich@Mountain-Ops.com>
Message-ID: <ak9n9n$2gmo$1@feed.centurytel.net>
Source record: 40103
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.fm,alt.ham-radio.hf,alt.ham-radio.ssb,alt.ham-radio.vhf-uhf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

Spam Spam Spam Spam.
To much more than the for sale groups.

"Jeff Purtle" <jpurtle@earthlink.net> wrote in message
news:B98A7041.41A%jpurtle@earthlink.net...
> Yaesu FP-1030A Power Supply
> In perfect condition without a mark or scratch.
> Everything works perfect.
> This is a very nice 30 Amp 13.8 Volt supply.
> It has an Amp meter and a Volt meter.
> There is also a cig. lighter socket on the front.
>
> $175 plus buyer pays shipping.
>
> 73,
>
> Jeff Purtle, AC6IW
> 864-292-3532 in Greenville, South Carolina
>

2693. 2 days left: FA: SGC Paramilitary SG-2020 Power Sup. Heil Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 04:47:46 UTC
From: rullery <rich@Mountain-Ops.com>
Message-ID: <ak9nhv$2gob$1@feed.centurytel.net>
Source record: 40104
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1374937903

2694. Re: ADMS and USB?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 04:50:32 UTC
From: Gerald Schmitt <KK5YY@arrl.net>
Message-ID: <n7ogmusdbigjh2062nb46d445ulp8lefml@4ax.com>
Source record: 40105

Do it all the time. One of my computrs has nothing but USB and
Firewire. The biggest problem with ADMS is the lack of
proper testing and lousy disk reproduction, Several folks
I know have had to send back bad disks and/or get updates for
newer operating systems.

If RT spent as much time on the code as they do on copy protection
they would have a much better product.

On Sun, 25 Aug 2002 00:13:00 GMT, kc1ih@attbi.com (Larry Weil) wrote:

>I'm considering getting a new laptop, and have noticed that many of the new
>laptops do not have a serial port.
>
>Does anyone have experience using USB to serial converters with ADMS software?
> I will want to use it both with the FT-50 and the FT-7100 software.
>
>Thanks for your help.
>
>Larry KC1IH

2695. F A Ten Tec Model 526 Multi-Mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 04:54:59 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <umgom8lb6a1e0a@corp.supernews.com>
Source record: 40106

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375998243

KB9TMP

2696. Re: Opinions Plz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 12:29:55 UTC
From: Bill <radio@despammed.com>
Message-ID: <akaik6066v@enews2.newsguy.com>
Source record: 40107

You failed to mention TenTec.

This American company make fine equipment, is on the cutting edge with DSP, offers free "downloadable" software upgrades, and most important.....

Services what they sell - in a timely and cheerful manner! No three month waits for warranty work.

For $1185 look at the Jupiter at: http://www.tentec.com/TT538.htm

Bill www.w2blc.com

2697. FS: Yaesu SP-6 external speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 13:47:48 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <o7nhmu00jar0nids1she11vkcga1bpboid@4ax.com>
Source record: 40108

I have for sale in excellent condition a Yaesu SP-6 external speaker.
It comes with the instruction sheet, but do not have the original box.
I do have a box that liquid foam was used to make a mold to fit the
speaker. I will take $100 plus shipping and can be reached at (508)
821-2993 or email......WZ1U Steve / Lakeville, Ma.

2698. FS: Dentron Clipperton L Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 14:28:52 UTC
From: John <ki4nr@qsl.net>
Message-ID: <1R5a9.163$vp2.195532@newsfeed.slurp.net>
Source record: 40109

Very clean condition Clipperton L . (4) Full output Cetron 572B.(1200+ watts)
New T/R relay, Fan and fresh Mallory Caps. All work done by professional tech. With copy of manual

$485.00 plus shipping

73 john KI4NR
ki4nr@qsl.net

2699. Re: 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 15:04:30 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <akaudo$953$1@madmax.keyway.net>
Source record: 40111

For one thing there is a lot more risk of IF feedthrough at 10 watts.
Also, you risk having the IF rig inadvertently set at other than 10 watts.
What you are really looking at are different design philosophies.
It would be interesting to see technical reviews of both. Before
knocking either one, I would want to set the schematics and specs
of both models and the IF radio down and see what works best.
Will you be using a masthead preamp? or perhaps a masthead
transverter? How will you key the whole affair? Before asking
which is better, try asking all the rest of the questions first.
Attention to detail usually wins out, but there is a place for
inexpensive and expedience too.

Jim, ac6tk

"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
news:20020825000948.17751.00002035@mb-fu.aol.com...
: >Well, for one thing...it's a lot easier to attenuate 10W down to 10mW
: >than it is to boost 10mW up to 10W!
: >And some rigs used for IF have taps in the TX/RX chain that are at the
: >mW level, so it makes interfacing those rigs very easy.
:
: How come TenTec can make transverters that accept up to 10 watts input and only
: require that you plug the coax in, whereas Down East makes these things that
: requires mear mW input levels and all kinds of funky connections at a
: considerably higher price?
: =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
: 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
: Beachwood, NJ USA! Grid FM29vw
: http://vhfradiobuff.tripod.com

2700. FS: SP50 User Training Guide NEW

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 15:05:11 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <Hm6a9.34138$Ke2.2399067@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40110
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Motorola Radius SP50 User Training Guide.
$12.00 shipped
thnx
please emial direct

2701. F/S Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 16:02:05 UTC
From: Bob <K4RJL@ARRL.NET>
Message-ID: <3D68FF76.68522E10@ARRL.NET>
Source record: 40112

F/S Kenwood TH-79A Dual band HT (2 mt-440) New in box.
Manual, charger, rubber duck antenna, NiCad battery and
Warranty registration card. $200.00 + shipping from 33771
Contact Bob at K4RJL@ARRL.NET or 727/539-8627

F/S Kenwood KCS-14 Dual slot Rapid Charger. New in box
$30.00 + shipping from 33771 contact Bob at K4RJL@ARRL.net
or 727/530-8627

F/S Kenwood TH-22AT - 2 meter HT. Excellent condition.
Factory Box, manual, charger, NiCad battery and antenna
$100.00 + shipping from 33771. Contact bob At K4RJL@ARRL.NET
or 727/539-8627

2702. Re: Alinco DataRadio lamps out. Volts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 17:28:25 UTC
From: Ken Jones <KJones@Netrax.net.INVALID>
Message-ID: <jw8a9.9639$z16.3357@news.webusenet.com>
Source record: 40113

-----BEGIN PGP SIGNED MESSAGE-----

"MD" <ve3tmt@rac.ca> wrote in message
news:CHy99.9221$sY3.1844114@news20.bellglobal.com...
>
> They are 12V lamps. You can get replacements at Radio Shack. Find
> the 12V feed to the lamps and put a 50 ohm 1/2W resistor in series
> with the lead to the lamps, they will never blow as long as you own
> the radio.
>
Thanks to all who responded...

I'll check out the 12 volt bus, if I can see that well in that board.
Things are getting smaller as I age, it seems. Dunno what my meter
was reading. Those grain of wheat lamps look like exact
replacements. Thanks for the tip.

Now, then, any insight on why the VFO occasionally changes into the
300 MHz band? Memory channels stay put, but when I switch over to
VFO, I'm off in Never Land. Have to reset the thing in order to
regain VFO in the 140 range. Is this associated with the cliped loop
mod?

73
Ken KB3JA

-----BEGIN PGP SIGNATURE-----
Version: PGP 7.1.1
Comment: See http://www.pgpi.com for secure e-mail FAQ

iQEVAwUBPWkTt7Sq8Y1dHedVAQGy/wf/XAtvMGs2HpohGIZdpDX2w9WkJqxLvNG3
Hq69IJEN81PNCfNCiw3PNryOXHq88pbbngaPJHsa3ESeY/rUdMlVIS0/CVKoNZ2B
b8dCpSI0i66bkydAfgK+Ptve/jLTlBiVLiTIvqWg8zt3mg0azD1rHIM31MxPIxPU
2arXDzVFLNG0WbsSrzZLbbQUS4PtQKSSu6WSLYaWgVDVWPrrkRk2SbZ2b3g+f+RL
7aPLexGw0+umz9ga1nlfZqgOUGQCyyhWCW6eAqZ+35lFw4JCMuKpXolPpyMn5Ss8
MXGBuX6B+Z0YN6N1Aav2Pcr8rkh4eisAh+sD0Q23L78otK9DaGtXgw==
=DrOG
-----END PGP SIGNATURE-----

2703. FS or SWAP: 70cm, 2mtr, radios 'UK' only, have a look inside

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 18:02:26 UTC
From: "." <colin.mcs@ntlworld.com>
Message-ID: <3m6imu4uurc88f707us00c7rbqecjjgpac@4ax.com>
Source record: 40114

i have a FT290r with a 25watt lin., a FT530 dual band portable, a FT708 h/h with a base charger. would like to swap any or what have you , for a good dual band mobile rig. for the car.

get back to me.

colin

2704. FS: Transformers, Plate, Filament and Variable types

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 19:20:16 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <icbimu0uogpedvv3m7a22g7ri4fn2i0rpa@4ax.com>
Source record: 40115
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

For Sale:

115V primary 60 cps. Sec 6.3V CT at 6 Amps, 1.5KV test.
NEW TRIAD F-18X. Horizontal channel mounting.
Dimensions 4" X 3" X 2-5/8" tall
QTY 1 available for $12.00

115V primary to 5 V AC at 20 A Avco Crosley (no CT)
Black case potted with four mounting studs. Ceramic insulated
terminals on the bottom.
Dimensions are 4" X 3-1/4" X 5" tall.
QTY 1 available for $32.00

115V Primary / 10 V AC at 5 A secondary
QTY 2 Available at $15.00 each
(Use with tubes like 813, 830, 8005, 211, 311, 805, 810, 8000,
304TH, 304TL, 814, 828, 803)

115 / 230 V primary to 7.5 V CT at 51 A QTY 1 left at $95.00

115V primary to 1050V CT at 75mA plus 5V at 20 A
Under-rated military type capable of intermittent current peaks
around 150 mA or more.
Black case potted with four mounting studs. Above chassis mount
Ceramic insulated terminals on the bottom.
Dimensions are 4" X 3-1/4" X 5" tall. QTY 1 for $32.00

115V primary to 1100 V CT at 180 mA Potted style,
above chassis mount with 4 studs. Under-rated military type
capable of intermittent 300 mA or so.
Dimensions 4" X 5-1/4" X 6-1/2" tall. Ceramic insulated terminals
on top. Gray case Looks to be new. QTY 1 available for $30.00

Variable Transformer with 120V AC in gives 0-140V AC out.
Powerstat 0-140V "variac" rated for 5 Amps. Open frame style
Looks new. Comes with large black knob and dial scale.
2nd one is marked as 3A but actually larger!
Reduced - QTY 2 available for $35.00 each.

Also:
National 5 Henry autotransformer choke A17847 made by
National Radio Co.
Q = 10 at 100 Hz, 1mA DC. Has taps at 2%, 40%, 95%, 100% and
105%
Dimensions 2.5" tall X 1.5" square. Potted. Mounts above chassis
with four nuts on studs (supplied) QTY 1 available for $2.00

Shipping additional on all items

E-mail me to arrange purchase of any item

2705. REDUCED: Straight keys

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 19:24:59 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <glbimuon8ldlsb8409v8moehf9tam2lsa3@4ax.com>
Source record: 40116
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment

Reduced prices:
TELEGRAPH KEYS FOR THE CW OPERATOR

WW2 British Mark 2 straight key. Clean and in fairly nice shape.
Contacts are still in very good condition.
A few imperfections, but will polish up and restore nicely.
Available for $29.00 plus shipping

Straight Key - for the CW buff who wants to be ready for straight key night. Also useful for beginners learning the code. This has locking bar for tuning and is an adjustable key with nickel silver finish. Mounted on a flat base. Will sell for $19.00 plus shipping

SpeedX straight key in excellent shape with the 'two stage' navy knob. This is an unbeatable straight key for the serious CW operator. It is in fine condition. QTY 1 only - available for $29.00 plus shipping

While they last:
E-mail me to arrange purchase.

2706. Re: Help with ICOM-2100H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 21:14:14 UTC
From: 7hj <ea7hj@hotmail.com>
Message-ID: <akbhcv$1gk4lu$1@ID-151081.news.dfncis.de>
Source record: 40117

Hi:

I have problem with my IC2100H.

The problem is : NO POWER OUT. ALL REST IS OK (Reception OK - All Funcions OK).

When I key the PTT and speak into the microphone, I ear
my voice on a nearby receiver tuned to the IC-2100H transmit frequency.

The VC tension +13.8 is OK. When press the PTT the current drain is very little.

In Pin 2 (Power control PIN) from the SC1091 (SAV17) no have tension.

Very important:
If I connect +13.8V to the Pin 2 (power contril pin) of the SC1091(S-AV17) I see watts on the wattmeter and the current drain is about 8 Amp and the transmitter is OK.

I am in this situation at present time.

My great problem is I don't have schematic for the IC2100H and is very difficult to repair without him.

Thanks for the help in advance.

Very Sorry for my english. I don't speak english.

EA7HJ - Antonio

2707. FS-Linear Amp 2m, 30w, 12v.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 22:58:44 UTC
From: Steve Painter <stevepaint@clearwater.net>
Message-ID: <3mda9.10355$z16.5819@news.webusenet.com>
Source record: 40118

This is a Radio Shack 2-meter power amplifier for your HT. 5 watts in will give you 30 watts out. It has only been used once for testing out. I bought it new for my son & he never used it. Comes complete with original box, instruction book, mounting bracket. Paid $80 for it. My price is $50 shipped to the lower 48.

2708. MFJ-1270B Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 23:24:45 UTC
From: richard.uk@talk21.com
Message-ID: <4d609731.0208251524.17fbe14b@posting.google.com>
Source record: 40119

Hello

I have got this TNC to try and get it working for a friend, can anyone provide a manual or a website where I can find information on wiring details please.

TIA

Richard

2709. Re: MFJ-1270B Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-25 23:32:04 UTC
From: chuck & shirley hawks <s_hawks@bellsouth.com>
Message-ID: <4Bda9.77892$CD2.5044713@e3500-atl1.usenetserver.com>
Source record: 40120

Try

http://www.mfjenterprises.com/products.php?prodid=MFJ-1270C

This is for the 1270C, but should be close to the 1270B

Chuck

--
x-no-archive: yes
"Richard" <richard.uk@talk21.com> wrote in message
news:4d609731.0208251524.17fbe14b@posting.google.com...
> Hello
>
> I have got this TNC to try and get it working for a friend, can anyone
> provide a manual or a website where I can find information on wiring
> details please.
>
> TIA
>
> Richard

2710. Re: Alinco DataRadio lamps out. Volts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 00:35:14 UTC
From: MD <ve3tmt@rac.ca>
Message-ID: <bFea9.463$n73.166598@news20.bellglobal.com>
Source record: 40121

> Now, then, any insight on why the VFO occasionally changes into the
> 300 MHz band? Memory channels stay put, but when I switch over to
> VFO, I'm off in Never Land. Have to reset the thing in order to
> regain VFO in the 140 range. Is this associated with the cliped loop
> mod?

That is the cause. It should also toggle up into the 800 mhz band,

2711. WTB - M-1200 Decoder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 01:06:31 UTC
From: RJS <rsand@in-box.net>
Message-ID: <1ovimu4csapb1ajefpalov15dna20pbdm3@4ax.com>
Source record: 40122

Looking for a used Univeral M-1200.

rsand@in-box.net

2712. FS: FT101ZD Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 02:04:32 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <jn2jmugvkihtichpsf9982uphc56dsfr1d@4ax.com>
Source record: 40124
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

For Sale:

Yaesu FT-101ZD instruction manual. Original and in good condition.
Will sell for $16.00 plus $3.00 shipping

E-mail me to arrange purchase

2713. Re: MFJ-1270B Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 02:06:16 UTC
From: Bob Nielsen <nielsen@remove_this.oz.net>
Message-ID: <akc2eo$cn9$0@216.39.144.81>
Source record: 40123

Possibly this may be closer:

ftp://tapr.org/software_lib/tnc/tncdocs.zip plus
ftp://tapr.org/software_lib/tnc/tnc2sch.pdf

On Sun, 25 Aug 2002 18:32:04 -0500, chuck & shirley hawks wrote:
> Try
>
> http://www.mfjenterprises.com/products.php?prodid=MFJ-1270C
>
> This is for the 1270C, but should be close to the 1270B
>
> Chuck
>
> --
> x-no-archive: yes
> "Richard" <richard.uk@talk21.com> wrote in message
> news:4d609731.0208251524.17fbe14b@posting.google.com...
>> Hello
>>
>> I have got this TNC to try and get it working for a friend, can anyone
>> provide a manual or a website where I can find information on wiring
>> details please.
>>
>> TIA
>>
>> Richard
>
>

2714. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 03:26:39 UTC
From: nj7a@aol.com
Message-ID: <20020825232639.19444.00003004@mb-fs.aol.com>
Source record: 40125

Brian,
I agree with the others on the dissassembly of the unit and a thorough cleaning. I used Spic-n-Span Cinch on my IC-471a and it did a great job. Removed and washed the pcboards using an acid brush(plunbing aisle at local home improvement store), used a rag for the wiring harnesses, and squited the Cinch directly onto the case. Rinced everything with isopropyl alcohol. The radio's been working great for 5 years now and no cigarette smell at all. (the whole process took me all day, but I had to do the whole radio.)
73
Dave NJ7A

2715. Anyone see CNN's Al Qaeda tapes?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 03:39:21 UTC
From: Mario Melendez <mmelendez@engineer.com>
Message-ID: <3D69A2E9.2020807@engineer.com>
Source record: 40126

The one on Friday (I think) showed what looked like an amateur HF rig... anybody know what kind it was? From the looks of it it's got quite a bit of rocker switches like the ones you find on KW rigs like the TS930, but the construction looks a lot like the more recent Yaesu rigs.

Could also be a commercial line rig, however I think you'd have a harder time coming across one of those in Afghanistan than you would an amateur rig.

BTW, anyone manage to make out the numbers on the display from the tapes? From what I could see there were 4 digits...

//\/\ario //\/\elendez- TI2DLL
mmelendez@engineer.com

2716. Re: Alinco DataRadio lamps out. Volts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 05:48:48 UTC
From: UnMustached Jim <technomoose@starband.net>
Message-ID: <ekfjmuss47nf99899r8vh09c326s355e21@4ax.com>
Source record: 40127

As to your lamp problem, if you're planning to install a dropping resistor inline with the lamp anyway, I would recommend using the white LED that Radio Shack sells along with the appropriately valued dropping resistor. It will cast a sharper, whiter light upon your dial rather than the less-contrasting yellowish incandescent type light.

Be sure to use some sandpaper to rough up the LED lens so that it doesn't project a spot....you could also try covering the LED lens with a small piece of opaque tape, like white fiberglass electrical tape, that would allow most of the light to pass through while diffusing it.

I did this with my old ICOM 745 after it blew through a couple of those wheatgrain bulbs (though they each lasted a long time). Now it looks great and I don't have to expect to replace it again.

Jim
WD4BRU

On Sun, 25 Aug 2002 13:28:25 -0400, "Ken Jones"
<KJones@Netrax.net.INVALID> wrote:

>-----BEGIN PGP SIGNED MESSAGE-----
>
>"MD" <ve3tmt@rac.ca> wrote in message
>news:CHy99.9221$sY3.1844114@news20.bellglobal.com...
>>
>> They are 12V lamps. You can get replacements at Radio Shack. Find
>> the 12V feed to the lamps and put a 50 ohm 1/2W resistor in series
>> with the lead to the lamps, they will never blow as long as you own
>> the radio.
>>
>Thanks to all who responded...
>
>I'll check out the 12 volt bus, if I can see that well in that board.
> Things are getting smaller as I age, it seems. Dunno what my meter
>was reading. Those grain of wheat lamps look like exact
>replacements. Thanks for the tip.
>
>Now, then, any insight on why the VFO occasionally changes into the
>300 MHz band? Memory channels stay put, but when I switch over to
>VFO, I'm off in Never Land. Have to reset the thing in order to
>regain VFO in the 140 range. Is this associated with the cliped loop
>mod?
>

>73
>Ken KB3JA
>
>-----BEGIN PGP SIGNATURE-----
>Version: PGP 7.1.1
>Comment: See http://www.pgpi.com for secure e-mail FAQ
>
>iQEVAwUBPWkTt7Sq8Y1dHedVAQGy/wf/XAtvMGs2HpohGIZdpDX2w9WkJqxLvNG3
>Hq69IJEN81PNCfNCiw3PNryOXHq88pbbngaPJHsa3ESeY/rUdMlVIS0/CVKoNZ2B
>b8dCpSI0i66bkydAfgK+Ptve/jLTlBiVLiTIvqWg8zt3mg0azD1rHIM31MxPIxPU
>2arXDzVFLNG0WbsSrzZLbbQUS4PtQKSSu6WSLYaWgVDVWPrrkRk2SbZ2b3g+f+RL
>7aPLexGw0+umz9ga1nlfZqgOUGQCyyhWCW6eAqZ+35lFw4JCMuKpXolPpyMn5Ss8
>MXGBuX6B+Z0YN6N1Aav2Pcr8rkh4eisAh+sD0Q23L78otK9DaGtXgw==
>=DrOG
>-----END PGP SIGNATURE-----
>
>
>

2717. FS: Siemens F2a power pentode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 07:40:07 UTC
From: arnoldg@c2i.net
Message-ID: <3d69dbf1.5347125@news1.c2i.net>
Source record: 40128

I have four pcs of the very nice Siemens F2a power pentode for sale.
They are NOS and in original boxes. Picture and technical data on my
web site - www.demostenes.no Just search for F2a in the left hand
corner.

Regards,

Arnold Goks&#65533;yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

2718. Re: 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 10:27:34 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020826062734.28293.00002822@mb-ce.aol.com>
Source record: 40129

>
>For one thing there is a lot more risk of IF feedthrough at 10 watts.
>Also, you risk having the IF rig inadvertently set at other than 10 watts.
>What you are really looking at are different design philosophies.
>It would be interesting to see technical reviews of both. Before
>knocking either one, I would want to set the schematics and specs
>of both models and the IF radio down and see what works best.
>Will you be using a masthead preamp? or perhaps a masthead
>transverter? How will you key the whole affair? Before asking
>which is better, try asking all the rest of the questions first.
>Attention to detail usually wins out, but there is a place for
>inexpensive and expedience too.

Well, the Tentec transverter is actually factory set for 5 watts input, with 10 watts output, although it can be adjusted to accept up to 10 watts input. One advantage to this is that you can continue to use the IF rig for it's original purpose without reducing the input to 500mW or some other incredibly low output. For example, I could hook up the 2m to 6m transverter from Tentec in my car, then all I have to do is hit a button to bring my dualband FM rig to 5 watts output, tune to a 2m frequency and turn on the transverter and I'm on 6m! With the Tentec transverters, all that is required to key it is RF. The antenna plugs into the transverter and then the transverter plugs into the radio's antenna port. It's that simple. Unfortunately, Tentec doesn't currently make a 220mhz transverter, although it is rumored that one is on the way.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2719. Re: Anyone see CNN's Al Qaeda tapes?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 10:30:29 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020826063029.28293.00002823@mb-ce.aol.com>
Source record: 40130

>The one on Friday (I think) showed what looked like an amateur HF rig...
>anybody know what kind it was? From the looks of it it's got quite a bit
>of rocker switches like the ones you find on KW rigs like the TS930, but
>the construction looks a lot like the more recent Yaesu rigs.
>
>Could also be a commercial line rig, however I think you'd have a harder
>time coming across one of those in Afghanistan than you would an amateur
>rig.
>
>BTW, anyone manage to make out the numbers on the display from the
>tapes? From what I could see there were 4 digits...

Actually, there were 5 digits. After reviewing the video, I saw that the
display said 27.555 USB. A certificate could also be displayed that indicated
that bin Laden's callsign was 234AT001. Not sure what that means though.

;)
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2720. Re: Anyone see CNN's Al Qaeda tapes?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 11:58:32 UTC
From: VE3TMT <ve3tmt@rac.ca>
Message-ID: <VJoa9.2679$uF.272505@news20.bellglobal.com>
Source record: 40131

> Actually, there were 5 digits. After reviewing the video, I saw that the
> display said 27.555 USB. A certificate could also be displayed that
indicated
> that bin Laden's callsign was 234AT001. Not sure what that means though.

If in fact that is true, 27.555 USB is the International call frequency for the Alfa Tango 11m DX group, hence the "AT" in 234AT001. And to think the American government spends countless millions of dollars each year on survellience equipment, when all they really needed were some old modifiable Radio Shack 40 channel sideband CB's!

2721. Re: 220 mhz transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 13:25:26 UTC
From: Ralph Mowery <rmowery@cetlink.net>
Message-ID: <akdaht$1559$1@newsreader.cetlink.net>
Source record: 40132

While they don't make one, some have been converted from a 2 meter version
to a 220 version.
I thik it was written up in QST and I have a file for it that was put on the
internet on a vhf reflector.
If anyone is interisted in that I will send it direct if I can locate it
again.

> antenna port. It's that simple. Unfortunately, Tentec doesn't currently
make a
> 220mhz transverter, although it is rumored that one is on the way.

2722. Re: Anyone see CNN's Al Qaeda tapes?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 14:43:38 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020826104338.02268.00003381@mb-cj.aol.com>
Source record: 40133

>If in fact that is true, 27.555 USB is the International call frequency for
>the Alfa Tango 11m DX group, hence the "AT" in 234AT001. And to think the
>American government spends countless millions of dollars each year on
>survellience equipment, when all they really needed were some old modifiable
>Radio Shack 40 channel sideband CB's!

Ummm... I hope you realize that I was joking.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2723. Re: Anyone see CNN's Al Qaeda tapes?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 16:38:44 UTC
From: VE3TMT <ve3tmt@rac.ca>
Message-ID: <_Psa9.806$z21.457321@news20.bellglobal.com>
Source record: 40134

"VHFRadioBuff" <vhfradiobuff@aol.comspamsux> wrote in message
news:20020826104338.02268.00003381@mb-cj.aol.com...
> >If in fact that is true, 27.555 USB is the International call frequency
for
> >the Alfa Tango 11m DX group, hence the "AT" in 234AT001. And to think
the
> >American government spends countless millions of dollars each year on
> >survellience equipment, when all they really needed were some old
modifiable
> >Radio Shack 40 channel sideband CB's!
>
> Ummm... I hope you realize that I was joking.
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

I guess you got me Andy!!, But I did notice yesterday in the movie
"Collateral Damage" the Colombian support group had a Yaesu FT101 in their
headquarters. And I remember years ago some movie where the cops were using
a TS940 for coms!

2724. Re: Anyone see CNN's Al Qaeda tapes?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 17:14:50 UTC
From: W6DKN <w6dkn@qsl.net>
Message-ID: <Epta9.11762$z16.7535@news.webusenet.com>
Source record: 40135

"VE3TMT" <ve3tmt@rac.ca> wrote in message
news:VJoa9.2679$uF.272505@news20.bellglobal.com...
>
> > Actually, there were 5 digits. After reviewing the video, I saw that
the
> > display said 27.555 USB. A certificate could also be displayed that
> indicated
> > that bin Laden's callsign was 234AT001. Not sure what that means
though.
>
> If in fact that is true, 27.555 USB is the International call frequency
for
> the Alfa Tango 11m DX group, hence the "AT" in 234AT001. And to think
the
> American government spends countless millions of dollars each year on
> survellience equipment, when all they really needed were some old
modifiable
> Radio Shack 40 channel sideband CB's!
>

Why doesn't it surprise me than Bin Laden would be a CB'er...

73 de W6DKN

2725. FS: Ameritron AL-80A HF amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 21:04:13 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <th5lmuslcgi3pcfrpigdmivp64jltie09j@4ax.com>
Source record: 40136

I have an Ameritron AL-80 A HF amplifier for sale in excellent condition. It comes with the original inner and outer boxes and manual. It covers 10 to 160 meters and has the 10 meter mod. done. It has a single Eimac 3-500Z tube and is wired for 110 volts. It can also be switched over to 220 volts. I will ship it anywhere in the 48 states for $650. I can be reached at (508) 821-2993 or email....WZ1U Steve / Lakeville, Mass.

2726. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 21:16:22 UTC
From: Buyer Beware <BuyerBeware@hotmail.com>
Message-ID: <GUwa9.17632$082.1003786@news1.east.cox.net>
Source record: 40137

Step One. Quit Smoking

"Nj7a" <nj7a@aol.com> wrote in message
news:20020825232639.19444.00003004@mb-fs.aol.com...
> Brian,
> I agree with the others on the dissassembly of the unit and a thorough
> cleaning. I used Spic-n-Span Cinch on my IC-471a and it did a great job.
> Removed and washed the pcboards using an acid brush(plunbing aisle at
local
> home improvement store), used a rag for the wiring harnesses, and squited
the
> Cinch directly onto the case. Rinced everything with isopropyl alcohol.
The
> radio's been working great for 5 years now and no cigarette smell at all.
(the
> whole process took me all day, but I had to do the whole radio.)
> 73
> Dave NJ7A
>

2727. WTB "project" radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 21:16:48 UTC
From: gip11@yahoo.com
Message-ID: <e1848381.0208261316.628623f5@posting.google.com>
Source record: 40138

Looking for a general coverage radio that might need work, tubes or solid state.
Email me with details, and thanks for reading my post.

gil

2728. Force 12 Tribanders

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 21:17:34 UTC
From: Buyer Beware <BuyerBeware@hotmail.com>
Message-ID: <OVwa9.17637$082.1003857@news1.east.cox.net>
Source record: 40139

Looking for opinions on the Force 12 C series. Please state model.

Thanks Me

2729. FS: Drake B line station

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 21:27:28 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <ns6lmuotc4p7aqdvu2jdhq6pfcss3hio83@4ax.com>
Source record: 40140

I have for sale in very good condittion a Drake T-4XB, R-4B, with the MS-4 speaker and AC-4 power supply from a non-smoker. I have the original boxes for the receiver and transmitter, not for the MS-4/AC-4.....Also have the orignal manuals for the T-4XB and R-4B and all the connecting cables.....The receiver works fine, but the transmitter only putting out 20 watts. Checked out the finals and there are fine using a TV-7D/U tube tester....I will take $300 for the complete package and you ship.....I can be reached at (508) 821-2993 or email......

2730. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 22:47:39 UTC
From: "D.J." <dalej2@mac.com.remove.this>
Message-ID: <dalej2-D0A311.17471226082002@zeus-ge0.rdc-kc.rr.com>
Source record: 40141

In article <GUwa9.17632$082.1003786@news1.east.cox.net>,
"Buyer Beware" <BuyerBeware@hotmail.com> wrote:

> Step One. Quit Smoking

Thats a no brainer.
db

2731. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 23:03:38 UTC
From: chuck & shirley hawks <s_hawks@bellsouth.com>
Message-ID: <Vvya9.70690$%v4.2916136@e3500-atl2.usenetserver.com>
Source record: 40142

```
--
x-no-archive: yes
"D.J." <dalej2@mac.com.remove.this> wrote in message
news:dalej2-D0A311.17471226082002@zeus-ge0.rdc-kc.rr.com...
> In article <GUwa9.17632$082.1003786@news1.east.cox.net>,
> "Buyer Beware" <BuyerBeware@hotmail.com> wrote:
>
> > Step One. Quit Smoking
>
>
> Thats a no brainer.
> db

was the original post read by him?
chuck
```

2732. SOLD ! Drake B Line

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-26 23:19:44 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <f5dlmuc8cqqde5jgqeh0jvcssd2ddpeeoj@4ax.com>
Source record: 40143

Sold ! Drake B Line

2733. FS: ALPHA 78 FACE & COVER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 00:49:07 UTC
From: rong@computer.net
Message-ID: <3d6acc79.1563887@news.computer.net>
Source record: 40144
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi All,

I just received a new face & cover for my old Alpha 78 from Crosslink. I will be installing them during my vacation over the next 2 weeks. The old face & cover have become quite sticky with age as all of the original 78's did. Is there anyone out there that wants to purchase the old cover & face ??? The lettering on the face is perfect. There are a few scratches at the top left screw hole where someone evidently had bad aim with a screwdriver, and a few chips on the edges. There might also be some rub marks under either the tune or load dials--I can't remember which one used to rub, but you can't see it with the vernier dials assembled. The cover has numerous scratches all around, but a paint job will fix that. There are NO dents in either piece. The cover should also fit the 76 series with 2 or 3 tubes and the 374A series. The only difference that I can see, is that this cover has vent holes for 3 tubes as used in the 78.

I once read somewhere that if you soak the cover & face in water overnight, the stickyness will disappear--whether that is true or not, I don't know.

If you are interested, please E-mail me at rong@computer.net or call me at 845 526 3221. Make me an offer that I can't refuse. Crosslink charged me $21.50 for the shipping, but that included the box & packing--I assume that it will run about $12 to ship the box anywhere in the lower 48.

Thanks & 73,
****
Ron Goldstein.....KA2IIA
STAY YOUNG---DRIVE A VINTAGE 427 CORVETTE.
KEEP YOUR MIND ACTIVE---BECOME AN AMATEUR RADIO OPERATOR.

REMEMBER, THERE ARE NO STRANGERS IN AMATEUR RADIO, ONLY FRIENDS THAT WE HAVE NOT YET MET.
rong@computer.net******ka2iia@arrl.net

2734. Need help with VFO-700S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 01:09:44 UTC
From: W7KID <w7kid@arrl.net>
Message-ID: <sjAa9.286870$sA3.562105@rwcrnsc52.ops.asp.att.net>
Source record: 40145

I recently picked up a TS700SP in really nice shape, however the external VFO that I got with it doesn not work. There is nothing coming back from the VFO to show frequency on the TS700SP dial. The VFO looks like new. I'm wondering if there's anyone out there that has had experience with these, and might be able to point me in the right direction.

73s Ken & Sallie
W7KID & KD7NVZ

2735. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 01:17:33 UTC
From: Buyer Beware <BuyerBeware@hotmail.com>
Message-ID: <NqAa9.18489$082.1069082@news1.east.cox.net>
Source record: 40146

```
Lighten up...it is a joke....
"chuck & shirley hawks" <s_hawks@bellsouth.com> wrote in message
news:Vvya9.70690$%v4.2916136@e3500-atl2.usenetserver.com...
>
>
> --
> x-no-archive: yes
> "D.J." <dalej2@mac.com.remove.this> wrote in message
> news:dalej2-D0A311.17471226082002@zeus-ge0.rdc-kc.rr.com...
> > In article <GUwa9.17632$082.1003786@news1.east.cox.net>,
> > "Buyer Beware" <BuyerBeware@hotmail.com> wrote:
> >
> > > Step One. Quit Smoking
> >
> >
> > Thats a no brainer.
> > db
>
> was the original post read by him?
> chuck
>
>
>
```

2736. Re: Anyone see CNN's Al Qaeda tapes?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 01:59:39 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D6ADD0B.9B3007F6@nettally.com>
Source record: 40147

About 34 years ago, I was active on CB (and actually had an FCC license). At that time I recall an operator with a very distinctive southern drawl working skip from the "mountains of Jamaica". I since learned that Johnny Cash actually has a villa in Jamaica (undoubtedly in the mountains as that is the islands normal topography). I have since wondered if that was in fact his voice I heard that day.

W6DKN wrote:

> "VE3TMT" <ve3tmt@rac.ca> wrote in message
> news:VJoa9.2679$uF.272505@news20.bellglobal.com...
> >
> > > Actually, there were 5 digits. After reviewing the video, I saw that
> the
> > > display said 27.555 USB. A certificate could also be displayed that
> > indicated
> > > that bin Laden's callsign was 234AT001. Not sure what that means
> though.
> >
> > If in fact that is true, 27.555 USB is the International call frequency
> for
> > the Alfa Tango 11m DX group, hence the "AT" in 234AT001. And to think
> the
> > American government spends countless millions of dollars each year on
> > survellience equipment, when all they really needed were some old
> modifiable
> > Radio Shack 40 channel sideband CB's!
> >
>
> Why doesn't it surprise me than Bin Laden would be a CB'er...
>
> 73 de W6DKN

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

2737. Hazeltine 1510 help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 02:50:46 UTC
From: KC8SSG <crandall@ee.net>
Message-ID: <aOBa9.187$73.3901@news>
Source record: 40048
Cross-posted to: alt.ham-radio.packet,alt.radio.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

I came across an old terminal and was wondering if there is any info on getting it on packet? I think they were used as packet terminals at one time but not sure.I'm having trouble getting it running,the small toggle switches are out of whack and need some guidance.
Thanks all
Rob KC8SSG

2738. Samson mic processor for sale/trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 03:28:47 UTC
From: VE3TMT <ve3tmt@rac.ca>
Message-ID: <flCa9.3375$n73.495175@news20.bellglobal.com>
Source record: 40049

As new Samson S-Com stereo processor with manual for sale or trade. Asking $100 US (inc shipping) or trade for ???

Thanks for looking

Max

http://www.samsontech.com/products/productpage.cfm?prodID=96&brandID=2

2739. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 05:07:46 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <akf1fn$8cc$1@bob.news.rcn.net>
Source record: 40050

"HF Specialists" <hf.specialists@verizon.net> wrote:
> "Ken" <cprstn54zz@att.net> wrote:

> > Yaesu USA has had my FL-7000 amplifier for repair
> > (damaged by FedEx Ground in shipping) for four months
> > and I have yet to see an estimate...

> I've always found Yaesu service the best of the "big 3",
> until recently...

Greg, Ken, and others, be careful what you post regarding Yaesu
in this forum if it is not flattering. My earlier contribution to this
thread resulted in my receiving an e-mail from them stating that
my comments were "actionable," and that similar statements in
the future would result in them seeking counsel. A followup
e-mail to them brought only a meaningless and empty response.

It is sad to note that my comments came from the horse's mouth
(the folks at Yaesu service), and that everything else that I have
posted about them over the last ten years has been highly
complimentary. I have recommended their products to others,
and several folks now get into my six meter repeater with VX-5Rs.
What an odd way of saying, "Thanks for being our life-long customer."

Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

2740. Re: Hazeltine 1510 help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 05:30:47 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <b8Ea9.110686$Aw4.4769439@bin2.nnrp.aus1.giganews.com>
Source record: 40051
Cross-posted to: alt.ham-radio.packet,alt.radio.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

Ah yes, the old Hazeltine 1510. I have three or four at my house, and the manuals for them. Here's the necessary settings for the DIP switches just to get you going.

Three banks of switches, from left to right, D means set towards the keyboard, U means towards the CRT.

Left bank: U U U U U U D U sets the speed to 9600 baud. Only one switch can be down at a time. Towards the left are lower baud rates; the right-most switch is 19,200 baud.
Middle bank: U U U D U U D D sets the unit for standard full-duplex RS-232 and no translations.
Right bank: U U U D U U U U sets ESCAPE as the lead-in character; set them all U for TILDE as the lead-in character.

The terminal normally comes up in DIM or background mode. To get it to be bright, you need to program it with a specific sequence of characters that depends on the lead-in character you've selected. There's not much else special about the unit except the video electronics mounted to the top of the cabinet tends to get quite hot.

I usually jumper the male DB-25 connector pins 4+5, 6+8+20. The terminal transmits data on pin 2, receives data on pin 3, signal ground is pin 7, chassis ground is pin 1.

If you need more info, I could make copies of necessary pages from the operator's manual. I bought one new in 1978 for $850, and that was cheap back then. Any more questions, please don't hesitate to ask. Good luck with it.

Bob M. WA1MIK
==========
"KC8SSG" <crandall@ee.net> wrote in message news:aOBa9.187$73.3901@news...
> I came across an old terminal and was wondering if there is any info on
> getting it on packet? I think they were used as packet terminals at one
time
> but not sure.I'm having trouble getting it running,the small toggle
switches
> are out of whack and need some guidance.
> Thanks all
> Rob KC8SSG
>
>

2741. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 05:50:01 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <umm4od16serbaf@corp.supernews.com>
Source record: 40052

I would tell them bring it on, bring your whole damn bunch of lawyers. I suspect that more than a few folks could back up your position. They would have to sue you in a court in your home state. The local folks here are real likely to give a judgment to a left coast big business that gave crappy customer service, then threatened to sue if you said any thing...

And if any one from Yeasu finds a problem with this, e-mail me and I will forward the address for service.

Actionable my hind-parts.

"Mark Walsh" <mark@km6xu.die.spam.die.com> wrote in message news:akf1fn$8cc$1@bob.news.rcn.net...
> "HF Specialists" <hf.specialists@verizon.net> wrote:
> > "Ken" <cprstn54zz@att.net> wrote:
>
> > > Yaesu USA has had my FL-7000 amplifier for repair
> > > (damaged by FedEx Ground in shipping) for four months
> > > and I have yet to see an estimate...
>
> > I've always found Yaesu service the best of the "big 3",
> > until recently...
>
> Greg, Ken, and others, be careful what you post regarding Yaesu
> in this forum if it is not flattering. My earlier contribution to this
> thread resulted in my receiving an e-mail from them stating that
> my comments were "actionable," and that similar statements in
> the future would result in them seeking counsel. A followup
> e-mail to them brought only a meaningless and empty response.
>
> It is sad to note that my comments came from the horse's mouth
> (the folks at Yaesu service), and that everything else that I have
> posted about them over the last ten years has been highly
> complimentary. I have recommended their products to others,
> and several folks now get into my six meter repeater with VX-5Rs.
> What an odd way of saying, "Thanks for being our life-long customer."
>
> Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com
>
>

2742. Re: Hazeltine 1510 help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 08:27:21 UTC
From: nomail@pe1chl.ampr.org
Message-ID: <slrnammdv9.mq2.nomail@linux.pe1chl.ampr.org>
Source record: 40053
Cross-posted to: alt.ham-radio.packet,alt.radio.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

Bob M. <xxxxx@yyyy.zzz> wrote:
>Right bank: U U U D U U U U sets ESCAPE as the lead-in character; set them
>all U for TILDE as the lead-in character.

Ahh... the famous Hazeltine ~ braindamage :-)
At least on this model it can be avoided...

Rob
--
+--------------------------------+--------------------------------------+
| Rob Janssen pe1chl@amsat.org | WWW: http://www.xs4all.nl/~pe1chl/ |
| AMPRnet: rob@pe1chl.ampr.org | AX.25 BBS: PE1CHL@PI8ZAA.#NBO.NLD.EU |
+--------------------------------+--------------------------------------+

2743. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 09:50:59 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3d6b4b82$1@news.netacc.net>
Source record: 40054

"Mark Walsh" <mark@km6xu.die.spam.die.com> wrote in message
news:akf1fn$8cc$1@bob.news.rcn.net...
> "HF Specialists" <hf.specialists@verizon.net> wrote:
> > "Ken" <cprstn54zz@att.net> wrote:
> Greg, Ken, and others, be careful what you post regarding Yaesu
> in this forum if it is not flattering. My earlier contribution to this
> thread resulted in my receiving an e-mail from them stating that
> my comments were "actionable," and that similar statements in
> the future would result in them seeking counsel. >
>

Yaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu Sucks
Yaesu Sucks Yaesu SucksYaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu SucksYaesu
Sucks Yaesu Sucks Yaesu Sucks Yaesu SucksYaesu Sucks Yaesu Sucks Yaesu Sucks
Yaesu SucksYaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu SucksYaesu Sucks Yaesu
Sucks Yaesu Sucks Yaesu SucksYaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu
SucksYaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu SucksYaesu Sucks Yaesu Sucks
Yaesu Sucks Yaesu SucksYaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu SucksYaesu
Sucks Yaesu Sucks Yaesu Sucks Yaesu Sucks

Awaiting email :-)

Steve

2744. Re: Hazeltine 1510 help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 13:13:16 UTC
From: Jake Brodsky <frussle@erols.com>
Message-ID: <u9ummugo3j11pu453o28efs3ojtpao5nab@4ax.com>
Source record: 40055
Cross-posted to: alt.ham-radio.packet,alt.radio.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

On Tue, 27 Aug 2002 02:50:46 GMT, "KC8SSG" <crandall@ee.net> wrote:

>I came across an old terminal and was wondering if there is any info on
>getting it on packet? I think they were used as packet terminals at one time
>but not sure.I'm having trouble getting it running,the small toggle switches
>are out of whack and need some guidance.

Boy, that's a bit of history there! What you have there is a dumb terminal. It doesn't have any packet capabilities without a Terminal Node Controller (TNC). If you do not have the manual for one, you might be able to find some data on it by reverse compiling the termcap files on most unix or linux style operating systems.

Many of us used to adjust the prompts from the TNC gear we were using to make the display a bit prettier, but that's about all I remember of the Hazeltine. My brother used to own a Hazeltine 1400. So I do remember something about it, although it was around 25 years ago...

If I were you, I'd try to find something a bit more recent to use for packet work.

73,

Jake Brodsky, AB3A mailto:frussle@erols.com
"Beware of the massive impossible!"

2745. WTB:101 AM filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 13:20:43 UTC
From: Taylor Ranch <tranch@airmail.net>
Message-ID: <5BF202731B7DB287.BF988CD4873B0C0C.1F3C6CAD166D84CD@lp.airnews.net>
Source record: 40056

Looking for yaesu 101 AM filter... Tell me what you have and how much... Thanks

2746. Re: Force 12 Tribanders

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 13:36:07 UTC
From: lsb <l.s.booth@worldnet.att.net>
Message-ID: <bfLa9.37098$Ke2.2640690@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40057

I have a C3 that is reinforced for high winds. Been up about 4 years with no problems either mechanical or electrical. I am in La. hurricane zone and it has survived two near misses by hurricanes. Best triband antenna I've ever used.

n5lb

Buyer Beware <BuyerBeware@hotmail.com> wrote in message news:OVwa9.17637$082.1003857@news1.east.cox.net...
> Looking for opinions on the Force 12 C series. Please state model.
>
> Thanks Me
>
>

2747. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 14:11:39 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <umn21rdelf0nd1@corp.supernews.com>
Source record: 40058

"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
news:3d6b4b82$1@news.netacc.net...
>
> "Mark Walsh" <mark@km6xu.die.spam.die.com> wrote in message
> news:akf1fn$8cc$1@bob.news.rcn.net...
> > "HF Specialists" <hf.specialists@verizon.net> wrote:
> > > "Ken" <cprstn54zz@att.net> wrote:
> > Greg, Ken, and others, be careful what you post regarding Yaesu
> > in this forum if it is not flattering. My earlier contribution to this
> > thread resulted in my receiving an e-mail from them stating that
> > my comments were "actionable," and that similar statements in
> > the future would result in them seeking counsel. >
> >
>
>
> Yaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu Sucks
> Yaesu Sucks Yaesu SucksYaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu
SucksYaesu
> Sucks Yaesu Sucks Yaesu Sucks Yaesu SucksYaesu Sucks Yaesu Sucks Yaesu
Sucks
> Yaesu SucksYaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu SucksYaesu Sucks
Yaesu
> Sucks Yaesu Sucks Yaesu SucksYaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu
> SucksYaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu SucksYaesu Sucks Yaesu
Sucks
> Yaesu Sucks Yaesu SucksYaesu Sucks Yaesu Sucks Yaesu Sucks Yaesu
SucksYaesu
> Sucks Yaesu Sucks Yaesu Sucks Yaesu Sucks
>
>
>
> Awaiting email :-)
>
>
> Steve

After owning one of their JUNK FT-8100 radios I agree 100% with the
statement above!!!

Maybe we can make it a class action suit when they sue ;^)

"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx
& Yaesu?

--
'73' From KB9TMP

2748. Icom IC-R1 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 14:55:09 UTC
From: "KAN Chi Chung (VR2UHK)" <kancc@softhome.net>
Message-ID: <akg3sl$7451@rain.i-cable.com>
Source record: 40059

Dear All,

Anyone have Icom receiver IC-R1's maunal? Thanks

73 de vr2uhk

2749. Re: Anyone see CNN's Al Qaeda tapes?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 15:22:59 UTC
From: Mario Melendez <mmelendez@engineer.com>
Message-ID: <3D6B9953.1080708@engineer.com>
Source record: 40080

VHFRadioBuff wrote:

> Actually, there were 5 digits. After reviewing the video, I saw that the
> display said 27.555 USB. A certificate could also be displayed that indicated
> that bin Laden's callsign was 234AT001. Not sure what that means though.

LOL, I knew those were 10 codes they had posted on the walls... :)

2750. Re: Anyone see CNN's Al Qaeda tapes?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 15:24:37 UTC
From: Mario Melendez <mmelendez@engineer.com>
Message-ID: <3D6B99B5.5020002@engineer.com>
Source record: 40081

VE3TMT wrote:

> If in fact that is true, 27.555 USB is the International call frequency for
> the Alfa Tango 11m DX group, hence the "AT" in 234AT001. And to think the
> American government spends countless millions of dollars each year on
> surveillience equipment, when all they really needed were some old modifiable
> Radio Shack 40 channel sideband CB's!

What's the format in those callsigns anyhow? Here on 27.555 you often
find "69RHnnn"

//\/\ario //\/\elendez- TI2DLL

2751. Re: Anyone see CNN's Al Qaeda tapes?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 15:31:59 UTC
From: Mario Melendez <mmelendez@engineer.com>
Message-ID: <3D6B9B6F.6010306@engineer.com>
Source record: 40082

VE3TMT wrote:

> headquarters. And I remember years ago some movie where the cops were using
> a TS940 for coms!

They were working 80m too... and of course they didn't have a single
whistle, screech, hum or lightning splatter, just like the CBers in the
movies! :)

//\/\ario //\/\elendez- TI2DLL

2752. FS: EL 153 Telefunken NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 17:49:51 UTC
From: arnoldg@c2i.net
Message-ID: <3d6bbc43.11025558@news1.c2i.net>
Source record: 40060

I have several pcs of the power output pentode EL 153 by Telefunken. The valves are all NOS and unused. Power dissipation is 40W and the price is only NOK 400.- each - about $ 52.- Picture and technical data on my web site - www.demostenes.no Just search for EL 153 in the left hand corner.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as sockets,transformers,books,caps,resistors and other components. Web site is updated every week. You can order on-line.

2753. Parts needed, National

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 18:42:54 UTC
From: K5VSE <wb6vse@ipa.net>
Message-ID: <OKPa9.2658$%D6.240234@newsread1.prod.itd.earthlink.net>
Source record: 40061
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi to all,
I am in need of the two main tuning knobs for a NC-125, and three of the small knobs. NC-88, NC-98 and others are the same. Need an S meter for the NC-125 as well.

Also need a manual for a Gonset G-63.

Any help will be appreciated greatly

Thanks es 73 de
--
Mike-K5VSE
Formerly WB6VSE, senior tech, amateur division
SBE/Linear Systems, Watsonville, CA
All out going mail scanned with Norton AntiVirus 2002

2754. National NC-173, 183, 183D dial scales

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 20:16:00 UTC
From: rockseaent@aol.com
Message-ID: <20020827161600.03682.00003935@mb-fq.aol.com>
Source record: 40062

We are looking at the possibility of making reproduction dial scales for the National 173, 183 & 183D. Part numbers M696 tuning scale, M968 logging scale and R30Z (?) s meter scale. (That s meter part number is hard to read.. please send correction if you can)

If you would be interested in a set of these dial scales please send an e-mail to: dials@juno.com and include your radio model.

Thanks, Mike
Rock-Sea Enterprises
Antique Radio Decals & Dial Scales
(805) 646-7362 dials@juno.com
http://members.aol.com/RockSeaEnt/

2755. WANTED=>[VHF 10ch SP50's]<==Cash Availible

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 20:40:21 UTC
From: msisco9939@aol.com
Message-ID: <20020827164021.03124.00001620@mb-fy.aol.com>
Source record: 40063

HI:

WANTED=>[VHF 10ch SP50's]<==Cash Availible

I am looking for up to (10) Motorola P93YQT20G2AA Motorola
10ch SP50's. These MUST be Factory 10ch SP50's and I have
lots of other Motorola stuff for trade, or Cash is availible for the
right pieces.

Monty

2756. WTD: ICOM AH-1 Info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 20:53:09 UTC
From: w1ksz@tiac.net
Message-ID: <3d6be68a.1044989@news.tiac.net>
Source record: 40064

I picked one up at Boxboro, anyone have any data on it ?

Tnx, Dick, W1KSZ

2757. Question on 12v power adapter polarity for Vertex Standard/Yaesu transceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 20:56:45 UTC
From: Jack Allison <jack.a.allison@intel.com>
Message-ID: <akgp2f$hri@news.or.intel.com>
Source record: 40065

Can someone answer the question as to whether the 12v cigarette lighter style power adapter/supply tip is positive or negative polarity for Vertex Standard/Yaesu handheld transceivers. Specificall, for Vertex Standard VXA-210 (same as Yaesu Pilot II). I'd rather not experiement :-) Thanks!

2758. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 22:46:05 UTC
From: "James R. DeLoach" <jasd-49X@attbi.com>
Message-ID: <890omugubvf8kmebcr0sj493c9lp14umvm@4ax.com>
Source record: 40066

On Mon, 26 Aug 2002 22:07:46 -0700, "Mark Walsh"
<mark@km6xu.die.spam.die.com> wrote:

>"HF Specialists" <hf.specialists@verizon.net> wrote:
>> "Ken" <cprstn54zz@att.net> wrote:
>
>> > Yaesu USA has had my FL-7000 amplifier for repair
>> > (damaged by FedEx Ground in shipping) for four months
>> > and I have yet to see an estimate...
>
>> I've always found Yaesu service the best of the "big 3",
>> until recently...
>
>Greg, Ken, and others, be careful what you post regarding Yaesu
>in this forum if it is not flattering. My earlier contribution to this
>thread resulted in my receiving an e-mail from them stating that
>my comments were "actionable," and that similar statements in
>the future would result in them seeking counsel. A followup
>e-mail to them brought only a meaningless and empty response.

I am not a lawyer nor do I know what you posted, but I doubt Yaesu
can do anything to you or anyone else for what you post in this
newgroup, good or bad about them. Yaesu does not own this newsgroup.
It sounds like to me that they tried to scare you and it appears they
succeeded. This is probably all they were after. I would dare them
to do that to me as it would end up being their worst publicity
night mare they have ever seen. God forbid, I would most likely
end up owning Yaesu when it was over.

Regards,

James

Note: To reply by email, remove the "X" in the reply to address.

2759. ICOM IC-740

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 22:51:32 UTC
From: joeee1621@aol.com
Message-ID: <20020827185132.04972.00004524@mb-fc.aol.com>
Source record: 40067

PROABABLY THE BEST ICOM HF RADIO EVER MADE..THIS ONE INCLUDES THE BUILT IN AC SUPPLY/KEYER/FM/FILTER...IT IS JUST AS NEW AND FULL 100 PLUS OUT ALL BANDS 10-160...HAS THE ORIGINAL HAND MIC...THIS IS THE LAST OF THE ICOM STRICTLY HAM RADIOS..NO GENERAL COVERAGE MEANING THE RECEIVE IS TRULY SUPERB...GREAT RIG...$400 SHIPPED AND A PICTURE IF YOU LIKE.

2760. FS: Ten Tec 1220 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 23:00:07 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <sh0omuskourbb277vddq2duqkpemd29mbu@4ax.com>
Source record: 40068

I have for sale in like new condition a combined kit assembly and instruction manual for the Ten Tec 1220 mobile 2 meter FM transceiver. I will ship it anywhere in the 48 states for $10. I can be reached at (508) 821-2993 or email.......WZ1U Steve / Lakeville, Mass.

2761. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 23:05:01 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <akh0mp$c6n$1@madmax.keyway.net>
Source record: 40069

Then what?

: Step One. Quit Smoking
:

2762. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 23:09:15 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <akh0qq$c6t$1@madmax.keyway.net>
Source record: 40070

Then what?

Seriously, you have to avoid getting burned in the first place.
You don't want to have to do this for a living. In several
instances, I tried this on rat infested base stations only to
find I'd wasted my time.

: Step One. Quit Smoking
:

2763. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 23:09:21 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <akh0r1$c6v$1@madmax.keyway.net>
Source record: 40071

Then what?

Seriously, you have to avoid getting burned in the first place.
You don't want to have to do this for a living. In several
instances, I tried this on rat infested base stations only to
find I'd wasted my time.

: Step One. Quit Smoking
:

2764. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 23:09:25 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <akh0r4$c70$1@madmax.keyway.net>
Source record: 40072

Then what?

Seriously, you have to avoid getting burned in the first place.
You don't want to have to do this for a living. In several
instances, I tried this on rat infested base stations only to
find I'd wasted my time.

: Step One. Quit Smoking
:

2765. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 23:41:41 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <umo3d44d6ns967@corp.supernews.com>
Source record: 40073

It likely that the response you got was an idle theat, your statements are
very well protected by the First Amendment, as long as they are YOUR
opinion, and not an atempt to damage their reputation.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Mark Walsh" <mark@km6xu.die.spam.die.com> wrote in message
news:akf1fn$8cc$1@bob.news.rcn.net...
> "HF Specialists" <hf.specialists@verizon.net> wrote:
> > "Ken" <cprstn54zz@att.net> wrote:
>
> > > Yaesu USA has had my FL-7000 amplifier for repair
> > > (damaged by FedEx Ground in shipping) for four months
> > > and I have yet to see an estimate...
>
> > I've always found Yaesu service the best of the "big 3",
> > until recently...
>
> Greg, Ken, and others, be careful what you post regarding Yaesu
> in this forum if it is not flattering. My earlier contribution to this
> thread resulted in my receiving an e-mail from them stating that
> my comments were "actionable," and that similar statements in
> the future would result in them seeking counsel. A followup
> e-mail to them brought only a meaningless and empty response.
>
> It is sad to note that my comments came from the horse's mouth
> (the folks at Yaesu service), and that everything else that I have
> posted about them over the last ten years has been highly
> complimentary. I have recommended their products to others,
> and several folks now get into my six meter repeater with VX-5Rs.
> What an odd way of saying, "Thanks for being our life-long customer."
>
> Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com
>
>
>

2766. Re: Hazeltine 1510 help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 23:45:57 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <umo3kul1pc35e6@corp.supernews.com>
Source record: 40074
Cross-posted to: alt.ham-radio.packet,alt.radio.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

I used one for packet years ago. All you need is a TNC, and the teminal will
display well, but you can't save anything to memory, but you can print it
out with you printer.
Perhaps a KAM would work nicely.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"KC8SSG" <crandall@ee.net> wrote in message news:aOBa9.187$73.3901@news...
> I came across an old terminal and was wondering if there is any info on
> getting it on packet? I think they were used as packet terminals at one
time
> but not sure.I'm having trouble getting it running,the small toggle
switches
> are out of whack and need some guidance.
> Thanks all
> Rob KC8SSG
>
>

2767. Yaesu FT-101ZD knobs wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-27 23:49:44 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <Y_Ta9.18076$Hd4.4717537@e3500-atl1.usenetserver.com>
Source record: 40075
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi
I am after locating a couple of knobs for the FT-101ZD series, I am after the Mode and Plate knobs or better still a whole set
If you have or know of some one who has, please e-mail me
Thanks and best 73's
Martyn

2768. FA MFJ Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 01:44:28 UTC
From: "Michael E. Mermigas,DDS" <mermer12@attbi.com>
Message-ID: <0WVa9.203243$983.383243@rwcrnsc53>
Source record: 40076

MFJ Deluxe Versa Tuner II MFJ 949E No Reserve
Item # 1375969581

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375969581&rd=1

2769. Re: Hazeltine 1510 help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 02:24:28 UTC
From: KC8SSG <crandall@ee.net>
Message-ID: <wvWa9.200$73.4289@news>
Source record: 40077
Cross-posted to: alt.ham-radio.packet,alt.radio.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

Thank you both I was just wondering how and what it would take. Thanks for
your help.
Rob KC8SSG
"M.E." <bogus@nospam.com> wrote in message
news:umo3kul1pc35e6@corp.supernews.com...
> I used one for packet years ago. All you need is a TNC, and the teminal
will
> display well, but you can't save anything to memory, but you can print it
> out with you printer.
> Perhaps a KAM would work nicely.
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "KC8SSG" <crandall@ee.net> wrote in message news:aOBa9.187$73.3901@news...
> > I came across an old terminal and was wondering if there is any info on
> > getting it on packet? I think they were used as packet terminals at one
> time
> > but not sure.I'm having trouble getting it running,the small toggle
> switches
> > are out of whack and need some guidance.
> > Thanks all
> > Rob KC8SSG
> >
> >
>
>

2770. Good guy alert - KC1MK, Jeff Kilgore

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 04:26:22 UTC
From: ve3tmt <ve3tmt@yahoo.com>
Message-ID: <dfYa9.4931$uF.762687@news20.bellglobal.com>
Source record: 40078

I recently made a trade with Jeff, KC1MK for some radio gear and he is a great guy to deal with. Radio was better than I expected and everything arrived safely. I would not hesitate to deal with him again.
Thanks Jeff!

2771. FS: RS31g WW2 German power triode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 07:10:43 UTC
From: arnoldg@c2i.net
Message-ID: <3d6c77cd.5516715@news1.c2i.net>
Source record: 40079
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.audio.marketplace

Hello,

I have one of these nice vintage power triodes in stock. Heater is 10V
4.8A, anode dissipation is 65W and max anode voltage is 1600V. The
valve is NOS and in its original box. You will find a picture and more
data, and even order it - from my web site: www.demostenes.no
Just search for RS 31g.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

2772. Icom IC-207H & Squelch in AM Mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 11:55:27 UTC
From: "Mark J. Bailey" <mjb@jobsoft.com>
Message-ID: <PS2b9.138550$Aw4.5744477@bin2.nnrp.aus1.giganews.com>
Source record: 40083
Cross-posted to: alt.ham-radio,alt.ham-radio.mods,rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

Hello,

I just bought this radio at a hamfest the other day. I have read varying opinions on the net about it. However, for the money, it seems like a decent 2m/440 radio.

Anyways, my question is this. While on the AIR band in AM mode, why does it seem that you can't fully disengage the squelch??? On FM, you can turn the squelch all the way down and get white noise. However, in AM, it seems to always be there (no turning it down or off to get white noise and static). Futhermore, the display shows the message "Busy" and you can see some meter activity, but no breakthru YET you can get hear just fine those signals that go beyond a certain signal strength.

Am I missing something here? Do I have a problem with the radio? Is there some other parameter or mod to address this?

Thanks very much.

Mark

2773. Re: Anyone see CNN's Al Qaeda tapes?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 11:55:41 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020828075541.00618.00003734@mb-cf.aol.com>
Source record: 40084

>LOL, I knew those were 10 codes they had posted on the walls... :)

On channel 19, Binny Boy calls himself "Dirty Old Man"...

"Breaker breaker, you got the Dirty Old Man here. Anyone got their ears on,
come back!" :)
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2774. Re: Icom IC-207H & Squelch in AM Mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 13:12:32 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3D6CCC40.E199E5A3@sympatico.ca>
Source record: 40085
Cross-posted to: alt.ham-radio,alt.ham-radio.mods,rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

"Mark J. Bailey" wrote:
>
> Hello,
>
> I just bought this radio at a hamfest the other day. I have read varying
> opinions on the net about it. However, for the money, it seems like a
> decent 2m/440 radio.
>
> Anyways, my question is this. While on the AIR band in AM mode, why does it
> seem that you can't fully disengage the squelch??? On FM, you can turn the
> squelch all the way down and get white noise. However, in AM, it seems to
> always be there (no turning it down or off to get white noise and static).
> Futhermore, the display shows the message "Busy" and you can see some meter
> activity, but no breakthru YET you can get hear just fine those signals that
> go beyond a certain signal strength.
>
> Am I missing something here? Do I have a problem with the radio? Is there
> some other parameter or mod to address this?
>
> Thanks very much.
>
> Mark

I have a pair of 207's and both perform exactly like yours. I also have
a pair of T7's which do the same. And two different HF xcvrs which do
the same thing when I switch from AM to FM. The white noise with the
squelch open on FM is MUCH louder than on AM.

While writing this I decided to try a scanner, and changing modes on my
Radio Shack scanner causes exactly the same effect.

Unless I am missing something I think your rig is performing just fine.

I find that I have to listen carefully to hear the noise if I turn the
squelch down, a better clue is that the "Busy" indicator comes on when
the squelch is open.

73
Dave
VE3HLU

2775. Opinions on RF generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 13:44:32 UTC
From: Jeffrey Vitale <jvitale@cnrit.tamu.edu>
Message-ID: <akijkc$af4$1@news.tamu.edu>
Source record: 40086

WHat advice can be given to a newbie trying to build a first radio regarding the type of RF generator? is an older type of heathkit SG-102 acceptable, or is it better to go for something in the 300 dollar range like the elenco SG-9500?

thanks in advance,

jeff

2776. MFJ-16010-ST Instructions Needed!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 14:10:20 UTC
From: Richard <flathat@bellsouth.net>
Message-ID: <B992520C.9FF3%flathat@bellsouth.net>
Source record: 40087

Has anyone the original instruction sheet for the MFJ-16010-ST antenna tuner? NOT the 16010... but the 16010-ST. Bought one used and have no instructions. Called MFJ, but they have none to send. The tuner is just too old, I guess. I have the schematic... just need the official instructions.

Thanks if you can help

Please reply via e-mail.

Cheers,

Richard K.
FlatHat@bellsouth.net

2777. FS Kenwood TM G707 Dual Band Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 14:48:35 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <7p5b9.4093$%D6.376843@newsread1.prod.itd.earthlink.net>
Source record: 40088

I have for sale a very clean Kenwood TM-G707 2 meter/440 Transceiver. It has
been used very little and is just like new.
It comes with original manual, power cord, box and standard accessories.
Price is $225 shipped with lower 48. Thanks, Charlie Hugg,
K5MBX

2778. Re: Opinions on RF generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 14:50:23 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <umpopj6k5utc21@corp.supernews.com>
Source record: 40089

Get a cheap generator and a resonable freq counter to set it. You will find the combination works well for alignment purposes. You might want to build the resistor attenuator in the handbook as well.

Now if your into measuring noise floors to the inth DB forget the above advice.

"Jeffrey Vitale" <jvitale@cnrit.tamu.edu> wrote in message news:akijkc$af4$1@news.tamu.edu...
> WHat advice can be given to a newbie trying to build a first radio regarding
> the type of RF generator? is an older type of heathkit SG-102 acceptable, or
> is it better to go for something in the 300 dollar range like the elenco
> SG-9500?
>
> thanks in advance,
>
> jeff
>
>

2779. Re: Force 12 Tribanders

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 15:40:32 UTC
From: Ross <w8tz@qsl.net>
Message-ID: <Q96b9.28057$WJ3.4913603@news1.news.adelphia.net>
Source record: 40090

I have a C-3SS. It works great on 10-15-20. Also works somewhat on WARC bands. Exellent antenna and it seems to be built very well.

"Buyer Beware" <BuyerBeware@hotmail.com> wrote in message news:OVwa9.17637$082.1003857@news1.east.cox.net...
> Looking for opinions on the Force 12 C series. Please state model.
>
> Thanks Me
>
>

2780. FS: Kenwood PS-430 power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 16:35:06 UTC
From: John <ki4nr@qsl.net>
Message-ID: <BZ6b9.1112$0L2.270397@newsfeed.slurp.net>
Source record: 40091

Hi
In very clean shape, Non smoker .... Good for all kenwood radio, And late model Icom ,Yaesu. Comes with copy of manual & all power cords ....

$100.00 plus shipping

Thanks john KI4NR

2781. Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 16:45:27 UTC
From: senecal@mapson.cs.ucdavis.edu
Message-ID: <senecal-2808020945270001@iras-3-62.ucdavis.edu>
Source record: 40092
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Hi all,

I'm looking to build my own dummy load for my HF shack (to keep costs down). Question: Are there any special precautions that I need to take for SWR (or anything else) or will it suffice to take twenty 10 Watt 1K resistors and wire them in parallel?

73,

Josh, KG6IBF

--
Remove the reversed nospam in the e-mail address.

2782. Coax question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 16:50:50 UTC
From: marvin rosen <raghead@worldnet.att.net>
Message-ID: <Kb7b9.39049$Ke2.2777036@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40093

Is there such an item as 300 ohm coax cable?

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.381 / Virus Database: 214 - Release Date: 8/2/02

2783. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 17:26:23 UTC
From: "Clifton T. Sharp Jr." <clifto@clifto.com>
Message-ID: <3D6D07BD.593C3C9F@clifto.com>
Source record: 40094
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Joshua Senecal wrote:
> I'm looking to build my own dummy load for my HF shack (to keep costs
> down). Question: Are there any special precautions that I need to take for
> SWR (or anything else) or will it suffice to take twenty 10 Watt 1K
> resistors and wire them in parallel?

For HF, the lead inductance shouldn't be terrible. But obviously, don't
use standard wirewound power resistors. Watch the tolerances, too; one
10%-low resistor in the bunch will pop quickly, making very little
difference in resistance (52.6 ohms) but now spreading 200 watts over
"190 watts of resistors".

--
.signature in flux

2784. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 17:26:27 UTC
From: xpyttl <xpyttl_nospam@earthling.net>
Message-ID: <umq1usp2eec094@corp.supernews.com>
Source record: 40095
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Josh - there's no magic here, but there are some things to be careful of.

Many higher power resistors are inductive, you need resistors that have a very small inductance at HF - and be sure it's at HF. For example, Radio Shack sells some "non-inductive" resistors for audio use, but they exhibit significant inductance at RF. This will cause your dummy load to exhibit some surprising impedance, certainly not 50 ohms.

As if that's not enough, you need to wire them together in such a way as to not add your own inductance. At 80 meters, you can probably be pretty sloppy and not have a problem. But at 10 meters, you will need to think about how you arrange those resistors to keep the lead inductance down.

Finally, there is the issue of heat. A 10 watt resistor won't stand 10 watts if it can't cool itself because it's surrounded by other 10 watt resistors trying to cool themselves.

So sure, you can build your own dummy load, and it really isn't hard, but you do need to think about it a little. If you just throw together twenty resistors chances are you'll have a problem.

..

"Joshua Senecal" <senecal@mapson.cs.ucdavis.edu> wrote in message news:senecal-2808020945270001@iras-3-62.ucdavis.edu...
> Hi all,
>
> I'm looking to build my own dummy load for my HF shack (to keep costs
> down). Question: Are there any special precautions that I need to take for
> SWR (or anything else) or will it suffice to take twenty 10 Watt 1K
> resistors and wire them in parallel?
>
> 73,
>
> Josh, KG6IBF
>
> --
> Remove the reversed nospam in the e-mail address.

2785. Triton II Audio Board Schematic needed!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 17:27:02 UTC
From: Larry Anderson <w6lar@cybertime.net>
Message-ID: <akj1k5$1def$1@madmax.keyway.net>
Source record: 40097

Anyone out there have a Triton II manual that shows the 80130 Audio boardschematic?? Scan and e-mail a copy to me if you can. Have one smoked.

Thanks

Larry Anderson, W6LAR

2786. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 17:34:55 UTC
From: UnTale <i@i.com>
Message-ID: <3R7b9.116614$n04.2984785@twister2.libero.it>
Source record: 40096
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

> Hi all,
> I'm looking to build my own dummy load for my HF shack (to keep costs
> down). Question: Are there any special precautions that I need to take for
> SWR (or anything else) or will it suffice to take twenty 10 Watt 1K
> resistors and wire them in parallel?
> Josh, KG6IBF

Hi,
i've used various resistor
and, of course, no-inductive one are the best;
but you can use common resistor in parallel (the more in parallel, the
better is)
to make parasitic inductance lower;
take a look here were there's a table with some measure made with my MFJ259
http://www.qsl.net/iz7ath/web/02_brew/15_lab/03_dummy/pag01_eng.htm

73 de iz7ath, Talino

Homebrew, RF projects and digital tecniques on
http://www.qsl.net/iz7ath
IZ7ATH Talino +39 338 5029196

2787. Re: Opinions on RF generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 17:39:40 UTC
From: Ralph Mowery <rmowery@cetlink.net>
Message-ID: <akj2a8$2h2o$1@newsreader.cetlink.net>
Source record: 39998

While you might be able to do what you need to do with the heathkit youmight want to see if you can find an older surplug generator. Also look for a HP 608 or 606 depending on the range you need to cover. They can be found for under $ 100 in some places. Also some older service monitors on e-bay may be what you are looking for.

I have used the old heathkit in the past to setup vhf receivers but it is a pain to use.

"Jeffrey Vitale" <jvitale@cnrit.tamu.edu> wrote in message news:akijkc$af4$1@news.tamu.edu...
> WHat advice can be given to a newbie trying to build a first radio regarding
> the type of RF generator? is an older type of heathkit SG-102 acceptable, or
> is it better to go for something in the 300 dollar range like the elenco
> SG-9500?
>
> thanks in advance,
>
> jeff
>
>

2788. Help: VHF Network setup

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 17:47:45 UTC
From: Nomad <classified@nospam.com>
Message-ID: <3d6d0c2f$1@news.psinet.cl>
Source record: 39999

Hello everybody on the Unet
I am no radio amateur, but still hope to get some answers to this problem.
Please be patient if my jargon is not right or the questions are too basic.

I have a setup of 4 VHF (144Mhz) radios, 1 Kenwood mobile (base station AC powered), 2 Motorola mobiles (called stations) and 1 Kenwood portable. I have a set freq. of 150.085 MHz. Both Motorola (used as fixed stations with AC power) are programed to that frequency and currently I have no means of programming them (they have two programed channels, have a CH button and a MON button). Following happens:

Kenwood base station: tx and rx all other radios.

Motorola stations: tx and rx each other and the base station.

Kenwood Portable (TH235A): rx all signals, but only Kenwood base station can listen
to its tx. Motorola stations cannot hear portable although receive busy signal (MON /BUSY led flashes).

No DTSS or other tone encoding is programed on the Kenwoods. I do not know about the Motorolas, but they operate perfectly well with the base station and with each other. I have set tone to 97.4 Hz on the Kenwoods, anyway I use no repeater. The Motorolas should not be programed to split freq, because they rx signal (so it is a squelch problem?) and work on single freq with base. What could be the cause of this behaviour? I am no expert on this kind of stuff, althogh as an engineer I am technically fit to understand.

I do not have all the model numbers with me now but can get them if necessary. I
do not want to make guesses now.

best wishes

Nomad

Do not respond via e-mail, no valid address

2789. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 18:09:18 UTC
From: mike <spamme0@juno.com>
Message-ID: <3D6D11CE.D3DD1C47@juno.com>
Source record: 40000
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

There have been a zillion articles written on this subject. Check the ARRL handbook,
or about any issue of any ham magazine.

Short answer is, "what do you want to do with it?"
If all you want to do is see if you're getting output, a 120V light bulb will do.
If you want to make measurements, you need a resistor.
If you want to make measurements that you trust, you need a resistor you can trust.

The higher you go in frequency, the worse your problem becomes. AT HF, it's certainly
possible to cobble together a bunch of resistors, but it's not trivial. The equipment
you need to do it right will cost you WAY more than a real dummy load.

Inductance is your enemy. You need non-inductive resistors. Wire-wound will NOT do.
Power ratings are based on some estimate of heat sinking. For wire lead resistors,
that usually means soldered into a ground plane. IF you bundle a bunch together,
they will get too hot at rated power. Different types of resistors handle short term overloads
better. Carbon composition are pretty good at that, so if you only need to power it
for a few seconds at a time, you can get by with fewer resistors and a big fan or an oil bath.

Go to a swapmeet and buy a dummy load. Unless you already have the non-inductive
resistors, a swapmeet cantenna will be much cheaper.
Take your meter and measure it before you pay.
I don't know of any failure modes that would cause the dummy load to fail at RF and still
check good with an ohmmeter. Again, if you don't need accurate measurements you
can get by with a resistor that's a few ohms either way of 50. But you shouldn't pay much
for it. There are a LOT of BAD dummy loads for sale at swapmeets.

mike

Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

Joshua Senecal wrote:

> Hi all,
>
> I'm looking to build my own dummy load for my HF shack (to keep costs
> down). Question: Are there any special precautions that I need to take for
> SWR (or anything else) or will it suffice to take twenty 10 Watt 1K
> resistors and wire them in parallel?
>
> 73,
>
> Josh, KG6IBF
>
> --
> Remove the reversed nospam in the e-mail address.

--

2790. Re: Help: VHF Network setup

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 18:10:50 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3D6D123A.AD949402@tampabay.rr.com>
Source record: 40001

sounds like you need to set the tone on the portable to the 97.4 its the only one not being received by the others and they all have the tones set so set the portable to transmit a 97.4 tone and to receive a 97.4 tone and all will be fine

Nomad wrote:

> Hello everybody on the Unet
> I am no radio amateur, but still hope to get some answers to this problem.
> Please be patient if my jargon is not right or the questions are too basic.
>
> I have a setup of 4 VHF (144Mhz) radios, 1 Kenwood mobile (base station AC
> powered), 2 Motorola mobiles (called stations) and 1 Kenwood portable. I
> have a set freq. of 150.085 MHz. Both Motorola (used as fixed stations with
> AC power) are programed to that frequency and currently I have no means of
> programming them (they have two programed channels, have a CH button and a
> MON button). Following happens:
>
> Kenwood base station: tx and rx all other radios.
>
> Motorola stations: tx and rx each other and the base station.
>
> Kenwood Portable (TH235A): rx all signals, but only Kenwood base station can
> listen
> to its tx. Motorola stations cannot hear portable although receive busy
> signal (MON /BUSY led flashes).
>
> No DTSS or other tone encoding is programed on the Kenwoods. I do not know
> about the Motorolas, but they operate perfectly well with the base station
> and with each other. I have set tone to 97.4 Hz on the Kenwoods, anyway I
> use no repeater. The Motorolas should not be programed to split freq,
> because they rx signal (so it is a squelch problem?) and work on single freq
> with base. What could be the cause of this behaviour? I am no expert on this
> kind of stuff, althogh as an engineer I am technically fit to understand.
>
> I do not have all the model numbers with me now but can get them if
> necessary. I
> do not want to make guesses now.
>
> best wishes
>
> Nomad
>
> ----------
> Do not respond via e-mail, no valid address
> ----------

2791. Standard HX240U cloning cable question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 18:48:32 UTC
From: wd5jbc@att.net
Message-ID: <1247cbb3.0208281048.990e961@posting.google.com>
Source record: 40002

Hi all;
I've obtained several Standard HX240U handhelds, and want to set them all on the same frequencys. I know how to program them manually (without the PC interface) but it is very time consuming. I noticed that a cloning cable for the HX240 is listed as an accessory.

Does anyone know how this cable is wired and how to set the radios up to transfer data from one to another?

The cable appears to be a 'straight through' cable that goes into the mike connectors of the radios.

Any help would be most appreciated;

Thanks!

Don Levstik
wd5jbc@att.net

2792. FS ICOM PCR1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 19:13:34 UTC
From: dummy@dud.com
Message-ID: <p68qmucjjum5ja57i30e4bpbmtejodqk23@4ax.com>
Source record: 40003

ICOM PCR1000 unblocked
Like new... original box... manual, software, cables, etc
Had it a few months but don't care for computer controlled receivers.
$325

KD2KU
jbeckett@(NOSPAM)stny.rr.com
remove NOPSPAM to reply- do not
respond in newsgroup

2793. WTB: Drake RCS4 and DEO 1500 switch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 19:34:31 UTC
From: ljl160@aol.com
Message-ID: <20020828153431.01521.00003032@mb-ff.aol.com>
Source record: 40004

Looking for some older items ie: Drake remote RCS4 switch and a DEO qsk1500 switch. Thanks-Lew KlNDV

2794. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 19:51:04 UTC
From: Mark Hales <markhals@nospamdircon.co.uk>
Message-ID: <k6ab9.21$vF3.2572@news.dircon.co.uk>
Source record: 40006
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Josh...
Just my 2 pence worth, but...
20 years ago I made a dummy load thus.
Twenty 1k 2 watt carbon resistors, 3 inches of RG11, two pieces of copper clad board cut into 2 inch circles with one inch holes on the center.
The two rings were drilled with twenty holes and the resistors soldered between the two.
One end was soldered to the inner conductor of the RG11 which was run up the center and at the other end, the braid was soldered.
A suitable 50 ohm connector was then fitted.
This was used at low power on a homebrew 10 m rig with no ill effects and on literally hundreds of CB rigs for tuning.
I give this recipie only as a guide as to what may be possible, but no guarentees.
Good luck and cheers.
Mark H.
"Joshua Senecal" <senecal@mapson.cs.ucdavis.edu> wrote in message news:senecal-2808020945270001@iras-3-62.ucdavis.edu...
> Hi all,
>
> I'm looking to build my own dummy load for my HF shack (to keep costs
> down). Question: Are there any special precautions that I need to take for
> SWR (or anything else) or will it suffice to take twenty 10 Watt 1K
> resistors and wire them in parallel?
>
> 73,
>
> Josh, KG6IBF
>
> --
> Remove the reversed nospam in the e-mail address.

2795. Need help and Schematic for old HT Kenwood TH-41AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 19:57:10 UTC
From: John Buck <kh7t@arrl.net>
Message-ID: <3D6D2B10.7090108@arrl.net>
Source record: 40005
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

I have an old TH-41AT 440mHz handitalkie that works fine on simplex and on a minus shift, but does not transmit properly on PLUS shift.

The symptom is that when PTT using + shift the red transmit light comes on for about a second then goes to a dim glow. No RF is transmitted. The Current also drops off after the 1 second.

It will transmit fine on simplex and minus shift anywhere in the band. It just will not do + shift even from the low edge of the band.

The switch seems OK.

Any ideas? A copy of the Schematic would be greatly appreciated.

Aloha,
John KH7T

2796. Help Azden PCS 500 info needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 21:16:48 UTC
From: vulcan362@cox.net
Message-ID: <45bb9.25453$082.1558723@news1.east.cox.net>
Source record: 40007

I can't find the book on an old Azden PSC 5000 that I had in the closet. I'm trying to put it to use. However the repeater off set is 900 instead of the normal 600 . If anyone remembers how to change this , would you please drop me a note with the instructions.

Thanks
vulcan362@cox.net

--
Bob McMillan
M/V Vulcan
WB5RYR/C6A

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.384 / Virus Database: 216 - Release Date: 8/23/02

2797. FS: ICOM IC-37A; No RF OUTPUT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 21:17:31 UTC
From: w1ksz@tiac.net
Message-ID: <3d6d3d7e.1044600@news.tiac.net>
Source record: 40008

I bought it at Boxboro. The seller said it worked OK, right ...
No output. Rcvr seems to work OK, Volume, Squelch work.
Take it, as is, $100. With mike and mount.

73, Dick, W1KSZ

2798. Question re: Vertex Std./Yaesu 12v power supply polarity

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 22:57:25 UTC
From: Jack Allison <k2_boardrider@msn.com>
Message-ID: <akjkgn$m08@news.or.intel.com>
Source record: 40009

Can someone answer the question as to whether the 12v cigarette lighter style power adapter/supply tip is positive or negative polarity for Vertex Standard/Yaesu handheld transceivers. Specifically, for Vertex Standard VXA-210 (same as Yaesu Pilot II). I'd rather not experiment :-) Thanks!

2799. Re: Icom IC-207H & Squelch in AM Mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-28 22:59:36 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <akjkrr$5sq$1@terabinaries.xmission.com>
Source record: 40010

"Mark J. Bailey" <mjb@jobsoft.com> wrote in message
news:PS2b9.138550$Aw4.5744477@bin2.nnrp.aus1.giganews.com...
> Hello,
>
> I just bought this radio at a hamfest the other day. I have read varying
> opinions on the net about it. However, for the money, it seems like a
> decent 2m/440 radio.
>
> Anyways, my question is this. While on the AIR band in AM mode, why does
it
> seem that you can't fully disengage the squelch??? On FM, you can turn
the
> squelch all the way down and get white noise. However, in AM, it seems to
> always be there (no turning it down or off to get white noise and static).
> Futhermore, the display shows the message "Busy" and you can see some
meter
> activity, but no breakthru YET you can get hear just fine those signals
that
> go beyond a certain signal strength.
>
> Am I missing something here? Do I have a problem with the radio? Is
there
> some other parameter or mod to address this?
>
> Thanks very much.
>
> Mark
>
>

All four of mine do the same thing.

Dan
N7SLC

2800. FS: 2 Motorola VHF Syntors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 00:11:09 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <xEdb9.27726$082.1613021@news1.east.cox.net>
Source record: 40011
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap

Formerly owned by the U.S. Secret Service for use in their mobiles. Case keys included. No control heads or Mic's.

Model # T636RA1200BK
FCC TX Data CC33T0
FCC RX Data RC02T8

Buyer to pay shipping and a couple of bucks for packing.

$75 takes em both.

Thanks and 73

2801. FS: New Military RTTY Keyboard/Terminal

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 00:23:16 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <UPdb9.27837$082.1616426@news1.east.cox.net>
Source record: 40012
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.digital,rec.radio.amateur.equipment,rec.radio.amateur.swap

I have (2) Model # AN/UGC-74B(V)3 brand new military communications keyboard/terminals. Very heavy duty (100 lbs. each). Rubber booted keys and switched. These come with the (2) handle military style aluminum cases with pressure locks. Designed for use with most Harris military radio's for Baudot applications. One unit has an unopened roll of teletype paper and new ribbon included. I would suggest that these be pickup only here in RI.

$70 each

Thanks and 73.

2802. FS: Yaesu FVS-1 voice synthesizer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 00:27:38 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <93pqmusb3tqf1ei3pbicb8bhj9iphhd4b7@4ax.com>
Source record: 40013

I have for sale a Yaesu FVS-1 voice synthesizer in excellent condition. I will take $65 shipped in the 48 states only.....WZ1U Steve / Lakeville, Mass.

2803. FA: Icom R3 Audio/Video Receiver and Accy's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 01:16:37 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <akjsmd$8j7$1@terabinaries.xmission.com>
Source record: 40014
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Excellent condition.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376949298

2804. Ameritron QSK-5 Schematic Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 01:22:16 UTC
From: KA9S - Jeff <ka9s@attbi.com>
Message-ID: <cHeb9.220328$983.441543@rwcrnsc53>
Source record: 40015
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.swap

I am too cheap to buy an Ameritron QSK-5 self-contained pin diode QSK TR switch. I would like to replicate one (that means home brew), but Ameritron/MFJ does not publish the schematic on their web site. Would someone be kind enough to scan the schematic for me? I would prefer a scanned image file that you could e-mail. I am willing to pay postage if you don't have that ability.

Thanks for you help - Jeff - KA9S

2805. Re: ICOM AH-1 Info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 04:05:31 UTC
From: "R.G. Johnson" <rob.john@verizon.net>
Message-ID: <f4hb9.1744$RG5.1173@nwrddc02.gnilink.net>
Source record: 40016

Dick,
It is intended to match a mobile whip on a single preset frequency for each band 80-10 meters. It receives band info from most Icom transceivers (a voltage which varies by band). It should work for any short end-fed antenna. It is not an "auto-tuner" except in the sense that it automatically changes bands with the transceiver.
Adjustment to the preset frequency is done with a series of trimmers and movable coil taps for each band.
I ran one mobile for years with an IC-730. It worked well on 40 thru 10 meters. On 80 meters it seems most of the signal is radiated inside the box--hi.
A good case ground on the AH-1 is critical.
Greg K3EWZ

"Richard Solomon" <w1ksz@tiac.net> wrote in message
news:3d6be68a.1044989@news.tiac.net...
> I picked one up at Boxboro, anyone have any data on it ?
>
> Tnx, Dick, W1KSZ

2806. REQ:info on AZDEN PCS-2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 04:10:41 UTC
From: "Chilly Willy"
Message-ID: <si7rmu0fldtcjp2hfiemd05pv9dpbkt30a@4ax.com>
Source record: 40017

I've acquired an AZDEN PCS-2000 but no manual. I need to know how to put in a pl tone to connect to a repeater. It has a switch called offset/scan and I'd like to know what this is for.

Thanks much

Chilly Willy

Brrrr is it cold in here or is it just me
Forman at the South Pole Ice Plant

2807. Re: REQ:info on AZDEN PCS-2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 05:07:14 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3D6DABEA.6D6CADEB@tampabay.rr.com>
Source record: 40018

the offset/scan button allows you to set the offset either -/+ 600 for
repeater operations and the scan button allows the rig to scan either the
memory channels or the band
as for a PLtone i am not sure but i dont think that radio has a tone
board as an option there are 3rd party tone boards that my work and you
just follow there install instructions

Chilly Willy wrote:

> I've acquired an AZDEN PCS-2000 but no manual. I need to know how to
> put in a pl tone to connect to a repeater. It has a switch called
> offset/scan and I'd like to know what this is for.
>
> Thanks much
>
> Chilly Willy
>
> Brrrr is it cold in here or is it just me
> Forman at the South Pole Ice Plant

2808. Transporting Handheld Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 05:49:35 UTC
From: Jerad Hoff <fubar@yuck.net>
Message-ID: <fubar-09A481.00493429082002@news.mpls.visi.com>
Source record: 40019

I apologize if this is the incorrect forum for this question.

I've searched high and low through google.com's database of web sites for a carrying case/bag that is designed to carry several portable (HT) radios.

I can't imagine I'm the only guy who occasionally needs to bring along more than one HT. For some emergency response volunteering I do, I occasionally need to bring 4-5 full sized handhelds along with 3-4 FRS radios that are always handy to have around.

One company has some great backpacks for carrying mobile radios:

http://www.powerportstore.com/

But nobody out there seems to have anything for handhelds.

Does anyone know of any companies out there that sell what I'm looking for? Am I the only one looking for this kind of case/bag?

Thanks!

- Jerad

2809. Re: REQ:info on AZDEN PCS-2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 06:26:18 UTC
From: mike <spamme0@juno.com>
Message-ID: <3D6DBE8A.77B5B2FD@juno.com>
Source record: 40020

I dug out an old spec sheet. No mention of tones. Don't remember ever
having them.
mike
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

Dennis Kaylor wrote:

> the offset/scan button allows you to set the offset either -/+ 600 for
> repeater operations and the scan button allows the rig to scan either the
> memory channels or the band
> as for a PLtone i am not sure but i dont think that radio has a tone
> board as an option there are 3rd party tone boards that my work and you
> just follow there install instructions
>
> Chilly Willy wrote:
>
> > I've acquired an AZDEN PCS-2000 but no manual. I need to know how to
> > put in a pl tone to connect to a repeater. It has a switch called
> > offset/scan and I'd like to know what this is for.
> >
> > Thanks much
> >
> > Chilly Willy
> >
> > Brrrr is it cold in here or is it just me
> > Forman at the South Pole Ice Plant

--
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

2810. Re: Transporting Handheld Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 06:29:17 UTC
From: mike <spamme0@juno.com>
Message-ID: <3D6DBF3D.E2E88EC2@juno.com>
Source record: 40021

I've only needed to carry one handheld, so I use a tiny metal first aid
kit.
Real sturdy box. Gasketed against water. Cut some foam for the inside and
voila,
indestructable carry case. Also works for palmtop computers.

They make pretty big first aid kits.
mike

Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

Jerad Hoff wrote:

> I apologize if this is the incorrect forum for this question.
>
> I've searched high and low through google.com's database of web sites
> for a carrying case/bag that is designed to carry several portable (HT)
> radios.
>
> I can't imagine I'm the only guy who occasionally needs to bring along
> more than one HT. For some emergency response volunteering I do, I
> occasionally need to bring 4-5 full sized handhelds along with 3-4 FRS
> radios that are always handy to have around.
>
> One company has some great backpacks for carrying mobile radios:
>
> http://www.powerportstore.com/
>
> But nobody out there seems to have anything for handhelds.
>
> Does anyone know of any companies out there that sell what I'm looking
> for? Am I the only one looking for this kind of case/bag?
>
> Thanks!
>
> - Jerad

--
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

2811. Re: REQ:info on AZDEN PCS-2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 06:32:11 UTC
From: "Chilly Willy"
Message-ID: <3pfrmugs3iiaman5jlm7dqtq6052v83n5f@4ax.com>
Source record: 40022

On Thu, 29 Aug 2002 05:07:14 GMT, Dennis Kaylor
<k4oxg@tampabay.rr.com> wrote:

>the offset/scan button allows you to set the offset either -/+ 600 for
>repeater operations and the scan button allows the rig to scan either the
>memory channels or the band
>as for a PLtone i am not sure but i dont think that radio has a tone
>board as an option there are 3rd party tone boards that my work and you
>just follow there install instructions
>
>Chilly Willy wrote:
>
>> I've acquired an AZDEN PCS-2000 but no manual. I need to know how to
>> put in a pl tone to connect to a repeater. It has a switch called
>> offset/scan and I'd like to know what this is for.
>>
>> Thanks much
>>
>> Chilly Willy
>>
>> Brrrr is it cold in here or is it just me
>> Forman at the South Pole Ice Plant

the offset for the +/- 600 is a button on the face. I was speaking of
the switch thats on the upper right that has the letters F B V on both
the right and left side of the switch. Where can one look for 3rd
party tone boards.

thanks

Chilly Willy

Brrrr is it cold in here or is it just me
Forman at the South Pole Ice Plant

2812. FA: W9GR DSP-II

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 06:47:43 UTC
From: "Robert S. Stein" <w6nbi@earthlink.net>
Message-ID: <3D6DC38F.5070307@earthlink.net>
Source record: 40023

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=1376912297

2813. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 08:29:52 UTC
From: Ricardo Martins <ricardo.martins@pt.uu.net>
Message-ID: <3D6DDB7F.62D77908@pt.uu.net>
Source record: 40024
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Hello Joshua,

Look at the one I made: http://www.qsl.net/ct2gqv/dummy.html
Handles about 50W from transceiver (in AM mode) and 100W SSB for about
3-4 minutes without overheating to much.
Next step is to fill the can with OIL to dissipate better.
Good from 1 to 30Mhz but very bad at 144Mhz (probably because of
resistor nature), strange is that at 440Mhz works fine (eg: low SWR)

Regards,

Ricardo Martins / CT2GQV

Joshua Senecal wrote:
>
> Hi all,
>
> I'm looking to build my own dummy load for my HF shack (to keep costs
> down). Question: Are there any special precautions that I need to take for
> SWR (or anything else) or will it suffice to take twenty 10 Watt 1K
> resistors and wire them in parallel?
>
> 73,
>
> Josh, KG6IBF
>
> --
> Remove the reversed nospam in the e-mail address.

--
Ricardo Martins

2814. Re: New from www.magnetic-loop.de

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 11:00:21 UTC
From: marvin rosen <raghead@worldnet.att.net>
Message-ID: <99nb9.40476$Ke2.2867637@bgtnsc04-news.ops.worldnet.att.net>
Source record: 40025
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.swap

Appears to be a modified loop ant site!!!
"Andre Vaupel" <avaupel@web.de> wrote in message
news:zCjb9.51065$IY.709969@news.easynews.com...
> Hi again!
>
> First...thank you for the high mount of visit to our page :-))
> We are happy that you use our support and info bbs!
>
> Our news is, that we now moved the Board System to another
> host service and can provide now the full speed!
> Delay should be now nearly zero.
>
> We plan to setup a news database wich is not only for Magnetic Loop
> Antennas. Just for all other HAM RADIO News worldwide.
>
> Just enjoy it and test the faster speeed now at
http://www.magnetic.loop.de
>
> Bye!
>
> Andre
>
>
>
>
> ---
> Info about www.magnetic-loop.de:
>
> we build up a new website wich is NON COMMERCIAL and without any ads.
> The site contains information about Magnetic Loop Antennas for shortwave.
> We would be happy if we can find some postings and exchange of experience
> inside the webboard. We would be happy if you take a look and leave some
> interesting question or infos on the board.
>
> http://www.magnetic-loop.de
>
> Thanks a lot!
>
> Andre
>
>
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.381 / Virus Database: 214 - Release Date: 8/2/02

2815. 572B tube orientation question.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 13:16:49 UTC
From: Magma <ve3gid@rac.ca>
Message-ID: <59pb9.10270$V21.219165@news>
Source record: 40026

If anyone has an answer I'd appreciate it...

I have an FL2100b and changed the 2 x 572b tubes in it. Ofcourse I didn't look when I took them out now I'm stuck. This is a 4 pin tube, non polarized, ei: they can go into the socket any old way.... any ideas which way,? does it matter?

FRANK
VE3GID@RAC.CA

2816. Kenwood TH78 and TH-F6A sensitivity issue.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 13:26:49 UTC
From: Joel Dorfan <bdorfan@fred.icon.co.za>
Message-ID: <3d6e2122$0$18851@hades.is.co.za>
Source record: 40027

I have the TH78 and a friend has the 6A. The 78 has been modded for extended receive and the 6A is specd. at having a .1 to 1Ghz receiver.

407.8375 comes through loud and clear even while mobile but 407.9375 and 411.650 is really poor. All signals come from fixed repeaters. When we place these two radios alongside a THG-71A the 71A is loud and clear on these frequencies but the 78 and 6A bearly break squelch and the signals are very scratchy.

Why do 2 frequencies so close to each other have two toally different levels of sensitivity? Why does the 71A outperform the other 2? The 78 is at least 8 years old but the 6A is a current model, what gives?

Joel
ZS6CBA

2817. Re: Transporting Handheld Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 13:31:23 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <OSFuPVKG3WKszXBvLF1Ccz9+ovZm@4ax.com>
Source record: 40028

Jerad Hoff <fubar@yuck.net> wrote:

>I apologize if this is the incorrect forum for this question.
>
>I've searched high and low through google.com's database of web sites
>for a carrying case/bag that is designed to carry several portable (HT)
>radios.

Never saw a "radio" bag. But if you go to a big camera store, you'll see a lot of bags for carrying camera equipment. Some of them have foam inserts, and you can custom-snip the inserts to hold whatever pieces of equipment you want to transport.

Bob
k5qwg

>
>I can't imagine I'm the only guy who occasionally needs to bring along
>more than one HT. For some emergency response volunteering I do, I
>occasionally need to bring 4-5 full sized handhelds along with 3-4 FRS
>radios that are always handy to have around.
>
>One company has some great backpacks for carrying mobile radios:
>
>http://www.powerportstore.com/
>
>But nobody out there seems to have anything for handhelds.
>
>Does anyone know of any companies out there that sell what I'm looking
>for? Am I the only one looking for this kind of case/bag?
>
>Thanks!
>
> - Jerad

2818. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 13:36:40 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <TCJuPQoOB6EJBYViPIx4bnWI6SZA@4ax.com>
Source record: 40029

senecal@mapson.cs.ucdavis.edu (Joshua Senecal) wrote:

>Hi all,
>
>I'm looking to build my own dummy load for my HF shack (to keep costs
>down).

Hopefully, you can keeps costs below $40. Otherwise, you might as well buy the MFJ/Ameritron version of the Cantenna dummy. It runs about $40 w/o oil, about $60 w/oil.

I had the original Heath Cantenna, and it just had one big resistor in it, surrounded by mineral oil I got at the drug store.

Bob
k5qwg

> Question: Are there any special precautions that I need to take for
>SWR (or anything else) or will it suffice to take twenty 10 Watt 1K
>resistors and wire them in parallel?
>
>73,
>
>Josh, KG6IBF

2819. Re: REQ:info on AZDEN PCS-2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 13:54:58 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3D6E2799.304866BA@tampabay.rr.com>
Source record: 40030

look in AESs catalog the have an advertiser who has those tone boards
also do a google search for vintage manuals and see if there is a site who
carries the manual for that old azden
good luck

Chilly Willy wrote:

> On Thu, 29 Aug 2002 05:07:14 GMT, Dennis Kaylor
> <k4oxg@tampabay.rr.com> wrote:
>
> >the offset/scan button allows you to set the offset either -/+ 600 for
> >repeater operations and the scan button allows the rig to scan either the
> >memory channels or the band
> >as for a PLtone i am not sure but i dont think that radio has a tone
> >board as an option there are 3rd party tone boards that my work and you
> >just follow there install instructions
> >
> >Chilly Willy wrote:
> >
> >> I've acquired an AZDEN PCS-2000 but no manual. I need to know how to
> >> put in a pl tone to connect to a repeater. It has a switch called
> >> offset/scan and I'd like to know what this is for.
> >>
> >> Thanks much
> >>
> >> Chilly Willy
> >>
> >> Brrrr is it cold in here or is it just me
> >> Forman at the South Pole Ice Plant
>
> the offset for the +/- 600 is a button on the face. I was speaking of
> the switch thats on the upper right that has the letters F B V on both
> the right and left side of the switch. Where can one look for 3rd
> party tone boards.
>
> thanks
>
> Chilly Willy
>
> Brrrr is it cold in here or is it just me
> Forman at the South Pole Ice Plant

2820. For Sale: Yaesu FT-100 with extras $600

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 14:04:30 UTC
From: Jeff Purtle <jpurtle@earthlink.net>
Message-ID: <B9939F6F.502%jpurtle@earthlink.net>
Source record: 40032
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.fm,alt.ham-radio.hf,alt.ham-radio.ssb,alt.ham-radio.vhf-uhf,alt.ham-radio.mobile,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

For Sale:
Yaesu FT-100 in perfect condition without a scratch or mark.
This opperates all modes (SSB, FM, CW, RTTY, and AM) on HF (160-10M), 6 meters, 2 meters, and 440 Mhz and receives continuous coverage from 100 khz to 961 Mhz (cell band blocked). It is also capable of transmit in other bands making it useful for MARS and other uses. This will proove useful if the new bands are really added.
Never used mobile.
CTCSS Tone squelch board (FTS-27) was purchased and installed.
Also included is the Mobile Remote Head Bracket (MMB-62), the Quick-Release Mobile Bracket (MMB-67), Seperation Kit (YSK-100), and the original handheld DTMF mic (MH-36B).
The manual, schematics, original box and all original literature are all like new too.

The price is $600 plus shipping costs.
I live in Greenville, SC zip code 29615 so that you may figure the shipping.

73,
Jeff Purtle, AC6IW
jeff@purtle.com
864-292-3532 Home in Greenville, South Carolina (EST time zone)

2821. laptop computer for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 14:10:01 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3D6E2B20.1EF64705@tampabay.rr.com>
Source record: 40031
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

hi guys
i have a toshiba 486dx25 laptop for sale
this computer is in good working condition with the following details
28 megs of ram
1.8 gig hard drive loaded with win98
working battery
AC power cord
2 PCMCIA slots populated with a network card and a 33.6 modem
carrying case
network cable phone cable
mouse
trackball
color screen

this computer would be great for portable packet or logging QSLs while
roving or as a logging computer in the ham shack
i am asking $135 plus shipping
if interested please email ASAP
thanks

2822. Re: Transporting Handheld Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 14:33:04 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aklvhq$2sp5$1@madmax.keyway.net>
Source record: 39950

Kenwood makes just such a kit, including the radios. I don't know
if the bag is available separately. I have a couple hard shell briefcases
with removable foam for such things. Just right for the HF too.
Used to run the rental angle too, with 25 GP300, batteries and
chargers in a larger hard shell transport to be shipped anywhere.

Jim, ac6tk

"Jerad Hoff" <fubar@yuck.net> wrote in message
news:fubar-09A481.00493429082002@news.mpls.visi.com...
: I apologize if this is the incorrect forum for this question.
:
: I've searched high and low through google.com's database of web sites
: for a carrying case/bag that is designed to carry several portable (HT)
: radios.
:
: I can't imagine I'm the only guy who occasionally needs to bring along
: more than one HT. For some emergency response volunteering I do, I
: occasionally need to bring 4-5 full sized handhelds along with 3-4 FRS
: radios that are always handy to have around.
:
: One company has some great backpacks for carrying mobile radios:
:
: http://www.powerportstore.com/
:
: But nobody out there seems to have anything for handhelds.
:
: Does anyone know of any companies out there that sell what I'm looking
: for? Am I the only one looking for this kind of case/bag?
:
: Thanks!
:
: - Jerad

2823. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 14:40:31 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <umscfrplp0p8c6@corp.supernews.com>
Source record: 40033
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

"Joshua Senecal" <senecal@mapson.cs.ucdavis.edu> wrote in message
news:senecal-2808020945270001@iras-3-62.ucdavis.edu...
> Hi all,
>
> I'm looking to build my own dummy load for my HF shack (to keep costs
> down). Question: Are there any special precautions that I need to take for
> SWR (or anything else) or will it suffice to take twenty 10 Watt 1K
> resistors and wire them in parallel?
>
> 73,
>
> Josh, KG6IBF
>
> --
> Remove the reversed nospam in the e-mail address.

Josh
When all else fails check out the Ten Tec web site.
Here is a link to a 300 watt dummy load 'kit' they sell:
http://www.tentec.com/amaccyKit.htm#1203store
best of all they sell it for $29.

2824. Re: 572B tube orientation question.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 14:44:07 UTC
From: "." <sp@m.me.not>
Message-ID: <3D6E3367.E4CEB27F@m.me.not>
Source record: 40034

Last time I looked (a long time ago) the 572Bs that I put in my 30L-1 in place of the 811As would only go into the sockets one way.

Did you assume (ASS - U - ME) that they went any old way or did you actually try them?

I suspect you'll find they will NOT go in any old way. And, of course it matters!

Good luck!

Magma wrote:

> If anyone has an answer I'd appreciate it...
>
> I have an FL2100b and changed the 2 x 572b tubes in it. Ofcourse I didn't
> look when I took them out now I'm stuck. This is a 4 pin tube, non
> polarized, ei: they can go into the socket any old way.... any ideas which
> way,? does it matter?
>
> FRANK
> VE3GID@RAC.CA

2825. Kenwood TS 450SAT $495!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 15:03:57 UTC
From: Ham <hh@ss.net>
Message-ID: <umse4c8f2rko25@corp.supernews.com>
Source record: 40035

I have a nice Kenwood TS450SAT HF radio for sale.
Included is mic, Manual, Power cord.
This radio has lots of nice features and has a great automatic antenna tuner!!
Radio is in very good condition and from non smoking enviroment.
Price is $495 plus the cost of shipping/insurance to your QTH.
This is my bottom dollar price and a very good deal for a nice radio!! No trades please.

If interested, reply to:
baycity@pacifier.com

Thanks for looking.....
Gary N7GB

2826. Re: 572B tube orientation question.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 15:26:06 UTC
From: Sparks W4EAS <sparksw4eas@mindspring.com>
Message-ID: <3D6E3D0E.5828@mindspring.com>
Source record: 40036

Ahh... I thought 811's and 572B's had two larger pins that prevented them being plugged in the wrong way? 73 Sparks W4EAS

2827. Re: 572B tube orientation question.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 16:45:46 UTC
From: Magma <ve3gid@rac.ca>
Message-ID: <_csb9.10284$V21.219807@news>
Source record: 40037

I believe so, I was Ascared to try it....
"Sparks W4EAS" <sparksw4eas@mindspring.com> wrote in message
news:3D6E3D0E.5828@mindspring.com...
> Ahh... I thought 811's and 572B's had two larger pins that prevented
> them being plugged in the wrong way? 73 Sparks W4EAS

2828. FA: Kenwood TR751E 2m Multimode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 16:54:08 UTC
From: Tom <auctionid4me@yahoo.co.uk>
Message-ID: <Dksb9.1842$CG1.92680@newsfep1-win.server.ntli.net>
Source record: 40038
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,rec.radio.amateur.equipment,uk.radio.amateur

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1377107250

Located in the UK

2829. AR-44 Rotor question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 16:58:49 UTC
From: pdrunen@aol.com
Message-ID: <20020829125849.17091.00004940@mb-mu.aol.com>
Source record: 40040

Hi,

I have a rotor and control box that will not work. I replaced a large cap in the control box and still did not work.

Anyway I can just test the rotor without the control box?

Anyone have a schematic they can email me?

Thanks,

Paul

2830. Re: 572B tube orientation question.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 16:59:05 UTC
From: rong@computer.net
Message-ID: <3d6e52c9.4465187@news.computer.net>
Source record: 40039

"Magma" <ve3gid@rac.ca> wrote:

>If anyone has an answer I'd appreciate it...
==========
There has to be some kind of indexing device, such as pin diameter, pin spacing,
etc., or 99% of the 572B installed would be blown up.
****
Ron Goldstein.....KA2IIA
STAY YOUNG---DRIVE A VINTAGE 427 CORVETTE.
KEEP YOUR MIND ACTIVE---BECOME AN AMATEUR RADIO OPERATOR.

REMEMBER, THERE ARE NO STRANGERS IN AMATEUR RADIO, ONLY FRIENDS
THAT WE HAVE NOT YET MET.
rong@computer.net******ka2iia@arrl.net

2831. FA: Beaituful ICOM IC-2AT H/T with BC-30 Desk charger, only $30 now!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 17:18:41 UTC
From: rlucch2098@aol.com
Message-ID: <20020829131841.21648.00005307@mb-cg.aol.com>
Source record: 40042

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608777

2832. FA: YAESU FT-707 Service Manual & Heathkits SB-301/401 Originals!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 17:22:00 UTC
From: rlucch2098@aol.com
Message-ID: <20020829132200.21648.00005310@mb-cg.aol.com>
Source record: 40043

Real nice with pictures to boot!
Very Cheep & great to have as Copies cost much more!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608783

Heathkits>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608797
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608788

2833. fa-- US ARMY SIG CORPS BC-459-A/ARC-5 XMTR!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 17:23:53 UTC
From: rlucch2098@aol.com
Message-ID: <20020829132353.21648.00005311@mb-cg.aol.com>
Source record: 40044

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608805

2834. Re: AR-44 Rotor question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 17:24:35 UTC
From: Richard Heindel <rheindel@neo.rr.com>
Message-ID: <nNsb9.67993$N9.11216403@twister.neo.rr.com>
Source record: 40041

Check out this site, Norm is a real good guy to do business with...
http://www.rotorservice.com/

73 Richard WB8KRN

2835. fa>> Brand NEW in BOX- WATERS #336 Coaxial TRANSFER SWITCH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 17:25:56 UTC
From: rlucch2098@aol.com
Message-ID: <20020829132556.21648.00005314@mb-cg.aol.com>
Source record: 40045

Real nice with pictures to boot!
A Mere $26.00!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608810

2836. FA::Hams LOVE Antique ROLLIE camera stuff also, check these out!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 17:31:15 UTC
From: rlucch2098@aol.com
Message-ID: <20020829133115.21648.00005316@mb-cg.aol.com>
Source record: 40046

Real nice with pictures to boot!
Most are Rollie, one Leitz, one Argo-flex, one Real French made Opera Glasses!!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608755
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608759
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608751
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608746
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608738
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608726
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608714
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608719

2837. Pyramid SWR-14 Meter questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 17:34:24 UTC
From: Cory Papenfuss <papenfuss@juneau.cpes.vt.edu>
Message-ID: <aklluvcqd1@solaris.cc.vt.edu>
Source record: 40047

Hello all... I finally went out and got an SWR meter for my antenna needs, and I'm not convinced it's working properly. I've been trying to tune an antenna on my airplane (118-136 MHz), so I got this meter that says 1.5-150 MHz range. When connecting with a high-quality dummy load, I read SWR of 1.5. I see some calibration pots in the meter.... any ideas on mucking around with that to tune it for higher frequencies?

Also, anyone know the "procedure" and/or calibration for measuring field strength, RF power, etc? I'm guessing the field strength is pretty much a relative measurement?

Thanks for any help
-Cory

--
****
* The prime directive of Linux: *
* - learn what you don't know, *
* - teach what you do. *
* (Just my 20 USm$) *
****

2838. Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 18:55:55 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <umsrkukv8alf47@corp.supernews.com>
Source record: 39948

Another example of the new "mindset" in the hobby!
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375543862 This radio
sells NEW for way under $200!! I do not get it. Do these people that bid
just not check the new prices...or the fun of bidding is the deal? Geeeez

2839. Re: Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 19:55:05 UTC
From: nutcase@fruitloops.com
Message-ID: <mtusmuc32pv3114kk9p30damcp32453ae4@4ax.com>
Source record: 39949

On Thu, 29 Aug 2002 14:55:55 -0400, "radiofun" <radiofun@charter.net>
wrote:

>Another example of the new "mindset" in the hobby!
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375543862 This radio
>sells NEW for way under $200!! I do not get it. Do these people that bid
>just not check the new prices...or the fun of bidding is the deal? Geeeez
>

What's worse is the seller is a ham... w1vet

Obviously pushing this rig for illegal use.... but of course he gives
a disclaimer that it's not type accepted outside 2 meters- duh!

MURS radios are limited to 2 watts output.

Just another greedy creep....

2840. FA: Function Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 20:22:43 UTC
From: function generator <no_sp@m_.pse>
Message-ID: <3D6E82C4.DE608089@m_.pse>
Source record: 39951

1 Hz to 100 kHz, great function generator for the test
bench.

Take a look at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1762833462

or
Function Generator

Thank you for looking.

2841. Re: Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 20:27:38 UTC
From: Buyer Beware <BuyerBeware@hotmail.com>
Message-ID: <_svb9.32362$082.1912678@news1.east.cox.net>
Source record: 39952

He is a know creep...ex N1OLF

<nutcase@fruitloops.com> wrote in message
news:mtusmuc32pv3114kk9p30damcp32453ae4@4ax.com...
> On Thu, 29 Aug 2002 14:55:55 -0400, "radiofun" <radiofun@charter.net>
> wrote:
>
> >Another example of the new "mindset" in the hobby!
> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375543862 This radio
> >sells NEW for way under $200!! I do not get it. Do these people that bid
> >just not check the new prices...or the fun of bidding is the deal?
Geeeez
> >
>
> What's worse is the seller is a ham... w1vet
>
> Obviously pushing this rig for illegal use.... but of course he gives
> a disclaimer that it's not type accepted outside 2 meters- duh!
>
> MURS radios are limited to 2 watts output.
>
> Just another greedy creep....
>
>

2842. Re: Coax question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 20:51:57 UTC
From: Gilbert Harris <gilbertharris@earthlink.net>
Message-ID: <NPvb9.7354$N%4.596064@newsread2.prod.itd.earthlink.net>
Source record: 39953

There used to be a shielded 300 ohm TV lead-in that could be run like coax
with no standoffs,etc. Usually 300 ohm is "open-wire" feeder from dipole or
end fed Hertz antenna to a tuner but 450 ohm is much better and tuner
doesn't care and will tune it.
"marvin rosen" <raghead@worldnet.att.net> wrote in message
news:Kb7b9.39049$Ke2.2777036@bgtnsc04-news.ops.worldnet.att.net...
> Is there such an item as 300 ohm coax cable?
>
>
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> Version: 6.0.381 / Virus Database: 214 - Release Date: 8/2/02
>
>
>

2843. Manual Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 21:25:18 UTC
From: joeee1621@aol.com
Message-ID: <20020829172518.07118.00000007@mb-mv.aol.com>
Source record: 39955

http://hometown.aol.com/joeee1621/myhomepage/business.html

2844. Manual Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 21:25:46 UTC
From: joeee1621@aol.com
Message-ID: <20020829172546.07118.00000009@mb-mv.aol.com>
Source record: 39954

http://hometown.aol.com/joeee1621/myhomepage/business.html

2845. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 21:31:08 UTC
From: WA6LZH <tangeram@lucent.com>
Message-ID: <3D6E929C.8060705@lucent.com>
Source record: 39957
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

I built the one pictured in the ARRL Handbook. I don't remember the year but I could look it up if you need to know. It was very simple it just took carbon resistors, of an appropriate value and parrelleld them by soldering them between two pieces of circuit board. You can work it out by estimating the wattage of a single resistor then using X number of them to achieve a Y wattage rating. Plug in the numbers to the resistors in parrllel formula and you can find the value of each one. Next is the hard part. Scrounge around the surplus stores until you find a handfull and make up the load. Mine worked well 160-10 although it ran cooler when I cooled it with a small muffin fan and even cooler when I submersed it in some (Silicone) Oil left over from a Xerox Machine. I can't understand why my wife thinks I'm crazy though?

Tony

2846. 6 METER RIG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 21:32:29 UTC
From: NI4L <ni4l@charter.net>
Message-ID: <3D6E92ED.5080000@charter.net>
Source record: 39956

FS 6 meter rig
I have a nice KDK FM-6033 Six meter rig has tones, Memories 10 i
think It scans -/+ off sets,VFO, call channel.
5/25 watts works perfect looks good. Have mic, power cord and
mounting bracket for it.
100.00+shipping

--
NI4L CUSTOM RESONANT DIPOLE
LEGAL LIMIT ++ CUSTOM MADE CENTER FED DIPOLE
Made with the same components used by our military forces today
Custom made to YOUR FREQUENCY of operation
Let me take the hassle out of making a RESONANT DIPOLE for you.
Click here for more info... http://www.angelfire.com/nb/ni4l/

2847. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 21:33:20 UTC
From: WA6LZH <tangeram@lucent.com>
Message-ID: <3D6E9320.6040803@lucent.com>
Source record: 39958
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Oh almost forgot I still have it but I don't use it because I have several others that are a bit more convenient i.e. an ME-165U. Anything to trade for it? I'm looking for tubes and hi-power rf stuff.

Tony

2848. Re: FS ICOM PCR1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 22:01:28 UTC
From: nutcase@fruitloops.com
Message-ID: <6e6tmu0ba4sdu275jgcojfme0j3nmn1rhh@4ax.com>
Source record: 39959

On Wed, 28 Aug 2002 19:13:34 GMT, dummy@dud.com wrote:

>ICOM PCR1000 unblocked
>Like new... original box... manual, software, cables, etc
>Had it a few months but don't care for computer controlled receivers.
>$325
>
>KD2KU
>jbeckett@(NOSPAM)stny.rr.com
>remove NOPSPAM to reply- do not
>respond in newsgroup
>
>
SOLD!!!!!

2849. SONY ICF-7600G FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 23:31:24 UTC
From: John Miller <bfdp1@msn.com>
Message-ID: <a476b5d68e0a36811a62cd13e318b7ae.54632@mygate.mailgate.org>
Source record: 39960

Mint perfect.

Sony ICF-SW-7600G, FM Stereo/SW/MW/LW PLL Synthesised World Band
Receiver with Synchronous Detector, 22 memory presets, 1KHz Step Tuning
on SW, MW, and LW. Radio is in excellent condition with original box,
carrying case and manual and Sony reel antenna.
$125 shipped in US

Sorry no trades.

--
Posted via Mailgate.ORG Server - http://www.Mailgate.ORG

2850. Re: Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 23:51:43 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <umtcpc2dqca0d5@corp.supernews.com>
Source record: 39961

<nutcase@fruitloops.com> wrote in message
news:mtusmuc32pv3114kk9p30damcp32453ae4@4ax.com...
> On Thu, 29 Aug 2002 14:55:55 -0400, "radiofun" <radiofun@charter.net>
> wrote:
>
> >Another example of the new "mindset" in the hobby!
> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375543862 This radio
> >sells NEW for way under $200!! I do not get it. Do these people that bid
> >just not check the new prices...or the fun of bidding is the deal?
Geeeez
> >
>
> What's worse is the seller is a ham... w1vet
>
> Obviously pushing this rig for illegal use.... but of course he gives
> a disclaimer that it's not type accepted outside 2 meters- duh!
>
> MURS radios are limited to 2 watts output.
>
> Just another greedy creep....

Here's the funny part go check out the Ten Tec I'm selling on ebay at
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375998243&rd=1
and check the bid history and see how far down that call sign shows up.

I saw his call in this thread and couldn't believe it!

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

2851. TS450S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 23:53:13 UTC
From: Max <ve3tmt@yahoo.com>
Message-ID: <9ryb9.1106$2V3.208890@news20.bellglobal.com>
Source record: 39963

TS450S/AT (internal tuner) , MC50 desk mic, power cord, operators & service manuals. Best offer or interesting trades.

Looking for HF mobile (DX70, IC706 etc)
MFJ HF loop antennas,
vacuum variable caps

E-mail direct if interested.

2852. Re: Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-29 23:53:57 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <umtd3m71us0t91@corp.supernews.com>
Source record: 39962

Nice Ten Tec!!!! Beautiful!

--
Web Site: www.polkcounty.org/radiofun
ICQ: 11908449
Yahoo Mess: Hitradio93Q

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:umtcpc2dqca0d5@corp.supernews.com...
>
> <nutcase@fruitloops.com> wrote in message
> news:mtusmuc32pv3114kk9p30damcp32453ae4@4ax.com...
> > On Thu, 29 Aug 2002 14:55:55 -0400, "radiofun" <radiofun@charter.net>
> > wrote:
> >
> > >Another example of the new "mindset" in the hobby!
> > >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375543862 This
radio
> > >sells NEW for way under $200!! I do not get it. Do these people that
bid
> > >just not check the new prices...or the fun of bidding is the deal?
> Geeeez
> > >
> >
> > What's worse is the seller is a ham... w1vet
> >
> > Obviously pushing this rig for illegal use.... but of course he gives
> > a disclaimer that it's not type accepted outside 2 meters- duh!
> >
> > MURS radios are limited to 2 watts output.
> >
> > Just another greedy creep....
>
>
> Here's the funny part go check out the Ten Tec I'm selling on ebay at
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375998243&rd=1
> and check the bid history and see how far down that call sign shows up.
>
> I saw his call in this thread and couldn't believe it!
>
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx

>
>
>
>

2853. Timewave

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 00:15:11 UTC
From: Turner Morgan <tmorgan7955@comcast.net>
Message-ID: <Xns9279CE0935C2Btmorgan7955comcastne@216.148.53.95>
Source record: 39964

Anyone have any experience using the TimeWave audio DSP unit?

Yes, I know, the Clearspeech Speaker can probably do the same thing, but much cheaper. However, the Clearspeech does not have any knobs or buttons or displays. Nor is it software upgradeable.

I'm looking for something to remove noise (atmospheric and man-made) from the home station. It is not really bad, but I could make more contacts without the noise. And also assist in removing the usual QRM. Modes are both CW and 'phone.

Maybe what I'm really looking for is another gadget, but I would like to hear from someone with experience using the TimeWave unit.

Thanks,

Turner - WA4MQY

2854. Re: Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 01:07:28 UTC
From: JWheeler <kd5bcu@yahoo.com>
Message-ID: <umthaiflii11b8@corp.supernews.com>
Source record: 39965

"radiofun" <radiofun@charter.net> wrote in message
news:umsrkukv8alf47@corp.supernews.com...
> Another example of the new "mindset" in the hobby!
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375543862 This radio
> sells NEW for way under $200!! I do not get it. Do these people that bid
> just not check the new prices...or the fun of bidding is the deal? Geeeez
>
>

It's kind of funny... I sent this guy a message asking him why this radio was so much better than the one that I bought BRAND NEW for about $160. Of course, I never got a response from him. I wonder why. Maybe I'll ask him again.

JWheeler
KC5AV

2855. Re: REQ:info on AZDEN PCS-2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 01:28:28 UTC
From: Brian E <none@bigcorp.com>
Message-ID: <QSzb9.97$CX2.96013@newsfeed.slurp.net>
Source record: 39966

That switch sets the scan type. I've forgotten what 'F' stands for but 'B' represents 'scan for busy channels' and 'V' means 'scan for vacant channels'. The busy mode is what one would typically expect - the scan stops on busy channels. The vacant mode stops on vacant channels. As soon as a signal appears the scan resumes to find another vacant channel.

HTH

"Chilly Willy" <wildhare@> wrote in message
news:3pfrmugs3iiaman5jlm7dqtq6052v83n5f@4ax.com...
> On Thu, 29 Aug 2002 05:07:14 GMT, Dennis Kaylor
> <k4oxg@tampabay.rr.com> wrote:
>
> >the offset/scan button allows you to set the offset either -/+ 600 for
> >repeater operations and the scan button allows the rig to scan either the
> >memory channels or the band
> >as for a PLtone i am not sure but i dont think that radio has a tone
> >board as an option there are 3rd party tone boards that my work and you
> >just follow there install instructions
> >
> >Chilly Willy wrote:
> >
> >> I've acquired an AZDEN PCS-2000 but no manual. I need to know how to
> >> put in a pl tone to connect to a repeater. It has a switch called
> >> offset/scan and I'd like to know what this is for.
> >>
> >> Thanks much
> >>
> >> Chilly Willy
> >>
> >> Brrrr is it cold in here or is it just me
> >> Forman at the South Pole Ice Plant
>
> the offset for the +/- 600 is a button on the face. I was speaking of
> the switch thats on the upper right that has the letters F B V on both
> the right and left side of the switch. Where can one look for 3rd
> party tone boards.
>
> thanks
>
>
> Chilly Willy
>
> Brrrr is it cold in here or is it just me
> Forman at the South Pole Ice Plant

2856. Re: Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 01:37:18 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <umtj6f9ulbt0f1@corp.supernews.com>
Source record: 39967

Yeah.....hi..hi......well put!

"JWheeler" <kd5bcu@yahoo.com> wrote in message
news:umthaiflii11b8@corp.supernews.com...
>
> "radiofun" <radiofun@charter.net> wrote in message
> news:umsrkukv8alf47@corp.supernews.com...
> > Another example of the new "mindset" in the hobby!
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375543862 This
radio
> > sells NEW for way under $200!! I do not get it. Do these people that bid
> > just not check the new prices...or the fun of bidding is the deal?
Geeeez
> >
> >
>
> It's kind of funny... I sent this guy a message asking him why this radio
> was so much better than the one that I bought BRAND NEW for about $160.
Of
> course, I never got a response from him. I wonder why. Maybe I'll ask
him
> again.
>
> JWheeler
> KC5AV
>
>

2857. Re: Transporting Handheld Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 01:40:51 UTC
From: Sylvan Butler <Znospam+noZs_0208@hpb13799Z.Zboi.hpZ.com.invalid>
Message-ID: <slrnamtj93.8pg.Znospam+noZs_0208@hpb13799Z.Zboi.hpZ.com.invalid>
Source record: 39969

On Wed, 28 Aug 2002 23:29:17 -0700, mike <spamme0@juno.com> wrote:
> I've only needed to carry one handheld, so I use a tiny metal first aid
> kit.
> Real sturdy box. Gasketed against water. Cut some foam for the inside and
> voila,
> indestructable carry case. Also works for palmtop computers.
>
> They make pretty big first aid kits.

Or use a surplus ammo can. Sizes and costs range from about 3x5x10
inches for about $3, to "really, really big" for $lotsa-em.

sdb
--
| Sylvan Butler | Not speaking for Hewlett-Packard | sbutler-boi.hp.com |
| Watch out for my e-mail address. Thank UCE. >>>> change ^ to @ <<<< |
They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety. --Benjamin Franklin, 1759
Stop Senator Fritz Hollings-S2048, Palladium, and TCPA, NOW!
http://investor.cnet.com/investor/news/newsitem/0-9900-1028-20173919-0.html
http://zdnet.com.com/2100-1106-945976.html

2858. Re: Why Bother?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 02:08:29 UTC
From: Aatheus <aatheus@transfur.com>
Message-ID: <3D6ED39D.D268751E@transfur.com>
Source record: 39968
Cross-posted to: alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Good question! I've occasionally wondered that myself. Does it have to be along the lines of "A mudslide is a few miles away and heading this way!"? Or is it only valid to call when your house is actually being sucked into the tornado? I'm pretty sure a broken window doesn't count >:-)

73 de KG6KCO

codemaan wrote:

> "Bob Lewis (AA4PB)" <rlewis@staffnet.com> wrote in message
> news:u2nfvqo06n7l4a@corp.supernews.com...
> > > For one *second*, can you put aside all the ideas about saving
> > someone...
> >
> > You can't put that aside because it is the *key* to the answer
> > according to FCC regulations. Assisting in saving life or property
> > when normal communications is unavailable is the only time it is
> > legal.
>
> Ok, you've stated your opinion to my question. Your answer is YES, you can
> (legally) tx on a PS freq with a modified Ham radio, but with a qualifier.
> Now, the water gets muddier. Just how serious does the injuries have to be
> before it is considered life threatening or qualify to break into a PS freq.
> ? Is the person doing the tx'ing a qualified doctor to make that sort of
> judgement? Some people could consider any number of minor injuries a major
> deal and so would they be legal to call on a PS system? A cat stuck up in a
> tree, does that count? How much property must be lost or endangered before
> it qualifies? Slippery slope here, I know.

2859. WTB: FT5100 for parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 02:24:07 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <akml10$c05$1@terabinaries.xmission.com>
Source record: 39970
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi All,

Looking for a Yaesu FT5100 for parts. Bad RF section OK. Anyone got a
bad one they'd like to part with?

Dan
N7SLC

2860. Help: Kenwood MC-80 Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 02:27:41 UTC
From: Doug and Cindy Deutsch <cindyd1@enter.net>
Message-ID: <3D6ED87B.78DDA298@enter.net>
Source record: 39971

Hi,
What is the lil trimmer pot adjustment on the back side of the MC-80 microphone base for?

Thanks in advance,

Doug W3IIY

2861. Re: Transporting Handheld Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 02:47:43 UTC
From: ALice <Alice@Kramden.Moon>
Message-ID: <j1Bb9.283651$m91.11524894@bin5.nnrp.aus1.giganews.com>
Source record: 39972

Those foam beer-can-holders (the soft, foam rubber, fold-up kind) make good
cushions and fit snug around most HTs. Just trim off the bottom if needed
and slip the rig in. I suppose you could also pop them into one of those
6-pack-sized cooler bags!

"JB" <ac6tk@nospamcybertime.net> wrote in message
news:aklvhq$2sp5$1@madmax.keyway.net...
> Kenwood makes just such a kit, including the radios. I don't know
> if the bag is available separately. I have a couple hard shell briefcases
> with removable foam for such things. Just right for the HF too.
> Used to run the rental angle too, with 25 GP300, batteries and
> chargers in a larger hard shell transport to be shipped anywhere.
>
> Jim, ac6tk
>
> "Jerad Hoff" <fubar@yuck.net> wrote in message
news:fubar-09A481.00493429082002@news.mpls.visi.com...
> : I apologize if this is the incorrect forum for this question.
> :
> : I've searched high and low through google.com's database of web sites
> : for a carrying case/bag that is designed to carry several portable (HT)
> : radios.
> :
> : I can't imagine I'm the only guy who occasionally needs to bring along
> : more than one HT. For some emergency response volunteering I do, I
> : occasionally need to bring 4-5 full sized handhelds along with 3-4 FRS
> : radios that are always handy to have around.
> :
> : One company has some great backpacks for carrying mobile radios:
> :
> : http://www.powerportstore.com/
> :
> : But nobody out there seems to have anything for handhelds.
> :
> : Does anyone know of any companies out there that sell what I'm looking
> : for? Am I the only one looking for this kind of case/bag?
> :
> : Thanks!
> :
> : - Jerad
>

2862. F.S. Drake MN-2700

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 03:04:35 UTC
From: John Haberkern <jhabsNOSPAM@worldnet.att.net>
Message-ID: <7hBb9.1196$jG2.75614@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39973
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

I have forsale a drake mn-2700 tuner in nice condition with original manual.
tuner works well but power/swr meter does not read true.
asking $240 shipped u.p.s. in u.s.a. john w3ayt@arrl.net

2863. F.S. Johnson 275w Matchbox

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 03:04:36 UTC
From: John Haberkern <jhabsNOSPAM@worldnet.att.net>
Message-ID: <8hBb9.1197$jG2.78386@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39974
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

I have forsale a johnson matchbox (275w) version model #250-23-3
tuner is in nice shape with directional coupler and copy of manual.
asking $150 shipped u.p.s. in u.s.a. John w3ayt@arrl.net

2864. Re: Why Bother?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 03:27:20 UTC
From: chuck & shirley hawks <s_hawks@bellsouth.com>
Message-ID: <LyBb9.97692$%v4.5364353@e3500-atl2.usenetserver.com>
Source record: 39975
Cross-posted to: alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Judgement call, but be prepared to explain why and prove it.

--

Chuck
KE4ETH

x-noarchive: yes
"Aatheus" <aatheus@transfur.com> wrote in message
news:3D6ED39D.D268751E@transfur.com...
> Good question! I've occasionally wondered that myself. Does it have to be
along
> the lines of "A mudslide is a few miles away and heading this way!"? Or is
it
> only valid to call when your house is actually being sucked into the
tornado?
> I'm pretty sure a broken window doesn't count >:-)
>
> 73 de KG6KCO
>
>
> codemaan wrote:
>
> > "Bob Lewis (AA4PB)" <rlewis@staffnet.com> wrote in message
> > news:u2nfvqo06n7l4a@corp.supernews.com...
> > > > For one *second*, can you put aside all the ideas about saving
> > > someone...
> > >
> > > You can't put that aside because it is the *key* to the answer
> > > according to FCC regulations. Assisting in saving life or property
> > > when normal communications is unavailable is the only time it is
> > > legal.
> >
> > Ok, you've stated your opinion to my question. Your answer is YES, you
can
> > (legally) tx on a PS freq with a modified Ham radio, but with a
qualifier.
> > Now, the water gets muddier. Just how serious does the injuries have to
be
> > before it is considered life threatening or qualify to break into a PS
freq.
> > ? Is the person doing the tx'ing a qualified doctor to make that sort
of
> > judgement? Some people could consider any number of minor injuries a

major
> > deal and so would they be legal to call on a PS system? A cat stuck up
in a
> > tree, does that count? How much property must be lost or endangered
before
> > it qualifies? Slippery slope here, I know.
>

2865. FA - R.A. KENT Keyer Paddles, New in the Box, see!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 03:51:02 UTC
From: Ron N8LMT <n8lmt@arrl.net>
Message-ID: <NYBb9.135$CX2.165573@newsfeed.slurp.net>
Source record: 39976
Cross-posted to:
rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Here is a KENT Iambic Paddle Kit....Never Assembled...
It is still in it's original box, as new... all the parts are still
in the factory packaging, instruction sheet included....
British Made.
check it out......
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375152415

NO RESERVE........ LOW STARTING BID.....

2866. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 04:05:30 UTC
From: k7itm@aol.com
Message-ID: <3200347.0208292005.59388ffe@posting.google.com>
Source record: 39977
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

senecal@mapson.cs.ucdavis.edu (Joshua Senecal) wrote in message
news:<senecal-2808020945270001@iras-3-62.ucdavis.edu>...
> Hi all,
>
> I'm looking to build my own dummy load for my HF shack (to keep costs
> down). Question: Are there any special precautions that I need to take for
> SWR (or anything else) or will it suffice to take twenty 10 Watt 1K
> resistors and wire them in parallel?
>
> 73,
>
> Josh, KG6IBF

Pretty much everyone mentioned that you'll have trouble using
wirewound resistors, which is true. Even if you parallel a bunch,
above some frequency it won't help because they have so much
inductance and distributed capacitance that they will be
self-resonant. There are some other tricks you can play however. If
you can get a long piece of RG-58 cheap (like some old lan cable
perhaps), you'll get reasonably close to 50 ohms load no matter what
you put at the other end. The down side is you'll need several
hundred feet of it for that to be effective at 3.5MHz, because the
coax loss is pretty low there. In this case, loss (in the line) is
your friend! Another thing you can do, if you have a tuner, is use
the tuner to tune out the reactance (and the resistance mismatch) of
whatever load you build. In fact, if your load is simply inductive
because of the coiled wire in wirewound resistors, you can tune that
out with a series capacitor. (Alas, there seem to be a lot fewer air
variables kicking about in junque boxes these days...) You're liable
to find that only works at the low end of the HF band because of the
self-resonance effects. I just measured a pair of parallel 100 ohm 5W
wirewounds, and found them to degrade rapidly as a load above 14MHz.
Larger wirewounds would likely be worse. On the other hand, I
measured a 51 ohm metal oxide 2 watt resistor ("very short" leads),
and it would be very servicable as a dummy load even at 440MHz, where
it's 55.87+j17.61 ohms (per a precision RF component analyzer...),
giving an SWR in a 50-ohm system of 1.42:1. At 146MHz, it's
51.43+j5.95, SWR=1.13:1. Interesting thing about metal oxides is that
they seem to be able to stand rather incredible power overloads, and
one could probably make quite a respectable load with twenty or so of
them dropped into some oil. Best to think carefully about how to wire
them up to avoid parasitic inductance and capacitance.

Cheers,
Tom

2867. Re: Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 04:35:10 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020830003510.00678.00000001@mb-fh.aol.com>
Source record: 39978

The only way to stop auctions like this is to report them to Ebay at the begining. They WILL remove VHF/UHF radios that can easily be modified to tx out of band, or that have already been modified.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2868. ' WTB Yaesu FRT-7700 Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 04:44:31 UTC
From: Jim <jbollit@ix.netcom.com>
Message-ID: <akmt7dklj1@slb6.atl.mindspring.net>
Source record: 39979

Please advise price and condition

Thanks

Jim

2869. HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 04:56:37 UTC
From: JM <na@na.com>
Message-ID: <lcutmush2gss09dtdj066fudnth93d66ql@4ax.com>
Source record: 39980

I work for Radio Shack and am field testing one right now. Very kewl radio, if you stop in to a RS see if they have one in stock (a bit rare right now, they didnt get many) and give it a look. Pretty nice and can be set to work GMRS freqs as well. Be willing to bet the clerk wont know how to make it work tho! LOL)

2870. Re: TS280 Repeater Shift..?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 05:50:56 UTC
From: Alun Palmer <elektros@yahoo.com>
Message-ID: <Xns927A12CF01CC9elektrosmdonet@130.133.1.4>
Source record: 39981

"S.Rolfe" <bss014@bangor.ac.uk> wrote in
news:3D18265E.10659131@bangor.ac.uk:

> Anyone out there know how to switch in the repeater shift on the
> Sommerkamp TS280FM VHF Transceiver. It suggests in the manual that
> repeaters can be worked (there is a tone burst) but can only get
> simplex on the repeater freqs. (hidden switches etc..?)
> Thanks in advance.

The repeater shift is ON when you go to the Input channel, and OFF when you go to the Output or any simplex channel. Simple as that. I used to have one. It may be confusing if you are used to Japanese rigs rather than Swiss ones (Actually, I don't think there IS any other brand of Swiss ham rig, anyway!), but it stops you from ignoring the RSGB recommendations by preventing you from going simplex on the Input, but lets you go simplex on the Output, which is OK. You only think that you get simplex on the repeater frequencies because if it was Japanese you would go to the Output and then turn on the repeater shift - you need to think in terms of going to the Input when you want to use a repeater on this rig. As a matter of fact it won't receive the Input channels atall, if you think about it, which technically violates BR68 (transmitting on a frequency where you have no receiving equipment!) - but I wouldn't worry about it. Of course, it goes by the old channel numbers, and for an extra little quirk has 40 instead of 0 for R0 (145.0 Input, 145.6 Output), evincing the CB origin of the channel display. The simplex calling channel, which used to be called S20, is conveniently found at 20. Also, if you pull out one of the knobs on the front panel it goes down 1 MHz to cover 144.0-144,975 simplex, but that should be clearly marked, unless it has worn off. Output 45W on high (8 Amps continuous current drain), 15W on low, sensitivity 0.45 microvolts for 12 dB S/N ... that about covers everything! Enjoy.

N3KIP (G8VUK, G0VUK)

2871. Re: Transporting Handheld Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 06:22:40 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <y1Eb9.235$w44.12234@sooner.brightok.net>
Source record: 39982

A variation on Bob's suggestion, I picked up a tool case (like a briefcase, but aluminum-clad) at Lowe's. has adjustable dividers, and a tool pallet that fits in the lid. I can carry 1-4 HT's, my laptop, spare batteries, asst'd tools such as a multimeter, screwdrivers, cables, extra antennas, hand mikes. whatever.

Mark

"Bob Miller" <bamiller@texas.net> wrote in message news:OSFuPVKG3WKszXBvLF1Ccz9+ovZm@4ax.com...
> Jerad Hoff <fubar@yuck.net> wrote:
>
> >I apologize if this is the incorrect forum for this question.
> >
> >I've searched high and low through google.com's database of web sites
> >for a carrying case/bag that is designed to carry several portable (HT)
> >radios.
>
> Never saw a "radio" bag. But if you go to a big camera store, you'll see a lot
> of bags for carrying camera equipment. Some of them have foam inserts, and you
> can custom-snip the inserts to hold whatever pieces of equipment you want to
> transport.
>
> Bob
> k5qwg
>
> >
> >I can't imagine I'm the only guy who occasionally needs to bring along
> >more than one HT. For some emergency response volunteering I do, I
> >occasionally need to bring 4-5 full sized handhelds along with 3-4 FRS
> >radios that are always handy to have around.
> >
> >One company has some great backpacks for carrying mobile radios:
> >
> >http://www.powerportstore.com/
> >
> >But nobody out there seems to have anything for handhelds.
> >
> >Does anyone know of any companies out there that sell what I'm looking
> >for? Am I the only one looking for this kind of case/bag?
> >
> >Thanks!

> >
> > - Jerad
>

2872. FS: Filament transformers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 10:20:02 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <pehumu4v9iirmrvqeef4ktaoi3htm2itfg@4ax.com>
Source record: 39983
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

For sale:

All 115V/120V AC primary except as noted.

Triad F-18X Sec. 6.3V CT at 6A. QTY 1 only for $14.00

6.3V at 8.3 Amps - upright type. Will sell for $20.0 each

Sec: 10V at 6A QTY 3 available for $15.00 each

Sec 7.5V CT at 51 Amps! (Has dual 115V / 230V primaries)
Suitable for 3CX3000 and other QRO tubes.
Commercial quality. QTY 2 available for $110.00 each

Also - ferrite choke cores that clamp onto cables for RFI
removal = $5.00 each

Pictures available - e-mail me.

Shipping additional

2873. Re: F.S. Drake MN-2700

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 10:39:23 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <5kiumu85ducrtgv3cpir77kh0fhvabupvf@4ax.com>
Source record: 39984
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

On Fri, 30 Aug 2002 03:04:35 GMT, "John Haberkern"
<jhabsNOSPAM@worldnet.att.net> wrote:

>I have forsale a drake mn-2700 tuner in nice condition with original manual.
>tuner works well but power/swr meter does not read true.
>asking $240 shipped u.p.s. in u.s.a. john w3ayt@arrl.net

Does it do the WARC bands or just 160, 80, 40, 20, 15, 10m ??

2874. TS-680-S For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 11:42:52 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <0TIb9.7477$%D6.677301@newsread1.prod.itd.earthlink.net>
Source record: 39985

Nice and clean Kenwood TS-680S, 160 meters to 6 meters, all modes, SSB, CW,
FM, AM.
Comes with 500HZ cw filter, Microphone, and manual.
$500 shipped to US. Works very well!! Last band opening on six meters
worked 10 states!
Frank KG9H

--
Best Regards...Frank

Frank Krozel
Voice 630-924-1600
Home 630-653-9090

2875. FS...FSW...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 11:54:32 UTC
From: GM0PYC <dogd@madasafish.com***>
Message-ID: <I1Jb9.2647$1b3.44662@newsfep1-win.server.ntli.net>
Source record: 39986

****Icom IC746 Transceiver for Swap or Sale****

I will swap this fully loaded IC746 complete with all Manuals, workshop Schematics. Also comes fully loaded with Optional 455 kHz filters 250Hz CW razor sharp RX. And Optional SSB 232 9MHz 2.8 kHz Rx & TX Audio filter. Pristine conditions no smoker. Original packaging also supplied. Along with 10 months Guarantee remaining.

I would consider a part exchange or a Kenwood 940 SDX fully loaded and cash settlement.

Or a straight swap for a Yaesu FT847 fully loaded.

Or a straight swap for a Kenwood TS850 SAT fully loaded.

Or a straight swap for a Kenwood 570 DGe fully loaded only, or with cash adjustment.

My sale price for the IC746 non-negotiable is set at £700.

Buyer collects or Courier...

****Garmin GPS 12XP MAPPER****

GPS Garmin 12XP has latest software on-board (Latest software upgrades available on-line from Garmin) 12 SAT channels. Includes Full manual and quick guide chart, soft carry case and External Sat Antenna along with Data and Power Leads. Comes with 9 months guarantee I want £200 no offers please.

Buyer collects or Courier...

****W2IHY 8 BAND AUDIO EQUALIZER & NOISE GATE****

W2IHY for sale, this is a pristine condition EQ & Noise-Gate combined. See what every one in the Amateur world has been shouting about with this audio and noise unit.

This unit is 2 months old; I purchased 2 of them by mistake. Not realizing that you can run 2 Rigs at once with the 1 unit. And have the choice of 3 Microphones plugged in. The cost of this unit along with the shipping and Importation Tax from USA was £378. I will sell this unit for £240 no offers please.

Buyer collects or Courier...

****OPTOELECTRONICS DIGITAL SUPERSCOUT****

OptoElectronics Digital SuperScout. See the latest information about this wonderful snooper.... Covert.... Intelligence RF scanner. It is compatible along with almost all the latest scanning equipment. Just plug and play for hi-speed (Lightning fast) freq. QSYs. Also use it alone for building up a data-base or Freq. list for listening in conjunction with other type Radio RX type equipment or simply use it for Bug Scanning ETC. My Price immaculate condition along with charger and NmIh Battery pack full instruction manual. My asking price Is £200 no offers.

Buyer collects or Courier...

****DANMike Digital DSP Scramblers****

DanMike Digital DSP Scramblers x2. Suitable for all types of TX-RX equipment. Just configure them to your equipment's microphone wiring schematic. These are very secure offering thousands of different sequential combinations for Digital DSP encryption (Have been tested into Dummy Load and configured for IC746 & FT847). Come complete in boxes including manuals and pre-wired for the above radio equipment. My asking price is £150 no offers.

Buyer collects or Courier...

2876. Re: 572B tube orientation question.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 12:24:53 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <puJb9.231968$me6.31707@sccrnsc01>
Source record: 39987

The 572B has different size pins for polarization. This keeps it from being placed into the mating socket incorrectly. The tube can be operated in a vertical position with the base down or in a horizontal position with pins 1 and 4 (the filament pins) in a vertical plane.

Unless someone mounts the mating sockets wrong, there should be no concerns with the physical position.

73
WA5VRL
Willis

2877. Heath SB-101

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 12:57:34 UTC
From: shmget@msn.com
Message-ID: <3d6f6a75.64722445@localhost>
Source record: 39988

I have an SB-101 that give me intermittent problems. I will be transmitting CW, and I might adjust for 50 watts output. Next thing I know, the needles on my power meter are wiggling a slight bit, affecting the power output. Sometimes it drops to 30 watts, then might jump up to 100 watts, but big changes in power only happen after the relays open and close (I don't run QSK, so there relays only open after I'm done sending).

Some people have said to clean the relays... Any idea on how to do this? could the driver tube be getting weak/flaky?

I bought this rig in 1995. I have no idea how long that the finals and other tubes have been in there. Every tube with the exception of the finals has a black coating on the top.

Any other ideas on what might be causing this problem. It is getting annoying and many people I talk to keep saying "QSB" but I know its on my end, and not atmospheric. :-)

73's and thanks,

Bob

2878. FS... Low Loss 50-Ohm Cable!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 13:04:06 UTC
From: GM0PYC <dogd@madasafish.com***>
Message-ID: <13Kb9.2920$1b3.52884@newsfep1-win.server.ntli.net>
Source record: 39990

For Sale I have x7 250 Mtr Drums of VR304 7/8ths 50Ohm Vy Low Loss Cable. This cable runs rings round (Andrews Heliax)7/8ths and is some what more flexible. It is used for SHF frequencies on all mobile cellular mast instalations. Comes with a Solid outer shield then x2 Foil outers and then a very heavy Silvered Braid. The centre core is Air Spaced in a poly Air cell dialectric. Losses per 250 Mtr drum @ 13cm are typicaly 3.2dB...

Anyone interested in this type of Cable for the Hobby please mail me. This cabel can be used for all bands including HF when extremely long runs are required. Only serious enquires please. You pay for the transportation of this Cable. 1 Drum weighs approx 75Kg I am asking a moderate £150 for each drum. If you are a 70cm and up man/women and do not want loss this is the cable for you!

2879. TS 520S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 15:00:20 UTC
From: STEVE CAREY <scarey@tctc.com>
Message-ID: <H4Kb9.79$_q7.217973867@newsfeed.tctc.com>
Source record: 39989

I EITHER NEED A AVR (AUTOMATIC VOLTAGE REGULATOR) BOARD OR WHERE I CAN BUY
ONE THANKS STEVE K9YK

2880. Re: Help: Kenwood MC-80 Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 15:28:40 UTC
From: John Siegel <JohnASiegel@worldnet.att.net>
Message-ID: <3D6F8F25.ABBFB48F@worldnet.att.net>
Source record: 39991

It is the output level control.
John

Doug and Cindy Deutsch wrote:
>
> Hi,
> What is the lil trimmer pot adjustment on the back side of the MC-80 microphone
> base for?
>
> Thanks in advance,
>
> Doug W3IIY

2881. FS: (3) Motorola Spirit VHF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 18:37:24 UTC
From: news <newsradio@netscape.net>
Message-ID: <4%Ob9.38731$Bj.3582785@read2.cgocable.net>
Source record: 39992
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap

I have three MV11C's for sale. These are the motorola spirit small VHF handhelds. Each one is new in box...all have been opened and tested/used for approx 1 hour. C/W rech. batt, belt clip, ante, and wall charger. All are on the Low Power Industrial freq's for BC (canada). Prgramable to one of two low power industrial VHF freq's. Asking 100$ each or best offer...shipping extra. Prefer to sell to someone in BC Canada as they are setup for freq's in that province...

email: jmckay@interlog.com

2882. FA: Tektronix Scope Cart 3 - Oscilloscope cart - L@@K!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 18:40:37 UTC
From: "J.P." <parmentier@mindspring.com>
Message-ID: <akoe3v$n69$1@abc.exu.ericsson.se>
Source record: 39993
Cross-posted to: rec.radio.amateur.equipment,sci.electronics.equipment,triangle.forsale

For Auction: Tektronix Scope Cart 3 - Oscilloscope Cart

The Tek 3 Lab Cart includes a drawer in the base (with provision for padlock), brakes on front casters, 3 shelves. Top shelf measures 13.7" W x 20.0" D, suitable for 5100,
5400, and all 7000-Series three and four plug-in oscilloscopes and all 400-Series, 576, 577, TM503, and TM504.

Excellent condition, wheels work great too - no wobble.

Check it out here:
http://cgi.ebay.com/ebaymotors/ws/eBayISAPI.dll?ViewItem&item=1763044015

2883. Dec 1999 QST - Poor Mans Paddle

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 18:50:13 UTC
From: "R. Scott" <washingtonham@yahoo.com>
Message-ID: <3D6FBE65.7C9CDB22@yahoo.com>
Source record: 39994

Want to play around with the keyer that came with my 706. I don't have my paddles any more and was wondering about home brewing some. I find lots of references but don't have tool and die machinery around. This one I found by accident and I wonder if anyone has a DEC 99 laying around and can check it out for me.

Thanks
N7HJ

2884. Re: Force 12 Tribanders

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 19:16:37 UTC
From: silberman@earthlink.net
Message-ID: <9528d4b4.0208301116.2df377e0@posting.google.com>
Source record: 39995

I have a C3SS. Its at about 45 feet, only about ten feet above the roof. I get nice signal reports and definitely a couple of S units over the Carolina Windom 80 I was previously using. Its been up about six months and no problems to date.

Steve
W2KN

"Buyer Beware" <BuyerBeware@hotmail.com> wrote in message news:<OVwa9.17637$082.1003857@news1.east.cox.net>...
> Looking for opinions on the Force 12 C series. Please state model.
>
> Thanks Me

2885. rig yaesu or icom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 20:01:51 UTC
From: dave <trimmerd@falcon1.net>
Message-ID: <VdQb9.61$LG4.3352@eagle.america.net>
Source record: 39996

Hi I am about to buy and yaesu ft-100d or an ic-706mkiig ?

can I get some feed back on these radio the pro and con on them..

I would like to get the ft-100d but a feww told me to stay away from it because of the power has been blowing the final it them ..

I know on field day this year on the ft-100d we could not get the ast-100 to work so we use the g5rv and it work out great...help please let me know...ww8o kf8nl@gte.net

2886. Icom IC-746 station

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 20:28:18 UTC
From: Larry Gauthier - K8UT <larryg5099@chartermi.net>
Message-ID: <umvlbl9a4aoa57@corp.supernews.com>
Source record: 39997

For sale: Icom IC-746 transceiver. By original non-smoking owner, in excellent condition - not a scratch on it. The rig has never been mobile, and includes original box, microphone, manual, power cable and 3 filters!: 1.8Kc/9MHz SSB, 350Hz/9MHz CW/RTTY, 250Hz/455KHz CW/RTTY

Price of the rig alone is $850, with the 3 filters add $150, with the Astron RS-25M power supply add another $100. Photos and on-air check available, any band from 40 - 10 meters.

-larry
K8UT@ARRL.NET

2887. Re: rig yaesu or icom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 20:35:02 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <WFQb9.79514$27.1468717@twister.rdc-kc.rr.com>
Source record: 39898

Go to www.eham.net and read the reviews. This has been hashed and re-hashed many times in many places. For my money, I prefer the MKIIG by far. I've had them both. That's just my opinion though and everyone has one. I definitely haven't heard of any problems with the finals on the 100D unless there is a problem in the vhf/uhf section. No problem with HF finals that I know of on the 100D, assuming proper operation. The MKIIG is bullet proof, the 100D has had some minor engineering problems. Each of them are good radios and each has their pro's and con's. Good luck on your choice.

Van,
K0KAV

"dave" <trimmerd@falcon1.net> wrote in message
news:VdQb9.61$LG4.3352@eagle.america.net...
> Hi I am about to buy and yaesu ft-100d or an ic-706mkiig ?
>
> can I get some feed back on these radio the pro and con on them..
>
> I would like to get the ft-100d but a feww told me to stay away from it
> because of the power has been blowing the final it them ..
>
> I know on field day this year on the ft-100d we could not get the ast-100
to
> work so we use the g5rv and it work out great...help please let me
> know...ww8o kf8nl@gte.net
>
>
>
>

2888. Kenwood TS-450SAT $495!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 23:03:09 UTC
From: Ham <hh@ss.net>
Message-ID: <umvuitbc31e1db@corp.supernews.com>
Source record: 39899

I have a nice Kenwood TS450SAT HF radio for sale.
Included is mic, Manual, Power cord.
This radio has lots of nice features and has a great automatic antenna tuner!!
Radio is in very good condition and from non smoking enviroment.
Price is $495 plus the cost of shipping/insurance to your QTH.
This is my bottom dollar price and a very good deal for a nice radio!! No trades please.

If interested, reply to:
baycity@pacifier.com

Thanks for looking.....
Gary N7GB

2889. FS Drake W-4

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-30 23:53:34 UTC
From: gil <gilpi@mindspring.com>
Message-ID: <akp055mac1@slb4.atl.mindspring.net>
Source record: 39900

W-4 wattmeter in good working condition, front and meter look nice, has a couple of minor scratches on the side.
Asking $60. shipped.

Gil N2WJW

2890. Re: F.S. Drake MN-2700

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 01:04:23 UTC
From: csturner@slonet.org
Message-ID: <e4a7ec3.0208301704.79a4b750@posting.google.com>
Source record: 39901
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

Sidevalve <Sabbatai_zvi@hotmail.com> wrote in message
news:<5kiumu85ducrtgv3cpir77kh0fhvabupvf@4ax.com>...
> On Fri, 30 Aug 2002 03:04:35 GMT, "John Haberkern"
> <jhabsNOSPAM@worldnet.att.net> wrote:
>
> >I have forsale a drake mn-2700 tuner in nice condition with original manual.
> >tuner works well but power/swr meter does not read true.
> >asking $240 shipped u.p.s. in u.s.a. john w3ayt@arrl.net
>
> Does it do the WARC bands or just 160, 80, 40, 20, 15, 10m ??

FYI, the MN-2700 has a bandswitch without WARC on it. However, it
will
easily tune the WARC bands with my antennas (130 foot loop and a 130
foot long wire). It is built amazingly well, take a look inside one
some day.

Clark
WA3JPG

2891. light weight paddles

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 02:14:01 UTC
From: Ralph Blach <rblach@intrexNISPIN.net>
Message-ID: <3D702669.1050904@intrexNISPIN.net>
Source record: 39902

Does anybody know of a manufacturer of small light weight paddles.
I need one for my K1

thanks and 73's

Chip
kf4wbk

to reply, take out the NISPIN from my address

2892. Re: Opinions Plz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 02:50:45 UTC
From: Matt Thomas <mthomas@ticnet.com>
Message-ID: <3D702F05.7010009@ticnet.com>
Source record: 39903

I looked at the 920, but the ARRL test data turned me off. If you are a member, you can download the article and/or the extended test results and analyze for yourself from www.arrl.org. Basically, the transmit IMD responses were pretty bad in comparison to other rigs/manufacturers. A problem in this area can result in unwanted splatter during SSB transmissions. I believe I also saw some similar comments on this message board on that subject. You might search back a month or so.

mrheadz wrote:

>I am looking to purchase a new HF rig in the $1000-1200 or so range. I
>have already out the low end models of Kenwood, Yaesu and Icom.
>(ts-50, ft-840, icom 718,706 etc) I can't go much more into the high
>end spectrum either. The two I have narrowed it down to are the
>Kenwood TS-570SG and the Yaesu Ft-920. These two seem to be the only
>ones in the mid range and seem pretty close in features..auto tuner..6
>meters. Spec wise they seem pretty equal also. Anybody have any input
>on these choices or have used or owned them? Or any other ideas? I
>know I could get a little more if I went for a used..Icom 746-756 or
>Ts-870, but I got burned once and just rather get a new one this go
>round. I will appreciate any feedback as I am getting close to
>purchase and both above radios have a bit off on them now till end of
>month on Kenwood and end of Sept on Icom. Thank you all....
>

2893. FS: INRAD filters, etc.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 03:35:39 UTC
From: Jeff Kilgore <the.weight@verizon.net>
Message-ID: <fQWb9.3137$XU.1809@nwrddc01.gnilink.net>
Source record: 39904
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

INRAD 400-Hz CW filter for 8.83-MHz IF for Kenwood TS-850, TS-930, TS-940, TS-950. Excellent condition, used for about four months. $65 shipped.

INRAD 400-HZ CW filter for 455-kHz IF for Kenwood TS-850, TS-930, TS-940,TS-950. Excellent condition, used for about four months. $120 shipped.

Electrovoice 641 microphone - A great mic for boatanchors. In very good condition, includes stand with PTT switch, wired with 2-pin microphone connecter (easily rewired if needed). $55 shipped

Kenwood TH-215A 2-meter FM HT - Good condition, works fine, with original manual, original charger (original battery is included, but is dead), aftermarket W&W hi-capacity battery and drop-in charger. $65 shipped

Radio Shack HTX-202 2-meter FM HT - Very good condition. I bought this new several years ago. Works fine, no scratches or dings, includes original manual, NiCd battery, and charger. $70 shipped

Vibroplex Original semiautomatic key - Very good condition, works fine, no dings or scratches. I bought this new in 1988. $65 shipped

Realistic Pro-25 scanner. Very good condition. This is the later model with 100 memory channels. $40 shipped.

Hewlett-Packard HP41CX calculator, with magnetic card reader, Advantage module, original manuals and boxes, and several additional books on the HP41. $250 shipped

All items will be carefully packaged. Payment by USPS money order, PayPal, or personal check (personal checks must clear before shipping).

73,
Jeff Kilgore, KC1MK

2894. 706 MKII G trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 04:30:54 UTC
From: Richard Fuoco <km5wx@cableone.net>
Message-ID: <un0hkmk7ilsc5f@corp.supernews.com>
Source record: 39905

Looking for clean Drake system. Complete B line or C line. Kenwood twins if possible.

2895. Re: light weight paddles

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 05:08:31 UTC
From: Bob Nielsen <nielsen@remove_this.oz.net>
Message-ID: <akpj0f$g5f$0@216.39.144.81>
Source record: 39906

On Fri, 30 Aug 2002 22:14:01 -0400, Ralph Blach wrote:
> Does anybody know of a manufacturer of small light weight paddles.
> I need one for my K1
>

Check out Paddlette (http://www.paddlette.com. They have one model
which is designed to mount to the K1 tilt stand.

A brand-new paddle which looks quite nice is the Porta-Paddle
(http://www.americanmorse.com).

Schurr makes some nice small paddles, but they are somewhat pricey!
(http://www.mtechnologies.com/schurr/).

Bob, N7XY

2896. FS Yaesu FT900AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 06:40:31 UTC
From: "A.Tullis" <wb6gum@att.net>
Message-ID: <zxZb9.43983$Ke2.3098207@bgtnsc04-news.ops.worldnet.att.net>
Source record: 39907

I have for sale a Yaesu FT900AT (CAT) HF all mode..
Beautiful Condintion 9 out 10
includes Mic, Org Carton, Seperation Kit, Manual (Sorry No Mobile Mount)
see at http://wb6gum.home.att.net/id32.htm
$675 + shipping from 95140
73, WB6GUM - Andy
wb6gum@arrl.net

2897. Re: Homebuilt dummy load concerns?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 07:47:01 UTC
From: "paul.g7izx" <paul.g7izx@ntlworld.com>
Message-ID: <C60c9.1814$5g6.23684@newsfep2-win.server.ntli.net>
Source record: 39908
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

HI FROM THE UK
I have made three myself , and as a club we have made at leat 10 of these
beasts and all work very well .

A sryp tin , a so239 socket 2 standoffs and two disks of pcb board.

it is bascally 2 disks of pcb board with 20 (none-inductive) 1K
2w resistors soldered between them , with a thick piece of
cooker cable carrying the rf to the bottom plate , insulated
of course , and then some thick copper wire solderd from the
top plate of a syrp tin to the ground-plane , to reduce the
resistance of the metal standoffs
either filled with sand or oil .

rated at 50watts cont
100watts 4 mins
200 for 2mins all approx

hope the info helps

de Paul

2898. FS: 3A/110B directly heated triode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 09:45:30 UTC
From: arnoldg@c2i.net
Message-ID: <3d7090db.14384157@news1.c2i.net>
Source record: 39909

I have several pcs of this small directly heated triode in stock. The valves may be used, but I have tested them myself and they are all excellent. You can find a picture and technical data on my web site - www.demostenes.no
Just search for 3A/110B in the left hand corner.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as sockets,transformers,books,caps,resistors and other components. Web site is updated every week. You can order on-line.

2899. 603 beam and tower 4sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 11:15:04 UTC
From: Me <j.dauphinais@worldnet.att.net>
Message-ID: <Yy1c9.44268$Ke2.3113498@bgtnsc04-news.ops.worldnet.att.net>
Source record: 39910
Cross-posted to:
rec.radio.amateur.digital.misc,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I have for sale 1 full size "HY-Gain" beam 10 meters. fully assembled for your inspection. 13' Boom and longest element is 22' $100.00 I also have a steel tower totaling 25'. this is in 3 sections 1 10 foot st8 and 1 5foot st8 and 1 10 foot top section. I don't not have a rotator. $50.00. pickup only from Nashua,NewHampshire. I am selling these because they are to big for my new QTH. This beam has spent a large portion of its life in storage. 73's Jeff AA1GR

2900. FA: Motorola Radius C100 Local Remote 5 days left

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 12:16:26 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <us2c9.44308$Ke2.3118266@bgtnsc04-news.ops.worldnet.att.net>
Source record: 39911
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Radius C100 Local remote with power supply up for auction. The same unit
sold new by CPI is $215.00.
Currently at $20.00, don't miss out.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1762887168&ssPageName=ADM
E:B:DS:US:3

2901. FS: Yaesu VX-5R References

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 12:59:44 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <P33c9.42895$Hf.1215308@twister.kc.rr.com>
Source record: 39912

Pocket Reference (121 pages) for the Yaesu VX-5R by Hugh McCully, VE3AYR

W7YEN's 8 1/2" x 11" double sided, laminated VX-5R Data Chart

KB9YUL's Credit Card sized, laminated VX-5R reference. Fits in your wallet.

All three references NEW and sell separately for $26.00 total.

Will ship all three in conus, for $13.00

Van,
K0KAV

2902. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 14:33:56 UTC
From: JM <na@na.com>
Message-ID: <mlk1nu03sjhfl6k99bvukbd58g2qghb7kt@4ax.com>
Source record: 39913

On 30 Aug 2002 16:46:24 GMT, diodew2x@aol.comano (Diodew2x) wrote:

So far every review is 5 out of 5 stars. The radio is friggin bomb
proof its made so well and the mod for the extended coverage on it is
100% LEGAL. Why not try the radio before you talk shit about it. Every
ham who has walked in to my store LOVES the radio. I will agree that
the price tag is a bit high, but everything else about this radio is
top notch. Hell, I purchased 4 and have 1 left in stock and I had them
for only 2 days!
Judge it after you try it, youll be surprised, its not typical RS
junk. They did ths ONE right.

>x-no-archive:yes JM <na@na.com> wrote in message
>news:<lcutmush2gss09dtdj066fudnth93d66ql@4ax.com>... I work for Radio Shack and
>am field testing one right now. Very kewl radio, if you stop in to a RS see if
>they have one in stock (a bit rare right now, they didnt get many) and give it
>a look. Pretty nice and can be set to work GMRS freqs as well. Be willing to
>bet the clerk
>> wont know how to make it work tho! LOL ."
>
> It is Illegal to modify & use that radio on the GMRS/FRS bands, but I guess
>that would be a great selling point for a RS employee. Hey, why not post to an
>internet newsgroup how "kewl" it is to mod & use that radio ... Oh , wait...
>You already did!!

2903. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 14:37:48 UTC
From: JM <na@na.com>
Message-ID: <vvk1nusslin0du3177e877mo631rcsnb33@4ax.com>
Source record: 39914

On 30 Aug 2002 16:46:24 GMT, diodew2x@aol.comano (Diodew2x) wrote:

Oh ya. As far as this being the 1st radio I ever saw. ROFL!!!!! I
have been in to radio for over 25 years, prolly have more on air time
than you and your entire family combined. I have used countless radios
for everything from CB to ham to you name it.
You said so many stupid things I lost count.

2904. FS or Trade list 08-31-2002

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 16:46:38 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <Op6c9.248600$me6.33100@sccrnsc01>
Source record: 39915

Please if you have questions or want to make a trade contact me off

list at my e-mail address. gundoc@insightbb.com Some of these

lists are not swap lists and only tolerate my post because it is only

once a week. To the group owners thank you for letting me continue

to post to the group.

Dean

GE Portables

GE MPA VHF Scan 136 - 150.8 split 192 channels nice 9.0

Condition. With battery and antenna. I have this programmed for

Ham and up to 152 MHz before it will not lock on frequency.

$225.00

GE MPA VHF System 146 - 170 Aegis digital encryption. Nice radio

9.0 condition. 160 channel Alphanumeric display. With antenna

and battery. Great ham or public safety radio. $300.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display.

With battery and antenna. 7-7.5 $75.00

GE PCS UHF 440 - 470 8 channel with battery and charger. Looks

Good. $85.00

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170

but I have programmed these in the ham band with no trouble. These

have battery, and antenna. $70.00 each

GE MPS VHF 12 channel. 8.5 condition. New antennas and used batteries

Standard charger. $55.00 each have 2.

.

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1

good battery. With 1 dual slot charger. $200.00 all 3 radios.

GE Mobiles

GE Ranger 150 N9HH0A110A 150 - 170 110 watt drawer unit only.

This will work with the control heads and cables I have below.

Just in not tested yet. $75.00

GE MVS UHF 440 -470 2 channel. Works and looks good. $120.00

GE MVS VHF 150. - 170 128 channel. Tested and working. Will work in the ham band. $175.00

GE MCS UHF 440 - 470 4 channel 10 watt mobile separate speaker is also the

Control head. With mic. $85.00

GE MLS Low Band 16 channel scan. 42-50 split. New mic. Should

Program to 6 meter ham. 60 watt $150.00 (sale pending)

GE Mastr II UHF 75 watt with preamp. No Icoms drawer only.

MC65KKG88B $90.00 each only 2 left

GE Mastr II Lowband 42-50 slit 110 watt. MC74KCN33A

With 1 set of Icoms $35.00 each I have many.

GE Mastr Pro Low band 110 watt 42 50 split. MT74TCS33

With 2 sets of Icoms. FREE each. You pay shipping and packing. I have many.

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00

each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr

II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that

I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Not tested. $60.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.

16 channel model has short cable and some handle bar mounts. Mic

included but no speaker. Not tested yet.

$50.00

GE Accessories

GE Duplexer Mod DB4075 P/N 19C307166P2. tx453.xxx rx458.xxx

With cables. 4 cavity. $175.00

GE Duplexer Mod P1 P/N 19C307166P1 tx453.xxx rx458.xxx

With cables. 4cavity. $175.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $5.00

Mastr II Mic. $5.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen

programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5.

$4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and

162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50

each. These are the only frequencies I have.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each. Picked up 3 sets of

UHF 2C Icoms $30.00 per set of 1tx and 1rx Icom.

GE Delta cables. These are the downloading type used with the S820

heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

GE Mastr II mounting plates $15.00 each

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE PCS Universal charger. With wall transformer $20.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a

rapid rack charger with a DB 15 cable and uses a MPD body to attach a

battery to. Has LED readout in display area of MPD body to tell

discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card

and power supply / speaker. $200.00

Other Radios and Accessories

Motorola HT 600 UHF 438 - 470 6 channel. With rapid charger, battery,

And antenna. $120.00

Motorola HT50 VHF 2 channel 150 - 170 belt clip holder battery and

Charger. $75.00

Motorola Radius P200 UHF 438 -469 DTMF front with charger. 6 channel

And has stubby antenna. $135.00

Motorola MT1000 UHF 438 - 469. 16 channel scan. Has battery , charger,

and stubby antenna. $165.00

Motorola Maxtrac VHF 40 watt 16 channel scan. 5 pin. With Mic.

$225.00

Motorola Radius / Maxtrac VHF 25 watt 16 channel scan. 16 pin port.

With mic. $200.00

Motorola Radius / Maxtrac UHF 25 watt. 2 channel 5 pin port. With shure

Mic. $175.00

Uniden SPS 802TS 800 LTR portable. With charger. $75.00 Pair.

EF Johnson Challenger 5852 portables. VHF I think. With charger and batteries but the batteries are dead. Radios make squelch noise when powered up. As is $40.00 pair.

Yaesu FTH 2009 VHF portable. 6 channel. Works great on ham and public

Safety band. With wall charger $85.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great.

This was in my van before I added another MVS so I know it works.

$95.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by

Midland. $65.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$65.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition

and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of

crystals for each radio. Also have a working battery and charger for

each. I have 4 of these. $50.00 all

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work

with the sp2000 as well.$35.00

Consignment section

This area is for a few friends who like those other radios you know

"Motorola" They are good people and I will pass along any trades you

may wish to make.

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16

channel scan with charger. $425.00

Motorola Saber II UHF 48 channel scan. With battery and antenna.

9 condition $300.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-

Numeric head. $225.00

Motorola GP300 UHF 2 channel. Charger and extra battery. $150.00

Motorola Mostar UHF 2 channel and HT 90 2 channel that talk to each other

Mostar has base mic and HT90 has speaker mic and charger. $90.00

Want List not FS

Extra parts for GE suitcase programmers Data modules, Printers, cables,

proms, Anything you have extra. I need some UHF 450 - 470 scan MPD radios.

How many do you have and what do you want for them? Johnson scorpion program
cable.

Terms

All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a question E-mail me. Contact me off list at. Gundoc@insightbb.com

Dean

2905. FS: Dentron Clipperton L Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 17:37:14 UTC
From: John <ki4nr@qsl.net>
Message-ID: <o97c9.1245$6d3.293201@newsfeed.slurp.net>
Source record: 39916

In excellent condition Dentron Clipperton L . (4) Full output Cetron
572B. (1200+ watts) New T/R relay, Fan and fresh Mallory Caps. All work
done by
professional
tech. With copy of manual

$475.00 plus shipping

73 john KI4NR
ki4nr@qsl.net

2906. FS; Dentron Clipperton L Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 17:39:29 UTC
From: John <ki4nr@qsl.net>
Message-ID: <ub7c9.1247$6d3.294505@newsfeed.slurp.net>
Source record: 39917

In excellent condition Dentron Clipperton L . (4) Full output Cetron
572B.(1200+ watts) New T/R relay, Fan and fresh Mallory Caps. All work done
by
professional tech. With copy of manual

$475.00 plus shipping

73 john KI4NR
ki4nr@qsl.net

2907. MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 17:53:31 UTC
From: Kurt Weber <kmw@rowsw.com>
Message-ID: <un20ksbsnq9faa@corp.supernews.com>
Source record: 39918
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Has anyone here been able to get an MFJ TNC-2 to work with the Minicom terminal software on Linux? I have all the settings correct, but when I turn it on all I get is garbled text.

--

Kurt Weber
kmw@rowsw.com
Lead Trombone/Low Brass Section Leader,
Princeton Community Bands
Go Phantom Regiment!

2908. Re: MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 18:51:06 UTC
From: fmmck@aol.com
Message-ID: <20020831145106.08565.00000040@mb-da.aol.com>
Source record: 39919

<< Has anyone here been able to get an MFJ TNC-2 to work with the Minicom terminal software on Linux? I have all the settings correct, but when I turn it on all I get is garbled text. >>

Kurt-

Does it work with some other terminal software? If so, fire it up and see how the baud rate is set between the terminal and the TNC. It sounds like that is where your problem may be.

73, Fred, K4DII
(Contrabass Clarinet, Melbourne Municipal Band)
(http://melbourneband.tripod.com)

2909. Re: MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 19:48:57 UTC
From: Bob Nielsen <nielsen@remove_this.oz.net>
Message-ID: <akr6j9$ep2$0@216.39.144.81>
Source record: 39920

On Sat, 31 Aug 2002 12:53:31 -0500, Kurt Weber wrote:
> Has anyone here been able to get an MFJ TNC-2 to work with the Minicom
> terminal software on Linux? I have all the settings correct, but when I
> turn it on all I get is garbled text.

I haven't used one with minicom in a few years, but it worked fine
then. If you get garbled text, that usually means that one or more
settings is not correct. I would look first at the parity settings.
For some reason the default is 7-E-1, while most terminal programs
default to 8-N-0. Is it a stock eprom?

Bob, N7XY

2910. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 20:14:06 UTC
From: diodew2x@aol.comano
Message-ID: <20020831161406.17456.00000489@mb-bh.aol.com>
Source record: 39921

>From: JM na@na.com

".....So far every review is 5 out of 5 stars..... and the mod for the extended coverage on it is 100% LEGAL....."

You could have bee playing with CB's & ham rigs for the last thousand years, but you seem to still be unaware that it is ILLEGAL to Modify an Amateur Radio for transmitting on The GMRS/FRS bands, & Just as illegal & subject to the same fines as a CB running a thousand watt linear.
Radio Shack wasn't given the only exemption in History to this rule, & I see nothing on there website stating the FCC type accepted it for dual or triple Radio services. Why do you think that it needs to be "modded" to get this coverage, rather than Transmitting there right out of the box, MR. "You got answers??" Please reference the Owners manual page that mentions the GMRS use you went out of your way to advertize on the 'group.
It's RatShack employeees like you that piss off lots of Real Amateurs that know and abide by the FCC rules, & I'm sure with 9 thousand stores, there will be plenty more Employees that will give the not-worth-it radio 5 star reviews.
If I built you a really (quote), "Kewl" & "Friggin" Bomb proof" non-cable ready 2-head VCR, & charged what current dual deck Hifi stereo DVD/VCR sell for, It wouldn't be worth 5 stars....except perhaps to My Brainwashed employees ..

2911. Re: MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 20:17:13 UTC
From: Kurt Weber <kmw@rowsw.com>
Message-ID: <un2928gp58eha6@corp.supernews.com>
Source record: 39922

Bob Nielsen wrote:

> On Sat, 31 Aug 2002 12:53:31 -0500, Kurt Weber wrote:
>> Has anyone here been able to get an MFJ TNC-2 to work with the Minicom
>> terminal software on Linux? I have all the settings correct, but when I
>> turn it on all I get is garbled text.
>
> I haven't used one with minicom in a few years, but it worked fine
> then. If you get garbled text, that usually means that one or more
> settings is not correct. I would look first at the parity settings.
> For some reason the default is 7-E-1, while most terminal programs
> default to 8-N-0. Is it a stock eprom?
>
> Bob, N7XY

I've got it set to 8-N-1, which is what the TNC requires according to the
manual.

--
Kurt Weber
kmw@rowsw.com
Lead Trombone/Low Brass Section Leader,
Princeton Community Bands
Go Phantom Regiment!

2912. Kenwood TS450SAT $475!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 20:30:12 UTC
From: Ham <hh@ss.net>
Message-ID: <un2a059tposp2e@corp.supernews.com>
Source record: 39923

I have a nice Kenwood TS450SAT HF radio for sale.
Included is mic, Manual, Power cord.
This radio has lots of nice features and has a great automatic antenna
tuner!!
Radio is in very good condition and from non smoking enviroment.
Price is $475 plus the cost of shipping/insurance to your QTH.
No
trades please.

If interested, reply to:
baycity@pacifier.com

Thanks for looking.....
Gary N7GB

2913. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 21:04:03 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <akravk$7k0$1@nntp-m01.news.aol.com>
Source record: 39924

> Greg, Ken, and others, be careful what you post regarding Yaesu
> in this forum if it is not flattering. My earlier contribution to
this
> thread resulted in my receiving an e-mail from them stating that
> my comments were "actionable," and that similar statements in
> the future would result in them seeking counsel. A followup
> e-mail to them brought only a meaningless and empty response.

File away this URL http://www.chillingeffects.org

"A joint project of the Electronic Frontier Foundation and Harvard, Stanford, Berkeley, University of San Francisco, and University of Maine law school clinics. ....

Do you know your online rights? Have you received a letter asking you to remove information from a Web site or to stop engaging in an activity? Are you concerned about liability for information that someone else posted to your online forum? If so, this site is for you.

.... We are excited about the new opportunities the Internet offers individuals to express their views, parody politicians, celebrate their favorite movie stars, or criticize businesses. But we've noticed that not everyone feels the same way. Anecdotal evidence suggests that some individuals and corporations are using intellectual property and other laws to silence other online users. Chilling Effects encourages respect for intellectual property law, while frowning on its misuse to "chill" legitimate activity."

2914. Re: 706 MKII G trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 21:04:53 UTC
From: WC <mwandjw@mindspring.com>
Message-ID: <3D712F73.843EEC3A@mindspring.com>
Source record: 39925

Richard,
Ive got the Kenwood Twins.
EMail me wit tele#
Tnx,
Jeff in GA

Richard Fuoco wrote:

> Looking for clean Drake system. Complete B line or C line. Kenwood twins if
> possible.

2915. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 22:24:38 UTC
From: dplatt@radagast.org
Message-ID: <un2gh6gcioi165@corp.supernews.com>
Source record: 39926

>>From: JM na@na.com
>
>".....So far every review is 5 out of 5 stars..... and the mod for the
>extended coverage on it is 100% LEGAL....."
>
> You could have bee playing with CB's & ham rigs for the last thousand
>years, but you seem to still be unaware that it is ILLEGAL to Modify an Amateur
>Radio for transmitting on The GMRS/FRS bands, & Just as illegal & subject to
>the same fines as a CB running a thousand watt linear.

As far as I know, it's not illegal to simply make the modification, or
to use a radio with this sort of modification to transmit on the
amateur bands (within the limits of your amateur license, power and
spurious-emission limits, etc. of course). Amateur-band radios don't
require certification (formerly "type acceptance").

It is, however, illegal to _use_ a radio so modified to transmit on the
GMRS/FRS bands, since the radio is not certificated for use on those
bands.

So, in that sense, saying "the mod is 100% legal" is literally true,
but is (in my opinion) misleading and deceptive to the point that it's
extremely unethical to make this claim when advertising a product.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

2916. Re: Icom 706 MkIIg question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 22:39:39 UTC
From: ==swatersjl@bv.com
Message-ID: <927BBF9CAidtoken@207.217.77.26>
Source record: 39927

bill@grimwood.net (Bill Grimwood) wrote in
<um23ionl29l08c@corp.supernews.com>:

>Does anyone make a computer program to set the memory for this
>radio, such as the frequencies I use and the local repeater offsets?
>
>
>Bill Grimwood
>
>

Bill, I have written a couple of them. See
http://home.earthlink.net/~jcswaters and
follow Jim's links.

No CTCSS features, yet, but I have a service
manual coming and I'll continue work on it.

73. Jim WB0IXI

Delete "==" from e-mail addess in header info.

2917. MFJ 9406 For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 22:48:16 UTC
From: Sara Kaylor <sprator@tampabay.rr.com>
Message-ID: <QIbc9.54434$bc.659089@twister.tampabay.rr.com>
Source record: 39928
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Hello
i have for sale a MFJ 9406 6 meter SSB/CW QRP rig runs 10 watts out and its
in very good condition i have the box manual and mic
asking $150 plus shipping
if interested email me direct
thanks

2918. MFJ 9406 For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 22:53:44 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <YNbc9.54457$bc.659769@twister.tampabay.rr.com>
Source record: 39929
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Hello
i have for sale a MFJ 9406 6 meter SSB/CW QRP rig runs 10 watts out and its
in very good condition i have the box manual and mic
asking $150 plus shipping
if interested email me direct
thanks

2919. Re: MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-08-31 23:51:32 UTC
From: Bob Nielsen <nielsen@remove_this.oz.net>
Message-ID: <akrkq4$da0$0@216.39.144.81>
Source record: 39930

On Sat, 31 Aug 2002 15:17:13 -0500, Kurt Weber wrote:
> Bob Nielsen wrote:
>
>> On Sat, 31 Aug 2002 12:53:31 -0500, Kurt Weber wrote:
>>> Has anyone here been able to get an MFJ TNC-2 to work with the Minicom
>>> terminal software on Linux? I have all the settings correct, but when I
>>> turn it on all I get is garbled text.
>>
>> I haven't used one with minicom in a few years, but it worked fine
>> then. If you get garbled text, that usually means that one or more
>> settings is not correct. I would look first at the parity settings.
>> For some reason the default is 7-E-1, while most terminal programs
>> default to 8-N-0. Is it a stock eprom?
>>
>> Bob, N7XY
> I've got it set to 8-N-1, which is what the TNC requires according to the
> manual.

Not in my manual. From Chapter 4:

Parity and Word Length

If messages from your TNC appear garbled, with incorrectly
displayed characters, you may need to change the TNC's serial
port parity and word length. (We assume that you have set the
baud rate correctly. See Chapter 2 if the baud rate needs to be
changed.) The most common parity and word length combinations
are 7 bits, even parity (the TNC default), and 7 bits, space
parity. The TNC default will probably be accepted even if your
computer actually uses the latter setting. If your computer
receives 8 bits as data, you may have to set space parity, since
text may otherwise be interpreted as graphics or other special
characters. To set 7 bits, space parity, use the following
combination:

AWLEN 8 (8-bit words)
PARITY 0 (no parity bit)

To return to 7 bits, even parity, set

AWLEN 7 (7-bit words)
PARITY 3 (even parity)

One of these combinations will satisfy most computers. You are
more likely to require a different setting if you have a terminal
rather than a computer, or if you have configured your terminal

port for some special application.

73, Bob N7XY

--
Bob Nielsen, N7XY n7xy@n7xy.net
Bainbridge Island, WA
IOTA NA-065, USI WA-028S

2920. Re: Icom 706 MkIIg question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 00:32:27 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D71601B.6030705@optonline.net>
Source record: 39931

As far as I can find out from the User's Manual (not the Tech. manual),
there is no way of setting the tone frequency remotely.

-=-
Alan

Jim wrote:
> bill@grimwood.net (Bill Grimwood) wrote in
> <um23ionl29l08c@corp.supernews.com>:
>
>
>>Does anyone make a computer program to set the memory for this
>>radio, such as the frequencies I use and the local repeater offsets?
>>
>>
>>Bill Grimwood
>>
>>
>
>
> Bill, I have written a couple of them. See
> http://home.earthlink.net/~jcswaters and
> follow Jim's links.
>
> No CTCSS features, yet, but I have a service
> manual coming and I'll continue work on it.
>
>
> 73. Jim WB0IXI
>
> Delete "==" from e-mail addess in header info.

2921. Re: MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 04:45:48 UTC
From: Kurt Weber <kmw@rowsw.com>
Message-ID: <un36rut29rnm2a@corp.supernews.com>
Source record: 39932

Bob Nielsen wrote:

> On Sat, 31 Aug 2002 15:17:13 -0500, Kurt Weber wrote:
>> Bob Nielsen wrote:
>>
>>> On Sat, 31 Aug 2002 12:53:31 -0500, Kurt Weber wrote:
>>>> Has anyone here been able to get an MFJ TNC-2 to work with the Minicom
>>>> terminal software on Linux? I have all the settings correct, but when
>>>> I turn it on all I get is garbled text.
>>>
>>> I haven't used one with minicom in a few years, but it worked fine
>>> then. If you get garbled text, that usually means that one or more
>>> settings is not correct. I would look first at the parity settings.
>>> For some reason the default is 7-E-1, while most terminal programs
>>> default to 8-N-0. Is it a stock eprom?
>>>
>>> Bob, N7XY
>> I've got it set to 8-N-1, which is what the TNC requires according to the
>> manual.
>
> Not in my manual. From Chapter 4:
>
hrm...from to the manual for the 1270C:

If messages from the MFJ-TNC2 appear garbled, with incorrectly displayed
characters, you may need to change the MFJ-TNC2's serial port parity and
word length. We assume that you have set the baud rate correctly. See
Chapter 2 if the baud rate needs to be changed. The MFJ-TNC2's default
value is 8 bits and no parity.

--
Kurt Weber
kmw@rowsw.com
Lead Trombone/Low Brass Section Leader,
Princeton Community Bands
Go Phantom Regiment!

2922. Re: MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 04:46:28 UTC
From: Kurt Weber <kmw@rowsw.com>
Message-ID: <un36t51gqriu45@corp.supernews.com>
Source record: 39933

Fred McKenzie wrote:

> << Has anyone here been able to get an MFJ TNC-2 to work with the Minicom
> terminal software on Linux? I have all the settings correct, but when I
> turn it on all I get is garbled text. >>
>
> Kurt-
>
> Does it work with some other terminal software? If so, fire it up and see
> how
> the baud rate is set between the terminal and the TNC. It sounds like
> that is where your problem may be.
>
I've tried it with the terminal software that shipped with the TNC as well
as BUXTERM; works with neither.

--
Kurt Weber
kmw@rowsw.com
Lead Trombone/Low Brass Section Leader,
Princeton Community Bands
Go Phantom Regiment!

2923. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 05:19:56 UTC
From: JM <na@na.com>
Message-ID: <lh83nu4eap6b3111l1duj6jffmi4lqjcnd@4ax.com>
Source record: 39934

On Thu, 31 Oct 2002 11:33:13 -0500, Mark Russo <mrrusso@optonline.net>
wrote:

Read the manual, the radio is DESIGNED this way. It can be set to
operate on 144-148, 438-450 MHZ in the standard mode and 142-149.880,
420-470MHZ in extended.

2924. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 05:32:21 UTC
From: JM <na@na.com>
Message-ID: <au83nuk0d2ooigab6e0hpq3qps2d5ddbj5@4ax.com>
Source record: 39935

On 31 Aug 2002 20:14:06 GMT, diodew2x@aol.comano (Diodew2x) wrote:

> You could have bee playing with CB's & ham rigs for the last thousand
>years, but you seem to still be unaware that it is ILLEGAL to Modify an Amateur
>Radio for transmitting on The GMRS/FRS bands, & Just as illegal & subject to
>the same fines as a CB running a thousand watt linear.

Sigh

> Radio Shack wasn't given the only exemption in History to this rule, & I see
>nothing on there website stating the FCC type accepted it for dual or triple
>Radio services. Why do you think that it needs to be "modded" to get this
>coverage, rather than Transmitting there right out of the box, MR. "You got
>answers??" Please reference the Owners manual page that mentions the GMRS use
>you went out of your way to advertize on the 'group.

Did YOU read the manual?? I own the thing and I'll quote it for you...
"Once you change the settings to the extended ranges, be sure not to
transmit on those frequencies unless you are licensed to do so."
Did you ever stop to think that perhaps I am licensed in amateur AND
GMRS??

> It's RatShack employeees like you that piss off lots of Real Amateurs that
>know and abide by the FCC rules, & I'm sure with 9 thousand stores, there will
>be plenty more Employees that will give the not-worth-it radio 5 star reviews.

LOL I will agree with you that RS employees piss off, as you say, Real
Amaterus, and that is the exact reason that I work in a franchise and
not a corporate store. 98% of RS employees are morons who only know
how to sell a cellular phone.

> If I built you a really (quote), "Kewl" & "Friggin" Bomb proof"
>non-cable ready 2-head VCR, & charged what current dual deck Hifi stereo
>DVD/VCR sell for, It wouldn't be worth 5 stars....except perhaps to My
>Brainwashed employees .

Troll!

2925. Re: MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 08:55:16 UTC
From: Bob Nielsen <nielsen@remove_this.oz.net>
Message-ID: <aksklk$o0p$0@216.39.144.81>
Source record: 39936

OK, there were obviously some changes between the 1270B and the 1270C.
The manual I quoted was the TAPR TNC-2 and the 1270B operated
identically. 8-N-0 actually makes more sense for use with modern
computer hardware conventions.

If you have it set to 8-N-0 (8-N-1 does not make sense), I suspect the
problem is elsewhere. I suggest you try the tapr-tnc@lists.tapr.org
mailing list.

On Sat, 31 Aug 2002 23:45:48 -0500, Kurt Weber wrote:
> Bob Nielsen wrote:
>
>> On Sat, 31 Aug 2002 15:17:13 -0500, Kurt Weber wrote:
>>> Bob Nielsen wrote:
>>>
>>>> On Sat, 31 Aug 2002 12:53:31 -0500, Kurt Weber wrote:
>>>>> Has anyone here been able to get an MFJ TNC-2 to work with the Minicom
>>>>> terminal software on Linux? I have all the settings correct, but when
>>>>> I turn it on all I get is garbled text.
>>>>
>>>> I haven't used one with minicom in a few years, but it worked fine
>>>> then. If you get garbled text, that usually means that one or more
>>>> settings is not correct. I would look first at the parity settings.
>>>> For some reason the default is 7-E-1, while most terminal programs
>>>> default to 8-N-0. Is it a stock eprom?
>>>>
>>>> Bob, N7XY
>>> I've got it set to 8-N-1, which is what the TNC requires according to the
>>> manual.
>>
>> Not in my manual. From Chapter 4:
>>
> hrm...from to the manual for the 1270C:
>
> If messages from the MFJ-TNC2 appear garbled, with incorrectly displayed
> characters, you may need to change the MFJ-TNC2's serial port parity and
> word length. We assume that you have set the baud rate correctly. See
> Chapter 2 if the baud rate needs to be changed. The MFJ-TNC2's default
> value is 8 bits and no parity.
>

--
Bob Nielsen, N7XY n7xy@n7xy.net
Bainbridge Island, WA
IOTA NA-065, USI WA-028S

2926. FS: Yaesu FT-270RH 2 meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 11:51:33 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <uou3nu8vpbnclo2dso83in44hgh2ujd1ns@4ax.com>
Source record: 39937

I have for sale in very good condition a Yaesu FT-270RH 2 meter mobile rig. This is the high power 45 watt version. It comes with the original box, touch tone microphone MH-15AB, original manual and techical supplement manual. There is no pl tone board and mobile bracket. The display bulb is out and some black bleeding onto the display has started. No problem with reading the frequency. Other than that it works fine and puts out 45 watts. I will ship it for $58 in the 48 states only. I can be reached at (508) 821-2993 or email......WZ1U Steve / Lakeville, Ma.

2927. Still looking for WW-II Aircraft Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 12:36:03 UTC
From: john price <jm.price@worldnet.att.net>
Message-ID: <3D7209FC.4DBEC5FB@worldnet.att.net>
Source record: 39938
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.ham-radio.marketplace,rec.radio.amateur.equipment,rec.aviation.owning

Hi all...

I'm still trying to find some of the original radio
equipment for my airplane (an Aeronca L3B "Grasshopper")...

The specific equipment I still need is:

AVA-120 Trailing wire antenna
AG-40B Wind generator

Any help would be appreciated

John Price
WA2FZW
CFII/AGI/IGI
http://home.att.net/~jm.price

2928. Did you miss the Sheby NC Hamfest 2002 ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 12:54:21 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3d720dfb$1_3@nopics.sjc>
Source record: 39939
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

You can see pictures at: http://www.qsl.net/wd5bjq/shelby02.htm

"I can hear you...
The rest of the world hears you...
And the people who knocked these buildings down will hear us soon."
President George W Bush - Sept 14th, 2001

The information contained in this email is intended for the use of the
individual(s) named above and is PROPRIETARY INFORMATION. If the reader of
this message is not the intended recipient, you are hereby notified that any
dissemination of this email is strictly prohibited and it should be returned
to the sender with all copies deleted and destroyed.

2929. FS: GAP EAGLE DX Vertical Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 13:04:19 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <u334nu8b97o3ukji5bmjcshoa8t155qitt@4ax.com>
Source record: 39940
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

FOR SALE:

Gap Eagle DX HF Vertical Antenna - Mounts on 1.25" Pole
Covers 40, 20, 17, 15, 12 and 10 Meters - 21 ft. tall
No tuning to set it up.
All aluminum, Weighs only 11 pounds.
Three 80" Rigid counterpoises (supplied)
Supplied with the instructions.
It has no traps, transformers or matching coils to rob transmitted or
received power.

Manufactured locally by GAP in Florida.

Eagle DX - 6 Band Multiband DX Antenna
The Eagle is the smallest antenna in the GAP product line.
Its development was the result of your requests for a low profile,
high efficiency GAP antenna.

The Eagle DX-VI weighs just 11 pounds and can be installed almost
anywhere - at ground level, on a pole, on your roof or atop a tower.
It is essentially a set of vertical dipoles - the optimum singular
DX antenna. No traps, coils or transformers are used to achieve
multiband operation in this antenna either.
Why is that significanat? Traps are the "weak link in the chain"
of a multiband antenna.
Critical to the design of the GAP Eagle was the requirement to permit
operation anywhere on all of its designed frequencies.
The Eagle provides full coverage with a VSWR less than 2:1 on 40m,
20m, 17m, 15m and 12m, and approximately 500 KHz on 10m
without readjusting. 10m operation is further optimized with a
supplied extender. Compare that performance to any
other low profile vertical. With the Eagle, as with all GAP
antennas, you will not need to buy a tuner.

If a rare DX station appears on 7.050, but, you normally work the
SSB nets around 7.250, just slide the VFO and key the rig!

If the band is wide open, you might work a LU6 with a coat hanger,
but when conditions are less than perfect you want the highest
S meter reading an antenna can provide. Efficiency is critical.
The efficiency of the GAP Eagle is without equal.
It has no traps, transformers or matching coils to rob
transmitted or received power.
For the highest S meter, choose a GAP Eagle.

TUNING - Tuning can be a nasty task particularly if you mounted the
antenna on your roof. In fact, it can become dangerous as trip
after trip to readjust the antenna raises your frustration level and
you lose your "cool". A GAP Eagle , like all GAP antennas,
comes completely electronically pretuned from the factory.
There is absolutely nothing for you to tune.
If you're looking for a reliable, efficient, broad band low profile
antenna that will serve you well and dig out the DX, the
GAP Eagle is for you.

Antenna is in my garage - no disassembly needed!
Clean condition.

New cost $299.00 - will sell for $125.00

Pictures at:

http://www.gapantenna.com/images/eagle.gif
and
http://www.noard.com/eaglepic.gif

Complete Specifications at:
http://www.gapantenna.com/eagle.html

E-mail me to arrange purchase

2930. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 14:00:23 UTC
From: diodew2x@aol.comano
Message-ID: <20020901100023.20771.00000646@mb-mo.aol.com>
Source record: 39941

>From: JM na@na.com:....
."diid you ever stop to think that perhaps I am licensed in amateur AND GMRS??.."

Yes, & it doesn't matter, because User Programmable modified Amateur Gear isn't Type Accepted for GMRS, Commercial, FRS, Marine, Police or many other services, weather you are "licensed or Not" for that service. Their "vague" reference in the manual is the same you will get from ALL Amateur manufacturers to "cover their Ass" legally. The olny Exceptions in the USA are MARS/CAP/ Coast Guard Auxillary, for "everyday use" Transmitting in another service. Call your Radio Shack "buyer" in Ft.Worth, & get him to explain that to you, since you obviosly only will belive whatever Ratshack says. The HTX-420 (quote) Ain't "a Kewl, Bombproof" GMRS/FRS radio, even if your licensed in GMRS, & that's a fact.

2931. FS...F/Swap...ES TKS...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 14:20:25 UTC
From: GM0PYC <dogd@madasafish.com***>
Message-ID: <kmpc9.4340$GV5.72888@newsfep1-win.server.ntli.net>
Source record: 39942

Thank you to all jenuine enquires. Now the IC746, Yaesu FT707 ES Matching Pwr Supply ES Speaker FP707 and Graphic EQ have all now been sold. The below goods are still for sale.

****Garmin GPS 12XP MAPPER****

GPS Garmin 12XP has latest software on-board (Latest software upgrades available on-line from Garmin) 12 SAT channels. Includes Full manual and quick guide chart, soft carry case and External Sat Antenna along with Data and Power Leads. Comes with 9 months guarantee I want £150 no offers please.

Buyer collects or Courier...

****OPTOELECTRONICS DIGITAL SUPERSCOUT****

OptoElectronics Digital SuperScout. See the latest information about this wonderful snooper.... Covert.... Intelligence RF scanner. It is compatible along with almost all the latest scanning equipment. Just plug and play for hi-speed (Lightning fast) freq. QSYs. Also use it alone for building up a data-base or Freq. list for listening in conjunction with other type Radio RX type equipment or simply use it for Bug Scanning ETC. My Price immaculate condition along with charger and NmIh Battery pack full instruction manual. My asking price Is £200 no offers.

Buyer collects or Courier...

****DANMike Digital DSP Scramblers****

DanMike Digital DSP Scramblers x2. Suitable for all types of TX-RX equipment. Just configure them to your equipment's microphone wiring schematic. These are very secure offering thousands of different sequential combinations for Digital DSP encryption (Have been tested into Dummy Load and configured for IC746 & FT847). Come complete in boxes including manuals and pre-wired for the above radio equipment. My asking price is £100 no offers.

Buyer collects or Courier...

**********CABLE**********CABLE**********

For Sale I have x7 250 Mtr Drums of VR304 7/8ths 50Ohm Vy Low Loss Cable. This cable runs rings round (Andrews Heliax)7/8ths and is some what more

flexible. It is used for SHF frequencies on all mobile cellular mast instalations. Comes with a Solid outer shield then x2 Foil outers and then a very heavy Silvered Braid. The centre core is Air Spaced in a poly Air cell dialectric. Losses per 250 Mtr drum @ 13cm are typicaly 3.2dB...

Anyone interested in this type of Cable for the Hobby please mail me. This cabel can be used for all bands including HF when extremely long runs are required. Only serious enquires please. You pay for the transportation of this Cable. 1 Drum weighs approx 75Kg I am asking a moderate £150 for each drum. If you are a 70cm and up man/women and do not want loss this is the cable for you!

DE GM0PYC
Roy...

2932. Re: DO YOU NEED A MANUAL?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 14:41:43 UTC
From: GM0PYC <dogd@madasafish.com***>
Message-ID: <iGpc9.4413$GV5.75548@newsfep1-win.server.ntli.net>
Source record: 39943

Hey go hear for FREE. No RIP OFF'S...

http://hamradio.online.ru/sch_eng.html

2933. DO YOU NEED A MANUAL FOR FREE...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 14:43:40 UTC
From: GM0PYC <dogd@madasafish.com***>
Message-ID: <7Ipc9.4424$GV5.75773@newsfep1-win.server.ntli.net>
Source record: 39944

Then go hear.

http://hamradio.online.ru/sch_eng.html

2934. WTB...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 14:46:26 UTC
From: GM0PYC <dogd@madasafish.com***>
Message-ID: <JKpc9.4435$GV5.76104@newsfep1-win.server.ntli.net>
Source record: 39945

Looking for good Hi-Power Dummy Load? As big as possible. Also would like a Original Bencher Paddle Key as well. If any person has these for sale please contact me. Or also possible part exchange? See my previous adds in this NG under my call.

2935. Nye Viking MB V A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 15:54:06 UTC
From: eaf07@yahoo.com
Message-ID: <436bac24.0209010754.70ef87e1@posting.google.com>
Source record: 39946

Would anyone have the schematic? I'm looking for the swr/pwr circuit.
Any help would be appreciated
THANK YOU
73'S, AG4II Andy

2936. Re: light weight paddles

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 15:58:56 UTC
From: Juerg Tschirren <juerg-tschirren@uiowa.edu>
Message-ID: <4Pqc9.261467$983.528785@rwcrnsc53>
Source record: 39947

Mini-Paddle from http://www.palm-radio.de

Juerg
AB0WH

Ralph Blach wrote:

> Does anybody know of a manufacturer of small light weight paddles.
> I need one for my K1
>
> thanks and 73's
>
> Chip
> kf4wbk
>
> to reply, take out the NISPIN from my address

2937. Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 16:11:43 UTC
From: "Chilly Willy"
Message-ID: <voe4nu0t7b6c4f3fr9l2rqcap4pbsf3ni4@4ax.com>
Source record: 39798

Of the following 2 meter radios which one would you buy (if money is no object)(I have a $300 budget) and why? I'm planning on buying a new radio (my first one) and need help in picking it out.

Yaesu FT-1500M
Yaesu FT-2600M
Icom 2100H
Icom V8000

the above 4 radios fall in my price range but which one????

thanks much

KG6MXZ
Chilly Willy

Brrrr is it cold in here or is it just me
Forman at the South Pole Ice Plant

2938. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 16:43:53 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <dtrc9.38040$lc7.2576021@news2.west.cox.net>
Source record: 39799

Well -- your inquiry may get a dozen or so biased opinions here -- but for
hundreds of biased opinions see
eHam reviews at URL:
http://www.eham.net/reviews/products/38

Just kiddin (kinda) about the bias. But folks do love their brands. The
reviews at eHam will often show a common thread, e.g., difficult to program,
hard to read in daylight, lousy audio, intermod, etc.

After plowing through the reviews, be sure to visit the Ham store and try
them out.
--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Chilly Willy" <wildhare@> wrote in message
news:voe4nu0t7b6c4f3fr9l2rqcap4pbsf3ni4@4ax.com...
> Of the following 2 meter radios which one would you buy (if money is
> no object)(I have a $300 budget) and why? I'm planning on buying a
> new radio (my first one) and need help in picking it out.
>
> Yaesu FT-1500M
> Yaesu FT-2600M
> Icom 2100H
> Icom V8000
>
> the above 4 radios fall in my price range but which one????
>
>
>
>
>
>
>
>
> thanks much
>
> KG6MXZ
> Chilly Willy
>
> Brrrr is it cold in here or is it just me
> Forman at the South Pole Ice Plant

2939. FA: N2DAN MERCURY KEYER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 17:04:09 UTC
From: Jeff Singer <0tubt001@sneakemail.com>
Message-ID: <MPG.17dc129857f93f48989685@NEWS.OPTONLINE.NET>
Source record: 39800

Now that I've completely decommissioned my station, I am offering my gorgeous N2DAN MERCURY KEYER for sale.

Not for everyone, of course, as these are very rare and collectible. Currently up for auction on ebay at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376759586

Will also consider selling direct.

Thanks for looking!

73 de Jeff K2KV

2940. FA: TPL VHF-FM AMP model 502B 1in = 45 watts out, cheep TONITE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 17:14:32 UTC
From: rlucch2098@aol.com
Message-ID: <20020901131432.10592.00000863@mb-cu.aol.com>
Source record: 39801

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608818

2941. FA: US ARMY BC-459-A/ARC-5 XMTR 7.0 to 9.1mcs, Tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 17:16:35 UTC
From: rlucch2098@aol.com
Message-ID: <20020901131635.10592.00000864@mb-cu.aol.com>
Source record: 39802

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608805

2942. FS: Know real-time DX band conditions in 3 minutes!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 17:17:07 UTC
From: W6NEK <inquire@w6nek.com>
Message-ID: <nYrc9.3221$0o5.1352187@twister.socal.rr.com>
Source record: 39803

W6NEK HF Beacon Tracker - Windows Software

In just a few moments you can get worldwide DX band conditions using the NCDXF/IARU International Beacon Network!

Now you will know if a band is really open to a particular part of the world regardless of band activity!

All this from your QTH - in real time - 24/7

Download a free demo of the software at http://www.w6nek.com

2943. FA: HEATHK SB-401 & 301 MANUALS>CHEEPER THEN COPIES OM!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 17:19:05 UTC
From: rlucch2098@aol.com
Message-ID: <20020901131905.10592.00000867@mb-cu.aol.com>
Source record: 39804

Real nice with pictures to boot!
Ends tonite at 10:45 EST
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608797
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608788

2944. fa>> BEAUTIFULL ICOM IC-2AT with Desk Charger @a big $45?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 17:20:44 UTC
From: rlucch2098@aol.com
Message-ID: <20020901132044.10592.00000868@mb-cu.aol.com>
Source record: 39805

Real nice with pictures to boot!
Ends tonite at 10:45 EST
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608777

2945. Fa-- Real Leather Carry Case for ICOM IC-2AT/02at, NO BIDS @$9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 17:22:13 UTC
From: rlucch2098@aol.com
Message-ID: <20020901132213.10592.00000871@mb-cu.aol.com>
Source record: 39808

Real nice with pictures to boot!
Ends tonite at 10:45 EST
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608779

2946. FA::Hams LOVE Antique ROLLIE camera stuff also, check these out!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 17:23:55 UTC
From: rlucch2098@aol.com
Message-ID: <20020901132355.10592.00000873@mb-cu.aol.com>
Source record: 39806

Real nice with pictures to boot!
Most are Rollie, one Leitz, one Argo-flex, one Real French made Opera Glasses!!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608755
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608759
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608751
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608746
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608738
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608726
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608714
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608719

2947. fa>Like NEW Early Japanese LAFAYETTE VOM in Box No Bids@$9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 17:27:12 UTC
From: rlucch2098@aol.com
Message-ID: <20020901132712.10592.00000876@mb-cu.aol.com>
Source record: 39807

Real nice with pictures to boot!
Gotta see this!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1375608773

2948. fa= Really Nice SWAN 400 Transceiver, Cheep @$40

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 17:29:37 UTC
From: rlucch2098@aol.com
Message-ID: <20020901132937.10592.00000879@mb-cu.aol.com>
Source record: 39809

Real nice with pictures to boot!
Gotta see this!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1377317473

2949. Re: VX-5r display just went blank..help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 20:20:39 UTC
From: vhfradiobuff@yahoo.com
Message-ID: <1996cb6d.0209011220.2949325f@posting.google.com>
Source record: 39810
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

"Ian Fritzsche" <NOSPAMabc@rose.net> wrote in message
news:<01c2416c$84a6ea00$1a1112ac@ian>...
> Hello,
> 2 hours ago my VX-5r was working great, then after a lunch at Ruby
> Tuesday's, I pulled the radio off my belt, and the display was blank,
> allthough the radio was ON. All functions of the radio work fine, I am
> still able to transmit and receive on the memories I had stored, but there
> is still absolutely nothing on the display. I went into the menu blindly
> and tried to turn up the contrast, but that didn't do anything, and I tried
> the display test mode, and that didn't do anything either. has anyone else
> experienced this problem?
>
> thanks in advance for any help...
> KF4AON

Just curious if you ever found the cause of this. I have one and
figured it might be good to know...

2950. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 21:11:48 UTC
From: Richard G Amirault <amirault@shell01.TheWorld.com>
Message-ID: <H1s2vp.824@world.std.com>
Source record: 39811

Chilly Willy <wildhare@> wrote:
: Of the following 2 meter radios which one would you buy (if money is
: no object)(I have a $300 budget) and why? I'm planning on buying a
: new radio (my first one) and need help in picking it out.

: Yaesu FT-1500M
: Yaesu FT-2600M
: Icom 2100H
: Icom V8000

: the above 4 radios fall in my price range but which one????

Don't know how many of us will have enought knowledge or experience with
all four of these to say which is "best".

What is "best" for me is not necessarily "best" for you, or the next guy.

I own a 2100H and am happy with it.

Richard N1JDU
Boston, MA, USA

2951. Re: MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 22:01:45 UTC
From: Kurt Weber <kmw@rowsw.com>
Message-ID: <un53iaj945pm95@corp.supernews.com>
Source record: 39812

Bob Nielsen wrote:

> OK, there were obviously some changes between the 1270B and the 1270C.
> The manual I quoted was the TAPR TNC-2 and the 1270B operated
> identically. 8-N-0 actually makes more sense for use with modern
> computer hardware conventions.
>
> If you have it set to 8-N-0 (8-N-1 does not make sense), I suspect the
> problem is elsewhere. I suggest you try the tapr-tnc@lists.tapr.org
> mailing list.
>

Hrm...Minicom won't let me set it to 0 stop bits...only allows 1 or 2.
--
Kurt Weber
kmw@rowsw.com
Lead Trombone/Low Brass Section Leader,
Princeton Community Bands
Go Phantom Regiment!

2952. FA: BRAND NEW (/\/\) SABER BATTERIES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 22:41:20 UTC
From: msisco9939@aol.com
Message-ID: <20020901184120.10441.00000628@mb-fx.aol.com>
Source record: 39813

Here your chance to replace those worn out Saber
Batteries for less than 1/2 of wholesale !

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1377909377&ssPageName=A
DME:B:LC:US:1

2953. FA: MX320 800mhz portable

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 22:45:57 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <FMwc9.5670$jG2.405735@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39814
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Only $10.00
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1763677740&ssPageName=ADME:B:LC:US:1

2954. Re: MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 22:52:10 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <un56halc1kpqc6@corp.supernews.com>
Source record: 39815

> 8-N-0 actually makes more sense for use with modern
> computer hardware conventions.

8 = 8 data bits
N = No Parity bit
0 = zero stop bits

I've never heard of a data format with zero (no) stop bits (which may not mean anything). How would the async serial data synchronize itself without a stop bit? I would think 8-N-1 would make more sense (one stop bit) for 8-bit data computer data.

2955. Re: MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 23:57:17 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <un5aavkka6jc50@corp.supernews.com>
Source record: 39817

You are correct, the stop bit must be present. The old convention was 2 stop bits at 110 baud and 1 for 300 and up. Obviously 2 stop bits is the same as 1 long stop bit, so except for throughput being reduced will still work on the transmit side.

The two most likely setups are 7-E-1 or 8-N-1.

"Bob Lewis (AA4PB)" <rlewis@staffnet.com> wrote in message news:un56halc1kpqc6@corp.supernews.com...
> > 8-N-0 actually makes more sense for use with modern
> > computer hardware conventions.
>
> 8 = 8 data bits
> N = No Parity bit
> 0 = zero stop bits
>
> I've never heard of a data format with zero (no) stop bits (which may
> not mean anything). How would the async serial data synchronize itself
> without a stop bit? I would think 8-N-1 would make more sense (one
> stop bit) for 8-bit data computer data.
>
>
>

2956. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 23:58:33 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D72A9A9.8F9D2C98@nettally.com>
Source record: 39816

I am curiuos, what is the FCC type acceptance number? Opening the UHF band for keypad entry is a bit unusual. I thought the FCC banned keypad entry. But maybe not. If the radio is FCC type accepted for Parts 90 and 95, it is up to the user to be licensed appropriately. Looks like a neat radio.

JM wrote:

> On 30 Aug 2002 16:46:24 GMT, diodew2x@aol.comano (Diodew2x) wrote:
>
> So far every review is 5 out of 5 stars. The radio is friggin bomb
> proof its made so well and the mod for the extended coverage on it is
> 100% LEGAL. Why not try the radio before you talk shit about it. Every
> ham who has walked in to my store LOVES the radio. I will agree that
> the price tag is a bit high, but everything else about this radio is
> top notch. Hell, I purchased 4 and have 1 left in stock and I had them
> for only 2 days!
> Judge it after you try it, youll be surprised, its not typical RS
> junk. They did ths ONE right.
>
> >x-no-archive:yes JM <na@na.com> wrote in message
> >news:<lcutmush2gss09dtdj066fudnth93d66ql@4ax.com>... I work for Radio Shack and
> >am field testing one right now. Very kewl radio, if you stop in to a RS see if
> >they have one in stock (a bit rare right now, they didnt get many) and give it
> >a look. Pretty nice and can be set to work GMRS freqs as well. Be willing to
> >bet the clerk
> >> wont know how to make it work tho! LOL ."
> >
> > It is Illegal to modify & use that radio on the GMRS/FRS bands, but I guess
> >that would be a great selling point for a RS employee. Hey, why not post to an
> >internet newsgroup how "kewl" it is to mod & use that radio ... Oh , wait...
> >You already did!!

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

2957. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-01 23:59:45 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <un5aj03ht0qnd8@corp.supernews.com>
Source record: 39818

I have a 2600 and like it, although the radios had several bugs when they first came out! HRO had em at Shelby for $134! Excellent price. A friend here has the 1500, and loves it.

Bill
KC4KMG
Web Site: www.polkcounty.org/radiofun
ICQ: 11908449
Yahoo Mess: Hitradio93Q

"Chilly Willy" <wildhare@> wrote in message
news:voe4nu0t7b6c4f3fr9l2rqcap4pbsf3ni4@4ax.com...
> Of the following 2 meter radios which one would you buy (if money is
> no object)(I have a $300 budget) and why? I'm planning on buying a
> new radio (my first one) and need help in picking it out.
>
> Yaesu FT-1500M
> Yaesu FT-2600M
> Icom 2100H
> Icom V8000
>
> the above 4 radios fall in my price range but which one????
>
>
>
>
>
>
>
>
>
> thanks much
>
> KG6MXZ
> Chilly Willy
>
> Brrrr is it cold in here or is it just me
> Forman at the South Pole Ice Plant

2958. Re: Did you miss the Sheby NC Hamfest 2002 ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 00:07:20 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <un5b484vrgjo19@corp.supernews.com>
Source record: 39821
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Great pictures. Good representation of the mud..etc too! LOL We got soaked!

"laborkei" <laborkeiNOSPAM@hotmail.com> wrote in message
news:3d720dfb$1_3@nopics.sjc...
> You can see pictures at: http://www.qsl.net/wd5bjq/shelby02.htm
>
> "I can hear you...
> The rest of the world hears you...
> And the people who knocked these buildings down will hear us soon."
> President George W Bush - Sept 14th, 2001
>
> The information contained in this email is intended for the use of the
> individual(s) named above and is PROPRIETARY INFORMATION. If the reader
of
> this message is not the intended recipient, you are hereby notified that
any
> dissemination of this email is strictly prohibited and it should be
returned
> to the sender with all copies deleted and destroyed.
>
>
>
>

2959. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 00:09:13 UTC
From: "Paul J. Filardi" <Filardi@Optonline.net>
Message-ID: <Q0yc9.15681$NV6.396152@news4.srv.hcvlny.cv.net>
Source record: 39820

In recent years I have found that the quality level of the Yaesu Radios has
dropped considerably. My recommendation would be the IC2100, or if you can
go to $419 the IC 2800H. it is a very nice radio

--
Paul-N2CEK
"Chilly Willy" <wildhare@> wrote in message
news:voe4nu0t7b6c4f3fr9l2rqcap4pbsf3ni4@4ax.com...
> Of the following 2 meter radios which one would you buy (if money is
> no object)(I have a $300 budget) and why? I'm planning on buying a
> new radio (my first one) and need help in picking it out.
>
> Yaesu FT-1500M
> Yaesu FT-2600M
> Icom 2100H
> Icom V8000
>
> the above 4 radios fall in my price range but which one????
>
>
>
>
>
>
>
>
> thanks much
>
> KG6MXZ
> Chilly Willy
>
> Brrrr is it cold in here or is it just me
> Forman at the South Pole Ice Plant

2960. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 00:11:07 UTC
From: "Paul J. Filardi" <Filardi@Optonline.net>
Message-ID: <Q0yc9.15682$NV6.396152@news4.srv.hcvlny.cv.net>
Source record: 39819

In recent years I have found that the quality level of the Yaesu Radios has
dropped considerably. My recommendation would be the IC2100, or if you can
go to $419 the IC 2800H. it is a very nice radio

--
Paul-N2CEK
"Chilly Willy" <wildhare@> wrote in message
news:voe4nu0t7b6c4f3fr9l2rqcap4pbsf3ni4@4ax.com...
> Of the following 2 meter radios which one would you buy (if money is
> no object)(I have a $300 budget) and why? I'm planning on buying a
> new radio (my first one) and need help in picking it out.
>
> Yaesu FT-1500M
> Yaesu FT-2600M
> Icom 2100H
> Icom V8000
>
> the above 4 radios fall in my price range but which one????
>
>
>
>
>
>
>
>
> thanks much
>
> KG6MXZ
> Chilly Willy
>
> Brrrr is it cold in here or is it just me
> Forman at the South Pole Ice Plant

2961. Re: Did you miss the Sheby NC Hamfest 2002 ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 00:19:02 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <akuatb028jm@enews1.newsguy.com>
Source record: 39824
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I didn't miss it.

Drove over Friday night, spent the night about 20 miles away, got to the boneyard just after 0600 and started setting up in a light mist. Had a stack of old Heath gear for sale. Set up my table, started unloading boxes, and had most of it sold before 0630. Sat around under my umbrella with plastic covering the rest of the stuff until around 0930 when a guy came up and bought the rest of it.

Is this a great place or what? Went there with a stack of boat anchors and junk, came home with a wad of $20.00 bills and a couple of hundreds. Closet is cleaned out, wife is happy.

Someone said it rained all day.

--

Regards,
Joe S.

"laborkei" <laborkeiNOSPAM@hotmail.com> wrote in message
news:3d720dfb$1_3@nopics.sjc...
> You can see pictures at: http://www.qsl.net/wd5bjq/shelby02.htm
>
> "I can hear you...
> The rest of the world hears you...
> And the people who knocked these buildings down will hear us soon."
> President George W Bush - Sept 14th, 2001
>
> The information contained in this email is intended for the use of the
> individual(s) named above and is PROPRIETARY INFORMATION. If the reader
of
> this message is not the intended recipient, you are hereby notified that
any
> dissemination of this email is strictly prohibited and it should be
returned
> to the sender with all copies deleted and destroyed.
>
>
>
>

2962. Be there . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 00:23:23 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <akub5g02gfo@enews2.newsguy.com>
Source record: 39823
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

http://www.tentec.com/Hamfestinfo.htm

--

Regards,
Joe S.

2963. Icom T90A- Overheating???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 00:46:14 UTC
From: Marc <msdel4@worldnet.att.net>
Message-ID: <qxyc9.5835$jG2.416903@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39822

Just picked up the new Icom T90A at the Shelby Hamfest and after charging it up made a few contacts. Got great reports but noticed some significant overheating on the back of the unit just over the battery. Funny, the unit had intermittent overheating while in receive mode too- kinda like it was cycling. Already sent Icom an email and awaiting the "official" response. Thoughts?

Marc- kd4vua

2964. Re: Did you miss the Sheby NC Hamfest 2002 ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 01:22:00 UTC
From: n4jzh@knology.net
Message-ID: <3d72bc6a.3842805@news.knology.net>
Source record: 39825
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

On Sun, 1 Sep 2002 20:07:20 -0400, "radiofun" <radiofun@charter.net>
wrote:

>Great pictures. Good representation of the mud..etc too! LOL We got soaked!
>
>
>
>"laborkei" <laborkeiNOSPAM@hotmail.com> wrote in message
>news:3d720dfb$1_3@nopics.sjc...
>> You can see pictures at: http://www.qsl.net/wd5bjq/shelby02.htm
>>
>> "I can hear you...
>> The rest of the world hears you...
>> And the people who knocked these buildings down will hear us soon."
>> President George W Bush - Sept 14th, 2001
>>
>> The information contained in this email is intended for the use of the
>> individual(s) named above and is PROPRIETARY INFORMATION. If the reader
>of
>> this message is not the intended recipient, you are hereby notified that
>any
>> dissemination of this email is strictly prohibited and it should be
>returned
>> to the sender with all copies deleted and destroyed.
>>
>>
>>
>>
>
>
Yes It did, it rained all day, didnt have any luck selling my junk.
Guess it wasnt to bad, I had my yearly N.C. B.B.Q fix at Bridges
B.B.Q. whew! it was good. Will try to sell my tower and junk at Rock
Hill, S.C. on October 5th
Donnie Smith n4jzh@knology.net

"Behold how good and pleasant it is for Brethren to dwell together in unity."

2965. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 01:40:05 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D72C175.DAFDEB86@optonline.net>
Source record: 39827

first of all I DID NOT WRITE THIS "read the manual" (below)!!
I wrote this:
I'm not a RS fan but this is a nice radio.
I'm not sure on this but doesn't "FCC Type Acceptance" have
something to say about using a radio designed for one service
and using it in another service??

just my .06 cents worth (inflation)

JM wrote:

> On Thu, 31 Oct 2002 11:33:13 -0500, Mark Russo <mrrusso@optonline.net>
> wrote:
>
> Read the manual, the radio is DESIGNED this way. It can be set to
> operate on 144-148, 438-450 MHZ in the standard mode and 142-149.880,
> 420-470MHZ in extended.

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

2966. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 01:40:11 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D72C17B.8A34ED5A@optonline.net>
Source record: 39828

first of all I DID NOT WRITE THIS "read the manual" (below)!!
I wrote this:
I'm not a RS fan but this is a nice radio.
I'm not sure on this but doesn't "FCC Type Acceptance" have
something to say about using a radio designed for one service
and using it in another service??

just my .06 cents worth (inflation)

JM wrote:

> On Thu, 31 Oct 2002 11:33:13 -0500, Mark Russo <mrrusso@optonline.net>
> wrote:
>
> Read the manual, the radio is DESIGNED this way. It can be set to
> operate on 144-148, 438-450 MHZ in the standard mode and 142-149.880,
> 420-470MHZ in extended.

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

2967. FS: Drake W-4 wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 01:43:09 UTC
From: gil <gilpi@mindspring.com>
Message-ID: <akuf9oeuc1@slb7.atl.mindspring.net>
Source record: 39826

W-4 wattmeter in good working condition, front and meter look nice, has a couple of minor scratches on the side.
Asking $60. shipped.

Gil N2WJW

2968. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 01:46:24 UTC
From: Brenda Ann <brandad@kornet.net>
Message-ID: <akuekjcov1@news1.kornet.net>
Source record: 39829

If the FCC DID ban keypad entry, then all the Yaesu FT-847's (like mine) are illegal out of the box. :(

73
Brenda Ann
HL2/K7BAD

"Joe Leikhim" <jleikhim@nettally.com> wrote in message news:3D72A9A9.8F9D2C98@nettally.com...
> I am curiuos, what is the FCC type acceptance number? Opening the UHF band for
> keypad entry is a bit unusual. I thought the FCC banned keypad entry. But maybe not.
> If the radio is FCC type accepted for Parts 90 and 95, it is up to the user to be
> licensed appropriately. Looks like a neat radio.
>
> JM wrote:
>
> > On 30 Aug 2002 16:46:24 GMT, diodew2x@aol.comano (Diodew2x) wrote:
> >
> > So far every review is 5 out of 5 stars. The radio is friggin bomb
> > proof its made so well and the mod for the extended coverage on it is
> > 100% LEGAL. Why not try the radio before you talk shit about it. Every
> > ham who has walked in to my store LOVES the radio. I will agree that
> > the price tag is a bit high, but everything else about this radio is
> > top notch. Hell, I purchased 4 and have 1 left in stock and I had them
> > for only 2 days!
> > Judge it after you try it, youll be surprised, its not typical RS
> > junk. They did ths ONE right.
> >
> > >x-no-archive:yes JM <na@na.com> wrote in message
> > >news:<lcutmush2gss09dtdj066fudnth93d66ql@4ax.com>... I work for Radio Shack and
> > >am field testing one right now. Very kewl radio, if you stop in to a RS see if
> > >they have one in stock (a bit rare right now, they didnt get many) and give it
> > >a look. Pretty nice and can be set to work GMRS freqs as well. Be willing to
> > >bet the clerk
> > >> wont know how to make it work tho! LOL ."
> > >
> > > It is Illegal to modify & use that radio on the GMRS/FRS bands, but I guess

> > >that would be a great selling point for a RS employee. Hey, why not post to an
> > >internet newsgroup how "kewl" it is to mod & use that radio ... Oh , wait...
> > >You already did!!
>
> --
> Joe Leikhim K4SAT
> Jleikhim@nettally.com
>
> "Jazz is not dead. It just smells funny." -F.Z.
>
>

2969. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 01:50:50 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D72C3FA.1CA0438A@optonline.net>
Source record: 39830

first of all I DID NOT WRITE THIS "read the manual" (below)!!
I wrote this:
I'm not a RS fan but this is a nice radio.
I'm not sure on this but doesn't "FCC Type Acceptance" have
something to say about using a radio designed for one service
and using it in another service??

just my .06 cents worth (inflation)

And another thing, I DON'T appreciate the way my original message was
deleted and your comment added. It looks like I wrote that nonsense
below!!!

JM wrote:

> On Thu, 31 Oct 2002 11:33:13 -0500, Mark Russo <mrrusso@optonline.net>
> wrote:
>
> Read the manual, the radio is DESIGNED this way. It can be set to
> operate on 144-148, 438-450 MHZ in the standard mode and 142-149.880,
> 420-470MHZ in extended.

2970. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 01:56:28 UTC
From: JM <na@na.com>
Message-ID: <k6h5nugffn0npbuiget2hu2gfd27hvchil@4ax.com>
Source record: 39831

Your header should have been deleted. I Never intended to make it
sound like you were the author.

On Sun, 01 Sep 2002 21:50:50 -0400, Mark Russo <mrrusso@optonline.net>
wrote:

>first of all I DID NOT WRITE THIS "read the manual" (below)!!
>I wrote this:
>I'm not a RS fan but this is a nice radio.
>I'm not sure on this but doesn't "FCC Type Acceptance" have
>something to say about using a radio designed for one service
>and using it in another service??
>
>just my .06 cents worth (inflation)
>
>And another thing, I DON'T appreciate the way my original message was
>deleted and your comment added. It looks like I wrote that nonsense
>below!!!
>
>
>JM wrote:
>
>> On Thu, 31 Oct 2002 11:33:13 -0500, Mark Russo <mrrusso@optonline.net>
>> wrote:
>>
>> Read the manual, the radio is DESIGNED this way. It can be set to
>> operate on 144-148, 438-450 MHZ in the standard mode and 142-149.880,
>> 420-470MHZ in extended.
>
>
>

2971. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 02:11:46 UTC
From: JM <na@na.com>
Message-ID: <0bh5nusp7qkqpt1apmeo778mqf02uaaicq@4ax.com>
Source record: 39832

You just like to argue for the sake of argument I see.
I never said buy this radio for GMRS usage. And I like the way you
added you can use it for FRS, to my statement, which I never said. I
was simply trying to point out a feature that it has available. Seeing
as how I am a volunteer for emergency comms up where I live, this
radio is ideal.
Was just trying to say how impressed I was that RS finally did
something right and made a decent radio that is sturdy, sounds great
and works great! If you dont like, dont buy it. Quite frankly, unless
you have used it, I wouldnt even comment on it.
Now go eat a troll biscuit and sit in the corner.

On 01 Sep 2002 14:00:23 GMT, diodew2x@aol.comano (Diodew2x) wrote:

>>From: JM na@na.com:....
>."diid you ever stop to think that perhaps I am licensed in amateur AND
>GMRS??.."
>
> Yes, & it doesn't matter, because User Programmable modified Amateur Gear
>isn't Type Accepted for GMRS, Commercial, FRS, Marine, Police or many other
>services, weather you are "licensed or Not" for that service. Their "vague"
>reference in the manual is the same you will get from ALL Amateur manufacturers
>to "cover their Ass" legally. The olny Exceptions in the USA are MARS/CAP/
>Coast Guard Auxillary, for "everyday use" Transmitting in another service.
> Call your Radio Shack "buyer" in Ft.Worth, & get him to explain that to
>you, since you obviosly only will belive whatever Ratshack says. The HTX-420
>(quote) Ain't "a Kewl, Bombproof" GMRS/FRS radio, even if your licensed in
>GMRS, & that's a fact.
>

2972. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 02:23:41 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D72CBAD.B89B6FB0@nettally.com>
Source record: 39833

JM What is the FCC type acceptance number? The FCC database will answer if it is OK for part 95 GMRS use.

Joe Leikhim wrote:

> I am curiuos, what is the FCC type acceptance number? Opening the UHF band for
> keypad entry is a bit unusual. I thought the FCC banned keypad entry. But maybe not.
> If the radio is FCC type accepted for Parts 90 and 95, it is up to the user to be
> licensed appropriately. Looks like a neat radio.
>
> JM wrote:
>
> > On 30 Aug 2002 16:46:24 GMT, diodew2x@aol.comano (Diodew2x) wrote:
> >
> > So far every review is 5 out of 5 stars. The radio is friggin bomb
> > proof its made so well and the mod for the extended coverage on it is
> > 100% LEGAL. Why not try the radio before you talk shit about it. Every
> > ham who has walked in to my store LOVES the radio. I will agree that
> > the price tag is a bit high, but everything else about this radio is
> > top notch. Hell, I purchased 4 and have 1 left in stock and I had them
> > for only 2 days!
> > Judge it after you try it, youll be surprised, its not typical RS
> > junk. They did ths ONE right.
> >
> > >x-no-archive:yes JM <na@na.com> wrote in message
> > >news:<lcutmush2gss09dtdj066fudnth93d66ql@4ax.com>... I work for Radio Shack and
> > >am field testing one right now. Very kewl radio, if you stop in to a RS see if
> > >they have one in stock (a bit rare right now, they didnt get many) and give it
> > >a look. Pretty nice and can be set to work GMRS freqs as well. Be willing to
> > >bet the clerk
> > >> wont know how to make it work tho! LOL ."
> > >
> > > It is Illegal to modify & use that radio on the GMRS/FRS bands, but I guess
> > >that would be a great selling point for a RS employee. Hey, why not post to an
> > >internet newsgroup how "kewl" it is to mod & use that radio ... Oh , wait...
> > >You already did!!
>
> --
> Joe Leikhim K4SAT
> Jleikhim@nettally.com
>
> "Jazz is not dead. It just smells funny." -F.Z.

--
Joe Leikhim K4SAT

Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

2973. Re: MFJ TNC-2 and Minicom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 03:44:57 UTC
From: Bob Nielsen <nielsen@remove_this.oz.net>
Message-ID: <akumrp$i6s$0@216.39.144.81>
Source record: 39834

On Sun, 1 Sep 2002 18:52:10 -0400, Bob Lewis (AA4PB) wrote:
>> 8-N-0 actually makes more sense for use with modern
>> computer hardware conventions.
>
> 8 = 8 data bits
> N = No Parity bit
> 0 = zero stop bits
>
> I've never heard of a data format with zero (no) stop bits (which may
> not mean anything). How would the async serial data synchronize itself
> without a stop bit? I would think 8-N-1 would make more sense (one
> stop bit) for 8-bit data computer data.
>

Duh! I said it had been a while since I used it, and it showed. I
guess I must have had a "senior moment". 8-N-1 is correct.

Bob

2974. Schematic for MFJ-462B Decoder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 04:21:10 UTC
From: Brian Denley <bdenley@attbi.com>
Message-ID: <VGBc9.165327$aA.33768@sccrnsc02>
Source record: 39835

Does anyone have the schematic for this device? The downloadable manual
from MFJ contains everything but the schematic, Specifically, I want to
know which one is the RAM chip, as I cannot read the ID on the chip itself.

Thanks for any help.
--
Brian Denley
http://home.attbi.com/~bdenley/index.html

2975. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 05:06:35 UTC
From: "Chilly Willy"
Message-ID: <ccs5nu47h8m5ae7ttadgqpqj6gqgttkmvn@4ax.com>
Source record: 39836

On Sun, 1 Sep 2002 21:11:48 GMT, Richard G Amirault
<amirault@shell01.TheWorld.com> wrote:

>Chilly Willy <wildhare@> wrote:
>: Of the following 2 meter radios which one would you buy (if money is
>: no object)(I have a $300 budget) and why? I'm planning on buying a
>: new radio (my first one) and need help in picking it out.
>
>: Yaesu FT-1500M
>: Yaesu FT-2600M
>: Icom 2100H
>: Icom V8000
>
>: the above 4 radios fall in my price range but which one????
>
>
>Don't know how many of us will have enought knowledge or experience with
>all four of these to say which is "best".
>
>What is "best" for me is not necessarily "best" for you, or the next guy.
>
>I own a 2100H and am happy with it.
>
>Richard N1JDU
>Boston, MA, USA

I want to know why you think one is better than the other. You might
pick it for the same reason i'd pick it.

Figure I know nothing about radio's except what the book told me. I'm
asking for your experience and your not a salesman.
Chilly Willy

Brrrr is it cold in here or is it just me
Forman at the South Pole Ice Plant

2976. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 05:09:37 UTC
From: "Chilly Willy"
Message-ID: <0gs5nu8snro3vmmlp8b8crkgu03pt9hivu@4ax.com>
Source record: 39837

On Sun, 1 Sep 2002 20:09:13 -0400, "Paul J. Filardi"
<Filardi@Optonline.net> wrote:

>In recent years I have found that the quality level of the Yaesu Radios has
>dropped considerably. My recommendation would be the IC2100, or if you can
>go to $419 the IC 2800H. it is a very nice radio

I'd go for the 2800 but i"m also getting the Alinco DR-235T/TG. I
want to do 220 MHz also. I only have enough money for 2 radio's but
not a $400 each. I do have to get an antenna also. I'm thinking of
the Diamond Cr302A or something like that. It'll do 2m/1.25m/70cm.
I'm not sure what kind of mount I'm going to get though.

Chilly Willy

Brrrr is it cold in here or is it just me
Forman at the South Pole Ice Plant

2977. Kenwood HF Radio F. S.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 05:20:13 UTC
From: Ham <hh@ss.net>
Message-ID: <un5te8pcauts3e@corp.supernews.com>
Source record: 39838

Kenwood TS450SAT HF radio for sale.
Included is mic, Manual, Power cord.
This radio has lots of nice features and has a great automatic antenna
tuner!!
Radio is in very good condition and from non smoking enviroment.
Price is $450 plus the cost of shipping/insurance to your QTH.
No
trades please.

If interested, reply to:
baycity@pacifier.com

Thanks for looking.....
Gary N7GB

2978. WTB: Soundcard to FT-100D cable for PSK-31

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 05:39:14 UTC
From: vhfradiobuff@aol.comspamsux
Message-ID: <20020902013914.04007.00000844@mb-cf.aol.com>
Source record: 39839

I am looking for a cable to plug my FT-100D into my soundcard for PSK-31. If anyone has one, please email me.

=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-

73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA! Grid FM29vw
http://vhfradiobuff.tripod.com

2979. Software for the TS-570

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 05:51:47 UTC
From: Jim K <jkeller@cox.net>
Message-ID: <T%Cc9.39707$Ic7.2749868@news2.west.cox.net>
Source record: 39840

I'm looking for something to control my TS-570 that has more capabilities
than the free RCP program. I'd like to find a program that will allow me
to store frequencies, upload them to the 570 and also allow me to direct the
570 to use those frequencies. Any recommendations out there?

Thanks, Jim Keller
WB6YxY

2980. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 06:03:53 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <akuuv0oa1@nntp-m01.news.aol.com>
Source record: 39841

I'm glad that RS is moving away from the "micro HT". RS is more of the store for "first rigs" then for experienced hams. A micro power HT is just not the right thing to get for a new ham. The last great RS HT (in my book) was the HTX-202. What made it so good is that it was almost completely immune to intermod because it had no extended receive. The only thing wrong with it is that it was a brick and single band.

Still, a quick look over of the HTX-420 doesn't make me want to give up my TH-F6A that I got for $300 at dayton.

2981. Re: Did you miss the Sheby NC Hamfest 2002 ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 07:22:39 UTC
From: kc4yoy@trellis.net
Message-ID: <d98f9107.0209012322.7462c77c@posting.google.com>
Source record: 39842
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

>
> Someone said it rained all day.

And they were right!
We got there Friday morning about 10:30 and it was already
rocking.
Ralph W4ZO and I spent most of the day walking around looking
for goodies while he wife Jen watched our stuff in the tent.
Made my best sales Firday.
Went home Friday afternoon and got back about 06:05 Saturday AM.
It's only about 1 1/2 hours from Wesley Chapel to Shelby.
Mostly misty in the early morning, then about 10:30 it started
really raining. I sold my Heath SB-110A station about 11:30
and decided to pack up.
It rained all the way home, we had almost 3 inches in the
rain gauge at the house.

Does anyone know who it was that was set up in the over flow
flea market area just outside the back gate, that was selling
a bunch of military gear? He had several PRC-6's that I was
interested in, but the guy that was watching the stuff didn't
know how much anything priced for.
I checked back several time and he was still there without the
owner. Must not have wanted to sell it very bad... huh?

I've been going to Shelby since 1970 and this was my frist
Friday. I will be there on Friday every year from now on.

73,

Ron KC4YOY

2982. Re: WTB: Soundcard to FT-100D cable for PSK-31

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 12:00:01 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3D7352A9.FAABE7@tampabay.rr.com>
Source record: 39843

andy its a simple jumper that you pick up at radio shack plugs into the external speaker jack of the radio and either the line in or mic jack of the sound card this jumper will have a 3.5mm 3 conductor plug on each end

unless your talking about the cable that allows you to control the radio via the computer then you need to check out www,hosenose.com they sell those level converters for like $50 for most rigs

VHFRadioBuff wrote:

> I am looking for a cable to plug my FT-100D into my soundcard for PSK-31. If
> anyone has one, please email me.
> =-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA! Grid FM29vw
> http://vhfradiobuff.tripod.com

2983. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 13:35:57 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <akvpgmrnv1@terabinaries.xmission.com>
Source record: 39844

"Russell Hltn" <reply@2newsgroup.com> wrote in message
news:akuuv0oa1@nntp-m01.news.aol.com...
> I'm glad that RS is moving away from the "micro HT". RS is more of
> the store for "first rigs" then for experienced hams. A micro power
> HT is just not the right thing to get for a new ham. The last great
> RS HT (in my book) was the HTX-202. What made it so good is that it
> was almost completely immune to intermod because it had no extended
> receive. The only thing wrong with it is that it was a brick and
> single band.
>
> Still, a quick look over of the HTX-420 doesn't make me want to give
> up my TH-F6A that I got for $300 at dayton.
>

The HTX-420 is getting good reviews and seems to perform well. However, it takes 12volts to get 5 watts of power? That's so 5 years ago. In my opinion they should have used an updated mosfet power module instead of the old style PA modules that suck the life out of the battery in no-time. Hmm...maybe that's why the stock battery is a 7.2v 1200ma Li-Ion pack? It was a good try RS, but not good enough.

Dan

2984. FS: Zenith hi-pass filter for TVs

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 14:01:18 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <8pr6nugs9ofbqffg5fijj63s6kjlai8ppv@4ax.com>
Source record: 39845
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment

FOR SALE
QTY 1 - Zenith hi-pass filter for TV set 75 ohm antenna lead-in.
This unit is in a shielded metal case with F type connectors for
input (fem) and output (male) to the TV set.
Will help to reduce that nasty herringbone modulation and
overload from your 375 watt AM rig when the XYL is
watching TV in the next room!

Available for $5.00 plus $2.00 postage.

2985. FS - CRYSTAL SOCKETS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 14:02:30 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <3sr6nu0tlnvm95dr7caihgi1oive7c4g87@4ax.com>
Source record: 39846
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment

FOR SALE:
Crystal sockets for HC-6/U crystals.
If anyone would like some, I have about 10 or 20 of these
available for $2.00 each plus shipping
These are new parts. They are teflon and anodized metal.
They have two hole side mounting, with a clip that nicely
holds the crystal in place.

Great for repairing older rigs, or for homebrewing tube transmitters
& receivers.
This is NOT the same as FT243.
These are for the similar sized crystals that have thinner pins.

E-mail me if you would like some.

2986. FS: FILAMENT TRANSFORMERS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 14:06:19 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <t1s6nuct5gqsq2b6o1ih6o1lfcrcr9ocai@4ax.com>
Source record: 39847
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment

FILAMENT TRANSFORMERS

All 115V/120V AC primary except as noted. 5V at 20 Amps, potted
Dimensions are 4" X 3-1/4" X 5" tall.
QTY 1 only at $32.00

Triad F-18X Sec. 6.3V CT at 6A. 1.5KV test.
Horizontal channel mounting.
Dimensions 4" X 3" X 2-5/8" tall
QTY 1 only for $14.00

Another 6.3V CT at 6A. Same size etc. QTY 1 only for $12.00

6.3V at 8.3 Amps - upright type. Will sell for $20.00 each

Sec: 10V at 6A QTY 3 available for $15.00 each

Sec 7.5V CT at 51 Amps! (Has dual 115V / 230V primaries)
Suitable for 3CX3000, 4-1000 and other high power tubes.
Commercial quality.
QTY 2 available for $110.00 each

Pictures available - e-mail me.
Shipping additional

E-mail me to arrange purchase

2987. FS: FERRITE CLAMP-ON CORES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 14:07:23 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <i5s6nucmh17lg7qrgops4b0sd8rr11d395@4ax.com>
Source record: 39848
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment

FOR SALE:
Ferrite choke cores that clamp onto cables for RFI removal
Selling for $4.00 and 5.00 each
Less expensive than all other sources!

Several sizes available for various cables.
Photos available.
E-mail me for details or to arrange purchase

2988. VARIACS $35.00 each

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 14:10:25 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <ubs6nu867iocfvd3d5qck1042dh23g0q10@4ax.com>
Source record: 39849
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

FOR SALE

Variable Transformer with 120V AC in gives 0-140V AC out.
Powerstat 0-140V "variac" rated for 5 Amps.
Open frame style. Looks new.
Comes with large black knob and dial scale.

2nd one is marked as 3A but actually larger...
QTY 2 available for $35.00 each.

E-mail me to arrange purchase

2989. Re: Did you miss the Sheby NC Hamfest 2002 ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 14:34:03 UTC
From: Alfred Carlson <wa7uhr@gte.net>
Message-ID: <3D72CE42.1FC0B5D5@gte.net>
Source record: 39850
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Hi, Read your report of the Shelby hamfest and got to see another guys pictures. Looks like there must have been some nice stuff there. Wondering how much did you get for the SB110A station and what was its condition?? Thanks 73 de Fred...

Ron wrote:

> >
> > Someone said it rained all day.
>
> And they were right!
> We got there Friday morning about 10:30 and it was already
> rocking.

2990. FA: Collins filters and other 51J-4 parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 14:42:25 UTC
From: Sindre Torp <sindtorp@online.no>
Message-ID: <INKc9.13173$0p1.220887@news2.ulv.nextra.no>
Source record: 39851

Hi,
Take a look at
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1377891711

Please click "view seller's other items" and you will see all the items I
have on eBay at the moment. More Collins parts for 51J-4 will soon be added!
I will ship worldwide.

Thanks for looking!

Sindre, LA6OP
sindtorp@online.no

2991. FS Ebay: Yaesu FT-817 HF/VHF/UHF ham radio (MIB)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 15:41:24 UTC
From: Rich <rich@Mountain-Ops.com>
Message-ID: <3d738423$1_1@corp-goliath.newsgroups.com>
Source record: 39852
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

fixed price
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1378062866

2992. FS Ebay: Yaesu FT-817 HF/VHF/UHF ham radio (MIB)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 15:46:52 UTC
From: rullery <rich@Mountain-Ops.com>
Message-ID: <al0160$1a9m$1@feed.centurytel.net>
Source record: 39853
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

Fixed price
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1378062866

2993. FS- Drake W4 Wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 16:02:18 UTC
From: gil <gilpi@mindspring.com>
Message-ID: <al01kf$nt6$1@slb7.atl.mindspring.net>
Source record: 39854

Works good, front and meter clean, couple of scratches on side.

$50. shipped

Gil

2994. Re: WALL MAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 16:07:49 UTC
From: Steve Silverwood <kb6ojs@arrl.net>
Message-ID: <MPG.17dc6a855d235b3e98968f@news-server.socal.rr.com>
Source record: 39855
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

In article <3d5e64b5.1677235@news.computer.net>, rong@computer.net
says...
> Hi All,
>
> Back in 1980, when I was first licensed, I bought a "Radio Amateur's
> Prefix Map of the World" from the "Radio Amateur's Callbook Company"--the same
> company that used to publish the "Flying Red Horse Callbook". The map has been
> up on my wall for some 22 years, and is starting to show some age, as well as
> being outdated as many new prefixes have been assigned over the past 22 years.
> It's a good sized map in full color, and measures about 27 X 40, and has CQ
> zones on 1 side and ITU zones on the other side.
>
> Is there anything like this available today ??? If there is, where can I
> obtain one ??? Thanks for your responses.

Yaesu gives them away by the boxful at ham conventions, along with their
logbooks and baseball caps.

--

-- //Steve//

Steve Silverwood, KB6OJS
Fountain Valley, CA
Email: kb6ojs@arrl.net
Web: http://home.socal.rr.com/silverwood

2995. FS: Kenwood TM741A - 220, 440 & 2m

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 16:08:44 UTC
From: dougd@buckeye-express.com
Message-ID: <3d738d41.24896939@news.buckeye-express.com>
Source record: 39856

FS: Kenwood TM741A - 220, 440 & 2m

I just sent the radio in to Kenwood , (4/9/02) to get checked
out and had a new battery put in it. cost was $200.00, I have the
receipt. I have the mike, bracket, and most of all the manual;
without the manual you can not operate this thing. I do not have
the box it came in.

$450.00

Contact: Dave Hills
dhhills@infinet.com
419-734-2366

2996. FA Icom 756PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 16:33:12 UTC
From: Brendan Minish <bminish@oceanfree.net>
Message-ID: <4l47nuc93n2svfl0i7ka3sgd3cleellbbm@4ax.com>
Source record: 39858

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376209380

--
Brendan Minish

2997. FS: Heathkit IB-28 Impedance Bridge

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 16:46:48 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <9i47nu4a957d99ph8m3oa9n468p9hdh52f@4ax.com>
Source record: 39857

I have for sale in excellent condition a Heathkit IB-28 Impedance Bridge. Its a self contained direct reading precision instrument for accurate and rapid measurement of resistance , capacitance, inductance, dissipation factor of capacitors and storage factor of inductors. I have the original manual and will take $30 plus shipping. I can be reached at (508) 821-2993 or email...WZ1U Steve / Lakeville, Mass.

2998. FS: Yaesu SP-6 External Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 16:53:41 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <rs47nukmfr44i8kgljmu3n0r52hs4a3uhu@4ax.com>
Source record: 39859

I have for sale in excellent condition a Yaesu SP-6 external speaker.
It comes with the instruction sheet, but do not have the original box.
I do have a box that liquid foam was used to make a mold to fit the
speaker. I will take $100 plus shipping and can be reached at (508)
821-2993 or email......WZ1U Steve / Lakeville, Ma.

2999. FS: Kenwood MJ-84 Microphone Adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 16:58:34 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <o257nu03n5ovsobqprtgt668vjd3m0v8g4@4ax.com>
Source record: 39860

I have a new in the original box a Kenwood MJ-84 microphone adapter. This is used to go from an 8 pin microphone side to an 4 pin radio side. These are hard to come by and this one has never been used. I will take $30 plus $3.85 for US Priority mail. I can be reached at (508) 821-2993 or email......WZ1U Steve / Lakeville, Ma.

3000. Yaesu FT890AT Antenna tuner- How to reset from the front panel

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 17:01:25 UTC
From: Simon Collinge <collinge@bellatlantic.net>
Message-ID: <FPMc9.2788$sd2.140@nwrddc01.gnilink.net>
Source record: 39861

I have a problem using the built in tuner to match to a dummy load which has a 1:1 match. It just keeps cycling until it gives up and displays Hi Swr. Sometime in the past I read about how to reset the tuner using the front panel buttons and can not find the article. Does anybody have the info?

Thanks, KF2HO

3001. FS: Heathkit Frequency Counter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 17:04:19 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <vc57nucacmc8fhebd6mq6gice3577ggchs@4ax.com>
Source record: 39862

I have for sale a Heathkit frequency counter model - IB-1103 in very good condition. I have the original manual and the test cable with bnc connector. I will take $30 plus shipping.......WZ1U Steve / Lakeville, Mass.

Specifications:

Frequency Measurements

Range.....1 Hz to 180 Mhz
Gate time.....1 millisecond, 100milliseconds, or 1 second
Accuracy.....+or- count +or- time base stability.
Readout.....Mhz, Khz, or Hz with positioned decimal point

Signal Input

Maximum Sensitivity.....50 mv maximum, 25mv typical, to 120 Mhz.100mv to 180 Mhz

Coupling.....Ac and DC (Two seperate inputs)
Impedance.....1 Mohm in parallel with 35 pf.
Trigger Level.....Automatic

3002. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 17:18:40 UTC
From: JM <na@na.com>
Message-ID: <s877nusrjpklodub6b7h88cml3dp28tvh4@4ax.com>
Source record: 39863

Ill look into that next week when I return to work. =)

On Sun, 01 Sep 2002 22:23:41 -0400, Joe Leikhim
<jleikhim@nettally.com> wrote:

>JM What is the FCC type acceptance number? The FCC database will answer if it is OK for
>part 95 GMRS use.
>

3003. WTB - Icom SP-7 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 18:26:10 UTC
From: Bibby <bibby@attbi.com>
Message-ID: <63Oc9.277321$me6.34742@sccrnsc01>
Source record: 39864

Please let me know condition and price.

Thanks,

Malcolm, W1/GW3NJY

3004. I am the guilty one

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 18:32:22 UTC
From: Max <ve3tmt@yahoo.com>
Message-ID: <w5Oc9.822$zv.331611@news20.bellglobal.com>
Source record: 39865

If you check out this TS940 for sale
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376207995 you will see he mentions someone who refused to pay on his last listing. That someone was me. Yes I am guilty. I refused to pay because I had won the bid before he e-mailed me the serial number as I had requested. Being one of the earlier runs, I decided I would rather not buy a radio known to have early production problems. Now he has listed the item again, yet the "little" receive problem he talks about was not mentioned in his original listing. Did this problem just appear or did it just slip his mind. Either way I am glad I renegged on the deal, or I would have inherited this "little" problem. I have been taken before and I wasn't going to throw my money away this time. I just completed a deal on a mint TS850S from Jeff, KC1MK which I bought sight unseen and he my 2m all-mode base the same way. I think we both got what we wanted. So tall all those wondering who the guilty one is, the one that shouldn't even be allowed on eBay??? it was me.

73,

de VE3TMT

3005. Re: I am the guilty one

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 18:40:59 UTC
From: Max <ve3tmt@yahoo.com>
Message-ID: <BdOc9.830$zv.334115@news20.bellglobal.com>
Source record: 39866

Here is original listing which I bid on, no mention of the little problem here.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1371846479&rd=

3006. Re: I am the guilty one

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 18:54:49 UTC
From: Jeff Kilgore <the.weight@verizon.net>
Message-ID: <ZtOc9.15528$VW5.2264@nwrddc02.gnilink.net>
Source record: 39867

I recently traded a Kenwood TS-850S to Max, VE3TMT, for a Kenwood TS-711A and some cash, and the deal went very smoothly and I am quite pleased with the deal and with the TS-711A. I wouldn't hesitate to deal with Max again on the future, either here or on e-Bay.

Given the circumstances and the previously unmentioned receive problem, I think the seller of the TS-940S is the one I would be leery of dealing with.

73,
Jeff, KC1MK

3007. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 19:11:11 UTC
From: Richard G Amirault <amirault@shell01.TheWorld.com>
Message-ID: <H1tryo.8K4@world.std.com>
Source record: 39868

Chilly Willy <wildhare@> wrote:

: I want to know why you think one is better than the other. You might
: pick it for the same reason i'd pick it.

: Figure I know nothing about radio's except what the book told me. I'm
: asking for your experience and your not a salesman.

You are making the assumption that when I chose the Icom 2100 that I considered your other choices .. I didn't. When I bought it I already owned three or four other radios capable of 2 meter operation. I based my purchase on price, size and brand name with features running a distant fourth.

Suggestion: Go to www.eham.net and check out the reviews for all your possible choices. See what folks who actually own the radios think about them.

Richard in Boston, MA, USA
N1JDU

3008. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 20:08:46 UTC
From: Max <ve3tmt@yahoo.com>
Message-ID: <dwPc9.876$zv.353865@news20.bellglobal.com>
Source record: 39869

"Chilly Willy" <wildhare@> wrote in message
news:ccs5nu47h8m5ae7ttadgqpqj6gqgttkmvn@4ax.com...
> On Sun, 1 Sep 2002 21:11:48 GMT, Richard G Amirault
> <amirault@shell01.TheWorld.com> wrote:
>
> >Chilly Willy <wildhare@> wrote:
> >: Of the following 2 meter radios which one would you buy (if money is
> >: no object)(I have a $300 budget) and why? I'm planning on buying a
> >: new radio (my first one) and need help in picking it out.
> >
> >: Yaesu FT-1500M
> >: Yaesu FT-2600M
> >: Icom 2100H
> >: Icom V8000
> >
> >: the above 4 radios fall in my price range but which one????
> >
> >
> >Don't know how many of us will have enought knowledge or experience with
> >all four of these to say which is "best".
> >
> >What is "best" for me is not necessarily "best" for you, or the next guy.
> >
> >I own a 2100H and am happy with it.
> >
> >Richard N1JDU
> >Boston, MA, USA
>
>
> I want to know why you think one is better than the other. You might
> pick it for the same reason i'd pick it.
>
> Figure I know nothing about radio's except what the book told me. I'm
> asking for your experience and your not a salesman.
> Chilly Willy

Why not do what the rest of us have done. Just pick one and live with your
decision. If you like it, great. If not you sell it and take the loss.
Like the rest of us. Personally I 'd go with the '2600.

3009. Re: I am the guilty one

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 20:40:33 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns927D8B4C49E5CFrog207Junocom@148.78.248.76>
Source record: 39870

Assuming the circumstances are as you stated, I'd say you have nothing to appologize for.

Ed WB6SAT

3010. tower base help req please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 20:52:58 UTC
From: matt <mattobr@ntlworld.com>
Message-ID: <WcQc9.7152$yB6.133690@newsfep1-gui.server.ntli.net>
Source record: 39871

hi

i am getting a 30ft strumech tower and would like to know what size concrete base would be best i know the bigger the better , i am
just after a ruff idea on the size

cheers matt

3011. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 21:52:33 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <al157e$3g8$2@nntp-m01.news.aol.com>
Source record: 39887

I'd be curious to see what it does on a alkaline pack. The TH-F6A
will only do 0.5W. So if it's battery runs down you need external
power for full power.

I forget what the HTX-420's power is, but it's less then 3 dB down
from 5W. If it still has full power on alkaline and good battery
life, that might be an acceptable trade-off.

But the biggest factor to me is how good the intermod rejection is. I
live in intermod hell and basic function is far more important then
bells and whistles.

"Dan" <n7slc@yahoo.com> wrote in message
news:akvpgmrnv1@terabinaries.xmission.com...
>
> The HTX-420 is getting good reviews and seems to perform well.
However, it
> takes 12volts to get 5 watts of power? That's so 5 years ago. In my
opinion
> they should have used an updated mosfet power module instead of the
old
> style PA modules that suck the life out of the battery in no-time.
> Hmm...maybe that's why the stock battery is a 7.2v 1200ma Li-Ion
pack? It
> was a good try RS, but not good enough.
>
> Dan

3012. FS: Heathkit Transistor Tester IT-3118

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 21:53:21 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <30n7nu836nidk51sdqven523l69gn7mhae@4ax.com>
Source record: 39872

I have for sale in excellent and working condition a Heathkit transistor tester model IT-3118. Its an in circuit/ out of circuit transistor tester for testing of transistors or diodes. I have the original manual and will take $25 plus shipping. I can be reached at (508) 821-2993 or email....WZ1U Steve / Lakeville, Mass.

3013. Re: I am the guilty one

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 21:58:57 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <un7nll4dfqs206@corp.supernews.com>
Source record: 39873

I also noticed that out of all his feedbacks only one
was from selling the other eight were from buying.

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

3014. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 22:18:32 UTC
From: Mike <mdickman@remove.bevcomm.net>
Message-ID: <3D73E4D0.C47E65FB@remove.bevcomm.net>
Source record: 39874

Yaesu FT-2600M, cause I can program it with my computer. But be sure to
turn it off before starting your car if used mobile.

Chilly Willy wrote:

> Of the following 2 meter radios which one would you buy (if money is
> no object)(I have a $300 budget) and why? I'm planning on buying a
> new radio (my first one) and need help in picking it out.
>
> Yaesu FT-1500M
> Yaesu FT-2600M
> Icom 2100H
> Icom V8000
>
> the above 4 radios fall in my price range but which one????
>
> thanks much
>
> KG6MXZ
> Chilly Willy
>
> Brrrr is it cold in here or is it just me
> Forman at the South Pole Ice Plant

--
Mike
KD4LLA

As we are seeing in financial, medical, media, and legal areas, the
vast quantities of information available to non-specialists will
mean the undercutting of elites. What will teachers do when their
students come to class often understanding more about the subject
being taught then they do themselves?

3015. Re: Help: VHF Network setup

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 22:33:18 UTC
From: Mike <mdickman@remove.bevcomm.net>
Message-ID: <3D73E845.5A3DCEC3@remove.bevcomm.net>
Source record: 39875

so you are no amateur operator and you got a bunch of radios you have questions about? Then you hide behind a fake email and provide no way to contact you. Maybe you are FBI, IRS or just bullshit.

go away...

Nomad wrote:

> Hello everybody on the Unet
> I am no radio amateur, but still hope to get some answers to this problem.
> Please be patient if my jargon is not right or the questions are too basic.
>
> I have a setup of 4 VHF (144Mhz) radios, 1 Kenwood mobile (base station AC
> powered), 2 Motorola mobiles (called stations) and 1 Kenwood portable. I
> have a set freq. of 150.085 MHz. Both Motorola (used as fixed stations with
> AC power) are programed to that frequency and currently I have no means of
> programming them (they have two programed channels, have a CH button and a
> MON button). Following happens:
>
> Kenwood base station: tx and rx all other radios.
>
> Motorola stations: tx and rx each other and the base station.
>
> Kenwood Portable (TH235A): rx all signals, but only Kenwood base station can
> listen
> to its tx. Motorola stations cannot hear portable although receive busy
> signal (MON /BUSY led flashes).
>
> No DTSS or other tone encoding is programed on the Kenwoods. I do not know
> about the Motorolas, but they operate perfectly well with the base station
> and with each other. I have set tone to 97.4 Hz on the Kenwoods, anyway I
> use no repeater. The Motorolas should not be programed to split freq,
> because they rx signal (so it is a squelch problem?) and work on single freq
> with base. What could be the cause of this behaviour? I am no expert on this
> kind of stuff, althogh as an engineer I am technically fit to understand.
>
> I do not have all the model numbers with me now but can get them if
> necessary. I
> do not want to make guesses now.
>
> best wishes
>
> Nomad
>
> ----------

> Do not respond via e-mail, no valid address
> ----------

--
Mike
KD4LLA

As we are seeing in financial, medical, media, and legal areas, the vast quantities of information available to non-specialists will mean the undercutting of elites. What will teachers do when their students come to class often understanding more about the subject being taught then they do themselves?

3016. Re: tower base help req please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 22:42:11 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <un7q5ahqadmc24@corp.supernews.com>
Source record: 39876

1 cubic meter of concrete should do the job. About 5Kg of re-enforcing steel embedded, should keep it from cracking. Embeded anchor bolts or a plate should do the trick.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"matt" <mattobr@ntlworld.com> wrote in message news:WcQc9.7152$yB6.133690@newsfep1-gui.server.ntli.net...
> hi
>
> i am getting a 30ft strumech tower and would like to know what size concrete base would be best i know the bigger the better , i am
> just after a ruff idea on the size
>
> cheers matt
>
>

3017. FA: Yaesu FT-847 Ends 9/2/02 22:00 EDT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 23:03:05 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <J6Sc9.58238$082.3073439@news1.east.cox.net>
Source record: 39877
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376503779

Thanks and 73 to all on this NG.

3018. FA: Yaesu MD-100 AX8 Desk Mic Ends 09/02/02 22:00 EDT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 23:03:05 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <J6Sc9.58239$082.3073439@news1.east.cox.net>
Source record: 39878
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376510203

Thanks and 73 to all on this NG.

3019. FA: Yaesu FC-20 Auto Antenna Tuner Ends 09/02/02 22:00 EDT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 23:03:05 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <J6Sc9.58240$082.3073439@news1.east.cox.net>
Source record: 39879
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376506923

Thanks and 73 to all on this NG

3020. FS: Bud 19" front panel

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 23:30:57 UTC
From: WZ1U <Wz1u@attbi.com>
Message-ID: <pis7nukh3hhndrlm9n0sh7g18k3mqq21kk@4ax.com>
Source record: 39880

I have for sale a brand new Bud 8 3/4 h x 19" w x 1/8 aluminum front panel. This is still wrapped and sealed in Bud's original wrapping in its natural aluminum finish. I will $10 plus shipping.....WZ1U
Steve / Lakeville, Ma.

3021. Re: tower base help req please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-02 23:33:32 UTC
From: Bernie Murphy <bmurphy@nortelnetworks.com>
Message-ID: <rySc9.3040$QS6.469771@news20.bellglobal.com>
Source record: 39881

A couple things to look into.

1. Is the tower self supported or guyed?
2. Will the tower be attached to a fixture such as your house?
3. What is the wind loading factor of the tower *and* the antenna?
4. Do you live in a windy area?

A cubic yard is a good starting point but the above factors will certainly alter that value.

Best to check with your local building inspector --- kind of drag to have to redo the base once the concrete is hard!

You will more than likely need a building permit (depending on where you live).

de Bernie, VE3FWF, Ottawa, Canada.

"matt" <mattobr@ntlworld.com> wrote in message news:WcQc9.7152$yB6.133690@newsfep1-gui.server.ntli.net...
> hi
>
> i am getting a 30ft strumech tower and would like to know what size concrete base would be best i know the bigger the better , i am
> just after a ruff idea on the size
>
> cheers matt
>
>

3022. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 00:24:29 UTC
From: "Chilly Willy"
Message-ID: <m808nukq5l1v1k6l9mbi911883t4cuiji1@4ax.com>
Source record: 39882

On Mon, 2 Sep 2002 19:11:11 GMT, Richard G Amirault
<amirault@shell01.TheWorld.com> wrote:

>Chilly Willy <wildhare@> wrote:
>
>: I want to know why you think one is better than the other. You might
>: pick it for the same reason i'd pick it.
>
>: Figure I know nothing about radio's except what the book told me. I'm
>: asking for your experience and your not a salesman.
>
>You are making the assumption that when I chose the Icom 2100 that I
>considered your other choices .. I didn't. When I bought it I already
>owned three or four other radios capable of 2 meter operation. I based my
>purchase on price, size and brand name with features running a distant
>fourth.
>
>Suggestion: Go to www.eham.net and check out the reviews for all your
>possible choices. See what folks who actually own the radios think about
>them.
>
>Richard in Boston, MA, USA
>N1JDU

I appreciate the honesty. I just wanted your opinion of which one
you'd choose and why and you gave it to me. Thanks again

Chilly Willy

Brrrr is it cold in here or is it just me
Forman at the South Pole Ice Plant

3023. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 00:26:45 UTC
From: "Chilly Willy"
Message-ID: <ha08nu0hnu197881lqt3u4d4c0vggkg5sa@4ax.com>
Source record: 39883

On Mon, 2 Sep 2002 16:08:46 -0400, "Max" <ve3tmt@yahoo.com> wrote:

>
>"Chilly Willy" <wildhare@> wrote in message
>news:ccs5nu47h8m5ae7ttadgqpqj6gqgttkmvn@4ax.com...
>> On Sun, 1 Sep 2002 21:11:48 GMT, Richard G Amirault
>> <amirault@shell01.TheWorld.com> wrote:
>>
>> >Chilly Willy <wildhare@> wrote:
>> >: Of the following 2 meter radios which one would you buy (if money is
>> >: no object)(I have a $300 budget) and why? I'm planning on buying a
>> >: new radio (my first one) and need help in picking it out.
>> >
>> >: Yaesu FT-1500M
>> >: Yaesu FT-2600M
>> >: Icom 2100H
>> >: Icom V8000
>> >
>> >: the above 4 radios fall in my price range but which one????
>> >
>> >
>> >Don't know how many of us will have enought knowledge or experience with
>> >all four of these to say which is "best".
>> >
>> >What is "best" for me is not necessarily "best" for you, or the next guy.
>> >
>> >I own a 2100H and am happy with it.
>> >
>> >Richard N1JDU
>> >Boston, MA, USA
>>
>>
>> I want to know why you think one is better than the other. You might
>> pick it for the same reason i'd pick it.
>>
>> Figure I know nothing about radio's except what the book told me. I'm
>> asking for your experience and your not a salesman.
>> Chilly Willy
>
>Why not do what the rest of us have done. Just pick one and live with your
>decision. If you like it, great. If not you sell it and take the loss.
>Like the rest of us. Personally I 'd go with the '2600.
>

The idea is for me to see what you have to say. Of course I could just pick one. Actually I already have picked one but wanted the reason why you wanted the one you picked. Its just a simple little question. You can answer or not. Simple

Thanks for the response.

Chilly Willy

Brrrr is it cold in here or is it just me
Forman at the South Pole Ice Plant

3024. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 00:29:57 UTC
From: "Chilly Willy"
Message-ID: <df08nusdrl81a0vlho77ceafkt60l512fk@4ax.com>
Source record: 39884

On Mon, 02 Sep 2002 22:18:32 GMT, Mike <mdickman@remove.bevcomm.net>
wrote:

>Yaesu FT-2600M, cause I can program it with my computer. But be sure to
>turn it off before starting your car if used mobile.

WHY????

Thanks
>
>Chilly Willy wrote:
>
>> Of the following 2 meter radios which one would you buy (if money is
>> no object)(I have a $300 budget) and why? I'm planning on buying a
>> new radio (my first one) and need help in picking it out.
>>
>> Yaesu FT-1500M
>> Yaesu FT-2600M
>> Icom 2100H
>> Icom V8000
>>
>> the above 4 radios fall in my price range but which one????
>>
>> thanks much
>>
>> KG6MXZ
>> Chilly Willy
>>
>> Brrrr is it cold in here or is it just me
>> Forman at the South Pole Ice Plant

I'm actually going witht the IC-V8000 for other reasons than the ones
you've all given me. I like the power, the wether channels, it can be
programmed also, and also it dosen't get hot even with a lot of use.
I'm not wild about burning my fingers on the case when its being used.

I'm finding that out with my handheld.
Chilly Willy

Brrrr is it cold in here or is it just me
Forman at the South Pole Ice Plant

3025. Re: HTX-420

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 00:52:31 UTC
From: "Dana Hoggatt (KB9SSS)" <kb9sss@arrl.net>
Message-ID: <3D7407CF.AFF2E42A@arrl.net>
Source record: 39885

JM wrote:
>
> I work for Radio Shack and am field testing one right now. Very kewl
> radio, if you stop in to a RS see if they have one in stock (a bit
> rare right now, they didnt get many) and give it a look. Pretty nice
> and can be set to work GMRS freqs as well. Be willing to bet the clerk
> wont know how to make it work tho! LOL)

What is the FCC ID number? If the FCC really did type accept this
for both amateur and GMRS usage, it would be great, as well as the
FIRST radio to be so certified. I'm very interested.

(Please don't tell me that you're illegally using a modified radio.)

3026. WTB: Inexpensive 2 Meter All Mode Xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 01:57:30 UTC
From: Doug and Cindy Deutsch <cindyd1@enter.net>
Message-ID: <3D741767.2F30A67E@enter.net>
Source record: 39886
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment

Hi,

Looking for a inexpensive 2 meter all mode transceiver.

Thanks,

Doug W3IIY

3027. rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 02:04:08 UTC
From: ricknj10@hotmail.com
Message-ID: <3d7417e5.14915958@news.optonline.net>
Source record: 39888

Wow this newsgroup is just about useless. There used to be
interesting discussions regarding EQUIPMENT. But it seems to have
turned into a for sale, for auction group. rec.radio.swap is supposed
to be for that purpose. Maybe we need a group called rec.radio.ebay!!

Rick

3028. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 02:07:23 UTC
From: rong@computer.net
Message-ID: <3d7417f5.1936647@news.computer.net>
Source record: 39889

Chilly Willy <wildhare@> wrote:

>Of the following 2 meter radios which one would you buy (if money is
>no object)(I have a $300 budget) and why? I'm planning on buying a
>new radio (my first one) and need help in picking it out.
>
>Yaesu FT-1500M
>Yaesu FT-2600M
>Icom 2100H
>Icom V8000
>
>the above 4 radios fall in my price range but which one????
>
==========

Hi,

I bought a Yaesu 1500 about a year ago. I have not owned a Yaesu radio
in over 10 years--always had Kenwoods. I bought it because it had the features
that I was looking for--not for the name. I wanted a radio with a data port on
it so I wouldn't have to make up some wacko cable for operating packet for the
DX clusters. I had that with my older 2 meter radios. Along with the data port I
got 50 Watt capability, 130 memories, PL, and small size (4x4x1). What else
could you ask for ??? And---it was cheap---$139.99 shipped to my door !!!
****
Ron Goldstein.....KA2IIA
STAY YOUNG---DRIVE A VINTAGE 427 CORVETTE.
KEEP YOUR MIND ACTIVE---BECOME AN AMATEUR RADIO OPERATOR.

REMEMBER, THERE ARE NO STRANGERS IN AMATEUR RADIO, ONLY FRIENDS
THAT WE HAVE NOT YET MET.
rong@computer.net******ka2iia@arrl.net

3029. FS: Philips Tabletop Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 02:22:37 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <m0n7nu08du2kbhrumu76hdn4lu07op3hmt@4ax.com>
Source record: 39890
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:
Philips tabletop receiver, with piano keys.

Made in Holland - type B3X98A
Covers AM broadcast band, FM broadcast band and two shortwave
bands from 1.7 to 18 MHz.

Has rotary controls for ON/OFF, Volume, Tone and Tuning.

Runs on 120V AC 60 Hz. Wooden case in fairly good condition but
has one schip that needs repair.
All original knobs and face plate is perfect.

Will sell for $25.00 plus shipping

E-mail me for picture or to arrange purchase

3030. Re: Transporting Handheld Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 02:47:48 UTC
From: Jerad Hoff <fubar@yuck.net>
Message-ID: <fubar-0C25C6.21474802092002@news.mpls.visi.com>
Source record: 39891

Thanks to everyone for your suggestions! I really appreciate it!

- Jerad

3031. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 03:12:18 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <mMVc9.7825$jG2.570648@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39892

Last 2M radio I bought was a 2100H.
There was one at the shop, it was cheap.
I'm using it fixed frequency on packet.
Works fine.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Chilly Willy" <wildhare@> wrote in message
news:voe4nu0t7b6c4f3fr9l2rqcap4pbsf3ni4@4ax.com...
> Of the following 2 meter radios which one would you buy (if money is
> no object)(I have a $300 budget) and why? I'm planning on buying a
> new radio (my first one) and need help in picking it out.
>
> Yaesu FT-1500M
> Yaesu FT-2600M
> Icom 2100H
> Icom V8000
>
> the above 4 radios fall in my price range but which one????
>
>
>
>
>
>
>
>
> thanks much
>
> KG6MXZ
> Chilly Willy
>
> Brrrr is it cold in here or is it just me
> Forman at the South Pole Ice Plant

3032. Re: FS: Drake W-4 wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 03:27:21 UTC
From: macve3gro@aol.com
Message-ID: <20020902232721.02872.00000636@mb-cc.aol.com>
Source record: 39893

Just in case the scratched case is a problem, I have a couple of NOS unused cases for the W4. If can dig them up, $5 each. plus shipping, 73. Harry, VE3GR0
Harry MacLean, VE3GRO
500 Riverside Drive, London, ON N6H 2R7
(519) 473-1668

3033. Re: tower base help req please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 04:58:00 UTC
From: "A.Tullis" <wb6gum@att.net>
Message-ID: <sjXc9.8013$jG2.582995@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39894

Howdy Matt..
If you happen to have a "AES" catalog laying around look in the tower sections.. US Towers (check out there web site) has some nice cross sections of "base's" for there towers... Also Amateur Radio Handbook (ARRL) is a great source

73- Andy, WB6GUM

matt <mattobr@ntlworld.com> wrote in message news:WcQc9.7152$yB6.133690@newsfep1-gui.server.ntli.net...
> hi
>
> i am getting a 30ft strumech tower and would like to know what size concrete base would be best i know the bigger the better , i am
> just after a ruff idea on the size
>
> cheers matt
>
>

3034. Re: Which 2 meter radio is the best and why???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 07:13:43 UTC
From: "Chilly Willy"
Message-ID: <o6o8nu4hnclsn0t80e5htk4c34cqfpn6bt@4ax.com>
Source record: 39895

On Tue, 03 Sep 2002 02:07:23 GMT, rong@computer.net (Ron Goldstein)
wrote:

>Chilly Willy <wildhare@> wrote:
>
>>Of the following 2 meter radios which one would you buy (if money is
>>no object)(I have a $300 budget) and why? I'm planning on buying a
>>new radio (my first one) and need help in picking it out.
>>
>>Yaesu FT-1500M
>>Yaesu FT-2600M
>>Icom 2100H
>>Icom V8000
>>
>>the above 4 radios fall in my price range but which one????
>>
>==
>Hi,
>
> I bought a Yaesu 1500 about a year ago. I have not owned a Yaesu radio
>in over 10 years--always had Kenwoods. I bought it because it had the features
>that I was looking for--not for the name. I wanted a radio with a data port on
>it so I wouldn't have to make up some wacko cable for operating packet for the
>DX clusters. I had that with my older 2 meter radios. Along with the data port I
>got 50 Watt capability, 130 memories, PL, and small size (4x4x1). What else
>could you ask for ??? And---it was cheap---$139.99 shipped to my door !!!
>**
> Ron Goldstein.....KA2IIA
> STAY YOUNG---DRIVE A VINTAGE 427 CORVETTE.
> KEEP YOUR MIND ACTIVE---BECOME AN AMATEUR RADIO OPERATOR.
>
>REMEMBER, THERE ARE NO STRANGERS IN AMATEUR RADIO, ONLY FRIENDS
> THAT WE HAVE NOT YET MET.
> rong@computer.net******ka2iia@arrl.net

Thanks alot as this is what I was looking for. An honest answer.
Chilly Willy

Brrrr is it cold in here or is it just me
Forman at the South Pole Ice Plant

3035. FS: National HRO-5 TA1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 13:16:21 UTC
From: jonweiner@aol.com
Message-ID: <20020903091621.05524.00001055@mb-fc.aol.com>
Source record: 39896

For Sale: Excellent condition National Model HRO-5 TA1 receiver. Appears completely original and unmodified. Complete with the A, B, C, & D coil sets and original three tier wooden coil box, and copy of the original instruction manual. Also includes matching model GF-100 AC power supply manufactured for the Coast Guard by Federal Signal, and designed to power 2 HRO's. Price: $450. for pick up at Greer, SC or plus shipping

3036. FS: FEX-736-1.2 1.2Ghz for FT736R $475

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 13:19:56 UTC
From: ke7nr@cox.net
Message-ID: <3d74b688.4060109@news.west.cox.net>
Source record: 39897

This is a fairly new 1.2 Ghz module for the 736.

Paid $539 new. $475 now.

See my ad on EHam at:

http://www.eham.net/classifieds/detail/58395

Thanks,

Don >>> KE7NR 602-256-4701

3037. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 13:39:54 UTC
From: Carleton Ingerson <n1dxm@prexar.com>
Message-ID: <gpe9nuo57o19hu8qlto4i0438o6q2vkc0j@4ax.com>
Source record: 39748

I used to do the rec.radio.swap thing but got very tired of all the CB trash and other junk. What's the problem with FS messaages here? At least it is almost always haam gear. Just my opinion and we all know about opinions!!

Carl

On Tue, 03 Sep 2002 02:04:08 GMT, ricknj10@hotmail.com (Rick) wrote:

>Wow this newsgroup is just about useless. There used to be
>interesting discussions regarding EQUIPMENT. But it seems to have
>turned into a for sale, for auction group. rec.radio.swap is supposed
>to be for that purpose. Maybe we need a group called rec.radio.ebay!!
>
>
>Rick

3038. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 15:38:47 UTC
From: ricknj10@hotmail.com
Message-ID: <3d74d0db.62273492@news.optonline.net>
Source record: 39749

What's the problem with FS messaages here? At
>least it is almost always ham gear.

Hi Carl,

The problem is that things have changed in the past several years and right now the structure of the rec.radio.amateur newsgroups does not reflect the needs of the users. Obviously there is a huge demand for a place to post FS, FA, and WTB ads. rec.radio.swap is overrun with CB ads (as I am told) and so hams have migrated to the equipment, and the boatanchor newsgroups. However please note what the charter says:

"The groups r.r.amateur.antenna, .boatanchors, .dx, .equipment, .homebrew, and .space are for more specialized areas of ham radio: discussions about antennas, the older tube based amateur, military, and commercial gear, commercially-made equipment, homebrewing, and amateur radio space operations. The .equipment group is NOT the place for buying or selling equipment; that's what rec.radio.swap is for. "

IF, and this is a big IF, there were one or more newsgroups formed for the express purpose of placing FS, FA, WTB ads do you think it would benefit both those folks doing the buying and selling as well as the "original types" (like me) who come to this newsgroup looking for technical discussions on equipment?

For example to show you what I mean, say there was a new HIARCHY (sp?) of newsgroups within rec.radio.amatuer called
"rec.radio.amateur.trading"......
under that hiarchy there could be -
rec.radio.amateur.trading.ebay
rec.radio.amateur.trading.forsale
rec.radio.amateur.trading.forauction
rec.radio.amateur.trading.wtb
rec.radio.amateur.trading.boatanchors
rec.radio.amateur.trading.anything_you_want_to_make_for_a_newsgroup_I_don't_care

Then.... and here is the fun part..... anyone who comes back to good old r.r.a.equipment and posts a FA: ad gets wouff honged !!!!!!

I spearheaded the efforts to originate the boatanchors newsgroup 5-6 years ago, so I used to know the procedure for officially forming new big eight newsgroups (of which "rec" is one). I could look into it if there is enough interest. The one thing I learned back then was that debates on the subject can go on forever and get bloody. IF I was to do this, I would take comments for a limited period of time and then I make the decision on how we procede. On the other hand, if there any

volunteers who want the job you got it.

My email adr is ok.

Rick K2XT

3039. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 17:46:32 UTC
From: Carleton Ingerson <n1dxm@prexar.com>
Message-ID: <i4t9nuo2ptgc4vt0eph1um7pet8uhesom0@4ax.com>
Source record: 39750

I agree...a new group for the selling of amateur gear only would be
great. Somehow we would have to filter out all of the CB junk and
scanners. FA mesages annoy me because most of the time the gear is
already sold. If you want to make a killing on ham gear, EBAY is the
place to go....bidders pay far more than HRO charges!! However, a
good group like the old Ham Radio Yellow Sheets would be nice.

73 Carl N1DXM
On Tue, 03 Sep 2002 15:38:47 GMT, ricknj10@hotmail.com (Rick) wrote:

> What's the problem with FS messaages here? At
>>least it is almost always ham gear.
>
>Hi Carl,
>
>The problem is that things have changed in the past several years and
>right now the structure of the rec.radio.amateur newsgroups does not
>reflect the needs of the users. Obviously there is a huge demand for
>a place to post FS, FA, and WTB ads. rec.radio.swap is overrun with
>CB ads (as I am told) and so hams have migrated to the equipment, and
>the boatanchor newsgroups. However please note what the charter says:
>
>"The groups r.r.amateur.antenna, .boatanchors, .dx, .equipment,
>homebrew, and .space are for more specialized areas of ham radio:
>discussions about antennas, the older tube based amateur, military,
>and commercial gear, commercially-made equipment, homebrewing, and
>amateur radio space operations. The .equipment group is NOT the place
>for buying or selling equipment; that's what rec.radio.swap is for. "
>
>IF, and this is a big IF, there were one or more newsgroups formed for
>the express purpose of placing FS, FA, WTB ads do you think it would
>benefit both those folks doing the buying and selling as well as the
>"original types" (like me) who come to this newsgroup looking for
>technical discussions on equipment?
>
>For example to show you what I mean, say there was a new HIARCHY (sp?)
>of newsgroups within rec.radio.amatuer called
>"rec.radio.amateur.trading"......
>under that hiarchy there could be -
>rec.radio.amateur.trading.ebay
>rec.radio.amateur.trading.forsale
>rec.radio.amateur.trading.forauction
>rec.radio.amateur.trading.wtb
>rec.radio.amateur.trading.boatanchors
>rec.radio.amateur.trading.anything_you_want_to_make_for_a_newsgroup_I_don't_care

>
>Then.... and here is the fun part..... anyone who comes back to good
>old r.r.a.equipment and posts a FA: ad gets wouff honged !!!!!!
>
>I spearheaded the efforts to originate the boatanchors newsgroup 5-6
>years ago, so I used to know the procedure for officially forming new
>big eight newsgroups (of which "rec" is one). I could look into it if
>there is enough interest. The one thing I learned back then was that
>debates on the subject can go on forever and get bloody. IF I was to
>do this, I would take comments for a limited period of time and then I
>make the decision on how we procede. On the other hand, if there any
>volunteers who want the job you got it.
>
>My email adr is ok.
>
>Rick K2XT
>

3040. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 18:05:47 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <al2tk7fcj1@nntp-m01.news.aol.com>
Source record: 39751

You can make it more usable by placing rules such as ignoring anything
starting with "FS:" and "FA:" in the subject line.

"Rick " <ricknj10@hotmail.com> wrote in message
news:3d7417e5.14915958@news.optonline.net...
> Wow this newsgroup is just about useless. There used to be
> interesting discussions regarding EQUIPMENT. But it seems to have
> turned into a for sale, for auction group. rec.radio.swap is
supposed
> to be for that purpose. Maybe we need a group called
rec.radio.ebay!!
>
>
> Rick
>

3041. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 19:22:35 UTC
From: Glenn Miller <glennmiller@worldnet.att.net>
Message-ID: <%Z7d9.8689$jG2.651064@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39752

This one's underused: alt.ham-radio.marketplace

Glenn AA5PK

"Carleton Ingerson" <n1dxm@prexar.com> wrote in message
news:i4t9nuo2ptgc4vt0eph1um7pet8uhesom0@4ax.com...
> a new group for the selling of amateur gear only would be
> great.

3042. WTB Realistic DX-150B or DX-160

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 22:03:26 UTC
From: gip11@yahoo.com
Message-ID: <e1848381.0209031403.f42f876@posting.google.com>
Source record: 39753

Looking to buy a Realistic DX-150B or DX-160 in fair to good condition

Please email me with details, thanks

gip11@yahoo.com

3043. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 23:23:55 UTC
From: Larry McGee <lrmagoo@worldnet.att.net>
Message-ID: <fwbd9.9006$jG2.669909@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39754

Another underused one that already exists is "rec.ham-radio.swap" right to
the point but gets about 1 new message a day. Larry

Glenn Miller <glennmiller@worldnet.att.net> wrote in message
news:%Z7d9.8689$jG2.651064@bgtnsc05-news.ops.worldnet.att.net...
> This one's underused: alt.ham-radio.marketplace
>
> Glenn AA5PK
>
> "Carleton Ingerson" <n1dxm@prexar.com> wrote in message
> news:i4t9nuo2ptgc4vt0eph1um7pet8uhesom0@4ax.com...
> > a new group for the selling of amateur gear only would be
> > great.
>
>

3044. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-03 23:48:17 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <al3hosdeg1@terabinaries.xmission.com>
Source record: 39755

"Larry McGee" <lrmagoo@worldnet.att.net> wrote in message
news:fwbd9.9006$jG2.669909@bgtnsc05-news.ops.worldnet.att.net...
> Another underused one that already exists is "rec.ham-radio.swap" right to
> the point but gets about 1 new message a day. Larry
>

I don't know about other users, but the group mentioned above is never
available to some users. I have had three different ISPs over the last
couple of years amd r.r.s is always available but the group above is never
listed. Is it available to certain locations only?

Dan

3045. WTB:Parts or project S-40

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 00:10:09 UTC
From: KC0EH <okiemansc@yahoo.com>
Message-ID: <Bbcd9.6155$6i4.475148@newsread1.prod.itd.earthlink.net>
Source record: 39756
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

I am looking to buy a non working or parts Hallicrafters S-40 series radio.I have a straight S-40 I am restoring and could use some spare parts.
KC0EH

3046. Seeking REGENCY scanner crystal.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 00:37:21 UTC
From: klarrg@aol.com
Message-ID: <20020903203721.03194.00000928@mb-mp.aol.com>
Source record: 39757

Seeking a REGENCY-STYLE scanner crystal (10.7 IF) in frequency 155.820.
Already tried allcommercial sources as well as Rat Shack. If you have one
available for sale, please Email me.Also have some others would trade multiples
for this one. THANKS !

3047. Wanted FT-310S or 301SD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 01:48:06 UTC
From: John Sielke <jsielke@pobox.com>
Message-ID: <5dpanus2ik4ppk66em1kuoee46g922npv6@4ax.com>
Source record: 39758
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

Looking for Yaesu FT-301S or 301SD (QRP version of FT-301). Please advise price and condition.

Thanks, John (w2agn at w2agn dot net)

3048. Misc Items For sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 02:03:02 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d7569d5$0$1420$4c5ecdc7@news.erinet.com>
Source record: 39759
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Heathkit HW-8 with original manual and power cord, looks good and works excellent 1.3 to 1.7 watts output covers 80-40-20-15 meters. Recently bought this from a fellow qrp'er but have subsequently bought a K2 and now have desire to build (or buy) a K1 so this must go. It has some marks on the case, not bad, front panel is almost perfect. All original, no mods that I know of . $125 shipped in the lower 48.

Datong FL-3 audio filter. One of the best non-dsp filters made. Has auto-notch, HP/LP/manual notch/peak, exc condition both physically and electrically with power cord and manual. $95 shipped in the lower 48

OHR SCAF Filter looks and works excellent with paperwork (later model with the bypass built in) $65 shipped in the lower 48

MFJ SBF-2 SSB Filter 4 positions: hi-pass, 2.5, 2.0, and 1.5 khz , on/off/bypass input/output connections and phone jack. Utilizes internal 9v battery. In very nice condition and works fine. $17 shipped in the lower 48

Astatic amplified D-104 with the T-UP9 stand (has push to talk bar on the base as well as on the side of the mic. very nice condition, currently wired with a 1/4" phone plug for a Ten Tec. $40 shipped in the lower 48

Please email with any questions..
thanks
Tim
NZ8J

3049. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 02:11:14 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D756BC1.79142B74@cableone.net>
Source record: 39760
Body handling: Binary attachment payload not displayed: radioranch.vcf

Not to mention ...rec.radio.whine/bashn'/flame@!!!

Rick wrote:

> Wow this newsgroup is just about useless. There used to be
> interesting discussions regarding EQUIPMENT. But it seems to have
> turned into a for sale, for auction group. rec.radio.swap is supposed
> to be for that purpose. Maybe we need a group called rec.radio.ebay!!
>
> Rick

[One or more binary attachments are retained only in the source text.]

3050. Re: Wanted FT-310S or 301SD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 03:26:58 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns927ED036D8452Frog207Junocom@148.78.248.76>
Source record: 39761
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

> Looking for Yaesu FT-301S or 301SD (QRP version of FT-301). Please
> advise price and condition.
>

Just a word of advice; the digital display parts are getting rather hard
to find if the FT301D display unit goes bad. I'd recommend getting the
Analog display unit only, if you have a choice.

Ed (FT-301S)

3051. Re: tower base help req please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 04:12:14 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <al416qbkf1@bob.news.rcn.net>
Source record: 39762

"matt" <mattobr@ntlworld.com> wrote:

> i am getting a 30ft strumech tower and would like to know
> what size concrete base would be best i know the bigger
> the better , i am just after a ruff idea on the size

Matt, if the tower manufacturer cannot come up with the specific information, you should get a licensed engineer to help you out. Mistakes in tower base design and construction can be fatal.

3052. Trade for Rolleiflex

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 04:32:18 UTC
From: Butch Magee <lynyrd@cableone.net>
Message-ID: <3D758CD2.6030706@cableone.net>
Source record: 39763
Cross-posted to: rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Will trade a never used chromed screwdriver antenna w/wired up-down
switch for Rolleiflex 2.8E or 3.5F or what havy you? No junk.

Butch Magee KF5DE
228-255-6900

3053. Re: Yaesu USA repair problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 04:35:49 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <al42j1$fv2$1@bob.news.rcn.net>
Source record: 39764

"Russell Hltn" <reply@2newsgroup.com> wrote:
> I wrote:

> > Greg, Ken, and others, be careful what you post regarding Yaesu
> > in this forum if it is not flattering. My earlier contribution to this
> > thread resulted in my receiving an e-mail from them stating that
> > my comments were "actionable," and that similar statements in
> > the future would result in them seeking counsel. A followup
> > e-mail to them brought only a meaningless and empty response.

Followup: I had another e-mail go-round with the person from
Yaesu, and it is clear that it had been his decision to make his
threat, and that he had only been instructed to respond to me.
He expressed regret for taking that path, and wisely called a truce.
I respect him for that, I am sure that it wasn't easy after bold words.

I don't feel that one person's mis-step reflects poorly upon Yaesu,
and will continue to buy their equipment and recommend them to
others as I have done in the past. I really do hope that the product
quality of their new offerings measures up with that of years ago.
Their FT-8900 and their VX-7R sure look great on paper.

> File away this URL http://www.chillingeffects.org

> ...Anecdotal evidence suggests that some individuals and corporations
> are using intellectual property and other laws to silence other online users.

All very interesting stuff. Yes, we are all free to express our
opinions, so long as we identify them as such. The same goes
for hearsay. Never accept anybody's threat of legal action
against your own opinions or hearsay. To let such threats go
unanswered only gives them the victory that they have sought.

3054. FS Collins

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 04:58:17 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <Jpgd9.6753$6i4.519342@newsread1.prod.itd.earthlink.net>
Source record: 39765

Hello,

I have TWO DX Engineering Voice Processors for the Collins 32S transmitters.
The model is LC-1-32S the price is $250.00 each

Collins PM-2 power supply........$160.00

73, Leo

PH/FAX (310) 670-6969

3055. FS " New In The Box" Kenwood PB-38

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 04:58:22 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <Opgd9.6756$6i4.519342@newsread1.prod.itd.earthlink.net>
Source record: 39766

```
4 Sale
" BRAND NEW IN THE BOX"
Kenwood PB-38 Batteries. This battery fits the Kenwood TH-G71A,
TH-D7A, & TH-D7A(G)
6.0 volts @ 650 mAh sells normally at about $49.95.........Your Price is
ONLY.........$23.00 total shipped in the U.S.
```

3056. Re: WTB:Parts or project S-40

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 06:15:34 UTC
From: "Gary C." <radiobier@dslextreme.com>
Message-ID: <unb5lkjv533r0c@corp.supernews.com>
Source record: 39767
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

If no one responded I have one...All tubes complete except for the
bandswitch knob. Make me an offer to get it off my hands.

Thanks,

Gary
Reply to bierbier@dslextreme.com and
bierbier@yahoo.com

"KC0EH" <okiemansc@yahoo.com> wrote in message
news:Bbcd9.6155$6i4.475148@newsread1.prod.itd.earthlink.net...
> I am looking to buy a non working or parts Hallicrafters S-40 series
radio.I
> have a straight S-40 I am restoring and could use some spare parts.
> KC0EH
>
>

3057. Which 2 Meter Radio is the simplest to operate...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 06:34:02 UTC
From: Ronald Oberloh <wa0kds@yahoo.com>
Message-ID: <3D75A958.C5FAE0F4@yahoo.com>
Source record: 39768

I would like to but a 2 Meter radio for the car that can be operated almost by a blindfolded driver. Age of the radio is not the issue other than it must have internal tone generators and so memory abilities.

Thanks,

Ron

3058. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 06:38:57 UTC
From: Ronald Oberloh <wa0kds@yahoo.com>
Message-ID: <3D75AA80.258EAFAF@yahoo.com>
Source record: 39769

My opinion is that there are two many HAM Radio newsgroups now. It seems that the same posts end up on almost all of them. I am for just one or maybe two and close the rest down. Please lets not create more.

Rick wrote:

> Wow this newsgroup is just about useless. There used to be
> interesting discussions regarding EQUIPMENT. But it seems to have
> turned into a for sale, for auction group. rec.radio.swap is supposed
> to be for that purpose. Maybe we need a group called rec.radio.ebay!!
>
> Rick

3059. Re: tower base help req please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 07:29:02 UTC
From: W6DKN <w6dkn@qsl.net>
Message-ID: <5wid9.3051$Ie6.1499@fe02>
Source record: 39770

"Mark Walsh" <mark@km6xu.die.spam.die.com> wrote in message
news:al416qbkf1@bob.news.rcn.net...
> "matt" <mattobr@ntlworld.com> wrote:
>
> > i am getting a 30ft strumech tower and would like to know
> > what size concrete base would be best i know the bigger
> > the better , i am just after a ruff idea on the size
>
> Matt, if the tower manufacturer cannot come up with the
> specific information, you should get a licensed engineer to
> help you out. Mistakes in tower base design and construction
> can be fatal.
>

Also, if you will need a building permit to errect it, then you are "SOL" if you cannot provide the engineering data and drawings to the city in order to obtain the permit. And even if a permit is not required, it is still a smart idea to obtain one anyway. A permitted, inspected tower greatly reduces your liability in the even of an accident compared to just putting it up and hoping for the best.

73 de W6DKN

3060. F.S. Russian tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 09:17:50 UTC
From: Vladimir Lysenko <lvs@online.kharkiv.com>
Message-ID: <al4j64$2rvp$1@uran.kharkiv.net>
Source record: 39771

For sale :

GU91B (4CX1600A) 150 $US, or EURO

GU74B (4CX800A) 60 $US, or EURO

GS23B (4CX1600U) 90$US, or EURO

GS36B (4CX400A) 75$US, or EURO

GS35B 90$US, or EURO

GS34-1 35$US, or EURO

GI7B 15$US, or EURO

GS9B 15$US, or EURO

G811 (811A)10$US, or EURO

Sockets for G811 (811A) 5$US or EURO, for GM70(300B) 10$US, or EURO.

Sockets for GS15B 30$US, or EURO(have photo)

Sockets for GU74B (4CX800A) 3$US. Not have capacitor G2.

+SHIPPING:
Maximum 2KG, 10-15Days, 15$US
Maximum 20KG, 5-7Days, 35- 100$US for europa, 37- 170$US for USA,
Japan.....

<mailto:lvs@online.kharkiv.com>

3061. Honeywell HLC 2705 IC's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 09:26:05 UTC
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Message-ID: <Nkkd9.141183$_91.207650@rwcrnsc51.ops.asp.att.net>
Source record: 39772

I'm in the search mode for some of the above chips. They are a small infrared detector and decode direction from an optical shaft encoder with a single source. I NEED a couple. Would buy a sleeve if available.

Thanks

W4ZCB

3062. Re: Which 2 Meter Radio is the simplest to operate...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 10:40:06 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <unborba4sd6tc3@corp.supernews.com>
Source record: 39773

Get the Yaesu FT-1500. Very inexpensive too!

"Ronald Oberloh" <wa0kds@yahoo.com> wrote in message
news:3D75A958.C5FAE0F4@yahoo.com...
> I would like to but a 2 Meter radio for the car that can be operated
> almost by a blindfolded driver. Age of the radio is not the issue other
> than it must have internal tone generators and so memory abilities.
>
> Thanks,
>
> Ron
>

3063. Re: Which 2 Meter Radio is the simplest to operate...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 13:28:52 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <JAI2PZ6juebcA8SDF2zbsg2L60KO@4ax.com>
Source record: 39774

Ronald Oberloh <wa0kds@yahoo.com> wrote:

>I would like to but a 2 Meter radio for the car that can be operated
>almost by a blindfolded driver. Age of the radio is not the issue other
>than it must have internal tone generators and so memory abilities.
>
>Thanks,
>
>Ron

The new Icom IC-V8000 has done away with the endless menus and multitudes of tiny buttons that make these radios so friggin' hard to operate. It was reviewed in the July 2002 QST, and that review is also at the members-only part of the arrl.org web site. There might also be a few reviews at the eham.net site, but the radio is pretty new.

Good luck...

Bob
k5qwg

3064. Re: Which 2 Meter Radio is the simplest to operate...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 16:03:55 UTC
From: Mario Melendez <mmelendez@engineer.com>
Message-ID: <3D762EEB.80004@engineer.com>
Source record: 39777

Ronald Oberloh wrote:

> I would like to but a 2 Meter radio for the car that can be operated
> almost by a blindfolded driver. Age of the radio is not the issue other
> than it must have internal tone generators and so memory abilities.

If you want to go ridiculously simple, try the FT23R. It's got tone
generator, DTMF option, and 10 memories.

//\/\ario- TI2DLL

3065. Re: tower base help req please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 16:06:43 UTC
From: Mario Melendez <mmelendez@engineer.com>
Message-ID: <3D762F93.5060101@engineer.com>
Source record: 39778

matt wrote:

> hi
>
> i am getting a 30ft strumech tower and would like to know what size concrete base would be best i know the bigger the better , i am
> just after a ruff idea on the size

Load on the tower base will vary greatly depending on whether it's self supported or guyed, what the angles and sizes of the tower legs are, etc. The best thing you could probably do is ask the manufacturer or a licensed engineer for directions on what size base to use. If the manufacturer says he has no idea, I'd switch manufacturers...

//\/\ario //\/\elendez- TI2DLL
mmelendez@engineer.com

3066. Re: tower base help req please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 16:14:48 UTC
From: Mario Melendez <mmelendez@engineer.com>
Message-ID: <3D763178.4090504@engineer.com>
Source record: 39779

M.E. wrote:

> 1 cubic meter of concrete should do the job. About 5Kg of re-enforcing steel
> embedded, should keep it from cracking.

I don't see why the reinforcing steel... a block that size (1x1x1m)
shouldn't require rebar since it's not tall enough to flex significantly
and probably has a large enough cross section for the expected shear
forces. If you experience significant cracking the problem might lie in
either the concrete mix or a cold joint in the block. That last one's
extremely important... I've seen several hams mix up a batch of
concrete, pour, then go to lunch and come back 2 hours later and finish
pouring. Makes for some nasty cold joints later on. Pour the block all
at once or not at all!

> Embeded anchor bolts or a plate should do the trick.

Anchor bolts? I'd be careful if the tower was self supporting, the bolts
could very well get pulled out during high winds. I'd use something
along the line of embedded steel: rebar or a plate or similar.

73

//\/\ario //\/\elendez- TI2DLL
mmelendez@engineer.com

3067. yaesu shortwave radio question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 16:45:08 UTC
From: kk4tl@aol.com
Message-ID: <20020904124508.01154.00002117@mb-mq.aol.com>
Source record: 39775

i've heard this is a good radio. anyone have hands on information about it?
what would be a good price on it? thanks for any help.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376975575

3068. Icom experience

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 17:16:54 UTC
From: jcplpsm@aol.communicate
Message-ID: <20020904131654.03318.00000150@mb-fo.aol.com>
Source record: 39776

With all the recent postings about the big three's lackluster service, I thought I would share a good experience I just had with Icom's parts department. I had to order a replacement speaker for an HT and a volume control for an older dual bander. The woman I spoke to, Lorie Phillips, was extremely helpfull, friendly, and a pleasure to deal with. The volume control was not listed on their active parts inventory, so she researched it for me and came up with a suitable replacement. Service above and beyond the call of duty, especially in this day and age of impersonal service.

Thanks Lorie!

Scott
KA1MRO

3069. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 17:49:35 UTC
From: RadAct <juafi@yahoo.com>
Message-ID: <al5h6a02uhd@enews2.newsguy.com>
Source record: 39781

I second that. I've never seen it in the five ISPs that I'VE had.

> > Another underused one that already exists is "rec.ham-radio.swap" right
to
> > the point but gets about 1 new message a day. Larry
> >
>
> I don't know about other users, but the group mentioned above is never
> available to some users. I have had three different ISPs over the last
> couple of years amd r.r.s is always available but the group above is never
> listed. Is it available to certain locations only?
>
> Dan
>
>
>
>

3070. WTB BR Communications Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 18:06:31 UTC
From: Pete Smith <psmith@xmission.com>
Message-ID: <3D764BA7.F2EBD25C@xmission.com>
Source record: 39780

Hello
If you have some BR Communications Equipment for sale please contact me
directly by e mail .. Thanks pete

3071. Yaesu FT-208R Manual and Schematics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 18:43:14 UTC
From: gbramlet@fgcu.edu
Message-ID: <1017b5a3.0209041043.1bc0fcd7@posting.google.com>
Source record: 39782

I'm looking for the manuals and schematics for a Yaesu FT-208R
any HAM out there willing to mail me a Copy or know where I can get one?

3072. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 20:57:49 UTC
From: ricknj10@hotmail.com
Message-ID: <3d766f94.60960668@news.optonline.net>
Source record: 39783

>Another underused one that already exists is "rec.ham-radio.swap" right to
>the point but gets about 1 new message a day. Larry

The reason is that the rec.ham-radio hiarchy is not legitimate. The
correct name is rec.radio.amateur.
When there are illegitimate news hiarchies most sites do not carry
them on their servers meaning the articles do not propagate well.
I know because I used to do this for a living.

Rick

3073. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 21:07:31 UTC
From: ricknj10@hotmail.com
Message-ID: <3d7673ea.62070259@news.optonline.net>
Source record: 39784

>I don't know about other users, but the group mentioned above is never
>available to some users.
>
>Dan

Dan,
Congratulations. You have a well administered news server. As I
posted previously rec.ham-radio is not legitimate and your news
administrator has his/her site set up to ignore it,.as they should.

FYI - what I mean by not legitimate is that it was created by someone,
and they sent out a "newsgroup creation" command. But since it was in
one of the big eight hiarchies (rec, sci, comp, news, etc.) the
command was ignored because it was bogus. New newsgroups in the big
eight have to be created by a formal process. The process involves
forming a charter, publishing it, voting. If it is approved then a
legitmate creation command is sent out and the newsgroup is added to
all sites at the same time. Because of this ALL news servers should
be identical as far as the newsgroups they contain in the big eight.
On the other hand the "alt" hiarchy is completely chaotic, unmanaged,
and as a result you find 20,000-50,000 mostly bogus, prank newsgroups
there. Such newsgroups are either empty or filled with porn web site
ads.

Rick

3074. Re: yaesu shortwave radio question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 21:19:27 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uncua6thmene2b@corp.supernews.com>
Source record: 39785

I have the FRG-8800...but I hear the 100 is an excellent machine.

--
Web Site: www.polkcounty.org/radiofun
ICQ: 11908449
Yahoo Mess: Hitradio93Q

"KK4TL" <kk4tl@aol.com> wrote in message
news:20020904124508.01154.00002117@mb-mq.aol.com...
> i've heard this is a good radio. anyone have hands on information about
it?
> what would be a good price on it? thanks for any help.
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376975575

3075. Re: Help with ICOM-2100H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 22:14:37 UTC
From: donrm@soco.agilent.com
Message-ID: <1031177677.682615@cswreg.cos.agilent.com>
Source record: 39786

7hj <ea7hj@hotmail.com> wrote:

[text abbreviated]
> I have problem with my IC2100H.
> The problem is : NO POWER OUT. ALL REST IS OK (Reception OK - All Funcions
> OK).
> In Pin 2 (Power control PIN) from the SC1091 (SAV17) no have tension.
> Very important:
> If I connect +13.8V to the Pin 2 (power contril pin) of the SC1091(S-AV17)
> I see watts on the wattmeter and the current drain is about 8 Amp and the
> transmitter is OK.
> My great problem is I donï¿½t have schematic for the IC2100H and is very
> difficult to repair without him.
> Very Sorry for my english. I donï¿½t speak english.

Sorry to post this reply to the net; I have very little luck emailing direct to the hotmail.com domain.

Your english is a lot better than my spanish.

Unfortunately, the factory service manual on the IC-2100 is $45, an appreciable portion of the radio's entire cost. I have a Nth generation schematic, very poor copy that ICOM charged me $5 for plus another $4 shipping/handling. :(

Check transistors Q17 2SC4116BL NPN, Q18 2SC4081S NPN and Q19 2SB934P PNP. These control Vcc2 power module pin. The base of Q17 is controlled by a multipin IC whose number and pinout is unreadable on my schematic. Q18's base drive is also controlled by an op amp, IC3 TA75S01F. The noninverting input is tied to a thermistor, probably shutdown protection for the amp module. The inverting pin is connected to some sort of RF/detect sampling from the power module's output...looks similar to a Breune directional coupler/VSWR protect circuit. Hope this makes sense; describing a schematic is difficult at best.

If the variable power isn't important to you, I'd connect a voltage divider between 13.8 Vcc and ground with the tap going to the power control pin. The voltage divider resistor ratio will determine the power output. I have no idea what the effect of leaving the power module on all the time would be - if class C, probably nothing (no drive, no output).

Hope this helps somewhat.

73 Don K6LTS
donrm@soco.agilent.com

3076. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 22:56:36 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3d768da0$0$305$39cecf19@nnrp1.twtelecom.net>
Source record: 39787
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $600

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.
I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street

Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

3077. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-04 23:09:27 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns927FA48AFC1E8Frog207Junocom@148.78.248.76>
Source record: 39788

> My opinion is that there are two many HAM Radio newsgroups now. It seems
> that the same posts end up on almost all of them. I am for just one or
> maybe two and close the rest down. Please lets not create more.
>

I fully agree. The ones we already have are poorly used. Just look at
all the ForSale and ForTrade postings in this group, rather than
rec.radio.swap where Sale and Trade items are supposed to be posted.

Ed

3078. Re: rec.radio.ebay !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 00:01:16 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <al66t6qvv1@terabinaries.xmission.com>
Source record: 39789

"Rick " <ricknj10@hotmail.com> wrote in message
news:3d7673ea.62070259@news.optonline.net...
>
> >I don't know about other users, but the group mentioned above is never
> >available to some users.
> >
> >Dan
>
> Dan,
> Congratulations. You have a well administered news server. As I
> posted previously rec.ham-radio is not legitimate and your news
> administrator has his/her site set up to ignore it,.as they should.
>
> FYI - what I mean by not legitimate is that it was created by someone,
> and they sent out a "newsgroup creation" command. But since it was in
> one of the big eight hiarchies (rec, sci, comp, news, etc.) the
> command was ignored because it was bogus. New newsgroups in the big
> eight have to be created by a formal process. The process involves
> forming a charter, publishing it, voting. If it is approved then a
> legitmate creation command is sent out and the newsgroup is added to
> all sites at the same time. Because of this ALL news servers should
> be identical as far as the newsgroups they contain in the big eight.
> On the other hand the "alt" hiarchy is completely chaotic, unmanaged,
> and as a result you find 20,000-50,000 mostly bogus, prank newsgroups
> there. Such newsgroups are either empty or filled with porn web site
> ads.
>
> Rick

Anyday that you can learn something is a GOOD day!

Thanks for the info Rick!

Dan

3079. Wanted: Icom Voice Synthesizer UT-102

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 00:20:50 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <sm8dnuob3uqto9d87eh332cqgh8g9ckg1a@4ax.com>
Source record: 39790

If you have one for sale please email me. 73, Mike N0XD
mfunaro@worldnet.att.net

3080. Re: Wanted: Icom Voice Synthesizer UT-102

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 03:12:39 UTC
From: Darrin <darrin99@nj.rr.com>
Message-ID: <npidnuo6kvjddlrfvoupul57eub1ojaqot@4ax.com>
Source record: 39791

On Thu, 05 Sep 2002 00:20:50 GMT, Michael Funaro
<mfunaro@worldnet.att.net> wrote:

>If you have one for sale please email me. 73, Mike N0XD
>mfunaro@worldnet.att.net

I just bought one at Universal Radio for $54.95. That's cheaper than
they were selling on eBay used, the last time I checked.

http://www.universal-radio.com/catalog/index2.html

3081. Opinions on Timewave's ANC-4 NR unit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 03:33:25 UTC
From: ve3tmt <ve3tmt@yahoo.com>
Message-ID: <BdAd9.8774$QS6.1149338@news20.bellglobal.com>
Source record: 39792

Anybody using one of these units or in the past? I have a terrible noise problem and was wondering if it was worth the dough.

Thanks,

Max

3082. FS: Reduced Radio Items

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 09:35:35 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <1c9enus3q5ij8deik3bfabrvk7pjq2mikd@4ax.com>
Source record: 39793
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

British WW2 straight key - now reduced to $25.00

Shure 202 hand microphone
Gray, sharp appearance with RED PTT, excellent condition.
Great for use with any station - looks excellent.
Reduced to $25.00

Icom hand microphone, low impedance, black.
Picture available on request.
Not the 'HM-36' or any other mic for your late
model rig. Just a good mobile mic - probably went with an
IC-21 or IC-202 is my guess. No model number on it.
Will sell for $15.00

James Millen Company Grid Dip Meter with manual.
Model 90651 GDO mint in the original Millen carry case.
Best looking one you will find anywhere.
Available for $125.00

Omega - T antenna impedance noise bridge with instructions
This unit will analyze your antenna impedances and give lot of useful
information. Finds resonant point and impedance at various
frequencies. Now reduced from $50.00 to only $15.00

Meters:

RMCA 0 - 8 Amps RF. Black case that is 3" diameter. Meter looks new.
QTY 1 only at $10.00

0 - 10 mA - marked "Plate Milliamperes."
Sterling Manufacturing Co. 2" diameter with chrome finish.
QTY 1 for $6.00

Phasetron 0 - 300 A DC, new meter in box.
Needs shunt. Has black case and is 3" in diameter.
Very nice looking.
Qty 1 available for $8.00

Shipping additional

E-mail me for pictures

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3083. FS: Fahnstock clips

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 09:50:31 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <v8aenuo4v07t0at0ipc14l3vqn5gujguri@4ax.com>
Source record: 39794
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

Fahnstock Clips - approximately 1/4" X 1/2" size, copper.
Great for bread-boarding rigs, or building crystal sets etc.
Available for 50 cents each.

Shipping extra - e-mail me.

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3084. FS: Large FIlament Transformers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 10:09:22 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <dcbenu0qditfcion8rq76elp4o0sphs3dd@4ax.com>
Source record: 39797
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

FOR SALE - TRANSFORMERS

115V primary to 5 V AC at 20 A Avco Crosley (no CT)
Black case potted with four mounting studs. Ceramic insulated
terminals on the bottom.
Dimensions are 4" X 3-1/4" X 5" tall.
QTY 1 available for $32.00

115V Primary / 10 V AC at 6 A secondary
QTY 3 Available at $15.00 each
(Use with tubes like 813, 830, 8005, 211, 311, 805, 810, 8000,
304TH, 304TL, 814, 828, 803)

THIS IS THE BIG DADDY:
115 / 230 V primary to 7.5 V CT at 51 A
For use with 3CX3000 or 4-1000A tubes etc.
QTY 2 Available at $110.00 each

Shipping is additional.
E-mail me to arrange purchase

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3085. FS: More Filament Transformers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 10:14:30 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <rlbenu45k1o49u9n8mdu9j5qsqjva78mh4@4ax.com>
Source record: 39795
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment

FOR SALE:

FOR SALE:

More FILAMENT TRANSFORMERS

Filament Transformer with 6.3V at 13.5 A - consists of three
4.5 Amp secondaries. QTY 1 available for $26.00

115V primary 60 cps. Sec 6.3V CT at 6 Amps, 1.5KV test.
NEW TRIAD F-18X. Horizontal channel mounting.
Dimensions 4" X 3" X 2-5/8" tall
QTY 1 available for $12.00

117V primary 60 cps. Sec 6.3V CT at 3A, 2.5 KV test.
NEW Stancor P-6466. Horizontal channel mounting.
Dimensions 3.5" X 2" X 2" tall
QTY 1 available for $9.00

Shipping additional

E-mail me to arrange purchase

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3086. Re: Which 2 Meter Radio is the simplest to operate...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 10:51:23 UTC
From: N4VZ <n4vz@tampabay.rr.com>
Message-ID: <LGGd9.128600$Rx4.1310836@twister.tampabay.rr.com>
Source record: 39796

The FT-2400 fromYaesu is very easy to operate, I still wish I had mine.

I have an Icom IC-2100 now and I don't like it at all

"Ronald Oberloh" <wa0kds@yahoo.com> wrote in message
news:3D75A958.C5FAE0F4@yahoo.com...
> I would like to but a 2 Meter radio for the car that can be operated
> almost by a blindfolded driver. Age of the radio is not the issue other
> than it must have internal tone generators and so memory abilities.
>
> Thanks,
>
> Ron
>
>

3087. Re: I am the guilty one

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 11:39:42 UTC
From: Bob <noemail@thisaddress.com>
Message-ID: <2oHd9.3789$ip3.364588@twister.southeast.rr.com>
Source record: 39698

Without looking at the auction and just going from what I understand from your original post, you should not have bid before you got a reply to the serial number concern, if that was important in your decision. The rule is, if you bid and win, you should honor the auction. Next time, do your homework before you bid and everyone will be more satisfied.

3088. FS: Icom CK11 Remote Cable Kit for IC435 Mobile Xcvrs

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 13:04:31 UTC
From: mnowlen@comcast.net
Message-ID: <3d77559b.153000252@news.va.comcast.giganews.com>
Source record: 39699
Cross-posted to: rec.radio.swap,rec.radio.lmr-commercial,rec.radio.amateur.equipment,rec.radio.amateur.swap

New Icom CK-11 remote cable kit complete with mounting and hardware
for Icom IC 435 Series Commercial Mobile Transceivers

$35 + shipping

mnowlen@comcast.net

3089. QRM from exercise machine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 15:04:04 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D777264.5010408@optonline.net>
Source record: 39700

Browsing through the ARRL _Hints & Kinks_ (15th ed.), I found a report of somebody who experienced strong QRM all over the HF bands that he eventually traced to a neighbor's computer-controlled treadmill!

They solved the problem by agreeing on times when the treadmill would not be used, but shouldn't the manufacturer of the treadmill have been made to fix (redesign if necessary) this unauthorized transmitter?

-=-
Alan

3090. FS: EL 153 Telefunken NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 15:18:48 UTC
From: arnoldg@c2i.net
Message-ID: <3d777699.2432976@news1.c2i.net>
Source record: 39701

I have several pcs of the power output pentode EL 153 by Telefunken.
The valves are all NOS and unused. Power dissipation is 40W and the
price is only NOK 400.- each - about $ 52.- Picture and technical
data on my web site - www.demostenes.no Just search for EL 153 in the
left hand corner.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

3091. FA: RS10 Meter HTX-10 Tranceiver New. Ends 09/05/02 14:27 EDT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 15:56:59 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <f9Ld9.84380$082.3837477@news1.east.cox.net>
Source record: 39702
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap

New in box. MINT

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1377144102

Thanks and 73 to all on the NG

3092. Looking for advice: Remote control vhf/uhf(hf?) rigs

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 16:20:41 UTC
From: Mie <mparkes@att.net>
Message-ID: <3D778458.2040801@att.net>
Source record: 39703

Looking for recommendations on whats available in remote-control rigs? (Being able to control bands cross-band repeat functions etc) from a remote radio via DTMF tones. I am interested in vhf/uhf mobiles but maybe some of the newer HF rigs offer this functionality? I know the Kenwood Tm733 and TMV7A has this, the ALinco DR-600/610, maybe there are others? Thanks for any input
Mike AB7RU

3093. FS: Siemens F2a power pentode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 16:31:14 UTC
From: arnoldg@c2i.net
Message-ID: <3d77878a.6770566@news1.c2i.net>
Source record: 39704

I have four pcs of the very nice Siemens F2a power pentode for sale.
They are NOS and in original boxes. Picture and technical data on my
web site - www.demostenes.no
Just search for F2a in the left hand corner.

Regards,

Arnold Goks&#65533;yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

3094. Re: Icom experience

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 16:52:01 UTC
From: Al <aburzynski@swri.nojunk.edu>
Message-ID: <unf2thpcq9306f@corp.supernews.com>
Source record: 39705

"SAM" <jcplpsm@aol.communicate> wrote in message
news:20020904131654.03318.00000150@mb-fo.aol.com...
Service above and beyond the call of duty,
> especially in this day and age of impersonal service.
> Scott
> KA1MRO

My Icom 745 drifted all over the place and would not stay on frequency. A check on their website said to replace a variable cap in the 2nd LO stage. I called Icom and they quoted the price of the part as 97 cents. She said that was too low to worry about so she sent me 2 for free. I replaced the part and the transceiver is stable as new.

I have no problems with Icom service.

Al
KA5JGV

3095. Re: Help with ICOM-2100H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 17:29:26 UTC
From: 7hj <ea7hj@hotmail.com>
Message-ID: <WvMd9.207617$6K3.1823553@telenews.teleline.es>
Source record: 39706

Hi dear friend Don.

TNX for your replay and informatios.

The IC-2100H is runnig OK in this moment.

The problem was the 2SB934 PNP transistor open heated. I replace this with a similar
7Amp 80V PNP transistor and all OK for the moment.

TNX again for all dear Don.

73's and DX

Antonio - EA7HJ

<donrm@soco.agilent.com> escribi en el mensaje news:1031177677.682615@cswreg.cos.agilent.com...
> 7hj <ea7hj@hotmail.com> wrote:
>
> [text abbreviated]
> > I have problem with my IC2100H.
> > The problem is : NO POWER OUT. ALL REST IS OK (Reception OK - All Funcions
> > OK).
> > In Pin 2 (Power control PIN) from the SC1091 (SAV17) no have tension.
> > Very important:
> > If I connect +13.8V to the Pin 2 (power contril pin) of the SC1091(S-AV17)
> > I see watts on the wattmeter and the current drain is about 8 Amp and the
> > transmitter is OK.
> > My great problem is I don't have schematic for the IC2100H and is very
> > difficult to repair without him.
> > Very Sorry for my english. I don't speak english.
>
> Sorry to post this reply to the net; I have very little luck emailing
> direct to the hotmail.com domain.
>
> Your english is a lot better than my spanish.
>
> Unfortunately, the factory service manual on the IC-2100 is $45, an
> appreciable portion of the radio's entire cost. I have a Nth generation
> schematic, very poor copy that ICOM charged me $5 for plus another $4
> shipping/handling. :(
>

> Check transistors Q17 2SC4116BL NPN, Q18 2SC4081S NPN and Q19 2SB934P PNP.
> These control Vcc2 power module pin. The base of Q17 is controlled by a
> multipin IC whose number and pinout is unreadable on my schematic. Q18's
> base drive is also controlled by an op amp, IC3 TA75S01F. The
noninverting
> input is tied to a thermistor, probably shutdown protection for the amp
> module. The inverting pin is connected to some sort of RF/detect sampling
> from the power module's output...looks similar to a Breune directional
> coupler/VSWR protect circuit. Hope this makes sense; describing a
schematic
> is difficult at best.
>
> If the variable power isn't important to you, I'd connect a voltage
divider
> between 13.8 Vcc and ground with the tap going to the power control pin.
> The voltage divider resistor ratio will determine the power output. I
> have no idea what the effect of leaving the power module on all the time
> would be - if class C, probably nothing (no drive, no output).
>
> Hope this helps somewhat.
>
> 73 Don K6LTS
> donrm@soco.agilent.com
>

3096. ATTN: WASHDC METROPOLITAN AREA HAMS - EQUIP FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 17:56:33 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3D779AD1.1269C0E@erols.com>
Source record: 39707

Unfortunately, there is no way to segregate local area selling on
this newsgroup and the items are so few in number and so low in price
that it is not reasonable to consider shipping. I hope you will
understand.

The following items are for pickup in the WashDC metropolitan area and
all proceeds will go to one of our local radio clubs. They have not
been checked out but seem to have little use albeit oldies:

* RCA DUAL TRACER (Model WM-541A) Converts single traced
oscilloscopes to dual trace, w/manual. Black front face, gray box
Mint. $10.

* BELL AND HOWELL DIGITAL MULTIMETER: (Model 9550) w/manual Mint $10.

* 2 POSITION DATA SWITCH BOX. Looks new. Quantity 2: $3ea or both
for $5.

* HEATHKIT SOLID STATE DIP METER with plug in coils and manual.
Includes
metal gray carrying case. w/ manual Very clean. Some nostalgia here.
$20 OBO.

* SNAP ON FIBER OPTIC LINK, New in Box. $3.

* SINGLE RIGHT EAR HEADSET WITH MIKE: $3

73, Murray, K3BEQ
k3beq@arrl.net

3097. KDE3/Linux PSK31 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 18:20:02 UTC
From: Keith <n6jpa_spam@attbi.com>
Message-ID: <slrnanf7tv.1lt.n6jpa_spam@12-225-29-45.client.attbi.com>
Source record: 39708
Cross-posted to: comp.os.linux.misc,rec.radio.amateur.equipment

Improved Linux PSK31 freeware available: Improved PSK31 freeware for Linux now is available for public use and testing. KPSK is a PSK31 application for the KDE 3.x Linux desktop environment. While many different PSK31 applications are available for Microsoft Windows, very few are available for Linux. First released as version 0.7 in September 2000, a new and greatly improved version (v 1.0rc1) now is available. Its features include the ability to simultaneously transcribe four separate signals; frequency-scaleable waterfall; improved IMD measurement that provides IMD data only when the measurement is valid; user-selectable waterfall colors; full user documentation and troubleshooting information; 12 macro functions (tied to function keys); a built-in logbook; a simple and attractive user interface; and AutoCQ and Auto Call Check functions. Detailed information, screenshots and the software package are available free of charge via the Internet.--submitted by Ernest Stracener, KG9NI

http://1409.org/projects/kpsk

--
Best Regards, Keith NW Oregon Radio http://n6jpa.home.attbi.com/
The problem with Linux is that users always BASH Tux's shell. Linux 2.4.7-10
I know engineers. They love to change things. - Dr. McCoy

3098. FS: Large stock of valves - very cheap

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 20:18:30 UTC
From: arnoldg@c2i.net
Message-ID: <3d77bbb5.20127254@news1.c2i.net>
Source record: 39709
Cross-posted to: rec.radio.amateur.boatanchors,rec.audio.tubes,rec.radio.cb,rec.radio.amateur.equipment,rec.audio.marketplace

Hello,

These valves are completely new, never used. They are in original
boxes and in mint shape. The valves are mostly HALTRON brand, but
they were a typical 'rebranding' company and got their valves from
well known manufacturers like Philips, Mullard, Siemens etc.

The following are for sale. The price shown are for each valve, and
as you can see, they are very low.

950 pcs DY 87 $ 0,40 HV single rectifier

60 pcs EB 91 $ 0,50 = 6AL5
40 pcs EF 50 $ 0,40 WW2 wideband pentode
20 pcs EF 55 $ 0,50 WW2 wideband radar pentode
200 pcs EF 183 $ 0,50 = 6EH7 remote cutoff pentode
40 pcs EY 81 $ 0,40 Single diode 550V 150mA
40 pcs EY 86 $ 0,40 HV single rectifier

220 pcs PABC 80 $ 0,50 triple diode + medium u triode
400 pcs PC 900 $ 3,00 high gm VHF triode + audio
90 pcs PCC 85 $ 0.40 double triode VHF
280 pcs PCF 200 $ 0,50 triode + high gm pentode
350 pcs PCF 201 $ 0,50 Triode + high gm pentode
630 pcs PCF 801 $ 0,50 Triode + high gm pentode
370 pcs PCF 802 $ 0,60 Triodepentode
730 pcs PCH 200 $ 0,50 Triodeheptode

150 pcs PCL 81 $ 0,60 Triode outputpentode
190 pcs PCL 82 $ 0,50 Triode outputpentode Wa 7W
200 pcs PCL 86 $ 0,60 Triode outputpentode Wa 9W
250 pcs PFL 200 $ 0,50 Pentode + high gm output pentode
(S= 22mA/V Wa 5W)

170 pcs PL 82 $ 0,50 Output pentode Wa 9W
170 pcs PL 83 $ 0,50 Output pentode Wa 9W
360 pcs PL 84 $ 0,50 Output pentode close to EL 86
200 pcs PY 81 $ 0,40 Single rectifier 550V 150mA
100 pcs PY 83 $ 0,40 Single rectifier 175mA

Even more discount is available if you buy large quantities.

Please contact me by fax (+47 57 69 12 67) or e-mail (arnoldg@c2i.net)
if you are interested

Best regards,

Arnold Goks&#65533;yr
-manager-

DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

3099. FA: Yaesu FT-100 w/ TCXO, 6khz AM filter, CAT and Packet cables, NO RESERVE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 22:43:58 UTC
From: cbrown@woods.net
Message-ID: <O6Rd9.176206$_91.213361@rwcrnsc51.ops.asp.att.net>
Source record: 39710
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

Yaesu FT-100 w/ TCXO, 6khz AM filter, CAT and Packet cables

This is a great rig that I have been very happy with. My main use has been 6M, 2M and 70CM SSB/FM and shortwave listening. It has also been used 160M - 10M by other HAMs during field day. I have never had a problem with it, the built in DSP filters are great for pulling in the weak DX stations. After purchase I added the TCXO and the 6khz AM filter, it also comes with a packet interface cable, computer interface cable and the original XO module. I really like the FT-100 and have enjoyed hundreds 6M SSB contacts, the *only* reason I am parting with it is a 3000 mile move. I will not have the space or time for much more than using my HT.

Receive: 100 kHz - 961 MHz (Cellular blocked)
Transmit: 160 - 6 Meters 100watts, 2 Meters 50watts, 70 Centimeters 20watts
Emission Modes: A1 (CW), A3 (AM), A3J (LSB/USB), F1 (9600 bps Packet), F2 (1200 bps Packet), F3 (FM)

This item is listed with Ebay at

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1379212230

3100. Re: QRM from exercise machine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-05 23:25:39 UTC
From: JRS <n3ab@fast.net>
Message-ID: <ngpfnus9sb9tl3jr8qdbqlrk81jri17b6d@4ax.com>
Source record: 39711

Good question. I investigate interference problems for the power company I work for. About a year ago, I had an elderly woman report a problem with AM broadcast band interference. I traced it to a computer-controlled treadmill in a therapy center across the road from her. I could pick that treadmill up on my equipment at least a quarter mile from her house. She was going to contact the FCC as the center claimed they had patients to treat and didn't believe me that their equipment was causing a problem. Even after they turned the machine on and off several times while listening to the interference start and stop on my radio. I didn't have the heart to tell the woman who called us that she would have more luck trying to contact UFOs vs the FCC.

On Thu, 05 Sep 2002 11:04:04 -0400, Alan Beagley
<abeagley@optonline.net> wrote:

>Browsing through the ARRL _Hints & Kinks_ (15th ed.), I found a report of somebody who experienced strong QRM all over the HF bands that he eventually traced to a neighbor's computer-controlled treadmill!
>
>They solved the problem by agreeing on times when the treadmill would not be used, but shouldn't the manufacturer of the treadmill have been made to fix (redesign if necessary) this unauthorized transmitter?
>
>-=-
>Alan

3101. FA: SWAN 400 Transceiver only at a Big $40>>??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 02:04:55 UTC
From: rlucch2098@aol.com
Message-ID: <20020905220455.08949.00002465@mb-cg.aol.com>
Source record: 39712

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1377317473

3102. FA: YAESU FV-101Z REMOTE VFO @ only a big $27

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 02:06:23 UTC
From: rlucch2098@aol.com
Message-ID: <20020905220623.08949.00002467@mb-cg.aol.com>
Source record: 39713

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1377317470

3103. FA: Excellent YAESU SP-901P REMOTE SPEAKER/PATCH@$47

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 02:07:53 UTC
From: rlucch2098@aol.com
Message-ID: <20020905220753.08949.00002469@mb-cg.aol.com>
Source record: 39714

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1377317460

3104. fa- excellent HEATHKIT IG-42 Lab RF Generator, Deads-Ville>cheep!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 02:09:46 UTC
From: rlucch2098@aol.com
Message-ID: <20020905220946.08949.00002471@mb-cg.aol.com>
Source record: 39715

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1762981482

3105. Fa> Really Nice HEATHKIT T-4 signal tracer, @ a mere $18 only

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 02:11:25 UTC
From: rlucch2098@aol.com
Message-ID: <20020905221125.08949.00002473@mb-cg.aol.com>
Source record: 39716

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1762981488

3106. fa= CDR AR-22 Rotor box, clean no bids, only $9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 02:13:03 UTC
From: rlucch2098@aol.com
Message-ID: <20020905221303.08949.00002476@mb-cg.aol.com>
Source record: 39717

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1377317477

3107. Re: Which 2 Meter Radio is the simplest to operate...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 02:33:03 UTC
From: Mario Melendez <mmelendez@engineer.com>
Message-ID: <3D7813DF.1080003@engineer.com>
Source record: 39732

N4VZ wrote:

> The FT-2400 fromYaesu is very easy to operate, I still wish I had mine.
>
> I have an Icom IC-2100 now and I don't like it at all

I have a 2100, it's a nice rig, especially the controlling mic. One thing I dislike about recent lines of VHF radios is the excessive simplicity where you have to surf 3 levels of one-liner menus to find the option you like. Icom did a pretty good job of fixing that IMO in the 2100 by adding a multifunction keypad in the mic.

Wish they had included the alpha display toggle in the mic tho. Pressing the A/N button for 2 seconds while reprogramming memories gets on your nerves after a while :/

//\/\ario //\/\elendez- TI2DLL

3108. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 02:39:28 UTC
From: Mario Melendez <mmelendez@engineer.com>
Message-ID: <3D781560.6030405@engineer.com>
Source record: 39733

Buyer Beware wrote:

> Step One. Quit Smoking

Step two, never buy anything from a smoker again.

3109. Re: FS: Kenwood TM741A - 220, 440 & 2m

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 02:49:06 UTC
From: dougd@buckeye-express.com
Message-ID: <3d7817fd.41315768@news.buckeye-express.com>
Source record: 39718

SOLD!

===

On Mon, 02 Sep 2002 16:08:44 GMT, dougd@buckeye-express.com (Doug
Davis) wrote:

>FS: Kenwood TM741A - 220, 440 & 2m
>
>I just sent the radio in to Kenwood , (4/9/02) to get checked
>out and had a new battery put in it. cost was $200.00, I have the
>receipt. I have the mike, bracket, and most of all the manual;
>without the manual you can not operate this thing. I do not have
>the box it came in.
>
>$450.00
>
>Contact: Dave Hills
>dhhills@infinet.com
>419-734-2366
>
>

3110. HF Bands Chart -- update?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 03:08:32 UTC
From: cprstn54zz@att.net
Message-ID: <3d781bbf.27933890@news-server.optonline.net>
Source record: 39719

Anyone recognize the HF Bands chart at:
http://www.larkfield.org/us_hf_bands.pdf

??

I am looking for the source to see if there is a more complete or
updated version. I checked with the club listing it. They said it
was from the ARRL, but I couldn't find it at arrl.org,

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3111. Re: FERRITE CLAMP-ON CORES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 03:15:35 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3d781dd7$1_1@nopics.sjc>
Source record: 39720
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment

Your prices are a little high my friend.
Try looking at: http://www.allelectronics.com/index.html

Example: 1/2 inch with plastic snap is $1.50 each.

I just purchased a bunch, and they work great !

"Sidevalve" <Sabbatai_zvi@hotmail.com> wrote in message
news:i5s6nucmh17lg7qrgops4b0sd8rr11d395@4ax.com...
> FOR SALE:
> Ferrite choke cores that clamp onto cables for RFI removal
> Selling for $4.00 and 5.00 each
> Less expensive than all other sources!
>
> Several sizes available for various cables.
> Photos available.
> E-mail me for details or to arrange purchase
>

3112. Re: HF Bands Chart -- update?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 03:19:04 UTC
From: Keith V <kavan@neb.rr.com>
Message-ID: <I8Vd9.105860$27.1810484@twister.rdc-kc.rr.com>
Source record: 39721

"Ken" <cprstn54zz@att.net> wrote in message
news:3d781bbf.27933890@news-server.optonline.net...
> Anyone recognize the HF Bands chart at:
> http://www.larkfield.org/us_hf_bands.pdf
>

It is identical (except for colors) to the latest one put out by Icom and
designed by Gordon West, WB6NOA.

Van,
K0KAV

3113. Re: Which 2 Meter Radio is the simplest to operate...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 03:21:15 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3d781f66_1@nopics.sjc>
Source record: 39723

The new Icom - T90A is very easy.
General Coverage Receiver that works well just on Rubber Duck Antenna.

"Ronald Oberloh" <wa0kds@yahoo.com> wrote in message
news:3D75A958.C5FAE0F4@yahoo.com...
> I would like to but a 2 Meter radio for the car that can be operated
> almost by a blindfolded driver. Age of the radio is not the issue other
> than it must have internal tone generators and so memory abilities.
>
> Thanks,
>
> Ron
>

3114. Re: HF Bands Chart -- update?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 03:21:28 UTC
From: Jim Pennino <jimp@specsol.com>
Message-ID: <al96vo$r6q$1@mail.specsol.com>
Source record: 39722

Ken <cprstn54zz@att.net> wrote:
> Anyone recognize the HF Bands chart at:
> http://www.larkfield.org/us_hf_bands.pdf

> ??

> I am looking for the source to see if there is a more complete or
> updated version. I checked with the club listing it. They said it
> was from the ARRL, but I couldn't find it at arrl.org,

> Ken KC2JDY

> Ken
> (to reply via email
> remove "zz" from address)

It's really from Icom, http://www.icomamerica.com/ click on amateur
and go to the bottom of the page.

--
JP

3115. Looking for Dennis in Arvada, CO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 04:04:35 UTC
From: ve3tmt <ve3tmt@yahoo.com>
Message-ID: <QMVd9.9492$QS6.1453248@news20.bellglobal.com>
Source record: 39724

My computer crashed and I lost the e-mail for a fellow in Arvada, CO named Dennis and I can't remember his last name. His e-mail was something like ???@pegasus.net or similar. I bought a Kenwood 4 KHz AM filter from him on eBay, sent the money order, which he received about 2 weeks ago. The last e-mail he told me he was shipping it out but nothing has arrived yet. If anyone happens to know who I mean, please forward any information you may have.

Thanks,

Max

3116. Re: Looking for Dennis in Arvada, CO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 04:05:41 UTC
From: ve3tmt <ve3tmt@yahoo.com>
Message-ID: <SNVd9.9494$QS6.1453585@news20.bellglobal.com>
Source record: 39725

If it helps, he had mentioned that he was a pilot.

3117. Re: KDE3/Linux PSK31 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 04:51:00 UTC
From: haynes@alumni.uark.edu
Message-ID: <UuWd9.10684$6i4.861251@newsread1.prod.itd.earthlink.net>
Source record: 39727

Well I wish you wouldn't tie it to KDE. Lots more people use Linux
than use KDE, and I have tried several Linux PSK31 programs. My machine
seems to be just too slow to run KDE the time I tried it.

3118. eBay Auction

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 04:53:17 UTC
From: BellSouth <erthtrib@bellsouth.net>
Message-ID: <RqWd9.14328$2L.1147255@e3500-atl2.usenetserver.com>
Source record: 39726

I have a Heathkit 2 Meter Transciever and Power Supply listed at auction.

This rig was assembled over 25 years ago and packed away in a box. I completed the rig and never took the test for my license.

This would make a great little addition to a shack!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1377769781&rd=1

3119. Re: KDE3/Linux PSK31 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 07:05:44 UTC
From: JRM <VOID@yahoo.com>
Message-ID: <al9k56$ua6q0$1@ID-71985.news.dfncis.de>
Source record: 39728

On Thursday 05 September 2002 11:51 pm, Jim Haynes wrote:

> Well I wish you wouldn't tie it to KDE. Lots more people use Linux
> than use KDE, and I have tried several Linux PSK31 programs. My machine
> seems to be just too slow to run KDE the time I tried it.

I'm glad there is a KDE version ;-) and I'm in no way running a fast
computer (233Mhz) and it runs just fine. Viva La Difference!

Oh and you dont have to be running KDE to run a KDE program, KDE programs
work fine when your using a light weight window manager like blackbox, ice,
fluxbox etc... there is just a slight delay starting the program then
things run OK.

--
John R. Marshall

TBA...

3120. Looking for old Radio Shack project book from late 1960's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 07:23:55 UTC
From: JJ&A <w7ls@blarg.net>
Message-ID: <3D78588B.5FF87A31@blarg.net>
Source record: 39729

Trying to locate an old Radio Shack project book from the late 1960's. It had a variety of transistorized projects in it, including a one transistor oscillator ham transmitter for 40 meters. It was a qrp project. If you have this book, I'd love to get a copy of the front cover and the one or two pages that had the construction project on it. Thanks. Jim W7LS

3121. FS: FT-707 set

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 09:27:52 UTC
From: The Tube Man <thetubeman@earthlink.net>
Message-ID: <sy_d9.10773$LI2.751269@newsread2.prod.itd.earthlink.net>
Source record: 39730

```
For Sale-Yaesu FT-707
w/Yaesu power supply/speaker
w/Yaesu antenna tuner
10-80meters..100watts out
w/manual
Good condition
$395+shipping
```

3122. FS: 8877 and others

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 09:51:54 UTC
From: The Tube Man <thetubeman@earthlink.net>
Message-ID: <_U_d9.10806$LI2.751415@newsread2.prod.itd.earthlink.net>
Source record: 39731

I have 2 new Chinese 8877 w/factory warranty - $550/ea

Also 1 new Eimac 8877 -$650

1 95%+ 3CX3000A7 Pull- $450

Other ceramic and sweep tubes available

Serious Inquiries Only PLEASE
Email me directly at:
thetubeman@earthlink.com

3123. Re: Looking for Dennis in Arvada, CO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 11:42:10 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3d789493$1@news.netacc.net>
Source record: 39734

"ve3tmt" <ve3tmt@yahoo.com> wrote in message
news:SNVd9.9494$QS6.1453585@news20.bellglobal.com...
> If it helps, he had mentioned that he was a pilot.
>
>

Here are the five pilot type Dennis' in Arvada CO
Now try to cross them to ham radio on QRZ.com but dont be surprised if
several of them have ham licenses also.

DENNIS JOHN CERRONE ARVADA CO 80004-5470
DENNIS M IVERSON ARVADA CO 80005-3443
DENNIS PATRICK MALONE ARVADA CO 80004-1323
DENNIS MICHAEL MELLON ARVADA CO 80003-2537
DENNIS JOHN WHEELER ARVADA CO 80003-5408

3124. Re: HF Bands Chart -- update?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 11:55:06 UTC
From: cprstn54zz@att.net
Message-ID: <3d78977c.4012312@news-server.optonline.net>
Source record: 39735

On Fri, 6 Sep 2002 03:21:28 +0000 (UTC), Jim Pennino
<jimp@specsol.com> wrote:
>It's really from Icom, http://www.icomamerica.com/ click on amateur
>and go to the bottom of the page.

Thanks. Exactly what I was looking for.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3125. Re: Looking for Dennis in Arvada, CO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 12:00:33 UTC
From: ve3tmt <ve3tmt@yahoo.com>
Message-ID: <kK0e9.12965$7x5.1724051@news20.bellglobal.com>
Source record: 39736

> Here are the five pilot type Dennis' in Arvada CO
> Now try to cross them to ham radio on QRZ.com but dont be surprised if
> several of them have ham licenses also.

None of them cross reference, but I'm not even sure if he is a ham. I am assuming he is because of the fact he was selling radio filters. But if memory serves me correct, he sold a wide variety of items. Unfortunately I don't think you can search back past 30 days on eBay. I thought I made the purchase in early August, but it must have been longer since the 30 day search turns up nothing.

Max

3126. FS: ICOM FL232 CW Filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 12:23:32 UTC
From: toneri@rogers.com
Message-ID: <3d789daf.1576747@nntp>
Source record: 39737

Asking $50 + postage. Never used

reply to Mike VE3FGU
maxicat_ns26@yahoo.com

Please remove XX from email address when replying

3127. Re: HF Bands Chart -- update?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 12:52:02 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <OqR4PS+YFkNNMTX26wzcplasmGgV@4ax.com>
Source record: 39738

cprstn54zz@att.net (Ken) wrote:

>On Fri, 6 Sep 2002 03:21:28 +0000 (UTC), Jim Pennino
><jimp@specsol.com> wrote:
>>It's really from Icom, http://www.icomamerica.com/ click on amateur
>>and go to the bottom of the page.
>
>Thanks. Exactly what I was looking for.
>
>Ken KC2JDY

You can access the latest arrl chart by going to
http://www.arrl.org/FandES/field/regulations/bands.html
and looking at the bottom of the page. They have color and b&w versions.

Bob
k5qwg
>
>
>Ken
>(to reply via email
>remove "zz" from address)

3128. Heathkit HM-2140A HF SWR/PWR meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 13:04:49 UTC
From: wayneg@ncentral.com
Message-ID: <5c44b1f9.0209060504.721153dd@posting.google.com>
Source record: 39739

Hello,
I am trying to locate a manual for the Heathkit HM-2140A HF SWR/PWR meter.
Can anyone help me out with this?

Thanks.

Wayne, NM3B

3129. Re: HF Bands Chart -- update?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 14:36:34 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <k9fhnuc3607vdmhinckliissagragk6kvj@4ax.com>
Source record: 39740

On Fri, 06 Sep 2002 03:08:32 GMT, cprstn54zz@att.net (Ken) wrote:

>Anyone recognize the HF Bands chart at:
>http://www.larkfield.org/us_hf_bands.pdf
>
>??
>
>
>I am looking for the source to see if there is a more complete or
>updated version. I checked with the club listing it. They said it
>was from the ARRL, but I couldn't find it at arrl.org,
>
>Ken KC2JDY
>
>Ken
>(to reply via email
>remove "zz" from address)

Yes its a cut and paste job from the Icom America Web site. There is a
full printable Ham Band chart on the amateur page at
www.icomamerica.com

Gary

3130. Re: New Ham Radio Auction Site

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 16:21:32 UTC
From: JP <jp@honk.org>
Message-ID: <gC4e9.6025$V_5.2948@news04.bloor.is.net.cable.rogers.com>
Source record: 39741

Here is the correct URL:

http://www.auction-ottawa.com/cgi-bin/ham_radio/suite/classifieds/classifieds.cgi

"JP" <jp@honk.org> wrote in message
news:KzSd9.1369$V_5.127@news04.bloor.is.net.cable.rogers.com...
> Hello Everyone,
>
> I would like to let you all know that there is a new website
> that caters to Amateur Radio Items wanted and forsale.
>
> At this time, it is for items located within the Ottawa, Ontario
> Canada region. However if it is successfull, it may be opened up
> for items across Canada.
>
> Special thanks goes to http://Auction-Ottawa.Com for their
> services and helping out our Amateur Radio Community by providing
> this new & FREE service.
>
> If you are looking for various Amateur Radio related equipment, feel
> free to visit this new site.
>
> http://www.auction-ottawa.com/cgi-bin/ham_radio/suite/classifieds/classified
> s.cgi
>
> Enjoy!
>
> James
> VA3JPX
>
>

3131. Re: KDE3/Linux PSK31 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 17:50:32 UTC
From: dplatt@radagast.org
Message-ID: <unhqn840t8kve4@corp.supernews.com>
Source record: 39742

>> Well I wish you wouldn't tie it to KDE. Lots more people use Linux
>> than use KDE, and I have tried several Linux PSK31 programs. My machine
>> seems to be just too slow to run KDE the time I tried it.
>
>I'm glad there is a KDE version ;-) and I'm in no way running a fast
>computer (233Mhz) and it runs just fine. Viva La Difference!
>
>Oh and you dont have to be running KDE to run a KDE program, KDE programs
>work fine when your using a light weight window manager like blackbox, ice,
>fluxbox etc... there is just a slight delay starting the program then
>things run OK.

((plaintive whimper))

It'd be really nice if people who release KDE-based (or GNOME-based)
software to a wider community, would be willing to make available a
version of the application which has been statically linked against a
suitable set of KDE/GNOME non-shared libraries. This would give those
of us who don't use KDE/GNOME the ability to at least test out the
application.

I've occasionally looked at downloading and building GNOME- or
KDE-based apps, but the set of development includes and libraries
required to configure and compile them is usually rather overwhelming.
It wouldn't be a problem for my workstation, but my laptop's hard
drive is a bit cramped for space at the moment, and I'm reluctant to
install tens of megabytes (or more!) of interlinked libraries just to
be able to build a small program.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

3132. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 18:03:38 UTC
From: donrm@soco.agilent.com
Message-ID: <1031335418.417784@cswreg.cos.agilent.com>
Source record: 39743

Buyer Beware <BuyerBeware@hotmail.com> wrote:
> Step One. Quit Smoking

Mark Twain once said "It's easy to quit smoking - I've done it hundreds of times!"

Seen in the local grocery - carton of Marlboros - $43. The average pack a day smoker here in California could buy a nice radio once every couple of months for that amount of money.

73 Don K6LTS
donrm@soco.agilent.com

3133. FA Collins SM-1 Mic GdShape

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 18:51:26 UTC
From: turbo22367@aol.com
Message-ID: <20020906145126.16994.00001409@mb-mt.aol.com>
Source record: 39744

Hard to find Collins SM-1 Microphone. On eBay at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1378417946

Thanx Fellows, Steve

3134. Re: OT Cigarette Smoke ...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 20:07:51 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D790B17.AB129680@crosslink.net>
Source record: 39745

donrm@soco.agilent.com wrote:
>
> Mark Twain once said "It's easy to quit smoking - I've
> done it hundreds of times!"
>
My dad smoked 3-4 packs a day. His opthamologist told him he could use new glasses but not to bother cuz he'd have a stroke within 6 months unless he quit. "Quack!" said dad, "Been smoking 40+ years and ..." but the quack was right. The stroke didn't kill him but cronic CO poisoning nearly did. Took a month in the hospital to scrub the poisoned red cells out of his blood then get the pressure down before it killed his kidneys. Couldn't get out of bed at first but he made us proud trying. Made it to the bathroom, then the kitchen, then outside. Every day he walked farther and farther ... until after a whole year he made it all the way to the 7-11 and bought two cartons of Camels!! That's what addiction does to people.

3135. FA: Very Rare Marconi CR-100 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 20:15:30 UTC
From: ZOOM <robert931@sympatico.ca>
Message-ID: <J08e9.9287$zv.1621444@news20.bellglobal.com>
Source record: 39746

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376968848

3136. Re: FA: Very Rare Marconi CR-100 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 20:54:40 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D791610.605@optonline.net>
Source record: 39747

That was my first "real" communications receiver back in the mid to late '50s in UK. I seem to recall replacing the first RF Amp tube by something newer and quieter. IIRC, the weight was more like 85 lbs., so it won't be cheap to ship.

And (again IIRC) it didn't include a power supply but needed 12.6v and 250-300 VDC.

-=-
Alan, AB2OS

ZOOM wrote:
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376968848
>
>

3137. FA: Function Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 21:48:23 UTC
From: Function Generator <sp@m.me.not>
Message-ID: <3D7922E0.CF3461BE@m.me.not>
Source record: 39548

Nice sine, triangle, square wave generator.

Auction ends this weekend.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1762833462

or
Funciton Generator

Thank you for looking.

3138. Re: FA: Very Rare Marconi CR-100 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 21:50:21 UTC
From: ZOOM <robert931@sympatico.ca>
Message-ID: <Fp9e9.9337$zv.1646996@news20.bellglobal.com>
Source record: 39549

NO!!! You are incorrect!
It weighs between 50-60lbs as advertised I've weighed it.
I say 50-60 to give room for packing material weight.
Shipping cost to? Not necessarily expensive to most locations.
Shipping based on CDN dollars so it's a very good deal from here.
This has a built in power supply so no external power supply needed.

I hope this clears up the FACTS for you.

"Alan Beagley" <abeagley@optonline.net> wrote in message
news:3D791610.605@optonline.net...
> That was my first "real" communications receiver back in the mid to late
'50s in UK. I seem to recall replacing the first RF Amp tube by something
newer and quieter. IIRC, the weight was more like 85 lbs., so it won't be
cheap to ship.
>
> And (again IIRC) it didn't include a power supply but needed 12.6v and
250-300 VDC.
>
> -=-
> Alan, AB2OS
>
>
> ZOOM wrote:
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376968848
> >
> >
>

3139. Re: FA: Very Rare Marconi CR-100 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 22:01:05 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D7925A1.5030307@optonline.net>
Source record: 39550

OK, I stand corrected. It was a long time ago -- and your eBay listing did use the word "estimated" in connection with the weight.

-=-
Alan

ZOOM wrote:
> NO!!! You are incorrect!
> It weighs between 50-60lbs as advertised I've weighed it.
> I say 50-60 to give room for packing material weight.
> Shipping cost to? Not necessarily expensive to most locations.
> Shipping based on CDN dollars so it's a very good deal from here.
> This has a built in power supply so no external power supply needed.
>
> I hope this clears up the FACTS for you.
>
>
> "Alan Beagley" <abeagley@optonline.net> wrote in message
> news:3D791610.605@optonline.net...
>
>>That was my first "real" communications receiver back in the mid to late
>
> '50s in UK. I seem to recall replacing the first RF Amp tube by something
> newer and quieter. IIRC, the weight was more like 85 lbs., so it won't be
> cheap to ship.
>
>>And (again IIRC) it didn't include a power supply but needed 12.6v and
>
> 250-300 VDC.
>
>>-=-
>>Alan, AB2OS
>>
>>
>>ZOOM wrote:
>>
>>>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376968848

3140. R&S Spectrum Analyzer - Will not tune below 165MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 22:40:14 UTC
From: st313@o2.co.uk
Message-ID: <1a73279.0209061440.593182@posting.google.com>
Source record: 39551

I've recently acquired a faulty Rohde & Schwarz spectrum and network analyzer (FSAS 100Hz - 1.8GHz). It refuses to receive anything at frequencies below 165MHz, reporting errors 'YTO unlocked' and 'Level 1 Local oscillator'.

Could anyone help me with this?

Regards,
Stefan.

3141. Re: HF Bands Chart -- update?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 22:41:38 UTC
From: "James C. \"Jim\" Morris" <kd4om@earthlink.net>
Message-ID: <Caae9.12063$LI2.833686@newsread2.prod.itd.earthlink.net>
Source record: 39552

The chart looks very much like one that I have seen on the Icom Co.
Website... You might check that out.
Jim KD4OM

"Ken" <cprstn54zz@att.net> wrote in message
news:3d781bbf.27933890@news-server.optonline.net...
> Anyone recognize the HF Bands chart at:
> http://www.larkfield.org/us_hf_bands.pdf
>
> ??
>
>
> I am looking for the source to see if there is a more complete or
> updated version. I checked with the club listing it. They said it
> was from the ARRL, but I couldn't find it at arrl.org,
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

3142. FS: Drake Staion & Synthesizer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-06 22:44:23 UTC
From: "Robert S. Stein" <w6nbi@earthlink.net>
Message-ID: <3D792FC7.2010302@earthlink.net>
Source record: 39553

Drake R-4 Receiver, T-4X Transmitter, MS-4 Power Supply/Speaker with original manuals. The R-4 comes with several extra crystals, which are really not needed if used with the the frequency synthesizer. $350.00.

Frequency synthesizer for the above, which I designed, built and published in the August 1972 issue of "ham radio" magazine. I will supply an original issue of the magazine (cover slightly torn), as well as schematics of all the circuits which improved performance but were never published. This synthesizer provides complete coverage from 500 kHz to 30 MHz, thus including the WARC bands. $275.00.

If necessary, I will sell the synthesizer separately, but if a buyer takes all, I will reduce the total price to $600.00.

Buyer pays shipping. However, I prefer a pickup in the San Francisco Bay Area or will arrange to meet at a reasonable location.

Bob, W6NBI

3143. Re: HF Bands Chart -- update?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 00:13:22 UTC
From: dplatt@radagast.org
Message-ID: <unih52ccb8k914@corp.supernews.com>
Source record: 39554

In article <Caae9.12063$LI2.833686@newsread2.prod.itd.earthlink.net>,
James C. \"Jim\" Morris <kd4om@earthlink.net> wrote:

>The chart looks very much like one that I have seen on the Icom Co.
>Website... You might check that out.

http://www.icomamerica.com/downloads/bandchar.pdf - a nice resource
which I hadn't seen previously. Thanks!

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

3144. Re: FA: Very Rare Marconi CR-100 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 00:28:07 UTC
From: ZOOM <robert931@sympatico.ca>
Message-ID: <yJbe9.9592$zv.1688240@news20.bellglobal.com>
Source record: 39555

Yes well for a radio, 10lb span is an estimate but a 25lb span is a guess!

"Alan Beagley" <abeagley@optonline.net> wrote in message
news:3D7925A1.5030307@optonline.net...
> OK, I stand corrected. It was a long time ago -- and your eBay listing did
use the word "estimated" in connection with the weight.
>
> -=-
> Alan
>
>
> ZOOM wrote:
> > NO!!! You are incorrect!
> > It weighs between 50-60lbs as advertised I've weighed it.
> > I say 50-60 to give room for packing material weight.
> > Shipping cost to? Not necessarily expensive to most locations.
> > Shipping based on CDN dollars so it's a very good deal from here.
> > This has a built in power supply so no external power supply needed.
> >
> > I hope this clears up the FACTS for you.
> >
> >
> > "Alan Beagley" <abeagley@optonline.net> wrote in message
> > news:3D791610.605@optonline.net...
> >
> >>That was my first "real" communications receiver back in the mid to late
> >
> > '50s in UK. I seem to recall replacing the first RF Amp tube by
something
> > newer and quieter. IIRC, the weight was more like 85 lbs., so it won't
be
> > cheap to ship.
> >
> >>And (again IIRC) it didn't include a power supply but needed 12.6v and
> >
> > 250-300 VDC.
> >
> >>-=-
> >>Alan, AB2OS
> >>
> >>
> >>ZOOM wrote:
> >>
> >>>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1376968848

>

3145. FA: Nice TS-820S with extras

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 00:35:37 UTC
From: ZOOM <robert931@sympatico.ca>
Message-ID: <AQbe9.9604$zv.1690225@news20.bellglobal.com>
Source record: 39556

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1377733173

3146. FS: Know Real-time, Worldwide, Band Conditions In Just 3 Minutes!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 01:05:12 UTC
From: W6NEK <inquire@w6nek.com>
Message-ID: <chce9.5345$T9.1831127@twister.socal.rr.com>
Source record: 39557

W6NEK HF Beacon Tracker - Windows Software

In just a few moments you can get real-time worldwide DX band conditions
using the
NCDXF/IARU International Beacon Network!

Now you will know if a band is really open to a particular part of the world
regardless of band activity!

All this from your QTH - in real time - 24/7

Download a free demo of the software at http://www.w6nek.com

3147. Re: Looking for Dennis in Arvada, CO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 01:47:46 UTC
From: jackberry <jackberry@ameritech.net>
Message-ID: <3D795E98.677AA611@ameritech.net>
Source record: 39559

If you still have the ebay paperwork (I always print the item sheet for records) including the item number you might be able to email eBay support (their email address is support@ebay.com) personnel and they could locate the info for you. Or try a search with you as the buyer id and see if it does pull up beyond 30days?
GL Jack, N9JB

ve3tmt wrote:

> My computer crashed and I lost the e-mail for a fellow in Arvada, CO named
> Dennis and I can't remember his last name. His e-mail was something like
> ???@pegasus.net or similar. I bought a Kenwood 4 KHz AM filter from him on
> eBay, sent the money order, which he received about 2 weeks ago. The last
> e-mail he told me he was shipping it out but nothing has arrived yet. If
> anyone happens to know who I mean, please forward any information you may
> have.
>
> Thanks,
>
> Max

3148. Portable TVRO "C" band dish - only two days left on auction

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 01:50:17 UTC
From: Headhamster <headhamster@earthlink.net>
Message-ID: <tXce9.12516$LI2.859061@newsread2.prod.itd.earthlink.net>
Source record: 39558
Cross-posted to: alt.rv,rec.outdoors.rv-travel,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave

I have a Pico collapsible C Band satellite antenna which could be used for a vacation home, campsite, or ham radio experimenter. Please take a look!
Only two days left on the auction.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1377342867

http://home.earthlink.net/~headhamster/_wsn/page3.html

3149. Re: KDE3/Linux PSK31 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 02:27:01 UTC
From: JRM <VOID@yahoo.com>
Message-ID: <albo6l$1otud7$1@ID-71985.news.dfncis.de>
Source record: 39560

On Friday 06 September 2002 12:50 pm, Dave Platt wrote:

> I've occasionally looked at downloading and building GNOME- or
> KDE-based apps, but the set of development includes and libraries
> required to configure and compile them is usually rather overwhelming.
> It wouldn't be a problem for my workstation, but my laptop's hard
> drive is a bit cramped for space at the moment, and I'm reluctant to
> install tens of megabytes (or more!) of interlinked libraries just to
> be able to build a small program.

<trying not to sound like the stereotype Linux geek, but I don't think it
will work ;-)>

Well you could always do it yourself. For example, install qt2 on your
workstation, then staticly compile linpsk (http://linpsk.sourceforge.net)
package it, and install it on your laptop. Don't forget to share your work
so others in your situation may benefit.

BTW have you looked at lpsk31
(http://leonardo.spidernet.net/Copernicus/22420/)? It's a ncurses/console
psk program that might be right up your alley.

--
John R. Marshall

TBA...

3150. FS: HP-1715A oscilloscope with manual, for PARTS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 02:32:35 UTC
From: lagagnon@fakesprint.ca
Message-ID: <3d7964ef.981049@news.sprint.ca>
Source record: 39561
Cross-posted to: sci.electronics.equipment,rec.radio.swap,rec.radio.amateur.equipment

I have one Hewlett Packard HP 1715A 200 MHz oscilloscope complete with a manual. The scope is non-working and would suit someone requiring parts for this lovely scope. The only problem appears to be with the vertical amp board and also one of the FET preamp transistors is blown on the Channel A attenuator preamp. The front panel knobs have all been scavenged. The power supply, and tube are perfectly intact and working.

The parts in this scope tend to be common to the entire HP 1715-1745 range scopes. I want only $30 USD for the scope and manual plus you pay shipping. The scope packaged would weigh about 15 kgs (33 pounds), and ground shipping from Canada to the USA would vary from between $25-$39 USD.

Email me direct if you are interested.

Larry Gagnon VE6MK
****
to send direct email remove "fake" from address

3151. FS - Telrex TB6EM Triband Beam

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 03:06:16 UTC
From: "K.W. Schang" <kschang@wideopenwest.com>
Message-ID: <MPG.17e336fe3a523544989681@news-east.giganews.com>
Source record: 39562
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

FS - Two 6 element TB6EM Telrex Triband beams.
One antenna FB. Both 15 meter traps are bad on second antenna, otherwise
second antenna is FB
Have instruction manual. Detroit area.
Ken, W8LU

3152. Schematic Needed for B&K E-200D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 07:05:11 UTC
From: David Honeycutt <dhoneycutt@earthlink.net>
Message-ID: <Hyhe9.12967$LI2.899443@newsread2.prod.itd.earthlink.net>
Source record: 39563
Cross-posted to:
alt.ham-radio.marketplace,rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Hello Everyone,

I need a schematic for a B&K Precision E-200D RF Generator.

Got one for sale or a scan? Any ideas where I might find one? Please help me if you can.

Thanks in advance,
David Honeycutt

3153. Yaesu FT270R question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 10:17:40 UTC
From: George Andrews <gandrews@ntplx.net>
Message-ID: <_lke9.43$z21.3885@news.ntplx.net>
Source record: 39564

To All,

I know that there are sometimes "common" problems with some radios. Has anyone had an FT270R get stuck in transmit mode. There is no microphone on the rig. Could not find anything obvious.

Second question. Anyone have a schematic for this radio? Please contact by e-mail if so.

My thanks in advance.

--
George Andrews, RRPT
N1YAE FN31kj

--
George Andrews, RRPT
N1YAE FN31kj
gandrews@ntplx.net

3154. Re: Schematic Needed for B&K E-200D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 12:11:26 UTC
From: "Robert A. Murrell" <murrellr-dummy@ameritech.net>
Message-ID: <alcqd7$1p8li6$1@ID-55559.news.dfncis.de>
Source record: 39565
Cross-posted to:
alt.ham-radio.marketplace,rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

All old B&K Precision manuals are handled by John Doutt.

You can order them by calling us at :724-353-9297 from 9:00 am to 5:00 pm.
EST. Mon.thr. Fri.
We Take Visa / Master Card BY PHONE. OR Paypal from our web site at
www.bktestequipment.com .
Or you can Mail in your payment with a note of what you are ordering To .
Doutt Electronics .
406 Sarver Road .
Sarver , Pa. 16055 .
Please Visit Our Web Site At:. www.bktestequipment.com
Thanks Jon .

"David Honeycutt" <dhoneycutt@earthlink.net> wrote in message
news:Hyhe9.12967$LI2.899443@newsread2.prod.itd.earthlink.net...
> Hello Everyone,
>
> I need a schematic for a B&K Precision E-200D RF Generator.
>
> Got one for sale or a scan? Any ideas where I might find one? Please
help
> me if you can.
>
> Thanks in advance,
> David Honeycutt
>
>

3155. Re: Yaesu FT270R question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 13:25:41 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3d79fe4d@news.netacc.net>
Source record: 39566

I would check VOX circuits and CW keying circuits. Vox samples audio and switches to TX at a set threshold. Since no microphone is on the radio, I would look for emitter/collector short on the switching transistor and also any noise that may be showing up on the audio circuits into the vox.

Steve

"George Andrews" <gandrews@ntplx.net> wrote in message news:_lke9.43$z21.3885@news.ntplx.net...
> To All,
>
> I know that there are sometimes "common" problems with some radios. Has
> anyone had an FT270R get stuck in transmit mode. There is no microphone on
> the rig. Could not find anything obvious.
>
> Second question. Anyone have a schematic for this radio? Please contact by
> e-mail if so.
>
> My thanks in advance.
>
>
> --
> George Andrews, RRPT
> N1YAE FN31kj
>
> --
> George Andrews, RRPT
> N1YAE FN31kj
> gandrews@ntplx.net
>
>

3156. FS - Hy Gain TH3MK3 Beam

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 16:14:19 UTC
From: Bob W7AVK <rsrolfne@atnet.net>
Message-ID: <3D7A28C3.44BFF62F@atnet.net>
Source record: 39567

For Sale - Hy Gain TH3 MK3 10, 15, 20 meter 3 element
beam. Excellent condition. Has spent most of its life
in storage. 5 years on my garage rafters and years
on the rafters of the no longer a ham from whom
I got it.

Price $160. Includes instructions.

Pick up in Moses Lake, WA, delivery next Saturday to the
Tacoma Club swap fest in Graham, or maybe Puget Sound area.

73 Bob W7AVK

3157. Tektronix 323 scope

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 17:43:39 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <alddsd0bul@enews4.newsguy.com>
Source record: 39571

I just picked up one of these scopes that has had the power supply disassembled. I am in need of a schematic, or an entire manual. If anyone has a manual or schematic for this scope please contact me wia e-mail.
Thanks, Kevin
kberlen@ticz.com

3158. Ameritron ALS-600 Solid State Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 17:53:27 UTC
From: rcuffee@hotmail.com
Message-ID: <df27559b.0209070953.45a005b4@posting.google.com>
Source record: 39568

I am thinking about buying an ALS-600, and I would like some input on the performance of this amp.

Is there any problem with the T/R relay?

Will the amp run off 120v without dimming the lights in your shack?

Is the amp or the power supply noisy?

Thanks,

RC

3159. FS: Know Real-time, Worldwide, Band Conditions In Just 3 Minutes!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 17:56:24 UTC
From: W6NEK <inquire@w6nek.com>
Message-ID: <c5re9.5565$U7.2300131@twister.socal.rr.com>
Source record: 39570

W6NEK HF Beacon Tracker - Windows Software

In just a few moments you can get real-time worldwide DX band conditions
using the
NCDXF/IARU International Beacon Network!

Now you will know if a band is really open to a particular part of the world
regardless of band activity!

All this from your QTH - in real time - 24/7

Download a free demo of the software at http://www.w6nek.com

3160. Wanted-- Solid State Amp Recommendations

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 17:56:31 UTC
From: rcuffee@hotmail.com
Message-ID: <df27559b.0209070956.34f8cda8@posting.google.com>
Source record: 39569

Hi,

I am thinking about getting a solid state amp? Any recommendations?
I know about the ALS-600 and the SCG 500 Cube. Are there any other
manufactures that make 500-600 watts solid states amps?

Thanks,

RC

3161. Value of Hallicrafters SR-150?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 18:46:12 UTC
From: msenecal1@juno.com
Message-ID: <62bf14a6.0209071046.3a2967cc@posting.google.com>
Source record: 39573

I just picked up an SR-150 in working condition, with power supply,
for $60 even. Anyone know what the value of one of these is?

Thanks!

3162. FS: ICOM IC-707. Make an offer.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 18:47:48 UTC
From: L <exlibris@sprynet.com>
Message-ID: <3D7A49D4.4020009@sprynet.com>
Source record: 39572

Excellent condition. Los Angeles area.
Les

3163. Re: Value of Hallicrafters SR-150?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 18:54:41 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <RXre9.60037$lc7.4514918@news2.west.cox.net>
Source record: 39574

Used Prices can be found at Hampedia -- URL:
http://aade.com/hampedia/prices.htm

Shows SR-150 low $103 Ave $227 High $425
Your mileage may vary.
--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Matt Senecal" <msenecal1@juno.com> wrote in message
news:62bf14a6.0209071046.3a2967cc@posting.google.com...
> I just picked up an SR-150 in working condition, with power supply,
> for $60 even. Anyone know what the value of one of these is?
>
> Thanks!

3164. FS "New In The Box Kenwood PB-38 Batteries"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 19:07:15 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <D7se9.13717$6i4.1108428@newsread1.prod.itd.earthlink.net>
Source record: 39575

```
4 Sale
" BRAND NEW IN THE BOX"
Kenwood PB-38 Batteries. This battery fits the Kenwood TH-G71A,
TH-D7A, & TH-D7A(G)
6.0 volts @ 650 mAh sells normally at about $49.95.........Your Price is
ONLY.........$23.00 total shipped in the U.S.
```

3165. FS: Belcom LS-202E 2M FM/SSB HT & Other Goodies

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 19:08:47 UTC
From: "Robert S. Stein" <w6nbi@earthlink.net>
Message-ID: <3D7A4EBF.8090703@earthlink.net>
Source record: 39576
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace

The following are surplus to my needs and are looking for good homes:

Belcom LS-202E 2M FM-SSB HT with charger, original manual...$225.00
Micronta Dynamic Transistor Checker..... 15.00
Omega-T TE7-01 Antenna Noise Bridge..... 20.00
Heath IT-10 Transistor-Diode Checker..... 10.00
Weston Model 888 crossed-needle hermetically sealed SWR
meter movement, incident power scale 2.5 kw FS, reflected
power scale 0.25 kw FS, each movement 30 uA..... 50.00
Kenwood SP-50B Mobile Communications Speakers (2 available). 30.00
each, $50.00 for both
Seco Electronics 511A Attenu-Load, 50-watt dummy load or
10-dB power attenuator (50W to 5W), ideal for QRP..... 20.00

No manuals except as specified. Buyer pays shipping.

Bob, W6NBI

3166. Mobile Antennas (screwdrivers)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 19:12:17 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <icse9.35347$2L.1958033@e3500-atl2.usenetserver.com>
Source record: 39578

If you are looking at the screwdriver mobile antennas, want quality and performance without paying
high prices, please visit www.qsl.net/k4kwh . I am now back in full swing after hurting my arm in
the summer, and I need the business! LOL! With the temperatures moderating for the fall season,
now is the time to purchase that mobile antenna and enjoy the great performance and convenience of the Carolina Cyclone HF mobile antenna!

73

Jerry
K4KWH

3167. Re: KDE3/Linux PSK31 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 19:12:42 UTC
From: dplatt@radagast.org
Message-ID: <unkjtam87mefc2@corp.supernews.com>
Source record: 39577

In article <albo6l$1otud7$1@ID-71985.news.dfncis.de>,
JRM <VOID@yahoo.com> wrote:

><trying not to sound like the stereotype Linux geek, but I don't think it
>will work ;-)>

Not a problem - as one of the species myself I won't mind a bit.

>Well you could always do it yourself. For example, install qt2 on your
>workstation, then staticly compile linpsk (http://linpsk.sourceforge.net)
>package it, and install it on your laptop. Don't forget to share your work
>so others in your situation may benefit.

Yeah, I've thought of that. I was just hoping to save a bit of
trouble.

A lot of people do put up binary distributions of their programs, but
they're usually built for dynamic linking against a specific
distribution (most commonly Red Hat) and aren't very portable.

>BTW have you looked at lpsk31
>(http://leonardo.spidernet.net/Copernicus/22420/)? It's a ncurses/console
>psk program that might be right up your alley.

Haven't looked that that one yet. I did built twpsk 1.1, and have
used it successfully for a number of contacts (furthest so far is a
10M QSO with an amateur in Patagonia).

I'll check out lpsk31 and see how that compares - thanks for the
pointer!

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

3168. FS: Alinco DX-70 MINT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 19:25:30 UTC
From: vtfoxfire@aol.com
Message-ID: <20020907152530.01209.00002937@mb-mq.aol.com>
Source record: 39579

hi I have a mint dx-70 for sale it is prefect in working and phyical
condition
i have the box, manual,mic,mobil bracket
the price is 450.00 shipped conus
please reply via email thank-you W1CGT foster

3169. IC970A/H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 20:07:37 UTC
From: rs2bk@aol.com
Message-ID: <20020907160737.28994.00001987@mb-mm.aol.com>
Source record: 39580

Looking for some the options for my 970.

UX-97 1.2ghz module
UX-R96 receiver unit
UT-36 voice synthesizer (engilsh/japanese)
IC-243 electronic keyer

Jim Roseman w9ud
Moline, IL

3170. Looking for Kenwood TM255 2m all mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 20:15:22 UTC
From: ve3tmt <ve3tmt@yahoo.com>
Message-ID: <V4te9.20801$7x5.2141153@news20.bellglobal.com>
Source record: 39581

Looking for above in excellent condition only
Please reply with price and picture if available.

ve3tmt@yahoo.com

3171. Trio 9R-42J Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 20:49:20 UTC
From: Ben Wallace <bwallace@sd.cts.com>
Message-ID: <3d7a658e$0$324$e2e8da3@nntp.cts.com>
Source record: 39582

I was fortunate to come across a Trio 9R-42J Receiver that is in near perfect condition. It appears to be a S-38 clone with a few extra features plus an S-meter. I found some info on a Japanese site that indicated it was manufactured in 1958. Anyone else have more info?

Thanks -- Ben
WB8HUR

3172. WANTED Kenwood SO-1 TXCO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 21:09:04 UTC
From: Jeff James <cbstv@optonline.net>
Message-ID: <CVte9.25764$rU2.770631@news4.srv.hcvlny.cv.net>
Source record: 39583

Hi Folks,

Willing to pay top dollar for a Kenwood SO-1 high stability oscillator for
my 930SAT..
Thanks in advance,
Jeff W2NBC

3173. Collins Collectors Association "Event" @ Peoria's Superfest

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 22:20:31 UTC
From: Larry Saletzki <wa9vrh@ocslink.com>
Message-ID: <3d7a7790_1@corp.newsgroups.com>
Source record: 39584
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

The Collins Collectors Association will be sponsoring an "Event" at the Peoria Illinois Superfest which is September 13,14,15th. The "Event" will be on Friday the 13th from 6:00PM until 9:00PM + or - rain or shine. We will be serving BBQ pork sandwiches and chips. Please bring a chair and drink.
Admission is free but you Must purchase a ticket to the hamfest to gain access to the CCA "Event".
The "Event" is open to all CCA members and anyone else interested in AM, Boatanchors, Vintage Radios, Military radios etc.
Bring your stories, gear to swap, or latest project to show off.
For more information on Peoria's Superfest and directions please check out :

http://www.w9uvi.org/Superfest/Superfest.htm for information

http://www.w9uvi.org/Superfest/Hotels%20&%20Attractions.html for hotel and restaurants

http://www.w9uvi.org/Superfest/MAPS.html for directions

See you on the 13th! 73's Larry WA9VRH

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

3174. Schematic Needed for Kenwood TH 75E

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 22:48:59 UTC
From: andrea <mmh@libero.it>
Message-ID: <3D7A8241.80303@libero.it>
Source record: 39585
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Hello Everyone,
I'm looking for this schematic, please help

Thanks in advance
andrea

3175. FS: Yaesu HF Hybrid Station

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 23:06:23 UTC
From: BAZERKLY <BaZerklY@att.net>
Message-ID: <B99FD47F.5D21%BaZerklY@att.net>
Source record: 39586

FS: Yaesu Classic Hybrid Station....
(1.) FT 101ZD HF Transceiver, (Hybrid) solid-state with tube finals (2, 6146B tubes) 180 watts in put to finals. Covers 10 meters, 15 meters, 20 meters, 40 meters, 75/80 meters & 160 meter bands. Modes SSB & CW. New Finals & driver. Spare tubes. Manual. I purchased new.
Includes optional:
Cooling Fan
CW Filter
Yaesu desk microphone

(2.) Matching Yaesu "Landliner", phone patch/speaker. Includes manual.
(3.) Yaesu FR 101 Receiver. Covers 10 meters, 11 meters (CB), 13 meters, 15 meters, 16 meters, 19 meters, 20 meters, 25 meters, 31 meters, 40 meters, 75/80 meters & 160 meter bands. Also covers VHF 6 & 2 meter bands. Modes CW, SSB, RTTY, AM & FM. There are 4 unused slots for additional crystals.
Included optional:
CW filter
AM filter
(4.) Yaesu matching speaker.

$1125.00. Pick up only, no shipping
Fremont, CA near SanFrancisco

3176. 2M rigs with SMPS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 23:10:11 UTC
From: Chetan Bhargava <no-spam@spamcop.net>
Message-ID: <ale0rq$mj8$1@news.mainstreet.net>
Source record: 39587

Hi All,

Does anyone use a PC power supply for their 2M mobile rig? Does anyone has any ideas of using it with a PC power supply?

TIA

Chetan

3177. TS 50/AT 50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 23:17:15 UTC
From: Alan Gault <alan@gault.freeserve.co.uk>
Message-ID: <ale1dlkfm1@newsg2.svr.pol.co.uk>
Source record: 39588

Hi all

Anyone out there got Kenwood PG 4M cable to connect the above for sale? A source of cable and connectors would be an alternative. Many thanks.

Alan MI 3 KWB

3178. Older Motorola Repeater for sale (chicago area) w/Sinclair Radio Labs Duplexer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-07 23:41:07 UTC
From: saviormoney <saviormoneyREMOVE@REMOVEsaviormoney.com>
Message-ID: <n8we9.186330$kp.769594@rwcrnsc52.ops.asp.att.net>
Source record: 39589

Motorola Business Repeater (from label:)

Model C74MSY-3101AY

Trans. Type CC4061C

Serno. MA760W

453.875/458.875 Mhz

Unknown power output, i think its 40W or 60W, but the unit definitely works.
Activating the exciter test switch triggers a frequency counter placed near.

Also includes Sinclair Radio Laboraties R-302G Duplexer.

Sold As-Is. I am asking $200 for this unit with duplexer.

you can view pictures of both items at
http://www.saviormoney.com/repeater.html

Email saviormoney at saviormoney@saviormoney.com if you are interested in
this item.

thank you.

3179. Re: FERRITE CLAMP-ON CORES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 00:13:29 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <vg5lnu8jmpginch6nq98tma7jls3lajrb0@4ax.com>
Source record: 39590
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment

On Thu, 5 Sep 2002 23:15:35 -0400, "laborkei"
<laborkeiNOSPAM@hotmail.com> was like:

>
>Your prices are a little high my friend.
>Try looking at: http://www.allelectronics.com/index.html
>
>Example: 1/2 inch with plastic snap is $1.50 each.
>
>I just purchased a bunch, and they work great !

Those are MUCH smaller ones. I don't even sell those tiny ones.

Mine are for men with REAL radios, hi hi!

If you don't like my prices that is OK with me.

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3180. FA: Unbuilt Heathkit SB-230 HF Linear Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 02:03:36 UTC
From: Mike White <m.white66@verizon.net>
Message-ID: <Ydye9.4666$x05.3963@nwrddc01.gnilink.net>
Source record: 39591
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

At auction on eBay, an unbuilt Heathkit SB-230 HF linear amp. Please point your browser to:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1379665781

Thanks.

Mike, N4PDY

3181. Re: 2M rigs with SMPS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 03:31:04 UTC
From: "Gary \"Joe\" Mayfield" <gary_mayfield@hotmail.com>
Message-ID: <unlh7hmhm5iq85@corp.supernews.com>
Source record: 39592

Check the May 2002 QST. "The St. Louis Switcher".

73,
Joe

"Chetan Bhargava" <no-spam@spamcop.net> wrote in message
news:ale0rq$mj8$1@news.mainstreet.net...
> Hi All,
>
> Does anyone use a PC power supply for their 2M mobile rig? Does anyone has
> any ideas of using it with a PC power supply?
>
> TIA
>
> Chetan
>
>

3182. FA: EXCELLENT SWAN 400 TRANSCEIVER @big$41, tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 12:50:57 UTC
From: rlucch2098@aol.com
Message-ID: <20020908085057.01059.00003549@mb-mq.aol.com>
Source record: 39593

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1377317473

3183. FA: EXCELLENT HEATHKIT IG-42 Lab RF Generator@big $31,Tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 12:52:26 UTC
From: rlucch2098@aol.com
Message-ID: <20020908085226.01059.00003551@mb-mq.aol.com>
Source record: 39594

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1762981482

3184. FA: YAESU FV-101Z REMOTE VFO, Don't miss this'un Tonight@$71

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 12:54:20 UTC
From: rlucch2098@aol.com
Message-ID: <20020908085420.01059.00003553@mb-mq.aol.com>
Source record: 39595

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1377317470

3185. fa> Yaesu sp-901p external speaker/phone patch, Cheep, Last call!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 12:55:59 UTC
From: rlucch2098@aol.com
Message-ID: <20020908085559.01059.00003555@mb-mq.aol.com>
Source record: 39596

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1377317460

3186. fa- Real Nice Heath T-4 Signal Tracer at a big $25, Ends this eve!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 12:57:18 UTC
From: rlucch2098@aol.com
Message-ID: <20020908085718.01059.00003558@mb-mq.aol.com>
Source record: 39597

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1762981488

3187. schematic needed TH 75E

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 16:00:54 UTC
From: andrea <mmh@libero.it>
Message-ID: <3D7B7420.3000800@libero.it>
Source record: 39648

Hello Everyone,
I'm looking for this schematic, please help

Thanks in advance
andrea

3188. FS: Various Ham Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 16:29:25 UTC
From: JP <jp@honk.org>
Message-ID: <FVKe9.130540$GK2.65136@news02.bloor.is.net.cable.rogers.com>
Source record: 39649

There is a new Ham Radio Classifieds website that contains many
Ham Radio (Amateur Radio) equipment forsale. There is also a
section for Items Wanted and Estate Sales.

Please feel free to take a look!

www.auction-ottawa.com/cgi-bin/ham_radio/suite/classifieds/classifieds.cgi

James
VA3JPX

3189. Re: Various Ham Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 16:40:57 UTC
From: Fuzzy Buzzard <"Fuzzy Buzzard"@home.net>
Message-ID: <35Le9.15029$u7.880526@news.direcpc.com>
Source record: 39650

There is a new Ham Radio Classifieds website that contains many
Ham Radio (Amateur Radio) equipment forsale.

Help us Keep this Site Operating, Make a Donation. is what stand out in this site.

Big site with a total of 11 ads posted, and a lot of that
is CB stuff. So where is all the ham radio STUFF>?
If this a new site? Not worth the time to visit.

Fuz

Num Date Posted Ad Subject Location Photo
1 6-Sept-2002 RCI 5054 6M SSB/AM/FM/CW Kanata Ontario ---
This is a great rig.. 25w output.. bought this spring from RadioWorld for $500. I have
worked over 25 grids with this radio setup as a basestation. Details here :
http://www.rangerusa.com/rci-5054dx.html I may consider trades. va3nfa@rac.ca
2 6-Sept-2002 Yaesu FRG-7 Scarborough Ontario ---
Yaesu FRG-7 Receiver. Asking $165 o.n.o. Toronto Area Only.
3 5-Sept-2002 Yeasu FT 101 For Sale Edmonton Alberta ---
Yeasu FT 101 for sale. It comes with stock mic and instruction manual in a binder. It works
well but since I live in an apartment now, I cannot use it anymore.
4 5-Sept-2002 K-40 CB Antenna Ottawa Ontario ---
CB Mag Mount K40 Mobile Antenna Rugged Design, 80 pound pull weight magnet 16' of coax
Excellent condition A truly amazing CB antenna Email: va3jpx@rac.ca
5 5-Sept-2002 Turner Plus 3 Desk Mic Ottawa Ontario ---
Famous Turner Plus 3 Desk Mic. Good Condition. Make me an offer I can't refuse! Free
Delivery within Ottawa Area Email: va3jpx@rac.ca
6 5-Sept-2002 Uniden PC-122XL 40 AM/SSB CB Ottawa Ontario ---
40 Channel AM/USB/LSB Comes with stock mic Comes with matching "Echo Mic" Email:
va3jpx@rac.ca
7 5-Sept-2002 HTX-242 45w Mobile Ottawa Ontario Yes
Mint Condition 41 Memory Channels 45 watts out. DTMF Mic Origional Box and Manual Free
Delivery within Ottawa Area Email: va3jpx@rac.ca
8 5-Sept-2002 Daiwa Ham Radio LA-2080H 2m RF Amplifier Ottawa Ontario Yes

"JP" <jp@honk.org> wrote in message
news:FVKe9.130540$GK2.65136@news02.bloor.is.net.cable.rogers.com...
There is a new Ham Radio Classifieds website that contains many
Ham Radio (Amateur Radio) equipment forsale. There is also a
section for Items Wanted and Estate Sales.

Please feel free to take a look!

www.auction-ottawa.com/cgi-bin/ham_radio/suite/classifieds/classifieds.cgi

James
VA3JPX

3190. FA: Last day Collins SM-1 Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 16:41:18 UTC
From: turbo22367@aol.com
Message-ID: <20020908124118.17088.00001971@mb-mt.aol.com>
Source record: 39651

Last day. Hard to find Collins SM-1 Microphone. On eBay at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1378417946

Thanx Fellows, Steve

3191. Re: Looking for Dennis in Arvada, CO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 18:25:09 UTC
From: Dennis <pegasus@mho.net>
Message-ID: <3D7B95A8.3F342BCB@mho.net>
Source record: 39652

ve3tmt wrote:

> My computer crashed and I lost the e-mail for a fellow in Arvada, CO named
> Dennis and I can't remember his last name. His e-mail was something like
> ???@pegasus.net or similar. I bought a Kenwood 4 KHz AM filter from him on
> eBay, sent the money order, which he received about 2 weeks ago. The last
> e-mail he told me he was shipping it out but nothing has arrived yet. If
> anyone happens to know who I mean, please forward any information you may
> have.
>
> Thanks,
>
> Max

MAX..
I am indeed the Dennis you are looking for... I've emailed you several times and your email keeps bouncing back. A few friends of mine saw your post on here and tried to email you and it came back undeliverable. YOUR ITEM WAS SHIPPED over a week ago. FIX YOUR EMAIL then we can communicate normally. My shipping confirmation I sent you a week ago also bounced back.
Dennis,
Arvada, Colorado

3192. Re: Opinions on Timewave's ANC-4 NR unit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 18:26:58 UTC
From: Dennis <pegasus@mho.net>
Message-ID: <3D7B9615.4213B9B3@mho.net>
Source record: 39653

ve3tmt wrote:

> Anybody using one of these units or in the past? I have a terrible noise
> problem and was wondering if it was worth the dough.
>
> Thanks,
>
> Max

It is an EXCELLENT unit... if you have noise in the area you shouldn't be
without one. It works best with local single-source noises... also
significantly cancels distant interference from undesired stations.
Dennis

3193. VE3MT!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 19:17:00 UTC
From: Dennis <pegasus@mho.net>
Message-ID: <3D7BA1D0.BE0E4988@mho.net>
Source record: 39654

MAX...
Please fix your email... it STILL does not work... Just got this
back.

Hi. This is the qmail-send program at smtp.mho.com.
I'm afraid I wasn't able to deliver your message to the following
addresses.
This is a permanent error; I've given up. Sorry it didn't work out.

<ve3tmt@yahoo.com>:
64.157.4.83 failed after I sent the message.
Remote host said: 554 delivery error: dd This user doesn't have a
yahoo.com account (ve3tmt@yahoo.com) - mta401.mail.yahoo.com

--- Below this line is a copy of the message.

Return-Path: <pegasus@mho.net>
Received: (qmail 87199 invoked from network); 8 Sep 2002 18:35:53 -0000
Received: from adsl-63-70-218-253.mho.net (HELO mho.net) (63.70.218.253)

by smtp.mho.net with SMTP; 8 Sep 2002 18:35:53 -0000
Message-ID: <3D7B9D00.DC1C16CC@mho.net>
Date: Sun, 08 Sep 2002 12:54:56 -0600
From: Dennis <pegasus@mho.net>
X-Mailer: Mozilla 4.7 [en]C-NSCPCD (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
To: ve3tmt <ve3tmt@yahoo.com>
Subject: Re: Filter
References: <001e01c256bb$d4e2c660$4adafea9@max>
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

3194. Re: Kenwood TS450SAT & Computer mating device and software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 20:13:34 UTC
From: ve3tmt <ve3tmt@yahoo.com>
Message-ID: <f9Oe9.323$RG2.148685@news20.bellglobal.com>
Source record: 39655

"helmsman" <helmsman@mindspring.com> wrote in message
news:ioomnusd3n0pgpvbbunb5hnpjb1ph07col@4ax.com...
> I have a Kenwood TS450sat and a computer.
> Doe's anyone have the mating hardware & software or know where I can
> get it?
> Thanks for your time.
> KG8PM
>
>

www.trx-manager.com for software. the interface you can built yourself for
less than $20. Search the net, many sites with suitable diagrams.

3195. WTB:Winter Projects

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 21:36:28 UTC
From: KC0EH <okiemansc@yahoo.com>
Message-ID: <wpPe9.15757$6i4.1294954@newsread1.prod.itd.earthlink.net>
Source record: 39657
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Due to being pretty much homebound from a neuro-muscular disease I am look
for winter project or parts rigs.
Prefer tube type or transistor due to component size.Anything considered if
the price is right.
Please state condition and price.
Thanks
...KC0EH...OKLA.

3196. Yaesu HT power option

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 21:58:51 UTC
From: cprstn54zz@att.net
Message-ID: <3d7bc697.119246359@news-server.optonline.net>
Source record: 39656

I thought I would pass on the results of my efforts to find a cheap and convenient way to power up Yaesu HT's in the field when the internal NiCd or Lithium battery has discharged.

As it turns out (for VX-150, VX-5R and HX460S, at least), a 6-battery AA holder filled with alkalines or NiMH's do the trick. You need a minimum of 6V at the jack to power the radio and less than 9V will not charge the internal battery. So 6 AA NiMH's (7.2V) or alkalines (9V) will power the radio but not charge the internal battery. The holder costs around $1.50 and the power plug is around $1 at RS.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3197. Re: Yaesu HT power option

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-08 23:02:25 UTC
From: Idontwantspam@net
Message-ID: <3d7bd64b.37817739@news.bellatlantic.net>
Source record: 39658

On Sun, 08 Sep 2002 21:58:51 GMT, cprstn54zz@att.net (Ken) wrote:

>I thought I would pass on the results of my efforts to find a cheap
>and convenient way to power up Yaesu HT's in the field when the
>internal NiCd or Lithium battery has discharged.
>
>As it turns out (for VX-150, VX-5R and HX460S, at least), a 6-battery
>AA holder filled with alkalines or NiMH's do the trick. You need a

Useful information.

Other options include the dry cell battery pack (just add AAs of
whatever type available) and the various 12V gel cell battery packs
sold for powering video lights, 12 accessories, and so on.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

3198. FA: HARD to FIND 2 & 6 Mtr Modules for Yaesu FR-101 RCVR!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 01:00:31 UTC
From: rlucch2098@aol.com
Message-ID: <20020908210031.00915.00003415@mb-ch.aol.com>
Source record: 39659

No Bids yets @ $9.99.
Nice pics but please add http to URL>>
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1379277019
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1379277013

3199. FS: Ten Tec 526 (6N2) and Ten Tec 405 amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 01:10:18 UTC
From: NZ8J <timcook@erinet.com>
Message-ID: <3d7bf4f1$0$1419$4c5ecdc7@news.erinet.com>
Source record: 39660
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Mint condition Ten Tec 526 (6N2) transceiver. 20 watt six and two meter all mode transceiver. With mic manual and power cord. Looks and works as new.
$515 Shipped in the lower 48

Excellent condition Ten Tec 405 amplifier used with a K2, 2 watts input gives 50+ watts out. 80-10 meters, With power cord.
$185 shipped in the lower 48.

Please email with any questions
thanks
Tim
NZ8J

3200. WTB: Kantronics UTU manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 02:17:22 UTC
From: Steve Silverwood <kb6ojs@arrl.net>
Message-ID: <MPG.17e5a46261049f2e98969d@news-server.socal.rr.com>
Source record: 39661
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Wanted: manual for Kantronics UTU terminal unit. Purchased one used some time ago but no manual included. Kantronics doesn't have any available either. Copies are fine, will reimburse postage and copying cost. Please reply to kb6ojs@arrl.net with info. Thanks in advance!

--

-- //Steve//

Steve Silverwood, KB6OJS
Fountain Valley, CA
Email: kb6ojs@arrl.net
Web: http://home.socal.rr.com/silverwood

3201. Anyone do repairs on Kenwood gear?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 02:30:28 UTC
From: Steve Silverwood <kb6ojs@arrl.net>
Message-ID: <MPG.17e5a7744d93cbfc98969e@news-server.socal.rr.com>
Source record: 39662

I have a Kenwood TS-520SE rig sitting here at the house which requires service.

I've purchased an FT-817 so I am not totally going through withdrawals, but I'd like to get the Kenwood fixed up as a backup and semi-QRO rig. It's got excessive plate current which I can't adjust out using the left-side controls. Also, the 10m-high section was modified by the next-to-previous owner to operate on the CB bands, so I'd like to get that re-crystalled and realigned for proper by-the-book operation.

Sad to say, I do not have any test equipment so I am not equipped to do the troubleshooting and repair job on my own. Last time I sent something to Kenwood they botched things completely, so I'm not in the mood to trust them again, hence the search for a third-party service center.

Thanks in advance for any info.

--

-- //Steve//

Steve Silverwood, KB6OJS
Fountain Valley, CA
Email: kb6ojs@arrl.net
Web: http://home.socal.rr.com/silverwood

3202. Re: Anyone do repairs on Kenwood gear?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 02:39:16 UTC
From: ve3tmt <ve3tmt@yahoo.com>
Message-ID: <SOTe9.913$RG2.262894@news20.bellglobal.com>
Source record: 39663

"Steve Silverwood" <kb6ojs@arrl.net> wrote in message
news:MPG.17e5a7744d93cbfc98969e@news-server.socal.rr.com...
> I have a Kenwood TS-520SE rig sitting here at the house which requires
> service.

try Bill at www.amateur-repairs.com

3203. 430 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 09:38:47 UTC
From: John & Ako Hickey <sione1@ihug.co.nz>
Message-ID: <alhq83$46l$1@lust.ihug.co.nz>
Source record: 39664

Hi

I have recently purchased a second hand Kenwood TS430 and would really like to have a copy of the manual. If anyone has a scanned copy or a PDF file I would appreciate it.

Failing this could someone let me know the pin connections for the rear Accessory plug.

Thanks in advance
John

3204. Shelby hamfest question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 10:14:49 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <alhsdr06f8@enews1.newsguy.com>
Source record: 39666
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

At the recent Shelby NC hamfest, I saw an individual -- spoke to him once -- who was wearing a baseball cap with the name "Mr. Heathkit" on it.

If anyone knows "Mr. Heathkit, please alert him to this message and ask him to reply here or to send an e-mail to me.

Many thanks.

--

Regards,
Joe S.

3205. Re: Yaesu HT power option

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 10:35:10 UTC
From: cprstn54zz@att.net
Message-ID: <3d7c77d1.164616109@news-server.optonline.net>
Source record: 39665

On Sun, 08 Sep 2002 23:02:25 GMT, Idontwantspam@net (Gary S.) wrote:
>Other options include the dry cell battery pack (just add AAs of
>whatever type available) and the various 12V gel cell battery packs
>sold for powering video lights, 12 accessories, and so on.

The "alkaline trays" as Yaesu calls them are excellent for the VX-150 (6 AA's and full operating capability) but unsatisfactory for the lithium-powered models, where they basically make the radio RX only (less than 1 watt on TX and very short battery life if you do even that).

Lead-acid cells are heavy and have a very low power density -- less than 1/2 that of alkalines. By weight, their density is perhaps 1/4 that of alkalines. OK when your car or boat is carrying them; not so OK when it is you.

That being said, if you have one along anyway, you might as well use it. To avoid charging the internal battery, just remove it.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3206. Heathkit and Kenwood S Meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 10:46:54 UTC
From: f10plt@aol.com
Message-ID: <20020909064654.07570.00002194@mb-cq.aol.com>
Source record: 39667

Heathkit "S" Meter foe SB/HW series Receiver/Transceiver. Very Good Condition $ 10.00 each. Kenwood R599 "S" Meter $ 10.00. All plus $ 3.00 shipping. Larry WA2PZI

3207. FS: N2DAN MERCURY KEYER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 12:32:45 UTC
From: Jeff Singer <0tubt001@sneakemail.com>
Message-ID: <MPG.17e65efb23b3bfa998968c@NEWS.OPTONLINE.NET>
Source record: 39668

FOR SALE: N2DAN Mercury Keyer, Exc.+ Condition, with rare 4-key memory trigger bar, all heavily chrome plated. Includes 2-sets of paddles (1-black, 1-white) and small original brochure.

Very rare and collectible iambic keyer. Currently on ebay until 9/15/02, but will entertain serious direct offers over $1500.

Thanks/73, Jeff Singer K2KV

3208. Re: Anyone do repairs on Kenwood gear?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 12:50:50 UTC
From: k5dh@raytheon.com
Message-ID: <KO0f9.1310$Bd4.11027@dfw-service2.ext.raytheon.com>
Source record: 39669

I recommend Clif Holland at AVVid in Dallas:

http://www.AVVid.com

73,
Dean K5DH

In article <MPG.17e5a7744d93cbfc98969e@news-server.socal.rr.com>,
kb6ojs@arrl.net says...
>
>I have a Kenwood TS-520SE rig sitting here at the house which requires
>service.
>
>I've purchased an FT-817 so I am not totally going through withdrawals,
>but I'd like to get the Kenwood fixed up as a backup and semi-QRO rig.
>It's got excessive plate current which I can't adjust out using the
>left-side controls. Also, the 10m-high section was modified by the
>next-to-previous owner to operate on the CB bands, so I'd like to get
>that re-crystalled and realigned for proper by-the-book operation.
>
>Sad to say, I do not have any test equipment so I am not equipped to do
>the troubleshooting and repair job on my own. Last time I sent
>something to Kenwood they botched things completely, so I'm not in the
>mood to trust them again, hence the search for a third-party service
>center.
>
>Thanks in advance for any info.
>
>--
>
>-- //Steve//
>
>Steve Silverwood, KB6OJS
>Fountain Valley, CA
>Email: kb6ojs@arrl.net
>Web: http://home.socal.rr.com/silverwood

3209. knob & dialplate for a variac needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 13:31:30 UTC
From: douglasfir@charter.net
Message-ID: <unp8linuob3o8d@corp.supernews.com>
Source record: 39670
Cross-posted to: sci.electronics.components,rec.radio.amateur.equipment,sci.electonics.equipment,rec.radio.amateur.misc

I have a Staco 033-6565 variable trans(variac) with a !/2"
shaft. I need a knob and dial plate. These do not have
to be the ones for this unit. Mainly I need a knob for
vaiac will fit a 1/2" shaft.

TIA

Dennis

3210. TS870 User Group

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 14:20:15 UTC
From: m0cke@btinternet.com
Message-ID: <ed60baec.0209090620.25e17381@posting.google.com>
Source record: 39671

Hi all,

Own a Kenwood TS870, thinking of buying a TS870, want to sell a TS870,
Just like to be noesy?
Then come and join the established TS870 User Group at
http://uk.groups.yahoo.com/group/TS870/
or join by email at TS870-subscribe@yahoogroups.co.uk

See you all on the group
Regards,

Jim M0CKE

3211. Wanted: Quick Charger for Yaesu FT-10/FT-50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 15:14:26 UTC
From: Mark Carlson <w4ksr@earthlink.net>
Message-ID: <mV2f9.16831$6i4.1415158@newsread1.prod.itd.earthlink.net>
Source record: 39672

Want a quick charger for the Yaesu FT-10/FT-50. Either the NC-50, W&W, MFJ, MAHA, or similar.

3212. FA: LUXTROL VARIABLE AUTOTRANSFORMER 2500W 120VAC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 15:17:13 UTC
From: nospamthanks@this.org
Message-ID: <ZX2f9.3249$oT6.502523@news2.telusplanet.net>
Source record: 39673
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Use this in your homebrew amplifier.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1379884837

$10 No Reserve

3213. FA: Icom IC-215 IC215 Manual ORIGINAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 15:19:09 UTC
From: nospamthanks@this.org
Message-ID: <NZ2f9.3252$oT6.502523@news2.telusplanet.net>
Source record: 39674

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1379857384

3214. WTB: ICOM Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 16:22:21 UTC
From: Jason Dugas <jdugas@ems.jsc.nasa.gov>
Message-ID: <1V3f9.569$C32.113258637@newssvr16.news.prodigy.com>
Source record: 39675

Looking for an HM98 mic for an IC 2800H. ICOM wants $100 for a new one when really only need one piece of it. Would really like to find a used one that would be a bit cheaper. Even if it was trashed, I might be able to use it for parts.

Jason
NospamKb5urq@hotmail.com

Remove Nospam.

3215. Re: Wanted: Quick Charger for Yaesu FT-10/FT-50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 17:03:38 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <unpl6k23dng26d@corp.supernews.com>
Source record: 39676

Mark........I have an FT-10, and bought a new quick charger from W&W. You'd probably be better off just getting a new one.

Bill
KC4KMG

--
Web Site: www.polkcounty.org/radiofun
ICQ: 11908449
Yahoo Mess: Hitradio93Q

"Mark Carlson" <w4ksr@earthlink.net> wrote in message news:mV2f9.16831$6i4.1415158@newsread1.prod.itd.earthlink.net...
> Want a quick charger for the Yaesu FT-10/FT-50. Either the NC-50, W&W, MFJ,
> MAHA, or similar.
>
>
>

3216. FA: Tektronix Scopes..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 17:27:35 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <bS4f9.60484$Or1.3941230@news2.east.cox.net>
Source record: 39679
Cross-posted to:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment,sci.electronics.repair

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766078118

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766099562

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766106908

Thanks for looking..

73,

Larry, KQ4BY

3217. Icom SC-1019 RF Module Needed for IC-25A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 17:47:38 UTC
From: BillyBoy <billyboy18@carolina.rr.com>
Message-ID: <_85f9.6113$Wa.276699@twister.southeast.rr.com>
Source record: 39677

Anyone have a new Icon SC-1019 RF module lying around that they want to sell? I need one for my IC-25A but thought I'd check this board out first before I priced them at RF Parts or Icom. Or, any suggestion on who else sells them besides the two places just listed. Thanks, Billboy

3218. FT-8100 R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 17:54:42 UTC
From: Denis O' Flynn <denisf@eircom.net>
Message-ID: <z76f9.14633$zX3.34561@news.indigo.ie>
Source record: 39680

Hi all,
Have my 8100R for abt 2 years. Beenm back to the UK already once and would you beleive it - they lost it!! Unfortunatly for me they found it when I put the pressure on.
Anyway up to the present - The rig transmits for abt 1 minute then loses power, even though the fan stays on and red led stays lighting.This happen all the time. no problem with RX.
Any thoughts ???

Denis
EI6HB
ei6hb@eircom.net

3219. WTD schematic TW-4000a

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 18:21:57 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aliosh$216d$2@madmax.keyway.net>
Source record: 39678

I would really appreciate Schematics or part info for a TW4000a.
The RF preamp is down and I can't read the #s. Also Pin diodes
are open.

Thanks,

(remove nospam to reply to me)
ac6tk@nospamcybertime.net

3220. Re: WTB:Winter Projects

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 19:27:48 UTC
From: l.levy@worldnet.att.net
Message-ID: <1f08bc6f.0209091127.16952e96@posting.google.com>
Source record: 39681
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

"KC0EH" <okiemansc@yahoo.com> wrote in message
news:<wpPe9.15757$6i4.1294954@newsread1.prod.itd.earthlink.net>...
> Due to being pretty much homebound from a neuro-muscular disease I am look
> for winter project or parts rigs.
> Prefer tube type or transistor due to component size.Anything considered if
> the price is right.
> Please state condition and price.
> Thanks
> ...KC0EH...OKLA.

I have the Following Transistor radios; G,E, P745, 3-G.E. P807
series, Crown TR610,Zenith Royal 20.
I am asking $120.00 Plus shipping for all 6.
The radios are complete including correct knobs.
I have a lot so if you need anything let me know.
Regards
Louis

3221. FS:W2IHY AUDIO EQ AND NOISE GATE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 20:12:59 UTC
From: kb9igg@aol.com
Message-ID: <20020909161259.23146.00000169@mb-fp.aol.com>
Source record: 39682

BRAND NEW IN THE BOX.THIS IS A 2 BAND AUDIO EQUALIZER AND NOISE GATE.SORRY NO CABLES,IT COMES WITH POWER CUBE FOR 110V AND THE OPERATING MANUAL.$75+SHIPPING

3222. Re: FT-8100 R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 20:35:38 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D7D061A.3D9E8697@optonline.net>
Source record: 39683

Time out timer?? maybe?
good luck

Denis O' Flynn wrote:

> Hi all,
> Have my 8100R for abt 2 years. Beenm back to the UK already once and would
> you beleive it - they lost it!! Unfortunatly for me they found it when I put
> the pressure on.
> Anyway up to the present - The rig transmits for abt 1 minute then loses
> power, even though the fan stays on and red led stays lighting.This happen
> all the time. no problem with RX.
> Any thoughts ???
>
> Denis
> EI6HB
> ei6hb@eircom.net

-

3223. Re: FT-8100 R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 20:42:11 UTC
From: n4bk@hiwaay.net
Message-ID: <3D7D07A3.1EB6DE@hiwaay.net>
Source record: 39684

Sounds like a bad pin diode on the output circuitry or a bad solder joint on the same diode. Watch your current on an amp meter if you lose the output and current stays up, bad solder joint or diode. If the power drops out and current goes way down almost to receive level, then bad PA module. Hope that helps. Bob N4BK

> Hi all,
> Have my 8100R for abt 2 years. Beenm back to the UK already once and would
> you beleive it - they lost it!! Unfortunatly for me they found it when I put
> the pressure on.
> Anyway up to the present - The rig transmits for abt 1 minute then loses
> power, even though the fan stays on and red led stays lighting.This happen
> all the time. no problem with RX.
> Any thoughts ???
>
> Denis
> EI6HB
> ei6hb@eircom.net

3224. FS: Complete Icom Station - IC-706mkII-DSP & AH-4 Tuner & Accys

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 21:21:52 UTC
From: Ken <kenkopp@qwest.net>
Message-ID: <Xh8f9.47$WZ.50484@news.uswest.net>
Source record: 39685

Complete Icom Station - IC-706mkII-DSP & AH-4 Tuner & Accys

Complete Icom 706 setup, includes:
Original box, manual, hand mic, etc
FL-103 2.8kc wide ssb filter (with box)
FL-223 1.9kc narrow ssb filter (with box)
MB-63 remote head mounting bracket (with box)
MB-62 mobile radio bracket (with box)
OPC-581 Separation Cable (with box)
Tune control module
AH-4 with 50' feed line & control cable installed no soldering! (with box & manual)
SM-6 Desk mic & adapter for RG-45

All items are in excellent condition and show little or no wear a real 9 out of 10!
Asking $1200 shipped CONUS Ken Kopp, KI7HM, (509) 710-8759
kenkopp@qwest.net

3225. FS: Kenwood SW-2000 swr/watt meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 22:42:18 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <er8qnuslqoegrn5tv35om67buoklgpak9j@4ax.com>
Source record: 39686

I have for sale in excellent condition a Kenwood SW-2000 swr/watt meter. It comes with the SWC-3 module with a frequency coverage of 1.8 to 54 Mhz. It handles up to 2000 watts on SSB. It comes with the original box, manual and dc cable for the metered lights. The metered lights are not working when used with a dc supply..... Other than that the meter works fine. I will ship it for $100 and can be reached at (508) 821-2993 or email.......WZ1U Steve / Lakeville, Mass.

3226. FS: Yaesu FT-270RH 2 meter mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 22:55:51 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <vl9qnukuk7ml4uf00kpau2q6s5ak17srfv@4ax.com>
Source record: 39687

I have for sale a Yaesu FT-270RH 2 meter 45 watt mobile rig. It comes with the original box, mobile bracket never used with hardware, operating manual and technical supplement manual, MH-15ab touch tone microphone and dc cable. Its in very good condition, but no receive and the digital display is starting to get some black bleeding onto the display. The transmit section is fine and puts out 45 watts. There is no pl tone board. I will sell this for $25 with a receive problem plus shipping......I can be reached at (508) 821-2993 or email........WZ1U Steve / Lakeville, Mass.

3227. FA: Tektronix Scope Plugins..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 23:23:26 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <O3af9.62034$Or1.4074383@news2.east.cox.net>
Source record: 39688

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766380157

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766383889

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766388082

Thanks for looking!

73,

KQ4BY

3228. FS: Astron RS-12A power supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 23:29:37 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <albqnu8uoe1aits6r6hk8ilgo6dn5o1k2u@4ax.com>
Source record: 39689

I have for sale in very good condition an Astron RS-12A power supply.
Its a 9 amp supply with a 12amp surge. I will take $40 plus shipping
and can be reached at (508) 821- 2993 or email......WZ1U Steve /
Lakeville, Mass.

3229. GSB-100 FS/FT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 23:35:29 UTC
From: K5VSE <wb6vse@ipa.net>
Message-ID: <5faf9.17540$6i4.1475671@newsread1.prod.itd.earthlink.net>
Source record: 39690
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Hi to all,
I have a very nice GSB-100 Gonset transmitter for sale or possibly trade. It has a new Peter Dahl power transformer installed, new caps, tubes, power divider etc. Tested and works. Front panel is great, cabinet has been repainted. Transformer alone was $185.00 and asking $300.00. Prefer pick up in West central Arkansas, but will ship if necessary. Pictures available!

Please respond direct to wb6vse@ipa.net

Thanks es 73

--
Mike-K5VSE
Formerly WB6VSE, senior tech, amateur division
SBE/Linear Systems, Watsonville, CA
All email scanned with Norton AntiVirus 2002

3230. FS: Accutrak Record Changing Turntable, brand new in the box

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 23:46:20 UTC
From: saviormoney <saviormoneyREMOVE@REMOVEsaviormoney.com>
Message-ID: <gpaf9.211449$kp.794591@rwcrnsc52.ops.asp.att.net>
Source record: 39691
Cross-posted to: alt.collecting.records,chi.forsale,rec.radio,rec.radio.amateur.equipment,rec.radio.misc

see auction at ebay:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1379419800

For Sale:

One Accutrak record changer Turntable

it is literally brand new in the box with receipts from the day it was purchased.

never set up. stored in its original box in a basement since the day it was bought.

never assembled - original packing styrofoam, inner and outer box. the only thing missing is the 9V battery for the remote control. includes the main unit, lid, turntable mat, remote control transmitter, remote control receiver, spindle, tonearm weight, setscrew, screwdriver, grounded rca phono cables, manual, unused warranty registration card, store receipt, and credit card receipt, the latter of which is dated 7-5-1980. also contains ADC LMA-3 cartridge and stylus attached to the tonearm. the tonearm with its original shipping padding is visible in one of the pictures above; the whole base of the unit is in the original factory plastic wrap and the original shipping retaining screw has NEVER been removed.

the novelty of this unit is its ability to play any track in any order from any of the records queued atop the spindle. the way it accomplishes getting records back up off the platter is with three small metal fingers that extend from inside the spindle and lift the record back past an interlock.

for jumping around different tracks on the same record, the player uses a light activated sensor on the tone-arm to sense the gap between tracks on the record and positions the needle accordingly.

the turntable cabinet has a row of pushbuttons on the front panel, not very visible in any of the pics. the unit has an ultrasonic remote to duplicate the functions of the front panel.

definitely a collectors item.

thank you,

saviormoney

3231. The three buttons on my VX-5R lithium battery?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-09 23:57:38 UTC
From: cprstn54zz@att.net
Message-ID: <3d7d320b.212290437@news-server.optonline.net>
Source record: 39692

Why are there *three* contact buttons on the back of the lithium battery for my VX-5R? The leftmost one seems to be ground and the other two +8.4V.

Is the desktop charger (CD-15A) a "smart charger" for the lithium battery or are the smarts in the radio or battery? See: http://www.universal-radio.com/catalog/ht/4555dia.jpg

It's pretty cheap ($20) if it's smart. Maybe the smarts in the battery make the battery look like a NiCd to any charger. There have to be some smarts in the radio or battery because the lithium battery fast charges from the radio's 12V jack.

Can I use my Maha MH-C777 NiMH-NiCd charger on these contacts? See: http://www.thomasdistributing.com/maha-mh-c777.htm

Given the sensitivity of lithium batteries to overcharging, this is not a good area for experimentation.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3232. FS OR TRADE ALINCO DX-70

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 01:02:26 UTC
From: vtfoxfire@aol.com
Message-ID: <20020909210226.00915.00003764@mb-ch.aol.com>
Source record: 39693

For Sale Alinco DX-70T for sale it is prefect in working
and physical condition, looks and works like new. It comes with
Original Box, Original Manual, Hand-Mic, Power Cord and a Mobil
Mounting Bracket. the price is 400.00 shipped conus

trade for late model dualband mobile ????? what ya got ???
please email to vtfoxfire@aol.com w1cgt 73's Foster

3233. FS IC-718 and LDG AT-11MP tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 01:05:18 UTC
From: jbeckett@NOSPAM.stny.rr.com
Message-ID: <4bhqnu04msabn31v1d5s165ihgkkdf6jrg@4ax.com>
Source record: 39694

Icom IC-718 purchased in April- never on the air.
LDG AT-11MP auto antenna tuner w/Icom cable- never used.
Package deal... $600.

Jim KD2KU
Corning NY
jbeckett@NOSPAM.stny.rr.com
remove NOSPAM to reply
do not reply in newsgroup

3234. Re: Anyone do repairs on Kenwood gear?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 02:08:35 UTC
From: "Gary \"Joe\" Mayfield" <gary_mayfield@hotmail.com>
Message-ID: <unql3l2d4nqqa5@corp.supernews.com>
Source record: 39695

I've had good luck with Burghardt's

http://www.burghardt-amateur.com/

73,
Joe

"Steve Silverwood" <kb6ojs@arrl.net> wrote in message
news:MPG.17e5a7744d93cbfc98969e@news-server.socal.rr.com...
> I have a Kenwood TS-520SE rig sitting here at the house which requires
> service.
>
> I've purchased an FT-817 so I am not totally going through withdrawals,
> but I'd like to get the Kenwood fixed up as a backup and semi-QRO rig.
> It's got excessive plate current which I can't adjust out using the
> left-side controls. Also, the 10m-high section was modified by the
> next-to-previous owner to operate on the CB bands, so I'd like to get
> that re-crystalled and realigned for proper by-the-book operation.
>
> Sad to say, I do not have any test equipment so I am not equipped to do
> the troubleshooting and repair job on my own. Last time I sent
> something to Kenwood they botched things completely, so I'm not in the
> mood to trust them again, hence the search for a third-party service
> center.
>
> Thanks in advance for any info.
>
> --
>
> -- //Steve//
>
> Steve Silverwood, KB6OJS
> Fountain Valley, CA
> Email: kb6ojs@arrl.net
> Web: http://home.socal.rr.com/silverwood

3235. 80M Sked Wanted by ZL for 5BWAS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 02:27:18 UTC
From: Leejen <leejen@paradise.net.nz>
Message-ID: <9Mcf9.458$b5.65232@news02.tsnz.net>
Source record: 39696

Hi all
I am trying to complete a 5BWAS (very difficult from New Zealand!) and would like to sked anybody on 80M in the States of CO, MI, KS, KY, LA, SD and VT. I have worked CO and MI but can't get a card out of them!

Can anybody help?

73
Lee ZL2AL - ZL7AA, ZL8RI, ZL9CI, VE3LJ

The noblest of all dogs is the hot-dog;
it feeds the hand that bites it.

3236. 80M Sked wanted by ZL for 5BWAS - Addendum

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 02:31:46 UTC
From: Leejen <leejen@paradise.net.nz>
Message-ID: <mQcf9.459$b5.65263@news02.tsnz.net>
Source record: 39697

Hi all
I am trying to complete a 5BWAS (very difficult from New Zealand!) and would like to sked anybody on 80M in the States of CO, MI, KS, KY, LA, SD and VT. I have worked CO and MI but can't get a card out of them!

Can anybody help?

73
Lee ZL2AL - ZL7AA, ZL8RI, ZL9CI, VE3LJ

leejen@paradise.net.nz

The noblest of all dogs is the hot-dog;
it feeds the hand that bites it.

--

.

3237. f.s. collins 30S1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 04:09:18 UTC
From: lemwnash@aol.com
Message-ID: <20020910000918.03289.00002386@mb-ck.aol.com>
Source record: 39598

very good condition.works well but prefer you
come try it out before buying.

$ 1000.00

kh6lem

3238. FS: 240+ Military Radio manuals on CD-ROM - $20

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 07:45:51 UTC
From: Mike <mdavids@erols.com>
Message-ID: <3D7DA32F.3BF7@erols.com>
Source record: 39599

Have several CDROMs for sale to those interested in military radios and electronics:

240+ Military Radio Manuals on Cd-ROM, includes PRC, VRC, GRA, SGR, TRC, FRC, GRC, ARC, and more. Includes almost 700 megs of operations, maintenance, maintenance repair parts, installation manuals (for a variety of military vehicles).

Also:

170+ Test Equipment Manuals on CD-ROM, includes maintenance, maintenance repair parts, and calibration for Fluke, Tektronix, and Hewlett-Packard equipment.

Sell each for $20 or both for $30. I would be happy to Email a listing of each disk, showing all manuals listed (in Adobe Acrobat .pdf), if you Email mdavids@erols.com. Thanks for your time!

Going for my no-code licence soon,

Mike
mdavids@erols.com

3239. Radio mods

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 14:16:54 UTC
From: Daniel Hicks <w8mmq-NOSPAM@email.com>
Message-ID: <3d7dfed1$0$1433$2c3e98f8@news.voyager.net>
Source record: 39600

Check out the radio mods at

http://www.w8mmq.com/mods/

There are over 1,200 radio mods listed, and this site is updated often.

3240. WTB: ICOM UT-36

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 16:25:40 UTC
From: rs2bk@aol.com
Message-ID: <20020910122540.00866.00003170@mb-fk.aol.com>
Source record: 39601

Looking for the voice synthesizer - UT-36
among other icom stuff.

Thanks for your time,
Jim Roseman w9ud
Moline, IL

3241. IC7400/IC746

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 16:56:26 UTC
From: rollo tomassi <rollotomassi1@hotmail.com>
Message-ID: <3d7e2430$0$30640$fb624cd1@news1.zeelandnet.nl>
Source record: 39602

Hello OM,

The antennatuner which is built in into the IC746/7400 , is that a
relay-type like the Kenwood TS2000 or with servo-motor like the
IC756-PRO(II)

3242. NEW HAM RADIO PORTAL ONLINE!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 17:42:26 UTC
From: AV <avaupel@web.de>
Message-ID: <6aqf9.303616$aK5.21257@post-02.news.easynews.com>
Source record: 39603
Cross-posted to:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.noncomm

There is a new Ham Radio Portal online at

http://www.hamradio-portal.com

This Portal contains news, Information and

special topics like Echolink software and many more.

It has a Weblink and download database.

A new Webboard to discuss topics is also there.

You can also submit news and topics what

comes available on the top of the page!

It should not to be in compete with other Portals.

Just a new one with a new look and nice features.

We hope to see you there!

Andre

3243. help interpreting toroid schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 21:21:54 UTC
From: Bill Johnson <electricguy30nospam@hotmail.com>
Message-ID: <allnug$9n2$1@nntp9.atl.mindspring.net>
Source record: 39605
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

I am attempting to build a project that uses a quadfilar wound FT50-43 toroid. I am having trouble interpreting the schematic and I'm not sure if the actual wiring of the toroid is correct. Can someone confirm whether or not my wiring scheme is correct? The toroid schematic and my wiring interpretation are at http://www.mindspring.com/~elecman/helpschematic.jpg

Thanks in advance for responses.

Bill

3244. FS: New Military RTTY Teletype Keyboard/Terminal

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 21:24:33 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <lqtf9.467$TX5.81357@news1.east.cox.net>
Source record: 39604
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.digital,rec.radio.amateur.equipment,rec.radio.amateur.packet,rec.radio.amateur.swap

I have (2) Model # AN/UGC-74B(V)3 brand new military communications keyboard/terminals. Very heavy duty (100 lbs. each). Rubber booted keys and switches. These come with the (2) handle military style aluminum cases with pressure locks. Designed for use with most Harris military radio's for Baudot applications. One unit has an unopened roll of teletype paper and new ribbon included. I would suggest that these be pickup only here in RI.

$50 each

Thanks and 73.

3245. How do I connect SCS PTC-IIe to Kenwood TH-D7AG?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 21:49:57 UTC
From: johnfofawn@hotmail.com
Message-ID: <d89364bd.0209101349.19853703@posting.google.com>
Source record: 39606
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

Hi,

I want to buy this modem and this radio, but I can't find anyone that sells a cable to connect them? Any advice? I really don't want to build one -- I want a high-quality cable with molded connectors.

Thanks!
JOhn

3246. Re: help interpreting toroid schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 21:58:49 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <8tpsnu8d3ojirbie2ltg9fv4ofkbilhgau@4ax.com>
Source record: 39607
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

On Tue, 10 Sep 2002 17:21:54 -0400, "Bill Johnson"
<electricguy30nospam@hotmail.com> wrote:

>I am attempting to build a project that uses a quadfilar wound FT50-43
>toroid. I am having trouble interpreting the schematic and I'm not sure if
>the actual wiring of the toroid is correct. Can someone confirm whether or
>not my wiring scheme is correct? The toroid schematic and my wiring
>interpretation are at http://www.mindspring.com/~elecman/helpschematic.jpg
>
>Thanks in advance for responses.
>
>Bill
>

Hi Bill,

Quadfilar means that four (4) wires are wound together, in parallel.
Your drawing needs color for each winding to clearly answer your
question, also, it needs phase dots on the schematic to correlate
correct connections. 1 & 3 appear to be backwards, as do 5 & 7; but
without the individual windings visible, or phase information, it is
difficult to say.

What you have in your mind, and what you have posted may well work,
but without these details, I for one, could not respond in the
affirmative. Reasons for my saying 1 & 3 appear to be backwards is
due to all windings starting at the same end (presumably 1,4,5,8)
would not find 1 & 3 in proximity with 2 & 4 connected unless there is
a phase inversion not shown. [Same goes for 5,7 and 6,8.]

73's
Richard Clark, KB7QHC

3247. Re: help interpreting toroid schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 22:26:40 UTC
From: Bill Johnson <electricguy30nospam@hotmail.com>
Message-ID: <allrku$164$1@slb4.atl.mindspring.net>
Source record: 39608
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

Hi Richard,

Thanks for the quick response. Perhaps I posted this a bit too soon and maybe should have contacted the designer of the circuit first, which I have now done. Thanks for your input and sorry for the inconvenience.

Bill

> Hi Bill,
>
> Quadfilar means that four (4) wires are wound together, in parallel.
> Your drawing needs color for each winding to clearly answer your
> question, also, it needs phase dots on the schematic to correlate
> correct connections. 1 & 3 appear to be backwards, as do 5 & 7; but
> without the individual windings visible, or phase information, it is
> difficult to say.
>
> What you have in your mind, and what you have posted may well work,
> but without these details, I for one, could not respond in the
> affirmative. Reasons for my saying 1 & 3 appear to be backwards is
> due to all windings starting at the same end (presumably 1,4,5,8)
> would not find 1 & 3 in proximity with 2 & 4 connected unless there is
> a phase inversion not shown. [Same goes for 5,7 and 6,8.]
>
> 73's
> Richard Clark, KB7QHC

3248. Re: help interpreting toroid schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 23:35:06 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <qtvsnuk2b8r7le6qumjgfqjq08jiohq96b@4ax.com>
Source record: 39609
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

On Tue, 10 Sep 2002 18:26:40 -0400, "Bill Johnson"
<electricguy30nospam@hotmail.com> wrote:

>Hi Richard,
>
>Thanks for the quick response. Perhaps I posted this a bit too soon and
>maybe should have contacted the designer of the circuit first, which I have
>now done. Thanks for your input and sorry for the inconvenience.
>
>Bill

Hi Bill,

No inconvenience at all, you came more prepared than most who have
grand designs of naming an antenna after themselves. You might also
include what you are going to use this for - it could be significant
to consider in light of that application. And you never know, someone
else might chime right in with a less equivocal (and still correct)
answer than mine.

73's
Richard Clark, KB7QHC

3249. Shinwa SC350X Programming

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 23:50:04 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <mvvf9.72615$Hf.1823182@twister.kc.rr.com>
Source record: 39610
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

I picked up a Shinwa SC350X 16 channel low band commercial radio, that I put into 6 Meter amateur service. It works great, but does not scan.

Does anyone know how to enable scanning on this radio?

Shinwa (both US and Japan) disavows any knowledge about the programming of this radio.

3250. Re: How do I connect SCS PTC-IIe to Kenwood TH-D7AG?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-10 23:54:29 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <unt1ii8lgl74ec@corp.supernews.com>
Source record: 39611
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

SCS and their distributors sell a cable with the PTC-II connector on one end and nothing on the other. Purchase a connector to match the Kenwood and solder it on the other end.

3251. Re: help interpreting toroid schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 01:21:31 UTC
From: Steve Ratzlaff <sratzlaf@flash.net>
Message-ID: <3D7E9A69.F0BD7D78@flash.net>
Source record: 39612
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

I get a "404 error/page not found" when I try to access the .jpg.
Steve

Bill Johnson wrote:
>
> I am attempting to build a project that uses a quadfilar wound FT50-43
> toroid. I am having trouble interpreting the schematic and I'm not sure if
> the actual wiring of the toroid is correct. Can someone confirm whether or
> not my wiring scheme is correct? The toroid schematic and my wiring
> interpretation are at http://www.mindspring.com/~elecman/helpschematic.jpg
>
> Thanks in advance for responses.
>
> Bill

3252. FS:VANCO SWR-3

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 01:46:21 UTC
From: kb9igg@aol.com
Message-ID: <20020910214621.07052.00004267@mb-mv.aol.com>
Source record: 39613

METER IS IN MINT CONDITIONWITH SWR POWER UP TO 100WATT MODULATION AND FIELD STRENGTH METER TOO WITH ANT.FOR 10/11 METER $20+SHIPPING SORRY NO MANUAL OR BOX.

3253. Anyone make replica Hallicrafters logos?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 01:47:53 UTC
From: msenecal1@juno.com
Message-ID: <62bf14a6.0209101747.1293a107@posting.google.com>
Source record: 39614
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.shortwave

I just realized that my SR-150 is missing the little "h" logo on the front. Does anyone know of anyone who produces replicas?

Thanks!

3254. Re: help interpreting toroid schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 02:02:43 UTC
From: "r.crowley" <rcrowley7@xprt.net>
Message-ID: <unt9234bu39978@corp.supernews.com>
Source record: 39615
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

> Bill Johnson wrote:
> > The toroid schematic and my wiring
> > interpretation are at
http://www.mindspring.com/~elecman/helpschematic.jpg

"Steve Ratzlaff" wrote ...
> I get a "404 error/page not found" when I try to access the .jpg.

The "~elecman" account/directory isn't even present.

3255. Backlight on Icom T81A Display

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 03:09:10 UTC
From: n4mbi@earthlink.net
Message-ID: <3d7eb1e3.19195580@news.earthlink.net>
Source record: 39616

The display backlight on my Icom T81A seems to be showing only one backlight on the right side of the display. I know it has two backlights behind the display according to Icom. It sure looks differently from the T8A display,which clearly shows the two lights. Has anyone noticed this on their T81A? Or does the backlight on the left side just not show as clearly on the T81A ??

Thanks,
Rick, N4MBI

3256. Re: help interpreting toroid schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 03:21:00 UTC
From: Bill Johnson <electricguy30nospam@hotmail.com>
Message-ID: <almcsl$pc7$1@slb7.atl.mindspring.net>
Source record: 39617
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

Thanks for looking guys. Perhaps I will repost it sometime over the next couple of days (I removed the URL until I hear from the designer).

Thanks again,
Bill

"r.crowley" <rcrowley7@xprt.net> wrote in message news:unt9234bu39978@corp.supernews.com...
> > Bill Johnson wrote:
> > > The toroid schematic and my wiring
> > > interpretation are at
> http://www.mindspring.com/~elecman/helpschematic.jpg
>
>
> "Steve Ratzlaff" wrote ...
> > I get a "404 error/page not found" when I try to access the .jpg.
>
> The "~elecman" account/directory isn't even present.
>
>

3257. gerald schmidt KK5YY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 04:23:44 UTC
From: lemwnash@aol.com
Message-ID: <20020911002344.00731.00003077@mb-fk.aol.com>
Source record: 39618

this guy is a crook. dont do any business with
him

3258. FS: WEFAX DECODER CSI FAX-1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 04:38:43 UTC
From: ZOOM <robert931@sympatico.ca>
Message-ID: <INzf9.2630$RG2.938472@news20.bellglobal.com>
Source record: 39619

This is a NOS DECODER. "Never Used"
Has tuning indicator and several setting options.
Make an offer
Click on links for pics:
http://zoomm.tripod.ca/WEFAXA.jpg

http://zoomm.tripod.ca/WEFAXB.jpg

E-mail if interested valveman_6146@yahoo.com

3259. FS Alot of NEW Goodies

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 05:30:40 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <4yAf9.1777$Yn1.153068@newsread2.prod.itd.earthlink.net>
Source record: 39620

I have a list of some NEW goodies, hope you like them.................

Yaesu FT-102 Transceiver

Yaesu FV-102DM External VFO
Yaesu FC-102 Antenna Tuner

Yaesu SP-102P Phone Patch/Speaker

Yaesu MD-1B8 Desk Microphone.....$800.00

Yaesu FT-757GX II Transceiver

Yaesu FRB-757 Amp/Relay.....$450.00

Yaesu FT-707 Transceiver

Yaesu FC-707 Antenna Tuner

Yaesu "Brand New In The Box" FV-707DM External VFO

Yaesu "Brand New In The Box" MR-7 Rack for the FT-707

Yaesu "Brand New In The Box" FRB-707 Amp/Relay.....$550.00

Yaesu FT-480R 2 Meter All Mode Transceiver.....$275.00

Yaesu YS-2000 FT-101 Matching SWR/Power Meter.....$90.00

Yaesu YO-101 FT-101 Matching Scope.....$80.00

Yaesu FV-101Z FT-101ZD Matching External VFO.....$100.00

Yaesu FF-501 TVI Filter.....$20.00

(2) Yaesu Landliner Speaker/Phone Patch.....$50.00 each

Nye - Viking MB-V-A 3000 Watt Antenna Tuner.....$500.00

" It sells NEW for about $900.00"

Ten Tec Model 4229 Antenna Tuner $170.00

Henry 2K Classic Console Amplifier 10,15,20,40,80 meters.....$975.00

Pick Up Only in Los Angeles.....

"It sells NEW for about $2000.00"

Heathkit SB-221 Amplifier.....$525.00

PAL 120+ 12 Volt Tube Amplifier.....$99.00

PAL KW-1 SWR/Watt Meter.....$40.00

Heathkit SB-614 Scope.....$100.00

Mirage B-108 2 Meter Amplifier 10 watts in 80 watts out.....$75.00

Bird # 43 Wattmeter.....$175.00

"It sells new for $309.00"

Bird 100C 100 Watt Element for 100 - 250 MHz.....$50.00

Bird 250H 250 Watt Element for 2 - 30 MHz.....$50.00

Bird 1000H 1000 Watt Element for 2 - 30 MHz $70.00

Bencher Keyer BY-2.....$70.00
"It sell NEW for $125.00"

Ham Key $40.00

"New In The Box" Alliance Rotor.....$90.00

Astron RS-35M 35 Amp 12 Volt Regulated Power Supply With
Meters.....$90.00

AEA MM-3 Morse Machine.....$80.00

MFJ - 1278 TNC.....$99.00

(2) MFJ-1272B TNC/MIC Switch.....$10.00 each

Heil HM-10-5 Desk Microphone Wired For Yaesu.....$70.00

Gallon Dummyload.....$20.00

Thanks & 73,

Leo KJ6HI

Ph/Fax (310) 670-6969

3260. Re: help interpreting toroid schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 09:34:28 UTC
From: JC <jacques.culot@skynet.be>
Message-ID: <3d7f0e25$0$213$ba620e4c@news.skynet.be>
Source record: 39621
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

I got it yesterday but today no more.

73 de ON5MJ

3261. Need Info for Heathkit Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 11:15:31 UTC
From: Jeff Galinat <jgalinat@optonline.net>
Message-ID: <_AFf9.26329$ck2.974058@news4.srv.hcvlny.cv.net>
Source record: 39622

Hi All,
I just picked up a Heathkit SA-5010 ﷿Matic keyer at a hamfest. It didn't come with the wall wart supply so I was wondering if someone could tell me the required voltage & polarity (center pin positive or negative).
Thanks again,
Jeff Galinat N2KWK

3262. Santec 2m

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 14:58:05 UTC
From: dss117@aol.com
Message-ID: <20020911105805.15371.00002097@mb-mn.aol.com>
Source record: 39623

I have a Santec 2 m. handheld and need a tone unit to get on the local repeater. Does anyone know of a parts source?
Thanks in advance...

Doug
KC9AYS

3263. Re: Santec 2m

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 15:58:54 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3D7F683B.73915DA0@tampabay.rr.com>
Source record: 39624

try communications specialists they advertise in AESs catalog
they make 3rd party tone boards for many older radios

DSS117 wrote:

> I have a Santec 2 m. handheld and need a tone unit to get on the local
> repeater. Does anyone know of a parts source?
> Thanks in advance...
>
> Doug
> KC9AYS

3264. FS: Radio Shack Pro-46 Scanner (pre-1994, date code 10A3)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 16:46:46 UTC
From: cprstn54zz@att.net
Message-ID: <3d7f7363.79557531@news-server.optonline.net>
Source record: 39625

Radio Shack Pro-46 Scanner (pre-1994, date code 10A3). Like new, with belt clip, antenna, manual and RS 9V wall wart for power and charging (a $15 option).

Unmodified but can be easily rejumpered for full 800-900MHz. Specs at: http://support.tandy.com/support_electronics/8558.htm

Mods at:
http://liun.hektik.org/scanner/radio_shack/mods/pro46cell1.txt

$95 includes shipping to CONUS.
Ken
(to reply via email
remove "zz" from address)

3265. Anyone make an ACC1 splitter for Icom 756Pro?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 17:14:17 UTC
From: johnfofawn@hotmail.com
Message-ID: <d89364bd.0209110914.32911963@posting.google.com>
Source record: 39626

Hi,

I have a Rigblaster Plus and am getting an SCS PTC-IIe. I'd like to have both connected to ACC1 at the same time. Is there a cable that will allow this? Worst case, is there an ACC1 switch I can buy?

Thanks,
John

3266. Re: FT-8100 R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 18:45:20 UTC
From: Denis O' Flynn <denisf@eircom.net>
Message-ID: <Z2Nf9.15076$zX3.36667@news.indigo.ie>
Source record: 39627

Hi Bob
Checked the meter. On high power using 9 amps. When it drops out the
amps go down to 2. Med. Power is 5 amps and again down to 2 and on low power
3.3 amps down to 2 amps.
Looks like the PA !!

Denis

<n4bk@hiwaay.net> wrote in message news:3D7D07A3.1EB6DE@hiwaay.net...
> Sounds like a bad pin diode on the output circuitry or a bad solder joint
on
> the same diode. Watch your current on an amp meter if you lose the output
and
> current stays up, bad solder joint or diode. If the power drops out and
> current goes way down almost to receive level, then bad PA module. Hope
that
> helps. Bob N4BK
>
> > Hi all,
> > Have my 8100R for abt 2 years. Beenm back to the UK already once and
would
> > you beleive it - they lost it!! Unfortunatly for me they found it when I
put
> > the pressure on.
> > Anyway up to the present - The rig transmits for abt 1 minute then
loses
> > power, even though the fan stays on and red led stays lighting.This
happen
> > all the time. no problem with RX.
> > Any thoughts ???
> >
> > Denis
> > EI6HB
> > ei6hb@eircom.net
>

3267. Re: FT-8100 R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 20:14:41 UTC
From: n4bk@hiwaay.net
Message-ID: <3D7FA431.2DA9F3B4@hiwaay.net>
Source record: 39628

Sure does Denis. Sorry to hear about it they are a little pricy but always glad to share the techo knowledge. Bob

Denis O' Flynn wrote:

> Hi Bob
> Checked the meter. On high power using 9 amps. When it drops out the
> amps go down to 2. Med. Power is 5 amps and again down to 2 and on low power
> 3.3 amps down to 2 amps.
> Looks like the PA !!
>
> Denis
>
> <n4bk@hiwaay.net> wrote in message news:3D7D07A3.1EB6DE@hiwaay.net...
> > Sounds like a bad pin diode on the output circuitry or a bad solder joint
> on
> > the same diode. Watch your current on an amp meter if you lose the output
> and
> > current stays up, bad solder joint or diode. If the power drops out and
> > current goes way down almost to receive level, then bad PA module. Hope
> that
> > helps. Bob N4BK
> >
> > > Hi all,
> > > Have my 8100R for abt 2 years. Beenm back to the UK already once and
> would
> > > you beleive it - they lost it!! Unfortunatly for me they found it when I
> put
> > > the pressure on.
> > > Anyway up to the present - The rig transmits for abt 1 minute then
> loses
> > > power, even though the fan stays on and red led stays lighting.This
> happen
> > > all the time. no problem with RX.
> > > Any thoughts ???
> > >
> > > Denis
> > > EI6HB
> > > ei6hb@eircom.net
> >

3268. Re: Need Info for Heathkit Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 22:10:48 UTC
From: n4mbi@earthlink.net
Message-ID: <3d7fbe47.1778081@news.earthlink.net>
Source record: 39629

Hi Jeff,

I use the Heathkit PS-5012 (#150-94) transformer to power mine up. The output voltage supposed to be 8.5 VAC. Mine reads 10.65 VAC with no load. Hope this helps.

Rick, N4MBI
n4mbi@earthlink,net

On Wed, 11 Sep 2002 07:15:31 -0400, "Jeff Galinat" <jgalinat@optonline.net> wrote:

>Hi All,
> I just picked up a Heathkit SA-5010 ♦Matic keyer at a hamfest. It didn't
>come with the wall wart supply so I was wondering if someone could tell me
>the required voltage & polarity (center pin positive or negative).
>Thanks again,
>Jeff Galinat N2KWK
>
>
>

3269. Re: Anyone make an ACC1 splitter for Icom 756Pro?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 22:12:38 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <unvfum5di2id8c@corp.supernews.com>
Source record: 39630

Why not just build an A/B switch with a 4-pole switch, a box, and a couple of connectors? The most you need to switch is rx audio, tx audio, ptt, and +12 volts for the PTC-II. Use a non-shorting type of switch.

3270. FS: MFJ Electronic Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 22:49:33 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <g1ivnukg71ohbtf03ru0arjvtde2bv4hh3@4ax.com>
Source record: 39631

I have for sale in very good condition an MFJ Deluxe Electronic Keyer model MFJ-407B......Its in very good condition and runs either on a 9 volt battery or 5-9 volt dc power supply....It does not come with a power supply, but a 9 volt battery is installed for operation......It has the speed, weight, tone and volume control knobs.I will take $30 plus shipping......I can be reached at (508) 821-2993 or email....WZ1U Steve / Lakeville, Mass.

3271. Re: Backlight on Icom T81A Display

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-11 23:18:35 UTC
From: Artie DeCoe <Artie@dcoe.net>
Message-ID: <fbQf9.470120$Aw4.19540894@bin2.nnrp.aus1.giganews.com>
Source record: 39632

Nope, just one LED on the right side.

"Rick Batte'" <n4mbi@earthlink.net> wrote in message
news:3d7eb1e3.19195580@news.earthlink.net...
> The display backlight on my Icom T81A seems to be showing only one
> backlight on the right side of the display. I know it has two
> backlights behind the display according to Icom. It sure looks
> differently from the T8A display,which clearly shows the two lights.
> Has anyone noticed this on their T81A? Or does the backlight on the
> left side just not show as clearly on the T81A ??
>
> Thanks,
> Rick, N4MBI

3272. FA: Nice Tektronix 494P spectrum analyzer package

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 00:23:51 UTC
From: John Miles <jmiles@pop.removethistomailme.net>
Message-ID: <3D7FDE1B.4DFB@pop.removethistomailme.net>
Source record: 39633
Cross-posted to:
rec.radio.amateur.homebrew,rec.radio.amateur.equipment,misc.industry.electronics.marketplace,sci.electronics.equipment

I'm selling my Tek 494P spectrum analyzer after a recent upgrade. This rig has just about every conceivable manual and accessory and comes with a 3-day buyer inspection period. It's the cleanest one I've seen.

This particular unit has the mixers needed for coverage between 10 kHz and 40 GHz, and includes a built-in signal counter with 1E-9/day timebase. Useful for IMD measurement, harmonic and spur evaluation, FCC pre-submission testing, synthesizer noise characterization, and too many other applications to list.

No reserve, starting bid $1.00.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766969946

-- jm

---
http://www.qsl.net/ke5fx
Note: My E-mail address has been altered to avoid spam

3273. DSI 5600A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 00:59:15 UTC
From: bhuson@gte.net
Message-ID: <20020911180016227447 4@evrtwa1-ar4-4-47-068-007.evrtwa1.dsl-verizon.net>
Source record: 39634
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I have a DSI Model 5600A frequency counter, 50 hz to 512 mhz.

It's a hair off frequency and would like to adjust it.

DSI appears to be out of business and nothing is found searching the web.

Anyone have a manual or alignment procedure I can get a copy of.

3274. Re: Need Info for Heathkit Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 01:46:38 UTC
From: Jeff Galinat <jgalinat@optonline.net>
Message-ID: <m3_f9.5311$e44.250035@news4.srv.hcvlny.cv.net>
Source record: 39506

Thanks to Rick & to the others that replied today. I tried with a 9VAC wallwart & it works fine. Not bad for $1, at that price I figured it was a paperweight. I was nice to be proven wrong. The capacitve paddles are flaky but it works fine with a regular set of paddles.
Thanks again & 73,
de N2KWK Jeff

"Rick Batte"' <n4mbi@earthlink.net> wrote in message
news:3d7fbe47.1778081@news.earthlink.net...
> Hi Jeff,
>
> I use the Heathkit PS-5012 (#150-94) transformer to power mine up. The
> output voltage supposed to be 8.5 VAC. Mine reads 10.65 VAC with no
> load. Hope this helps.
>
> Rick, N4MBI
> n4mbi@earthlink,net
>
> On Wed, 11 Sep 2002 07:15:31 -0400, "Jeff Galinat"
> <jgalinat@optonline.net> wrote:
>
> >Hi All,
> > I just picked up a Heathkit SA-5010 Matic keyer at a hamfest. It
didn't
> >come with the wall wart supply so I was wondering if someone could tell
me
> >the required voltage & polarity (center pin positive or negative).
> >Thanks again,
> >Jeff Galinat N2KWK
> >
> >
> >
>

3275. Re: Need Info for Heathkit Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 01:50:54 UTC
From: Jeff Galinat <jgalinat@optonline.net>
Message-ID: <m3_f9.5312$e44.250035@news4.srv.hcvlny.cv.net>
Source record: 39505

Thanks to Rick & Ed who replied,
I tried it with a 9 VAC wall wart & it works fine! Not bad for $1, even
though at that price I thought I was getting a paperweight. I was glad to
be proved wrong.
Thanks again & 73,
de N2KWK - Jeff

"Rick Batte"' <n4mbi@earthlink.net> wrote in message
news:3d7fbe47.1778081@news.earthlink.net...
> Hi Jeff,
>
> I use the Heathkit PS-5012 (#150-94) transformer to power mine up. The
> output voltage supposed to be 8.5 VAC. Mine reads 10.65 VAC with no
> load. Hope this helps.
>
> Rick, N4MBI
> n4mbi@earthlink,net
>
> On Wed, 11 Sep 2002 07:15:31 -0400, "Jeff Galinat"
> <jgalinat@optonline.net> wrote:
>
> >Hi All,
> > I just picked up a Heathkit SA-5010 Matic keyer at a hamfest. It
didn't
> >come with the wall wart supply so I was wondering if someone could tell
me
> >the required voltage & polarity (center pin positive or negative).
> >Thanks again,
> >Jeff Galinat N2KWK
> >
> >
> >
>

3276. Transverter for TS850S??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 02:12:58 UTC
From: ve3tmt <ve3tmt@rac.ca>
Message-ID: <eISf9.5017$I65.1205222@news20.bellglobal.com>
Source record: 39635

Was there ever a 2m transverter made as an accessory to the TS850? Is there one made by another company on the market that will work with this radio? The menu system on the 850 allows for 2m frequency display, but I have never seen a transverter for this particular rig.

3277. FA: GENERAL RADIO V20H VARIAC 230vac @ 8 AMPS, A big'un :-)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 02:54:53 UTC
From: rlucch2098@aol.com
Message-ID: <20020911225453.25743.00004262@mb-md.aol.com>
Source record: 39636

Real nice with pictures to boot!
only at $61 so far!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277000

3278. FA: NAtional Radio SW-54 SW Receiver "fixer upper" at a big $10.50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 02:56:56 UTC
From: rlucch2098@aol.com
Message-ID: <20020911225656.25743.00004265@mb-md.aol.com>
Source record: 39637

Real nice with pictures to boot!
only at $10.50 so far!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277006

3279. FA:YAESU FR-101 RECEIVER>>Rare 6-meter module @amazing $9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 02:58:54 UTC
From: rlucch2098@aol.com
Message-ID: <20020911225854.25743.00004269@mb-md.aol.com>
Source record: 39638

Real nice with pictures to boot!
only at $9.99 so far!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277019

3280. FA: Mostly UNBUILT HEATHKIT IM-11 Cap Tester, Cheep at $51 so far

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 03:00:22 UTC
From: rlucch2098@aol.com
Message-ID: <20020911230022.25743.00004270@mb-md.aol.com>
Source record: 39639

Real nice with pictures to boot!
only at $51.00 so far!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277035

3281. FA: SEVEN(7) NICE asst. Panel meters, Gotta see, u mite need?Cheep

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 03:03:19 UTC
From: rlucch2098@aol.com
Message-ID: <20020911230319.25743.00004273@mb-md.aol.com>
Source record: 39640

Real nice with pictures to boot!
only at $17.00 so far!
Not worth my packing & shipping effort!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277054

3282. fa- 2 nice big Air Variables, Johnson & Cardwell, One BRAND NEW!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 03:05:50 UTC
From: rlucch2098@aol.com
Message-ID: <20020911230550.25743.00004274@mb-md.aol.com>
Source record: 39641

Real nice with pictures to boot!
each only at $9.99 so far!
Please add http: before the URL address listed below>>

Cardwell
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277042

Johnson
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277045

3283. FS: NC-46 receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 03:26:37 UTC
From: mdXma <mdXma@hotmail.com>
Message-ID: <Xns9286E44B4815D121972@130.133.1.4>
Source record: 39642

NC-46 shortwave receiver for sale. In good shape but has two bad tubes, a 6SJ7 and a 25L6. $75.00 and you pay shipping from Joaquin, Texas (near Houston). Call Johnny Ray at (936)269-3508 or e-mail me at jrrichardson@nospam.ktsnet.com (remove the .nospam).

3284. Re: gerald schmidt KK5YY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 03:52:47 UTC
From: me <me@here.com>
Message-ID: <alp32c$r1q$1@slb7.atl.mindspring.net>
Source record: 39643

So, what is your story??

"Lemwnash" <lemwnash@aol.com> wrote in message
news:20020911002344.00731.00003077@mb-fk.aol.com...
> this guy is a crook. dont do any business with
> him

3285. Historical List of Tranceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 04:12:31 UTC
From: Fred Marshall <fmarshall@acm.org>
Message-ID: <alp47a$2jca$1@feed.centurytel.net>
Source record: 39644

It would be great to have a historical list of transceiver models for each manufacturer - with a little description of each and a price/current value. There are so many for sale but the model numbers mean nothing to me. Maybe others have the same problem?

The manufacturer's websites are only interested in current models it appears. .... etc.

Fred
AC7VR

3286. Help: Designing crystal filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 04:20:26 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <alp4rm0tue@enews2.newsguy.com>
Source record: 39646
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have been trying to find an AM crystal filter for my old Heath SB-303 receiver. I give up. I'm going to build my own.

Could someone give me a few tips? I have posted what I know and where I need help on this URL:
http://www.schlatter.org/Dad/filter.htm

Thanks for your suggestions and help.

--

Regards,
Joe S.
W4HH

3287. Re: Help: Designing crystal filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 05:15:06 UTC
From: Ronald Oberloh <wa0kds@yahoo.com>
Message-ID: <3D8022DD.EE05AC25@yahoo.com>
Source record: 39647
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Have you kept an eye on ebay?

"Joe S." wrote:

> I have been trying to find an AM crystal filter for my old Heath SB-303
> receiver. I give up. I'm going to build my own.
>
> Could someone give me a few tips? I have posted what I know and where I
> need help on this URL:
> http://www.schlatter.org/Dad/filter.htm
>
> Thanks for your suggestions and help.
>
> --
>
> ------
> Regards,
> Joe S.
> W4HH

3288. FS: Yaesu FT-817 HF/VHF/UHF for ham radio (MIB)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 05:46:14 UTC
From: mountainops <rullery@Mountain-Ops.com>
Message-ID: <alp9nb$2lqo$1@feed.centurytel.net>
Source record: 39499
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap

Not an auction, Fixed price.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1380243805

3289. FS: Icom IC-756ProII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 05:50:11 UTC
From: mountainops <rullery@Mountain-Ops.com>
Message-ID: <alp9v3$2lu0$1@feed.centurytel.net>
Source record: 39500
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap

```
Icom IC-756ProII
Cats meow!
See specs on www.icomamerica.com
Like new, not a mark on it.
2500.00 shipped in the lower 48

contact me for more info.
```

3290. Re: Santec 2m

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 05:51:35 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <MNVf9.304$w44.15348@sooner.brightok.net>
Source record: 39498

Doug,

With 2m HTs available used in the $80-$100 range, it would be a better idea to pick up a good used HT that already had CTCSS installed. Unless you are skilled in working on crowded circuit boards, installing a tone board could be tricky. And then you are limited to a single tone. You'd have to open up the radio and change some DIP switch settings each time you needed to change the tone. Not worth the effort, IMHO. Just looked in the AES catalog, and the ADI AT-201HP sells new for $99.99 with lots of features, including CTCSS encode/decode. Or you could look for the venerable Radio Shack HTX-202, which generally sell used in the $75-$85 range. You can use the Santec for APRS or packet work.

Mark

"DSS117" <dss117@aol.com> wrote in message
news:20020911105805.15371.00002097@mb-mn.aol.com...
> I have a Santec 2 m. handheld and need a tone unit to get on the local
> repeater. Does anyone know of a parts source?
> Thanks in advance...
>
> Doug
> KC9AYS

3291. Newbie Advice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 07:11:03 UTC
From: Matt & Wendy <mapwam@frontiernet.net>
Message-ID: <uo054fbpd4lh87@corp.supernews.com>
Source record: 39645

I am looking for advice on a 140 440 radio. My price range is up to $300.00.
I am looking at the Yeasu's and Icon and Kenwood, but nothing makes any one
of them better than the rest. Any help would be appreciated.

Matthew
KC2KEI

3292. Re: Newbie Advice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 08:38:42 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <alpjptido1@bob.news.rcn.net>
Source record: 39501

"Matt & Wendy" <mapwam@frontiernet.net> wrote:

> I am looking for advice on a 140 440 radio. My price range is up to $300.00.
> I am looking at the Yeasu's and Icon and Kenwood, but nothing makes any one
> of them better than the rest. Any help would be appreciated.

You won't get much useful info here, go to http://www.eham.net/reviews

3293. Re: Historical List of Tranceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 09:01:12 UTC
From: John Seney <wd1v@amsat.org>
Message-ID: <wd1v-9D409B.05011212092002@netnews.attbi.com>
Source record: 39502

In article <alp47a$2jca$1@feed.centurytel.net>, "Fred Marshall"
<fmarshall@acm.org> wrote:

> It would be great to have a historical list of transceiver models for
> each
> manufacturer - with a little description of each and a price/current
> value.
> There are so many for sale but the model numbers mean nothing to me.
> Maybe
> others have the same problem?
>
> The manufacturer's websites are only interested in current models it
> appears. .... etc.
>
> Fred
> AC7VR

Hi Fred:

Great idea - something for a superb web page project.

Universal Radio's Fred Osterman has put together several books
on radio history that you might also find interesting.

http://www.universal-radio.com/catalog/bk_hist.html

JS
Scope FAQ at http://www.qsl.net/wd1v

3294. Re: Designing crystal filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 09:08:48 UTC
From: Leon Heller <leon_heller@hotmail.com>
Message-ID: <alplivgve1@paris.btinternet.com>
Source record: 39503
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Joe S." <joe@schlatter.org> wrote in message
news:alp4rm0tue@enews2.newsguy.com...
> I have been trying to find an AM crystal filter for my old Heath SB-303
> receiver. I give up. I'm going to build my own.
>
> Could someone give me a few tips? I have posted what I know and where I
> need help on this URL:
> http://www.schlatter.org/Dad/filter.htm

I've got some info (including a PCB design) on my web site - see sig.

73, Leon
--
Leon Heller, G1HSM
leon_heller@hotmail.com
http://www.geocities.com/leon_heller

3295. MANUAL SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 09:51:11 UTC
From: joeee1621@aol.com
Message-ID: <20020912055111.23190.00000254@mb-fp.aol.com>
Source record: 39504

NEED A MANUAL? WE PROBABLY HAVE IT. CONTACT US FOR A LIST-or take a look at this-
http://hometown.aol.com/joeee1621/myhomepage/business.html
-OVER 810 LISTINGS AT PRESENT-. WE PROBABLY HAVE A COPY OF WHAT YOU NEED, IF YOU DONT SEE IT ASK. ALL MANUALS $16 SHIPPED UNLESS OTHERWISE NOTED.

3296. Re: Help: Designing crystal filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 11:29:49 UTC
From: "ckh - Too Much SPAM"
Message-ID: <hdwX38NCLQJC-pn2-clVzu44Nkvz6@localhost>
Source record: 39507
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

On Thu, 12 Sep 2002 04:20:26, "Joe S." <joe@schlatter.org> wrote:

> I have been trying to find an AM crystal filter for my old Heath SB-303
> receiver. I give up. I'm going to build my own.
>
> Could someone give me a few tips? I have posted what I know and where I
> need help on this URL:
> http://www.schlatter.org/Dad/filter.htm
>
> Thanks for your suggestions and help.
>

Looks good, there was an SB filter thread on the Yahoo group,
amateur-repairs. I don't have any filter info on my round n green
webpage, http://www.kiyoinc.com/heathstuff.html There are other
musings about SB's that you might find interesting.

This page is very preliminary so website critics, go easy.

I'm interested in an AM filter too. I've bid on several SB-313's and
they are going for WAY more than I'm willing to pay. I guess people
are buying them for the AM capability.

There are two different AM filters, 3.75 kHz and 5.0 kHz. I'd consider
building one even wider, 6.0 kHz or even 8.0 kHz, for international
broadcast.

3297. FA: Tektronix Equipment -- Cheap!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 12:27:06 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <uK%f9.15195$TX5.451205@news1.east.cox.net>
Source record: 39508
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766078118

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766099562

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766106908

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766380157

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766383889

Thanks for looking!!

3298. Re: Anyone make an ACC1 splitter for Icom 756Pro?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 12:30:59 UTC
From: johnfofawn@hotmail.com
Message-ID: <d89364bd.0209120430.3971d3b1@posting.google.com>
Source record: 39509

"Bob Lewis \(AA4PB\)" <rlewis@staffnet.com> wrote in message
news:<unvfum5di2id8c@corp.supernews.com>...
> Why not just build an A/B switch with a 4-pole switch, a box, and a
> couple of connectors? The most you need to switch is rx audio, tx
> audio, ptt, and +12 volts for the PTC-II. Use a non-shorting type of
> switch.

Good idea, but for me: time is money. I'd rather spend the 2 or 3
hours it would take to find all the parts and assemble them doing work
that I enjoy and get paid for. Pay someone else to do the kind of work
they enjoy (building A/B switches) and then enjoy the switch.

John

3299. Re: Historical List of Tranceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 13:10:25 UTC
From: Keith Poindexter <ko4sx@alltel.net>
Message-ID: <5n0g9.1369$xp5.1534943@news.alltel.net>
Source record: 39510

Hi Fred.
These sites have been very helpful to me.
Good Luck !

http://www.rigpix.com/index.shtml

http://home.cfl.rr.com/happysurfer/ham/boneyard.htm

"Fred Marshall" <fmarshall@acm.org> wrote in message
news:alp47a$2jca$1@feed.centurytel.net...
> It would be great to have a historical list of transceiver models for each
> manufacturer - with a little description of each and a price/current
value.
> There are so many for sale but the model numbers mean nothing to me.
Maybe
> others have the same problem?
>
> The manufacturer's websites are only interested in current models it
> appears. .... etc.
>
> Fred
> AC7VR
>
>

3300. FS: AOR AR-1500 Wide Range Reciever (Scanner)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 13:36:57 UTC
From: RadAct <juafi@yahoo.com>
Message-ID: <alq5s212ihl@enews2.newsguy.com>
Source record: 39513

I got this unit from a guy that likes to buy stuff and then for some reason doesn't use it. He has the money to do it and does it all the time. I picked it up in a trade for other stuff. The unit has been sitting for a long time and it looks just like when it was purchased brand new. Here is a link to look at the picture of it. http://www.rigpix.com/aor/aor_ar1500.htm

The picture could very well have been taken of the unit I have, that's how clean it is. It is a 10 cosmeticly and electronicly
The unit does AM/FM/WFM/SSB from .5 to 1300mhz no gaps on this early model.

Comes with manual, AA pack, original battery pack, wallwart charger. Now, I have no idea what this is worth since it's not a current model.

Should we say $160 shipped COD, prepay or Paypal.

--
****
I'm in my own little world but, that's ok, they know me here.
****

3301. Re: Newbie Advice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 13:42:18 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <UJiAPdunGhvmqL5cXFsig+PyIoaO@4ax.com>
Source record: 39511

"Mark Walsh" <mark@km6xu.die.spam.die.com> wrote:

>"Matt & Wendy" <mapwam@frontiernet.net> wrote:
>
>> I am looking for advice on a 140 440 radio. My price range is up to $300.00.
>> I am looking at the Yeasu's and Icon and Kenwood, but nothing makes any one
>> of them better than the rest. Any help would be appreciated.
>
>You won't get much useful info here, go to http://www.eham.net/reviews
>

If you're an arrl member, also look at the product/lab reviews at the arrl.org web site.

Picking from the big three radio makers is about the same as picking from the big three car makers -- most models work well; it often comes down to personal preference. Certainly, there's no such thing as one "best" radio. In your price range, tho', you should find something nice.

Bob
k5qwg

3302. Re: Historical List of Tranceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 13:57:58 UTC
From: JC <Nospam@biteme.com>
Message-ID: <0d61oug9dfmkfplti720ef1cvm7g0vevcp@4ax.com>
Source record: 39512

On Wed, 11 Sep 2002 21:12:31 -0700, "Fred Marshall"
<fmarshall@acm.org> wrote:

>It would be great to have a historical list of transceiver models for each
>manufacturer - with a little description of each and a price/current value.
>There are so many for sale but the model numbers mean nothing to me. Maybe
>others have the same problem?
>
>The manufacturer's websites are only interested in current models it
>appears. .... etc.
>
>Fred
>AC7VR
>

Fred,

A couple of ways around this. First, check out www.RigPix.com . This
site has pictures and specs for 2300 radios, arranged by manufacturer.
Sometimes the information is very good, sometimes it is incomplete
depending on what folks have sent the fellow hosting the site.
However, for popular equipment you can usually count on a photo, RF
power output, frequencies, modes, and approximate date of
manufacture. Sometimes you also get original selling price, power
requirements, dimensions and weight, impedance, and other info.

There are two sources for prices. The first one is at:
http://www.aade.com/hampedia/prices2.htm
and it has actual e-Bay SELLING prices. Near as I can tell, this guy
has a robot that queries completed auctions for final sale prices. It
lists the model together with high-average-low selling prices. Since
these are completed auctions, it is a good estimate of market value.

More datapoints can be had from:
http://www.geocities.com/CapeCanaveral/Hall/8701/ham/boneyard.htm
which does something similar to the link above, but instead shows
ASKING prices, which might not be as reliable although the two
databases are not that far apart. He gets his data from a variety of
sources.

With a little effort, you can combine the two price lists into an
Excel spreadsheet and then export the results to your Palm Pilot.
When I see something I am interested in, I just whip out the Palm and
I have a good idea of the fair price range in seconds. I have about
2500 records from the Boneyard site, and 2400 from the Hampedia site.
This is a very handy tool for taking to ham fests! Next project is to

try to merge the RigPix data with the price lists to have a single database, but that is not easy to do since RigPix is not written in a database friendly format.

3303. Re: Historical List of Tranceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 14:32:43 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <fA1g9.7479$S32.490969@news2.west.cox.net>
Source record: 39514

Fred for used gear prices -- see Hampedia URL:
http://ac6v.com/swap.htm that is direct
http://aade.com/hampedia/prices.htm

For a round up of older gear URL:
http://ac6v.com/antique.htm

Also you can find lots of reviews, pics and photos at URL:
http://ac6v.com/techref.htm#RV

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Fred Marshall" <fmarshall@acm.org> wrote in message
news:alp47a$2jca$1@feed.centurytel.net...
> It would be great to have a historical list of transceiver models for each
> manufacturer - with a little description of each and a price/current
value.
> There are so many for sale but the model numbers mean nothing to me.
Maybe
> others have the same problem?
>
> The manufacturer's websites are only interested in current models it
> appears. .... etc.
>
> Fred
> AC7VR
>
>

3304. Re: Newbie Advice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 14:49:06 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <alqa2s$2pr8$1@madmax.keyway.net>
Source record: 39515

You will find there is no such thing as a "perfect radio" but it usually comes down to learning just what you need after a few years of finding out what you like and what bothers you personally. Most models have their own learning curve before you fully appreciate their design.

Jim, ac6tk
"Bob Miller" <bamiller@texas.net> wrote in message news:UJiAPdunGhvmqL5cXFsig+PyIoaO@4ax.com...
: "Mark Walsh" <mark@km6xu.die.spam.die.com> wrote:
:
: >"Matt & Wendy" <mapwam@frontiernet.net> wrote:
: >
: >> I am looking for advice on a 140 440 radio. My price range is up to $300.00.
: >> I am looking at the Yeasu's and Icon and Kenwood, but nothing makes any one
: >> of them better than the rest. Any help would be appreciated.
: >
: >You won't get much useful info here, go to http://www.eham.net/reviews
: >
:
: If you're an arrl member, also look at the product/lab reviews at the arrl.org
: web site.
:
: Picking from the big three radio makers is about the same as picking from the
: big three car makers -- most models work well; it often comes down to personal
: preference. Certainly, there's no such thing as one "best" radio. In your price
: range, tho', you should find something nice.
:
: Bob
: k5qwg
:

3305. Advice needed - best battery options for the FT-50?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 15:17:12 UTC
From: Mie <mparkes@nospamatt.net>
Message-ID: <3D80AFF6.5000900@nospamatt.net>
Source record: 39516

I need to get another battery pack for my FT-50, the stock fnb-41 no longer holds a charge. I see 2 AA battery holders that are available, a FBA-15 (holds 4 aa cells) and an fba-21 (holds 6 cells) - can these be used these with NiMH battteries?
AB7RU

3306. Re: Historical List of Tranceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 15:26:28 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D80B224.8C42F23F@cableone.net>
Source record: 39517
Body handling: Binary attachment payload not displayed: radioranch.vcf

Hampedia appears to be two years out of date, unless Im missing
something...these prices could get you in big trouble.]
AM I MISSING SOMETHING 73 Murray K5MDM

AC6V wrote:

> Fred for used gear prices -- see Hampedia URL:
> http://ac6v.com/swap.htm that is direct
> http://aade.com/hampedia/prices.htm
>
> For a round up of older gear URL:
> http://ac6v.com/antique.htm
>
> Also you can find lots of reviews, pics and photos at URL:
> http://ac6v.com/techref.htm#RV
>
> --
> I Doubt, Therefore I Might Be
> 73 From AC6V, Rod In Oceanside, CA
> http://ac6v.com
> "Fred Marshall" <fmarshall@acm.org> wrote in message
> news:alp47a$2jca$1@feed.centurytel.net...
> > It would be great to have a historical list of transceiver models for each
> > manufacturer - with a little description of each and a price/current
> value.
> > There are so many for sale but the model numbers mean nothing to me.
> Maybe
> > others have the same problem?
> >
> > The manufacturer's websites are only interested in current models it
> > appears. .... etc.
> >
> > Fred
> > AC7VR
> >
> >

[One or more binary attachments are retained only in the source text.]

3307. Re: Icom experience

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 15:46:29 UTC
From: Andy Cowley <andy.cowley@uwe.ac.uk>
Message-ID: <3D80BA15.12F38B8E@uwe.ac.uk>
Source record: 39518

SAM wrote:
>
> With all the recent postings about the big three's lackluster service, I
> thought I would share a good experience I just had with Icom's parts
> department. I had to order a replacement speaker for an HT and a volume
> control for an older dual bander. The woman I spoke to, Lorie Phillips, was
> extremely helpfull, friendly, and a pleasure to deal with. The volume control
> was not listed on their active parts inventory, so she researched it for me and
> came up with a suitable replacement. Service above and beyond the call of duty,
> especially in this day and age of impersonal service.
>
> Thanks Lorie!
>
> Scott
> KA1MRO

I'll second that from my experience of Icom(UK). Helpful, knowledgeable
and always willing to go that extra yard for you. Great guys. A real
contrast to Yaesu and Kenwood.

Andy, M3ABC

3308. Re: Historical List of Tranceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 16:07:18 UTC
From: JC <Nospam@biteme.com>
Message-ID: <7ge1ouk1t87cih1d0d8qjt9ddip2dgld74@4ax.com>
Source record: 39519

On Thu, 12 Sep 2002 10:26:28 -0500, Murray Neece
<radioranch@cableone.net> wrote:

>Hampedia appears to be two years out of date, unless Im missing
>something...these prices could get you in big trouble.]
> AM I MISSING SOMETHING 73 Murray K5MDM
>

What you might be missing is that different sections are updated at
different times, the date appears just above each list. Yaesu was
updated in February this year so the data is relatively fresh, some
other popular brands (ICOM & Kenwood for example) have much older data
(October 2000).

That really isn't a problem for the newer and more popular rigs since
it is easy enough to get recent data directly from the e-Bay site.
But for some listings, especially those with few data points, the
buyer needs to be very careful.

3309. FT-8900 - Crossband & can it be remote controlled via DTMF?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 16:08:29 UTC
From: Mike <mparkes@nospamatt.net>
Message-ID: <3D80BBFC.3090909@nospamatt.net>
Source record: 39520

Does anyone know if the new Yaesu FT-8900 can be cross banded between
440 and 2 mtrs and can it be remote controlled via DTMF tones from
another radio (similiar to the TM-733 or TM-V7A or ALinco 600/610?)
Thanks
Miek AB7RU

3310. HF Mobile??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 16:30:54 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <aj3g9.91813$2L.4555447@e3500-atl2.usenetserver.com>
Source record: 39521

If you are about to go mobile, hey, it's time! Those of us in the South are finally getting cooler weather, and it is a great time to get out and do some installing! Please take a look at www.qls.net/k4kwh to purchase the finest HF mobile antenna on the market. They are a FULL 2" dia and wound onto black Nylon forms with #14 wire at 8 TPI to give high power handling and surprising, effective mobile QSOs! Don't be fooled by those that claim that "no matching is needed" because what they are doing is "transformer winding" the loading coil to give high resistance that "translates" to 50 ohms total in the system. The radio doesn't care WHERE it gets 50 ohms from, just so it's there. Go for the gold with the Carolina Cyclone.

73

Jerry
K4KWH

3311. Wire color code for a Yaesu MD-100a8x Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 17:42:15 UTC
From: Larry Bratcher <lbratche@swbell.net>
Message-ID: <Xl4g9.11255$Cr4.2497499274@newssvr30.news.prodigy.com>
Source record: 39523

I just bought a used MD-100a8x mic that had the connector end modified for use on another radio. I need to change this back to work with my FT-847. The 847 manual shows the pinout but does not list the color codes for the wires. Can anybody help me out?

Thanks

Larry

3312. Source for 1/4" stereo splitter (Y-cable)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 17:49:11 UTC
From: cprstn54zz@att.net
Message-ID: <3d80d2bf.79685234@news-server.optonline.net>
Source record: 39522

I need an M-F-F 1/4" stereo phone splitter (aka "Y-cable" or "Y adapter") for my CW jack -- what with two keys and the sound card stuff. RS only has the rigid adapter that stesses the jack. pccables.com doesn't have it. Anyone know a source? I shouldn't have to make one of these.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3313. Re: Source for 1/4" stereo splitter (Y-cable)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 18:13:21 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <5P4g9.7704$S32.532208@news2.west.cox.net>
Source record: 39524

Try Radio Shack -- they used to have such a device

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Ken" <cprstn54zz@att.net> wrote in message
news:3d80d2bf.79685234@news-server.optonline.net...
> I need an M-F-F 1/4" stereo phone splitter (aka "Y-cable" or "Y
> adapter") for my CW jack -- what with two keys and the sound card
> stuff. RS only has the rigid adapter that stesses the jack.
> pccables.com doesn't have it. Anyone know a source? I shouldn't have
> to make one of these.
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

3314. Re: Designing crystal filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 19:49:22 UTC
From: Joe <joe.amp@NOSPAMverizon.net>
Message-ID: <6d6g9.305$Z%2.249@nwrddc01.gnilink.net>
Source record: 39526
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I made dozens of these
Rocks:
3393.7 kHz
3396.8 kHz
Effective series resistance: 25 ohms maximum
Load capacitance: 35.4 pF
Frequency tolerance: + / - 50 Hz

Values of C1 and C2= .5 PF (yes point 5) and gimmicks dont work to well
I never understood this, and had sharper cleaner performance plots omitting
C-1 and C2.
(C-1 and C2 ARE in the original Heath blueprints)
Value of C3=56 PF
Winding details for L1: (use a pull from bad 2.1 KC SSB filter, they have 2
of these cans).
I have used 2- fixed 2uH chokes in the past and a mini variable from MOUSER
for C-3 in the past
-Joe

"> >
> > Could someone give me a few tips? I have posted what I know and where I
> > need help on this URL:
> > http://www.schlatter.org/Dad/filter.htm
>
>
> I've got some info (including a PCB design) on my web site - see sig.
>
> 73, Leon
> --
> Leon Heller, G1HSM
> leon_heller@hotmail.com
> http://www.geocities.com/leon_heller
>
>

3315. Re: Transverter for TS850S??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 19:52:46 UTC
From: Jeff Campbell <jcampbell@ins-msi.com>
Message-ID: <3D80E520.2F508ADC@ins-msi.com>
Source record: 39525

Checkout Down East Microwave:

<http://www.downeastmicrowave.com/>

Jeff Campbell
n8wxs@arrl.net

ve3tmt wrote:
>
> Was there ever a 2m transverter made as an accessory to the TS850? Is there
> one made by another company on the market that will work with this radio?
> The menu system on the 850 allows for 2m frequency display, but I have never
> seen a transverter for this particular rig.

3316. FS: Relays

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 20:06:39 UTC
From: Walter Treftz <penguino@atlantic.net>
Message-ID: <3D80F3CF.77F10E33@atlantic.net>
Source record: 39527

Mercury-wetted high-speed relays. 13 Ea.
C.P. Clare & Co. Model HSG-1009 110 VAC SPDT
NOS (have been stored exposed to humidity so cases are
a little pitted)(unit itself is sealed).
Octal (8-pin tube socket type) bases. These are part of an estate our
group is
helping to settle.
Make reasonable offer on 1, several, all. Postage extra.
73 Walt (N4GL) use personal address --- penguinoXXXX@atlantic.net
TAKE OUT THE XXXX

3317. Info needed on Aiken SR209 VHF/UHF Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 20:43:17 UTC
From: Jeff <jeff_164@hotmail.com>
Message-ID: <H%6g9.5818$Y3.1196444@news.xtra.co.nz>
Source record: 39530
Cross-posted to: alt.ham-radio.marketplace,aus.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Hi,
Im trying to locate some service information on an Aiken Industries SR209
VHF/UHF receiver. If anyone has any leads, could they plse contact me.
Thanks.
regards,
JEFF
ZL3TNV
Christchurch, New Zealand.
NOJUNKjeff_164@hotmail.com (remove NOJUNK before the jeff_164)

3318. Re: Source for 1/4" stereo splitter (Y-cable)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 20:46:10 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <m=qAPcTZqXjBRDrV9JLExqJ0b4qc@4ax.com>
Source record: 39528

cprstn54zz@att.net (Ken) wrote:

>I need an M-F-F 1/4" stereo phone splitter (aka "Y-cable" or "Y
>adapter") for my CW jack -- what with two keys and the sound card
>stuff. RS only has the rigid adapter that stesses the jack.
>pccables.com doesn't have it. Anyone know a source? I shouldn't have
>to make one of these.
>
>Ken KC2JDY

In the past, I've always been able to find all kinds of flexible splitter "y" cables at Radio Shack. You might try another of their stores. Their inventory varies from store to store. Also, check Surplus Sales of Nebraska -- they have multitudes of cables, adaptors, etcetera...

Or, one of the big ham places -- AES...

Bob
k5qwg
>
>Ken
>(to reply via email
>remove "zz" from address)

3319. WTB: ICOM Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 20:51:22 UTC
From: rs2bk@aol.com
Message-ID: <20020912165122.00389.00003015@mb-ce.aol.com>
Source record: 39529

Looking for a UX-97 1.2ghz band module for an
ICOM 970.

Jim Roseman w9ud
Moline. IL

3320. WTB: Programmer for ICOM H19

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 21:42:00 UTC
From: JostTech <josttech@attbi.com>
Message-ID: <3D810BDA.9030602@attbi.com>
Source record: 39531

Please reply direct,

Thanks in advance, John w1hzh

3321. Re: Historical List of Tranceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 22:38:27 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <eRaBPev8fVjnXPGQVC0udY3OkDIU@4ax.com>
Source record: 39532

"Fred Marshall" <fmarshall@acm.org> wrote:

>It would be great to have a historical list of transceiver models for each
>manufacturer - with a little description of each and a price/current value.
>There are so many for sale but the model numbers mean nothing to me. Maybe
>others have the same problem?

There is a historical list of Ten Tec equipment with photos and brief info at
http://www.qsl.net/tentec/

Bob
k5qwg
>
>The manufacturer's websites are only interested in current models it
>appears. .... etc.
>
>Fred
>AC7VR
>

3322. Re: Yaesu FT-817 HF/VHF/UHF for ham radio (MIB)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-12 23:32:58 UTC
From: crossfire <noone@home.com>
Message-ID: <1031873995.552596@nnrp2.phx1.gblx.net>
Source record: 39533
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap

If that's Your fixed price , Then You sure got it in the right place .
A place where You'll actually find a sucker to pay that much
"mountainops" <rullery@Mountain-Ops.com> wrote in message
news:alp9nb$2lqo$1@feed.centurytel.net...
> Not an auction, Fixed price.
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1380243805
>
>

3323. Re: HF Mobile??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 00:05:41 UTC
From: Bill <radio@despammed.com>
Message-ID: <alra5402hd4@enews2.newsguy.com>
Source record: 39534

Did anyone click on the link? Nothing like a little mistake when you are typing a link to "spice" up one's life.

3324. FA: NEC 8-bit microcontroller

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 00:27:28 UTC
From: pyr@zyan.takethisoff.org
Message-ID: <873cseka2w.fsf@zyan.org>
Source record: 39535
Cross-posted to: sci.electronics.equipment,sci.electronics.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1765592090

--
pyr

3325. FS or Trade FT-817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 00:46:16 UTC
From: Ken Anderson <longrange2@attbi.com>
Message-ID: <szag9.458596$UU1.74767@sccrnsc03>
Source record: 39536

Yaesu 817 with factory mic, DC power cord, rubber duck antenna, cigarette lighter DC adapter, Maha 1700 mAH NiMH battery, AA battery tray, manual and box. Also includes a neoprene case and a Superantennas MP-1 side mount. I am keeping the MP-1 for use with other rigs. Also have an unbuilt speech compressor kit for the 817. Radio is in nice shape, very little use. There are a few scratches on the bottom of the radio where it sat on the power supply, but no other marks or scratches. Can e-mail photos on request.

I am looking for an Alinco DX-70 in like condition plus some cash in trade for the 817 unless the DX-70 has a bunch of accessories also. Prefer local trade in Colorado, but will consider out of state trades. Cash price for the 817 is $550 delivered. e-mail is longrange10@hotmail.com. Ken

3326. FS Icom 746

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 00:46:43 UTC
From: Ken Anderson <longrange2@attbi.com>
Message-ID: <Tzag9.405297$me6.47033@sccrnsc01>
Source record: 39537

Icom 746 with box, factory mic, DC power cord and copy of manual. Also included is a Buxcomm PSK interface. Radio is in nice shape and works fine. $875 plus shipping CONUS

3327. FS New Post "yaesu....."

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 01:26:41 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <l9bg9.3455$Os3.218796@newsread1.prod.itd.earthlink.net>
Source record: 39538

THIS IS A NEW POST !!!!!!!!!!!!!!!!!!! NOW PRICED SEPARATELY...

I have a list of some NEW goodies, hope you like them.................

Yaesu FT-102 Transceiver, & Yaesu MD-1B8 Desk Microphone...$460.00

Yaesu FV-102DM External VFO...........$175.00

Yaesu FC-102 Antenna Tuner.............$175.00

Yaesu SP-102P Phone Patch/Speaker.....$100.00

Yaesu FT-757GX II Transceiver
Yaesu FRB-757 Amp/Relay.........$425.00

Yaesu FT-707 Transceiver, hand microphone $285.00

Yaesu FC-707 Antenna Tuner...........$150.00

Yaesu "Brand New In The Box" FV-707DM External VFO...$175.00

Yaesu "Brand New In The Box" MR-7 Rack for the FT-707....$39.00

Yaesu "Brand New In The Box" FRB-707 Amp/Relay.........$50.00

Yaesu FT-480R 2 Meter All Mode Transceiver........$275.00

Yaesu YS-2000 FT-101 Matching SWR/Power Meter.......$90.00

Yaesu YO-101 FT-101 Matching Scope........$80.00

Yaesu FV-101Z FT-101ZD Matching External VFO.........$100.00

Yaesu FF-501 TVI Filter.............$20.00

(2) Yaesu Landliner Speaker/Phone Patch........$50.00 each

Nye - Viking MB-V-A 3000 Watt Antenna Tuner.........$500.00

" It sells NEW for about $900.00"

Ten Tec Model 4229 Antenna Tuner $170.00

Henry 2K Classic Console Amplifier 10,15,20,40,80 meters.........$975.00
Pick Up Only in Los Angeles........
"It sells NEW for about... $2000.00"

Heathkit SB-221 Amplifier.........$525.00
10-80 meters, nice condition

PAL 120+ 12 Volt Tube Amplifier........$99.00

PAL KW-1 SWR/Watt Meter.....$40.00

Heathkit SB-614 Scope.....$100.00

Mirage B-108 2 Meter Amplifier 10 watts in 80 watts out.....$75.00

Bird # 43 Wattmeter.....$175.00
"It sells new for $309.00"

Bird 100C 100 Watt Element for 100 - 250 MHz.....$50.00

Bird 250H 250 Watt Element for 2 - 30 MHz.....$50.00

Bird 1000H 1000 Watt Element for 2 - 30 MHz $70.00

Bencher Keyer BY-2.....$70.00
"It sell NEW for $125.00"

Ham Key $40.00

"New In The Box" Alliance Rotor.....$90.00

Astron RS-35M 35 Amp 12 Volt Regulated Power Supply With
Meters.....$90.00

AEA MM-3 Morse Machine, Original box, and Manual.....$80.00

MFJ - 1278 TNC.....$99.00

(2) MFJ-1272B TNC/MIC Switch.....$10.00 each

Heil HM-10-5 Desk Microphone Wired For Yaesu.....$70.00

Gallon Dummyload.....$20.00

Thanks & 73,
Leo KJ6HI
Ph/Fax (310) 670-6969

3328. Re: Source for 1/4" stereo splitter (Y-cable)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 01:47:07 UTC
From: n4buq@aol.com
Message-ID: <20020912214707.29682.00002523@mb-bg.aol.com>
Source record: 39539

http://www.mouser.com

Barry - N4BUQ

>I need an M-F-F 1/4" stereo phone splitter (aka "Y-cable" or "Y
>adapter") for my CW jack -- what with two keys and the sound card
>stuff. RS only has the rigid adapter that stesses the jack.
>pccables.com doesn't have it. Anyone know a source? I shouldn't have
>to make one of these.
>
>Ken KC2JDY
>
>Ken
>(to reply via email
>remove "zz" from address)

3329. Re: Historical List of Tranceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 01:49:35 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <B9A6923E.15AA4%pilot.marc@verizon.net>
Source record: 39540

Check this out Fred:

http://www.aade.com/hampedia/hampedia.htm

73 de AD6MI
Marc

!!

> "Fred Marshall" <fmarshall@acm.org> wrote:
>
>> It would be great to have a historical list of transceiver models for each
>> manufacturer - with a little description of each and a price/current value.
>> There are so many for sale but the model numbers mean nothing to me. Maybe
>> others have the same problem?
>
> There is a historical list of Ten Tec equipment with photos and brief info at
> http://www.qsl.net/tentec/
>
> Bob
> k5qwg
>>
>> The manufacturer's websites are only interested in current models it
>> appears. .... etc.
>>
>> Fred
>> AC7VR
>>
>

3330. Re: Yaesu FT-817 HF/VHF/UHF for ham radio (MIB)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 02:17:48 UTC
From: Alan Childress <na4i@hotmail.com>
Message-ID: <gVbg9.15562$8F4.522340@news2.east.cox.net>
Source record: 39541
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap

> If that's Your fixed price , Then You sure got it in the right place .
> A place where You'll actually find a sucker to pay that much

Is he forcing you to buy it? I checked on Ebay and the other ones are going for around the same amount. Considering that he is also paying for shipping, then I don't see your problem. You can always go buy a new one. However, they're going for $629 plus shipping.

<Alan>

3331. Re: Yaesu FT-817 HF/VHF/UHF for ham radio (MIB)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 02:29:00 UTC
From: crossfire <noone@home.com>
Message-ID: <1031884561.33639@nnrp2.phx1.gblx.net>
Source record: 39542
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap

Well there's one there on ebay You can get one hell of a deal on
"Alan Childress" <na4i@hotmail.com> wrote in message
news:gVbg9.15562$8F4.522340@news2.east.cox.net...
> > If that's Your fixed price , Then You sure got it in the right place .
> > A place where You'll actually find a sucker to pay that much
>
> Is he forcing you to buy it? I checked on Ebay and the other ones are
going
> for around the same amount. Considering that he is also paying for
shipping,
> then I don't see your problem. You can always go buy a new one. However,
> they're going for $629 plus shipping.
>
> <Alan>
>
>
>
>

3332. FS Command Receivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 03:16:54 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <GMcg9.26464$jG2.1910766@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39543

Item 1.

BC-454-B Command receiver covering the 3 to 6 MHz range. Heaters wired for 12 Volts, usual ham modifications to the front panel adapter. Power and dynamotor connectors intact. Comes with all covers; one latch post on top cover is broken. Powered up in August, 2002 and received signals. Due to age, no other warranty. Picture available via email. $45 plus USPS Priority postage.

Item 2.

BC-455-B Command receiver covering the 6 to 9.1 MHz range. Same as above, except no top cover. Tubes not original metal. Powered up in August, 2002 and received signals. Due to age, no other warranty. Picture available via email. $35 plus USPS Priority postage.

Woodhead
Do the obvious to the email address
NOSPAMwoodhead3590@yahoo.com

3333. Re: FS Command Receivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 03:23:48 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <8Tcg9.26487$jG2.1912724@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39544

email should be NOSPAMwood3590@yahoo.com

woodhead <NOSPAMwood3590@yahoo.com> wrote in message
news:GMcg9.26464$jG2.1910766@bgtnsc05-news.ops.worldnet.att.net...
> Item 1.
>
> BC-454-B Command receiver covering the 3 to 6 MHz range. Heaters
wired
> for 12 Volts, usual ham modifications to the front panel adapter.
Power
> and dynamotor connectors intact. Comes with all covers; one latch
post
> on top cover is broken. Powered up in August, 2002 and received
> signals. Due to age, no other warranty. Picture available via email.
> $45 plus USPS Priority postage.
>
> Item 2.
>
> BC-455-B Command receiver covering the 6 to 9.1 MHz range. Same as
> above, except no top cover. Tubes not original metal. Powered up in
> August, 2002 and received signals. Due to age, no other warranty.
> Picture available via email. $35 plus USPS Priority postage.
>
> Woodhead
> Do the obvious to the email address
> NOSPAMwoodhead3590@yahoo.com
>
>
>
>
>
>

3334. FS:Yaesu FR-101 Receiver>>2 mtr Module, Hard to find>> w/pic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 03:34:07 UTC
From: rlucch2098@aol.com
Message-ID: <20020912233407.01108.00004704@mb-ch.aol.com>
Source record: 39545

Hi Fellas;
I have for SALE:
two (2) meter module for Yaesu FR-101 series of receivers.
Excellent shape with attachment screws.
Price is $50.00 shipped US Priority.
Pic>>
http://www.myradioroom.com/fr101-2mtr.jpg
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

3335. FS: ICOM IC-2AT H/T with BC-30 Desk Charger w/pics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 03:35:38 UTC
From: rlucch2098@aol.com
Message-ID: <20020912233538.01108.00004709@mb-ch.aol.com>
Source record: 39546

Hi Fellas;
I have for SALE:
Icom IC-2AT H/T with BC-30 deck charger, both excellent but no belt clip.
Price is $100.00ppd Conus.
Pse see all pics>>
http://www.myradioroom.com/ic2at1.jpg
http://www.myradioroom.com/ic2at2.jpg
http://www.myradioroom.com/ic2at3.jpg
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

3336. FS: Lafayette VOM, Early Japanese, Like New in Box w/PICS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 03:36:51 UTC
From: rlucch2098@aol.com
Message-ID: <20020912233651.01108.00004712@mb-ch.aol.com>
Source record: 39547

Hi Fellas;
I have for SALE:
Like New in Box, Lafayette 20,000 ohm per volt VOM w/mirror scale. Model 99-50726, manuals , leads as shown.
Price is $20.00ppd
Pix>>
http://www.myradioroom.com/lafvom1.jpg
http://www.myradioroom.com/lafvom2.jpg
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

3337. FS: 35 NOS Ceramic Spreaders>>Redux, For open wire line w/pics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 03:38:28 UTC
From: rlucch2098@aol.com
Message-ID: <20020912233828.01108.00004714@mb-ch.aol.com>
Source record: 39298

Hi Fellas;
I have for SALE:
1)- 35 NOS ceramic spreaders, 1/2" dia x 4-1/4"oal, for 3"open line.
$35.00ppd.

http://www.myradioroom.com/35spreaders.jpg

Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

3338. Re: HF Mobile??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 03:43:28 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <k1dg9.102139$%P6.51695492@e3500-atl1.usenetserver.com>
Source record: 39299

AW shoot! That should be www.qsl.net/k4kwh . Sorry!

Jerry

Jerry Oxendine <joxendi@bellsouth.net> wrote in message
news:aj3g9.91813$2L.4555447@e3500-atl2.usenetserver.com...
> If you are about to go mobile, hey, it's time! Those of us in the South
are
> finally getting cooler weather, and it is a great time to get out and do
> some installing! Please take a look at
> www.qls.net/k4kwh to purchase the finest HF mobile antenna on the market.
> They are a FULL
> 2" dia and wound onto black Nylon forms with #14 wire at 8 TPI to give
high
> power handling
> and surprising, effective mobile QSOs! Don't be fooled by those that
claim
> that "no matching is
> needed" because what they are doing is "transformer winding" the loading
> coil to give high resistance that "translates" to 50 ohms total in the
> system. The radio doesn't care WHERE it gets
> 50 ohms from, just so it's there. Go for the gold with the Carolina
> Cyclone.
>
> 73
>
> Jerry
> K4KWH
>
>
>

3339. New Patcomm Discussion Group

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 04:12:35 UTC
From: ZOOM <robert931@sympatico.ca>
Message-ID: <TAdg9.5898$l65.1580598@news20.bellglobal.com>
Source record: 39300

patcommgroup-subscribe@yahoogroups.ca

3340. Re: Help: Designing crystal filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 04:46:58 UTC
From: blackm00@cam.org
Message-ID: <6447bcd3.0209122046.67437d69@posting.google.com>
Source record: 39301
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Joe S." <joe@schlatter.org> wrote in message news:<alp4rm0tue@enews2.newsguy.com>...
> I have been trying to find an AM crystal filter for my old Heath SB-303
> receiver. I give up. I'm going to build my own.
>
> Could someone give me a few tips? I have posted what I know and where I
> need help on this URL:
> http://www.schlatter.org/Dad/filter.htm
>
> Thanks for your suggestions and help.

The basic scheme is the half-lattice filter; in this case it's
to of them cascaded.

This sort of filter was common when hams started building crystal
filters for SSB, in the fifties. The best place to find information
about them would be articles from that period about making them,
or books like the ARRL "Single Sideband for the Radio Amateur" or
CQ's "Mew Sideband Handbook" that collected such articles. Back then the
topic was new, so the details were all there. It sort of faded
from view, when commercially made crystal filters became available.
You might find things in more recent handbooks again, though ladder
filters have taken over, because there are advantages of their
design.

I think the scheme saw common useage back then because of the
availability of cheap surplus crystals in FT-243 packages (ie,
cases that you could easily take apart). Then, hams would pick
an IF frequency where crystals were commonly available, and then
grind one or both sets to get them on the needed frequency. Of
course, they were starting from scratch and so picked their
IF to match the available crystals. As I said back in July,
you have to use the IF of the Heathkit, and so you aren't likely
to find crystals on the needed frequency. You'll have to have
them made, and I think you'll have to dig deeper in order to
figure out how to order the crystals.

I'm not going to read through the old articles. I do recall
people saying things like the bandwidth of the resulting filter
would be 1.5 times the spacing of the crystals. But that's rough,
and the better builders would analyze the crystals. You have
the reverse problem; you'll have to figure out the spacing before
you order.

One thing, as someone else mentioned back in July. The simplest
solution would be one half-lattice filter, ie two crystals. The

selectivity would be the same as two cascaded sections, but the shape facter would not be as good. It would be cheaper, but if you find the results less than satisfactory, you may have been better off ordering 4 crystals at the same time, rather than risk the second two not matching the first.

The component values will depend on the filter. The input and output load is going to impact on the filter.

Michael VE2BVW

3341. Re: AOR AR-1500 Wide Range Reciever (Scanner) SOLD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 05:35:43 UTC
From: RadAct <juafi@yahoo.com>
Message-ID: <alrub902251@enews1.newsguy.com>
Source record: 39302

The unit has been sold.

"RadAct" <juafi@yahoo.com> wrote in message
news:alq5s212ihl@enews2.newsguy.com...
> I got this unit from a guy that likes to buy stuff and then for some
reason
> doesn't use it. He has the money to do it and does it all the time. I
> picked it up in a trade for other stuff. The unit has been sitting for a
> long time and it looks just like when it was purchased brand new. Here is
a
> link to look at the picture of it.
http://www.rigpix.com/aor/aor_ar1500.htm
>
> The picture could very well have been taken of the unit I have, that's how
> clean it is. It is a 10 cosmeticly and electronicly
> The unit does AM/FM/WFM/SSB from .5 to 1300mhz no gaps on this early
model.
>
> Comes with manual, AA pack, original battery pack, wallwart charger. Now,
I
> have no idea what this is worth since it's not a current model.
>
> Should we say $160 shipped COD, prepay or Paypal.
>
>
>
> --
> **
> I'm in my own little world but, that's ok, they know me here.
> **
>
>

3342. Re: FT-8900 - Crossband & can it be remote controlled via DTMF?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 07:03:16 UTC
From: perkins@nook.net
Message-ID: <af1dfd8c.0209122303.4aec20e4@posting.google.com>
Source record: 39303

Mike <mparkes@nospamatt.net> wrote in message news:<3D80BBFC.3090909@nospamatt.net>...
> Does anyone know if the new Yaesu FT-8900 can be cross banded between
> 440 and 2 mtrs and can it be remote controlled via DTMF tones from
> another radio (similiar to the TM-733 or TM-V7A or ALinco 600/610?)
> Thanks
> Miek AB7RU

Yaesu does in fact state the 8900 will cross-band, and I only assume it is between 2m and 70cm. They make no mention of it being remote controllable via DTFM, though, so I am betting it will not. I have an Alinco DR-610TQ, and that is a nice feature. On a related note, Alinco will be releasing their new DR-620 before Thanksgiving. From what I have been able to gather, it looks like it will be fully featured like the radio it replaces (the 610), so I am guessing it will be remote controllable. It does come standard with a remote mount face and bracket, which is nice. The 610 bracket was optional. Too, it will receive FM broadcast, which might be nice at times. I suspect they will have to price it under $450 since the FT-8900 is right now, but we'll see. I will be checking the specs myself when they become available, since I like my 610 so much and I have not found another with all the features it has. I need one to put in my truck.

Nate
KL3NP

3343. Wanted: Yaesu NC-77B or VAC-400B charger

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 07:08:49 UTC
From: perkins@nook.net
Message-ID: <af1dfd8c.0209122308.23fa6862@posting.google.com>
Source record: 39304

Looking for a stand-up charger for my new Vertex VX-150 HT. I bought a larger capacity battery (1650 ampere) and I don't like the wall wart charger that came with the radio. With the desk top charger, I can leave a spare battery in it with the other on the radio. Can't do with the wall-wart.

If anyone has one lying around (the NC-77B is replaced by the VAC-400, and it was used for several of the Yaesu/Vertex rigs), I would like to hear about it.

Thanks,

Nate
KL3NP

3344. Multi 800D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 09:37:59 UTC
From: "n.vanclooster" <n.vanclooster@skynet.be>
Message-ID: <3d81b1e7$0$208$ba620e4c@news.skynet.be>
Source record: 39305

Hi everbody,

I am searching for a Service Manual for a 2 meter rig from FDK.It concernes
the Multi 800D.

--
Thanks in advance from No�l

3345. ICOM IC-2KL on AM?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 12:11:31 UTC
From: Dale Parfitt <parinc@verizon.net>
Message-ID: <3D81CF7D.9CE00585@verizon.net>
Source record: 39306

I did not see where the manual addressed power output level that the 2KL is capable of on AM- anyone know?

Dale W4OP

3346. Re: New Patcomm Discussion Group

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 12:50:19 UTC
From: eccraigjr@cs.comNOSPAM
Message-ID: <20020913085019.01999.00004184@mb-mu.news.cs.com>
Source record: 39307

>patcommgroup-subscribe@yahoogroups.ca

Thanks Robert,

I just bought a Patcomm PC-500 for portable work and am giving some serious consideration to the PC-16000AE for the shack. Take care and thanks again.

73 de Bert
WA2SI

3347. Re: Historical List of Tranceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 14:15:43 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <jqmg9.11355$S32.794031@news2.west.cox.net>
Source record: 39308

Also see http://www.qsl.net/sm7vhs/radio/

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
==========
"Marc Robins" <pilot.marc@verizon.net> wrote in message
news:B9A6923E.15AA4%pilot.marc@verizon.net...
> Check this out Fred:
>
> http://www.aade.com/hampedia/hampedia.htm
>
>
> 73 de AD6MI
> Marc
>
> !!
>
> > "Fred Marshall" <fmarshall@acm.org> wrote:
> >
> >> It would be great to have a historical list of transceiver models for
each
> >> manufacturer - with a little description of each and a price/current
value.
> >> There are so many for sale but the model numbers mean nothing to me.
Maybe
> >> others have the same problem?
> >
> > There is a historical list of Ten Tec equipment with photos and brief
info at
> > http://www.qsl.net/tentec/
> >
> > Bob
> > k5qwg
> >>
> >> The manufacturer's websites are only interested in current models it
> >> appears. .... etc.
> >>
> >> Fred
> >> AC7VR
> >>
> >
>

3348. Standard HX 340

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 14:38:55 UTC
From: TFW <frankjg@citlink.net>
Message-ID: <uo3u49c3cqmo65@corp.supernews.com>
Source record: 39309

Need programming and info on Standard HX340.

Thanks

Frank W9LVC

3349. Re: ICOM IC-2KL on AM?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 15:31:22 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3D8204CA.99FB7619@cableone.net>
Source record: 39310
Body handling: Binary attachment payload not displayed: radioranch.vcf

HI Dale, I have one too, dont really know about AM, but I know half power would be normal 250 to 300 watts would be most Id do if I ran AM, which I dont... ....73 Murray

Dale Parfitt wrote:

> I did not see where the manual addressed power output level that the 2KL
> is capable of on AM- anyone know?
>
> Dale W4OP

[One or more binary attachments are retained only in the source text.]

3350. Standard HX320

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 16:22:08 UTC
From: TFW <frankjg@citlink.net>
Message-ID: <uo445pngsfig16@corp.supernews.com>
Source record: 39311

Need programming and info on Standard HX320.

Thanks

Frank W9LVC

3351. Re: Help: Designing crystal filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 16:23:04 UTC
From: kludge@panix.com
Message-ID: <alt3d8$6jp$1@panix2.panix.com>
Source record: 39312
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Michael Black <blackm00@cam.org> wrote:
>
>I think the scheme saw common useage back then because of the
>availability of cheap surplus crystals in FT-243 packages (ie,
>cases that you could easily take apart). Then, hams would pick
>an IF frequency where crystals were commonly available, and then
>grind one or both sets to get them on the needed frequency. Of
>course, they were starting from scratch and so picked their
>IF to match the available crystals. As I said back in July,
>you have to use the IF of the Heathkit, and so you aren't likely
>to find crystals on the needed frequency. You'll have to have
>them made, and I think you'll have to dig deeper in order to
>figure out how to order the crystals.

You call QMX Crystals in Texas and tell them what frequency and what
resonance and what load capacitance. You give them a credit card.
Crystals arrive.

ICM also makes excellent crystals but for a lot more than QMX charges.
--scott

--
"C'est un Nagra. C'est suisse, et tres, tres precis."

3352. Re: HF Mobile??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 18:06:10 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D822912.215CADC4@crosslink.net>
Source record: 39313

Jerry Oxendine wrote:
>
> AW shoot! That should be www.qsl.net/k4kwh . Sorry!
>

<www.qsl.net/k4kwh> ?

3353. Re: ICOM IC-2KL on AM?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 18:35:28 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uo4c2u2s1qc11@corp.supernews.com>
Source record: 39314

Dale......At the price they sell them for....it should work on all modes. I don't see why not. Have you tried it on FM, or another 100% duty cycle mode?

73...Bill
Web Site: www.polkcounty.org/radiofun
ICQ: 11908449
Yahoo Mess: Hitradio93Q

"Dale Parfitt" <parinc@verizon.net> wrote in message news:3D81CF7D.9CE00585@verizon.net...
> I did not see where the manual addressed power output level that the 2KL
> is capable of on AM- anyone know?
>
> Dale W4OP
>

3354. Re: ICOM IC-2KL on AM?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 18:56:25 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <txqg9.619928$m91.25129219@bin5.nnrp.aus1.giganews.com>
Source record: 39315

Unless you can find any beter info for that amp it should have a carrier of
1/4 of the maximum output power . That is unless at that power level it
starts to overheat because of the duty cycle.

"Dale Parfitt" <parinc@verizon.net> wrote in message
news:3D81CF7D.9CE00585@verizon.net...
> I did not see where the manual addressed power output level that the 2KL
> is capable of on AM- anyone know?
>
> Dale W4OP
>
>

3355. Re: Tektronix Equipment -- Cheap!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 19:45:45 UTC
From: Venom8 <getYourRocksOffSpammers@4q2.mor>
Message-ID: <7hrg9.51055$Bj.4986239@read2.cgocable.net>
Source record: 39316
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment

Nice equipment, too bad you don't ship to Canada.
"ga_boneyard" <ga_boneyard@hotmail.com> wrote in message
news:uK%f9.15195$TX5.451205@news1.east.cox.net...
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766078118

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766099562

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766106908

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766380157

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1766383889

Thanks for looking!!

3356. Re: Help: Designing crystal filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 19:52:35 UTC
From: Jim Weir <jim@rst-engr.com>
Message-ID: <j9g4ougsc9784sbvahg3i5vsl0umfrn144@4ax.com>
Source record: 39317
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

kludge@panix.com (Scott Dorsey)
shared these priceless pearls of wisdom:

->
->You call QMX Crystals in Texas

I can't find QMX anywhere on the web. Do they have a website or presence
anywhere? Or a phone number?

JAN Crystal (Ft. Meyers FL) www.jancrystals.com is another good low-cost crystal
supplier. We've dealt with them for almost 40 years and have yet to get a bad
crystal.

Jim
Jim Weir, VP Eng. RST Eng. WX6RST
A&P, CFI, and other good alphabet soup

3357. Yaesu FTV-901R Transverter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 21:23:39 UTC
From: xganon <remailer@xganon.com>
Message-ID: <3f9f5543523e55bec244a3f221e833c2@xganon.com>
Source record: 39318

A local ham is offering to sell me a FTV-901R Transverter with all three (6mtr, 2mtr, 70cm) band modules. It is an original option for the FT-901DM (which I have). It is in mint condition and works FB.

Thing is, I have no idea what this item is worth. Can anyone offer a low/avg/high value?

Thanks

p.s. sorry for the anonymous post. I'm just tired of so much SPAM email.

This post was anonymized at http://www.xganon.com

3358. IC735 Front light help Please!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 21:26:20 UTC
From: tomjay@web.de
Message-ID: <46e6ec0b.0209131326.4ed012b1@posting.google.com>
Source record: 39319

Hello everyone!
Can someone help me please, I am looking for a detailed description
how to open my ICOM 735 to replace defective lamps for the front scale light?
What kind of lamps do I need?
73 de Tom, DL2HRF

3359. Re: IC735 Front light help Please!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 22:40:05 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uo4qds1bu3og43@corp.supernews.com>
Source record: 39320

Tom...I did one of those several years ago. You have to remove the top and bottom covers, then the front face. It is on the "inside" of the front face! The front will come right off, but be gentle. It can hang on it's wiring.Good luck.

Bill
Web Site: www.polkcounty.org/radiofun
ICQ: 11908449
Yahoo Mess: Hitradio93Q

"Tom Juelich" <tomjay@web.de> wrote in message news:46e6ec0b.0209131326.4ed012b1@posting.google.com...
> Hello everyone!
> Can someone help me please, I am looking for a detailed description
> how to open my ICOM 735 to replace defective lamps for the front scale light?
> What kind of lamps do I need?
> 73 de Tom, DL2HRF

3360. Re: Help: Designing crystal filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-13 23:58:09 UTC
From: kludge@panix.com
Message-ID: <altu2hasa1@panix2.panix.com>
Source record: 39321
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Jim Weir <jim@rst-engr.com> wrote:
>kludge@panix.com (Scott Dorsey)
>shared these priceless pearls of wisdom:
>
>->
>->You call QMX Crystals in Texas
>
>I can't find QMX anywhere on the web. Do they have a website or presence
>anywhere? Or a phone number?

They could be listed as Cuemex crystals or some such thing. I'll dig up
an address on Monday.

>JAN Crystal (Ft. Meyers FL) www.jancrystals.com is another good low-cost crystal
>supplier. We've dealt with them for almost 40 years and have yet to get a bad
>crystal.

JAN and ICM are not all that cheap but do great work.
--scott

--
"C'est un Nagra. C'est suisse, et tres, tres precis."

3361. Re: HF Mobile??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 00:19:59 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <z5vg9.6446$AY5.536218@e3500-atl1.usenetserver.com>
Source record: 39322

Vito <vito@crosslink.net> wrote in message
news:3D822912.215CADC4@crosslink.net...
> Jerry Oxendine wrote:
> >
> > AW shoot! That should be www.qsl.net/k4kwh . Sorry!
> >
>
> <www.qsl.net/k4kwh> ?

????? to you, too! Hehe. The link DOES work--I tried it. I just made a
typo to start with.

3362. Re: ICOM IC-2KL on AM?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 00:43:46 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uo51ct6lcvqg38@corp.supernews.com>
Source record: 39323

The use of AM on the 2KL is dictated by the xciter used. The typical ICOM can only run about 20-25 watts on AM and still sound decent.
The 2KL should never be pushed past 200 watts of carrier on AM, and 500 watts PEP modulated evelope.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Dale Parfitt" <parinc@verizon.net> wrote in message
news:3D81CF7D.9CE00585@verizon.net...
> I did not see where the manual addressed power output level that the 2KL
> is capable of on AM- anyone know?
>
> Dale W4OP
>

3363. FS: ALINCO DJ-X10T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 00:48:39 UTC
From: msdbm@aol.com
Message-ID: <20020913204839.15322.00002386@mb-mn.aol.com>
Source record: 39324

FOR SALE:

ALINCO DJ-X10T Mutimode Professional Scanner
Absolutely in NEW Condition - One month old and charged only twice

1200 Channels (30 banks of 40 channels)
AM, NFM, WFM, USB, LSB, CW, and AUTO Modes
Dual VFO's
Band scope (searches surrounding 40 channels/steps for activity and displays)
Covers .1 - 2000 MHZ except 824-850 and 869-7895 MHZ
Alphanumeric 8 character channel labelling and 3 line display icluding signal strength
Computer programmable
Metal construction
Comes with box, manual, rechargeable battery, drop in charger, antenna, and belt clip.

$250 plus shipping
JOE K2JAD
e mail responses

3364. FS:MOTOROLA SABER Speaker Mic NIB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 01:08:53 UTC
From: msdbm@aol.com
Message-ID: <20020913210853.15270.00002531@mb-mn.aol.com>
Source record: 39326

FOR SALE:
Motorola Saber "REMOTE SPEAKER MICROPHONE" #NMN6128C, NEW IN THE BOX..This Speaker Microphone Allows you to talk and listen without removing you Radio from your Belt, Your Case or Your Charger. This Microphone Comes with a Coiled Cord and a Clip Back. Motorolas NEW list on this Microphone is $137.00, Dealer Cost is $96.00. This Unit is NEW IN THE BOX and has never been used.

$50 plus shipping

JOE K2JAD
e mail responses please

3365. FA National NC300..12 hours, 48 bucks!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 01:09:16 UTC
From: Dave Edwards <kd2e@comcast.net>
Message-ID: <0%vg9.1803$5r1.88467@bin5.nnrp.aus1.giganews.com>
Source record: 39325
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

You can check it here....
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1379543599

3366. NiCad Battery Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 01:36:37 UTC
From: Tony <tonyreo@core.com>
Message-ID: <3d833b0a$0$1427$272ea4a1@news.execpc.com>
Source record: 39333

I just picked up a new battery pack for my dual band Handheld transceiver and noticed that the date code is 9711. It was obviously new, still in the factory wrapper, purchased from AES. Does it make much difference how old a NICad is before you start using it? It's a 6 volt pack that measured 6.33 volts after charging. I would guess it has to be a 5 cell (in series) pack to get the 6 volt rating. The 6.33 volt measurement I took would tell me that none of the cells cell are shorted. Should I have any concerns?

Thanks

Tony

3367. Re: knob & dialplate for a variac needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 01:37:58 UTC
From: Frontline Electronics <frontline_electronics@worldnet.att.net>
Message-ID: <Wpwg9.27879$jG2.2036840@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39327
Cross-posted to: sci.electronics.components,rec.radio.amateur.equipment,sci.electonics.equipment,rec.radio.amateur.misc

Did you try Staco?
I doubt if I could find the ones that came with mine.
The knob I used came from a Buhl overhead projector.
Very heavy duty. As for dialplate it was hidden by the
knob so I used direction arrows only, and you watch
the meters anyway.
Jeff

Dennis wrote in message ...
>I have a Staco 033-6565 variable trans(variac) with a !/2"
>shaft. I need a knob and dial plate. These do not have
>to be the ones for this unit. Mainly I need a knob for
>vaiac will fit a 1/2" shaft.
>
>TIA
>
>Dennis
>

3368. ARRL Responds to 220 Threat !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 01:39:43 UTC
From: Daniel Hicks <w8mmq-NOSPAM@email.com>
Message-ID: <zrwg9.258495$kp.882079@rwcrnsc52.ops.asp.att.net>
Source record: 39328

ARRL Responds to 220 Threat !

September 13, 2002
ARRL News

http://www.arrl.org/news/stories/2002/09/13/100/?nc=1

NEWINGTON, CT, Sep 13, 2002--The ARRL has taken issue with a suggestion made in a non-Amateur Radio-related FCC proceeding to turn the 222-225 MHz amateur allocation over to commercial interests. In reply comments filed this month, the League urged the FCC to "do nothing" with the proposal of Data Comlink (DCL), a consortium of 20 electrical coops and allied companies.

"ARRL presumes that the proposal by DCL for reallocation of the 222-225 MHz band will not be seriously evaluated by the Commission, as it is well outside the scope of this proceeding," the League said in its September 5 filing with the FCC. Until DCL raised the 222-225 MHz suggestion last month in its own comments in WT Docket 02-224, the ARRL had remained silent in the proceeding.

DCL claimed in its comments that the amateur allocation at 222-225 MHz "is being underutilized" and that the band "would be much better utilized for commercial use." DCL suggested that both 217-220 MHz and 222-225 MHz might "be made available to the Commission for commercial use" through modification of the FCC's Part 90 rules.

ARRL asserted that the band is not underutilized and "remains a critical VHF allocation" for amateurs. The League pointed out that the ARRL 2002 Repeater Directory--albeit not a comprehensive listing--lists 1690 repeaters throughout the US, indicating an even larger number of individual users. "Indeed the number of individual amateurs using this band has increased steadily since 1989, when the amateur allocation at 220-225 was reduced by 40 percent," the ARRL said, "and now much commercially manufactured equipment is available to amateurs."

DCL had claimed that "only handfuls [sic] of individuals in the Amateur Radio Service even use this spectrum, while hundreds of thousands of potential commercial users wait with no alternatives."

The League characterized as "invalid" DCL's arguments in favor of reallocating 222-225 MHz from the Amateur Radio Service and noted that the FCC earlier this year had set aside an additional 8 MHz of spectrum for Land Mobile Service operations.

The League's reply comments in the DCL proceeding are on the ARRL Web site.

The ARRL has not commented in an unrelated Petition for Reconsideration filed by Warren C. Havens on behalf of himself and Telesaurus Holdings GB LLC, in which he holds a majority interest. Among other grants, Havens holds Automated Marine Telecommunication Services (AMTS) licenses in various states as well as Land Mobile Service Multilateration and VHF Public Coast licenses.

Filing last month under PR Docket 92-257 and RM-9664, Havens is seeking to have the FCC reconsider its decision to auction certain AMTS spectrum and instead adopt his "Advanced Technology Land Infrastructure and Safety Service" (ATLIS) proposal. Under that plan, Havens includes the amateur allocations at 222-225 MHz and 902-928 MHz. In the case of 222-225 MHz, Havens wants to see it reallocated from amateur to public safety use. His ATLIS plan proposes to share 902-928 MHz on which amateur are secondary. He suggests, however, that if amateur use were to become a problem there, the FCC might impose restrictions or phase out amateur use altogether.

Havens said he planned to submit his ATLIS proposal to the FCC's Spectrum Task Force as well as in filings on dockets that involve spectrum he's included within his ATLIS scheme.

3369. Yaesu YM-38 schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 11:06:48 UTC
From: Anders <aao15@hotmail.com>
Message-ID: <cLEg9.28438$t4.24335@nntpserver.swip.net>
Source record: 39329
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,uk.radio.amateur

Hi!

I'm looking for Yaesu YM-38 microphone schematics...Anyone have it?
Please e-mail me: anders.olandersson@swipnet.se

73's

3370. MFJ-1278 pinout

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 11:11:59 UTC
From: Anders <aao15@hotmail.com>
Message-ID: <5QEg9.28439$t4.24272@nntpserver.swip.net>
Source record: 39330
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,uk.radio.amateur

Hi!

Anyone have the MFJ-1278 pinout?
Please e-mail me: anders.olandersson@swipnet.se

73's

3371. Re: MFJ-1278 pinout

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 11:27:55 UTC
From: charlesb <n5pvl@sbcglobal.net>
Message-ID: <%2Fg9.11686$Jm1.2720295058@newssvr30.news.prodigy.com>
Source record: 39331
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,uk.radio.amateur

"Anders" <aao15@hotmail.com> wrote in message
news:5QEg9.28439$t4.24272@nntpserver.swip.net...
> Hi!
>
> Anyone have the MFJ-1278 pinout?
>
>I'm looking for Yaesu YM-38 microphone schematics...Anyone have it?
>Please e-mail me: anders.olandersson@swipnet.se

The place to look is http://www.packetradio.com

Lots of good hookup info there!

Charles, N5PVL

3372. FS Shack Cleaning (TAKE A LOOK)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 13:39:53 UTC
From: David Dropp <ddropp@tds.net>
Message-ID: <J_Gg9.3801$rJ3.337043@kent.svc.tds.net>
Source record: 39332

Cleaning shack up I would like to recycle items back into the Ham Community, all items in excellent condition. If you have any questions feel free to e-mail me.

Diamound V2000A Tri Band Antenna 6m,2m,70cm 80.00
Diamond Triplexer MX-2000 45.00
Diamond Duplexer MX-72D 22.00
Diamond SWR/Power Meter SX-600 75.00
2 Alpha Delta 2-pos coax switch/protector Delta-2 25.00 each
MFJ-1702 coax switch 12.00
GE MLS Uhf 8 channel scan 40 watt radio made buy Japan Radio for GE , comes with desk & hand mic. 50.00

3373. FS: Ameritron AL80 Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 13:43:21 UTC
From: John <ki4nr@qsl.net>
Message-ID: <i2Hg9.1104$9M2.222354@newsfeed.slurp.net>
Source record: 39334

This is the first AL80 ameritron, made in the mid 80s. It has the single meter on front and one 3-500z tube. Good for 850 plus watts. Also has a pi tuned input. low SWR to the radio. Cover 10-160 meters. The amp in very nice condition, only thing done to it was having the cover professionally repainted. The 3-500z tube(RF parts Graphite) is also new with very few hours on it. A very nice compact & attractive amp.....With owners manual

$450.00 plus shipping
Tube shipped separately

73 john
ki4nr@qsl.net

3374. Re: MFJ-1278 pinout

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 13:55:49 UTC
From: Sam Ess <jacksno7@yahoo.com>
Message-ID: <uo6fuvssjmb25e@corp.supernews.com>
Source record: 39335
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,uk.radio.amateur

from an OLD MFJ 1278B manual (1993), The MFJ-1278 J2 pinouts are
1=microphone audio
2=Receiver audio
3=PTT
4=Ground
Is that what you need?

forrest
--
Forrest Shelton Clark
A CircuitRider on the Internet
Baraboo, WI 53913

"Anders" <aao15@hotmail.com> wrote in message
news:5QEg9.28439$t4.24272@nntpserver.swip.net...
> Hi!
>
> Anyone have the MFJ-1278 pinout?
> Please e-mail me: anders.olandersson@swipnet.se
>
> 73's
>
>

3375. Re: NiCad Battery Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 16:28:37 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <VsJg9.101556$Jo.27009@rwcrnsc53>
Source record: 39336

Nicads are 1.2 volts per cell. If you have a 6.0 volt battery pack, then it looks like all is well.
Only use will tell if the pack has not lost its ability to store the power it should.

73
WA5VRL
Willis

3376. Re: FA National NC300..12 hours, 48 bucks!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 16:57:19 UTC
From: Bill M <exray@no>
Message-ID: <uo6qfb3j2c9612@corp.supernews.com>
Source record: 39337
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

Dave Edwards wrote:
>
> You can check it here....
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1379543599

Wow, it closed at $100. Somebody got a good deal!
-WX4A

3377. wanted ICOM 800 Marine HF SSB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 17:40:53 UTC
From: boeing377@aol.com
Message-ID: <20020914134053.00372.00002919@mb-ce.aol.com>
Source record: 39338

Wanted ICOM 800 Marine HF SSB. Want to buy just control head, but will buy entire set if control head alone is not for sale.

3378. FS: Cables and Connectors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 18:08:59 UTC
From: Nad <nhpd@sympatico.ca>
Message-ID: <SWKg9.6159$hK5.1684492@news20.bellglobal.com>
Source record: 39339

All kinds of Cables (RG`s and more) and connectors (PL-259 and more)

Let me know what you need and the quantity

Thanks
Nad

3379. Re: NiCad Battery Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 18:32:30 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D8380BE.9C1AF052@nettally.com>
Source record: 39340

Back when I worked for Motorola, the shelf life of NICAD cells was spec'd at 5 years. If you just bought from AES I would call them and ask about warranty for that battery. If it goes flat in 6 month's will they replace it? My new ICOM T81A radio has a one year warranty and I don't see any exclusion for the battery. The ICOM NIMH battery has no date code, rather a serial number. I would expect a new battery from AES to have some warranty. You should give them a call and ask them how they handle it. Does the sales receipt have the date code or serial number?

Joe

Tony wrote:

> I just picked up a new battery pack for my dual band Handheld transceiver
> and noticed that the date code is 9711. It was obviously new, still in the
> factory wrapper, purchased from AES. Does it make much difference how old a
> NICad is before you start using it? It's a 6 volt pack that measured 6.33
> volts after charging. I would guess it has to be a 5 cell (in series) pack
> to get the 6 volt rating. The 6.33 volt measurement I took would tell me
> that none of the cells cell are shorted. Should I have any concerns?
>
> Thanks
>
> Tony

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

3380. Re: Icom experience

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 18:40:29 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D83829D.EC32D276@nettally.com>
Source record: 39341

ICOM has been very responsive to me as well. In contrast, a recent Yaesu order was slow and telephone communications almost impossible. They did come through in the end, but seem to be having recent difficulty with phone inquiries.

Joe

Andy Cowley wrote:

> SAM wrote:
> >
> > With all the recent postings about the big three's lackluster service, I
> > thought I would share a good experience I just had with Icom's parts
> > department. I had to order a replacement speaker for an HT and a volume
> > control for an older dual bander. The woman I spoke to, Lorie Phillips, was
> > extremely helpfull, friendly, and a pleasure to deal with. The volume control
> > was not listed on their active parts inventory, so she researched it for me and
> > came up with a suitable replacement. Service above and beyond the call of duty,
> > especially in this day and age of impersonal service.
> >
> > Thanks Lorie!
> >
> > Scott
> > KA1MRO
>
> I'll second that from my experience of Icom(UK). Helpful, knowledgeable
> and always willing to go that extra yard for you. Great guys. A real
> contrast to Yaesu and Kenwood.
>
> Andy, M3ABC

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

3381. F.S. 2 meter amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 20:39:41 UTC
From: rob34 <rob34@infinet.com>
Message-ID: <3d839e9c$0$1426$4c5ecdc7@news.erinet.com>
Source record: 39342

I have a Radio Shack 2 meter amp for sale that is in good shape and also has a preamp. You can go to this site for pictures: http://photos.yahoo.com/rob34115 and click on Rob`s photos. I am asking $40 or best offer plus shipping. Thanks, Rob

3382. eHam net

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 20:55:46 UTC
From: Bill <radio@despammed.com>
Message-ID: <am07os01rgg@enews1.newsguy.com>
Source record: 39343
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

What happened to eHam.net? Have not been able to find it for a couple of days.

Bill

3383. FS: Belcom LS-202E & Miscellaneous Goodies

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 21:50:04 UTC
From: Bob Stein <w6nbi@earthlink.net>
Message-ID: <3D83AF0C.2090007@earthlink.net>
Source record: 39344
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

The following are surplus to my needs and are looking for good homes:

Belcom LS-202E 2M FM-SSB HT with charger, original manual...$225.00
Micronta Dynamic Transistor Checker..... 15.00
Omega-T TE7-01 Antenna Noise Bridge..... 20.00
Heath IT-10 Transistor-Diode Checker..... 10.00
Weston Model 888 crossed-needle hermetically sealed SWR
meter movement, incident power scale 2.5 kw FS, reflected
power scale 0.25 kw FS, each movement 30 uA..... 50.00
Kenwood SP-50B Mobile Communications Speakers (2 available). 30.00
each, $50.00 for both
Seco Electronics 511A Attenu-Load, 50-watt dummy load or
10-dB power attenuator (50W to 5W), ideal for QRP..... 20.00

No manuals except as specified. Buyer pays shipping.

Bob, W6NBI

3384. Complete Drake Station with Synthesizer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 21:52:53 UTC
From: Bob Stein <w6nbi@earthlink.net>
Message-ID: <3D83AFB5.7030707@earthlink.net>
Source record: 39345
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Drake R-4 Receiver, T-4X Transmitter, MS-4 Power Supply/Speaker with original manuals. The R-4 comes with several extra crystals, which are really not needed if used with the the frequency synthesizer. $350.00.

Frequency synthesizer for the above, which I designed, built and published in the August 1972 issue of "ham radio" magazine. I will supply an original issue of the magazine (cover slightly torn), as well as schematics of all the circuits which improved performance but were never published. This synthesizer provides complete coverage from 500 kHz to 30 MHz, thus including the WARC bands. $275.00.

If necessary, I will sell the synthesizer separately, but if a buyer takes all, I will reduce the total price to $600.00.

Buyer pays shipping. However, I prefer a pickup in the San Francisco Bay Area or will arrange to meet at a reasonable location.

Bob, W6NBI

3385. Re: eHam net

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 22:05:17 UTC
From: Jeff Kilgore <the.weight@verizon.net>
Message-ID: <xoOg9.1933$KN3.4@nwrddc01.gnilink.net>
Source record: 39346
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I don't know what the problem is, but I have also been unable to connect for
a couple of days. It's still inaccessible.

73,
Jeff, KC1MK

> What happened to eHam.net? Have not been able to find it for a couple of
> days.

3386. Looking for 2 & 6m transverters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 22:43:30 UTC
From: ve3tmt <ve3tmt@yahoo.ca>
Message-ID: <VVOg9.7046$621.1316368@news20.bellglobal.com>
Source record: 39347

Anyone have one sitting around not getting use?? I'd love to take it off
your hands. If so, state model and asking price in e-mail.
Requirements 28-30 Mhz IF 146-148 output. 10-25W output ok.
Also looking for above with 50-54 Mhz output.

Thanks,

Max ve3tmt@yahoo.ca

3387. Wanted: Motorola Vibrasponder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 23:20:14 UTC
From: "Jeffrey D. Angus" <grendelair@earthlink.net>
Message-ID: <3D83C3E5.C647FEB4@earthlink.net>
Source record: 39398

Wanted: Motorola Vibrasponder TU-333A 114.8 Hz
Copper plated steel can, approximately 1/2" x 7/8" x 3"
If you have one, please email me.
mail:grendelair@earthlink.net

Or if you know where I can hunt one down. Or a more
appropriate news group.

Thanks
Jeff

3388. Re: Tektronix Equipment -- Cheap!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 23:47:14 UTC
From: Fishface <fishface@drift.net>
Message-ID: <uo7iic5dp19b45@corp.supernews.com>
Source record: 39400
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment

ga_boneyard wrote:

> Thanks for looking!!

You could have at least said what they are, dickweed.

3389. Re: Icom experience

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-14 23:47:16 UTC
From: George Andrews <gandrews@ntplx.net>
Message-ID: <xSPg9.1$u5.7412@news.ntplx.net>
Source record: 39399

I would have to second that "...service above and beyond the call of duty...". It is my opinion that ICOM customer service really has an understanding what customer service is. I had a similar situation where the rep really did considerable research to answer a couple of questions. The responses were typically within 24 to 48 hours (most in 24hrs) and always courteous and polite.
--
George Andrews, RRPT
N1YAE FN31kj
gandrews@ntplx.net

"Joe Leikhim" <jleikhim@nettally.com> wrote in message news:3D83829D.EC32D276@nettally.com...
> ICOM has been very responsive to me as well. In contrast, a recent Yaesu order was
> slow and telephone communications almost impossible. They did come through in the
> end, but seem to be having recent difficulty with phone inquiries.
>
> Joe
>
> Andy Cowley wrote:
>
> > SAM wrote:
> > >
> > > With all the recent postings about the big three's lackluster service, I
> > > thought I would share a good experience I just had with Icom's parts
> > > department. I had to order a replacement speaker for an HT and a volume
> > > control for an older dual bander. The woman I spoke to, Lorie Phillips, was
> > > extremely helpfull, friendly, and a pleasure to deal with. The volume control
> > > was not listed on their active parts inventory, so she researched it for me and
> > > came up with a suitable replacement. Service above and beyond the call of duty,
> > > especially in this day and age of impersonal service.
> > >
> > > Thanks Lorie!
> > >
> > > Scott
> > > KA1MRO

> >
> > I'll second that from my experience of Icom(UK). Helpful, knowledgeable
> > and always willing to go that extra yard for you. Great guys. A real
> > contrast to Yaesu and Kenwood.
> >
> > Andy, M3ABC
>
> --
> Joe Leikhim K4SAT
> Jleikhim@nettally.com
>
> "Jazz is not dead. It just smells funny." -F.Z.
>
>

3390. Need help with Wavetek 159 signal generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 00:33:45 UTC
From: plalbrecht@aol.com
Message-ID: <20020914203345.03304.00003244@mb-cs.aol.com>
Source record: 39401

I just got a Wavetek 159 signal generator. Either it's not working right or I'm missing some keystroke combination to do what I need.

I can't seem to be able to select mode (continuous, gated, triggered) or waveform (sine, triangle, square, sawtooth). It appears to be permanently set on continuous signal, sine waveform.

Am I missing some pushbutton sequence to select these things? The intuitive method -- signal off, push "waveform" button -- doesn't do anything. The LED stays on the sine wave. The same method though works fine for setting frequency, amplitude, offset.

Any ideas? Better yet, anybody got a manual?

Thanks,

Pete

3391. FS: Rockwell Collins HF-8050A receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 02:25:13 UTC
From: gcd <gab36spam@bigpond.com>
Message-ID: <k3Sg9.32739$g9.92467@newsfeeds.bigpond.com>
Source record: 39402
Cross-posted to: aus.ads.forsale,aus.electronics,aus.radio.amateur.misc,aus.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi all,

I have an HF-8050A receiver for sale. If interested please email me.

see http://members.austarmetro.com.au/~gcd/hf-8050a.htm

--
gcd AT austarmetro.com.au
or use the posting email address - less the spam

Greg
(not my real email - I hate spam)

3392. Re: Source for 1/4" stereo splitter (Y-cable)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 06:06:28 UTC
From: Russell Hltn <reply@2newsgroup.com>
Message-ID: <am1nvp$j8l$2@nntp-m01.news.aol.com>
Source record: 39407

Catalog # 42-2448 (1/4" stereo headphone Y-adapter) seems to be what
your asking for. But it may not be shielded.

"Ken" <cprstn54zz@att.net> wrote in message
news:3d80d2bf.79685234@news-server.optonline.net...
> I need an M-F-F 1/4" stereo phone splitter (aka "Y-cable" or "Y
> adapter") for my CW jack -- what with two keys and the sound card
> stuff. RS only has the rigid adapter that stesses the jack.
> pccables.com doesn't have it. Anyone know a source? I shouldn't
have
> to make one of these.
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

3393. COM IC-970 (japan 10W model) Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 07:36:48 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D843890.3E55270D@nettally.com>
Source record: 39403
Cross-posted to: rec.radio.amateur.space,rec.radio.amateur.equipment

ICOM IC-970 (japan 10W model) Questions

I have just acquired one of these used from Japan to keep as as a spare.

The questions I have are:

1. This Japan model is a basic IC-970 (no suffix), is a 10 watt unit and has limited bandwidth 144-146 and 430-440 MHz. This is no problem for domestic weak signal, but I would like to get the US FM band portions activated. I see that the internal ROM IC-3 has a part number SC1194-1. The manual for my IC-970A covers models A/E/H including europe

models. In the manual, a part number SC-1128 is listed presumably for the US, Europe, Sweden and Australia versions.

Does this mean I have to change the ROM to get domestic band? I see no other differences operationally to this radio (CTCSS etc). A friend in Japan has located some ROM's being sold on the Japan Yahoo Auction that are supposed to open the radio up. Has anyone heard of this, would they be the correct ones?

Or can I simply change the resistors R18X- R19X on the CPU for the US model?

2. Is anyone familiar with the nomenclature of the CPU signals. I came across the following signals from the logic board that
I can't figure out. They are from one of the expander chips and are called: HPI, and XHRT. The first I think has to do with cross band repeat option (mod) and the second I think is for the high speed CW break in. As this radio hasn't had the cross band repeat mod and doesn't

have the keyer, I haven't tried to exercise either of these lines. Does any one have a listing of signals commonly used in ICOM transceivers?

3. Is anyone else aware of any differences between the Japan and US versions other than what I have noted?

Thanks in advance

BIG RIG (IC-970) MECHANIC

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

3394. ICOM IC-970 (japan 10W model) Questions (repost)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 07:39:59 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D84394E.4A18205F@nettally.com>
Source record: 39404
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.space

Sorry subject line should read:
ICOM IC-970 (japan 10W model) Questions

I have just acquired one of these used from Japan to keep as as a spare.

The questions I have are:

1. This Japan model is a basic IC-970 (no suffix), is a 10 watt unit and has limited bandwidth 144-146 and 430-440 MHz. This is no problem for domestic weak signal, but I would like to get the US FM band portions activated. I see that the internal ROM IC-3 has a part number SC1194-1. The manual for my IC-970A covers models A/E/H including europe

models. In the manual, a part number SC-1128 is listed presumably for the US, Europe, Sweden and Australia versions.

Does this mean I have to change the ROM to get domestic band? I see no other differences operationally to this radio (CTCSS etc). A friend in Japan has located some ROM's being sold on the Japan Yahoo Auction that are supposed to open the radio up. Has anyone heard of this, would they be the correct ones?

Or can I simply change the resistors R18X- R19X on the CPU for the US model?

2. Is anyone familiar with the nomenclature of the CPU signals. I came across the following signals from the logic board that
I can't figure out. They are from one of the expander chips and are called: HPI, and XHRT. The first I think has to do with cross band repeat option (mod) and the second I think is for the high speed CW break in. As this radio hasn't had the cross band repeat mod and doesn't

have the keyer, I haven't tried to exercise either of these lines. Does any one have a listing of signals commonly used in ICOM transceivers?

3. Is anyone else aware of any differences between the Japan and US versions other than what I have noted?

Thanks in advance

BIG RIG (IC-970) MECHANIC

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

3395. proba

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 08:16:21 UTC
From: ZORAN KOROLJEVIC <zkorolje@inet.hr>
Message-ID: <am1fg5$p2n$1@sunce.iskon.hr>
Source record: 39405

[No readable article body recovered]

3396. Re: ICOM IC-970 (japan 10W model) Questions (repost)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 09:51:04 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <am1l8q0mpq@enews2.newsguy.com>
Source record: 39406
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.space

While in Japan from 1990-93, I purchased an IC-729 (HF plus 6-meters, gen coverage receive 1.6 MHZ to 30 Mhz) and an IC-3SR (a hand-held with gen coverage receiver, 25 - 950 Mhz, and 430-440 Mhz - the rcvr covered 800 Mhz cell-phone freqs, which is not prohibited in Japanese domestic radios). Also purchased the Japanese version of the Yaesu FT-470 dual-band handheld.

The Japanese 80 and 40 meter bands are different from the US bands and the HF rig would not cover the US portion of these two bands. I found a mod that involved clipping two diodes. Of course, that enabled the rig to transmit across its entire range so I have to watch it when I am close to the band edge.

The UHF handheld and the dual-bander were different matters. I had to return both to their respective distributors in the States where they replaced the ROM or something that opened both up to the US VHF and UHF band. When the ROM was replaced in the IC-3SR, it did not change the gen coverage receiver, just the 430-450 transmit.

There may be a mod that you can use somewhere on the Internet -- check out the various ham pages, such as A6CV, for a link to mods, search under IC-970, etc. If not, back to the factory.

Good luck.
--

Regards,
Joe S.

"Joe Leikhim" <jleikhim@nettally.com> wrote in message
news:3D84394E.4A18205F@nettally.com...
> Sorry subject line should read:
> ICOM IC-970 (japan 10W model) Questions
>
> I have just acquired one of these used from Japan to keep as as a spare.
>
> The questions I have are:
>
> 1. This Japan model is a basic IC-970 (no suffix), is a 10 watt unit
> and has limited bandwidth 144-146 and 430-440 MHz. This is no problem
> for domestic weak signal, but I would like to get the US FM band
> portions activated. I see that the internal ROM IC-3 has a part number
> SC1194-1. The manual for my IC-970A covers models A/E/H including europe
>
> models. In the manual, a part number SC-1128 is listed presumably for

> the US, Europe, Sweden and Australia versions.
>
> Does this mean I have to change the ROM to get domestic band? I see no
> other differences operationally to this radio (CTCSS etc). A friend in
> Japan has located some ROM's being sold on the Japan Yahoo Auction that
> are supposed to open the radio up. Has anyone heard of this, would they
> be the correct ones?
>
> Or can I simply change the resistors R18X- R19X on the CPU for the US
> model?
>
> 2. Is anyone familiar with the nomenclature of the CPU signals. I came
> across the following signals from the logic board that
> I can't figure out. They are from one of the expander chips and are
> called: HPI, and XHRT. The first I think has to do with cross band
> repeat option (mod) and the second I think is for the high speed CW
> break in. As this radio hasn't had the cross band repeat mod and doesn't
>
> have the keyer, I haven't tried to exercise either of these lines. Does
> any one have a listing of signals commonly used in ICOM transceivers?
>
> 3. Is anyone else aware of any differences between the Japan and US
> versions other than what I have noted?
>
> Thanks in advance
>
> BIG RIG (IC-970) MECHANIC
>
> --
> Joe Leikhim K4SAT
> Jleikhim@nettally.com
>
> "Jazz is not dead. It just smells funny." -F.Z.
>
>

3397. FS: Siemens C3m valves, NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 10:54:41 UTC
From: arnoldg@c2i.net
Message-ID: <3d8467c3.495281@news1.c2i.net>
Source record: 39408

Hello,

This very special Siemens valve can be used as a driver for 300B and
similar. It is a pentode with a heater of 20V 0.125A, Va 225 Vg2 155V
Ia 16mA Ig2 3mA S = 6.5mA/V Wa 4W max Ik max 30mA. Loctal socket.
I have several in stock at NOK 172.- each or about $ 22.90. They are
all NOS and in original boxes. Pictures and data on my web site -
www.demostenes.no

Best regards,

Arnold Goks&#65533;yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

3398. FT840 gone deaf - help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 11:48:46 UTC
From: Martin Peters <martin.peters@ntlworld.com>
Message-ID: <Et_g9.109$8r5.59902@newsfep1-gui.server.ntli.net>
Source record: 39409

Hi guys,

I wonder if anyone out there is able to advise? After years of trusty service my 840 has gone deaf.

I THINK I may have caused the fault myself by TXing with low power AM whilst tuning right across the frequency range (into a dummy load). Next time I tried the rig it was many S points below normal.

If I touch the antenna onto the various band-switching diodes on the main board it springs back to life, so it's something common to all.

Any ideas much appreciated.

Martin - G4EFE

3399. Need help Yaesu FT 100d on 9600 baud packet

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 11:58:53 UTC
From: bill kurtti <bkurtti@utma.com>
Message-ID: <3D8473E7.B5BA7891@utma.com>
Source record: 39410

I am having trouble getting my FT-100-D Yaesu & A MFJ 1270C
working on 9600 baud packet. I have tried everything I can think of..
A Kenwood TH 733 works very well connected to the same TNC.
The Yaesu works very will on 1200 & 300 baud. I am using the
Yaesu CT-39 packet cable Hooked up like this

DATA JACK PIN
YAESU MFJ-1270C
1 TX AUDIO 1 MIC.AUDIO
2 DATA GROUND 2 GROUND
3 PTT 3 PTT
4 RX DATA 9600 4 RECEIVE AUDIO
5 NO CONNECTION
6 NO CONNECTION
HEAVY BLACK GROUND TO SHIELD (I HAVE TRIED IT
OPEN ALSO WITH NO RESULTS)

It receives the connect msg from another 9600 baud station but can not
transmit a readable response in return. I dont have a deviation meter
but the transmitted signals sound almost exactly alike.

My Settings are

15KC FM

MENU
28 AFSK LEVEL 8 (best sounding packet, but I have tried
everything from 0 to 100)
33 FM DEV 5
34 AFSK MODE PCK- F
37 PACKET RATE 9600
ALL REST ARE ON DEFAULT SETTING

Is there anyone that has a FT-100-D that has had the same problem & was
able to work it out.

73 Bill WC0M

3400. Re: F.S. 2 meter amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 12:25:46 UTC
From: rob34 <rob34@infinet.com>
Message-ID: <3d847c5d$0$1428$4c5ecdc7@news.erinet.com>
Source record: 39411

Sorry I mean`t to tell you it is a model HTA-20 and it will put out 30 watts
with 1-5 watts drive in FM mode.
"rob34" <rob34@infinet.com> wrote in message
news:3d839e9c$0$1426$4c5ecdc7@news.erinet.com...
> I have a Radio Shack 2 meter amp for sale that is in good shape and also
has
> a preamp. You can go to this site for pictures:
> http://photos.yahoo.com/rob34115 and click on Rob`s photos. I am asking
> $40 or best offer plus shipping. Thanks, Rob
>
>

3401. Re: FT840 gone deaf - help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 13:00:10 UTC
From: radiofun <radiofun@charter.net>
Message-ID: <uo916aippl4q6a@corp.supernews.com>
Source record: 39412

Martin......transmitting as you described would not have caused that. Any lightning in your area recently? Several of those diodes may have been popped.

Bill
Web Site: www.polkcounty.org/radiofun
ICQ: 11908449
Yahoo Mess: Hitradio93Q

"Martin Peters" <martin.peters@ntlworld.com> wrote in message news:Et_g9.109$8r5.59902@newsfep1-gui.server.ntli.net...
> Hi guys,
>
> I wonder if anyone out there is able to advise? After years of trusty
> service my 840 has gone deaf.
>
> I THINK I may have caused the fault myself by TXing with low power AM whilst
> tuning right across the frequency range (into a dummy load). Next time I
> tried the rig it was many S points below normal.
>
> If I touch the antenna onto the various band-switching diodes on the main
> board it springs back to life, so it's something common to all.
>
> Any ideas much appreciated.
>
> Martin - G4EFE
>
>

3402. FS: Microphones

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 13:30:08 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <6q29ou47vqnc92mp9bhtu6nas80la3itgs@4ax.com>
Source record: 39413

For sale:

Electrovoice 664 microphone - silky smooth for AM or SSB
Very good condition - selling for $95.00
Might have a nice stand for it for an extra $5.00

Electrovoice 621L desk mic as used on Heath and others
Very nice condition. Available for $60.00

Shure 414B mini-mobile mic, gray with coil cord $15.00

Shure 404C hand mic. Larger mobile mic - gray with coil cord.
QTY 2 available for $20.00 each

Shipping additional

E-mail me to arrange purchase.
- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3403. Re: Source for 1/4" stereo splitter (Y-cable)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 14:09:28 UTC
From: Idontwantspam@net
Message-ID: <3d8493b8.1405721@news.bellatlantic.net>
Source record: 39414

>>I need an M-F-F 1/4" stereo phone splitter (aka "Y-cable" or "Y
>>adapter") for my CW jack -- what with two keys and the sound card
>>stuff. RS only has the rigid adapter that stesses the jack.
>>pccables.com doesn't have it. Anyone know a source? I shouldn't have
>>to make one of these.
>>
>>Ken KC2JDY
>>
I guess I am spoiled. About two miles from my home is a large
electronics store which carries a full line of parts, tools, etc
catering to professionals as well as hobbyists.

Not always the least expensive, but they have what you need in stock,
and the salespeople seem like they know which end of a soldering iron
to hold.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

3404. Re: eHam net

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 15:30:38 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <yl1h9.496$E53.61591@newsread2.prod.itd.earthlink.net>
Source record: 39415
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

As of 11:30AM on 9/15, www.eham.net is responding to pings, so looks like
the server is still alive but the site isn't up.

--
K8AC
Floyd Sense in Angier, NC
"Bill" <radio@despammed.com> wrote in message
news:am07os01rgg@enews1.newsguy.com...
> What happened to eHam.net? Have not been able to find it for a couple of
> days.
>
> Bill
>
>
>

3405. FA: UNBUILT HEATHKIT IT-11 CAP TESTER, One of thier Betters 1's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 16:14:32 UTC
From: rlucch2098@aol.com
Message-ID: <20020915121432.01209.00005899@mb-mq.aol.com>
Source record: 39416

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277035

3406. FA: BRAND-NEW Cardwell 2-Section Air Variable in Box@$12, Tonite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 16:15:56 UTC
From: rlucch2098@aol.com
Message-ID: <20020915121556.01209.00005900@mb-mq.aol.com>
Source record: 39417

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277042

3407. FA> Real Big GR "VARIAC" 230VAC @8AMPS, Ends Tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 16:17:47 UTC
From: rlucch2098@aol.com
Message-ID: <20020915121747.01209.00005904@mb-mq.aol.com>
Source record: 39418

Real nice with pictures to boot!
At A mere $106!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277000

3408. fa-hard to find YAESU FR-101 Receiver Module for 6-mtrs, Cheep>Tonite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 16:19:33 UTC
From: rlucch2098@aol.com
Message-ID: <20020915121933.01209.00005905@mb-mq.aol.com>
Source record: 39419

Real nice with pictures to boot!
At A mere $21!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277019

3409. Fa. National SW-54 SW Receiver, Works, original but needs TLC, 2-nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 16:21:19 UTC
From: rlucch2098@aol.com
Message-ID: <20020915122119.01209.00005908@mb-mq.aol.com>
Source record: 39420

Real nice with pictures to boot!
At A mere $20!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1379277006

3410. FA: TPL brand VHF RF Amplifier, 1 in 45 out, Gotta see, No bids yet!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 16:22:51 UTC
From: rlucch2098@aol.com
Message-ID: <20020915122251.01209.00005909@mb-mq.aol.com>
Source record: 39421

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1380893010

3411. Re: eHam net

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 16:32:44 UTC
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Message-ID: <MC2h9.278468$kp.906104@rwcrnsc52.ops.asp.att.net>
Source record: 39422
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

"Floyd Sense" <sentek@sprintmail.com> wrote in message
news:yI1h9.496$E53.61591@newsread2.prod.itd.earthlink.net...
> As of 11:30AM on 9/15, www.eham.net is responding to pings, so looks like
> the server is still alive but the site isn't up.
>
> --
> K8AC
> Floyd Sense in Angier, NC
> "Bill" <radio@despammed.com> wrote in message
> news:am07os01rgg@enews1.newsguy.com...
> > What happened to eHam.net? Have not been able to find it for a couple of
> > days.

Their sponsor was appealing for support from the readers a few weeks back, complaining that it and the Contesting sites were using more than a T-1 bandwidth and were not able to pay for it. They stipulated at the time that they were not going to keep it up as a charitable contribution. Since both sites have disappeared simultaneously, I suspect they did just what they said they would do.

W4ZCB

3412. Re: eHam net

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 17:58:10 UTC
From: JRM <VOID@yahoo.com>
Message-ID: <am2hpm$236fr$1@ID-71985.news.dfncis.de>
Source record: 39423
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

On Sunday 15 September 2002 11:32 am, Harold E. Johnson wrote:

> Their sponsor was appealing for support from the readers a few weeks back,
> complaining that it and the Contesting sites were using more than a T-1
> bandwidth and were not able to pay for it. They stipulated at the time
> that they were not going to keep it up as a charitable contribution. Since
> both sites have disappeared simultaneously, I suspect they did just what
> they said they would do.

Just a rumor, But I read they were hacked and are rebuilding the system
right now.

There is also a worm (think virius for servers) running around right now. so
it could be that. Just a wild guess on my part.

--
John R. Marshall

TBA...

3413. ICOM 746 High SWR Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 19:12:53 UTC
From: "David M. Hitchner" <biteme@spammers.net>
Message-ID: <JU4h9.131360$2L.6508660@e3500-atl2.usenetserver.com>
Source record: 39424

I am having problems with my ICOM IC-746.

I have been fighting a high SWR problems on the 2 meter band
for over a year now. I have gone through several different cables
and several different antennas in an attempt to solve the problem.
Although the my antenna systems all looked good using an
analyzer and external SWR meters, the SWR meter on the IC-746
climbs rapidly as power is increased and sometimes limits the
power to less than 50 watts on different parts of the band and
with different antenna systems.

Yesterday I had the opportunity to put another IC-746 in place of
my radio and it worked perfectly. This leads me to the conclusion
that the problem is in my radio. Any suggestions on how to solve
this problem or will I need to send the unit in for repairs? I have
some experience in electronic servicing so if there is something
I can do myself I would rather do that then loose my radio for a
while.

If I need to send the unit in for repairs, any suggestions on where
to send it. It is no longer in warranty.

--
David M. Hitchner - K5DMH
Baton Rouge, LA

Baton Rouge Area Scanning
http://home.bellsouth.net/p/PWP-k5dmh

ASDS - Anti-Spam Defense System - Do not Auto-Reply
For replies, use my callsign @bellsouth.net or @arrl.net.

Artificial Intelligence is no match for Natural Stupidity!

3414. WTB: Icom 970 Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 20:05:25 UTC
From: rs2bk@aol.com
Message-ID: <20020915160525.05087.00003173@mb-fn.aol.com>
Source record: 39425

Looking for the UT-36 voice synthesizer,
UX-97 1.2ghz band module and
the UX-96 receive module.

Thanks,
Jim Roseman w9ud
Moline IL

3415. FS: Heathkit SB-220 manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 20:35:17 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <jir9ouk717fqgkqp965tc5at51vnravbkb@4ax.com>
Source record: 39426

I have for sale in very good condition a Heathkit SB-220 assembly manual....This is the original manual, not a copy. I will take $25 shipped by US mail only in the 48 states ....I can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Mass.

3416. Re: eHam net

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 21:47:21 UTC
From: Rick Ruhl <ricker@cssincorp.com>
Message-ID: <uoa00cojqcuj7a@corp.supernews.com>
Source record: 39427

Just got an email from Bill Fisher, W4AN. Yes, it was hacked Friday night
and he's been working to get it back up and running.

Rick - W4PC

"JRM" <VOID@yahoo.com> wrote in message
news:am2hpm$236fr$1@ID-71985.news.dfncis.de...
> On Sunday 15 September 2002 11:32 am, Harold E. Johnson wrote:
>
> > Their sponsor was appealing for support from the readers a few weeks
back,
> > complaining that it and the Contesting sites were using more than a T-1
> > bandwidth and were not able to pay for it. They stipulated at the time
> > that they were not going to keep it up as a charitable contribution.
Since
> > both sites have disappeared simultaneously, I suspect they did just what
> > they said they would do.
>
> Just a rumor, But I read they were hacked and are rebuilding the system
> right now.
>
> There is also a worm (think virius for servers) running around right now.
so
> it could be that. Just a wild guess on my part.
>
> --
> John R. Marshall
>
> TBA...

3417. Re: Ameritron ALS-600 Solid State Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 21:55:17 UTC
From: sdsharpe_nospam@earthlink.net
Message-ID: <9l7h9.1167$E53.117649@newsread2.prod.itd.earthlink.net>
Source record: 39428

I wouldn't buy another Ameritron ever. I bought their ALS-500 mobile amplifier brand new($800) and had nothing but trouble with it. Phone calls to Tenn. or where ever they are built only re-enforced my resolve to never buy from them again! Yes, defective relay,etc.,etc.,etc. and the techs admitted the problems they've been having with the amp. Thought I'd put this out here so no body else experiances the grief I have! WB6KIO/Steve

3418. Re: eHam net

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 23:03:29 UTC
From: Robert Dwiggins II <rdwiggins@attglobal.net>
Message-ID: <1B66E275F5FA1BFC.9AA96A1D56E22DBE.84D8FBF23848950A@lp.airnews.net>
Source record: 39429

Hello All,

I'm hoping that they get back up! eham.net is easily the best amateur radio site on the net.

And, yes, I made a contribution a couple of weeks ago, in hopes that they would be able to continue!

73,

Bob WA5IHZ

Rick Ruhl wrote:

> Just got an email from Bill Fisher, W4AN. Yes, it was hacked Friday night
> and he's been working to get it back up and running.
>
> Rick - W4PC
>
> "JRM" <VOID@yahoo.com> wrote in message
> news:am2hpm$236fr$1@ID-71985.news.dfncis.de...
> > On Sunday 15 September 2002 11:32 am, Harold E. Johnson wrote:
> >
> > > Their sponsor was appealing for support from the readers a few weeks
> back,
> > > complaining that it and the Contesting sites were using more than a T-1
> > > bandwidth and were not able to pay for it. They stipulated at the time
> > > that they were not going to keep it up as a charitable contribution.
> Since
> > > both sites have disappeared simultaneously, I suspect they did just what
> > > they said they would do.
> >
> > Just a rumor, But I read they were hacked and are rebuilding the system
> > right now.
> >
> > There is also a worm (think virius for servers) running around right now.
> so
> > it could be that. Just a wild guess on my part.
> >
> > --
> > John R. Marshall
> >
> > TBA...

3419. Re: NiCad Battery Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 23:21:43 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns928AA6B4CB8E9Frog207Junocom@148.78.248.76>
Source record: 39430

I'd have some concerns, considering the age of that battery. 5 1/2 years is a long time sitting in storage. Also, a fully charged NiCd will come right off the charger showing about 1.4 volts per cell. If that is a 5 cell unit, and you check the voltage immediatly after pulling it off charge, it should read about 7.0 volts, and will slowly fall down to around 1.3 as it sits and cools. Only after a load is placed on it, or after it has sat for quite some time should it read 1.2 volts per cell. If you read 6.3 volts right after taking it off charge, then it has already lost some of its factory spec capacity. At least, that's my experience with NiCds.

Ed WB6SAT

3420. Re: fa-hard to find YAESU FR-101 Receiver Module for 6-mtrs, Cheep>Tonite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-15 23:45:20 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <KK8h9.33655$AY5.12955384@e3500-atl1.usenetserver.com>
Source record: 39431

Hard to find!!!! I have 11 of them and listing one a week on e-bay until they are all gone

3421. Repairing Conductive Rubber touchpads?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 02:25:22 UTC
From: Terry Nixon <TLNixon@mchsi.com>
Message-ID: <mibh9.440071$me6.50471@sccrnsc01>
Source record: 39432

I have 2 Kenwood HT's and an Azden 2 meter mobile on which some of the conductive rubber pads have worn out. Has anyone had any success at repairing those?

I know MCM Electronics sells a kit to repair those, but it is about $25.00. I don't have a problem with that if I know it would work and be more than a temporary repair.

Thanks

WB0VQP

3422. Re: Repairing Conductive Rubber touchpads?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 03:03:26 UTC
From: jr <jerryham@pobox.com>
Message-ID: <3D8549FE.BB6B9C8F@pobox.com>
Source record: 39433

I used that kit, did not last that long, you MUST let it dry for a
couple of days..

Terry Nixon wrote:
>
> I have 2 Kenwood HT's and an Azden 2 meter mobile on which some of the
> conductive rubber pads have worn out. Has anyone had any success at
> repairing those?
>
> I know MCM Electronics sells a kit to repair those, but it is about $25.00.
> I don't have a problem with that if I know it would work and be more than a
> temporary repair.
>
> Thanks
>
> WB0VQP

3423. Re: Repairing Conductive Rubber touchpads?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 03:13:56 UTC
From: Bill <radio@despammed.com>
Message-ID: <am3i9n02iad@enews4.newsguy.com>
Source record: 39434

I have had good luck disassembling various kinds of conductive rubber keypads and washing both the pads (conductive spots on the contact side) and the PC board contact points (traces) with LAVA hand soap. Be sure to rinse thoroughly and dry completely prior to reassembly.

I would think that a mildly abrasive tooth paste would do as well.

Bill

3424. FS: ICOM IC-746 HF/VHF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 04:29:52 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <47dh9.324396$_91.420109@rwcrnsc51.ops.asp.att.net>
Source record: 39435
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

FS: ICOM IC-746 HF/VHF Transceiver

* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

- 160 thru 10,6,2 meters, 100 watts all bands.
- Non smoker.

$895.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

3425. ' FA Sony AN-1 Active Whip Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 05:08:00 UTC
From: Jim <jbollit@ix.netcom.com>
Message-ID: <am3ovc$59l$1@slb0.atl.mindspring.net>
Source record: 39436
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.antenna

If interested, see:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1381573182&ssPageName=ADM
E:B:LC:US:1

It has not been used in the outside elements/weather and has never been
mounted to anything. The whip antenna is in perfect condition as it has
seen little use. I bought this antenna about three years ago and used it in
the radio room (with the antenna module sitting on the floor) for one month
before putting up a dipole and buying a Kiwa MW Loop antenna. I just tested
the unit with 6 AA batteries and it works perfectly. The unit comes in the
original box and has the original manual.

3426. Re: Source for 1/4" stereo splitter (Y-cable)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 05:19:53 UTC
From: cprstn54zz@att.net
Message-ID: <3d856963.14812296@news-server.optonline.net>
Source record: 39437

On Sat, 14 Sep 2002 20:06:28 -1000, "Russell Hltn"
<reply@2newsgroup.com> wrote:

>Catalog # 42-2448 (1/4" stereo headphone Y-adapter) seems to be what
>your asking for. But it may not be shielded.

Hmmm. I can't seem to bring that up on the RS web site, except in
product manuals for other items.

I do find 42-2568, which is a 3' Y-cable for $6.99.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3427. alpha-78

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 05:26:46 UTC
From: victor <victorsa@rcn.com>
Message-ID: <am3q2m$q1n$1@bob.news.rcn.net>
Source record: 39438

fs-alpha-78 orig.owner,and kenwood 940, both in fb cond. no shipping, sorry, contact, k3vay....victor

3428. FS Yaesu "stuff" with pictures.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 06:01:49 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <hteh9.114$c87.13255@newsread2.prod.itd.earthlink.net>
Source record: 39439

You may view most of the equipment on my web page....

http://radioleo.tripod.com/leo/

THIS IS A NEW POST !!!!!!!!!!!!!!!!!!! NOW PRICED SEPARATELY...

I have a list of some NEW goodies, hope you like them.................

Yaesu FT-102 Transceiver, & Yaesu MD-1B8 Desk Microphone...$460.00

Yaesu FV-102DM External VFO...........$175.00 SOLD.......

Yaesu FC-102 Antenna Tuner.................$175.00 SOLD.......

Yaesu SP-102P Phone Patch/Speaker.....$100.00

Yaesu FT-757GX II Transceiver
Yaesu FRB-757 Amp/Relay.........$425.00

Yaesu FT-707 Transceiver, hand microphone $285.00

Yaesu FC-707 Antenna Tuner...........$150.00

Yaesu "Brand New In The Box" FV-707DM External VFO...$175.00

Yaesu "Brand New In The Box" MR-7 Rack for the FT-707....$39.00

Yaesu "Brand New In The Box" FRB-707 Amp/Relay.........$50.00

Yaesu FT-480R 2 Meter All Mode Transceiver........$275.00

Yaesu YS-2000 FT-101 Matching SWR/Power Meter.......$90.00...SOLD

Yaesu YO-101 FT-101 Matching Scope........$80.00 ...SOLD

Yaesu FV-101Z FT-101ZD Matching External VFO.........$100.00

Yaesu FF-501 TVI Filter.............$20.00

(2) Yaesu Landliner Speaker/Phone Patch........$50.00 each

Nye - Viking MB-V-A 3000 Watt Antenna Tuner.........$500.00

" It sells NEW for about $900.00"

Ten Tec Model 4229 Antenna Tuner $170.00

Henry 2K Classic Console Amplifier 10,15,20,40,80 meters.........$975.00
Pick Up Only in Los Angeles........
"It sells NEW for about... $2000.00"

Heathkit SB-221 Amplifier.....$525.00
10-80 meters, nice condition

PAL 120+ 12 Volt Tube Amplifier.....$99.00

PAL KW-1 SWR/Watt Meter.....$40.00

Heathkit SB-614 Scope.....$100.00

Mirage B-108 2 Meter Amplifier 10 watts in 80 watts out.....$75.00

Bird # 43 Wattmeter.....$175.00
"It sells new for $309.00"

Bird 100C 100 Watt Element for 100 - 250 MHz.....$50.00

Bird 250H 250 Watt Element for 2 - 30 MHz.....$50.00

Bird 1000H 1000 Watt Element for 2 - 30 MHz $70.00

Bencher Keyer BY-2.....$70.00
"It sell NEW for $125.00"

Ham Key $40.00

"New In The Box" Alliance Rotor.....$90.00

Astron RS-35M 35 Amp 12 Volt Regulated Power Supply With
Meters.....$90.00

AEA MM-3 Morse Machine, Original box, and Manual.....$80.00

MFJ - 1278 TNC.....$99.00

(2) MFJ-1272B TNC/MIC Switch.....$10.00 each

Heil HM-10-5 Desk Microphone Wired For Yaesu.....$70.00

Gallon Dummyload.....$20.00

Thanks & 73,
Leo KJ6HI
Ph/Fax (310) 670-6969

3429. Re: eHam net

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 06:25:54 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <HFeh9.328$w44.16195@sooner.brightok.net>
Source record: 39440

eHam is back up!!

"Robert Dwiggins II" <rdwiggins@attglobal.net> wrote in message
news:1B66E275F5FA1BFC.9AA96A1D56E22DBE.84D8FBF23848950A@lp.airnews.net...
> Hello All,
>
> I'm hoping that they get back up! eham.net is easily the best amateur
radio
> site on the net.
>
> And, yes, I made a contribution a couple of weeks ago, in hopes that they
would
> be able to continue!
>
> 73,
>
> Bob WA5IHZ
>
> Rick Ruhl wrote:
>
> > Just got an email from Bill Fisher, W4AN. Yes, it was hacked Friday
night
> > and he's been working to get it back up and running.
> >
> > Rick - W4PC
> >
> > "JRM" <VOID@yahoo.com> wrote in message
> > news:am2hpm$236fr$1@ID-71985.news.dfncis.de...
> > > On Sunday 15 September 2002 11:32 am, Harold E. Johnson wrote:
> > >
> > > > Their sponsor was appealing for support from the readers a few weeks
> > back,
> > > > complaining that it and the Contesting sites were using more than a
T-1
> > > > bandwidth and were not able to pay for it. They stipulated at the
time
> > > > that they were not going to keep it up as a charitable contribution.
> > Since
> > > > both sites have disappeared simultaneously, I suspect they did just
what
> > > > they said they would do.
> > >
> > > Just a rumor, But I read they were hacked and are rebuilding the
system

> > > right now.
> > >
> > > There is also a worm (think virius for servers) running around right
now.
> > so
> > > it could be that. Just a wild guess on my part.
> > >
> > > --
> > > John R. Marshall
> > >
> > > TBA...
>

3430. WTB: YSK-8100 trunk mouting kit for FT 8100

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 06:34:54 UTC
From: magy <wbw@lwp.pl>
Message-ID: <am3tte$m94$1@news.tpi.pl>
Source record: 39441

I need two . Some offers?
Bart SQ7GDD

3431. FS ADI-AT600

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 08:33:09 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <9Hgh9.155709$mj7.2180284@twister.rdc-kc.rr.com>
Source record: 39442
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a nice looking and working adi-at600 dual band handheld.
Punch in a code in to the keypad and open tx and rx.
Lighted keypad.
You can hear 2 meters and 440 at the same time.
2 valume and 2 sql controls.
Same as the htx 204
Comes with rubber duck charger and 5 watt battery belt clip and manual in
pdf.
$175 shipped lower 48 states ups insured.
E-mail me for picture of the ht.
Check www.mods.dk for the codes to open tx and rx

3432. Re: Rockwell Collins HF-8050A receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 08:43:48 UTC
From: Ralf <ralf_rf@hotmail.com>
Message-ID: <am45l0$80$1@merki.connect.com.au>
Source record: 39447
Cross-posted to: aus.ads.forsale,aus.electronics,aus.radio.amateur.misc,aus.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Honestly, $5,000 he's got to be joking.
"gcd" <gab36spam@bigpond.com> wrote in message
news:k3Sg9.32739$g9.92467@newsfeeds.bigpond.com...
> Hi all,
>
> I have an HF-8050A receiver for sale. If interested please email me.
>
> see http://members.austarmetro.com.au/~gcd/hf-8050a.htm
>
> --
> gcd AT austarmetro.com.au
> or use the posting email address - less the spam
>
> Greg
> (not my real email - I hate spam)
>
>

3433. The greatest hamstore in Chicago - where?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 08:45:20 UTC
From: magy <wbw@lwp.pl>
Message-ID: <am45i1fuf1@news.tpi.pl>
Source record: 39443

I need infomation about the greatest hamstore in Chicago(possibly telephone number)
Thanks.
Bart SQ7GDD

3434. Re: Rockwell Collins HF-8050A receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 09:03:26 UTC
From: Bandit <bj@bandit.com.au>
Message-ID: <00hh9.33845$g9.95446@newsfeeds.bigpond.com>
Source record: 39448
Cross-posted to: aus.ads.forsale,aus.electronics,aus.radio.amateur.misc,aus.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Ralf" <ralf_rf@hotmail.com> wrote in message
news:am45l0$80$1@merki.connect.com.au...
> Honestly, $5,000 he's got to be joking.

Yep, Macservice had some of these a while back for $1K, and they dont let anything go cheap.
They come up from time to time at RAAF Auctions for around $300-$600 as-is

3435. WTB: YSK-8100 for FT 8100

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 09:18:11 UTC
From: magy <wbw@go2.pl>
Message-ID: <am47eu$f4k$1@news2.tpi.pl>
Source record: 39444

Please e-mail: wbw@go2.pl

Thanks
Bart SQ7GDD

3436. The greatest hamstore in Chicago?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 09:20:11 UTC
From: magy <wbw@go2.pl>
Message-ID: <am47jc$ss5$1@news.tpi.pl>
Source record: 39445

Please e-mail me wbw@go2.pl

Thanks
Bart SQ7GDD

3437. Re: Rockwell Collins HF-8050A receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 09:21:36 UTC
From: gcd <gab36spam@bigpond.com>
Message-ID: <Efhh9.33857$g9.94779@newsfeeds.bigpond.com>
Source record: 39449
Cross-posted to: aus.ads.forsale,aus.electronics,aus.radio.amateur.misc,aus.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi,
where were these comments when I sought a market value a week back? The only response I got was a fellow in the US who indicated a value of US$3750. Given I had heard of these selling for up to US$5k I took that as market then dropped a little off.

So what do you reckon is a realistic market value?

Greg

"Bandit" <bj@bandit.com.au> wrote in message
news:00hh9.33845$g9.95446@newsfeeds.bigpond.com...
>
> "Ralf" <ralf_rf@hotmail.com> wrote in message
> news:am45l0$80$1@merki.connect.com.au...
> > Honestly, $5,000 he's got to be joking.
>
>
> Yep, Macservice had some of these a while back for $1K, and they dont let
> anything go cheap.
> They come up from time to time at RAAF Auctions for around $300-$600 as-is
>
>
>
>

3438. Looking for Swan 350 Dial

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 10:00:36 UTC
From: kip@msc.cornell.edu
Message-ID: <am4a44$16g$1@news01.cit.cornell.edu>
Source record: 39446

Dear NewsReaders,

I'm looking for a replacement frequency dial for a Swan 350 transceiver. It appears that an attempt to clean mine wiped out markings.

Thanks for reading this, Carl KB2KDV

3439. Re: Rockwell Collins HF-8050A receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 10:35:38 UTC
From: "George W. Frost" <frosty@iceworks.org>
Message-ID: <_tih9.11177$Ee4.31798@news-server.bigpond.net.au>
Source record: 39451
Cross-posted to: aus.ads.forsale,aus.electronics,aus.radio.amateur.misc,aus.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Whatever you are prepared to pay

"gcd" <gab36spam@bigpond.com> wrote in message
news:Efhh9.33857$g9.94779@newsfeeds.bigpond.com...
> Hi,
>
> So what do you reckon is a realistic market value?

3440. Re: Source for 1/4" stereo splitter (Y-cable)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 12:17:22 UTC
From: cprstn54zz@att.net
Message-ID: <3d85cb6a.39907046@news-server.optonline.net>
Source record: 39450

On Thu, 12 Sep 2002 17:49:11 GMT, cprstn54zz@att.net (Ken) wrote:

It is no longer a common "electronic" item. However, it is a common
"music" item, especially for guitar. See, e.g.:
http://www.marsmusic.com/store/product_template.jhtml?catid=354&prodid=8217&primarySkuId=3
074&navCount=24&navAction=push

So, I'll check the local music store.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3441. Re: Rockwell Collins HF-8050A receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 13:15:29 UTC
From: JackR <JackRyan@aol.com>
Message-ID: <RPkh9.29865$U7.12873197@twister.socal.rr.com>
Source record: 39457
Cross-posted to: aus.ads.forsale,aus.electronics,aus.radio.amateur.misc,aus.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Thats $2750 USD!
de Jack

"Ralf" <ralf_rf@hotmail.com> wrote in message
news:am45l0$80$1@merki.connect.com.au...
> Honestly, $5,000 he's got to be joking.
> "gcd" <gab36spam@bigpond.com> wrote in message
> news:k3Sg9.32739$g9.92467@newsfeeds.bigpond.com...
> > Hi all,
> >
> > I have an HF-8050A receiver for sale. If interested please email me.
> >
> > see http://members.austarmetro.com.au/~gcd/hf-8050a.htm
> >
> > --
> > gcd AT austarmetro.com.au
> > or use the posting email address - less the spam
> >
> > Greg
> > (not my real email - I hate spam)
> >
> >
>
>

3442. Re: Source for 1/4" stereo splitter (Y-cable)?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 13:52:19 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <X+CFPZYpaNpqyVRaiISsfzBNmdg=@4ax.com>
Source record: 39452

cprstn54zz@att.net (Ken) wrote:

>On Sat, 14 Sep 2002 20:06:28 -1000, "Russell Hltn"
><reply@2newsgroup.com> wrote:
>
>>Catalog # 42-2448 (1/4" stereo headphone Y-adapter) seems to be what
>>your asking for. But it may not be shielded.
>
>Hmmm. I can't seem to bring that up on the RS web site, except in
>product manuals for other items.

42-2448 is in my year 2001 RS catalog, page 119, under headphone accessories.
1/4" stereo male plug, 3' cord, two 1/4" stereo female jacks, $5.99

They probably also sell the plugs and jacks -- wouldn't take 5 minutes to wire
up.

Bob
k5qwg
>
>I do find 42-2568, which is a 3' Y-cable for $6.99.
>
>Ken KC2JDY
>
>
>Ken
>(to reply via email
>remove "zz" from address)

3443. FS: DJ-X10T Mint

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 13:55:53 UTC
From: msdbm@aol.com
Message-ID: <20020916095553.15662.00003779@mb-cv.aol.com>
Source record: 39453

FOR SALE:

ALINCO DJ-X10T Mutimode Professional Scanner
Absolutely in NEW Condition - One month old and charged only twice

1200 Channels (30 banks of 40 channels)
AM, NFM, WFM, USB, LSB, CW, and AUTO Modes
Dual VFO's
Band scope (searches surrounding 40 channels/steps for activity and displays)
Covers .1 - 2000 MHZ except 824-850 and 869-7895 MHZ
Alphanumeric 8 character channel labelling and 3 line display icluding signal strength
Computer programmable
Metal construction
Comes with box, manual, rechargeable battery, drop in charger, antenna, and belt clip.

$250 plus shipping
JOE K2JAD
e mail responses

3444. FS: Motorola SABER Speaker Microphone NIB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 13:58:34 UTC
From: msdbm@aol.com
Message-ID: <20020916095834.15662.00003783@mb-cv.aol.com>
Source record: 39454

FOR SALE:
Motorola Saber "REMOTE SPEAKER MICROPHONE" #NMN6128C, NEW IN THE BOX..This Speaker Microphone Allows you to talk and listen without removing you Radio from your Belt, Your Case or Your Charger. This Microphone Comes with a Coiled Cord and a Clip Back. Motorolas NEW list on this Microphone is $137.00, Dealer Cost is $96.00. This Unit is NEW IN THE BOX and has never been used.

$50 plus shipping

JOE K2JAD
e mail responses please

3445. Daiwa CN-801 SWR/Watt Meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 14:38:13 UTC
From: J Fuentes <ae6gt@earthlink.net>
Message-ID: <p1mh9.603$QI3.58067@newsread1.prod.itd.earthlink.net>
Source record: 39455

Does anyone know how I can contact Daiwa (in the USA) for the calibration instructions for the Daiwa CN-801 watt/swr meter?

Thanks in advance,

Jon AE6GT

3446. Greatest Ham store in Chicago

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 14:51:33 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <Vdmh9.483$c87.59208@newsread2.prod.itd.earthlink.net>
Source record: 39456

The *only* store in Chicago is
Amateur Radio Toy Store, in Wheaton
Roberto is the fellow there.
He is at 630-668-5688 / 9577

No, I am not affiliated with them, just buy from them from time to time.

--
Best Regards...Frank KG9H

3447. K2VI Buyer Beware

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 18:27:24 UTC
From: Bob <K1RI@same.com>
Message-ID: <goph9.60470$8F4.1393064@news2.east.cox.net>
Source record: 39458
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Beware of K2VI

Anthony C. Costa, Jr, K2VI
1905 Arlington Arch Dr
Virginia Beach, VA 23464

This guy makes deals then raises prices moaning about shipping.

Here is a copy of e-mail back and forth between us.

o problem,i have it sold.goodby

-----Original Message-----

From: Bob <K1RI@cox.net>

To: k2vi@exis.net <k2vi@exis.net>

Date: Monday, September 16, 2002 2:06 PM

Subject: FW: Your QTH.COM Ad yaesu yo-301...

>

>

>

>My original deal with you was $165..I then Oked $170. I will not pay

>more than that. This is ridiculous and you are screwing me around. If

>you will not ship this for $170 then you let me know. I will be sure

>to let other know you waffled on a deal. You talked to me about honor,

>have you lost yours?

>

>

>

>-----Original Message-----

>From: Bob [mailto:K1RI@cox.net]

>Sent: Monday, September 16, 2002 1:48 PM

>To: 'k2vi'

>Subject: RE: Your QTH.COM Ad yaesu yo-301...

>

>

>Us the Post Office Priority.

>

>-----Original Message-----

>From: k2vi [mailto:k2vi@exis.net]

>Sent: Monday, September 16, 2002 1:37 PM

>To: K1RI@cox.net

>Subject: Re: Your QTH.COM Ad yaesu yo-301...

>

>

>no bob 170.00 is not ok.the shipping is 23.00.ups is 23 miles one way.i

>have no choice but mail box ect.they bend you over.so it will be

>188.00.please let me know when you get it in the mail.and by the way.i

>thought you were getting back from cancun on the 19th.

>

>tony k2vi

>-----Original Message-----

>From: Bob <K1RI@cox.net>

>To: 'k2vi' <k2vi@exis.net>

>Date: Monday, September 16, 2002 12:27 PM

>Subject: RE: Your QTH.COM Ad yaesu yo-301...

>

>

>>I am will get the Money Order as soon as I hear fro you. I tried to

>>call you but no answer. $170 is OK.

>>

>>73 Bob

>>

>>

>>

>>

>>-----Original Message-----

>>From: k2vi [mailto:k2vi@exis.net]

>>Sent: Wednesday, September 11, 2002 6:43 PM

>>To: K1RI@cox.net

>>Subject: Re: Your QTH.COM Ad yaesu yo-301...

>>

>>

>>hi bob,i hope your vacation went good.i went to the local mail box

>>ect.

>

>>here in va beach.the shipping ups ground will be close to 20.00.im

>>taking a bath on the sale so the money order will come to 170.00.if

>>this is a problem and you want out of the deal i will completely

>>understand.either way let me know.73

>>

>>anthony costa k2vi

>>-----Original Message-----

>>From: Bob <K1RI@cox.net>

>>To: 'k2vi' <k2vi@exis.net>

>>Date: Saturday, September 07, 2002 12:52 PM

>>Subject: RE: Your QTH.COM Ad yaesu yo-301...

>>

>>

>>>Thank you for understanding. I will have a check in the mail the

>>>19th,

>>

>>>I will also e-mail you scanned copy of the check. If below you

>>>correct

>

>>>address?

>>>

>>>Anthony C. Costa, Jr, K2VI

>>>1905 Arlington Arch Dr

>>>Virginia Beach, VA 23464

>>>

>>>Here is my Address:

>>>Bob Elliot

>>>11 Cooke Dr

>>>N. Scituate, RI 02857

>>>

>>>73 Bob

>>>

>>>-----Original Message-----

>>>From: k2vi [mailto:k2vi@exis.net]

>>>Sent: Saturday, September 07, 2002 12:11 PM

>>>To: K1RI@cox.net

>>>Subject: Re: Your QTH.COM Ad yaesu yo-301...

>>>

>>>

>>>hi bob,this is no problem.i will have it ready to ship to you on the

>>>17

>>

>>>th of sept.this way you will have it thursday.otherwize if you have a

>>>friend or relative i can ship it upon arrival of mo,either way it's

>>>yours.please let me know when you mail the mo.thanks bob.

>>>

>>>anthony k2vi

>>>-----Original Message-----

>>>From: Bob <K1RI@cox.net>

>>>To: 'k2vi' <k2vi@exis.net>

>>>Date: Saturday, September 07, 2002 12:02 PM

>>>Subject: RE: Your QTH.COM Ad yaesu yo-301...

>>>

>>>

>>>>Anthony,

>>>>

>>>>I just tried to call you but the line is busy. I have one problem

>>>>and

>>

>>>>that is I will be out of the country until the 18th. I can get the

>>>>MO

>>

>>>>mailed to you on Monday the 19th USPO Priority Mail. I do want the

>>>>scope. Let me know please. I can call you if you wish.

>>>>

>>>>73 Bob K1RI

>>>>

>>>>-----Original Message-----

>>>>From: k2vi [mailto:k2vi@exis.net]

>>>>Sent: Saturday, September 07, 2002 11:52 AM

>>>>To: Bob Elliot

>>>>Subject: Re: Your QTH.COM Ad yaesu yo-301...

>>>>

>>>>

>>>>bob it's yours.i had 3 e mails and your the top one.thank you .the

>>>>shipping to rhode island from virginia beach will run approx 15.00.so

>

>>>>if this is acceptable a mo or bank check for 165.00 will close the

>>>>deal.i will get it right out and e mail you a tracking# as upon

>>>>reciept

>>>

>>>>of m.o.if you need further info please call me at

>>>>home.757-479-8999.thanks again bob.i will wait to hear from you to

>>>>consumate sale.

>>>>

>>>>73.

>>>>anthony K2VI

>>>>-----Original Message-----

>>>>From: Bob Elliot <K1RI@cox.net>

>>>>To: k2vi@exis.net <k2vi@exis.net>

>>>>Cc: K1RI@cox.net <K1RI@cox.net>

>>>>Date: Saturday, September 07, 2002 11:36 AM

>>>>Subject: RE: Your QTH.COM Ad yaesu yo-301...

>>>>

>>>>

>>>>>

>>>>>Dear anthony costa K2VI,

>>>>>

>>>>>You have received a response to your ad, titled "yaesu yo-301",

>>>>>that

>

>>>>>you

>>>>have running on the QTH.COM Free Ham Radio Classified Ads.

>>>>>

>>>>>The response is from:

>>>>>

>>>>>Name: Bob Elliot

>>>>>Callsign: K1RI

>>>>>E-mail: K1RI@cox.net

>>>>>

>>>>>The response is:

>>>>>

>>>>>I would like to buy the yo-301..

>>>>>

>>>>>Regards, Bob

>>>>>

>>>>>----------

>>>>>For your reference, here is a copy of the ad you are responding to:

>>>>>

>>>>>Listing Number: 320163

>>>>>Date Ad was Placed: 09/07/02

>>>>>Name: anthony costa

>>>>>Phone Number: 757-479-8999

>>>>>Callsign: K2VI

>>>>>Category: TEST

>>>>>Heading: yaesu yo-301

>>>>>Ad Message:

>>>>>this scope is in mint condition,works perfectly.cleaning shack so

>>>>>its

>>

>>>>>up

>>>>for sale.

>>>>>asking 150.00

>>>>>

>>>>>thank you

>>>>>

>>>>>k2vi

>>>>>

3448. Re: K2VI Buyer Beware

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 20:51:06 UTC
From: Bob <K1RI@same.com>
Message-ID: <_urh9.60552$8F4.1414209@news2.east.cox.net>
Source record: 39459
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Here is K2VI in action...his reply to me..
please do post our e mail messages.so everyone will see how much of a petty scumbag you really are.i can sell this scope for 225.00 no problem.your getting a great deal and you want to be a hardnose about shipping.go suck an egg loser.and please post this all over the internet.do you think your spiting me ass wipe?you have a long way to go.now crawl back to your hole or where ever you hatched from.

yours very truely

anthony k2vi

"Bob" <K1RI@same.com> wrote in message
news:goph9.60470$8F4.1393064@news2.east.cox.net...
> Beware of K2VI
>
> Anthony C. Costa, Jr, K2VI
> 1905 Arlington Arch Dr
> Virginia Beach, VA 23464
>
> This guy makes deals then raises prices moaning about shipping.
>
> Here is a copy of e-mail back and forth between us.
>
> o problem,i have it sold.goodby
>
> -----Original Message-----
>
> From: Bob <K1RI@cox.net>
>
> To: k2vi@exis.net <k2vi@exis.net>
>
> Date: Monday, September 16, 2002 2:06 PM
>
> Subject: FW: Your QTH.COM Ad yaesu yo-301...
>
>
>
>
> >
>
> >
>
> >
>

> >My original deal with you was $165..I then Oked $170. I will not pay
>
> >more than that. This is ridiculous and you are screwing me around. If
>
> >you will not ship this for $170 then you let me know. I will be sure
>
> >to let other know you waffled on a deal. You talked to me about honor,
>
> >have you lost yours?
>
> >
>
> >
>
> >
>
> >-----Original Message-----
>
> >From: Bob [mailto:K1RI@cox.net]
>
> >Sent: Monday, September 16, 2002 1:48 PM
>
> >To: 'k2vi'
>
> >Subject: RE: Your QTH.COM Ad yaesu yo-301...
>
> >
>
> >
>
> >Us the Post Office Priority.
>
> >
>
> >-----Original Message-----
>
> >From: k2vi [mailto:k2vi@exis.net]
>
> >Sent: Monday, September 16, 2002 1:37 PM
>
> >To: K1RI@cox.net
>
> >Subject: Re: Your QTH.COM Ad yaesu yo-301...
>
> >
>
> >
>
> >no bob 170.00 is not ok.the shipping is 23.00.ups is 23 miles one way.i
>

> >have no choice but mail box ect.they bend you over.so it will be
>
> >188.00.please let me know when you get it in the mail.and by the way.i
>
> >thought you were getting back from cancun on the 19th.
>
> >
>
> >tony k2vi
>
> >-----Original Message-----
>
> >From: Bob <K1RI@cox.net>
>
> >To: 'k2vi' <k2vi@exis.net>
>
> >Date: Monday, September 16, 2002 12:27 PM
>
> >Subject: RE: Your QTH.COM Ad yaesu yo-301...
>
> >
>
> >
>
> >>I am will get the Money Order as soon as I hear fro you. I tried to
>
> >>call you but no answer. $170 is OK.
>
> >>
>
> >>73 Bob
>
> >>
>
> >>
>
> >>
>
> >>
>
> >>-----Original Message-----
>
> >>From: k2vi [mailto:k2vi@exis.net]
>
> >>Sent: Wednesday, September 11, 2002 6:43 PM
>
> >>To: K1RI@cox.net
>
> >>Subject: Re: Your QTH.COM Ad yaesu yo-301...
>

> >>
>
> >>
>
> >>hi bob,i hope your vacation went good.i went to the local mail box
>
> >>ect.
>
> >
>
> >>here in va beach.the shipping ups ground will be close to 20.00.im
>
> >>taking a bath on the sale so the money order will come to 170.00.if
>
> >>this is a problem and you want out of the deal i will completely
>
> >>understand.either way let me know.73
>
> >>
>
> >>anthony costa k2vi
>
> >>-----Original Message-----
>
> >>From: Bob <K1RI@cox.net>
>
> >>To: 'k2vi' <k2vi@exis.net>
>
> >>Date: Saturday, September 07, 2002 12:52 PM
>
> >>Subject: RE: Your QTH.COM Ad yaesu yo-301...
>
> >>
>
> >>
>
> >>>Thank you for understanding. I will have a check in the mail the
>
> >>>19th,
>
> >>
>
> >>>I will also e-mail you scanned copy of the check. If below you
>
> >>>correct
>
> >
>
> >>>address?
>

> >>>
>
> >>>Anthony C. Costa, Jr, K2VI
>
> >>>1905 Arlington Arch Dr
>
> >>>Virginia Beach, VA 23464
>
> >>>
>
> >>>Here is my Address:
>
> >>>Bob Elliot
>
> >>>11 Cooke Dr
>
> >>>N. Scituate, RI 02857
>
> >>>
>
> >>>73 Bob
>
> >>>
>
> >>>-----Original Message-----
>
> >>>From: k2vi [mailto:k2vi@exis.net]
>
> >>>Sent: Saturday, September 07, 2002 12:11 PM
>
> >>>To: K1RI@cox.net
>
> >>>Subject: Re: Your QTH.COM Ad yaesu yo-301...
>
> >>>
>
> >>>
>
> >>>hi bob,this is no problem.i will have it ready to ship to you on the
>
> >>>17
>
> >>
>
> >>>th of sept.this way you will have it thursday.otherwize if you have a
>
> >>>friend or relative i can ship it upon arrival of mo,either way it's
>
> >>>yours.please let me know when you mail the mo.thanks bob.
>

> >>>
>
> >>>anthony k2vi
>
> >>>-----Original Message-----
>
> >>>From: Bob <K1RI@cox.net>
>
> >>>To: 'k2vi' <k2vi@exis.net>
>
> >>>Date: Saturday, September 07, 2002 12:02 PM
>
> >>>Subject: RE: Your QTH.COM Ad yaesu yo-301...
>
> >>>
>
> >>>
>
> >>>>Anthony,
>
> >>>>
>
> >>>>I just tried to call you but the line is busy. I have one problem
>
> >>>>and
>
> >>
>
> >>>>that is I will be out of the country until the 18th. I can get the
>
> >>>>MO
>
> >>
>
> >>>>mailed to you on Monday the 19th USPO Priority Mail. I do want the
>
> >>>>scope. Let me know please. I can call you if you wish.
>
> >>>>
>
> >>>>73 Bob K1RI
>
> >>>>
>
> >>>>-----Original Message-----
>
> >>>>From: k2vi [mailto:k2vi@exis.net]
>
> >>>>Sent: Saturday, September 07, 2002 11:52 AM
>

> >>>>To: Bob Elliot
>
> >>>>Subject: Re: Your QTH.COM Ad yaesu yo-301...
>
> >>>>
>
> >>>>
>
> >>>>bob it's yours.i had 3 e mails and your the top one.thank you .the
>
> >>>>shipping to rhode island from virginia beach will run approx 15.00.so
>
> >
>
> >>>>if this is acceptable a mo or bank check for 165.00 will close the
>
> >>>>deal.i will get it right out and e mail you a tracking# as upon
>
> >>>>reciept
>
> >>>
>
> >>>>of m.o.if you need further info please call me at
>
> >>>>home.757-479-8999.thanks again bob.i will wait to hear from you to
>
> >>>>consumate sale.
>
> >>>>
>
> >>>>73.
>
> >>>>anthony K2VI
>
> >>>>-----Original Message-----
>
> >>>>From: Bob Elliot <K1RI@cox.net>
>
> >>>>To: k2vi@exis.net <k2vi@exis.net>
>
> >>>>Cc: K1RI@cox.net <K1RI@cox.net>
>
> >>>>Date: Saturday, September 07, 2002 11:36 AM
>
> >>>>Subject: RE: Your QTH.COM Ad yaesu yo-301...
>
> >>>>
>
> >>>>
>
> >

> >>>>>
>
> >>>>>Dear anthony costa K2VI,
>
> >>>>>
>
> >>>>>You have received a response to your ad, titled "yaesu yo-301",
>
> >>>>>that
>
> >
>
> >>>>>you
>
> >>>>have running on the QTH.COM Free Ham Radio Classified Ads.
>
> >>>>>
>
> >>>>>The response is from:
>
> >>>>>
>
> >>>>>Name: Bob Elliot
>
> >>>>>Callsign: K1RI
>
> >>>>>E-mail: K1RI@cox.net
>
> >>>>>
>
> >>>>>The response is:
>
> >>>>>
>
> >>>>>I would like to buy the yo-301..
>
> >>>>>
>
> >>>>>Regards, Bob
>
> >>>>>
>
> >>>>>----------
>
> >>>>>For your reference, here is a copy of the ad you are responding to:
>
> >>>>>
>
> >>>>>Listing Number: 320163
>

> >>>>>Date Ad was Placed: 09/07/02
>
> >>>>>Name: anthony costa
>
> >>>>>Phone Number: 757-479-8999
>
> >>>>>Callsign: K2VI
>
> >>>>>Category: TEST
>
> >>>>>Heading: yaesu yo-301
>
> >>>>>Ad Message:
>
> >>>>>this scope is in mint condition,works perfectly.cleaning shack so
>
> >>>>>its
>
> >>
>
> >>>>>up
>
> >>>>for sale.
>
> >>>>>asking 150.00
>
> >>>>>
>
> >>>>>thank you
>
> >>>>>
>
> >>>>>k2vi
>
> >>>>>
>
>
>
>

3449. More K2VI Buyer Beware

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 20:52:53 UTC
From: Bob <K1RI@same.com>
Message-ID: <Fwrh9.60554$8F4.1414590@news2.east.cox.net>
Source record: 39460
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

This is K2VI reply to me:

please do post our e mail messages.so everyone will see how much of a petty scumbag you really are.i can sell this scope for 225.00 no problem.your getting a great deal and you want to be a hardnose about shipping.go suck an egg loser.and please post this all over the internet.do you think your spiting me ass wipe?you have a long way to go.now crawl back to your hole or where ever you hatched from.

yours very truely

anthony k2vi

3450. Re: Daiwa CN-801 SWR/Watt Meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 21:07:22 UTC
From: Lou <tech@dp.net>
Message-ID: <am5h2b$2saa$1@news.dp.net>
Source record: 39461

Not having looked at an AES catalog in a while, they "used to" have the addresses of most if not all of their suppliers listed in the back of the catalog. So, having not seen one in a while, not sure if they still do it or not!

Lou/Tech@DP.NET

"Dick Hughes" <rhughes33@cableone.net> wrote in message news:125cou0u87hojkuset08tg5kl8pesjk05r@4ax.com...
> I seem to remember that Daiwa was bought out by someone recently.
> They sure are hidden well on the Internet. The company Daiwa makes
> fishing gear, and I am sure it is not the same company that makes the
> meters. My recommendation would be to contact AES or HRS and ask them
> if Daiwa has a website.
>
> Dick - W6CCD
>
> On Mon, 16 Sep 2002 14:38:13 GMT, "J Fuentes" <ae6gt@earthlink.net>
> wrote:
>
> >Does anyone know how I can contact Daiwa (in the USA) for the calibration
> >instructions for the Daiwa CN-801 watt/swr meter?
> >
> >Thanks in advance,
> >
> >Jon AE6GT
> >
> >
> >
>

3451. Re: NiCad Battery Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 21:39:19 UTC
From: Richard G Amirault <amirault@shell01.TheWorld.com>
Message-ID: <H2Jw5K.57q@world.std.com>
Source record: 39463

Ed G. <Spectrumhog@_remove_starband.net> wrote:

: I'd have some concerns, considering the age of that battery. 5 1/2 years
: is a long time sitting in storage.

Everyone is making the assumption that "9711" means Nov 1997. I *could*
mean something else.

Richard, N1JDU, Boston, MA, USA

3452. K2VI BUYER BEWARE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 21:39:55 UTC
From: Bob <K1RI@same.com>
Message-ID: <Lcsh9.60629$8F4.1420009@news2.east.cox.net>
Source record: 39462
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

REPLY from K2VI:

---Original Message-----

From: k2vi [mailto:k2vi@exis.net]

Sent: Monday, September 16, 2002 5:32 PM

To: K1RI@cox.net

Subject: Re: K2VI Buyer Beware

dont stop there.post some more.waste your time.by the way i just sold your mint scope for 195 PLUS SHIPPING.ha ha ha ,i sold everything i needed to sell.so you lose dick.someone has a nice scope to add to there shack.you cant win with me.I always win "can you top this".ha ha ha ha ha ha !!!.dont forget to post more bad things about me.i have 14 letters of praise on the equiptment ive sold.so you lose again.i will send you one shit head.and please stop waisting my time with you senseless bull shit.this is the final goodby to a very strange ASSHOLE.

ANTHONY K2VI

3453. Re: NiCad Battery Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 22:36:16 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns928B9EFF5EC85Frog207Junocom@148.78.248.76>
Source record: 39464

>
> Everyone is making the assumption that "9711" means Nov 1997. I
> *could* mean something else.
>

That is very true, but I personally would expect it to be the date.
BTW, the code 9711 would most likely adhere to the year and week of the
year that the battery was manufactured, which is general practice amonst
many makers. Thus, his battery would likely be made in the 11th week of
1997, making the month March.

Ed

3454. FS: Know Real-time, Worldwide, HF Band Conditions In Just 3 Minutes!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 22:44:55 UTC
From: W6NEK <inquire@w6nek.com>
Message-ID: <H9th9.34677$U7.13297515@twister.socal.rr.com>
Source record: 39465
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

W6NEK HF Beacon Tracker - Windows Software

In just a few moments you can get real-time worldwide DX band conditions
using the NCDXF/IARU International Beacon Network!

Now you will know if a band is really open to a particular part of the world
regardless of band activity!

All this from your QTH - in real time - 24/7

Download a free demo of the software at http://www.w6nek.com

3455. FS: ICOM IC-746 HF/VHF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-16 23:43:52 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <Y0uh9.262$L12.333@sccrnsc02>
Source record: 39466

```
* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

- 160 thru 10,6,2 meters, 100 watts all bands.
- Non smoker.

$895.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com
```

3456. MailBoxes, etc. (formerly seller/buyer is a scumbag)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 01:23:53 UTC
From: cprstn54zz@att.net
Message-ID: <3d868339.38878062@news-server.optonline.net>
Source record: 39467

I will not take sides in this dispute except to say when a seller says "actual shipping" he should also say that he is a bazillion miles from the UPS counter and uses MailBoxes or a similar service. Without that, there is no meeting of the minds and no contract, IMHO.

What if the seller is on the North Slope and it costs $250 by float plane to get the thing to the Anchorage UPS counter? Is the buyer supposed to pay that too? I think not.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3457. Kenwood TM201B Controls

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 01:45:27 UTC
From: Chetan Bhargava <Post@news.group>
Message-ID: <ZOvh9.1$T8.8192@news.sjc.globix.net>
Source record: 39468

Hello Everyone,

I recently bought a Kenwood TM201B but didn't get any manual with it. Is
there someone with the same rig who can help me regarding the controls like:
setting repeater offset
setting and recalling memory
etc.

Thanks in advance.

73,

Chetan KG6NFG

3458. Re: Looking for old Radio Shack project book from late 1960's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 01:58:56 UTC
From: Old Traveler <billlowry@atel.net>
Message-ID: <uod3882d6icid1@corp.supernews.com>
Source record: 39470

I have "Easy-To-Build Transistor Projects". It is a Skillfact Library book No. 619 1st edition copyright 1965. It has the Radiomobile circuit in it. A handful of junkbox and 2, 2N107.

Bill

"JJ&A" <w7ls@blarg.net> wrote in message news:3D78588B.5FF87A31@blarg.net...
> Trying to locate an old Radio Shack project book from the late 1960's.
> It had a variety of transistorized projects in it, including a one
> transistor oscillator ham transmitter for 40 meters. It was a qrp
> project. If you have this book, I'd love to get a copy of the front
> cover and the one or two pages that had the construction project on it.
> Thanks. Jim W7LS
>

3459. Drake R-4A,B,C Crystals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 02:30:42 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <mtwh9.573$ur3.29859076@newssvr16.news.prodigy.com>
Source record: 39469
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale crystals for the following frequencies for the Drake R-4
line:
Each is $15.00, postage paid to continental US or $110.00 for all.

1.5 - 2.0 MHz
3.0 - 3.5 MHz
4.5 - 5.0 MHz
9.5 - 10.0 MHz
11.5 - 12.0 Mhz
15.0 - 15.5 Mhz
15.5 - 16.0 MHz
28.0 - 28.5 MHz
29.0 - 29.5 MHz
29.5 - 30.0 MHz

3460. Re: alpha-78

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 02:40:22 UTC
From: jr <jerryham@pobox.com>
Message-ID: <3D869616.E0372FC3@pobox.com>
Source record: 39471

I'll offer $500 since you did not say what you wanted.

victor wrote:
>
> fs-alpha-78 orig.owner,and kenwood 940, both in fb cond. no shipping, sorry,
> contact, k3vay....victor

3461. FS: Drake R-4B Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 02:47:30 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <6Jwh9.576$Eq3.29826218@newssvr16.news.prodigy.com>
Source record: 39472
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale a Drake R-4B receiver in very nice condition with
good condition copper. This receiver is sensitive and works well
with no modifications.
Asking $200.00 plus shipping from Zip 76001. Shipment to continental
USA only.

3462. Re: K2VI Buyer Beware

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 03:14:41 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <B6xh9.65491$c7.18236890@twister.nyc.rr.com>
Source record: 39473
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Keep it in e-mail....

No one cares...

Dan

"Bob" <K1RI@same.com> wrote in message
news:goph9.60470$8F4.1393064@news2.east.cox.net...
> Beware of K2VI
>
> Anthony C. Costa, Jr, K2VI
> 1905 Arlington Arch Dr
> Virginia Beach, VA 23464
>
> This guy makes deals then raises prices moaning about shipping.
>
> Here is a copy of e-mail back and forth between us.
>
> o problem,i have it sold.goodby
>
> -----Original Message-----
>
> From: Bob <K1RI@cox.net>
>
> To: k2vi@exis.net <k2vi@exis.net>
>
> Date: Monday, September 16, 2002 2:06 PM
>
> Subject: FW: Your QTH.COM Ad yaesu yo-301...
>
>
>
>
> >
>
> >
>
> >
>
> >
>
> >My original deal with you was $165..I then Oked $170. I will not pay
>
> >more than that. This is ridiculous and you are screwing me around. If
>
> >you will not ship this for $170 then you let me know. I will be sure
>

> >to let other know you waffled on a deal. You talked to me about honor,
>
> >have you lost yours?
>
> >
>
> >
>
> >
>
> >-----Original Message-----
>
> >From: Bob [mailto:K1RI@cox.net]
>
> >Sent: Monday, September 16, 2002 1:48 PM
>
> >To: 'k2vi'
>
> >Subject: RE: Your QTH.COM Ad yaesu yo-301...
>
> >
>
> >
>
> >Us the Post Office Priority.
>
> >
>
> >-----Original Message-----
>
> >From: k2vi [mailto:k2vi@exis.net]
>
> >Sent: Monday, September 16, 2002 1:37 PM
>
> >To: K1RI@cox.net
>
> >Subject: Re: Your QTH.COM Ad yaesu yo-301...
>
> >
>
> >
>
> >no bob 170.00 is not ok.the shipping is 23.00.ups is 23 miles one way.i
>
> >have no choice but mail box ect.they bend you over.so it will be
>
> >188.00.please let me know when you get it in the mail.and by the way.i
>
> >thought you were getting back from cancun on the 19th.
>

> >
>
> >tony k2vi
>
> >-----Original Message-----
>
> >From: Bob <K1RI@cox.net>
>
> >To: 'k2vi' <k2vi@exis.net>
>
> >Date: Monday, September 16, 2002 12:27 PM
>
> >Subject: RE: Your QTH.COM Ad yaesu yo-301...
>
> >
>
> >
>
> >>I am will get the Money Order as soon as I hear fro you. I tried to
>
> >>call you but no answer. $170 is OK.
>
> >>
>
> >>73 Bob
>
> >>
>
> >>
>
> >>
>
> >>
>
> >>-----Original Message-----
>
> >>From: k2vi [mailto:k2vi@exis.net]
>
> >>Sent: Wednesday, September 11, 2002 6:43 PM
>
> >>To: K1RI@cox.net
>
> >>Subject: Re: Your QTH.COM Ad yaesu yo-301...
>
> >>
>
> >>
>
> >>hi bob,i hope your vacation went good.i went to the local mail box
>

> >>ect.
>
> >
>
> >>here in va beach.the shipping ups ground will be close to 20.00.im
>
> >>taking a bath on the sale so the money order will come to 170.00.if
>
> >>this is a problem and you want out of the deal i will completely
>
> >>understand.either way let me know.73
>
> >>
>
> >>anthony costa k2vi
>
> >>-----Original Message-----
>
> >>From: Bob <K1RI@cox.net>
>
> >>To: 'k2vi' <k2vi@exis.net>
>
> >>Date: Saturday, September 07, 2002 12:52 PM
>
> >>Subject: RE: Your QTH.COM Ad yaesu yo-301...
>
> >>
>
> >>
>
> >>>Thank you for understanding. I will have a check in the mail the
>
> >>>19th,
>
> >>
>
> >>>I will also e-mail you scanned copy of the check. If below you
>
> >>>correct
>
> >
>
> >>>address?
>
> >>>
>
> >>>Anthony C. Costa, Jr, K2VI
>
> >>>1905 Arlington Arch Dr
>

> >>>Virginia Beach, VA 23464
>
> >>>
>
> >>>Here is my Address:
>
> >>>Bob Elliot
>
> >>>11 Cooke Dr
>
> >>>N. Scituate, RI 02857
>
> >>>
>
> >>>73 Bob
>
> >>>
>
> >>>-----Original Message-----
>
> >>>From: k2vi [mailto:k2vi@exis.net]
>
> >>>Sent: Saturday, September 07, 2002 12:11 PM
>
> >>>To: K1RI@cox.net
>
> >>>Subject: Re: Your QTH.COM Ad yaesu yo-301...
>
> >>>
>
> >>>
>
> >>>hi bob,this is no problem.i will have it ready to ship to you on the
>
> >>>17
>
> >>
>
> >>>th of sept.this way you will have it thursday.otherwize if you have a
>
> >>>friend or relative i can ship it upon arrival of mo,either way it's
>
> >>>yours.please let me know when you mail the mo.thanks bob.
>
> >>>
>
> >>>anthony k2vi
>
> >>>-----Original Message-----
>

> >>>From: Bob <K1RI@cox.net>
>
> >>>To: 'k2vi' <k2vi@exis.net>
>
> >>>Date: Saturday, September 07, 2002 12:02 PM
>
> >>>Subject: RE: Your QTH.COM Ad yaesu yo-301...
>
> >>>
>
> >>>
>
> >>>>Anthony,
>
> >>>>
>
> >>>>I just tried to call you but the line is busy. I have one problem
>
> >>>>and
>
> >>
>
> >>>>that is I will be out of the country until the 18th. I can get the
>
> >>>>MO
>
> >>
>
> >>>>mailed to you on Monday the 19th USPO Priority Mail. I do want the
>
> >>>>scope. Let me know please. I can call you if you wish.
>
> >>>>
>
> >>>>73 Bob K1RI
>
> >>>>
>
> >>>>-----Original Message-----
>
> >>>>From: k2vi [mailto:k2vi@exis.net]
>
> >>>>Sent: Saturday, September 07, 2002 11:52 AM
>
> >>>>To: Bob Elliot
>
> >>>>Subject: Re: Your QTH.COM Ad yaesu yo-301...
>
> >>>>
>
> >

> >>>>
>
> >>>>bob it's yours.i had 3 e mails and your the top one.thank you .the
>
> >>>>shipping to rhode island from virginia beach will run approx 15.00.so
>
> >
>
> >>>>if this is acceptable a mo or bank check for 165.00 will close the
>
> >>>>deal.i will get it right out and e mail you a tracking# as upon
>
> >>>>reciept
>
> >>>
>
> >>>>of m.o.if you need further info please call me at
>
> >>>>home.757-479-8999.thanks again bob.i will wait to hear from you to
>
> >>>>consumate sale.
>
> >>>>
>
> >>>>73.
>
> >>>>anthony K2VI
>
> >>>>-----Original Message-----
>
> >>>>From: Bob Elliot <K1RI@cox.net>
>
> >>>>To: k2vi@exis.net <k2vi@exis.net>
>
> >>>>Cc: K1RI@cox.net <K1RI@cox.net>
>
> >>>>Date: Saturday, September 07, 2002 11:36 AM
>
> >>>>Subject: RE: Your QTH.COM Ad yaesu yo-301...
>
> >>>>
>
> >>>>
>
> >>>>>
>
> >>>>>Dear anthony costa K2VI,
>
> >>>>>
>

> >>>>>You have received a response to your ad, titled "yaesu yo-301",
>
> >>>>>that
>
> >
>
> >>>>>you
>
> >>>>have running on the QTH.COM Free Ham Radio Classified Ads.
>
> >>>>>
>
> >>>>>The response is from:
>
> >>>>>
>
> >>>>>Name: Bob Elliot
>
> >>>>>Callsign: K1RI
>
> >>>>>E-mail: K1RI@cox.net
>
> >>>>>
>
> >>>>>The response is:
>
> >>>>>
>
> >>>>>I would like to buy the yo-301..
>
> >>>>>
>
> >>>>>Regards, Bob
>
> >>>>>
>
> >>>>>----------
>
> >>>>>For your reference, here is a copy of the ad you are responding to:
>
> >>>>>
>
> >>>>>Listing Number: 320163
>
> >>>>>Date Ad was Placed: 09/07/02
>
> >>>>>Name: anthony costa
>
> >>>>>Phone Number: 757-479-8999
>

> >>>>>Callsign: K2VI
>
> >>>>>Category: TEST
>
> >>>>>Heading: yaesu yo-301
>
> >>>>>Ad Message:
>
> >>>>>this scope is in mint condition,works perfectly.cleaning shack so
>
> >>>>>its
>
> >>
>
> >>>>>up
>
> >>>>for sale.
>
> >>>>>asking 150.00
>
> >>>>>
>
> >>>>>thank you
>
> >>>>>
>
> >>>>>k2vi
>
> >>>>>
>
>
>

3463. ICOM IC-970 (japan 10W model) Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 04:03:10 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D86A97E.1A3796F2@nettally.com>
Source record: 39474
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.space

>
> ICOM IC-970 (japan 10W model) Questions
>
> I have just acquired one of these used from Japan to keep as as a spare.
>
> The questions I have are:
>
> 1. This Japan model is a basic IC-970 (no suffix), is a 10 watt unit
> and has limited bandwidth 144-146 and 430-440 MHz. This is no problem
> for domestic weak signal, but I would like to get the US FM band
> portions activated. I see that the internal ROM IC-3 has a part number
> SC1194-1. The manual for my IC-970A covers models A/E/H including europe
>
> models. In the manual, a part number SC-1128 is listed presumably for
> the US, Europe, Sweden and Australia versions.
>
> Does this mean I have to change the ROM to get domestic band? I see no
> other differences operationally to this radio (CTCSS etc). A friend in
> Japan has located some ROM's being sold on the Japan Yahoo Auction that
> are supposed to open the radio up. Has anyone heard of this, would they
> be the correct ones?
>
> Or can I simply change the resistors R18X- R19X on the CPU for the US
> model?
>
> 2. Is anyone familiar with the nomenclature of the CPU signals. I came
> across the following signals from the logic board that
> I can't figure out. They are from one of the expander chips and are
> called: HPI, and XHRT. The first I think has to do with cross band
> repeat option (mod) and the second I think is for the high speed CW
> break in. As this radio hasn't had the cross band repeat mod and doesn't
>
> have the keyer, I haven't tried to exercise either of these lines. Does
> any one have a listing of signals commonly used in ICOM transceivers?
>
> 3. Is anyone else aware of any differences between the Japan and US
> versions other than what I have noted?
>
> Thanks in advance
>
> BIG RIG (IC-970) MECHANIC

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

3464. Electrolytic Capacitor Supplier?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 06:03:23 UTC
From: bushmanbro@aol.com
Message-ID: <20020917020323.28458.00004174@mb-cm.aol.com>
Source record: 39475

I'm restoring a Hallicrafters WR-2000 SW receiver and need a new cap to replace leaky one .....the part numbers are: Cap is :(80,40,20-300 volt)
GE # QT3-11
Mallory # WQ640
Sprauge # TVAS-3632
General Instrument # TDLD-30
Hallicrafters # 045-000923
Aerovox # PR3-050
Cornell-Dubilier # BBRT0185
I'm looking for a supplier who could fix me up .....thanks .....
Capt. Zeep

3465. substituting new toroids for noise gate circuit?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 10:20:24 UTC
From: AJ Sanderson <ajsand@nospam.com>
Message-ID: <am6vl6$7vm$1@nntp9.atl.mindspring.net>
Source record: 39476
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.basics

I'd like to build a noise gate circuit for my HF receiver, to be located externally between the radio and antenna, but I'm not sure how to wind the toroids. The circuit I'm going to use (unless someone can suggest a better one for HF use) is at
http://www.lwca.org/library/articles/jtreed/gate/gate1b.htm

This uses two FT50-75 toroids and I understand I need to change these to FT50-43 for hf use (1.8- 30 Mhz). For 50 ohm input/ ouptut, how would I wind the toroids using 43's?

Thanks,
AJ

3466. WTB: Swan 410 VFO or equivalent

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 14:02:07 UTC
From: kip@msc.cornell.edu
Message-ID: <am7ckv$11o$1@news01.cit.cornell.edu>
Source record: 39477

Hi NewsReaders,

I'm looking for a VFO for my Swan 350 transceiver. Ideally the Swan
410 itself. I'm delighted with anything that I can work on,
i.e. variable capacitor and its vernier drive is OK. Thanks for readinmg
this, Carl KB2KDV

3467. Re: alpha-78

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 14:10:20 UTC
From: victor <victorsa@rcn.com>
Message-ID: <am7d4e$3gd$1@bob.news.rcn.net>
Source record: 39478

1500.00fer alpha....700.00 fer ts940.......victor,k3vay
"victor" <victorsa@rcn.com> wrote in message
news:am3q2m$q1n$1@bob.news.rcn.net...
> fs-alpha-78 orig.owner,and kenwood 940, both in fb cond. no shipping,
sorry,
> contact, k3vay....victor
>
>

3468. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 14:33:20 UTC
From: No PC BS <RAJohnGM@worldnet.att.net>
Message-ID: <Q2Hh9.18857$1C2.1372575@bgtnsc04-news.ops.worldnet.att.net>
Source record: 39479

Start smoking and you will never notice..

"Brian" <n7qjb@no.spam.msn.com> wrote in message
news:3d659aef_2@news.teranews.com...
> Greetings all.
>
> I recently purchased a used radio and discovered too late that it had been
> owned by a smoker. Its a mobile and I have the remote kit, so I can mount
> the transceiver in the trunk, but the control head still reeks.
>
> Does anyone have any suggestions on what I can do to get rid of the smell?
> I'm planning to take it apart and wash the plastic, but will this kill the
> smell?
>
> Thanks,
> Brian, N7QJB
>
>
>

3469. Re: Daiwa CN-801 SWR/Watt Meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 14:58:42 UTC
From: J Fuentes <ae6gt@earthlink.net>
Message-ID: <CqHh9.364$ZV5.37543@newsread1.prod.itd.earthlink.net>
Source record: 39480

Thanks for all those that responded. I will try the number and as you have already discovered the internet was not much help.

I guy on eham said he contacted Daiwa and received these instructions from them. I emailed him, but no response. We will keep trying. There is more to the zeroing pots on the front face. There are about 5 internal pots, perhaps for calibration as this one person indicated.

Thanks again,

73's Jon AE6GT
"Dick Hughes" <rhughes33@cableone.net> wrote in message
news:psqcous7b5gmdqr4siqrehgtuvqv1r6vcq@4ax.com...
> I think I found something. If you go to CQ magazine and look at their
> list of advertisers, they list Daiwa. Clicking on Daiwa takes you to
> NCG Companies which sells the Comet antennas among other things. The
> Daiwa listing also shows a phone number of 714-630-4541, which also
> happens to be the phone number of Comet antennas. There you go!
>
> Dick - W6CCD
>
> On Mon, 16 Sep 2002 17:07:22 -0400, "Lou" <tech@dp.net> wrote:
>
> >Not having looked at an AES catalog in a while, they "used to" have the
> >addresses of most if not all of their suppliers listed in the back of the
> >catalog. So, having not seen one in a while, not sure if they still do it
or
> >not!
> >
> >Lou/Tech@DP.NET
> >
> >
> >
> >"Dick Hughes" <rhughes33@cableone.net> wrote in message
> >news:125cou0u87hojkuset08tg5kl8pesjk05r@4ax.com...
> >> I seem to remember that Daiwa was bought out by someone recently.
> >> They sure are hidden well on the Internet. The company Daiwa makes
> >> fishing gear, and I am sure it is not the same company that makes the
> >> meters. My recommendation would be to contact AES or HRS and ask them
> >> if Daiwa has a website.
> >>
> >> Dick - W6CCD
> >>
> >> On Mon, 16 Sep 2002 14:38:13 GMT, "J Fuentes" <ae6gt@earthlink.net>
> >> wrote:

> >>
> >> >Does anyone know how I can contact Daiwa (in the USA) for the
calibration
> >> >instructions for the Daiwa CN-801 watt/swr meter?
> >> >
> >> >Thanks in advance,
> >> >
> >> >Jon AE6GT
> >> >
> >> >
> >> >
> >>
> >
>
>

3470. whats happened to the tonna (f9ft) site ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 17:42:49 UTC
From: matt <mattobr@ntlworld.com>
Message-ID: <EQJh9.1762$pr5.135234@newsfep1-win.server.ntli.net>
Source record: 39481

hi all
just been to have a look at the www.f9ft.com site and get another site come up nothing to do with tonna plus sites that try to link
to tonna give me a no page error.

cheers matt

3471. Re: FT840 gone deaf - help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 20:25:40 UTC
From: "R.G. Johnson" <rob.john@verizon.net>
Message-ID: <8dMh9.679$DM5.237@nwrddc01.gnilink.net>
Source record: 39482

Martin,
I don't have info here on the 840, but Yaesu usually has a small "fuse lamp" in the receive antenna path. Look for a small lamp in the area of the rcv. front end.
Greg K3EWZ

"Martin Peters" <martin.peters@ntlworld.com> wrote in message news:Et_g9.109$8r5.59902@newsfep1-gui.server.ntli.net...
> Hi guys,
>
> I wonder if anyone out there is able to advise? After years of trusty
> service my 840 has gone deaf.
>

3472. FS: FT-817 like new

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 21:55:06 UTC
From: mountainops <rullery@Mountain-Ops.com>
Message-ID: <am88c9jfe1@feed.centurytel.net>
Source record: 39483
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap

Fixed price $510.00, includes shipping in the lower 48.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1381915003

3473. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 22:18:54 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3D87AA4E.5C0FCF6B@erols.com>
Source record: 39484

***Might as well get my 2 cents worth in on the subject. A number of years back the father of a friend of my spouse passed away. He was a ham and a very heavy smoker. She asked if we could help in disposing of the equipment.

So a ham friend and myself went to the house. As we entered, the entire place reeked of cigarette smoke. The wallpaper was actually yellow from the smoke. We eventually located the radio shack and found a couple of Kenwood TS-830s. Nice radios; I had one myself. But you could not get near them they smelled so bad. Well, I took one and my friend the other and we started to clean them up at our homes, hoping to get rid of the smell. As I recall my friend said he used 10 rags to clean up the rig and it still smelled. I used about 6. I think we used basic glass cleaner both inside and outside of the cabinets, which does a nice job except you do not want to use it on the plastic windows of the frequency readouts. It tends to streak.

Despite countless hours and cleaning applications, we could not get rid of the odor entirely. Perhaps if I let the unit sit on my open porch for a week it may have aired it out, but the entire inside was literally covered with cigarette smoke residue just like the wallpaper. Got most of it but not all.

In any event, someone eventually purchased the units; probably a smoker. So if your at a hamfest outside flea market, take a whiff before you buy.
73, Murray, K3BEQ

No PC BS wrote:
>
> Start smoking and you will never notice..
>
> "Brian" <n7qjb@no.spam.msn.com> wrote in message
> news:3d659aef_2@news.teranews.com...
> > Greetings all.
> >
> > I recently purchased a used radio and discovered too late that it had been
> > owned by a smoker. Its a mobile and I have the remote kit, so I can mount
> > the transceiver in the trunk, but the control head still reeks.
> >
> > Does anyone have any suggestions on what I can do to get rid of the smell?
> > I'm planning to take it apart and wash the plastic, but will this kill the
> > smell?
> >
> > Thanks,

> > Brian, N7QJB
> >
> >
> >

3474. FA: ICOM IC-756PROII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-17 22:46:59 UTC
From: mountainops <rullery@Mountain-Ops.com>
Message-ID: <am8bdomri1@feed.centurytel.net>
Source record: 39485
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1382029781

3475. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 00:08:47 UTC
From: m614fs@yahoo.com
Message-ID: <3d87c223.12821934@nntp.service.ohio-state.edu>
Source record: 39486

I found that a kerosene bath wit h some help from a stiff paint brush
did wonders for a few radios I came across that needed a serious
cleaning. Test it first on a parts (like bezels) that look extra
delicate.

Good luck,
Mike

On Tue, 17 Sep 2002 18:18:54 -0400, Murray Green <mgreen@erols.com>
wrote:

>
>
>***Might as well get my 2 cents worth in on the subject. A number of
>years back the father of a friend of my spouse passed away. He was a
>ham and a very heavy smoker. She asked if we could help in disposing
>of the equipment.
>
>So a ham friend and myself went to the house. As we entered, the entire
>place reeked of cigarette smoke. The wallpaper was actually yellow
>from the smoke. We eventually located the radio shack and found a
>couple of Kenwood TS-830s. Nice radios; I had one myself. But you
>could not get near them they smelled so bad. Well, I took one and
>my friend the other and we started to clean them up at our homes,
>hoping to get rid of the smell. As I recall my friend said he used
>10 rags to clean up the rig and it still smelled. I used about 6. I
>think we used basic glass cleaner both inside and outside of the
>cabinets, which does a nice job except you do not want to use it on
>the plastic windows of the frequency readouts. It tends to streak.
>
>Despite countless hours and cleaning applications, we could not get
>rid of the odor entirely. Perhaps if I let the unit sit on my
>open porch for a week it may have aired it out, but the entire inside
>was literally covered with cigarette smoke residue just like the
>wallpaper. Got most of it but not all.
>
>In any event, someone eventually purchased the units; probably a
>smoker. So if your at a hamfest outside flea market, take a whiff
>before you buy.
>73, Murray, K3BEQ
>
>
>
>No PC BS wrote:
>>

>> Start smoking and you will never notice..
>>
>> "Brian" <n7qjb@no.spam.msn.com> wrote in message
>> news:3d659aef_2@news.teranews.com...
>> > Greetings all.
>> >
>> > I recently purchased a used radio and discovered too late that it had been
>> > owned by a smoker. Its a mobile and I have the remote kit, so I can mount
>> > the transceiver in the trunk, but the control head still reeks.
>> >
>> > Does anyone have any suggestions on what I can do to get rid of the smell?
>> > I'm planning to take it apart and wash the plastic, but will this kill the
>> > smell?
>> >
>> > Thanks,
>> > Brian, N7QJB
>> >
>> >
>> >

3476. Re: FT840 gone deaf - help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 00:29:36 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns928CB23104F63Frog207Junocom@148.78.248.76>
Source record: 39487

>>
>> I wonder if anyone out there is able to advise? After years of trusty
>> service my 840 has gone deaf.
>>

Had a similar problem with my FT 757. Had to send it to Yaesu, there was a diode and possibly a coil assy? in the front end, between the RF amp and the mixer that they replaced. Been fine ever since. I think the FT 757 and FT 840 are nearly identical in this area.

Ed WB6SAT

3477. QST Oldtimers from Cleveland Ohio !!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 01:47:33 UTC
From: James Nipper <jnipper@nospam.fdn.com>
Message-ID: <nVQh9.47641$842.14693@news1.fdn.com>
Source record: 39488

I am trying to help a brand new Ham learn what is Uncle's (now an SK) callsign was for the opportunity of acquiring it as a vanity call (if not reissued) The SK's information is:

Fred W. Blechschmid
who lived at 5454 E. 96th Street
Garfield Heights, Ohio

Fred worked as a broadcast engineer at station WXEL on the graveyard shift. He was exposed to polio as a youngster and used crutches of his own design to get around.

I know we are talking fifty years ago but perhaps one of you old timers in the Cleveland area might remember him and his callsign. If you can suggest places the nephew can start digging for information that will be appreciated also.

Many thanks for any help or tips. I think this would mean a lot to this young man.

73 de Jim K4PYT

3478. Re: QST Oldtimers from Cleveland Ohio !!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 02:43:31 UTC
From: Brian <KG4IJR@atmc.net>
Message-ID: <am8pgk$5r0f$1@news3.infoave.net>
Source record: 39489

Jim -

One web page I found useful was http://www.vanityhq.com/w3hf/ . He helps people research old call signs free of charge in his spare time; he may not get back to you right away, but he does get there eventually. He helped me with a call I was looking for a while back. Real nice guy.

Brian KG4IJR

..
>
>
>
> I am trying to help a brand new Ham learn what is Uncle's (now an SK)
> callsign was for the opportunity of acquiring it as a vanity call (if not
> reissued) The SK's information is:
>
> Fred W. Blechschmid
> who lived at 5454 E. 96th Street
> Garfield Heights, Ohio
>
> Fred worked as a broadcast engineer at station WXEL on the graveyard
shift.
> He was exposed to polio as a youngster and used crutches of his own design
> to get around.
>
> I know we are talking fifty years ago but perhaps one of you old timers in
> the Cleveland area might remember him and his callsign. If you can suggest
> places the nephew can start digging for information that will be
appreciated
> also.
>
>
> Many thanks for any help or tips. I think this would mean a lot to this
> young man.
>
>
> 73 de Jim K4PYT
>
>
>
>
>

3479. FS: ICOM IC-746 HF/VHF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 03:39:39 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <%zSh9.11005$L12.3149@sccrnsc02>
Source record: 39490

* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

- 160 thru 10,6,2 meters, 100 watts all bands.
- Non smoker.

$895.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

3480. FA: Kenwood TM-221A 2M FM Mobile Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 04:01:41 UTC
From: dstantNOon@apSPAMk.net
Message-ID: <am8tr5$f5a$3@plonk.apk.net>
Source record: 39491

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1382066707

3481. FS Alexander 2006 Battery Charger Optimizer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 04:19:03 UTC
From: sargw1@aol.com
Message-ID: <20020918001903.08988.00006953@mb-cg.aol.com>
Source record: 39492

This is the Alexander 2006 , 6 Station Battery charger optimizer. With charging cups for the following MOTOROLA Hand Held Radios. HT600, HT800, MT1000, MTX800, MTX900, and Radius P200,P210. You can start your own battery refurb service in your own town. Email for details.

3482. FA DRAKE TR-5 In Excellent Condition

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 06:09:02 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3D88187E.78F832FC@ckradio.net>
Source record: 39493

Please take a look
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1382064137

3483. Sunair GSB 900sc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 06:10:13 UTC
From: Steve Gale <stephen@kingston.net>
Message-ID: <uohg3ddhg9ro8f@corp.supernews.com>
Source record: 39358

http://members.kingston.net/sgale/Sunair/gsb900sc.htm

3484. FA ICOM IC-756 In Like New Condition

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 06:10:14 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3D8818C6.7824FF95@ckradio.net>
Source record: 39494

Please take a look
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1382102158

3485. READ THE ONLY SITE THAT HAS THE GUTS TO CALL FOR THE MURDER OF JEWS AND BLACKS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 13:56:22 UTC
From: Hal.Turner@HalTurnerShow.com
Message-ID: <ama0bkbhs22221@news1.kornet.net>
Source record: 39495

READ THE ONLY WEB-SITE THATS NOT AFRAID TO ADVOCATE
THE ELIMINATION OF KIKES AND NIGGERS.

www.halturnershow.com

Harold C. Turner
1906 Paterson Plank Rd.
North Bergen, New Jersey
201-348-8449

Hal.Turner@HalTurnerShow.com

My brave hen won't irrigate before I dye it. Hardly any cosmetic humble pears grudgingly recollect as the pretty bowls like. It can pull deep butchers, do you move them? You won't explain me climbing through your cheap cafe. Are you unique, I mean, cleaning beneath easy aches?

He can waste finally if Edna's lemon isn't rich.

Fucking don't order the oranges dully, believe them finitely. Why did Katya lift through all the figs? We can't reject ointments unless Pat will bimonthly nibble afterwards. She wants to kick bitter buckets to Linda's square. I was behaving to smell you some of my new bushs. If you'll measure Mary's road with trees, it'll superbly taste the dose. He should call biweekly, unless Jay improves coffees in Charles's button. Her floor was fresh, distant, and learns without the forest. Who pours partially, when Edwin covers the raw pickle through the obelisk? I was fearing eggs to angry Rose, who's jumping inside the tyrant's store. There, go seek a cup!

To be cold or clever will irritate noisy painters to hatefully kill. Get your generally attempting desk without my rain. He should burn stupid counters towards the glad shallow island, whilst Valerie halfheartedly cooks them too. Some pens promise, creep, and expect. Others undoubtably care. There Jay will walk the farmer, and if Evelyn lovingly looks it too, the teacher will receive in front of the sticky winter.

Woody! You'll comb weavers. Little by little, I'll excuse the car.

If you will grasp Frank's field to poultices, it will daily play the draper. The heavy cat rarely recommends Bob, it judges Courtney instead. Better talk units now or Dick will strangely help them beneath you.

They are wandering outside pathetic, for poor, inside inner porters. Tell Geoffrey it's blunt dreaming in back of a ball. Where will you sow the sad elder pools before Geoff does? It's very hollow today, I'll tease gently or Marian will dine the twigs. A lot of strong boats inside the weak star were solving under the dry signal. It can deeply attack healthy and shouts our kind, ugly enigmas before a desert. We arrive the proud sticker. Endora opens, then Albert stupidly loves a open hat towards Shelly's moon. It can answer once, scold seemingly, then converse beside the gardner over the night. Sometimes, it moulds a diet too hot throughout her dirty mirror. A lot of filthy lentils are wet and other sour sauces are light, but will Ed fill that? Some plates will be clean younger carpenters. Some young lower printer laughs exits towards Alexandra's thin book. Let's live between the bizarre plains, but don't change the closed games. Until Tamara departs the yogis wastefully, Dave won't join any solid corners. Sometimes, dusts hate inside difficult camps, unless they're lost. Try not to explain a wrinkle! One more abysmal cobblers open Al, and they wistfully wander GiGi too.

Willy, between disks strange and weird, recommends with it, moving freely.

3486. Pair of 5-500A transmitting tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 14:02:10 UTC
From: m38 <m38@cox-internet.net>
Message-ID: <uoibhr65aevje3@corp.supernews.com>
Source record: 39361

I have a pair of 5-500A transmitting tubes that are in used condition but in checked-good condition. The pair for $275.

3487. Re: FS: Know Real-time, Worldwide, HF Band Conditions In Just 3 Minutes!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 14:19:14 UTC
From: John Augustine <jaugust@bellatlantic.net>
Message-ID: <es1houc8936oion9adud93ir8t7h0okj3q@4ax.com>
Source record: 39496
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Hi W6NEK,

I would also like to add that there is another program called "Beacons"
(freeware) that does not require "installation". It displays the location,
call sign, and the time of each beacon at the exact time it is transmitting.

Program Homepage/Download url:
http://www.simtel.net/pub/dl/60293.shtml

John N3AOF

On Mon, 16 Sep 2002 22:44:55 GMT, "W6NEK" <inquire@w6nek.com> wrote:

>W6NEK HF Beacon Tracker - Windows Software
>
>In just a few moments you can get real-time worldwide DX band conditions
>using the NCDXF/IARU International Beacon Network!
>
>Now you will know if a band is really open to a particular part of the world
>regardless of band activity!
>
>All this from your QTH - in real time - 24/7
>
>Download a free demo of the software at http://www.w6nek.com
>
>

3488. FS: headset insert

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 14:56:45 UTC
From: Brendan Welch <brendan_welch@uml.edu>
Message-ID: <3D88942D.14C47638@uml.edu>
Source record: 39497

This looks like WW2 vintage: a little bag labelled

2 Each Insert
M-300
For Headset HS-30

(rubber seems in decent condition).

$2.37, postpaid in US.

--
W1LPG@UML.EDU

3489. FS: Drake R-4B & Crystals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 15:00:12 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <0y0i9.1059$KI.43917418@newssvr16.news.prodigy.com>
Source record: 39348
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale a Drake R-4B receiver in very nice condition with
good condition copper. This receiver is sensitive and works well
with no modifications.
Asking $180.00 plus shipping from Zip 76001. Shipment to continental
USA only.

I also have for sale crystals for the following frequencies for the Drake
R-4
line. Each is $15.00, postage paid to continental US.

3.0 - 3.5 MHz
4.5 - 5.0 MHz
9.5 - 10.0 MHz
11.5 - 12.0 Mhz
15.0 - 15.5 Mhz
15.5 - 16.0 MHz
29.0 - 29.5 MHz
29.5 - 30.0 MHz

3490. FS: loudspeaker to match Hallicrafters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 15:04:43 UTC
From: Brendan Welch <brendan_welch@uml.edu>
Message-ID: <3D88960B.66034B33@uml.edu>
Source record: 39349

This is not one of the factory-originals with the "h" on it; it is a homemade one made to match the SX-43 (kid brother receiver to more well known SX-42).

Nice gray wooden enclosure measures 20" wide X 12.75" high X 12" front-to-back.

Loudspeaker is a Zenith, about 8" diam.

Included if you want is an old military transformer that matched the speaker to the SX-43, which I think was 600 ohm. (various other taps on transformer)

MAKE OFFER. I would much prefer that you pick this up in Bedford, Mass., so I do not have to ship it.

--
W1LPG@UML.EDU

3491. WTB: ORBAN 672A EQUAL.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 16:03:48 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <Et1i9.39737$jG2.2660222@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39350

Price and condition

Bill Salerno 201 368 3655 w2onv@att.net

3492. WTB: ORBAN D2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 16:05:41 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <pv1i9.39742$jG2.2659942@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39351

Price and condition

Bill Salerno 201 368 3655 w2onv@att.net

3493. WTB: 8877 Tube

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 16:07:12 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <Qw1i9.39749$jG2.2660419@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39352

Price and Condition

Bill Salerno 201 368 3655 w2onv@att.net

3494. FS: FOCUSRITE GREEN 3 UNIT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 16:10:10 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <Cz1i9.39751$jG2.2660806@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39353

New in box $495,00 plus shipping

Bill Salerno 201 368 3655 w2onv@att.net

3495. Re: whats happened to the tonna (f9ft) site ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 16:32:12 UTC
From: Allodoxaphobia <QSB@QRM-QRN.net>
Message-ID: <slrnaohakb.s9q.QSB@animas.frontier.net>
Source record: 39354

On Tue, 17 Sep 2002 18:42:49 +0100, matt scribbled:
> hi all
> just been to have a look at the www.f9ft.com site and get another site come up nothing to do with tonna plus sites that try to link
> to tonna give me a no page error.

WFM -- at 1630Z 18-Sep-02

Jonesy
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

3496. FS: AUDIO EQUIPMENT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 16:34:01 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <ZV1i9.39786$jG2.2661928@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39355

Behringer Ultrafex 3100 $100.00

""" "" pre amp mod.502 $100.00
"""""""" 9024 new box $200.00
'''''''''''''' DSP1400
$100.00
ORBAN model 622B equal $200.00
Rane model PE17 $200.00
DBX172 Dual gate unit $195.00
Yamaha NEW Reverb unit model 500 $250.00

Bill Salerno 201 368 3655 w2onv@att.net

3497. WTB: APHEX D2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 16:38:05 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <NZ1i9.39792$jG2.2662305@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39356

```
Price N Condition
Bill SAlerno 201 368 3655 w2onv@att.net
```

3498. INRAD # 475 Filter FS/FT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 16:49:02 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <C52i9.5948$_S6.1051654@news20.bellglobal.com>
Source record: 39357

Will take $50 US for the filter, it will not fit my 850 without some work.

4 KHz AM filter 8.83 IF

Details @ http://www.qth.com/inrad/

Looking for Heil HC5 element or small portable HF antenna for the FT817.

3499. FS: Miscellaneous Goodies

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 19:10:50 UTC
From: Bob Stein <w6nbi@earthlink.net>
Message-ID: <3D88CFBA.6090502@earthlink.net>
Source record: 39359
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

The following are surplus to my needs and are looking for good homes:

Micronta Dynamic Transistor Checker..... 15.00
Omega-T TE7-01 Antenna Noise Bridge..... 20.00
Heath IT-10 Transistor-Diode Checker..... 10.00
Weston Model 888 crossed-needle hermetically sealed SWR
meter movement, incident power scale 2.5 kw FS, reflected
power scale 0.25 kw FS, each movement 30 uA..... 50.00
Kenwood SP-50B Mobile Communications Speakers (2 available). 30.00
each, $50.00 for both
Seco Electronics 511A Attenu-Load, 50-watt dummy load or
10-dB power attenuator (50W to 5W), ideal for QRP..... 20.00

No manuals except as specified. Buyer pays shipping.

Bob, W6NBI

3500. FS Yaesu FT-817 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-18 22:27:15 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <757i9.887$k27.79812@newsread1.prod.itd.earthlink.net>
Source record: 39360

I have a very nice Yaesu FT-817 HF/VHF/UHF All Mode Transceiver for sale. It was purchased this year at Dayton, so it is 4 months old. It puts out 5 watts. It looks and works like new, but I have misplaced the shoulder strap. I have the original box, manual, packing. etc.
Price is $515. Thanks, Charlie Hugg, K5MBX

3501. Re: INRAD # 475 Filter FS/FT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 02:06:38 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <mgai9.5941$WT1.742705@news20.bellglobal.com>
Source record: 39362

Filter has been sold

3502. Yaesu VX1-R Mars/Cap...?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 02:41:10 UTC
From: Andy Domonkos <capntripps@earthlink.net>
Message-ID: <3D893A09.214A036D@earthlink.net>
Source record: 39363

Apparently the current template modification procedure along with the ADMS1E software does not work to restore Mars/Cap (NOT freeband) on the VX1R. Is there another software mod to perform this or does it have to be a hardware mod by restoring the diode pack and moving/removing hardware jumpers?

Thanks.

ATD

3503. FS: HP-1715A oscilloscope with manual, for PARTS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 03:03:48 UTC
From: lagagnon@fakesprint.ca
Message-ID: <3d893e7e.5653875@news.sprint.ca>
Source record: 39364

I have one Hewlett Packard HP-1715A 200 MHz oscilloscope complete with a manual. The scope is non-working and would suit someone requiring parts for this lovely scope. The only problem appears to be with the vertical amp board and also one of the FET preamp transistors is blown on the Channel A attenuator preamp. The front panel knobs have all been scavenged. The power supply, and tube and 90% of the boards are perfectly intact and working.

The parts in this scope tend to be common to the entire HP 1715-1745 range scopes. I want only $25 USD for the scope and manual plus you pay shipping. The scope packaged would weigh about 15 kgs (33 pounds), and ground shipping from Canada to the USA would vary from between $25-$39 USD.

Email me direct if you are interested.

Larry Gagnon VE6MK
****
to send direct email remove "fake" from address

3504. FS: ICOM IC-746 HF/VHF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 03:32:34 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <mzbi9.512546$UU1.84682@sccrnsc03>
Source record: 39365

* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

- 160 thru 10,6,2 meters.
- 100 watts all bands.
- Non smoker.

$895.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

3505. WTB: Plectron Monitor Reeds

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 06:24:23 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <amcdmt322pe@enews4.newsguy.com>
Source record: 39370

I have aquired a Plectron monitor reciever (the newer smaller black colored one) and luckily it is for the same frequency for our fire departments repeater frequency, but the two-tone "reeds" are not the same as ours, so that the tone alert function will go off when our specific tones go off. I am looking for the proper "reeds" for this one. Anyone have these?

(I can find out what the exact measurement of these reeds too...)

--
Ryan, KC8PMX
FF/MFR
REMOVE "NOSPAM" in email address to reply.

3506. ASCOM SE550 4m radio Information

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 06:59:03 UTC
From: Stephen Tompsett <stephen@blob.demon.co.uk>
Message-ID: <mfIHMKC3WXi9EwpC@blob.demon.co.uk>
Source record: 39366
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

A growing number of people in the UK have purchased ASCOM SE550 4m Radios from the Rugby Amateur Transmitting Society, who still have a substantial number of units available!

Some technical information, circuit diagrams and manual sections are now available on my web site:

http://www.blob.demon.co.uk/

For those not familiar with the equipment the overall specification of the unit is:

Frequency range 68-88 MHz
Channel spacing 12.5 KHz
Mode FM
Antenna BNC 50
TX Power 25W
Deviation 2.5 KHz
DC Power Nominal 13.2V (10.8-15.6V) (RX approx. 1A, TX 6.5A/25W)

The units supplied by the Rugby Amateur Transmitting Society are modified, programmed and working on 4m.

N.B. I have noticed a number of these units being resold on EBAY for considerably more than they were purchased for!

--
Stephen Tompsett (G8LYB)

3507. Re: Cigarette Smoke: How to get rid of smell?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 07:42:40 UTC
From: "Dr. Grant" <drgrant@ziplink.net>
Message-ID: <hnviou4t9llmnkp3giu8iadrr5nv5qr2tu@4ax.com>
Source record: 39367

Not to mention that "smoker" radios have this habit of being more
likely to be broken. Fans get clogged, etc. Parts get covered in
the "goo"; can't be good for the parts. A good dousing of high
quality PCB cleaner on the inner boards of any smoker rig is a
must.

I've also found that enough heat and non-smoke exposure over
time will sometimes help get rid of the smell. I own a monitor that
was previously owned by a smoker for about 5 months, and when I first
acuqired it I cleaned it as best I could, and then I just left it on
continiously for about a month; and eventually the smell almost
completely went away. This may not work for a radio though, as they
tend not to get as warm inside as a monitor does.

-Mike

On Tue, 17 Sep 2002 18:18:54 -0400, Murray Green <mgreen@erols.com>
wrote:

>
>
>***Might as well get my 2 cents worth in on the subject. A number of
>years back the father of a friend of my spouse passed away. He was a
>ham and a very heavy smoker. She asked if we could help in disposing
>of the equipment.
>
>So a ham friend and myself went to the house. As we entered, the entire
>place reeked of cigarette smoke. The wallpaper was actually yellow
>from the smoke. We eventually located the radio shack and found a
>couple of Kenwood TS-830s. Nice radios; I had one myself. But you
>could not get near them they smelled so bad. Well, I took one and
>my friend the other and we started to clean them up at our homes,
>hoping to get rid of the smell. As I recall my friend said he used
>10 rags to clean up the rig and it still smelled. I used about 6. I
>think we used basic glass cleaner both inside and outside of the
>cabinets, which does a nice job except you do not want to use it on
>the plastic windows of the frequency readouts. It tends to streak.
>
>Despite countless hours and cleaning applications, we could not get
>rid of the odor entirely. Perhaps if I let the unit sit on my
>open porch for a week it may have aired it out, but the entire inside
>was literally covered with cigarette smoke residue just like the
>wallpaper. Got most of it but not all.
>
>In any event, someone eventually purchased the units; probably a

>smoker. So if your at a hamfest outside flea market, take a whiff
>before you buy.
>73, Murray, K3BEQ
>
>
>
>No PC BS wrote:
>>
>> Start smoking and you will never notice..
>>
>> "Brian" <n7qjb@no.spam.msn.com> wrote in message
>> news:3d659aef_2@news.teranews.com...
>> > Greetings all.
>> >
>> > I recently purchased a used radio and discovered too late that it had been
>> > owned by a smoker. Its a mobile and I have the remote kit, so I can mount
>> > the transceiver in the trunk, but the control head still reeks.
>> >
>> > Does anyone have any suggestions on what I can do to get rid of the smell?
>> > I'm planning to take it apart and wash the plastic, but will this kill the
>> > smell?
>> >
>> > Thanks,
>> > Brian, N7QJB
>> >
>> >
>> >

3508. READ THE ONLY WEB SITE THAT WANTS TO KILL JEWS AND BLACKS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 10:05:32 UTC
From: Hal.Turner@HalTurnerShow.com
Message-ID: <amc6mk$3g$22221@news1.kornet.net>
Source record: 39368

KILL ALL KIKES AND NIGGERS

www.halturnershow.com

Harold and Phyllis Turner

1906 Paterson Plank Rd.
North Bergen, New Jersey
201-348-8449

Hal.Turner@HalTurnerShow.com

Norma, with forks think and deep, sows through it, pouring regularly. We arrive them, then we strongly converse Jason and Julie's sharp diet. I am usably cheap, so I climb you. Are you hot, I mean, living to handsome coconuts? Robette creeps, then Carol mercilessly opens a rude ball alongside Roxanne's castle. As wickedly as Jimmy answers, you can burn the paper much more locally. Some coffees talk, wander, and call. Others deeply reject. She might measure subtly, unless Dolf learns bandages above Janet's code. Plenty of teachers eerily behave the bitter square. Norm, have a dirty cobbler. You won't pull it. I was promising to recommend you some of my noisy counters. It feared, you covered, yet Rose never crudely excused among the morning. She'd rather help amazingly than nibble with Fred's abysmal carpenter. You will quietly attempt in back of Estefana when the empty walnuts judge between the sad foothill. A lot of sweet bucket or hair, and she'll quickly move everybody. To be new or bad will seek easy pens to freely waste. It will stupidly look lazy and dines our long, open grocers to a desert. Nowadays, go dream a tape! Let's depart within the active hallways, but don't lift the smart carrots. Try not to care the dogs nearly, cook them believably. I was kicking ulcers to difficult Frederick, who's playing behind the weaver's planet. The old jar rarely fills Margaret, it changes Richard instead. When did Bob jump through all the spoons? We can't solve enigmas unless Ken will easily irrigate afterwards. We believe the solid bowl. Zebediah, still shouting, attacks almost partially, as the jacket receives outside their smog. We dye loudly if Bob's yogi isn't sticky. Hardly any kind hens near the cosmetic shore were hating towards the clever kiosk. The onions, lentils, and plates are all wide and tired. Nowadays, Elisa never grasps until Stephanie orders the quiet shoe seemingly. Her potter was lean, stupid, and loves in the market. She might surprisingly join beside humble light rivers.

3509. Re: Yaesu VX1-R Mars/Cap...?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 12:00:44 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D89BC6C.8444E4AC@crosslink.net>
Source record: 39369

Andy Domonkos wrote:
>
> Apparently the current template modification procedure along with the
> ADMS1E software does not work to restore Mars/Cap (NOT freeband) on the
> VX1R. Is there another software mod to perform this or does it have to
> be a hardware mod by restoring the diode pack and moving/removing
> hardware jumpers?
>
> Thanks.
>
> ATD

I dunno, did you check <http://www.mods.dk/> (click Yaesu then VX-1R)?
It Says:
"In the newer verison VX-1R that is missing the diode pack, you should
be able to do a simpler MARS/CAP modification and you will retain the
Automatic Repeater Offset finction (TX range not as extensive as the
Free-Band mod) by removing the small surface mount resistor next to the
"3" jumper, you will need to also do a hard reset as described in the
owners manual."

There's also a description of some template mod freeware and a more
extensive freq mod.
73,
K3DWW

3510. Re: Plectron Monitor Reeds

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 12:46:01 UTC
From: Lou <tech@dp.net>
Message-ID: <amciqf$16ei$1@news.dp.net>
Source record: 39371

I may have some reeds to work, but you would have probably been further ahead to post the tones needed when you wrote this! Faster replies! Faster turn around. Let me know what they are (directly) and post it also in the newsgroup. That way if I don't have them, whoever reads the ad, might and can respond. I don't always get to read the newsgroups, which is why I've asked for a direct reply. Lou/tech@dp.net

"KC8PMX" <kc8pmx@NOSPAMdiamondcs.net> wrote in message news:amcdmt322pe@enews4.newsguy.com...
> I have aquired a Plectron monitor reciever (the newer smaller black colored
> one) and luckily it is for the same frequency for our fire departments
> repeater frequency, but the two-tone "reeds" are not the same as ours, so
> that the tone alert function will go off when our specific tones go off. I
> am looking for the proper "reeds" for this one. Anyone have these?
>
> (I can find out what the exact measurement of these reeds too...)
>
>
> --
> Ryan, KC8PMX
> FF/MFR
> REMOVE "NOSPAM" in email address to reply.
>
>

3511. BC-348Q receiver w/dynamotor.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 13:42:50 UTC
From: m38 <m38@cox-internet.net>
Message-ID: <uokupfg0rs8g62@corp.supernews.com>
Source record: 39385

FS: BC-348Q w/dynamotor in clean condition. Appears to be unmodified, $250.

3512. FS: KENWOOD TS-50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 14:57:50 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <OBli9.147663$Jo.45449@rwcrnsc53>
Source record: 39372
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

KENWOOD TS-50 with original manual & box, all in great shape.

Asking $475 + shipping.

Rudi - WA6RW

3513. FS: SONY ICF-PRO80

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 14:59:32 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <oDli9.328368$kp.1053545@rwcrnsc52.ops.asp.att.net>
Source record: 39373
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

SONY ICF-PRO80 PLL Synthesized Receiver, manual.

$300 new, asking $125 + shipping.

3514. FS: HUSTLER 5BTV

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 15:00:40 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <sEli9.328383$kp.1053709@rwcrnsc52.ops.asp.att.net>
Source record: 39374
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap

HUSTLER 5BTV antenna, tested but never put up.

$195 new, asking $75 + shipping.

3515. FS: SONY AN-1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 15:01:42 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <qFli9.365317$_91.469183@rwcrnsc51.ops.asp.att.net>
Source record: 39375
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

SONY AN-1 Antenna Booster kit, manual.

$149 new, asking $65 + shipping.

Check it out at:
http://www.universal-radio.com/catalog/sw_ant/2206.html

3516. FS: UNIDEN Bearcat BC2500XLT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 15:05:11 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <HIli9.328430$kp.1053689@rwcrnsc52.ops.asp.att.net>
Source record: 39376
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.scanner,rec.radio.swap

UNIDEN Bearcat BC2500XLT portable scanner, manual.

$250 new, asking $75.

3517. Good Source for RF Modules?? I need an SC1019 for an old IC-25A.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 15:19:29 UTC
From: BillyBoy <billyboy18@carolina.rr.com>
Message-ID: <5Wli9.28605$jF4.2321189@twister.southeast.rr.com>
Source record: 39377

I'm needing an RF Module for an old Icom IC-25A. The Icom number is SC 1019. RF Parts has a replacement but they won't send this little part by mail, just UPS which is expensive and slow for just a few ounces. Anyone know of another good source for a replacement part for this IC module (other than Icom which is too expensive). Please reply directly to billyboy18@carolina.rr.com. Thanks.

3518. FA: Almost NEW LAFAYETTE TE-50A Tube tester w/All, Gotta C it!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 15:48:40 UTC
From: rlucch2098@aol.com
Message-ID: <20020919114840.01999.00006382@mb-mu.aol.com>
Source record: 39378

Real nice with pictures to boot!
Only at $35 so far!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1380885855

3519. FA: Really Nice US Navy WWII R-23A/ARC-5 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 15:50:56 UTC
From: rlucch2098@aol.com
Message-ID: <20020919115056.01999.00006384@mb-mu.aol.com>
Source record: 39379

Real nice with pictures to boot!
Only at $13 so far!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1380886774

3520. FS: Drake R-4B & Crystals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 17:08:58 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <Kwni9.124$mR1.4382887@newssvr16.news.prodigy.com>
Source record: 39380
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale a Drake R-4B receiver in very nice condition with
good condition copper. This receiver is sensitive, works well
and has no modifications.
Asking $170.00 plus shipping from Zip 76001. Shipment to continental
USA only.

I also have for sale crystals for the following frequencies for the Drake
R-4 line. Each is $15.00, postage paid to continental US.

3.0 - 3.5 MHz
4.5 - 5.0 MHz
15.5 - 16.0 MHz
29.0 - 29.5 MHz
29.5 - 30.0 MHz

3521. Re: whats happened to the tonna (f9ft) site ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 19:03:23 UTC
From: Richard J <nospam@mah.se>
Message-ID: <amd71p$t24$1@news.lth.se>
Source record: 39381

Try again, works fine from here (Sweden)
Only problem seems to be that theres no update to those pages, I�ve been
waiting for those long yagis for 6m for ages now....

Cheers /Rick SM7SCJ

"matt" <mattobr@ntlworld.com> wrote in message
news:EQJh9.1762$pr5.135234@newsfep1-win.server.ntli.net...
> hi all
> just been to have a look at the www.f9ft.com site and get another site
come up nothing to do with tonna plus sites that try to link
> to tonna give me a no page error.
>
> cheers matt
>
>

3522. Re: FS: headset insert

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 19:22:29 UTC
From: WA6LZH <tangeram@lucent.com>
Message-ID: <3D8A23F5.3000101@lucent.com>
Source record: 39382

Breandan,

Are these rubber cusions for the run of the mill surplus
headphones? Can you describe them a bit further?

Thanks,

Tony

Brendan Welch wrote:

> This looks like WW2 vintage: a little bag labelled
>
> 2 Each Insert
> M-300
> For Headset HS-30
>
> (rubber seems in decent condition).
>
> $2.37, postpaid in US.
>
> --
> W1LPG@UML.EDU
>

3523. Re: whats happened to the tonna (f9ft) site ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-19 20:37:26 UTC
From: Allodoxaphobia <QSB@QRM-QRN.net>
Message-ID: <slrnaokdc5.cro.QSB@animas.frontier.net>
Source record: 39383

On Thu, 19 Sep 2002 21:03:23 +0200, Richard J scribbled:
> Try again, works fine from here (Sweden)
> Only problem seems to be that theres no update to those pages, Iï¿½ve been
> waiting for those long yagis for 6m for ages now....
>
> Cheers /Rick SM7SCJ

Well, it's too late now. :-)
Maybe it'll get done in the next 11 years. HI!HI!
And, maybe I won't be SK for the next sunspot cycle...

Jonesy, W3DHJ DM68mn
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

3524. Help: Need IC-211 Tuning Knob

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 01:07:14 UTC
From: Doug and Cindy Deutsch <cindyd1@enter.net>
Message-ID: <3D8A7523.C8376061@enter.net>
Source record: 39384
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap

Hi,

I am searching for the main tuning knob from an Icom IC-211 2 meter
all mode rig. I am also in need of the calibrated plate that is under
the knob.

Thanks in advance,

Doug W3IIY

3525. Rugged dualband HT?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 01:44:51 UTC
From: William DeVore <BDeVore@fuse.net>
Message-ID: <uol02l47avurc7@corp.supernews.com>
Source record: 39386

Who makes the best and must rugged dualband HT?
Please drop me an email
Bdevore@fuse.net

3526. NEED A MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 01:57:04 UTC
From: joeee1621@aol.com
Message-ID: <20020919215704.23131.00000495@mb-fp.aol.com>
Source record: 39387

OVER 800 TITLES TO CHOOSE FROM..WE PROBABLY HAVE THE ONE YOU NEED ..ALL MANUALS
$16 SHIPPED UNLESS OTHERWISE NOTED.. PLEASE TAKE A LOOK AT OUR LIST AND LET US
KNOW WHAT YOU WOULD LIKE..NEW MANUALS DAILY..ORDER TODAY..SHIP TOMORROW..
http://hometown.aol.com/joeee1621/myhomepage/business.html

3527. Re: Yaesu VX1-R Mars/Cap...?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 02:29:07 UTC
From: Andy Domonkos <capntripps@earthlink.net>
Message-ID: <3D8A888D.B336E59A@earthlink.net>
Source record: 39388

Vito,

Yes, I saw the hardware link but not sure if it was current enough for recent stock of VX-1R's. I did try the software template mods but they did not work.

Andy

Vito wrote:

> I dunno, did you check <http://www.mods.dk/> (click Yaesu then VX-1R)?
> It Says:
> "In the newer verison VX-1R that is missing the diode pack, you should
> be able to do a simpler MARS/CAP modification and you will retain the
> Automatic Repeater Offset finction (TX range not as extensive as the
> Free-Band mod) by removing the small surface mount resistor next to the
> "3" jumper, you will need to also do a hard reset as described in the
> owners manual."
>
> There's also a description of some template mod freeware and a more
> extensive freq mod.
> 73,
> K3DWW

3528. FS: DX-150A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 03:11:57 UTC
From: Brendan Welch <brendan_welch@uml.edu>
Message-ID: <3D8A91FD.E53F9F10@uml.edu>
Source record: 39389

This is a Radio Shack receiver from the earlier days of transistors.
Covers AM broadcast through 30 Mhz in 4 bands.

Make a reasonable (or unreasonable) offer. Prefer that you pick up at my
Bedford, Mass. QTH, instead of shipping.

--
W1LPG@UML.EDU

3529. FS Alexander 2006 Battery Analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 03:22:40 UTC
From: sargw1@aol.com
Message-ID: <20020919232240.12745.00005852@mb-mg.aol.com>
Source record: 39390

This is the Alexander 2006 , 6 Station Battery charger optimizer. With charging cups for the following MOTOROLA Hand Held Radios. HT600, HT800, MT1000, MTX800, MTX900, and Radius P200,P210. You can start your own battery refurb service . Email for details

3530. Re: Rugged dualband HT?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 10:05:34 UTC
From: Newbie <newbie@nowhere.net>
Message-ID: <uolsmh5ii4vsef@corp.supernews.com>
Source record: 39391

"William DeVore" <BDeVore@fuse.net> wrote in message
news:uol02l47avurc7@corp.supernews.com...
> Who makes the best and must rugged dualband HT?
> Please drop me an email
> Bdevore@fuse.net

Please define "best" and "rugged."

3531. 603 beam 4sale/ TRADE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 12:54:31 UTC
From: Me <j.dauphinais@worldnet.att.net>
Message-ID: <bUEi9.32571$1C2.1735724@bgtnsc04-news.ops.worldnet.att.net>
Source record: 39392
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I have for sale 1 full size "HY-Gain" beam 10 meters. fully assembled for your inspection. 13' Boom and longest element is 22' $75.00 I also have a steel tower totaling 25'. this is in 3 sections 1 10 foot st8 and 1 5foot st8 and 1 10 foot top section. I don't not have a rotator. $50.00. pickup only from Nashua,NewHampshire. I am selling these because they are to big for my new QTH. This beam has spent a large portion of its life in storage. 73's Jeff AA1GR

3532. FS adi at-600 dual band ht

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 13:29:12 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <prFi9.4538$PO.59475@twister.kc.rr.com>
Source record: 39393
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This ht is in good looking and working condition.
rx 100.000 to 985.000
tx 2 meters and 440
Punch in a code in to the keypad and tx any place the radio will go.
This ht is do both 2 meters and 440 at the same time.
Has 2 valumes and 2 sql.
Push the light key and the display and keypad light up.
Comes with 2-5 watt batteries the first is a RBP 120 12v 600mha and
charger.
The second is a W&W wc-104s 12v @ 1200 mah.
This batter takes a drop in charger.
Which is not included.
Also comes with rubber duck and manual in pdf format.
$165 shipped u.s only ups insured.
No trade please.
e-mail me for pics of the radio.

3533. Fs icom 2710 original manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 13:31:51 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <UtFi9.4551$PO.59294@twister.kc.rr.com>
Source record: 39394
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a original owner's manual forsale.
$12

3534. Re: Rugged dualband HT?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 13:52:07 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3D8B2807.95C901BD@sympatico.ca>
Source record: 39395

William DeVore wrote:
>
> Who makes the best and must rugged dualband HT?
> Please drop me an email
> Bdevore@fuse.net

Don't know your defintion of best but I have had a pair of Icom T7s for over 3 years and they seem to be reasonably rugged.

I've dropped them, left them in the car overnight with temperatures of -30C and over +40C. I picked one up a couple of weeks ago and it was too hot to hold, but worked fine. I run them on AA alkalines (just got fed up with collecting battery chargers for every gadget) and the life is exellent. One was left in the car in mid summer, turned on for over two days, and was still working fine when I needed it. I have scratched them, worn off the printing on some of the buttons and somehow torn the rubber plugs for the spkr/mic socket on one. Still very happy with them.

I chose them for the AA battery pack, the BNC connector which allowed connection to various and sundry fixed and mobile antenna, and the dual band capability. An added bonus was the wide receive coverage including the aviation band.

Dave

3535. Re: FS: KENWOOD TS-50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 14:27:36 UTC
From: barry <burro@panama.gulf.net>
Message-ID: <3D8B3058.5E12B97E@panama.gulf.net>
Source record: 39396
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Rudy was the radio mobile and from 1-10 where would you put it. I would
be interested in it if you would consider $475.00 including shipping.

What do you think?

Barry
Panama City Florida

Rudi wrote:

> KENWOOD TS-50 with original manual & box, all in great shape.
>
> Asking $475 + shipping.
>
> Rudi - WA6RW

3536. Signal One 1030

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 14:44:16 UTC
From: Giuseppe Campana <gcampana@telemar.it>
Message-ID: <7b8a0e9eeb1c1366d5e5622e5ac3a481.619@mygate.mailgate.org>
Source record: 39397

Hello all!
Anyone can help me to find the control software for the Signal One 1030?
I know exist this old DOS package:
"Bandview"
"Softpaq 4"
"1030 RTTY"

Thanks for any informations about !

73 de IK3VIG

--
Posted via Mailgate.ORG Server - http://www.Mailgate.ORG

3537. Re: MFJ-1278 pinout

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 15:03:59 UTC
From: Anders <aao15@hotmail.com>
Message-ID: <xNGi9.240$hT3.1087@nntpserver.swip.net>
Source record: 39248
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,uk.radio.amateur

Yes, thank you very much!

"Sam Ess" <jacksno7@yahoo.com> wrote in message
news:uo6fuvssjmb25e@corp.supernews.com...
> from an OLD MFJ 1278B manual (1993), The MFJ-1278 J2 pinouts are
> 1=microphone audio
> 2=Receiver audio
> 3=PTT
> 4=Ground
> Is that what you need?
>
> forrest
> --
> Forrest Shelton Clark
> A CircuitRider on the Internet
> Baraboo, WI 53913
>
> "Anders" <aao15@hotmail.com> wrote in message
> news:5QEg9.28439$t4.24272@nntpserver.swip.net...
> > Hi!
> >
> > Anyone have the MFJ-1278 pinout?
> > Please e-mail me: anders.olandersson@swipnet.se
> >
> > 73's
> >
> >
>
>

3538. Re: MFJ-1278 pinout

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 15:06:18 UTC
From: Anders <aao15@hotmail.com>
Message-ID: <HPGi9.241$hT3.1029@nntpserver.swip.net>
Source record: 39249
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,uk.radio.amateur

thanks!

"charlesb" <n5pvl@sbcglobal.net> wrote in message
news:%2Fg9.11686$Jm1.2720295058@newssvr30.news.prodigy.com...
>
> "Anders" <aao15@hotmail.com> wrote in message
> news:5QEg9.28439$t4.24272@nntpserver.swip.net...
> > Hi!
> >
> > Anyone have the MFJ-1278 pinout?
> >
> >I'm looking for Yaesu YM-38 microphone schematics...Anyone have it?
> >Please e-mail me: anders.olandersson@swipnet.se
>
> The place to look is http://www.packetradio.com
>
> Lots of good hookup info there!
>
> Charles, N5PVL
>
>
>
>

3539. WANTED- PART FOR HEATHKIT SB-102

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 15:14:12 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3D8B3B44.AB50AFAF@erols.com>
Source record: 39250

Ham friend is looking for an Audio Output Transformer (Part T301)
for a Heathkit SB-102 at a reasonable price. Please contact
Joe Nunemaker, KD3VR at bmejoe@earlthlink.net or 301-577-3749,
Maryland, near DC. Thanks.

Murray, K3BEQ

3540. Re: Good Source for RF Modules?? I need an SC1019 for an old IC-25A.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 15:28:33 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D8B3EA1.AC4208C0@optonline.net>
Source record: 39251

Hi, Sometimes you can pop the cover off of the module. The older black ones use silicone sealer to mount the cover on. After you pop it off (can be a pain to do!)
get a loop or a strong magnifying glass and examine the traces. A good part of the time
the traces have cracks in them causing failure to the module.
Get a itsy bitsy low wattage soldering iron and go over the suspected traces with solder.
I HAVE done this a few times over the years and saved the cost of replacement modules. Figure it this way, it's broken now, right? What do you have to lose!!!
Good Luck to you.

Mark

BillyBoy wrote:

> I'm needing an RF Module for an old Icom IC-25A. The Icom number is SC
> 1019. RF Parts has a replacement but they won't send this little part by
> mail, just UPS which is expensive and slow for just a few ounces. Anyone
> know of another good source for a replacement part for this IC module (other
> than Icom which is too expensive). Please reply directly to
> billyboy18@carolina.rr.com. Thanks.

3541. Re: Yaesu VX1-R Mars/Cap...?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 15:37:11 UTC
From: ebruchac@aol.comnojunk
Message-ID: <20020920113711.07115.00000211@mb-fh.aol.com>
Source record: 39252

Have you tried the,"Unofficial Yaesu Mod Page" site?

http://www.icongrp.com/~sllewd/

The ,"Eve" software will help--you need to check and see which firmware version you have in your VX-1---the site will tell you how to check....

73,
Ed N4ZUM

Remove the,"nojunk" to email.

"A Picture is Worth a Thousand Words...but uses a thousand times more memory."

3542. President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 16:19:30 UTC
From: 1bigheart <1bigheart@email.msn.com>
Message-ID: <OsYaHEMYCHA.1636@cpimsnntpa03>
Source record: 39253

Anyone know anything about a President Dwight D???

10-6, on the side, readin' the mail...

3543. FS Yaesu FT-817 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 17:00:02 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <muli9.4784$k27.379363@newsread1.prod.itd.earthlink.net>
Source record: 39254

I have a very nice Yaesu FT-817 HF/VHF/UHF All Mode Transceiver for sale. It was purchased this year at Dayton, so it is 4 months old. It puts out 5 watts. It looks and works like new, but I have misplaced the shoulder strap. I have the original box, manual, packing. etc.
Price is $515 shipped in the lower 48. Thanks, Charlie Hugg, K5MBX

3544. Re: NEED A MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 17:40:24 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <m2nmougpk9cois715ukhvh287vslgi74qp@4ax.com>
Source record: 39255

I think the Ham community all knows by now that you have manuals for
sale. Its listed everyday on just about every site you can think of.
Stop beating the horse to death and give it some water......WZ1U

On 20 Sep 2002 01:57:04 GMT, joeee1621@aol.com (Joeee1621) wrote:

>OVER 800 TITLES TO CHOOSE FROM..WE PROBABLY HAVE THE ONE YOU NEED ..ALL MANUALS
>$16 SHIPPED UNLESS OTHERWISE NOTED.. PLEASE TAKE A LOOK AT OUR LIST AND LET US
>KNOW WHAT YOU WOULD LIKE..NEW MANUALS DAILY..ORDER TODAY..SHIP TOMORROW..
>http://hometown.aol.com/joeee1621/myhomepage/business.html

3545. Manuals for amateur radio equipments ? It's here !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 18:35:01 UTC
From: F5LCY <f5lcy@libertysurf.fr>
Message-ID: <newscache$8b2r2h$5ja$1@news.tiscali.fr>
Source record: 39256

http://f6keh.free.fr/index_r

MANUALS

3546. FS;ALINCO DJ-X10T HANDHELD SCANNER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 19:09:26 UTC
From: msdbm@aol.com
Message-ID: <20020920150926.15371.00003739@mb-mn.aol.com>
Source record: 39257

FOR SALE:

ALINCO DJ-X10T Mutimode Professional Scanner
Absolutely in NEW Condition - One month old and charged only twice

1200 Channels (30 banks of 40 channels)
AM, NFM, WFM, USB, LSB, CW, and AUTO Modes
Dual VFO's
Band scope (searches surrounding 40 channels/steps for activity and displays)
Covers .1 - 2000 MHZ except 824-850 and 869-7895 MHZ
Alphanumeric 8 character channel labelling and 3 line display icluding signal strength
Computer programmable
Metal construction
Comes with box, manual, rechargeable battery, drop in charger, antenna, and belt clip.

$250 plus shipping
JOE K2JAD
e mail responses

3547. WTB: Entire Radio Rooms - Estates

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 21:17:30 UTC
From: Greg Raymond <rradio@mindspring.com>
Message-ID: <amg0hnlkk1@slb3.atl.mindspring.net>
Source record: 39258
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

Always looking to buy in quantity.
Entire radio rooms - estates.
Will travel and broom clean -
Remove simple antenna installations.
Willing to work with your Lawyer
or my Notary.

What may you have and how much?

Greg
rradio@mindspring.com
(603) 942-7173
Cell (603) 479-5854

3548. Re: substituting new toroids for noise gate circuit?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 21:18:35 UTC
From: Al <aburzynski@swri.nojunk.edu>
Message-ID: <uon45c99m08i48@corp.supernews.com>
Source record: 39259
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.basics

Some additional information and a different schematic are available here

http://www.ussc.com/~turner/syn_blank.html

Al
KA5JGV

"AJ Sanderson" <ajsand@nospam.com> wrote in message
news:am6vl6$7vm$1@nntp9.atl.mindspring.net...
> I'd like to build a noise gate circuit for my HF receiver,

3549. IC-R10 Memory

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 22:09:11 UTC
From: Old Traveler <billlowry@atel.net>
Message-ID: <uon79edj9rlv01@corp.supernews.com>
Source record: 39260

I have an IC-R10 receiver that I want to reset some channels on. Can I go to a memory channel and reset it to "BLANK"?

Bill

3550. FA: ALINCO DJ-V5TH 2M/440 5W HT WIDE-BAND RX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 22:37:48 UTC
From: mountainops <rullery@Mountain-Ops.com>
Message-ID: <amg7vf$1avu$1@feed.centurytel.net>
Source record: 39261
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1382824657

3551. Re: President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-20 22:58:23 UTC
From: Allodoxaphobia <QSB@QRM-QRN.net>
Message-ID: <slrnaona0f.v4k.QSB@animas.frontier.net>
Source record: 39262

On Fri, 20 Sep 2002 11:19:30 -0500, 1bigheart scribbled:
> Anyone know anything about a President Dwight D???
>
> 10-6, on the side, readin' the mail...

Yep. He was in office in the 50's. Was in all the papers.

3552. Re: (3) Motorola Spirit VHF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 01:07:44 UTC
From: news <newsradio@netscape.net>
Message-ID: <7KPi9.47082$3a.1113709@read1.cgocable.net>
Source record: 39263
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap

Still for sale: three MV11C's for sale. These are the motorola spirit small
VHF
> handhelds. Each one is new in box...all have been opened and tested/used
for
> approx 1 hour. C/W rech. batt, belt clip, ante, and wall charger. All are
on
> the Low Power Industrial freq's for BC (canada). Prgramable to one of two
> low power industrial VHF freq's. Asking 100$ each or best offer...shipping
> extra. Prefer to sell to someone in BC Canada as they are setup for freq's
> in that province...
>
> email: jmckay@interlog.com
>
>
>
>
>

3553. FS: ICOM IC-746 HF/VHF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 01:23:26 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <iSPi9.380688$_91.488427@rwcrnsc51.ops.asp.att.net>
Source record: 39264

```
* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

- 160 thru 10,6,2 meters.
- 100 watts all bands.
- Non smoker.

$895.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com
```

3554. Re: President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 01:25:39 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <amghv80106j@enews4.newsguy.com>
Source record: 39265

He was a kindly gent who played poor golf and had a place in Pennsylvania.
Wife was named Mamie, or something like that.

His job forced him to associate with an asshole aptly named Dick.

--

Regards,
Joe S.

"1bigheart" <1bigheart@email.msn.com> wrote in message
news:OsYaHEMYCHA.1636@cpimsnntpa03...
> Anyone know anything about a President Dwight D???
>
> 10-6, on the side, readin' the mail...
>
>

3555. Need QST article Feb 2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 01:53:50 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailnospamorama.com>
Message-ID: <veQi9.250618$2L.9401634@e3500-atl2.usenetserver.com>
Source record: 39266

I am in need of a copy of an article in the Feb. 2000 issue of QST.it is by ZS1J and is about replacing 6JS6's with 6146B's. I would pay copy and postage. of a scanned copy would be fine also.

THX in advance

73,
mailto:chuck_hawks@hotmail.com
--
Chuck
KE4ETH

3556. Re: President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 02:07:29 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <amgk7copb1@bob.news.rcn.net>
Source record: 39267

"Joe S." <joe@schlatter.org> wrote:

> He was a kindly gent who played poor golf and had a place in Pennsylvania.
> Wife was named Mamie, or something like that.

> His job forced him to associate with an asshole aptly named Dick.

Dick got a bad rap. I'm glad that he kept the dog.

3557. Re: President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 02:13:50 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <u9SLPY8vXtJaKEnrieLt=xCIJfvO@4ax.com>
Source record: 39268

"Joe S." <joe@schlatter.org> wrote:

>He was a kindly gent who played poor golf and had a place in Pennsylvania.

The kindly gent also headed up our Allied Forces in Europe and beat up a hack artist, name of Schicklegruber.

Bob
k5qwg

>Wife was named Mamie, or something like that.
>
>His job forced him to associate with an asshole aptly named Dick.

3558. FS: Dansk RX4000 HF Communication Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 02:22:52 UTC
From: Nebula <wor72@singnet.com.sg>
Message-ID: <amgl49$9kh$2@mawar.singnet.com.sg>
Source record: 39269
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

I have one working set which goes for 800 (incuding shipping)
and one failing set(no LED display) which I used it for parts for 600.

These are high performance receiver formerly used by telecommunication
industry. Both are in rackmounted casing and description is as follow: Fully
synthesized, dual conversion superheterodyne receivers covering the range
100 khz to 29.99999 Mhz in 10hz increments. Modes are AM, CW, RTTY and SSB.
The receivers are microprocessor controlled giving user-programmable
capabilities such as scanning and memory functions

I will try to get hold of some digital photos of them upon requested.

Thanks all
wor
Singapore.

3559. Re: President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 02:55:30 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <amgn7o01ldg@enews1.newsguy.com>
Source record: 39270

He was a soldier, for a while.

--

Regards,
Joe S.

"1bigheart" <1bigheart@email.msn.com> wrote in message
news:OsYaHEMYCHA.1636@cpimsnntpa03...
> Anyone know anything about a President Dwight D???
>
> 10-6, on the side, readin' the mail...
>
>

3560. motorola stuff thats needs help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 03:45:45 UTC
From: Steve Bossert <KC2GOG@optonline.net>
Message-ID: <nYRi9.35862$P77.674798@news4.srv.hcvlny.cv.net>
Source record: 39271

i dont think this is the correct n.g but maybe someone here can help. i am going to cross post this in a few other n.g's

i have acquired some old motorola pageboy pagers that operate on 153.110. i would like to use them as a weather alert reciever or as a 2M repeater monitor. these units have the tone reeds in them that only allow the squelch to be broken when the 2 tones are received. i took them out thinking it would make it like a regular "carrier present equals open squelch" but this did not work. has any one else tried this or can it be done? (changing the frequency is not the problem i just need to figure out the squelch system

the second question i have is on a motorola radio that radioshack used to make. catalog 19-1216 uhf business band radio. is it possible to change it to a 70cm repeater or simplex freq. i checked batlabs.com and couldnt find anything

any help would be appreciated

steve

3561. FS: VARIOUS SW RECEIVERS/TRANSCEIVER, AND SCANNER WITH DISCRIM TAP AND DATA SLICER.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 07:44:22 UTC
From: Tony <prosper2040@sympatico.ca>
Message-ID: <srVi9.6035$Ox4.1688494@news20.bellglobal.com>
Source record: 39272
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.shortwave

REALISTIC DX-390
With Mute and Beep Mod!, Manual and Power Adapter, excellent condition, NO BLOWN FETS! -$65.00

GRUNDIG YACHT BOY 400PE
With Mute and Fine Tune Mod!!!, Manual, Original box, carrying case, Wall Adapter,
long-wire external antenna,
Hardly used! -$105.00

REALISTIC PRO-2040 SCANNER - Canadian Version
With Descriminator tap Mod, RCA type plug added to rear of unit to connect DATA SLICER which I'm also selling
Excellent scanner, I've decoded ACARS, FLEX, POCSAG paging, MDT, MOBITEX, etc with the data slicer and my PC
I will even include the software. This scanner can receive cell phone transmissions also. Original box, manual,
telescopic antenna and power adapter included. -$125.00

GE SUPERADIO III
High performance AM/FM reception, very clean and in excellent shape, I've dxed stations as far away as Texas!!
on this one. (I'm in Ontario, Canada) -$30.00

BELTEK 23 CHANNEL AM TRANSCEIVER
This one's an oldie, looks like a mid seventies transceiver, couldn't find anything on the web about it. It measures about
12x10x4 in an all metal cabinet, it has a 120v ac as well as connections for 12v mobile. This is a solid state transceiver
and it works. -$15.00

I'm located in SW Ontario, shipping to anywhere in North American is about 8-12 dollars for these items.

Regards.

3562. Re: President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 13:21:14 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <amhrobjks1@slb4.atl.mindspring.net>
Source record: 39273

"1bigheart" <1bigheart@email.msn.com> wrote in message
news:OsYaHEMYCHA.1636@cpimsnntpa03...
> Anyone know anything about a President Dwight D???
>
> 10-6, on the side, readin' the mail...
> ^^^^^ ^^^^^^^^^^^^

Since this is an amateur radio group, maybe you should be
QRU or maybe even QRT

Steve

3563. Re: President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 13:31:50 UTC
From: Sparks W4EAS <sparksw4eas@mindspring.com>
Message-ID: <3D8C74C6.5ABB@mindspring.com>
Source record: 39274

He was also a Ham. Had a station on a train car... Sparks W4EAS

3564. FS: SP50 User Manual, like new. $8.50 shipped.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 13:55:48 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <ET_i9.37457$1C2.1856814@bgtnsc04-news.ops.worldnet.att.net>
Source record: 39275
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

1-SP50 User Training Guide like new $8.50 shipped.
please email direct.

3565. Re: President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 14:06:02 UTC
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Message-ID: <e1%i9.387633$_91.494339@rwcrnsc51.ops.asp.att.net>
Source record: 39276

> He was also a Ham. Had a station on a train car... Sparks W4EAS

Don't believe that's quite correct. The station on the train car was Chuck Ritchies, W4BUG. He was the ET for Ike and for Kennedy. Retired (Army) when Johnson took over the reins. (Probably couldn't stomach two Democrats in a row.)

W4ZCB

3566. Re: Need QST article Feb 2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 14:23:03 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailnospamorama.com>
Message-ID: <mm%i9.254398$2L.9626800@e3500-atl2.usenetserver.com>
Source record: 39277

thank you

--
Chuck
KE4ETH

"Chuck/KE4ETH" <chuck_hawks@hotmailnospamorama.com> wrote in message
news:veQi9.250618$2L.9401634@e3500-atl2.usenetserver.com...
> I am in need of a copy of an article in the Feb. 2000 issue of QST.it is
by
> ZS1J and is about replacing 6JS6's with 6146B's. I would pay copy and
> postage. of a scanned copy would be fine also.
>
> THX in advance
>
> 73,
> mailto:chuck_hawks@hotmail.com
> --
> Chuck
> KE4ETH
>
>
>
>

3567. FS:Motorola Saber Speaker Microphone (new in box)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 15:10:28 UTC
From: msdbm@aol.com
Message-ID: <20020921111028.00915.00005823@mb-fk.aol.com>
Source record: 39278

FOR SALE:
Motorola Saber "REMOTE SPEAKER MICROPHONE" #NMN6128C, NEW IN THE BOX..This Speaker Microphone Allows you to talk and listen without removing you Radio from your Belt, Your Case or Your Charger. This Microphone Comes with a Coiled Cord and a Clip Back. Motorolas NEW list on this Microphone is $137.00, Dealer Cost is $96.00. This Unit is NEW IN THE BOX and has never been used.

$50 plus shipping

JOE K2JAD
e mail responses please

3568. WTB - RS Scanner PRO 2067 - Mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 16:39:15 UTC
From: David Bell <dbell@kw.igs.net>
Message-ID: <2e1j9.11204$w72.2041620@news20.bellglobal.com>
Source record: 39279

If you have a Radio Shack PRO 2067 mobile scanner for sale, please send me the details by email.

Thanks.

David
dbell@kw.igs.net

3569. FA: Transmitter Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 17:07:11 UTC
From: zoxx@my-deja.com
Message-ID: <ami8vvkpn1@news.netmar.com>
Source record: 39280
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Now on Ebay...

(6) JAN 837/VT-101 transmitting pentodes - used in the ART-13 & other WWII military xmttrs. Great for replacements, experimenting, or projects. New in boxes, no reserve:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1381092374

(6) GE 6JE6C output tubes - used in many Ham xmttrs, linears, and some high powered audio amps. New in boxes. Retail at over $40 each:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1381586821

International bidders OK. Auctions end Soon.

..Thanks for looking.

----- Posted via NewsOne.Net: Free (anonymous) Usenet News via the Web -----
http://newsone.net/ -- Free reading and anonymous posting to 60,000+ groups
NewsOne.Net prohibits users from posting spam. If this or other posts
made through NewsOne.Net violate posting guidelines, email abuse@newsone.net

3570. RF Effects on Remoted Transceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 18:00:29 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <Oh2j9.141632$AY5.57955021@e3500-atl1.usenetserver.com>
Source record: 39281

Some time ago, I experienced a situation where my IC706 IIG would cut off when operated on
20 meters. I wound a 6-turn choke of the control cable that goes to the control head. That stopped the problem. I ran into this again yesterday when a fellow ham dropped by to visit me and
mentioned that his was doing the same thing. We tried choking the control cable (same radio as mine), but it did not change it. However, the one different thing was, Dan is using the Heil boom
mike. When he used the hand mike, it didn't cut off, so we did the same thing with the mike cord
on the Heil; didn't prevent the radio from cutting off on 20. Obviously, RF is getting back to the
"soft" off-on switch in some way. Has anyone else experienced this with the 706 series?

Tnx es 73

Jerry
K4KWH
www.qsl.net/k4kwh

3571. Re: ' FA Sony AN-1 Active Whip Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 18:26:13 UTC
From: Jim <jbollit@ix.netcom.com>
Message-ID: <amidk4$6it$1@slb0.atl.mindspring.net>
Source record: 39284
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.antenna

If interested, see:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1381573182&ssPageName=ADM
E:B:LC:US:1

It has not been used in the outside elements/weather and has never been
mounted to anything. The whip antenna is in perfect condition as it has
seen little use. I bought this antenna about three years ago and used it
in
the radio room (with the antenna module sitting on the floor) for one month
before putting up a dipole and buying a Kiwa MW Loop antenna. I just
tested
the unit with 6 AA batteries and it works perfectly. The unit comes in the
original box and has the original manual.

3572. FS: transmitting valves

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 18:41:53 UTC
From: arnoldg@c2i.net
Message-ID: <3d8cbe14.22736217@news1.c2i.net>
Source record: 39282

Hello,

Various types of transmitting valves are always in stock

4-65A 801 807 813 830 1625
4-125 802 809 814 832A 6146
4-250 803 810 815 837 6159
4-400 804 811 829B 843 5894
572B

QQE 03/12 QQE 06/40 etc. etc.

Visit my web site for more information, pictures and prices.
www.demostenes.no

Best regards,

Arnold Goks�yr
- manager -
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

3573. Alinco ALM-201 stumps newbie!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 19:15:48 UTC
From: brian_nntp@hotmail.com
Message-ID: <2e3c852c.0209211115.252f55f9@posting.google.com>
Source record: 39283

I just got my license, so I picked up a TH-215A on eBay, and as part
of the deal the seller threw in an Alinco ALM-201.

I am trying to find any info I can about it -- the Alinco website
doesn't list it, even under discontined models.

Is it a non-Ham radio? Are manuals/schematics, etc. available?
Inquiring minds want to know.

Thanks in advance!

Brian
KG6NCH

3574. Re: Alinco ALM-201 stumps newbie!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 21:23:33 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D8CE354.3F504E67@nettally.com>
Source record: 39285

See if it looks like any other Alinco models.

I did a Google search and the best I come up with is that it might be a discontinued japanese model. Does it resemble a domestic Alinco model? I bought an unheard of Yaseu FT-104 directly from Japan which is identical to the FT-911 1.2 GHz (same features). If it is a Japanese model it probably tunes only 144-146 without modification but should have CTCSS tone capability.

Brian wrote:

> I just got my license, so I picked up a TH-215A on eBay, and as part
> of the deal the seller threw in an Alinco ALM-201.
>
> I am trying to find any info I can about it -- the Alinco website
> doesn't list it, even under discontined models.
>
> Is it a non-Ham radio? Are manuals/schematics, etc. available?
> Inquiring minds want to know.
>
> Thanks in advance!
>
> Brian
> KG6NCH

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

3575. Re: Alinco ALM-201 stumps newbie!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 21:41:46 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailnospamorama.com>
Message-ID: <Uu5j9.142131$AY5.58843119@e3500-atl1.usenetserver.com>
Source record: 39286

Is it an Alinco or a Kenwood??

--
Chuck
KE4ETH

"Joe Leikhim" <jleikhim@nettally.com> wrote in message
news:3D8CE354.3F504E67@nettally.com...
> See if it looks like any other Alinco models.
>
> I did a Google search and the best I come up with is that it might be a
> discontinued japanese model. Does it resemble a domestic Alinco model? I
> bought an unheard of Yaseu FT-104 directly from Japan which is identical
> to the FT-911 1.2 GHz (same features). If it is a Japanese model it
> probably tunes only 144-146 without modification but should have CTCSS
> tone capability.
>
> Brian wrote:
>
> > I just got my license, so I picked up a TH-215A on eBay, and as part
> > of the deal the seller threw in an Alinco ALM-201.
> >
> > I am trying to find any info I can about it -- the Alinco website
> > doesn't list it, even under discontined models.
> >
> > Is it a non-Ham radio? Are manuals/schematics, etc. available?
> > Inquiring minds want to know.
> >
> > Thanks in advance!
> >
> > Brian
> > KG6NCH
>
> --
> Joe Leikhim K4SAT
> Jleikhim@nettally.com
>
> "Jazz is not dead. It just smells funny." -F.Z.
>
>

3576. ICOM IC-970 (japan 10W model) Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 21:44:58 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D8CE85A.DC51840F@nettally.com>
Source record: 39287
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.space,rec.radio.swap

> ICOM IC-970 (japan 10W model) Questions
>
> I have just acquired one of these used from Japan to keep as as a spare.
>
> The questions I have are:
>
> 1. This Japan model is a basic IC-970 (no suffix), is a 10 watt unit
> and has limited bandwidth 144-146 and 430-440 MHz. This is no problem
> for domestic weak signal, but I would like to get the US FM band
> portions activated. I see that the internal ROM IC-3 has a part number
> SC1194-1. The manual for my IC-970A covers models A/E/H including europe

> models. In the manual, a part number SC-1128 is listed presumably for
> the US, Europe, Sweden and Australia versions.
>
> Does this mean I have to change the ROM to get domestic band? I see no
> other differences operationally to this radio (CTCSS etc). A friend in
> Japan has located some ROM's being sold on the Japan Yahoo Auction that
> are supposed to open the radio up. Has anyone heard of this, would they
> be the correct ones?
> Or can I simply change the resistors R18X- R19X on the CPU for the US
> model?
> 2. Is anyone familiar with the nomenclature of the CPU signals. I came
> across the following signals from the logic board that
> I can't figure out. They are from one of the expander chips and are called:
> HPI, and XHRT. The first I think has to do with cross band repeat option
> (mod) and the second I think is for the high speed CW break in. As this
> radio hasn't had the cross band repeat mod and doesn't
> have the keyer, I haven't tried to exercise either of these lines. Does
> any one have a listing of signals commonly used in ICOM transceivers?
> 3. Is anyone else aware of any differences between the Japan and US versions
> other than what I have noted?
>
> Thanks in advance
>
> BIG RIG (IC-970) MECHANIC

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

3577. Re: RF Effects on Remoted Transceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 21:51:26 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3D8CE9DE.765C1FA7@ckradio.net>
Source record: 39288

Hi Jerry
Yes I have. Most likely the problem is in the antenna ground. Try some braided straps at the antenna feedpoint.
If you were to disconnect the ground from the feedpoint of the antenna completely , you would
get some nasty RF burns from your mic. Good Luck, 73 Chris

Jerry Oxendine wrote:

> Some time ago, I experienced a situation where my IC706 IIG would cut off
> when operated on
> 20 meters. I wound a 6-turn choke of the control cable that goes to the
> control head. That stopped the problem. I ran into this again yesterday
> when a fellow ham dropped by to visit me and
> mentioned that his was doing the same thing. We tried choking the control
> cable (same radio as mine), but it did not change it. However, the one
> different thing was, Dan is using the Heil boom
> mike. When he used the hand mike, it didn't cut off, so we did the same
> thing with the mike cord
> on the Heil; didn't prevent the radio from cutting off on 20. Obviously, RF
> is getting back to the
> "soft" off-on switch in some way. Has anyone else experienced this with the
> 706 series?
>
> Tnx es 73
>
> Jerry
> K4KWH
> www.qsl.net/k4kwh

3578. Re: Alinco ALM-201 stumps newbie!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-21 22:49:15 UTC
From: Fred Hambrecht <w4jle@charter.net>
Message-ID: <uoptrfbsion106@corp.supernews.com>
Source record: 39289

It is a 5 watt 2 meter rig. Runs on 12 volts. (13.8 if in a car)

"Brian" <brian_nntp@hotmail.com> wrote in message
news:2e3c852c.0209211115.252f55f9@posting.google.com...
> I just got my license, so I picked up a TH-215A on eBay, and as part
> of the deal the seller threw in an Alinco ALM-201.
>
> I am trying to find any info I can about it -- the Alinco website
> doesn't list it, even under discontined models.
>
> Is it a non-Ham radio? Are manuals/schematics, etc. available?
> Inquiring minds want to know.
>
> Thanks in advance!
>
> Brian
> KG6NCH

3579. Icom's New IC-T90A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 03:10:24 UTC
From: k6lcs@clintbradford.com
Message-ID: <fc08b778.0209211910.146bd40a@posting.google.com>
Source record: 39290

I am having difficulty getting excited about Icom's new IC-T90A ... I mean, do we really need another 6M/2M/70CM handheld on the market?

Clint Bradford, K6LCS
http://www.clintbradford.com

3580. Re: Icom's New IC-T90A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 03:14:26 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D8D3592.6070301@optonline.net>
Source record: 39291

Other manufacturers have them. Why not Icom?

But I think I'd rather have 144/220/440MHz.

-=-
Alan, AB2OS

Clint Bradford wrote:
> I am having difficulty getting excited about Icom's new IC-T90A ... I
> mean, do we really need another 6M/2M/70CM handheld on the market?

3581. FS: ICOM IC-746 HF/VHF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 05:32:36 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <UBcj9.31185$gA4.2806@sccrnsc02>
Source record: 39292

```
* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

- 160 thru 10,6,2 meters.
- 100 watts all bands.
- Non smoker.

$850.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com
```

3582. Need Program for Kenwood F6

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 10:46:29 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <9chj9.7609$XE1.668565@newsread2.prod.itd.earthlink.net>
Source record: 39293

Hi all:
Went to the Kenwood site, but the download is not there!
Anyone got a copy out there?
--
Best Regards...Frank

3583. 811H question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 10:48:39 UTC
From: aokd5fxt@aol.com
Message-ID: <20020922064839.01940.00005584@mb-ci.aol.com>
Source record: 39294

Just got an ameritron 811H. Output seems a bit low at abt 500 watts max. I believe tubes and all to be in good condx, but I think I must be doing something wrong. Maybe an internal adjustment or somethiing also. Any hints would be appreciated.

tnx

3584. 3.4Ghz Solid State Power Amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 11:53:54 UTC
From: Amplifiers <Amps@sbrs.org.uk>
Message-ID: <uorbqhmlg94933@corp.supernews.com>
Source record: 39296
Cross-posted to: alt.radio.amateur,es.rec.radio.amateur,fr.rec.radio.amateur,free.uk.amateur-radio,nl.radio.amateur,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

SSPAs:
* Original frequency range: 3,475-3,493 MHz, but usable on 3,400 MHz
without modification.
* Gain at 3400 MHz: ~42dB using 4 stages.
* 1 dB compression point: >11 watts @ 9.4v.
* Saturated output: >14 watts (>20 watts may be possible, see below).
* RF connectors: Female SMA.
* DC connector: 15 pin D-type.
* DC supply: +9.4v @ 5-7A (pins 7, 8 & 15), +12v @ 25 mA (pin 12),
-12v @ 75 mA (pin 5) and 0v (pins 2, 6, 13 & 14).
* Control: mute i/p (pin 4), PSU reset o/p (pin 3) temp monitor o/p
(pin 10) and error O/P (pin 11)
* RF O/P power Monitor: upto 10v (pin 1) into hi-z and return (pin 9)
* Size, excluding connectors: 180 x 112 x 26 mm, milled box.
* Weight: 750g.
* Originally the unit was designed for digital modulation, rather than
SSB, a number of people have modified the bias arrangements (not tried at
the radio club) and increased the supply to 10v when it has been suggested
that 18-20 watts is possible. We have increased the supply voltage to 14v
on some units when over 20 watts saturated obtained, but perhaps not
recommended for a long life. The +9.4v supply should not be applied without
the -12v supply on. We also have isolators available, which perform okay at
3400 MHz. It is interesting to note that the unit tested performed better
at 3400 MHz than the intended frequencies.

The club is selling the SSPAs c/w one isolator and DC cable for £50 each
plus UK P&P (@£5)

For photographs of the units go to www.sbrs.org.uk/amps

3585. Best backwoods rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 11:57:23 UTC
From: cprstn54zz@att.net
Message-ID: <3d8daf15.9052171@news-server.optonline.net>
Source record: 39295

For emergency use in the mountainous, remote back country, what is the optimum HF rig, hopefully backpack size? 10M for day time use only? 20M for night time use only?

What would you bring where rescue was the principal purpose, entertainment secondary?

Ken KC2JDY
Ken
(to reply via email
remove "zz" from address)

3586. Re: Best backwoods rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 12:25:51 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3D8DB6C6.B669392A@tampabay.rr.com>
Source record: 39148

ken
i dont know if i would bother with a ham radio if rescue was the intent
think about it your in the mountains and get bit by a snake or fall down
a cliff you want to risk you life on if someone in europe or south
america hears you and can understand you and can figure out where in the
world you are and find the right people to contact to get you help
before you die
HF backpacking could be fun but i dont think i would risk my life on it
get your self a cell phone if you worry about lack of signal get one of
those satellite phones they are pricey but the only way to get a signal
out of very remote areas
i did a 3000 plus mile road trip a couple of months ago and with the
amount of activity on 2 meters i wouldnt even suggest that for emergancy
use
good luck

Ken wrote:

> For emergency use in the mountainous, remote back country, what is
> the optimum HF rig, hopefully backpack size? 10M for day time use
> only? 20M for night time use only?
>
> What would you bring where rescue was the principal purpose,
> entertainment secondary?
>
> Ken KC2JDY
> Ken
> (to reply via email
> remove "zz" from address)

3587. Re: Best backwoods rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 12:34:39 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <zNij9.54571$S32.3531867@news2.west.cox.net>
Source record: 39297

Maybe address your question to HFpack. The HF Portable Group URL:
http://www.hfpack.com/

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Ken" <cprstn54zz@att.net> wrote in message
news:3d8daf15.9052171@news-server.optonline.net...
> For emergency use in the mountainous, remote back country, what is
> the optimum HF rig, hopefully backpack size? 10M for day time use
> only? 20M for night time use only?
>
> What would you bring where rescue was the principal purpose,
> entertainment secondary?
>
> Ken KC2JDY
> Ken
> (to reply via email
> remove "zz" from address)

3588. Re: Best backwoods rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 13:31:59 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <amkgt002eqc@enews1.newsguy.com>
Source record: 39150

There are several QRP HF rigs suitable for backpacking -- check out the AC6V web site under QRP for links. Most of these are homebrew or kit.

HOWEVER -- if your concern is emergency use, carry a cell phone and a 2 meter HT. Be certain to carry the battery case for each one that allows you to run the device off AAA cells -- and carry extra AAA batteries.

Also, invest in a handheld GPS receiver -- I use the Garmin eTrex Legend and the eTrex Camo. The GPS enables you to tell rescuers exactly where you are.

HF backpacking can be fun -- but you must set up the rig -- string antenna, plug in the key and battery, etc. With the cell phone or HT, hit the PTT and someone will answer.

--

Regards,
Joe S.

"Ken" <cprstn54zz@att.net> wrote in message
news:3d8daf15.9052171@news-server.optonline.net...
> For emergency use in the mountainous, remote back country, what is
> the optimum HF rig, hopefully backpack size? 10M for day time use
> only? 20M for night time use only?
>
> What would you bring where rescue was the principal purpose,
> entertainment secondary?
>
> Ken KC2JDY
> Ken
> (to reply via email
> remove "zz" from address)

3589. Re: Best backwoods rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 13:44:19 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uori48ragctb0d@corp.supernews.com>
Source record: 39149

Cell phone.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Ken" <cprstn54zz@att.net> wrote in message
news:3d8daf15.9052171@news-server.optonline.net...
> For emergency use in the mountainous, remote back country, what is
> the optimum HF rig, hopefully backpack size? 10M for day time use
> only? 20M for night time use only?
>
> What would you bring where rescue was the principal purpose,
> entertainment secondary?
>
> Ken KC2JDY
> Ken
> (to reply via email
> remove "zz" from address)

3590. Re: D-104 Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 14:11:11 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <3ckj9.54623$S32.3542399@news2.west.cox.net>
Source record: 39152

Tony -- the D-104 Manual is at URL:
http://bama.sbc.edu/astatic.htm

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Tony" <tonyreo@core.com> wrote in message
news:3d8dcd97$0$1430$272ea4a1@news.execpc.com...
> Greetings,
>
> I just purchased a used Silver Eagle D-104 mic and am looking for any
> documentation that should have come with it. If anyone has the paperwork
> for this mic and could email it to me I would be very grateful.
>
>
> Thanks
>
> Tony Reo
> WD8NUP
>
> tonyreo@core.com
>
>

3591. Re: Icom's New IC-T90A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 14:41:11 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <amkkq9icc1@terabinaries.xmission.com>
Source record: 39153

"Clint Bradford" <k6lcs@clintbradford.com> wrote in message
news:fc08b778.0209211910.146bd40a@posting.google.com...
> I am having difficulty getting excited about Icom's new IC-T90A ... I
> mean, do we really need another 6M/2M/70CM handheld on the market?
>
> Clint Bradford, K6LCS
> http://www.clintbradford.com

Actually, I'm really excited that ICOM is bringing out one of the "small"
handhelds. I'm not thrilled about the useless 6M portion of the radio and
I'd rather see 220, but Icom needed something smaller to compete with Yaepoo
and Kenweed.

Dan
N7SLC

3592. Re: Icom's New IC-T90A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 14:46:46 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <XtaNPSOq1==yL3LShwvTenHitwLY@4ax.com>
Source record: 39154

k6lcs@clintbradford.com (Clint Bradford) wrote:

>I am having difficulty getting excited about Icom's new IC-T90A ... I
>mean, do we really need another 6M/2M/70CM handheld on the market?
>
>Clint Bradford, K6LCS
>http://www.clintbradford.com

You may or may not be excited by their new rig, but I'm glad Icom is providing competition in that particular transceiver segment. Competition makes everyone better, including Yaesu & Kenwood.

Besides, some of us are Icom guys...

Bob
k5qwg

3593. Correction: Re: Best backwoods rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 14:59:28 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <amkm1202p78@enews1.newsguy.com>
Source record: 39157

Correction: That should be AA batteries, not AAA.

--

Regards,
Joe S.

"Joe S." <joe@schlatter.org> wrote in message
news:amkgt002eqc@enews1.newsguy.com...
> There are several QRP HF rigs suitable for backpacking -- check out the
AC6V
> web site under QRP for links. Most of these are homebrew or kit.
>
> HOWEVER -- if your concern is emergency use, carry a cell phone and a 2
> meter HT. Be certain to carry the battery case for each one that allows
you
> to run the device off AAA cells -- and carry extra AAA batteries.

****Should be AA, not AAA.*******

>
> Also, invest in a handheld GPS receiver -- I use the Garmin eTrex Legend
and
> the eTrex Camo. The GPS enables you to tell rescuers exactly where you
are.
>
> HF backpacking can be fun -- but you must set up the rig -- string
antenna,
> plug in the key and battery, etc. With the cell phone or HT, hit the PTT
> and someone will answer.
>
> --
>
> ------
> Regards,
> Joe S.
>
>
> "Ken" <cprstn54zz@att.net> wrote in message
> news:3d8daf15.9052171@news-server.optonline.net...
> > For emergency use in the mountainous, remote back country, what is
> > the optimum HF rig, hopefully backpack size? 10M for day time use
> > only? 20M for night time use only?
> >
> > What would you bring where rescue was the principal purpose,

> > entertainment secondary?
> >
> > Ken KC2JDY
> > Ken
> > (to reply via email
> > remove "zz" from address)
>
>

3594. Re: President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 15:01:33 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D8DDB4D.1552C019@optonline.net>
Source record: 39155

:-)

Allodoxaphobia wrote:

> On Fri, 20 Sep 2002 11:19:30 -0500, 1bigheart scribbled:
> > Anyone know anything about a President Dwight D???
> >
> > 10-6, on the side, readin' the mail...
>
> Yep. He was in office in the 50's. Was in all the papers.

3595. Re: President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 15:05:54 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D8DDC52.36E0E6DD@optonline.net>
Source record: 39156

certainly, nyk nyk nyk, woo wo wo wo wo wo

Bob Miller wrote:

> "Joe S." <joe@schlatter.org> wrote:
>
> >He was a kindly gent who played poor golf and had a place in Pennsylvania.
>
> The kindly gent also headed up our Allied Forces in Europe and beat up a hack
> artist, name of Schicklegruber.
>
> Bob
> k5qwg
>
> >Wife was named Mamie, or something like that.
> >
> >His job forced him to associate with an asshole aptly named Dick.

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

3596. Re: President Dwight D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 15:55:25 UTC
From: Pappy@USA.net
Message-ID: <3D8DE7ED.50B37D26@USA.net>
Source record: 39158

In PA, that was Gettysburg he was a "5" star General in the U.S. Army. He was President when the voters elected retired military officers to lead this great country. In other words, that's when the voters had there head and their ass wired together and voted for people with decent scruples.

Now back to the main topic this newsgroup was set up for, "R A D I O".

Pappy, U.S. Army VETERAN

"Joe S." wrote:

> He was a kindly gent who played poor golf and had a place in Pennsylvania.
> Wife was named Mamie, or something like that.
>
> His job forced him to associate with an asshole aptly named Dick.
>
> --
>
> ------
> Regards,
> Joe S.
>
> "1bigheart" <1bigheart@email.msn.com> wrote in message
> news:OsYaHEMYCHA.1636@cpimsnntpa03...
> > Anyone know anything about a President Dwight D???
> >
> > 10-6, on the side, readin' the mail...
> >
> >

3597. Re: Best backwoods rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 17:22:45 UTC
From: cprstn54zz@att.net
Message-ID: <3d8dfafe.2655390@news-server.optonline.net>
Source record: 39159

On Sun, 22 Sep 2002 11:57:23 GMT, cprstn54zz@att.net (Ken) wrote:

For those of you who use recomend 2 meter HT's or cell phones for
emergency use in remote, mountainous areas -- I am talking about
really remote: No line of sight to anything except sky and nearby
wilderness mountaintops and no VHF repeaters or cell towers for 50
miles.

Best suggestion so far -- and one I didn't even think of -- was a back
channel email that suggested 40M NVIS was the way to go. I am
checking it out. Sounds like just the thing -- limited to night time
-- to skip over the mountains and come down 100-200 miles away.

Ken KC2JDY
Ken
(to reply via email
remove "zz" from address)

3598. Re: Best backwoods rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 17:32:40 UTC
From: cprstn54zz@att.net
Message-ID: <3d8dfe73.3540968@news-server.optonline.net>
Source record: 39160

On Sun, 22 Sep 2002 17:22:45 GMT, cprstn54zz@att.net (Ken) wrote:
>Best suggestion so far -- and one I didn't even think of -- was a back
>channel email that suggested 40M NVIS was the way to go. I am
>checking it out. Sounds like just the thing -- limited to night time
>-- to skip over the mountains and come down 100-200 miles away.

Oops. Apparently, in the NVIS wold, 40M is a daytime frquency. 75M
is for day and night. 160M is night. See:
http://www.qsl.net/wb5ude/nvis/index.html

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3599. Re: Best backwoods rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 17:52:58 UTC
From: cprstn54zz@att.net
Message-ID: <3d8e0358.4793437@news-server.optonline.net>
Source record: 39161

On Sun, 22 Sep 2002 12:34:39 GMT, "AC6V" <ac6v@amsat.org> wrote:

>Maybe address your question to HFpack. The HF Portable Group URL:
>http://www.hfpack.com/

Thanks. I'm there. (Or I will be as soon as I am approved.)

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3600. Re: Icom's New IC-T90A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 19:02:53 UTC
From: Roland Stiner <nk2u@1stconnect.com>
Message-ID: <Cmoj9.1$9V6.0@fe01>
Source record: 39162

> But I think I'd rather have 144/220/440MHz.

You've got that with the Kenwood F6A!

Roland, NK2U

3601. Re: Icom's New IC-T90A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 19:04:02 UTC
From: Roland Stiner <nk2u@1stconnect.com>
Message-ID: <Inoj9.2$9V6.1@fe01>
Source record: 39163

> Actually, I'm really excited that ICOM is bringing out one of the "small"
> handhelds. I'm not thrilled about the useless 6M portion of the radio and
> I'd rather see 220, but Icom needed something smaller to compete with
Yaepoo
> and Kenweed.

The new small radios are too small for me. I still prefer my 03, 04 and
32AT!

Roland NK2U

3602. Re: Icom's New IC-T90A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 19:05:02 UTC
From: Roland Stiner <nk2u@1stconnect.com>
Message-ID: <Dooj9.3$9V6.1@fe01>
Source record: 39164

> You may or may not be excited by their new rig, but I'm glad Icom is
providing
> competition in that particular transceiver segment. Competition makes
everyone
> better, including Yaesu & Kenwood.
>
> Besides, some of us are Icom guys...

I think someone, anyone shold have a 1.2 GHz ht out there and Icom used to.

Roland NK2U

3603. FS: Scanner, Visar & more.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 19:59:12 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <kipj9.50895$jG2.3186756@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39165
Cross-posted to: alt.ham-radio.vhf-uhf,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

BC895XLT in excellent condition with original box, manual, power supply. No antenna.
Also comes withWinscan & Scanpro software and cable. Also has had discriminator tap done and also has audio plugs for that.
$165 shipped. Con't US

Motorola Visar VHF with batt, antenna and rapid charger. $265.00 shipped.

Motorola MT500 VHF with batt, speaker mic, and drop in charger. Currently on 151.625 PL 100.0 $65 shipped.

Motorola MX320 800mhz crystal controlled portable w/charger. $15.00

Please email direct.
RW613@lycos.com
thnx

3604. FA: COLLINS 51S-1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 20:02:28 UTC
From: Sindre Torp <sindtorp@online.no>
Message-ID: <olpj9.24595$sR2.437425@news4.ulv.nextra.no>
Source record: 39166

NO RESERVE!!!!
Take a look at http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1383264336

3605. WTB: ARRL handbook, pre-1935

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 20:36:30 UTC
From: lc <larryc@northwest.com>
Message-ID: <3D8E29CE.5CCDA464@northwest.com>
Source record: 39167
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Should be in reasonable shape.

Larry, N3CCW

3606. WTB: Egg insulators

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 20:37:21 UTC
From: lc <larryc@northwest.com>
Message-ID: <3D8E2A01.3C92964B@northwest.com>
Source record: 39168

Small egg insulators. For 80m dipoles, etc.

Larry, N3CCW

3607. AT230 tuner for sale/swap

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 22:02:39 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <E3rj9.519$l44.200328@news20.bellglobal.com>
Source record: 39169

Kenwood AT230 tuner for sale. I would give it a 9.5/10 as it has a couple of very small scratches on the case. Front panel is mint. Pics available to those interested. Asking $150 US, plus shipping or trade for ??

Thanks for reading,

Max please reply to ve3tmt@yahoo.ca

3608. 10m gear for sale/trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 22:04:55 UTC
From: Max <ve3tmt@rac.ca>
Message-ID: <M5rj9.535$l44.201505@news20.bellglobal.com>
Source record: 39170

If you can call it 10m gear, I have a Titan 10m mobile & Palomar 225 blue face amp to get rid of. No longer being used, so make a reasonable offer.

3609. Panasonic RF-B11 4 Sale.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 22:17:40 UTC
From: "Rodger N. Bird" <rbird2@peoplepc.com>
Message-ID: <MPG.17f80b8d861c2c949896c1@trialnews.peoplepc.com>
Source record: 39171

I have a Panasonic RF-B11 4 Sale.

Panasonic RF-B11 Information:
FM/LW/MW/SW 12-Band Receiver.
9 shortwave bands.
3" Dynamic Speaker for outstanding sound.
FM Stereo with Optional Stereo Headphones.
DC-in Jack.
AC Operation with Optional AC Adaptor.
Tone Switch (high/low).
LED Tuning Indicator.
LED FM Stereo Indicator.
Stylish Design.
Band Indicators.
Stand and Hand Strap Included.
Batteries 2 x AA

The Panasonic RF-B11 is like new and in excellent condition. No modifications have been done to it.

The selling price of $45.00 includes shipping and insurance costs within the continental United States via the U.S. POSTAL Service. Payment with a

U.S. POSTAL Service MONEY ORDER is preferred.

Please email me direct if you are interested. Do not reply to this message. My email address is: rbird2@peoplepc.com

Thank you,

Rodger

3610. BayGen Freeplay 360 AM/FM Self Powered Radio 4 sale.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 22:22:06 UTC
From: "Rodger N. Bird" <rbird2@peoplepc.com>
Message-ID: <MPG.17f80c98b9b8bb8a9896c5@trialnews.peoplepc.com>
Source record: 39172

I have a BayGen Freeplay 360 AM/FM Self Powered Radio 4 sale. This is a self power
radio and will run on the following power Sources:

Internal - B-Motor textured carbon spring driving a DC generator through a transmission.

Solar - High performance thin film solar panel

External - Optional DC adapter (center pin positive) 4.5 V 150mA (minimum)

The Frequency Range is:

FM - 88 to 108 MHz

AM - 520 to 1700 KHz

For more information see the following web pages:

http://windupradio.com/freeplay3.htm

http://www.ogormans.co.uk/freeplay360.htm

http://www.productsforanywhere.com/gear/details/fp_360.html

The Freeplay 360 is in excellent condition and works fine. The selling price of $40.00 includes shipping costs within the continental United States.

Please email me direct if you are interested. Do not reply to this message. My email address is: rbird2@peoplepc.com

Thank you,

Rodger

3611. "Best of" used radio equipment sites?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-22 23:50:24 UTC
From: Jackie LaVaque <buzzygirl@REMOVE.attbi.com>
Message-ID: <4Hsj9.37803$gA4.5225@sccrnsc02>
Source record: 39173

Hi there,

I'm an aspiring amateur radio operator, currently studying for my technician licensure. I'm looking for websites that are frequented by ham radio operators "in the know" about used equipment.

Specifically, I'm wondering if there are any good websites that deal in used amateur radio equipment that stand above others. A Google search turns up a lot of stuff, but I'm not sure if any of the links are reputable or utilized by knowledgeable amateurs for buying and selling used equipment.

Any suggestions? I appreciate it...

Thanks,

Jackie

3612. Re: Need Program for Kenwood F6

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 00:46:34 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <Kvtj9.9066$k27.745572@newsread1.prod.itd.earthlink.net>
Source record: 39174

Got the program.
Thanks all.
Frank

"Frank Krozel" <frank@electronicinstrument.com> wrote in message
news:9chj9.7609$XE1.668565@newsread2.prod.itd.earthlink.net...
>
> Hi all:
> Went to the Kenwood site, but the download is not there!
> Anyone got a copy out there?
> --
> Best Regards...Frank
>
>
>

3613. Beware Doug Calladonato (njscanner@comcast.net)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 00:51:16 UTC
From: klarrg@aol.com
Message-ID: <20020922205116.03743.00000076@mb-co.aol.com>
Source record: 39175

..Be aware that a gent by the name of Doug Calladonato (njscanner@comcast.net)is selling several early crystal-type scanners (approx. 21 of them..) and, is willfully misrepresenting the condition of these units as "collectible" and in "excellent working condition" to obtain a sale on them.He sold me two that he represented as in "excellent working order" and, that he "tested himself before sending them to me" that are both totally non-working, useless units. I am out $60 and he denies they were non-working at time of sale.Both were recived by myself in defective, improper-working condition....

Upon opening the units, they were filled with poor-quality solder (attempted) repairs and had oibviously been tampered with prior to the sale. The one unit has a squelch that will not close, and the unit wont even scan. The second one has such poor reception as to make it useless. If both units HAD been tested as seller stated, these problems would have been painfully obvious.

I have contacted this gent asking him for a refund and he ignores my efforts entirely. I am posting this to advise any potential customers of this seller to AVOID doing business with him.His actions are obviously dishonest in nature and I have adequate proof in the form oif Emails from him and, two DOA radios to prove it.

Buyers beware.Dont get SCREWED like I did. !!)<:

3614. FS: Kenwood TS-430S, Station Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 01:18:29 UTC
From: Douglas Gavilanes <gavilan1@earthlink.net>
Message-ID: <3D8E6F0F.6572421C@earthlink.net>
Source record: 39176
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale:

1. Kenwood TS-430S, excellent condition, never mobile. 10-80M, +160
receive, open TX, dual VFO, AM/SSB/CW/FM, VOX, narrow filters, loaded,
includes MC-80 desk microphone, padded headset with boom microphone,
mobile bracket (never used).
$400, plus UPS from 92843. Postal money order preferred.

2. Kenwood AT-250 antenna tuner, with control cable. Matches TS-430S.
Excellent condition.
$200, plus UPS from 92843. Postal money order preferred.

3. Kenwood SP-430 speaker, matches TS-430S. Sounds and looks great.
$60, includes UPS from 92843. Postal money order preferred.

4. Kenwood MC-48B touchtone hand microphone, with UP/DOWN buttons.
Excellent condition.
$55, includes UPS from 92843. Postal money order preferred.

I haven't been on HF in over a year (QRM from the XYL), and I'd like to
expand my VHF and UHF activity, so I'm letting my HF station go.

If interested, email to: gavilan1@earthlink.net

TNX es 73,

Doug Gavilanes, N6XQY
Garden Grove, CA.

3615. transverter design for 20 meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 01:58:26 UTC
From: AJ Sanderson <ajsand@nospam.com>
Message-ID: <amlsoc$s83$1@slb5.atl.mindspring.net>
Source record: 39177
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

I'd like to use a transverter with a 10 meter HTX-100 for 20 and maybe 80 meter operation. Is this possible and where can I find plans?

Thank you,
AJ

3616. D-104 Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 02:04:41 UTC
From: Tony <tonyreo@core.com>
Message-ID: <3d8dcd97$0$1430$272ea4a1@news.execpc.com>
Source record: 39151

Greetings,

I just purchased a used Silver Eagle D-104 mic and am looking for any documentation that should have come with it. If anyone has the paperwork for this mic and could email it to me I would be very grateful.

Thanks

Tony Reo
WD8NUP

tonyreo@core.com

3617. FA: HP 8640B Option 323 Modules and parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 02:36:25 UTC
From: "The Rice's at CUS2.net" <srice3NOSPAM@cfl.rr.com>
Message-ID: <J6vj9.16331$yB5.610489@twister.tampabay.rr.com>
Source record: 39178

I am stripping a HP 8640B Option 323 for parts resale. So far I have posted some of the modules on the EBAY site. Here Is one so you can check my other Auctions.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1769553501

I also have boards and other parts as I strip it so E-mail me if you need a part. (REMOVE THE NOSPAM from my address)
The reason this is being parted out is that there were 2 bad parts in the unit that were HP items (Hybirds) no longer available(in the AGC/AMP) and could not find a good source for them. Thanks Steve

3618. Re: 10m gear for sale/trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 03:17:08 UTC
From: jjj <jjj@aol.com>
Message-ID: <ur1toug4vin989k26d03ibtta2f2qe5kk7@4ax.com>
Source record: 39179

I would call it CB Crap 10-4?

On Sun, 22 Sep 2002 18:04:55 -0400, "Max" <ve3tmt@rac.ca> wrote:

>If you can call it 10m gear, I have a Titan 10m mobile & Palomar 225 blue
>face amp to get rid of. No longer being used, so make a reasonable offer.
>

3619. Need Alinco DR-MO6 manual/copy

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 04:15:46 UTC
From: v.scott@worldnet.att.net
Message-ID: <ba8c5666.0209222015.2874ed32@posting.google.com>
Source record: 39180

Trying to program tone squelch values into a newly acquired Alinco DR-MO6 6 meter mobile radio, without much luck. Programming the simplex and repeater frequencies, plus repeater offsets, was easy, however. Guess I need a manual. Anybody have one, or a copy, at an affordable price?

Thanks.

Vester
N8EKA
v.scott@worldnet.att.net

3620. Re: transverter design for 20 meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 04:36:49 UTC
From: JC <on5mjREMOVE@skynet.be>
Message-ID: <3d8e9a65$0$213$ba620e4c@news.skynet.be>
Source record: 39181
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

I think transverters are used for increasing the working frequency not decreasing it, i.e. passing from HF to VHF. I never saw plans for passing from 10m to 20m or even 80m. The contrary would be easier as 10m is an harmonic of 20m or 80m.

73 de ON5MJ

3621. FS: Pro-2066 150 Ch. 800MHz Trunking Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 04:58:43 UTC
From: Douglas Gavilanes <gavilan1@earthlink.net>
Message-ID: <3D8EA4F3.C5A11C05@earthlink.net>
Source record: 39182
Cross-posted to: rec.radio.scanner,rec.radio.swap,rec.radio.amateur.equipment

For Sale:

Radio Shack Pro-2066 150 Channel, 800MHz trunking scanner, with mounting bracket, manual. Excellent condition.
$175, plus $15 UPS from 92843. Postal money order preferred.

If interested, email to: gavilan1@earthlink.net

TNX es 73,

Doug Gavilanes, N6XQY
Garden Grove, CA.

3622. FS: ICOM IC-746 HF/VHF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 05:18:30 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <Guxj9.182480$Jo.64646@rwcrnsc53>
Source record: 39183

* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

- 160 thru 10,6,2 meters.
- 100 watts all bands.
- Non smoker.

$850.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

3623. Re: Icom's New IC-T90A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 05:32:01 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D8EA751.3090303@optonline.net>
Source record: 39184

Yes, and with the new Yaesu HT -- but both cost significantly more than the Icom.

-=-
Alan

Roland Stiner wrote:
>>But I think I'd rather have 144/220/440MHz.
>
>
> You've got that with the Kenwood F6A!

3624. Re: transverter design for 20 meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 06:36:45 UTC
From: Paul Keinanen <keinanen@sci.fi>
Message-ID: <9ictou84e6eoeoej5gee4sm8jg4adijgdf@4ax.com>
Source record: 39185
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

On Mon, 23 Sep 2002 06:36:49 +0200, "JC" <on5mjREMOVE@skynet.be>
wrote:

>I think transverters are used for increasing the working frequency not
>decreasing it, i.e. passing from HF to VHF. I never saw plans for passing
>from 10m to 20m or even 80m.

At least in England, there has been kits for allowing 2 m multimodes
(such as FT-290) access to the HF bands using a transverter.

>The contrary would be easier as 10m is an
>harmonic of 20m or 80m.

This is just a situation you try to avoid.

For instance a transmitting converter from 28 Mhz to 144 MHz often
suffers from these harmonics. Assume you want to transmit on 145.100
MHz on a repeater input and you set the HF radio to 29.100 MHz. The
5th harmonic of that is 145.500 Mhz, which falls in the middle of the
FM calling channel :-).

Thus, you have to be very careful to filter out any 5th harmonic from
the HF signal and also take care that the mixer does not generate any
larger amounts of 5th harmonics of the input frequency.

In general you should design the frequencies in such a way that no
harmonics from the low frequency signal or the local oscillator signal
fall close to the desired output frequency band, since it would be
very hard to filter them out, once they have been created.

Paul OH3LWR

3625. Re: transverter design for 20 meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 07:31:27 UTC
From: mike@corn2.freeserve.co.uk
Message-ID: <3d8ec118.328201@news.freeserve.net>
Source record: 39186
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

On Sun, 22 Sep 2002 21:58:26 -0400, "AJ Sanderson" <ajsand@nospam.com>
wrote:

>I'd like to use a transverter with a 10 meter HTX-100 for 20 and maybe 80
>meter operation. Is this possible and where can I find plans?
>
Toko have these for I.F.'s of 6m or 2m. The difficulty of using 10m
I.F. is that of keeping mixing products out of the TX output. For
Example take IF of 28.000Mhz mixed with 31.5Mhz to give 3.5Mhz
(difference) and 59.5Mhz (sum). The Eighth harmonic of 3.5 is ?? what
?. Now work out other combinations for the n* sum +/- n*diff) etc etc.
And then do the same for all the other HF bands. Not a pretty sight.
The 2m I.F. version would be a lot easier to keep clean.
hth Mike W, G8NXD aka M3MSM qthr
--

3626. Re: transverter design for 20 meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 10:54:41 UTC
From: JC <on5mjREMOVE@skynet.be>
Message-ID: <3d8ef2f5$0$177$ba620e4c@news.skynet.be>
Source record: 39187
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

Completely right. My post was only general.

And I didn't know there was rigs transverting VHF to HF. I thought it was too hard in terms of filtering. Sorry for making confusion.

3627. Re: 10m gear for sale/trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 11:06:42 UTC
From: Max <ve3tmt@yahoo.ca>
Message-ID: <DBCj9.1655$ls3.309905@news20.bellglobal.com>
Source record: 39188

"Max" <ve3tmt@rac.ca> wrote in message
news:M5rj9.535$l44.201505@news20.bellglobal.com...

Due to the comments from self appointed newsgroup police, the 10m gear is
no longer for sale. I will sell it privately.
However, the Kenwood AT230 tuner is still available. Ooops, it will tune 10m
as well, does that make it CB crap too?

3628. Re: President Dwight D. CB?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 12:48:04 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3D8F0D84.746E24B6@crosslink.net>
Source record: 39189

Steve wrote:
>
> Since this is an amateur radio group, maybe you should be
> QRU or maybe even QRT

Oy! I thot he was asking about a particular model of CB and only
slightly OT.
K3DWW

3629. FS: Garmin StreetPilot Color Map

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 13:38:05 UTC
From: Michael Malloy <mmalloy@wi.rr.com>
Message-ID: <1PEj9.20031$8K4.205911@twister.rdc-kc.rr.com>
Source record: 39190
Cross-posted to:
alt.autos.hyundai,rec.autos.driving,rec.autos.misc,rec.autos.tech,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

This is the Garmin StreetPilot Color Map in like new condition. I have the original box, manuals, serial and power cables, dash mount and two 16mb memory cards.To see complete specs on this unit look at the Garmin web page here: http://www.garmin.com/products/colorMap/ and here http://www.gpscity.com/products/garmin/colormap.html It has the latest firmware upgrade installed.This is a $650 package. I am asking $450 shipped to your home in CONUS.

3630. FS: Yaesu FT-767GX Front Face and Parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 14:10:33 UTC
From: John <ki4nr@qsl.net>
Message-ID: <YhFj9.1000$V64.296941@newsfeed.slurp.net>
Source record: 39191

Make your FT-767GX like new again...Brand new front face plate for the Yaesu FT-767GX radio. It has never been use, still in the factory plastic. Also (all Brand new) have extra front panel parts consisting of 15 silver buttons, 6 rubber covers for the rotary knobs, 9 keyboard buttons, 1 rear backup button , 3 sidepanel rubber bumpers, Yaesu 767 name badge for front panel and lithium backup battery. This is a rare find for the 767gx owner as these parts are NOT available from yaesu anymore... Email for pictures

$60.00 plus shipping

73 john

3631. NCX-3 Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 15:22:53 UTC
From: rs2bk@aol.com
Message-ID: <20020923112253.25406.00004693@mb-mh.aol.com>
Source record: 39192

Any body have a schematic for the ncx-3 you can
actually read.

Thanks for your time.

Jim Roseman, w9ud
Moline, IL l

3632. ICOM UT-36 Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 15:25:50 UTC
From: rs2bk@aol.com
Message-ID: <20020923112550.25406.00004695@mb-mh.aol.com>
Source record: 39193

Looking for a UT-36 voice synthesizer.

Jim Roseman, w9ud
Moline, IL

3633. Re: 10m gear for sale/trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 16:03:05 UTC
From: Max <ve3tmt@yahoo.ca>
Message-ID: <tXGj9.962$wj3.159855@news20.bellglobal.com>
Source record: 39194

"FinalOutput" <finaloutput@aol.com.qe> wrote in message
news:20020923095453.01053.00005719@mb-fe.aol.com...
> x-no-archive:yes >From: jjj jjj@aol.com
> >Date: 9/22/02 11:17 PM Eastern Daylight Time:
> "I would call it CB Crap 10-4?"
>
> Don't let this Asswipe above bother you. You have a legitimate 10M
radio you
> are trying to sell on an Amateur Newsgroup. (In fact, that radio was also
sold
> under the "Radio shack HTX-10" name too)
> ... "Amateurs" that don't spend thousands on multi band rigs are all
> "jerks buying crap" to him, but not to most of the rest of us. I've had a
ball
> working dx on these $75-250 radios.

Oh I would agree. Very gratifying compliments from the stations I was
working, all praising the audio and signal strength, although I think the
Palomar had something to do with that.

I appreciate the support.

3634. Re: transverter design for 20 meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 16:48:35 UTC
From: kelly@dvol.com
Message-ID: <d22b54c3.0209230848.92d766e@posting.google.com>
Source record: 39195
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

"JC" <on5mjREMOVE@skynet.be> wrote in message
news:<3d8e9a65$0$213$ba620e4c@news.skynet.be>...
> I think transverters are used for increasing the working frequency not
> decreasing it, i.e. passing from HF to VHF. I never saw plans for passing
> from 10m to 20m or even 80m. The contrary would be easier as 10m is an
> harmonic of 20m or 80m.

Collins had an S-Line "downverter" to get on 160 from 80 or 40.

>
> 73 de ON5MJ

w3rv

3635. Wtb: UHF Master 2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 17:33:08 UTC
From: John <sandersj@cowtown.net>
Message-ID: <uouk39h1lbi364@corp.supernews.com>
Source record: 39196

I am looking for a brown handle 88 split Master 2 radio. Please contact me with what you have and how much.

Thanks, John N5NME

3636. WTB: Johnson matchbox

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 19:33:35 UTC
From: WD40 <wd40@dog.com>
Message-ID: <s0Kj9.1361$x57.398030896@news.inreach.com>
Source record: 39197
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Looking for Johnson matchbox in good condition.
wd40@dog.com

3637. Schematic of ADMS-1D Level Converter cable for Yaesu or Standard

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 20:47:27 UTC
From: LB <"no mail">
Message-ID: <amnuqk$7b4$1@slb3.atl.mindspring.net>
Source record: 39098

Does anyone have a schematic for the level converter cable on Yauesu or Standard radios?

It is used to program the radio's frequencies.

Thanks

-LB

3638. Re: 10m gear for sale/trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 21:09:29 UTC
From: jjj <jjj@aol.com>
Message-ID: <dn0vougkcvjuq5l7ncm5cim9hptateh8l3@4ax.com>
Source record: 39099

10-4

On Mon, 23 Sep 2002 12:03:05 -0400, "Max" <ve3tmt@yahoo.ca> wrote:

>
>"FinalOutput" <finaloutput@aol.com.qe> wrote in message
>news:20020923095453.01053.00005719@mb-fe.aol.com...
>> x-no-archive:yes >From: jjj jjj@aol.com
>> >Date: 9/22/02 11:17 PM Eastern Daylight Time:
>> "I would call it CB Crap 10-4?"
>>
>> Don't let this Asswipe above bother you. You have a legitimate 10M
>radio you
>> are trying to sell on an Amateur Newsgroup. (In fact, that radio was also
>sold
>> under the "Radio shack HTX-10" name too)
>> ... "Amateurs" that don't spend thousands on multi band rigs are all
>> "jerks buying crap" to him, but not to most of the rest of us. I've had a
>ball
>> working dx on these $75-250 radios.
>
>Oh I would agree. Very gratifying compliments from the stations I was
>working, all praising the audio and signal strength, although I think the
>Palomar had something to do with that.
>
>I appreciate the support.
>

3639. Flexible shaft couplers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 22:01:09 UTC
From: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com>
Message-ID: <FaMj9.562465$UU1.91864@sccrnsc03>
Source record: 39100

I am in need of a pair of flexible shaft couplers for a Kenwood TS-830. They must be insulated. Center hole is 6mm and runs through and through. Diameter is 15mm and length is 16mm. Name of part is "Universal Coupling" PN D22-0402-05. A friend said there was something about a fix in the ARRL's "Hints and Kinks". I don't know what year. Any help is greatly appreciated.

73,
Ed KA9EES

3640. Re: Schematic of ADMS-1D Level Converter cable for Yaesu or Standard

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 22:07:18 UTC
From: dplatt@radagast.org
Message-ID: <uov44mchllnt0a@corp.supernews.com>
Source record: 39101

>Does anyone have a schematic for the level converter cable on Yauesu or
>Standard radios?
>
>It is used to program the radio's frequencies.

See http://www.icongrp.com/~sllewd/pcware.htm for schematics for two different versions. The four-contact 1/8" miniplugs are avalable from Mouser Electronics. You should be able to use almost any general-purpose switching transistors in this application - check your junk-box.

I built a level-shifter for a Kenwood TM-G707A programmer, rather similar to the "alternative and simplified" schematic, and it works just fine.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will boycott any company which has the gall to send me such ads!

3641. Last Day FA: Kenwood TM-221A 2M FM Mobile Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 23:04:56 UTC
From: NdOsStPaAnMton@apk.net
Message-ID: <amo6mo$16b$1@plonk.apk.net>
Source record: 39102

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1382066707

3642. Last Day FA: Automotive Power Distribution Center

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 23:06:21 UTC
From: NdsOtaSntPonA@aMpk.net
Message-ID: <amo6pd$16b$2@plonk.apk.net>
Source record: 39103

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1382082325

3643. CTCSS connector in Kenwood TM201B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 23:32:44 UTC
From: Chetan Bhargava <Post@news.group>
Message-ID: <uwNj9.1$8E4.1338@news.sjc.globix.net>
Source record: 39104
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Hi All,

Has anyone tried to connect a ctcss encoder to Kenwood TM201B 2m xceiver?

TIA

--

73,

Chetan Bhargava
KG6NFG
www.bhargavaz.net

3644. WTB: Coil Forms

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-23 23:40:35 UTC
From: Doug and Cindy Deutsch <cindyd1@enter.net>
Message-ID: <3D8FA6D4.2E5DE7C9@enter.net>
Source record: 39105
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.shortwave

Hi,

A friend is looking for coil forms such as Hammarlund XP-53 1 1/2" diameter; SWF-4,5 or 6 pin; Bud 1 1/4 and 1 1/2 mica filled bakelite 4,5 or 6 pin; Amphenol 24-4P, 24-5P and/or 24-6P polystyrene 1 1/4 form.

If you have any of the above please send me your contact information as well as what you have and I will pass it along.

Thanks,

Doug W3IIY

3645. FT100D AM muffled

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 00:09:13 UTC
From: jburke1296@aol.com
Message-ID: <20020923200913.21386.00006053@mb-fv.aol.com>
Source record: 39106

I have an FT100D I purchased from HRO. All bands/modes work fine except am. On 6M am I get reports that my audio is muffled & distorted. I have set the am mike gain from 15 to 90% with the same results. I am using the stock mike.

Has anyone had similar problems & were able to correct it? This is a fantastic radio except for this problem.

Thanks in advance
Jim N1VFZ email: jburke1296@aol.com

3646. Last Day FA: MFJ-1276 TNC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 00:38:48 UTC
From: dsNOtanSPton@aAMpk.net
Message-ID: <amoc6o$3n7$1@plonk.apk.net>
Source record: 39107

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1382068667

3647. Re: Schematic of ADMS-1D Level Converter cable for Yaesu or Standard

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 00:53:36 UTC
From: "Bob Parnass, AJ9S" <usenet1@parnass.org>
Message-ID: <3d8fb7ad$0$1428$272ea4a1@news.execpc.com>
Source record: 39108

Be aware that the Yaesu receivers use 3-pin plugs
and the Yaesu transceivers use 4 pin plugs.

The tip of the 3-pin plug is left disconnected
when cloning Yaesu receivers. Yaesu receivers use the tip
for earphone audio and you don't want to connect that to
the level converter circuitry.

On Mon, 23 Sep 2002 17:07:18 -0500, Dave Platt wrote:

>>Does anyone have a schematic for the level converter cable on Yauesu or
>>Standard radios?
>>
>>It is used to program the radio's frequencies.
>
> See http://www.icongrp.com/~sllewd/pcware.htm for schematics for two
> different versions. The four-contact 1/8" miniplugs are avalable from
> Mouser Electronics. You should be able to use almost any
> general-purpose switching transistors in this application - check your
> junk-box.
>
> I built a level-shifter for a Kenwood TM-G707A programmer, rather
> similar to the "alternative and simplified" schematic, and it works
> just fine.

--
==
Bob Parnass, AJ9S Linux User http://parnass.com

3648. help W2A won't power up!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 01:28:40 UTC
From: William DeVore <BDeVore@fuse.net>
Message-ID: <uovg7f6sgbdt40@corp.supernews.com>
Source record: 39109

I have 2 old W2A's they were working when I put them on the shelf a year or so ago. Put on two new batteries one was cold would no do anything the other, the transmit light would come on red but no display....any help would be appreciated....
Bdevore@fuse.net

3649. FS: SWAN 250 VHF STATION

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 02:10:17 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <7bivoukl89rl2f5t7bl79bt8cd1a7bpe58@4ax.com>
Source record: 39110
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

Swan 250 transceiver with 117XC power supply and
complete with all cables.
Finals are slightly weak but otherwise it works.
A little love and care will make this into a
great 6m station for your shack.

Will sell for $195.00
Shipping additional

E-mail me for picture or to arrange purchase.

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3650. Re: FT100D AM muffled

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 02:22:26 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <jQPj9.6040$J91.608073@e3500-atl1.usenetserver.com>
Source record: 39111

JBurke1296 <jburke1296@aol.com> wrote in message
news:20020923200913.21386.00006053@mb-fv.aol.com...
> I have an FT100D I purchased from HRO. All bands/modes work fine except
am. On
> 6M am I get reports that my audio is muffled & distorted. I have set the
am
> mike gain from 15 to 90% with the same results. I am using the stock mike.
>
> Has anyone had similar problems & were able to correct it? This is a
> fantastic radio except for this problem.

I don't know, but I have *heard* that most Yaesu rigs leave something to be
desired on AM, but
don't take that as an authoritative pronouncement. I have, however, had
excellent results with my
706s on AM.

73

Jerry
K4KWH
>
> Thanks in advance
> Jim N1VFZ email: jburke1296@aol.com

3651. Pinout for Standard CMP-870 Mike?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 02:47:00 UTC
From: LB <"no mail">
Message-ID: <amok4g$or9$1@slb5.atl.mindspring.net>
Source record: 39112

Does anyone have a schematic for this Mike with or without DTMF pad?

Also, what is is the pinout?

Thanks

-LB

3652. Re: FT100D AM muffled

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 02:55:36 UTC
From: Paul N3EOP <n3eop@arrl.or.callsign.net>
Message-ID: <Xns9292CAB459D30n3eophotmailcom@64.164.98.29>
Source record: 39113

jburke1296@aol.com (JBurke1296) wrote:

> I have an FT100D I purchased from HRO. All bands/modes work fine
> except am. On 6M am I get reports that my audio is muffled &
> distorted. I have set the am mike gain from 15 to 90% with the same
> results. I am using the stock mike.

From the FT-100 FAQ (http://www.k0lee.com/ft100faq.html):

"Most owners who have had difficulties with AM audio quality have
reported that the 6k HZ option AM filter (p/n XF117A) is an absolute
necessity for both transmitting and receiving in AM mode."

3653. Autek keyer help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 04:30:34 UTC
From: fvracr@aol.com
Message-ID: <20020924003034.03313.00000490@mb-fo.aol.com>
Source record: 39114

I have an Autek Research CMOS memory keyer model MK-1 and would like to find a manual for it.
The problem is that it is hooked up to an Kenwood TS440 and it will not key the radio, either by tune or by keying.

Thanks,
Kirk
K7EKM

3654. WTB POLYCOMM PC2 TWO METER MANUAL&MICROPHONE/PWRCORDS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 07:56:10 UTC
From: k6stu@aol.com
Message-ID: <20020924035610.27267.00004769@mb-bk.aol.com>
Source record: 39115

DOES ANYONE HAVE A MANUALS AND MICROPHONE FOR SALE???
DOES ANYONE HAVE THE AC AND THE DC POWER CORDS OR THE WIREING DIAGRAMS FOR THE POWER CORDS???
THANKS DE
MIKE

3655. Re: transverter design for 20 meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 10:43:16 UTC
From: Deos <lineoffiretoday@yahoo.com>
Message-ID: <amppof$79e$1@nic.grnet.gr>
Source record: 39117
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

HI JC
i have used transverter for years (made some as well) from 10M to 40M it can be done!
"JC" <on5mjREMOVE@skynet.be> wrote in message news:3d8e9a65$0$213$ba620e4c@news.skynet.be...
> I think transverters are used for increasing the working frequency not
> decreasing it, i.e. passing from HF to VHF.

3656. Re: Icom's New IC-T90A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 12:06:11 UTC
From: "Dr. Grant" <drgrant@ziplink.net>
Message-ID: <t3l0pug47eirui1hjpbdfp3d1vf8n0s7uh@4ax.com>
Source record: 39116

Yeah, we do, because the VX5 and VX7 fail to really impress anyone that's used them for more than 30 minutes. They're okay radios but they're a FAR cry from being what I would consider "polished". Not sure about you, but I'm used to radios that decode CTCSS properly, and don't lock up when scanning. I like a radio, that when im tinkering with it, the only things I find are "missing features" and not broken ones.

On 21 Sep 2002 20:10:24 -0700, k6lcs@clintbradford.com (Clint Bradford) wrote:

>I am having difficulty getting excited about Icom's new IC-T90A ... I
>mean, do we really need another 6M/2M/70CM handheld on the market?
>
>Clint Bradford, K6LCS
>http://www.clintbradford.com

3657. Re: transverter design for 20 meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 14:11:17 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ampup3$1uaq$1@madmax.keyway.net>
Source record: 39118
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

Actually, up-conversion has the advantage of fewer potential for birdies
from harmonics of the oscillators. Most of the better transceivers use
an IF higher than the Fo.

I have no experience with the 10m radio you mentioned, but it sounds
like your project has potential. Additional circuitry could be built into a
housing extension, replacing the bottom cover? The down side, It
could cost more than buying a used HF multi-band rig, but that idea
never scared any hot rodders from building. Sounds like a neat
project.

Jim, ac6tk
"Deos" <lineoffiretoday@yahoo.com> wrote in message news:amppof$79e$1@nic.grnet.gr...
: HI JC
: i have used transverter for years (made some as well) from 10M to 40M it can
: be done!
: "JC" <on5mjREMOVE@skynet.be> wrote in message
: news:3d8e9a65$0$213$ba620e4c@news.skynet.be...
: > I think transverters are used for increasing the working frequency not
: > decreasing it, i.e. passing from HF to VHF.
:
:

3658. FS: Timewave DSP-59+ Noise Filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 18:04:03 UTC
From: Doug Gavilanes <gavilan1@earthlink.net>
Message-ID: <3D90A9A9.DC759B8C@earthlink.net>
Source record: 39119
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Douglas Gavilanes wrote:

> For Sale:
> Timewave DSP-59+ Noise filter. In excellent shape. Works great to kill
> QRM on HF. Just what your HF station or mobile needs.
>
> $160, includes UPS. Postal money order preferred.
>
> If interested, email to: gavilan1@earthlink.net
>
> TNX es 73,
>
> Doug Gavilanes, N6XQY
> Garden Grove, CA.

Forgot to add:

Includes manual, wall wart, photo at:

http://www.srigc.com/n6xqy/dsp59plus.jpg

73,

Doug, N6XQY

3659. Re: FS: Kenwood TS-430S, Station Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 18:08:18 UTC
From: Doug Gavilanes <gavilan1@earthlink.net>
Message-ID: <3D90AAB7.7C3D2138@earthlink.net>
Source record: 39120
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Douglas Gavilanes wrote:

> For Sale:
>
> 1. Kenwood TS-430S, excellent condition, never mobile. 10-80M, +160
> receive, open TX, dual VFO, AM/SSB/CW/FM, VOX, narrow filters, loaded,
> includes MC-80 desk microphone, padded headset with boom microphone,
> mobile bracket (never used).
> $400, plus UPS from 92843. Postal money order preferred.
>
> 2. Kenwood AT-250 antenna tuner, with control cable. Matches TS-430S.
> Excellent condition.
> $200, plus UPS from 92843. Postal money order preferred.

Photo at:
http://www.srigc.com/n6xqy/at250.jpg

> 3. Kenwood SP-430 speaker, matches TS-430S. Sounds and looks great.
> $60, includes UPS from 92843. Postal money order preferred.
>

Photo at:
http://www.srigc.com/n6xqy/sp430.jpg
http://www.srigc.com/n6xqy/sp430b.jpg

> 4. Kenwood MC-48B touchtone hand microphone, with UP/DOWN buttons.
> Excellent condition.
> $55, includes UPS from 92843. Postal money order preferred.
>
> I haven't been on HF in over a year (QRM from the XYL), and I'd like to
> expand my VHF and UHF activity, so I'm letting my HF station go.
>
> If interested, email to: gavilan1@earthlink.net
>
> TNX es 73,
>
> Doug Gavilanes, N6XQY
> Garden Grove, CA.

Item #1 sold.
Photo links added for items #2 and #3.

73,

Doug, N6XQY

3660. Re: Icom's New IC-T90A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 20:11:39 UTC
From: k6lcs@clintbradford.com
Message-ID: <fc08b778.0209241211.621ea889@posting.google.com>
Source record: 39121

k6lcs@clintbradford.com (Clint Bradford) wrote in message news:<fc08b778.0209211910.146bd40a@posting.google.com>...
> I am having difficulty getting excited about Icom's new IC-T90A ...

And I am not alone: I just called the two major amateur shops in the Los Angeles area, and one of them hadn't received an inquiry about the T90A until I called. They've chosen not to even order any.

The Kenwood TH-F6a - with its marvelous full-power performance on 220 /2 meters / 440 and software programmability - is the amateur HT I'm carrying around most of the time here in Southern California.

Clint Bradford, K6LCS
http://www.clintbradford.com

3661. Yaesu FT2400 Weak Audio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 20:55:09 UTC
From: W4NNG <w4nng@[remove]>
Message-ID: <Ni4k9.23272$IL6.1325147@news2.east.cox.net>
Source record: 39122

Dear Group

Normally able to fix stuff but this has me stump. Need Help !

I've got an FT 2400 Mr.

Last year audio started getting weak enough that I had to crank audio gain pot to max
Audio kept getting weaker

Touch Tone encoder is in Mic. Audio from it is loud.
Figured problem must be mic and replaced it.

Still have problem. To make problem more interesting, every so often audio comes back to normal. There's no sense of a loose connection. Taping the mic or the rig has no effect on audio and produces no sound one would associate with a loose connection.

Audio is now often less then 10% deviation.

Any Ideas or suggestion definitely welcomed

Bob

W4NNG
w4nng@arrl.net

--

Metroped Inc. P.O. Box 15077 Alexandria, VA. 22309-0077
robert.brubaker@metroped.org www.metroped.org

3662. Need Ham Windows Program

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 21:41:13 UTC
From: kbtgw <kbtgw@ws.quik.com>
Message-ID: <ZZ4k9.270$Nb1.2587@newsfeed.intelenet.net>
Source record: 39231

I bought the Kenwood Interface IF-232C from a fellow Ham but he forgot/lost the Ham Windows disketts that came with the interface.

I am willing to pay reasonable costs to get the program. I have all the manuels.

73 de Les, K2TGW kbtgw@ws.quik.com
516-295-0696 evenings

3663. Re: Yaesu FT2400 Weak Audio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 21:43:32 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3D90DC84.3E7D413C@optonline.net>
Source record: 39123

just for sh*ts and giggles make sure your mic connections are clean and shinny.

A while back I had the same problem and cleaning the connector contacts on the
rig and the mic worked for me. It did come back every few months.
You never know.
Good luck!!
73, Mark

W4NNG wrote:

> Dear Group
>
> Normally able to fix stuff but this has me stump. Need Help !
>
> I've got an FT 2400 Mr.
>
> Last year audio started getting weak enough that I had to crank audio gain
> pot to max
> Audio kept getting weaker
>
> Touch Tone encoder is in Mic. Audio from it is loud.
> Figured problem must be mic and replaced it.
>
> Still have problem. To make problem more interesting, every so often audio
> comes back to normal. There's no sense of a loose connection. Taping the
> mic or the rig has no effect on audio and produces no sound one would
> associate with a loose connection.
>
> Audio is now often less then 10% deviation.
>
> Any Ideas or suggestion definitely welcomed
>
> Bob
>
> W4NNG
> w4nng@arrl.net
>
> --
>
> Metroped Inc. P.O. Box 15077 Alexandria, VA. 22309-0077
> robert.brubaker@metroped.org www.metroped.org

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

3664. FS or trade list 09-24-2002

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 22:11:07 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <%p5k9.529131$me6.61283@sccrnsc01>
Source record: 39124

GE Portables

GE MPA VHF Scan 136 - 150.8 split 192 channels nice 9.0
Condition. With battery and antenna. I have this programmed for
Ham and up to 152 MHz.
$225.00

GE MPA VHF System 146 - 170 Aegis digital encryption. Nice radio
9.0 condition. 160 channel Alphanumeric display. With antenna
and battery. Great ham or public safety radio. $300.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display.
With battery and antenna. 7-7.5 $75.00

GE PCS UHF 440 - 470 8 channel with battery and charger. Looks
Good. $85.00

GE PCS UHF 150 - 170 8 channel with battery and charger. Looks
Good. $85.00

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170
but I have programmed these in the ham band with no trouble. These
have battery, and antenna. $75.00 each

GE MPS VHF 12 channel. 8.5 condition. New antennas and used batteries
Standard charger. $60.00 each have 2.
.
GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1
good battery. With 1 dual slot charger. $175.00 all 3 radios.

GE Mobiles

GE Ranger 150 N9HH0A110A 150 - 170 110 watt drawer unit only.
This will work with the control heads and cables I have below.
$75.00

GE MVS UHF 440 -470 128 channels. Scans and works good.
Looks great and is programmed on the ham bands.$175.00

GE MCS UHF 440 - 470 4 channel 10 watt mobile separate speaker is
also the control head. With mic. $85.00

GE MLS Low Band 16 channel scan. 42-50 split. New mic. Should
Program to 6 meter ham. 60 watt $150.00

GE Mastr II UHF 75 watt with pre-amp. No Icoms drawer only.
MC65KKG88B $90.00 each only 2 left

GE Mastr II Lowband 42-50 slit 110 watt. MC74KCN33A
With 1 set of Icoms $30.00 each I have many.

GE Mastr Pro Low band 110 watt 42 50 split. MT74TCS33
With 2 sets of Icoms. FREE. You pay shipping and packing. I
have many.

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00
each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr
II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that
I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Not tested. $60.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.
16 channel model has short cable and some handle bar mounts. Mic
included but no speaker.
$50.00

GE Accessories

GE Duplexer Mod DB4075 P/N 19C307166P2. tx453.xxx rx458.xxx
With cables. 4 cavity. $175.00

GE Duplexer Mod P1 P/N 19C307166P1 tx453.xxx rx458.xxx
With cables. 4cavity. $175.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $1.00 each
Minimum 5 at this price.

Mastr II Mic. $5.00 3 for $10.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen
programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5.
$4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and
162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50
each. These are the only frequencies I have.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each. Picked up 3 sets of
UHF 2C Icoms $30.00 per set of 1tx and 1rx Icom.

GE Delta cables. These are the downloading type used with the S820 heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

GE Mastr II mounting plates $15.00 each

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE PCS Universal charger. With wall transformer $20.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a rapid rack charger with a DB 15 cable and uses a MPD body to attach a battery to. Has LED readout in display area of MPD body to tell discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card and power supply / speaker. $200.00

Other Radios and Accessories

Motorola HT50 VHF 2 channel 150 - 170 belt clip holder battery and Charger. $75.00

Motorola MT1000 UHF 438 - 469. 16 channel scan. Has battery , charger,
and stubby antenna. $165.00

Motorola Maxtrac VHF 40 watt 16 channel scan. 5 pin. With Mic. $225.00

Motorola Radius / Maxtrac VHF 25 watt 16 channel scan. 16 pin port. With mic. $200.00

Uniden SPS 802TS 800 LTR portable. With charger. $75.00 Pair.

EF Johnson Challenger 5852 portables. VHF I think. With charger and batteries but the batteries are dead. Radios make squelch noise when powered up. As is $40.00 pair.

Yaesu FTH 2009 VHF portable. 6 channel. Works great on ham and public Safety band. With wall charger $85.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great. This was in my van before I added another MVS so I know it works. $85.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by Midland. $65.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$65.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition and charger. $150.00

Motorola GP 300 UHF 2 channel. Has good battery and rapid charger $150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of crystals for each radio. Also have a working battery and charger for each. I have 4 of these. $50.00 all

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work with the sp2000 as well.$35.00

Consignment section

This area is for a few friends who like those other radios you know "Motorola" They are good people and I will pass along any trades you may wish to make.

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola Saber II UHF 48 channel scan. With battery and antenna. 9 condition $300.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Want List not FS
Extra parts for GE suitcase programmers Data modules, Printers, cables, proms, Anything you have extra. I need some UHF 450 - 470 scan
MPD radios. How many do you have and what do you want for them? Johnson scorpion program cable.

Terms
All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list

it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a question E-mail me. Contact me off list at. Gundoc@i...
Dean

3665. Re: FT100D AM muffled

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 22:12:38 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <pr5k9.199572$Jo.73441@rwcrnsc53>
Source record: 39125

If you are trying to transmit AM mode through a sideband filter that will do it....

I put a 6 Khz filter in my Kenwood TS-830 when I added the AM to improve the quality
on both RX and TX. Prior to getting the AM filter, I had the SSB filters bypassed with
a relay during TX to keep from destroying the AM signal.

73

WA5VRL
Willis

3666. Re: FT100D AM muffled

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-24 23:08:45 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <u++QPSyk4Enj8PGxNi4aJBVBPdHk@4ax.com>
Source record: 39126

jburke1296@aol.com (JBurke1296) wrote:

>I have an FT100D I purchased from HRO. All bands/modes work fine except am. On
>6M am I get reports that my audio is muffled & distorted. I have set the am
>mike gain from 15 to 90% with the same results. I am using the stock mike.

What filter width are you using on AM?

Bob
k5qwg
>
> Has anyone had similar problems & were able to correct it? This is a
>fantastic radio except for this problem.
>
>Thanks in advance
>Jim N1VFZ email: jburke1296@aol.com

3667. Re: Icom's New IC-T90A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 00:33:03 UTC
From: Roland Stiner <nk2u@1stconnect.com>
Message-ID: <co7k9.4950$9V6.4454@fe01>
Source record: 39127

> The Kenwood TH-F6a - with its marvelous full-power performance on 220
> /2 meters / 440 and software programmability - is the amateur HT I'm
> carrying around most of the time here in Southern California.

Good but not marvelous. The radio has a severe intermod problem!

Roland, NK2U

3668. Autek Systems Corp Power Sensor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 01:46:35 UTC
From: "The Rice's at CUS2.net" <srice3NOSPAM@cfl.rr.com>
Message-ID: <%z8k9.29833$R8.1106525@twister.tampabay.rr.com>
Source record: 39128

Anybody have any info on a Model P71 RF Power Sensor Made By AUTEK Systems Corporation out of San Diego California?? Need any info I can get on these. Thanks Steve N4YZA

3669. Back up memory battery - Alinco ALR 206T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 02:24:20 UTC
From: Jack Wilson <hjack@ix.netcom.com>
Message-ID: <amr6oo$6g7$1@slb1.atl.mindspring.net>
Source record: 39129

Hi,

Can anyone tell me where the back up battery is found in an Alinco mobile 2 meter rig? I have opened up the top, the bottom, and the front panels for my ALR 206T, but cannot locate the battery. I assume it is about the same size and appearance as a watch bettery. Right? I have looked through the operator's manual and the service manual for a similar rig from the Alinco web page, but can only find a reference to the fact that the battery lasts for about 5 years. Nowhere have I found an indication of where to look for it. Help!!!

Jack
K1HW
hjack@ix.netcom.com

3670. FS: ICOM IC-746 HF/VHF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 02:58:58 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <SD9k9.393065$kp.1180312@rwcrnsc52.ops.asp.att.net>
Source record: 39130

* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

$850.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

3671. Re: Yaesu FT2400 Weak Audio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 03:04:36 UTC
From: "Gary \"Joe\" Mayfield" <gary_mayfield@hotmail.com>
Message-ID: <up2a1m1lgrucdd@corp.supernews.com>
Source record: 39131

Check out the op amps (LA6324) in the mic pre amp (Before the TT gets mixed in) I've had to replace them before on a FT-2400

Good Luck,
Joe
"Mark Russo" <mrrusso@optonline.net> wrote in message
news:3D90DC84.3E7D413C@optonline.net...
just for sh*ts and giggles make sure your mic connections are clean and shinny.
A while back I had the same problem and cleaning the connector contacts on the rig and the mic worked for me. It did come back every few months.
You never know.
Good luck!!
73, Mark

W4NNG wrote:

Dear Group
Normally able to fix stuff but this has me stump. Need Help !

I've got an FT 2400 Mr.

Last year audio started getting weak enough that I had to crank audio gain pot to max
Audio kept getting weaker

Touch Tone encoder is in Mic. Audio from it is loud.
Figured problem must be mic and replaced it.

Still have problem. To make problem more interesting, every so often audio comes back to normal. There's no sense of a loose connection. Taping the mic or the rig has no effect on audio and produces no sound one would associate with a loose connection.

Audio is now often less then 10% deviation.

Any Ideas or suggestion definitely welcomed

Bob

W4NNG
w4nng@arrl.net

--

Metroped Inc. P.O. Box 15077 Alexandria, VA. 22309-0077
robert.brubaker@metroped.org www.metroped.org

--

All e-mail received and SENT from me
has been checked by Norton Anti-Virus 2002.

mrrusso@optonline.net

GOD BLESS AMERICA!!!

3672. Re: Autek keyer help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 03:08:54 UTC
From: jamesnf@aol.com
Message-ID: <20020924230854.23729.00005551@mb-ft.aol.com>
Source record: 39132

The early Autek keyers were only set up to key the negative voltages used by tube rigs with grid block keying.

3673. Re: Pair of 5-500A transmitting tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 03:13:31 UTC
From: jamesnf@aol.com
Message-ID: <20020924231331.23729.00005552@mb-ft.aol.com>
Source record: 39133

I'm looking for some 5-500A's. What brand are yours and how were they checked?
Do you know their history?

3674. Re: Yaesu FT2400 Weak Audio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 03:24:16 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <s1b2pu4no0vh7tn5hf53vcfilr2e1kqvef@4ax.com>
Source record: 39134

On Tue, 24 Sep 2002 20:55:09 GMT, " W4NNG" <w4nng@[remove]arrl.net>
wrote:

>Dear Group
>
>Normally able to fix stuff but this has me stump. Need Help !
>
>I've got an FT 2400 Mr.
>
>Last year audio started getting weak enough that I had to crank audio gain
>pot to max
>Audio kept getting weaker
>
>Touch Tone encoder is in Mic. Audio from it is loud.
>Figured problem must be mic and replaced it.
>
>Still have problem. To make problem more interesting, every so often audio
>comes back to normal. There's no sense of a loose connection. Taping the
>mic or the rig has no effect on audio and produces no sound one would
>associate with a loose connection.
>
>Audio is now often less then 10% deviation.
>
>Any Ideas or suggestion definitely welcomed
>
>Bob
>
>W4NNG
>w4nng@arrl.net

Maybe missing or unwanted DC on the mic line ?

Gary K8IZ

3675. Re: Autek Systems Corp Power Sensor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 05:00:34 UTC
From: JC <on5mjREMOVE@skynet.be>
Message-ID: <3d9142f6$0$201$ba620e4c@news.skynet.be>
Source record: 39135

Address: Export Contacts:
9173 Sky Park Ct Mr. Sam McCutcheon, President
San Diego, CA 92123-4341
Type of Business: Spare parts, electronic testing equipment
Industry Sector:
Phone: 619-560-0123 Electronic / Electrical Equipment / Supplies /
Services
Fax: 619-560-0223 Market Target:
England, Japan, Germany

Seems they don't have a website !

3676. Re: transverter design for 20 meters?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 10:01:17 UTC
From: Deos <lineoffiretoday@yahoo.com>
Message-ID: <ams175djb1@nic.grnet.gr>
Source record: 39136
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design

actually it dose not cost more than 40$ ......
but in the long run I would have to agree that the time and the effort may
drive you to buy a nice new RIG :)
a lot of Italian used their multimode cb to go 'down' to 6.500 Mhz....

"JB" <ac6tk@nospamcybertime.net> wrote in message
news:ampup3$1uaq$1@madmax.keyway.net...
> Actually, up-conversion has the advantage of fewer potential for birdies
> from harmonics of the oscillators. Most of the better transceivers use
> an IF higher than the Fo.
>
> I have no experience with the 10m radio you mentioned, but it sounds
> like your project has potential. Additional circuitry could be built into
a
> housing extension, replacing the bottom cover? The down side, It
> could cost more than buying a used HF multi-band rig, but that idea
> never scared any hot rodders from building. Sounds like a neat
> project.
>
> Jim, ac6tk
> "Deos" <lineoffiretoday@yahoo.com> wrote in message
news:amppof$79e$1@nic.grnet.gr...
> : HI JC
> : i have used transverter for years (made some as well) from 10M to 40M it
can
> : be done!
> : "JC" <on5mjREMOVE@skynet.be> wrote in message
> : news:3d8e9a65$0$213$ba620e4c@news.skynet.be...
> : > I think transverters are used for increasing the working frequency not
> : > decreasing it, i.e. passing from HF to VHF.
> :
> :
>

3677. FS: Dust cover for equip.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 13:35:47 UTC
From: Frank <ve3gid@rac.ca>
Message-ID: <TYik9.13462$V21.319636@news>
Source record: 39137

Dust Covers for Radio Equipment

Custom designed and embroidered Radio Equipment Dust Covers. Soft black lint free covers with treated interior to protect and beautify valuable equipment. Tuners, Radios, Amplifiers, all sorts of equipment can benefit from this cover. Keep harmful dust from collecting on heat generating electronic circuits.

Custom embroidered callsigns and make. Gold on black lettering adds professionalism to any installation.

$19.95 each

$29.95 pair

plus shipping (Shipping included in Ottawa)

Custom Covers, dg198@ncf.ca

3678. FT817 Bundle for Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 14:12:25 UTC
From: Mystical <mystical@one.net>
Message-ID: <amsg9f$5j1$1@merrimack.Dartmouth.EDU>
Source record: 39138

Bought 3/18/02 to celebrate my BD. I've gotten 4 hrs OTA. *sigh* -
Prices include shipping lwr 48

Email KA3ZKE@yahoo.com with any questions or to make offer

1) FT817
(see www.yaesu.com/amateur/ft817tx.html for specs)
Small and easy to operate and REALLY gets out. I have worked Italy, GB,
numerous western US states on SSB with 5w with the MP1 below.
10+ cosmetically... Added 4 rubber feet to rig. All original packaging.
$575 OBO

2) SuperAntenna MP-1
Tunable coil for 40-10m. My only antenna with the 817. Great with Z11 tuner
below!
Using this as a base antenna, had it mounted on our porch. Something (stray
cat?) chewed up the couterpoise, so will need a new one. You get it from
SuperAntenna for ~$15: $110 OBO

3) LDG Z11 Autotuner
Cool autotuner. Works fast and matches everything. Bet it would be great use
with a dipole backpacking.
Including short coax jumper from the tuner to FT817. $150 OBO

3679. FS: KENWOOD TS-50 HF mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 14:57:15 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <f9kk9.439327$_91.615873@rwcrnsc51.ops.asp.att.net>
Source record: 39139
Cross-posted to:
alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

KENWOOD TS-50, mike, manual, pwr cord, box, great shape.

Asking $475 + shipping. (510) 386-5822

3680. WTB: 8" feed-thru connector

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 15:33:19 UTC
From: Ed Bagwell <bag1@planttel.net>
Message-ID: <amskp0$111n$1@news3.infoave.net>
Source record: 39140
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

looking for a UHF double female bulkhead (feed-thru) connector 8
inches long. need several. thanks for reading.
kk4ed@arrl.net

3681. Re: How do I connect SCS PTC-IIe to Kenwood TH-D7AG?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 16:02:11 UTC
From: Doug Faunt N6TQS +1-510-655-8604 <faunt@panix.com>
Message-ID: <mfrbs6m9hx8.fsf@panix3.panix.com>
Source record: 39141
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

johnfofawn@hotmail.com (John) writes:

> Hi,
>
> I want to buy this modem and this radio, but I can't find anyone that
> sells a cable to connect them? Any advice? I really don't want to
> build one -- I want a high-quality cable with molded connectors.
>

Forgive me for asking, but why? The PTC is basically an HF modem, and the D7 has a TNC built-in for the modes it will handle. The use of these two together would be rather unusual.

That said, to get molded connectors, you'll almost certainly have to get one Kenwood cable and a 8pin DIN cable (MFJ or Mouser) and splice them.

73, doug

3682. Re: WTB: 8" feed-thru connector

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 16:32:31 UTC
From: n4bk@hiwaay.net
Message-ID: <3D91E51F.12A3A668@hiwaay.net>
Source record: 39142
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Ed Bagwell wrote:

> looking for a UHF double female bulkhead (feed-thru) connector 8
> inches long. need several. thanks for reading.
> kk4ed@arrl.net

Check out Tower Electronics. www.pl259.com Scott and Jill should be
able to help. Bob N4BK

3683. FS: Peter Dahl Hypersil Plate Transformer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 18:27:52 UTC
From: John <ki4nr@qsl.net>
Message-ID: <7fnk9.4004$V64.1769382@newsfeed.slurp.net>
Source record: 39143

New old stock hypersil Plate transformer. Never installed. Spec are 115/230 primary... 1100 @ 900 mils CCS output. Good for many types of tubes. Will give 3100 volts with Full wave doubler. More than enough power for the legal limit plus. Email for pics

Make reasonable offers

73 john

3684. WTB: RME 4350

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 21:44:26 UTC
From: Mike White <m.white66@verizon.net>
Message-ID: <_6qk9.97$qg5.41@nwrddc02.gnilink.net>
Source record: 39144
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I'm looking for a clean working RME 4350 receiver. Please email if you have one to sell. Thanks.

Mike, N4PDY

3685. Station FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 22:13:28 UTC
From: "Richard S. Lindzen" <rlindzen@mit.edu>
Message-ID: <l7d4pu03qn6dnisv6ph78aajgapvhdoea5@4ax.com>
Source record: 39145

The following items are for sale (preferably to someone who can pick them up in the Boston area):

ICOM 750 (Japanese version of the 751) with original microphone, 250hz CW filter, 6khz AM filter, manual, Service Manual, new ROM and battery, original box, excellent condition. $450.

Astron RS35M 12 Volt Supply. Excellent condition. $90.

Dentron Clipperton L Linear Amplifier with tuned input and manual. Excellent condition. $450.

ICOM 260A all mode two meter rig with manual. Very good condition. $75.

Mirage 100 W. 2 meter Amplifier with preamp. Excellent condition. $90.

Datong RF Speech processor. Excellent condition. $45.

Take everything for $1100. (Miscellaneous extras will be thrown in.) If interested, contact me by email.

Dick Lindzen, KA1SA, rlindzen@mit.edu

3686. HTX-404 troubles

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 23:10:59 UTC
From: David Shalita <davidr@cnmnetwork.com>
Message-ID: <3D924250.AC2B080C@cnmnetwork.com>
Source record: 39146

Hi,

My faithful old RS HTX-404 440 HT is acting a bit erratic.

1. A Radio Shack 7 volt replacement BP is fitting quite loosely onto the HT body.
Used to fit very snug, not loose. Now, moving the BP relative to the HT case, with power on in RX mode, causes the HT to beep. Acts like voltage is dropping out and then recovering, not a solid connection.
Is there a fix to make battery power solid again?

What company rebuilds RS BP's like mine?
I have my origianl 7v RS BP which fits very tight. Need to have it rebuilt.
Can I rebuild my orginal BP which fits HT very well?

I tried chilling the case in Freezer but could not get plastic pieces to seperate. Can anyone suggest how to open the case?

2. Power output seems low both in both low and high power modes when operated from a 20AMP +12v bench supply and from 7 volt RS BP. 1 watt per my old uncalibrated Bird 43 wattmeter. I think used to make 3 watts from BP.

Is it normal for the power output to be 1 watt in high power mode, when power is either husky +12v or 7 volts from BP?

I am looking for A HAM near Van Nuys in San Fernando Valley who has a 440 mhz wattmeter so I can determine the power output of this HT.

Has anyone had good luck letting Radio Shack repair an HTX-404?

Thank you for any help.
73, W6MIK, Dave

3687. Re: HTX-404 troubles

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-25 23:28:01 UTC
From: dinoal7lz@aol.com
Message-ID: <20020925192801.03273.00000647@mb-fo.aol.com>
Source record: 39147

I bought my replacement pack from E.H. Yost...you can find him in the magazines (or probably any of the other battery dealers). The original RS nicads were notoriously crummy...my new one puts out 1.8W on high power and 0.3W on low power with a full charge (7.2V @ 1400mA hour). This pack is physically a little bigger than the original but MUCH more reliable.

Dino KL0S/4

3688. Ten-Tec Hamfest; Fri-Sat, Sep 27-28

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 01:05:18 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <amtmkn01tkb@enews4.newsguy.com>
Source record: 39199
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.dx

http://www.tentec.com/Hamfestinfo.htm

--

Regards,
Joe S.

3689. Re: Autek Systems Corp Power Sensor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 01:09:14 UTC
From: "The Rice's at CUS2.net" <srice3NOSPAM@cfl.rr.com>
Message-ID: <_6tk9.99$iL4.57795@twister.tampabay.rr.com>
Source record: 39198

Thanks, I will give them a call and see if they can give more info on these
things!! Again Thanks Steve
"JC" <on5mjREMOVE@skynet.be> wrote in message
news:3d9142f6$0$201$ba620e4c@news.skynet.be...
> Address: Export Contacts:
> 9173 Sky Park Ct Mr. Sam McCutcheon, President
> San Diego, CA 92123-4341
> Type of Business: Spare parts, electronic testing equipment
> Industry Sector:
> Phone: 619-560-0123 Electronic / Electrical Equipment / Supplies /
> Services
> Fax: 619-560-0223 Market Target:
> England, Japan, Germany
>
>
>
> Seems they don't have a website !
>
>
>

3690. Yaesu Ft-897 portable antenna options

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 03:36:46 UTC
From: jeffsssmith@hotmail.com
Message-ID: <af6ca1df.0209251936.330c3c56@posting.google.com>
Source record: 39200

What are the portable antenna options for the new Yaesu FT-897?

thanks

3691. Looking for small battery connector

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 04:39:47 UTC
From: Max <ve3tmt@yahoo.ca>
Message-ID: <Ucwk9.9003$2T6.1248605@news20.bellglobal.com>
Source record: 39201

I am in the process of making my own 9.6V 1600mA battery packs for my FT817 but need a source on a small DC cable connector similar to the one on the stock battery holder. Need male & female sides, must be able to close the battery cover door when they are installed. Does anyone know of a source for this kind of set? Searched the net everywhere to no avail. Tried quick disconnect spade lugs but they are too big, can't close the cover. The plugs found on the ends of some cordless phone batteries are great, but where do I find an inline receptacle for it?

Appreciate any help,

Thanks,

Max ve3tmt@yahoo.ca (please reply direct)

3692. Re: Looking for small battery connector

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 06:04:24 UTC
From: Bob Headrick <bobh@proaxis.com>
Message-ID: <up58rgda6vibc9@corp.supernews.com>
Source record: 39202

"Max" <ve3tmt@yahoo.ca> wrote in message
news:Ucwk9.9003$2T6.1248605@news20.bellglobal.com...
> I am in the process of making my own 9.6V 1600mA battery packs for my FT817
> but need a source on a small DC cable connector similar to the one on the
> stock battery holder. Need male & female sides, must be able to close the
> battery cover door when they are installed. Does anyone know of a source
> for this kind of set? Searched the net everywhere to no avail. Tried quick
> disconnect spade lugs but they are too big, can't close the cover. The
> plugs found on the ends of some cordless phone batteries are great, but
> where do I find an inline receptacle for it?

Check out the FT-817 group on Yahoo groups. There was a guy that bought a
bunch of the pins and connectors (I think from Digi-key) and made up connectors
that he was selling for a buck or two some time back. If you cannot find them
you could probably post the question in the group.

- 73 Bob W7OV

3693. FS Bird Stuff

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 06:17:50 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <iExk9.547$Rt5.38562@newsread2.prod.itd.earthlink.net>
Source record: 39203

For Sale Bird Stuff.........

You May view the Bird Equipment on my web page under ACCESSORIES

http://radioleo.tripod.com/leo/

Bird # 43 Wattmeter.........$160.00
"It sells new for $309.00"

Bird 100C 100 Watt Element for 100 - 250 MHz.......$50.00

Bird 250H 250 Watt Element for 2 - 30 MHz.......$50.00

Bird 1000H 1000 Watt Element for 2 - 30 MHz $70.00

73,

Leo KJ6HI

Ph/Fax (310) 670-6969

3694. FS Bird, Heathkit, Henry, TenTec, Yaesu

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 06:29:42 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <qPxk9.560$Rt5.39774@newsread2.prod.itd.earthlink.net>
Source record: 39204

I have a list of some NEW goodies, hope you like them.................

Yaesu FT-102 Transceiver, & Yaesu MD-1B8 Desk Microphone...$449.00

Yaesu SP-102P Phone Patch/Speaker.....$100.00

Yaesu FT-757GX II Transceiver
Yaesu FRB-757 Amp/Relay.........$399.00

Yaesu FT-707 Transceiver, hand microphone $259.00

Yaesu FC-707 Antenna Tuner...........$120.00

Yaesu " In The Box" FV-707DM External VFO...$120.00

Yaesu "Brand New In The Box" MR-7 Rack for the FT-707....$30.00

Yaesu "Brand New In The Box" FRB-707 Amp/Relay.........$39.00

Yaesu FT-480R 2 Meter All Mode Transceiver........$275.00

Yaesu FV-101Z FT-101ZD Matching External VFO.........$100.00

Yaesu FF-501 TVI Filter.............$20.00

(2) Yaesu Landliner Speaker/Phone Patch........$50.00 each

Nye - Viking MB-V-A 3000 Watt Antenna Tuner.........$400.00
" It sells NEW for about $900.00"

Ten Tec Model 4229 Antenna Tuner $130.00

Henry 2K Classic Console Amplifier 10,15,20,40,80 meters.........$850.00
Pick Up Only in Los Angeles........
"It sells NEW for about... $2000.00"

Heathkit SB-221 Amplifier.........$499.00
10-80 meters, nice condition

PAL 120+ 12 Volt Tube Amplifier........$80.00

PAL KW-1 SWR/Watt Meter..........$30.00

Heathkit SB-614 Scope..........$80.00

Mirage B-108 2 Meter Amplifier 10 watts in 80 watts out........$75.00

Bird # 43 Wattmeter........$160.00
"It sells new for $309.00"

Bird 100C 100 Watt Element for 100 - 250 MHz.......$50.00

Bird 250H 250 Watt Element for 2 - 30 MHz.....$50.00

Bird 1000H 1000 Watt Element for 2 - 30 MHz $70.00

Bencher Keyer BY-2.....$70.00
"It sell NEW for $125.00"

Ham Key $40.00

Heathkit SA-5010 u Matic Keyer...$50.00

Nye Viking Straight Key....$40.00

AEA MorseMatic....$65.00

"New In The Box" Alliance Rotor.....$80.00

MFJ - 1278 TNC, Multi-Mode CW,SSTV,FAX,RTTY,AMTOR,ASCII, NAVTEX, CONTEST
MEMORY KEYER.....$95.00

(2) MFJ-1272B TNC/MIC Switch.....$10.00 each

Heil HM-10-5 Desk Microphone Wired For Yaesu.....$70.00

KW KANGallon Dummyload.....$20.00

Rig Blaster.....$60.00

Thank You & 73,

Leo KJ6HI

Ph/Fax (310) 670-6969

3695. Henry 2K Classic Amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 06:37:37 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <RWxk9.570$Rt5.40435@newsread2.prod.itd.earthlink.net>
Source record: 39205

Henry 2K Classic Console Amplifier 10,15,20,40,80 meters
Pick Up Only in Los Angeles.....$850.00

"It sells NEW for about... $2000.00"

Leo KJ6HI

Ph/Fax (310) 670-6969

3696. Yeseu FT-2400H software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 13:02:04 UTC
From: Jack <jack@satterfield.org>
Message-ID: <3d930bae_4@news1.prserv.net>
Source record: 39206

Is there any software available for the Yeseu FT-2400H 2mtr rig, to program the radio from a pc?

Thanks,

Jack
W4GRJ

3697. Re: Yeseu FT-2400H software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 13:22:28 UTC
From: Idontwantspam@net
Message-ID: <3d9308de.2772767@news.bellatlantic.net>
Source record: 39207

On Thu, 26 Sep 2002 08:02:04 -0500, "Jack" <jack@satterfield.org>
wrote:

>Is there any software available for the Yeseu FT-2400H 2mtr rig, to program
>the radio from a pc?
>
I had called RT Software (they make interface software for a number of
units) and was told that nothing is available for that unit. I'm not
sure it is even capable.

The software programming usually depends on the "cloning" feature
built into many newer units, where you could program one manually,
hook up to a second one (of that model), and transfer everything. The
software makes your PC emulate another unit, and lets you modify and
create a file in your PC.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

3698. Re: Yeseu FT-2400H software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 14:18:19 UTC
From: "Dr. Grant" <drgrant@ziplink.net>
Message-ID: <9n56pugh9159hf1n5t0drdp1qh9sji2js0@4ax.com>
Source record: 39208

Why bother? If its anything like it's sucessor, it won't have much
more than 30 or so memories. Of course, if it supports alpha tags
like the 2500 does, I guess thatd make putting those in a heck of a
lot easier.

-Mike

On Thu, 26 Sep 2002 08:02:04 -0500, "Jack" <jack@satterfield.org>
wrote:

>Is there any software available for the Yeseu FT-2400H 2mtr rig, to program
>the radio from a pc?
>
>Thanks,
>
>Jack
>W4GRJ
>
>
>

3699. FS AS NEW IC-706MKIIG, MB-62, AH-4

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 14:46:23 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <35Fk9.1030$Rt5.109299@newsread2.prod.itd.earthlink.net>
Source record: 39209

I have for sale an AS NEW IC-706MKIIG, MB-62, AH-4. The 706MKIIG has less than 10 hours use, never mobile, and the MB-62 mobile mounting bracket and the AH-4 antenna tuner are new in the box, never used.Have all boxes, manuals, standard accessories that came with each unit. Asking $975 for the package shipped in the lower 48.Thanks, Charlie Hugg, K5MBX

3700. Re: Yaesu Ft-897 portable antenna options

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 15:19:49 UTC
From: Jake <Jake@napster.com>
Message-ID: <pAFk9.29642$IL6.1783532@news2.east.cox.net>
Source record: 39210

Stacked Monobanders ...

"Jeff" <jeffsssmith@hotmail.com> wrote in message
news:af6ca1df.0209251936.330c3c56@posting.google.com...
> What are the portable antenna options for the new Yaesu FT-897?
>
> thanks

3701. YAESU 736R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 18:02:27 UTC
From: JEEPMON <JEEPMON@HOTMAIL.COM>
Message-ID: <TYHk9.84980$gA4.28280@sccrnsc02>
Source record: 39211

Can my Yaesu 736r cross-band? If so please tell me how? Is it the same as full duplex satellite mode??

3702. Re: Yeseu FT-2400H software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 18:36:31 UTC
From: Jack <jack@satterfield.org>
Message-ID: <3d9357b8_4@news1.prserv.net>
Source record: 39212

The manual says the 2400H is capable of cloning from another unit and lists the cloning cable as an accessory.

I travel between a couple of different locations often and would like to download the repeaters with all the pl's already programmed for the area.

"Jack" <jack@satterfield.org> wrote in message news:3d930bae_4@news1.prserv.net...
: Is there any software available for the Yeseu FT-2400H 2mtr rig, to program
: the radio from a pc?
:
: Thanks,
:
: Jack
: W4GRJ
:
:
:
:

3703. ANYONE ELSE BEEN SCAMMED by RADIO CLUB of JHS 22? #1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 18:55:52 UTC
From: falster762@aol.com
Message-ID: <20020926145552.25407.00008980@mb-md.aol.com>
Source record: 39213

Dear Fellow hams;
I've been lied to by this Joe Fairclough, Wb2JKJ at Radio Club of JHS 22, was sold junk that he said was fine.
I understand that he is a Non-Profit organisation and advertises on the WWW & magazines for contibutions?
http://www.wb2jkj.org/
Sells Copy-righted manuals also>>
http://hometown.aol.com/joeee1621/myhomepage/business.html
These pages are NOT FOR PROFIT accoding to TOS but he never the less uses it as such.
I think AOL should be aware of this!
I hear from the Grape Vine that he is NOT even in JHS 22 anymore but still uses that moniker & sells his ill gotten booty on Ebay as Joeee1621, probabaly other AKA's too!
Has he ever contributed to well known causes with this money he gets? Anyone know?
Does the NYC school system know of this? He uses thier name, JHS 22 Radio Club!
He gets paid as a teacher, what does he teach if anything or did he get lost in the NYC school system and able to exploit it?
If you really want to help expose this character, I suggest you e-mail AOL & the NYC school system & hold him accountable!!
73 Brian

3704. Service Monitor FS or Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 19:23:17 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <F8Jk9.454001$_91.655680@rwcrnsc51.ops.asp.att.net>
Source record: 39214

Cushman CE3 Service Monitor

With model 330 Broadband Mixer, Wattmeter, and Duplexer tester plug in. Also has Model 201 scope plug in. Some of the frequency lamps are out but you can still see the frequency numerals with a light. No front cover, pad or cables. Good basic service monitor.

$350.00 or trade

Dean

3705. Re: FS AS NEW IC-706MKIIG, MB-62, AH-4

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 19:46:03 UTC
From: ae6fl@arrl.net
Message-ID: <hxJk9.936$p03.735@fe01>
Source record: 39215

You again? Good gourd Chuck. I can get the same thang new for that price. Are you a celebrity? Or did you aquire this stuff from a famous astronaut or something (with notarized documentation attesting to same) ? As this is used equipment, why on earth would any person with an approximate normal Q factor pay more than half of what a new one costs? Say; $500.00 to $600.00 USd? Of course, I could be wrong. Maybe you should ask $1200.00 or $1500.00 if you really want to make some doh.

Good luck brother,
AE6FL MB

Charles Hugg <chashugg@earthlink.net> wrote in message
news:35Fk9.1030$Rt5.109299@newsread2.prod.itd.earthlink.net...
> I have for sale an AS NEW IC-706MKIIG, MB-62, AH-4. The 706MKIIG has less
> than 10 hours use, never mobile, and the MB-62 mobile mounting bracket and
> the AH-4 antenna tuner are new in the box, never used.Have all boxes,
> manuals, standard accessories that came with each unit. Asking $975 for
the
> package shipped in the lower 48.Thanks, Charlie Hugg, K5MBX
>
>

3706. Kenwood TS-930 mod question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 20:23:19 UTC
From: jim.bolinger@lintek.aeroflex.com
Message-ID: <8d5ec8a2.0209261223.2a6b30f5@posting.google.com>
Source record: 39216

The 930 has two jacks on the back for connecting to a phone patch, one for transmit audio and one for receive.

I would like to connect these to the sound card input of my PC for use with the various digital HF modes, plus some experiments I have in mind.

Actually, I have already tried this. The problem, however is that the audio out signal is controlled by the front panel volume control. This makes it difficult to adjust the speaker volume for a comfortable background level and still maintain the proper level for the soundcard.

Does anyone know of any modifications that would make the phone patch audio output independent of the volume control? Or perhaps some type of external audio AGC amplifier?

Jim
N8EE

3707. FA: Optoelectronics OS456Lite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 22:43:46 UTC
From: dNsOtaSnPAtMon@apk.net
Message-ID: <an02j2$8f1$2@plonk.apk.net>
Source record: 39217

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384340752

3708. Clearspeech Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-26 22:55:58 UTC
From: John Morris <moe@email.msn.com>
Message-ID: <eAwYckcZCHA.1820@cpimsnntpa03>
Source record: 39221

I have the "base unit" model. In the process of installing a switch to turn the power off and feed thru the speaker to the radio so power doesn't have to be on, I shorted out something.

Resistor R16 took the brunt. It got hot enough to smoke and the middle color stripe is gone. Would someone be so kind to check a schematic, I don't know if one is even available, or look inside theirs (I know that's a real pain in the _ _ _) to see what this value is?

It also seems to have a lot more echo now than it did before . . . as well as hiss when the front switch is in the "off" position. I'm hoping that a new R16 will cure that.

Thanks

John - WB&#65533;RLD
moe@msn.com

3709. FS: ICOM IC-746 HF/VHF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 00:07:08 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <MiNk9.1799$bX.301@sccrnsc02>
Source record: 39218

* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

$850.00 plus shipping from 97006

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

3710. Re: Kenwood TS-930 mod question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 00:18:18 UTC
From: MD <ve3tmt@rac.ca>
Message-ID: <CqNk9.10118$2T6.1479983@news20.bellglobal.com>
Source record: 39219

> Does anyone know of any modifications that would make the phone patch
> audio output independent of the volume control? Or perhaps some type
> of external audio AGC amplifier?
>
> Jim
> N8EE

Jim,

If you have the schematic for the 930 find the audio output line from the amp before it reaches the volume control. You will probably have to pad the level down a bit, but it will be a fixed level at that point.

Max

3711. Rohn Tower

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 01:49:55 UTC
From: "John C." <caps@cablespeed.com>
Message-ID: <up7ea350b0rq99@corp.supernews.com>
Source record: 39220

I have a Rohn self supporting tower for sale. What you see in
the picture is all there is. All of the sections are there
however I no longer have the nuts and bolts. (you would want to
use new ones anyway).
I also do not have the base mount pipes. They are still stuck in
the old
concrete base at my last location. They were three 4 foot
sections of 2in pipe.
Generally good shape, some slight rust. Six 8ft sections and
one 3ft one. Pick up only. $150 takes it away. Located in
Severn, MD
http://personal.maxinter.net/caps/pictures/may%202002%20011.jpg

John
caps@maxinter.net
(410) 969-3156

3712. Who does 'Foam-in-Place' packing in Tacoma, WA area?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 02:24:53 UTC
From: Dave <boatanchors@hotmail.com>
Message-ID: <3d93c07f$1_2@news.meganetnews.com>
Source record: 39222
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hello all,

I have some BIG radios to get ready for shipping - DX-100's and the like.

I've heard that some 'pack and ship' places are now doing walk-in 'Foam in Place' packaging for folks, where they shoot the polyurethane goop into a plastic bag surounding the radio for maximum protection.

I've seen guys listing radios for sale with '$20 for Foam in Place packing' added to their shipping cost - seems a fair cost to me for such good packing.

Does anyone know who does this in the Pacific Northwest? Tacoma, specifically. I did a Google search but the search terms are too broad to really narrow anything down.

Any help out there?

thanks,

David Ellison WB7AWK

3713. Re: Who does 'Foam-in-Place' packing in Tacoma, WA area?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 03:51:17 UTC
From: Idontwantspam@net
Message-ID: <3d93d482.18019931@news.bellatlantic.net>
Source record: 39223
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

On Thu, 26 Sep 2002 19:24:53 -0700, "Dave" <boatanchors@hotmail.com>
wrote:

>I've heard that some 'pack and ship' places are now doing walk-in
>'Foam in Place' packaging for folks, where they shoot the polyurethane
>goop into a plastic bag surounding the radio for maximum protection.
>
>I've seen guys listing radios for sale with '$20 for Foam in Place packing'
>added to their shipping cost - seems a fair cost to me for such good
>packing.
>
>Does anyone know who does this in the Pacific Northwest? Tacoma,
>specifically. I did a Google search but the search terms are too broad
>to really narrow anything down.
>
You might talk to a packaging supplies company that sells the raw
materials for this, and find out if any of their customers offer this
to the public. The Thomas Register (also online) would help find them.

I used to work for a small manufacturing company which had this setup
out on the loading dock.

There is also house insulation done in a similar way, maybe this would
be worth pursuing.
Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

3714. Re: Who does 'Foam-in-Place' packing in Tacoma, WA area?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 05:56:57 UTC
From: JJ&A <w7ls@blarg.net>
Message-ID: <3D93F3CB.A6A4B427@blarg.net>
Source record: 39224
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

UPS has this service at their counters. Do stand there and watch them do it, though. I wasn't impressed when I saw a rookie doing it. Jim

Dave wrote:

> Hello all,
>
> I have some BIG radios to get ready for shipping - DX-100's and the
> like.
>
> I've heard that some 'pack and ship' places are now doing walk-in
> 'Foam in Place' packaging for folks, where they shoot the polyurethane
> goop into a plastic bag surounding the radio for maximum protection.
>
> I've seen guys listing radios for sale with '$20 for Foam in Place packing'
> added to their shipping cost - seems a fair cost to me for such good
> packing.
>
> Does anyone know who does this in the Pacific Northwest? Tacoma,
> specifically. I did a Google search but the search terms are too broad
> to really narrow anything down.
>
> Any help out there?
>
> thanks,
>
> David Ellison WB7AWK

3715. Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 11:10:50 UTC
From: M3SEM <ff@vv.vv>
Message-ID: <%0Xk9.1165$hS4.8997@newsfep3-gui.server.ntli.net>
Source record: 39225
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Wondering if anyone can point me in the direction of a supplier of aluminium tubing in the UK, for some antenna projects??

Thanks in advance :)

3716. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 12:02:40 UTC
From: HRH <gi4uiv@ntlworld.com>
Message-ID: <3D9448E0.1020205@ntlworld.com>
Source record: 39226
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

try

www.aalco.co.uk

M3SEM wrote:

> Wondering if anyone can point me in the direction of a supplier of aluminium
> tubing in the UK, for some antenna projects??
>
> Thanks in advance :)
>
>
>

3717. Re: Kenwood TS-930 mod question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 12:15:50 UTC
From: jim.bolinger@lintek.aeroflex.com
Message-ID: <8d5ec8a2.0209270415.51167d30@posting.google.com>
Source record: 39227

"MD" <ve3tmt@rac.ca> wrote in message
news:<CqNk9.10118$2T6.1479983@news20.bellglobal.com>...
> > Does anyone know of any modifications that would make the phone patch
> > audio output independent of the volume control? Or perhaps some type
> > of external audio AGC amplifier?
> >
> > Jim
> > N8EE
>
> Jim,
>
> If you have the schematic for the 930 find the audio output line from the
> amp before it reaches the volume control. You will probably have to pad the
> level down a bit, but it will be a fixed level at that point.
>
> Max

Thanks, Max.

I have a schematic (at least the one in the owners manual) and have
thought about doing that. I just wanted to see if anyone had already
done so and could give detailed instructions (unsolder the wire from X
and move to Z. Change resistor Q to abc ohms. That kinda stuff).

Jim
N8EE

3718. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 12:16:33 UTC
From: Gordon Hudson <usenet@hostroute.com>
Message-ID: <an1i72$n8n$1$8302bc10@news.demon.co.uk>
Source record: 39228
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

"M3SEM" <ff@vv.vv> wrote in message
news:%0Xk9.1165$hS4.8997@newsfep3-gui.server.ntli.net...
> Wondering if anyone can point me in the direction of a supplier of
aluminium
> tubing in the UK, for some antenna projects??
>
> Thanks in advance :)

Sandpiper used to have the stuff they use to make their own antennas
available quite
cheaply.

Sandpiper is one if those businesses that could benefit from a web site.
Even just a facsimile of their print catalogue would be useful.

Gordon
GM4SVM

www.gm4svm.org

3719. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 12:23:25 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <A4Yk9.319$XC6.26727@newsfep1-win.server.ntli.net>
Source record: 39229
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

"M3SEM" <ff@vv.vv> wrote in message
news:%0Xk9.1165$hS4.8997@newsfep3-gui.server.ntli.net...
> Wondering if anyone can point me in the direction of a supplier of
aluminium
> tubing in the UK, for some antenna projects??
>
> Thanks in advance :)
>
>

If you just want small amounts you will probably find your local B&Q stock it- mine does. It isn't the cheapest way to buy it but it is convenient!

If you want more just try Yellow Pages under Aluminium Stock Holders- they will usually supply in small quantities or off cuts for cash.

73

Brian
G8OSN

--
Brian Reay
www.g8osn.org.uk

3720. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 12:25:03 UTC
From: Ken Ashcroft <ken@g3msw.demon.co.uk>
Message-ID: <TiL5UBEf4EI9EwkZ@g3msw.demon.co.uk>
Source record: 39237
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Surprisingly, I found 1 meter length of aluminium tubing in B & Q's
bigger shed north of Luton. Ken
In article <%0Xk9.1165$hS4.8997@newsfep3-gui.server.ntli.net>, M3SEM
<ff@vv.vv> writes
>Wondering if anyone can point me in the direction of a supplier of aluminium
>tubing in the UK, for some antenna projects??
>
>Thanks in advance :)
>
>

--
Ken Ashcroft

3721. Re: Who does 'Foam-in-Place' packing in Tacoma, WA area?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 12:53:20 UTC
From: New@meagain.com
Message-ID: <up8kuofujo9302@corp.supernews.com>
Source record: 39230
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

I had to clean many power supplies years ago when the "Foam in Place" had entered improperly sealed power supply storage bags. What a mess. This was during the Mid 80s, and the power supplies were for commercial networking chassis. I had nothing to do with the improperly sealed bag, but they took several "electronic techs" to help clean the power supples.

Be sure that the item is sealed air tight.

In article <3d93c07f$1_2@news.meganetnews.com>, "Dave"
<boatanchors@hotmail.com> wrote:
>
>
>Hello all,
>
>I have some BIG radios to get ready for shipping - DX-100's and the
>like.
>
>I've heard that some 'pack and ship' places are now doing walk-in
>'Foam in Place' packaging for folks, where they shoot the polyurethane
>goop into a plastic bag surounding the radio for maximum protection.
>
>I've seen guys listing radios for sale with '$20 for Foam in Place packing'
>added to their shipping cost - seems a fair cost to me for such good
>packing.
>
>Does anyone know who does this in the Pacific Northwest? Tacoma,
>specifically. I did a Google search but the search terms are too broad
>to really narrow anything down.
>
>Any help out there?
>
>thanks,
>
>David Ellison WB7AWK
>
>

3722. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 14:15:04 UTC
From: Howard Long <howard@howardlongxxx.com>
Message-ID: <an1p58$2qo$1@venus.btinternet.com>
Source record: 39233
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Hello Brian

> If you just want small amounts you will probably find your local B&Q stock
> it- mine does. It isn't the cheapest way to buy it but it is convenient!

I've only ever found Al rod and that's only at the B&Q Warehouse stores (not the smaller ones).

If this is the stuff you're talking about, they are appallingly bad at re-stocking. I emptied out all the B&Q's in the London area about 18 months ago :-(

73 Howard G6LVB

3723. ADI AT-600D ????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 14:15:56 UTC
From: 106312.1035@compuserve.com
Message-ID: <3d946647.1385417@news.compuserve.com>
Source record: 39232

I have a part dead AT-600D, no rf out on vhf, otherwise fine.

I am looking for another set with other faults or offer this for
repair ?

Ben G4BXD
G4BXD@qsl.net
contact direct.

3724. HTX-404 repair?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 14:39:58 UTC
From: David Shalita <davidr@cnmnetwork.com>
Message-ID: <3D946D84.3D52F042@cnmnetwork.com>
Source record: 39234

Hi,

Who besides Radio Shack repairs HTX-404 HT's?

73, W6MIK, Dave

3725. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 15:20:33 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <EG_k9.1022$XC6.37366@newsfep1-win.server.ntli.net>
Source record: 39235
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

"Howard Long" <howard@howardlongxxx.com> wrote in message
news:an1p58$2qo$1@venus.btinternet.com...
> Hello Brian
>
> > If you just want small amounts you will probably find your local B&Q
stock
> > it- mine does. It isn't the cheapest way to buy it but it is convenient!
>
> I've only ever found Al rod and that's only at the B&Q Warehouse stores
(not
> the smaller ones).
>
> If this is the stuff you're talking about, they are appallingly bad at
> re-stocking. I emptied out all the B&Q's in the London area about 18
months
> ago :-(

Well my local 'normal' B&Q does rod, tube, and strip in Al, brass, and some composite material (plus others not so interesting to hams). The local radio club did 'clean them out' of the 6mm tube when a load of them built the "BRAT Hunt DF Antenna" but they did recover ;-). Poetic really, the club DF hunts always start in the local B&Q car park.

73
Brian
G8OSN

3726. Re: Who does 'Foam-in-Place' packing in Tacoma, WA area?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 16:01:10 UTC
From: Idontwantspam@net
Message-ID: <3d947f8b.6056378@news.bellatlantic.net>
Source record: 39236
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

On Fri, 27 Sep 2002 05:56:57 GMT, JJ&A <w7ls@blarg.net> wrote:

>UPS has this service at their counters. Do stand there and watch them do it,
>though. I wasn't impressed when I saw a rookie doing it. Jim
>
It does take some practice to get reasonably good at it, and to take
care of the equipment to get good results. A place that has their
people doing 82 different tasks at once may not be the best for this.

As the other poster mentioned, it is very important to wrap your gear
well to keep the foam out of it. It is amazing how just a couple of
drops of the foam mix can expand inside an unrestricted space.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

3727. FS: Multi-Elmac Receivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 21:39:49 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <cvj9pusivtlejkh6ib6kjsnl4mp74mf3c9@4ax.com>
Source record: 39238
Cross-posted to: rec.radio.amateur.swap,rec.radio.amateur.equipment

FOR SALE:

Multi-Elmac mobile HF tube type receivers. These are pretty hard to find.

1) PMR-7 receiver has ten tubes, double conversion superheterodyne covering
the 160, 80, 40, 20, 15, and 10 meter amateur bands, plus the standard broadcast
band. Designed primarily as an efficient communications receiver for mobile use,
it is also especially suitable, because of its small size, for (1) marine and aircraft
installations; (2) portable operation; and (3) as a fixed station or monitoring
receiver. It is not intended as a converter to accessory to another unit, but a
complete receiver, employing a separate power supply and speaker as described
in the manual. Every effort has been made to furnish the user with an extremely
stable receiver of rugged construction, compact layout, and high sensitivity.

Very collectable...requires a power supply (See below)
Unit is in good condition. All original knobs - looks to be complete.
I have not fired it up as I do not have a way to do that easily.

The external dimensions of the PMR-7 receiver, including the control knobs are:
height 4 5/8", width, 7", and depth, 11 1/2". The depth behind the panel is 9 7/8".

Available for $75.00 plus shipping

2) Model PMR-6A covers 160-10m ham bands.
Very collectable...requires a power supply (See below)
Unit is in good condition. All original knobs - looks to be complete.
I have not fired it up as I do not have a way to do that easily.
This is the matching receiver for the Elmac A54 and AF-67 transmitters.
Covers 160-10 meters on AM and CW.

Available for $50.00 plus shipping

3) Multi-Elmac 6V DC power supply - presumably will work with either
of the receivers.
Available for $30.00 or for $25.00 with either radio receiver above.

See N9BOR's site for pictures that will give you an idea of what these
radios look like if you are not familiar with them.

E-mail me to arrange purchase

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3728. FS: Large 7.5V CT Filament Transformer 51 Amps

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 21:49:25 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <ebk9pug1pmfvc8r09d915ie24b9nd5pcpb@4ax.com>
Source record: 39239
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

FOR SALE - 7.5 V transformer by Thordarson.

Ideal for 3CX3000 Amplifier etc. - don't miss this!

FILAMENT TRANSFORMER with 115V and 230V primary.
The secondary is 7.5 Volts CT at 51 Amps. Heavy duty construction.

Thordarson type 21F 26
Secondary rated for 9000 Volt usage.

Will sell for $110.00 plus shipping.

E-mail me for picture or to arrange purchase

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3729. FS: Heathkit AG-9 Audio Signal Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 23:41:55 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <c3r9pu8ukk7bum8doqip4j1vknpb0ab5iq@4ax.com>
Source record: 39240
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace

FOR SALE:

Heathkit Audio Generator model AG-9
Excellent condition. Good looking case, all original knobs.
Somes with schematic.

Available for $25.00 plus shipping

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3730. FS AS NEW Icom IC-706MKIIG, MB-62, AH-4

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-27 23:47:12 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <466l9.3944$Rt5.376241@newsread2.prod.itd.earthlink.net>
Source record: 39241

I have for sale an AS NEW IC-706MKIIG, MB-62, and AH-4. The 706MKIIG has
less
than 10 hours use, never mobile, and the MB-62 mobile mounting bracket and
the AH-4 antenna tuner are new in the box, never used. Asking $950 for the
package. I will split up the gear as follows: $755 for the 706MKIIG; $15 for
the MB-62,
and $240 for the AH-4. Thanks, Charlie Hugg, K5MBX

3731. Request for Icom AT150 help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 01:02:12 UTC
From: fsholz@nc.rr.com
Message-ID: <fsholz-8D3B3F.21054527092002@news-server.nc.rr.com>
Source record: 39242

I purchased a used Icom AT150 that came without the manual and I am trying to figure out how to operate it. I have it connected to a 737A. I have set the switches under the top acces panel for the correct antenna and have adjusted the controls to turn off the LEDs (my best guess as to what to do based on the diagram under the panel). I presume the tuner is active if I push the tune button on the front panel and the LED lights. Is that all there is to it? Should I hear relays clicking inside as it tunes? How do I know if it is working?

From the 737 manual, it appears that I shouldn't use the built-in tuner in the 737 when using the AT150. Is this correct?

All help is appreciated. Thanks.

Regards,

Paul, KD4BFN

3732. Re: Request for Icom AT150 help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 01:47:50 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <an31s90mn@enews1.newsguy.com>
Source record: 39245

That's correct. Push in the TUNE button -- disable the tuner on the rig.

Your Icom rig will send a band signal to the tuner, telling it which band you are on -- the tuner will tune -- you'll hear the motors running as it tunes. In fact, when you switch bands, it tunes then it tunes again when you transmit the first time.

Also -- open the little access door on the top -- the door you used to get to the adjustments. Note that the tuner has four antenna connectors on the back -- three coax and one for a wire. Look at the switches under the access panel -- note that you must set the switches to connect the antennas.

For example, if you have a low band dipole connected to ant jack 1 and a tri-bander to ant jack 2, you would set the switches for 1.8, 3.5, 7, and 10 Mhz to position 1 -- this will connect ant #1 when you go to 160, 80, 40, or 30 meter bands. Set the switches for 14, 21, and 28 Mhz to position 2 -- this will connect the tri-bander when you switch to 20, 15, or 10 meters.

I have an AT-150 and will be glad to make a copy of the manual -- send me an e-mail with your snail mail address -- I can get it to you late next week.

Also -- on the front panel is the TUNE button and the ANT 4 button -- do not push in the ANT 4 button -- when you do, it overrides all settings and connects ANT 4.

--

Regards,
Joe S.

<fsholz@nc.rr.com> wrote in message
news:fsholz-8D3B3F.21054527092002@news-server.nc.rr.com...
> I purchased a used Icom AT150 that came without the manual and I am
> trying to figure out how to operate it. I have it connected to a 737A.
> I have set the switches under the top acces panel for the correct
> antenna and have adjusted the controls to turn off the LEDs (my best
> guess as to what to do based on the diagram under the panel). I presume
> the tuner is active if I push the tune button on the front panel and the
> LED lights. Is that all there is to it? Should I hear relays clicking
> inside as it tunes? How do I know if it is working?
>
> From the 737 manual, it appears that I shouldn't use the built-in tuner
> in the 737 when using the AT150. Is this correct?
>
> All help is appreciated. Thanks.
>

> Regards,
>
> Paul, KD4BFN

3733. Re: WTB: ARRL handbook, pre-1935

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 02:01:31 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <lwyVPe6Sx2iDwDIN2w2MTcrw4R3h@4ax.com>
Source record: 39243

lc <larryc@northwest.com> wrote:

>Should be in reasonable shape.
>
>Larry, N3CCW

If nothing turns up, do a search on ebay. There are usually dozens of antique arrl handbooks for auction.

bob
k5qwg

3734. Henry 3K-A amplifier Tune and Load settings

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 02:01:56 UTC
From: Leigh Orf <orf@mailbag.com>
Message-ID: <an32ik$e6i$1@inxs.ncren.net>
Source record: 39244

Hello,

I just had a QSO with a gentleman from Costa Rica who recently acquired a Henry 3K-A amplifier without the manual. He needs to know the factory default Tune and Load settings for all of the bands (80, 75, 40, 20, 15, and 10 meters), otherwise he cannot tune the amp up. If anyone out there has this amp and knows the settings for these bands, please let me know - I'll be relaying the info to him. He's in a place where the ham radio is his only mode of communication.

Regards,

Leigh Orf KG4ULP

3735. FS NEW Kenwood PB-38 Batteries

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 02:57:51 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <PU8l9.4033$t6.347051@newsread1.prod.itd.earthlink.net>
Source record: 39246

KENWOOD "BRAND NEW IN THE BOX"
PB-38 6.0 VOLTS @ 650 mAh, THIS BATTERY FITS THE KENWOOD TH-D7A, TH-D7A(G),
AND THE TH-G71A YOUR PRICE IS
"ONLY" $19.00 SHIPPING INCLUDED IN THE U.S.

3736. FS: ICOM IC-746 HF/VHF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 03:49:07 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <TE9l9.618131$UU1.108646@sccrnsc03>
Source record: 39247

* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

$850.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

3737. Know Real-time, Worldwide, HF Band Conditions In Just 3 Minutes!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 04:11:30 UTC
From: W6NEK <inquire@w6nek.com>
Message-ID: <SZ9l9.68578$U7.25255578@twister.socal.rr.com>
Source record: 39048
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

W6NEK HF Beacon Tracker - Windows Software

In just a few moments you can get real-time worldwide DX band conditions
using the NCDXF/IARU International Beacon Network!

With this software, you do not need to copy Beacon CW at 22 wpm (the CW
speed of the Beacon ID's).

Now you will know if a band is really open to a particular part of the
world
independant of band activity!

All this from your QTH - in real time - 24/7

Download a free demo of the software at http://www.w6nek.com

3738. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 06:51:15 UTC
From: blank@removespamntlworld.com
Message-ID: <3d954f5e.1526579@news.cable.ntlworld.com>
Source record: 39049
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

On Fri, 27 Sep 2002 12:10:50 +0100, "M3SEM" <ff@vv.vv> wrote:

>Wondering if anyone can point me in the direction of a supplier of aluminium
>tubing in the UK, for some antenna projects??
>
>Thanks in advance :)
>
>
I contacted a local engineering company. They were able to supply,
plus anything he hadn't got he was willing to order. Try Yellow Pages.

Chris

3739. Kenwood TM-732 Deaf on UHF side, but will Transmit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 08:18:36 UTC
From: parham1@yahoo.com
Message-ID: <729fdd51.0209280018.33e41191@posting.google.com>
Source record: 39050

The VHF side is fine, and will transmit just fine, even full wattage on the UHF side, but is deaf, will only faintly pick things up that are very close...I know that Kenwood put out a service bulletin of some sort, but where can I find it? I tried their website already? Thanks in advance, and please email it to me...

3740. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 09:07:36 UTC
From: Howard Long <howard@howardlongxxx.com>
Message-ID: <an3rgo$n3j$1@venus.btinternet.com>
Source record: 39051
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Hello Brian

> Well my local 'normal' B&Q does rod, tube, and strip in Al, brass, and
some
> composite material (plus others not so interesting to hams).

Any chance you could point me in the area of the store I should be looking?
I've been in the hardware area, generally nearby where the screws and nuts &
bolts are.

My experience is that your average B&Q employee responds with a grunt if
you're lucky, and then if you're really lucky points you vaguely to nowhere
because they really don't know. :-(

BTW, here's one of my creations, courtesy of B&Q
http://www.g6lvb.com/dayton_demo_2002.htm made of 4mm Al rod from B&Q. 70cm
RHCP yagi, 8+8 elements, tunes to better than 1.1:1 VSWR in the satellite
portion of 70cm, under 1.4:1 across the entire band. Plans at
http://www.clarc.org/Articles/uhf.htm. I can recommend these antennas if you
have a history of antenna failure like I do.

73 Howard G6LVB

3741. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 10:09:00 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <ycfl9.1705$YE1.25775@newsfep1-win.server.ntli.net>
Source record: 39053
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

"Howard Long" <howard@howardlongxxx.com> wrote in message
news:an3rgo$n3j$1@venus.btinternet.com...
> Hello Brian
>
> > Well my local 'normal' B&Q does rod, tube, and strip in Al, brass, and
> some
> > composite material (plus others not so interesting to hams).
>
> Any chance you could point me in the area of the store I should be
looking?
> I've been in the hardware area, generally nearby where the screws and nuts
&
> bolts are.

Well in my local store (Gillingham, Kent) it is right next to the items you
list, along with Al and mesh sheets.

I found the 6mm O/D Al tube pretty good and hard enough for my needs- I was
even able to tap it sucessfully for one experiment.
There are 2 tubes- a plain finish @ £1.46 a 1m length and an anodised finish
which is more expensive.

I think it is too hard not to be an alloy- for 'quick lashups' I sometimes
us Al welding rod- that is much softer.

>
> My experience is that your average B&Q employee responds with a grunt if
> you're lucky, and then if you're really lucky points you vaguely to
nowhere
> because they really don't know. :-(

The older ones are OK but the real problem is the stock control- no concept
of ordering things that seem to be selling out but pack the floor space
with stuff that never seems to move until the next sale.
>
> BTW, here's one of my creations, courtesy of B&Q
> http://www.g6lvb.com/dayton_demo_2002.htm made of 4mm Al rod from B&Q.
70cm
> RHCP yagi, 8+8 elements, tunes to better than 1.1:1 VSWR in the satellite
> portion of 70cm, under 1.4:1 across the entire band. Plans at
> http://www.clarc.org/Articles/uhf.htm. I can recommend these antennas if
you
> have a history of antenna failure like I do.

I'll have a look. I plan to build a 2m and 70cm handheld Yagi like the Arrow one- if I ever I get time for my own projects ;-)

Check out my download page for the 'BRAT Hunt DF antenna' - it has proved very popular and I've yet to have an adverse comment as regards its working.

73

Brian
--
Brian Reay
www.g8osn.org.uk

3742. Re: Henry 3K-A amplifier Tune and Load settings

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 10:11:11 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0209280211.519ca614@posting.google.com>
Source record: 39052

Leigh Orf <orf@mailbag.com> wrote in message news:<an32ik$e6i$1@inxs.ncren.net>...
> Hello,
>
> I just had a QSO with a gentleman from Costa Rica who recently acquired
> a Henry 3K-A amplifier without the manual. He needs to know the factory
> default Tune and Load settings for all of the bands (80, 75, 40, 20, 15,
> and 10 meters), otherwise he cannot tune the amp up. If anyone out there
> has this amp and knows the settings for these bands, please let me know
> - I'll be relaying the info to him. He's in a place where the ham radio
> is his only mode of communication.
>
> Regards,
>
> Leigh Orf KG4ULP

Good grief...Not to be a smartass, but if he can't tune that up without presets, he is going to be in trouble. He may end up burning it up. He really should order a manual. Might try W7RF. I think he's the henry dealer now. In my 2k classic manual, there is a place for factory presets in the back, but they didn't write anything in. So my manual has no presets. He should just tune it up like a normal tube final radio. #1, he needs to know the max plate current allowed, and max grid current that is normal for that amp. But even that is not totally needed. I'd start with the load control at about 1/4 to 1/3 the way up from zero. Just add a small amount of drive, say 10-20 watts from the exciter and peak the output on a wattmeter with the "tune" control of the amp. This will in turn dip the plate current. Then rock the load control to get max output, and then repeak the tune. Then add a bit more power and repeat, then more power and repeat until he is driving with full power from the 100w radio, or what ever max power he want to drive it with. Each time he increases the drive, he will need to increase the loading a bit. Each time he increases the loading, he will need to repeak the tune, to ensure minimum plate current. P.S. The meter will need to be on "IG" to read plate current. The grid current will be read on the lower meter. You can get a very good idea on the state of tune by looking at the grid current. On my 2k classic, the max grid is 250-270 mils. I usually show a bit less than that.
My max plate current is 800 mils. His may be different, or may be about the same. I dunno...Don't know what tubes he has. If the grid current is too high, either he's under loaded, or is overdriving the amp. Most henry's with 3-500z's can take up to 120w of drive. I usually don't drive with more than 100w. So if he's driving with 100w, and the grid is too high, he needs to increase the loading a bit, and

repeak the output with the "tune" control. He will notice the grid current will be lower, and maybe a bit more power out. It's hard on the tubes to be underloaded as the grid is too high, and even worse, you can splatter. The heavier you load the amp, the cleaner the signal. Lets say he wants to drive with 70w. Don't tune the amp with only 70w drive. It's possible you may have voice peaks over 70w at times, and he could splatter. It's much better to fully load the amp with 100w drive, and then just roll the drive back to 70w. In that case, the grid current will be quite low, and he will be assured a good clean signal. As he gets to full power drive, he will get to a point where adding more loading will not increase the power any more. Repeak the "tune" and then he can write down that "load" setting for future reference. The next time, he can just preset the amp to that load setting, add some drive and peak the "tune" for max out on the wattmeter, and he's ready to go. Takes only a few seconds once you get used to it. Never tune the amp at full power, or a high plate current for more than about 20-30 seconds at a time. If the "tune" control is off and he's mistuned, he better tweak it pretty fast for max output/min plate current. As I said, he REALLY needs to get a manual. There is lots more info that can help him out in there, and he needs to know the maximums for that amp as far as currents. That amp should brown the food. It's probably good for about 3000-3200 watts INPUT, and probably 55-60% of that for output. Legal limit, no problemo. Also tell him to keep his fingers out of it unless he knows what he is doing. That amp can kill him deader than 4 week old roadkill if he sticks his fingers in the wrong place. He wouldn't even know what hit him until he spouted wings up in that big hamshack in the sky.
Maybe this will help a little...He needs a manual. That thing is no toy and being in the dark with it is a bad way to live. It's probably two 3-500's with some pretty hefty plate voltage. Just my 2k classic runs about 3200-3400 volts on hi tap. His will be probably 3800-4200 v I bet if it's what I think it is.
MK

3743. Re: Henry 3K-A amplifier Tune and Load settings

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 11:54:34 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <eZeVPWqPGcTdq+BVAFoJk6MakIEp@4ax.com>
Source record: 39054

nm5k@wt.net (Mark Keith) wrote:

>Maybe this will help a little...He needs a manual.

A reprint of the manual should be available from www.w7fg.com or
www.manualman.com

Bob
k5qwg

>MK

3744. 603 Tower for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 12:25:20 UTC
From: Me <j.dauphinais@worldnet.att.net>
Message-ID: <Qchl9.72138$jG2.3881575@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39055
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I have a steel tower totaling 25'. this is in 3 sections 1 10 foot st8 and 1 5foot st8 and 1 10 foot top section. I don't not have a rotator. $50.00. pickup only from Nashua,NewHampshire. 73's Jeff AA1GR

3745. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 13:09:22 UTC
From: andy <music@soon.com>
Message-ID: <an49uh$5tf$1@news6.svr.pol.co.uk>
Source record: 39056
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

"Howard Long" <howard@howardlongxxx.com> wrote in message
news:an3rgo$n3j$1@venus.btinternet.com...
> Hello Brian
>
> > Well my local 'normal' B&Q does rod, tube, and strip in Al, brass, and
> some
> > composite material (plus others not so interesting to hams).
>
> Any chance you could point me in the area of the store I should be
looking?
> I've been in the hardware area, generally nearby where the screws and nuts
&
> bolts are.

In the B&Q here it's at the end of the aisle that has things like castors
and wheels and other misc hardware bits.

3746. WTB: PK-232 Data Controller

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 13:59:29 UTC
From: tim english <te@usol.com>
Message-ID: <fddbpu0ol6i2fioo2fvciv06i7v04ns6re@4ax.com>
Source record: 39057

Looking for a used AEA PK-232 or PK-232MBX data controller with
paperwork. Cables would be a plus but not necessary. Want to get back
on RTTY again. Thanks.
--
Tim, K8TJ

3747. Re: Kenwood TM-732 Deaf on UHF side, but will Transmit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 14:01:44 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailnospamorama.com>
Message-ID: <Zoil9.404$IO5.469904@e3500-atl1.usenetserver.com>
Source record: 39058

Don't know if this will help, but try:

http://www.mods.dk/

And follow the links for Kenwood.

73,

--
Chuck
KE4ETH

"mrsmartnet" <parham1@yahoo.com> wrote in message
news:729fdd51.0209280018.33e41191@posting.google.com...
> The VHF side is fine, and will transmit just fine, even full wattage
> on the UHF side, but is deaf, will only faintly pick things up that
> are very close...I know that Kenwood put out a service bulletin of
> some sort, but where can I find it? I tried their website already?
> Thanks in advance, and please email it to me...

3748. REQ: Looking for an old article

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 14:21:44 UTC
From: Tuulia Fuller <tuulia@nokinen.com>
Message-ID: <3D95BAF8.2A5FC3F3@nokinen.com>
Source record: 39059

Could someone please advise me if the following article is available on the Internet, or where I could possibly find it:

Television Equipment For Guided Missiles, Proceedings of Institute of Radio Engineers, June 1946, pp.375-.

Any lead would be greatly appreciated. TIA

TFuller

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

3749. Re: Who does 'Foam-in-Place' packing in Tacoma, WA area?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 14:22:11 UTC
From: Uncle Peter <radioconnectionNO@cox.netSPAM>
Message-ID: <nWil9.116226$TX5.4932664@news1.east.cox.net>
Source record: 39060
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

And make sure all of the cabinet to chassis mounting screws are in place.
I've received numerous heavy boatanchors that had damage due to missing
rear chassis to cabinet mounting screws not in place. Foam is great, but
the radio must be ready for shipping before packing.

Pete

"So Lill a qwe" <New@meagain.com> wrote in message
news:up8kuofujo9302@corp.supernews.com...
> I had to clean many power supplies years ago when the "Foam in Place" had
> entered improperly sealed power supply storage bags. What a mess. This was
> during the Mid 80s, and the power supplies were for commercial networking
> chassis. I had nothing to do with the improperly sealed bag, but they took
> several "electronic techs" to help clean the power supples.
>
> Be sure that the item is sealed air tight.
>
> In article <3d93c07f$1_2@news.meganetnews.com>, "Dave"
> <boatanchors@hotmail.com> wrote:
> >
> >
> >Hello all,
> >
> >I have some BIG radios to get ready for shipping - DX-100's and the
> >like.
> >
> >I've heard that some 'pack and ship' places are now doing walk-in
> >'Foam in Place' packaging for folks, where they shoot the polyurethane
> >goop into a plastic bag surounding the radio for maximum protection.
> >
> >I've seen guys listing radios for sale with '$20 for Foam in Place
packing'
> >added to their shipping cost - seems a fair cost to me for such good
> >packing.
> >
> >Does anyone know who does this in the Pacific Northwest? Tacoma,
> >specifically. I did a Google search but the search terms are too broad
> >to really narrow anything down.
> >
> >Any help out there?
> >
> >thanks,
> >
> >David Ellison WB7AWK

> >
> >

3750. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 14:44:48 UTC
From: scott <acepilot@bloomer.net>
Message-ID: <3D95C060.30840894@bloomer.net>
Source record: 39061
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Aircraft Spruce Europe
9 Cam Cntr.
Wilbury wy, Hitchin
Hertfordshire SG4 OTW

Email: acseurope@cwcom.net
Phone: 1462-441995
Fax: 1462-442228

They are geared toward amateur aircraft builders but offer many grades of aluminum.

Scott
N0EDV

M3SEM wrote:

> Wondering if anyone can point me in the direction of a supplier of aluminium
> tubing in the UK, for some antenna projects??
>
> Thanks in advance :)

--

Scott
http://corbenflyer.tripod.com
http://groups.yahoo.com/group/ParasolAirplanes
Building RV-4
Gotta Fly or Gonna Die!

3751. yeasu DXA series rotors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 15:38:03 UTC
From: Gary & Angela Belcaster <gbelcas@charter.net>
Message-ID: <gbelcas-E06464.10380228092002@corp.supernews.com>
Source record: 39062

I am in need of the schematic for the 800 DXA rotor. Can anybody help?

Gary

3752. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 16:50:24 UTC
From: Clark <dclark7@tampabay.rr.com>
Message-ID: <k5ll9.14301$O8.744227@twister.tampabay.rr.com>
Source record: 39063
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Lawn sprinkler companies are a great source for aluminum for antenna projects.

"M3SEM" <ff@vv.vv> wrote in message news:%0Xk9.1165$hS4.8997@newsfep3-gui.server.ntli.net...
> Wondering if anyone can point me in the direction of a supplier of aluminium
> tubing in the UK, for some antenna projects??
>
> Thanks in advance :)
>
>
>

3753. Re: Who does 'Foam-in-Place' packing in Tacoma, WA area?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 16:51:21 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3D95DE09.C56ACE9F@nettally.com>
Source record: 39064
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

It is amazing how badly a lot of items get packed. I take in a lot of e-bay stuff for a friend overseas. I have to repack nearly everything because of the materials being used. I see a lot of damage because wads of paper are used for packing, or the item is so heavy and the box so flimsy that the item drifts to a side and gets banged up. Some people just don't have a clue.

Uncle Peter wrote:

> And make sure all of the cabinet to chassis mounting screws are in place.
> I've received numerous heavy boatanchors that had damage due to missing
> rear chassis to cabinet mounting screws not in place. Foam is great, but
> the radio must be ready for shipping before packing.
>
> Pete
>
> "So Lill a qwe" <New@meagain.com> wrote in message
> news:up8kuofujo9302@corp.supernews.com...
> > I had to clean many power supplies years ago when the "Foam in Place" had
> > entered improperly sealed power supply storage bags. What a mess. This was
> > during the Mid 80s, and the power supplies were for commercial networking
> > chassis. I had nothing to do with the improperly sealed bag, but they took
> > several "electronic techs" to help clean the power supples.
> >
> > Be sure that the item is sealed air tight.
> >
> > In article <3d93c07f$1_2@news.meganetnews.com>, "Dave"
> > <boatanchors@hotmail.com> wrote:
> > >
> > >
> > >Hello all,
> > >
> > >I have some BIG radios to get ready for shipping - DX-100's and the
> > >like.
> > >
> > >I've heard that some 'pack and ship' places are now doing walk-in
> > >'Foam in Place' packaging for folks, where they shoot the polyurethane
> > >goop into a plastic bag surounding the radio for maximum protection.
> > >
> > >I've seen guys listing radios for sale with '$20 for Foam in Place
> packing'
> > >added to their shipping cost - seems a fair cost to me for such good
> > >packing.
> > >
> > >Does anyone know who does this in the Pacific Northwest? Tacoma,

> > >specifically. I did a Google search but the search terms are too broad
> > >to really narrow anything down.
> > >
> > >Any help out there?
> > >
> > >thanks,
> > >
> > >David Ellison WB7AWK
> > >
> > >

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

3754. Re: Who does 'Foam-in-Place' packing in Tacoma, WA area?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 17:51:56 UTC
From: Stan <swperk@earthlink.net>
Message-ID: <3D95EC3C.9B337F4F@earthlink.net>
Source record: 39065
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

I feel exactly the same way. I think that *most* people don't have a clue as to how much abuse a package can suffer during shipping. UPS had (and may still have) the following packing guideline:

"Make sure that your item(s) when packed will survive a three foot drop onto concrete."

Not coincidentally, the height above ground of the floor of a UPS delivery van is about three feet. I've seen some drivers, in their haste to get unloaded and on their way again, literally kick packages off the back of their vans onto the ground.

So I continue to be amazed at the number of times I receive a heavy and delicate instrument packed in styrofoam pellets, crumpled paper, or styrofoam sheets as the only protection against damage (not to mention the problem of getting the styrofoam "crumbs" out of all of the nooks and crannies of the instrument because the shipper neglected to put it in a protective bag)!

My packing method for valuable and easily damaged items is:

1) Wrap the item in several layers of bubble wrap, paying special attention to display screens, knobs, connectors that project from the panels, etc. These may require protection with extra wrap, foam padding, or heavy cardboard.

2) Put it in a box just large enough to accommodate the wrapped item (no room to shift) and seal securely.

3) Put this box in a box large enough to allow at least 2 inches of space all the way around (at least 4 inches larger in each dimension). Use small styrofoam blocks to keep the inner box centered, then fill completely with peanuts or other padding for protection.

4) Put an extra shipping label inside and seal the box.

Although it requires a little more time (not much, actually) and an extra box, I've never had anything damaged when shipping it this way. It may not be worth doing for a $50 voltmeter, but it sure is for a $10,000 spectrum analyzer!

Foam-in-place is pretty good if done correctly, but be aware that the packing company can set the foam density to a wide range of values, making it more "squishy" or less "squishy." There is an optimal setting based on the weight of the object being supported, but the packers may not adjust as necessary. Rock-hard packing will protect from puncture

and minor crush damage (if thick enough), but does nothing to protect
against impact shock or major crushes. Conversely, packing that is too
soft will allow the item to shift as it compresses the packing, and then
it may end up resting dangerously close to the side of the packing box
with inadequate protection.

Joe Leikhim wrote:
>
> It is amazing how badly a lot of items get packed. I take in a lot of e-bay
> stuff for a friend overseas. I have to repack nearly everything because of the
> materials being used. I see a lot of damage because wads of paper are used for
> packing, or the item is so heavy and the box so flimsy that the item drifts to a
> side and gets banged up. Some people just don't have a clue.
>
> Uncle Peter wrote:
>
> > And make sure all of the cabinet to chassis mounting screws are in place.
> > I've received numerous heavy boatanchors that had damage due to missing
> > rear chassis to cabinet mounting screws not in place. Foam is great, but
> > the radio must be ready for shipping before packing.
> >
> > Pete
> >
> > "So Lill a qwe" <New@meagain.com> wrote in message
> > news:up8kuofujo9302@corp.supernews.com...
> > > I had to clean many power supplies years ago when the "Foam in Place" had
> > > entered improperly sealed power supply storage bags. What a mess. This was
> > > during the Mid 80s, and the power supplies were for commercial networking
> > > chassis. I had nothing to do with the improperly sealed bag, but they took
> > > several "electronic techs" to help clean the power supples.
> > >
> > > Be sure that the item is sealed air tight.
> > >
> > > In article <3d93c07f$1_2@news.meganetnews.com>, "Dave"
> > > <boatanchors@hotmail.com> wrote:
> > > >
> > > >
> > > >Hello all,
> > > >
> > > >I have some BIG radios to get ready for shipping - DX-100's and the
> > > >like.
> > > >
> > > >I've heard that some 'pack and ship' places are now doing walk-in
> > > >'Foam in Place' packaging for folks, where they shoot the polyurethane
> > > >goop into a plastic bag surounding the radio for maximum protection.
> > > >
> > > >I've seen guys listing radios for sale with '$20 for Foam in Place
> > packing'
> > > >added to their shipping cost - seems a fair cost to me for such good
> > > >packing.

> > > >
> > > >Does anyone know who does this in the Pacific Northwest? Tacoma,
> > > >specifically. I did a Google search but the search terms are too broad
> > > >to really narrow anything down.
> > > >
> > > >Any help out there?
> > > >
> > > >thanks,
> > > >
> > > >David Ellison WB7AWK
> > > >
> > > >
>
> --
> Joe Leikhim K4SAT
> Jleikhim@nettally.com
>
> "Jazz is not dead. It just smells funny." -F.Z.

3755. Lowered Prices On 706MKIIG and accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 18:13:27 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <bjml9.4882$t6.461791@newsread1.prod.itd.earthlink.net>
Source record: 39066

I have for sale an AS NEW IC-706MKIIG, MB-62, and AH-4. The 706MKIIG has less than 10 hours use, never mobile, and the MB-62 mobile mounting bracket and the AH-4 antenna tuner are new in the box, never used. Asking $895 for the package, shipped in lower 48. I will split up the gear if the package does not sell as follows: $695 for the 706MKIIG; $15 for the MB-62,and $225 for the AH-4. Thanks, Charlie Hugg, K5MBX

3756. Free Allied SX/AX-190 receiver info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 18:35:59 UTC
From: Mark Rehorst <rehorstmark@netscape.net>
Message-ID: <eatbpu8q1pglfdae6ga2q0sc8japhugl82@4ax.com>
Source record: 39067

You can download a ton of Allied SX/AX-190 receiver information
in a single, 2.5 MB .pdf file here:
http://home.attbi.com/~akikoi/wsb/Allied-SX-190-Info.pdf

The file includes:
Allied Radio Shack Service Manual
Allied Radio Shack Owner's Manual
Ad from CQ magazine, May 1972
Ad from Radio Shack catalog
Review from 73 magazine
NASWA review by Ed Shaw
QST magazine modifications
CQ magazine mods, March 1973, by Bruce Mackey
Bandswitch mods by John Kolb
NASWA-FRENDX mods by Ed Shaw, May 1974
Comprehensive Technical Manual by Ed Shaw

Thanks to Bob Bachus for converting everything to .pdf format!

If anyone has cleaner copies or additional info, I'd like to add it to
my collection. Please email.

Thanks!

MR

3757. Icom T81A Display

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 19:40:03 UTC
From: n4mbi@earthlink.net
Message-ID: <3d960412.34277463@news.earthlink.net>
Source record: 39068

Hello Group,

For those that have an Icom T81A, I understand that that there are two backlights in the display, right and left. Is the one on the left side as visible as the light on the right. This can be seen by looking at the display at an angle. I would be interested in seeing what other T81A users are seeing, or perhaps not seeing!

TNX and 73,
Rick
n4mbi@earthlink.net

3758. FS: MOTOROLA RICK

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 20:27:56 UTC
From: JRS <n3ab@fast.net>
Message-ID: <m54cpu0lsnl7mh3k1jc97j0f2f9gklgn78@4ax.com>
Source record: 39069

Thought I had this sold, but the potential buyer never got back to me.
So.....

I have a brand new Motorola HLN3333B RICK box for sale. This unit is
brand new, in the box, with all cables, hardware and manual. Asking
$169.00 shipped Priority Mail to the 50 states only. Cashiers check
or money order only. Sorry, no PayPal. This is the unit used to
interface 2 GM300s, Maxtracs, Radius, etc mobiles to make a mini
repeater. Thanks for reading.

John N3AB

3759. Re: Icom T81A Display

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 21:47:04 UTC
From: jcplpsm@aol.communicate
Message-ID: <20020928174704.15245.00006084@mb-mn.aol.com>
Source record: 39070

>Is the one on the left side
>as visible as the light on the right.

No. The one on the right is much more visible on mine. The one on the left is there, and on, but you can barely see the light. It shows up along the very edge of the display as opposed to the round bulb-like light on the right side.

Scott M.
KA1MRO

3760. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-28 21:57:26 UTC
From: G-zero <geezeroNOSP@Mbtopenworld.com>
Message-ID: <an58k6$64v$1@venus.btinternet.com>
Source record: 39071
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

"M3SEM" <ff@vv.vv> wrote in message
news:%0Xk9.1165$hS4.8997@newsfep3-gui.server.ntli.net...
> Wondering if anyone can point me in the direction of a supplier of
aluminium
> tubing in the UK, for some antenna projects??
>
> Thanks in advance :)
>
>

This place purports to sell all you may need for homebrew antenna's

http://www.montycom.co.uk/

though site is mainly *under construction*, there is an address/phone
number.

hth

--
G-zero.....
Remove the obvious from the email addy.

3761. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 00:08:51 UTC
From: M3SEM <ff@vv.vv>
Message-ID: <kwrl9.5248$Sh1.35689@newsfep3-gui.server.ntli.net>
Source record: 39072
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Many thanks to all the suggestions, it's been a great help and I'll
definately be paying my local B&Q's a visit.

73's
Shane
M3SEM

3762. FA: Singer-Gertsch FM-9 Frequency Deviation Meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 00:13:34 UTC
From: cycleguy56@yahoo.com
Message-ID: <b5820319.0209281613.5bd76d64@posting.google.com>
Source record: 39073
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

The above item is for auction. View it at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771989610&rd=1

Thanks for looking!

3763. Hallicrafters S-38-B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 01:59:22 UTC
From: James Hilins <jhilins@wi.rr.com.REMOVE>
Message-ID: <_7tl9.21743$w63.253445@twister.rdc-kc.rr.com>
Source record: 39074

I have a Hallicrafters S-38-B I use as a everyday radio, its nice, A friend just picked up S-38-A at a local swap.

My Friend though it might be fun to collect one each of these, so He's looking to buy or trade for all others, and I have to say these might be fun to collect, so maybe I'll pick up a few more

Jim

3764. FA: Ten-Tec Model 277 HF Tuner/SWR Meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 03:20:55 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <Lgul9.77963$5M3.3266229@e3500-atl2.usenetserver.com>
Source record: 39075

Just got high power tuner so am selling this one.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384848343

3765. TS-930 cooling fan

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 04:10:07 UTC
From: Craig Johnson <cbjohns@attbi.com>
Message-ID: <z2vl9.45991$wH.4637@sccrnsc01>
Source record: 39076

I have a Kenwood TS-930 SAT transceiver. It has been a terrific radio for me over the years.

Lately the radio seems to have developed a problem. The cooling fan for the finals cycles on and off when the radio is in standby (receive) mode. I don't ever remember it doing this before, unless I was transmitting.

My service manual says the fan cycles on and off to cool the heat sink for the finals and that thermistor TH1 controls it. However, I am just curious about what would cause this behavior to suddenly start.

Any suggestions about what to look for?

Thanks.

73,
Craig, AAZZ

3766. Re: Kenwood TM-732 Deaf on UHF side, but will Transmit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 04:34:30 UTC
From: KB7M <kb7m@arrl.net>
Message-ID: <rpvl9.489$lz1.177797@news.uswest.net>
Source record: 39077

Look here:
http://www.kenwood.net/index.cfm?do=SupportFiles

"mrsmartnet" <parham1@yahoo.com> wrote in message
news:729fdd51.0209280018.33e41191@posting.google.com...
> The VHF side is fine, and will transmit just fine, even full wattage
> on the UHF side, but is deaf, will only faintly pick things up that
> are very close...I know that Kenwood put out a service bulletin of
> some sort, but where can I find it? I tried their website already?
> Thanks in advance, and please email it to me...

3767. FS: 3A/110B directly heated triode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 08:42:35 UTC
From: arnoldg@c2i.net
Message-ID: <3d96bde8.776887@news1.c2i.net>
Source record: 39078

Several pcs of 3A/110B made by STC are in stock. This is a small directly heated triode and is rather hard to find. The valves may be used, but I have tested them myself and they are all excellent. The price is only NOK 180.- each or about $ 23.70 You can find a picture and technical data on my web site - www.demostenes.no
Just search for 3A/110B in the left hand corner.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as sockets,transformers,books,caps,resistors and other components. Web site is updated every week. You can order on-line.

3768. FA: Tek 7403N Scope..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 11:48:31 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <jMBl9.122835$TX5.5136680@news1.east.cox.net>
Source record: 39079
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771068787

Thanks for looking..

3769. FA: Tek 5A15N Plugins....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 11:50:21 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <1OBI9.122864$TX5.5137498@news1.east.cox.net>
Source record: 39080
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771069350

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771077447

As always, thanks for looking..

3770. FA: TEK 7A21N Plugins..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 11:51:46 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <mPBI9.122885$TX5.5137524@news1.east.cox.net>
Source record: 39081
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771080269

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771495906

3771. FA: WE 416B Planar Triodes.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 11:53:07 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <DQBI9.122910$TX5.5137674@news1.east.cox.net>
Source record: 39082
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384212513

Thanks for looking..

3772. K7KFC - lost email address

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 12:48:53 UTC
From: toneri@rogers.com
Message-ID: <3d96f64e.1622461@nntp>
Source record: 39083

Did you get the filter?
Mike

Please remove XX from email address when replying

3773. Re: TS-930 cooling fan

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 13:48:05 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <upe0v6c3uvdv20@corp.supernews.com>
Source record: 39084

Your memory IS faulty, the radio has always done that.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Craig Johnson" <cbjohns@attbi.com> wrote in message
news:z2vl9.45991$wH.4637@sccrnsc01...
> I have a Kenwood TS-930 SAT transceiver. It has been a terrific radio for
me over
> the years.
>
> Lately the radio seems to have developed a problem. The cooling fan for
the finals
> cycles on and off when the radio is in standby (receive) mode. I don't
ever remember
> it doing this before, unless I was transmitting.
>
> My service manual says the fan cycles on and off to cool the heat sink for
the finals
> and that thermistor TH1 controls it. However, I am just curious about
what would
> cause this behavior to suddenly start.
>
> Any suggestions about what to look for?
>
> Thanks.
>
> 73,
> Craig, AA�ZZ
>
>
>

3774. ARRL pcb help req

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 14:15:06 UTC
From: matt <mattobr@ntlworld.com>
Message-ID: <yWDl9.440$aK.94495@newsfep2-gui>
Source record: 39085
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.space

hi all

does anyone know of any sites on the net were i can down load images of the pcbs in the back ARRL hand books i am after the
satellite tr sequencer(1991 and 1992)hand books. or if someone can scan it for me and send it that would be greatly appreciated

Thanks Matt G7OBR

3775. FS: Two nice Shure Microphones

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 15:09:58 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <5s5epuc24fhvolehcr5tg4k6hi5m99v54t@4ax.com>
Source record: 39086
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

For sale:

Shure 404c hand microphone in good condition.
Great for use with any station.
Gray with coil cord. High impedance type ideally suited to older HF
equipment.
Great sounding for SSB, AM or FM.
Will sell for $25.00 plus shipping.

Shure 414b Microphone in good condition.
This is a smaller hand mic - will work fine with any station.
Gray with coil cord. High impedance type ideally suited to older HF
equipment.
Great sounding for SSB, AM or FM.
Will sell for $25.00 plus shipping.

E-mail me for a picture or to arrange purchase.

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3776. Re: Who does 'Foam-in-Place' packing in Tacoma, WA area?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 16:10:25 UTC
From: Mike <mdickman@remove.bevcomm.net>
Message-ID: <3D97274C.4BC8938F@remove.bevcomm.net>
Source record: 39087
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

Wal-Mart sells foam isulation in a can for $5 or so.

I used it to ship my FT-890. Find a suitable box, put a 4" pc of 2X4 in the box, put the radio in a plastic bag, place the radio in the box, shoot the foam all around it, let it cure an hour or so, close the box on top, flip it over and remove the 2X4, and send it on its way.

Dave wrote:

> Hello all,
>
> I have some BIG radios to get ready for shipping - DX-100's and the
> like.
>
> I've heard that some 'pack and ship' places are now doing walk-in
> 'Foam in Place' packaging for folks, where they shoot the polyurethane
> goop into a plastic bag surounding the radio for maximum protection.
>
> I've seen guys listing radios for sale with '$20 for Foam in Place packing'
> added to their shipping cost - seems a fair cost to me for such good
> packing.
>
> Does anyone know who does this in the Pacific Northwest? Tacoma,
> specifically. I did a Google search but the search terms are too broad
> to really narrow anything down.
>
> Any help out there?
>
> thanks,
>
> David Ellison WB7AWK

--
Mike
KD4LLA

As we are seeing in financial, medical, media, and legal areas, the vast quantities of information available to non-specialists will mean the undercutting of elites. What will teachers do when their students come to class often understanding more about the subject being taught then they do themselves?

3777. FT: Collins 75S-3B/C AM filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 16:30:03 UTC
From: k6sde <sp@m.me.not>
Message-ID: <3D972A96.DA6A9D36@m.me.not>
Source record: 39088

I'd like to trade a plug-in Collins AM filter for the 75S-3B
or 75S-3C for either of the following for the 75A4:

* AM filter, 6 kc
* CW filter 500 cycle

Look at filter information for some pictures and my e-mail
contact information.

If you prefer:
http://home.attbi.com/~h1m/collinsfilter.html

Thanks for looking!

3778. all mode 2 meter mobile amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 16:54:14 UTC
From: Earl <endgreen@cableone.net>
Message-ID: <upec1lb6k0m4a3@corp.supernews.com>
Source record: 39089

forsale a Tokyo Hi Power All mode 2meter mobile amp, like new condition,
works great, dont want to sell but need the money. 25 watts in gets 160 out.
Paid 300.00 selling for 200.00. If interested email endgreen@cableone.net

73's
AB5YE

3779. Re: HTX-404 troubles

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 16:58:28 UTC
From: Mike <mdickman@remove.bevcomm.net>
Message-ID: <3D97328E.F2D951F7@remove.bevcomm.net>
Source record: 39090

If it will help, I think I have a HTX-404 here that has a squelch problem (sent it to R/S to be fixed once while in warranty). You can have it for $50, and for another $25 I will throw in a replacement W&W 8.4 v battery (it is larger than the stock battery, but lasts longer).

reply: mdickman@bevcomm.net

David Shalita wrote:

> Hi,
>
> My faithful old RS HTX-404 440 HT is acting a bit erratic.
>
> 1. A Radio Shack 7 volt replacement BP is fitting quite loosely onto the
> HT body.
> Used to fit very snug, not loose. Now, moving the BP relative to the HT
> case, with power on in RX mode, causes the HT to beep. Acts like
> voltage is dropping out and then recovering, not a solid connection.
> Is there a fix to make battery power solid again?
>
> What company rebuilds RS BP's like mine?
> I have my origianl 7v RS BP which fits very tight. Need to have it
> rebuilt.
> Can I rebuild my orginal BP which fits HT very well?
>
> I tried chilling the case in Freezer but could not get plastic pieces to
> seperate. Can anyone suggest how to open the case?
>
> 2. Power output seems low both in both low and high power modes when
> operated from a 20AMP +12v bench supply and from 7 volt RS BP. 1 watt
> per my old uncalibrated Bird 43 wattmeter. I think used to make 3 watts
> from BP.
>
> Is it normal for the power output to be 1 watt in high power mode, when
> power is either husky +12v or 7 volts from BP?
>
> I am looking for A HAM near Van Nuys in San Fernando Valley who has a
> 440 mhz wattmeter so I can determine the power output of this HT.
>
> Has anyone had good luck letting Radio Shack repair an HTX-404?
>
> Thank you for any help.
> 73, W6MIK, Dave

--
Mike
KD4LLA

As we are seeing in financial, medical, media, and legal areas, the vast quantities of information available to non-specialists will mean the undercutting of elites. What will teachers do when their students come to class often understanding more about the subject being taught then they do themselves?

3780. Kenwood 2 Meter All Mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 17:20:24 UTC
From: W7KID <w7kid@arrl.net>
Message-ID: <sDGl9.452453$kp.1255497@rwcrnsc52.ops.asp.att.net>
Source record: 39091

Hello group. I currently have up on auction a Kenwood TS700SP All Mode 2 Meter. It's the Digital Model, last one they made of this series. I even have an internal tone board for it that I haven't installed yet. It will still be in the box. It comes with the mentioned tone board, original hand mic, original manual, AND I'm including a VFO700 external VFO with patch cable. The VFO looks just as good as the Rig, but I can't get a signal coming back from the VFO. Everything lights up just like it should, but no rf. Anyhow, I'm including it with the rig to the high bidder. This could be an excellent chance for someone to get into a very good All Mode CHEAP, it's only at $150. Here's the link:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1383852122&rd=1

73s Ken & Sallie
W7KID & KD7NVZ

PS. Please check my other auctions for an SP230 Filtered Speaker, and a Digital Interface that will fit the TS530 and 830 rigs.

3781. FS: Telefunken RS 31g WW2 power triode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 17:58:51 UTC
From: arnoldg@c2i.net
Message-ID: <3d97402c.8197009@news1.c2i.net>
Source record: 39092

Hello,

I have one of these very nice vintage power triodes in stock. RS 31g
was made by Telefunken and have some similarities with the RS 237
which is not far from 211.
The heater on RS 31g is 10V 4.8A, anode dissipation is 65W and max
anode voltage is 1600V. The valve is NOS and in its original box. The
price is NOK 910.- or about $ 120.- You can find a picture and more
data, and you can even order it from my web site: www.demostenes.no
Just search for RS 31g.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

3782. FA: Hallicrafters SX-100 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 18:22:01 UTC
From: Carmine Prestia <cwp101@adelphia.net>
Message-ID: <dxHl9.5855$m92.1535663@news1.news.adelphia.net>
Source record: 39093
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.shortwave

I have just posted on eBay a Hallicrafters SX-100 Receiver for auction that might interest some here.

See:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384969061

Thank you.
Carmine Prestia, K3CWP

3783. BP-2M with MMSSTV ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 19:25:05 UTC
From: dave2002@SoftHome.net
Message-ID: <26bd2b8c.0209291125.7b154212@posting.google.com>
Source record: 39094

Does a BP-2M tigerronics modem work with MMSSTV under Windows ME ? All I'm getting is a carrier but no data transmitted just heard via the pc's speakers

3784. Kenwood R-599 Schematic Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 19:38:59 UTC
From: Bart Rowlett <bart@wb6hqk.ampr.org>
Message-ID: <3D9756D3.FA7EF17F@wb6hqk.ampr.org>
Source record: 39095

I recently acquired a Kenwood R-599 and T-599 and am looking for
schematics. The receiver works pretty well but I need to know the
muting pins on the interconnecting cable and would like to consider
reworking the AGC for QSK operation. The transmitter
is on the blink but will probably sit on the shelve for a while.

Thanks,

bart
wb6hqk

3785. Re: TS-930 cooling fan

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 20:15:56 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <0cJl9.74540$jG2.4046956@bgtnsc05-news.ops.worldnet.att.net>
Source record: 39096

Mine does that ... has for 16 years ...

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Craig Johnson" <cbjohns@attbi.com> wrote in message
news:z2vl9.45991$wH.4637@sccrnsc01...
> I have a Kenwood TS-930 SAT transceiver. It has been a terrific radio for me
over
> the years.
>
> Lately the radio seems to have developed a problem. The cooling fan for the
finals
> cycles on and off when the radio is in standby (receive) mode. I don't ever
remember
> it doing this before, unless I was transmitting.
>
> My service manual says the fan cycles on and off to cool the heat sink for
the finals
> and that thermistor TH1 controls it. However, I am just curious about what
would
> cause this behavior to suddenly start.
>
> Any suggestions about what to look for?
>
> Thanks.
>
> 73,
> Craig, AA�ZZ
>
>
>

3786. Re: HTX-404 troubles

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 20:32:49 UTC
From: Lou <tech@dp.net>
Message-ID: <an7oah$d79$1@news.dp.net>
Source record: 39097

Those packs can be rebuilt. The erratic one can/should be able to - be fixed without much trouble. Your transmitter may need tuned up a bit after all the time has passed. Some HTX-202s and 404s came with similar problems OR low deviation, which had to be sent to shop to be retuned - so as not to void the "new" warranty. Shouldn't be a big deal to correct any of those problems. I've done them already a few times. I have a copy of the maintenance manuals for both rigs.

I do 2 way radio repairs and such - BUT - the last time I had needed parts for a 202 they were talking lack of parts to repair. So, I would be hesitant to repair anyone else's 202 or 404 for that reason - outside of any parts I could acquire otherwise.

Lou/Tech@DP.NET

"Mike" <mdickman@remove.bevcomm.net> wrote in message
news:3D97328E.F2D951F7@remove.bevcomm.net...
> If it will help, I think I have a HTX-404 here that has a squelch problem
> (sent it to R/S to be fixed once while in warranty). You can have it for
> $50, and for another $25 I will throw in a replacement W&W 8.4 v battery
(it
> is larger than the stock battery, but lasts longer).
>
> reply: mdickman@bevcomm.net
>
> David Shalita wrote:
>
> > Hi,
> >
> > My faithful old RS HTX-404 440 HT is acting a bit erratic.
> >
> > 1. A Radio Shack 7 volt replacement BP is fitting quite loosely onto the
> > HT body.
> > Used to fit very snug, not loose. Now, moving the BP relative to the HT
> > case, with power on in RX mode, causes the HT to beep. Acts like
> > voltage is dropping out and then recovering, not a solid connection.
> > Is there a fix to make battery power solid again?
> >
> > What company rebuilds RS BP's like mine?
> > I have my origianl 7v RS BP which fits very tight. Need to have it
> > rebuilt.
> > Can I rebuild my orginal BP which fits HT very well?
> >
> > I tried chilling the case in Freezer but could not get plastic pieces to
> > seperate. Can anyone suggest how to open the case?

> >
> > 2. Power output seems low both in both low and high power modes when
> > operated from a 20AMP +12v bench supply and from 7 volt RS BP. 1 watt
> > per my old uncalibrated Bird 43 wattmeter. I think used to make 3 watts
> > from BP.
> >
> > Is it normal for the power output to be 1 watt in high power mode, when
> > power is either husky +12v or 7 volts from BP?
> >
> > I am looking for A HAM near Van Nuys in San Fernando Valley who has a
> > 440 mhz wattmeter so I can determine the power output of this HT.
> >
> > Has anyone had good luck letting Radio Shack repair an HTX-404?
> >
> > Thank you for any help.
> > 73, W6MIK, Dave
>
> --
> Mike
> KD4LLA
>
> As we are seeing in financial, medical, media, and legal areas, the
> vast quantities of information available to non-specialists will
> mean the undercutting of elites. What will teachers do when their
> students come to class often understanding more about the subject
> being taught then they do themselves?
>
>

3787. WTB: Manual for SG-961/U

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 20:54:20 UTC
From: t.kishjr@att.net
Message-ID: <8581cb05.0209291254.2534e891@posting.google.com>
Source record: 38998

I'm looking for a manual for the military SG-961/U signal generator.
It was made by LogiMetrics, their model 920-S101. Good quality copy,
or original svc/op manual, either way. Email me at the address above.

Thanks,
Tom

3788. Any ICOM dual band mobiles remote controlable?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 21:43:04 UTC
From: Mike AB7RU <mparkes@nospamatt.net>
Message-ID: <290920021443057670%mparkes@nospamatt.net>
Source record: 38999

Are there any 144/440 dual band mobile ICOM rigs that can be remote controlled from another radio via DTMF tones? Similiar to the Kenwood TM733, TMV7A, Alinco DR-600, 610?

--
To reply via email remove the 'nospam' from the address

3789. Re: TS-930 cooling fan

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 22:04:40 UTC
From: Craig Johnson <cbjohns@attbi.com>
Message-ID: <YNKl9.58835$wH.7376@sccrnsc01>
Source record: 39000

OK, thanks guys. I'll live with it and not worry.
- Craig

3790. FA: Relisted Ten-Tec Model 277 Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-29 23:11:08 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <AILl9.82060$5M3.3669443@e3500-atl2.usenetserver.com>
Source record: 39001

Tuner relisted due to error in listing.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1385054049

3791. WTB; IC-735 part

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 00:21:41 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <an85g601u20@enews4.newsguy.com>
Source record: 39004
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.misc

```
WTB: IC-EX243 internal keyer add-on for the IC-735.

--

------
Regards,
Joe S.
```

3792. FS: Measurements 59

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 00:37:21 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <51NI9.61251$1C2.2901619@bgtnsc04-news.ops.worldnet.att.net>
Source record: 39002

The Cadillac of grid dippers. Late production, with head and matching set of seven coils covering 2.2 to 400 MHz.
Scratch above meter, some pitting on handle, otherwise excellent condition. With manual. Pix available. $150 plus USPS priority mail shipping.

John
NOSPAMwood3590@yahoo.com

3793. FS: BC-455B 6 - 9.1 MC Command Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 00:45:34 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <O8NI9.61261$1C2.2902101@bgtnsc04-news.ops.worldnet.att.net>
Source record: 39003

BC-455 receiver, covers 6 to 9.1 MHz. Fired up in August and received signals. Dynamotor and power connectors OK, no top cover. Heaters connected for 12 Volts. With tubes (some glass). Usual mods to front panel adapter. Pix available. $20 plus USPS priority mail for seven pounds from 93010.

John
NOSPAMwood3590@yahoo.com

3794. FA: Drake 2B receiver with 2BQ Sepaker/Q-Multiplier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 01:37:04 UTC
From: Mike White <m.white66@verizon.net>
Message-ID: <4VNI9.16230$CN2.10500@nwrddc01.gnilink.net>
Source record: 39005
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

At auction on Ebay, a classic Drake 2B receiver with matching speaker/q-multiplier. Please point your browser to:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1385096395

Thanks.

Mike, N4PDY

3795. FA: Realistic HTX-404 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 03:07:16 UTC
From: tvsteve <TVSTEVE@USA.NET>
Message-ID: <npffpuodbnhgbaqgk8dk1eposjkcgvvhc1@4ax.com>
Source record: 39006

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1385083632

Thanks for looking

Steve N2PTJ

3796. FS or Trade list 09-29-2002

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 03:31:09 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <1API9.459349$kp.1291106@rwcrnsc52.ops.asp.att.net>
Source record: 39007

Please if you have questions or want to make a trade contact me off
list at my e-mail gundoc@insightbb.com some of these
lists are not swap lists and only tolerate my post because it is only
once a week. To the group owners thank you for letting me continue
to post to the group.
Dean

GE Portables

GE MPA VHF Scan 136 - 150.8 split 192 channels nice 9.0
Condition. With battery and antenna. I have this programmed for
Ham and up to 152 MHz $225.00

GE MPA VHF System 146 - 170 Aegis digital encryption. Nice radio
9.0 condition. 160 channel Alphanumeric display. With antenna
and battery. Great ham or public safety radio. $300.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display.
With battery and antenna. 7-7.5 $75.00

GE PCS UHF 440 - 470 8 channel with battery and charger. Looks
Good. $85.00

GE PCS UHF 150 - 170 8 channel with battery and charger. Looks
Good. $85.00

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170
but I have programmed these in the ham band with no trouble. These
have battery, and antenna. $75.00 each

GE MPS VHF 12 channel. 8.5 condition. New antennas and used batteries
Standard charger. $60.00 each have 2.
.
GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1
good battery. With 1 dual slot charger. $175.00 all 3 radios.

GE Mobiles

GE Ranger 150 N9HH0A110A 150 - 170 110 watt drawer unit only.
This will work with the control heads and cables I have below.
$75.00

GE MVS UHF 440 -470 128 channels. Scans and works good.
Looks great and is programmed on the ham bands.$175.00

GE MCS UHF 440 - 470 4 channel 10 watt mobile separate speaker is
also the control head. With mic. $85.00

GE MLS Low Band 16 channel scan. 42-50 split. New mic. Should
Program to 6 meter ham. 60 watt $150.00

GE Mastr II UHF 75 watt with pre-amp. No Icoms drawer only.
MC65KKG88B $90.00 each only 1 left

GE Mastr II Lowband 42-50 slit 110 watt. MC74KCN33A
With 1 set of Icoms $25.00 each I have many.

GE Mastr Pro Low band 110 watt 42 50 split. MT74TCS33
With 2 sets of Icoms. FREE. You pay shipping and packing. I
have many.

GE Mastr exec II VHF 75-watt mobile complete with accessories. $60.00
each

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr
II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that
I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Not tested. $60.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.
16 channel model has short cable and some handle bar mounts. Mic
included but no speaker.
$50.00

GE S825 Scan head. With Mic and bracket. Alpha numeric head

For Delta or Ranger. 16 channel Ranger can have 224 channels with

this head 32 channel radio can have 448 channels. This head can

control siren and PA system. You can also use this head to program

Deltas and Rangers. I have cables for this head. $175.00

GE Accessories

GE Duplexer Mod DB4075 P/N 19C307166P2. tx453.xxx rx458.xxx
With cables. 4 cavity. $175.00

GE Duplexer Mod P1 P/N 19C307166P1 tx453.xxx rx458.xxx
With cables. 4cavity. $175.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $1.00 each
Minimum 5 at this price.

Mastr II Mic. $5.00 3 for $10.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5. $4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and 162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50 each. These are the only frequencies I have.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each. Picked up 3 sets of
UHF 2C Icoms $30.00 per set of 1tx and 1rx Icom.

GE Delta cables. These are the downloading type used with the S820 heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

GE Mastr II mounting plates $15.00 each

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE PCS Universal charger. With wall transformer $20.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a rapid rack charger with a DB 15 cable and uses a MPD body to attach a battery to. Has LED readout in display area of MPD body to tell discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card and power supply / speaker. $200.00

Other Radios and Accessories

Motorola HT50 VHF 2 channel 150 - 170 belt clip holder battery and Charger. $75.00

Motorola MT1000 UHF 438 - 469. 16 channel scan. Has battery , charger,

and stubby antenna. $165.00

Motorola Maxtrac VHF 40 watt 16 channel scan. 5 pin. With Mic.
$225.00

Motorola Radius / Maxtrac VHF 25 watt 16 channel scan. 16 pin port.
With mic. $200.00

Uniden SPS 802TS 800 LTR portable. With charger. $75.00 Pair.

EF Johnson Challenger 5852 portables. VHF I think. With charger and
batteries but the batteries are dead. Radios make squelch noise when
powered up. As is $40.00 pair.

Yaesu FTH 2009 VHF portable. 6 channel. Works great on ham and
public Safety band. With wall charger $85.00

Radio Shack HTX 212 2 meter Mobile. 30 memories, Scan. Works great.
This was in my van before I added another MVS so I know it works.
$85.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by
Midland. $65.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$65.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition
and charger. $150.00

Motorola GP 300 UHF 2 channel. Has good battery and rapid charger
$150.00

Motorola Mitrek VHF high 110 watt drawer only. $50.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of
crystals for each radio. Also have a working battery and charger for
each. I have 4 of these. $50.00 all

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work
with the sp2000 as well.$35.00

Cushman CE3 Service monitor. Has model 330 Broad band mixer / watt meter

Duplexer tester plug-in. Also has 201 scope plug-in. Some of the numeral
lamps are out but you can see the numbers with a light. Works well and makes
a good starter service monitor. $350.00

Consignment section

This area is for a few friends who like those other radios you know
"Motorola" They are good people and I will pass along any trades you
may wish to make.

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola Saber II UHF 48 channel scan. With battery and antenna. 9 condition $300.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Want List not FS
Extra parts for GE suitcase programmers Data modules, Printers, cables, proms, Anything you have extra. I need some UHF 450 - 470 scan MPD radios. How many do you have and what do you want for them? Johnson scorpion program cable. Looking for an FT90 for the wife's car.

I would like to play with a VX-150 if anyone has 1 to trade.

Terms
All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a question E-mail me. Contact me off list at. Gundoc@insightbb.com

Dean

3797. Re: Need Power Switch for Dentron MLA-2500

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 03:42:52 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <ana8e121l1a@enews2.newsguy.com>
Source record: 39021
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Check the auto parts stores. Looks like a standard accessory switch, like
the one I just bought recently.
Not sure of exact size of the automotive related switches but it looks close
anyhow. Maybe the autoparts store may have an address for the manufacturer
of their switches. Hope this helps.

--
Ryan, KC8PMX
FF/MFR
REMOVE "NOSPAM" in email address to reply.

"Howard M. Rensin" <hrensin@comcast.net> wrote in message
news:NV4l9.325874$5r1.14553176@bin5.nnrp.aus1.giganews.com...
> I am looking for the illuminated rocker switch that I can use to replace a
> burned out one from an old Dentron MLA-2500 RF power amplifier. Attached
to
> this message are two small jpg files that show the switch on each side and
> next to a ruler The switch is 3/8" thick and the length and width are 1
> 1/16' wide and the flange is 1 1/4". I really need this and hope someone
can
> help me. Please email me at Howard@Rensin.com
> Thanks
> Howard M. Rensin, KC3D
> Glenwood, MD
>
>
>
>

3798. FA:Radio Shack PRO 62 Handheld Scanner - New Cond

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 06:26:04 UTC
From: msdbm@aol.com
Message-ID: <20020930022604.21991.00006509@mb-dd.aol.com>
Source record: 39008

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1385156763

3799. FA:Motorola Saber Speaker Microphone NIB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 06:29:36 UTC
From: msdbm@aol.com
Message-ID: <20020930022936.21991.00006514@mb-dd.aol.com>
Source record: 39009

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1385151830

3800. Need a copy of manual for ALINCO DR-599

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 06:31:24 UTC
From: B! <b@noe.com>
Message-ID: <gkrfpuomaf5tbfla2654kb0rlngvhudia2@4ax.com>
Source record: 39010

Got one at a hamfest, but no manual!

Any help, just post here...

73!

3801. f.s.al-1200x

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 10:10:34 UTC
From: graham <grahamva3gjb@sympatico.ca>
Message-ID: <9qVl9.3924$Kg4.292147@news20.bellglobal.com>
Source record: 39011

ameritron al-1200x mint condition with manual 2750.00 cdn with spare 1200 tube 3100.00 cdn

split 50/50 for shipping if required.

graham va3gjb 905-836-0052 after 4pm

3802. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 11:23:16 UTC
From: Steve G1XOW <steve@wragge.fsworld.co.uk>
Message-ID: <an9c75got1@newsg2.svr.pol.co.uk>
Source record: 39012
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Try ASC Metails in Lincolnshire. Very good and next day delivery in
Midlands.

http://www.ascmetals.com/

Cheers, Steve G1XOW

"M3SEM" <ff@vv.vv> wrote in message
news:%0Xk9.1165$hS4.8997@newsfep3-gui.server.ntli.net...
> Wondering if anyone can point me in the direction of a supplier of
aluminium
> tubing in the UK, for some antenna projects??
>
> Thanks in advance :)
>
>

3803. RS PRO-34/PRO-2026 Scanner Service Manuals for Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 12:03:36 UTC
From: dinoal7lz@aol.com
Message-ID: <20020930080336.05694.00009610@mb-fc.aol.com>
Source record: 39013

PRO-34 and PRO-2026 Scanner service manuals for sale...$20 each plus $3 for shipping.

Dino KL0S/4

3804. FS: Kenwood AT-130 Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 12:08:08 UTC
From: aokd5fxt@aol.com
Message-ID: <20020930080808.21973.00006958@mb-dd.aol.com>
Source record: 39014

http://members.aol.com/aokd5fxt/at130top.JPG

Good clean little tuner... $110 conus

Bill, KD5FXT

3805. Which keyer: CMOS4 or TiCK4?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 13:19:25 UTC
From: cprstn54zz@att.net
Message-ID: <3d984d29.85305906@news-server.optonline.net>
Source record: 39015

The Logikit CMOS4 gets high marks on eHam.net and costs $125:
http://www.idiompress.com/cmos4.html

The TiCK4 chip seems to be well-liked and costs $54 complete:
http://www.embres.com/tick.htm
http://ElectronicsUSA.com/mk60.html

For non-contesting use, does the TiCK4 do the job?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3806. Re: Which keyer: CMOS4 or TiCK4?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 15:12:49 UTC
From: Dale Parfitt <parinc@verizon.net>
Message-ID: <3D98698F.1FDDD117@verizon.net>
Source record: 39016

Hi Ken,
I have a tick kit- 4? I have never opened. Let me know if you would be interested.

Regards,

Dale W4OP

3807. Using IC-735 with AT-250 Auto Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 16:34:22 UTC
From: Richard Jones <rjones@mail.cccd.edu>
Message-ID: <3D987D0E.52385E4D@mail.cccd.edu>
Source record: 39017
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.antenna

Hello all,

I thought I would see if anyone else has successfully interfaced the Kenwood AT-250 automatic antenna tuner with an ICOM IC-735 transceiver. I would think this is has been done and would prefer not to re-invent the wheel if I don't have to. I'm not particularly interested in the automatic band selection feature as the IC-735 and the Kenwood methods of relaying this information to the tuner are quite different.

If you've done this, I would appreciate the appropriate pin out information from the IC-735 accessory port to the AT-250 port. Many thanks in advance.

73,

Rick, KG6RJ

3808. FA 455J-31 Collins Mech Filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 19:09:05 UTC
From: james thomason <jct@cswnet.com>
Message-ID: <ana829$2lts$1@feed.centurytel.net>
Source record: 39018

FA- http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384689850

3809. FA: Vintage Signal Generator..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 19:18:04 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <Mr1m9.134045$TX5.5432312@news1.east.cox.net>
Source record: 39020
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=719551002

From the 50's, we think...

Thanks for looking!

3810. FA: TEK 7403N, 5A15N, 7A21N -- only two days left!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 19:24:07 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <rx1m9.134048$TX5.5442452@news1.east.cox.net>
Source record: 39019
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment

TEK 7403N

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771068787

TEK 5A15N

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771069350

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771077447

TEK 7A21N

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771080269

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771495906

Thanks for looking..

3811. FA: KDKA Microphone Flag..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 21:39:22 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <ew3m9.134287$TX5.5464387@news1.east.cox.net>
Source record: 39022
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Please see:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=719593159

Thanks for looking!!

3812. FS: EL 153 Telefunken NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 22:06:57 UTC
From: arnoldg@c2i.net
Message-ID: <3d98cb7a.23594473@news1.c2i.net>
Source record: 39023

I have several pcs of the power output pentode Telefunken EL 153 for
sale. The valves are all NOS and unused. Power dissipation is 40W and
the valve has many similarities to EL 156.
The price is only NOK 400.- each - about $ 52.- Picture and
technical data on my web site - www.demostenes.no Just search for
EL 153 in the left hand corner.

Regards,

Arnold Goks&#65533;yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

3813. Kenwood AT-300 ATU fault (and solution)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 22:28:29 UTC
From: Graham G <this.is@garbage.address>
Message-ID: <3d98cf22$1_2@mk-nntp-1.news.uk.worldonline.com>
Source record: 39024
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment

Here's a little snippet for those of you who like to squirrel away obscure cause-and-effect scenarios, especially those working in the amateur equipment repair trade.

Fault: Kenwood AT300 and TS-50S combination unreliable since bought new years ago- TS50S worked perfectly with AT-50 coax tuner, but AT300 not always 'seen' by TS50S and communications between TS50S and AT300 very unreliable. Data line driver transistors in both units changed at an early stage in the proceedings.

Cause: C38 (In AT-300), microprocessor reset pulse timing capacitor fitted as 10uF during manufacture - should be 2.2uf. Caused reset pulse to be extended to over 80ms instead of just 25ms as it is supposed to be, prevented the microprocessor from responding to commands
from the TS50S as it was being held in the reset state while the TS-50S was trying to communicate with it.

Hope this eventually helps someone, somewhere. I would have been very glad to have been able to read this here myself.

-Graham

3814. FS Ameritron AL-82

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 22:32:08 UTC
From: WR2M <wr2m@optonline.net>
Message-ID: <3D98D0E8.D52F8BAA@optonline.net>
Source record: 39025

Ameritron AL-82 on a scale from 1 to 10, I would give it a 9.5 (only because its used) Runs Strong, 1500 watts plus as per manufactures specs. $1295 Local pickup or will meet up with a 75 mile radius of 07803 If interested contact Bill WR2M @ 973-219-5444

3815. Kenwood TS-850 - where can I have mods performed?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 23:12:55 UTC
From: zaax@aol.com
Message-ID: <20020930191255.23190.00000665@mb-fp.aol.com>
Source record: 39026

I would like to have several mods installed on my TS-850 along with replacing the battery. Is there anyone out there that does work like this?
BTW I do not trust my eyes to do surgery on my rig hence my asking who does this kind of thing.

Thanks
Zack
N8FNR

3816. Re: FT840 gone deaf - help!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 23:18:05 UTC
From: Graham G <this.is@garbage.address>
Message-ID: <3d98db08$1_3@mk-nntp-1.news.uk.worldonline.com>
Source record: 39027

> If I touch the antenna onto the various band-switching diodes on the main
> board it springs back to life, so it's something common to all.

I'll back K3EWZ's suggestion that you have accidentally blown the receiver input fuse which is a common ailment on radios like the FT747, although I don't know if your radio also has one as I don't have a diagram. If there is one, it normally looks like a little lamp/bulb. It'll be OK to short it out to verify that this is indeed the fault but you MUST replace it ASAP or risk blowing something more than a fuse bulb the next time.

-Graham, M0ADR

3817. Re: Who does 'Foam-in-Place' packing in Tacoma, WA area?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-09-30 23:19:15 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <fdqYPRBzbxhRk3dXEnGQm1RBVx1l@4ax.com>
Source record: 39028

JJ&A <w7ls@blarg.net> wrote:

>UPS has this service at their counters. Do stand there and watch them do it,
>though. I wasn't impressed when I saw a rookie doing it. Jim

If the DX-100 is sitting in the bottom of the cardboard box, how do you shoot
foam under it?

Bob
k5qwg

3818. Re: Kenwood TS-850 - where can I have mods performed?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 00:33:23 UTC
From: Max <ve3tmt@yahoo.ca>
Message-ID: <X36m9.5652$Fl4.481282@news20.bellglobal.com>
Source record: 39029

"ZaaX" <zaax@aol.com> wrote in message
news:20020930191255.23190.00000665@mb-fp.aol.com...
> I would like to have several mods installed on my TS-850 along with
replacing
> the battery. Is there anyone out there that does work like this?
> BTW I do not trust my eyes to do surgery on my rig hence my asking who
does
> this kind of thing.
>
> Thanks
> Zack
> N8FNR

http://www.amateur-repairs.com/

http://www.avvid.com/

http://www.qth.com/irsd/repair.html

http://www.kk7tv.com/

3819. FS: ICOM IC-T81A QUAD-BAND FM HANDHELD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 01:12:14 UTC
From: "Robert G. Carter" <dc2light@radix.net>
Message-ID: <anaspirht1@news1.radix.net>
Source record: 39030
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

FOR SALE - ICOM IC-T81A QUAD-BAND FM HANDHELD

SALIENT FEATURES

Ham Bands: 50 Mhz, 144 MHz, 430 MHz and 1.2 GHz
Additional RX Coverage: 76-108 MHz WFM (Broadcast),
118-136 MHz AM, 136-174 MHz FM, 400-470 MHz,
1240-1300 MHz
Power Output: 5W with supplied BP-200 Batteries
1W on 1.2 GHz
Additional technical information available at:
http://www.icomamerica.com

This handheld has had very gentle use and is in virtually new
condition. Comes with original box and accessories i.e.
operator manual, rubber-duckie antenna, wall charger
PLUS A SPARE BP-200 BATTERY (total of two
batteries). Current AES price for the radio is $269.99 and
$85.00 for the extra battery, a total value of $354.99.
BUY IT NOW FOR $235.00 (shipping, if necessary,
will be at the buyer's expense).

Don't let this one get away. 73

BOB CARTER W5BTC dc2light@radix.net

3820. IC-2100H ICOM 2m FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 01:23:51 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <B9BE4738.17B6D%pilot.marc@verizon.net>
Source record: 39031

ICOM IC-2100H 2m transceiver for sale. In like new condition.
Scanning/programable mike, bracket, power cord,manual and manual.
$130 + shipping.

73 de AD6MI
Marc

3821. FA: HEATHKIT SB-102 TRANSCEIVER, Real Nice w/pics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 02:34:48 UTC
From: rlucch2098@aol.com
Message-ID: <20020930223448.01119.00011370@mb-ch.aol.com>
Source record: 39032

Real nice with pictures to boot!
Still at a BIG $55
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1384404216

3822. FA: Beautiful HEATHKIT HW-22 40 Mtr Mono-Bander-Rare Early Model!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 02:36:30 UTC
From: rlucch2098@aol.com
Message-ID: <20020930223630.01119.00011375@mb-ch.aol.com>
Source record: 39033

Real nice with pictures to boot!
Still at a BIG $31
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1384404218

3823. FA:Johnson Messenger 2, Tube CB Radio with Turner Desk Mike, Collectable

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 02:39:03 UTC
From: rlucch2098@aol.com
Message-ID: <20020930223903.01119.00011381@mb-ch.aol.com>
Source record: 39034

```
Real nice with pictures to boot!
Still at a BIG $27
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1384404179
```

3824. fa- Heathkit RF-1 RF Signal Generator> Believe no bids? at $9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 02:43:28 UTC
From: rlucch2098@aol.com
Message-ID: <20020930224328.01119.00011385@mb-ch.aol.com>
Source record: 39035

Real nice with pictures to boot!
Still at a BIG $9.99
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1384404183

3825. fa; MINT Electrovoice #638 Hi-Z Dynamic Mike like in Heath Catalogues

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 02:45:09 UTC
From: rlucch2098@aol.com
Message-ID: <20020930224509.01119.00011390@mb-ch.aol.com>
Source record: 39036

Real nice with pictures to boot!
Still at a BIG $15.00 UGH!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1384404173

3826. Please DO NOT get Taken by any NON-PROFIT Group

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 03:16:23 UTC
From: falster762@aol.com
Message-ID: <20020930231623.01119.00011418@mb-ch.aol.com>
Source record: 39037

Howdy all;
Just a reminder that before you donate your hard earned radio gear to any Non-Profit organisation like those in QST, Please ask for a Disclosure sheet which shows where they spend every dime of your equipment. They are suppose to provide you with it if you ask!
Or just ask "What has your group done for the Amateur Radio Community lately"
Go From there.
Remember, its just as easy to pack up to donate as it is for you to sell it to a needy ham and there are many youngsters who can use it. Why let these groups make big and I mean big money(in the ''ol pocket) on your gear.
I bet it really never goes where it it is supposed to BY LAW!
So Before you donate, THINK!
Regards,
Brian

3827. FA ICOM IC-706MK2G Like New

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 03:20:30 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3D99147E.B9F00FEB@ckradio.net>
Source record: 39038

http://cgi.ebay.com/ws/ebayISAPI.dll?MfcISAPICommand=ViewItem&item=1385376768

3828. Re: Please DO NOT get Taken by any NON-PROFIT Group

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 03:46:10 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D991A82.1060100@optonline.net>
Source record: 39039

It's not just radio gear.

Somebody was claiming in an auto-related newsgroup that he keeps getting traffic tickets for a car he donated to a "charity."

-=-
Alan, AB2OS

Falster762 wrote:
> Howdy all;
> Just a reminder that before you donate your hard earned radio gear to any
> Non-Profit organisation like those in QST, Please ask for a Disclosure sheet
> which shows where they spend every dime of your equipment. They are suppose to
> provide you with it if you ask!
> Or just ask "What has your group done for the Amateur Radio Community lately"
> Go From there.
> Remember, its just as easy to pack up to donate as it is for you to sell it to
> a needy ham and there are many youngsters who can use it. Why let these groups
> make big and I mean big money(in the ''ol pocket) on your gear.
> I bet it really never goes where it it is supposed to BY LAW!
> So Before you donate, THINK!

3829. WTB BR TCS-5 Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 08:32:19 UTC
From: Pete Smith <psmith@xmission.com>
Message-ID: <3D995D93.B0D0A387@xmission.com>
Source record: 39040

Hi
If you have a BR TCS-5 transmitter for sale .. please send me an email
..Thanks pete

3830. Re: Please DO NOT get Taken by any NON-PROFIT Group

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 09:31:13 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <anbq2a0fv0@enews3.newsguy.com>
Source record: 39041

Before you donate your vehicle to charity......

I was for five years the executive director of the Appalachia Service Project, Johnson City, TN. ASP is a faith-based organizations that works in 20-25 counties of NE TN, SW VA, S WV, E KY -- with over 14,000 volunteers each year and a staff of carpenters, ASP builds 30-40 new homes and repairs over 500 homes per year for the poorest of the poor in central Appalachia.

ASP accepts used vehicles -- they especially need used pickup trucks -- 4-wheel drive pickups are as good as gold . Most non-profits that solicit used vehicles sell them -- and most of them use a middleman who does the selling and keeps a good percent of the profits.

ASP, on the other hand, puts donated vehicles on the road and uses them.

If you are inclined to donate a vehicle, contact them via their web site, www.asphome.org -- I guarantee your old truck, van, whatever, will be put to use for years, then sold for junk after ASP puts another 100,000 miles on it.

By the way, I do not profit from this in any way -- I left the organization after a dispute with the Board of Trustees -- I am no longer affiliated with them but I support the work they do.
--

Regards,
Joe S.

"Alan Beagley" <abeagley@optonline.net> wrote in message news:3D991A82.1060100@optonline.net...
> It's not just radio gear.
>
> Somebody was claiming in an auto-related newsgroup that he keeps getting traffic tickets for a car he donated to a "charity."
>
> -=-
> Alan, AB2OS
>
>
> Falster762 wrote:
> > Howdy all;
> > Just a reminder that before you donate your hard earned radio gear to any
> > Non-Profit organisation like those in QST, Please ask for a Disclosure sheet

> > which shows where they spend every dime of your equipment. They are suppose to
> > provide you with it if you ask!
> > Or just ask "What has your group done for the Amateur Radio Community lately"
> > Go From there.
> > Remember, its just as easy to pack up to donate as it is for you to sell it to
> > a needy ham and there are many youngsters who can use it. Why let these groups
> > make big and I mean big money(in the ''ol pocket) on your gear.
> > I bet it really never goes where it it is supposed to BY LAW!
> > So Before you donate, THINK!
>

3831. Hong Kong

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 11:04:51 UTC
From: Bart Konings <"b.konings _ _"@chello.nl>
Message-ID: <3d998156$0$229$19deed1b@news.inter.NL.net>
Source record: 39042

Hi.

Does anyone know a nice and good priced radioshop in Hong Kong?

73 de PE8ART

3832. Re: Who does 'Foam-in-Place' packing in Tacoma, WA area?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 14:01:07 UTC
From: Larry Gauthier <larryg5099_AT_chartermi.net>
Message-ID: <upjalc86pa449b@corp.supernews.com>
Source record: 39043

Dave,

"Mailboxes, Etc" here in MI does foam-in-place packing. I think they are a national outfit - check your Yellow Pages.

-larry
K8UT
"Dave" <boatanchors@hotmail.com> wrote in message news:3d93c07f$1_2@news.meganetnews.com...
>
>
> Hello all,
>
> I have some BIG radios to get ready for shipping - DX-100's and the
> like.
>
> I've heard that some 'pack and ship' places are now doing walk-in
> 'Foam in Place' packaging for folks, where they shoot the polyurethane
> goop into a plastic bag surounding the radio for maximum protection.
>
> I've seen guys listing radios for sale with '$20 for Foam in Place packing'
> added to their shipping cost - seems a fair cost to me for such good
> packing.
>
> Does anyone know who does this in the Pacific Northwest? Tacoma,
> specifically. I did a Google search but the search terms are too broad
> to really narrow anything down.
>
> Any help out there?
>
> thanks,
>
> David Ellison WB7AWK
>
>

3833. FS ICOM IC-718

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 16:05:45 UTC
From: blank@blank.net
Message-ID: <guhjpu4ohv33bs46d7281ii7noocb0gjka@4ax.com>
Source record: 39044
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment

Excess to my needs- ICOM IC-718
Bought new- never on the air.
Complete= box, manual, etc.
Does not have UT-106 DSP
$475 U-ship

Jim
KD2KU
Corning NY
jbeckett@(NOSPAM).stny.rr.com
remove NOSPAM to reply via email

3834. FS LDG AT-11MP tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 16:15:57 UTC
From: blank@blank.net
Message-ID: <thijpu8jug1vnkch6ntomsih1svenbd8c1@4ax.com>
Source record: 39045
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment

Excess to my needs.
Factory wired LDG AT-11MP auto antenna tuner- never used.
With MP-IC Icom interface cable.
$175 U-ship

Jim
KD2KU
Corning NY
jbeckett@(NOSPAM).stny.rr.com
remove NOSPAM to reply via email

3835. Re: Using IC-735 with AT-250 Auto Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 16:47:20 UTC
From: rjones@mail.cccd.edu
Message-ID: <ancjioldg1@spock.dis.cccd.edu>
Source record: 39046
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.antenna

Thanks anyway, folks. I sat down and figured this out last night.
Works great!

73,

Rick, KG6RJ

In article <3D987D0E.52385E4D@mail.cccd.edu>, rjones@mail.cccd.edu says...
>
>Hello all,
>
>I thought I would see if anyone else has successfully interfaced the
>Kenwood AT-250 automatic antenna tuner with an ICOM IC-735 transceiver.
>I would think this is has been done and would prefer not to re-invent
>the wheel if I don't have to. I'm not particularly interested in the
>automatic band selection feature as the IC-735 and the Kenwood methods
>of relaying this information to the tuner are quite different.
>
>If you've done this, I would appreciate the appropriate pin out
>information from the IC-735 accessory port to the AT-250 port. Many
>thanks in advance.
>
>73,
>
>Rick, KG6RJ
>

3836. FS: Eico 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 17:58:11 UTC
From: ce7a@aol.com
Message-ID: <20021001135811.03570.00007646@mb-cr.aol.com>
Source record: 39047

FS: Eico 720 HF (morse code) Transmitter in excellant cond w/ original manual and crystals.

Make Offer.

3837. FS: Heathkit SB110 6mtr xrcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 17:59:59 UTC
From: ce7a@aol.com
Message-ID: <20021001135959.03570.00007647@mb-cr.aol.com>
Source record: 38898

FS: Heathkit SB110 6 mtr xcvr w/ matching pwr supply.

Make Offer.

3838. Cobra FSR 2 way... Legal in Australia?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 18:26:53 UTC
From: Des <d-scahill@ns.sympatico.com>
Message-ID: <NNlm9.12712$0i4.1389910@ursa-nb00s0.nbnet.nb.ca>
Source record: 38899

I recently bought a set of these Cobra FSR 2 way radios in Canada.....are they legal to use in Australia?

Thanks

3839. Circuit diagrams - help please?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 18:41:02 UTC
From: Stefan Viljoen <rylan@intekom.co.za>
Message-ID: <ancq1ucko1@ctb-nnrp2.saix.net>
Source record: 38900

Hi All

I have several semi-working and not working sets and am looking for circuit diagrams or hints on repair:

1. Matsushita base MS-0835LB FM midband 67mHz transceiver

2. Yaesu FTC2003 handheld

3. Motorola MT500 handheld

Any help or links where I might get hold of repair info or circuit diagrams for these sets will be appreciated!

Thanks!
--
-
Stefan Viljoen
F/EMS Dispatcher
Potchefstroom Public Safety Dept.
Republic of South Africa
http://home.intekom.co.za

"We want you to be soldiers - deadly as long as you have one arm or one leg and you are still alive."
- R. A. H. in Starship Troopers

3840. FS Adi at600 dual band ht

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 18:55:54 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <_cmm9.17762$om2.376102@twister.rdc-kc.rr.com>
Source record: 38901

This ht is in good working and looking condition.
It will do 2 meters and 440 at the same time.
2 valume 2 spl controls.
Display and keypad lights up.
100.000 to 985.000 rx
Puch a code in to the keypad and it will open exstended tx range.
Comes with rubber duck 2-5 watt batties and one charger manual in pdf format.
One of the batteries need a drop in charger which does not come with the radio.
The battery is a w&w 104s 12v 1200 mah.
The other one that comes with the charger for this radio is a 12v 600 mah battery.
All codes for this radio are at www.mods.dk
$160 shipped ups insured.
u.s only.
E-mail for pics of the radio.

3841. Re: Kenwood TS-850 - where can I have mods performed?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 19:36:48 UTC
From: wb6wcw@aol.com
Message-ID: <20021001153648.01026.00010977@mb-mq.aol.com>
Source record: 38902

Avvid is the only place to go.....and don't go to the KK7 place..I hear he's not really an authorized repair shop.

Buill W6WCW
Santa Barbara, Ca.

3842. Re: Kenwood TS-850 - where can I have mods performed?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 21:37:50 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <3xOaPY3hR63RS8yUNKNnKItGLx9E@4ax.com>
Source record: 38903

zaax@aol.com (ZaaX) wrote:

>I would like to have several mods installed on my TS-850 along with replacing
>the battery. Is there anyone out there that does work like this?
>BTW I do not trust my eyes to do surgery on my rig hence my asking who does
>this kind of thing.
>
>Thanks
>Zack
>N8FNR

Just a few cautions: the only problem with getting a shop to perform mods for you is they may or may not guarantee the work, since mods deviate from the manufacturer's setup. In addition, they may hesitate if the mods are somehow "illegal" according to the FCC. Also, the dollar-per-hour bench rate may make the mods a bit pricey. Still, you can ask...

Bob
k5qwg

3843. Need schematic for Radio Shack HTA-20

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 21:49:28 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3D9A18FE.2020703@earthlink.net>
Source record: 38904

I am trying to find out the problem with a Radio Shack HTA 20 2 meter
amp with preamp for another ham. He unfortunatly does not have a manual
or schematic.

Does anyboby have one they can send me electronicaly or otherwise?

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

3844. TS-450

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 21:57:28 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3D9A1A48.3E485D8C@erols.com>
Source record: 38905

What is a TS-450 in very clean condition going for these days, please?
Murray, K3BEQ

3845. Are they audio DSP ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 22:03:04 UTC
From: lombryt@hotmail.com
Message-ID: <db35a0c.0210011403.3077a8fd@posting.google.com>
Source record: 38906

Hi,

What about the utility of some external DSP like The Kenwood DSP-100
or Timewave DSP599x... on modern RX or RTX ?
Both seems to provide excellent DSP functionalities but they are
located at the audio stage... Do you confirm ?

I'm interested in such device (as many of us to reject i.e. QRM of
nearby stations during pile-up or even during simple QSO with a weak
and distant station covered with QRN or QRM) but I suspect that all
these peripherals, installed behind the audio stage to be of a poor
utility on any modern RX/TX...,even the Kenwood DSP-100.

Practically, does it means that such peripherals will be practically
useless on a rig like the Kenwood TS-570D which provides already some
interesting filtering functions like high/low cuts (DSP slope), Beat
cancel, Noise Reduction, etc ?
NB. I prefer to not compare these peripherals to some high-ends RTX
that use DSP at the IF stage. The comparison is not valid, but well
with the TS570D which DSP functions are also located at the audio
stage.

The comments of buyers of both rig (DSP and TS570) are welcome.

73
Thierry
ONL5183
http://www.astrosurf.com/lombry/menu-qsl.htm

3846. Re: Kenwood TS-850 - where can I have mods performed?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-01 23:48:41 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3d9a344d$1@news.netacc.net>
Source record: 38907

"WB6WCW" <wb6wcw@aol.com> wrote in message
news:20021001153648.01026.00010977@mb-mq.aol.com...
> Avvid is the only place to go.....and don't go to the KK7 place..I hear
he's
> not really an authorized repair shop.
>
> Buill W6WCW
> Santa Barbara, Ca.

When it comes to modifications (other than factory issued mwo's) it matters not if the shop is an "authorized" repair shop or not. Once mods are done, warranty goes out the window (with a few exceptions).

I worked in an Icom, Kenwood, Yaesu, etc etc etc authorized shop and it did not entail any particular training or even verification of my commercial licenses. Just a business agreement between our shop and the factory's US distributor where they agreed to give us access to parts and tech info and we agreed to receive radios on their behalf for repair.

Were there other shops as good (maybe better but I doubt it :-)) ????
Certainly! If you want a set of sweep tubes installed and neutralized on an old Yaesu FT 101, what advantage do you gain by going to an "authorized" shop???

None that I can think of.

Steve

3847. FS: VARIOUS SW RADIOS/TRANSCEIVER AND SCANNER WITH DISCRIMINATOR TAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 00:49:11 UTC
From: Tony <prosper2040@sympatico.ca>
Message-ID: <lorm9.5237$Kg4.799272@news20.bellglobal.com>
Source record: 38908
Cross-posted to:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.shortwave

REALISTIC PRO-2040 SCANNER - Canadian Version
With Descriminator tap Mod, RCA type plug added to rear of unit to connect DATA SLICER which I'm also selling
Excellent scanner, I've decoded ACARS, FLEX, POCSAG paging, MDT, MOBITEX, etc with the data slicer and my PC
I will even include the software. This scanner can receive cell phone transmissions also. Original box, manual,
telescopic antenna and power adapter included. -$115.00

REALISTIC DX-390
With Mute and Beep Mod!, Manual and Power Adapter, excellent condition, NO BLOWN FETS! -$65.00

GRUNDIG YACHT BOY 400PE
With Mute and Fine Tune Mod!!!, Manual, Original box, carrying case, Wall Adapter, long-wire external antenna,
Hardly used! -$105.00

GE SUPERADIO III
High performance AM/FM reception, very clean and in excellent shape, I've dxed stations as far away as Texas!!
on this one. (I'm in Ontario, Canada) -$30.00

BELTEK 23 CHANNEL AM TRANSCEIVER
This one's an oldie, looks like a mid seventies transceiver, couldn't find anything on the web about it. It measures about
12x10x4 in an all metal cabinet, it has a 120v ac as well as connections for 12v mobile. This is a solid state transceiver
and it works. -$15.00

I'm located in SW Ontario, shipping to anywhere in North America is about 8-12 dollars for these items.

Regards.

3848. Test Equipment For Sale - lists Updated (at last)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 01:00:33 UTC
From: "W.J. Ford Surplus Enterprises" <testequipment@falls.igs.net>
Message-ID: <3d9a467f$1_1@corp-news.newsgroups.com>
Source record: 38909

Just a quick note to say we have updated our listings. We have test equipment, laboratory and scientific instruments, radios, tubes, manuals etc.

Thanks & regards,
Ron Ford

www.testequipmentcanada.com

****
***
Availability of all items is subject to prior sale
****
***
W.J. Ford Surplus Enterprises / RF Science & Technology
P.O. Box 606, 4 Wellington St., Smiths Falls, Ont. K7A 4T6 Canada
www.testequipmentcanada.com www.falls.igs.net/~rftech
testequipment@falls.igs.net rftech@falls.igs.net
Phone: +1-613-283-5195 (9:00 am - 4:00 pm EST)
Fax: +1-613-283-0637 (24 hr/day)
****
**

3849. FA - 455J-31 Collins Filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 01:29:27 UTC
From: james thomason <jct@cswnet.com>
Message-ID: <andink$1a9m$1@feed.centurytel.net>
Source record: 38910

FA - http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384689850

3850. FS: Hammarlund receiver cabinet

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 02:40:52 UTC
From: maritimus49@aol.com
Message-ID: <20021001224052.10564.00008406@mb-cp.aol.com>
Source record: 38911

I have for sale the receiver cabinet for the HQ-140. It is in good shape but could use repainting if you are particular. Still presentable. Has two strong handles on the sides and a lift-up lid on top for access. It has no dents or damage. The front opening is 18" wide by 10" high by 12" deep. Will be packed carefully. Asking $45 plus shipping. Thank for looking.

73,
Bruce K6RQR

3851. Re: Kenwood TS-850 - where can I have mods performed?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 02:56:29 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <xftm9.79243$jG2.4339774@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38912

Depending on the mods ... Kenwood service may well do them.

They did several for me, when I shipped the radio in to get
a problem with the ALC repaired. Worth a call to ask them.

(I have a similar problem doing very fine work, hands not steady
enough to do anything surface mount or real small anymore.)

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"ZaaX" <zaax@aol.com> wrote in message
news:20020930191255.23190.00000665@mb-fp.aol.com...
> I would like to have several mods installed on my TS-850 along with replacing
> the battery. Is there anyone out there that does work like this?
> BTW I do not trust my eyes to do surgery on my rig hence my asking who does
> this kind of thing.
>
> Thanks
> Zack
> N8FNR

3852. Re: BC-455B 6 - 9.1 MC Command Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 03:24:05 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <pFtm9.79277$jG2.4342272@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38913

SOLD. Thanks for looking.

3853. Quecan warning (Sunair GSB-900)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 03:27:31 UTC
From: Don Smith <desmith@innercite.com>
Message-ID: <upkq0c3cgtd1ed@corp.supernews.com>
Source record: 38914

Well it looks as though Quecan of Canada is going to try to shaft me on the Sunair GSB-900SC I purchased from them through Ebay.

I paid almost 500.00 for it plus 100.00 shipping. Upon arrival I found that there were problems in the power supply, It had a bad microphone, the power cord was missing, and that nine printed circuit boards were removed and missing.

I attempted to contact them and they avoided me for a couple of days. When they finally did I contact me I was told that it was sold AS-IS and I was stuck with it. I tried to get them to agree in either a partial or full refund or even to just send the boards. So far they have refused to try and correct the situation in any way.

While I can repair the problems in the power supply and even replace the mike cord, I do expect that the radio be complete.

Can I get any of my fellow green radio collectors to contact them and help get this resolved.

The contact person is Christiane Boplduc
813 St-Jacques
St-Jean-sur-Richelieu,
Quebec J3B 2N2

Telephone 450 346-7460
Fax 450 346-7638
Email quecan@qc.airca.com

Any help would be greatly appreciated. Thanks Don Smith KB6GQA

3854. FA: DENTRON DTR-3KA ANTENNA TUNER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 03:42:15 UTC
From: Jeff Singer <0tubt001@sneakemail.com>
Message-ID: <MPG.1804352585801ec69896a6@NEWS.OPTONLINE.NET>
Source record: 38915

Hello,

Now that I've closed my station and sold all the HF antennas, I am offering my Dentron DTR-3KA Antenna Tuner for sale/auction.

This is the biggest, most ambitious, top-of-line antenna tuner that Dentron had ever produced. Covers everything from 160-10 and has built-in AC fan-cooled dummy load, big twin blue lighted meters.

Not often seen in the marketplace, it is quite rare, and there is nothing like it anywhere. Built like a tank, and absolutely gorgeous.

Currently on ebay until 10/6/02 at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1385615960

Thanks & 73,

Jeff Singer K2KV

3855. FS: IC-746 HF/VHF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 03:50:00 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <H1um9.3757$FO4.1383@sccrnsc03>
Source record: 38916

* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Connector and Cable
* Instruction Manual
* Full Service Manual
* Original Box

$850.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

3856. FS: Heliax Cables

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 05:02:01 UTC
From: Kevin Stone <kevinstone@worldnet.att.net>
Message-ID: <d5vm9.79436$jG2.4354303@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38917
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

I've got several RF cables that I don't need so I thought I'd see if anyone here was interested in these.
They are 50' and 100' long, made of 1/4" Andrew SuperFlex Heliax FSJ1-50A with heat shrink-sealed, high-quality male N-type connectors on each end.

The 50' long cables are brand new, never been used. The 100' long cable assemblies have been previously installed, but are still in great shape.

On the new cables, one of the connectors isn't soldered/sealed, so you can remove it to make running the cable through conduit/walls/etc easier, and then solder on the center pin and re-assemble it.

Here's a link with a picture and an attuation table:
LINK

New (50') or Used (100'): $40

Thanks-

Email: kevinstoneNOSPAM@(I_SAID_NO_SPAM)att.net

(Remove the obvious pieces to reply via email...)

3857. Re: Heliax Cables

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 05:42:14 UTC
From: Kevin Stone <kevinstone@worldnet.att.net>
Message-ID: <WGvm9.79491$jG2.4357371@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38918
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

Here's the real link:
http://home.att.net/~kevinstone/

> I've got several RF cables that I don't need so I thought I'd see if
anyone
> here was interested in these.
> They are 50' and 100' long, made of 1/4" Andrew SuperFlex Heliax FSJ1-50A
> with heat shrink-sealed, high-quality male N-type connectors on each end.
>
> The 50' long cables are brand new, never been used. The 100' long cable
> assemblies have been previously installed, but are still in great shape.
>
> On the new cables, one of the connectors isn't soldered/sealed, so you can
> remove it to make running the cable through conduit/walls/etc easier, and
> then solder on the center pin and re-assemble it.
>
> Here's a link with a picture and an attuation table:
> LINK
>
> New (50') or Used (100'): $40
>
> Thanks-
>
> Email: kevinstoneNOSPAM@(I_SAID_NO_SPAM)att.net
>
> (Remove the obvious pieces to reply via email...)
>
>
>

3858. Wanted: Op's Manual for TKR-850/750

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 06:39:07 UTC
From: "A.Tullis" <wb6gum@att.net>
Message-ID: <fwwm9.79556$jG2.4361118@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38919

Looking for a Op's manual for the Kenwood TKR-850/750 UHF/VHF repeater.
Please respond to wb6gum@netscape.net.nospam (remove .nospam)
Thanks..
73 _ Andy

3859. FA: Tek Items -- Auction closes today!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 10:30:01 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <JUzm9.144622$TX5.5932002@news1.east.cox.net>
Source record: 38920
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment

Tek 7403N Scope

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771068787

Tek 5A15N plugin

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771069350

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771077447

Tek 7A21N plugin

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771080269

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1771495906

Thanks for looking... (and bidding!)

3860. FA: WE 416B Planar Triodes (2 ea) -- going, going....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 10:32:32 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <4Xzm9.144623$TX5.5932335@news1.east.cox.net>
Source record: 38921
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384212513

Thanks for looking..

3861. FA: B-I-G Air Variable -- For work or show!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 10:35:55 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <f_zm9.144625$TX5.5932950@news1.east.cox.net>
Source record: 38922
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1385282705

Thanks for looking...

3862. FA: KDKA item --- a piece of radio history..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 10:37:15 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <v%zm9.144629$TX5.5933087@news1.east.cox.net>
Source record: 38923
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=719593159

Thanks for looking..

3863. FS: Kenwood T-599A/R-599A station

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 14:03:02 UTC
From: jonweiner@aol.com
Message-ID: <20021002100302.11441.00012028@mb-fi.aol.com>
Source record: 38924

Pristine Kenwood T-599A / R-599A transmitter / receiver station. Complete in the original cartons, with original inner packing, original manuals, rare interconnect cable with connectors and matching speaker. Looks like the day it left the factory. Photos available. $450. plus shipping.

Jon

3864. Need Realistic DX-440 Schematic/Service

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 14:10:09 UTC
From: turbo22367@aol.com
Message-ID: <20021002101009.19482.00005898@mb-ff.aol.com>
Source record: 38925

Hi Fellows! Does anyone know where I can get a hold of a schematic/service info on this radio. Radio is quiet. No audio. Digital display shows frequency but nothing else. Any help appreciated.

Thanx, Steve

3865. Kenwood / Trio TS120S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 15:52:08 UTC
From: Mark Turner <markturner2@hotmail.com>
Message-ID: <anf4k2rnv1@newsg1.svr.pol.co.uk>
Source record: 38926

I am looking for advice on reducing the output of the Kenwood/Trio TS120 to 10W. Can anybody offer an advice. Thank you.

3866. FS: AEA PK-232 (not MBX)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 18:57:13 UTC
From: darrell.earnshaw@sun.com
Message-ID: <b67a81e8.0210021057.c4a604a@posting.google.com>
Source record: 38927

Complete with manuals/cables, but alas not original power-brick and packing. $75, shipped UPS CONUS.

73, Darrell
NR3Y/W6.

3867. Re: Are they audio DSP ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 22:36:01 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <upmt132l93jg80@corp.supernews.com>
Source record: 38928

Yes.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Thierry" <lombryt@hotmail.com> wrote in message
news:db35a0c.0210011403.3077a8fd@posting.google.com...
> Hi,
>
> What about the utility of some external DSP like The Kenwood DSP-100
> or Timewave DSP599x... on modern RX or RTX ?
> Both seems to provide excellent DSP functionalities but they are
> located at the audio stage... Do you confirm ?
>
> I'm interested in such device (as many of us to reject i.e. QRM of
> nearby stations during pile-up or even during simple QSO with a weak
> and distant station covered with QRN or QRM) but I suspect that all
> these peripherals, installed behind the audio stage to be of a poor
> utility on any modern RX/TX...,even the Kenwood DSP-100.
>
> Practically, does it means that such peripherals will be practically
> useless on a rig like the Kenwood TS-570D which provides already some
> interesting filtering functions like high/low cuts (DSP slope), Beat
> cancel, Noise Reduction, etc ?
> NB. I prefer to not compare these peripherals to some high-ends RTX
> that use DSP at the IF stage. The comparison is not valid, but well
> with the TS570D which DSP functions are also located at the audio
> stage.
>
> The comments of buyers of both rig (DSP and TS570) are welcome.
>
> 73
> Thierry
> ONL5183
> http://www.astrosurf.com/lombry/menu-qsl.htm

3868. Last Day FA: Optoelectronics OS456Lite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 22:44:18 UTC
From: dNOSsPAMtanton@apk.net
Message-ID: <anfss2$cd2$1@plonk.apk.net>
Source record: 38929

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384340752

3869. FA: WE416B's -- almost gone...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-02 23:43:36 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <IwLm9.148140$TX5.6077687@news1.east.cox.net>
Source record: 38930
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384212513

thanks for looking..

3870. F/A Yaesu FT-767GX with 2 meter module installed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 01:08:44 UTC
From: radioactiveham@yahoo.com
Message-ID: <219b06.0210021708.2bfe958d@posting.google.com>
Source record: 38931

Radio needs some repair. See item description

Ends Saturday

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1385837380

3871. ALERT: Hey Joe, Wb2JKJ, What happened to that $20K Icom Grant?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 02:10:38 UTC
From: falster762@aol.com
Message-ID: <20021002221038.03171.00009652@mb-dh.aol.com>
Source record: 38932

That you got from Icom so the pupils at your school would have a nice station!
Was'nt there a Icom IC-781 a Icom IC-9000 Receiver, A Icom IC-4KL amp & other
such associated radio communications items?
I hear that you sold them to fund your kids collage tuition, that true?
I hope others that are not just using you to buy ham radio equipment, actually
realize the harm they do to the radio fraternity by helping to finance your
greed!
Come on Joe, Tell us the whole skinny, will ya?

3872. Soundssweet.com

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 03:52:18 UTC
From: MB288@aol.com
Message-ID: <anges4$gh1$1@bob.news.rcn.net>
Source record: 38933

Anyone have one of these speakers? They look interesting:

http://www.soundssweet.com

3873. HP 5245L Counter - repair question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 05:24:11 UTC
From: kc0atc@qsl.net
Message-ID: <a444e1b1.0210022124.4ab1bbf5@posting.google.com>
Source record: 38934

I recently picked up an HP 5245L counter. It is having a problem.
I already have a similar counter, probably slightly newer I think
but very similar.

The one I have works pretty good. The little "gate" light flashes
and I get reasonable readings. Every dozen readings or so the
numbers are kind of goofy, but generally it makes sense.

This new one, the "gate" light never flashes except for sometimes
when I am changing the switch settings.

I think the oscillator is working, but the gating circuit is
bad. I say that because I hooked the output of the bad one
up to the input of the good one. I set the gate on the good
unit for a large figure, then when I switch the switches on
the front of the bad one while the gate light is on on the
good one, I get a reasonable reading on the good one.
(That's a horrible description!) But if I just let it sit
there I get nothing but zeros on the bad one, while the good
one has the gate light flashing.

I sprayed some contact cleaner on the wafer switches and that
didn't seem to help much. the power switch controls the rate
of gate flashing. Resistance readings on that pot are identical
to those on the working unit, so I don't think it is the pot.

I don't have any manuals or schematics for either one. So I could
be completely wrong headed about the whole thing.

I guess I am asking for some clues as to what might be the problem.
Many of the boards are interchangeable between these two units.
The bad one has a crystal oven, the working one does not.

Any hints, clues, etc. gladly accepted.

Chris
kc0atc

3874. "COM" button on Kenwood TM-201A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 05:43:50 UTC
From: ron phillips <rkp-@-acm.org>
Message-ID: <qOQm9.21332$om2.472357@twister.rdc-kc.rr.com>
Source record: 38935

I'm absent one operators manual for the Kenwood tm-201a, but have most of it figured out EXCEPT: what the heck is the "COM" button just above the mike jack for? Seems to switch to 144.000 but can't imagine why...

if you know, please reply to rkp-@-acm.org (please remove hyphens first -they're there to slow down the spambots).

Tnx et 73!

ron / wb7ofc

3875. Need help ID'ing early CB HTs (and finding schematic!)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 06:39:40 UTC
From: Will White <googlyelmo@earthlink.net>
Message-ID: <3D9BE670.685AAA9C@earthlink.net>
Source record: 38936

I found a pair of Sears-branded single channel 100 mW CB walkie talkies at a local thrift shop for $3 for the pair. They are in *beautiful* working shape, with black wrinkle metal case and chromed die-cast fronts, and even a snazzy little analog battery level indicator, and a very well-designed adjustable wrist strap. Not a scratch, chip, rub, dent, or spot of rust on them!

They have also an earphone jack, off course a PTT switch, and on on-off-volume pot, and run off standard 9-V batteries. They look almost new, and of sufficiently high quality they were probably marketed back in 65 to CB hobbyists/utility users rather than to kids.

Now, while they do work fairly well (crystalled for Channel 11 as I received them). They could use an alignment, and the audio section of one of them at least needs new caps, and probably the PS needs caps as well. They each transmit and receive, but with lots of noise (no squelch circuit?), and one of the pair has low audio and a good deal of distortion, as well as picking up faintly a local AM BCB station sometimes. All the info I can furnish is as follows below:

*Labelled as Sears-brand
*Says "9 Transistor" below speaker-mike on front
*Marked on back "chassis #. 787.10001"
*Also on back ""service # 787-645000"
*Has old version of Part 15 warning on back (the one that mentions antenna length and power *input* and crystal tolerance (0.005%!)
*Manufacture Date May, 1965
*stamps both on the back and inside the chassis indicate these units were made in Japan.
*most transistors are marked "Toshiba", with a couple as 2SB56, 2SA74, 2SA92

I would be grateful to anyone who can probide me with any help or guidance in identifying these walkie-talkies, expecially in determining who the manufacturer was. I would be happy to pay reseaonable costs if anyone could provide me with a schematic, from Rider or Sams or some similar source. If you can only refer me to an expert in tracingin/IDing old CBs, that alone would be a great help!

I'd like to put these back in original working condition. All advice, directions, suggestions, comments, and referrals very graciously accepted! Thanks!

--
Will White, KD7BFX
Seattle WA US

King County, Grid CN87tq
ITU Zone 6, CQ Zone 3
****
"The wireless telegraph is not difficult to understand.
The ordinary telegraph is like a very long cat.
You pull the tail in New York, and it meows in Los Angeles.
The wireless is the same, only without the cat."
- Albert Einstein
****

3876. FS TS_820

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 10:37:51 UTC
From: Wayne <kjm@blomand.net>
Message-ID: <anh6mc$ciqg$1@news3.infoave.net>
Source record: 38937

```
Kenwood 820 for sale $275.00
```

3877. FS TS -430

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 10:43:11 UTC
From: Wayne <kjm@blomand.net>
Message-ID: <anh70c$cjbt$1@news3.infoave.net>
Source record: 38938

For sale 430 with power supply

3878. FS: 4654, 4699, EL 3, EL 33 etc.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 11:23:15 UTC
From: arnoldg@c2i.net
Message-ID: <3d9c295a.13563484@news1.c2i.net>
Source record: 38939

These valves have some similarities to EL 34 and are excellent output
pentodes. They are all in stock.
Have a look at www.demostenes.no for prices and pictures. Just use the
search function in the left corner of the opening picture.

Regards,

DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

3879. FS: Jedi programming cable, like new. $85.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 13:21:34 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <yvXm9.544$k_2.6974@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38940
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

I have a Jedi series programming cable for sale. $85.00 shipped, anywhere in Cont. US.
Good for following models:
HT1000
MT2000
MTS2000
MTX8000
MTX9000

please email direct
rw613@lycos.com

3880. FS: Motorola Visar VHF with batt & charger.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 13:35:05 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <dIXm9.558$k_2.7583@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38941
Cross-posted to: alt.ham-radio.vhf-uhf,pa.forsale,phl.forsale,rec.radio.amateur.equipment,rec.radio.swap

Motorola Visar VHF with batt and charger.
Model#H05KDD9AA4AN
Serial#720AUJ0340
$255 shipped to lower 48
email direct
rw613@lycos.com

3881. KENWOOD TS-711 RECEPTION PROBLEM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 16:41:10 UTC
From: N1XOI@arrl.net
Message-ID: <7dc208cb.0210030841.155b5d49@posting.google.com>
Source record: 38942

Hello all,

I noticed that my TS-711 seems to decrease in sensitivity as it gets warmer. I don't have the equipment to perform a sensitivity test, but I can see signals in FM dropping several dBs after half hour or so (at least according to the S-meter). The "problem" appears to be somehow of a lesser magnitude in SSB.

Has anybody else experienced the same problem? If I have to trust my ear, it is really a sensitivity problem, as opposed to maybe just being a minor issue with the S-meter circuit.

I have read other postings mentioning a similar issue, but in that case when transmitting, with the power going to zero when the radio gets hot. In that case it seems like the problem was the fan control and fixing that or modifying the radio to have continuous fan operation solved the problem.

I believe that by design the TS-711 fan starts pretty high in temp, it usually does only when transmitting. However, I got the radio used several years ago, therefore I don't know how it could have worked originally.

I'm thinking to do a little mod to have the fan always running, (even if I keep it only receiving for a couple of hours the back of the radio gets quite warm, I guess because of the built-in power supply), but I'd like to get a "second opinion" before I do it. I just want to be sure it is not a more serious problem with the RF front-end or one of the IF amplifiers. Thanks in advance for any insight.

73, Paolo N1XOI

3882. Re: Need Sunair GSB-900 boards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 19:05:15 UTC
From: Dave Allen <david_e_allen@agilent.com>
Message-ID: <3D9C94EB.1346EDF@agilent.com>
Source record: 38944
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

Hopefully you have told eBay about your experience. You can at least
give the dealer a black mark on eBay which will hopefully warn other
potential customers. And enough black marks can even ban them from eBay.

dave allen, wb0taq, colorado

3883. FT-ONE Parting Out!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 19:51:03 UTC
From: "Mitch, W4OA" <w4oa@arrl.net>
Message-ID: <upp7t8112q4v93@corp.supernews.com>
Source record: 38945
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.s

ups trashed my ft-one beyond repair... so i am parting
it out...

gone - if board, ram board, fm board
left - everything else, including knobs, meters, power
supply, etc.

i also have the original owners manual and the yaesu
technical (service) manual...

no reasonable offer(s) refused!

mitch, w4oa
w4oa@vibroplex.com

3884. Re: FT-ONE Parting Out!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 19:56:20 UTC
From: "Mitch, W4OA" <w4oa@arrl.net>
Message-ID: <upp875pvbk4h89@corp.supernews.com>
Source record: 38946
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.swap

"Mitch, W4OA" <w4oa@arrl.net> wrote in message news:...
>
> ups trashed my ft-one beyond repair... so i am parting
> it out...
>
> gone - if board, ram board, fm board
> left - everything else, including knobs, meters, power
> supply, etc.
>
> i also have the original owners manual and the yaesu
> technical (service) manual...
>
> no reasonable offer(s) refused!
>
> mitch, w4oa
> w4oa@vibroplex.com
>
>
>

3885. FA: AOR AR-8200

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 19:57:56 UTC
From: Headhamster <headhamster@earthlink.net>
Message-ID: <8j1n9.7050$lV3.678650@newsread1.prod.itd.earthlink.net>
Source record: 38943
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap

I have an AOR AR-8200 receiver / scanner for auction. The unit is in
excellent condition. Please take a look!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1386035771

3886. Re: Soundssweet.com

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 22:14:58 UTC
From: us <richard@ulrich.com>
Message-ID: <qm3n9.7610$dQ1.255173@news4.srv.hcvlny.cv.net>
Source record: 38947

Yes I have one. I must have one of the first.. What a great speaker!

It is SOLID.. it has a nice thick wood case. This is no little tinny toy. I could not believe how good SSB could sound. This speaker has perfect bass for the spoken word. Real nice warm reproduction with not a trace of "Mud" It has some kind of duel cone speaker in there that is just as crisp and clean as can be but unlike some "Hifi" book shelf speakers I have tried, no tweeter..so you don't get all that annoying hiss a typical speaker gives you.

Even with broadband audio like AM/FM or shortwave broadcast it sounds better than any speaker I have used on any ham radio. I am going to get another one.

Hope they come out with a smaller one for my mobile.
Rich K2KOQ

"Mark Balsden" <MB288@aol.com> wrote in message
news:anges4$gh1$1@bob.news.rcn.net...
> Anyone have one of these speakers? They look interesting:
>
> http://www.soundssweet.com

3887. Re: Soundssweet.com

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 22:16:51 UTC
From: us <richard@ulrich.com>
Message-ID: <rm3n9.7611$dQ1.255173@news4.srv.hcvlny.cv.net>
Source record: 38948

Yes I have one. I must have one of the first.. What a great speaker!

It is SOLID.. it has a nice thick wood case. This is no little tinny toy. I could not believe how good SSB could sound. This speaker has perfect bass for the spoken word. Real nice warm reproduction with not a trace of "Mud" It has some kind of duel cone speaker in there that is just as crisp and clean as can be but unlike some "Hifi" book shelf speakers I have tried no tweeter..so you don't get all that annoying hiss a typical speaker gives you.

Even with broadband audio like AM/FM or shortwave broadcast it sounds better than any speaker I have used on any ham radio. I am going to get another one.

Hope they come out with a smaller one for my mobile.\

Rich K2KOQ

"Mark Balsden" <MB288@aol.com> wrote in message
news:anges4$gh1$1@bob.news.rcn.net...
> Anyone have one of these speakers? They look interesting:
>
> http://www.soundssweet.com

3888. Re: Soundssweet.com

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 22:17:46 UTC
From: us <richard@ulrich.com>
Message-ID: <rm3n9.7612$dQ1.255173@news4.srv.hcvlny.cv.net>
Source record: 38949

Yes I have one. I must have one of the first.. What a great speaker!

It is SOLID.. it has a nice thick wood case. This is no little tinny toy. I could not believe how good SSB could sound. This speaker has perfect bass for the spoken word. Real nice warm reproduction with not a trace of "Mud" It has some kind of duel cone speaker in there that is just as crisp and clean as can be but unlike some "Hifi" book shelf speakers I have tried no tweeter..so you don't get all that annoying hiss a typical speaker gives you.

Even with broadband audio like AM/FM or shortwave broadcast it sounds better than any speaker I have used on any ham radio. I am going to get another one.

Hope they come out with a smaller one for my mobile.

Rich K2koq

"Mark Balsden" <MB288@aol.com> wrote in message
news:anges4$gh1$1@bob.news.rcn.net...
> Anyone have one of these speakers? They look interesting:
>
> http://www.soundssweet.com

3889. Re: Soundssweet.com

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 22:19:16 UTC
From: us <richard@ulrich.com>
Message-ID: <Wm3n9.7618$dQ1.255009@news4.srv.hcvlny.cv.net>
Source record: 38950

Yes I have one. I must have one of the first.. What a great speaker!

It is SOLID.. it has a nice thick wood case. This is no little tinny toy. I could not believe how good SSB could sound. This speaker has perfect bass for the spoken word. Real nice warm reproduction with not a trace of "Mud" It has some kind of duel cone speaker in there that is just as crisp and clean as can be but unlike some "Hifi" book shelf speakers I have tried no tweeter..so you don't get all that annoying hiss a typical speaker gives you.

Even with broadband audio like AM/FM or shortwave broadcast it sounds better than any speaker I have used on any ham radio. I am going to get another one.

Hope they come out with a smaller one for my mobile.

Rich K2KOQ

"Mark Balsden" <MB288@aol.com> wrote in message
news:anges4$gh1$1@bob.news.rcn.net...
> Anyone have one of these speakers? They look interesting:
>
> http://www.soundssweet.com

3890. AOR AR8200 / AR8600 option cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 22:56:24 UTC
From: Headhamster <headhamster@earthlink.net>
Message-ID: <sW3n9.7368$lV3.700744@newsread1.prod.itd.earthlink.net>
Source record: 38952
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap

I have the whole series of AOR option cards for the AR8200 and AR8600 scanners for auction. This includes the VI8200 voice inverter, RU8200 playback record card, CT8200 CTCSS decoder, TE8200 tone eliminator, and the EM8200 memory extender card.

Please take a look!
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1386085336

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1386083064

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1386081332

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1386080105

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1386076558

3891. Re: Need Sunair GSB-900 boards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 23:16:30 UTC
From: Don Smith <desmith@innercite.com>
Message-ID: <uppjugegbp8j9b@corp.supernews.com>
Source record: 38953
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

I have filed a complaint against the Quecan company in Canada with the Ebay Safe Harbor site. Not sure if it will do any good. Thanks for your support. Don
"Dave Allen" <david_e_allen@agilent.com> wrote in message news:3D9C94EB.1346EDF@agilent.com...
> Hopefully you have told eBay about your experience. You can at least
> give the dealer a black mark on eBay which will hopefully warn other
> potential customers. And enough black marks can even ban them from eBay.
>
> dave allen, wb0taq, colorado
>

3892. WTB: HAM & SHORTWAVE RADIOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 23:29:52 UTC
From: Greg Raymond <rradio@mindspring.com>
Message-ID: <anih47$vf1$1@slb7.atl.mindspring.net>
Source record: 38951
Cross-posted to: alt.ham-radio.marketplace,ne.wanted,nh.forsale,ne.forsale,rec.radio.swap,rec.radio.amateur.equipment

Always buying Radios - parts ect... One radio to entire estates. Have case
will travel and clean.

EMAIL TO:
rradio@mindspring.com

or call.............
Greg
(603)942-7173
Cell (603) 479-5854

3893. SK Estate Sale- HF/VHF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-03 23:44:09 UTC
From: "Al, N2NKB"
Message-ID: <dD4n9.1836$k_2.57525@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38954

Folks,
A friend of mine's husband passed away recently.
He left a large quantity of radio toys.
Anyone interested in buying the estate?
(Before we go the E-Bay route)
Located in Madison, NJ.
I can email you a "word" file inventory sheet if you
are interested. Very clean equipment, most have manuals.

Al N2NKB n2nkb@att.net

The following was pasted from my word file, so pay no attention
to the "y"s.

Manufacture Model
ICOM IC-781 y
ICOM IC-575H y 28/ 50 MHz
ICOM IC-726 y HF/ 50 MHz

VHF Equipment
ICOM IC-970H y + serv
Kenwood TM 3530A y 220 MHz
Kenwood TM 631A y 144/ 220 MHz
Kenwood TM-741A y FM Multibander with remote display (in car)
Kenwood TM 742A y 144/ 440 MHz

Power Supplies
Astron RS-50M y Metered
ICOM PS-55 y
ICOM PS-55 y
ICOM IC-PS30 y Metered

Handi-Talkies
ICOM IC-X2A y
ICOM IC-3SAT y + serv 220 MHz
Motorola RP50 147 MHz
Motorola CP50 y 147 MHz + 445 MHz with case
Motorola CP50 y 147 MHz + 445 MHz with case
Motorola CP50 y 147 MHz + 445 MHz with case
Realistic HTX-202 VHF FM
Realistic HTX-404 UHF FM Blotch on Display LCD

HT Chargers
BC-350 Holds Realistic HTX-202
Motorola HTN 9013A

Recoton
W&W MC IA For ICOM BP-82 to BP-85

Linear Amplifiers
Kantronics RF Concepts 2M + 70 CM
Motorola SUN1905DC 3W ? (in car)
RF Concepts RFC2-417 143-149 MHz, 45W in 170W out (in car)
TE Systems 0510G y 50-54 MHz (in car)

Keys
NYE Straight
Vibraplex 68154 Mechanical Swing

Microphones
ICOM SM-8 y
ICOM SM-8 y
Kenwood MC-85 y

Speakers
ICOM SP-20 y
ICOM SP-20 y
ICOM SP-20 y
Kenwood SP-41 In Car

Antennas
Cushcraft 224 WB y Boomer, 4 element Yagi 220-225 MHz Base
Diamond X-50A y 2M/ 70 CM Base
Larson NMO 50 (on car)
Larson NMO 2/70 (on car)

Ant Switches
Alpha Delta Delta 4 y 4 position
Alpha Delta Delta 4 y 4 position
H & W 3S-3G 3 position

Packet
Pakratt PK-232MBX

Receivers
Alaron Analog AM/SW/TV
Electroband AM/FM/TV Weather
ICOM IC-R100
Noname Dynamo and solar radio AM/FM

Scanners
Radio Shack PRO-2050 y Trunk Tracker 800 MHz Mobile
Regency SPSS Old

RF Meters
Bird 43P y Plugins: 100-250 MHz, 25 + 50 +250 W
Diamond SX-600 y SWR/ PWR

Miscellaneous
Palomar y VLF Converter

MFJ 108B 12/24 Hr Clock, digital display
Heath HD1416 Code Oscillator
Sony MDR-V4 Headset
Garmin GPS 45 y GPS Navigational Receiver
Triplet 601 Solid State VOM
Uniden Laser Detectors

3894. K1EL K10 Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 04:02:33 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <anj41d01pei@enews4.newsguy.com>
Source record: 38957

I would really like to purchase a couple of K10 keyer kits from K1EL --
but -- I find his site impossible to navigate -- the navigation bars show up
as "X'ed" out images and, try though I may, I find no place on the site
where he lists his product information or has ordering information.

Anyone know where I can by the K10 keyer chip and keyer parts? Thanks.

--

Regards,
Joe S.

3895. Re: SK Estate Sale- HF/VHF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 04:27:08 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <ns5qpukl1vm4f1fdak64mp9ud6k6lfiqg8@4ax.com>
Source record: 38955

On Thu, 03 Oct 2002 23:44:09 GMT, "Al, N2NKB"
<n2nkb@n2nkb@postoffice.worldnet.att.net> wrote:

>Kenwood TM 3530A y 220 MHz
>Radio Shack PRO-2050 y Trunk Tracker 800 MHz Mobile

How much for these items?
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

3896. Re: SK Estate Sale- HF/VHF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 04:28:29 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <656qpug2p30dtshiops47b1prgt8ktfhid@4ax.com>
Source record: 38956

On Thu, 03 Oct 2002 23:44:09 GMT, "Al, N2NKB"
<n2nkb@n2nkb@postoffice.worldnet.att.net> wrote:

>Kenwood TM 3530A y 220 MHz
>Radio Shack PRO-2050 y Trunk Tracker 800 MHz Mobile

How much for these items?
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

3897. Fa: 6LB6, 6LF6, 6JS6C Finals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 04:45:41 UTC
From: zoxx@my-deja.com
Message-ID: <anj6dl$e7r$1@news.netmar.com>
Source record: 38958
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,

Now on Ebay...

(2) Realistic 6LB6 Tubes - NIB/Tested... used in the following transceivers: Galaxy GT-550, Swan 270-B, and WRL Duo-Bander II. It's also used in the Galaxy 2000B and other linears:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384607999

6LF6/6MH6 GE Tube - NIB Tested... found in the Swan 1011 transceiver, Palomar Skipper 300 linear, and the following audio amplifiers: Berning EA-2100, Counterpoint SA-4, and Futterman H-3aa, OTL-1 and OTL-3 amplifiers:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384602728

NIB Pair Of 6JS6C RCA Tubes... found in several Ham rigs, including the Yaesu FT-101 and FT-200 transceivers, Yaesu FL-101 and FLDX-400 transmitters, Henry Radio Tempo One Transmitter, and the Lafayette HA-250A linear amplifier.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1384605552

International bidders OK. Auctions end soon.

..Thanks for looking.

----- Posted via NewsOne.Net: Free (anonymous) Usenet News via the Web -----
http://newsone.net/ -- Free reading and anonymous posting to 60,000+ groups
NewsOne.Net prohibits users from posting spam. If this or other posts
made through NewsOne.Net violate posting guidelines, email abuse@newsone.net

3898. FS: ICOM IC-746 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 06:48:26 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <_Qan9.32949$DN4.6227@sccrnsc01>
Source record: 38959

* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

$850.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

3899. WTB: PLASTIC FACEPLATE GLOBE 6 & 2 METER VFO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 07:09:34 UTC
From: k6stu@aol.com
Message-ID: <20021004030934.15079.00008242@mb-fy.aol.com>
Source record: 38960

DOES ANYONE HAVE FOR SALE THE PLASTIC FACEPLATE FOR SALE?
THANKS
MIKE

3900. FOR SALE: Air Core Coils

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 09:12:44 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <2smqpu8k7t91qmsfna08bks36ic4lp79ab@4ax.com>
Source record: 38961

FOR SALE:

Two James Millen adjustable coils on ceramic forms.
Type 69045 Dimensions 2-1/8" long X 1/2" diameter.
Single hole mounting, solder terminals.
QTY 2 available for $4.00 each
http://home.cfl.rr.com/happysurfer/imag/two_james.jpg

3 turn link with two tube plate caps attached.
Ideal for homebrewing.
Bakelite swinging arm for coupler. Pivot goes to ceramic "BVL" Jack
bar
with 4
metal jack sockets, and pivot brackets that are wired to two large
plate
caps made
for tubes with 1/2" diameter plate cap. Part of a BVL tank system.
Has enameled copper wire and some very useful hardware attached.
Link coil dimensions 2-1/2" diameter. Enamelled 18 gauge copper wire.
QTY 1 only at $5.00
http://home.cfl.rr.com/happysurfer/imag/3turn_link.jpg

6 turn air wound coil - airdux style. Dimensions 3/4" long X
2" diameter. Inductance 2.2 uH.
One only - available for $3.00
http://home.cfl.rr.com/happysurfer/imag/6turn_air_wound_coil.jpg

18 turn coil. Airdux style. 1.75" long and 2" diameter. 10 TPI.
12.2 uH. Will sell for $5.00
Similar to above coil only longer. Picture available.

30 turn air core coil. Dimensions are 4" long and 2" in diameter.
Inductance is 18 uH. QTY 1 only at $6.00
http://home.cfl.rr.com/happysurfer/imag/30turn_air_core.jpg

48 turn air core coil - airdux style. Has Dimensions 7" long X 2"
diameter.
Inductance is 29 uH. QTY 1 only available for $10.00
http://home.cfl.rr.com/happysurfer/imag/48_turn_air_core.jpg

91 turn air core coil - Measures 6.5" in length and 1.5" diameter. 14
turns per inch.
65 uH inductance. Excellent with plexiglas support and four mounting
holes. QTY 1 only for $12.00
http://home.cfl.rr.com/happysurfer/imag/91turn_air_core_coil.jpg

Ceramic coil, split off-center. Has total of 20 turns with a
tap at 13 turns.
On white ceramic form - former dimensions 3" long X 1.5" diameter.
Coil length is 2". Inductance is 8.56 uH.
Qty 1 only for $3.00
http://home.cfl.rr.com/happysurfer/imag/ceramic_coil_split.jpg

Ceramic coil with approx 110 turns of green cotton covered wire.
White ceramic form has dimensions - 2" long X 1.5" diameter.
Inductance is around 330 uH. Suitable for AM band or LF applications.
Has screw terminals and solder lugs for connection.
New old stock. QTY 1 only for $4.00
http://home.cfl.rr.com/happysurfer/imag/ceramic_coil_with.jpg

Coil form, ribbed white ceramic. Dimensions are 5" long and
2" diameter.
Ribbed style with slots for wire. Designed to hold 26 turns and
would have about 20 uH. Has 4 mounting holes on each end.
Has been repaired; looks fine, hence low price.
Qty 1 only at $1.00
http://home.cfl.rr.com/happysurfer/imag/coil_form_ribbed.jpg

Coil form - odd design ribbed ceramic former with 6 terminals on
base and three nice threaded holes for mounting screws.
Dimensions are 2-1/2" tall X 1-1/8" diameter.
Inner coupling coil is 7/8" diameter with tapped coil of enamelled
wire brought out to three terminals.
Qty 1 available for $3.00
http://home.cfl.rr.com/happysurfer/imag/coil_form_odd.jpg

Multi-tapped coil. Unique design attached to a PC board with a tap
for every turn.
Airdux type air core form. Coil has a total of 32 turns and dimensions
of
4" long X
1.5" diameter. Approx 12.5 uH.
QTY 1 available for $6.00
http://home.cfl.rr.com/happysurfer/imag/Multi-tapped_coil.jpg

14 MHz plug-in tank coil with link coupling. 20m coil on 5-pin base.
Marked as model 2420. Medium size. Airdux style coil has 11 turns
and the link outside it has 3 turns. QTY 1 only for $5.00
http://home.cfl.rr.com/happysurfer/imag/plug_in_coil_with_link.jpg

More soon.

Shipping additional

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3901. Re: K1EL K10 Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 11:06:16 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <anjsqq030hc@enews4.newsguy.com>
Source record: 38962

Sorry about the grammatical error -- the word should be "buy," not "by."

--

Regards,
Joe S.

"Joe S." <joe@schlatter.org> wrote in message
news:anj41d01pei@enews4.newsguy.com...
> I would really like to purchase a couple of K10 keyer kits from K1EL --
> but -- I find his site impossible to navigate -- the navigation bars show
up
> as "X'ed" out images and, try though I may, I find no place on the site
> where he lists his product information or has ordering information.
>
> Anyone know where I can by the K10 keyer chip and keyer parts? Thanks.
>
> --
>
> ------
> Regards,
> Joe S.
>
>
>
>

3902. FS: British WW2 Straight Key

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 11:44:22 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <bnvqpuks54uou84fu3h07u147mm5dl3dbr@4ax.com>
Source record: 38963
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

For Sale:

WW2 British Mark 2 straight key. Contacts are still
in very good shape. Missing two screws, but otherwise clean and in
nice
shape.

Picture available at:
http://snow.prohosting.com/sidevalv/imag/british_key.jpg

Selling for $29.00 plus shipping.

E-mail me to arrange purchase

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3903. Re: TS-450

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 12:29:09 UTC
From: scotthawk@dls.net
Message-ID: <3d9d8949.89921289@news.dls.net>
Source record: 38964

I bought mine for $575 last year. It was in like new condition. It
has the tuner built in

Good Luck.

Scott AB9DO

On Tue, 01 Oct 2002 17:57:28 -0400, Murray Green <mgreen@erols.com>
wrote:

>What is a TS-450 in very clean condition going for these days, please?
>Murray, K3BEQ

3904. WANTED: four Drake 4-Line feet

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 12:49:43 UTC
From: k5dh@raytheon.com
Message-ID: <H7gn9.1445$Bd4.11124@dfw-service2.ext.raytheon.com>
Source record: 38965
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have a very nice Drake W-4 wattmeter that has no feet!
Anyone have four of them that they can sell me?

Thanks and 73,
Dean K5DH

3905. Re: K1EL K10 Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 12:55:15 UTC
From: k5dh@raytheon.com
Message-ID: <Tcgn9.1446$Bd4.11428@dfw-service2.ext.raytheon.com>
Source record: 38966

Joe,

I was able to navigate the site and purchase the K10 kit (which I
really like for portable use with my FT-817, by the way!). Which
browser are you using? Some sites don't work well with Netscape,
but work better with Internet Explorer.

73,
Dean K5DH

In article <anj41d01pei@enews4.newsguy.com>, joe@schlatter.org says...
>
>I would really like to purchase a couple of K10 keyer kits from K1EL --
>but -- I find his site impossible to navigate -- the navigation bars sho
>w up
>as "X'ed" out images and, try though I may, I find no place on the site
>where he lists his product information or has ordering information.
>
>Anyone know where I can by the K10 keyer chip and keyer parts? Thanks.
>
>--
>
>------
>Regards,
>Joe S.
>
>
>
>

3906. ICOM 706 Transmit Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 13:10:58 UTC
From: rljames <me@home.org>
Message-ID: <3d9d94fb$1@news.netacc.net>
Source record: 38967

New to ICOM 706MkIIG. Receive works OK but transmit cycles power Off/On.
What have I got wrong?

Mobile install. Cigarette lighter power. Firestik 2M bumper mount antenna.

3907. Re: ICOM 706 Transmit Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 13:25:47 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3D9D9677.782B29E1@tampabay.rr.com>
Source record: 38968

the problem is the cigarette lighter plug isnt giving you enough amps to power the radio in high power run the power plug direct to the battery and the problem will go away
if you cant find a access point to run the wires go down to your local CB shop or car audio install shop and have them run the wires for you the standard 706 power cord is plenty long enough to get from the battery to the dash area
good luck

rljames wrote:

> New to ICOM 706MkIIG. Receive works OK but transmit cycles power Off/On.
> What have I got wrong?
>
> Mobile install. Cigarette lighter power. Firestik 2M bumper mount antenna.

3908. Re: ICOM 706 Transmit Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 13:26:27 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3D9D9703.6020708@optonline.net>
Source record: 38969

Are you sure your cigarette lighter socket can supply sufficient power? Perhaps the voltage drops below what the rig can handle, so it switches off.

-=-
Alan, AB2OS

rljames wrote:
> New to ICOM 706MkIIG. Receive works OK but transmit cycles power Off/On.
> What have I got wrong?
>
> Mobile install. Cigarette lighter power. Firestik 2M bumper mount antenna.

3909. FA Signal/One MilSpec 1030 HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 13:28:09 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <JHgn9.8525$lV3.803056@newsread1.prod.itd.earthlink.net>
Source record: 38970

have my as new Signal/One MilSpec 1030 HF Transceiver up for auction. The auction is over Sunday.
Please take a look at it.This was the competitor to the Collins KWM-380 in the Mid 80s. This one has 6 Collins Mechanical Filters installed. The e-Bay item # is: Item # 1385073697
Thanks, Charlie Hugg, K5MBX

3910. Re: ICOM 706 Transmit Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 15:15:48 UTC
From: Andy <"acorbin\\@roanoke.*n@sp@m*infi.net>">
Message-ID: <ankb8n$tm7$1@slb6.atl.mindspring.net>
Source record: 38971

rljames wrote:

> New to ICOM 706MkIIG. Receive works OK but transmit cycles power Off/On.
> What have I got wrong?
>
> Mobile install. Cigarette lighter power. Firestik 2M bumper mount antenna.

Cigarette lighter adapter is the wrong power connector for this radio.
Either drop your power pack to around 25 watts or less, or hook the
radio directly to the battery using 10 ga or larger wire.

The 706 has a 100 watt transmitter and which will draw around 20 amps on
transmit. A cigarette lighter plug should be used to supply no more
than 5-6 amps.

>
>
>
>

3911. FT-530 de-modded???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 15:17:43 UTC
From: jder8745@aol.com
Message-ID: <20021004111743.22832.00000325@mb-fb.aol.com>
Source record: 38972

Howdy,

I sent my FT-530 to Yaesu in CA for repair. When it came back it would no longer receive much more than ham band frequencies.

I like to listen to aircraft at 118.3 MHz AM and the local electric power company at 850 MHz during bad weather.

Also some stuff in the 300-MHz range and UHF frequncies other than 430-450 MHz.

Has this ever happened to anyone else? I hope I can return it to the condition before I sent it in.

I'm not too happy with Yaesu.

73 de Jack, K9CUN

3912. Re: ICOM 706 Transmit Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 15:50:58 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <_Gin9.935$G5.390@fe01>
Source record: 38973

"rljames" <me@home.org> wrote in message news:3d9d94fb$1@news.netacc.net...
> New to ICOM 706MkIIG. Receive works OK but transmit cycles power Off/On.
> What have I got wrong?
>
> Mobile install. Cigarette lighter power. Firestik 2M bumper mount
antenna.

Ditch the cigarette lighter power and run the power directly to the battery. If you plan on running much ham gear mobile you might want to make a special run of 8-10 gauge power from the battery to the passenger compartment for general high current use. What I did was to use 8 gauge cable with a circuit breaker on each wire placed right next to the battery, and terminated inside the vehicle with a Power Pole multi-connector block mounted into a side body panel under the dash.

This makes it a simple task to install/remove any/multiple pieces of radio gear regardless of their power requirements. Another great feature of the Anderson Power Poles is that once you convert all your gear to this connector, you no longer have to pay ridicules money for manufacturer's power cords, adapters, etc. Everything has a common connector (I converted all of the gear in my shack also).

73 de W6DKN

3913. Re: ICOM 706 Transmit Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 16:28:55 UTC
From: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com>
Message-ID: <aljn9.41197$PP.45240@rwcrnsc53>
Source record: 38974

I power all my rigs with run of 6ga directly to the battery. The voltage on
yours is dropping below what the rig will operate.

73,
Ed,
KA9EES

"rljames" <me@home.org> wrote in message news:3d9d94fb$1@news.netacc.net...
: New to ICOM 706MkIIG. Receive works OK but transmit cycles power Off/On.
: What have I got wrong?
:
: Mobile install. Cigarette lighter power. Firestik 2M bumper mount antenna.
:
:
:

3914. FS: Two-Way Radio SERVICE Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 16:39:48 UTC
From: Norm VE3CZI <ve3czi@arrl.net>
Message-ID: <lzjn9.2033$zt6.79888@read1.cgocable.net>
Source record: 38975

Have acquired a quantity of Commercial & some Amateur, Two Way Radio Service Manuals...Take a look and see if you have a need for any. Am trying to add to my HTML page as time permits.
73...Norm VE3CZI

http://home.cogeco.ca/~rodemi/Service%20Manuals/Service%20Manuals.html

3915. Re: Need Sunair GSB-900 boards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 17:25:12 UTC
From: ni4l@msn.com
Message-ID: <d4a0748e.0210040925.1dd59f34@posting.google.com>
Source record: 38976
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1375531710
http://procyonhosts.net/quecan/photo_en_permanace/afterauctionrules.html

"Don Smith" <desmith@innercite.com> wrote in message
news:<uppjugegbp8j9b@corp.supernews.com>...
> I have filed a complaint against the Quecan company in Canada with the Ebay
> Safe Harbor site. Not sure if it will do any good. Thanks for your
> support. Don
> "Dave Allen" <david_e_allen@agilent.com> wrote in message
> news:3D9C94EB.1346EDF@agilent.com...
> > Hopefully you have told eBay about your experience. You can at least
> > give the dealer a black mark on eBay which will hopefully warn other
> > potential customers. And enough black marks can even ban them from eBay.
> >
> > dave allen, wb0taq, colorado
> >

3916. FA: Big Variable Cap, vintage Sig Gen, and KDKA mike flag -- all cheap!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 17:29:55 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <nekn9.160772$TX5.6453747@news1.east.cox.net>
Source record: 38977
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment

Vintage Signal Generator

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=719551002

L-A-R-G-E Air Variable Capacitor

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1385282705

KDKA Radio Microphone Flag

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=719593159

Thanks for Looking (and bidding!)

3917. Program TOPHAT2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 18:44:15 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <anknhu$p01$1@knossos.btinternet.com>
Source record: 38978

Program TOPHAT2.exe is an improved version of TopHat1.

Part of introductory notes -

"PERFORMANCE OF SHORT, VERTICAL, TOP-CAPACITANCE-LOADED ANTENNAS

Capacitance loading of a short vertical antenna can improve radiating efficiency better than inductance loading. Best possible improvement for a 2/3-height loading coil relative to base loading is typically 3 dB. But a large top hat can improve performance by more than 6 dB. In this program the hat is a number of horizontal radial wires or rods optionally surrounded by a wire circle.

Top-capacitance loading improves radiating efficiency in two ways -

(1) A more uniform distribution of antenna current versus height results in an increase in radiation resistance for no loss in the top-hat. Whereas the high loss resistance of a raised coil can outweigh the benefit of increased radiation resistance.

(2) A tuning coil is always necessary. But its inductance is less when a capacitance hat is fitted and if overall coil dimensions are unchanged then loss in the coil is much smaller. A more uniform current due to a top hat lessens the advantage of fitting the coil part-way up the antenna. The coil can then be combined with the Z-match network located between antenna and the transmitter as in this program."

Download program TOPHAT2 from website below.

The Pascal source code for this program can also be downloaded.
==========
Regards from Reg G4FGQ
Free Radio Design Software
Go to http://www.g4fgq.com
==========

3918. Re: ICOM 706 Transmit Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 19:38:46 UTC
From: rljames <me@home.org>
Message-ID: <3d9defdf$1@news.netacc.net>
Source record: 38979

Thanx to all who offered help. Seems my power connection is the problem which is confirmed via a FAQ on the ICOM webSite. This all leads to a couple more questions;

1) Is the standard, ICOM supplied power cord adequate both in gauge and fusing for direct connection to the battery?
2) One stop online shopping for Anderson Power Pole connectors as well as additional "fusing"?

Thanx again.

"rljames" <me@home.org> wrote in message news:3d9d94fb$1@news.netacc.net...
> New to ICOM 706MkIIG. Receive works OK but transmit cycles power Off/On.
> What have I got wrong?
>
> Mobile install. Cigarette lighter power. Firestik 2M bumper mount antenna.
>
>
>

3919. Re: Need Sunair GSB-900 boards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 21:53:19 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <anl2ka$6tb$1@slb6.atl.mindspring.net>
Source record: 38980
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

OT:

Is Sunair still in business, I tried to bring up their web site and got a
"404" message?

--Peter K1PO
Indialantic By-the-Sea, FL

"Don Smith" <desmith@innercite.com> wrote in message
news:upkr3ncn7ibe35@corp.supernews.com...
> I am in need of a Sunair GSB-900SC or most any model GSB-900's for parts.
>
> The radio I bought from a dealer in Canada was stripped and nine pc boards
> were removed and missing.
>
> Might anyone out there have any spare boards or a unit that can be used
for
> parts. Also need the manual or a copy of it. Please reply via email.
> Thanks Don Smith KB6GQAhg
>
>

3920. Re: Need Sunair GSB-900 boards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 22:04:29 UTC
From: N8KDV <n8kdv@iserv.net>
Message-ID: <3D9E106D.56188317@iserv.net>
Source record: 38981
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

Hi Peter,

I just did a web search for Sunair and came up with this for Sunair Electronics.
Hope it might be what you want.

http://www.sunairhf.com/

Steve
Holland, MI

"Peter O. Brackett" wrote:

> OT:
>
> Is Sunair still in business, I tried to bring up their web site and got a
> "404" message?
>
> --Peter K1PO
> Indialantic By-the-Sea, FL
>
> "Don Smith" <desmith@innercite.com> wrote in message
> news:upkr3ncn7ibe35@corp.supernews.com...
> > I am in need of a Sunair GSB-900SC or most any model GSB-900's for parts.
> >
> > The radio I bought from a dealer in Canada was stripped and nine pc boards
> > were removed and missing.
> >
> > Might anyone out there have any spare boards or a unit that can be used
> for
> > parts. Also need the manual or a copy of it. Please reply via email.
> > Thanks Don Smith KB6GQAhg
> >
> >

3921. Re: Need Sunair GSB-900 boards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-04 22:29:35 UTC
From: Skipp <skippsaysnothankstospam@yahoo.com>
Message-ID: <anl4of$se4$4@woodrow.ucdavis.edu>
Source record: 38982
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

Hate to rain your parade Don, but the auction original policy page
included the proper sold as-is statement. Your pretty much out of luck...
caused by your own actions.

I've had nothing but great results with Quecan and the many items I've
bought through/from them. You simply didn't ask enough or the
right type of questions...

cheers
skipp

: In rec.radio.amateur.homebrew Don Smith <desmith@innercite.com> wrote:
: I have filed a complaint against the Quecan company in Canada with the Ebay
: Safe Harbor site. Not sure if it will do any good. Thanks for your
: support. Don
: "Dave Allen" <david_e_allen@agilent.com> wrote in message
: news:3D9C94EB.1346EDF@agilent.com...
:> Hopefully you have told eBay about your experience. You can at least
:> give the dealer a black mark on eBay which will hopefully warn other
:> potential customers. And enough black marks can even ban them from eBay.
:>
:> dave allen, wb0taq, colorado
:>

3922. FS Adi at 600 dual band ht.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 00:10:52 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <n9qn9.49948$WI5.573985@twister.kc.rr.com>
Source record: 38983
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This ht is in good working and looking dual band ht.
This radio does 2 meter and 440 at the same time.
Display and keypad lights up.
100.000 to 985.0000
2 - 5 watt batteries one with a charger the other one needs a drop in
charger.
Comes with rubber duck and manual in pdf $150 + shipping
No trade please.
E-mail me direct.

3923. VIRUS!! Serious post!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 00:31:09 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <anlahj$jk4$1@news1.kornet.net>
Source record: 38984

Someone, or ones, in here has the Klez virus. I have been getting e-mails from several people in this NG containing this virus. Fortunately, my antivirus snags them before they can present any problem. (I also use Mailwasher, which adds an extra layer of protection. You should all run your antivirus programs to see if you are infected, and clean the virus.

73
Take care, and stay well.

Brenda Ann
HL2/K7BAD

3924. Info on Harris RE 6001 mobile repeater?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 01:10:33 UTC
From: Randy & Cara Randall <crrandal@earthlink.net>
Message-ID: <3D9E3CE6.8040009@earthlink.net>
Source record: 38985
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.homebrew

Thanks for looking. I am looking for a manual, schematic or any other info on my Harris (RF Communications) RE 6001 mobile repeater. The boards inside the unit were made by Public Systems of Sunnyvale California. From the code dates on the components it looks to be made in 1977-1978 time frame. It is also currently on 153.83 Mhz. I would like to recycle the receiver and transmitter boards for another purpose.

73
Randy AB9GO

3925. Re: Info on Harris RE 6001 mobile repeater?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 01:18:42 UTC
From: Randy & Cara randall <crrandal@earthlink.net>
Message-ID: <3D9E3EFC.5070907@earthlink.net>
Source record: 38986
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.homebrew

p.s. Please reply to:

crrandal@earthlink.net

Please DO NOT reply to the news group!!!!
Thanks.

Randy & Cara Randall wrote:

> Thanks for looking. I am looking for a manual, schematic or any other
> info on my Harris (RF Communications) RE 6001 mobile repeater. The
> boards inside the unit were made by Public Systems of Sunnyvale
> California. From the code dates on the components it looks to be made
> in 1977-1978 time frame. It is also currently on 153.83 Mhz. I would
> like to recycle the receiver and transmitter boards for another purpose.
>
> 73
> Randy AB9GO
>

3926. Re: ICOM 706 Transmit Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 01:37:07 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <7nrn9.162187$TX5.6535807@news1.east.cox.net>
Source record: 38987

The radio is starving for power. Try a direct power lead to the car battery. Dont forget to fuse both the positive and negative leads. Rat Shack sells #10 wire that will easily do the trick.

Most Cig lighter plugs are rated at a max of 10 amps. The 706 on FM (high power) will draw 18 amps. Almost twice the rating of your cig plug.

3927. Anybody else have an FT-897 yet?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 01:43:33 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <9trn9.162191$TX5.6536036@news1.east.cox.net>
Source record: 38988

I just bought one and Im very impressed. The audio tone is somewhat bassier that I personally like however the DSP equalizer seems to easily cut out the lows (Yes the DSP works on FM). The ARTS system and CW Trainer are both pretty cool too.

The only thing I cant figure out is what the little running man located on the LCD does. When one briefly taps the Power button, the little bugger starts to run in place in the lower left hand corner. It doesn't appear to be in the manual.

Any guesses?

3928. RCI-2995dx Yahoogroup

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 01:43:42 UTC
From: njdxer <njdxer@netzero.netnojunk>
Message-ID: <3d9e443b$2_8@news.teranews.com>
Source record: 38989

http://groups.yahoo.com/group/rci2995dx

3929. Re: Need Sunair GSB-900 boards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 05:24:44 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <anlt2n$3h1$1@nntp9.atl.mindspring.net>
Source record: 38990
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

Steve: Yep, that's the Sunair URL, the site seems to be working now. Must have been off the air or hung for a while... --Peter K1PO

"N8KDV" <n8kdv@iserv.net> wrote in message news:3D9E106D.56188317@iserv.net...
> Hi Peter,
>
> I just did a web search for Sunair and came up with this for Sunair Electronics.
> Hope it might be what you want.
>
> http://www.sunairhf.com/
>
> Steve
> Holland, MI
>
> "Peter O. Brackett" wrote:
>
> > OT:
> >
> > Is Sunair still in business, I tried to bring up their web site and got a
> > "404" message?
> >
> > --Peter K1PO
> > Indialantic By-the-Sea, FL
> >
> > "Don Smith" <desmith@innercite.com> wrote in message
> > news:upkr3ncn7ibe35@corp.supernews.com...
> > > I am in need of a Sunair GSB-900SC or most any model GSB-900's for parts.
> > >
> > > The radio I bought from a dealer in Canada was stripped and nine pc boards
> > > were removed and missing.
> > >
> > > Might anyone out there have any spare boards or a unit that can be used
> > for
> > > parts. Also need the manual or a copy of it. Please reply via email.
> > > Thanks Don Smith KB6GQAhg
> > >

> > >
>

3930. WTB: Non Working Detron Clipperton L amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 06:04:03 UTC
From: John <ki4nr@qsl.net>
Message-ID: <yhvn9.4962$34.527544@newsfeed.slurp.net>
Source record: 38991

Hi
Looking for a Non working dentron clipperton L amp. The transformer can be removed or melted. Also does not have to have any tubes. I just need the chassis. with pi outputs caps in place.......

73 john

3931. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 08:50:11 UTC
From: Les Kramer <wa3sgz@mindspring.com>
Message-ID: <anm969$g9f$1@slb0.atl.mindspring.net>
Source record: 38992
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Hi Brian,

As a working professional metallurgical engineer in the USA, there are many sources of aluminum tubing available at metal warehouses in the USA. After a quick scan using google, I found that Future Metals (www.futuremetals.com/pages/branches/htm) has a UK warehouse in Hampshire. I don't know where Hampshire is relative to your QTH, but they probably have what you need. Beyond metal warehouses, try suppliers of aircraft materials or aircraft salvage yards for aluminum tubing. Metal warehouses will usually sell small amounts (i.e., a couple of meters), but the cost and cutting charge may be dear.

In the USA, suppliers ink stamp their tubing with an ASTM spec number, and in the UK they probably do the same for the appropriate British Standard. Try to get tubing of the 6061 grade in the T6 or T651 heat treatments (6061 T6 or 6061 T651 Marking) since this alloy is easy to machine, highly corrosion resistant unless it's underwater in the North Sea, easy to weld, relatively strong, and generally available.

By the way, what's B&Q? In the USA, we add another B (i.e., BBQ) and eat it as chicken, pork or beef.

Regards,

Les Kramer,

WA3SGZ

"Brian Reay" <brian.reay@bigfoot.com> wrote in message
news:ycfl9.1705$YE1.25775@newsfep1-win.server.ntli.net...
>
> "Howard Long" <howard@howardlongxxx.com> wrote in message
> news:an3rgo$n3j$1@venus.btinternet.com...
> > Hello Brian
> >
> > > Well my local 'normal' B&Q does rod, tube, and strip in Al, brass,
and
> > some
> > > composite material (plus others not so interesting to hams).
> >
> > Any chance you could point me in the area of the store I should be
> looking?
> > I've been in the hardware area, generally nearby where the screws and
nuts
> &

> > bolts are.
>
> Well in my local store (Gillingham, Kent) it is right next to the items
you
> list, along with Al and mesh sheets.
>
> I found the 6mm O/D Al tube pretty good and hard enough for my needs- I
was
> even able to tap it sucessfully for one experiment.
> There are 2 tubes- a plain finish @ £1.46 a 1m length and an anodised
finish
> which is more expensive.
>
> I think it is too hard not to be an alloy- for 'quick lashups' I sometimes
> us Al welding rod- that is much softer.
>
> >
> > My experience is that your average B&Q employee responds with a grunt if
> > you're lucky, and then if you're really lucky points you vaguely to
> nowhere
> > because they really don't know. :-(
>
> The older ones are OK but the real problem is the stock control- no
concept
> of ordering things that seem to be selling out but pack the floor space
> with stuff that never seems to move until the next sale.
> >
> > BTW, here's one of my creations, courtesy of B&Q
> > http://www.g6lvb.com/dayton_demo_2002.htm made of 4mm Al rod from B&Q.
> 70cm
> > RHCP yagi, 8+8 elements, tunes to better than 1.1:1 VSWR in the
satellite
> > portion of 70cm, under 1.4:1 across the entire band. Plans at
> > http://www.clarc.org/Articles/uhf.htm. I can recommend these antennas if
> you
> > have a history of antenna failure like I do.
>
> I'll have a look. I plan to build a 2m and 70cm handheld Yagi like the
> Arrow one- if I ever I get time for my own projects ;-)
>
> Check out my download page for the 'BRAT Hunt DF antenna' - it has proved
> very popular and I've yet to have an adverse comment as regards its
> working.
>
> 73
>
> Brian
> --
> Brian Reay

> www.g8osn.org.uk
>
>
>

3932. FS: Yaesu SB-4 (New)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 09:44:00 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <b2dtpu03fv2j57svr6m1mbmjtiorpsorck@4ax.com>
Source record: 38993
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment

FOR SALE:

Yaesu SB-4 Remote push-to-talk switch unit.
New in box. 6-pin connector for transmit-receive control switching
control of the FTC-2203/5, FTC-5203, FTC-4703 and FTC-1903/1
handheld transceivers when used with the YH-1 headsets.
Available for $6.00 plus shipping.

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

3933. Re: WTB: PLASTIC FACEPLATE GLOBE 6 & 2 METER VFO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 12:39:45 UTC
From: dialcover@webtv.net
Message-ID: <21321-3D9EDD91-60@storefull-2315.public.lawson.webtv.net>
Source record: 38994

IF WHAT YOU ARE LOOKING FOR LIKE A DIAL COVER I MAY BE ABLE TO HELP YOU.

PLEASE EXCUSE CAPS, SHORT REPLIES, STROKE

Bill Turner, WA0ABI, 1117 Pike St., Saint Charles,MO 63301. Phone
636-949-2210

WD-11 PLAIN GLASS, WD-11 BASE, INSIDE LOOKS LIKE ORIGINAL. SAME
VOLTAGE/CURRENT, 15.00

WD-11 SILVERPLATED GLASS, AS ABOVE OTHERWISE. 20.00

WD-11 SILVERPLATED GLASS, WITH TOP EVACUATION. 25.00

199 SHORT PIN, SAME VOLTAGE/CURRENT, SILVERPLATED, TOP EVACUATION, 25.00

GLASS DIAL COVER, CONVEX 2" TO 8 7/8" (1/16")
DIA. 14.00

PLASTIC DIAL COVERS, FROM YOUR BEZEL, OR IF NONE FROM A TRACING OF THE
CABINET OPENING. 14.00

PHONOGRAPH TURNTABLES REFLOCKED, LIGHT GREEN, DARK GREEN, MAROON.
,<10" 12.00, 12" 15.00

ALL POSTAGE PAID
For a business SASE a copy of the Pocket Resouce Guide and my personal
four page catalog of pieces, parts, and manuals.

3934. FS: Yaesu MD-100A8X Desk Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 12:58:30 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <kbotpucpnk0mi23f9nhlofi8n2eqp9fk38@4ax.com>
Source record: 38995

I have for sale in very good condition a Yaesu MD-100A8X desk microphone. I have the instruction sheet, but no box. The PTT lever has a little paint wear on the edge. Other than that its in great shape and works fine.......I will take $75 plus shipping......WZ1U Steve / Lakeville, Mass.

3935. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 13:43:30 UTC
From: MW0CDO <gw7lhi@hotmail.com>
Message-ID: <anmq9q$f1i4i$1@ID-117699.news.dfncis.de>
Source record: 38996
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

"Les Kramer" <wa3sgz@mindspring.com> wrote in message
news:anm969$g9f$1@slb0.atl.mindspring.net...
.
>
> By the way, what's B&Q? In the USA, we add another B (i.e., BBQ) and eat
it
> as chicken, pork or beef.
>
> Regards,
>
> Les Kramer,
>
> WA3SGZ

B&Q = large retailer of DIY materials and tools etc.

Paul MW0CDO.

3936. Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 13:53:53 UTC
From: Ragnar Otterstad <otterstad@enter.vg>
Message-ID: <anmqoo$ps9$1@oslo-nntp.eunet.no>
Source record: 38997
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

I have an American beam with a broken boom. For us on the continent it is impossible to get alu.tubing in inches. As everything else is a bit old fashioned in UK, perhaps you even still have tubes in inches so I dont need to get it from USA ???
What say, fellows ?

73 Rag LA5HE/ OZ8RO

3937. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 14:32:41 UTC
From: "Alexander S. Wood" <alec_wood@dont.spam.me.ntlworld.com>
Message-ID: <U%Cn9.7474$h43.76433@newsfep3-gui.server.ntli.net>
Source record: 38849
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

"Ragnar Otterstad" <otterstad@enter.vg> wrote in message
news:anmqoo$ps9$1@oslo-nntp.eunet.no...
> I have an American beam with a broken boom. For us on the continent it is
> impossible to get alu.tubing in inches. As everything else is a bit old
> fashioned in UK, perhaps you even still have tubes in inches so I dont
need
> to get it from USA ???
> What say, fellows ?
>
> 73 Rag LA5HE/ OZ8RO

While tubing (and wood) is not sold in inches in the UK any more (thanks to those bloody Europeans making it illegal to use non-metric measure in EU states) it is still available, it's just labelled in the metric measure. So inch square tubing is 25mm (nom). The (nom) after the 25mm is for nominal, and allows for the difference between 25mm and one inch. It's a bit hit and miss though. I bought three lengths of inch square aluminium tube for an antenna project and found a pronounced difference in the size of one (bought from another supplier) to the other two.

Metric equivalents of imperial measures are only readily available for those things that were "standard" imperial measures, like 4" water pipe, 2"x4" wood joists etc. Unfortunately these old standards are slowly being eroded in favour of close metric ones. For most imperial measurement, the nearest metric size will usually do the job OK, the difference in size will be less than the usual tolerances accepted in hand measuring and cutting.

Alec Wood M1BNK
Teesside UK

3938. Alliance HD73 Rotor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 14:40:28 UTC
From: LSB <l.s.booth@worldnet.att.net>
Message-ID: <wRCn9.6004$ue4.249981@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38848
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Does anyone happen to have the specs on the motor? I know that it is 24vdc.

3939. Re: ICOM 706 Transmit Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 15:13:19 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <290upuc98veuormrbrvmh4s8fhkmqk0qhg@4ax.com>
Source record: 38850

On Sat, 05 Oct 2002 01:37:07 GMT, "Paul Vanasse" <pvanasse@cox.net>
wrote:

>The radio is starving for power. Try a direct power lead to the car battery.
>Dont forget to fuse both the positive and negative leads. Rat Shack sells
>#10 wire that will easily do the trick.
>
>Most Cig lighter plugs are rated at a max of 10 amps. The 706 on FM (high
>power) will draw 18 amps. Almost twice the rating of your cig plug.
>
Not to mention the Cigar lighter plug is a terrible connector. The
I*R losses just due to the friction fit are enough to cause the
problem. No matter what the available current and voltage is at the
socket.

Gary K8IZ

3940. preamp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 15:19:42 UTC
From: Peter Torrance <faithbuilder@lineone.net>
Message-ID: <3d9f0415$1_1@mk-nntp-1.news.uk.worldonline.com>
Source record: 38851

Wanted RF pre-amp to boost old valve receiver on 10M mostly - anyone help?
(UK)

3941. FA: Last day Ten-Tec model 277 Tuner/SWR

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 15:26:36 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <3tDn9.22095$YK4.2341929@e3500-atl2.usenetserver.com>
Source record: 38852

Last day on Ten-Tec tuner

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1385054049

3942. Re: Alliance HD73 Rotor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 15:49:44 UTC
From: Modelmaker <alusdrowski@NOSPAMattbi.com>
Message-ID: <sSDn9.47465$xI5.9045@sccrnsc02>
Source record: 38853
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"LSB" <l.s.booth@worldnet.att.net> wrote in message
news:wRCn9.6004$ue4.249981@bgtnsc04-news.ops.worldnet.att.net...
> Does anyone happen to have the specs on the motor? I know that it is
24vdc.
>
>

According to my owners manual for the HD-73-1 it is a capacitor split phase
motor running on 20 volts A.C.

3943. FA: Real Nice SB-102 Heathkit XCVR, Ends Sunday nite>>CHEEP!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 16:10:40 UTC
From: rlucch2098@aol.com
Message-ID: <20021005121040.01108.00012665@mb-ch.aol.com>
Source record: 38854

Real nice with pictures to boot!
Only at $125 now!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1384404216

3944. FA: Almost MINT HW-22 HEATHKIT 40 mtr mono-bander, Sunday Nite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 16:12:24 UTC
From: rlucch2098@aol.com
Message-ID: <20021005121224.01108.00012667@mb-ch.aol.com>
Source record: 38855

Real nice with pictures to boot!
Only at $31.00 now :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1384404218

3945. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 16:13:40 UTC
From: Trevor Thompson <trevor@ecosse.net>
Message-ID: <gcEn9.5019$975.274760@newsfep2-win.server.ntli.net>
Source record: 38859
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

"MW0CDO" <gw7lhi@hotmail.com> wrote in message
news:anmq9q$f1i4i$1@ID-117699.news.dfncis.de...
>
> "Les Kramer" <wa3sgz@mindspring.com> wrote in message
> news:anm969$g9f$1@slb0.atl.mindspring.net...
> .
> >
> > By the way, what's B&Q? In the USA, we add another B (i.e., BBQ) and eat
> it
> > as chicken, pork or beef.
> >
> > Regards,
> >
> > Les Kramer,
> >
> > WA3SGZ
>
> B&Q = large retailer of DIY materials and tools etc.
>
> Paul MW0CDO.

B+Q looks almost identical to your Home Depot or should I say Home DeePo!

Trevor
G6EQP

3946. FA:JOHNSON MESSENGER TWO>Tube CB w/Turner desk mike@$50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 16:14:12 UTC
From: rlucch2098@aol.com
Message-ID: <20021005121412.01108.00012672@mb-ch.aol.com>
Source record: 38856

Real nice with pictures to boot!
Only at $51.00 now :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1384404179

3947. fa:Mint Heathkit rf-1 rf signal generator, Rare one & only at $17, last day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 16:16:07 UTC
From: rlucch2098@aol.com
Message-ID: <20021005121607.01108.00012673@mb-ch.aol.com>
Source record: 38857

Real nice with pictures to boot!
Only at $17.00 now :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1384404183

3948. Fa..MINT ELECTROVOICE #638 Hi-Z Dynamic Head for Heathkits,1-day

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 16:18:06 UTC
From: rlucch2098@aol.com
Message-ID: <20021005121806.01108.00012676@mb-ch.aol.com>
Source record: 38858

Real nice with pictures to boot!
Only at $41.00 now :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1384404173

3949. WTB: ICOM Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 16:50:32 UTC
From: rs2bk@aol.com
Message-ID: <20021005125032.28496.00008328@mb-cm.aol.com>
Source record: 38860

Looking for the following:
UT-36 Voice synthesizer
IC-EX243 Keyer

Thank you for your times,

Jim Roseman, w9ud
Moline, IL

3950. Re: FT-530 de-modded???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 18:17:00 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <annbc7$13u$1@madmax.keyway.net>
Source record: 38861

As an entity of the manufacturer, they could be bound as if they were the manufacturer. You should as a Ham, be able to mod at your own discretion. After all, Ham radios have been "able" to operate out of band since the beginning of time. My first rig was military surplus TCS twins that were capable of 1200 Kc to 12 Mc continuous in three bands and I was very conscientious to remain within the small slivers of Novice bands that I was allotted, all the while knowing that I had a potential AM broadcast band transmitter in my hands. Part of the joy of this great country, is the Freedom of ingenuity and discretion. It is truly sad that those who are motivated by (or with) Fear, might find that we as a people can't even be trusted with hands at the end of our own arms. Perhaps they would feel safer if we were all amputees at birth, to be taken care of by our mothers for life.

It is not likely that the tech would have bothered to disturb something he didn't have to unless he had too much time on his hands, but it may have been inadvertent due to needs of the repair, or from static confusion of the CPU. Reset by holding MR and FM buttons while turning the radio on. This will blow all your memories. If this doesn't bring your "options" back, instructions for the old FT-530 mods are documented on various web sites and requires some fine jumper pad work. I wouldn't try unless you have patience, a clean place to work, ESD, a steady hand and eye, and proper soldering and desoldering tools.

Later production units lost the ability to receive 800 MHz because the 800 front end module was dropped and firmware updated.

Jim, ac6tk

"JDer8745" <jder8745@aol.com> wrote in message
news:20021004111743.22832.00000325@mb-fb.aol.com...
: Howdy,
:
: I sent my FT-530 to Yaesu in CA for repair. When it came back it would no
: longer receive much more than ham band frequencies.
:
: I like to listen to aircraft at 118.3 MHz AM and the local electric power
: company at 850 MHz during bad weather.
:
: Also some stuff in the 300-MHz range and UHF frequncies other than 430-450 MHz.
:
: Has this ever happened to anyone else? I hope I can return it to the condition
: before I sent it in.
:
: I'm not too happy with Yaesu.

:
: 73 de Jack, K9CUN

3951. FS: Bird model 43P Peak Reading Wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 18:53:06 UTC
From: jonweiner@aol.com
Message-ID: <20021005145306.08983.00014056@mb-cg.aol.com>
Source record: 38862

I have for sale a brand new unused Bird model 43P peak reading wattmeter complete with dummy slug, connector caps, and unused original Bird manual. Has standard SO-239 connectors. Price is $330., including shipping (USA).

Jon, K1VVC

3952. FA: DENTRON DTR-3KA ANTENNA TUNER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 19:40:08 UTC
From: Jeff Singer <0tubt001@sneakemail.com>
Message-ID: <MPG.18090a2037c247a19896aa@NEWS.OPTONLINE.NET>
Source record: 38863

Hi all,

Now that I've closed my station and sold all the HF antennas, I am offering my Dentron DTR-3KA Antenna Tuner for sale/auction (auction closes tomorrow - Sunday, 10/6/02):

This is the biggest, most ambitious, top-of-line antenna tuner that Dentron had ever produced. Covers everything from 160-10 and has built-in AC fan-cooled dummy load, big twin blue lighted meters.

It is quite rare, not often seen in the marketplace, and there is nothing like it anywhere. Built like a tank, and absolutely gorgeous.

Currently on ebay until 10/6/02 at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1385615960

Thanks & 73,

Jeff Singer K2KV

3953. Ebay links???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 19:44:26 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <annfh6$367$1@madmax.keyway.net>
Source record: 38864

People please test your ebay link postings... we shouldn't have to
go searching in the cache directories of your computer!!

Jim, ac6tk

3954. Re: Alliance HD73 Rotor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-05 21:40:09 UTC
From: LSB <l.s.booth@worldnet.att.net>
Message-ID: <Z_In9.7107$ue4.291345@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38865
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hmmmm....ok. In fast, D3 is bypassed by the switch. Do you have any idea what the FLA might be? I don't suspect very much given the physical size of the transformer.

Modelmaker <alusdrowski@NOSPAMattbi.com> wrote in message news:sSDn9.47465$xI5.9045@sccrnsc02...
>
> "LSB" <l.s.booth@worldnet.att.net> wrote in message
> news:wRCn9.6004$ue4.249981@bgtnsc04-news.ops.worldnet.att.net...
> > Does anyone happen to have the specs on the motor? I know that it is
> 24vdc.
> >
> >
>
> According to my owners manual for the HD-73-1 it is a capacitor split
phase
> motor running on 20 volts A.C.
>
>
>

3955. FS: Silver Mica Capacitors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 00:06:04 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <M7Ln9.4873$k_2.326313@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38866

Approximately 250 dipped silver mica capacitors, generally 10%
tolerance, pretty well spread over the 0 to 500 pf range. Presorted
into seven groups. A lifetime supply for the home brew enthusiast.

$50 for the lot, including postage to US postal address.

NOSPAMwood3590@yahoo.com

3956. FS: High Voltage Vacuum Capacitors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 00:08:27 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <%9Ln9.4881$k_2.326458@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38867

Several 100 pf 20KV VC-100 fixed vacuum capacitors for sale. $20 each including postage to US postal address.

John
NOSPAMwood3590@yahoo.com

3957. Re: Sunair GSB 900sc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 00:16:49 UTC
From: "B.Peter Treml" <k8pt@chartermi.net>
Message-ID: <3D9F80F1.1060201@chartermi.net>
Source record: 38868

Steve Gale wrote:
> http://members.kingston.net/sgale/Sunair/gsb900sc.htm
>
>

3958. FS: Shure 444 microphone, Good condition

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 00:55:40 UTC
From: maritimus49@aol.com
Message-ID: <20021005205540.10521.00007320@mb-me.aol.com>
Source record: 38869

I have for sale the Shure 444 in good condition which works very well. Comes with 4-pin Kenwood type plug but I can supply an 8 pin for the Yaesu rigs. Asking $35 plus shipping. Please email me for photo.

73,
Bruce K6RQR

3959. Lafayette Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 01:23:21 UTC
From: Cal Barton <cal99@mindspring.com>
Message-ID: <ano36v$730$1@slb5.atl.mindspring.net>
Source record: 38870

I have a Lafayette 99-45460 Dynamic Microphone. The nameplate says "Hi-50K ohms Low-250 ohms". However, there is no switch to change the impedance. Is this auto-selecting or is there a wiring change to go from hi-z to low-z.

Thanks for any information you might have.

WB5CYS
wb5cys@arrl.net

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.384 / Virus Database: 216 - Release Date: 8/21/02

3960. Re: Alliance HD73 Rotor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 02:42:42 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3D9FA291.B740441F@tampabay.rr.com>
Source record: 38871
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

so a web search for norms rotor repair he bought alliances stock so he would know what the info is you need

LSB wrote:

> Does anyone happen to have the specs on the motor? I know that it is 24vdc.

3961. FS icom 821H dual band base

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 05:07:14 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <6yPn9.53485$w63.681242@twister.rdc-kc.rr.com>
Source record: 38872

I have a nice icom 821H
2 meter and 440 satellite all mode rig.
Has the crossband perpeat mode installed.
Comes with original box manual and mic and power cord.
$750 + shipping
Also have comet duplexer for
$45 or the radio and duplexer for $790 + shipping.
E-mail me direct or for picture of the radio.

3962. Re: Heliax Cables

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 05:25:08 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <anog3lkqu1@news1.kornet.net>
Source record: 38873
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

Still have the 50' sections? I'm interested, but would need an estimate on shipping via USPS parcel post or Priority mail to 96205-0044 (US military APO)

Thanks

73
Brenda Ann
HL2/K7BAD

"Kevin Stone" <kevinstone@worldnet.att.net> wrote in message news:WGvm9.79491$jG2.4357371@bgtnsc05-news.ops.worldnet.att.net...
> Here's the real link:
> http://home.att.net/~kevinstone/
>
> > I've got several RF cables that I don't need so I thought I'd see if
> anyone
> > here was interested in these.
> > They are 50' and 100' long, made of 1/4" Andrew SuperFlex Heliax
FSJ1-50A
> > with heat shrink-sealed, high-quality male N-type connectors on each
end.
> >
> > The 50' long cables are brand new, never been used. The 100' long cable
> > assemblies have been previously installed, but are still in great shape.
> >
> > On the new cables, one of the connectors isn't soldered/sealed, so you
can
> > remove it to make running the cable through conduit/walls/etc easier,
and
> > then solder on the center pin and re-assemble it.
> >
> > Here's a link with a picture and an attuation table:
> > LINK
> >
> > New (50') or Used (100'): $40
> >
> > Thanks-
> >
> > Email: kevinstoneNOSPAM@(I_SAID_NO_SPAM)att.net
> >
> > (Remove the obvious pieces to reply via email...)
> >
> >

> >
>
>

3963. Silver Mica Capacitors - Sold

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 06:45:28 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <c_Qn9.5327$k_2.366307@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38874

The silver micas are sold. Thanks for the look.

John

3964. Samplex power supply self-destruct

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 07:09:01 UTC
From: cprstn54zz@att.net
Message-ID: <3d9fe025.422206046@news-server.optonline.net>
Source record: 38875

My 6-month old Samlex RPS-1207 linear power supply appears to have fried itself while turned on but not powering anything. There is the blown rectifier smell. This is after 2 hours' total use (with no problems) powering a 4 watt QRP rig. The amps pulled by the rig were around 10% of the unit's rating.

The terminals seem to be internally shorted, as indicated by a continuity test.

Linear supplies are supposed to be easy to repair. Can someone point me in the right direction as to possible sources of the problem?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3965. Re: FT-530 de-modded???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 11:46:20 UTC
From: jder8745@aol.com
Message-ID: <20021006074620.00994.00007867@mb-ms.aol.com>
Source record: 38876

Subject: Re: FT-530 de-modded???
From: "JB" ac6tk@nospamcybertime.net

As an entity of the manufacturer, they could be bound as if they were
the manufacturer. You should as a Ham, be able to mod at your own
discretion.....

Reset by holding MR and FM buttons while turning the
radio on.

This I did.

++++++++++++

...instructions for the old FT-530 mods are documented
on various web sites and requires some fine jumper pad work.

Yes. That's how I originally "installed" the mod when I got it from the QRZ
site. It wasn't much of a job.

I will check to see if the solder mysteriously "grew back". The tech may have
been instructed to do this.

++++++++++++++++++++
Later production units lost the ability to receive 800 MHz because
the 800 front end module was dropped and firmware updated.

This is scary. They may have made a mod to thwart my original mod!

Also the radio was mistakenly sent to a two-way shop in Mississippi and was
forwarded to me by them at Yaesu's expense. HMMMM???

tnx es 73 de Jack, K9CUN

3966. Re: Samplex power supply self-destruct

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 13:19:08 UTC
From: "Chris M. Bridges" <n4fan@bellsouth.net>
Message-ID: <vxWn9.34565$OM4.27990231@e3500-atl1.usenetserver.com>
Source record: 38877

Probably a shorted SCR. Just remove it and see if it comes back on. But if
it does be sure and replace it!!
Chris
Buffalo-Electronics

"Ken" <cprstn54zz@att.net> wrote in message
news:3d9fe025.422206046@news-server.optonline.net...
> My 6-month old Samlex RPS-1207 linear power supply appears to have
> fried itself while turned on but not powering anything. There is the
> blown rectifier smell. This is after 2 hours' total use (with no
> problems) powering a 4 watt QRP rig. The amps pulled by the rig were
> around 10% of the unit's rating.
>
> The terminals seem to be internally shorted, as indicated by a
> continuity test.
>
> Linear supplies are supposed to be easy to repair. Can someone point
> me in the right direction as to possible sources of the problem?
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

3967. Re: Alliance HD73 Rotor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 14:07:06 UTC
From: Modelmaker <alusdrowski@NOSPAMattbi.com>
Message-ID: <esXn9.61503$PP.86142@rwcrnsc53>
Source record: 38878
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"LSB" <l.s.booth@worldnet.att.net> wrote in message
news:Z_In9.7107$ue4.291345@bgtnsc04-news.ops.worldnet.att.net...
> Hmmmm....ok. In fast, D3 is bypassed by the switch. Do you have any idea
> what the FLA might be? I don't suspect very much given the physical size
of
> the transformer.

I would imagine it's pretty low. Manual says #20 (AWG) is ample for a length
up to 125 feet.
FWIW, it's a nice little rotor. Mine's been turning a Mosley TA-33-M for
over
10 years with no problems.

Al, N9KTB

3968. Re: Samplex power supply self-destruct

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 14:25:16 UTC
From: cprstn54zz@att.net
Message-ID: <3da04014.446764781@news-server.optonline.net>
Source record: 38879

On Sun, 6 Oct 2002 09:19:08 -0400, "Chris M. Bridges"
<n4fan@bellsouth.net> wrote:

>Probably a shorted SCR. Just remove it and see if it comes back on. But if
>it does be sure and replace it!!

Thank you.

That encouraged me to look inside. First thing I noticed is that one
of the three large capacitors (4700 microfarad) in parallel on the PCB
appears to melted its blue plastic wrapper and leaked burnt oil. Does
this change your answer?

I think I found the SCR on the PCB, although I can not be sure it is
the one across the output leads. Would that kind of SCR be the
rectangular type with a flat metal back insert that protrudes above
and has a hole in it?

Could a shorted SCR cause the capacitor to fail or is it vice versa?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3969. Software for Kenwood TM-G707A?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 15:08:30 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <ndk0qugf5gjnalhg94fri6prrp653k7n8q@4ax.com>
Source record: 38880

I have been trying to use the programing software for the Kenwood
TM-G707A on an old laptop I have, running Win 3.1. When I try it, I
get a bunch of errors. Does anyone know if there's something special I
can do to get it running on Win 3.1? Is there a Win 3.1 version
available?
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

3970. FS: ICOM IC-746 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 15:45:48 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <MUYn9.58304$Pz.52440@rwcrnsc51.ops.asp.att.net>
Source record: 38881

* ICOM IC-746 in excellent condition
* IC-SM-6 Desk Microphone
* Power Cable
* Instruction Manual
* Full Service Manual
* Original Box

$850.00 plus shipping from 97006

--

Cheers,
Rick

Roderick Riverman <><
W7RBR
Aloha, Oregon

Please reply to: rbriver@attbi.com

3971. Re: Samplex power supply self-destruct

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 16:10:27 UTC
From: "Chris M. Bridges" <n4fan@bellsouth.net>
Message-ID: <72Zn9.35088$OM4.28761688@e3500-atl1.usenetserver.com>
Source record: 38882

"Ken" <cprstn54zz@att.net> wrote in message
news:3da04014.446764781@news-server.optonline.net...
> On Sun, 6 Oct 2002 09:19:08 -0400, "Chris M. Bridges"
> <n4fan@bellsouth.net> wrote:
>
> >Probably a shorted SCR. Just remove it and see if it comes back on. But
if
> >it does be sure and replace it!!
>
> Thank you.
>
> That encouraged me to look inside. First thing I noticed is that one
> of the three large capacitors (4700 microfarad) in parallel on the PCB
> appears to melted its blue plastic wrapper and leaked burnt oil. Does
> this change your answer?

Probably so, sounds like Capacitor is shorted, remove and see if short goes
away, but be shure and replace or youll have hum in radio.
>
> I think I found the SCR on the PCB, although I can not be sure it is
> the one across the output leads. Would that kind of SCR be the
> rectangular type with a flat metal back insert that protrudes above
> and has a hole in it?

Thats it! Circuit probably use a 723 IC for regulation, it provides voltage
to SCR in overvoltage or short condition or overcurrent to short output
shutting it down.
>
> Could a shorted SCR cause the capacitor to fail or is it vice versa?
Yes, if Cap is shorted, will cause circuit to overcurrent and cause SCR to
short output, shutting it down
Sounds like you sinply have shorted 4700uf Cap.
Chris

>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

3972. SOUNDCARD SOFTWARE'S FOR PSK ETC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 16:37:07 UTC
From: Dave <g3vfp@blueyonder.co.uk>
Message-ID: <_GZn9.16665$q4.16316@news-binary.blueyonder.co.uk>
Source record: 38883

Hi guys

If you are interested in PSK,MFSK,RTTY,SSTV etc via the soundcard then check out my site which is regularly updated with software's.

http://www.g3vfp.org

Enjoy :-).

Dave G3VFP

3973. Re: Samplex power supply self-destruct

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 17:01:14 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3DA06C5A.2080605@optonline.net>
Source record: 38884

Is it oil, or is it a (potentially) corrosive electrolyte? Better clean everything up well.

-=-
Alan, AB2OS

Ken wrote:

> That encouraged me to look inside. First thing I noticed is that one
> of the three large capacitors (4700 microfarad) in parallel on the PCB
> appears to melted its blue plastic wrapper and leaked burnt oil. Does
> this change your answer?

3974. FS in UK: Yaesu FT101ZDFM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 21:34:38 UTC
From: Trevor Thompson <trevor@ecosse.net>
Message-ID: <7%1o9.1986$692.170435@newsfep1-win.server.ntli.net>
Source record: 38885
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur,rec.radio.amateur.misc

Yaesu FT101ZDFM barely used. In good storage for ten years with original box and manual. Also matching ATU. Offers please to g6eqp@qsl.net Surrey England

3975. FS: Bencher Iambic Paddle, BY-1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 21:55:18 UTC
From: Mike Hall <mghall@enteract.com>
Message-ID: <3DA0B146.42B23B99@enteract.com>
Source record: 38886
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace

For Sale:

Bencher Iamic Paddle
Model BY-1 black base, chrome components

Never used, other than testing (still learning a straight key)
With stereo mini-phone plug and cable.

Asking $45; west suburbs of Chicago; shipping extra.
Thanks!

--
Mike Hall
http://www.enteract.com/~mghall
AB9CO EN51VT

3976. Re: Samplex power supply self-destruct

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 23:25:06 UTC
From: cprstn54zz@att.net
Message-ID: <3da0c5b8.480977375@news-server.optonline.net>
Source record: 38887

On Sun, 06 Oct 2002 07:09:01 GMT, cprstn54zz@att.net (Ken) wrote:

>My 6-month old Samlex RPS-1207 linear power supply appears to have
>fried itself while turned on but not powering anything.

It turned out to be a shorted, burned-out no-name 4700 mF capacitor --
one of three in parallel on the PCB. Replaced it with an equivalent
from Radio Shack (but physically 4X bigger). All is well. Thank you.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

3977. FA: Drake TR5 Transceiver!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 23:33:59 UTC
From: Sindre Torp <sindtorp@online.no>
Message-ID: <HL3o9.1547$KZ2.21994@news2.ulv.nextra.no>
Source record: 38888

Take a look at
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1386059004

Please view my other Drake-auctions as well.

Thanks for your interest!
Sindre Torp, LA6OP
sindtorp@online.no
http://www.dproducts.be/drake_museum
http://home.online.no/~sindtorp

3978. FA: Drake TR-44B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-06 23:37:48 UTC
From: Sindre Torp <sindtorp@online.no>
Message-ID: <gP3o9.1553$KZ2.22546@news2.ulv.nextra.no>
Source record: 38889

Take a look at
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1386532897

Please view my other Drake-auctions as well.

Thanks for your interest!
Sindre Torp, LA6OP
sindtorp@online.no
http://www.dproducts.be/drake_museum
http://home.online.no/~sindtorp

3979. Re: Newbie Advice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 00:19:06 UTC
From: Alun Palmer <elektros@yahoo.com>
Message-ID: <Xns929FCEB379A6Belektrosmdonet@130.133.1.4>
Source record: 38890

"JB" <ac6tk@nospamcybertime.net> wrote in
news:alqa2s$2pr8$1@madmax.keyway.net:

> You will find there is no such thing as a "perfect radio" but it
> usually comes down to learning just what you need after a few years of
> finding out what you like and what bothers you personally. Most models
> have their own learning curve before you fully appreciate their design.
>
> Jim, ac6tk
> "Bob Miller" <bamiller@texas.net> wrote in message
> news:UJiAPdunGhvmqL5cXFsig+PyIoaO@4ax.com...
>: "Mark Walsh" <mark@km6xu.die.spam.die.com> wrote:
>:
>: >"Matt & Wendy" <mapwam@frontiernet.net> wrote:
>: >
>: >> I am looking for advice on a 140 440 radio. My price range is up to
>: >> $300.00. I am looking at the Yeasu's and Icon and Kenwood, but
>: >> nothing makes any one of them better than the rest. Any help would
>: >> be appreciated.
>: >
>: >You won't get much useful info here, go to
>: >http://www.eham.net/reviews
>: >
>:
>: If you're an arrl member, also look at the product/lab reviews at the
>: arrl.org web site.
>:
>: Picking from the big three radio makers is about the same as picking
>: from the big three car makers -- most models work well; it often comes
>: down to personal preference. Certainly, there's no such thing as one
>: "best" radio. In your price range, tho', you should find something
>: nice.
>:
>: Bob
>: k5qwg
>:
>

Personally, I like my Yaesu rigs best (I own stuff by Icom and Kenwood
too), but I confess I don't know the current models. For a 144/440 HT I
think my old FT470 is great, but I guess it's a while since they made
those. It depends if you're looking at new or used. N3KIP

3980. Kenwood TS-130S problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 00:19:26 UTC
From: had@dacomp.com
Message-ID: <iq4o9.111642$121.2426164@twister.austin.rr.com>
Source record: 38891

Have a problem with my old "trusty" TS-130S. During a qso the transmitter just shut down. Ic meter reading dropped to almost nothing and output went to a watt or two. Switched over to a Dummy Antenna with no channge. Everything else, external connections, power supply, etc. checked out okey. I found that the ALC action was reading normal with modulation. After not getting it to work I gave up for the day. When I turned it on the next day all seemed normal except that the Ic meter reading was fluctuating a bit. But the rig was putting out a normal signal. Then during another qso it went away again. I have the service manual and have some experience so I plan to go inside and check it over a bit.

What I need is some clue as to what to look for from someone with some trouble shooting experience. Any help will be very much appreciated.

Thanks,

Harvey, K5DDJ

3981. Re: 10m gear for sale/trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 00:35:19 UTC
From: Alun Palmer <elektros@yahoo.com>
Message-ID: <Xns929FD173339F5elektrosmdonet@130.133.1.4>
Source record: 38892

"Max" <ve3tmt@yahoo.ca> wrote in
news:DBCj9.1655$ls3.309905@news20.bellglobal.com:

>
> "Max" <ve3tmt@rac.ca> wrote in message
> news:M5rj9.535$l44.201505@news20.bellglobal.com...
>
> Due to the comments from self appointed newsgroup police, the 10m gear
> is
> no longer for sale. I will sell it privately.
> However, the Kenwood AT230 tuner is still available. Ooops, it will
> tune 10m as well, does that make it CB crap too?
>
>
>

How much for the Palomar amp only? And what frequency range?
N3KIP

3982. Re: Yaesu Ft-897 portable antenna options

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 00:38:49 UTC
From: Alun Palmer <elektros@yahoo.com>
Message-ID: <Xns929FD20AEFF5Celektrosmdonet@130.133.1.4>
Source record: 38893

"Jake" <Jake@napster.com> wrote in
news:pAFk9.29642$IL6.1783532@news2.east.cox.net:

> Stacked Monobanders ...
>

Of course, Jake was talking about 70cm. N3KIP

>
> "Jeff" <jeffsssmith@hotmail.com> wrote in message
> news:af6ca1df.0209251936.330c3c56@posting.google.com...
>> What are the portable antenna options for the new Yaesu FT-897?
>>
>> thanks
>
>
>

3983. FA: RF Impedance Bridge

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 01:09:51 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <z95o9.6229$k_2.458722@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38894

General Radio 1606A RF Impedance Bridge. Great for antenna work!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1775438504

NOSPAMwood3590@yahoo.com

3984. FA: Measurements 59 Dipper

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 01:10:50 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <ua5o9.6233$k_2.459594@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38895

Measurements 59 in excellent shape. Probably the best tube type dipper ever made.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1775430098

NOSPAMwood3590@yahoo.com

3985. Re: Kenwood TS-130S problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 01:59:29 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <anqoeb$66p$1@news1.kornet.net>
Source record: 38896

Any chance it's a thermal cutout?

"Harvey Dapeer" <had@dacomp.com> wrote in message
news:iq4o9.111642$121.2426164@twister.austin.rr.com...
> Have a problem with my old "trusty" TS-130S. During a qso the
transmitter
> just shut down. Ic meter reading dropped to almost nothing and output
went to
> a watt or two. Switched over to a Dummy Antenna with no channge.
Everything
> else, external connections, power supply, etc. checked out okey. I found
that
> the ALC action was reading normal with modulation. After not getting it
to
> work I gave up for the day. When I turned it on the next day all seemed
> normal except that the Ic meter reading was fluctuating a bit. But the
rig
> was putting out a normal signal. Then during another qso it went away
again.
> I have the service manual and have some experience so I plan to go inside
and
> check it over a bit.
>
> What I need is some clue as to what to look for from someone with some
trouble
> shooting experience. Any help will be very much appreciated.
>
> Thanks,
>
> Harvey, K5DDJ

3986. FS: Alinco DJ-191 2meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 02:02:19 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <LW5o9.39218$kF.5786267@twister.columbus.rr.com>
Source record: 38897

For Sale Alinco DJ-191 2 meter HT. It is in perfect condition. I have the original box, manual and drop in charger. I also have a spare EBP-37n batt and MFJ speaker / mike. Price is $100 (US) and this includes shipping to the lower 48. I can be reached at k8srb@arrl.net or 419-675-0747.
Thanks, de Stan, K8SRB

3987. Re: Kenwood TS-130S problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 05:09:34 UTC
From: UnMustached Jim <technomoose@starband.net>
Message-ID: <hg52qu0ogcdv7omrjfvmn4rmtidqn9i1ld@4ax.com>
Source record: 38798

Look at the small little RF connectors that appear in various places
around the inside of the rig, especially the ones going to the PA
board. Kenwood makes vigorous use of these in their designs, and I've
had occasions with them on my TS-130 causing what you describe. Also
check the carrier level control -- see if you've got a dirty pot.

See if it's happening on all bands or just the one you were using. It
wouldn't hurt to check the contacts on the band switch, either.

Jim

On Mon, 07 Oct 2002 00:19:26 GMT, had@dacomp.com (Harvey Dapeer)
wrote:

>Have a problem with my old "trusty" TS-130S. During a qso the transmitter
>just shut down. Ic meter reading dropped to almost nothing and output went to
>a watt or two. Switched over to a Dummy Antenna with no channge. Everything
>else, external connections, power supply, etc. checked out okey. I found that
>the ALC action was reading normal with modulation. After not getting it to
>work I gave up for the day. When I turned it on the next day all seemed
>normal except that the Ic meter reading was fluctuating a bit. But the rig
>was putting out a normal signal. Then during another qso it went away again.
>I have the service manual and have some experience so I plan to go inside and
>check it over a bit.
>
>What I need is some clue as to what to look for from someone with some trouble
>shooting experience. Any help will be very much appreciated.
>
>Thanks,
>
>Harvey, K5DDJ

3988. ICOM 245E Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 09:06:19 UTC
From: Paulo Calvo <nospam@nospam.nospam>
Message-ID: <3da14e8c$0$9445$4d4efb8e@read.news.pt.uu.net>
Source record: 38799

Hi

Does someone know where I can find how to get the manual for the ICOM245E?

Thanks

73 de CT2IDW

3989. Re: "Old Signal Generator" -- Going today!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 13:18:13 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <pQfo9.172070$TX5.7210281@news1.east.cox.net>
Source record: 38800
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment

"ga_boneyard" <ga_boneyard@hotmail.com> wrote in message
news:VOfo9.172057$TX5.7210070@news1.east.cox.net...
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=719551002
>
>
> Tnx fer lookin'
>
>
> Note: non-use of the term "vintage"...8=)
>
>
> 73,
>
> KQ4BY
>
>

3990. Kenwood TS-680-S for sale 160-6 meters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 13:56:44 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <wogo9.13596$OB5.1364520@newsread2.prod.itd.earthlink.net>
Source record: 38801

Nice and clean Kenwood TS-680-S.
This is 160 - 6 meters
Comes with the following:
manual
microphone
optional CW filter
power cord
Works very well, normally sits in my office, listening to AM broadcast!
$450 shipped
Best Regards...Frank, KG9H

Frank Krozel
Voice 630-924-1600

3991. FS Mint Kenwood TS-711A 2 Meter All Mode with Tone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 14:12:44 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <wDgo9.13626$OB5.1367003@newsread2.prod.itd.earthlink.net>
Source record: 38802

I have for sale a mint Kenwood TS-711A 2 Meter All Mode Transceiver. This one is as new. Used very little, not a mark on it. It runs 25 watts and has the hard to find CTCSS Tone Board installed so you can select any of the Repeater Access Tones. It also comes with the Kenwood MC-48B Mic with UP/Down Buttons and 16-Key DTMF Pad. This is a $70 option.
Standard equipment on this transceiver include: dual VFOs, Digital Display, 40 Memories, Variable RF Output from 2 to 25 Watts, IF Shift, and Build in AC Power Supply(Operation on 12 Volts is also possible). Everything works great, including the memory backup battery. I do not have the manual, but I believe these are available to download from the internet.
Price is $595 plus shipping from 79602. Thanks, Charlie Hugg, K5MBX

3992. Re: Newbie Advice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 15:08:23 UTC
From: kb9rvb@arrl.net
Message-ID: <77f1797e.0210070708.3390cce3@posting.google.com>
Source record: 38803

"Matt & Wendy" <mapwam@frontiernet.net> wrote in message
news:<uo054fbpd4lh87@corp.supernews.com>...
> I am looking for advice on a 140 440 radio. My price range is up to $300.00.
> I am looking at the Yeasu's and Icon and Kenwood, but nothing makes any one
> of them better than the rest. Any help would be appreciated.
>
> Matthew
> KC2KEI

Matthew,

Make a list of the features you value. You already started with ...
1. dual band, 140/440.
Other features might include ...
2. maximum power: From battery; direct connection. Can I regulate
power?
3. receive range: Am I okay limited to the 2m and 70 cm frequencies or
do I want wider capabilities? Air, public safety, etc.?
4. available accessories: Computer programming software? Buillt-in TNC
for APRS? External speaker connection or combined with a speaker/mic
connection? Replacement antennas: Can I get a good "gain" antenna to
supplement the OEM? Antenna connection? SMA or BNC?
5. size and weight: Am I carrying a brick or a box of Altoids?

Your available finances are on the high end. Excellent 2m/70cm dual
banders are available for as little as $200.

3993. Programmer for Midland 70-266B Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 15:15:40 UTC
From: DBN <dnicholson@mcmsys.com>
Message-ID: <ansq6l$l68$1@news.mcmsys.com>
Source record: 38807

Anyone have a programmer for the 70-266b portable radios that they want to part with? I know someone has to have one that they are not using..

Thanks Dan

3994. TS570D no powered in car ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 16:42:27 UTC
From: lombryt@hotmail.com
Message-ID: <db35a0c.0210070842.2d7d24ed@posting.google.com>
Source record: 38804

Hi,

Trying to power my kenwood TS-570D transceiver in my car (Golf IV tdi) using the cigar-lighter connected to my car battery (maintenance free), I was surprized to see my RTX staying off line :-((

I did a similar test using a portable battery pack 12V 10A (dry battery), same result : no power, although this second one read about 12.9 V on the multimeter. I don't check for my car battery but it is a new one as the car is nearly new (2 years) and I have not the slightest electrical problem (up to now...).

Up to now I thought that I could power my RTX using the car battery, and even if the voltage was not enough to emit I could use the excess of current available and transfer its power for emission (as my car uses probably a 12V 30 or 50A ?) to power it. But that doesn't work at all... this is the complete silence in my car... Is that normal ?

So i had to buy a small 12V dry battery pack and a recharger (regulated 13.6V or a bit higher, 7A for my tests), two alligators clips and that works perfectly, at least for reception and to analyse my QRM problem.

Can someone tell me what is wrong with the two first batteries (acid and dry one) that seems dead (at first sight). I thought that my car battery, even if it was written on the pack 12V could produce in fact 13.6V or more once full charged in order to power all my car electrical devices (radio, onboard computer, etc, and could thus power my RTX. But as this last stay off, I think it produces much less than 13 V... or there is something I don't understand yet.

Can someone explain me what's the matter with this satanic battery and what voltage produce a car battery ? Is it suited to power a Kenwood TS570D via the cigar-lighter ?

Thanks for comments

73
Thierry
http://www.astrosurf.com/lombry/menu-qsl.htm

3995. Re: Hong Kong

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 18:17:52 UTC
From: "S. H. Hung" <siuhunghung@hkbn.net>
Message-ID: <ansis5$e5g$1@news.ctimail.com>
Source record: 38838
Body handling: HTML body converted to readable text

Hello Bart,

I browse the news group and noted your title, I am living in Hong Kong.

I know there is a shop (Kam Fai) in Mody Road, near Nathan Road (in Tsim Sha Tsui, the tour district) will sell ham radio & AV equipment at reasonable price. Shops in Ap Liu Street (Sham Shui Po, adjacent to Golden Shopping Centre (infamous for selling software clones)) are also will sell at good price
to selected customers. Both places are very close to MTR station (Tsim Sha Tsui, Sham Shui Po).

I recommanded you take a price list and note the version (voltage, frequency bands) of the equipment, and test and then pack at your witness, DO NOT accept anything which is taken out of your sight even for a shortest while.

Hope you can read my reply in time. And hope you will enjoy the stay in Hong Kong.

Best regards,

S. H. Hung VR2FO

Bart Konings wrote in message
news:3d998156$0$229$19deed1b@news.inter.NL.net...
> Hi.
>
> Does anyone know a nice and good priced radioshop in Hong Kong?
>
> 73 de PE8ART
>
>

3996. Kenwood TS-680S HF+6 Meter rig 4-SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 19:38:12 UTC
From: Tony <n5gpi@hotmail.com>
Message-ID: <Eolo9.1078$zU2.81@newssvr19.news.prodigy.com>
Source record: 38805

Have a Kenwood TS-680S in excellent cond. w/mic + power cord for sale. Great rig, wide general coverage plus 6 meters. Want $525.00 for it plus shipping from 78258.

N5GPI

3997. FA: Yaesu FT-690R 6-Meter Portable All-Mode on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 19:58:16 UTC
From: GS <greatsurplus@hotmail.com>
Message-ID: <3da1e5f3$1_8@news.meganetnews.com>
Source record: 38806
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387034258&rd=1

Nice working condition. Hard to find 6-meter all-mode portable,
with built-in whip (or SO-239 for external). Runs on 6 C Cells
(alkaline or Ni-Cad) or external source. Works well. Great for
camping or mountaintopping.

Thanks for the look.

3998. Re: TS570D no powered in car ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 20:16:01 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <ansolu$792$1@news1.kornet.net>
Source record: 38808

Many cigarette lighter connectors contain a 2 or 3 amp fuse. If this is the case with yours, then that fuse will have gone as soon as you plugged the radio in.

"Thierry" <lombryt@hotmail.com> wrote in message news:db35a0c.0210070842.2d7d24ed@posting.google.com...
> Hi,
>
> Trying to power my kenwood TS-570D transceiver in my car (Golf IV tdi)
> using the cigar-lighter connected to my car battery (maintenance
> free), I was surprized to see my RTX staying off line :-((
>
> I did a similar test using a portable battery pack 12V 10A (dry
> battery), same result : no power, although this second one read about
> 12.9 V on the multimeter. I don't check for my car battery but it is a
> new one as the car is nearly new (2 years) and I have not the
> slightest electrical problem (up to now...).
>
> Up to now I thought that I could power my RTX using the car battery,
> and even if the voltage was not enough to emit I could use the excess
> of current available and transfer its power for emission (as my car
> uses probably a 12V 30 or 50A ?) to power it. But that doesn't work at
> all... this is the complete silence in my car... Is that normal ?
>
> So i had to buy a small 12V dry battery pack and a recharger
> (regulated 13.6V or a bit higher, 7A for my tests), two alligators
> clips and that works perfectly, at least for reception and to analyse
> my QRM problem.
>
> Can someone tell me what is wrong with the two first batteries (acid
> and dry one) that seems dead (at first sight). I thought that my car
> battery, even if it was written on the pack 12V could produce in fact
> 13.6V or more once full charged in order to power all my car
> electrical devices (radio, onboard computer, etc, and could thus power
> my RTX. But as this last stay off, I think it produces much less than
> 13 V... or there is something I don't understand yet.
>
> Can someone explain me what's the matter with this satanic battery and
> what voltage produce a car battery ? Is it suited to power a Kenwood
> TS570D via the cigar-lighter ?
>
> Thanks for comments
>
> 73

> Thierry
> http://www.astrosurf.com/lombry/menu-qsl.htm

3999. Re: WANTED: four Drake 4-Line feet

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 20:30:12 UTC
From: Al Parker <anchor@ec.rr.com>
Message-ID: <o9mo9.17451$bi2.708945@twister.southeast.rr.com>
Source record: 38809
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi Dean, and others,
I have a few suitable feet still available, and listed in the Drake
databaseat:
http://www.zerobeat.net/drakelist/database.html
under "feet"
I may be able to get more.
they are not exact originals, but:
Same dim. as on 4-lines & TR-3/4's. Plastic, slightly soft feel, not shiny,
but "flat black". 5/8" tall, tapered 15/16" to 3/4", have hole for #10
screw, not threaded. #10 or #8 nut will press into the recessed bottom.
Metal flanged insert that fits tightly into the hole, to pass #8 screw. Use
either a #10 or #8 screw & nut, supply your own. The std #10's are not long
enough to re-use. $.50/foot, plus shipping of $1.00 for the first 4, + $.25
for ea addl 4
personal checks accepted.
73,
Al Parker, W8UT
204 River Bluffs Dr.
New Bern, NC 28560

==========
"K5DH" <k5dh@raytheon.com> wrote in message
> I have a very nice Drake W-4 wattmeter that has no feet!
> Anyone have four of them that they can sell me?
>
> Thanks and 73,
> Dean K5DH
>

4000. Heathkit HWA-5400-1 schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 21:14:33 UTC
From: Guidoted <guidotedDELETE@libero.it>
Message-ID: <ZOmo9.21146$cS4.860424@news2.tin.it>
Source record: 38810

Hi from Italy!
I need the schematic, or, better, also the manual, of the Heathkit
HWA-5400-1 (PS+Console for HW5400 rig) in electronic format.
Thanks in advance, ciao and 73
Guido, ik2bcp / ab9dg

4001. Kenwood/Icom Power connector source

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 21:56:47 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3DA203A1.1020005@earthlink.net>
Source record: 38811
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Anybody know a source for the 6-pin Molex type power connectors used on Kenwood and Icom HF rigs? This would be for the power cord side.

Specically the Kenwood TS-140/440/940's.

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

4002. F.A. not F.S.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 22:33:18 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <OYno9.537$0o4.383@sccrnsc03>
Source record: 38812

FA not FS.

4003. Re: F.S. Kenwood TS-820S SSB HF $250

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 22:51:20 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <ant35g$p5d$1@terabinaries.xmission.com>
Source record: 38813

"Dsscircuits" <dsscircuits@hotmail.com> wrote in message
news:83co9.5$n_1.88@news.uswest.net...
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1386636678&rd=1
>

I'd run and hide if I were you...

4004. Re: Kenwood/Icom Power connector source

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 23:08:39 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3DA213F7.7030102@optonline.net>
Source record: 38814
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

http://www.rffun.com/catalog/parts/power.html

Not cheap.

-=-
Alan

jeff wrote:
> Anybody know a source for the 6-pin Molex type power connectors used on
> Kenwood and Icom HF rigs? This would be for the power cord side.
>
> Specically the Kenwood TS-140/440/940's.
>

4005. FS: Heathkit manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-07 23:16:40 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <ha54quo1u7926hdheu9pgqqj50hfs4kp7g@4ax.com>
Source record: 38815

I have for sale original Heathkit manuals that I no longer need...

Heathkit deluxe citizens band transceiver (model GW-42) good condition $5

Heathkit RF power meter (model HM-102) very good $10

Heathkit vibrator power supply (model VP-1-6) very good $10

Heathkit Ultransonic Intusion Alarm (model GD-39) very good $10

Heathkit Digital Multimeter (model IM-1202) very good $10

Heathkit Automotive Tune-up meter (model CM-1073) very good $10

Heathkit Digital Electronic Alarm Clock (model GC-1092A/GC-1092AE) very good $10

Heathkit Hybrid Phone patch (model HD-15) very good $10

Heathkit Crystal Calibrator (model HRA-10-1) good condition $5

Heathkit Automatic Battery Charger (model GP-1044) very good $10

Heathkit Engine Analyzer (model CM-1050) very good $10

Heathkit Solid-State Ignition Analyzer (model CO-1015) very good $10

Heathkit Stereo Mono Portable Phonograph (model GD-10) very good $10

Prices do not include shipping....I can be reached at (508) 821-2993 or email......WZ1U Steve / Lakeville, Ma.

4006. Re: Kenwood/Icom Power connector source

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 00:12:16 UTC
From: MD <ve3tmt@rac.ca>
Message-ID: <Impo9.4231$zU5.545687@news20.bellglobal.com>
Source record: 38816
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

"jeff" <wd4nmq@earthlink.net> wrote in message
news:3DA203A1.1020005@earthlink.net...
> Anybody know a source for the 6-pin Molex type power connectors used on
> Kenwood and Icom HF rigs? This would be for the power cord side.
>
> Specically the Kenwood TS-140/440/940's.

www.powerwerx.com cheap!

4007. FS:m Garmin StreetPilot Color Map

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 02:00:04 UTC
From: Michael Malloy <mmalloy@wi.rr.com>
Message-ID: <QZqo9.64622$WI5.756376@twister.kc.rr.com>
Source record: 38817
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner

This is the Garmin StreetPilot Color Map in like new condition. I have the original box, manuals, serial and power cables, dash mount and TWO 16mb memory cards.To see complete specs on this unit look at the Garmin web page here: http://www.garmin.com/products/colorMap/ and here http://www.gpscity.com/products/garmin/colormap.html It has the latest firmware upgrade installed. I am asking $425 shipped to your home in CONUS.

4008. Still looking for WW-II Aircraft Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 02:32:34 UTC
From: john price <jm.price@worldnet.att.net>
Message-ID: <3DA24434.7D3D128A@worldnet.att.net>
Source record: 38818
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.ham-radio.marketplace,rec.radio.amateur.equipment,rec.aviation.owning

Hi all...

I'm still trying to find some of the original radio
equipment for my airplane (an Aeronca L3B "Grasshopper")...

The specific equipment I still need is:

AVA-120 Trailing wire antenna
AG-40B Wind generator

Any help would be appreciated

John Price
WA2FZW
CFII/AGI/IGI
http://home.att.net/~jm.price

4009. FA: MINT SWAN 420 OUTBOARD VFO>> Best Model

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 02:41:22 UTC
From: rlucch2098@aol.com
Message-ID: <20021007224122.10819.00013459@mb-cu.aol.com>
Source record: 38819

Real nice with pictures to boot!
You'll never find such a nice one, ever!
Only at $21.00 now :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150340

4010. FA: Almost Mint HEATHKIT HW-12A MONO-BANDER for 75 meters!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 02:42:58 UTC
From: rlucch2098@aol.com
Message-ID: <20021007224258.10819.00013460@mb-cu.aol.com>
Source record: 38820

Real nice with pictures to boot!
You'll never find such a nice one, ever!
Only at $53.00 now :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150357

4011. fa; Western Electric Headfoniums, antique, working, NO BIDS :-(

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 02:44:42 UTC
From: rlucch2098@aol.com
Message-ID: <20021007224442.10819.00013463@mb-cu.aol.com>
Source record: 38821

Real nice with pictures to boot!
Only at $9.99 now :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150318

4012. fa- RCA WV-98C Senior Voltohmist VTVM for repair, parts, or as-is :-)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 02:46:44 UTC
From: rlucch2098@aol.com
Message-ID: <20021007224644.10819.00013464@mb-cu.aol.com>
Source record: 38822

Real nice with pictures to boot!
The tubes & probe alone are worth more :-(
Only at $15.00 now :-)
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150327

4013. FS: Kenwood AT-250 Auto Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 04:41:55 UTC
From: Douglas Gavilanes <gavilan1@earthlink.net>
Message-ID: <3DA2680D.B92D9EA4@earthlink.net>
Source record: 38823
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale:

Kenwood AT-250 Automatic Antenna Tuner, with control cable. Excellent condition. 4 inputs, 10 - 80M. Great for use with TS-430S or similar.

$200 plus $15 UPS, postal money order preferred.

If interested, e-mail to: gavilan1@earthlink.net

Photo at: http://www.srigc.com/n6xqy/at250.jpg

73 es TNX,

Doug Gavilanes, N6XQY
Garden Grove, CA.

4014. Re: F.A. not F.S.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 05:35:57 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <antpft$t3a$1@news1.kornet.net>
Source record: 38824

Actually, it WAS FS. If you looked at the link, you would see that the opening bid and BIN are the same. The unit sold within minutes of being listed.

"Bill & Suzie Whatley" <spud286@attbi.com> wrote in message news:OYno9.537$0o4.383@sccrnsc03...
> FA not FS.
>
>

4015. FS: Plessey PR 2250 receiver.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 07:03:54 UTC
From: percom <percom@zonnet.nl>
Message-ID: <anuqsl$29o$5@reader1.tiscali.nl>
Source record: 38830

For sale Plessey PR 2250 shortwave receiver in very good condition. EURO 1350,- without shipment.

E-mail: percom@zonnet.nl

4016. 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 07:05:27 UTC
From: emikulic@attbi.com
Message-ID: <3da2816b.185731500@netnews.attbi.com>
Source record: 38825

All,
do any of the Icom/Yaesu/Kenwood in-car mobile HF
rigs have rx/tx on this band? If not is there a mod for any of those
that can do this? CB is ugly but usefull in blackout areas where
there are trucks.

Thx.
-E

4017. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 07:32:37 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <NLvo9.3613$G5.2039@fe01>
Source record: 38826

"Ernie" <emikulic@attbi.com> wrote in message
news:3da2816b.185731500@netnews.attbi.com...
> All,
> do any of the Icom/Yaesu/Kenwood in-car mobile HF
> rigs have rx/tx on this band? If not is there a mod for any of those
> that can do this? CB is ugly but usefull in blackout areas where
> there are trucks.
>
> Thx.
> -E

All of them can RX, most of them can TX with appropriate modifications, and
your call sign is?

73 de W6DKN

4018. Re: K1EL K10 Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 11:14:59 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <anueob02jff@enews4.newsguy.com>
Source record: 38827

His order form says the K10 keyer kit is "N/A" -- and after four days, there
has been no response to an e-mail asking when the kit will be available.

Oh, well, guess I'll wait a while longer.

--

Regards,
Joe S.

"K5DH" <k5dh@raytheon.com> wrote in message
news:Tcgn9.1446$Bd4.11428@dfw-service2.ext.raytheon.com...
> Joe,
>
> I was able to navigate the site and purchase the K10 kit (which I
> really like for portable use with my FT-817, by the way!). Which
> browser are you using? Some sites don't work well with Netscape,
> but work better with Internet Explorer.
>
> 73,
> Dean K5DH
>
> In article <anj41d01pei@enews4.newsguy.com>, joe@schlatter.org says...
> >
> >I would really like to purchase a couple of K10 keyer kits from K1EL --
> >but -- I find his site impossible to navigate -- the navigation bars sho
> >w up
> >as "X'ed" out images and, try though I may, I find no place on the site
> >where he lists his product information or has ordering information.
> >
> >Anyone know where I can by the K10 keyer chip and keyer parts? Thanks.
> >
> >--
> >
> >------
> >Regards,
> >Joe S.
> >
> >
> >
> >
>

4019. Need Manual or Info on TS711A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 13:40:34 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <mfBo9.15447$OB5.1542973@newsread2.prod.itd.earthlink.net>
Source record: 38828

Does anyone have a spare copy of the operators manual for the Kenwood TS-711A? Or can someone tell me the sequence to go through to store a frequency in Memory on the TS711A?
Thanks, Charlie Hugg, K5MBX

4020. Re: Kenwood/Icom Power connector source

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 14:17:41 UTC
From: n4bk@hiwaay.net
Message-ID: <3DA2E905.D2C93229@hiwaay.net>
Source record: 38829
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Tower Electronics www.pl259.com

MD wrote:

> "jeff" <wd4nmq@earthlink.net> wrote in message
> news:3DA203A1.1020005@earthlink.net...
> > Anybody know a source for the 6-pin Molex type power connectors used on
> > Kenwood and Icom HF rigs? This would be for the power cord side.
> >
> > Specically the Kenwood TS-140/440/940's.
>
> www.powerwerx.com cheap!

4021. Re: TS570D no powered in car ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 15:01:08 UTC
From: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com>
Message-ID: <UqCo9.9515$hb4.3022@sccrnsc02>
Source record: 38831

You cannot power a 100W HF xcvr from the cigarette lighter plug. Only directly from the battery will work properly. Too much voltage drop. Too much current.

73,
Ed KA9EES

"Thierry" <lombryt@hotmail.com> wrote in message news:db35a0c.0210070842.2d7d24ed@posting.google.com...
: Hi,
:
: Trying to power my kenwood TS-570D transceiver in my car (Golf IV tdi)
: using the cigar-lighter connected to my car battery (maintenance
: free), I was surprized to see my RTX staying off line :-((
:
: I did a similar test using a portable battery pack 12V 10A (dry
: battery), same result : no power, although this second one read about
: 12.9 V on the multimeter. I don't check for my car battery but it is a
: new one as the car is nearly new (2 years) and I have not the
: slightest electrical problem (up to now...).
:
: Up to now I thought that I could power my RTX using the car battery,
: and even if the voltage was not enough to emit I could use the excess
: of current available and transfer its power for emission (as my car
: uses probably a 12V 30 or 50A ?) to power it. But that doesn't work at
: all... this is the complete silence in my car... Is that normal ?
:
: So i had to buy a small 12V dry battery pack and a recharger
: (regulated 13.6V or a bit higher, 7A for my tests), two alligators
: clips and that works perfectly, at least for reception and to analyse
: my QRM problem.
:
: Can someone tell me what is wrong with the two first batteries (acid
: and dry one) that seems dead (at first sight). I thought that my car
: battery, even if it was written on the pack 12V could produce in fact
: 13.6V or more once full charged in order to power all my car
: electrical devices (radio, onboard computer, etc, and could thus power
: my RTX. But as this last stay off, I think it produces much less than
: 13 V... or there is something I don't understand yet.
:
: Can someone explain me what's the matter with this satanic battery and
: what voltage produce a car battery ? Is it suited to power a Kenwood
: TS570D via the cigar-lighter ?
:
: Thanks for comments

:
: 73
: Thierry
: http://www.astrosurf.com/lombry/menu-qsl.htm

4022. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 15:01:37 UTC
From: jer1538a@aol.com
Message-ID: <20021008110137.10880.00000041@mb-fa.aol.com>
Source record: 38832

W6-RUBBER DUCK

4023. Beta testers needed for tk7, new software for ICOM IC-Q7A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 15:25:20 UTC
From: "Bob Parnass, AJ9S" <usenet1@parnass.org>
Message-ID: <3da2f900$0$1454$272ea4a1@news.execpc.com>
Source record: 38833
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.scanner,alt.radio.scanner

tk7 is a new, open source software for the ICOM IC-Q7A
wide coverage walkie-talkie.

I wrote tk7 using the Tcl/Tk language
so it would work in Linux, MacOS X, BSD, UNIX, Windows (95 and later),
etc. I've used tk7 on Linux and Windows 98SE but want to confirm
that it works ok on Windows XP, Windows ME, Windows 95, and Windows 2000.

tk7 lets you:

(1) Read a memory image from the IC-Q7A walkie-talkie, from a native
tk7 file or from a Q7 file created using Goran Vlaski's
IC-Q7 Programming Utility for Windows.

(2) Display and edit settings from a memory image using a graphical
user interface, then write it back to the radio or save it
in a file.

(3) Import memory channel information from a .csv (comma-separated
file).

(4) Extract memory channel information from a memory image
and export it to a .csv (comma-separated values) file.

(5) Sort memory channels by frequencies within one or both banks.

This is an experimental version of tk7 and is
designed only for the USA version radio, though it may
work with other versions.

I need beta testers who own an IC-Q7 radio and interface cable
to test whether tk7 will read data from the radio, display
it correctly on the graphical user interface, and write data
back to the radio correctly.

You can learn about and freely download a beta test version of tk7
from my home page:

http://parnass.com

I don't warrant the software, though it will cost you nothing.
Thanks.

--
==
Bob Parnass, AJ9S Linux User http://parnass.com

4024. Thoughts regarding IC756ProII vs. Yaesu FT 1000 MK V MP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 15:49:10 UTC
From: Web <WebFx27@hotmail.com>
Message-ID: <d9Do9.43151$GF5.2485237@news4.srv.hcvlny.cv.net>
Source record: 38835

Other than the fact the Icom does 6 meter does anyone have opinions on these radios. I am especially interested to hear from those who have tried both. What did you like or dislike about a particular one of these radios? Your opinions will be appreciated and useful in my choice of HF transciever.

Please comment to the group

Web

4025. FS: FT-817 *MINT*

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 15:49:49 UTC
From: Michael Malloy <mmalloy@wi.rr.com>
Message-ID: <F7Do9.66063$WI5.781842@twister.kc.rr.com>
Source record: 38834

This Ft-817 plus accessories is being offered for sale. Seldom used, never in the field and in a non-smoking environment. Probably less than 10 hours actual use.

Yaesu FT-817 HF/VHF/UHF Ultra Compact QRP Transceiver. Up to 5 watts output with external power, internal power max is 2.5 watts. This is a like new, only used a short time. The radio is complete with all Yaesu accessories including the MH-31abj Microphone, FBA-28 Battery Case (holds Alkaline Cells), YHA-63 Whip Antenna for 50/144/430 Mhz, E-DC-6 DC Cable, Shoulder Strap and case, operating Manual and Ferrite Core. PLUS -- CT-62 CAT interface Cable, CT-39A Packet Cable, NC-72B Ni-Cad Charger,W4RT One-Plug-Power battery,Extra MAHA 1700ma NIMH battery,Pack-it reference manual. I have the original box, manual and all documentation.

Shipping only to the USA. Payment required by Money Order, Bank Check or PayPal(Credit Card). Buyer pays the shipping charge and insurance (should not exceed $25 to any USA Location).

Price $500 plus shipping. Please email me at mmalloy@wi.rr.com if interested.

4026. Manual: National RAO-7 (Navy)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 17:59:09 UTC
From: Cal Barton <cal99@mindspring.com>
Message-ID: <anv61susu1@slb7.atl.mindspring.net>
Source record: 38836
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have a Navy RAO-7 W.W.II receiver made by National Co. I have restored it to full operational condition with the help of Glen Zook in Richardson, TX. I am looking for a copy of the original Navy manual that went with this wonderful receiver. I have a copy of a manual for the RAO-2, which is a very similar version of the same receiver, but I'd like to get a copy of the correct manual.

Please e-mail wb5cys@arrl.net if you can help.

Thanks! Cal Barton WB5CYS, Tyler, Texas

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.384 / Virus Database: 216 - Release Date: 8/21/02

4027. wanted: cushcraft 5el 6meter bean & rotator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 18:24:12 UTC
From: "Mitch, W4OA" <w4oa@arrl.net>
Message-ID: <uq68mdm4m1spec@corp.supernews.com>
Source record: 38837
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.space,rec.radio.swap

must be in good condx...
let me know what you have...

thanks
mitch, w4oa
NOSPAMw4oa@vibroplex.com

4028. Re: wanted: cushcraft 5el 6meter bean & rotator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 19:43:59 UTC
From: Henrik <henrik>
Message-ID: <3da3357d$0$23933$edfadb0f@dspool01.news.tele.dk>
Source record: 38839
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.space,rec.radio.swap

"Mitch, W4OA" <w4oa@arrl.net> wrote in message
news:uq68mdm4m1spec@corp.supernews.com...
> must be in good condx...
> let me know what you have...
>
> thanks
> mitch, w4oa
> NOSPAMw4oa@vibroplex.com
>
do you need one or two?

4029. wanted 2SC1947 VHF TRANSISTOR

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 20:14:19 UTC
From: Heinrich <nospam@bigpond.com>
Message-ID: <Xns92A24B2795978heindesbigpondcom@139.134.5.33>
Source record: 38840

Hi

as stated, I need a 2SC1947 VHF TRANSISTOR. this is out of an ICOM 2/e handheld. From what I understand, the equivelants don't work well.

Cheers
Heinrich (VK7EP)

--
e-mail = hein_des (AT) bigpond (DOT) com
Homepage = http://www.users.bigpond.com/hein_des/index.html

4030. Re: VARIOUS SW RADIOS/TRANSCEIVER AND SCANNER WITH DISCRIMINATOR TAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 20:47:12 UTC
From: Tony Tymes <icehopper@earthlink.net>
Message-ID: <kvHo9.15874$OB5.1597336@newsread2.prod.itd.earthlink.net>
Source record: 38841
Cross-posted to:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.shortwave

Do you know if Radio Shack Canada still sells HTX-202's?
if so could you let me know what price they are (poss in both US and Canadien)?
KC8EWU
icehopper@earthlink.net
"Tony" <prosper2040@sympatico.ca> wrote in message
news:lorm9.5237$Kg4.799272@news20.bellglobal.com...
REALISTIC PRO-2040 SCANNER - Canadian Version
With Descriminator tap Mod, RCA type plug added to rear of unit to connect DATA SLICER which I'm also selling
Excellent scanner, I've decoded ACARS, FLEX, POCSAG paging, MDT, MOBITEX, etc with the data slicer and my PC
I will even include the software. This scanner can receive cell phone transmissions also. Original box, manual,
telescopic antenna and power adapter included. -$115.00

REALISTIC DX-390
With Mute and Beep Mod!, Manual and Power Adapter, excellent condition, NO BLOWN FETS! -$65.00

GRUNDIG YACHT BOY 400PE
With Mute and Fine Tune Mod!!!, Manual, Original box, carrying case, Wall Adapter, long-wire external antenna,
Hardly used! -$105.00

GE SUPERADIO III
High performance AM/FM reception, very clean and in excellent shape, I've dxed stations as far away as Texas!!
on this one. (I'm in Ontario, Canada) -$30.00

BELTEK 23 CHANNEL AM TRANSCEIVER
This one's an oldie, looks like a mid seventies transceiver, couldn't find anything on the web about it. It measures about
12x10x4 in an all metal cabinet, it has a 120v ac as well as connections for 12v mobile. This is a solid state transceiver
and it works. -$15.00

I'm located in SW Ontario, shipping to anywhere in North America is about 8-12 dollars for these items.

Regards.

4031. Radio Shack Amateur Radio Logbook?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 20:48:32 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <d2h6qu016lovf7j7ei4v80nr4jrq7fih96@4ax.com>
Source record: 38842
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Does anyone have any NOS Radio Shack Amateur Radio Logbooks? I've got 2 here and one is completely filled up and the second one is about halfway through. I like these log books for their simplicity, but it appears Radio Shack doesn't sell them anymore. If anyone happens to have any sitting around the shack and they have never been used, in good shape, email me.

=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-

73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

4032. Re: wanted: cushcraft 5el 6meter bean & rotator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 22:04:10 UTC
From: "Mitch, W4OA" <w4oa@arrl.net>
Message-ID: <uq6liqosrq57b0@corp.supernews.com>
Source record: 38843
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.space,rec.radio.swap

```
if the price is right, i would be interested in 2 (ants, 1 rotor)

mitch w4oa

"Henrik" <henrik> wrote in message
news:3da3357d$0$23933$edfadb0f@dspool01.news.tele.dk...
>
> "Mitch, W4OA" <w4oa@arrl.net> wrote in message
> news:uq68mdm4m1spec@corp.supernews.com...
> > must be in good condx...
> > let me know what you have...
> >
> > thanks
> > mitch, w4oa
> > NOSPAMw4oa@vibroplex.com
> >
> do you need one or two?
>
>
>
```

4033. FA: Heathkit SB-110 & HP-23A 6-Meter Tube Station on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 23:04:50 UTC
From: GS <greatsurplus@hotmail.com>
Message-ID: <3da3627f$1_3@news.meganetnews.com>
Source record: 38844
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387342821&rd=1

Here's your chance - complete and rare Heathkit SB-110A station
on Ebay. Extremely nice physical condition - SB-110 cabinet paint
and faceplate are mint. Easily could be a collector's unit.

Thanks for looking.

4034. FS: RA6790/GM Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-08 23:53:52 UTC
From: Tom Lutz <telutz@pclink.com>
Message-ID: <3da36f07$0$1404$272ea4a1@news.execpc.com>
Source record: 38845

I have a Racal RA6790/GM for sale. It has all 5 filters, works perfectly, and is in beautiful condition. Also included is the computer interface cable and a full bound manual. Asking $750.00 plus packaging and shipping.

4035. INFO NEEDED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 01:10:07 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <%oLo9.66838$WI5.808079@twister.kc.rr.com>
Source record: 38846

If you do the mars mod to the icom 718 does it change anything other then opening the tx?
I was told that the mw band would drop out.
Has any one done this mod?
Thanks for any help.
Please e-mail me direct.

4036. Re: INFO NEEDED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 01:26:36 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uq718nlh0e67@corp.supernews.com>
Source record: 38847

No, it will not change anything else. It simply enables the transmitter on
"non-ham" bands.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Magnum45" <Magnum45@mn.rr.com> wrote in message
news:%oLo9.66838$WI5.808079@twister.kc.rr.com...
> If you do the mars mod to the icom 718 does it change anything other then
> opening the tx?
> I was told that the mw band would drop out.
> Has any one done this mod?
> Thanks for any help.
> Please e-mail me direct.
>
>

4037. Re: Heliax Cables

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 02:02:25 UTC
From: Kevin Stone <kevinstone@worldnet.att.net>
Message-ID: <R6Mo9.13478$ue4.688676@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38748
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

Brenda-
Yes I do. I replied w/details via email.
-Kevin

"Brenda Ann" wrote:
> Still have the 50' sections? I'm interested, but would need an estimate on
> shipping via USPS parcel post or Priority mail to 96205-0044 (US military
> APO)
>
> Thanks
>
> 73
> Brenda Ann
> HL2/K7BAD
>
>

4038. Updated! Free Allied SX/AX-190 receiver info file

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 02:13:53 UTC
From: Mark Rehorst <rehorstmark@netscape.net>
Message-ID: <5t37qusiic01dqcf9kl9qrdm04vqs10svt@4ax.com>
Source record: 38749

Updated as of 10/7/02!

You can download a ton of Allied SX/AX-190 receiver information
in a single, 2.2 MB .pdf file here:

http://home.attbi.com/~akikoi/wsb/Allied-SX-190-Info-Oct02.pdf

The file includes:
Allied Radio Shack Service Manual
Allied Radio Shack Owner's Manual
Ad from CQ magazine, May 1972
Ad from Radio Shack catalog
Review from 73 magazine
NASWA review by Ed Shaw
QST magazine modifications
CQ magazine mods, March 1973, by Bruce Mackey
Bandswitch mods by John Kolb
NASWA-FRENDX mods by Ed Shaw, May 1974
Comprehensive Technical Manual by Ed Shaw
Getting Reacquainted with the SX-190 by Ed Shaw, 4/77
Allied SX-190 Revisited, by Ed Shaw, 6/82

Thanks to Bob Bachus for converting everything to .pdf format!

If anyone has cleaner copies or additional info, I'd like to add
it to my collection. Please email.

Thanks!

MR

4039. Re: Kenwood TS-130S problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 03:40:22 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ao08fp$1er4$1@madmax.keyway.net>
Source record: 38750

This is often the indication of SWR shutdown, meaning there is RF
at the RF sensing circuits on the Filter Board. Look at the relay and
cabling all after and up to your wattmeter. Another possibility is a
spur due to loose screws on the IF board. This causes the PA to
come unglued at some some frequencies way out of the Ham Bands.
I have experienced this twice because of mobile operation in the
boondocks.

Jim, ac6tk
"Harvey Dapeer" <had@dacomp.com> wrote in message
news:iq4o9.111642$121.2426164@twister.austin.rr.com...
: Have a problem with my old "trusty" TS-130S. During a qso the transmitter
: just shut down. Ic meter reading dropped to almost nothing and output went to
: a watt or two. Switched over to a Dummy Antenna with no channge. Everything
: else, external connections, power supply, etc. checked out okey. I found that
: the ALC action was reading normal with modulation. After not getting it to
: work I gave up for the day. When I turned it on the next day all seemed
: normal except that the Ic meter reading was fluctuating a bit. But the rig
: was putting out a normal signal. Then during another qso it went away again.
: I have the service manual and have some experience so I plan to go inside and
: check it over a bit.
:
: What I need is some clue as to what to look for from someone with some trouble
: shooting experience. Any help will be very much appreciated.
:
: Thanks,
:
: Harvey, K5DDJ

4040. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 04:13:29 UTC
From: emikulic@attbi.com
Message-ID: <3da3ac9d.262325109@netnews.attbi.com>
Source record: 38751

KG6NJA

Thx
-Ernie

On Tue, 8 Oct 2002 00:32:37 -0700, "W6DKN" <w6dkn-nospam-@qsl.net>
wrote:

>"Ernie" <emikulic@attbi.com> wrote in message
>news:3da2816b.185731500@netnews.attbi.com...
>> All,
>> do any of the Icom/Yaesu/Kenwood in-car mobile HF
>> rigs have rx/tx on this band? If not is there a mod for any of those
>> that can do this? CB is ugly but usefull in blackout areas where
>> there are trucks.
>>
>> Thx.
>> -E
>
>All of them can RX, most of them can TX with appropriate modifications, and
>your call sign is?
>
>73 de W6DKN
>
>
>

4041. Re: Radio Shack Amateur Radio Logbook?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 06:01:47 UTC
From: Arnold <doppey15@hotmail.com>
Message-ID: <vwPo9.54677$YK4.4307229@e3500-atl2.usenetserver.com>
Source record: 38752
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Andy KC2SSB wrote:

> Does anyone have any NOS Radio Shack Amateur Radio Logbooks? I've got
> 2 here and one is completely filled up and the second one is about
> halfway through. I like these log books for their simplicity, but it
> appears Radio Shack doesn't sell them anymore. If anyone happens to
> have any sitting around the shack and they have never been used, in
> good shape, email me.
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA Grid FM29vw
> http://vhfradiobuff.tripod.com

I just copied one of the blank pages and then took them to Office Depot
and had them bound. I couldn't find the logbooks anywhere anymore.

Arnold

4042. Help for Sony ICF PRO 80

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 10:50:23 UTC
From: Augusto <a.ferretti@mclink.it>
Message-ID: <ao11lekqf1@newsreader1.mclink.it>
Source record: 38753

Hello, I should repair my Sony ICF PRO80 and cannot find the diagram, do anybody else has it?

In FM mode is ok, at least in 88-108 MHz range; but SSB in HF range does not work at all, fine tune does not work and there is a constant whistle on all HF frequencies (SSB mode). I know that some capacitor may become old but with the diagram it could be easier.

Many thanks in advance

4043. ICOM 706 Mobile Power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 12:19:23 UTC
From: rljames <me@home.org>
Message-ID: <3da4205f$1@news.netacc.net>
Source record: 38754

OK, I've learned that a cigarette lighter connection for my mobile ICOM 706MkIIG won't make the grade...

Vehicle is a Jeep Wrangler and I'd like to keep the radio installed in such a way that it can be easily moved to house. So here's what I *think* I need to do;

1) Direct leads from both poles of battery but what gauge? 10, 8, 6 or larger?

2) Add "quick disconnects". on battery leads and stock ICOM power cable. Anderson "PowerPoles" seem like a good choice but what size? 15, 30 or higher Amp?

3) Add additional circuit protection beyond that provide by stock ICOM power cable but which leads? (+), (-) or both? Circuit breaker or fuse? What size?

Anything else?

Thanx,
Bob

4044. Re: ICOM 706 Mobile Power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 12:45:54 UTC
From: "R. Scott" <washingtonham@yahoo.com>
Message-ID: <3DA42556.3B14669@yahoo.com>
Source record: 38755

> Anything else?
>
> Thanx,
> Bob

Why not buy an extra power lead. Thats what I did. Ran it to the
battery (dont forget fused leads "At the battery") and then
to where your rig sits. Mine sits under the front seat and I
used velcro on the Mount to hold it to the rug. Works fine and
no need for power strips etc. My extra power cord cost like 15 bucks
at the local ham store. I can now use the rig house and truck.

Scotty N7HJ

4045. Re: Radio Shack Amateur Radio Logbook?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 12:57:38 UTC
From: Lou <tech@dp.net>
Message-ID: <ao19om$2h53$1@news.dp.net>
Source record: 38756

It would be just as simple to use a database program now days. However, if you still want to use a book, why not photocopy a blank page if you still have a complete one or do one on computer in a like manner, take it and make enough copies to make a new book. Staple it or get it bound or get a ring binder from someplace like Staples! IF you know anyone in an office setting that does those sorts of things, may be able to get it done for free. There are lots of options available to you here.

Lou/TECH@DP.NET

"Arnold" <doppey15@hotmail.com> wrote in message
news:vwPo9.54677$YK4.4307229@e3500-atl2.usenetserver.com...
> Andy KC2SSB wrote:
>
> > Does anyone have any NOS Radio Shack Amateur Radio Logbooks? I've got
> > 2 here and one is completely filled up and the second one is about
> > halfway through. I like these log books for their simplicity, but it
> > appears Radio Shack doesn't sell them anymore. If anyone happens to
> > have any sitting around the shack and they have never been used, in
> > good shape, email me.
> > =-
> > 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> > Beachwood, NJ USA Grid FM29vw
> > http://vhfradiobuff.tripod.com
>
> I just copied one of the blank pages and then took them to Office Depot
> and had them bound. I couldn't find the logbooks anywhere anymore.
>
> Arnold
>
>

4046. Re: Radio Shack Amateur Radio Logbook?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 13:13:05 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <piqkPaet1FD+qrttfaIPck81=Fl6@4ax.com>
Source record: 38757

"Lou" <tech@dp.net> wrote:

>It would be just as simple to use a database program now days. However, if
>you still want to use a book, why not photocopy a blank page if you still
>have a complete one or do one on computer in a like manner, take it and make
>enough copies to make a new book. Staple it or get it bound or get a ring
>binder from someplace like Staples! IF you know anyone in an office setting
>that does those sorts of things, may be able to get it done for free. There
>are lots of options available to you here.

At 8 cents a page or thereabouts, it could get pricey. The ARRL sells logbooks
in two sizes, a full-size desk version, and a smaller mini-log for portable
operation.

If you're going to roll your own and you have a computer, it might be cheaper to
just dummy up a page in MS Word and print it out.

Bob
k5qwg

>
>Lou/TECH@DP.NET
>
>"Arnold" <doppey15@hotmail.com> wrote in message
>news:vwPo9.54677$YK4.4307229@e3500-atl2.usenetserver.com...
>> Andy KC2SSB wrote:
>>
>> > Does anyone have any NOS Radio Shack Amateur Radio Logbooks? I've got
>> > 2 here and one is completely filled up and the second one is about
>> > halfway through. I like these log books for their simplicity, but it
>> > appears Radio Shack doesn't sell them anymore. If anyone happens to
>> > have any sitting around the shack and they have never been used, in
>> > good shape, email me.
>> > =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
>> > 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
>> > Beachwood, NJ USA Grid FM29vw
>> > http://vhfradiobuff.tripod.com
>>
>> I just copied one of the blank pages and then took them to Office Depot
>> and had them bound. I couldn't find the logbooks anywhere anymore.
>>
>> Arnold
>>
>>
>

4047. Re: ICOM 706 Mobile Power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 13:29:24 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <Vi6kPRZmeR823Hq4uQLR4ehnqd=1@4ax.com>
Source record: 38758

"rljames" <me@home.org> wrote:

>OK, I've learned that a cigarette lighter connection for my mobile ICOM
>706MkIIG won't make the grade...
>
>Vehicle is a Jeep Wrangler and I'd like to keep the radio installed in such
>a way that it can be easily moved to house. So here's what I *think* I need
>to do;
>
>1) Direct leads from both poles of battery but what gauge? 10, 8, 6 or
>larger?
>
>2) Add "quick disconnects". on battery leads and stock ICOM power cable.
>Anderson "PowerPoles" seem like a good choice but what size? 15, 30 or
>higher Amp?

Probably a 30 amp circuit. Check the Powerpoles at the Powerwerx web site. Wire
size recommendations are given there.

Bob
k5qwg
>
>3) Add additional circuit protection beyond that provide by stock ICOM power
>cable but which leads? (+), (-) or both? Circuit breaker or fuse? What size?
>
>Anything else?
>
>Thanx,
>Bob
>
>
>

4048. Re: Kenwood/Icom Power connector source

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 15:00:11 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <t0OkPQyhPpaZVNoWu0dks73DQ9Mb@4ax.com>
Source record: 38759

jeff <wd4nmq@earthlink.net> wrote:

>Anybody know a source for the 6-pin Molex type power connectors used on
>Kenwood and Icom HF rigs? This would be for the power cord side.

Powerwerx.com has OEM "factory" cords for popular brands like Kenwood.

Bob
k5qwg
>
>Specically the Kenwood TS-140/440/940's.

4049. Icom IC-730 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 15:38:36 UTC
From: Al <al210@Qhamster.foxhollow.ca>
Message-ID: <n7j8qu04oqkq3bs7rjrv17hc8av8nreiqq@4ax.com>
Source record: 38761
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

I recently brought out my old IC-730 and have a couple of questions,
if anyone can help.

1) The pre-amp relay is prone to failure. There is reference on
Icom's website to a factory modification. Apparently this mod puts a
small current through the contacts to keep them clean.
Can anyone provide me with details on this mod?

2) The memory operation seems strange. I have mis-placed my
operator's manual, but the service manual briefly states:

"WRITE: By pushing this button, A VFO's frequency is written into
memory, or one VFO's frequency is transferred to the other VFO."

"MEMORY: Push this switch when you wish to write a frequency into
memory, or to call a memorized frequency."

For me, using 20m as an example, pressing WRITE always puts 14098.5
into VFO, clearing whatever was in the VFO.
Pressing MEMORY just recalls 14098.5.

If anyone could describe or better still email me a scan of memory
operation from the operators manual it would be greatly appreciated.

73, Al
--
Please note there is no letter 'Q' in my address. Edit as required.

4050. FS Mint Kenwood TS-711A Lower Price

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 15:49:01 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <NdYo9.17412$OB5.1736099@newsread2.prod.itd.earthlink.net>
Source record: 38760

I have for sale a mint Kenwood TS-711A 2 Meter All Mode Transceiver. This one is as new. Used very little, not a mark on it. It runs 25 watts and has the hard to find CTCSS Tone Board installed so you can select any of the Repeater Access Tones. It also comes with the Kenwood MC-48B Mic with UP/Down Buttons and 16-Key DTMF Pad. This is a $70 option. Standard equipment on this transceiver include: dual VFOs, Digital Display,40 Memories, Variable RF Output from 2 to 25 Watts, IF Shift, and Build in AC Power Supply(Operation on 12 Volts is also possible). Everything works great, including the memory backup battery. I do not have the manual, but I believe these are available to download from the internet. Price is $495 plus shipping from 79602. Thanks, Charlie Hugg, K5MBX

4051. Re: Need Manual or Info on TS711A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 16:15:25 UTC
From: N1XOI@arrl.net
Message-ID: <7dc208cb.0210090815.46eb4583@posting.google.com>
Source record: 38762

No spare manual, but I can give you the (weird...) sequence:

1- Switch to Mem mode and select the memory you want to fill
2- Switch to VFO mode
3- Select the frequency you want to store
4- Press twice in rapid succession the orange "M.IN" button
5- You're done. You'll hear a short beep followed by a long one
confirming the operation.

By the way, since you are one of the few (apparently...) souls still
owning a TS711, have you have noticed the S-meter reading going down
as the radio warms up? I have mine doing this, both when receiving FM
and SSB, even though the decrease is way more noticeable in FM.
I have not been able to determine if it is just the S-meter circuit or
something more serious with the front-end sensitivity actually
decreasing. Thanks.

73, Paolo N1XOI

"Charles Hugg" <chashugg@earthlink.net> wrote in message
news:<mfBo9.15447$OB5.1542973@newsread2.prod.itd.earthlink.net>...
> Does anyone have a spare copy of the operators manual for the Kenwood
> TS-711A? Or can someone tell me the sequence to go through to store a
> frequency in Memory on the TS711A?
> Thanks, Charlie Hugg, K5MBX

4052. Need IC SN7402N

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 17:35:56 UTC
From: K5VSE <wb6vse@ipa.net>
Message-ID: <0OZo9.18220$lV3.1751859@newsread1.prod.itd.earthlink.net>
Source record: 38763
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi to the list,
A little while ago, someone had told me he had some of these IC's. Now, I haven't heard from him, and can't remember what his address was. Does anyone out here have at least one? I can sure use it.
Thanks for any responses.

--
Mike-K5VSE
Formerly WB6VSE, senior tech, amateur division
SBE/Linear Systems, Watsonville, CA
All out going mail scanned with Norton AntiVirus 2002

4053. FS: Kenwood SM-220 Scope

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 17:56:57 UTC
From: Tom Lutz <telutz@pclink.com>
Message-ID: <3da46cde$0$1424$272ea4a1@news.execpc.com>
Source record: 38764

I have a beautiful Kenwood SM-220 scope for sale WITH the BS-8 Pan adapter installed. Like new manual included.

This is truly a beauty and works perfectly. $350.00 plus packing and shipping.

4054. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 18:06:54 UTC
From: aunwin@fgi.net
Message-ID: <c4becf19.0210091006.1e16b555@posting.google.com>
Source record: 38765
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

"Steve G1XOW" <steve@wragge.fsworld.co.uk> wrote in message
news:<an9c75got1@newsg2.svr.pol.co.uk>...
> Try ASC Metails in Lincolnshire. Very good and next day delivery in
> Midlands.
>
> http://www.ascmetals.com/
>
> Cheers, Steve G1XOW
>
> "M3SEM" <ff@vv.vv> wrote in message
> news:%0Xk9.1165$hS4.8997@newsfep3-gui.server.ntli.net...
> > Wondering if anyone can point me in the direction of a supplier of
> aluminium
> > tubing in the UK, for some antenna projects??
> >
> > Thanks in advance :)
> >
> >

Gentlemen As a former Brit I still retain my love of experimenting
with
antennas and thus over the years have accumulated quite a pile of
aluminium tubing.This pile is being shipped off to the scrapyard by my
grandaughter because I have little use for it anymore.
The reason from moving away from aluminium is that I find telescopic
fishing poles to be much more available,less expensive, can be
extended to over
320 inches aside using aluminium in the boom area, Can use wire inside
or aluminium paper on the outside so the basic rod material used lasts
for ever because modification to length over experimental time does
not damage the pole itself.
P.S.
When an ice storm comes along the rod believes it has caught a fish,
it bends as all fishing rods do and the ice slides off !

Art KB9MZ....XG.

4055. Re: ICOM 706 Mobile Power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 19:39:31 UTC
From: dplatt@radagast.org
Message-ID: <uq91fjpfa85418@corp.supernews.com>
Source record: 38766

>Vehicle is a Jeep Wrangler and I'd like to keep the radio installed in such
>a way that it can be easily moved to house. So here's what I *think* I need
>to do;
>
>1) Direct leads from both poles of battery but what gauge? 10, 8, 6 or
>larger?

I'd think that 10 gauge would be adequate. I'm using a four-wire
14-gauge cable, with the wires doubled up (for an equivalent of 11
gauge) for a TM-G707A (50 watts max output) and haven't noticed any
problems with voltage drop.

>2) Add "quick disconnects". on battery leads and stock ICOM power cable.
>Anderson "PowerPoles" seem like a good choice but what size? 15, 30 or
>higher Amp?

The 15, 30, and 45-amp connectors are all inter-pluggable... the only
physical difference is the size of the crimpable/solderable wire
socket on the contact. Use whichever size of contact fits the wires
you're using.

Consider adding or making a PowerPole "Y" near the rig... it's handy
to have an extra connector set for plugging in auxiliary equipment,
recharging an HT, etc.

>3) Add additional circuit protection beyond that provide by stock ICOM power
>cable but which leads? (+), (-) or both? Circuit breaker or fuse? What size?

Fuses on both leads, as close to the battery as practical
(*definitely* before the wires go through the firewall or anywhere
else that the insulation might be abraded or pinched by accident).
You could use either a slow-blow fuse rated a bit higher than the
rig's maximum sustained draw, or a fast-blow rated at 2x or so (in
order to make sure that you don't blow out the fuse when you initially
connect the rig and its onboard filter caps charge up).

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

4056. TenTec 229 Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 19:40:23 UTC
From: Ed Williams <sunset392@cox.net>
Message-ID: <HC%o9.94208$IL6.5403294@news2.east.cox.net>
Source record: 38767

I am trying to restring the dial this tuner for a club auction but do not have a manual. If anyone could please email the instructions to replace the dial cords it would be appreciated very much.

de KN4KL ed
Virginia Beach, VA

4057. F.S. DCI 2 Meter Bandpass Filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 19:50:33 UTC
From: Alan Gray <agray@voicenet.com>
Message-ID: <dM%o9.493$wZ4.109621@news2.voicenet.com>
Source record: 38769
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale: DCI-146-4H Two Meter Bandpass Filter - 4 MHz wide. A general purpose filter used for reducing intermod anywhere in the 2-meter band. The filter's design is four helical resonators with aperture coupling. The filter comes standard with silver-Teflon SO-239 connectors; Type "N" connectors are optional.
Specs:

Passband 144 to 148 MHz
Passband Loss less than 1dB
Selectivity -57 dB at 136 MHz
-43 dB at 156 MHz
Power Rating 200 watts
VSWR 1.3:1
Connectors SO-239 silver-Teflon
Dimensions 12" x 3" x 5"
Weight 2 lb. 11 oz.

_____

Mint Condition $60, U Ship, F.O.B. Zip Code 18910

Alan, W3BV

4058. FS: MFJ 6-Meter QRP rig and more

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 19:51:20 UTC
From: n2rll@aol.com
Message-ID: <20021009155120.16601.00000347@mb-cn.aol.com>
Source record: 38770

Thanks for reading my note; I've got an MFJ-9406 6-meter SSB QRP rig, unused with manual and mic, mint condition: $175.
Also an Astron switching power supply - model SS-30M - with dual meters in mint condition. $100.
And if you're in New Jersey/NY metro area, I have an assembled MFJ 1796 halfwave vertical antenna. Bottom bracket is cracked but can be repaired. Antenna works but I've changed to a G5RV which keeps the XYL and family happier!
Please respond to this email. Power supply or 9406 rig shipped three-day priority mail for postal money order only.
Thanks and 73,
Harold Ort, N2RLL

4059. Re: Need IC SN7402N

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 20:02:12 UTC
From: lc <larryc@northwest.com>
Message-ID: <3DA48B44.C21E60A7@northwest.com>
Source record: 38768
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

this is something you could get at Mouser, no?
=====

K5VSE wrote:

> Hi to the list,
> A little while ago, someone had told me he had some of these IC's. Now, I
> haven't heard from him, and can't remember what his address was. Does anyone
> out here have at least one? I can sure use it.
> Thanks for any responses.
>
> --
> Mike-K5VSE
> Formerly WB6VSE, senior tech, amateur division
> SBE/Linear Systems, Watsonville, CA
> All out going mail scanned with Norton AntiVirus 2002

4060. Re: Icom IC-730 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 20:38:28 UTC
From: KC5CQW <kc5cqw@excite.com>
Message-ID: <uq94u5a0gg5i95@corp.supernews.com>
Source record: 38771
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Tune to the freq. press memo then write. Now release the memo button and
tune with the VFO to whatever, when you want to go back to the memorized
freq. it will be there in memo mode.
How many times can the word "memo" be used in a question?
I'm the 3rd owner of my 730 and it seems to have the new relay for the
preamp, but the amp itself went out so I had to use a TenTec kit preamp
inline. I couldn't find the right transistors.
If you find the relay mod for the contacts, please forward them. I'd
like to try it.
I don't know about the VFO swapping, I never really used VFO-b or split.
"Al" <al210@Qhamster.foxhollow.ca> wrote in message
news:n7j8qu04oqkq3bs7rjrv17hc8av8nreiqq@4ax.com...
> I recently brought out my old IC-730 and have a couple of questions,
> if anyone can help.
>
> 1) The pre-amp relay is prone to failure. There is reference on
> Icom's website to a factory modification. Apparently this mod puts a
> small current through the contacts to keep them clean.
> Can anyone provide me with details on this mod?
>
> 2) The memory operation seems strange. I have mis-placed my
> operator's manual, but the service manual briefly states:
>
> "WRITE: By pushing this button, A VFO's frequency is written into
> memory, or one VFO's frequency is transferred to the other VFO."
>
> "MEMORY: Push this switch when you wish to write a frequency into
> memory, or to call a memorized frequency."
>
> For me, using 20m as an example, pressing WRITE always puts 14098.5
> into VFO, clearing whatever was in the VFO.
> Pressing MEMORY just recalls 14098.5.
>
> If anyone could describe or better still email me a scan of memory
> operation from the operators manual it would be greatly appreciated.
>
> 73, Al
> --
> Please note there is no letter 'Q' in my address. Edit as required.

4061. Heathkit HWA-5400-1 schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 20:48:51 UTC
From: Guidoted <guidotedDELETE@libero.it>
Message-ID: <TC0p9.31800$cS4.1272983@news2.tin.it>
Source record: 38772

Hi from Italy!
I need the schematic, and, better, also the manual, of the Heathkit
HWA-5400-1 (PS+Console for HW5400 rig) in electronic format.
I must rewire it for 230V (now it is wired for 110V).
Thanks in advance, ciao and 73
Guido, ik2bcp / ab9dg

4062. FS: Mini-UHF crimp on for Proflex (15 pack) New

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 21:03:17 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <pQ0p9.12251$k_2.800119@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38773
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

I have a bag of 15 Mini-UHF crimp connectors for Proflex new individually
bagged.
These are 3 piece crimp on for Proflex made by RF Industries. Nickel plated
body & silver pin.
If interested please email direct
RW613@lycos.com

4063. Yaesu VX-1R help???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 21:25:27 UTC
From: Smitty <rustyspam@dccnet.com>
Message-ID: <3DA49EC7.9040604@dccnet.com>
Source record: 38774

Hi there,
I have a new Yaesu VX-1R version A106 I assume, does anyone have the same model that has done any modifications?..ie 800 Mhz restore or transmit on FRS, my police and fire are in the 866 Mhz range and I can not monitor them as this is blocked on my radio?...It is very confusing on the net about these mods as there are keppad mods and mods with soldering involved?.
I would also like to be able to transmit on the FRS frequencies as well?
Any help would be greatly appreciated
Please e-mail me at the below address with any info
Thanks-Russ
rusty@dccnet.com

4064. Re: Yaesu VX-1R help???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 22:41:39 UTC
From: mike <spamme0@juno.com>
Message-ID: <3DA4B0A3.B1883F91@juno.com>
Source record: 38776

Try Here
http://www.icongrp.com/~sllewd/vx1rmain.htm
mike

Bunch of stuff For Sale and Wanted at the link below.
Tek Scope, Transoceanic, other neat stuff.
http://www.geocities.com/SiliconValley/Monitor/4710/
Smitty wrote:

> Hi there,
> I have a new Yaesu VX-1R version A106 I assume, does anyone have the
> same model that has done any modifications?..ie 800 Mhz restore or
> transmit on FRS, my police and fire are in the 866 Mhz range and I can
> not monitor them as this is blocked on my radio?...It is very confusing
> on the net about these mods as there are keppad mods and mods with
> soldering involved?.
> I would also like to be able to transmit on the FRS frequencies as well?
> Any help would be greatly appreciated
> Please e-mail me at the below address with any info
> Thanks-Russ
> rusty@dccnet.com

--

4065. FA: Yaesu FT-767GX All Mode Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 22:42:26 UTC
From: drk14@yahoo.com
Message-ID: <dadd5313.0210091442.62824e2f@posting.google.com>
Source record: 38775

In great shape. Includes 2 Meter, 6 Meter, and CTSS Modules.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387600351

Thanks.

4066. Re: Yaesu VX-1R help???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 22:44:59 UTC
From: Jake <Jake@napster.com>
Message-ID: <Lj2p9.94317$IL6.5442152@news2.east.cox.net>
Source record: 38777

http://www.icongrp.com/~sllewd/

"Smitty" <rustyspam@dccnet.com> wrote in message
news:3DA49EC7.9040604@dccnet.com...
> Hi there,
> I have a new Yaesu VX-1R version A106 I assume, does anyone have the
> same model that has done any modifications?..ie 800 Mhz restore or
> transmit on FRS, my police and fire are in the 866 Mhz range and I can
> not monitor them as this is blocked on my radio?...It is very confusing
> on the net about these mods as there are keppad mods and mods with
> soldering involved?.
> I would also like to be able to transmit on the FRS frequencies as well?
> Any help would be greatly appreciated
> Please e-mail me at the below address with any info
> Thanks-Russ
> rusty@dccnet.com
>

4067. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-09 22:46:00 UTC
From: Gary McAdams <g.m.mcadams@worldnet.att.net>
Message-ID: <Ik2p9.12386$k_2.811777@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38778

W6DKN <w6dkn-nospam-@qsl.net> wrote in message
news:NLvo9.3613$G5.2039@fe01...
> > All of them can RX, most of them can TX with appropriate modifications,
and
> your call sign is?
>
> 73 de W6DKN
>
>
>

Call sign or no, modifying an Amateur rig for
use on the CB band is illegal.

Period.

I agree that CB's are useful, so if you need
to transmit on CB, buy a CB!

Geeze! A CB costs, what, 60 or 70 dollars?

A NAL from the FCC will run quite a few more
dollars than that I can guarantee.

10-4?

Gary WG7X

4068. Re: Radio Shack Amateur Radio Logbook?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 00:51:32 UTC
From: k3pi@arrl.net
Message-ID: <53da5b99.0210091651.6980a1bd@posting.google.com>
Source record: 38779

Similary, a few minutes in MS Excel or any other spreadsheet, you can
create a log as simple or complex as you want. I have done my ham log
and MW DXing log on Excel for years now. 3-hole punch them into a
binder.

Russ K3Pi
>
> If you're going to roll your own and you have a computer, it might be cheaper to
> just dummy up a page in MS Word and print it out.
>
> Bob
> k5qwg
>

4069. FS: Rohn 25 Package Deal!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 01:06:57 UTC
From: Headhamster <headhamster@earthlink.net>
Message-ID: <Ro4p9.18474$OB5.1816787@newsread2.prod.itd.earthlink.net>
Source record: 38780
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

I have 60 feet of Rohn 25 available in North Jersey. This is a package deal which includes:

One top section with rotor plate and guy brackets
Five regular sections
One short roof mount base with foot plates
One ground mount base plate
One house bracket
And, Three philystran guy cables with attached hardware.

This is pickup only as I no longer have a truck to transport it in.

I will take $350 for the whole package or possibly trade for something of equal value.

73, de Rich

4070. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 02:01:30 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3DA4DF79.CA72D331@nettally.com>
Source record: 38781
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Saddam Hussain is in hot water over buying aluminum tubing. It seems that GWB thinks he is making a
centrifuge to extract a newcle-a-r bomb. So iff'n your buying aluminim tubing watch out for a cruise
missile.

Art Unwin KB9MZ wrote:

> "Steve G1XOW" <steve@wragge.fsworld.co.uk> wrote in message
news:<an9c75got1@newsg2.svr.pol.co.uk>...
> > Try ASC Metails in Lincolnshire. Very good and next day delivery in
> > Midlands.
> >
> > http://www.ascmetals.com/
> >
> > Cheers, Steve G1XOW
> >
> > "M3SEM" <ff@vv.vv> wrote in message
> > news:%0Xk9.1165$hS4.8997@newsfep3-gui.server.ntli.net...
> > > Wondering if anyone can point me in the direction of a supplier of
> > aluminium
> > > tubing in the UK, for some antenna projects??
> > >
> > > Thanks in advance :)
> > >
> > >
>
> Gentlemen As a former Brit I still retain my love of experimenting
> with
> antennas and thus over the years have accumulated quite a pile of
> aluminium tubing.This pile is being shipped off to the scrapyard by my
> grandaughter because I have little use for it anymore.
> The reason from moving away from aluminium is that I find telescopic
> fishing poles to be much more available,less expensive, can be
> extended to over
> 320 inches aside using aluminium in the boom area, Can use wire inside
> or aluminium paper on the outside so the basic rod material used lasts
> for ever because modification to length over experimental time does
> not damage the pole itself.
> P.S.
> When an ice storm comes along the rod believes it has caught a fish,
> it bends as all fishing rods do and the ice slides off !
>
> Art KB9MZ....XG.

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

4071. KK5PY Micro key

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 02:21:16 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns92A2C541A3A40Frog207Junocom@148.78.248.76>
Source record: 38782

Does anyone know how to currently get hold of KK5PY? He makes an extremely small key that I am interested in. I haven't gotten any response to the email address listed on QRZ.COM for him.

Ed WB6SAT

4072. Re: Power supply question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 02:26:24 UTC
From: KH <zzzz@aaa.net>
Message-ID: <kz5p9.2893$Ac1.1026239539@newssvr10.news.prodigy.com>
Source record: 38783

Shouldn't be a problem. Most modern solid sate rigs will draw 1 or 2 amps
on receive.

4073. Which UHF Repeater Amp?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 05:04:23 UTC
From: Tim Shephard <tim@telecom-pros.com>
Message-ID: <rT7p9.19010$OB5.1855531@newsread2.prod.itd.earthlink.net>
Source record: 38784

I need to get a UHF amp for my repeater. I am using a hamtronics exciter that gives 2 watts out.

I am thinking of buying a Mirage D-26N. Its rated for 2 watts in and 60 watts out.

Are these good units? How about for repeater use? I plan on adding a fan on the heatsink.

Thanks

--
-Tim

4074. Re: Radio Shack Amateur Radio Logbook?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 05:14:17 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <ao3mfr11qk4@enews3.newsguy.com>
Source record: 38789

And if ya really wanna get spiffy....you can also put the pages in those
clear plastic page protectors too!

--
Ryan, KC8PMX
FF/MFR
REMOVE "NOSPAM" in email address to reply.

"radiok3pi" <k3pi@arrl.net> wrote in message
news:53da5b99.0210091651.6980a1bd@posting.google.com...
> Similary, a few minutes in MS Excel or any other spreadsheet, you can
> create a log as simple or complex as you want. I have done my ham log
> and MW DXing log on Excel for years now. 3-hole punch them into a
> binder.
>
>
> Russ K3Pi
> >
> > If you're going to roll your own and you have a computer, it might be
cheaper to
> > just dummy up a page in MS Word and print it out.
> >
> > Bob
> > k5qwg
> >

4075. Icom 751 option (UX-14 and EX310) Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 05:22:12 UTC
From: "rick@rickfrazier.com" <rick@rickfrazier.com>
Message-ID: <3DA50E84.3C981077@rickfrazier.com>
Source record: 38785

I've an Icom IC-751 and have heard that the UX-14 provides an interface to this rig.
Just what functions does it allow? I'm not interested in packet or other digital modes with this rig right now, but am trying to find out if the rig can be controlled by a computer, or at least interrogated to provide mode and frequency information for logging.

Also, the IC-ex310 speech synthesizer is said to provide a verbal readout of the frequency. Does it have any other functions with this rig?

Thanks
-- Rick AH7H

4076. Re: Icom IC-730 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 10:34:31 UTC
From: mike2501@hotmail.com
Message-ID: <23dae551.0210100234.70f2196c@posting.google.com>
Source record: 38786
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Hey Al. Have a 730 here too. I'm the second owner, well that I know
of! I've had one relay replaced but still have on that needs to go.
Sticks every few times that I key down. Annoying!

I DID find the mod that you need. Requires 3 resistors, 1 inductor
and 1 cap. This is the page that I found it on, for reference:

http://www.angelfire.com/biz2/mts/updates.html

But here is the direct link to the file that you need:

http://www.angelfire.com/biz2/mts/images/730preamp.jpg

I printed it out just in case the anglefire site goes down! I haven't
done the modification here yet though. Don't know if I will attempt
it (with my only radio) or pay someone who does it for a living.

Hope this helps!
Michael KD5RBO

Al <al210@Qhamster.foxhollow.ca> wrote in message
news:<n7j8qu04oqkq3bs7rjrv17hc8av8nreiqq@4ax.com>...
> I recently brought out my old IC-730 and have a couple of questions,
> if anyone can help.
>
> 1) The pre-amp relay is prone to failure. There is reference on
> Icom's website to a factory modification. Apparently this mod puts a
> small current through the contacts to keep them clean.
> Can anyone provide me with details on this mod?
>
> 2) The memory operation seems strange. I have mis-placed my
> operator's manual, but the service manual briefly states:
>
> "WRITE: By pushing this button, A VFO's frequency is written into
> memory, or one VFO's frequency is transferred to the other VFO."
>
> "MEMORY: Push this switch when you wish to write a frequency into
> memory, or to call a memorized frequency."
>
> For me, using 20m as an example, pressing WRITE always puts 14098.5
> into VFO, clearing whatever was in the VFO.
> Pressing MEMORY just recalls 14098.5.
>
> If anyone could describe or better still email me a scan of memory
> operation from the operators manual it would be greatly appreciated.

>
> 73, Al

4077. diesel generator for sale...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 11:07:34 UTC
From: "J.E.Parry" <iss00f@bangor.ac.uk>
Message-ID: <3DA55F76.54F28AAB@bangor.ac.uk>
Source record: 38787

Lister Petter diesel generator removed off a PMR trailer mast unit, Ideal Field Day or contest generator,

please see:-

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1386270085

73's de John

4078. F.S. VHF/UHF Antennas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 11:13:34 UTC
From: W3BV <w3bv@arrl.net>
Message-ID: <yhdp9.497$wZ4.113327@news2.voicenet.com>
Source record: 38788
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

CushCraft 10 Element 2 Meter FM Yagi, Model A14810S, 13.2 DBi Gain, 12' boom. $60

CushCraft 11 Element 430-435 Mhz Yagi, Model A43011SN, 13,2 DBi gain, 4' boom $50.

Hygain (made by Telex, not MFJ) 6 Element 6 Meter Yagi, Model 66DX, 10.3 DBd gain, 24' Boom, $160.

All antennas are brand new & unused, in factory sealed cartons. Prices do not include shipping. F.O.B. from Zip Code 18910

Alan, W3BV

4079. Re: Thoughts regarding IC756ProII vs. Yaesu FT 1000 MK V MP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 11:27:38 UTC
From: "J.E.Parry" <iss00f@bangor.ac.uk>
Message-ID: <3DA5642A.DCDFC304@bangor.ac.uk>
Source record: 38790

Hi,

Have owned both transceivers (two FT1000MP and PRO1 and PRO2).

I prefer the PRO2, in my opinion it has a better receiver, quieter
and more sensitive and the noise reduction works better. Note I say
opinion, as they are both top class radios and opinions may vary...

One thing - if you like a good sized radio with large knobs etc, you
might be disappointed with the PRO - it's really much smaller and it
took me a while to get used to it but now I'd not part with it. When
I have that 'need' to use a big radio I switch on my IC-775DSP - that's
also a great radio and underestimated by many - could be a great second
hand bargain...

Hope you enjoy whatever you buy,

73's de
John
gw3vvc

Web wrote:
>
> Other than the fact the Icom does 6 meter does anyone have opinions on these
> radios. I am especially interested to hear from those who have tried both.
> What did you like or dislike about a particular one of these radios? Your
> opinions will be appreciated and useful in my choice of HF transciever.
>
> Please comment to the group

4080. F.S. HD-73 Rotator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 11:51:44 UTC
From: W3BV <w3bv@arrl.net>
Message-ID: <kRdp9.495$Rk3.51410@news3.voicenet.com>
Source record: 38791
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Alliance HD-73 Heavy Duty Rotator, rated for 10.7 square feet of antennas.

Features: hard, heavy duty pitch steel gears, 100 ball bearings, mounts in tower, on tower, on top of masts 1 3/" to 2" in diameter. Automatic brake, dual speed, 1 RPM or slow speed, Illuminated 3 1/2" meter calibrated in 5 degree increments.

New and unused with control box, optional lower mast mounting support bracket and manual. $135. U Ship, F.O.B Zip Code 18910.

Alan, W3BV

W3BV@arrl.net

4081. FS:Mil. Tech. Manuals(TM's)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 13:28:49 UTC
From: Joe Hargis <joehargis@worldnet.att.net>
Message-ID: <lgfp9.113$Fr1.6165@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38792

Bid as you desire on one or any or all:

1-TM-600-2:Electronic Fundamentals Semiconductor Theory & Circuits
2-TM-655/TO-16-1-326:Fundamentals of Telegraphy(Teletype)
3-TM-678:Fundamentals of Telephone
4-TM-679:fundamentals of Carrier & Repeater
5-TM-680:Teletypewriter Circuits & Equipment(Fundamentals)
6-TM-681:Electrical Fundamentals (AC)
7-TM-839/TO31R2-2TRC28-1:Radio Transmitter:T-278/U & T-416/GR
8-TM-5076:Dynamotor-Power Supplies DY-93/G, DY-98/C, DY-100/U

Tnx Joe in MO

4082. 2-Tone Paging w/Kenwood TK-280

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 13:59:31 UTC
From: jason.martin@chek.com
Message-ID: <cc5b5e10.0210100559.29100eb9@posting.google.com>
Source record: 38793
Cross-posted to: alt.firefighters,rec.radio.amateur.equipment

I have a TK-280 (VHF) which does not have 2-Tone paging capability listed in the programming software menus. I believe it is running Version 2.0 of the radio firmware.

I also have a TK-380 (UHF) which DOES have the 2-Tone paging capability listed in the programming software menus (the same program above). This radio is running a pre-2.0 version of the radio firmware.

My questions are:

1. Does the TK-280 support 2-Tone paging?
2. If #1 true, where are the 2-Tone paging options on the KPG49D Software?

Thanks in advance for any help you can provide.

Eric
Heroes, every one of them.
http://www.lastalarm.org
n3vuz(at)arrl.net

4083. Re: Icom IC-730 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 14:04:08 UTC
From: Al <al210@Qhamster.foxhollow.ca>
Message-ID: <de1bqu80jt95pabrifuvj8hsq00mm7vn6g@4ax.com>
Source record: 38794
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Thanks. That helps clear up the memory issue.
It had not occurred to me to use the 2 buttons together. I had
pressed each separately, so that only one button at a time was pressed
at a time. In retrospect, the manual descriptions are accurate.

I figured out the VFO part as well. Pressing WRITE (MEMORY not
pressed) will write the other VFO's frequency to the current VFO. It
does not swap VFO's or otherwise change the other VFO.

If I discover the relay mod, I'll let you know.

On Wed, 9 Oct 2002 15:38:28 -0500, "KC5CQW" <kc5cqw@excite.com> wrote:

> Tune to the freq. press memo then write. Now release the memo button and
>tune with the VFO to whatever, when you want to go back to the memorized
>freq. it will be there in memo mode.
>How many times can the word "memo" be used in a question?
> I'm the 3rd owner of my 730 and it seems to have the new relay for the
>preamp, but the amp itself went out so I had to use a TenTec kit preamp
>inline. I couldn't find the right transistors.
> If you find the relay mod for the contacts, please forward them. I'd
>like to try it.
>I don't know about the VFO swapping, I never really used VFO-b or split.
>"Al" <al210@Qhamster.foxhollow.ca> wrote in message
>news:n7j8qu04oqkq3bs7rjrv17hc8av8nreiqq@4ax.com...
>> I recently brought out my old IC-730 and have a couple of questions,
>> if anyone can help.
>>
>> 1) The pre-amp relay is prone to failure. There is reference on
>> Icom's website to a factory modification. Apparently this mod puts a
>> small current through the contacts to keep them clean.
>> Can anyone provide me with details on this mod?
>>
>> 2) The memory operation seems strange. I have mis-placed my
>> operator's manual, but the service manual briefly states:
>>
>> "WRITE: By pushing this button, A VFO's frequency is written into
>> memory, or one VFO's frequency is transferred to the other VFO."
>>
>> "MEMORY: Push this switch when you wish to write a frequency into
>> memory, or to call a memorized frequency."
>>
>> For me, using 20m as an example, pressing WRITE always puts 14098.5
>> into VFO, clearing whatever was in the VFO.

>> Pressing MEMORY just recalls 14098.5.
>>
>> If anyone could describe or better still email me a scan of memory
>> operation from the operators manual it would be greatly appreciated.
>>
>> 73, Al
>> --
>> Please note there is no letter 'Q' in my address. Edit as required.
>

--
Please note there is no letter 'Q' in my address. Edit as required.

4084. REQ: MM5369EST

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 15:17:51 UTC
From: madiba <trdzr1@telkomsa.net>
Message-ID: <ao45pifca4@ctb-nnrp2.saix.net>
Source record: 38795

From :ZS1B @ZS0STB.TBG.WCP.ZAF.AF
To :HELP @WW
Date/time :10-Oct 09:53
Message # :517449
Title :NEED MM5369EST
R:021010/0953Z @:ZS0STB.TBG.WCP.ZAF.AF #:58697 [Satgat] FBB7.00g25
$:642_ZS1B

From: ZS1B@ZS0STB.TBG.WCP.ZAF.AF
To : HELP@WW

ZS1B/TPK 1.82 Msg #:642 Date:10-10-02 Time:11:52Z

Hello,

Thanks for reading this appeal for help. I am looking for a 100hz Time
Base Generator type MM 5369 EST. In my DSI Model 5500 frequency counter
this chip has gone faulty and needs replacement.

A local source said they can get it for me but the minimum order would have
to be for 1000 !

If you know of a source where I can obtain this chip, I would appreciate
hearing from you.

----------73 from BUD ZS1B--
BUD VOORTMAN Tel : 021-715-2748 FAX : 021-712-1464
PACKET ROUTE : ZS1B@ZS0STB.TBG.WCP.ZAF.AF GRID LOCATOR : JF95FW
ADDRESS : 17 TUDOR ROAD, TOKAI, CAPE TOWN. 7945. REPUBLIC of SOUTH AFRICA.

********** MEMBER OF THE SOUTH AFRICAN RADIO LEAGUE SINCE 1948 ***********

4085. Re: TS570D no powered in car ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 18:53:56 UTC
From: Thierry Lombry <lombryt@hotmail.com>
Message-ID: <3da5cca2$1_1@news.vo.lu>
Source record: 38796

"Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com> a crit dans le message news: UqCo9.9515$hb4.3022@sccrnsc02...
> You cannot power a 100W HF xcvr from the cigarette lighter plug. Only
> directly from the battery will work properly. Too much voltage drop. Too
> much current.

Ok Ed. I prefer this explanation.
What is then the maximum power (or voltage) a cigarette-lighter could support (or what model of portable RTX, a TS-50S should be enough ?)

Thierry

>
> 73,
> Ed KA9EES

4086. Anyone Have one of These?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 18:58:49 UTC
From: drooler@usa.com
Message-ID: <966d37c1.0210101058.15516bbd@posting.google.com>
Source record: 38797

Anyone have any experience/try one of these??
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=968400102

4087. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 19:27:13 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <ao4k6s$3qt$1@bob.news.rcn.net>
Source record: 38698

"Gary McAdams" <g.m.mcadams@worldnet.att.net> wrote:

> Call sign or no, modifying an Amateur rig for use on the CB band is illegal.

> Period.

Really? Can you back that up?
(Yes, I know that *using* it on the CB band is not legal...)

> I agree that CB's are useful, so if you need to transmit on CB, buy a CB!

I couldn't agree more.

4088. Re: TS570D no powered in car ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 19:56:30 UTC
From: Idontwantspam@net
Message-ID: <3da5d9e6.26888964@news.bellatlantic.net>
Source record: 38699

On Thu, 10 Oct 2002 20:53:56 +0200, "Thierry Lombry"
<lombryt@hotmail.com> wrote:

>
>"Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com> a crit dans le message
>news: UqCo9.9515$hb4.3022@sccrnsc02...
>> You cannot power a 100W HF xcvr from the cigarette lighter plug. Only
>> directly from the battery will work properly. Too much voltage drop. Too
>> much current.
>
>Ok Ed. I prefer this explanation.
>What is then the maximum power (or voltage) a cigarette-lighter could
>support (or what model of portable RTX, a TS-50S should be enough ?)
>
>Thierry
>
Voltage will be the nominal 12V (actual 13.8 or so) unless wires are
undersized.

Depends on the car, but 5A is typical, 10 is heavy duty. A 50 W mobile
rig looks for 13-15A at maximum power. A transmitter is not 100%
efficient, so you cannot just look at output power.

Standard practice is to run heavier gauge wiring direct from the
battery, with fuses on both + and - sides. I would recommend using the
standardized Anderson PowerPole connectors if you ever do PS or
emergency with other hams.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

4089. Re: TS570D no powered in car ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 22:18:22 UTC
From: mike <spamme0@juno.com>
Message-ID: <3DA5FCAE.8D5C7CD@juno.com>
Source record: 38700

I never understood about fusing the negative lead???
If the fuse opens, won't the current just go thru the
coax shield? And maybe disintegrate traces on the
low pass filter board?
With all the transients going on in a car, I'm not sure I'd
want the ground lead open.
mike
Bunch of stuff For Sale and Wanted at the link below.
http://www.geocities.com/SiliconValley/Monitor/4710/

"Gary S." wrote:

> On Thu, 10 Oct 2002 20:53:56 +0200, "Thierry Lombry"
> <lombryt@hotmail.com> wrote:
>
> >
> >"Edward L. Dowdy" <elIhatespamdowdy@ctscomp.com> a ï¿½crit dans le message
> >news: UqCo9.9515$hb4.3022@sccrnsc02...
> >> You cannot power a 100W HF xcvr from the cigarette lighter plug. Only
> >> directly from the battery will work properly. Too much voltage drop. Too
> >> much current.
> >
> >Ok Ed. I prefer this explanation.
> >What is then the maximum power (or voltage) a cigarette-lighter could
> >support (or what model of portable RTX, a TS-50S should be enough ?)
> >
> >Thierry
> >
> Voltage will be the nominal 12V (actual 13.8 or so) unless wires are
> undersized.
>
> Depends on the car, but 5A is typical, 10 is heavy duty. A 50 W mobile
> rig looks for 13-15A at maximum power. A transmitter is not 100%
> efficient, so you cannot just look at output power.
>
> Standard practice is to run heavier gauge wiring direct from the
> battery, with fuses on both + and - sides. I would recommend using the
> standardized Anderson PowerPole connectors if you ever do PS or
> emergency with other hams.
>
> Happy trails,
> Gary (net.yogi.bear)
> --
> at the 51st percentile of ursine intelligence
>

> Gary D. Schwartz, Needham, MA, USA
> Please reply to: garyDOTschwartzATpoboxDOTcom

--

4090. Re: Icom IC-730 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 22:25:09 UTC
From: "R.G. Johnson" <rob.john@verizon.net>
Message-ID: <97np9.10208$UX4.8842@nwrddc04.gnilink.net>
Source record: 38701
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Hi Al,
The memory button must be in before you press the write button. The confusion comes because the radio will change to the freq. currently in memory when you press the memory button, but will change back to the VFO frequency when you press write.
For the preamp mod, go to:
http://www.angelfire.com/biz2/mts/images/730preamp.jpg
Greg K3EWZ

"Al" <al210@Qhamster.foxhollow.ca> wrote in message
news:n7j8qu04oqkq3bs7rjrv17hc8av8nreiqq@4ax.com...
> I recently brought out my old IC-730 and have a couple of questions,
> if anyone can help.
>
> 1) The pre-amp relay is prone to failure. There is reference on
> Icom's website to a factory modification. Apparently this mod puts a
> small current through the contacts to keep them clean.
> Can anyone provide me with details on this mod?
>
> 2) The memory operation seems strange. I have mis-placed my
> operator's manual, but the service manual briefly states:
>
> "WRITE: By pushing this button, A VFO's frequency is written into
> memory, or one VFO's frequency is transferred to the other VFO."
>
> "MEMORY: Push this switch when you wish to write a frequency into
> memory, or to call a memorized frequency."
>
> For me, using 20m as an example, pressing WRITE always puts 14098.5
> into VFO, clearing whatever was in the VFO.
> Pressing MEMORY just recalls 14098.5.
>
> If anyone could describe or better still email me a scan of memory
> operation from the operators manual it would be greatly appreciated.
>
> 73, Al
> --
> Please note there is no letter 'Q' in my address. Edit as required.

4091. Re: Which UHF Repeater Amp?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 22:30:15 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <V2GdndV73cT4YjigXTWcog@News.GigaNews.Com>
Source record: 38702

IF money is no object (and that's a big IF), I'd go with the products offered by Henry Radio. Expensive, well built. They have them in base and mobile configurations, with and without bypass relays.

I managed to buy one of their mobile amps, 2-5 watts in, 70 watts out. Unfortunately there's nothing tunable inside, and I had to send it back to Henry who reworked it from 465 to 445 MHz and replaced the UHF connectors with N connectors. I added two very large fans to it and it does seem to run as cold as the proverbial cucumber. I'm driving it with a Motorola MaxTrac which gets hot while transmitting if you just look at it. Now everything is cool. I'm getting 58 watts out of the duplexer, so the amp is probably putting out closer to 80 watts.

Most mobile amps are rated for 30% to 50% duty cycle without fans. Repeater use is 100% key-down which will eventually let the hot components upset enough to self-destruct. I'd probably recommend (notice that I'm not even obeying my own words) that you run the mobile amp at maybe half its rated output for repeater use and see how well it works. If it stays cold, increase the power somewhat.

Hope this helps.
Bob M.
======
"Tim Shephard" <tim@telecom-pros.com> wrote in message
news:rT7p9.19010$OB5.1855531@newsread2.prod.itd.earthlink.net...
> I need to get a UHF amp for my repeater. I am using a hamtronics exciter
> that gives 2 watts out.
>
> I am thinking of buying a Mirage D-26N. Its rated for 2 watts in and 60
> watts out.
>
> Are these good units? How about for repeater use? I plan on adding a fan
> on the heatsink.
>
> Thanks
>
>
> --
> -Tim
>
>
>

4092. Re: Bencher Iambic Paddle, BY-1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 22:32:12 UTC
From: David Ornee <dornee@sbcglobal.net>
Message-ID: <Mdnp9.2020$qW4.746591@newssrv26.news.prodigy.com>
Source record: 38703
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace

"Mike Hall" <mghall@enteract.com> wrote in message
news:3DA0B146.42B23B99@enteract.com...
>
> For Sale:
>
> Bencher Iamic Paddle
> Model BY-1 black base, chrome components
>
> Never used, other than testing (still learning a straight key)
> With stereo mini-phone plug and cable.
>
> Asking $45; west suburbs of Chicago; shipping extra.
> Thanks!
>
> --
> Mike Hall
> http://www.enteract.com/~mghall
> AB9CO EN51VT

Can I come over and pick it up?

4093. Re: Anyone Have one of These?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 23:06:22 UTC
From: Me <me@nowhere.orgy>
Message-ID: <8t1cqucj026m5f37hdadv5c1r8n97snvs4@4ax.com>
Source record: 38704

Last night when you were over. I shoved it up your ass.
Don't you remember, Dear?

On 10 Oct 2002 11:58:49 -0700, drooler@usa.com (Arghh!) wrote:

>Anyone have any experience/try one of these??
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=968400102

4094. Re: FS: Kenwood TS-430S, Station Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 23:15:04 UTC
From: Doug Gavilanes <gavilan1@earthlink.net>
Message-ID: <3DA60930.BFD69B60@earthlink.net>
Source record: 38705
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

TS-430S sold.

AT-250 automatic antenna tuner still available.

73,

Doug, N6XQY

Doug Gavilanes wrote:

> Douglas Gavilanes wrote:
>
> > For Sale:
> >
> > 1. Kenwood TS-430S, excellent condition, never mobile. 10-80M, +160
> > receive, open TX, dual VFO, AM/SSB/CW/FM, VOX, narrow filters, loaded,
> > includes MC-80 desk microphone, padded headset with boom microphone,
> > mobile bracket (never used).
> > $400, plus UPS from 92843. Postal money order preferred.
> >
> > 2. Kenwood AT-250 antenna tuner, with control cable. Matches TS-430S.
> > Excellent condition.
> > $200, plus UPS from 92843. Postal money order preferred.
>
> Photo at:
> http://www.srigc.com/n6xqy/at250.jpg
>
> > 3. Kenwood SP-430 speaker, matches TS-430S. Sounds and looks great.
> > $60, includes UPS from 92843. Postal money order preferred.
> >
>
> Photo at:
> http://www.srigc.com/n6xqy/sp430.jpg
> http://www.srigc.com/n6xqy/sp430b.jpg
>
> > 4. Kenwood MC-48B touchtone hand microphone, with UP/DOWN buttons.
> > Excellent condition.
> > $55, includes UPS from 92843. Postal money order preferred.
> >
> > I haven't been on HF in over a year (QRM from the XYL), and I'd like to
> > expand my VHF and UHF activity, so I'm letting my HF station go.
> >
> > If interested, email to: gavilan1@earthlink.net
> >
> > TNX es 73,

> >
> > Doug Gavilanes, N6XQY
> > Garden Grove, CA.
>
> Item #1 sold.
> Photo links added for items #2 and #3.
>
> 73,
>
> Doug, N6XQY

4095. Re: Icom 751 option (UX-14 and EX310) Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-10 23:47:23 UTC
From: James Nipper <jnipper@nospam.fdn.com>
Message-ID: <Qiop9.48966$842.16029@news1.fdn.com>
Source record: 38706

A Google search yielded the following url, which I think will be helpful:

http://www.eham.net/reviews/detail/2396

73 de Jim K4PYT jnipper@fdn.com

I've an Icom IC-751 and have heard that the UX-14 provides an interface
to this rig.
Just what functions does it allow? I'm not interested in packet or
other digital modes with this rig right now, but am trying to find out
if the rig can be controlled by a computer, or at least interrogated to
provide mode and frequency information for logging.

Also, the IC-ex310 speech synthesizer is said to provide a verbal
readout of the frequency. Does it have any other functions with this
rig?

Thanks
-- Rick AH7H

4096. FA ENDS SATURDAY: YAESU FT-920 HF/6M TRANSCEIVER LOADED!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 00:25:56 UTC
From: alfansome69@yahoo.com
Message-ID: <3da619fa.8405749@newstest2.earthlink.net>
Source record: 38707
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Yaesu FT-920 160-6M transceiver. Serial #7L090337. Excellent condition operationally and cosmetically. Includes Yaesu FM board and TCXO. Also includes INRAD filter switch board with cascaded INRAD 1.8 SSB filter, plus INRAD 400 CW and 6.0 AM filters. Comes with original mic, users manual, boxes, and tech manual. Will ship to USA only. Buyer pays for professional packing by MailBoxes Etc and shipping/insurance via UPS. Buyer pays by USPS money order or PayPal.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1386499807

4097. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 01:34:52 UTC
From: KB7M <kb7m@arrl.net>
Message-ID: <1Vpp9.52$to.97815@news.uswest.net>
Source record: 38708

"Mark Walsh" <mark@km6xu.die.spam.die.com> wrote in message
news:ao4k6s$3qt$1@bob.news.rcn.net...
> "Gary McAdams" <g.m.mcadams@worldnet.att.net> wrote:
>
> > Call sign or no, modifying an Amateur rig for use on the CB band is
illegal.
>
> > Period.
>
> Really? Can you back that up?
> (Yes, I know that *using* it on the CB band is not legal...)
>
> > I agree that CB's are useful, so if you need to transmit on CB, buy a
CB!
>
> I couldn't agree more.
>
>

I don't know why we bother to continue arguing about this. Yes - it is legal to modify almost any radio to do almost any other frequency. Yes - it is legal to own a radio that can transmit on an arbitrary frequency without a license for the frequency in question. What is illegal is transmitting on a frequency for which you have no license or authorization OR transmitting on a frequency with a radio that was not designed and type accepted for that frequency (with or without a license).

Likewise, it is perfectly legal to use pot or other illicit drugs. What is illegal is to possess them. (It's irrelevant that you cannot use a drug without possessing it!)

There is no point arguing the issue. Don't possess illegal drugs, and don't transmit where you shouldn't without a license and a radio that is type accepted for the radio service and frequency where you are transmitting.

4098. Kenwood TR-7625 Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 02:21:51 UTC
From: Steve Allen <KD1UP@qsl.net>
Message-ID: <3DA635BF.472DE23C@qsl.net>
Source record: 38709

I recently received a TR-7625 that appears to work. I have the following questions about the functions.

What is the subtone button for? If it is a CTCSS tone what is it or how do you set it?

Upper right has two buttons, M and MR. MR apprears to lock tuning dial. What is M for?

Below the M and MR buttons is a button marked hi and low. High and low what?

Mode choices are M, +, S, -. What is M for?

TNX

Steve

4099. Re: 2-Tone Paging w/Kenwood TK-280

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 02:31:08 UTC
From: jason.martin@chek.com
Message-ID: <cc5b5e10.0210101831.5194bcfc@posting.google.com>
Source record: 38710
Cross-posted to: alt.firefighters,rec.radio.amateur.equipment

Thanks to Kenwood tech support, they pointed out my folly. It would seem that when you have the programming software selected for trunking, the 2tone option is not available. Once you select the radio model and specify "conventional", the 2-tone menu pick becomes available.

Now, if I could only find out the cap or reed codes for the fire department two-tone alert, I'd be in good shape.

Eric

jason.martin@chek.com (jasonm) wrote in message news:<cc5b5e10.0210100559.29100eb9@posting.google.com>...
> I have a TK-280 (VHF) which does not have 2-Tone paging capability
> listed in the programming software menus. I believe it is running
> Version 2.0 of the radio firmware.
>
> I also have a TK-380 (UHF) which DOES have the 2-Tone paging
> capability listed in the programming software menus (the same program
> above). This radio is running a pre-2.0 version of the radio firmware.
>
> My questions are:
>
> 1. Does the TK-280 support 2-Tone paging?
> 2. If #1 true, where are the 2-Tone paging options on the KPG49D
> Software?
>
> Thanks in advance for any help you can provide.
>
> Eric
> Heroes, every one of them.
> http://www.lastalarm.org
> n3vuz(at)arrl.net

4100. Re: TS570D no powered in car ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 03:36:38 UTC
From: Idontwantspam@net
Message-ID: <3da64677.54682068@news.bellatlantic.net>
Source record: 38711

On Thu, 10 Oct 2002 15:18:22 -0700, mike <spamme0@juno.com> wrote:

>I never understood about fusing the negative lead???
>If the fuse opens, won't the current just go thru the

My understanding is that you fuse the negative lead to the radio to protect it and the operator (you) in the event that the ground strap from the battery to the car chassis fails, and all of the current would otherwise return through your radio without a fuse.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

4101. Re: Which UHF Repeater Amp?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 04:15:59 UTC
From: Tim Shephard <tim@telecom-pros.com>
Message-ID: <3gsp9.21068$OB5.2020610@newsread2.prod.itd.earthlink.net>
Source record: 38712

Thanks for the feedback.

Money is a object for me though ;-)

But I will look into the Henrys

--
-Tim

"Bob M." <xxxxx@yyyy.zzz> wrote in message
news:V2GdndV73cT4YjigXTWcog@News.GigaNews.Com...
> IF money is no object (and that's a big IF), I'd go with the products
> offered by Henry Radio. Expensive, well built. They have them in base and
> mobile configurations, with and without bypass relays.
>
> I managed to buy one of their mobile amps, 2-5 watts in, 70 watts out.
> Unfortunately there's nothing tunable inside, and I had to send it back to
> Henry who reworked it from 465 to 445 MHz and replaced the UHF connectors
> with N connectors. I added two very large fans to it and it does seem to
run
> as cold as the proverbial cucumber. I'm driving it with a Motorola MaxTrac
> which gets hot while transmitting if you just look at it. Now everything
is
> cool. I'm getting 58 watts out of the duplexer, so the amp is probably
> putting out closer to 80 watts.
>
> Most mobile amps are rated for 30% to 50% duty cycle without fans.
Repeater
> use is 100% key-down which will eventually let the hot components upset
> enough to self-destruct. I'd probably recommend (notice that I'm not even
> obeying my own words) that you run the mobile amp at maybe half its rated
> output for repeater use and see how well it works. If it stays cold,
> increase the power somewhat.
>
> Hope this helps.
> Bob M.
> ======
> "Tim Shephard" <tim@telecom-pros.com> wrote in message
> news:rT7p9.19010$OB5.1855531@newsread2.prod.itd.earthlink.net...
> > I need to get a UHF amp for my repeater. I am using a hamtronics
exciter
> > that gives 2 watts out.
> >
> > I am thinking of buying a Mirage D-26N. Its rated for 2 watts in and 60
> > watts out.

> >
> > Are these good units? How about for repeater use? I plan on adding a
fan
> > on the heatsink.
> >
> > Thanks
> >
> >
> > --
> > -Tim
> >
> >
> >
>
>
>

4102. FS: Drake R4-A Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 04:27:18 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <Gqsp9.110$ng3.104@newssvr19.news.prodigy.com>
Source record: 38713
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale a very nice condition R4-A receiver.
This is the 13 tube version and is one of the nicest
you will find.
Pictures on request.
$225.00 plus shipping from 76001

-TNX-

4103. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 04:35:12 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <ao5ka9dbv1@bob.news.rcn.net>
Source record: 38714

"KB7M" <kb7m@arrl.net> wrote:
> "Mark Walsh" <mark@km6xu.die.spam.die.com> wrote:
> > "Gary McAdams" <g.m.mcadams@worldnet.att.net> wrote:

> > > Call sign or no, modifying an Amateur rig for use on the CB
> > > band is illegal.

> > Really? Can you back that up?
> > (Yes, I know that *using* it on the CB band is not legal...)

> I don't know why we bother to continue arguing about this.

It was unclear if it was misinformation or perhaps the rules had changed.

> Yes - it is legal to modify almost any radio...
> Yes - it is legal to own a radio that can transmit on an arbitrary
frequency...

> What is illegal is transmitting on a frequency for which you have
> no license or authorization...

Except in an emergency.

> Likewise, it is perfectly legal to use pot or other illicit drugs.

Interesting. Where I live (California, U.S.A.), there exist laws
that prohibit being "under the influence of a controlled substance."
There exists no exception for emergencies. :-O

> What is illegal is to possess them...

Few prohibitions in the U.S.A. against posessing 'modified' equipment.
I don't know of any federal prohibitions on posession of HF equipment.

> There is no point arguing the issue. Don't possess illegal drugs, and don't
> ... don't transmit where you shouldn't without a license...

Except in an emergency.

Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4104. Re: TS570D no powered in car ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 04:39:37 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <ao5kii$e0q$1@bob.news.rcn.net>
Source record: 38715

"Gary S." <Idontwantspam@net> wrote:

> My understanding is that you fuse the negative lead to the radio to
> protect it and the operator (you) in the event that the ground strap
> from the battery to the car chassis fails, and all of the current
> would otherwise return through your radio without a fuse.

I knew a guy who had this happen. When starting his car,
a *lot* of current travelled on the negative lead from the
radio to the battery. Sadly, he had zip-tied the rig's supply
wires to a wiring harness, necessitating a very expensive repair.

Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4105. Re: Kenwood TR-7625 Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 04:44:18 UTC
From: "Bob Parnass, AJ9S" <usenet1@parnass.org>
Message-ID: <3da65743$0$1459$272ea4a1@news.execpc.com>
Source record: 38716

The following are educated guesses:

I think the M stores a frequency in a memory channel.
MR is Memory Recall which tunes the transceiver to the
frequency in the memory and ignores the tuning knobs.

Mode of M probably uses the memory register in conjuntion with
the dial to determine the different frequencies for
xmit and receive for oddball repeater splits.

--
==
Bob Parnass, AJ9S Linux User http://parnass.com

4106. Re: 2-Tone Paging w/Kenwood TK-280

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 10:59:05 UTC
From: John P Vassel <kc8ske@cybiko.com>
Message-ID: <3da6aef9$0$1426$2c3e98f8@news.voyager.net>
Source record: 38717
Cross-posted to: alt.firefighters,rec.radio.amateur.equipment

jason.martin@chek.com (jasonm) wrote in
news:cc5b5e10.0210101831.5194bcfc@posting.google.com:

> Thanks to Kenwood tech support, they pointed out my folly. It would
> seem that when you have the programming software selected for
> trunking, the 2tone option is not available. Once you select the radio
> model and specify "conventional", the 2-tone menu pick becomes
> available.
>
> Now, if I could only find out the cap or reed codes for the fire
> department two-tone alert, I'd be in good shape.
>
> Eric

Eric, the two methods are 1. Contacting the local radio shop who services your pagers, or 2. Find an old motorola brick radio, or pager, and read the numbers off the tones. You'll need to cross reference them to a frequency(hertz) chart in order to get the numbers kenwood is looking for, but it can be done. If you manage to get the QC (quickcall) numbers, hollar back, somewhere I've got the link to the cross reference chart.

--
John P. Vassel
KC8SKE
Roxand Township Fire Dept.

4107. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 11:07:29 UTC
From: Gary McAdams <g.m.mcadams@worldnet.att.net>
Message-ID: <Rhyp9.17081$ue4.1034503@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38718

Mark Walsh <mark@km6xu.die.spam.die.com> wrote in message
news:ao4k6s$3qt$1@bob.news.rcn.net...
> "Gary McAdams" <g.m.mcadams@worldnet.att.net> wrote:
>
> > Call sign or no, modifying an Amateur rig for use on the CB band is
illegal.
>
> > Period.
>
> Really? Can you back that up?
> (Yes, I know that *using* it on the CB band is not legal...)
>
> > I agree that CB's are useful, so if you need to transmit on CB, buy a
CB!
>
> I couldn't agree more.
>
>
>

Mark,

If you wish proof please peruse part 95 and part 97
of the FCC rules. I'm not going to do the research
for you. The rules are very clear about what type
of radios are to be used in various services.

We are NOT talking about receiving here, only
transmit, as I'm sure you are aware.

Why do you, as a licensed amateur, even want to
debate this? Is this arguing simply for it's own sake?

I don't have to "back up" my statement. It is true and
you know it. Why debate what we both know to be true?

I repeat: If you wish to talk on CB, then buy a CB.
Having an Amateur ticket does not give you license
to use your amateur gear on ANY frequency of your
choice.

Having an Amateur radio license gives us the privilege
of using the airwaves. It also come with the responsibility
to abide by the rules governing our service. It does not
give anyone a blank check to do whatever they please.

At any rate, I'm not going to engage in a long fruitless debate with you over this issue. If you wish to use your equipment illegally, fine. Go right ahead... Its your Amateur license at risk, not mine.

73 Gary WG7X

4108. FS: S-200 Hallicrafters Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 11:15:11 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <9lcdqugeqp4jm4gi915d6tdl6ctise7fmk@4ax.com>
Source record: 38719

FOR SALE:

Hallicrafters S-200 Legionnaire classic shortwave receiver set.
Excellent shape, slide-rule dial type set, with excellent front panel.
Unusual design. Has 5 Bands.
AM BC band plus 4 shortwave broadcast bands.
Full coverage of the 49 m, 31m, 25m and 19m bands.
Also has a logging scale.

Has controls for volume, tone, band and tuning. Also has
a front-mounted headphone jack.

All original knobs. Brown metal case.

Will sell for $115.00 plus shipping

Reply by E-mail to arrange purchase

- - -
Commyanism is the woyste thing I evah hoyde - Robin Williams

4109. WTB: Data & Programming cable for MKIIG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 12:59:58 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <iXzp9.454$1P1.46171@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38720
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.swap

I'm looking for the Data cable(PSK31, RTTY, etc) and a programming cable
for my 706MKIIG.
HRO wants $125 for the programming cable, can't find the data cable
anywhere.
Any help would be appreciated.
thnx
Please email direct
RW613@lycos.com

4110. Re: WTB: Data & Programming cable for MKIIG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 14:53:32 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3DA6E531.4597A204@tampabay.rr.com>
Source record: 38721
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.swap

hello
unless the MkIIG is differnt from the MrkII the only cable is the CIV17 which
allows you to control the radio not to program it i emailed RT Systems asking
if they made software for the 706s and they told me that the radio isnt
capable of programming like the other radios they make software for
if you want the CIV17 type of cable check out www.hosenose.com
they sell of for like $50 i bought that one for mine MkII and it controlled
the radio fine
as for the data cable i think you have to make that one up yourself
good luck

US Patriot wrote:

> I'm looking for the Data cable(PSK31, RTTY, etc) and a programming cable
> for my 706MKIIG.
> HRO wants $125 for the programming cable, can't find the data cable
> anywhere.
> Any help would be appreciated.
> thnx
> Please email direct
> RW613@lycos.com

4111. Re: Anyone Have one of These?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 15:11:24 UTC
From: Chris <n8cop@comcast.net>
Message-ID: <CPucnQRDK4GOdzugXTWcoQ@News.GigaNews.Com>
Source record: 38722

I'm trying to understand what this has to do with radio equipment??? Hmmm, maybe its all made of wire and we can use her for a dipole !!!!!!!!!!

CM

4112. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 15:31:31 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <ao6qop$d8d$1@bob.news.rcn.net>
Source record: 38723

"Gary McAdams" <g.m.mcadams@worldnet.att.net> wrote:
> Mark Walsh <mark@km6xu.die.spam.die.com> wrote:
> > "Gary McAdams" <g.m.mcadams@worldnet.att.net> wrote:

> > > Call sign or no, modifying an Amateur rig for use on the
> > > CB band is illegal.

> > > Period.

> > Really? Can you back that up?

> If you wish proof please peruse part 95 and part 97 of the FCC rules.

I have had links to them on my web site for five years.
I see no proof there. Perhaps you know something I don't.

> Why do you, as a licensed amateur, even want to debate this?

I just want to know the truth. I've had a 'modified' radio for
over ten years (that has never been used to transmit 'out of band').

> I repeat: If you wish to talk on CB, then buy a CB.

I repeat: I agree.

> Having an Amateur radio license gives us the privilege
> of using the airwaves. It also come with the responsibility
> to abide by the rules governing our service. It does not
> give anyone a blank check to do whatever they please.

Yes, and I have never said otherwise.

Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4113. Re: Anyone Have one of These?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 16:14:57 UTC
From: Jake <Jake@napster.com>
Message-ID: <5OCp9.106326$IL6.5834387@news2.east.cox.net>
Source record: 38724

More like a tower hole

"Chris" <n8cop@comcast.net> wrote in message
news:CPucnQRDK4GOdzugXTWcoQ@News.GigaNews.Com...
> I'm trying to understand what this has to do with radio equipment??? Hmmm,
> maybe its all made of wire and we can use her for a dipole !!!!!!!!!!
>
>
> CM
>
>

4114. Re: WTB: Data & Programming cable for MKIIG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 16:43:54 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <edDp9.649$1P1.62578@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38725
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.swap

thnx for the info

4115. Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 19:55:58 UTC
From: AJ Sanderson <sjay@noospam.com>
Message-ID: <ao7ak3buv1@slb5.atl.mindspring.net>
Source record: 38726
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

I recently read a post where a gentlemen is using a Wavetek Sam I catv analyzer as a 4-400 Mhz spectrum analyzer at low cost. Is this possible and how does such a unit compare with regular commercial spectrum analyzers? I'd like to find out a little more about this unit... is it solid state, can it be used at 50 ohm impedance, accuracy specs, step attenuator, easily serviced, etc.... so I'd appreciate any such posts from someone using this unit as an RF analyzer.

Thanks,
AJ

4116. FS: Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 20:53:00 UTC
From: woodhead <NOSPAMwood3590@yahoo.com>
Message-ID: <MSGp9.1012$1P1.82863@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38727

This is a Kepco Model 605 and will power just about any boat anchor you throw at it. It provides:

0 to 600 Volts DC variable at up to 500 mA continuous duty and is fully electronically regulated to within .3 Volts.

It also provides minus 0 to 150 Volts bias and 6.3 Volts at 20 Amps.

DC supplies are fully metered.

This power supply is a brute and is for pickup only near Ventura, CA. It is rack mount, 10 1/2 x 19 x 17 and is heavy. The original manual is included.

$150.00

NOSPAMwood3590@yahoo.com

4117. Re: WTB: Data & Programming cable for MKIIG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 21:05:55 UTC
From: PawPaw <PawPaw@granpa.com>
Message-ID: <T2Hp9.22748$OB5.2132280@newsread2.prod.itd.earthlink.net>
Source record: 38728
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.swap

Dennis, why don't you just go back to sleep?

we'll wake you if we need any QRN from the HF Group :-)

Why don't you just stay out of the VHF-UHF Groups and keep your CB Style A.M
QRN to yourself?

"Dennis Kaylor" <k4oxg@tampabay.rr.com> wrote in message
news:3DA6E531.4597A204@tampabay.rr.com...
> hello
> unless the MkIIG is differnt from the MrkII the only cable is the CIV17
which
> allows you to control the radio not to program it i emailed RT Systems
asking
> if they made software for the 706s and they told me that the radio isnt
> capable of programming like the other radios they make software for
> if you want the CIV17 type of cable check out www.hosenose.com
> they sell of for like $50 i bought that one for mine MkII and it
controlled
> the radio fine
> as for the data cable i think you have to make that one up yourself
> good luck
>
> US Patriot wrote:
>
> > I'm looking for the Data cable(PSK31, RTTY, etc) and a programming
cable
> > for my 706MKIIG.
> > HRO wants $125 for the programming cable, can't find the data cable
> > anywhere.
> > Any help would be appreciated.
> > thnx
> > Please email direct
> > RW613@lycos.com
>
>

4118. Re: Anyone Have one of These?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 21:08:56 UTC
From: Max <ve3tmt@yahoo.ca>
Message-ID: <h6Hp9.31599$da7.726829@news20.bellglobal.com>
Source record: 38730

"Arghh!" <drooler@usa.com> wrote in message
news:966d37c1.0210101058.15516bbd@posting.google.com...
> Anyone have any experience/try one of these??
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=968400102

Although really not appropriate here, it's almost as good looking as the
FT1000D!

4119. Wanted: Icom Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 21:09:00 UTC
From: rs2bk@aol.com
Message-ID: <20021011170900.17795.00000932@mb-fl.aol.com>
Source record: 38729

Looking for a UT-36 voice synsethizer unit and an EX-243
keyer unit. My IC-970 is lonley.

Thanks for the read,

Jim Roseman, w9ud
Moline, IL

4120. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-11 23:24:37 UTC
From: jer1538a@aol.com
Message-ID: <20021011192437.12439.00000938@mb-fg.aol.com>
Source record: 38731

who cares
do what you want and dont brag about it....you will have no trouble

4121. Re: TS570D no powered in car ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 00:32:40 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <0JucnSdZlfPS4DqgXTWc3g@News.GigaNews.Com>
Source record: 38732

If you wire the rig directly to the battey with the negative wire and the negative lead of the battery of the car opens up , all the current for the car goes to the negative wire of the rig. Then it goes out the coax connector and unwanted things hapen.

I always wire the negative lead directly to the frame of the car with a short wir and no fuse.. This eliminates the above problem. Most of the time I use a relay for the positive voltage that activates when the inition switch for the car is turned on. I have not had any moble problems in the 30 years I have been doing it this way.

"mike" <spamme0@juno.com> wrote in message news:3DA5FCAE.8D5C7CD@juno.com...
> I never understood about fusing the negative lead???
> If the fuse opens, won't the current just go thru the
> coax shield? And maybe disintegrate traces on the
> low pass filter board?
> With all the transients going on in a car, I'm not sure I'd
> want the ground lead open.

4122. Re: Which UHF Repeater Amp?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 00:39:07 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <y-ucnTnQArZD4zqgXTWcow@News.GigaNews.Com>
Source record: 38733

Most of the ham amps will melt down in repeater use. Find a old GE Mastr ll
. Remove the amp section. It takes about 200 miliwatts of drive to give
the rated output power. Mater of fact, junk the hamtronics stuff and just
get a whole Mastr ll unit. The moble unit is fine for most applications and
you can recrystal the thing plus buy it for less than the cost of most amps.

Motorola stuff can be done the same way.

Go here and click on the repeater builders technical info page.

http://www.kuggie.com/rbtip/

"Tim Shephard" <tim@telecom-pros.com> wrote in message
news:rT7p9.19010$OB5.1855531@newsread2.prod.itd.earthlink.net...
> I need to get a UHF amp for my repeater. I am using a hamtronics exciter
> that gives 2 watts out.
>
> I am thinking of buying a Mirage D-26N. Its rated for 2 watts in and 60
> watts out.
>
> Are these good units? How about for repeater use? I plan on adding a fan
> on the heatsink.
>
> Thanks
>
>
> --
> -Tim
>
>
>

4123. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 02:07:09 UTC
From: Gary McAdams <g.m.mcadams@worldnet.att.net>
Message-ID: <htLp9.18107$ue4.1108144@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38734

Mark Walsh <mark@km6xu.die.spam.die.com> wrote in message > > If you wish proof please peruse part 95 and part 97 of the FCC rules.
>
> I have had links to them on my web site for five years.
> I see no proof there. Perhaps you know something I don't.

Probably.

>
> I just want to know the truth.

The truth is in part 95.

>I've had a 'modified' radio for
> over ten years (that has never been used to transmit 'out of band').

Oh, really?

Why is it modified then?

Part 97 has no stipulation against
Amateurs modifying any type of radio
for use on the Ham bands.

Part 95 does.

Is that hard to grasp, or do you just like
to argue?

I suspect the latter.

73 Gary WG7X

4124. Strange problem with TH-F6a

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 03:17:37 UTC
From: va3sg <"my callsign"@rac.ca>
Message-ID: <uqf52c3s9f9446@corp.supernews.com>
Source record: 38735

Just playing around with a new Kenwood TH-F6A, and I find that when transmitting on high power on 440 (5w), the unit immediately shuts down and I have to remove and re-seat the battery to re-start the HT.
I suspect there may be a current limit sensor somewhere? I assume on 440, the stock antenna is lousy and may be giving high SWR. If I hold the antenna in my hand while TX, it stays on.
All other bands and power levels are ok. I tried a RH-77 on same rig, and seems to be ok at 5W on 440.
Is the stock antenna that bad, of is the battery /sensor just a bit too sensitive?

If anyone else has had this problem, let me know what the fix may have been
Thanks
Steve
VE3CWJ/VA3SG

4125. Re: Strange problem with TH-F6a

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 04:37:22 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <CzNp9.931$46.239@fe01>
Source record: 38736

"va3sg" <"my callsign"@rac.ca> wrote in message
news:uqf52c3s9f9446@corp.supernews.com...
> Just playing around with a new Kenwood TH-F6A, and I find that when
> transmitting on high power on 440 (5w), the unit immediately shuts down
and
> I have to remove and re-seat the battery to re-start the HT.
> I suspect there may be a current limit sensor somewhere? I assume on 440,
> the stock antenna is lousy and may be giving high SWR. If I hold the
antenna
> in my hand while TX, it stays on.
> All other bands and power levels are ok. I tried a RH-77 on same rig, and
> seems to be ok at 5W on 440.
> Is the stock antenna that bad, of is the battery /sensor just a bit too
> sensitive?
>
> If anyone else has had this problem, let me know what the fix may have
been
> Thanks
> Steve
> VE3CWJ/VA3SG
>

Mine works FB on all bands with the stock antenna regardless of power
setting. However, it does work far better on an aftermarket antenna...

73 de W6DKN

4126. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 04:39:30 UTC
From: Jim Yanik <jyanikX@kua.net>
Message-ID: <Xns92A56E2DF142jyanikkuanet@204.117.192.21>
Source record: 38737
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment

"AJ Sanderson" <sjay@noospam.com> wrote in
news:ao7ak3buv1@slb5.atl.mindspring.net:

> I recently read a post where a gentlemen is using a Wavetek Sam I catv
> analyzer as a 4-400 Mhz spectrum analyzer at low cost. Is this
> possible and how does such a unit compare with regular commercial
> spectrum analyzers? I'd like to find out a little more about this
> unit... is it solid state, can it be used at 50 ohm impedance,
> accuracy specs, step attenuator, easily serviced, etc.... so I'd
> appreciate any such posts from someone using this unit as an RF
> analyzer.
>
> Thanks,
> AJ
>
>
>

It's not going to be nearly as good as a spec analyzer. You can see spurs
and harmonic and non-harmonic distortion with a real SA,and better
accuracies. The SAM is basically a freq-tuned voltmeter.Made for 75 ohm
impedances,that's what cable is. You could use a 50-75 ohm pad,but accuracy
will suffer.
(I used to work for the company that Wavetek bought,that made the SAM
meters. Mid-State Electronics, ;-))

I'd buy one of those inexpensive SA's before I'd spend any money on a
SAM,if you want a RF analyzer.

--
Jim Yanik,NRA member
remove X to contact me

4127. Re: Radio Shack Amateur Radio Logbook?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 05:00:57 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <o3bfquk5j3us1gnn9ldl6jhv9n7tnbst04@4ax.com>
Source record: 38738

On 9 Oct 2002 17:51:32 -0700, k3pi@arrl.net (radiok3pi) wrote:

>Similary, a few minutes in MS Excel or any other spreadsheet, you can
>create a log as simple or complex as you want. I have done my ham log
>and MW DXing log on Excel for years now. 3-hole punch them into a
>binder.

Don't suppose you'd wanna email one of those to me so I can take a
look at it?
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

4128. Re: Kenwood TR-7625 Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 06:25:21 UTC
From: Jim <nj3t@floodcity.net>
Message-ID: <3da7bb1f_3@corp.newsgroups.com>
Source record: 38739

I have a manual for this rig if you need one.
I ran into trouble with the KNWD tr-7625 here. Seems the "unlock" light came on after a power down and now I can't get it to tx/rx at all. Everything else works fine. The manual says to simply change the frequency and the pll will return to normal. This has been tried over and over. Does anyone know how to reset the pll ?
--

73 de Jim
ARO: NJ3T
email: nj3t@arrl.net

"Steve Allen" <KD1UP@qsl.net> wrote in message
news:3DA635BF.472DE23C@qsl.net...
I recently received a TR-7625 that appears to work. I have the following questions about the functions.

What is the subtone button for? If it is a CTCSS tone what is it or how do you set it?

Upper right has two buttons, M and MR. MR apprears to lock tuning dial. What is M for?

Below the M and MR buttons is a button marked hi and low. High and low what?

Mode choices are M, +, S, -. What is M for?

TNX

Steve

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

4129. looking for Icom hm56a or hm23 microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 06:29:02 UTC
From: Jim <nj3t@floodcity.net>
Message-ID: <3da7bbfc_1@corp.newsgroups.com>
Source record: 38740

Does anyone have a Icom mic they would like to sell ??
Please, no bad news ..... looking for working microphone.

email me with description and price please
Thanks,
73 de Jim
ARO: NJ3T
email: nj3t@arrl.net

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

4130. Re: Icom 751 option (UX-14 and EX310) Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 07:06:14 UTC
From: "rick@rickfrazier.com" <rick@rickfrazier.com>
Message-ID: <3DA7C9E6.7537DD14@rickfrazier.com>
Source record: 38741

James:

I've seen it, but I still have the question, which is why I asked in the first place:

Just what functions does it (the UX-14, or the Piexx version) allow (provide)?

Maybe I should ask more specifically:
Can I control the frequency and mode of the radio from the Computer?
Can I poll the radio and get signal strength information, or at least the current frequency and mode?

What software is available for the IC-751, who produces it, and what functions does it support?

I'm not adverse to spending some of my relatively small pool of "ham money" but I want to know if I'm going to get decent value for my purchase before I let go of my cash....

Thanks
--Rick AH7H

James Nipper wrote:

> A Google search yielded the following url, which I think will be helpful:
>
> http://www.eham.net/reviews/detail/2396
>
> 73 de Jim K4PYT jnipper@fdn.com
>
> ---
>
> I've an Icom IC-751 and have heard that the UX-14 provides an interface
> to this rig.
> Just what functions does it allow? I'm not interested in packet or
> other digital modes with this rig right now, but am trying to find out
> if the rig can be controlled by a computer, or at least interrogated to
> provide mode and frequency information for logging.
>
> Also, the IC-ex310 speech synthesizer is said to provide a verbal
> readout of the frequency. Does it have any other functions with this
> rig?
>
> Thanks
> -- Rick AH7H

4131. FT/FS Kendecom 220 MR4 receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 08:50:27 UTC
From: DBN <dnicholson@mcmsys.com>
Message-ID: <ao99g9$5ns$1@news.mcmsys.com>
Source record: 38745

have a like new Kendecom MR4 receiver with rack mount for sale. Unit is like new. I got it for my 220 repeater and then decided to buy a whole new machine. It is in near mint condition with NO air time on it. This is a 220mhz receiver. For specs and a picture use the following URL WWW.advcommsys.com/mr4rack.html

The list price is $600 but am asking a lot less.
The receiver is crystalled and aligned on 224.02 right now. Here is that up grade for your 220 repeater or the control receiver that you wanted for your 2 meter/440 repeater.

$250/OBO plus shipping.
Or trade for a VHF duplexer that will do 600khz split.

Thanks for looking
Dan/N&#65533;FPE

4132. Re: Icom 751 option (UX-14 and EX310) Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 12:57:46 UTC
From: James Nipper <jnipper@nospam.fdn.com>
Message-ID: <yZUp9.48971$842.15964@news1.fdn.com>
Source record: 38742

Appropriate Google searches will yield all of this information.

73 de Jim K4PYT

James:

I've seen it, but I still have the question, which is why I asked in the first place:

Just what functions does it (the UX-14, or the Piexx version) allow (provide)?

Maybe I should ask more specifically:
Can I control the frequency and mode of the radio from the Computer?
Can I poll the radio and get signal strength information, or at least the current frequency and mode?

What software is available for the IC-751, who produces it, and what functions does it support?

I'm not adverse to spending some of my relatively small pool of "ham money" but I want to know if I'm going to get decent value for my purchase before I let go of my cash....

Thanks
--Rick AH7H

4133. Antenna MADE for AO-40!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 13:27:25 UTC
From: G Rollins <address@mysite.com>
Message-ID: <hp8gquke1ufub0sfltprt89g4sg46gr9f8@4ax.com>
Source record: 38743

I got tired of straining to hear signals from AO-40 with my barbecue grill dish and developed a circular polarized antenna that WORKS! I talked a manufacturer into producing small quantities of these specialized AO-40 antennas, and I am now making this antenna available to the amateur radio community. It is an offset parabolic and there is NO aperture blockage of the incoming signal. Plus, you can connect your downconverter directly to the feed with no signal line loss. Extremely efficient, this antennas design includes many advantages over other dishes. I have current stock and most orders ship the same or next business day. The 3' N3IYR dish outperforms any other commercially available AO-40 antenna. Please visit my web site and look my antenna over. Leave me a comment if you like, or ask any questions you might have.
TNX es 73!
Glenn N3IYR
http://www.n3iyr.com

4134. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 13:42:29 UTC
From: Gary McAdams <g.m.mcadams@worldnet.att.net>
Message-ID: <9FVp9.2438$1P1.170437@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38744

Dick Hughes <rhughes33@cableone.net> wrote in message
news:q88fqu41qmf4eba6qvdpaa1dl9ktlufm31@4ax.com...
> Is that what you really meant to say? There is nothing in Part 95
> that would prevent, for example, a licensed amateur radio operator
> from modifying a citizen's band radio for use on 10-meters. Part 95
> does, however, prohibit modifying a citizen's band radio to be used on
> the citizen's band. It would no longer be certified under Part 95.
>
> Dick - W6CCD
>

Hi Dick,

Yes, that is exactly what I meant to say.

You have just agreed with me, did you not
see that?

What you said is exactly what I said, only
phrased differently.

Thanks.

Gary WG7X

4135. Manual Yaesu FT 23 R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 13:58:43 UTC
From: ralph.kuebler@datacomm.ch
Message-ID: <dd756cf6.0210120558.17832b27@posting.google.com>
Source record: 38746

Were can i download this manual?

4136. Kenwood TS-680 for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 14:16:34 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <69Wp9.25298$OB5.2249604@newsread2.prod.itd.earthlink.net>
Source record: 38747

Very clean Kenwood TS-680-S
160 through 6 meters, general coverate receiver
All modes, no extra boards to find!
Optional Kenwood CW filter installed
With mic, power cord, manual
$475 shipped!
--
Best Regards...Frank KG9H

Frank Krozel
Voice 630-924-1600
Fax 630-924-1668
Cell 630-890-5421 24/7
Home 630-653-9090

4137. Wanted Motorola HT800 software (see message)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 14:38:41 UTC
From: Kentish Contractor <kentman@ADTRAP.co.uk>
Message-ID: <rtcgqu8ebej1vl4qddg4qanaj5chu5vuh5@4ax.com>
Source record: 38598
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Has anyone got some more up to date software for programming the HT800
Motorola. I have the original DOS version, but it wont work on a
Pentium CPU based PC.
Thanks
KC

4138. Wanted Motorola HT800 software (see message)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 14:42:21 UTC
From: Kentish Contractor <kentman@ADTRAP.co.uk>
Message-ID: <v5dgqug18llg4b2f9bolrsdtfo3e2rf3ok@4ax.com>
Source record: 38599
Cross-posted to: rec.radio.amateur.equipment,rec

Has anyone got some more up to date software for programming the HT800
Motorola. I have the original DOS version, but it wont work on a
Pentium CPU based PC.
Thanks
KC

4139. MFJ-9410 HELP Need Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 14:50:28 UTC
From: p.s.bijpost@chello.nl
Message-ID: <d44f12a7.0210120650.4f67ee3d@posting.google.com>
Source record: 38600

Hello all,

Recently obtaind a second hand 9410 MFJ QRP rig.
Having problems with final/driver allignment.

Does anyone have a digital copy of the schematic&part list ?
Here in Europe very hard to get..

Thanks for any help !

73'Paul
The Netherlands

4140. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 15:16:43 UTC
From: Man Li <manli88@netvigator.com>
Message-ID: <ao9ecp$5ub4@imsp212.netvigator.com>
Source record: 38601
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

No you should not use it as spectrum analyzer unless you only need a very simple, low resolution and poor accuracy analyzer.
Bye.

Man

"AJ Sanderson" <sjay@noospam.com> ���g��l��s�D
:ao7ak3buv1@slb5.atl.mindspring.net...
> I recently read a post where a gentlemen is using a Wavetek Sam I catv
> analyzer as a 4-400 Mhz spectrum analyzer at low cost. Is this possible
and
> how does such a unit compare with regular commercial spectrum analyzers?
> I'd like to find out a little more about this unit... is it solid state,
can
> it be used at 50 ohm impedance, accuracy specs, step attenuator, easily
> serviced, etc.... so I'd appreciate any such posts from someone using this
> unit as an RF analyzer.
>
> Thanks,
> AJ
>
>

4141. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 15:26:20 UTC
From: AJ Sanderson <sjay@noospam.com>
Message-ID: <ao9eue$55c$1@nntp9.atl.mindspring.net>
Source record: 38602
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

Ok, guys. What would be examples of good, used, lower cost rf analyzers that I could look for that wouldn't break the bank. Say 500 Mhz bandwidth (150 Mhz minimal acceptable).

AJ

"Man Li" <manli88@netvigator.com> wrote in message
news:ao9ecp$5ub4@imsp212.netvigator.com...
> No you should not use it as spectrum analyzer unless you only need a very
> simple, low resolution and poor accuracy analyzer.
> Bye.
>
> Man
>
> "AJ Sanderson" <sjay@noospam.com> ���g��l��s�D
> :ao7ak3buv1@slb5.atl.mindspring.net...
> > I recently read a post where a gentlemen is using a Wavetek Sam I catv
> > analyzer as a 4-400 Mhz spectrum analyzer at low cost. Is this possible
> and
> > how does such a unit compare with regular commercial spectrum analyzers?
> > I'd like to find out a little more about this unit... is it solid state,
> can
> > it be used at 50 ohm impedance, accuracy specs, step attenuator, easily
> > serviced, etc.... so I'd appreciate any such posts from someone using
this
> > unit as an RF analyzer.
> >
> > Thanks,
> > AJ
> >
> >
>
>

4142. Re: TS570D no powered in car ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 15:28:25 UTC
From: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com>
Message-ID: <scXp9.15865$gr6.13266@rwcrnsc53>
Source record: 38603

I wouldn't try to draw more than 2 or 3 amps from a cigarette lighter plug.
Voltage will be near the same as the battery. A TS-50 is a 100W HF rig too.
No 100W anything is going to work via this plug.

73,
Ed KA9EES

"Thierry Lombry" <lombryt@hotmail.com> wrote in message
news:3da5cca2$1_1@news.vo.lu...
:
: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com> a crit dans le message
: news: UqCo9.9515$hb4.3022@sccrnsc02...
: > You cannot power a 100W HF xcvr from the cigarette lighter plug. Only
: > directly from the battery will work properly. Too much voltage drop. Too
: > much current.
:
: Ok Ed. I prefer this explanation.
: What is then the maximum power (or voltage) a cigarette-lighter could
: support (or what model of portable RTX, a TS-50S should be enough ?)
:
: Thierry
:
: >
: > 73,
: > Ed KA9EES
:
:
:

4143. Re: Which UHF Repeater Amp?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 15:43:17 UTC
From: Tim Shephard <tim@telecom-pros.com>
Message-ID: <pqXp9.25511$OB5.2247757@newsread2.prod.itd.earthlink.net>
Source record: 38604

I prefer not to junk the hamtronics stuff. It is the only thing that has run w/o failure in my repeater for the last 10 years.

I had been running a motorola brick amp, but since it was for 460mhz and 5 watt drive, I never liked its operation.

So, now I am looking for a 2 watt input replacement.

I would buy the hamtronics stuff for that, but they want $200 for a 2watt to 10 watt ipa, then you have to buy the power amp for $600. I would probably never die though....

--
-Tim

"Ralph Mowery" <rmowery@ctc.net> wrote in message
news:y-ucnTnQArZD4zqgXTWcow@News.GigaNews.Com...
> Most of the ham amps will melt down in repeater use. Find a old GE Mastr
ll
> . Remove the amp section. It takes about 200 miliwatts of drive to give
> the rated output power. Mater of fact, junk the hamtronics stuff and just
> get a whole Mastr ll unit. The moble unit is fine for most applications
and
> you can recrystal the thing plus buy it for less than the cost of most
amps.
>
> Motorola stuff can be done the same way.
>
> Go here and click on the repeater builders technical info page.
>
> http://www.kuggie.com/rbtip/
>
>
> "Tim Shephard" <tim@telecom-pros.com> wrote in message
> news:rT7p9.19010$OB5.1855531@newsread2.prod.itd.earthlink.net...
> > I need to get a UHF amp for my repeater. I am using a hamtronics
exciter
> > that gives 2 watts out.
> >
> > I am thinking of buying a Mirage D-26N. Its rated for 2 watts in and 60
> > watts out.
> >
> > Are these good units? How about for repeater use? I plan on adding a
fan
> > on the heatsink.
> >

> > Thanks
> >
> >
> > --
> > -Tim
> >
> >
> >
>
>
>

4144. FA: Mint-o SWAN 420 Remote VFO at a Mere $31, Last day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 15:47:31 UTC
From: rlucch2098@aol.com
Message-ID: <20021012114731.04487.00001457@mb-fi.aol.com>
Source record: 38605

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150340

4145. FA: Almost MINT Heathkit HW-12A Mono-bandetr for 75mtrs, 1-Day left

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 15:49:25 UTC
From: rlucch2098@aol.com
Message-ID: <20021012114925.04487.00001459@mb-fi.aol.com>
Source record: 38606

Real nice with pictures to boot!
You'd be hard pressed to find a nicer one!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150357

4146. FS: Nice RCA WV-98C Senior Voltohmist VTVM, Parts/Repair>CHEEP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 15:51:32 UTC
From: rlucch2098@aol.com
Message-ID: <20021012115132.04487.00001463@mb-fi.aol.com>
Source record: 38607

Real nice with pictures to boot!
At a big $15
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150327

4147. fa>> 35-Genuine CERAMIC Speader Insulators, NOS for open wire lines

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 15:53:28 UTC
From: rlucch2098@aol.com
Message-ID: <20021012115328.04487.00001465@mb-fi.aol.com>
Source record: 38608

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150364

4148. fa- Antique Western Electric Headphoniums, No bids, still $9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 15:55:06 UTC
From: rlucch2098@aol.com
Message-ID: <20021012115506.04487.00001466@mb-fi.aol.com>
Source record: 38609

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150318

4149. fa>>->TWO-MSA professional Envirnomental/gas masks-sanitized@$20

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 15:57:56 UTC
From: rlucch2098@aol.com
Message-ID: <20021012115756.04487.00001469@mb-fi.aol.com>
Source record: 38610

Real nice with pictures to boot!
Original Cost was almost $200 ea., Not Military Surplus/Throw-away masks!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=720727654

4150. Need manual DJ-190T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 15:59:45 UTC
From: gary.bonebrake@highstream.net
Message-ID: <RFXp9.1008$46.876@fe01>
Source record: 38611

HELP!! Need users/operator manual for Alinco DJ-190T
Will pay shipping for copy or loan to copy.
Please email direct to N5CFO@ARRL.NET.

Thanks.

4151. FS or Trade list 10-12-02

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 19:42:52 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <0X_p9.15682$NW3.2819@sccrnsc03>
Source record: 38612

Please if you have questions or want to make a trade contact me off
list at my e-mail gundoc@insightbb.com some of these
lists are not swap lists and only tolerate my post because it is only
once a week. To the group owners thank you for letting me continue
to post to the group.
Dean

GE Portables

GE MPA VHF Scan 136 - 150.8 split 192 channels nice 9.0
Condition. With battery and antenna. I have this programmed for
Ham and up to 152 MHz $225.00

GE MPA VHF System 146 - 170 Aegis digital encryption. Nice radio
9.0 condition. 160 channel Alphanumeric display. With antenna
and battery. Great ham or public safety radio. $300.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display.
With battery and antenna. 7-7.5 $75.00

GE PCS UHF 440 - 470 8 channel with battery and charger. Looks
Good. $85.00

GE PCS VHF 150 - 170 8 channel with battery and charger. Looks
Good. $85.00

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170
but I have programmed these in the ham band with no trouble. These
have battery, and antenna. $75.00 each

GE MPS VHF 12 channel. 8.5 condition. New antennas and used batteries
Standard charger. $60.00 each have 2.
.
GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1
good battery. With 1 dual slot charger. $175.00 all 3 radios.

GE Mobiles

GE Ranger 150 N9HH0A110A 150 - 170 110 watt drawer unit only.
This will work with the control heads and cables I have below.
$75.00

GE MVS UHF 440 -470 128 channels. Scans and works good.
Looks great and is programmed on the ham bands.$175.00

GE MCS UHF 440 - 470 4 channel 10 watt mobile separate speaker is
also the control head. With mic. $85.00

GE MLS Low Band 16 channel scan. 42-50 split. New mic. Should
Program to 6 meter ham. 60 watt $150.00

GE Mastr II UHF 75 watt with pre-amp. No Icoms drawer only.
MC65KKG88B $90.00 each only 1 left

GE Mastr II Lowband 42-50 slit 110 watt. MC74KCN33A
With 1 set of Icoms $25.00 each I have many.

GE Mastr Pro Low band 110 watt 42 50 split. MT74TCS33
With 2 sets of Icoms. FREE. You pay shipping and packing. I
have many.

Master Exec II Lowband 30-36 split, 100 watt, CG and NB. With Icoms

And most accessories. $30.00

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr
II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that
I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Not tested. $60.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.
16 channel model has short cable and some handle bar mounts. Mic
included but no speaker. $50.00

GE S825 Scan head. With Mic and bracket. Alpha numeric head

For Delta or Ranger. 16 channel Ranger can have 224 channels with

this head 32 channel radio can have 448 channels. This head can

control siren and PA system. You can also use this head to program

Deltas and Rangers. I have cables for this head. $175.00

GE Accessories

GE Duplexer Mod DB4075 P/N 19C307166P2. tx453.xxx rx458.xxx
With cables. 4 cavity. $175.00

GE Duplexer Mod P1 P/N 19C307166P1 tx453.xxx rx458.xxx
With cables. 4cavity. $175.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $1.00 each
Minimum 5 at this price.

Mastr II Mic. $5.00 3 for $10.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5. $4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and 162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50 each. These are the only frequencies I have.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each. Picked up 3 sets of UHF 2C Icoms $30.00 per set of 1tx and 1rx Icom. I have Low

Band Icoms.

GE Delta cables. These are the downloading type used with the S820 heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

GE Mastr II mounting plates $15.00 each

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE PCS Universal charger. With wall transformer $20.00 each

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a rapid rack charger with a DB 15 cable and uses a MPD body to attach a battery to. Has LED readout in display area of MPD body to tell discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card and power supply / speaker. $200.00

Home made S825 programming cable. Works great but I just bought a

Factory GE cable so I do not need this now. $20.00

Other Radios and Accessories

Motorola X9000 UHF 100 watt. Has 64 channel head non-DTMF. With

cable, Speaker, and mic. Ready to program and use. $300.00

Motorola HT50 VHF 2 channel 150 - 170 belt clip holder battery and Charger. $75.00

Motorola MT1000 UHF 438 - 469. 16 channel scan. Has battery , charger,
and stubby antenna. $165.00

Motorola Maxtrac VHF 40 watt 16 channel scan. 5 pin. With Mic. $225.00

Motorola Radius / Maxtrac VHF 25 watt 16 channel scan. 16 pin port. With mic. $200.00

Uniden SPS 802TS 800 LTR portable. With charger. $75.00 Pair.

EF Johnson Challenger 5852 portables. VHF I think. With charger and batteries but the batteries are dead. Radios make squelch noise when powered up. As is $40.00 pair.

Yaesu FTH 2009 VHF portable. 6 channel. Works great on ham and public Safety band. With wall charger $85.00

Marconi UHF portable. 16 channel scan with NOS battery. Made by Midland. $65.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$65.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition and charger. $150.00

Motorola GP 300 UHF 2 channel. Has good battery and rapid charger $150.00

Motorola Mitrek VHF high 110 watt drawer only. $40.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of crystals for each radio. Also have a working battery and charger for each. I have 4 of these. $50.00 all

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work with the sp2000 as well.$35.00

Cushman CE3 Service monitor. Has model 330 Broad band mixer / watt meter

Duplexer tester plug-in. Also has 201 scope plug-in. Some of the numeral lamps are out but you can see the numbers with a light. Works well and makes a good starter service monitor. $350.00

Motorola S1350C Wattmeter. Has case that also holds 3 elements and has

5 watt 100-250 MHz, 50 watt 100-250 MHz, 100 watt 100-250 MHz, 500 watt

100-250 MHz, 50 watt 200-550 MHz, and 100 watt 25-100 MHz elements. $200.00 or I will trade for a Telwave 44 wattmeter and case.

Consignment section

This area is for a few friends who like those other radios you know "Motorola" They are good people and I will pass along any trades you may wish to make.

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola Saber II UHF 48 channel scan. With battery and antenna. 9 condition $300.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Want List not FS
Extra parts for GE suitcase programmers Data modules, Printers, cables, proms, Anything you have extra. I need some UHF 450 - 470 scan MPD radios. How many do you have and what do you want for them? Johnson scorpion program cable. Looking for an FT90 for the wife's car.

I would like to play with a VX-150 if anyone has 1 to trade.

Terms
All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a question E-mail me. Contact me off list at. Gundoc@insightbb.com

Dean

4152. Re: RA6790/GM Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 20:45:59 UTC
From: Tom Lutz <telutz@pclink.com>
Message-ID: <3da888f8$0$1428$272ea4a1@news.execpc.com>
Source record: 38613

This radio has been sold!
"Tom Lutz" <telutz@pclink.com> wrote in message
news:3da36f07$0$1404$272ea4a1@news.execpc.com...
> I have a Racal RA6790/GM for sale. It has all 5 filters, works perfectly,
> and is in beautiful condition. Also included is the computer interface
> cable and a full bound manual. Asking $750.00 plus packaging and
shipping.
>
>

4153. Re: Kenwood SM-220 Scope

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 20:48:16 UTC
From: Tom Lutz <telutz@pclink.com>
Message-ID: <3da88981$0$1430$272ea4a1@news.execpc.com>
Source record: 38614

Price reduced to $300.00 plus shipping!

"Tom Lutz" <telutz@pclink.com> wrote in message
news:3da46cde$0$1424$272ea4a1@news.execpc.com...
> I have a beautiful Kenwood SM-220 scope for sale WITH the BS-8 Pan adapter
> installed. Like new manual included.
>
> This is truly a beauty and works perfectly. $350.00 plus packing and
> shipping.
>

4154. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 22:17:21 UTC
From: Jim Yanik <jyanikX@kua.net>
Message-ID: <Xns92A5BA3CC60FBjyanikkuanet@204.117.192.21>
Source record: 38615
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

"AJ Sanderson" <sjay@noospam.com> wrote in
news:ao9eue$55c$1@nntp9.atl.mindspring.net:

> Ok, guys. What would be examples of good, used, lower cost rf
> analyzers that I could look for that wouldn't break the bank. Say 500
> Mhz bandwidth (150 Mhz minimal acceptable).
>
> AJ
>
>
> "Man Li" <manli88@netvigator.com> wrote in message
> news:ao9ecp$5ub4@imsp212.netvigator.com...
>> No you should not use it as spectrum analyzer unless you only need a
>> very simple, low resolution and poor accuracy analyzer.
>> Bye.
>>
>> Man
>>
>> "AJ Sanderson" <sjay@noospam.com> ���g��l��s�D
>> :ao7ak3buv1@slb5.atl.mindspring.net...
>> > I recently read a post where a gentlemen is using a Wavetek Sam I
>> > catv analyzer as a 4-400 Mhz spectrum analyzer at low cost. Is
>> > this possible
>> and
>> > how does such a unit compare with regular commercial spectrum
>> > analyzers? I'd like to find out a little more about this unit... is
>> > it solid state,
>> can
>> > it be used at 50 ohm impedance, accuracy specs, step attenuator,
>> > easily serviced, etc.... so I'd appreciate any such posts from
>> > someone using
> this
>> > unit as an RF analyzer.
>> >
>> > Thanks,
>> > AJ

Well,there's the TEK 1401 or 1401A,that was designed to connect to the 323
scope and had BW up to 500Mhz(can be used with other scopes,too).

Or there's a 7K mainframe(7603) and a 7L12 or 7L13 SA plug-in,which goes
10Khz-1.8Ghz.Or find a 2710,2712 portable SA,looks like a 2213 scope,goes

to IIRC,1 Khz-1.8Ghz.There's several HP analyzers available used,too,but I don't know model numbers for HP. You need to peruse a few used Test Equipment company catalogs. Google ought to turn up several.

There's also an inexpensive SA I've seen listing for about $1500 new,I believe it comes from Taiwan,and marketed under several companies name 'brands'.I saw them in hobby electronics mags like Nuts&Volts.

SA's are not cheap.

--
Jim Yanik,NRA member
remove X to contact me

4155. PDF of Pryme 52 6M HT needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 22:48:28 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3DA8A6BC.A05FBEF5@ix.netcom.com>
Source record: 38616

I only occasionally use my Pryme pr52 HT, and I can never
remember how to do stuff with it. And I can't find my manual.
Anyone know where to download the pdf? Pryme doesn't
have it on their web page (I get error 404).

TIA 73s WA2ISE

4156. Re: Need manual DJ-190T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-12 23:27:04 UTC
From: Ralf Ballis <rballis@consult.m.uunet.de>
Message-ID: <20021012.23270400@viviana.santiagosoft.de>
Source record: 38617

Take a look at:

http://www.mods.dk/left.php3?radio=alinco

Vy 73 de Ralf, DC2MRB

4157. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 00:37:19 UTC
From: Gary McAdams <g.m.mcadams@worldnet.att.net>
Message-ID: <3f3q9.19204$ue4.1222919@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38618

Dick Hughes <rhughes33@cableone.net> wrote in message
news:9jbgqucfl2bhrnibrloss3nv05gipof1h0@4ax.com...
>At least we agree.
>
> 73, Dick - W6CCD

Dick,

Yes we do agree. For the lazy among us.. please see the
text quoted below from the FCC part 95 rules.

Please note the phrase "FCC certificated CB transmitter "
This is also known as "Type Acceptance" all radios in use
in the CB service must be certified.

Period.

I, for one, am very tired of the apologists among
the Amateur ranks who continue to insist that it is
OK for anyone, anywhere, to have and use radio
transmitters with no regard to standards or licensing.

I suspect that this is because some of these fellows
wish to use Amateur radios on CB, the infamous
"Freeband", or as a pirate broadcast station on
41 meters. Then there are the police and fire
"wannabes" on the VHF frequencies.

Guys, you are not fooling anyone, and it
is YOUR license at stake, not mine. But you
put our entire service at risk as a result of
your actions.

This is why I hear CB stations all over 10/12
meters. This is why taxi services feel free
to use Amateur bands for dispatch services.
This is why I can hear a CB'er on 27.025 as
clear as a bell on 21.305 mhz, even when the
nutcase is in Alabama, and the MUF is not
at 27 mhz yet, and there is 6 mhz separation!

Is this what we want for the future?

That's the way we are headed, and Amateur
radio operators don't need to be helping them
with the modifications.

I've said all that I plan to on this subject.
It is very clear that there are licensed Amateurs
who are part of the problem. In future years,
when the good buddies have taken over 20 meters,
you have only yourselves to blame...

73 Gary WG7X

http://frwebgate.access.gpo.gov/cgi-bin/get-cfr.cgi?TITLE=47&PART=95&SECTION
=409&YEAR=2000&TYPE=TEXT

[Code of Federal Regulations]
[Title 47, Volume 5, Parts 80 to End]
[Revised as of October 1, 2000]
From the U.S. Government Printing Office via GPO Access
[CITE: 47CFR95.409]

[Page 536]

TITLE 47--TELECOMMUNICATION

COMMISSION (CONTINUED)

PART 95--PERSONAL RADIO SERVICES--Table of Contents

Subpart D--Citizens Band (CB) Radio Service

Sec. 95.409 (CB Rule 9) What equipment may I use at my CB station?

(a) You must use an FCC certificated CB transmitter at your CB
station. You can identify an FCC certificated transmitter by the
certification label placed on it by the manufacturer. You may examine a
list of certificated equipment at any FCC Field Office or at FCC
Headquarters. Use of a transmitter which is not FCC certificated voids
your authority to operate the station.
(b) You must not make, or have made, any internal modification to a
certificated CB transmitter. (See CB Rule 25, Sec. 95.425). Any internal
modification to a certificated CB transmitter cancels the certification,
and use of such a transmitter voids your authority to operate the
station.

[48 FR 24894, June 3, 1983, as amended at 63 FR 36610, July 7, 1998]

4158. Re: 2-Tone Paging w/Kenwood TK-280

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 00:46:54 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aoah3iiac1@madmax.keyway.net>
Source record: 38621
Cross-posted to: alt.firefighters,rec.radio.amateur.equipment

Then after all that, disable your scan (this is always on with trunk mode)
and power save or you'll never get enough tone A.

If you really need it, get a pager that knows how to power save and
alert properly too.

Jim, ac6tk

"John P Vassel" <kc8ske@cybiko.com> wrote in message
news:3da6aef9$0$1426$2c3e98f8@news.voyager.net...
: jason.martin@chek.com (jasonm) wrote in
: news:cc5b5e10.0210101831.5194bcfc@posting.google.com:
:
: > Thanks to Kenwood tech support, they pointed out my folly. It would
: > seem that when you have the programming software selected for
: > trunking, the 2tone option is not available. Once you select the radio
: > model and specify "conventional", the 2-tone menu pick becomes
: > available.
: >
: > Now, if I could only find out the cap or reed codes for the fire
: > department two-tone alert, I'd be in good shape.
: >
: > Eric
:
: Eric, the two methods are 1. Contacting the local radio shop who services
: your pagers, or 2. Find an old motorola brick radio, or pager, and read the
: numbers off the tones. You'll need to cross reference them to a
: frequency(hertz) chart in order to get the numbers kenwood is looking for,
: but it can be done. If you manage to get the QC (quickcall) numbers, hollar
: back, somewhere I've got the link to the cross reference chart.
:
:
:
:
: --
: John P. Vassel
: KC8SKE
: Roxand Township Fire Dept.

4159. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 00:54:27 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <7v3q9.56436$om2.1019238@twister.rdc-kc.rr.com>
Source record: 38619

Many radios can be modified. See for yourself at:

http://www.mods.dk/

Half or more of the hams out there started on CB. Don't be hypocritical!

"Ernie" <emikulic@attbi.com> wrote in message
news:3da2816b.185731500@netnews.attbi.com...
> All,
> do any of the Icom/Yaesu/Kenwood in-car mobile HF
> rigs have rx/tx on this band? If not is there a mod for any of those
> that can do this? CB is ugly but usefull in blackout areas where
> there are trucks.
>
> Thx.
> -E

4160. wanted yaesu ft 817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 00:57:42 UTC
From: Shaun Macauley <shaunmac@f2s.com>
Message-ID: <b28f5866b4371de0cd39056e76105293.94238@mygate.mailgate.org>
Source record: 38620

yaesu ft817 wanted,email me if you have one.

--
Posted via Mailgate.ORG Server - http://www.Mailgate.ORG

4161. Re: PDF of Pryme 52 6M HT needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 01:15:33 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3DA8C934.4C556C41@ix.netcom.com>
Source record: 38622

Robert Casey wrote:

> I only occasionally use my Pryme pr52 HT, and I can never
> remember how to do stuff with it. And I can't find my manual.
> Anyone know where to download the pdf? Pryme doesn't
> have it on their web page (I get error 404).
>
> TIA 73s WA2ISE

Found it at:
<http://195.249.94.60/mods.dk/manuals/adi/Pryme_pr-52_pr-222_or_ADI_AT_52_manual.pdf>

4162. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 01:42:33 UTC
From: jer1538a@aol.com
Message-ID: <20021012214233.20757.00001198@mb-mo.aol.com>
Source record: 38623

YEA ! IT DOESN'T MATTER WHAT BAND YOU'RE ON: IT'S WHAT YOU HAVE TO SAY THAT COUNTS !!

4163. FS/T TEN-TEC 705 MICROPHONE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 01:51:34 UTC
From: ni4l@msn.com
Message-ID: <d4a0748e.0210121751.5a7f7188@posting.google.com>
Source record: 38624
Cross-posted to: rec.radio.amateur,rec.radio.swap,alt.ham-radio.marketplace,rec.radio.cb,rec.radio.amateur.equipment

FS/T TEN-TEC 705 MICROPHONE

I have a like new Ten-Tec 705 mic has a 2 tone SSB Pulser to tune your amp installed. Does not have the Goofy Beer Can foam head I put a Brand new Black Round Bullet style foam Ball on the head. I hate Those Grey beer can foam heads!. I think i still have it here if you want it though.
I put a Brand new 12 foot Heavy Duty Motorola High Way Patrol type Coiled cord on it Also. So you can move around in the shack. It is currently wired for a Kenwood TS-930.
I would like to eithier sell it or trade it for maybe a Kenwood mic or a Shure 526T. Or sell out right for 80.00 + shipping. paypal check etc.

4164. Icom IC-2100H Noise Fixes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 02:04:23 UTC
From: mlinden@enteract.com
Message-ID: <aoakb7$527$1@bob.news.rcn.net>
Source record: 38625

My Icom IC-2100H suffered from both alternator whine and a crackling/static-type noise through the speaker on transmit. However, I think I managed to solve both problems...

Alternator Whine (Tx/Rx)
This radio seems very succeptible to alternator whine. I had two installations (91 Mitsubishi Eclipse and 98 Honda Civic) where I ran the power leads directly to the battery but was still greeted with alternator whine on both transmit and receive. After experimenting, I found that I had to make two changes to completely eliminate the alternator whine. 1) Add a 20-Amp Radio Shack power filter, and 2) disconnect the radio's ground lead from the battery and ground the radio through the filter by grounding the filter to the dash. It seems that the radio does not like being grounded at both the battery and indirectly through its mounting bracket to the dash.

Crackling/static Noise (Tx)
The general consensus on this problem is that it is caused by a poor ground inside the radio. I corrected the problem by reflowing the two ground solder joints between the radio's PC board and the SO-239 (a hairline crack was visible on one of the joints). I also tightened all of the screws holding down the PC board. I had no crackling/static through the speaker on transmit after doing this work.

Just FYI ;^)

73, Michael N9BDF

4165. FA: Visar VHF cheap $185.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 03:06:44 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <8r5q9.3369$1P1.244092@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38626
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389090319&ssPageName=ADME:B:LC:US:1

4166. Re: Repairing my Yaesu FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 03:10:18 UTC
From: KH <zzzz@aaa.net>
Message-ID: <uu5q9.3386$fL3.1197288494@newssvr10.news.prodigy.com>
Source record: 38627

Larry:

Sorry to hear about your radio. I have used Electronic Equipment Repair Service for a couple of repairs. Byron (owner) is fast, does high quality work and his costs are reasonable.

web page: http://www.qsl.net/wa4geg

73,

Ken

4167. Re: Visar VHF cheap $185.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 03:16:03 UTC
From: Rich <Rich3784@comcast.net>
Message-ID: <m2edneNxqcYZeTWgXTWcpA@News.GigaNews.Com>
Source record: 38628
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

E-mail me
rich

"US Patriot" <nospam@tome.com> wrote in message
news:8r5q9.3369$1P1.244092@bgtnsc05-news.ops.worldnet.att.net...
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389090319&ssPageName=ADM
> E:B:LC:US:1
>
>

4168. FS: YAESU FT-920 NIB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 03:29:01 UTC
From: RalphE <k4ffa@comcast.net>
Message-ID: <dOicnYnascwfdTWgXTWcrg@News.GigaNews.Com>
Source record: 38629

FOR SALE: Brand new in the box YAESU FT-920 complete, about 4 months old. I bought it as a back -up rig, but I never took it out out of the box.

Price: $850 plus shipping and insurance.

Tel. # 615-799-9161

Phillip KB4I

4169. Re: Repairing my Yaesu FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 03:54:08 UTC
From: Larry Bratcher <lbratche@swbell.net>
Message-ID: <A76q9.5888$z_6.1007615115@newssvr30.news.prodigy.com>
Source record: 38630

Thanks for the suggestion. I just emailed him.

"KH" <zzzz@aaa.net> wrote in message
news:uu5q9.3386$fL3.1197288494@newssvr10.news.prodigy.com...
> Larry:
>
> Sorry to hear about your radio. I have used Electronic Equipment Repair
> Service for a couple of repairs. Byron (owner) is fast, does high
quality
> work and his costs are reasonable.
>
> web page: http://www.qsl.net/wa4geg
>
> 73,
>
> Ken
>
>

4170. Re: WTB: Data & Programming cable for MKIIG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 05:48:34 UTC
From: whereami <oaknuts@yahoo.com>
Message-ID: <Xns92A5E80D92CC5mine@64.164.98.6>
Source record: 38631
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.swap

A icom OPC-478 cable will work for programming the radio. The cable for the yaesu vx-5r will work too. Both need a mono adapter.
Randy

"US Patriot" <nospam@tome.com> wrote in news:iXzp9.454$1P1.46171 @bgtnsc05-news.ops.worldnet.att.net:

> I'm looking for the Data cable(PSK31, RTTY, etc) and a programming cable
> for my 706MKIIG.
> HRO wants $125 for the programming cable, can't find the data cable
> anywhere.
> Any help would be appreciated.
> thnx
> Please email direct
> RW613@lycos.com
>
>
>

4171. Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 07:07:34 UTC
From: Jrt <jrt2hoo@yahoo.com>
Message-ID: <jsthquo7a45dhdni0f9usq3nek09igh8bm@4ax.com>
Source record: 38632

Does anyone make a good transceiver for all or most modes that will operate in the Technician Class license bands, 6 meters and up? If not what could you recommended for operation in these bands with fewest number of transceivers?

4172. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 07:33:30 UTC
From: "Ron P." <rpackerii@neo.rr.com>
Message-ID: <el9q9.76285$Cz.9009950@twister.neo.rr.com>
Source record: 38633

Icom 706 MKIIG HF+6+2+70cm

Ron - kc8ulu
"Jrt" <jrt2hoo@yahoo.com> wrote in message
news:jsthquo7a45dhdni0f9usq3nek09igh8bm@4ax.com...
> Does anyone make a good transceiver for all or most modes that will
> operate in the Technician Class license bands, 6 meters and up? If not
> what could you recommended for operation in these bands with fewest
> number of transceivers?

4173. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 08:16:46 UTC
From: mroberds@worldnet.att.net
Message-ID: <OZ9q9.40214$Xu2.28063@news2.central.cox.net>
Source record: 38634
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

In sci.electronics.equipment AJ Sanderson <sjay@noospam.com> wrote:
>Ok, guys. What would be examples of good, used, lower cost rf analyzers
>that I could look for that wouldn't break the bank. Say 500 Mhz bandwidth
>(150 Mhz minimal acceptable).

In the September and October 1989 issues of Radio-Electronics, there is an article by Fred Baumgartner on a build-it-yourself spectrum analyzer. The "hard part" is done by a Zenith TV tuner module that converts 50-600 Mhz to 63 MHz (Channel 3) output. This is followed by a TDA7000 FM receiver chip. There is a 555 to generate the swept tuning voltage for the tuner and another oscillator for sync. They were selling a complete kit of parts for $187 in 1989, which is around $280 today.

Matt Roberds

4174. Re: Icom IC-2100H Noise Fixes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 11:07:49 UTC
From: Alex J <alexjent@citlink.net>
Message-ID: <uqikvml6hhinac@corp.supernews.com>
Source record: 38635

Good info Mike!

Thanks,
Alex

"Michael J. Linden (N9BDF)" <mlinden@enteract.com> wrote in message
news:aoakb7$527$1@bob.news.rcn.net...
> My Icom IC-2100H suffered from both alternator whine and a
> crackling/static-type noise through the speaker on transmit. However, I
think I
> managed to solve both problems...
>
> Alternator Whine (Tx/Rx)
> This radio seems very succeptible to alternator whine. I had two
> installations (91 Mitsubishi Eclipse and 98 Honda Civic) where I ran the
power
> leads directly to the battery but was still greeted with alternator whine
on
> both transmit and receive. After experimenting, I found that I had to make
two
> changes to completely eliminate the alternator whine. 1) Add a 20-Amp
Radio
> Shack power filter, and 2) disconnect the radio's ground lead from the
battery
> and ground the radio through the filter by grounding the filter to the
dash.
> It seems that the radio does not like being grounded at both the battery
and
> indirectly through its mounting bracket to the dash.
>
> Crackling/static Noise (Tx)
> The general consensus on this problem is that it is caused by a poor
ground
> inside the radio. I corrected the problem by reflowing the two ground
solder
> joints between the radio's PC board and the SO-239 (a hairline crack was
> visible on one of the joints). I also tightened all of the screws holding
down
> the PC board. I had no crackling/static through the speaker on transmit
after
> doing this work.
>
> Just FYI ;^)
>
> 73, Michael N9BDF

>

4175. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 11:11:20 UTC
From: Alex J <alexjent@citlink.net>
Message-ID: <uqil694nvq2dd2@corp.supernews.com>
Source record: 38636

The spec I'm looking at does not indicate 70 cm.

Alex

"Ron P." <rpackerii@neo.rr.com> wrote in message
news:el9q9.76285$Cz.9009950@twister.neo.rr.com...
> Icom 706 MKIIG HF+6+2+70cm
>
> Ron -
kc8ulu
> "Jrt" <jrt2hoo@yahoo.com> wrote in message
> news:jsthquo7a45dhdni0f9usq3nek09igh8bm@4ax.com...
> > Does anyone make a good transceiver for all or most modes that will
> > operate in the Technician Class license bands, 6 meters and up? If not
> > what could you recommended for operation in these bands with fewest
> > number of transceivers?
>
>

4176. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 11:57:56 UTC
From: Alex J <alexjent@citlink.net>
Message-ID: <uqintl9bh5kd5@corp.supernews.com>
Source record: 38637

Hummmmm. Maybe there is a IC-706 (144 mhz) and a IC-706 MKII G (70 cm).

Wonder if anyone who has one can confirm....Maybe the MKII G goes to 70 cm

I looked here: http://www.qsl.net/sm7vhs/radio/icom/ic706/ic-706.htm It
looks like a scanned spec and it would appear to go to 144 mhz.

Alex

"helmsman" <helmsman@mindspring.com> wrote in message
news:j9miqukdfhfugkc8v6v8o20b5tqd255fta@4ax.com...
> Check this URL http://radcomm.bizland.com/rad-comm/id6.html
>
>
> On Sun, 13 Oct 2002 06:11:20 -0500, "Alex J" <alexjent@citlink.net>
> wrote:
>
> >The spec I'm looking at does not indicate 70 cm.
> >
> >Alex
> >
> >"Ron P." <rpackerii@neo.rr.com> wrote in message
> >news:el9q9.76285$Cz.9009950@twister.neo.rr.com...
> >> Icom 706 MKIIG HF+6+2+70cm
> >>
> >> Ron -
> >kc8ulu
> >> "Jrt" <jrt2hoo@yahoo.com> wrote in message
> >> news:jsthquo7a45dhdni0f9usq3nek09igh8bm@4ax.com...
> >> > Does anyone make a good transceiver for all or most modes that will
> >> > operate in the Technician Class license bands, 6 meters and up? If
not
> >> > what could you recommended for operation in these bands with fewest
> >> > number of transceivers?
> >>
> >>
> >>
> >
>

4177. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 12:19:29 UTC
From: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com>
Message-ID: <lxdq9.26014$oq6.9362@sccrnsc01>
Source record: 38638

There are three models of the 706. The first two (706 and the 706MKII)
covered up to 2m. The current model (706MKIIG) covers up to 70cm.

73,
Ed KA9EES

"Alex J" <alexjent@citlink.net> wrote in message
news:uqintl9bh5kd5@corp.supernews.com...
: Hummmmm. Maybe there is a IC-706 (144 mhz) and a IC-706 MKII G (70 cm).
:
: Wonder if anyone who has one can confirm....Maybe the MKII G goes to 70 cm
:
: I looked here: http://www.qsl.net/sm7vhs/radio/icom/ic706/ic-706.htm It
: looks like a scanned spec and it would appear to go to 144 mhz.
:
:
: Alex
:
:
: "helmsman" <helmsman@mindspring.com> wrote in message
: news:j9miqukdfhfugkc8v6v8o20b5tqd255fta@4ax.com...
: > Check this URL http://radcomm.bizland.com/rad-comm/id6.html
: >
: >
: > On Sun, 13 Oct 2002 06:11:20 -0500, "Alex J" <alexjent@citlink.net>
: > wrote:
: >
: > >The spec I'm looking at does not indicate 70 cm.
: > >
: > >Alex
: > >
: > >"Ron P." <rpackerii@neo.rr.com> wrote in message
: > >news:el9q9.76285$Cz.9009950@twister.neo.rr.com...
: > >> Icom 706 MKIIG HF+6+2+70cm
: > >>
: > >> Ron -
: > >kc8ulu
: > >> "Jrt" <jrt2hoo@yahoo.com> wrote in message
: > >> news:jsthquo7a45dhdni0f9usq3nek09igh8bm@4ax.com...
: > >> > Does anyone make a good transceiver for all or most modes that will
: > >> > operate in the Technician Class license bands, 6 meters and up? If
: not
: > >> > what could you recommended for operation in these bands with fewest
: > >> > number of transceivers?
: > >>

: > >>
: > >
: >
:
:

4178. Re: TS570D no powered in car ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 12:21:32 UTC
From: lombryt@hotmail.com
Message-ID: <db35a0c.0210130421.196c1443@posting.google.com>
Source record: 38639

"Edward L. Dowdy" <elIhatespamdowdy@ctscomp.com> wrote in message
news:<scXp9.15865$gr6.13266@rwcrnsc53>...
> I wouldn't try to draw more than 2 or 3 amps from a cigarette lighter plug.
> Voltage will be near the same as the battery. A TS-50 is a 100W HF rig too.
> No 100W anything is going to work via this plug.

Hi,

Its seems in fact the problem is worst than that.
Even in receive mode, thus using 1 amp or even less, the TS doesn't
switch on. In fact it doesn't switch on at all in my... rabbito-Gulf,
Hi!

According an OM friend of mine, this a typical problem with this RTX.
If the voltage or current is not exactly what it requests, it doesn't
swich on.
Similar problems occur with automatic antenna tuners.

I will try to get the true explanation contacting the TS-570D designer
in JA.

Later (one week probably to get the answer).

Thierry
ONL5183

>
> 73,
> Ed KA9EES

4179. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 12:27:07 UTC
From: "Dee D. Hays" <dee.hays@sbcglobal.net>
Message-ID: <vEdq9.3711$F53.3311097@newssvr28.news.prodigy.com>
Source record: 38640

I'd suggest checking out other brands and models too. For example there is the new Kenwood TS-2000 that covers HF/6m/2m/70cm and has an optional 1.2ghz module.

I imagine that Yaesu also probably has a model similar to either the Icom or Kenwood.

If you want to scour the hamfests for used radios, several companies used to make all-mode VHF/UHF only radios. It's my understanding that they were quite good. Unfortunately, I can't help with model names.

"Jrt" <jrt2hoo@yahoo.com> wrote in message news:jsthquo7a45dhdni0f9usq3nek09igh8bm@4ax.com...
> Does anyone make a good transceiver for all or most modes that will
> operate in the Technician Class license bands, 6 meters and up? If not
> what could you recommended for operation in these bands with fewest
> number of transceivers?

4180. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 13:59:21 UTC
From: Bob Miller <bamiller@texas.net>
Message-ID: <G3mpPeLce9HmPD6cFVvbtdxiMU4F@4ax.com>
Source record: 38641

Jrt <jrt2hoo@yahoo.com> wrote:

>Does anyone make a good transceiver for all or most modes that will
>operate in the Technician Class license bands, 6 meters and up? If not
>what could you recommended for operation in these bands with fewest
>number of transceivers?

There used to be a time when there were all-mode rigs for 6 meters and up. Now, mostly you'll find hf rigs with the vhf/uhf bands, as well. They're all fine for a Technician, and you'll be hf ready, should you upgrade to general. Look at the icom 706 mkiig, the yaesu ft-100d, the kenwood ts-2000, the yaesu 847 and, for 6 & 2 alone, the ten tec 6&2. Prices start in the $750-800 range, plus the cost of a power supply. All of the rigs are reviewed at the ARRL web site, in the member's only section, as well as at the free eHam.net.

Oh, one other rig: the icom ic-910h, which is vhf/uhf only, but a little pricey.

bob
k5qwg

4181. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 14:29:43 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <HSKdnUKLQJOdDjSgXTWcpw@News.GigaNews.Com>
Source record: 38643

You are looking at the first version of the Icom. There are 3 versions that
I know of. The origional, the markll and the one with the G on the end.
The latest has 100 watts on low bands and 6 meters, 50 watts on 2 meers and
20 watts for the 430 to 450 (70 cm) band.

"Alex J" <alexjent@citlink.net> wrote in message
news:uqil694nvq2dd2@corp.supernews.com...
> The spec I'm looking at does not indicate 70 cm.
>
> Alex
>
> "Ron P." <rpackerii@neo.rr.com> wrote in message
> news:el9q9.76285$Cz.9009950@twister.neo.rr.com...
> > Icom 706 MKIIG HF+6+2+70cm
> >
> > Ron -
> kc8ulu
> > "Jrt" <jrt2hoo@yahoo.com> wrote in message
> > news:jsthquo7a45dhdni0f9usq3nek09igh8bm@4ax.com...
> > > Does anyone make a good transceiver for all or most modes that will
> > > operate in the Technician Class license bands, 6 meters and up? If not
> > > what could you recommended for operation in these bands with fewest
> > > number of transceivers?
> >

4182. Re: A great mail service but is this legal?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 15:31:53 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3da991cd$1@news.netacc.net>
Source record: 38642

<no.email.address.entered@none444.yet> wrote in message
news:13100211.1737@none444.yet...
> Last night I signed up with http://www.mailtracking.com and I was amasued
at their email tracking ability but my question is, is the service they are
offering legal or not? From what I know tracking this way might fall into
the 'grey' area but nevertheless its a great service. I guess I want to know
if I used this tracking on someone, can I get sued for it or not?
>
> Thanks
>
> Dazzled
>

Lamest attempt at SPAM I have seen yet. You did not sign up last night, you
are just plugging their web site. Further, you are "amasued" so you must
also be stupid, as well as a spamming piece of shit :-)

Steve

4183. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 15:52:56 UTC
From: Alex J <alexjent@citlink.net>
Message-ID: <uqj5m7622k9j93@corp.supernews.com>
Source record: 38644

"Ralph Mowery" <rmowery@ctc.net> wrote in message
news:HSKdnUKLQJOdDjSgXTWcpw@News.GigaNews.Com...
> You are looking at the first version of the Icom. There are 3 versions
that
> I know of. The origional, the markll and the one with the G on the end.
> The latest has 100 watts on low bands and 6 meters, 50 watts on 2 meers
and
> 20 watts for the 430 to 450 (70 cm) band.

Thanks for the info!

Alex

4184. Re: A great mail service but is this legal?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 15:57:18 UTC
From: Artie DeCoe <Artie@dcoe.net>
Message-ID: <Ktednf5aOuBoCjSgXTWc3A@News.GigaNews.Com>
Source record: 38645

Hmmm, I just check the check box for "request read receipt" on emails and I get one without involving a 3rd-party, address-harvesting ,dotcom turd gulper..

"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message news:3da991cd$1@news.netacc.net...
>
> <no.email.address.entered@none444.yet> wrote in message
> news:13100211.1737@none444.yet...
> > Last night I signed up with http://www.mailtracking.com and I was amasued
> at their email tracking ability but my question is, is the service they are
> offering legal or not? From what I know tracking this way might fall into
> the 'grey' area but nevertheless its a great service. I guess I want to know
> if I used this tracking on someone, can I get sued for it or not?
> >
> > Thanks
> >
> > Dazzled
> >
>
>
> Lamest attempt at SPAM I have seen yet. You did not sign up last night, you
> are just plugging their web site. Further, you are "amasued" so you must
> also be stupid, as well as a spamming piece of shit :-)
>
> Steve
>
>
>

4185. FS: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 16:03:32 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <MPgq9.98$K_5.70643765@news.inreach.com>
Source record: 38646
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Linear Amp Dave Made 10 Pill

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389190364

4186. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 16:04:52 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <0Rgq9.99$B76.71224370@news.inreach.com>
Source record: 38648
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Linear Amp Dave Made 10 Pill

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389190364

please dont tell ebay about this ok?

4187. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 16:21:40 UTC
From: Dan/W4NTI <w4nti@mindspringnospam.com>
Message-ID: <aoc6qb$nl9$1@slb5.atl.mindspring.net>
Source record: 38647
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hurry Hurry everyone...Here is your chance to be a 'big rigger'. Don't
forget to overdrive it and trash up the entire spectrum....come on.

Dan/W4NTI

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:MPgq9.98$K_5.70643765@news.inreach.com...
> Linear Amp Dave Made 10 Pill
>
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389190364
>
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.401 / Virus Database: 226 - Release Date: 09-Oct-02

4188. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 17:25:26 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <9Qhq9.21$b4.1537@sooner.brightok.net>
Source record: 38649

Yes, Yaesu made some 6m/2m/70cm radios, probably the FT736 is the best of the lot, however, they seem to sell for $600+, and have limited RF output, on the order of 10 watts I believe.

The TS-2000 is a nice radio, but it's well over $1500, so kinda steep for the 1st time buyer. Yaesu has the FT817 at around $650, but you're looking at low RF output again, There is a newer, higher power Yaesu, the FT849?, but I don't know the price or specs. For my money, the Icom 706 MKII-G, at around $850, is the best of the lot for under $1000. Be prepared to spend a LOT of time with the manual! this radio has a steep learning curve. Our ham club has one in the shack, and I've threatened to chain the manual to the radio.

Mark

"Dee D. Hays" <dee.hays@sbcglobal.net> wrote in message
news:vEdq9.3711$F53.3311097@newssvr28.news.prodigy.com...
> I'd suggest checking out other brands and models too. For example there
is
> the new Kenwood TS-2000 that covers HF/6m/2m/70cm and has an optional
1.2ghz
> module.
>
> I imagine that Yaesu also probably has a model similar to either the Icom
or
> Kenwood.
>
> If you want to scour the hamfests for used radios, several companies used
to
> make all-mode VHF/UHF only radios. It's my understanding that they were
> quite good. Unfortunately, I can't help with model names.
>
>
>
> "Jrt" <jrt2hoo@yahoo.com> wrote in message
> news:jsthquo7a45dhdni0f9usq3nek09igh8bm@4ax.com...
> > Does anyone make a good transceiver for all or most modes that will
> > operate in the Technician Class license bands, 6 meters and up? If not
> > what could you recommended for operation in these bands with fewest
> > number of transceivers?
>
>

4189. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 17:25:37 UTC
From: Jake <Jake@napster.com>
Message-ID: <l0iq9.121341$IL6.6313856@news2.east.cox.net>
Source record: 38650

Cobra

"M. Schneider" <markinokla@juno.com> wrote in message
news:9Qhq9.21$b4.1537@sooner.brightok.net...
> Yes, Yaesu made some 6m/2m/70cm radios, probably the FT736 is the best of
> the lot, however, they seem to sell for $600+, and have limited RF output,
> on the order of 10 watts I believe.
>
> The TS-2000 is a nice radio, but it's well over $1500, so kinda steep for
> the 1st time buyer. Yaesu has the FT817 at around $650, but you're
looking
> at low RF output again, There is a newer, higher power Yaesu, the FT849?,
> but I don't know the price or specs. For my money, the Icom 706 MKII-G,
at
> around $850, is the best of the lot for under $1000. Be prepared to spend
a
> LOT of time with the manual! this radio has a steep learning curve. Our
> ham club has one in the shack, and I've threatened to chain the manual to
> the radio.
>
> Mark
>
> "Dee D. Hays" <dee.hays@sbcglobal.net> wrote in message
> news:vEdq9.3711$F53.3311097@newssvr28.news.prodigy.com...
> > I'd suggest checking out other brands and models too. For example there
> is
> > the new Kenwood TS-2000 that covers HF/6m/2m/70cm and has an optional
> 1.2ghz
> > module.
> >
> > I imagine that Yaesu also probably has a model similar to either the
Icom
> or
> > Kenwood.
> >
> > If you want to scour the hamfests for used radios, several companies
used
> to
> > make all-mode VHF/UHF only radios. It's my understanding that they were
> > quite good. Unfortunately, I can't help with model names.
> >
> >
> >
> > "Jrt" <jrt2hoo@yahoo.com> wrote in message

> > news:jsthquo7a45dhdni0f9usq3nek09igh8bm@4ax.com...
> > > Does anyone make a good transceiver for all or most modes that will
> > > operate in the Technician Class license bands, 6 meters and up? If not
> > > what could you recommended for operation in these bands with fewest
> > > number of transceivers?
> >
> >
>
>

4190. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 17:58:22 UTC
From: Jack Pagel <NZ9U@tds.net>
Message-ID: <3DA9CFD1.AF27E187@tds.net>
Source record: 38651
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

```
It's even on the "pill"
>
> Hurry Hurry everyone...Here is your chance to be a 'big rigger'. Don't
> forget to overdrive it and trash up the entire spectrum....come on.
>
>
> "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> news:MPgq9.98$K_5.70643765@news.inreach.com...
> > Linear Amp Dave Made 10 Pill
> >
> >
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389190364
> >
> >
>
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> Version: 6.0.401 / Virus Database: 226 - Release Date: 09-Oct-02
```

4191. Re: K1EL K10 Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 19:07:29 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnaqjh3f.kc6.nobody@animas.frontier.net>
Source record: 38652

On Tue, 8 Oct 2002 07:14:59 -0400, Joe S. hath writ:
> His order form says the K10 keyer kit is "N/A" -- and after four days, there
> has been no response to an e-mail asking when the kit will be available.
>
> Oh, well, guess I'll wait a while longer.

WFM. Using Mozialla 1.1a under OS/2.
His old, AOL site sayeth: "K1EL Has Moved to www.k1el.com "
which is actually: http://k1el.tripod.com.
And, his new site 'plays' OK for me (-- except for the damn
"dancing elephants" that Tripod sticks in at the top of EVERY page.)

73
Jonesy
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

4192. Yaesu Equip for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 19:23:24 UTC
From: peteparker01@hotmail.com
Message-ID: <7deea655.0210131123.5d236a47@posting.google.com>
Source record: 38653

Howdy.....
I am selling my older Yaesu equip to move up into the digital world

For sale
FTDX - 400 with external VFO (FV400s) and external Speaker

FTDX - 560
All equipment is in excellent condition...the 400 still have
protective film on the face plate

The VFO will also work with the 560

asking $550.00 for the 400, VFO and speaker
$400.00 for the 560

73's
Pete
KG4VGH

4193. FA: Mint-o/Rare SWAN 420 Remote VFO , Ends TONIGHT!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 19:58:14 UTC
From: rlucch2098@aol.com
Message-ID: <20021013155814.25130.00001952@mb-mv.aol.com>
Source record: 38654

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150340

4194. FA: Almost MINT Heathkit HW-12A Mono-bandetr for 75mtrs, TONIGHT!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 19:59:39 UTC
From: rlucch2098@aol.com
Message-ID: <20021013155939.25130.00001955@mb-mv.aol.com>
Source record: 38655

Real nice with pictures to boot!
You'd be hard pressed to find a nicer one!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150357

4195. FA: Nice RCA WV-98C Senior Voltohmist VTVM, Parts/Repair>CHEEP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 20:01:16 UTC
From: rlucch2098@aol.com
Message-ID: <20021013160116.25130.00001958@mb-mv.aol.com>
Source record: 38656

Real nice with pictures to boot!
At a big $15
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150327

4196. fa>> (35)4" Genuine CERAMIC Speader Insulators, NOS- Tonite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 20:03:34 UTC
From: rlucch2098@aol.com
Message-ID: <20021013160334.25130.00001961@mb-mv.aol.com>
Source record: 38657

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150364

4197. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 20:11:18 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <aock1g02bd2@enews2.newsguy.com>
Source record: 38661
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Do not forward this to rholling@fcc.gov.

--

Regards,
Joe S.

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:MPgq9.98$K_5.70643765@news.inreach.com...
> Linear Amp Dave Made 10 Pill
>
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389190364
>
>

4198. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 20:11:44 UTC
From: Robert Mozeleski <moz@ncx.com>
Message-ID: <uqjo1gc4sutq32@corp.supernews.com>
Source record: 38663
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

I've got 2 Avantek CR/CT 2000 catv analyzers and sweep transmitters here for sale. 300mhz? All manuals included. 1 works fine,
other will work if you swap out a few boards.

"AJ Sanderson" <sjay@noospam.com> wrote in message news:ao9eue$55c$1@nntp9.atl.mindspring.net...
> Ok, guys. What would be examples of good, used, lower cost rf analyzers
> that I could look for that wouldn't break the bank. Say 500 Mhz bandwidth
> (150 Mhz minimal acceptable).
>
> AJ
>
>
> "Man Li" <manli88@netvigator.com> wrote in message
> news:ao9ecp$5ub4@imsp212.netvigator.com...
> > No you should not use it as spectrum analyzer unless you only need a very
> > simple, low resolution and poor accuracy analyzer.
> > Bye.
> >
> > Man
> >
> > "AJ Sanderson" <sjay@noospam.com> ���g��l��s�D
> > :ao7ak3buv1@slb5.atl.mindspring.net...
> > > I recently read a post where a gentlemen is using a Wavetek Sam I catv
> > > analyzer as a 4-400 Mhz spectrum analyzer at low cost. Is this possible
> > and
> > > how does such a unit compare with regular commercial spectrum analyzers?
> > > I'd like to find out a little more about this unit... is it solid state,
> > can
> > > it be used at 50 ohm impedance, accuracy specs, step attenuator, easily
> > > serviced, etc.... so I'd appreciate any such posts from someone using
> this
> > > unit as an RF analyzer.
> > >
> > > Thanks,
> > > AJ
> > >
> > >
> > >
> >
> >
>
>

4199. Re: FA: Mint-o/Rare SWAN 420 Remote VFO , Ends TONIGHT!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 20:34:47 UTC
From: dan <dan@aol.com>
Message-ID: <l5mjqukplkkb2cpg9cakprqa1n1tdqpelf@4ax.com>
Source record: 38658

How many times are you going to post this crap?

On 13 Oct 2002 19:58:14 GMT, rlucch2098@aol.com (RLucch2098) wrote:

>Real nice with pictures to boot!
>Please add http: before the URL address listed below>>
>//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150340

4200. Re: FA: Almost MINT Heathkit HW-12A Mono-bandetr for 75mtrs, TONIGHT!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 20:35:00 UTC
From: dan <dan@aol.com>
Message-ID: <37mjquslfd9bcpchv5ljtrnaflf6135vfl@4ax.com>
Source record: 38659

How many times are you going to post this crap?

On 13 Oct 2002 19:59:39 GMT, rlucch2098@aol.com (RLucch2098) wrote:

>Real nice with pictures to boot!
>You'd be hard pressed to find a nicer one!
>Please add http: before the URL address listed below>>
>//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150357

4201. Re: FA: Nice RCA WV-98C Senior Voltohmist VTVM, Parts/Repair>CHEEP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 20:35:12 UTC
From: dan <dan@aol.com>
Message-ID: <g7mjqu84mn35va3dc2fjl0f4324a0t1aos@4ax.com>
Source record: 38660

How many times are you going to post this crap?

On 13 Oct 2002 20:01:16 GMT, rlucch2098@aol.com (RLucch2098) wrote:

>Real nice with pictures to boot!
>At a big $15
>Please add http: before the URL address listed below>>
>//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150327

4202. Re: fa>> (35)4" Genuine CERAMIC Speader Insulators, NOS- Tonite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 20:35:28 UTC
From: dan <dan@aol.com>
Message-ID: <s7mjquk2ba07lae49d0jjo84t95vf1v1tp@4ax.com>
Source record: 38662

How many times are you going to post this crap?

On 13 Oct 2002 20:03:34 GMT, rlucch2098@aol.com (RLucch2098) wrote:

>Real nice with pictures to boot!
>Please add http: before the URL address listed below>>
>//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1386150364

4203. FA: Maxtrac/Radius desk mic $18.00.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 21:35:52 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <YGlq9.4219$1P1.330177@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38664
Cross-posted to: alt.ham-radio.vhf-uhf,pa.forsale,phl.forsale,rec.radio.amateur.equipment,rec.radio.swap

good buy
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387756617&ssPageName=ADME:B:LC:US:1

4204. FA: SP50 User Manual..... $5.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 21:37:12 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <cIlq9.4222$1P1.332130@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38665
Cross-posted to: alt.ham-radio.vhf-uhf,pa.forsale,phl.forsale,rec.radio.amateur.equipment,rec.radio.swap

another good buy
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387760912&ssPageName=ADM
E:B:LC:US:1

4205. FS: RS HTX-252 2M Mobile FM Xcvr ($82.50)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 22:02:53 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <h4mq9.75924$w63.1151476@twister.rdc-kc.rr.com>
Source record: 38666

Three weeks old. Never mobile. Non smoker. 136-174 MHz RX. Excellent audio reports on local rptr's. Box, 16 Key DTMF Mic, Manual, DC power cord, un-used mobile mounting bracket. $82.50 shipped/insured conus.

Van,
K0KAV

4206. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-13 23:35:57 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3DAA02CA.DEDA6A12@tampabay.rr.com>
Source record: 38667
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

hey dan
maybe andy could buy it and convert it to 6 meters so he can get into those
repeaters he is having such troubles with

Dan/W4NTI wrote:

> Hurry Hurry everyone...Here is your chance to be a 'big rigger'. Don't
> forget to overdrive it and trash up the entire spectrum....come on.
>
> Dan/W4NTI
>
> "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> news:MPgq9.98$K_5.70643765@news.inreach.com...
> > Linear Amp Dave Made 10 Pill
> >
> >
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389190364
> >
> >
>
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> Version: 6.0.401 / Virus Database: 226 - Release Date: 09-Oct-02

4207. Transmit button for CES 600 Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 00:10:21 UTC
From: LB <"no mail">
Message-ID: <aod280$ni8$1@slb1.atl.mindspring.net>
Source record: 38668

Does anyone know where I can get a plastic push-button for CES 600 Mike? Mine is missing.

-LB

4208. Re: RS HTX-252 2M Mobile FM Xcvr ($82.50)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 00:25:17 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <N9oq9.75946$w63.1157264@twister.rdc-kc.rr.com>
Source record: 38669

S O L D. Thanks for the replies.

Van,
K0KAV

"Keith" <kavan@neb.rr.com> wrote in message
news:h4mq9.75924$w63.1151476@twister.rdc-kc.rr.com...
> Three weeks old. Never mobile. Non smoker. 136-174 MHz RX. Excellent
> audio reports on local rptr's. Box, 16 Key DTMF Mic, Manual, DC power
> cord, un-used mobile mounting bracket. $82.50 shipped/insured conus.
>
> Van,
> K0KAV
>
>

4209. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 00:42:50 UTC
From: Dan/W4NTI <w4nti@mindspringnospam.com>
Message-ID: <aod3tlunn1@nntp9.atl.mindspring.net>
Source record: 38670
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Oh GAWD NO....he will be on every USENET group in the world trying to figure how to hook up a ground wire....again.

Dan/W4NTI

"Dennis Kaylor" <k4oxg@tampabay.rr.com> wrote in message
news:3DAA02CA.DEDA6A12@tampabay.rr.com...
hey dan
maybe andy could buy it and convert it to 6 meters so he can get into those repeaters he is having such troubles with
Dan/W4NTI wrote:

Hurry Hurry everyone...Here is your chance to be a 'big rigger'. Don't
forget to overdrive it and trash up the entire spectrum....come on.
Dan/W4NTI

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:MPgq9.98$K_5.70643765@news.inreach.com...
> Linear Amp Dave Made 10 Pill
>
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389190364
>
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.401 / Virus Database: 226 - Release Date: 09-Oct-02

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.401 / Virus Database: 226 - Release Date: 09-Oct-02

4210. Re: Need manual DJ-190T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 01:12:58 UTC
From: George Andrews <gandrews@ntplx.net>
Message-ID: <wPoq9.206$qc.8142@news.ntplx.net>
Source record: 38671

Try this site.
http://www.alinco.com/usa.html

--
George Andrews, RRPT
N1YAE FN31kj
gandrews@ntplx.net

"Ralf Ballis" <rballis@consult.m.uunet.de> wrote in message
news:20021012.23270400@viviana.santiagosoft.de...
Take a look at:

http://www.mods.dk/left.php3?radio=alinco

Vy 73 de Ralf, DC2MRB

4211. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 01:18:53 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <aod5uc$hv1$1@bob.news.rcn.net>
Source record: 38672

"Gary McAdams" <g.m.mcadams@worldnet.att.net> wrote:
> Mark Walsh <mark@km6xu.die.spam.die.com> wrote:

> >I've had a 'modified' radio for
> > over ten years (that has never been used to transmit 'out of band').

> Oh, really?

Yes, really!

> Why is it modified then?

For the remote possibility of an emergency in which those capabilities
would be useful. I've been using a seat belt for an even longer time,
but I haven't needed it yet. :-)

> Part 97 has no stipulation against
> Amateurs modifying any type of radio
> for use on the Ham bands.

> Part 95 does.

> Is that hard to grasp, or do you just like to argue?

It is hard to grasp when stated in such a manner.
I believe that you were attempting to convey that
Modified "Part 97" equipment can be used in the Part 97 service,
but that modified "Part 95" equipment cannot be used in the
Part 95 service. In your original posting, you wrote that merely
modifying the radio was illegal, and some found that confusing.

73 -- Mark

Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4212. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 02:11:28 UTC
From: dplatt@radagast.org
Message-ID: <uqk9ugjhib2gd5@corp.supernews.com>
Source record: 38673

>The TS-2000 is a nice radio, but it's well over $1500, so kinda steep for
>the 1st time buyer.

It provides a darned good incentive to bear down, learn Morse, and
upgrade to General in double-quick time [I speak from experience!].
"By $DIETY, I paid for this HF capability, and I'm (deleted) well going
to earn the privilege to use it!"

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

4213. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 02:49:23 UTC
From: rugerp85 <rugerp85>
Message-ID: <n2ckqu0s8u90s6hg7tk746pkjo3hkoa4c9@4ax.com>
Source record: 38674
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

no need to be a RAT he'll have his with the auction,they'll suspend
his account and piss him off......then he'll wind up flipping out and
throwing it out in the back yard cause he can't sell it.....har har
LOL

On Sun, 13 Oct 2002 16:11:18 -0400, "Joe S." <joe@schlatter.org>
wrote:

>Do not forward this to rholling@fcc.gov.

4214. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 02:52:09 UTC
From: KU4YP <ku4yp@earthlink.net>
Message-ID: <tjqq9.31040$OB5.2537190@newsread2.prod.itd.earthlink.net>
Source record: 38675

this is entertaining.

i am popping pop corn and got a pitcher of tea made.

i do not believe i will live to see this issue put to rest.

it's a shame, really. you'd figure 20 meters would be a ghost town with all this traffic on here.

73 de KU4YP
Michael Prevatt
Willow Oak, Florida

4215. FS: YK88C/YK88S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 02:59:45 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <Bqqq9.31672$lV3.2583359@newsread1.prod.itd.earthlink.net>
Source record: 38676
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood YK88S Sideband Filter/YK88C CW (500 Hz) filters.

Used in the Kenwood TS 430/TS440 radios.

Asking $75.00 each. Buyer pays packaging/shipping.

Contact Rich, W6VX here or at 818/997-1217

73

4216. Kenwood PC-1A Phone Patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 03:08:39 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <Xyqq9.31697$lV3.2584806@newsread1.prod.itd.earthlink.net>
Source record: 38677
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood PC-1A Phone Patch for sale. All cables and manual.

Excellent condition. Asking $75.00 plus packing/shipping.

Contact Rich, W6VX here or at 818/997-1217.

73

4217. FS ICOM 821H WITH TONE BOARD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 03:56:18 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <Cfrq9.64729$om2.1094207@twister.rdc-kc.rr.com>
Source record: 38678
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

I have a icom 821H dual band sattellite all mode rig forsale.
Has the tone board installed.
Comes with manual mic power cord and retail box.
Non smoker home.
$800 shipped ups insured ups insured.
E-mail for picture of the radio.

4218. Re: FS: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 04:48:20 UTC
From: "ckh - Too Much SPAM"
Message-ID: <hdwX38NCLQJC-pn2-XdRcyeUhWrfe@localhost>
Source record: 38500
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

On Sun, 13 Oct 2002 16:03:32, "General Johnson Jameson"
<area52@zecretbase.com> wrote:

> Linear Amp Dave Made 10 Pill
>
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389190364
>
>

What is that thing?

4219. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 05:10:26 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9CFC9EB.BB62%stewart@sc.rr.com>
Source record: 38679
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"General Johnson Jameson" wrote:
>
> Linear Amp Dave Made 10 Pill
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389190364

What amazes me is that someone would actually attempt to purchase stuff like this off eBay. I mean, come on, the person who would sell something like this is not exactly a person of high moral character, so what in the world would even slow him down from ripping you off? Certainly not his feedback rating - a bad feedback profile can be erased in moments by simply getting a new account.

And, of course, this clown wants only a money order or cashiers check - nothing that can be easily traced to him. He is probably also using a fake "business" name to make it even harder to find him once he steals the money. And I see the suckers are already lining up - two bidders so far.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4220. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 05:41:35 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <dCsq9.26$b4.1444@sooner.brightok.net>
Source record: 38680

Yeah, but $1500+ is kinda steep for the first time buyer, no matter what their license class. I got a real deal on a Kenwood TS-440SAT w/ matching pwr supply and desk mike for $350 (Whoopee!!!), but even an Icom 706 MKII-G at $869 is half the price of the TS-2000. For the same money, you could get two 706s and put one in the mobile.

Mark

"Dave Platt" <dplatt@radagast.org> wrote in message news:uqk9ugjhib2gd5@corp.supernews.com...
> >The TS-2000 is a nice radio, but it's well over $1500, so kinda steep for
> >the 1st time buyer.
>
> It provides a darned good incentive to bear down, learn Morse, and
> upgrade to General in double-quick time [I speak from experience!].
> "By $DIETY, I paid for this HF capability, and I'm (deleted) well going
> to earn the privilege to use it!"
>
> --
> Dave Platt <dplatt@radagast.org> AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
> boycott any company which has the gall to send me such ads!

4221. F.S. Icom IC-751A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 12:29:05 UTC
From: zazu <zazu@pitts.com>
Message-ID: <IMyq9.564$Rk3.61014@news3.voicenet.com>
Source record: 38681
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

IC-751A 200 Watt H.F. All Mode Transceiver, Mint condition inside and out,
with manual. Covers .3 to 30 Mhz. Has true rf speech processing and quad
band conversion receiver like the FT-1000, TS-950SDX and IC-781.
For more complete specifications, see
http://www.qsl.net/sm7vhs/radio/icom/ic751a/specs.htm.
Pictures available on request. $535.
Alan, W3BV- email: w3bv@arrl.net

4222. How would you compare ICOM T90 VS kenwood F6A?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 12:30:00 UTC
From: CheeBye <abc@dontknow.com>
Message-ID: <3daab8cb@shknews01>
Source record: 38682

[No readable article body recovered]

4223. need TS850s operating manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 13:06:05 UTC
From: nigel@g4ejw.freeserve.net
Message-ID: <3daabedc.4250375@news.freeserve.net>
Source record: 38684

if anyone knows where I can purchase a operating manual for the TS850s
I would be most grateful.
Many thanks
Nigel.

EMAIL- nigel@g4ejw.freeserve.co.uk

4224. FS: Garmin StreePilot Color Map GPS **REDUCED**

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 13:56:16 UTC
From: Michael Malloy <mmalloy@wi.rr.com>
Message-ID: <42Aq9.67431$om2.1107979@twister.rdc-kc.rr.com>
Source record: 38683
Cross-posted to: alt.autos.hyundai,alt.satellite.gps,rec.autos.driving,rec.autos.misc,rec.radio.amateur.equipment

This is the Garmin StreetPilot Color Map in like new condition. I have the original box, manuals, serial and power cables, dash mount and two 16mb memory cards.To see complete specs on this unit look at the Garmin web page here: http://www.garmin.com/products/colorMap/ and here http://www.gpscity.com/products/garmin/colormap.html It has the latest firmware upgrade installed.This is a $650 package. I am asking $375 shipped to your home in CONUS.

4225. FS: Kenwood TS-570D transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 14:26:27 UTC
From: jonweiner@aol.com
Message-ID: <20021014102627.20653.00002321@mb-ch.aol.com>
Source record: 38685

FS: Mint condition Kenwood TS-570D Transceiver. Complete in the original carton with all internal packing, original manual, microphone, and power cords. Price $675 delivered (USA).

4226. FA: Visar VHF w/batt,antenna & charger $185.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 15:04:25 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <Z1Bq9.5561$1P1.421472@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38686
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

great price
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389090319&ssPageName=ADM
E:B:LC:US:1

4227. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 17:06:41 UTC
From: n7vrz@charter.net
Message-ID: <uqlud1491jalad@corp.supernews.com>
Source record: 38687
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Well, as much as I hate to see CB'ers use that stuff and trashing the bands with bleed over, it's not illegal to sell/own one. It is illegal to use it, though. So I see no problem with him selling. He should note in his ad that it is not for use on anything other than amatuer radio bands.
"rugerp85 @adelphia.net>" <rugerp85<remove> wrote in message news:n2ckqu0s8u90s6hg7tk746pkjo3hkoa4c9@4ax.com...
>
> no need to be a RAT he'll have his with the auction,they'll suspend
> his account and piss him off......then he'll wind up flipping out and
> throwing it out in the back yard cause he can't sell it.....har har
> LOL
>
> On Sun, 13 Oct 2002 16:11:18 -0400, "Joe S." <joe@schlatter.org>
> wrote:
>
> >Do not forward this to rholling@fcc.gov.
>

4228. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 18:07:52 UTC
From: Bruce McLaughlin <bmclaugh@buckeye-express.com>
Message-ID: <OrycnXE7_aJnmjagXTWcqA@News.GigaNews.Com>
Source record: 38688
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

As I recall, E-bay got into hot water with the FCC about this sort of thing
some time ago and they agreed not to permit auctions of CB amplifiers and
the like. So I wonder how this is now being auctioned.
<n7vrz@charter.net> wrote in message
news:uqlud1491jalad@corp.supernews.com...
> Well, as much as I hate to see CB'ers use that stuff and trashing the
bands
> with bleed over, it's not illegal to sell/own one. It is illegal to use
it,
> though. So I see no problem with him selling. He should note in his ad
that
> it is not for use on anything other than amatuer radio bands.
> "rugerp85 @adelphia.net>" <rugerp85<remove> wrote in message
> news:n2ckqu0s8u90s6hg7tk746pkjo3hkoa4c9@4ax.com...
> >
> > no need to be a RAT he'll have his with the auction,they'll suspend
> > his account and piss him off......then he'll wind up flipping out and
> > throwing it out in the back yard cause he can't sell it.....har har
> > LOL
> >
> > On Sun, 13 Oct 2002 16:11:18 -0400, "Joe S." <joe@schlatter.org>
> > wrote:
> >
> > >Do not forward this to rholling@fcc.gov.
> >
>
>

4229. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 18:33:19 UTC
From: "ckh - Too Much SPAM"
Message-ID: <hdwX38NCLQJC-pn2-oN5i98OTR41E@localhost>
Source record: 38501
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

On Mon, 14 Oct 2002 17:06:41, <n7vrz@charter.net> wrote:

> Well, as much as I hate to see CB'ers use that stuff and trashing the bands
> with bleed over, it's not illegal to sell/own one. It is illegal to use it,
> though. So I see no problem with him selling. He should note in his ad that
> it is not for use on anything other than amatuer radio bands.
>

It is illegal to sell it. That's why our amps don't have 10 meter
capability. If it works on 10 it works on 11.

4230. Re: F.S. HD-73 Rotator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 18:37:40 UTC
From: w3bv <w3bv@arrl.net>
Message-ID: <U9Eq9.568$Rk3.61628@news3.voicenet.com>
Source record: 38689
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

SOLD

"W3BV" <w3bv@arrl.net> wrote in message
news:kRdp9.495$Rk3.51410@news3.voicenet.com...
> Alliance HD-73 Heavy Duty Rotator, rated for 10.7 square feet of antennas.
>
> Features: hard, heavy duty pitch steel gears, 100 ball bearings, mounts in
> tower, on tower, on top of masts 1 3/" to 2" in diameter. Automatic brake,
> dual speed, 1 RPM or slow speed, Illuminated 3 1/2" meter calibrated in 5
> degree increments.
>
> New and unused with control box, optional lower mast mounting support
> bracket and manual. $135. U Ship, F.O.B Zip Code 18910.
>
> Alan, W3BV
>
> W3BV@arrl.net
>
>
>

4231. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 18:59:37 UTC
From: Dale <bassman118@cox.net>
Message-ID: <tuEq9.150717$S32.10672348@news2.west.cox.net>
Source record: 38690
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have a hr 2510 that covers all of 10 and 11 meters. I also have a
mobile amp apx 200 watts. These items would be illegal if USED on the wrong
freq, at the wrong power outputs. It COULD be illegal to use, even if sold
to a licensed operator. I personally would not sell it to a non ham.
As a seller, am I responsible for the stuffs use? legally no, morally,
maybe. Since I hate to see unlicensed ops get this stuff, I have it sitting
in my garage, collecting dust. (my personal choice)
You can sell a man a gun, you can sell a man bullets, you can teach him
to hit his target, but only he can murder.
DALE

"Bruce McLaughlin" <bmclaugh@buckeye-express.com> wrote in message
news:OrycnXE7_aJnmjagXTWcqA@News.GigaNews.Com...
> As I recall, E-bay got into hot water with the FCC about this sort of
thing
> some time ago and they agreed not to permit auctions of CB amplifiers and
> the like. So I wonder how this is now being auctioned.
> <n7vrz@charter.net> wrote in message
> news:uqlud1491jalad@corp.supernews.com...
> > Well, as much as I hate to see CB'ers use that stuff and trashing the
> bands
> > with bleed over, it's not illegal to sell/own one. It is illegal to use
> it,
> > though. So I see no problem with him selling. He should note in his ad
> that
> > it is not for use on anything other than amatuer radio bands.
> > "rugerp85 @adelphia.net>" <rugerp85<remove> wrote in message
> > news:n2ckqu0s8u90s6hg7tk746pkjo3hkoa4c9@4ax.com...
> > >
> > > no need to be a RAT he'll have his with the auction,they'll suspend
> > > his account and piss him off......then he'll wind up flipping out and
> > > throwing it out in the back yard cause he can't sell it.....har har
> > > LOL
> > >
> > > On Sun, 13 Oct 2002 16:11:18 -0400, "Joe S." <joe@schlatter.org>
> > > wrote:
> > >
> > > >Do not forward this to rholling@fcc.gov.
> > >
> >
> >
> >
>
>

4232. FS: Hammarlund HQ-100C - good condition - clock works

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 19:41:20 UTC
From: WB7AWK <boatanchors@hotmail.com>
Message-ID: <3dab1c3e$1_5@news.meganetnews.com>
Source record: 38691
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

Hi all,

I have for sale a good condition HQ-110C receiver, with a nicely working clock. No mods, works well although is a bit deaf on the upper band. I used to have this paired with a Gonset GSB-100 years ago, and it's just gathering dust. Nice face, has logo intact, no serious wear or tear, all original knobs. The only real flaw is one panel screw is missing and the 'bandspread' lettering on the face is worn.

$125 plus UPS from 98466 (around 30 pounds boxed). Payment via US Postal Money order, Paypal, or check (must clear first though).

Pictures are here:

http://www.boatanchors.com/stuff/hq100/face.jpg

Thanks for looking,

David WB7AWK

4233. FS: Hammarlund HQ-110C Ham Band receiver with Clock

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 19:55:10 UTC
From: WB7AWK <boatanchors@hotmail.com>
Message-ID: <3dab1f5b$1_2@news.meganetnews.com>
Source record: 38692
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

For Sale:

working Hammarlund HQ-110C ham band only receiver,
with working clock. Hears well on most bands - controls
need cleaning, but is essentially in good shape. Missing
the 110C logo on the front, and has 2 mods on the rear
apron - neither of which is anything big. There is a BNC
antenna jack and an RCA speaker jack, installed in the
preformed mod holes that the receiver already had. They
are sensible mods, in that they do away with the screw
terminals. But easy to undo. The clock works - makes a
vibration that's a little annoying - I think the grommets that
mount the movement are worn and the vibration is getting
through.

Received 20 meter SSB and CW this afternoon with no
problems.

Price is $125 plus UPS from 98466 (around 30 pounds
boxed). Paypal, US Postal Money Order, or checks (10
days to clear).

Pictures:

http://www.boatanchors.com/stuff/hq110/face.jpg

http://www.boatanchors.com/stuff/hq110/rear.jpg

Thanks for looking,

David WB7AWK

4234. FS:Kenwood SM220 Scope

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 20:04:56 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <IrFq9.33344$OB5.2660732@newsread2.prod.itd.earthlink.net>
Source record: 38693
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have for sale a Kenwood SM220 scope. This unit has the pan adapter installed. Condition is very good.

Asking $300.00 plus packing/shipping.

Contact Rich here or at 818/997-1217

Best 73 de Rich, W6VX

w6vx@arrl.net

4235. FS:Henry 2KD Classis HF Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 20:10:13 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <FwFq9.33357$OB5.2661363@newsread2.prod.itd.earthlink.net>
Source record: 38694
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Henry 2KD Classic desktop amplifier for sale. 2 3-500 tubes, 1200 watts output on all bands (including WARCs)
This unit has recently had the ten meter modification done at the Henry factory here in the Los Angeles area.
The cabinet and front panel are in excellent condition with just a few minor dings on the top rear of the cover. All markings on the faceplate are perfect.

Asking $1050 plus shipping. I will have the Henry factory ship this unit safely to you. The weight of this unit is approximately 85 pounds. I would prefer local pickup in Southern California.

Contact Rich here or at 818/997-1217

w6vx@arrl.net

Best 73 de Rich, W6VX

4236. FS: Kenwood TH-78a and accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 20:51:41 UTC
From: Kevin <kb2tke@qsl.net>
Message-ID: <x7Gq9.30232$m92.5885493@news1.news.adelphia.net>
Source record: 38695
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Howdy ,

I have a Kenwood Th-78a Dual Band Handheld in excellent condition
cosmetically and functionally . I have the following Kenwood accessories ;
ME-1 memory expansion , PB-13 NiCad , BC-14 Wall Charger , BC-15A Rapid
Charger with battery cradle , PG-3H 12v Filtered Cig Adapter , HMC-2 Vox
Headset Boom Mic ,
SMC-34 Spkr/Mic , 2 BT-8 Alkaline Battery Packs , and the SC-35 Soft Case .
I also have two NiMh batteries purchased in July from E.H. Yost a PB-13xh
and a PB-17xh .
A copy of the original manual . I'm asking $250.00 plus shipping .

Kevin

4237. Yaesu ATAS-100 Mobile Antenna QUESTIONS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 21:23:25 UTC
From: Mike Green KQ6MU <radiotek@pacbell.net>
Message-ID: <8jcmqugifjmce31bnq86fc9e8gge7hvnm9@4ax.com>
Source record: 38696

Greetings,

I have some questions regarding the Yaesu ATAS-100 Mobile Antenna.

I just purchased the Yaesu FT-100D to use in my car (Ford Escort). I used the FT-100 when riding with a friend, and it seemed to perform well and the ease of operation with the ATAS-100 was exciting and simple.

Questions:

1) Antenna Mount Choices: Now, I really do not want to drill holes or anything that would damage the vehicle. I am looking at the Lakeview Quad Magnet Mount or Super Quad Magnet Mount on the Mag-mount side, the Trunk Lip or License Plate Mount (Lakeview) for more security knowing the antenna won't fly away.

I am aiming towards the Mag-Mounts, at this time. Will the Quad Magnet mounts have enough strength to hold this antenna to the vehicle? I would like to use it on the center of the roof, or, if necessary, on the trunk lid. Will the wind load (80-90 MPH max on the road) cause the mount to detach, or does it have sufficient holding strength?

2) PERFORMANCE: I have read tons of review on eHam, and would like to receive a few more. The reason(s) why I am choosing the ATAS-100, is due to ease of operation and decent efficiency. I don't want an antenna that will be cumbersome or "offensive." I think other Screw Driver Antennas (such as Don Johnson's Screw Driver) would be a little too large for this car to handle without a lot of construction work with the mount. Also, I don't want to stop and replace a jumper or resonator to change bands. Pros and Cons would be great!

That about does it, and I thank you for taking your time to assist me on my HF Mobile Setup. I can't operate from my home, so this is the next best thing. See ya'll on the Air & 73!

Please Email response to: radiotek@pacbell.net

Mike Green KQ6MU

4238. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 23:13:00 UTC
From: foxyie@inwind.it
Message-ID: <0clq9.127759$O8.3032613@twister.tampabay.rr.com>
Source record: 38548
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

"AJ Sanderson" <sjay@noospam.com> wrote in message
news:ao7ak3buv1@slb5.atl.mindspring.net...
> I recently read a post where a gentlemen is using a Wavetek Sam I catv
> analyzer as a 4-400 Mhz spectrum analyzer at low cost. Is this possible
and
> how does such a unit compare with regular commercial spectrum analyzers?
> I'd like to find out a little more about this unit... is it solid state,
can
> it be used at 50 ohm impedance, accuracy specs, step attenuator, easily
> serviced, etc.... so I'd appreciate any such posts from someone using this
> unit as an RF analyzer.
>
> Thanks,
> AJ
>
>
>

4239. Re: Where to get aluminium tubing???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 23:16:16 UTC
From: foxyie@inwind.it
Message-ID: <4fIq9.127761$O8.3035135@twister.tampabay.rr.com>
Source record: 38552
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

"Art Unwin KB9MZ" <aunwin@fgi.net> wrote in message
news:c4becf19.0210091006.1e16b555@posting.google.com...
> "Steve G1XOW" <steve@wragge.fsworld.co.uk> wrote in message
news:<an9c75got1@newsg2.svr.pol.co.uk>...
> > Try ASC Metails in Lincolnshire. Very good and next day delivery in
> > Midlands.
> >
> > http://www.ascmetals.com/
> >
> > Cheers, Steve G1XOW
> >
> > "M3SEM" <ff@vv.vv> wrote in message
> > news:%0Xk9.1165$hS4.8997@newsfep3-gui.server.ntli.net...
> > > Wondering if anyone can point me in the direction of a supplier of
> > aluminium
> > > tubing in the UK, for some antenna projects??
> > >
> > > Thanks in advance :)
> > >
> > >
>
> Gentlemen As a former Brit I still retain my love of experimenting
> with
> antennas and thus over the years have accumulated quite a pile of
> aluminium tubing.This pile is being shipped off to the scrapyard by my
> grandaughter because I have little use for it anymore.
> The reason from moving away from aluminium is that I find telescopic
> fishing poles to be much more available,less expensive, can be
> extended to over
> 320 inches aside using aluminium in the boom area, Can use wire inside
> or aluminium paper on the outside so the basic rod material used lasts
> for ever because modification to length over experimental time does
> not damage the pole itself.
> P.S.
> When an ice storm comes along the rod believes it has caught a fish,
> it bends as all fishing rods do and the ice slides off !
>
> Art KB9MZ....XG.
>

4240. FS: Yaesu MD-100A8X

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 23:16:27 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <gtjmquc28l1pv14ond4l2br9k79v4a58a5@4ax.com>
Source record: 38697

I have for sale in very good condition a Yaesu MD-100A8X desk microphone. I have the instruction sheet, but no box. The PTT lever has a little paint wear on the edge. Other than that its in great shape and works fine.......I will take $75 plus shipping......WZ1U Steve / Lakeville, Mass.

Pictures upon request !

4241. Re: Yaesu ATAS-100 Mobile Antenna QUESTIONS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 23:19:56 UTC
From: KD5JBN <kd5jbn@NOSPAMadelphia.net>
Message-ID: <k0kmqu80cevojbou9vbvtg34p207658q7f@4ax.com>
Source record: 38549

Forget Mag Mounts. You need a true Ground to use the ATAS-100. The
Quad Mount will hold the antenna, but you will lose the ability to
autotune unless you run a direct ground from the antenna to the frame
of the car. Remember the Shorter the better. The License plate mount
is Iffy at best with the wind velocity @ 80 Mph, but with some
advanced Afro-American Engineering it could work also.

GL & 73
Glenn

On Mon, 14 Oct 2002 21:23:25 GMT, Mike Green KQ6MU
<radiotek@pacbell.net> wrote:

>Greetings,
>
>I have some questions regarding the Yaesu ATAS-100 Mobile Antenna.
>
>I just purchased the Yaesu FT-100D to use in my car (Ford Escort). I
>used the FT-100 when riding with a friend, and it seemed to perform
>well and the ease of operation with the ATAS-100 was exciting and
>simple.
>
>Questions:
>
>1) Antenna Mount Choices: Now, I really do not want to drill holes or
>anything that would damage the vehicle. I am looking at the Lakeview
>Quad Magnet Mount or Super Quad Magnet Mount on the Mag-mount side,
>the Trunk Lip or License Plate Mount (Lakeview) for more security
>knowing the antenna won't fly away.
>
>I am aiming towards the Mag-Mounts, at this time. Will the Quad Magnet
>mounts have enough strength to hold this antenna to the vehicle? I
>would like to use it on the center of the roof, or, if necessary, on
>the trunk lid. Will the wind load (80-90 MPH max on the road) cause
>the mount to detach, or does it have sufficient holding strength?
>
>2) PERFORMANCE: I have read tons of review on eHam, and would like to
>receive a few more. The reason(s) why I am choosing the ATAS-100, is
>due to ease of operation and decent efficiency. I don't want an
>antenna that will be cumbersome or "offensive." I think other Screw
>Driver Antennas (such as Don Johnson's Screw Driver) would be a little
>too large for this car to handle without a lot of construction work
>with the mount. Also, I don't want to stop and replace a jumper or
>resonator to change bands. Pros and Cons would be great!
>

>
>That about does it, and I thank you for taking your time to assist me
>on my HF Mobile Setup. I can't operate from my home, so this is the
>next best thing. See ya'll on the Air & 73!
>
>Please Email response to: radiotek@pacbell.net
>
>Mike Green KQ6MU

----------== Posted via Newsfeed.Com - Uncensored Usenet News ==----------
http://www.newsfeed.com The #1 Newsgroup Service in the World!
-----= Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers =-----

4242. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 23:24:57 UTC
From: kludge@panix.com
Message-ID: <aofjo9$8r6$1@panix2.panix.com>
Source record: 38550
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Dale <bassman118@cox.net> wrote:
> I have a hr 2510 that covers all of 10 and 11 meters. I also have a
>mobile amp apx 200 watts. These items would be illegal if USED on the wrong
>freq, at the wrong power outputs. It COULD be illegal to use, even if sold
>to a licensed operator. I personally would not sell it to a non ham.

Sadly, most of the amps made for CB use aren't legal to use anywhere and
don't have anywhere near the spectral purity required for 10M operation.
That's the real problem.

I don't worry about CBers using outrageously high-powered amps and trashing
their own bands. What I worry about are CBers using outrageously high
distortion amps and trashing the ham bands with spurs.

> As a seller, am I responsible for the stuffs use? legally no, morally,
>maybe. Since I hate to see unlicensed ops get this stuff, I have it sitting
>in my garage, collecting dust. (my personal choice)

I'd sooner see unlicensed operators get clean linears for them to use than
to get cheap junk that makes hash of bands that legitimate users are
trying to work with.

The FCC appears to have given up on enforcing any regulations regarding
the CB bands, and the CBers don't seem to care about self-policing, so
I can't really make much comment about the trashing of the CB bands.
But I can sure make a lot of comments about the trashing of 10M and 6M...
--scott

--
"C'est un Nagra. C'est suisse, et tres, tres precis."

4243. Need manuals for KLM 15M6 and 10M6

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-14 23:25:49 UTC
From: Zoran Brlecic <WA7AA@attbi.com>
Message-ID: <3DAB5277.5020105@attbi.com>
Source record: 38551
Cross-posted to: rec.radio.amateur.antenna,rec.radio.swap,rec.radio.amateur.equipment

Hi, everyone.

I am getting "previously enjoyed" 6-el KLM monobanders for 10 and 15 meters, but the seller does not have manuals anymore. Is there anyone out there who can scan or photocopy them for me (at least the diagram). I'll pay any reasonable fee. Search on Google turned out zip.

Thanks and 73,

Zoran WA7AA

4244. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 00:03:21 UTC
From: Dale <bassman118@cox.net>
Message-ID: <dXIq9.151130$S32.10744189@news2.west.cox.net>
Source record: 38553
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Not a QRP dude but, I feel if you cant do the job with under 200 watts, why add to the clutter. All my friends have amps to use "only when needed" yeah, right! Amps create the need for amps.
I have none here anymore, so if you here me out there, it is because my (our) antennas are right, the conditions are right, and no one is chasing a cert for "worked all operators" or something. OK, I have said my 2 cents worth, opened up for the flaming contest replys, etc. Enjoy the hobby!
Thats all I have to say about that.....F Gump

"Scott Dorsey" <kludge@panix.com> wrote in message news:aofjo9$8r6$1@panix2.panix.com...
> Dale <bassman118@cox.net> wrote:
> > I have a hr 2510 that covers all of 10 and 11 meters. I also have a
> >mobile amp apx 200 watts. These items would be illegal if USED on the wrong
> >freq, at the wrong power outputs. It COULD be illegal to use, even if sold
> >to a licensed operator. I personally would not sell it to a non ham.
>
> Sadly, most of the amps made for CB use aren't legal to use anywhere and
> don't have anywhere near the spectral purity required for 10M operation.
> That's the real problem.
>
> I don't worry about CBers using outrageously high-powered amps and trashing
> their own bands. What I worry about are CBers using outrageously high
> distortion amps and trashing the ham bands with spurs.
>
> > As a seller, am I responsible for the stuffs use? legally no, morally,
> >maybe. Since I hate to see unlicensed ops get this stuff, I have it sitting
> >in my garage, collecting dust. (my personal choice)
>
> I'd sooner see unlicensed operators get clean linears for them to use than
> to get cheap junk that makes hash of bands that legitimate users are
> trying to work with.
>
> The FCC appears to have given up on enforcing any regulations regarding
> the CB bands, and the CBers don't seem to care about self-policing, so
> I can't really make much comment about the trashing of the CB bands.
> But I can sure make a lot of comments about the trashing of 10M and 6M...
> --scott
>

>
> --
> "C'est un Nagra. C'est suisse, et tres, tres precis."

4245. Re: Hammarlund HQ-100C - good condition - clock works

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 00:10:05 UTC
From: WB7AWK <boatanchors@hotmail.com>
Message-ID: <3dab5b20$1_6@news.meganetnews.com>
Source record: 38555
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

> I have for sale a good condition HQ-110C receiver, with a
> nicely working clock. No mods, works well although is
> a bit deaf on the upper band. I used to have this paired
> with a Gonset GSB-100 years ago, and it's just gathering
> dust. Nice face, has logo intact, no serious wear or tear,
> all original knobs. The only real flaw is one panel screw is
> missing and the 'bandspread' lettering on the face is worn.

Sorry - make that a 100C - I have BOTH for sale right now
and got confused in typing!

Email if you questions about EITHER.

Dave

4246. Icom 746 Pro v. Yaesu MK V Field

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 00:12:10 UTC
From: Beans <beans@gate.net>
Message-ID: <3DAB5D5A.DCB14841@gate.net>
Source record: 38554

I'm thinking of a new rig, and am wondering if anyone has any comments regarding one over the other.

Thanks,
Jeff

4247. Re: Yaesu ATAS-100 Mobile Antenna QUESTIONS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 00:28:47 UTC
From: Turner Morgan <tmorgan7955@comcast.net>
Message-ID: <Xns92A7D056F15DFtmorgan7955comcastne@216.148.53.98>
Source record: 38559

Mike Green KQ6MU <radiotek@pacbell.net> wrote in
news:8jcmqugifjmce31bnq86fc9e8gge7hvnm9@4ax.com:

>
> Questions:
>
> 1) Antenna Mount Choices: Now, I really do not want to drill holes or
> anything that would damage the vehicle. I am looking at the Lakeview
> Quad Magnet Mount or Super Quad Magnet Mount on the Mag-mount side,
> the Trunk Lip or License Plate Mount (Lakeview) for more security
> knowing the antenna won't fly away.
>
> I am aiming towards the Mag-Mounts, at this time. Will the Quad Magnet
> mounts have enough strength to hold this antenna to the vehicle? I
> would like to use it on the center of the roof, or, if necessary, on
> the trunk lid. Will the wind load (80-90 MPH max on the road) cause
> the mount to detach, or does it have sufficient holding strength?

Forget the Mag Mounts!!! That antenna **requires** a ground, a good one.
I have the antenna mounted to the liftgate on my '99 Jeep Cherokee using a
heavy duty trunk lip mount. Make sure it is a **heavy duty** mount.
Mine is a Maldol RM-750. Also, the bulk of my antenna is wind-shaded, and
RF-shielded a bit, by being mounted lower on the vehicle (my prime
directive is that the vehicle must go into the garage).

Don't even think about any of those convenience powered mounts that allow
you to flatten the antenna against the vehicle roof. They aren't heavy
duty enough for such an antenna at any kind of speed.

Sorry, but if you select a trunk lip mount, you're gonna have to clean some
vehicle paint under where the mount screws against the trunk lid or
hatchback or liftgate or whatever. By the way, this may seem like a stupid
thing to say, but check to see that the vehicle mounting surface is metal!
My '89 Cherokee's liftgate was fiberglass! At least D/C Jeep went back to
making the things out of metal before I traded for my '99! As stated
earlier, this antenna requires a good ground. You may end up having to run
some ground strap from under the antenna mounting screws to the vehicle
frame or some equally large, inaccessable part of the vehicle.

>
> 2) PERFORMANCE: I have read tons of review on eHam, and would like to
> receive a few more. The reason(s) why I am choosing the ATAS-100, is
> due to ease of operation and decent efficiency. I don't want an
> antenna that will be cumbersome or "offensive." I think other Screw
> Driver Antennas (such as Don Johnson's Screw Driver) would be a little
> too large for this car to handle without a lot of construction work

> with the mount. Also, I don't want to stop and replace a jumper or
> resonator to change bands. Pros and Cons would be great!
>
>
Decent effeciency? Don't go there with a compact antenna. You want decent effeciency, be the first on your block to go mobile with a quarter-wave dipole (it ain't easy, but it's been done!).

Now, performance? That antenna ROCKS!!!! This comes from using it for less than a year, mobile in the Jeep, the FT-100D pushin' 100W of bone-crushing RF through the ATAS-100, i.e., no mobile amplifier, etc. As a mobile, I worked half way to DXCC before the HF bands went into hibernation for the summer. I sure hope this fall the ol' bands perk up, 'cause I'd like to finish my DXCC on the FT-100D/ATAS-100 mobile.

The antenna autotunes on all bands, including the WARCs with no problem.

You might want to hold off a bit on purchasing one, though. Yaesu is about to introduce the ATAS-120. It looks more like a screwdriver antenna in that it does not have the rubber boot and it tunes faster; but, if you have your heart set on an ATAS-100, the ATAS-120 ought to drive the price of the '100 down a bit.

Hope this was informative. Good luck with the installation!

Turner - WA4MQY

4248. Re: Anyone Have one of These?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 00:33:18 UTC
From: foxyie@inwind.it
Message-ID: <inJq9.127900$O8.3057061@twister.tampabay.rr.com>
Source record: 38556

"Arghh!" <drooler@usa.com> wrote in message
news:966d37c1.0210101058.15516bbd@posting.google.com...
> Anyone have any experience/try one of these??
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=968400102
>

4249. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 00:35:05 UTC
From: foxyie@inwind.it
Message-ID: <ZoJq9.127919$O8.3057607@twister.tampabay.rr.com>
Source record: 38557

"Keith Beckmann" <Kbeckmann.spankme@wi.rr.com> wrote in message
news:7v3q9.56436$om2.1019238@twister.rdc-kc.rr.com...
> Many radios can be modified. See for yourself at:
>
> http://www.mods.dk/
>
> Half or more of the hams out there started on CB. Don't be hypocritical!
>
>
> "Ernie" <emikulic@attbi.com> wrote in message
> news:3da2816b.185731500@netnews.attbi.com...
> > All,
> > do any of the Icom/Yaesu/Kenwood in-car mobile HF
> > rigs have rx/tx on this band? If not is there a mod for any of those
> > that can do this? CB is ugly but usefull in blackout areas where
> > there are trucks.
> >
> > Thx.
> > -E
>
>
>

4250. Re: Icom 746 Pro v. Yaesu MK V Field

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 00:43:06 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uqmov2l9no88f4@corp.supernews.com>
Source record: 38558

Avoid the MK V, bad reliaibility record.
PRO II & PRO have a very high reliability record.
More versitile, better features, better resale.
All around a better radio.
In my opinion.
Read more about them on my web site: www.qsl.net/kk5dr/

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Beans" <beans@gate.net> wrote in message news:3DAB5D5A.DCB14841@gate.net...
> I'm thinking of a new rig, and am wondering if anyone has any comments
> regarding one over the other.
>
> Thanks,
> Jeff
>

4251. Re: Icom 746 Pro v. Yaesu MK V Field

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 00:59:21 UTC
From: Jake <Jake@napster.com>
Message-ID: <JLJq9.128476$IL6.6615572@news2.east.cox.net>
Source record: 38560

The Yaesu is the better radio. Look at the difference on the used lists for sale. Lots of Iccums...very few Yaesu.

"M.E." <bogus@nospam.com> wrote in message news:uqmov2l9no88f4@corp.supernews.com...
> Avoid the MK V, bad reliaibility record.
> PRO II & PRO have a very high reliability record.
> More versitile, better features, better resale.
> All around a better radio.
> In my opinion.
> Read more about them on my web site: www.qsl.net/kk5dr/
>
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "Beans" <beans@gate.net> wrote in message news:3DAB5D5A.DCB14841@gate.net...
> > I'm thinking of a new rig, and am wondering if anyone has any comments
> > regarding one over the other.
> >
> > Thanks,
> > Jeff
> >
>
>

4252. Icom AH-2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 01:12:21 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <aofq4301832@enews2.newsguy.com>
Source record: 38562

What is the Icom AH-2? Is it a self-contained antenna tuner, or, is it the control unit for a tuner?

Would someone who has used one tell me about it.

Thanks.

--

Regards,
Joe S.

4253. FA: Hallicrafters SR-150 with power supply on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 01:20:04 UTC
From: GS <greatsurplus@hotmail.com>
Message-ID: <3dab6b84_6@news.meganetnews.com>
Source record: 38561
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389969090&rd=1

Good working condition - full description at the above link.
Not many of these come up for sale- here's your chance.

Reserve is what I paid for it in 1997 -$175.

Thanks for looking

4254. WTB: NON-Working scanner for PARTS.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 01:41:21 UTC
From: klarrg@aol.com
Message-ID: <20021014214121.00293.00000156@mb-fj.aol.com>
Source record: 38563

WANTED TO BUY...A NON-working older ELECTRA/Bearcat base scanner, model BC-20/20 (preferred) OR an older NON-working Electra/Bearcat BC-220 base scanner FOR PARTS. Need the FACEPLATE to replace broken one on mine that the USPS "killed" with a FORKLIFT!!! Will buy either JUST the faceplate OR the entire NON-WORKING scanner for parts but....the faceplate MUST be complete, intact, not cracked or broken, and in VERY good to EXCELLENT condition (no deep gouges, scratches, etc., but OK for faded silver paint around edges...)as it is THE part I'm seeking. Will pay decent price for the right one. IF POSSIBLE, pic of your unit would be MUCH appreciated WITH your Email reply. Please remember I want to REUSE the faceplate so it MUST be restorable, VERY intact, AND USEABLE !!I will answer ALL replies. Also have some vintage scanner parts for trade/barter to "sweeten" the deal as well IF DESIRED...LMK your needs.Otherwise, will buy radio or faceplate only outrite from you.

THANKS IN ADVANCE to all who reply. (<:

4255. Re: Icom 746 Pro v. Yaesu MK V Field

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 01:52:43 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uqmt1jg1ou8315@corp.supernews.com>
Source record: 38564

Look on the 1000MP e-mail reflector on qth.com, horror story after horror
story, no such thing on the ICOM reflector.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Jake" <Jake@napster.com> wrote in message
news:JLJq9.128476$IL6.6615572@news2.east.cox.net...
> The Yaesu is the better radio. Look at the difference on the used lists
for
> sale. Lots of Iccums...very few Yaesu.
>
> "M.E." <bogus@nospam.com> wrote in message
> news:uqmov2l9no88f4@corp.supernews.com...
> > Avoid the MK V, bad reliaibility record.
> > PRO II & PRO have a very high reliability record.
> > More versitile, better features, better resale.
> > All around a better radio.
> > In my opinion.
> > Read more about them on my web site: www.qsl.net/kk5dr/
> >
> >
> > --
> > Respond to my "real" e-mail;
> > kk5dr@ev1.net
> > "Beans" <beans@gate.net> wrote in message
> news:3DAB5D5A.DCB14841@gate.net...
> > > I'm thinking of a new rig, and am wondering if anyone has any comments
> > > regarding one over the other.
> > >
> > > Thanks,
> > > Jeff
> > >
> >
> >
>
>

4256. Re: Icom 746 Pro v. Yaesu MK V Field

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 02:03:12 UTC
From: Paul N3EOP <n3eop@arrl.or.callsign.net>
Message-ID: <Xns92A7C1D224462n3eophotmailcom@64.164.98.6>
Source record: 38565

"Jake" <Jake@napster.com> wrote:

> The Yaesu is the better radio. Look at the difference on the used
> lists for sale. Lots of Iccums...very few Yaesu.

Because there are lots more Icoms out there than there are Yaesus. In the HF market, Yaesu is a distant third. Icom holds the higher end of the HF market (currently with the IC756PRO/PROII), and Kenwood has the lower end (TS-4x0, and now the TS-2000). About the only thing noteworthy that Yaesu has had in the last few years is the FT-817 portable/QRP rig.

QST reviewed the IC-746PRO in the May 2002 issue (Very positive review), and the FT-1000 Mk.V Field in the August 2002 issue (kind of ho-hum). If you can't find these to read, let me know.

4257. Re: Questions about the hf bands

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 02:21:09 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <WJacnfdCz6SiFjagXTWcqw@News.GigaNews.Com>
Source record: 38572

All 5 license classes are sitll in effect. The FCC is just not issuing new licenses but three as of now. The nocode Tech good for 50 megs and up, the General , and the Extra. The novice and Advanced class licnese holders that have not upgraded are still around. All the band limits are still in effect so the General class must stay in the general portion of the band.
Look at the www.arrl.org page for the rules.

"FVRACR" <fvracr@aol.com> wrote in message
news:20021014223753.20556.00002200@mb-ch.aol.com...
> I know this question is outside the of the news group but I knew it would
get
> answered here.
> Since there are basically 3 licenses in the U.S., is there an advanced
portion
> on the bands? Can I as a general license holder operate in the advanced
> portion? Or does the license band plan go from general to extra? (I have
been
> out of haming for the past 15 years.)
>
> thanks,
> Kirk Mohror
> K7EKM

4258. Questions about the hf bands

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 02:37:53 UTC
From: fvracr@aol.com
Message-ID: <20021014223753.20556.00002200@mb-ch.aol.com>
Source record: 38566

I know this question is outside the of the news group but I knew it would get answered here.
Since there are basically 3 licenses in the U.S., is there an advanced portion on the bands? Can I as a general license holder operate in the advanced portion? Or does the license band plan go from general to extra? (I have been out of haming for the past 15 years.)

thanks,
Kirk Mohror
K7EKM

4259. Re: Icom 746 Pro v. Yaesu MK V Field

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 02:43:30 UTC
From: wavelengthham <w9jcm@REMOVETHISreno.quik.com>
Message-ID: <mhLq9.156$Mz6.2055@newsfeed.intelenet.net>
Source record: 38570

Save yourself some grief pick up a ft1000MP foget the field or mark 5 it is
the best reciever and dsp out there.
"Paul N3EOP" <n3eop@arrl.or.callsign.net> wrote in message
news:Xns92A7C1D224462n3eophotmailcom@64.164.98.6...
> "Jake" <Jake@napster.com> wrote:
>
> > The Yaesu is the better radio. Look at the difference on the used
> > lists for sale. Lots of Iccums...very few Yaesu.
>
> Because there are lots more Icoms out there than there are Yaesus. In
> the HF market, Yaesu is a distant third. Icom holds the higher end of
> the HF market (currently with the IC756PRO/PROII), and Kenwood has the
> lower end (TS-4x0, and now the TS-2000). About the only thing
> noteworthy that Yaesu has had in the last few years is the FT-817
> portable/QRP rig.
>
> QST reviewed the IC-746PRO in the May 2002 issue (Very positive review),
> and the FT-1000 Mk.V Field in the August 2002 issue (kind of ho-hum).
> If you can't find these to read, let me know.

4260. ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 02:44:53 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <aofvfe01g40@enews2.newsguy.com>
Source record: 38567

Some of you ebay regulars explain this one.

Found an item on ebay that I need. Set up a very generous esnipe bid for it. 18 hours before the auction was due to end, the seller withdrew the item from sale.

It's his stuff and he can do what he wants with it -- but -- it seems if you put something up for sale you should leave it there. Can he do this without penalty?

--

Regards,
Joe S.

4261. Re: Yaesu ATAS-100 Mobile Antenna QUESTIONS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 03:20:19 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <aog1dl$8i0$1@bob.news.rcn.net>
Source record: 38568

"Mike Green KQ6MU" <radiotek@pacbell.net> wrote:

> 1) Antenna Mount Choices: Now, I really do not want to drill holes or
> anything that would damage the vehicle. I am looking at the Lakeview
> Quad Magnet Mount or Super Quad Magnet Mount on the Mag-mount side,
> the Trunk Lip or License Plate Mount (Lakeview) for more security
> knowing the antenna won't fly away.

You are more likely to damage the vehicle with a mag-mount
than you are if you make a few thoughtful holes (and that's
assuming that you consider said holes to be 'damage').
Do it once, and do it right...

Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4262. Re: Icom 746 Pro v. Yaesu MK V Field

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 03:22:18 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <aog1hc$8vm$1@bob.news.rcn.net>
Source record: 38569

"Beans" <beans@gate.net> wrote:

> I'm thinking of a new rig, and am wondering if anyone has
> any comments regarding one over the other.

Jeff, welcome to the internet! Go to http://www.eham.net
and you will find all that you need to know under 'reviews.'

Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4263. Re: Questions about the hf bands

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 03:24:44 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <aog1lu$9e7$1@bob.news.rcn.net>
Source record: 38571

"FVRACR" <fvracr@aol.com> wrote:

> Since there are basically 3 licenses in the U.S., is there an advanced portion
> on the bands?

Yes, and there are still many of us with 'advanced' licenses.

> Can I as a general license holder operate in the advanced portion?

No, but you can upgrade to extra without having to do the code.

> Or does the license band plan go from general to extra?

Yes. See http://www.arrl.org for more info.

Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4264. Need Help-Kenwood TM-D700A-Not able to transmit on 440 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 03:37:37 UTC
From: Tom Fuller <tofull@bellsouth.net>
Message-ID: <0b3nqu8m3j300mt2brv143su1u6sf2pjbv@4ax.com>
Source record: 38573

Hello all, my radio will not transmit on 440 MHz band (is there some setting that disables transmit on 440 MHz band?) It transmits fine on 2 meters however. Any help? Thanks de KE4QCM

Tom Fuller
ke4qcm@arrl.net

4265. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 03:40:32 UTC
From: amstraur <polobee@hotmail.com>
Message-ID: <uqn3hhaa9qjt4c@corp.supernews.com>
Source record: 38574

Yes... other than having to pay the listing fee. No... auction and bid cancellations are not "right", even though Ebay buyers and sellers can cancel their bids and auctions without any feedback ramifications.

I was watching an auction a few weeks ago where the high bid between two sole bidders got up around $100. Within the last hour of the auction, the high bidder retracted their bid. The other bidder got the goods at their original $9.99 opening bid. I bet the seller was cussing pretty good about that one.

Even though most Ebay auctions aren't worth the time or energy to enforce, they're still contracts. Just try to pull crap like this at a real live estate auction and there will be heck to pay...

"Joe S." <joe@schlatter.org> wrote in message news:aofvfe01g40@enews2.newsguy.com...

> It's his stuff and he can do what he wants with it -- but -- it seems if you
> put something up for sale you should leave it there. Can he do this without
> penalty?

4266. Re: 27.405 - 26.965 MHz. in Mobile Rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 05:10:18 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aomdct$f57$1@madmax.keyway.net>
Source record: 38412

1. Commercially certified radios modified for amateur use are no longer certified, and can't be used for their original purpose. Same Idea applies to Certified CB rigs that get modified. They can't be used as CB's anymore so 95 would not apply. Only 97 would if it were intended to be used as a ham rig.

2. You can drop ham frequencies in your commercial rig if it does not require modification to do so, but you risk the license of the commercial operation if someone operates on the ham frequencies from the "company" radio without a ham license (not a good idea if you ever need to turn eq. back in).

3. You need to be licensed to operate in most other services besides CB.

4. It is not required that amateur equipment operate exclusively in the amateur bands, however there are specific 11 meter exclusions for amplifiers...BUT,

5. Amateurs are bound (as is any service) to use only the frequencies of their license grant with appropriate equipment or risk the loss of all equipment, etc, etc...

6. Amateurs operating out of band is no more legal than any other yokel operating a bootleg or modified CB, but the ham would probably get slammed harder because he should know better.

Jim, ac6tk

"Dick Hughes" <rhughes33@cableone.net> wrote in message
news:9jbgqucfl2bhrnibrloss3nv05gipof1h0@4ax.com...
: Maybe I was taking you too literally. You said,
:
: "Part 97 has no stipulation against
: Amateurs modifying any type of radio
: for use on the Ham bands.
:
: Part 95 does."
:
: I read that to mean that Part 95 DOES have a stipulation against
: Amateurs modifying any type of radio for use on the ham bands.
:
: At least we agree.
:
: 73, Dick - W6CCD
:
:

: On Sat, 12 Oct 2002 13:42:29 GMT, "Gary McAdams"
: <g.m.mcadams@worldnet.att.net> wrote:
:
: >
: >Dick Hughes <rhughes33@cableone.net> wrote in message
: >news:q88fqu41qmf4eba6qvdpaa1dl9ktlufm31@4ax.com...
: >> Is that what you really meant to say? There is nothing in Part 95
: >> that would prevent, for example, a licensed amateur radio operator
: >> from modifying a citizen's band radio for use on 10-meters. Part 95
: >> does, however, prohibit modifying a citizen's band radio to be used on
: >> the citizen's band. It would no longer be certified under Part 95.
: >>
: >> Dick - W6CCD
: >>
: >
: >Hi Dick,
: >
: >Yes, that is exactly what I meant to say.
: >
: >You have just agreed with me, did you not
: >see that?
: >
: >What you said is exactly what I said, only
: >phrased differently.
: >
: >Thanks.
: >
: >Gary WG7X
: >
:

4267. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 05:17:04 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aog6vtcfb1@news1.kornet.net>
Source record: 38575

I have seen auctions where the item was pulled as a result of something happening to the item that lowered it's value or made it worthless. Perhaps this was one of those cases? I for one appreciate when a seller pulls an item that is found to not live up to it's description, rather than to let the auction conclude and leave a ticked off customer..

"amstraur" <polobee@hotmail.com> wrote in message news:uqn3hhaa9qjt4c@corp.supernews.com...
> Yes... other than having to pay the listing fee. No... auction and bid
> cancellations are not "right", even though Ebay buyers and sellers can
> cancel their bids and auctions without any feedback ramifications.
>
> I was watching an auction a few weeks ago where the high bid between two
> sole bidders got up around $100. Within the last hour of the auction, the
> high bidder retracted their bid. The other bidder got the goods at their
> original $9.99 opening bid. I bet the seller was cussing pretty good about
> that one.
>
> Even though most Ebay auctions aren't worth the time or energy to enforce,
> they're still contracts. Just try to pull crap like this at a real live
> estate auction and there will be heck to pay...
>
> "Joe S." <joe@schlatter.org> wrote in message
> news:aofvfe01g40@enews2.newsguy.com...
>
> > It's his stuff and he can do what he wants with it -- but -- it seems if
> you
> > put something up for sale you should leave it there. Can he do this
> without
> > penalty?
>
>
>

4268. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 06:07:30 UTC
From: "rick@rickfrazier.com" <rick@rickfrazier.com>
Message-ID: <3DABB0A2.C58AC4FB@rickfrazier.com>
Source record: 38576

Joe:

In many instances, the seller is approached by someone who negotiates a private bid. This is definitely against the rules of eBay (and morally wrong as well) but it does happen. The buyer secures the item he wants without the wait (and competition), and the seller avoids the extra charge of the eBay commission. Of course, the seller and especially the buyer lose all "protections" that are built into the eBay systems.

I have been approached routinely with things I have sold by a potential buyer who requests canceling the auction and selling immediately to him (or her). Once I've put something up for auction, it's going to stay there until the auction ends normally. Unfortunately, this is not the case with some sellers...

--Rick

"Joe S." wrote:

> Some of you ebay regulars explain this one.
>
> Found an item on ebay that I need. Set up a very generous esnipe bid for
> it. 18 hours before the auction was due to end, the seller withdrew the
> item from sale.
>
> It's his stuff and he can do what he wants with it -- but -- it seems if you
> put something up for sale you should leave it there. Can he do this without
> penalty?
>
> --
>
> ------
> Regards,
> Joe S.

4269. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 07:21:51 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D13A4C.BBB2%stewart@sc.rr.com>
Source record: 38577
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"n7vrz@charter.net" wrote:
>
> Well, as much as I hate to see CB'ers use that
> stuff and trashing the bands with bleed over,
> it's not illegal to sell/own one. It is illegal
> to use it, though. So I see no problem with him
> selling.

Actually, you need to look at the regulations again. A change in the rules several years ago made it illegal to sell non-certified equipment capable of transmitting on the frequencies in or around the CB band (95.603, 95.607, 95.639, and so on).

> He should note in his ad that it is not for use
> on anything other than amatuer radio bands.

It doesn't matter what he says in the ads, if it can transmit on the frequencies in or around the CB band, it is still against the rules.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4270. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 07:29:38 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D13C1E.BBB4%stewart@sc.rr.com>
Source record: 38578
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Bruce McLaughlin" wrote:

> (snip) So I wonder how this is now being auctioned.

Probably because he avoided using the combination of words or circumstances that would trigger eBay's auction filters (he listed it under ham radio, not CB, and didn't mention CB in the page). Because of that, eBay never even noticed it. If someone had complained, it would have been pulled.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4271. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 07:33:53 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D13D1C.BBB6%stewart@sc.rr.com>
Source record: 38580
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Scott Dorsey" wrote:
>
> (snip) I'd sooner see unlicensed operators get
> clean linears for them to use than to get cheap
> junk that makes hash of bands that legitimate
> users are trying to work with.

They (CB'ers) wouldn't pay the price for quality. They want lots of power cheaply - that's why this auction failed (it was too expensive).

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4272. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 07:52:30 UTC
From: "Robert M. Bratcher Jr" <bratcher@pdq.net>
Message-ID: <E869AB1E67A3EAE0.E22B9A949682D65B.47B61735D7C14C9D@lp.airnews.net>
Source record: 38579
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

On Tue, 15 Oct 2002 07:21:51 GMT, Dwight Stewart <stewart@sc.rr.com>
wrote:

>"n7vrz@charter.net" wrote:
>>
>> Well, as much as I hate to see CB'ers use that
>> stuff and trashing the bands with bleed over,
>> it's not illegal to sell/own one. It is illegal
>> to use it, though. So I see no problem with him
>> selling.
>
>
> Actually, you need to look at the regulations again. A change in the rules
>several years ago made it illegal to sell non-certified equipment capable of
>transmitting on the frequencies in or around the CB band (95.603, 95.607,
>95.639, and so on).
>
>

Then what about older 50's era ham transmitters that have the 11 meter
band already on them? I suppose a ham could legally sell that to
another ham as the average cb'er wouldn't know how to tune a tube
based transmitter.

>> He should note in his ad that it is not for use
>> on anything other than amatuer radio bands.
>
>
> It doesn't matter what he says in the ads, if it can transmit on the
>frequencies in or around the CB band, it is still against the rules.
>
>
>Dwight Stewart (W5NET)

Still it might be fun (and very illegal) tu tune an old collins (50's
era) rig (like the 32-v series, KWS-1 or KW-1) on Ch 19 (27. whatever
it is) and QRM the cb'ers for awhile.

100w (or even a KW) of dead carrier (or whistles & other noise) would
drive them nuts on a cb channel. But then I really don't like cb'ers
anyway.

Would I ever do it? Nope...

4273. Collins filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 09:34:28 UTC
From: jvereker@wp.pl
Message-ID: <25102a3d.0210150134.3b1fbf12@posting.google.com>
Source record: 38581

Hello,

I'd like to learn something about electromechanical filters,
I mean something completely basic - how do they work etc.,
because the only thing I know about them is that such
devices exist.
I Googled of course but hundreds of links it found didn't get
me what I want - something for absolute newbies.

Anybody knows good resources?

tia
jvereker@wp.pl

4274. Re: Yaesu ATAS-100 Mobile Antenna QUESTIONS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 09:44:40 UTC
From: Mike Green KQ6MU <radiotek@pacbell.net>
Message-ID: <fdonqu8b3ib56hvb1fle8c78fgnia35v1p@4ax.com>
Source record: 38582

I appreciate all the input that I have received so far.

Well, as far as efficiency, you can only get so much ERP emitted in a mobile setup that would probably would not surpass a 1/2 wave dipole's efficiency on HF.

From what I have read, most ATAS-100 owners had to tap the vehicle's body for their ground, so I knew this would probably happen. I have a 2m 5/8 wave Trunk-Lip mount, and it works wonders. I know from past experience, that the mag-mounts can scratch the surfact of the paint, which sucks. I guess the trunk-lip will cause less damage.

I believe that the 2m Trunk-lip does make DC Contact with the car's body, so there is one Grounding point, but I probably should still run a ground tap from the antenna.

As one guy mentioned, Yaesu is introducing the ATAS-120 Antenna, which may (should) bring down the ATAS-100 Price a little.

Ok, now I am leaning towards a "heavy duty" trunk lip mount, but does anyone have any manufactures and/or models in mind??

Thanks again & 73,

Mike KQ6MU

On Mon, 14 Oct 2002 20:20:19 -0700, "Mark Walsh"
<mark@km6xu.die.spam.die.com> wrote:

>"Mike Green KQ6MU" <radiotek@pacbell.net> wrote:
>
>> 1) Antenna Mount Choices: Now, I really do not want to drill holes or
>> anything that would damage the vehicle. I am looking at the Lakeview
>> Quad Magnet Mount or Super Quad Magnet Mount on the Mag-mount side,
>> the Trunk Lip or License Plate Mount (Lakeview) for more security
>> knowing the antenna won't fly away.
>
>You are more likely to damage the vehicle with a mag-mount
>than you are if you make a few thoughtful holes (and that's
>assuming that you consider said holes to be 'damage').
>Do it once, and do it right...
>
>Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com
>

4275. Re: Icom 746 Pro v. Yaesu MK V Field

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 10:15:40 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <fOmrPfDMLonxHXIOgCweb89zQqY2@4ax.com>
Source record: 38583

Beans <beans@gate.net> wrote:

>I'm thinking of a new rig, and am wondering if anyone has any comments
>regarding one over the other.
>
>Thanks,
>Jeff

In the QST review, the Field version performed slightly less well than the non-Field version, so maybe the circuitry is not quite the same.

The Yaesu rigs and the Icom rig have all been reviewed in QST. If you're going to spend a couple of thousand here, you might want to subscribe just so you can access the reviews at Arrl.org. The Icom rig received an especially nice review; the 746pro is apparantly very comperable to the 756proII. Plus, you get 6 and 2 meters, as well.

Bob
k5qwg

4276. FS: Yaesu VX-5R Triband HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 13:52:52 UTC
From: Michael Malloy <mmalloy@wi.rr.com>
Message-ID: <U4Vq9.69267$om2.1150413@twister.rdc-kc.rr.com>
Source record: 38584
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

I have a nice Yaesu VX-5r HT with leather case, improved Motorola belt clip and a quick reference guide. The HT works flawlessly. I have the manual, box, charger and all original documentation.

Asking $175 plus shipping. Please email directly if interested. mmalloy@wi.rr.com

Mike N9WJV

4277. RCI2995dx

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 14:02:06 UTC
From: Noneaubusiness <nospam@none.com>
Message-ID: <3dac206a$1_1@news.teranews.com>
Source record: 38585

http://groups.yahoo.com/group/rci2995dx

No spam. No flames. No radio Police.

4278. Re: Yaesu ATAS-100 Mobile Antenna QUESTIONS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 15:06:16 UTC
From: fmxmit88@aol.comyl
Message-ID: <20021015110616.11388.00001755@mb-me.aol.com>
Source record: 38586

>x-no-archive:yes From: Mike Green KQ6MU radiotek@pacbell.net :"I have some questions regarding the Yaesu ATAS-100 Mobile Antenna.."

Those Quad & Tri Mag mounts work fine with the ATAS-100, & you will Not lose the ability to auto tune. I ran an ATAS-100 on a quad mag for over a year with excellent results, & I know at least 4 people doing so right now. IMO, The ground plane effect you get from the Quad mag ount in the center of the roof is at least as good, or better, than many of these "Trunk" & clip type mounts that use a couple of tiny allen screws to make ground....

4279. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 15:10:38 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D1A834.BD1C%stewart@sc.rr.com>
Source record: 38587
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Robert M. Bratcher Jr" wrote:
>
> Then what about older 50's era ham
> transmitters that have the 11 meter
> band already on them? I suppose a
> ham could legally sell that to
> another ham as the average cb'er
> wouldn't know how to tune a tube
> based transmitter.

I have no idea. Someone mentioned it in another discussion and nobody was
able to find a clear answer in the rules.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4280. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 15:36:45 UTC
From: Jim Chandler <n427c@gte.net>
Message-ID: <3DAC3648.FE892275@gte.net>
Source record: 38588
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

If it puts out more than the specified limit of (I think) 5 watts AM or
24 watts p.e.p. sideband, then 'taint legal. If the radio transmitts
more than thee limits then it can't be certified for that band. Ham
equipment, to be legal, but since when did being "legal" mean anything
to CB'ers, would have to have the drive reduced considerably.

Jim Chandler, N5COT
Apple Valley, Ca

Dwight Stewart wrote:
>
> "Robert M. Bratcher Jr" wrote:
> >
> > Then what about older 50's era ham
> > transmitters that have the 11 meter
> > band already on them? I suppose a
> > ham could legally sell that to
> > another ham as the average cb'er
> > wouldn't know how to tune a tube
> > based transmitter.
>
> I have no idea. Someone mentioned it in another discussion and nobody was
> able to find a clear answer in the rules.
>
> Dwight Stewart (W5NET)
>
> http://www.qsl.net/w5net/

4281. FS: Alinco DX77T like new with MARS/CAP mod.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 15:44:23 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <rJWq9.23006$ue4.1544515@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38589
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Alinco DX77T HF transceiver in like new condition.
100khz-34mhz rx, 1.8-29.70 mhz tx
Radio is in excellent condition, comes with mic, manual, box, power cable.
Never mobile, non-smoker.
Still has protective plastic over freq. display and all buttons.
$375 shipped Cont' US.
please email direct
RW613@lycos.com

4282. FS: Alinco DX77T like new with MARS/CAP mod done.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 15:46:23 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <jLWq9.23009$ue4.1544689@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38590
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Alinco DX77T HF transceiver in like new condition.
100khz-34mhz rx, 1.8-29.70 mhz tx
Radio is in excellent condition, comes with mic, manual, box, power cable.
Never mobile, non-smoker.
Still has protective plastic over freq. display and all buttons.
$375 shipped Cont' US.
please email direct
RW613@lycos.com

4283. FS: Motorola RIB box OEM RLN-4008B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 16:03:28 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <k%Wq9.23031$ue4.1544318@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38591
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

Motorola RIB box RLN-4008B in very good condition.
Used in house only, shows some wear, but works great.
Comes with schematic, and power supply.
Needs computer to RIB cable. $250.00
Add $5.00 USPS Priority Mail shipping.
Con't US Only.
please email direct
RW613@lycos.com

4284. Help with Hallicrafters SX-28

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 16:08:31 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <j6Xq9.67$ku.53@news.bellsouth.net>
Source record: 38593

I have just received a wonderful Hallicrafters SX-28 receiver and some of the knobs have been broken in transit
Does anyone know where I may find some of these?
Also is there a good anti oxidizing spray one can buy?
I hope some one can help me to bring this fine old classic back to its original condition
Many thanks
Martyn

4285. FS:MT1000/P200/HT600 speaker mic NEW!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 16:12:14 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <y7Xq9.23045$ue4.1546776@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38592
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

MT1000 style speaker mic, NEW NMN6156A
$35.00 plus $5.00 shipping con't US only.
email direct
RW613@lycos.com

4286. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 16:27:09 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <Wrucney7gIMXzDGgXTWcpw@News.GigaNews.Com>
Source record: 38596
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Guess that most do not take time to look at the rules now: The ham rules are about the only FCC rules that say what you may not do , not what you may do. If it is not in the rules, it should be ok tuil a rule is made.

Here is a cut and paste from the arrl.org copy of the rules. It only addresses the amplifiers. It has nothing to say about the transmitters. Also seems to exempt any amp made before the date the rule was made.

97.315 Certification of external RF power amplifiers.
(a) No more than 1 unit of 1 model of an external RF power amplifier capable of operation below 144 MHz may be constructed or modified during any calendar year by an amateur operator for use at a station without a grant of certification. No amplifier capable of operation below 144 MHz may be constructed or modified by a non-amateur operator without a grant of certification from the FCC.
(b) Any external RF power amplifier or external RF power amplifier kit (see 2.815 of the FCC Rules), manufactured, imported or modified for use in a station or attached at any station must be certificated for use in the amateur service in accordance with Subpart J of Part 2 of the FCC Rules. This requirement does not apply if one or more of the following conditions are met:
(1) The amplifier is not capable of operation on frequencies below 144 MHz. For the purpose of this part, an amplifier will be deemed to be incapable of operation below 144 MHz if it is not capable of being easily modified to increase its amplification characteristics below 120 MHz and either:
(i) The mean output power of the amplifier decreases, as frequency decreases from 144 MHz, to a point where 0 dB or less gain is exhibited at 120 MHz; or
(ii) The amplifier is not capable of amplifying signals below 120 MHz even for brief periods without sustaining permanent damage to its amplification circuitry.
(2) The amplifier was manufactured before April 28, 1978, and has been issued a marketing waiver by the FCC, or the amplifier was purchased before April 28, 1978, by an amateur operator for use at that amateur operator's station.

"Dwight Stewart" <stewart@sc.rr.com> wrote in message news:B9D1A834.BD1C%stewart@sc.rr.com...
> "Robert M. Bratcher Jr" wrote:
> >

> > Then what about older 50's era ham
> > transmitters that have the 11 meter
> > band already on them? I suppose a
> > ham could legally sell that to
> > another ham as the average cb'er
> > wouldn't know how to tune a tube
> > based transmitter.
>
>
> I have no idea. Someone mentioned it in another discussion and nobody
was
> able to find a clear answer in the rules.
>
>
> Dwight Stewart (W5NET)
>
> http://www.qsl.net/w5net/
>

4287. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 16:32:27 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <2eicnQ9PUqRVzzGgXTWcoQ@News.GigaNews.Com>
Source record: 38449
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

The comercial station engineers have not been required by the FCC to be tested and licensed for many years now. I have not really kept up with it, but think that unless it involves radar or public transportation such as airplanes or boats there is not much need of the old comercial license anymore.

"Gary S." <Idontwantspam@net> wrote in message news:3dac3f78.14327311@news.bellatlantic.net...
> On Tue, 15 Oct 2002 15:36:45 GMT, Jim Chandler <n427c@gte.net> wrote:
> >
> Commercial broadcast engineers are trained, tested and licensed, and
> their equipment is required to meet certain spectral requirements.
> They need to be able to verify this at any time the FCC asks.
>

4288. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 16:37:25 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <yvXq9.196$ZJ3.127162470@news.inreach.com>
Source record: 38594
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Dwight Stewart" <stewart@sc.rr.com> wrote in message
...
> "Bruce McLaughlin" wrote:
>
> > (snip) So I wonder how this is now being auctioned.
>
>
> Probably because he avoided using the combination of words or
> circumstances that would trigger eBay's auction filters (he listed it
under
> ham radio, not CB, and didn't mention CB in the page). Because of that,
eBay
> never even noticed it. If someone had complained, it would have been
pulled.
>
>
> Dwight Stewart (W5NET)
>
> http://www.qsl.net/w5net/

I reported the auction to Ebay and immediately received notification
that it had already been reported. It remained for the duration of
the auction even though it did not sell. Either Ebay ignored the report
or they felt it was legal for auction.

4289. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 16:56:07 UTC
From: Idontwantspam@net
Message-ID: <3dac3f78.14327311@news.bellatlantic.net>
Source record: 38595
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

On Tue, 15 Oct 2002 15:36:45 GMT, Jim Chandler <n427c@gte.net> wrote:

>If it puts out more than the specified limit of (I think) 5 watts AM or
>24 watts p.e.p. sideband, then 'taint legal. If the radio transmitts
>more than thee limits then it can't be certified for that band. Ham
>equipment, to be legal, but since when did being "legal" mean anything
>to CB'ers, would have to have the drive reduced considerably.
>
Part of the "type acceptance" for a particular radio service is also limits on the harmonics and other spurious transmissions put out by the rig. On every radio service other than amateur radio and commercial broadcasters, the user is forbidden to modify their equipment is any way. Essentially all of these services are "appliance operators" only, and anything else is a violation for the FCC. How aggressively the FCC rules are enforced is a seperate issue. Speeding is always illegal, whether or not a state trooper catches you at it.

Commercial broadcast engineers are trained, tested and licensed, and their equipment is required to meet certain spectral requirements. They need to be able to verify this at any time the FCC asks.

Amateur operators are allowed to modify equipment as well for use on certain bands, but are supposed to be knowledgable enough to do this without creating spurious emissions that interfere with other bands, services, communications or electronic devices, and smart enough to fix problems before operating.

I've seen CB antennas advertised as being able to handle tens of thousands of watts, for a service legally limited to 5 watts into the antenna. Some of the people building the linear amplifiers and other gear are unaware or unconcerned of spurious emissions, and the problems created for others. Equipment is built to go into "additional" high and low CB channels, which are actually frequencies allotted to other services. All of these are thoroughly illegal, just part of the "outlaw" mentality.

It is the users who may face the brunt of any legal actions, and users of other services who have to deal with the interference (and legit users of CB finding it useless).

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

4290. FS: Aston SL11R 11amp 50% 7 amp cont. duty

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 17:34:13 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <pkYq9.23153$ue4.1553258@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38448
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

Astron SL11R 11amp power supply. 7 amp cont. duty, 11amp 50% duty cycle.
$30.00 plus $10.00 USPS shipping cont US only.
RW613@lycos.com

4291. HD-73 Rotator- SOLD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 17:35:32 UTC
From: W3BV <w3bv@arrl.net>
Message-ID: <ElYq9.584$Rk3.62954@news3.voicenet.com>
Source record: 38597
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

The Alliance HD-73 Heavy Duty Rotator has been sold.

de W3BV

"W3BV" <w3bv@arrl.net> wrote in message
news:kRdp9.495$Rk3.51410@news3.voicenet.com...
> Alliance HD-73 Heavy Duty Rotator, rated for 10.7 square feet of antennas.
>
> Features: hard, heavy duty pitch steel gears, 100 ball bearings, mounts in
> tower, on tower, on top of masts 1 3/" to 2" in diameter. Automatic brake,
> dual speed, 1 RPM or slow speed, Illuminated 3 1/2" meter calibrated in 5
> degree increments.
>
> New and unused with control box, optional lower mast mounting support
> bracket and manual. $135. U Ship, F.O.B Zip Code 18910.
>
> Alan, W3BV
>
> W3BV@arrl.net
>
>
>

4292. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 18:37:01 UTC
From: Idontwantspam@net
Message-ID: <3dac5fcb.22602420@news.bellatlantic.net>
Source record: 38450
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

On Tue, 15 Oct 2002 13:32:27 -0300, "Ralph Mowery" <rmowery@ctc.net>
wrote:

>The comercial station engineers have not been required by the FCC to be
>tested and licensed for many years now. I have not really kept up with it,
>but think that unless it involves radar or public transportation such as
>airplanes or boats there is not much need of the old comercial license
>anymore.
>
I'll check with our radio club's president, whose day job is as a
broadcast engineer for a local network affiliate's stations.

I imagine that a license would be helpful in getting a job, though.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

4293. Re: Questions about the hf bands

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 18:58:03 UTC
From: Jim Vecchiola <jimkr2t@magpage.com>
Message-ID: <aohofr$74d$0@216.155.62.110>
Source record: 38451

Yes, there are still advanced portions of the bands. The advanced
license is grand fathered and will continue to be reissued to those who
already hold it - just no NEW advanced class licenses. You can't operate
in the advanced portion with a general class license.

KR2T

FVRACR wrote:
>
> I know this question is outside the of the news group but I knew it would get
> answered here.
> Since there are basically 3 licenses in the U.S., is there an advanced portion
> on the bands? Can I as a general license holder operate in the advanced
> portion? Or does the license band plan go from general to extra? (I have been
> out of haming for the past 15 years.)
>
> thanks,
> Kirk Mohror
> K7EKM

4294. Best sound card CW decoder?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 19:25:50 UTC
From: cprstn54zz@att.net
Message-ID: <3dac6b5e.190195375@news-server.optonline.net>
Source record: 38453

I really like the Hamscope interface for CW. It is nifty to let the machine decode two CW QSO's while you decode a third one by ear. However, Hamscope isn't terrific at decoding CW on my rig. I get lots of extraneous characters even when the signal is way below the squelch point. Also, it often fails to decode pretty good signals with clean code. I read that improving CW is one of the current HamScope objectives.

Is anyone using something that works a little better?

Ken KC2JDY
Ken
(to reply via email
remove "zz" from address)

4295. RE:CUBIC ASTRO 103

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 20:02:28 UTC
From: dg <daniele.guareschi@fastwebnet.it>
Message-ID: <Ou_q9.23592$dj7.116679@tornado.fastwebnet.it>
Source record: 38452

I NEED SCHEMATIC DIAGRAM ASTRO 103.THANK.
I2UJJ

daniele.guareschi@fastwebnet.it

4296. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 20:39:53 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <d6voqughmme36i4i23kt339b1s2cmhr5pb@4ax.com>
Source record: 38454

On Mon, 14 Oct 2002 22:44:53 -0400, "Joe S." <joe@schlatter.org>
wrote:

>Some of you ebay regulars explain this one.
>
>Found an item on ebay that I need. Set up a very generous esnipe bid for

Oh god, one of those people using that useless "snipping" software.
Just bid the maximum you want to pay and if you get outbid, then oh
well. Ebay will automatically up your bid until it reaches the maximum
you set, in order to try to win the auction.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

4297. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 20:41:35 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aoht56$20d$1@news1.kornet.net>
Source record: 38455
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Ralph,

You are right, broadcast does not require any kind of license anymore, and most stations are not giving much weight to a GROL.

The legal limits on CB, since 1977, are 3.5 watts AM at 50% modulation, and 25 watts PEP on SSB.

"Ralph Mowery" <rmowery@ctc.net> wrote in message news:2eicnQ9PUqRVzzGgXTWcoQ@News.GigaNews.Com...
> The comercial station engineers have not been required by the FCC to be
> tested and licensed for many years now. I have not really kept up with it,
> but think that unless it involves radar or public transportation such as
> airplanes or boats there is not much need of the old comercial license
> anymore.
>
>
> "Gary S." <Idontwantspam@net> wrote in message
> news:3dac3f78.14327311@news.bellatlantic.net...
> > On Tue, 15 Oct 2002 15:36:45 GMT, Jim Chandler <n427c@gte.net> wrote:
> > >
> > Commercial broadcast engineers are trained, tested and licensed, and
> > their equipment is required to meet certain spectral requirements.
> > They need to be able to verify this at any time the FCC asks.
> >
>
>

4298. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 21:16:25 UTC
From: Randy Ott <randy@iscdata.com>
Message-ID: <JA%q9.594$E%4.99528816@newssvr30.news.prodigy.com>
Source record: 38456
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

If you shop around, you should be able to find a decent HP 141T spectrum analyzer system that goes to 1250 MHz for under 500 dollars. A far cry from the SAM and the kits.

Randy Ott

"AJ Sanderson" <sjay@noospam.com> wrote in message
news:ao9eue$55c$1@nntp9.atl.mindspring.net...
> Ok, guys. What would be examples of good, used, lower cost rf analyzers
> that I could look for that wouldn't break the bank. Say 500 Mhz bandwidth
> (150 Mhz minimal acceptable).
>
> AJ
>
>
> "Man Li" <manli88@netvigator.com> wrote in message
> news:ao9ecp$5ub4@imsp212.netvigator.com...
> > No you should not use it as spectrum analyzer unless you only need a
very
> > simple, low resolution and poor accuracy analyzer.
> > Bye.
> >
> > Man
> >
> > "AJ Sanderson" <sjay@noospam.com> ���g��l��s�D
> > :ao7ak3buv1@slb5.atl.mindspring.net...
> > > I recently read a post where a gentlemen is using a Wavetek Sam I catv
> > > analyzer as a 4-400 Mhz spectrum analyzer at low cost. Is this
possible
> > and
> > > how does such a unit compare with regular commercial spectrum
analyzers?
> > > I'd like to find out a little more about this unit... is it solid
state,
> > can
> > > it be used at 50 ohm impedance, accuracy specs, step attenuator,
easily
> > > serviced, etc.... so I'd appreciate any such posts from someone using
> this
> > > unit as an RF analyzer.
> > >
> > > Thanks,

> > > AJ
> > >
> > >
> >
> >
>
>
>

4299. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 21:54:20 UTC
From: John P Vassel <kc8ske@cybiko.com>
Message-ID: <3dac8e8c$0$1422$2c3e98f8@news.voyager.net>
Source record: 38457
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Brenda Ann" <brendad@shinbiro.com> wrote in news:aoht56$20d$1
@news1.kornet.net:

> and
> 25 watts PEP on SSB.
>

I coulda sworn it was 12? Eh, what do i remember anyways.

--
John P Vassel
KC8SKE
R.T.V.F.D.

4300. Icom IC-V8000 Receiver, How Good?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 22:20:01 UTC
From: mlinden@enteract.com
Message-ID: <aoi4ah$79i$2@bob.news.rcn.net>
Source record: 38458

I'm looking for feedback from people who own the new Icom IC-V8000 2m mobile rig. Specifically, I'd like to know how you feel about the receiver's (sensitivity, adjacent channel rejection, intermod rejection, etc.). I'm considering purchasing an IC-V8000 to replace a Yaesu FT-3000M (the QST reviews of the two pretty much show that the receiver spec differences are a tradeoff -- some better, some worse), and I'd like to make sure that the Icom's receiver would be as good or better than the Yaesu's before I buy it. I've also recently owned an Icom IC-2100H -- I felt that radio had an excellent receiver, probably better than the Yaesu.

Any information would be appreciated!

73, Michael N9BDF

4301. Re: Best sound card CW decoder?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 22:55:34 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uqp77himfljnb5@corp.supernews.com>
Source record: 38459

All CW decoders are plaged with at least two problems. One is improper timing by the majority of sending stations using hand sent code. The other is static crashes and QRM that momentarily obscure the CW signal. I have never seen a CW decoder that works very reliable except with noise free, stable signals and machine generated code (i.e. the W1AW broadcast usually looks very good here).

4302. Re: Questions about the hf bands

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 23:22:09 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uqp8j8lev3fecf@corp.supernews.com>
Source record: 38460

There is an "Advanced" portion of many HF bands, but a General can not operate there. Only Advanced and Extra. Currently the FCC is not making any new Advanced class, since the restructure.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"FVRACR" <fvracr@aol.com> wrote in message
news:20021014223753.20556.00002200@mb-ch.aol.com...
> I know this question is outside the of the news group but I knew it would
get
> answered here.
> Since there are basically 3 licenses in the U.S., is there an advanced
portion
> on the bands? Can I as a general license holder operate in the advanced
> portion? Or does the license band plan go from general to extra? (I have
been
> out of haming for the past 15 years.)
>
> thanks,
> Kirk Mohror
> K7EKM

4303. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 23:42:42 UTC
From: kludge@panix.com
Message-ID: <aoi95ipqv1@panix2.panix.com>
Source record: 38461
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Gary S. <Idontwantspam@net> wrote:
>
>Commercial broadcast engineers are trained, tested and licensed, and
>their equipment is required to meet certain spectral requirements.
>They need to be able to verify this at any time the FCC asks.

Not any more. There's no First Phone certificate at all, and any bozo
off the street can become a broadcast engineer. Many do. I spend a lot
of time cleaning up behind them.

The equipment does need to meet certain spectral requirements but there
are no regular proof of performance measurements required any longer by
the FCC. Equipment does need to be type-accepted but you can use homebrew
transmitters on the air for broadcast service if they meet the requirements
and if the correct labelling is applied to the cabinet.

>Amateur operators are allowed to modify equipment as well for use on
>certain bands, but are supposed to be knowledgable enough to do this
>without creating spurious emissions that interfere with other bands,
>services, communications or electronic devices, and smart enough to
>fix problems before operating.

And amateur service is the ONLY service that does not have type acceptance
requirements on the equipment. This is unique and it is what allows hams
to use gear originally intended for many other services.

>I've seen CB antennas advertised as being able to handle tens of
>thousands of watts, for a service legally limited to 5 watts into the
>antenna. Some of the people building the linear amplifiers and other
>gear are unaware or unconcerned of spurious emissions, and the
>problems created for others. Equipment is built to go into
>"additional" high and low CB channels, which are actually frequencies
>allotted to other services. All of these are thoroughly illegal, just
>part of the "outlaw" mentality.

Historically, when did this start? I know CBers from the sixties
who say that the CB bands were once very polite and that CBers even
sent QSL cards. I saw the CB boom in the mid-seventies when all
pretense of politeness and legal niceties were gone.
--scott
--
"C'est un Nagra. C'est suisse, et tres, tres precis."

4304. Re: Icom IC-730 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 23:46:28 UTC
From: Al <al210@Qhamster.foxhollow.ca>
Message-ID: <q5apqu85iiakv258jlsa6nco9doudpt6j8@4ax.com>
Source record: 38463
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Thanks to all that replied.
The information is very helpful.

I accidently discovered some responses through a google search. It
seems they weren't properly propagated to my news server.

I case others experienced the same, here are the relevant links again.

http://www.angelfire.com/biz2/mts/updates.html
http://www.angelfire.com/biz2/mts/images/730preamp.jpg

On Wed, 09 Oct 2002 11:38:36 -0400, Al <al210@Qhamster.foxhollow.ca>
wrote:

>I recently brought out my old IC-730 and have a couple of questions,
>if anyone can help.
>
>1) The pre-amp relay is prone to failure. There is reference on
>Icom's website to a factory modification. Apparently this mod puts a
>small current through the contacts to keep them clean.
>Can anyone provide me with details on this mod?
>
>2) The memory operation seems strange. I have mis-placed my
>operator's manual, but the service manual briefly states:
>
>"WRITE: By pushing this button, A VFO's frequency is written into
>memory, or one VFO's frequency is transferred to the other VFO."
>
>"MEMORY: Push this switch when you wish to write a frequency into
>memory, or to call a memorized frequency."
>
>For me, using 20m as an example, pressing WRITE always puts 14098.5
>into VFO, clearing whatever was in the VFO.
>Pressing MEMORY just recalls 14098.5.
>
>If anyone could describe or better still email me a scan of memory
>operation from the operators manual it would be greatly appreciated.
>
>73, Al

--
Please note there is no letter 'Q' in my address. Edit as required.

4305. BEWARE!!...Doug Calladonato.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-15 23:58:04 UTC
From: klarrg@aol.com
Message-ID: <20021015195804.19555.00000130@mb-fs.aol.com>
Source record: 38462

..Be aware that a gent by the name of Doug Calladonato (njscanner@comcast.net)is selling several scanners (approx. 21 of them..) and, is willfully and maliciously misrepresenting the condition of these units to obtain a sale on them.He sold me two that he represented as in "excellent working order" and, that he "tested himself before sending them to me" that are BOTH totally non-working, useless units. I am out a SUBSTANTIAL SUM OF $$$ and he denies they were non-working at time of sale.Mr. Calladonato outright lied and denied several Emails he initially sent me that represented theses radios I got from him as TOTALLY WORKING UNITS...he says one thing IN PRINT in the original Emails then DENIES IT in the later ones..even tho' I have it IN PRINT IN MY FILES FROM HIM !! (???!!)

Upon opening the units, they were filled with poor-quality solder (attempted) repairs and had obviously been tampered with prior to the sale. The one unit has a squelch that will not close, and the unit wont even scan. The second one has such poor reception as to make it useless. If both units HAD been tested as seller stated, these problems would have been painfully obvious.
I have contacted this gent asking him for a refund and he ignores my efforts entirely. I am posting this to advise any potential customers of this seller to AVOID doing business with him Currently, I am in the process of legal action againt this crook.His actions are obviously dishonest in nature and I have adequate proof in the form of Emails from him and, two DOA radios to prove it.

Buyers beware AVOID THIS CLOWN !!.Dont get SCREWED like I did by this jerk !)<:

4306. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 01:15:28 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <aoiejn023hs@enews3.newsguy.com>
Source record: 38466

I never won an auction until I started using that "useless sniping
software."

--

Regards,
Joe S.

"Andy KC2SSB" <vhfradiobuff@yahoo.com> wrote in message
news:d6voqughmme36i4i23kt339b1s2cmhr5pb@4ax.com...
> On Mon, 14 Oct 2002 22:44:53 -0400, "Joe S." <joe@schlatter.org>
> wrote:
>
> >Some of you ebay regulars explain this one.
> >
> >Found an item on ebay that I need. Set up a very generous esnipe bid for
>
> Oh god, one of those people using that useless "snipping" software.
> Just bid the maximum you want to pay and if you get outbid, then oh
> well. Ebay will automatically up your bid until it reaches the maximum
> you set, in order to try to win the auction.
> =-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA Grid FM29vw
> http://vhfradiobuff.tripod.com

4307. Want: Icom filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 01:23:11 UTC
From: denton <denton@oregontrail.net>
Message-ID: <aoies8$4pq$1@news.apaynet.com>
Source record: 38464

Looking for either a FL-52A or a FL 53A filter for my IC-718.

4308. FS Adi at-600 dual band ht

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 01:30:48 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <cj3r9.87593$w63.1264641@twister.rdc-kc.rr.com>
Source record: 38465
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

This dual band ht works and looks good.
It does 2 meters and 440 at the same time.
I can be used for cross band repeat.
rx 100.000 to 985.000
Comes with 2 5 watt batteries.
One comes with a charger the other one need a drop in charger.
Also comes with rubber duck and manual in pdf wich is 3.09MB.
$150 + shipping ups insured.
E-mail me for picture of the radio.

4309. Re: Which UHF Repeater Amp?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 01:36:00 UTC
From: Dino <noemail@here.com>
Message-ID: <4o3r9.39319$lV3.2923701@newsread1.prod.itd.earthlink.net>
Source record: 38468

In my opinion, you cannot get any better than TE Systems!!!

http://www.rlselectronics.com/teamp3.html

Dino

>I need to get a UHF amp for my repeater. I am using a hamtronics exciter
>that gives 2 watts out.
>
>I am thinking of buying a Mirage D-26N. Its rated for 2 watts in and 60
>watts out.
>
>Are these good units? How about for repeater use? I plan on adding a fan
>on the heatsink.
>
>Thanks
>
>
>--
>-Tim
>
>
>

4310. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 01:36:37 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <aoifrb025re@enews3.newsguy.com>
Source record: 38471
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Scott Dorsey" <kludge@panix.com> wrote in message
news:aoi95ipqv1@panix2.panix.com...
> Historically, when did this start? I know CBers from the sixties
> who say that the CB bands were once very polite and that CBers even
> sent QSL cards. I saw the CB boom in the mid-seventies when all
> pretense of politeness and legal niceties were gone.
> --scott
> --
> "C'est un Nagra. C'est suisse, et tres, tres precis."

I am not an expert on the history of CB -- but -- I was a ham when 11 meters was turned into the Class D Citizens Band in 1959. My recollection is that it was intended to be a business band. At that time, the only way anyone could have two-way radio service was the expensive route -- buy commercial gear, have a licensed engineer install and maintain it, etc.

The Class D CB was supposed to provide the little guy with simple, short-range radio communications:
-- tractor to farmhouse
-- florist to delivery vans
-- and the like

A lot of old, stick-in-the-mud traditionalist hams argued that enabling people to get two-way radio equipment with no test and no qualifications other than fill in a box top was a recipe for disaster. But what did these old fools know about it?

My rig at the time was an old Harvey-Wells TBS-50D and a Hallicrafters receiver of some sort. The H-W had 11 meters --807 in the final -- I did not put it on 11 meters after we lost the band but I did listen. It was all very pleasant and polite -- in 1959.

I graduated from high school in 1962 and from college in 1967 then went on an all-expense paid dream vacation to Vietnam -- you may have heard about Vietnam -- it was in all the newspapers 35 years ago.

When I got back on the air in the early 1970's, CB was the totally useless band that it is now. The Army sent me to graduate school at the Univ of Arizona in Tucson. I set up my ham station and was on the air several times a week. I had a lot of interference on 20 and 10 meters from a neighborhood CB'er -- running a Collins S-Line complete with a 30L-1 "leener" with a speech processor and echo box both cranked to the max. I attempted to reason with the asshole who turned out to have the IQ of an earthworm -- and he was one of the smarter CB'ers I've known -- I gave up on him -- I did report him to the FCC. That was a waste of time.

CB proves that, without standards to filter out the entrants, the lowest common denominator will prevail -- and humankind is capable of some mighty low shit. Just listen to 11 meters, the "free-band," and the low end of 10.

Regards,
Joe S.

No charge for the philosophy.

4311. WTB Mic for the Azden PCS-3000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 01:36:47 UTC
From: Fred Allen <fallen@polarcomm.com>
Message-ID: <3dacc225@news.polarcomm.com>
Source record: 38467

I need the original Mic for the Azden PCS-3000 2 meter mobile. Will also consider a PCS-3000 parts radio as long as the mic is included. fallen-idc@worldnet.att.net Please state price and condition. Thanks Fred

4312. MANUAL SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 01:37:14 UTC
From: joeee1621@aol.com
Message-ID: <20021015213714.17161.00002609@mb-mu.aol.com>
Source record: 38469

OVER 835 TITLES TO CHOOSE FROM..WE PROBABLY HAVE THE ONE YOU NEED ..ALL MANUALS
$16 SHIPPED TO THE LOWER 48 STATES UNLESS OTHERWISE NOTED.. PLEASE TAKE A LOOK
AT OUR LIST- http://hometown.aol.com/joeee1621/myhomepage/business.html -AND
LET US KNOW WHAT YOU WOULD LIKE-WE GLADLY SHIP WORLDWIDE-..NEW MANUALS
DAILY..ORDER TODAY..SHIP TOMORROW.

4313. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 02:00:30 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3DACC83E.4BEA66A1@nettally.com>
Source record: 38470

I would pull my auction if I knew it was getting "e-sniped" Thanks for the heads up. Whats your e-bay id again?

"Joe S." wrote:

> I never won an auction until I started using that "useless sniping
> software."
>
> --
>
> ------
> Regards,
> Joe S.
>
> "Andy KC2SSB" <vhfradiobuff@yahoo.com> wrote in message
> news:d6voqughmme36i4i23kt339b1s2cmhr5pb@4ax.com...
> > On Mon, 14 Oct 2002 22:44:53 -0400, "Joe S." <joe@schlatter.org>
> > wrote:
> >
> > >Some of you ebay regulars explain this one.
> > >
> > >Found an item on ebay that I need. Set up a very generous esnipe bid for
> >
> > Oh god, one of those people using that useless "snipping" software.
> > Just bid the maximum you want to pay and if you get outbid, then oh
> > well. Ebay will automatically up your bid until it reaches the maximum
> > you set, in order to try to win the auction.
> > =-
> > 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> > Beachwood, NJ USA Grid FM29vw
> > http://vhfradiobuff.tripod.com

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

4314. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 02:09:44 UTC
From: Bruce Lane <feedspammerstothebalrog.4.spamvac@spamgourmet.com>
Message-ID: <MPG.18166a47a97a8d0f989a1b@news.drizzle.com>
Source record: 38473

In article <aofvfe01g40@enews2.newsguy.com>, joe@schlatter.org says...

> Some of you ebay regulars explain this one.
>
> Found an item on ebay that I need. Set up a very generous esnipe bid for
> it. 18 hours before the auction was due to end, the seller withdrew the
> item from sale.

<snippety>

For my part: I've only pulled three auctions in my entire time on
Ebay, and the pulled items had no bids.

There were various reasons. In one case, the item got knocked off a
shelf, and damaged in such a way that I didn't feel right selling it. In
another, the initial listing was a mistake on my part (the item was a
fairly exotic I/O board for older DEC computers -- PDP-11's, etc. -- and
was destined for a wholesaler).

The final case was where one of my closest friends, who's done a
whole lot for me and barely asked for anything in return, asked me to
sell him a few more DEC parts I'd put up that no one had bid on. I opted
to do so. If there had been bids on the item, I would probably have been
a little more leery about pulling it.

What I'm getting at is that there are legitimate reasons to pull
auctions. The seller will usually state what they are in the listing. I
do agree that pulling an item which has active bids, and not giving some
sort of justification, is pretty ratty.

Keep the peace(es).

--
Bruce Lane, Owner and Head Hardware Heavy,
Blue Feather Technologies -- http://www.bluefeathertech.com
Amateur Radio: KC7GR (Formerly WD6EOS) since 12-77.
kyrrin (a/t) bluefeathertech dot-com (Reassemble to use)
"I'll get a life when someone demonstrates to me it would be superior to
what I have now..." (Taki Kogoma)

4315. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 02:09:46 UTC
From: "Dee D. Hays" <dee.hays@sbcglobal.net>
Message-ID: <KT3r9.4726$F53.3712039@newssvr28.news.prodigy.com>
Source record: 38472

"Joe S." <joe@schlatter.org> wrote in message
news:aoiejn023hs@enews3.newsguy.com...
> I never won an auction until I started using that "useless sniping
> software."
>

That means you exceeded the maximum that you were initially willing to pay.
So why didn't you bid higher in the first place?

I've won many auctions without the aid of sniping software simply because I
did put in my true maximum bid.

4316. Motorola Programming & Parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 02:18:06 UTC
From: Bruce Lane <feedspammerstothebalrog.4.spamvac@spamgourmet.com>
Message-ID: <MPG.18166c3acd4c701d989a1c@news.drizzle.com>
Source record: 38474

This seems to be the right place to post what I'm about to. If it's not, well... I won't do it again. ;-)

SHAMELESS PLUG ALERT...

Besides my day job, I own/operate Blue Feather Technologies as a side business. I recently became established with Motorola as a reseller, and I've also set myself up with a license to use their radio service software.

I can program and service a variety of Motorola portables, mobiles, base stations, and repeaters. I specialize in the conversion of commercial gear to ham use, and I can order just about any part or accessory that's in Motorola's current catalog. I think my rates will be pretty competitive with the local commercial service shops.

There's a few things I don't do. Specifically, CB or FRS radios, or anything having to do with trunking. I really don't want to get involved in any of them.

In any case, here's the link for details.

http://www.bluefeathertech.com/rf.html

Thanks for putting up with yet another ad.

--
Bruce Lane, Owner and Head Hardware Heavy,
Blue Feather Technologies -- http://www.bluefeathertech.com
Amateur Radio: KC7GR (Formerly WD6EOS) since 12-77.
kyrrin (a/t) bluefeathertech dot-com (Reassemble to use)
"I'll get a life when someone demonstrates to me it would be superior to what I have now..." (Taki Kogoma)

4317. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 02:35:02 UTC
From: jeff <w5omr-anti-spam@w5omr.antispam.shacknet.nu>
Message-ID: <qf4r9.159570$121.4193746@twister.austin.rr.com>
Source record: 38475
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

> CB proves that, without standards to filter out the entrants, the lowest
> common denominator will prevail -- and humankind is capable of some mighty
> low shit. Just listen to 11 meters, the "free-band," and the low end of 10.

What's worse, is that some of the radios out there that -can- be modified,
will cover from just below 25MHz (12m) up to, through 11m and above, some
going beyond 30MHz.

There's activity from 25MHz to 30MHz, open band or not.

Since there seems little to be done about the 'free-banders', we can always
use them for Beacons between 12, and 10m.

Make the best out of a bad situation :-)

--
73 = Best Regards,
-=Jeff/W5OMR=-

4318. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 02:37:06 UTC
From: dplatt@radagast.org
Message-ID: <uqpk6ist3q97c7@corp.supernews.com>
Source record: 38477

>> I never won an auction until I started using that "useless sniping
>> software."

>I would pull my auction if I knew it was getting "e-sniped" Thanks for the heads
>up. Whats your e-bay id again?

That's part of the point of sniping software... it isn't a bid at all, up until the last moment. eBay doesn't see a completed bid until the last second.

One result of that is that eBay's general rule against cancelling an auction after a legitimate bid has been entered, doesn't apply to snipes, because a snipe doesn't "exist" in eBay's computers.

Another result is that the auction owner really can't tell if his/her auction is about to be sniped... all he sees is that not a lot of bids have been entered (or even none). As a result, the auction owner might end up cancelling an auction for which a couple of lucrative snipes had been entered, never know that they were there, and lose out on a good sale.

Sniping works in some cases, I think, because a lot of people prefer to do their auction bidding in real-time, and don't follow eBay's advice to place one bid at the highest price you're really willing to pay. These folks place a preliminary (lower) bid, and then decide later whether to raise it, and how much.

I suspect that these folks feel that by watching what their competition bids, they can get a better idea of how much the auctioned item is "really worth". Rather than doing advanced research on the actual market value, they "play poker" with their bids, and they "raise" the other "player" repeatedly. It can be exciting, yeah, but there's a competitive feedback effect which can result in two or more bidders ending up raising their bids to well above what a similar or identical product sells for, new, on the retail market. I've seen the term "feeding frenzy" used.

Sniping is one way to actually follow eBay's dictum to "bid once, at your real maximum willingness-to-pay" and reduce the chance that one or two other bidders will go into a competitive frenzy and decide at the last minute to outbid you by a dollar. You make the same decision about what your maximum offer will be, and it ends up being "fought out" against every other bidder who also followed the "bid the maximum you're willing to pay", just as if there had been no sniping. The only real advantage that a snipe has, is that it doesn't tend to stimulate a feeding frenzy among the "poker players" (please forgive

the mixed metaphor ;-)

I've seen auctions in which the high bid doubled, or even tripled, in
the last fraction of a minute as a result of a bunch of snipes taking
effect.

Yeah, I've sniped... and I've done manual bidding days in advance...
and I've also had one or two of my own auctions sniped. I don't see
it as a big deal, either way.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

4319. FS: PRO-43 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 02:39:18 UTC
From: Michael Malloy <mmalloy@wi.rr.com>
Message-ID: <qj4r9.69781$om2.1194901@twister.rdc-kc.rr.com>
Source record: 38476
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

PRO-43 scanner in good condition with all original equipment. box, and manual. This unit is serial #045210 but has not been modified. Some people consider this one of the best handheld scanners ever made. Please email if interested or for questions. Asking $160 shipped to your home in CONUS.

4320. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 02:45:09 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <aok0jmitg1@bob.news.rcn.net>
Source record: 38505
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Brenda Ann" <brendad@shinbiro.com> wrote:

> The legal limits on CB, since 1977, are 3.5 watts AM
> at 50% modulation, and 25 watts PEP on SSB.

In what country? In the USA it is four watts and twelve watts.
See 47CFR95.410 at
http://www.access.gpo.gov/nara/cfr/waisidx_01/47cfr95_01.html

Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4321. Re: FS: PRO-43 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 02:54:30 UTC
From: Iman Nassoul <rectal@orifice.org>
Message-ID: <151020022154309461%rectal@orifice.org>
Source record: 38480
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

What's the date code (a sticker inside the battery compartment...should
be something like 2A4)?

In article <qj4r9.69781$om2.1194901@twister.rdc-kc.rr.com>, Michael
Malloy <mmalloy@wi.rr.com> wrote:

> PRO-43 scanner in good condition with all original equipment. box, and
> manual. This unit is serial #045210 but has not been modified. Some people
> consider this one of the best handheld scanners ever made. Please email if
> interested or for questions. Asking $160 shipped to your home in CONUS.
>
>
>

4322. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 02:59:26 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <nflpqu4p7nbj3v2chrd1eir6im17unu4vi@4ax.com>
Source record: 38478

On Tue, 15 Oct 2002 21:15:28 -0400, "Joe S." <joe@schlatter.org>
wrote:

>I never won an auction until I started using that "useless sniping
>software."

I guess the highest you were willing to bid was never high enough
then.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

4323. Allied SX-190 / AX-190 info free for download

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 03:03:06 UTC
From: Mark Rehorst <rehorstmark@netscape.net>
Message-ID: <ullpqusv1ai6fqp1ft847lrtieffuerbs8@4ax.com>
Source record: 38479

New and updated as of 10/7/02!

You can download a ton of Allied SX/AX-190 receiver information
in a single, 2.2 MB .pdf file here:

http://home.attbi.com/~akikoi/wsb/Allied-SX-190-Info-Oct02.pdf

The file includes:
Allied Radio Shack Service Manual
Allied Radio Shack Owner's Manual
Ad from CQ magazine, May 1972
Ad from Radio Shack catalog
Review from 73 magazine
NASWA review by Ed Shaw
QST magazine modifications
CQ magazine mods, March 1973, by Bruce Mackey
Bandswitch mods by John Kolb
NASWA-FRENDX mods by Ed Shaw, May 1974
Comprehensive Technical Manual by Ed Shaw
Getting Reacquainted with the SX-190 by Ed Shaw, 4/77
Allied SX-190 Revisited, by Ed Shaw, 6/82

Thanks to Bob Bachus for converting everything to .pdf format!

If anyone has cleaner copies or additional info, I'd like to add
it to my collection. Please email.

Thanks!

MR

4324. Re: FS: YK88C/YK88S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 03:28:04 UTC
From: Vessen Magee <lynyrd@cableone.net>
Message-ID: <3DACDCC4.1050901@cableone.net>
Source record: 38481
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Rich, I have a Galaxy Gl-350 Frequency counter for trade for both of
your filters. The counter is in supberb shape and well worth keeping
but, I can't have everything at the same time it seems. I shall have to
work up to the full collection of STUFF!
If you find yourself ameniable to a trade please let me know.

Best regards, Vessen "Butch" Magee, Jr.
Diamondhead, MS 39525

Rich W6VX wrote:
> Kenwood YK88S Sideband Filter/YK88C CW (500 Hz) filters.
>
> Used in the Kenwood TS 430/TS440 radios.
>
> Asking $75.00 each. Buyer pays packaging/shipping.
>
> Contact Rich, W6VX here or at 818/997-1217
>
> 73
>
>

4325. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 03:47:46 UTC
From: AJ Sanderson <sjay@noospam.com>
Message-ID: <aoingh$gi9$1@slb7.atl.mindspring.net>
Source record: 38482
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

> If you shop around, you should be able to find a decent HP 141T spectrum
> analyzer system that goes to 1250 MHz for under 500 dollars. A far cry
from
> the SAM and the kits.
>
> Randy Ott
>

Yes, I have begun to look around for one of these 140/141T's. My only
concern here would be how it would hold up, especially being used. Also,
how easy/difficult is it to service yourself if the need arose?

AJ

4326. Re: MANUAL SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 04:27:06 UTC
From: Bruce Lane <feedspammerstothebalrog.4.spamvac@spamgourmet.com>
Message-ID: <MPG.18168a796903c102989a1e@news.drizzle.com>
Source record: 38483

In article <20021015213714.17161.00002609@mb-mu.aol.com>,
joeee1621@aol.com says...

> OVER 835 TITLES TO CHOOSE FROM..WE PROBABLY HAVE THE ONE YOU NEED ..ALL MANUALS
> $16 SHIPPED TO THE LOWER 48 STATES UNLESS OTHERWISE NOTED.. PLEASE TAKE A LOOK

<snip>

Learn how to type normally, instead of this silly ALL CAPS crap,
and I might consider having a look.

--
Bruce Lane, Owner and Head Hardware Heavy,
Blue Feather Technologies -- http://www.bluefeathertech.com
Amateur Radio: KC7GR (Formerly WD6EOS) since 12-77.
kyrrin (a/t) bluefeathertech dot-com (Reassemble to use)
"I'll get a life when someone demonstrates to me it would be superior to
what I have now..." (Taki Kogoma)

4327. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 04:33:34 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D26459.BD47%stewart@sc.rr.com>
Source record: 38484
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Ralph Mowery" wrote:
>
> Guess that most do not take time to look at
> the rules now:

Ralph, the rules you list apply to RF power amplifiers, not what we were discussing. We had already agreed earlier that the amplifier described is illegal to sell, as is any non-certified device capable of transmitting in or around the CB frequencies. However, this brought up the issue of early transmitters with the 11 meter band built in, which is what we were discussing when you joined in.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4328. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 04:48:47 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D267E8.BD49%stewart@sc.rr.com>
Source record: 38485
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"General Johnson Jameson" wrote:
>
> I reported the auction to Ebay and immediately
> received notification that it had already been
> reported. It remained for the duration of the
> auction even though it did not sell. Either Ebay
> ignored the report or they felt it was legal
> for auction.

I've seen several auctions pulled, so obviously eBay does pull these auctions when they discover them or are made aware of them. Again, this one probably slipped through because it was listed under ham radio and didn't mention CB. Sadly, the eBay employee who received your complaint either didn't understand auctions like this violated the rules or didn't understand the auction item well enough to realize it violated the rules. These employees are often not radio literate, so we have to explain these things carefully to them.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4329. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 05:01:42 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D26AEC.BD4B%stewart@sc.rr.com>
Source record: 38486
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Brenda Ann" wrote:

> (snip) The legal limits on CB, since 1977, are
> 3.5 watts AM at 50% modulation, and 25 watts PEP
> on SSB.

The limits are 4 watts AM and 12 watts SSB. See the Code of Fed.
Regulations, Title 47, Sec. 95.639...

(c) No CB transmitter, under any condition of modulation, shall exceed:
(1) 4 W Carrier power when transmitting emission type A1D or A3E;
(2) 12 W peak envelope TP when transmitting emission type H1D, J1D,
R1D, H3E, J3E or R3E. Each CB transmitter which transmits emission
type H3E, J3E or R3E must automatically prevent the TP from
exceeding 12 W peak envelope TP or the manufacturer's rated peak
envelope TP, whichever is less.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4330. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 05:09:38 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D26CC8.BD4D%stewart@sc.rr.com>
Source record: 38487
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Scott Dorsey" wrote:
>
> Historically, when did this start? I know Cbers
> from the sixties who say that the CB bands were
> once very polite and that CBers even sent QSL
> cards. I saw the CB boom in the mid-seventies
> when all pretense of politeness and legal
> niceties were gone.

You hit it right in the head - the mid-seventies. In late 1973, when I got my first CB license, it was a relatively tame radio service. By 1977, when I got my last CB license, it was a mess following the trucker movie boom in the years just before that.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4331. Re: PRO-43 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 05:55:38 UTC
From: Jim Wayda <jwayda@cox.net>
Message-ID: <ub7r9.156500$S32.11179217@news2.west.cox.net>
Source record: 38488
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

It is a good scanner and that is a very good price.

"Michael Malloy" <mmalloy@wi.rr.com> wrote in message
news:qj4r9.69781$om2.1194901@twister.rdc-kc.rr.com...
> PRO-43 scanner in good condition with all original equipment. box, and
> manual. This unit is serial #045210 but has not been modified. Some people
> consider this one of the best handheld scanners ever made. Please email if
> interested or for questions. Asking $160 shipped to your home in CONUS.
>
>
>

4332. Re: Icom AH-2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 06:52:26 UTC
From: Per <la9ex@tiscali.no>
Message-ID: <918r9.113110$Qk5.4887260@news010.worldonline.dk>
Source record: 38489

AH-2 is the same as AH-3. You can use it standalone to any rig
see www.mods.dk or drive it directly from eg.706
LA9EX

"Joe S." <joe@schlatter.org> skrev i melding
news:aofq4301832@enews2.newsguy.com...
> What is the Icom AH-2? Is it a self-contained antenna tuner, or, is it
the
> control unit for a tuner?
>
> Would someone who has used one tell me about it.
>
> Thanks.
>
> --
>
> ------
> Regards,
> Joe S.
>
>
>
>

4333. Parting out a TR7/ PS7 ???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 07:23:16 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <B9D261F0.1A2D7%pilot.marc@verizon.net>
Source record: 38490
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For a Drake TR7 or PS7:

I need the plastic end caps (L+R) which go on either side of the front panel.

73 de AD6MI
Marc

4334. Re: Best sound card CW decoder?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 08:10:58 UTC
From: MoreMoses@yahoo.com
Message-ID: <ccb50b1d.0210160010.3c369e9d@posting.google.com>
Source record: 38491

I've tried many cw decoders with poor to fair result, now I'm using
MRP40 cw decoder from, it outperforms all others. It is the best sound
card CW decoder I've seen. It pulls the cw sig out of the "mud" of
noise.
On your radio you can switch of CW Filter and AGC; MRP40 does it all
itself by software. Fading, noise, QRM as well as near by sigs do not
disturb the decoding. It can not compensate extremly poor hand sent
code but in case decoding to ascii is not possible it displays
graphically the the dots and dashes exactly as they come in so one can
visually decode the weak part of incoming text.
This is what other hams say on the report page:
http://www.POLAR-Electric.com/Morse/MRP40-EN/Reports.html
download page is at:
http://www.POLAR-Electric.com/Morse/MRP40-EN/load-EM.html
homepage at:
http://www.polar-electric.com/Morse/MRP40-EN/

"Bob Lewis \(AA4PB\)" <rlewis@staffnet.com> wrote in message
news:<uqp77himfljnb5@corp.supernews.com>...
> All CW decoders are plaged with at least two problems. One is improper
> timing by the majority of sending stations using hand sent code. The
> other is static crashes and QRM that momentarily obscure the CW
> signal. I have never seen a CW decoder that works very reliable except
> with noise free, stable signals and machine generated code (i.e. the
> W1AW broadcast usually looks very good here).

4335. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 10:50:37 UTC
From: Mike Yetsko <joe@user.com>
Message-ID: <uqqhe7qb9vta96@corp.supernews.com>
Source record: 38492
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Dwight Stewart" <stewart@sc.rr.com> wrote in message
news:B9D26AEC.BD4B%stewart@sc.rr.com...
> "Brenda Ann" wrote:
>
> > (snip) The legal limits on CB, since 1977, are
> > 3.5 watts AM at 50% modulation, and 25 watts PEP
> > on SSB.
>
>
> The limits are 4 watts AM and 12 watts SSB. See the Code of Fed.
> Regulations, Title 47, Sec. 95.639...
>
> (c) No CB transmitter, under any condition of modulation, shall exceed:
> (1) 4 W Carrier power when transmitting emission type A1D or A3E;
> (2) 12 W peak envelope TP when transmitting emission type H1D, J1D,
> R1D, H3E, J3E or R3E. Each CB transmitter which transmits emission
> type H3E, J3E or R3E must automatically prevent the TP from
> exceeding 12 W peak envelope TP or the manufacturer's rated peak
> envelope TP, whichever is less.
>
> Dwight Stewart (W5NET)

Sounds like 'Brenda Ann' was spouting the BS that a lot of the CBers
passed around when they went from 23 to 40 channels, and the hardware
suddenly had to be 'cleaned up'.

Mike

4336. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 11:13:41 UTC
From: Andy <"acorbin\\@roanoke.*n@sp@m*infi.net>">
Message-ID: <aojhi2$9j2$1@slb2.atl.mindspring.net>
Source record: 38493
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Joe S. wrote:

> a week. I had a lot of interference on 20 and 10 meters from a neighborhood
> CB'er -- running a Collins S-Line complete with a 30L-1 "leener" with a
> speech processor and echo box both cranked to the max. I attempted to
> reason with the asshole who turned out to have the IQ of an earthworm

How dare you insult earthworms in such a manner.

Andy
WD4KDN

4337. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 11:26:17 UTC
From: john@jjdesigns.fsnet.co.uk
Message-ID: <871568ec.0210160326.23004775@posting.google.com>
Source record: 38494
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

"AJ Sanderson" <sjay@noospam.com> wrote in message
news:<aoingh$gi9$1@slb7.atl.mindspring.net>...
> > If you shop around, you should be able to find a decent HP 141T spectrum
> > analyzer system that goes to 1250 MHz for under 500 dollars. A far cry
> from
> > the SAM and the kits.
> >
> > Randy Ott
> >
>
> Yes, I have begun to look around for one of these 140/141T's. My only
> concern here would be how it would hold up, especially being used. Also,
> how easy/difficult is it to service yourself if the need arose?
>
> AJ

The 141's ect are reliable and eminently servicable. They are full of
metal sheeting, PCB's, wires, transistors, diodes, resistors, cap's
and L's.
The service manuals are superb.

Note though, that the initial mixer frequencies are -high- and would
need capable test gear to fault find in these areas.

4338. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 12:20:44 UTC
From: "ckh - Too Much SPAM"
Message-ID: <hdwX38NCLQJC-pn2-dXcE3KL6mIUc@localhost>
Source record: 38502
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

On Wed, 16 Oct 2002 04:48:47, Dwight Stewart <stewart@sc.rr.com> wrote:

> "General Johnson Jameson" wrote:
> >
> > I reported the auction to Ebay and immediately
> > received notification that it had already been
> > reported. It remained for the duration of the
> > auction even though it did not sell. Either Ebay
> > ignored the report or they felt it was legal
> > for auction.
>
>
> I've seen several auctions pulled, so obviously eBay does pull these
> auctions when they discover them or are made aware of them. Again, this one
> probably slipped through because it was listed under ham radio and didn't
> mention CB. Sadly, the eBay employee who received your complaint either
> didn't understand auctions like this violated the rules or didn't understand
> the auction item well enough to realize it violated the rules. These
> employees are often not radio literate, so we have to explain these things
> carefully to them.
>

I've seen legit auctions for SB-200's pulled. In one case, I'm
guessing that the title included "LINEAR" or "AMP" or some other term
that didn't pass their filters or maybe the listing was somehow linked
to a CB sales area.

The amplifier mess is one of those problems without a good solution.

Then there was an SB-200 that went for way above my price range. I'm
told that happened because it included some un-described but visible in
the picture, CB products. One was called a "Golden Eagle."

BTW, I'm looking for a "needs-work" SB-200. Strangely, these have been
going for over $250 on eBay.

de ah6gi/4

4339. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 12:27:00 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <jjudncnD3qBf9zCgXTWcpg@News.GigaNews.Com>
Source record: 38497
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

The CB band was beter than what I have heard on 80 meters now back in the late 60s and untuil I stopped listing to it around 1973. Most were running about 100 to 500 watt amps at the house and from 50 to 100 watts in the cars. The amps were using from 4 to 12 of the 1625 tubes. Guy in Elkin, NC made a bunch of them. No one payed the rules any attention but atleast there was none of the bad language and such being used.

"Dwight Stewart" <stewart@sc.rr.com> wrote in message
news:B9D26CC8.BD4D%stewart@sc.rr.com...
> "Scott Dorsey" wrote:
> >
> > Historically, when did this start? I know Cbers
> > from the sixties who say that the CB bands were
> > once very polite and that CBers even sent QSL
> > cards. I saw the CB boom in the mid-seventies
> > when all pretense of politeness and legal
> > niceties were gone.
>
>
> You hit it right in the head - the mid-seventies. In late 1973, when I
got
> my first CB license, it was a relatively tame radio service. By 1977, when
I
> got my last CB license, it was a mess following the trucker movie boom in
> the years just before that.
>
>
> Dwight Stewart (W5NET)
>
> http://www.qsl.net/w5net/
>

4340. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 12:32:10 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aojkrgnlr1@news1.kornet.net>
Source record: 38495
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Those specs were directly from the manufacturer.. I bought several radios in 1977 (had to replace the ones I had, which were no longer legal, and right on the box the specs said "new standard 25W PEP SSB" I'm in the process of looking for some of the old radios in a google search to post those specs. I have found that the new radios are limited to 12W PEP.

"Mike Yetsko" <joe@user.com> wrote in message
news:uqqhe7qb9vta96@corp.supernews.com...
> "Dwight Stewart" <stewart@sc.rr.com> wrote in message
> news:B9D26AEC.BD4B%stewart@sc.rr.com...
> > "Brenda Ann" wrote:
> >
> > > (snip) The legal limits on CB, since 1977, are
> > > 3.5 watts AM at 50% modulation, and 25 watts PEP
> > > on SSB.
> >
> >
> > The limits are 4 watts AM and 12 watts SSB. See the Code of Fed.
> > Regulations, Title 47, Sec. 95.639...
> >
> > (c) No CB transmitter, under any condition of modulation, shall exceed:
> > (1) 4 W Carrier power when transmitting emission type A1D or A3E;
> > (2) 12 W peak envelope TP when transmitting emission type H1D, J1D,
> > R1D, H3E, J3E or R3E. Each CB transmitter which transmits emission
> > type H3E, J3E or R3E must automatically prevent the TP from
> > exceeding 12 W peak envelope TP or the manufacturer's rated peak
> > envelope TP, whichever is less.
> >
> > Dwight Stewart (W5NET)
>
> Sounds like 'Brenda Ann' was spouting the BS that a lot of the CBers
> passed around when they went from 23 to 40 channels, and the hardware
> suddenly had to be 'cleaned up'.
>
> Mike
>
>
>
>

4341. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 13:10:39 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D2DD80.BDAC%stewart@sc.rr.com>
Source record: 38496
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Mike Yetsko" wrote:
>
> Sounds like 'Brenda Ann' was spouting the BS
> that a lot of the CB'ers passed around when
> they went from 23 to 40 channels, and the
> hardware suddenly had to be 'cleaned up'.

Yep. By the way, speaking of CB myths from that time, many were confused about the rule that says a CB antenna can be no higher than 60 feet or 20 feet above an existing object (building, tree, etc) if higher than 60 feet.

Many thought that meant no antenna could extend above 60 feet or above 20 feet when on a mast. As a result, many installed mast supported antennas only 20 feet above the ground. It was years before most "got" the meaning of that rule.

But not all "got" it. Confusion about this rule still exists to this day. When I first visited this area several years ago, I noticed a local CB radio "expert" had a huge quad mounted on a small mast - the bottom of the antenna was only inches off the ground. When I asked why, he cited this rule as the reason his antenna could be no higher than 20 feet.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4342. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 13:45:17 UTC
From: Mjolinor <mjolinor@hotmail.com>
Message-ID: <64er9.4262$n61.11167@newsfep3-gui.server.ntli.net>
Source record: 38498
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

> The 141's ect are reliable and eminently servicable. They are full of
> metal sheeting, PCB's, wires, transistors, diodes, resistors, cap's
> and L's.
> The service manuals are superb.

Talking of service manuals do HP sell them for anything, I have an 8591E with a power supply fault and I can't fix the thing. Does anyone know how much they cost or how to get them.

4343. Re: Parting out a TR7/ PS7 ???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 14:20:39 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3dad7592$1@news.netacc.net>
Source record: 38499
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

"Marc Robins" <pilot.marc@verizon.net> wrote in message
news:B9D261F0.1A2D7%pilot.marc@verizon.net...
> For a Drake TR7 or PS7:
>
> I need the plastic end caps (L+R) which go on either side of the front
> panel.
>

Do you mean the black anodized alluminum extrusions?? I made up a bunch using bar stock that I ran through an end mill to create the grooves. Local anodizing shop blackened them for me. Cut to length and pre drill the two mounting holes in each piece but do NOT tap the holes. This gives the shop a place to suspend the pieces in the tank. After the pieces are anodized, then tap and couter sink the mounting holes. If you tap the holes before anodizing, the threads get screwed up by the suspension hooks and the anodizing adds to the dimension of the thread and screws sieze up in them. It is cheaper to annodize the entire length of bar stock in one operation but then you have shiny alluminum at each end as you cut to length. Suspose you could use "gun blue" or something to mask these ends but the cosmetics will not be as good.

I will be doing a bunch of cabinets later this year and could make some extras for you. Remove the obvious to email me.

Steve

4344. HP 8555A RF spectrum analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 15:03:14 UTC
From: ddnelson@eot.com
Message-ID: <bb9fc5ba.0210160703.7e9f8ea@posting.google.com>
Source record: 38503
Cross-posted to: rec.radio.swap,sci.electronics.equipment,rec.radio.amateur.equipment

Does anyone know how to align the "zero" on the 8555A dial with the
"zero" position on the the screen of the HP 141T display?

4345. FA: Hammarlund Receiver CLOCK on Ebay plus other parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 15:19:39 UTC
From: GS <greatsurplus@hotmail.com>
Message-ID: <3dad822f$2_6@news.meganetnews.com>
Source record: 38504
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

Leftovers from restorations.

Working clock:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390334690&rd=1

Complete knob set for HQ-110:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390338818&rd=1

Working S-Meter:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390339093&rd=1

No reserves, low start. Thanks for looking

4346. Re: Wanted Motorola HT800 software (see message)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 15:36:03 UTC
From: boeingnntp.2.spamvac@spamgourmet.com
Message-ID: <3dad86fb.3709572423@news.boeing.com>
Source record: 38507
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

On Sat, 12 Oct 2002 14:38:41 GMT, Kentish Contractor
<kentman@ADTRAP.co.uk> wrote:

>Has anyone got some more up to date software for programming the HT800
>Motorola. I have the original DOS version, but it wont work on a
>Pentium CPU based PC.

Your best bet is to hunt up an old 486 or something, load it
up with DOS, and run it that way.

I can tell you from personal experience that Motorola has not
updated very many of their RSS packages to reflect increases in CPU
speed. Make that 'hardly any.' This is why older computers are still
very useful.

Good luck.

4347. JDR Model 3500 Oscilloscope

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 15:46:14 UTC
From: "Jay J. Chichon" <w2ltu@pipeline.com>
Message-ID: <aok1t1mde1@slb6.atl.mindspring.net>
Source record: 38506

Does anyone own a JDR model 3500 Oscilloscope? I have one that has been working fine but recently lost the Horizontal Sweep function. The Horizontal Amplifier stages are working normally.
Any one have the same experience? Anyone know where to obtain service information for this unit? JDR does not support this unit any longer. Thank you.....Jay.

4348. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 16:10:20 UTC
From: Dave VanHorn <dvanhorn@cedar.net>
Message-ID: <kTOdnfKmlK_NEjCgXTWcow@News.GigaNews.Com>
Source record: 38508
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

> But not all "got" it. Confusion about this rule still exists to this
day.
> When I first visited this area several years ago, I noticed a local CB
radio
> "expert" had a huge quad mounted on a small mast - the bottom of the
antenna
> was only inches off the ground. When I asked why, he cited this rule as
the
> reason his antenna could be no higher than 20 feet.
>
> Dwight Stewart (W5NET)

Speaking of "not getting it", as I drive around, I notice antennas, and sometimes I notice some pretty odd ducks. Probably the best one, in the "not falling down" class, was a CB ringo ranger, with an expensive (yaesu?) rotor mounted underneath.

Well, maybe there used to be a beam up there.. :)

4349. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 16:10:23 UTC
From: TFW <xxx@citlink.net>
Message-ID: <uqr3roe3q1aa6d@corp.supernews.com>
Source record: 38510
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Rules, Laws all mean nothing to commercial business.

At any Travel Centers of America truck stop you can find radios that cover
25-30 Mhz, 100 watt power rf amplifiers
HF rigs all sold to anybody. Not just a few but dozens of chinese copy
rigs.

Saw one that had a band switch labled "10 meters, 11 meters, open"

Wonder what "open" means..

4350. Re: RE:CUBIC ASTRO 103

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 16:10:35 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <%bgr9.157865$S32.11284307@news2.west.cox.net>
Source record: 38509

Try:
SWAN/CUBIC RADIO MANUALS
Brock Publications
Box 5004
Oceanside, CA. 92052
Phone (760)757-0372.
Grace has complete manuals, service notes etc.

Prices Available On Request.

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
==========
"dg" <daniele.guareschi@fastwebnet.it> wrote in message
news:Ou_q9.23592$dj7.116679@tornado.fastwebnet.it...
> I NEED SCHEMATIC DIAGRAM ASTRO 103.THANK.
> I2UJJ
>
> daniele.guareschi@fastwebnet.it
>
>

4351. FS: Alinco DX77T like new with MARS/CAP (SOLD)!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 16:45:48 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <0Jgr9.24673$ue4.1665468@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38511
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.swap

Radio is sold!!!!!!!!!!!!!!!
thnx

4352. Re:(SOLD) Aston SL11R 11amp 50% 7 amp cont. duty

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 17:05:03 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <3%gr9.24710$ue4.1667872@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38512
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

Unit is sold,
thnx

4353. FA: VHF Visar complete 2 days left $185.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 17:40:43 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <vwhr9.24743$ue4.1670715@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38513
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

great deal on a nice VHF Visar.....
http://www.rfhill.ampr.org/fest.htm

4354. Re: Best sound card CW decoder?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 18:22:51 UTC
From: cprstn54zz@att.net
Message-ID: <3dadadba.7439687@news-server.optonline.net>
Source record: 38514

On 16 Oct 2002 01:10:58 -0700, MoreMoses@yahoo.com (M.More) wrote:

>I've tried many cw decoders with poor to fair result, now I'm using
>MRP40 cw decoder from, it outperforms all others. It is the best sound
>card CW decoder I've seen.

I downloaded it and tried it. Seems good on RX but Norbert seems to
expect you to wire up an interface to fit his program, rather that to
have designed his program to work with RigBlaster or Rascal
interfaces.

As a result, if you try to use one of these interfaces, CW is not sent
properly and there are timing problems. I guess the concept known in
the USA as "marketing" has not caught on in Deutschland.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

4355. MODES WHICH USE SOUNDCARD. PSK RTTY ETC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 18:31:05 UTC
From: Dave <g3vfp@blueyonder.co.uk>
Message-ID: <ogir9.25947$jR.8223@news-binary.blueyonder.co.uk>
Source record: 38515

Hi guys

If you are interested in PSK,MFSK,RTTY,SSTV etc via the soundcard then check out my site which is regularly updated with software's.

http://www.g3vfp.org

Enjoy :-).

Dave G3VFP

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.394 / Virus Database: 224 - Release Date: 03/10/2002

4356. FS: Yaesu FT-1000D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 19:30:59 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <iefrquoghuldeqq4adgacdv25gmp40jmaf@4ax.com>
Source record: 38516

I have for sale in excellent condition a Yaesu FT-1000D bought new in 1992. I have the original boxes and manual and its from a non-smoker. I will ship it anywhere in the 48 states for $2100. If you have any questions email or call (508) 821-2993....WZ1U Steve / Lakeville, Ma.

4357. Re: FS: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 19:39:24 UTC
From: jeff <w5omr-anti-spam@w5omr.antispam.shacknet.nu>
Message-ID: <Mfjr9.141576$Fw2.4287900@twister.austin.rr.com>
Source record: 38517
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

> > Linear Amp Dave Made 10 Pill
> >
> >
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389190364
>
> What is that thing?

judging by the amount of traffic it generated in the newsgroup, I'd say it's nothing more than a conversation piece. ;-)

What it is though, to answer your question, is an illegal amplifier for 11meters.

2 transistors driving 8 in DC service - these are generally trunk mounted, with oodles and gobs and lots and lots of DC AMPS driving it.

Someone posted somewhere, pictures of the SuperBowl of key-down contests, with some vehicles running up to 7 and 8 SEPERATE alternators, to get the desired amount of amperage capacity to run one of those things mobile.

All I want to do, is run a pair of 4CX250b's in class AB1 mobile for a little bit
of extra power output to my bugcatcher on 75 and 40m. Perhaps it's time to look at solid-state transistor amplifiers.

Has anyone used/heard/worked with the new Class E amps?

One single MOSFET device, ran on around 115vcc with an efficiency rating of like 95%?

one device - 500w out on 40m.

--
73 = Best Regards,
-=Jeff/W5OMR=-

4358. Re: (SOLD) FS:MT1000/P200/HT600 speaker mic NEW!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 19:42:59 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <7jjr9.8449$1P1.674660@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38518
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

Mic is sold,
thnx.....

4359. AD270 pre-amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 19:44:38 UTC
From: kurt winebäck <kurt.wineback@mailbox.swipnet.se>
Message-ID: <3DADC1A6.F63B099@mailbox.swipnet.se>
Source record: 38519

hi
Who knows where i can find the data sheet of AD270 Datong pre-amplifier
thanks in advance

4360. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 19:48:21 UTC
From: blackm00@cam.org
Message-ID: <6447bcd3.0210161148.52d97c8a@posting.google.com>
Source record: 38520
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Joe S." <joe@schlatter.org> wrote in message news:<aoifrb025re@enews3.newsguy.com>...
> "Scott Dorsey" <kludge@panix.com> wrote in message
> news:aoi95ipqv1@panix2.panix.com...
> > Historically, when did this start? I know CBers from the sixties
> > who say that the CB bands were once very polite and that CBers even
> > sent QSL cards. I saw the CB boom in the mid-seventies when all
> > pretense of politeness and legal niceties were gone.
> > --scott
> > --
> > "C'est un Nagra. C'est suisse, et tres, tres precis."
>
> I am not an expert on the history of CB -- but -- I was a ham when 11 meters
> was turned into the Class D Citizens Band in 1959. My recollection is that
> it was intended to be a business band. At that time, the only way anyone
> could have two-way radio service was the expensive route -- buy commercial
> gear, have a licensed engineer install and maintain it, etc.
>
> The Class D CB was supposed to provide the little guy with simple,
> short-range radio communications:
> -- tractor to farmhouse
> -- florist to delivery vans
> -- and the like
>
> A lot of old, stick-in-the-mud traditionalist hams argued that enabling
> people to get two-way radio equipment with no test and no qualifications
> other than fill in a box top was a recipe for disaster. But what did these
> old fools know about it?
>
> My rig at the time was an old Harvey-Wells TBS-50D and a Hallicrafters
> receiver of some sort. The H-W had 11 meters --807 in the final -- I did
> not put it on 11 meters after we lost the band but I did listen. It was all
> very pleasant and polite -- in 1959.
>
Since I was born in 1959, I missed the early days of CB. So I can't
say what it was like.

But reading old magazines, I got the impression that right from the
start, some saw it as a hobby band. I've seen articles from the time,
from Don Stoner and/or Tom Kneitel, outright talking about this new
band as a hobby band. And I've seen bits in Popular Electronics
where the FCC was sending out announcements trying to curb the hobby
useage. Both indicate that what the FCC intended for the band wasn't
necessarily what the people using the band were expecting it to be.

And there was a slow reduction in the rules. Not on the big things like input power or skip, but little things like who you could contact and a time rule that I can't really remember.

Surely, the FCC had intended the band to be a solution to a need (ie keeping in contact) where at the very least a lot of people were seeing it as a hobby, for the sake of talking on the radio.

I have no idea what was being seen out in the general public eye, but looking at the hobby electronic magazines, one really gets the impression that it was a hobby band (which doesn't have to mean DX'ing and illegal operation). Those with CB callsigns would put them after their name, just as a ham might, though for CB it was not the same sort of identifier. There were all those construction articles, and ones about getting the best signal, almost as if they wanted ham radio without the testing. Electronics Illustrated even ran a construction article or two for the Class E band (the one that was proposed for 220), even though there was no indication that the band was on the way.

Michael VE2BVW

4361. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 20:07:07 UTC
From: blackm00@cam.org
Message-ID: <6447bcd3.0210161207.22a74618@posting.google.com>
Source record: 38521
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

<n7vrz@charter.net> wrote in message news:<uqlud1491jalad@corp.supernews.com>...
> Well, as much as I hate to see CB'ers use that stuff and trashing the bands
> with bleed over, it's not illegal to sell/own one. It is illegal to use it,
> though. So I see no problem with him selling. He should note in his ad that
> it is not for use on anything other than amatuer radio bands.

But that's the whole reason that there is a ban on 10Meter amplifiers.

There was a time when it was easy to find amplifiers being sold that
covered ten meters. They put out maybe a hundred watts, and all required
an input drive of what you'd get out of a CB set. You'd see them in
the magazines and the big catalogs, and they all had disclaimers:
"Illegal for Class D Citizens Band use". But from the context,
and the specs, you knew very well that they were being sold specifically
for CB use. If nothing else, the fact that they were on the CB pages
would be a dead giveaway.

They were selling something illegal for use, because they could claim
that it had a legal use. There was no way, because they are so close
together, to have an amplifier that would cover 10 meters and not 11.

So about 1977, when CB had become a pretty big fad and hence more
people started using it (and increasing the number of illegal amplifiers
in use, if not the percentage), your FCC put into place rules
about 10Meter amplifiers. You couldn't buy one commercially.
There were restrictions on resale. And other than general limits
on power and spurious emissions, it's the only rule for amateur
radio in the US that restricts what you can buy.

And the big joke is that the rule has nothing to do with amateur
radio, the issue wasn't hams using more power than they were allowed,
but another service and the illegal amplifiers being sold to them.

Michael VE2BVW

4362. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 20:21:52 UTC
From: Dave VanHorn <dvanhorn@cedar.net>
Message-ID: <dTOdnRQ9O7jeVzCgXTWc3Q@News.GigaNews.Com>
Source record: 38522
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

The biggest mistake, IMHO, was putting CB where it is in the sprctrum.
If it were somewhere in VHF or UHF, then "skip" wouldn't be an issue, and
there would be little to no demand for high power.

Of course given the time when that went down, it's understandable.
A 440 CB band in 1955 would have been quite a feat!

4363. Kenwood TM-541 question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 21:54:44 UTC
From: Bryan King <bryanpking@attbi.com>
Message-ID: <Eelr9.69674$rz6.12020@sccrnsc02>
Source record: 38523

I have a TM-541 that will be used as the receiver portion of a repeater. A CAS circuit needs to be built and/or purchased. CAS circuits typically require discriminator audio as input which will come from the microphone jack. Feeding it audio from the speaker jack is not recommended.

Therefore I'm looking for information on pulling out the discriminator audio from this radio and am interested in what others who have setup repeaters using this radio have done.

Thanks,
Bryan
K1SNH

4364. Re: FS: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 22:22:05 UTC
From: kludge@panix.com
Message-ID: <aokoqd$jj9$1@panix2.panix.com>
Source record: 38524
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

jeff <w5omr-anti-spam@w5omr.antispam.shacknet.nu> wrote:
>Has anyone used/heard/worked with the new Class E amps?
>
>One single MOSFET device, ran on around 115vcc with an efficiency rating of like
>95%?
>
>one device - 500w out on 40m.

I have worked with the newer Harris AM rigs, which use a PWM generator
driving a switching transistor like this. Each module has two output
transistors and puts out 1KW or so. You rack them up in parallel for
up to 50 KW, off the same driver stage. If one or two modules go, you
still have output (unlike with a conventional tube final obviously).
SUBSTANTIAL reduction in power bill at the transmitter site.
--scott
--
"C'est un Nagra. C'est suisse, et tres, tres precis."

4365. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 22:24:05 UTC
From: kludge@panix.com
Message-ID: <aokou5jva1@panix2.panix.com>
Source record: 38525
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Dave VanHorn <dvanhorn@cedar.net> wrote:
>The biggest mistake, IMHO, was putting CB where it is in the sprctrum.
>If it were somewhere in VHF or UHF, then "skip" wouldn't be an issue, and
>there would be little to no demand for high power.
>
>Of course given the time when that went down, it's understandable.
>A 440 CB band in 1955 would have been quite a feat!

There WAS a CB band up in 460 MHz back then, called the Class A Citizens
Band. AM modulation. Vocaline made some nifty little transceivers.
--scott
--
"C'est un Nagra. C'est suisse, et tres, tres precis."

4366. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 22:53:57 UTC
From: Dave VanHorn <dvanhorn@cedar.net>
Message-ID: <phqdna-d47p6cDCgXTWcoQ@News.GigaNews.Com>
Source record: 38526
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

> There WAS a CB band up in 460 MHz back then, called the Class A Citizens
> Band. AM modulation. Vocaline made some nifty little transceivers.
> --scott

I knew there was one, but I didn't know it dated that far back.
We had a couple guys in Hawaii, from motorola, that were using it.
6 channels IIRC, and basically they had their own private band, as nobody
else seemed to know it existed, and 2500 miles of isolation from all the
other potential users.

4367. FA: WE416B's and Vintage Sig Gen

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-16 23:12:19 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <nnmr9.221669$TX5.9363462@news1.east.cox.net>
Source record: 38527
Cross-posted to: alt.ham-radio.marketplace,rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment

WE 416B Planar Triodes:

http://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390356743

Vintage Signal Generator

http://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=724965988

Thanks for looking!

4368. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 00:02:04 UTC
From: Mike Yetsko <joe@user.com>
Message-ID: <uqrvr8284leo72@corp.supernews.com>
Source record: 38530
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Brenda

It was still BS. Mostly propagated by a few individuals and even some companies that had really crappy radios and couldn't get them to clean up.

The spec USED to be 5W of INPUT power with a max of 4W out, and 12W pep. (Which is actually the same thing, just measured a bit differently). The old rating was from the days of specifying tube power, and in that case you had to measure ALL input power other than the filaments. With transistors, it was changed to just output power.

And yes, there were some real crap for CB sets that DID only put out 3 or even 2 watts of power. And couldn't even do that cleanly. But others went right to the 4w limit or even higher if they were 'tweaked'.

I had a CB set in my car back then. I ran a TRC-152 which was almost the same set as the TRC-452. The 152 was the 23 channel version, the 452 the 40 channel version. The ONLY differences were the 452 had a different power plug (with some suppression on it), suppression on the all the jacks, including the mic jack, and a VCO that the PLL would only run to about 50 channels wide. The TRC-452 VCO was an IC with a bit more gain to work reliably at 40 channels (which actually meant 45 channels 'wide' in frequency) and it would actually run about 60 or 70 channels wide. And the channel selector switch.

But, you could install the 40 channel switch from the TRC-452 on the 23 channel TRC-152 and have a '40 channel' radio that couldn't be told apart from the 452 on the air. (Well, you DID have to add a small cap and resistor on one data line...)

The 152/452's could be cranked up just over 5watt, but if someone who know what they were doing (NOT one of the asshole BOZO CB techs) put the thing on a scope and did a trapezoid adjustment you could tweak the audio compression and gain and the power and have an incredible sounding radio. I did mine on a scope and the best performance was achieved at about 3.5w. I had a guy want my radio so bad he kept offering me full price for it. I offered to set up a new 452 for him the same way, but he kept insisting that "I want YOUR radio". So I sold it to him for list price.

Again, and I can't say this strongly enough, the spec you posted was utter BS. It doesn't matter if it came from a CB set spec or not, it was BS. The 40 channel radios (from some manufacturers) were SUPERB compared to most of the 23 channel stuff that was before them. In fact, one of the best 'hack' radios ever made was the Uniden chassis 40 channel SSB set that was sold by Radio Shack as the TRC-449, TRC-457, and TRC-458, by Cobra, Uniden, and President, and even others. I know a NUMBER of HAMs that converted that to 10M and it made an incredible radio. In fact, I have 2 of those units here, converted to run as the '10M core' of my 2M SSB station. At least, they were, until I bought an Elecraft K2. (Now THAT'S a nice radio!)

Mike

"Brenda Ann" <brendad@shinbiro.com> wrote in message news:aojkrgnlr1@news1.kornet.net...
> Those specs were directly from the manufacturer.. I bought several radios in
> 1977 (had to replace the ones I had, which were no longer legal, and right
> on the box the specs said "new standard 25W PEP SSB" I'm in the process of
> looking for some of the old radios in a google search to post those specs. I
> have found that the new radios are limited to 12W PEP.
>

4369. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 00:04:36 UTC
From: Harold <hsnyder@houston.flightlessbird.com>
Message-ID: <o8nr9.151295$8o3.4221010@twister.austin.rr.com>
Source record: 38528
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

How many Bird Watts do you get with a 10 pill?

WD5KCA

--
"Money may buy you a fine dog, but only love can make it wag its
tail." --- Kinky Friedman

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:MPgq9.98$K_5.70643765@news.inreach.com...
> Linear Amp Dave Made 10 Pill
>
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389190364
>
>

4370. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 00:05:08 UTC
From: Mike Yetsko <joe@user.com>
Message-ID: <uqs01c4vhaenba@corp.supernews.com>
Source record: 38532
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Scott Dorsey" <kludge@panix.com> wrote in message news:aokou5>
> There WAS a CB band up in 460 MHz back then, called the Class A Citizens
> Band. AM modulation. Vocaline made some nifty little transceivers.
> --scott

If I'm not mistaken, the Class A band was restricted to licensed
communication between the 'same license'. Like different trucks for
a business. There was no provision for interbusiness communication,
or even family communication.

The 11M CB band had those same restrictions initially, but NOT on
all channels. Some channels were allowed to be 'open communications'
between different licenses.

Mike

4371. FS: Mint MFJ-9406 6-meter rig and more

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 00:06:25 UTC
From: n2rll@aol.com
Message-ID: <20021016200625.10596.00002328@mb-mp.aol.com>
Source record: 38529

FS: MFJ-9406 6-meter SSB QRP transceiver, new, unused with manual and mike in mint condition. $175.
Also an Astron switching power supply - model SS-30M - with dual meters, also in mint condition. $100
If you're in NJ area I have an assembled MFJ-1796 halfwave vertical antenna, bottom bracket cracked but can be easily repaired. Antenna works but I've changed to a G5RV antenna.
Power supply or 9406 rig shipped three-day priority mail for postal money order only. Thank you,
Harold, N2RLL

4372. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 00:08:00 UTC
From: Sylvan Butler <Znospam+noZs_0210@hpb13799Z.Zboi.hpZ.com.invalid>
Message-ID: <slrnaqrvr0.fqv.Znospam+noZs_0210@hpb13799Z.Zboi.hpZ.com.invalid>
Source record: 38446

On Mon, 14 Oct 2002 22:40:32 -0500, amstraur <polobee@hotmail.com> wrote:
> I was watching an auction a few weeks ago where the high bid between two
> sole bidders got up around $100. Within the last hour of the auction, the
> high bidder retracted their bid. The other bidder got the goods at their
> original $9.99 opening bid. I bet the seller was cussing pretty good about
> that one.

That is a trick sometimes used by a single buyer or multiple buyers
working together. I'd especially be very suspicious if the
cancelled bid was 1) suspiciously high for the value of the item,
2) entered soon after the low 'winning' bid. Also the sooner the
bid pair is to the beginning of the auction, the more suspicious.

sdb
--
| Sylvan Butler | Not speaking for Hewlett-Packard | sbutler-boi.hp.com |
| Watch out for my e-mail address. Thank UCE. >>>> change ^ to @ <<<< |
They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety. --Benjamin Franklin, 1759
Stop Senator Fritz Hollings-S2048, Palladium, and TCPA, NOW!
http://www.freedom-to-tinker.com/archives/cat_fritzs_hit_list.html
Or else like Fritz, fight piracy -- regulate potty chairs!

4373. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 00:11:41 UTC
From: Mike Yetsko <joe@user.com>
Message-ID: <uqs0d8dqvv1743@corp.supernews.com>
Source record: 38533
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Michael Black" <blackm00@cam.org> wrote in message
news:6447bcd3.0210161207.22a74618@posting.google.com...
>
> But that's the whole reason that there is a ban on 10Meter amplifiers.
>
> Michael VE2BVW

Well, not quite. There is a ban on NEW amplifiers being sold by
manufacturers. They can't even be 'convertible to 11 meters.
Or even to 10M and I think the latest ruling includes even 6M,
I'd have to check.

And old amps that can cover those 'restricted' frequencies are
controlled, but NOT prohibited.

But, it is still legal for a HAM to construct his own amp that covers
any frequency. As long as he doesn't build more than a certain
number a year. (I think the current number is 2, but I'm not
sure. I'll bet someone chimes in with it though!) And, those amps
are legal to be sold.

That is not to say they can be USED on any frequency!

In fact, having an amp that can function on 11M connected to
equipment that implies it's use can be considered 'evidence of use'
if you get caught with it. Having an amp connected to, say, an
Elecraft K2 or a Yasau FT-817 if you're a HAM would NOT
be an issue. But getting caught with the same amp connected
to a Cobra 148 CB set, even if you ARE a HAM could get
you nailed. Unless you could show that the 148 was converted
to 10M...

Mike
.

4374. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 00:12:48 UTC
From: Sylvan Butler <Znospam+noZs_0210@hpb13799Z.Zboi.hpZ.com.invalid>
Message-ID: <slrnaqs040.fqv.Znospam+noZs_0210@hpb13799Z.Zboi.hpZ.com.invalid>
Source record: 38447

On Wed, 16 Oct 2002 02:09:46 GMT, Dee D. Hays <dee.hays@sbcglobal.net> wrote:
>
> "Joe S." <joe@schlatter.org> wrote in message
> news:aoiejn023hs@enews3.newsguy.com...
>> I never won an auction until I started using that "useless sniping
>> software."
>
> That means you exceeded the maximum that you were initially willing to pay.
> So why didn't you bid higher in the first place?

Because of all the idiots out there that think an online auction is
a competition. They don't know how much they want to bid, they just
want to either a) bid a bit more than you, or b) see how high they
can get you to bid.

Thanks, but no thanks to either one.

It does not matter WHEN a bid is placed. All players simply need to
bid their maximum. The ONLY thing a snipe does, is prevent the
silly one-up-manship.

> I've won many auctions without the aid of sniping software simply because I
> did put in my true maximum bid.

I did also. Then I found out how the online auction game is played.

And someone "sniping" will never unfairly win an auction from
someone who "places their maximum bid" up front. The snipe is
subject to the same rules -- whoever bids the highest maximum will
win. It does not matter when the bid is placed.

sdb
--
| Sylvan Butler | Not speaking for Hewlett-Packard | sbutler-boi.hp.com |
| Watch out for my e-mail address. Thank UCE. >>>> change ^ to @ <<<< |
They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety. --Benjamin Franklin, 1759
Stop Senator Fritz Hollings-S2048, Palladium, and TCPA, NOW!
http://www.freedom-to-tinker.com/archives/cat_fritzs_hit_list.html
Or else like Fritz, fight piracy -- regulate potty chairs!

4375. Re: Wavetek Sam I used as RF spectrum analyzer??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 00:13:49 UTC
From: john@jjdesigns.fsnet.co.uk
Message-ID: <871568ec.0210161613.2d439e9d@posting.google.com>
Source record: 38531
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.design,sci.electronics.equipment,sci.electronics.misc

"Mjolinor" <mjolinor@hotmail.com> wrote in message
news:<64er9.4262$n61.11167@newsfep3-gui.server.ntli.net>...
> > The 141's ect are reliable and eminently servicable. They are full of
> > metal sheeting, PCB's, wires, transistors, diodes, resistors, cap's
> > and L's.
> > The service manuals are superb.
>
> Talking of service manuals do HP sell them for anything, I have an 8591E
> with a power supply fault and I can't fix the thing. Does anyone know how
> much they cost or how to get them.

A Google search (HP +8591E +manual) turned up loads of service manual
suppliers for the HP8951E. Pick one local to your neck of the woods.
regards
john

4376. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 00:38:55 UTC
From: Harold <hsnyder@houston.flightlessbird.com>
Message-ID: <zEnr9.151333$8o3.4228593@twister.austin.rr.com>
Source record: 38534
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

> Probably because he avoided using the combination of words or
> circumstances that would trigger eBay's auction filters (he listed it
under
> ham radio, not CB, and didn't mention CB in the page). Because of that,
eBay
> never even noticed it. If someone had complained, it would have been
pulled.

Nope. I complained about a guy that regularly sells these things and
nothing happened. He is still there months later.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389778085

4377. ALERT: DO NOT DOINATE TO RADIO CLUB of JHS 22 - CROOKED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 01:36:35 UTC
From: falster762@aol.com
Message-ID: <20021016213635.22402.00002742@mb-dh.aol.com>
Source record: 38535

Dear fellow Hams;
Before you decide to donate your hard earned radio gear.
Ask this organization for a disclosure of when & what the solicited donations/gear has been used for or donated too!
If you get NO response from them, then you know the whole organization is pure crap.
Please do not even buy his manuals which are in violation of copy right laws, that he solicits all over the WWW.
At that point, donate it to a reliable organization or sell it right here, then donate the money locally to a good cause!
Good Luck;
Brian

4378. FA: Yaesu FT-221R All-Mode for 2-meters, Tech Special>A Deal!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 01:53:02 UTC
From: rlucch2098@aol.com
Message-ID: <20021016215302.22719.00002512@mb-dh.aol.com>
Source record: 38536

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1387936997

4379. FA: Allied/Realistic SP-150 Remote Speaker, Nice for DX-150/160- $9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 01:55:35 UTC
From: rlucch2098@aol.com
Message-ID: <20021016215535.22719.00002513@mb-dh.aol.com>
Source record: 38537

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1387941871

4380. FA: Really Nice "PRECISION" Tube Tester, Better Quality @ big $20

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 01:57:16 UTC
From: rlucch2098@aol.com
Message-ID: <20021016215716.22719.00002517@mb-dh.aol.com>
Source record: 38538

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1387936976

4381. fa; Lafayette Comstat 19 Tube CB Radio, 1964, Don't miss it>collectable

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 01:59:06 UTC
From: rlucch2098@aol.com
Message-ID: <20021016215906.22719.00002519@mb-dh.aol.com>
Source record: 38539

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1387936973

4382. FA - Alert Military Collectors, Mint BC-221-AA Bendix & FL-5-C filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 02:02:04 UTC
From: rlucch2098@aol.com
Message-ID: <20021016220204.22719.00002521@mb-dh.aol.com>
Source record: 38540

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1387936962
This is for the Signal Corps Filter, no bid @ $9.99
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1387936955

4383. fa>> Astatic DN-HZ Dynamic Hi-Z Microphone, Minty lookin, RARE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 02:03:36 UTC
From: rlucch2098@aol.com
Message-ID: <20021016220336.22719.00002522@mb-dh.aol.com>
Source record: 38541

Real nice with pictures to boot!
Please add http: before the URL address listed below>>
//cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=1387936967

4384. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 02:36:21 UTC
From: Ralph D'Andrea <K0RFD@gjbiz.com>
Message-ID: <1104_1034822230@netnews.attbi.com>
Source record: 38542

On Sun, 13 Oct 2002 03:07:34 -0400, Jrt <jrt2hoo@yahoo.com> wrote:
> Does anyone make a good transceiver for all or most modes that will
> operate in the Technician Class license bands, 6 meters and up? If not
> what could you recommended for operation in these bands with fewest
> number of transceivers?

Good question, I imagine this is going to get you all manner of "technician as leper" responses. Heck, I'm having so much fun as a leper I can't wait to upgrade!

But, you gotta start somewhere.

About 24 hours after getting my Tech license, I figured out that I wasn't going to get much out
of the the 8:00 AM "Oatmeal Net" with guys talking about 1) the weather, and 2) their medical
problems. So I got involved with satellites. I qualified for my VUCC last week, but that's just been the trigger to say "Well, you've done all you can with a Tech license" and work in
earnest on my upgrade.

But to answer the question you actually ASKED, I guess I'd have to say "That depends"

What do you want to do? How long to you intend to sit there with your tech license before upgrading?

As far as working satellites, I got my first 115 grid squares with a VX-5R as my downlink receiver and a 2100H as my uplink transmitter. Along the way I picked up a used Icom 281H that
I thought would work for both bands, but its 440 receive was far inferior to the Yaesu HT. All
of this gear is FM only.

If I thought I was going to sit on my Tech license forever, I might have investigated a dual-
band (2M-440) all-mode rig. But I am having so much fun ALMOST being a ham, I decided to stop
buying equipment for the time being, be content with with I could do with FM stuff, then buy in
earnest when I upgrade. Looking at either a TS-2000 or an FT-847. I haven't ruled out the Icom
706 MkIIG as a lot of bang for the buck either. Any will give me what I like to do now plus what I might like to do in the future.

At the risk of sounding repetitive, the best rig for a Technician really depends on what you
plan to do with that license. If you want to put a mobile in your car and pretend it's NOT really CB, a 2100H is a great rig for the money. If you want to work tropo, satellites,

other
things many people ignore, an all-mode rig like the FT-847 is a good rig and will do some of
the things you want to do when you upgrade. A TS-2000 will do it all, but at a price. And the
706MkIIG will let you have VHF and UHF now, and HF later, all in a small package you can put in
your car if you want.

But you gotta decide where you want to be in 6 months or a year. If you are buying for NOW, get a dual band HT. If you are buying for THEN, well, you have a lot more choices.

4385. Hickok 605A meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 02:39:40 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <aol7td01mda@enews2.newsguy.com>
Source record: 38543
Cross-posted to:
rec.antiques.radio+phono,rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I recently acquired a Hickok 605A tube tester with a broken plastic meter face. Does anyone have a cooked meter for a 600A or a 605A that they would be willing to sell or trade? Or just the meter cover?

Thanks, Kevin

kberlenNOSPAM@ticz.com

4386. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 03:03:22 UTC
From: "ckh - Too Much SPAM"
Message-ID: <hdwX38NCLQJC-pn2-bRWGupFJtVYV@localhost>
Source record: 38544
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

On Thu, 17 Oct 2002 00:11:41, "Mike Yetsko" <joe@user.com> wrote:

> In fact, having an amp that can function on 11M connected to
> equipment that implies it's use can be considered 'evidence of use'
> if you get caught with it. Having an amp connected to, say, an
> Elecraft K2 or a Yasau FT-817 if you're a HAM would NOT
> be an issue. But getting caught with the same amp connected
> to a Cobra 148 CB set, even if you ARE a HAM could get
> you nailed. Unless you could show that the 148 was converted
> to 10M...
>
> Mike

Whoa Mike, what's this "evidence of use" business? If that is a principle of law, then why are non-hams allowed to own ham transceivers?

What difference does it make what radio is connected to what amplifier?

I repair and refurb Heathkits, I could easily switch the crystals for one of the 10 meter slots so that an SB-101 would work on 11 meters.

In fact, I think I'll modify one of my SB-303's to cover 11 meters.

Also the last time I bought a car, the dealer did not ask to see my driver's license.

4387. Best Microphone for 765??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 04:42:35 UTC
From: Saleen <w9jcm@REMOVETHISreno.quik.com>
Message-ID: <%crr9.176$Mz6.3303@newsfeed.intelenet.net>
Source record: 38545
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Looking for the best microphone for the Icom 765 rig. Not to sure about the ICM Heil stuff.. Had heil years ago didnt like it on my kenwood.. What are you guys using.

john

4388. Re: FS: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 05:10:53 UTC
From: jeff <w5omr-anti-spam@w5omr.antispam.shacknet.nu>
Message-ID: <xDrr9.144081$Fw2.4381974@twister.austin.rr.com>
Source record: 38546
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

> >Has anyone used/heard/worked with the new Class E amps?
> >
> >One single MOSFET device, ran on around 115vcc with an efficiency rating of
like
> >95%?
> >
> >one device - 500w out on 40m.
>
> I have worked with the newer Harris AM rigs, which use a PWM generator
> driving a switching transistor like this. Each module has two output
> transistors and puts out 1KW or so. You rack them up in parallel for
> up to 50 KW, off the same driver stage. If one or two modules go, you
> still have output (unlike with a conventional tube final obviously).
> SUBSTANTIAL reduction in power bill at the transmitter site.

wouldn't that be cool for mobile use? Just one, that is :-)

a second alternator might be needed, though.

4389. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 05:25:20 UTC
From: Dale <bassman118@cox.net>
Message-ID: <4Rrr9.160305$S32.11489119@news2.west.cox.net>
Source record: 38547
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

<ckh - Too Much SPAM> wrote in message
news:hdwX38NCLQJC-pn2-bRWGupFJtVYV@localhost...
> On Thu, 17 Oct 2002 00:11:41, "Mike Yetsko" <joe@user.com> wrote:
>
> > In fact, having an amp that can function on 11M connected to
> > equipment that implies it's use can be considered 'evidence of use'
> > if you get caught with it. Having an amp connected to, say, an
> > Elecraft K2 or a Yasau FT-817 if you're a HAM would NOT
> > be an issue. But getting caught with the same amp connected
> > to a Cobra 148 CB set, even if you ARE a HAM could get
> > you nailed. Unless you could show that the 148 was converted
> > to 10M...
> >
> > Mike
>
> Whoa Mike, what's this "evidence of use" business? If that is a
> principle of law, then why are non-hams allowed to own ham
> transceivers?
>
> What difference does it make what radio is connected to what amplifier?
>
>
> I repair and refurb Heathkits, I could easily switch the crystals for
> one of the 10 meter slots so that an SB-101 would work on 11 meters.
>
> In fact, I think I'll modify one of my SB-303's to cover 11 meters.
>
> Also the last time I bought a car, the dealer did not ask to see my
> driver's license.
>
>
> > A transceiver can be used to receive. What purpose can an amplifier
have, if not to transmit. If rig is 11 meters, that would be evidence enough
for me anyway.
Dale

4390. Re: Best Microphone for 765??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 07:50:41 UTC
From: Mike <w4mjr@comcast.net>
Message-ID: <p1WdnYTzAv0P9jOgXTWcqw@News.GigaNews.Com>
Source record: 38398
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I would say the Icom SM-20 mic..
"Saleen" <w9jcm@REMOVETHISreno.quik.com> wrote in message
news:%crr9.176$Mz6.3303@newsfeed.intelenet.net...
> Looking for the best microphone for the Icom 765 rig. Not to sure about
the
> ICM Heil stuff.. Had heil years ago didnt like it on my kenwood.. What are
> you guys using.
>
>
> john
>
>

4391. Re: Best sound card CW decoder?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 08:14:36 UTC
From: amx3@dxsoft.com
Message-ID: <1d43c4a.0210170014.43bf30f1@posting.google.com>
Source record: 38399

cprstn54zz@att.net (Ken) wrote in message
news:<3dac6b5e.190195375@news-server.optonline.net>...
> I really like the Hamscope interface for CW. It is nifty to let the
> machine decode two CW QSO's while you decode a third one by ear.
> However, Hamscope isn't terrific at decoding CW on my rig. I get lots
> of extraneous characters even when the signal is way below the squelch
> point. Also, it often fails to decode pretty good signals with clean
> code. I read that improving CW is one of the current HamScope
> objectives.
>
> Is anyone using something that works a little better?

Try our CwGet morse decoder.

http://www.dxsoft.com/cwget.zip

WBR,
Sergei

4392. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 09:06:23 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D3F5C9.BDF3%stewart@sc.rr.com>
Source record: 38400
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

"ckh - Too Much SPAM" wrote:
>
> I've seen legit auctions for SB-200's pulled. (snip)

That sucks. As usual, we pay a price for the illegal activities of the
CB'ers.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4393. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 09:12:01 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D3F71A.BDF5%stewart@sc.rr.com>
Source record: 38401
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Ralph Mowery" wrote:

> The CB band was beter than what I have heard on 80
> meters now back in the late 60s and untuil I
> stopped listing to it around 1973. Most were running
> about 100 to 500 watt amps at the house and from 50
> to 100 watts in the cars. (snip)

I disagree with the word "most" in that. Most were running legally in the early 70's, with only a few running illegal equipment. Of course, ten years later, all of that had slowly changed to the point where most were indeed running illegal equipment of some kind. By the end of the 80's, almost all were using some form of illegal equipment (modified radios, "tuned up" radios, amplifiers, and so on).

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4394. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 09:23:24 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D3F9C3.BDF7%stewart@sc.rr.com>
Source record: 38402
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Dave VanHorn" wrote:
>
> Speaking of "not getting it", as I drive around,
> I notice antennas, and sometimes I notice some
> pretty odd ducks. Probably the best one, in the
> "not falling down" class, was a CB ringo ranger,
> with an expensive (yaesu?) rotor mounted underneath.
>
> Well, maybe there used to be a beam up there.. :)

One would hope so. But, for some reason, I can't stop imagining some guy shouting, "Let me turn my antenna around so I can hear you better." :)

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4395. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 09:54:42 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D4011D.BDF9%stewart@sc.rr.com>
Source record: 38403
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Dave VanHorn" wrote:

> The biggest mistake, IMHO, was putting CB
> where it is in the sprctrum. If it were
> somewhere in VHF or UHF, then "skip"
> wouldn't be an issue, and there would be
> little to no demand for high power.

With now perfect 20/20 hindsight, I'm sure the FCC would probably agree. However, at the time, CB was supposed to be a business band (for truckers and such), with employees too busy working to play around with "skip." Likewise, at the time, the FCC could not have foreseen the trucking movies, and resulting CB craze, of the mid 70's. Nor did they likely suspect that millions would eventually openly flaunt the rules and regulations, using illegal equipment, and using CB for some other purpose (a hobby band). If anything, the FCC was simply too naive and trusting when they should have expected the worst behavior from most people instead.

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4396. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 10:09:06 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <ss6cndn4N79vBjOgXTWcqA@News.GigaNews.Com>
Source record: 38404
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Guess that it depends on where you were located .. I knew a bunch of the cb operators in 68 to 74 and most of them in the area did run some kind of amplifier. I used to pick up spending money by working on the equipment for them also.

"Dwight Stewart" <stewart@sc.rr.com> wrote in message news:B9D3F71A.BDF5%stewart@sc.rr.com...
> "Ralph Mowery" wrote:
>
> > The CB band was beter than what I have heard on 80
> > meters now back in the late 60s and untuil I
> > stopped listing to it around 1973. Most were running
> > about 100 to 500 watt amps at the house and from 50
> > to 100 watts in the cars. (snip)
>
>
> I disagree with the word "most" in that. Most were running legally in the
> early 70's, with only a few running illegal equipment. Of course, ten years
> later, all of that had slowly changed to the point where most were indeed
> running illegal equipment of some kind. By the end of the 80's, almost all
> were using some form of illegal equipment (modified radios, "tuned up"
> radios, amplifiers, and so on).
>
>
> Dwight Stewart (W5NET)
>
> http://www.qsl.net/w5net/
>

4397. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 10:16:55 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <JZydnUCBmJRaADOgXTWcpw@News.GigaNews.Com>
Source record: 38405
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

If you do not have a ham license but have a CB set in your house and an amplifer that can be used with it even if it is not hooked up then that could be called evidence of use. You would seldom have any use for the amp if it was nto for illegal use. Sort of like if you have some lock picking tools and you are not a locksmith. Maybe like being out in the woods with a high power rifle when deer season is out and you try to tell ghe game warden you are rabbit hunting. In some states it is illegal to have an open container of an alcoholic beverage in the passenger area of a car. Not that you are drinking, but that is just the way the law is written.

>
> Whoa Mike, what's this "evidence of use" business? If that is a
> principle of law, then why are non-hams allowed to own ham
> transceivers?
>
> What difference does it make what radio is connected to what amplifier?
>
>
> I repair and refurb Heathkits, I could easily switch the crystals for
> one of the 10 meter slots so that an SB-101 would work on 11 meters.
>
> In fact, I think I'll modify one of my SB-303's to cover 11 meters.
>
> Also the last time I bought a car, the dealer did not ask to see my
> driver's license.
>
>
>

4398. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 11:41:32 UTC
From: PawPaw <PawPaw@granpa.com>
Message-ID: <MIxr9.41804$lV3.3177812@newsread1.prod.itd.earthlink.net>
Source record: 38406
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

RULE 11 - Linear Amplifiers -
{A} You may not attach the following items (power
amplifiers) to your
type accepted CB transmitter in any way:
[1] External radio frequency [RF] power amplifiers,
also called linear
amplifiers, or linears;
or
[2] Any other devices which, when used with a radio
transmitter as a
signal source, are capable of amplifying the
signal.
{B} There are no exceptions to this rule and use of
a power amplifier
voids your authority to operate the station.
{C} The FCC will presume you have used a linear or
other external [RF]
power amplifier if-
[1] It is in your possession or on your premises;
and
[2] There is OTHER EVIDENCE that you have operated
your CB station with
more power than allowed by CB Rule 10.
{D} Paragraph C above in this section does not
apply if you hold a
license in another radio service (HAM, etc.) which
allows you to operate
an external RF power amplifier.

The Amp don't have to be connected to anything at all-

<ckh - Too Much SPAM> wrote in message
news:hdwX38NCLQJC-pn2-bRWGupFJtVYV@localhost...
> On Thu, 17 Oct 2002 00:11:41, "Mike Yetsko" <joe@user.com> wrote:
>
> > In fact, having an amp that can function on 11M connected to
> > equipment that implies it's use can be considered 'evidence of use'
> > if you get caught with it. Having an amp connected to, say, an
> > Elecraft K2 or a Yasau FT-817 if you're a HAM would NOT
> > be an issue. But getting caught with the same amp connected
> > to a Cobra 148 CB set, even if you ARE a HAM could get
> > you nailed. Unless you could show that the 148 was converted
> > to 10M...
> >

> > Mike
>
> Whoa Mike, what's this "evidence of use" business? If that is a
> principle of law, then why are non-hams allowed to own ham
> transceivers?
>
> What difference does it make what radio is connected to what amplifier?
>
>
> I repair and refurb Heathkits, I could easily switch the crystals for
> one of the 10 meter slots so that an SB-101 would work on 11 meters.
>
> In fact, I think I'll modify one of my SB-303's to cover 11 meters.
>
> Also the last time I bought a car, the dealer did not ask to see my
> driver's license.
>
>
>
>

4399. Re: Best sound card CW decoder?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 11:56:22 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uqt9bm6ettgm6b@corp.supernews.com>
Source record: 38407

Anyone have a problem installing the MRP40 evaluation program? During installation I get a message that it is about to overwrite some write-protected files. It doesn't identify what files so I have cancelled the installation. My fear is that it is going to overwrite some DLLs that may impact the operation of other programs. Any ideas?

4400. Re: Best Microphone for 765??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 11:57:58 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uqt9emgs11hq9e@corp.supernews.com>
Source record: 38408
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I've always used the Icom SM-8 and still use it with the 756PRO.

4401. Re: Best Microphone for 765??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 12:35:31 UTC
From: "Michael J. White" <mwhite@mitre.org>
Message-ID: <3DAEAE93.B053464D@mitre.org>
Source record: 38409
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

> Looking for the best microphone for the Icom 765 rig.

For my money, the best SSB mics ever were the old Shure "Controlled Magnetic" mics. Try a Shure 444D (omni) or Shure 522 (cardioid).

Mike, N4PDY

4402. FS: Drake 6 meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 13:01:23 UTC
From: dw73454@alltel.net
Message-ID: <3dafb48c.59699666@unlnews.unl.edu>
Source record: 38410

Greetings!

6 meter ssb/cw/am rig:

I have for sale a nice TR6/AC4/MS4. Looks good, works great! It was
gone thru by Drake just prior to them closing their ham-repair
operation. I have the paperwork from Drake. I also have the manual.
$950 plus shipping, or pick up in Lincoln, Nebraska.

73 de Dan -- Wï¿½DJW ..
dw73454@alltel.net
402-489-8076(shack)

4403. FA: Tempo-One Xcvr for Parts or Repair - Good Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 13:12:16 UTC
From: Tom Farland <tfarl@IowaTelecom.net>
Message-ID: <aomcjt$62v$1@ins22.netins.net>
Source record: 38411
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389652581

Ends Sunday, tnx fer looking.

Gordon

4404. FA: VHF Visar coomplete 1 day left $192.50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 13:23:52 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <IRyr9.9684$1P1.764635@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38413
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

still a good buy
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389090319&ssPageName=ADM
E:B:DS:US:3

4405. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 14:18:32 UTC
From: "ckh - Too Much SPAM"
Message-ID: <hdwX38NCLQJC-pn2-yxi5M1kNUEWh@localhost>
Source record: 38414
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf

Thanks Paw-paw.

On Thu, 17 Oct 2002 11:41:32, "PawPaw" <PawPaw@granpa.com> wrote:

================== Cleaned up formatting ==

RULE 11 - Linear Amplifiers -
{A} You may not attach the following items (power amplifiers)
to your type accepted CB transmitter in any way:

[1] External radio frequency [RF] power amplifiers, also called linear
amplifiers, or linears;

or

[2] Any other devices which, when used with a radio transmitter as a
signal source, are capable of amplifying the signal.

{B} There are no exceptions to this rule and use of a power amplifier
voids your authority to operate the station.

{C} The FCC will presume you have used a linear or other external [RF]
power amplifier if-

[1] It is in your possession or on your premises;

and

[2] There is OTHER EVIDENCE that you have operated your CB station
with
more power than allowed by CB Rule 10.

{D} Paragraph C above in this section does not apply if you hold a
license in another radio service (HAM, etc.) which allows you to
operate
an external RF power amplifier.

>
> The Amp don't have to be connected to anything at all-
>

Looks like the FCC is pretty reasonable, they require "OTHER EVIDENCE".
I
suppose, field strength tests or the blue glow of corona discharge off
the ends
of the Yagi qualify.

Simply owning the amp isn't "evidence of use". While they don't want
you
to connect the amp to the transmitter, they don't spell out consequences
for
doing so.

They do spell out consequences for connecting AND using, the
consequence is
voiding the authority to operate.

Thanks.

4406. FS Mint Kenwood TS-711A All Mode with Tone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 15:32:19 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <7KAr9.41628$OB5.3188946@newsread2.prod.itd.earthlink.net>
Source record: 38415

I have for sale a mint Kenwood TS-711A 2 Meter All Mode Transceiver. This one is as new. Used very little, not a mark on it. It runs 25 watts and has the hard to find CTCSS Tone Board installed so you can select any of the Repeater Access Tones. It also comes with the Kenwood MC-48B Mic with UP/Down Buttons and 16-Key DTMF Pad. This is a $70 option. Standard equipment on this transceiver include: dual VFOs, Digital Display,40 Memories, Variable RF Output from 2 to 25 Watts, IF Shift, and Build in AC Power Supply(Operation on 12 Volts is also possible). Everything works great, including the memory backup battery. I do not have the manual, but I believe these are available to download from the internet. Price is $495 plus shipping from 79602. Thanks, Charlie Hugg, K5MBX

4407. FS: Garmin III+ GPS receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 16:02:44 UTC
From: Michael Malloy <mmalloy@wi.rr.com>
Message-ID: <EaBr9.75257$om2.1317073@twister.rdc-kc.rr.com>
Source record: 38416
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

I have a Garmin III+ GPS in like new condition. The unit includes the original box, manual , pc cable and all documentation. It has had little use and is a perfect unit for APRS applications as it does NMEA both in and out. Asking $175 shipped to your home in CONUS. If interested please email me directly at mmalloy@wi.rr.com.

Mike N9WJV

4408. FA: Drake TR-44B. LAST DAY!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 17:31:46 UTC
From: Sindre Torp <sindtorp@online.no>
Message-ID: <6uCr9.203$QT5.3818@news2.ulv.nextra.no>
Source record: 38417

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389070933

4409. Re: PRO-43 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 18:12:04 UTC
From: Michael Malloy <mmalloy@wi.rr.com>
Message-ID: <U3Dr9.96628$w63.1389929@twister.rdc-kc.rr.com>
Source record: 38418
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

I was surprised to see a PRO-43 scanner went for over $300 on ebay. I wanted
to offer it here first at a fair price.

mike

"Jim Wayda" <jwayda@cox.net> wrote in message
news:ub7r9.156500$S32.11179217@news2.west.cox.net...
> It is a good scanner and that is a very good price.
>
>
> "Michael Malloy" <mmalloy@wi.rr.com> wrote in message
> news:qj4r9.69781$om2.1194901@twister.rdc-kc.rr.com...
> > PRO-43 scanner in good condition with all original equipment. box, and
> > manual. This unit is serial #045210 but has not been modified. Some
people
> > consider this one of the best handheld scanners ever made. Please email
if
> > interested or for questions. Asking $160 shipped to your home in CONUS.
> >
> >
> >
>
>

4410. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 18:58:16 UTC
From: "rick@rickfrazier.com" <rick@rickfrazier.com>
Message-ID: <3DAF0848.1892880A@rickfrazier.com>
Source record: 38419

Sigh.....

Having been on both sides of the live auction world, and also participating in both seller and buyer roles of online auctions, I can say that when an individual puts up an item for auction, he essentially enters into a contract to sell that item via the auction process. He has sufficient time to set the parameters of that sale. If he changes his mind, he can withdraw the item before the bidding starts, but once begun, the auction continues until the item is sold or nobody wants to bid higher. In many states submitting an item to an auction does involve a legal document to this effect.

In a live auction, one can normally negotiate with the auctioneer on his fees, set a reserve price, and be there to watch the bidding if he wishes. In the event the reserve price isn't met, he can approve sale to the highest bidder anyway, or take the item and do what he will after it is released by the auctioneer.

In an online auction, many of the same elements are in place. However, there is no face to face, personal action involved. Everything is done at a relatively long distance.

Now, I fully know that there are quite a number of people that believe they can and should screw eBay any way they can for one or another reason, and they nearly always mention that eBay makes a lot of money for doing almost nothing. I don't subscribe to this argument, and believe that if an individual places an item up for auction, unless the item is found to be defective or otherwise not meeting the claims of the ad, it should remain up for auction until the agreed upon time period has elapsed. Once the auction is over, if the item hasn't sold, then the seller is free to make any deal he wishes. Yep, a deal is a deal, and if the original deal is to auction the item off, then that deal should be completed. eBay is just a vehicle, nothing more. The individuals that are participating in the deal still need to work with integrity. Unfortunately, this IS something of a moral issue, as it is indicative of how the person conducts his or her life.

There was once a day when a man's (or woman's) word was all that was needed to establish a deal. No lengthy paperwork or contracts, just a commitment and the personal will to follow through. Now, there seems to be an increasing number of individuals whose attitude is much like what I think "no@spam.com" is trying to say, who hide behind anonymous email addresses, preach "screw the world as long as I get mine", and think the world owes them something. It's funny that they are often the ones that scream the loudest when something goes against them.

It's a sad state of affairs when the number of people that have this sort of attitude increases, as it points to an overall decay of our society. To say "all's fair in love and eBay" is to sidestep the issue of personal integrity. Well, no@spam.com can do what he wants, but for myself, I will maintain my personal integrity and follow a moral code that makes my word worth something, at least to

those who do business with me.

--Rick

"no@spam.com" wrote:

> x-no-archive:yes
>
> >In many instances, the seller is approached by someone who negotiates a private
> >bid. This is definitely against the rules of eBay
>
> Maybe, maybe not. Read the "rules." For example eBay provides for
> ending an auction early:
>
> Reasons for ending listings early include:
>
> The item is no longer available for sale.
>
> Look high and low, eBay doesn't specify what "The item is no longer
> available for sale" HAS to mean. Go ahead, read all their rule pages.
> Say what you like, it DOES NOT specify. According to the ebay pages as
> a seller I can decide at any time for any reason an item is no longer
> for sale and eBay can screw themselves, as long as I pay the listing
> fee. Show me anywhere it says different.
>
> >(and morally wrong as well)
>
> Huh? That's a laugh, and I doubt I'm the only one laughing. You really
> should get a clue. A deal is a deal, is a deal, period. All's fair in
> love and eBay, their silly rules notwithstanding. They already make
> more money than some countries.

4411. WTB: PLASTIC DIAL COVER WRL VFO AND ERL MANUALS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 19:05:54 UTC
From: k6stu@aol.com
Message-ID: <20021017150554.29041.00000290@mb-bg.aol.com>
Source record: 38420

DOES ANYONE HAVE FOR SALE THE PLASTIC DIAL COVER FOR A WRL 755 OR 6 AND 2 VFO.
OR THE MANUALS FOR THE WRL HIGHBAND VHF1- 6 AND 2 TRANSMITTER AND THE 6 AND 2
VFO?????
MIKE

4412. WTB KNWOOD MODULE UT-220 TM-742 MADULE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 19:08:06 UTC
From: k6stu@aol.com
Message-ID: <20021017150806.29041.00000291@mb-bg.aol.com>
Source record: 38421

DOES ANY ONE HAVE FOR SALE A KNWOOD UT220 MODULE FOR A TM-741 OR TM-742
TRIBANDER. I HAVE A 6 METER MODULE TO TRADE IF YOU NEED A 6 METER MODULE.
MIKE

4413. WTB: EICO 1025 POWERSUPPLY MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 19:15:46 UTC
From: k6stu@aol.com
Message-ID: <20021017151546.29022.00000348@mb-bg.aol.com>
Source record: 38422

HELP!!!! I NEED AN ORIGINAL OR A COPY OF THE EICO 1025 POWERSUPPLY MANUAL OR A SCHEMATIC.
THANKS
MIKE

4414. WTB ORIGINAL MANUAL FOR ICOM IC-761 TRANSCEIVER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 19:16:59 UTC
From: k6stu@aol.com
Message-ID: <20021017151659.29022.00000349@mb-bg.aol.com>
Source record: 38423

DOES ANYONE HAVE FOR SALE AN ORIGINAL MANUAL FOR THE IC-761 TRANSCEIVER???
MIKE

4415. WTB ICOM PS-20 SWITCHING POWER SUPPKY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 19:27:52 UTC
From: k6stu@aol.com
Message-ID: <20021017152752.29022.00000350@mb-bg.aol.com>
Source record: 38424

ANYONE HAVE FOR SALE A ICOM PS-20 SWITCHING POWERSUPPLY FOR SALE??
MIKE

4416. Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 20:54:34 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <DsFr9.322$kT5.168847524@news.inreach.com>
Source record: 38425
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

How cute, a custom built pill box by our friend, Drifter the builder......

" will do 1500 to 1800 watts on 14 volts and slam a 2000 watt meter on 18 volts "

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390014386

Guess the doors are wide open at Ebay for the 11 meter amp biz....

4417. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 21:20:23 UTC
From: Dave VanHorn <dvanhorn@cedar.net>
Message-ID: <DcScneSwa7_vtDKgXTWcqg@News.GigaNews.Com>
Source record: 38426
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:DsFr9.322$kT5.168847524@news.inreach.com...
> How cute, a custom built pill box by our friend, Drifter the builder......
>
>
> " will do 1500 to 1800 watts on 14 volts and slam a 2000 watt meter on 18
> volts "
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390014386
>

He says all 10 "pills" are finals, but clearly the two on the left are
drivers.
I'm skeptical in many ways about the claims listed.

The coax looks like RG-58, which might handle 2kW, but I sure wouldn't bet
on it.

Also, the toroid on the output looks way undersized for2kW.
It's hard to scale the picture though, I could be wrong.

Anyone see any DC wiring that looks good for say 220A? (2kW output, so 4kW
DC input, at 18V is 220A, assuming NO droop in the supply leads.)

Taking those eight pairs of transistors on the right to be the finals,
that's 500W/Pair, or 250W each device. Not knowing what device, hard to
say, but it seems pretty dubious.

Frankly, I'd be surprised to see 1kW out of it.
Here's a real 1kW box. :)
http://www.rockwellcollins.com/ecat/gs/PA-2220A.html?smenu=4

Here's a nice article on HF amp design. Note his comments on power
requirements and efficiency.
http://www.qsl.net/ab4oj/quadra/sshfamp.html

Good views and more info on the internals of a proper design.
http://www.qsl.net/ab4oj/quadra/quadra.html#LINKS

Note there's no filtering in the picture, input or output. Likely very
dirty signals.

4418. Re: Data & Programming cable for MKIIG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 21:51:13 UTC
From: Packrat <spam@n7uic.net>
Message-ID: <uquc6j2igh941f@corp.supernews.com>
Source record: 38427
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.swap

Why dont you just make one. You just need a level converter.

http://www.qsl.net/civ_commander/interface.jpg This one works good. I have used it on 706MK2, ICW32a, and yeasu ft8500

"US Patriot" <nospam@tome.com> wrote in message news:iXzp9.454$1P1.46171@bgtnsc05-news.ops.worldnet.att.net...
> I'm looking for the Data cable(PSK31, RTTY, etc) and a programming cable
> for my 706MKIIG.
> HRO wants $125 for the programming cable, can't find the data cable
> anywhere.
> Any help would be appreciated.
> thnx
> Please email direct
> RW613@lycos.com
>
>

4419. Re: Kenwood TM-541 question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 22:17:45 UTC
From: Packrat <spam@n7uic.net>
Message-ID: <uqudoaqp9fp1c1@corp.supernews.com>
Source record: 38428

Find the chip in the radio that handles the discriminator that and look it up online. It's more than likely being used in a scanner somewhere.

"Bryan King" <bryanpking@attbi.com> wrote in message news:Eelr9.69674$rz6.12020@sccrnsc02...
> I have a TM-541 that will be used as the receiver portion of a repeater. A
> CAS circuit needs to be built and/or purchased. CAS circuits typically
> require discriminator audio as input which will come from the microphone
> jack. Feeding it audio from the speaker jack is not recommended.
>
> Therefore I'm looking for information on pulling out the discriminator audio
> from this radio and am interested in what others who have setup repeaters
> using this radio have done.
>
> Thanks,
> Bryan
> K1SNH
>
>

4420. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 23:05:08 UTC
From: kludge@panix.com
Message-ID: <aonfn4$9d4$1@panix2.panix.com>
Source record: 38429
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Dave VanHorn <dvanhorn@cedar.net> wrote:
>
>The coax looks like RG-58, which might handle 2kW, but I sure wouldn't bet
>on it.

RG-58 will handle 800W on the AM broadcast band if you are very careful
about standing waves. It's actually kind of neat tuning the antenna system
up by feeling where the warm spots in the feedline are.

>Also, the toroid on the output looks way undersized for2kW.
>Frankly, I'd be surprised to see 1kW out of it.

Only if saturation is a problem. If you don't care about spewing huge
amounts of RFI or legality, it should be fine.
--scott

--
"C'est un Nagra. C'est suisse, et tres, tres precis."

4421. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 23:17:48 UTC
From: Dave VanHorn <dvanhorn@cedar.net>
Message-ID: <u--cnVAML7tq2TKgXTWcpA@News.GigaNews.Com>
Source record: 38430
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

> RG-58 will handle 800W on the AM broadcast band if you are very careful
> about standing waves. It's actually kind of neat tuning the antenna
system
> up by feeling where the warm spots in the feedline are.
>
> >Also, the toroid on the output looks way undersized for2kW.
> >Frankly, I'd be surprised to see 1kW out of it.
>
> Only if saturation is a problem. If you don't care about spewing huge
> amounts of RFI or legality, it should be fine.
> --scott

Well, that was kinda my point. :)
I don't think it can perform as advertized, even if we agreed that would be
a good thing to start with.

4422. Re: Best sound card CW decoder?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-17 23:41:33 UTC
From: cprstn54zz@att.net
Message-ID: <3daf4962.112824312@news-server.optonline.net>
Source record: 38431

On Thu, 17 Oct 2002 07:56:22 -0400, "Bob Lewis \(AA4PB\)"
<rlewis@staffnet.com> wrote:
>Anyone have a problem installing the MRP40 evaluation program? During
>installation I get a message that it is about to overwrite some
>write-protected files. It doesn't identify what files so I have
>cancelled the installation. My fear is that it is going to overwrite
>some DLLs that may impact the operation of other programs. Any ideas?

I get several notices that the install program is about to overwrite
later versions of some utilities. I say "no" to all of them and it
runs OK, except for dropping the first dit or dahafter a pause on
send.

Receive is pretty good.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

4423. looking for ADMS-2E

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 00:42:48 UTC
From: Francois Berube <francois.berube@ccapcable.com>
Message-ID: <4OIr9.7714$Mi5.74143@weber.videotron.net>
Source record: 38432

Hello, i'm looking for an ADMS-2E interface programing, i want to have schematic to built one.

thank you

VA2RC
Frank
va2rc_2000@hotmail.com

4424. Kenwood TU-3

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 01:08:34 UTC
From: Josh Hillman <use@news.grp>
Message-ID: <oaJr9.4$QZ6.22331@news.sjc.globix.net>
Source record: 38433

Hi,

Does anyone have pinouts for Kenwood TU-3 PL Tone Board or the board itself for sale?

Thanks.

4425. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 01:15:47 UTC
From: Jackie LaVaque <buzzygirl@REMOVE.attbi.com>
Message-ID: <7hJr9.87771$oq6.24007@sccrnsc01>
Source record: 38434

"Ralph D'Andrea" <K0RFD@gjbiz.com> wrote in message... [big snip]

> But you gotta decide where you want to be in 6 months or a year. If you are buying for NOW,
> get a dual band HT. If you are buying for THEN, well, you have a lot more choices.

Hi there,

I read your reply with interest. I am a newly-licensed tech class person too (for 16 days!). As a reward for my studies and for taking the FCC test, I bought myself a Yaesu VX-5R handi-talkie, which I'm getting plenty of use out of and having some fun chatting with pals on the local repeaters (my friends got me into this hobby, actually).

I figured out quite early in my studying for the FCC license that technician class is but a stepping-stone to greater breadth of bandwidth. So, it's somewhere that I'll stay for a little while, but it seems like a lot of the "fun" airwaves reside on the frequencies below where I'm authorized to transmit presently. I'm really itching to get on the HF bands as well. I've decided to do is go ahead and learn CW, but it is going to be a long, sllloooooow process for me to get to the point where I feel that my chances of passing the CW certification are good. I'm going to give myself 6 months to learn CW. I don't have much time to study, so I figure it will take at least that long to get comfy with it. After I get the CW test out of the way, I'll start studying for the General upgrade. I think I could be happy there for quite some time.

Only after I get my General class license will I reward myself by buying a base rig- the Icom 706MKIIG may be my rig of choice. I am also eyeing the Yaesu FT-100.

I've been told that I seem to be approaching this hobby backwards- that is, many people buy the rig first, then they have a good (and expensive) incentive to get their license upgrade. Me, well... I figure that a good base rig would be a nice reward for putting in the time and effort to upgrade.

For now, I'm interested in learning more about DXing on the 6 meter bands. It seems like a challenge, but one that I'm afraid my little Yaesu handi-talkie isn't quite up to.

73,

Jackie
KC0ODY

4426. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 02:47:33 UTC
From: possibly52now <possibly52now@greatnet.iis.net>
Message-ID: <uquti7h6826kb9@corp.supernews.com>
Source record: 38435

Imagine Lynard Skynard playing in the background and a red confederate flag hanging on the wall as our friend Drifter was building this... guzzling down a Bud in the double wide.

Now... do you *really* want to bid?

"General Johnson Jameson" <area52@zecretbase.com> wrote in message news:DsFr9.322$kT5.168847524@news.inreach.com...

> How cute, a custom built pill box by our friend, Drifter the builder......

4427. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 03:05:46 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <mXmvPcwHCSSPvDsXMTCBGFuaNTKL@4ax.com>
Source record: 38436

"Jackie LaVaque" <buzzygirl@REMOVE.attbi.com> wrote:

>. I'm going to give myself 6 months
>to learn CW. I don't have much time to study, so I figure it will take at
>least that long to get comfy with it. After I get the CW test out of the
>way, I'll start studying for the General upgrade. I think I could be happy
>there for quite some time.

It shouldn't take anywhere close to 6 months. There are only 26 letters, 10 numbers and a few punctuation marks to learn -- and 5 wpm is real slowwww. Do a search on the web for some of the code-learning courses, or check what the ARRL sells at their web site.

Have fun...

Bob
k5qwg
>

4428. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 04:56:25 UTC
From: "R. Scott" <washingtonham@yahoo.com>
Message-ID: <3DAF94DE.439852D4@yahoo.com>
Source record: 38437
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389628784

Another one. I read somewhere the FCC gave them hell once before.
Wonder if they will give EBAY a cluestick smack again. I wonder
if EBAY will catch a clue.

4429. Re: Best Microphone for 765??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 05:27:54 UTC
From: John Haberkern <jhabsNOSPAM@worldnet.att.net>
Message-ID: <uZMr9.1310$Mb3.88280@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38438
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I use the astatic tug-8/dn-hz and get good unsolicited audio reports. john
w3ayt

"Saleen" <w9jcm@REMOVETHISreno.quik.com> wrote in message
news:%crr9.176$Mz6.3303@newsfeed.intelenet.net...
> Looking for the best microphone for the Icom 765 rig. Not to sure about
the
> ICM Heil stuff.. Had heil years ago didnt like it on my kenwood.. What are
> you guys using.
>
>
> john
>
>

4430. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 06:21:30 UTC
From: Ed Price <edprice@cox.net>
Message-ID: <KLNr9.167671$S32.11816308@news2.west.cox.net>
Source record: 38439
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Dwight Stewart" <stewart@sc.rr.com> wrote in message
news:B9D4011D.BDF9%stewart@sc.rr.com...
> "Dave VanHorn" wrote:
>
> > The biggest mistake, IMHO, was putting CB
> > where it is in the sprctrum. If it were
> > somewhere in VHF or UHF, then "skip"
> > wouldn't be an issue, and there would be
> > little to no demand for high power.
>
>
> With now perfect 20/20 hindsight, I'm sure the FCC would probably agree.
> However, at the time, CB was supposed to be a business band (for truckers
> and such), with employees too busy working to play around with "skip."
> Likewise, at the time, the FCC could not have foreseen the trucking
movies,
> and resulting CB craze, of the mid 70's. Nor did they likely suspect that
> millions would eventually openly flaunt the rules and regulations, using
> illegal equipment, and using CB for some other purpose (a hobby band). If
> anything, the FCC was simply too naive and trusting when they should have
> expected the worst behavior from most people instead.
>
>
> Dwight Stewart (W5NET)
>
> http://www.qsl.net/w5net/
>

I wonder how calling it the "Citizen's Radio" service influenced the
public's view of the band? Those good ole boys and ratchetjaws were
citizens, so it just rationally must belong to them.

Now don't forget good buddy;
Have a good day today
and a better day tomorrow!
(Must be pronounced with an Arkansas accent, even if you're from Vermont.)

Ed
WB6WSN

4431. WTD: Alinco DR-135TP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 06:42:04 UTC
From: Doug Gavilanes <gavilan1@earthlink.net>
Message-ID: <3DAFAD5E.30300@earthlink.net>
Source record: 38440
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Wanted:

Alinco DR-135TP, for packet use. If you have one that needs a new home,
please e-mail to:
gavilan1@earthlink.net
with price, details.

73 es TNX,

Doug Gavilanes, N6XQY
Garden Grove, CA.

4432. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 09:32:40 UTC
From: Dwight Stewart <stewart@sc.rr.com>
Message-ID: <B9D54D5C.BE34%stewart@sc.rr.com>
Source record: 38441
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Ed Price" wrote:
>
> I wonder how calling it the "Citizen's Radio"
> service influenced the public's view of the
> band? Those good ole boys and ratchetjaws
> were citizens, so it just rationally must
> belong to them.

Well, that obviously didn't help, did it, Ed? I wonder why they did actually call it a "Citizens Band." Did they have some other concept of "citizens" at the time (mobile business users) or was that name added sometime later?

Dwight Stewart (W5NET)

http://www.qsl.net/w5net/

4433. Trade For Drake MINT R8B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 10:55:19 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <rMRr9.103053$Cz.11207040@twister.neo.rr.com>
Source record: 38442
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Have to trade for a like new Drake R8B:

Drake R8, manual, box, 9.9/10 cond. a real beauty! The nicest R8 I've seen.

Drake R8A, manual, 9.5/10 cond.

Drake MS-8 speaker, excellent cond.

Will consider trading all this for an R8B and $250. All my equipment is in great shape! The R8B MUST be perfect cond. No cosmetic flaws! Satisfaction guaranteed! Items will be double boxed for shipping.
DeWayne KE9K

4434. Re: Trade For Drake MINT R8B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 11:01:20 UTC
From: N8KDV <n8kdv@iserv.net>
Message-ID: <3DAFEA00.352B712C@iserv.net>
Source record: 38443
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Do you intend to trade both radios for an R8B? I might consider the trade if both receivers are in excellent condition. If you want to consider sending them to me for my inspection, I'll do the trade if they are both in excellent condition. If they are not I'll ship back at my expense.

Steve
Holland, MI

DeWayne wrote:

> Have to trade for a like new Drake R8B:
>
> Drake R8, manual, box, 9.9/10 cond. a real beauty! The nicest R8 I've seen.
>
> Drake R8A, manual, 9.5/10 cond.
>
> Drake MS-8 speaker, excellent cond.
>
> Will consider trading all this for an R8B and $250. All my equipment is in
> great shape! The R8B MUST be perfect cond. No cosmetic flaws! Satisfaction
> guaranteed! Items will be double boxed for shipping.
> DeWayne KE9K

4435. Re: Best Microphone for 765??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 12:51:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <UsTr9.725$U97.80456@newsread2.prod.itd.earthlink.net>
Source record: 38444
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

SM-8 works great, good audio reports, nice small package.
--
K8AC
Floyd Sense in Angier, NC
"Saleen" <w9jcm@REMOVETHISreno.quik.com> wrote in message
news:%crr9.176$Mz6.3303@newsfeed.intelenet.net...
> Looking for the best microphone for the Icom 765 rig. Not to sure about
the
> ICM Heil stuff.. Had heil years ago didnt like it on my kenwood.. What are
> you guys using.
>
>
> john
>
>
>

4436. icom 737

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 12:53:19 UTC
From: Vince ve3elb <vcl@sympatico.ca>
Message-ID: <1wTr9.11296$Md7.1273156@news20.bellglobal.com>
Source record: 38445

hello all I am looking for the computer control software for the icom-737 hf transceiver can anyone help me in finding it please let me know thank you

Vince ve3elb

4437. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 15:20:22 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <jFVr9.369$Vv1.183560231@news.inreach.com>
Source record: 38298
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

"R. Scott" <washingtonham@yahoo.com> wrote in message

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389628784

> Another one. I read somewhere the FCC gave them hell once before.
> Wonder if they will give EBAY a cluestick smack again. I wonder
> if EBAY will catch a clue.

and this one reads: " it is like new no dents "

No dents is important!! Nobody wants a pillbox with dents!

4438. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 15:23:10 UTC
From: blackm00@cam.org
Message-ID: <6447bcd3.0210180723.57be9f5@posting.google.com>
Source record: 38299
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

"Ed Price" <edprice@cox.net> wrote in message
news:<KLNr9.167671$S32.11816308@news2.west.cox.net>...
> "Dwight Stewart" <stewart@sc.rr.com> wrote in message
> news:B9D4011D.BDF9%stewart@sc.rr.com...
> > "Dave VanHorn" wrote:
> >
> > > The biggest mistake, IMHO, was putting CB
> > > where it is in the sprctrum. If it were
> > > somewhere in VHF or UHF, then "skip"
> > > wouldn't be an issue, and there would be
> > > little to no demand for high power.
> >
> >
> > With now perfect 20/20 hindsight, I'm sure the FCC would probably agree.
> > However, at the time, CB was supposed to be a business band (for truckers
> > and such), with employees too busy working to play around with "skip."
> > Likewise, at the time, the FCC could not have foreseen the trucking
> movies,
> > and resulting CB craze, of the mid 70's. Nor did they likely suspect that
> > millions would eventually openly flaunt the rules and regulations, using
> > illegal equipment, and using CB for some other purpose (a hobby band). If
> > anything, the FCC was simply too naive and trusting when they should have
> > expected the worst behavior from most people instead.
> >
> >
> > Dwight Stewart (W5NET)
> >
> > http://www.qsl.net/w5net/
> >
>
> I wonder how calling it the "Citizen's Radio" service influenced the
> public's view of the band? Those good ole boys and ratchetjaws were
> citizens, so it just rationally must belong to them.
>
> Now don't forget good buddy;
> Have a good day today
> and a better day tomorrow!
> (Must be pronounced with an Arkansas accent, even if you're from Vermont.)
>
> Ed
> WB6WSN

Well, it wasn't the "Citizen's Band". It had some other name, "General Mobile Radio Service" comes to mind, but maybe that was here in Canada. Whatever the term, it was first applied to that band up above 450MHz (which came first), and then you have the Class D band at 27MHz.

In a previous post, I mentioned early articles about the service treating it as a hobby band. One such article, again by either Don Stoner or Tom Kneitel, referred to it as the (or maybe "a") citizen band. The name for some reason stuck, and even from fairly early on, the only term you hear is CB. So much so that the formal name doesn't come immediately to mind.

One thing that may have happened over the years is that the formal name was changed to fit the slang. I have a vague memory of it maybe being formally being renamed at some point, precisely because everyone was calling it the citizen's band.

Michael VE2BVW

4439. Re: Trade For Drake MINT R8B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 15:36:25 UTC
From: N8KDV <n8kdv@iserv.net>
Message-ID: <3DB02A78.B75DBAD8@iserv.net>
Source record: 38300
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

DeWayne wrote:

> Have to trade for a like new Drake R8B:
>
> Drake R8, manual, box, 9.9/10 cond. a real beauty! The nicest R8 I've seen.
>
> Drake R8A, manual, 9.5/10 cond.
>
> Drake MS-8 speaker, excellent cond.
>
> Will consider trading all this for an R8B and $250. All my equipment is in
> great shape! The R8B MUST be perfect cond. No cosmetic flaws! Satisfaction
> guaranteed! Items will be double boxed for shipping.
> DeWayne KE9K

4440. FA: 3hrs left VHF Visar complete$ 207.50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 16:03:39 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <vhWr9.1845$Mb3.128161@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38301
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

VHF Visar at good price, 3hrs left
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389090319&ssPageName=ADM
E:B:DS:US:3

4441. FS: Motorola RIB and cables, and other accessories.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 16:19:21 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <dwWr9.1861$Mb3.130399@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38302
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

Motorola RIB box RLN-4008B in very good condition.
Used in house only, shows some wear, but works great.
Comes with schematic, and power supply.
Needs computer to RIB cable. $250.00
Add $8.00 USPS Priority Mail shipping.

I have one aftermarket MT1000 style programming cable for sale. $55.00
shipped.

OEM programming cable for Maxtrac/Radius style mobiles $65.00 shipped con't

Aftermarket programming cable for GP300/P110 portables. Requires 9V battery.
$45.00 shipped con't US.

One aftermarket programming cable for HT1000/MT2000/MTS2000/MTX8000.
This is an aftermarket programming cable. Works great.
$55.00 shipped con't US only.

Belt clip for MT1000 style radio's.
4205477U08 $5.00 plus $3.50 shipping

1-NTN5560C mic adapter that goes from P50 mic's to MT1000 style radio's
$10.00 plus $3.50 shipping con't US only.

If intrested in any or all the above please email direct,
RW613@lycos.com

4442. BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 18:16:55 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <reYr9.22074$Up6.4149984@twister.nyc.rr.com>
Source record: 38303
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur, (so much for the integrity of this hobby), entered into an agreement with me to sell some radio equipment for an agreed price. I promptly sent him a PAYPAL payment.

Since that time, he has not responded to the receipt of the money, nor has he answered my numerous e-mail inquiries on this matter. Of course, to date the equipment has not been received.

Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA 90670. He did not provide a telephone number, nor is there one listed for him.

I will take the necessary steps with PAYPAL in an attempt to retrieve my money, but this is not gauranteed.

I have been buying and selling on the groups and eBay for many years, and am usually very cautious, and to date, after hundreds of transactions, have never been burned - until now.
I dealt with Steve in the past, and he was fine. Also, I always thought that being an EXTRA class ham included some integrity as well. I guess not. Additionally, his eBay feedback is good except for two neutral ratings relative to his lack of communication. So much for eBay feedback.

This is a warning NOT to deal with Steve. If anyone knows Steve, or can contact him on my behalf, I would like to speak with him on this matter.

Dan

4443. SILVER EAGLE 350 LEENAR AMPLIFIER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 19:00:38 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <QTYr9.377$Gf2.186680434@news.inreach.com>
Source record: 38304
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

THIS HERE AMP IS USED BUT WORKS GREAT. HAS HIGH AND LOW POWER SETTINGS AS WELL A RECEIVE AMP.

. WARNING!! IT IS PROHIBITED TO USE THIS AMP THAT IN ANY WAY VIOLATES OR EXCEEDS MAXIMUM FCC REGULATIONS. CHECK YOUR LOCAL STATE AND FEDERAL LAWS

YEEHAW!!!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390895570

4444. AD 270 data sheets

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 19:01:28 UTC
From: kurt winebäck <kurt.wineback@mailbox.swipnet.se>
Message-ID: <3DB05A88.91D3ED25@mailbox.swipnet.se>
Source record: 38305

hello
Who knows where i can find the data sheet of AD270 Datong pre-amplifier
thanks in advance

kurt

4445. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 19:06:16 UTC
From: Bill Crocker <billcrocker@ameritech.net>
Message-ID: <IYYr9.427$z5.285771@newssvr28.news.prodigy.com>
Source record: 38306
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Dan:

Sorry to hear about the rip-off! Ebay has had a LOT of legal pressure put on them for taking fraud too lightly in recent months. Perhaps the timing is right to turn the heat up on them. Also, when you register with Ebay, you are required to give a phone number, and they are supposed to confirm it. Check Ebay, they have a link where you can have the user's profile info e-mailed to you. Of course when you do this, they advise him, and also e-mail him your info, which he probably already has. Maybe when he receives this notification, he'll do what's right.

Also, PayPal would have even more ways to track him! If the money is substantial, contact the local police where he lives...give them his address.

Let us know how it goes.

Bill Crocker

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:reYr9.22074$Up6.4149984@twister.nyc.rr.com...
> Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur, (
so
> much for the integrity of this hobby), entered into an agreement with me
to
> sell some radio equipment for an agreed price. I promptly sent him a
PAYPAL
> payment.
>
> Since that time, he has not responded to the receipt of the money, nor has
> he answered my numerous e-mail inquiries on this matter. Of course, to
date
> the equipment has not been received.
>
> Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA
> 90670. He did not provide a telephone number, nor is there one listed for
> him.
>
> I will take the necessary steps with PAYPAL in an attempt to retrieve my
> money, but this is not gauranteed.
>
> I have been buying and selling on the groups and eBay for many years, and
am
> usually very cautious, and to date, after hundreds of transactions, have
> never been burned - until now.

> I dealt with Steve in the past, and he was fine. Also, I always thought
> that being an EXTRA class ham included some integrity as well. I guess
not.
> Additionally, his eBay feedback is good except for two neutral ratings
> relative to his lack of communication. So much for eBay feedback.
>
> This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> contact him on my behalf, I would like to speak with him on this matter.
>
> Dan
>
>

4446. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 19:09:16 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <MUYr9.5517$46.271@fe01>
Source record: 38307
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:reYr9.22074$Up6.4149984@twister.nyc.rr.com...
> Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur,
(so
> much for the integrity of this hobby), entered into an agreement with me
to
> sell some radio equipment for an agreed price. I promptly sent him a
PAYPAL
> payment.
>
> Since that time, he has not responded to the receipt of the money, nor
has
> he answered my numerous e-mail inquiries on this matter. Of course, to
date
> the equipment has not been received.
>
> Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA
> 90670. He did not provide a telephone number, nor is there one listed
for
> him.
>
> I will take the necessary steps with PAYPAL in an attempt to retrieve my
> money, but this is not gauranteed.
>
> I have been buying and selling on the groups and eBay for many years, and
am
> usually very cautious, and to date, after hundreds of transactions, have
> never been burned - until now.
> I dealt with Steve in the past, and he was fine. Also, I always thought
> that being an EXTRA class ham included some integrity as well. I guess
not.
> Additionally, his eBay feedback is good except for two neutral ratings
> relative to his lack of communication. So much for eBay feedback.
>
> This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> contact him on my behalf, I would like to speak with him on this matter.
>
> Dan
>

I have known and done business with Mr. Giron for many years. He has
always been a "straight shooter" and as far as I am concerned his integrity
is beyond reproach. You failed to include any details in your original post

such as when did you make the purchase, how long has it been since you sent the payment, etc. However...

Mr. Giron is an advanced systems engineer for a major computer company and as such he is subject to being called out of town at a moments notice (24x7) for emergency cases. In fact, he has been out of state for the past week on such a call. I'm sure that when he returns you will be contacted regarding this matter. If not, send me a private e-mail and I'll give him a call on your behalf.

73 de W6DKN

4447. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 19:15:43 UTC
From: Giant Brain <bigbrain@yipit.com>
Message-ID: <3DB05E6C.6169D802@yipit.com>
Source record: 38308
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

There is SOOO much wrong in this post, I will have to point all of it out...

> Be advised that Steven A. Giron, AD6GO,

Whenever you post a callsign, you are giving out all this info along with it...
Callsign:

STEVEN A GIRON
11XXX NXXX
SXXXX XX XXXXXXX, CA 9XXXX
FRN: 000382XXXX
Previously: KF6KWQ
Email: kf6XXX@XXX.XXX

Which brings up the other mistake of attaching your home address to your ham
license info.

> and EXTRA class radio amateur, (so
> much for the integrity of this hobby)

The fact that they MADE different classes instead of all being equal showed what
snobs the hobby consisted of to beging with. "I'm an Extra, WHAT? You are
only a no-code tech? You are a lazy son of a bitch and am not as good of a ham
as I am, etc. etc."

> , entered into an agreement with me to
> sell some radio equipment for an agreed price. I promptly sent him a PAYPAL
> payment.

Who the hell would use PAYPAL after all the problems that have been reported in
the news about it?!
http://www.paypalwarning.com

> Since that time, he has not responded to the receipt of the money, nor has
> he answered my numerous e-mail inquiries on this matter. Of course, to date
> the equipment has not been received.

So posting on newsgroups with all his personal info is going to somehow correct
this problem?

> Steve is listed as residing at XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX.
> He did not provide a telephone number, nor is there one listed for
> him.

Sure there is, you just don't know how to use the internet to find it. I found
yours, and see that you moved.

> I will take the necessary steps with PAYPAL in an attempt to retrieve my
> money, but this is not gauranteed.

LOL! ROTFL!
http://www.paypalwarning.com

> I dealt with Steve in the past, and he was fine.

Then perhaps he had a heart attack, although at 31 that would be unlikely, or a family emergency and was unable to get back to you yet. Perhaps his internet provider cut off their customer's service for a few weeks during an "equipment upgrade" like they always do. The fact that he has been good to deal with in the past, would make me think something bad happened to him or something.

> Also, I always thought
> that being an EXTRA class ham included some integrity as well.

Just the opposite in many cases. As an Extra, you can't go on any other bands that you can't access as a General class. The only difference is that you get to use a special private section of each of those bands that General class can not use, even though they are technically authorized to operate on the same bands and need to know the same things as they are allowed to use all the same bands as an Extra can. This is no more than belonging to an exclusive club and seem more important than the rest of the people in the hobby. Like if a fishing club had special parts around a lake reserved for Extra-special fisherman from the other LOWER-CLASS fishermen.

> I guess not.

If you would have just thought about it, you would have figured out the differences a long time ago.

> Additionally, his eBay feedback is good except for two neutral ratings
> relative to his lack of communication. So much for eBay feedback.

Even YOU said he was good to deal with, because he was. How sad if you destroy his feedback and do all this to him on the newsgroups because of something you will later find out was a tragedy he could not avoid.

> This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> contact him on my behalf, I would like to speak with him on this matter.

After seeing this, I am sure he will want to speak to you too.

Perhaps he will post all of your info here for all to read after he explains that his mother died or something to that effect and was unable to contact you. (Since you too allow all your info to be easily obtained via the internet.) Perhaps he died in an auto accident. Wouldn't you feel stupid then.

I suspect what REALLY happened is that Paypal fucked you over like they do with everyone, and poor Steve is wondering why he hasn't received any money from you yet. That is the most likely thing that happened knowing about Paypal as well as I do.

4448. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 19:22:45 UTC
From: nospam <nospam@nospam.nospam>
Message-ID: <9cZr9.80$Mu4.9@nwrddc01.gnilink.net>
Source record: 38309
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

People like you piss me off since if you dig further you will find that he might have died or was in an accident, or something. Most people are not bad people and most people don't break the laws because they know the shit they will get into. Chances are, you are destroying
this guy's credibility because the poor guy got in a wreck or killed or something.
If he really is ripping you off then yeah, you have every right to do what you are doing and worse! But I would really question if the guy could be in a real mess right now.

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:reYr9.22074$Up6.4149984@twister.nyc.rr.com...
> Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur, (so
> much for the integrity of this hobby), entered into an agreement with me to
> sell some radio equipment for an agreed price. I promptly sent him a PAYPAL
> payment.
>
> Since that time, he has not responded to the receipt of the money, nor has
> he answered my numerous e-mail inquiries on this matter. Of course, to date
> the equipment has not been received.
>
> Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA
> 90670. He did not provide a telephone number, nor is there one listed for
> him.
>
> I will take the necessary steps with PAYPAL in an attempt to retrieve my
> money, but this is not gauranteed.
>
> I have been buying and selling on the groups and eBay for many years, and am
> usually very cautious, and to date, after hundreds of transactions, have
> never been burned - until now.
> I dealt with Steve in the past, and he was fine. Also, I always thought
> that being an EXTRA class ham included some integrity as well. I guess not.
> Additionally, his eBay feedback is good except for two neutral ratings
> relative to his lack of communication. So much for eBay feedback.
>
> This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> contact him on my behalf, I would like to speak with him on this matter.
>
> Dan
>
>

4449. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 19:28:53 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <VhZr9.22079$Up6.4185934@twister.nyc.rr.com>
Source record: 38310
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Bill,

This was not an eBay transaction, but as I said, I paid him using PAYPAL.

I still had some faith in doing a deal from a newsgroup ad, as we did many years ago before eBay. Once again, more evidence as to why all the sales have gone to eBay.

Dan

"Bill Crocker" <billcrocker@ameritech.net> wrote in message news:IYYr9.427$z5.285771@newssvr28.news.prodigy.com...
> Dan:
>
> Sorry to hear about the rip-off! Ebay has had a LOT of legal pressure put
> on them for taking fraud too lightly in recent months. Perhaps the timing
> is right to turn the heat up on them. Also, when you register with Ebay,
> you are required to give a phone number, and they are supposed to confirm
> it. Check Ebay, they have a link where you can have the user's profile info
> e-mailed to you. Of course when you do this, they advise him, and also
> e-mail him your info, which he probably already has. Maybe when he receives
> this notification, he'll do what's right.
>
> Also, PayPal would have even more ways to track him! If the money is
> substantial, contact the local police where he lives...give them his
> address.
>
> Let us know how it goes.
>
> Bill Crocker
>
>
> "Dan Conti" <dconti@nj.rr.com> wrote in message
> news:reYr9.22074$Up6.4149984@twister.nyc.rr.com...
> > Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur, (
> so
> > much for the integrity of this hobby), entered into an agreement with me
> to
> > sell some radio equipment for an agreed price. I promptly sent him a
> PAYPAL
> > payment.
> >

> > Since that time, he has not responded to the receipt of the money, nor
has
> > he answered my numerous e-mail inquiries on this matter. Of course, to
> date
> > the equipment has not been received.
> >
> > Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA
> > 90670. He did not provide a telephone number, nor is there one listed
for
> > him.
> >
> > I will take the necessary steps with PAYPAL in an attempt to retrieve my
> > money, but this is not gauranteed.
> >
> > I have been buying and selling on the groups and eBay for many years,
and
> am
> > usually very cautious, and to date, after hundreds of transactions, have
> > never been burned - until now.
> > I dealt with Steve in the past, and he was fine. Also, I always thought
> > that being an EXTRA class ham included some integrity as well. I guess
> not.
> > Additionally, his eBay feedback is good except for two neutral ratings
> > relative to his lack of communication. So much for eBay feedback.
> >
> > This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> > contact him on my behalf, I would like to speak with him on this
matter.
> >
> > Dan
> >
> >
>
>

4450. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 19:35:28 UTC
From: nospam <nospam@nospam.nospam>
Message-ID: <4oZr9.179$Mu4.103@nwrddc01.gnilink.net>
Source record: 38311
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I'm so thankful that the HAM radio laws are being rewritten.
That way the old farts who didn't have anything better to do back
when they grew up because of a lack of computers, education, work,
or even simple TV leaves people with very little to do, so people back
then found it much easier to sit down and learn worthless crap such as morse code
and about vacuum tubes. Now life is alot more complex. MUCH MORE COMPLEX and people
find such nonsense such as morse code as exactly that, nonsense. If I'm in danger,
I'll get on the cell phone faster thanI can grab a ham. If the cell is out, the internet,
if the internet is out, I'll grab a cop. If I can't grab a cop then I can grab just anyone.
Ham RADIO people make it sound like they are so important. Not anymore. There was a time
that you could see tons of HAM's on the street. Now you can't find them anymore when you
look for them. Why? Because like I said, life is much more complicated than it was when
HAM was becoming a several decades long fad and people didn't have anything else worth
learning
so it was quite simple. Same with out outdated educational system. Our education system
works
on the same principle that children's lives are simple and they have nothing better to do
than
get an education when we now know that children's lives are much more complex with divorce,
child
abuse and sexual abuse, latchkey kids, all that. It's amazing how children, except those
with perfect,
very boring lives, make it at all as the systems are not setup to take into consideration
that the world
is going to hell in a handbasket and most kids are freaked out and halfway insane already
by the time they
enter the first grade because they feel the world crushing in on them already from their
parent's divorces
or their uncles raping them or whatever. That is real life in this modern time.
Anyhow, now people just don't have the time to learn HAM radio on average. Those with the
time are just lucky,
it doesn't mean they are elite like the cocky SOB's act on HAM radio. The whole HAM radio
laws should be renewed.
Completely eliminate the code and match the level of complication to the same environment
ease it was back in the
old days when all these farts were getting their licenses. In other words, today, you don't
even homebrew, you just
do board level repair so on that note, our PC knowledge could apply. All we need now is
basic radio knowledge and enough
skill not to kill or give ourselves cancer from RF radiation and that's it. Either that or
HAM is going to be completely
dead once all the old farts die of cancer or heart attacks. There isn't a damned day when I
don't get on the radio and

hear of at least 5 hams who have overnight, upped and croaked. It's amazing how one night they are on HAM, the next night
they are getting buried. My point is, the world will run out of these old farts and HAM will then be dead except for a bunch of low ranking people. Why? Because no one has the time nor energy to invest so much in learning things so complicated. Also, radio shouldn't be so complicated. Our computers are much more complicated than Radio's but we learned them perfectly. There is a problem here, the problem is elitist thinking people trying to keep us normal modern people off the air because they are afraid of CB'ers coming in. CB'ers will always not get to be on HAM because they will always be too stupid. In the desire to eliminate CB people, HAM's have made the requirements so hard that they exclude everyone except again, the old farts who have too much time on their hands already.

"Giant Brain" <bigbrain@yipit.com> wrote in message news:3DB05E6C.6169D802@yipit.com...
> There is SOOO much wrong in this post, I will have to point all of it out...
>
> > Be advised that Steven A. Giron, AD6GO,
>
> Whenever you post a callsign, you are giving out all this info along with it...
> Callsign:
>
> STEVEN A GIRON
> 11XXX NXXX
> SXXXX XX XXXXXXX, CA 9XXXX
> FRN: 000382XXXX
> Previously: KF6KWQ
> Email: kf6XXX@XXX.XXX
>
> Which brings up the other mistake of attaching your home address to your ham
> license info.
>
> > and EXTRA class radio amateur, (so
> > much for the integrity of this hobby)
>
> The fact that they MADE different classes instead of all being equal showed what
> snobs the hobby consisted of to beging with. "I'm an Extra, WHAT? You are
> only a no-code tech? You are a lazy son of a bitch and am not as good of a ham
> as I am, etc. etc."
>
> > , entered into an agreement with me to
> > sell some radio equipment for an agreed price. I promptly sent him a PAYPAL
> > payment.
>
> Who the hell would use PAYPAL after all the problems that have been reported in
> the news about it?!
> http://www.paypalwarning.com
>
> > Since that time, he has not responded to the receipt of the money, nor has
> > he answered my numerous e-mail inquiries on this matter. Of course, to date
> > the equipment has not been received.
>

> So posting on newsgroups with all his personal info is going to somehow correct
> this problem?
>
> > Steve is listed as residing at XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX.
> > He did not provide a telephone number, nor is there one listed for
> > him.
>
> Sure there is, you just don't know how to use the internet to find it. I found
> yours, and see that you moved.
>
> > I will take the necessary steps with PAYPAL in an attempt to retrieve my
> > money, but this is not gauranteed.
>
> LOL! ROTFL!
> http://www.paypalwarning.com
>
> > I dealt with Steve in the past, and he was fine.
>
> Then perhaps he had a heart attack, although at 31 that would be unlikely, or a
> family emergency and was unable to get back to you yet. Perhaps his internet
> provider cut off their customer's service for a few weeks during an "equipment
> upgrade" like they always do. The fact that he has been good to deal with in
> the past, would make me think something bad happened to him or something.
>
> > Also, I always thought
> > that being an EXTRA class ham included some integrity as well.
>
> Just the opposite in many cases. As an Extra, you can't go on any other bands
> that you can't access as a General class. The only difference is that you get
> to use a special private section of each of those bands that General class can
> not use, even though they are technically authorized to operate on the same
> bands and need to know the same things as they are allowed to use all the same
> bands as an Extra can. This is no more than belonging to an exclusive club and
> seem more important than the rest of the people in the hobby. Like if a
> fishing club had special parts around a lake reserved for Extra-special
> fisherman from the other LOWER-CLASS fishermen.
>
> > I guess not.
>
> If you would have just thought about it, you would have figured out the
> differences a long time ago.
>
> > Additionally, his eBay feedback is good except for two neutral ratings
> > relative to his lack of communication. So much for eBay feedback.
>
> Even YOU said he was good to deal with, because he was. How sad if you
> destroy his feedback and do all this to him on the newsgroups because of
> something you will later find out was a tragedy he could not avoid.
>
> > This is a warning NOT to deal with Steve. If anyone knows Steve, or can

> > contact him on my behalf, I would like to speak with him on this matter.
>
> After seeing this, I am sure he will want to speak to you too.
>
> Perhaps he will post all of your info here for all to read after he explains
> that his mother died or something to that effect and was unable to contact you.
> (Since you too allow all your info to be easily obtained via the internet.)
> Perhaps he died in an auto accident. Wouldn't you feel stupid then.
>
> I suspect what REALLY happened is that Paypal fucked you over like they do with
> everyone, and poor Steve is wondering why he hasn't received any money from you
> yet. That is the most likely thing that happened knowing about Paypal as well
> as I do.
>
>

4451. Re: SILVER EAGLE 350 LEENAR AMPLIFIER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 19:36:25 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnar0olo.qp3.nobody@animas.frontier.net>
Source record: 38312
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

On Fri, 18 Oct 2002 12:00:38 -0700,
the General Johnson Jameson (the issue of two wedded cousins)
wrote in all caps:
>
> IT IS PROHIBITED TO USE THIS AMP THAT IN ANY WAY VIOLATES OR
> EXCEEDS MAXIMUM FCC REGULATIONS.

Well, duuuuuuh, "general".

> YEEHAW!!!

No surprises here.

4452. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 19:48:58 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <KAZr9.22081$Up6.4195588@twister.nyc.rr.com>
Source record: 38313
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

People like you piss me off since if you dig further you will find that he might have died
or was in an accident, or something.

People like YOU who remain annonymous, do not use their real name, blame the VICTIM, and make royal asses of themselves really piss ME off. How would you suggest I DIG a little further, genius?

Most people are not bad people and most people don't
break the laws because they know the shit they will get into. Chances are, you are destroying
this guy's credibility because the poor guy got in a wreck or killed or something.

If that in fact was the case, then I will make all proper and required retractions, but I doubt it.

If he really is ripping you off then yeah, you have every right to do what you are doing
and worse! But I would really question if the guy could be in a real mess right now.

Thanks for your support.

Dan

4453. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 19:54:52 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <gGZr9.22082$Up6.4198075@twister.nyc.rr.com>
Source record: 38314
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

>
> I have known and done business with Mr. Giron for many years. He has
> always been a "straight shooter" and as far as I am concerned his
integrity
> is beyond reproach.

As I said, I've dealt with him as well, which makes his actions now
puzzling.

> You failed to include any details in your original post
> such as when did you make the purchase, how long has it been since you
sent
> the payment, etc. However...

That is not important to this discussion, and it will only provide more
fodder for boobs like "nospam" to go off topic. Suffice to say that I made
an immediate PAYPAL payment, to which he NEVER responded, and the equipment
is over due.

> Mr. Giron is an advanced systems engineer for a major computer company and
> as such he is subject to being called out of town at a moments notice
> (24x7) for emergency cases.

As such I am sure he has access to a computer and e-mail? A simple e-mail
as to the status of this deal would have prevented my actions here.

>In fact, he has been out of state for the past
> week on such a call.

I do not consider being away on business an excuse for NOT contacting
someone who lived up to his end of a deal and sent prompt payment,
especially a computer engineer.

>I'm sure that when he returns you will be contacted
> regarding this matter.

No good, that was not our agreement. Immediate payment = immediate
shipment.

>If not, send me a private e-mail and I'll give him a
> call on your behalf.

I sent you an e-mail.

Dan

4454. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 20:05:02 UTC
From: James <jimbo_man@nospam.com>
Message-ID: <3DB06943.501CA0A@nospam.com>
Source record: 38315
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Yup, all my high school friends owned at least two or more cb rigs.
The uniden were nice and they wanted me to buy in but I held firm and turned to ham radio instead. NO regrets.

My friend who was a very smart kid (1977) was obsessed with SWR to the point of bringing home dozen books on antenna and such. He ended up trimming a great antenna too short by chasing the dream of 1:1 swr !

I took his small gutter mounted antenna (loaded coil) and clipped it to the wrought iron railing in his living room and he could not believe how good the radio worked after that !

73 jimbo

Dwight wrote:

> You hit it right in the head - the mid-seventies. In late 1973, when I got
> my first CB license, it was a relatively tame radio service. By 1977, when I
> got my last CB license, it was a mess following the trucker movie boom in
> the years just before that.
>
> Dwight

4455. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 20:17:31 UTC
From: Horace Willkinson <hwilkinson@mail.com>
Message-ID: <3DB06CE8.F6C008BB@mail.com>
Source record: 38316
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> > I have known and done business with Mr. Giron for many years. He has
> > always been a "straight shooter" and as far as I am concerned his
> integrity
> > is beyond reproach.
>
> As I said, I've dealt with him as well, which makes his actions now
> puzzling.

What if a family member that would call you at least once a week did not call you for over a month?
Would you suspect that there might be something wrong with your family member, or would you post that family member's name, address, phone number, etc. on a newsgroup and tell everyone not to ever deal with this person?

> > You failed to include any details in your original post
> > such as when did you make the purchase, how long has it been since you
> sent
> > the payment, etc. However...
>
> That is not important to this discussion

It is if you are getting upset after only 3 or 4 days after your payment!

> > Mr. Giron is an advanced systems engineer for a major computer company and
> > as such he is subject to being called out of town at a moments notice
> > (24x7) for emergency cases.
>
> As such I am sure he has access to a computer and e-mail?

How are you sure of this? If I am not at my home or work computer, I don't have access to either. Perhaps he doesn't have a lap top either.

> A simple e-mail
> as to the status of this deal would have prevented my actions here.

That's like me saying if you would have answered my phone call to you yesterday when you weren't home, I would not have shot you with a gun.

4456. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 20:27:18 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3DB06EA6.CF868F2F@mailcity.net>
Source record: 38323
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Dan Conti wrote:
>
> >
> > I have known and done business with Mr. Giron for many years. He has
> > always been a "straight shooter" and as far as I am concerned his
> integrity
> > is beyond reproach.
>
> As I said, I've dealt with him as well, which makes his actions now
> puzzling.
>

Which would indicate there may be extenuating circumstances. Maybe
a little more patience is called for on your part.

4457. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 20:30:16 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3DB06F58.C7A50483@mailcity.net>
Source record: 38326
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

nospam wrote:
>
> I'm so thankful that the HAM radio laws are being rewritten.
> That way the old farts who didn't have anything better to do back
> when they grew up because of a lack of computers, education, work,
> or even simple TV leaves people with very little to do, so people back
> then found it much easier to sit down and learn worthless crap such as morse code
> and about vacuum tubes.

<rest of silly rant deleted>

Couldn't pass the test huh?

4458. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 20:37:36 UTC
From: Horace Willkinson <hwilkinson@mail.com>
Message-ID: <3DB0719D.18716E67@mail.com>
Source record: 38317
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> find such nonsense such as morse code as exactly that, nonsense. If I'm in danger,
> I'll get on the cell phone faster thanI can grab a ham. If the cell is out, the internet,
> if the internet is out, I'll grab a cop.

What if the microphone on the cop's radio breaks? He uses his cell phone.
Cops, firefighters and paramedics don't learn morse code and they deal with emergency communications radios every day! If morse code had ANY value in an emergency, you can be sure that all police, firefighters and paramedics would be required to learn it. The fact that they don't, shows how unimportant it really is.

> complicated than Radio's but we learned them perfectly. There is a problem here, the problem is elitist thinking people trying to keep us normal modern people off the air because they are afraid of CB'ers coming in. CB'ers will always not get to be on HAM because they will always be too stupid.

No, CBer's are smart. They realize that you don't have to learn morse code in order to use frequencies below 6-meters. Anyone can access 11 meters without any license, or having to join a snobbish club.

Hams are afraid of CBer's coming to the ham bands because they use everyday language that is even common around the workplace today, but these old-timers don't work and don't realize that times have changed, as well as the language used. They also don't understand that the only reason the language is any different on Ham bands is because of the requirement to give your call sign every ten minutes so that everyone can know your full name and address so they can report you to the government if they find your statements offensive like good little communists. It is not the morse code that keeps the Ham bands from people speaking freely and uncensored, it is the call sign. Tech Hams didn't need to learn morse code either and you don't hear all sorts of "offensive swear words" on 2 meters either. Why? not because of the code obviously, but because you have to identify with a call sign and all the weirdos that could be listening in on scanners and such can access your private information on the internet as soon as you give your callsign.

CB is much safer. No sicko stalkers or people that go and kill people they hear that say something that they don't like because you don't identify your name and address every fucking 10 minutes!

> In the desire to eliminate CB people, HAM's have made the requirements so hard that they exclude everyone except again, the old farts who have too much time on their hands already.

Imagine if OTHER hobbies acted like this! You can't get a bowling or fishing license unless you first learn how to speak and read Russian first. If you explain that you don't understand why you have to learn Russian first in order to be able to roll a bowling ball or catch a fish, they will explain that you are just too LAZY and that it only takes 15 minutes a day, so get your ass in gear and start learning a language you will never use!

Learning Morse Code so that you can USE A MICROPHONE on HF bands is idiotic. And once again shows the human logic as being below that of the rest of the animal kingdom. Especially since you don't need to learn morse code in order to talk on 11 meters, but you do for 10 meters. This makes no fucking sense at all. They will cry that is because it is international law and there is nothing our country can do about it, everyone has to know code before being allowed to TALK on HF. When in fact they break that very international law by allowing handicapped people to use HF without having to pass a code test! Apparently it is ok to violate international law when they want to.

It's not just hams and the FCC. MOST humans are idiots. I am ashamed to be part of this idiotic race of idiots.

4459. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 20:43:28 UTC
From: Horace Willkinson <hwilkinson@mail.com>
Message-ID: <3DB072FB.43D4EE59@mail.com>
Source record: 38318
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> People like YOU who remain annonymous, do not use their real name, blame the
> VICTIM, and make royal asses of themselves really piss ME off.

Of course they do. Because that way you can't post their fucking names, addresses and phone numbers on newsgroups! The fact is, only an IDIOT would use their real name on a newsgroup because of the fact that there are people like you around.

> Most people are not bad people and most people don't
> break the laws because they know the shit they will get into. Chances are,
> you are destroying
> this guy's credibility because the poor guy got in a wreck or killed or
> something.
>
> If that in fact was the case, then I will make all proper and required
> retractions, but I doubt it.

That's like a rapist apologizing to his victim afterwards. You have done damage that can not be taken back or fixed by a "retraction" or apology.

What if I beat the shit out of you everytime something bad happens to me, and then find out AFTERWARDS if you were responsible or not. If I find out you were not the cause of my problems, then I will apologize for the injuries that I caused to you and that will make everything ok.

What a messed up kid you are. This is why abortion is so necessary today.

4460. HEATHKIT APACHE TX-1 PARTS AVAILABLE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 20:46:36 UTC
From: "Al Link (K4ICL)" <K4ICL@ParisMtnSignCo.com>
Message-ID: <Rc_r9.11069$ku.3014@news.bellsouth.net>
Source record: 38319
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Apache Owners and rebuilders:

The following Original Apache parts are currently available:

HV transformer
HV choke
Modulation transformer
Final loading condenser
Final tuning condenser
6146 tube sockets
Modulation tubes
One pair of good 6146A tubes
VFO unit, complete
Front panel (glass cracked but easily replaced)
Meter switch
Meter
Meter gimble mount
Set of knobs (1 damaged, all others good)
Audio preamp transformers
Chassis control hardware
Drum and related assembly
Driver band switch
Final band switch

Inquire about any parts you do not see above. The main power transformer is no longer available.

Email your needs and zip code. I will respond with price, including shipping.

NO out of country shipping is available.

Cheers,

AL
K4ICL

4461. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 21:40:57 UTC
From: jt <k6jbt@spamsuxarrl.net>
Message-ID: <Jd%r9.2156$%d2.13428@sccrnsc01>
Source record: 38320
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

One bad Extra shouldn't erode the integrity of all Extras. Sorry you got
ripped off.

jt
K6JBT
"Dan Conti" <dconti@nj.rr.com> wrote in message
news:reYr9.22074$Up6.4149984@twister.nyc.rr.com...
> Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur, (
so
> much for the integrity of this hobby), entered into an agreement with me
to
> sell some radio equipment for an agreed price. I promptly sent him a
PAYPAL
> payment.
>
> Since that time, he has not responded to the receipt of the money, nor has
> he answered my numerous e-mail inquiries on this matter. Of course, to
date
> the equipment has not been received.
>
> Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA
> 90670. He did not provide a telephone number, nor is there one listed for
> him.
>
> I will take the necessary steps with PAYPAL in an attempt to retrieve my
> money, but this is not gauranteed.
>
> I have been buying and selling on the groups and eBay for many years, and
am
> usually very cautious, and to date, after hundreds of transactions, have
> never been burned - until now.
> I dealt with Steve in the past, and he was fine. Also, I always thought
> that being an EXTRA class ham included some integrity as well. I guess
not.
> Additionally, his eBay feedback is good except for two neutral ratings
> relative to his lack of communication. So much for eBay feedback.
>
> This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> contact him on my behalf, I would like to speak with him on this matter.
>
> Dan
>
>

4462. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 22:04:47 UTC
From: mike <spamme0@juno.com>
Message-ID: <3DB0857F.BD74E938@juno.com>
Source record: 38321
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Extras don't have any more or less integrity than anyone else.

An Extra class license is a lot like winning the blue ribbon in the FFA
or a scout merit badge. All it shows is that you put out some effort
in an area where there's an organization set up to recognize such effort.
It's just something you choose to do...or not...nobody is twisting your arm.

Just 'cause I could copy code at 20wpm, once... doesn't mean that
I'm better than anyone else. I AM better than most, but it ain't
because of the code. ;-)

mike
Bunch of stuff For Sale and Wanted at the link below.
Tek 2465, TFT projector, Transoceanic, ham radio, 30pS pulser
Tektronix Concept Books...
http://www.geocities.com/SiliconValley/Monitor/4710/

jt wrote:

> One bad Extra shouldn't erode the integrity of all Extras. Sorry you got
> ripped off.
>
> jt
> K6JBT
> "Dan Conti" <dconti@nj.rr.com> wrote in message
> news:reYr9.22074$Up6.4149984@twister.nyc.rr.com...
> > Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur, (
> so
> > much for the integrity of this hobby), entered into an agreement with me
> to
> > sell some radio equipment for an agreed price. I promptly sent him a
> PAYPAL
> > payment.
> >
> > Since that time, he has not responded to the receipt of the money, nor has
> > he answered my numerous e-mail inquiries on this matter. Of course, to
> date
> > the equipment has not been received.
> >
> > Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA
> > 90670. He did not provide a telephone number, nor is there one listed for
> > him.
> >
> > I will take the necessary steps with PAYPAL in an attempt to retrieve my
> > money, but this is not gauranteed.

> >
> > I have been buying and selling on the groups and eBay for many years, and
> am
> > usually very cautious, and to date, after hundreds of transactions, have
> > never been burned - until now.
> > I dealt with Steve in the past, and he was fine. Also, I always thought
> > that being an EXTRA class ham included some integrity as well. I guess
> not.
> > Additionally, his eBay feedback is good except for two neutral ratings
> > relative to his lack of communication. So much for eBay feedback.
> >
> > This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> > contact him on my behalf, I would like to speak with him on this matter.
> >
> > Dan
> >
> >

--

4463. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 22:13:01 UTC
From: Marylou@city.net
Message-ID: <3DB0876C.A871C297@city.net>
Source record: 38322
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I presume since this person was a ham, all hams are bad to deal with?

That's like me saying that a guy named Dan ripped me off, does that make all Dan's rip off artists.

Keep blasting the hams and "OUR" hobby, your the one that seems to have a problem. Your mixing a financial deal with a persons hobby and your wrong. One has nothing to do with the other.

Dan Conti wrote:

> Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur, (so
> much for the integrity of this hobby), entered into an agreement with me to
> sell some radio equipment for an agreed price. I promptly sent him a PAYPAL
> payment.
>
> Since that time, he has not responded to the receipt of the money, nor has
> he answered my numerous e-mail inquiries on this matter. Of course, to date
> the equipment has not been received.
>
> Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA
> 90670. He did not provide a telephone number, nor is there one listed for
> him.
>
> I will take the necessary steps with PAYPAL in an attempt to retrieve my
> money, but this is not gauranteed.
>
> I have been buying and selling on the groups and eBay for many years, and am
> usually very cautious, and to date, after hundreds of transactions, have
> never been burned - until now.
> I dealt with Steve in the past, and he was fine. Also, I always thought
> that being an EXTRA class ham included some integrity as well. I guess not.
> Additionally, his eBay feedback is good except for two neutral ratings
> relative to his lack of communication. So much for eBay feedback.
>
> This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> contact him on my behalf, I would like to speak with him on this matter.
>
> Dan

4464. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 22:27:27 UTC
From: Marylou@city.net
Message-ID: <3DB08ACF.9198C5CD@city.net>
Source record: 38324
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

What the hell is a "pill Box"?

General Johnson Jameson wrote:

> How cute, a custom built pill box by our friend, Drifter the builder......
>
> " will do 1500 to 1800 watts on 14 volts and slam a 2000 watt meter on 18
> volts "
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390014386
>
> Guess the doors are wide open at Ebay for the 11 meter amp biz....

4465. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 22:30:01 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3db08b3d@news.netacc.net>
Source record: 38325
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:reYr9.22074$Up6.4149984@twister.nyc.rr.com...
> Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur, (
so
> much for the integrity of this hobby), entered into an agreement with me
to
> sell some radio equipment for an agreed price. I promptly sent him a
PAYPAL
> payment.
>
> Since that time, he has not responded to the receipt of the money, nor has
> he answered my numerous e-mail inquiries on this matter. Of course, to
date
> the equipment has not been received.
>

Dan, you are a real lamer, and apparently, clueless. You havent even bothered to write the guy or telephone him and you are posting this drivel. Eight months ago a major internet provider went bankrupt and the folks at E-Gay had to spend a ton of effort removing derogatory input from turds like you who were either incapable or too lazy to follow-up through other channels.

Steve

4466. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 23:35:47 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <aoq5sg0je2@enews2.newsguy.com>
Source record: 38332
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

So if he does respond, and if it turns out that he was out of town and out
of touch, and he contacts you and apologizes for his absence and ships the
merchandise, can we assume you will come back and tell us how it worked out?

--

Regards,
Joe S.

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:reYr9.22074$Up6.4149984@twister.nyc.rr.com...
> Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur, (
so
> much for the integrity of this hobby), entered into an agreement with me
to
> sell some radio equipment for an agreed price. I promptly sent him a
PAYPAL
> payment.
>
> Since that time, he has not responded to the receipt of the money, nor has
> he answered my numerous e-mail inquiries on this matter. Of course, to
date
> the equipment has not been received.
>
> Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA
> 90670. He did not provide a telephone number, nor is there one listed for
> him.
>
> I will take the necessary steps with PAYPAL in an attempt to retrieve my
> money, but this is not gauranteed.
>
> I have been buying and selling on the groups and eBay for many years, and
am
> usually very cautious, and to date, after hundreds of transactions, have
> never been burned - until now.
> I dealt with Steve in the past, and he was fine. Also, I always thought
> that being an EXTRA class ham included some integrity as well. I guess
not.
> Additionally, his eBay feedback is good except for two neutral ratings
> relative to his lack of communication. So much for eBay feedback.
>
> This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> contact him on my behalf, I would like to speak with him on this matter.

>
> Dan
>
>

4467. Re: SILVER EAGLE 350 LEENAR AMPLIFIER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 23:41:50 UTC
From: dan <dan@aol.com>
Message-ID: <f171rugv62gr8njnonlh93vccc9oiph58t@4ax.com>
Source record: 38327
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

BOZO

On Fri, 18 Oct 2002 12:00:38 -0700, "General Johnson Jameson"
<area52@zecretbase.com> wrote:

>THIS HERE AMP IS USED BUT WORKS GREAT. HAS HIGH AND LOW POWER SETTINGS AS
>WELL A RECEIVE AMP.
>
>. WARNING!! IT IS PROHIBITED TO USE THIS AMP THAT IN ANY WAY VIOLATES OR
>EXCEEDS MAXIMUM FCC REGULATIONS. CHECK YOUR LOCAL STATE AND FEDERAL LAWS
>
>YEEHAW!!!
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390895570
>
>
>

4468. Re: SILVER EAGLE 350 LEENAR AMPLIFIER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 23:43:26 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <Y01s9.400$bS2.189194370@news.inreach.com>
Source record: 38328
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

"Allodoxaphobia" <nobody@jonz.net> wrote in message

> On Fri, 18 Oct 2002 12:00:38 -0700,
> the General Johnson Jameson (the issue of two wedded cousins)
> wrote in all caps:
> >
> > IT IS PROHIBITED TO USE THIS AMP THAT IN ANY WAY VIOLATES OR
> > EXCEEDS MAXIMUM FCC REGULATIONS.
>
> Well, duuuuuuh, "general".
>
> > YEEHAW!!!
>
> No surprises here.

Actually any use of this device would be illegal whether it be CB or
amateur radio frequencies, right Allodopeaphobia?

But then the FCC has no jurisdiction other then the USA so therefore
operation
anywhere else in the world could be possible without the worry of
jack-booted thugs
with automatic weapons kicking in the door on your jungle hut.

Of course you already knew that.....duhhhhhh......

4469. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 23:48:52 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <E51s9.14427$1P1.936225@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38330
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I didn't know that they had vacuum tube technology in the question pools. I got my Advanced Class license back in 1986 or so, and these things weren't on the test back then. As for the code.....it's a piece of cake. I had no problem working up to 25 WPM after 2 months of practice. Does it make me any better than folks who didn't learn the code? No, folks are intrinsicly valuable; their self-worth is not contigent on what they know, or what they do for a living. We can thank Popular Culture for that hogwash! Now, back to the code.....the problem is that most folks try to write down what they are hearing, during the learning process. Eliminating that extra step makes it much easier to learn the code. Do I use it? Nah!
As far as being useless? I don't think so. Computers being more complicated? I doubt it. If we ever have a world disaster, a CW transmitter is the easiest thing to build. Hopefully, that won't happen!

Pete KE9OA

4470. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 23:49:01 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <c61s9.401$ZS2.189245580@news.inreach.com>
Source record: 38331
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

<Marylou@city.net> wrote in message

>What the hell is a "pill Box"?

1. A small, easy to conceal box that would allow containment of pills.

2. A bunker, will built to sustain repeated shellings from offshore
destroyers.

4471. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-18 23:51:13 UTC
From: Beans <beans@gate.net>
Message-ID: <3DB09E71.7C27481E@gate.net>
Source record: 38329
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

JJ wrote:

> nospam wrote:
> >
> > I'm so thankful that the HAM radio laws are being rewritten.
> > That way the old farts who didn't have anything better to do back
> > when they grew up because of a lack of computers, education, work,
> > or even simple TV leaves people with very little to do, so people back
> > then found it much easier to sit down and learn worthless crap such as morse code
> > and about vacuum tubes.
>
> <rest of silly rant deleted>
>
> Couldn't pass the test huh?

hehe

Nah, he was too lazy to even try.

Jeff

4472. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 00:19:45 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <By1s9.14578$1P1.938814@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38333
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

How long has this been?
Several months?
Weeks?
A few days?
Hours?

"... since that time ..." sounds like months ago ... was it?

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:reYr9.22074$Up6.4149984@twister.nyc.rr.com...
> Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur, (so
> much for the integrity of this hobby), entered into an agreement with me to
> sell some radio equipment for an agreed price. I promptly sent him a PAYPAL
> payment.
>
> Since that time, he has not responded to the receipt of the money, nor has
> he answered my numerous e-mail inquiries on this matter. Of course, to date
> the equipment has not been received.
>
> Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA
> 90670. He did not provide a telephone number, nor is there one listed for
> him.
>
> I will take the necessary steps with PAYPAL in an attempt to retrieve my
> money, but this is not gauranteed.
>
> I have been buying and selling on the groups and eBay for many years, and am
> usually very cautious, and to date, after hundreds of transactions, have
> never been burned - until now.
> I dealt with Steve in the past, and he was fine. Also, I always thought
> that being an EXTRA class ham included some integrity as well. I guess not.
> Additionally, his eBay feedback is good except for two neutral ratings
> relative to his lack of communication. So much for eBay feedback.
>
> This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> contact him on my behalf, I would like to speak with him on this matter.
>
> Dan

>
>

4473. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 00:23:41 UTC
From: PawPaw <PawPaw@granpa.com>
Message-ID: <hC1s9.1534$U97.165173@newsread2.prod.itd.earthlink.net>
Source record: 38334
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

According to this, it's almost legal to use it, too :-))

http://www.radiotech.org/messageview.cfm?catid=4&threadid=3149

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:DsFr9.322$kT5.168847524@news.inreach.com...
> How cute, a custom built pill box by our friend, Drifter the builder......
>
>
> " will do 1500 to 1800 watts on 14 volts and slam a 2000 watt meter on 18
> volts "
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390014386
>
>
> Guess the doors are wide open at Ebay for the 11 meter amp biz....
>
>
>
>
>
>
>

4474. Re: SILVER EAGLE 350 LEENAR AMPLIFIER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 00:54:21 UTC
From: john KB5AG <johnmblack@earthlink.net>
Message-ID: <n32s9.149$1c4.72823874@twister2.starband.net>
Source record: 38335
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

actually, I thought it was a rather amusing ad, General!

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:QTYr9.377$Gf2.186680434@news.inreach.com...
> THIS HERE AMP IS USED BUT WORKS GREAT. HAS HIGH AND LOW POWER SETTINGS AS
> WELL A RECEIVE AMP.
>
> . WARNING!! IT IS PROHIBITED TO USE THIS AMP THAT IN ANY WAY VIOLATES OR
> EXCEEDS MAXIMUM FCC REGULATIONS. CHECK YOUR LOCAL STATE AND FEDERAL LAWS
>
> YEEHAW!!!
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390895570
>
>
>
>

4475. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:01:34 UTC
From: Fah Q Too <a@b.c>
Message-ID: <O92s9.22452$wU3.2135993@news0.telusplanet.net>
Source record: 38336
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

yep. Hmm. They say we are useless. If I remeber right. The last forest fire we had. We were the only communications for a town about 200 or more Km away. We were the communications for the evactuation and standard comms for others. all the other repeaters. Cell, Fire, Ambulance, Repeater. All burnt up. Since our repeaters were more powerful then the local ones + they were on a different mountain. We were the only ones that could communicate far distances into that town. Remember. Commercial repeaters are only allowed so much wattage per area that the frequency is bought for. CB, ya right. they could and would never help another soul like US hams ever have. Yay. When 11 meter propagation is at a low. How will you communicate in a emergency ?? I wish you would explain how CB is better then amateur radio. Ya. Lots of hams lately around here are stuck up. But. Some aren't

73 de Dev

"Beans" <beans@gate.net> wrote in message news:3DB09E71.7C27481E@gate.net...
> JJ wrote:
>
> > nospam wrote:
> > >
> > > I'm so thankful that the HAM radio laws are being rewritten.
> > > That way the old farts who didn't have anything better to do back
> > > when they grew up because of a lack of computers, education, work,
> > > or even simple TV leaves people with very little to do, so people back
> > > then found it much easier to sit down and learn worthless crap such as
morse code
> > > and about vacuum tubes.
> >
> > <rest of silly rant deleted>
> >
> > Couldn't pass the test huh?
>
> hehe
>
> Nah, he was too lazy to even try.
>
> Jeff
>
>

4476. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:04:00 UTC
From: CW <clinton.magers@attbi.com>
Message-ID: <4c2s9.5255$zE6.22941@rwcrnsc51.ops.asp.att.net>
Source record: 38337
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

It is clear by your response here that resolving the problem is not your
main goal. You are POed because things aren't going exactly your way. Things
happen and you should realize that. Grow up.
"Horace Willkinson" <hwilkinson@mail.com> wrote in message
news:3DB06CE8.F6C008BB@mail.com...
> > > I have known and done business with Mr. Giron for many years. He has
> > > always been a "straight shooter" and as far as I am concerned his
> > integrity
> > > is beyond reproach.
> >
> > As I said, I've dealt with him as well, which makes his actions now
> > puzzling.
>
> What if a family member that would call you at least once a week did not
call
> you for over a month?
> Would you suspect that there might be something wrong with your family
member,
> or would you post that family member's name, address, phone number, etc.
on a
> newsgroup and tell everyone not to ever deal with this person?
>
> > > You failed to include any details in your original post
> > > such as when did you make the purchase, how long has it been since you
> > sent
> > > the payment, etc. However...
> >
> > That is not important to this discussion
>
> It is if you are getting upset after only 3 or 4 days after your payment!
>
> > > Mr. Giron is an advanced systems engineer for a major computer company
and
> > > as such he is subject to being called out of town at a moments notice
> > > (24x7) for emergency cases.
> >
> > As such I am sure he has access to a computer and e-mail?
>
> How are you sure of this? If I am not at my home or work computer, I
don't
> have access to either. Perhaps he doesn't have a lap top either.
>
> > A simple e-mail

> > as to the status of this deal would have prevented my actions here.
>
> That's like me saying if you would have answered my phone call to you
yesterday
> when you weren't home, I would not have shot you with a gun.
>
>

4477. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:13:47 UTC
From: CW <clinton.magers@attbi.com>
Message-ID: <fl2s9.5336$zE6.23314@rwcrnsc51.ops.asp.att.net>
Source record: 38338
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

One of these days, you will grow up and pull your head out of your butt.
"nospam" <nospam@nospam.nospam> wrote in message
news:4oZr9.179$Mu4.103@nwrddc01.gnilink.net...
I'm so thankful that the HAM radio laws are being rewritten.
That way the old farts who didn't have anything better to do back
when they grew up because of a lack of computers, education, work,
or even simple TV leaves people with very little to do, so people back
then found it much easier to sit down and learn worthless crap such as morse
code
and about vacuum tubes. Now life is alot more complex. MUCH MORE COMPLEX and
people
find such nonsense such as morse code as exactly that, nonsense. If I'm in
danger,
I'll get on the cell phone faster thanI can grab a ham. If the cell is out,
the internet,
if the internet is out, I'll grab a cop. If I can't grab a cop then I can
grab just anyone.
Ham RADIO people make it sound like they are so important. Not anymore.
There was a time
that you could see tons of HAM's on the street. Now you can't find them
anymore when you
look for them. Why? Because like I said, life is much more complicated than
it was when
HAM was becoming a several decades long fad and people didn't have anything
else worth learning
so it was quite simple. Same with out outdated educational system. Our
education system works
on the same principle that children's lives are simple and they have nothing
better to do than
get an education when we now know that children's lives are much more
complex with divorce, child
abuse and sexual abuse, latchkey kids, all that. It's amazing how children,
except those with perfect,
very boring lives, make it at all as the systems are not setup to take into
consideration that the world
is going to hell in a handbasket and most kids are freaked out and halfway
insane already by the time they
enter the first grade because they feel the world crushing in on them
already from their parent's divorces
or their uncles raping them or whatever. That is real life in this modern
time.
Anyhow, now people just don't have the time to learn HAM radio on average.
Those with the time are just lucky,

it doesn't mean they are elite like the cocky SOB's act on HAM radio. The whole HAM radio laws should be renewed.
Completely eliminate the code and match the level of complication to the same environment ease it was back in the
old days when all these farts were getting their licenses. In other words, today, you don't even homebrew, you just
do board level repair so on that note, our PC knowledge could apply. All we need now is basic radio knowledge and enough
skill not to kill or give ourselves cancer from RF radiation and that's it. Either that or HAM is going to be completely
dead once all the old farts die of cancer or heart attacks. There isn't a damned day when I don't get on the radio and
hear of at least 5 hams who have overnight, upped and croaked. It's amazing how one night they are on HAM, the next night
they are getting buried. My point is, the world will run out of these old farts and HAM will then be dead except for a bunch of low ranking people. Why? Because no one has the time nor energy to invest so much in learning things so complicated. Also, radio shouldn't be so complicated. Our computers are much more complicated than Radio's but we learned them perfectly. There is a problem here, the problem is elitist thinking people trying to keep us normal modern people off the air because they are afraid of CB'ers coming in. CB'ers will always not get to be on HAM because they will always be too stupid. In the desire to eliminate CB people, HAM's have made the requirements so hard that they exclude everyone except again, the old farts who have too much time on their hands already.

"Giant Brain" <bigbrain@yipit.com> wrote in message
news:3DB05E6C.6169D802@yipit.com...
> There is SOOO much wrong in this post, I will have to point all of it out...
>
> > Be advised that Steven A. Giron, AD6GO,
>
> Whenever you post a callsign, you are giving out all this info along with it...
> Callsign:
>
> STEVEN A GIRON
> 11XXX NXXX
> SXXXX XX XXXXXXX, CA 9XXXX
> FRN: 000382XXXX
> Previously: KF6KWQ
> Email: kf6XXX@XXX.XXX
>
> Which brings up the other mistake of attaching your home address to your ham
> license info.
>
> > and EXTRA class radio amateur, (so
> > much for the integrity of this hobby)

>
> The fact that they MADE different classes instead of all being equal
showed what
> snobs the hobby consisted of to beging with. "I'm an Extra, WHAT? You
are
> only a no-code tech? You are a lazy son of a bitch and am not as good of
a ham
> as I am, etc. etc."
>
> > , entered into an agreement with me to
> > sell some radio equipment for an agreed price. I promptly sent him a
PAYPAL
> > payment.
>
> Who the hell would use PAYPAL after all the problems that have been
reported in
> the news about it?!
> http://www.paypalwarning.com
>
> > Since that time, he has not responded to the receipt of the money, nor
has
> > he answered my numerous e-mail inquiries on this matter. Of course, to
date
> > the equipment has not been received.
>
> So posting on newsgroups with all his personal info is going to somehow
correct
> this problem?
>
> > Steve is listed as residing at
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX.
> > He did not provide a telephone number, nor is there one listed for
> > him.
>
> Sure there is, you just don't know how to use the internet to find it. I
found
> yours, and see that you moved.
>
> > I will take the necessary steps with PAYPAL in an attempt to retrieve my
> > money, but this is not gauranteed.
>
> LOL! ROTFL!
> http://www.paypalwarning.com
>
> > I dealt with Steve in the past, and he was fine.
>
> Then perhaps he had a heart attack, although at 31 that would be unlikely,
or a
> family emergency and was unable to get back to you yet. Perhaps his
internet

> provider cut off their customer's service for a few weeks during an
"equipment
> upgrade" like they always do. The fact that he has been good to deal
with in
> the past, would make me think something bad happened to him or something.
>
> > Also, I always thought
> > that being an EXTRA class ham included some integrity as well.
>
> Just the opposite in many cases. As an Extra, you can't go on any other
bands
> that you can't access as a General class. The only difference is that
you get
> to use a special private section of each of those bands that General class
can
> not use, even though they are technically authorized to operate on the
same
> bands and need to know the same things as they are allowed to use all the
same
> bands as an Extra can. This is no more than belonging to an exclusive
club and
> seem more important than the rest of the people in the hobby. Like if a
> fishing club had special parts around a lake reserved for Extra-special
> fisherman from the other LOWER-CLASS fishermen.
>
> > I guess not.
>
> If you would have just thought about it, you would have figured out the
> differences a long time ago.
>
> > Additionally, his eBay feedback is good except for two neutral ratings
> > relative to his lack of communication. So much for eBay feedback.
>
> Even YOU said he was good to deal with, because he was. How sad if you
> destroy his feedback and do all this to him on the newsgroups because of
> something you will later find out was a tragedy he could not avoid.
>
> > This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> > contact him on my behalf, I would like to speak with him on this
matter.
>
> After seeing this, I am sure he will want to speak to you too.
>
> Perhaps he will post all of your info here for all to read after he
explains
> that his mother died or something to that effect and was unable to contact
you.
> (Since you too allow all your info to be easily obtained via the
internet.)
> Perhaps he died in an auto accident. Wouldn't you feel stupid then.

>
> I suspect what REALLY happened is that Paypal fucked you over like they do
with
> everyone, and poor Steve is wondering why he hasn't received any money
from you
> yet. That is the most likely thing that happened knowing about Paypal as
well
> as I do.
>
>

4478. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:19:44 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <Qq2s9.12007$gB.4695664@twister.nyc.rr.com>
Source record: 38340
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

>
> What if a family member that would call you at least once a week did not
call
> you for over a month?
> Would you suspect that there might be something wrong with your family
member,
> or would you post that family member's name, address, phone number, etc.
on a
> newsgroup and tell everyone not to ever deal with this person?

This is insane logic not relevant to the matter at hand. Once again, the
american way is to blame the vicitm. I simply issued a warning to others
regarding this seller. Do with the info as you see fit, but do not blame
me.
>
> > > You failed to include any details in your original post
> > > such as when did you make the purchase, how long has it been since you
> > sent
> > > the payment, etc. However...
> >
> > That is not important to this discussion
>
> It is if you are getting upset after only 3 or 4 days after your payment!
>
It has been 8 days since th PAYPAL payment, without a response to the
payment, ot to my follow-up e-mails. Our agreement was that he would ship
immediately after receiving the payment. He has not. Does that rise to the
level of thief? Maybe not. Is his word any good? No. Is that someone YOU
would want to send YOUR money to?

> > > Mr. Giron is an advanced systems engineer for a major computer company
and
> > > as such he is subject to being called out of town at a moments notice
> > > (24x7) for emergency cases.
> >
> > As such I am sure he has access to a computer and e-mail?
>
> How are you sure of this? If I am not at my home or work computer, I
don't
> have access to either. Perhaps he doesn't have a lap top either.

Well, once again you are making a fool of yourself with that statement. I
am NOT a computer engineer, and with EVERY agreement I make, whether on the
groups or on eBay , I follow up with the buyer or seller every step of the

way.
>
> > A simple e-mail
> > as to the status of this deal would have prevented my actions here.
>
> That's like me saying if you would have answered my phone call to you
yesterday
> when you weren't home, I would not have shot you with a gun.
>
You are really a dummy, Horace.

Dan
>

4479. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:20:48 UTC
From: CW <clinton.magers@attbi.com>
Message-ID: <Qr2s9.4856$La5.8170@rwcrnsc52.ops.asp.att.net>
Source record: 38339
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

One of these days, when you get a bit older, you will do the same as the rest of us and sit back and watch with amusement as the little kids throw there temper tantrums. You will get over it.

"Horace Willkinson" <hwilkinson@mail.com> wrote in message news:3DB0719D.18716E67@mail.com...
> > find such nonsense such as morse code as exactly that, nonsense. If I'm in danger,
> > I'll get on the cell phone faster thanI can grab a ham. If the cell is out, the internet,
> > if the internet is out, I'll grab a cop.
>
> What if the microphone on the cop's radio breaks? He uses his cell phone.
> Cops, firefighters and paramedics don't learn morse code and they deal with emergency communications radios every day! If morse code had ANY value in an emergency, you can be sure that all police, firefighters and paramedics would be required to learn it. The fact that they don't, shows how unimportant it really is.
>
> > complicated than Radio's but we learned them perfectly. There is a problem here, the problem is elitist thinking people trying to keep us normal modern people off the air because they are afraid of CB'ers coming in. CB'ers will always not get to be on HAM because they will always be too stupid.
>
> No, CBer's are smart. They realize that you don't have to learn morse code in order to use frequencies below 6-meters. Anyone can access 11 meters without any license, or having to join a snobbish club.
>
> Hams are afraid of CBer's coming to the ham bands because they use everyday language that is even common around the workplace today, but these old-timers don't work and don't realize that times have changed, as well as the language used. They also don't understand that the only reason the language is any different on Ham bands is because of the requirement to give your call sign every ten minutes so that everyone can know your full name and address so they can report you to the government if they find your statements offensive like good little communists. It is not the morse code that keeps the Ham bands from people speaking freely and uncensored, it is the call sign. Tech Hams didn't need to learn morse code either and you don't hear all sorts of "offensive swear words"
> on 2 meters either. Why? not because of the code obviously, but because you have to identify with a call sign and all the weirdos that could be listening in on scanners and such can access your private information on

the internet as soon as you give your callsign.
>
> CB is much safer. No sicko stalkers or people that go and kill people they hear that say something that they don't like because you don't identify your name and address every fucking 10 minutes!
>
> > In the desire to eliminate CB people, HAM's have made the requirements so hard that they exclude everyone except again, the old farts who have too much time on their hands already.
>
> Imagine if OTHER hobbies acted like this! You can't get a bowling or fishing license unless you first learn how to speak and read Russian first. If you explain that you don't understand why you have to learn Russian first in order to be able to roll a bowling ball or catch a fish, they will explain that you are just too LAZY and that it only takes 15 minutes a day, so get your ass in gear and start learning a language you will never use!
>
> Learning Morse Code so that you can USE A MICROPHONE on HF bands is idiotic. And once again shows the human logic as being below that of the rest of the animal kingdom. Especially since you don't need to learn morse code in order to talk on 11 meters, but you do for 10 meters. This makes no fucking sense at all. They will cry that is because it is international law and there is nothing our country can do about it, everyone has to know code before being allowed to TALK on HF. When in fact they break that very international law by allowing handicapped people to use HF without having to pass a code test! Apparently it is ok to violate international law when they want to.
>
> It's not just hams and the FCC. MOST humans are idiots. I am ashamed to be part of this idiotic race of idiots.
>
>

4480. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:22:37 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <xt2s9.12009$gB.4697618@twister.nyc.rr.com>
Source record: 38343
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> It is clear by your response here that resolving the problem is not your
> main goal. You are POed because things aren't going exactly your way.
Things
> happen and you should realize that. Grow up.

I wonder how YOU would react when you send someone YOUR money and receive
nothing in return.

I realize things happen, but adults communicate and do not remain silent.

Once again, just a warning, and you blame the victim.

Dan

4481. eBay buyers beware

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:23:05 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <ur1cvmej04i677@corp.supernews.com>
Source record: 38341

This is nothing new, but I have seen more of this lately. I was looking into someones feedback and noticed a complaint. Apparently this guy sold 2 books to another person and they gave him negative feedback because he charged him $9 to ship the books, the postage only came to $2.25. The seller responded that the ad said "$9 shipping and handling". I just smiled and continued to look through eBay.
The next day I saw someone auctioning a Universal M-7000 decoder and clearly stated in the ad was this: "$50 flat shipping and handling fee." $50?!! Heck, you can ship that from New York to California, UPS for about $12! $20, if you have to buy the shipping materials!! If your bidding on eBay, beware of this kind of crap. They have a right to charge it if they say it up front (unethical as it is), but this is a blatant attempt to pad their pockets. READ THE AD CAREFULLY! If they say flat fee, don't bother bidding unless it's a fair price.
I recently bought a camera from a guy 60 miles away, his ad on eBay said flat $20 fee for shipping, I thought I might get out his way in a couple of weeks and pick it up, sorry buckaroo, he only wanted to ship it, now I know why, it only cost him $6 to ship it, where did the rest go?? Right into his pocket. @#$%&!

Chuck WG2A

4482. Re: SILVER EAGLE 350 LEENAR AMPLIFIER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:26:05 UTC
From: N9PT <nutmeg@w-link.net>
Message-ID: <3DB0B4AD.CEEA98D7@w-link.net>
Source record: 38342
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I thought this was a boat anchor forum, not an advertising setting for
"Leenar" amps. Pardon my mistake.

General Johnson Jameson wrote:

> THIS HERE AMP IS USED BUT WORKS GREAT. HAS HIGH AND LOW POWER SETTINGS AS
> WELL A RECEIVE AMP.
>
> . WARNING!! IT IS PROHIBITED TO USE THIS AMP THAT IN ANY WAY VIOLATES OR
> EXCEEDS MAXIMUM FCC REGULATIONS. CHECK YOUR LOCAL STATE AND FEDERAL LAWS
>
> YEEHAW!!!
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390895570

4483. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:36:36 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <EG2s9.12010$gB.4708156@twister.nyc.rr.com>
Source record: 38344
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

>
> Of course they do. Because that way you can't post their fucking names,
> addresses and phone numbers on newsgroups! The fact is, only an IDIOT
would
> use their real name on a newsgroup because of the fact that there are
people
> like you around.

People like me? Care to explain? If a person has nothing to hide, no need
to worry about people like me....People like YOU should take care in the use
of vulgarities in a public forum where youngsters may be present.

> That's like a rapist apologizing to his victim afterwards. You have done
> damage that can not be taken back or fixed by a "retraction" or apology.

Once again, your analogy is horrific to the point of hysterical. Think
about what you said.
We are assuming A. there was a rapist, and B. there was a victim, and C. the
rape took place. Of course, under those conditions an apology would be
useless. I never said I would apologize, just retract my statements. Learn
to read.

> What if I beat the shit out of you everytime something bad happens to me,
and
> then find out AFTERWARDS if you were responsible or not. If I find out
you
> were not the cause of my problems, then I will apologize for the injuries
that I
> caused to you and that will make everything ok.

Another foolish statement. We are not talking about physical violence
here, my friend, although that seems to be where you mind and mouth are most
comfortable.

> What a messed up kid you are. This is why abortion is so necessary
today.

I am NOT a kid, pal. Your vulgar, hurtful statements to someone who was the
victim here speaks volumes about you.

Dan
>

4484. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:40:27 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <fK2s9.12011$gB.4710504@twister.nyc.rr.com>
Source record: 38345
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

<
> I presume since this person was a ham, all hams are bad to deal with?

No, I never said that. You drew your own conclusions from my statement.

> That's like me saying that a guy named Dan ripped me off, does that make
all
> Dan's rip off artists.

Dumb analogy, but good try.

> Keep blasting the hams and "OUR" hobby, your the one that seems to have a
> problem. Your mixing a financial deal with a persons hobby and your
wrong. One
> has nothing to do with the other.

Well, yes it does. The amateur radio hobby is a fraternity. Most hams feel
comfortable dealing with other hams as a result. An EXTRA class ham even
more so, in my opinion.
I simply felt that it was against the teachings of "our" hobby to conduct
business between two hams in the manner. Thats all.

Dan

4485. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:45:29 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <ZO2s9.12012$gB.4714530@twister.nyc.rr.com>
Source record: 38346
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> Dan, you are a real lamer, and apparently, clueless. You havent even
> bothered to write the guy or telephone him and you are posting this
drivel.

Hey Steve, learn to read, OK? If it is so much drivel, why did you waste
your time reading it?

If you took care to READ my post, it clearly stated that I made NUMEROUS
attempts via e-mail to contact Steve, and he did not return my inquiries.
His e-mail seemd to work fine when we were negotiating the deal, and once he
had the money, Poof! he was gone.
I tried to obtain his phone number to no avail. I did not ask for it in the
negotiation part of our deal, and maybe that was an error on my part, but I
did also state I dealt with him in the past, and trusted him.

> Eight months ago a major internet provider went bankrupt and the folks at
> E-Gay had to spend a ton of effort removing derogatory input from turds
like
> you who were either incapable or too lazy to follow-up through other
> channels.
>
You know what? Who gives a rats rear end about that useless piece of
information not pertinent to my attempt warn BOOBS like you about a possible
bad dealer.

Dan

4486. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 01:49:39 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <TS2s9.12013$gB.4717684@twister.nyc.rr.com>
Source record: 38347
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> So if he does respond, and if it turns out that he was out of town and out
> of touch, and he contacts you and apologizes for his absence and ships the
> merchandise, can we assume you will come back and tell us how it worked
out?
>
> Regards,
> Joe S.

Absolutely.

4487. Re: eBay buyers beware

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 02:19:09 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aoqe1ujsv1@news1.kornet.net>
Source record: 38348

My favorites are the ones that only ship USPS, but want to charge you double to ship to an APO/FPO. The post office charges exactly the same for APO/FPO as it does to San Francisco. I won't bid on those auctions unless it's something I really need (I'm not in a position to just wander down to a swap meet, etc. to get what I need).

"Chas" <wg2a@frontiernet.net> wrote in message news:ur1cvmej04i677@corp.supernews.com...
> This is nothing new, but I have seen more of this lately. I was looking
> into someones feedback and noticed a complaint. Apparently this guy sold 2
> books to another person and they gave him negative feedback because he
> charged him $9 to ship the books, the postage only came to $2.25. The seller
> responded that the ad said "$9 shipping and handling". I just smiled and
> continued to look through eBay.
> The next day I saw someone auctioning a Universal M-7000 decoder and
> clearly stated in the ad was this: "$50 flat shipping and handling fee."
> $50?!! Heck, you can ship that from New York to California, UPS for about
> $12! $20, if you have to buy the shipping materials!! If your bidding on
> eBay, beware of this kind of crap. They have a right to charge it if they
> say it up front (unethical as it is), but this is a blatant attempt to pad
> their pockets. READ THE AD CAREFULLY! If they say flat fee, don't bother
> bidding unless it's a fair price.
> I recently bought a camera from a guy 60 miles away, his ad on eBay said
> flat $20 fee for shipping, I thought I might get out his way in a couple of
> weeks and pick it up, sorry buckaroo, he only wanted to ship it, now I know
> why, it only cost him $6 to ship it, where did the rest go?? Right into his
> pocket. @#$%&!
>
> Chuck WG2A
>
>

4488. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 02:20:27 UTC
From: CW <clinton.magers@attbi.com>
Message-ID: <Lj3s9.3654$Hj7.1213@rwcrnsc53>
Source record: 38349
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Ever had your ISP go TU? How about a hard drive crash? Tends to be like
that. Works one minute then all of a sudden it doesn,t. Considering that
you, and others, have had good transactions with this guy before, I am sure
it will work out this time. When it does, we expect to see a public apology.
"Dan Conti" <dconti@nj.rr.com> wrote in message
news:ZO2s9.12012$gB.4714530@twister.nyc.rr.com...
>
> His e-mail seemd to work fine when we were negotiating the deal, and once
he
> had the money, Poof! he was gone.
> I tried to obtain his phone number to no avail. I did not ask for it in
the
> negotiation part of our deal, and maybe that was an error on my part, but
I
> did also state I dealt with him in the past, and trusted him.
>
>

4489. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 02:24:48 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aoqech$m6g$1@news1.kornet.net>
Source record: 38350
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

People tend not to realize that sometimes ALL the bands are dead. There are times when you cannot get phone communications through. I have seen these times. When you could not even hear a phone transmission, you can copy CW. CW may seem a waste to some people, but in some circumstances, it can be the ONLY way to communicate!

"Fah Q Too" <a@b.c> wrote in message
news:O92s9.22452$wU3.2135993@news0.telusplanet.net...
> yep. Hmm. They say we are useless. If I remeber right. The last forest
fire
> we had. We were the only communications for a town about 200 or more Km
> away. We were the communications for the evactuation and standard comms
for
> others. all the other repeaters. Cell, Fire, Ambulance, Repeater. All
burnt
> up. Since our repeaters were more powerful then the local ones + they were
> on a different mountain. We were the only ones that could communicate far
> distances into that town. Remember. Commercial repeaters are only allowed
so
> much wattage per area that the frequency is bought for. CB, ya right. they
> could and would never help another soul like US hams ever have. Yay. When
11
> meter propagation is at a low. How will you communicate in a emergency ??
I
> wish you would explain how CB is better then amateur radio. Ya. Lots of
hams
> lately around here are stuck up. But. Some aren't
>
> 73 de Dev
>
> "Beans" <beans@gate.net> wrote in message
news:3DB09E71.7C27481E@gate.net...
> > JJ wrote:
> >
> > > nospam wrote:
> > > >
> > > > I'm so thankful that the HAM radio laws are being rewritten.
> > > > That way the old farts who didn't have anything better to do back
> > > > when they grew up because of a lack of computers, education, work,
> > > > or even simple TV leaves people with very little to do, so people
back
> > > > then found it much easier to sit down and learn worthless crap such
as

> morse code
> > > > and about vacuum tubes.
> > >
> > > <rest of silly rant deleted>
> > >
> > > Couldn't pass the test huh?
> >
> > hehe
> >
> > Nah, he was too lazy to even try.
> >
> > Jeff
> >
> >
>
>

4490. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 02:46:02 UTC
From: jt <k6jbt@spamsuxarrl.net>
Message-ID: <KH3s9.4774$%d2.13735@sccrnsc01>
Source record: 38351
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

That's because Nospam is spending all of his time annoying people in the amateur, home theater and pinball newsgroups. Where would he find the time to study?

> > Couldn't pass the test huh?
>
> hehe
>
> Nah, he was too lazy to even try.

4491. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 02:47:37 UTC
From: jt <k6jbt@spamsuxarrl.net>
Message-ID: <dJ3s9.4257$qM2.1684@sccrnsc02>
Source record: 38352
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I'm a firefighter/paramedic, and I know morse. :)

"Horace Willkinson" <hwilkinson@mail.com> wrote in message
news:3DB0719D.18716E67@mail.com...

> Cops, firefighters and paramedics don't learn morse code and they deal
with emergency communications radios every day! If morse code had ANY
value in an emergency, you can be sure that all police, firefighters and
paramedics would be required to learn it.

4492. Re: eBay buyers beware

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 02:50:49 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3DB0C88B.40101@optonline.net>
Source record: 38353

Everybody does it, unfortunately. A couple of years ago, we ordered a replacement part from Hitachi for a bread machine. S&H was $5.50, but it came by regular US mail in a padded envelope with 56 cents postage.

-=-
Alan

Chas wrote:

> This is nothing new, but I have seen more of this lately. I was looking
>into someones feedback and noticed a complaint. Apparently this guy sold 2
>books to another person and they gave him negative feedback because he
>charged him $9 to ship the books, the postage only came to $2.25. The seller
>responded that the ad said "$9 shipping and handling". I just smiled and
>continued to look through eBay.
> The next day I saw someone auctioning a Universal M-7000 decoder and
>clearly stated in the ad was this: "$50 flat shipping and handling fee."
>$50?!! Heck, you can ship that from New York to California, UPS for about
>$12! $20, if you have to buy the shipping materials!! If your bidding on
>eBay, beware of this kind of crap. They have a right to charge it if they
>say it up front (unethical as it is), but this is a blatant attempt to pad
>their pockets. READ THE AD CAREFULLY! If they say flat fee, don't bother
>bidding unless it's a fair price.
> I recently bought a camera from a guy 60 miles away, his ad on eBay said
>flat $20 fee for shipping, I thought I might get out his way in a couple of
>weeks and pick it up, sorry buckaroo, he only wanted to ship it, now I know
>why, it only cost him $6 to ship it, where did the rest go?? Right into his
>pocket. @#$%&!

4493. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 03:09:22 UTC
From: Fah Q Too <a@b.c>
Message-ID: <C14s9.23047$wU3.2159341@news0.telusplanet.net>
Source record: 38354
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I myself totally agree with you.

Dev

"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:aoqech$m6g$1@news1.kornet.net...
> People tend not to realize that sometimes ALL the bands are dead. There
are
> times when you cannot get phone communications through. I have seen these
> times. When you could not even hear a phone transmission, you can copy CW.
> CW may seem a waste to some people, but in some circumstances, it can be
the
> ONLY way to communicate!
>
>
> "Fah Q Too" <a@b.c> wrote in message
> news:O92s9.22452$wU3.2135993@news0.telusplanet.net...
> > yep. Hmm. They say we are useless. If I remeber right. The last forest
> fire
> > we had. We were the only communications for a town about 200 or more Km
> > away. We were the communications for the evactuation and standard comms
> for
> > others. all the other repeaters. Cell, Fire, Ambulance, Repeater. All
> burnt
> > up. Since our repeaters were more powerful then the local ones + they
were
> > on a different mountain. We were the only ones that could communicate
far
> > distances into that town. Remember. Commercial repeaters are only
allowed
> so
> > much wattage per area that the frequency is bought for. CB, ya right.
they
> > could and would never help another soul like US hams ever have. Yay.
When
> 11
> > meter propagation is at a low. How will you communicate in a emergency
??
> I
> > wish you would explain how CB is better then amateur radio. Ya. Lots of
> hams
> > lately around here are stuck up. But. Some aren't
> >
> > 73 de Dev

> >
> > "Beans" <beans@gate.net> wrote in message
> news:3DB09E71.7C27481E@gate.net...
> > > JJ wrote:
> > >
> > > > nospam wrote:
> > > > >
> > > > > I'm so thankful that the HAM radio laws are being rewritten.
> > > > > That way the old farts who didn't have anything better to do back
> > > > > when they grew up because of a lack of computers, education, work,
> > > > > or even simple TV leaves people with very little to do, so people
> back
> > > > > then found it much easier to sit down and learn worthless crap
such
> as
> > morse code
> > > > > and about vacuum tubes.
> > > > >
> > > > <rest of silly rant deleted>
> > > >
> > > > Couldn't pass the test huh?
> > >
> > > hehe
> > >
> > > Nah, he was too lazy to even try.
> > >
> > > Jeff
> > >
> > >
> >
> >
>
>

4494. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 03:40:03 UTC
From: Sir Circumference <mrradio@hotnet.net>
Message-ID: <3DB0D413.98B6A38D@hotnet.net>
Source record: 38360
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Brenda Ann wrote:
>
> People tend not to realize that sometimes ALL the bands are dead. There are
> times when you cannot get phone communications through. I have seen these
> times.

If the bands are dead, even cw isn't going to get through.

4495. FS: Vintage/Classic Radio Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 03:42:23 UTC
From: Bernie Murphy <bernard.murphy@sympatico.ca>
Message-ID: <ww4s9.12466$Md7.1483784@news20.bellglobal.com>
Source record: 38355

I may have that radio tube you need to get that old rig back on the air.

Many of these tubes are from the late 1940s and 1950s .

To make it easy, I've catalogued all my spare tubes on my web site.

See http://www3.sympatico.ca/bernard.murphy

4496. Re: FS: Motorola RIB and cables, and other accessories.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 04:51:06 UTC
From: KC7ZRU - Tate <73kc7zru73@arrl.net>
Message-ID: <3DB0E4B9.C0BCDD9A@arrl.net>
Source record: 38356
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

http://www.batlabs.com/

4497. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 05:00:49 UTC
From: Paul N3EOP <n3eop@arrl.or.callsign.net>
Message-ID: <Xns92ABDFEF13178n3eophotmailcom@64.164.98.7>
Source record: 38358
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

blackm00@cam.org (Michael Black) wrote:

> Well, it wasn't the "Citizen's Band". It had some other name,
> "General Mobile Radio Service" comes to mind, but maybe that was here
> in Canada.

It's the Citizen's Radio Service.

4498. FS: Drake R8A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 05:46:49 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <dl6s9.105840$Cz.11631145@twister.neo.rr.com>
Source record: 38359
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Drake R8A and MS-8 in excellent cond., manual, double boxed, $550 shipped
CONUS.
DeWayne KE9K

4499. BC 458

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 06:52:59 UTC
From: STEVE CAREY <scarey@tctc.com>
Message-ID: <bE5s9.98$6X7.446988308@newsfeed.tctc.com>
Source record: 38357

WTB A BC 458 OR ONE THAT HAS BEEN MADE INTO A VFO THANKS STEVE

4500. Re: Need weird TS-570 plug

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 07:24:00 UTC
From: DBN <dnicholson@mcmsys.com>
Message-ID: <aorj1q$4ca$1@news.mcmsys.com>
Source record: 38366

How abt trying KENWOOD direct instead of a dealer??
Dan

"Karl Juul" <karljuul@hotmail.com> wrote in message
news:oJas9.19037$wk6.5456606@twister.nyroc.rr.com...
> I'm looking for a male plug which will fit into the external antenna tuner
> socket of the Kenwood TS-570 series.
> It has a rectangular shell with 6 conductors (some round, some square).
>
> I tried the Kenwood dealer but it does not seem to be something they
sell...
>
> Any ideas?
>
> Karl KB2XG
>
>

4501. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 07:31:50 UTC
From: MJ <looking@kiwi>
Message-ID: <7g22ruoglrgpivt0iht3a5h5560phb12cj@4ax.com>
Source record: 38361
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

And I've seen times when you couldn't copy CW to save your life but a
PSK31 signal was error free copy... So there goes the morse code
theory again if the digital modes make it through better.

-Me

On Sat, 19 Oct 2002 11:24:48 +0900, "Brenda Ann"
<brendad@shinbiro.com> wrote:

>People tend not to realize that sometimes ALL the bands are dead. There are
>times when you cannot get phone communications through. I have seen these
>times. When you could not even hear a phone transmission, you can copy CW.
>CW may seem a waste to some people, but in some circumstances, it can be the
>ONLY way to communicate!
>
>

4502. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 07:46:30 UTC
From: Ed Price <edprice@cox.net>
Message-ID: <q58s9.175633$S32.12141034@news2.west.cox.net>
Source record: 38362
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Literally, a box that contains pills. But, the "pills" in this instance are the semiconductors. I suppose that the typical user of these quality amplifiers must gaze upon the maze of microstrips and surface-mount components, and see only little teensie bricks and rocks and little weird round thingies, that may look vaguely like a big pill.

Ah, remember the days when marketing guys impressed us by claiming product attributes like 37 transistors, 5 diodes and two thermistors?

"The quality goes in before the name goes on.....It's a Drifter!"

Ed
WB6WSN

<Marylou@city.net> wrote in message news:3DB08ACF.9198C5CD@city.net...
What the hell is a "pill Box"?
General Johnson Jameson wrote:

How cute, a custom built pill box by our friend, Drifter the builder.....
" will do 1500 to 1800 watts on 14 volts and slam a 2000 watt meter on 18
volts "

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390014386

Guess the doors are wide open at Ebay for the 11 meter amp biz....

4503. Re: SILVER EAGLE 350 LEENAR AMPLIFIER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 07:52:38 UTC
From: Ed Price <edprice@cox.net>
Message-ID: <ab8s9.175650$S32.12142604@news2.west.cox.net>
Source record: 38363
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:Y01s9.400$bS2.189194370@news.inreach.com...
>
> "Allodoxaphobia" <nobody@jonz.net> wrote in message
>
> > On Fri, 18 Oct 2002 12:00:38 -0700,
> > the General Johnson Jameson (the issue of two wedded cousins)
> > wrote in all caps:
> > >
> > > IT IS PROHIBITED TO USE THIS AMP THAT IN ANY WAY VIOLATES OR
> > > EXCEEDS MAXIMUM FCC REGULATIONS.
> >
> > Well, duuuuuuh, "general".
> >
> > > YEEHAW!!!
> >
> > No surprises here.
>
> Actually any use of this device would be illegal whether it be CB or
> amateur radio frequencies, right Allodopeaphobia?
>
> But then the FCC has no jurisdiction other then the USA so therefore
> operation
> anywhere else in the world could be possible without the worry of
> jack-booted thugs
> with automatic weapons kicking in the door on your jungle hut.
>
>
> Of course you already knew that.....duhhhhhh......
>

General JJ:

Would you be suggesting that the Bundespost are neophytes in the art of
regulatory enforcement?

Ed
WB6WSN

4504. Need schematic diagram for linear amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 09:58:52 UTC
From: Robban <sm0xod@hotmail.com>
Message-ID: <w1as9.279$1r1.10413@newsc.telia.net>
Source record: 38364

Hi i am looking for a schematic diagram for this solid state linear
amplifier
http://w1.855.telia.com/~u85529008/slutsteg.htm
I hope anyone can help me!
73 de sm0xod Robban Sweden

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.404 / Virus Database: 228 - Release Date: 2002-10-15

4505. Need weird TS-570 plug

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 10:45:40 UTC
From: Karl Juul <karljuul@hotmail.com>
Message-ID: <oJas9.19037$wk6.5456606@twister.nyroc.rr.com>
Source record: 38365

I'm looking for a male plug which will fit into the external antenna tuner
socket of the Kenwood TS-570 series.
It has a rectangular shell with 6 conductors (some round, some square).

I tried the Kenwood dealer but it does not seem to be something they sell...

Any ideas?

Karl KB2XG

4506. Re: FS: Drake R8A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 12:28:31 UTC
From: N8KDV <n8kdv@iserv.net>
Message-ID: <3DB14FEE.8C6E1EC3@iserv.net>
Source record: 38367
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Sell it on eBay... you'll get more.

DeWayne wrote:

> Drake R8A and MS-8 in excellent cond., manual, double boxed, $550 shipped
> CONUS.
> DeWayne KE9K

4507. Re: FS: Drake R8A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 13:37:05 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <5eds9.106757$Cz.11747023@twister.neo.rr.com>
Source record: 38368
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

I know. I just saw one go for $650 + shipping and without the speaker, but
I'll be happy with $550. It's real nice! Thanks!
DeWayne KE9K

> Sell it on eBay... you'll get more.
>
> DeWayne wrote:
>
> > Drake R8A and MS-8 in excellent cond., manual, double boxed, $550
shipped
> > CONUS.
> > DeWayne KE9K
>

4508. Re: FS: Drake R8A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 13:38:19 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <ffds9.106759$Cz.11747539@twister.neo.rr.com>
Source record: 38369
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Besides, my wife wants the money fast :)

> I know. I just saw one go for $650 + shipping and without the speaker, but
> I'll be happy with $550. It's real nice! Thanks!
> DeWayne KE9K
>
> > Sell it on eBay... you'll get more.
> >
> > DeWayne wrote:
> >
> > > Drake R8A and MS-8 in excellent cond., manual, double boxed, $550
> shipped
> > > CONUS.
> > > DeWayne KE9K
> >
>
>

4509. Re: eBay buyers beware

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 14:16:09 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3db168fa@news.netacc.net>
Source record: 38370

"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:aoqe1ujsv1@news1.kornet.net...
> My favorites are the ones that only ship USPS, but want to charge you
double
> to ship to an APO/FPO. The post office charges exactly the same for
APO/FPO
> as it does to San Francisco.

UPS to an APO/FPO is impossible so one must use the postal service. The postage to the APO/FPO is often approaching double what UPS would charge to San Fran. Problem is the Postal Service just started a "Rate Zone" based fee system.

My solution is always to state in my auction "Buyer pays actuall shipping charges" . If they arrange pick-up, ask for it to be sent on a bus (Yep, shipped an item by Greyhound once) or what have you, they pay the actual cost and not a penny more.

Steve

4510. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 15:52:57 UTC
From: Common Sense Talking <cs@hotmail.com>
Message-ID: <3DB18064.584BB6CC@hotmail.com>
Source record: 38371
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> > It is if you are getting upset after only 3 or 4 days after your payment!
> >
> It has been 8 days since th PAYPAL payment,

ROTFL! You are so pissed off at this guy and only EIGHT FUCKING DAYS have gone by?!
HOLY SHIT!!

Are you an Aries by chance?

4511. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 15:54:12 UTC
From: Common Sense Talking <cs@hotmail.com>
Message-ID: <3DB180B3.F12C1D3A@hotmail.com>
Source record: 38372
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> > Couldn't pass the test huh?
>
> hehe
>
> Nah, he was too lazy to even try.
>
> Jeff

This comment is exactly what just mentioned earlier in the thread, isn't it folks?

4512. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 15:58:58 UTC
From: Common Sense Talking <cs@hotmail.com>
Message-ID: <3DB181D1.FA032278@hotmail.com>
Source record: 38373
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> People tend not to realize that sometimes ALL the bands are dead. There are
> times when you cannot get phone communications through. I have seen these
> times. When you could not even hear a phone transmission, you can copy CW.
> CW may seem a waste to some people, but in some circumstances, it can be the
> ONLY way to communicate!

In an emergency, you do not want to contact someone in a different country, they can't help you. Morse Code is of NO VALUE in an emergency or else Police, Fire, and Paramedics would be REQUIRED to learn it. Doesn't it seem odd that they are NOT required to know morse code, yet people in a HOBBY are? SURE it seems odd. Because it is odd.

Also, in an emergency, you want as MANY PEOPLE AS POSSIBLE to hear and UNDERSTAND the call for help, not just the ONE PERSON in another country who happens to understand morse code! To most people, all they hear are some beep tones and do not know it is a call for help.

If morse code had ANY purpose in an emergency or could help in just ONE way, Police officers, Fire fighters, and Paramedics would be required to learn it. They seem to be able to get through on THEIR BANDS with voice just fine.

Something to THINK about.

4513. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 16:01:56 UTC
From: Common Sense Talking <cs@hotmail.com>
Message-ID: <3DB18283.1A7B85EB@hotmail.com>
Source record: 38374
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

jt wrote:

> I'm a firefighter/paramedic, and I know morse. :)

But if the dispatcher doesn't, it doesn't do any good.

Plus in an emergency, you want to get vital info out quickly, not send the message out in a CODE spelling out each word letter by letter so someone can die before the info ever gets decoded on the other end.

Read the below again, which you are supposed to READ before replying to. It says that you are not REQUIRED to know morse code to perform your job, it does not say that there isn't one asshole out there that does know it.

> "Horace Willkinson" <hwilkinson@mail.com> wrote in message
> news:3DB0719D.18716E67@mail.com...
>
> > Cops, firefighters and paramedics don't learn morse code and they deal
> with emergency communications radios every day! If morse code had ANY
> value in an emergency, you can be sure that all police, firefighters and
> paramedics would be required to learn it.

4514. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 16:06:00 UTC
From: Common Sense Talking <cs@hotmail.com>
Message-ID: <3DB18376.5C339869@hotmail.com>
Source record: 38375
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Dan Connate wrote:

> >
> > Of course they do. Because that way you can't post their fucking names,
> > addresses and phone numbers on newsgroups! The fact is, only an IDIOT
> would
> > use their real name on a newsgroup because of the fact that there are
> people
> > like you around.
>
> People like me? Care to explain? If a person has nothing to hide, no need
> to worry about people like me....People like YOU should take care in the use
> of vulgarities in a public forum where youngsters may be present.

Youngsters don't have any problems with "vulgarities". They use them on the school playgrounds every fucking day. It is only adults that can be "offended" by words. Children still have not gone through enough brainwashing by society to LEARN yet that you are supposed to be "offended" by words that are in the dictionary.

> That's like a rapist apologizing to his victim afterwards. You have done

> > damage that can not be taken back or fixed by a "retraction" or apology.
>
> > What if I beat the shit out of you everytime something bad happens to me,
> and
> > then find out AFTERWARDS if you were responsible or not. If I find out
> you
> > were not the cause of my problems, then I will apologize for the injuries
> that I
> > caused to you and that will make everything ok.
>
> > What a messed up kid you are. This is why abortion is so necessary
> today.
>

4515. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 16:07:23 UTC
From: Common Sense Talking <cs@hotmail.com>
Message-ID: <3DB183CA.2C072E71@hotmail.com>
Source record: 38376
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Dan Connate wrote:

> > Dan, you are a real lamer, and apparently, clueless. You havent even
> > bothered to write the guy or telephone him and you are posting this
> drivel.

And it has only been 8 days since he made payment! Packages don't always
arrive next day.

4516. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 16:09:32 UTC
From: Common Sense Talking <cs@hotmail.com>
Message-ID: <3DB1844B.F9516F7F@hotmail.com>
Source record: 38377
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Joe S." wrote:

> So if he does respond, and if it turns out that he was out of town and out
> of touch, and he contacts you and apologizes for his absence and ships the
> merchandise, can we assume you will come back and tell us how it worked out?

Or the post office that is letting the package sit in the corner for the customary 5 days before even seeing where it is supposed to go to being responsible for the EIGHT DAYS only that have gone by since his payment and he is sooo upset that the package NEVER ARRIVED yet!

WOO HOO!

4517. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 16:10:19 UTC
From: Common Sense Talking <cs@hotmail.com>
Message-ID: <3DB1847B.20984FD6@hotmail.com>
Source record: 38378
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Dan Cunt wrote:

> > So if he does respond, and if it turns out that he was out of town and out
> > of touch, and he contacts you and apologizes for his absence and ships the
> > merchandise, can we assume you will come back and tell us how it worked
> out?
> >
> > Regards,
> > Joe S.
>
> Absolutely.

Again, the rapist apologizing to the victim after he already committed rape.

4518. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 16:10:54 UTC
From: Common Sense Talking <cs@hotmail.com>
Message-ID: <3DB1849D.1A67AC45@hotmail.com>
Source record: 38379
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Hank Oredson wrote:

> How long has this been?
> Several months?
> Weeks?

He said in another post it has only been EIGHT DAYS!!

4519. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 16:27:50 UTC
From: Tom <tmorse9@no.spam.attbi.com>
Message-ID: <aKfs9.10598$md1.2156@sccrnsc03>
Source record: 38380
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:xt2s9.12009$gB.4697618@twister.nyc.rr.com...

>
> I realize things happen, but adults communicate and do not remain silent.
>
> Once again, just a warning, and you blame the victim.
>
> Dan
>
>

Maybe I missed thios, but did you say how much time had elapesed?

Tom

4520. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 16:39:05 UTC
From: Common Sense Talking <cs@hotmail.com>
Message-ID: <3DB18B38.C785EF70@hotmail.com>
Source record: 38381
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Tom wrote:

> "Dan Conti" <dconti@nj.rr.com> wrote in message
> news:xt2s9.12009$gB.4697618@twister.nyc.rr.com...
>
> > > I realize things happen, but adults communicate and do not remain silent.
> > >
> > > Once again, just a warning, and you blame the victim.
> > >
> > > Dan
> > >
> > >
>
> Maybe I missed thios, but did you say how much time had elapesed?
>
> Tom

ONLY EIGHT DAYS!!

4521. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 16:43:52 UTC
From: Tom Holden <holden_family@cbc.ca>
Message-ID: <LKfs9.3903$OG5.692470@news20.bellglobal.com>
Source record: 38382
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I hesitate to contribute to this fray because I don't relish being flamed or lambasted with derogatory attacks on one's character that seems to typify so much of the correspondence in Newsgroups. However, here goes an ethical analysis and re-wording of Dan's message.

If I understand the sequence, Dan transmitted payment to Steve on or about Oct 10 through PayPal. Since then he has received neither the goods nor replies to repeated e-mails and has hit a deadend tracing Steve's address and phone number via his callsign. So he has good reason to be concerned that he may have lost both his money and the goods he agreed to buy.

In the interest of protecting others and in trying to trace Steve, he posts his 'BAD GUY ALERT' on Oct. 18. In that message, he links ethical behaviour with ham radio and higher ethical behaviour with the Extra class certification. The responses explode in various directions but one respondent knows Steve and states that he has been away for a week. Others say that there may be mitigating circumstances, that Dan should be more patient and that he should apologise if that is the case. Other threads spin off into debates about ham radio licensing requirements, Morse code, etc. Much verbal abuse is slung at Dan and among others. He commits to informing the Newsgroups how the deal turns out, to retracting his statements but not apologising to Steve should the deal go through with a reasonable explanation for the delay and lack of communication from Steve.

From an ethical point of view:
1. Should Dan have posted this message?
2. Does it slander Steve?
3. Does it slander others?
4. Should he have waited longer? Did he rush to judgement?
5. If Steve honours the deal and provides a reasonable explanation for the delay and lack of response, should Dan apologise to Steve through the Newsgroups?

In my view, Dan was premature with the judgemental elements of this message but the plea for help in tracking down Steve was entirely appropriate and timely; after all, he had had prompt and satisfactory dealings with him in the past. The title is over the top. Should there be a reasonable explanation for the delay, I think he should apologise for calling Steve a "BAD GUY" and for implying that Steve acted in bad faith - "never been burned - until now", "warning NOT to deal with Steve". Retraction alone is not sufficient; indeed, Steve may have legal grounds to sue Dan. Should Dan find otherwise, then no retraction or apology to Steve is warranted.

Dan's linkage of higher ethical standards than might be expected from the general population with a person's hobby or a technical certificate seems to

me to be without foundation - except where the certification contains such ethical requirements. I'm not familiar with the Extra class ham radio requirements but doubt there is any test or oath on ethics. The word 'ethics' is not indexed in the ARRL Handbook although under the paragraph entitled "Hams as World Citizens" it says, "it's a good idea to avoid sensitive political or ethical issues". Many hams are public-spirited and have virtuous ethical behaviour - some are bad apples. Dan should not have made the generalisation - his message would be better without it and it would not have elicited the spurious debate that distracts from his central concern. I don't think he has to apologise to hams for having held them in higher esteem and is now disappointed.

So here's a suggestion for how Dan might have put his first message that would be ethically appropriate for the situation. It is slanderous to no-one, is factual, and any reader can infer that they should be cautious if they are currently dealing with Steve.

<begin>
Subject: HELP - UNDELIVERED! Where's Steven A. Giron AD6GO?

Steven A. Giron, AD6GO, entered into an agreement to sell me some radio equipment for an agreed price. I promptly sent him a PAYPAL payment on Oct. 10.

Since that time, the equipment has not been received, nor has he answered my numerous e-mail inquiries on this matter. I have been buying and selling on the groups and eBay for many years, and am usually very cautious, and to date, after hundreds of transactions, have never been burned. I dealt with Steve in the past, and he was fine.

Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA 90670. He did not provide a telephone number, nor is there one listed for him. If anyone knows Steve, or can contact him on my behalf, I would like to speak with him on this matter.

Dan
<end>

Regards,

Tom

4522. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 16:57:25 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0210190857.784ae6e6@posting.google.com>
Source record: 38383
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

MJ <looking@kiwi"removeme"box.com> wrote in message
news:<7g22ruoglrgpivt0iht3a5h5560phb12cj@4ax.com>...
> And I've seen times when you couldn't copy CW to save your life but a
> PSK31 signal was error free copy... So there goes the morse code
> theory again if the digital modes make it through better.
>
> -Me

Yea, but who was copying the code? Was he/she any good? I've heard about the PSK vs CW comparisons before I even started working PSK, but after using PSK, I don't really agree. I've found to copy a PSK signal, it has to actually be heard on the receiver. It doesn't work either, if the signal is so weak you can't hear it. Myself, I think it's about even. "I" can copy code that is every bit as weak as the weakest workable PSK signal. Maybe not everyone can, but I can. If I had to choose between the two to get a message through, it would be a toss. I'd probably go with cw. My brain has the advantage of not needing any hardware hooked up. So it can be used on any rig, at any time on any freq. I do have to say though, PSK is a good bit better at weak signal copy than rtty. Note the VLF bands where they are working "really" weak signals. Do they use PSK? Not hardly...They are using very slow morse, and then using puter programs to try to pick out the variations in noise. Also check out moonbounce. It's also very weak signal, and morse is commonly used. Haven't heard much yet about EME PSK31. But I'm not the average SWL as far as morse. I started in the 8th grade, and have had 30 + years of practice, and I peaked out at about 55-60 wpm. I'm now slowing back down again due to lack of practice, but I'm still good for 40 wpm any day. My brain picks out weak morse as well or better than my puter picks out PSK31. But like I said, not everyone is capable of this. Many hams are though. It's not like I'm special or anything. Morse capability is mainly practice, just like anything else. "A lot like typing"... I worked only CW in my first 7 years as a ham. "novice" Didn't even own a mike until I upgraded to general in 1984. MK

4523. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 17:02:09 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <legs9.15450$1P1.1023311@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38384
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Common Sense Talking" <cs@hotmail.com> wrote in message
news:3DB183CA.2C072E71@hotmail.com...
> Dan Connate wrote:
>
> > > Dan, you are a real lamer, and apparently, clueless. You havent even
> > > bothered to write the guy or telephone him and you are posting this
> > drivel.
>
> And it has only been 8 days since he made payment! Packages don't always
> arrive next day.

Naw ... you just send it as an email attachment.
Should arrive just as fast as the PayPal.

The "tantrum kid" will grow up eventually, but I wonder if he
will ever get over his whining problem. "I want it NOW and
I'll scream and whine and kick until I get it, so there!"

Did I miss the posting with an agreement about shipping terms?
First day air? Overnight? Ground? Buyer pickup?
Maybe they agreed on counter-to-counter.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

4524. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 17:40:13 UTC
From: "Dee D. Flint" <dee.hays@sbcglobal.net>
Message-ID: <0Ogs9.589$z5.438233@newssvr28.news.prodigy.com>
Source record: 38385

"Bob Miller" <bxmillerSpamNot@texas.net> wrote in message
news:mXmvPcwHCSSPvDsXMTCBGFuaNTKL@4ax.com...
>
> It shouldn't take anywhere close to 6 months. There are only 26 letters,
10
> numbers and a few punctuation marks to learn -- and 5 wpm is real slowwww.
Do a
> search on the web for some of the code-learning courses, or check what the
ARRL
> sells at their web site.
>
> Have fun...
>
> Bob
> k5qwg

According to the book "Morse Code the Essential Language", it takes the average person 30 hours of study and practice to get to 5 words per minute. Some people will take a lot less and some will take a lot more. If you've only got a few minutes per day, it could take 6 months.

Dee Flint, N8UZE

4525. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 17:51:51 UTC
From: jt <k6jbt@spamsuxarrl.net>
Message-ID: <XYgs9.12371$qM2.2819@sccrnsc02>
Source record: 38386
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Read the post I sent; it was a joke pal. Loosen your collar a little bit. No shit it isn't required for my job.

Common sense talking my ass.

"Common Sense Talking" <cs@hotmail.com> wrote in message news:3DB18283.1A7B85EB@hotmail.com...
> jt wrote:
>
> > I'm a firefighter/paramedic, and I know morse. :)
>
> But if the dispatcher doesn't, it doesn't do any good.
>
> Plus in an emergency, you want to get vital info out quickly, not send the
> message out in a CODE spelling out each word letter by letter so someone can
> die before the info ever gets decoded on the other end.
>
> Read the below again, which you are supposed to READ before replying to.
> It says that you are not REQUIRED to know morse code to perform your job, it
> does not say that there isn't one asshole out there that does know it.
>
>
> > "Horace Willkinson" <hwilkinson@mail.com> wrote in message
> > news:3DB0719D.18716E67@mail.com...
> >
> > > Cops, firefighters and paramedics don't learn morse code and they deal
> > with emergency communications radios every day! If morse code had ANY
> > value in an emergency, you can be sure that all police, firefighters and
> > paramedics would be required to learn it.
>
>
>
>

4526. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 18:09:40 UTC
From: Jackie LaVaque <buzzygirl@REMOVE.attbi.com>
Message-ID: <Edhs9.15842$La5.37560@rwcrnsc52.ops.asp.att.net>
Source record: 38387

"Dee D. Flint" <dee.hays@sbcglobal.net> wrote in message
news:0Ogs9.589$z5.438233@newssvr28.news.prodigy.com...

> According to the book "Morse Code the Essential Language", it takes the
> average person 30 hours of study and practice to get to 5 words per
minute.
> Some people will take a lot less and some will take a lot more. If you've
> only got a few minutes per day, it could take 6 months.

I've given myself 6 months for precisely that reason- I have maybe 10
minutes or less per day to devote to CW study, and even then I won't be able
to study everyday. It may even take me longer than 6 months, but it'd have
little to do with how fast or how well I learn, and everything to do with
how much time I can devote to it. Working two jobs kinda takes a big bite
out of free time that way.

Jackie

4527. Advice on new HF rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 18:12:52 UTC
From: oktx <you@somehost.somedomain>
Message-ID: <0FAAE3514A3E9DFA.13D5602446F7F8FE.57970F03E994EBD5@lp.airnews.net>
Source record: 38388

I'm studying hard for my General class. Scheduled for the exam in early December. I guess I should be starting my shopping and comparison for a transceiver. After I've centered on a radio I'll start obsessing about antennas. I don't have tons of money to buy any of the high $ deluxe jobs. I do have enough to send on quality though. I want a good "first radio" that will provide me years of service with minimum hassles. Something I can grow with. I've been reading up on the ICOM IC-718 and the Kenwood TS-570 series. They both look to be decent radios and are certainly from good companies. The EHAM.NET reviews on both of them are good. From reading through the manuals I think I'm leaning towards the Kenwood. Pricewise the ICOM looks good, but not by much.

Anyway, are there any other candidates I should consider.

Does anyone have a strong preference either way....and why.

Any url's you can point me to on these would help too.

Thanks

4528. Electronic equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 18:14:20 UTC
From: PeterMuto <p.muto@att.net>
Message-ID: <0ihs9.7036$Mb3.260877@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38389

I have scopes and meters and power supplies for sale all in excellent condition. The scopes are new and started up only to be sure the lights worked. The Kikasui is a dual trace 60 meg bandwidth and the Hameg is 100 meg tthree trace. The power supp;ly is a 30 V DC variable 15 amp dual output rack mount metered. I have other equipment. What are your requirements?? A reply to this e-mail will get a quick response.

Peter A. Muto

4529. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 18:25:57 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <ur38u6162gmpc5@corp.supernews.com>
Source record: 38390
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> And I've seen times when you couldn't copy CW to save your life but
a
> PSK31 signal was error free copy...

Depends on the skill level of the person copying the CW (it was a person, not a computer -right?) and what bandwidth filters he is using. People sometimes think that PSK31 can copy signals so weak that they can't hear them with their ear. The difference is that they are listening to all the noise thru the wide filter while the PSK31 decoder is "listening" thru a very narrow filter. The PSK signal would "sound" much louder (compared to the noise) if you were listening to it after the narrow filter.

4530. Re: BC 458

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 18:43:54 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnar39v9.vcg.nobody@animas.frontier.net>
Source record: 38391

On Fri, 18 Oct 2002 23:52:59 -0700, STEVE CAREY hath writ:
> WTB A BC 458 OR ONE THAT HAS BEEN MADE INTO A VFO THANKS STEVE

This from a regional (to Denver) SwapList:

|For Sale - Collins 51S1 receiver $1000.00
|For Sale - Collins 516F2 power supply $250.00
|For Sale - Collins (Samsonite) case $40.00
|For Sale - Johnson Viking Thunderbolt Amplifier $350.00
|For Sale - Central Electronics 20A with 458 VFO $120.00
|For Sale - Home Brew 4-400A amp (big) $125.00
|For Sale - 813 R.F. deck $35.00
|
|Jack Fink W0IEA - (expires 11/27/2002)
|303-443-6741 (Metro)
|w0iea@arrl.net

Buy the BC-458 and get the C.E. 20-A for free! HI!HI!

Jonesy
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

4531. Re: SILVER EAGLE 350 LEENAR AMPLIFIER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 19:03:49 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <P0is9.418$%b6.202973281@news.inreach.com>
Source record: 38392
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

"dan" <dan@aol.com> wrote in message

> BOZO

Dan,

You're confused. Bozo is a clown. I am a General.
You might be a bozo, I don't know. I'm sure it's a respected
profession, just one that takes a real clown to master.

Anyway, hope this helps and you're feeling better soon.

General Johnson Jameson

4532. Re: SILVER EAGLE 350 LEENAR AMPLIFIER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 19:08:00 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <K4is9.419$9b6.202920031@news.inreach.com>
Source record: 38395
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

"N9PT" <nutmeg@w-link.net> wrote in message

> I thought this was a boat anchor forum, not an advertising
>setting for "Leenar" amps. Pardon my mistake.

Sorry nancy nine papa tango, I just got carried away with this post...

I promise never, never to do it again......

Hugs and Kisses,

General Johnson Jameson

4533. Re: Yaesu ATAS-100 Mobile Antenna QUESTIONS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 19:09:29 UTC
From: Paul N3EOP <n3eop@arrl.or.callsign.net>
Message-ID: <Xns92AC7BADDEF8Fn3eophotmailcom@64.164.98.6>
Source record: 38393

Mike Green KQ6MU wrote:

> I believe that the 2m Trunk-lip does make DC Contact with the car's
> body, so there is one Grounding point, but I probably should still
> run a ground tap from the antenna.

A trunk lip mount typically does NOT make DC ground with the trunk lid, unless you remove the paint from the point where the setscrews make contact. Many of the mounts include a small plate that the setscrews make contact with, to avoid dimpling the trunk lid, and these do NOT make DC ground.

It's always a good idea to run a piece of grounding braid (the shorter the better) to a ground screw/bolt.

4534. Re: Icom 746 Pro v. Yaesu MK V Field

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 19:12:52 UTC
From: Paul N3EOP <n3eop@arrl.or.callsign.net>
Message-ID: <Xns92AC7C40C7FBFn3eophotmailcom@64.164.98.6>
Source record: 38394

Bob Miller wrote:

> The Yaesu rigs and the Icom rig have all been reviewed in QST. If
> you're going to spend a couple of thousand here, you might want to
> subscribe just so you can access the reviews at Arrl.org.

To me, the product review section alone is worth the "price of admission" to the ARRL, and is available to all members. However, if you aren't an ARRL member, you can probably ask around at your local club meeting, and a member will most likely be willing to download the PDFs for you. (Or ask here, but you'll probably get a few "Why don't you just join?" responses as well...)

4535. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 19:31:53 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aosc0f$e5b$1@madmax.keyway.net>
Source record: 38396

It's kind of like asking what is the best tool for general construction
work. I'd have to say a hammer, but then I'm no expert.
Maybe a tape measure. "They" all seem to have one.

As far as Ham radio is concerned, I would have started at the
beginning and worked my way in, listenning and studying
and learning by doing. Since the Novice ticket is history, you will
have to "succesfully infiltrate" small self-important and localized
cliques in order to be accepted, so my first choice would be a
wide range scanner, to find out what catches your attention and
sounds interesting and study them in their habitat and try to find the
best way to fit in. After that, get on the air and they can get to know
you, let down their hair, and really begin to treat you like family.

If you want to learn about ham radio from scratch, go back 20 years
and get a novice ticket and experiment on 40 and 80 CW with
homebrew or surplus equipment and have a ball meeting new people
with every contact from all around the world.

Jim, ac6tk

"Ralph D'Andrea" <K0RFD@gjbiz.com> wrote in message
news:1104_1034822230@netnews.attbi.com...
: On Sun, 13 Oct 2002 03:07:34 -0400, Jrt <jrt2hoo@yahoo.com> wrote:
: > Does anyone make a good transceiver for all or most modes that will
: > operate in the Technician Class license bands, 6 meters and up? If not
: > what could you recommended for operation in these bands with fewest
: > number of transceivers?
:
: Good question, I imagine this is going to get you all manner of "technician as leper"
: responses. Heck, I'm having so much fun as a leper I can't wait to upgrade!
:
: But, you gotta start somewhere.
:
: About 24 hours after getting my Tech license, I figured out that I wasn't going to get
much out
: of the the 8:00 AM "Oatmeal Net" with guys talking about 1) the weather, and 2) their
medical
: problems. So I got involved with satellites. I qualified for my VUCC last week, but
that's
: just been the trigger to say "Well, you've done all you can with a Tech license" and work
in
: earnest on my upgrade.
:
: But to answer the question you actually ASKED, I guess I'd have to say "That depends"

:
: What do you want to do? How long to you intend to sit there with your tech license before
: upgrading?
:
: As far as working satellites, I got my first 115 grid squares with a VX-5R as my downlink
: receiver and a 2100H as my uplink transmitter. Along the way I picked up a used Icom 281H
that
: I thought would work for both bands, but its 440 receive was far inferior to the Yaesu
HT. All
: of this gear is FM only.
:
: If I thought I was going to sit on my Tech license forever, I might have investigated a
dual-
: band (2M-440) all-mode rig. But I am having so much fun ALMOST being a ham, I decided to
stop
: buying equipment for the time being, be content with with I could do with FM stuff, then
buy in
: earnest when I upgrade. Looking at either a TS-2000 or an FT-847. I haven't ruled out the
Icom
: 706 MkIIG as a lot of bang for the buck either. Any will give me what I like to do now
plus
: what I might like to do in the future.
:
: At the risk of sounding repetitive, the best rig for a Technician really depends on what
you
: plan to do with that license. If you want to put a mobile in your car and pretend it's
NOT
: really CB, a 2100H is a great rig for the money. If you want to work tropo, satellites,
other
: things many people ignore, an all-mode rig like the FT-847 is a good rig and will do some
of
: the things you want to do when you upgrade. A TS-2000 will do it all, but at a price. And
the
: 706MkIIG will let you have VHF and UHF now, and HF later, all in a small package you can
put in
: your car if you want.
:
: But you gotta decide where you want to be in 6 months or a year. If you are buying for
NOW,
: get a dual band HT. If you are buying for THEN, well, you have a lot more choices.
:
:

4536. Re: Drake R8A - SOLD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 20:49:37 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <Bzjs9.108809$Cz.11932315@twister.neo.rr.com>
Source record: 38397
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

The R8A is sold.
DeWayne KE9K

> Drake R8A and MS-8 in excellent cond., manual, double boxed, $550 shipped
> CONUS.
> DeWayne KE9K
>
>

4537. FS: Japan Radio NRD-525 receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 21:03:23 UTC
From: Charles Gillen <see-my-sig@below.com>
Message-ID: <Xns92ACAD833FDABgillen@216.194.225.92>
Source record: 38248

Mint condition, rock stable, four filters, RS-232c computer interface.
Prefer cash and carry pickup from my Northern Virginia location.

Why selling? I switched to a Ten-Tec RX-320 and since I'm 68 years old
most likely the NRD will lie around unused until until my heirs throw it
out when I'm dead :^)

Hoping to find a good home for it.

--
Anti-Spam address: my last name at his dot com
Charles Gillen -- Reston, Virginia, USA

4538. FA:ALINCO DJ-X10T 1200 ch SCANNER - MINT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 21:57:21 UTC
From: msdbm@aol.com
Message-ID: <20021019175721.08361.00002411@mb-fx.aol.com>
Source record: 38249

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390786831

4539. FS: Henry 2KD Classic HF Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 22:15:16 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <UPks9.3345$U97.353456@newsread2.prod.itd.earthlink.net>
Source record: 38250
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Henry 2KD Classic desktop amplifier for sale. 2 3-500 tubes, 1200 watts output on all bands (including WARCs)
This unit has recently had the ten meter modification done at the Henry factory here in the Los Angeles area.
The cabinet and front panel are in excellent condition with just a few minor dings on the top rear of the cover. All markings on the faceplate are perfect.

Asking $1050 plus shipping. I will have the Henry factory ship this unit safely to you. The weight of this unit is approximately 85 pounds. I would prefer local pickup in Southern California.

Contact Rich here or at 818/997-1217

w6vx@arrl.net

Best 73 de Rich, W6VX

4540. Re: Advice on new HF rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 22:17:14 UTC
From: Paul N3EOP <n3eop@arrl.or.callsign.net>
Message-ID: <Xns92AC9B827DE90n3eophotmailcom@64.164.98.29>
Source record: 38251

oktx wrote:

> I'm studying hard for my General class. Scheduled for the exam in
> early December.

Good luck!

> I've been reading up on the ICOM IC-718 and the Kenwood TS-570 series.
> They both look to be decent radios and are certainly from good
> companies.

I doubt that you would go wrong with either one. I've owned HF rigs from each of the "big three" (Icom, Kenwood, and Yaesu), and found that within a class, the differences are subtle.

Icom puts their emphasis on performance.
Kenwood leans toward additional features.
Yaesu... well, they kind of run in-between. They've been lacking in innovation for some time, until they came up with their FT-817. (Which, some argue, is their response to the Elecraft K2.)

> Anyway, are there any other candidates I should consider.

Check out the Ten-Tec Jupiter (www.tentec.com). Ten-Tec goes all out for receiver performance, and the Jupiter is no exception. Many people say its receiver is almost as good as that of the Icom IC-756PRO/PROII. The IF DSP works very well. Nearly everything else is software driven, and Ten-Tec has added several features to the original radio in the form of free downloads. The Jupiter is likely to be my next rig, unless I can find a way to afford the Orion (their top of the line rig).

4541. FS: Kenwood PC-1A Phone Patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 22:18:52 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <gTks9.3351$U97.353926@newsread2.prod.itd.earthlink.net>
Source record: 38252
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood PC-1A Phone Patch for sale. All cables and manual.

Excellent condition. Asking $75.00 plus packing/shipping.

Contact Rich, W6VX here or at 818/997-1217.

73

4542. FS: Kenwood YK88C and YK88S Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 22:19:56 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <gUks9.3353$U97.354104@newsread2.prod.itd.earthlink.net>
Source record: 38253
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood YK88S Sideband Filter/YK88C CW (500 Hz) filters.

Used in the Kenwood TS 430/TS440 radios.

Asking $75.00 each. Buyer pays packaging/shipping.

Contact Rich, W6VX here or at 818/997-1217

73

4543. FS: Kenwood SM-220 Scope w/BS-8 Pan Adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 22:22:10 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <mWks9.3354$U97.354422@newsread2.prod.itd.earthlink.net>
Source record: 38254
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have for sale a Kenwood SM220 scope. This unit has the pan adapter installed. Condition is very good.

Asking $300.00 plus packing/shipping.

Contact Rich here or at 818/997-1217

Best 73 de Rich, W6VX

w6vx@arrl.net

4544. FS: Kenwood PC-1A Phone Patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 22:23:06 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <eXks9.3356$U97.354528@newsread2.prod.itd.earthlink.net>
Source record: 38255
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood PC-1A Phone Patch for sale. All cables and manual.

Excellent condition. Asking $75.00 plus packing/shipping.

Contact Rich, W6VX here or at 818/997-1217.

73

4545. FS: Kenwood TS-940SAT HF Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 22:26:37 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <x_ks9.3360$U97.354917@newsread2.prod.itd.earthlink.net>
Source record: 38257
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood TS940SAT HF Radio.

10-160 coverage, extended RX/TX. 100 Watts output.

Very clean, one-owner radio.

Asking $900.00 or best offer. Buyer pays for packing/shipping.

Contact Rich, W6VX here or at 818/997-1217

73

4546. FA Tempo-One for Parts or Repair - Good Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 22:31:58 UTC
From: Tom Farland <tfarl@IowaTelecom.net>
Message-ID: <aosm55$h5v$1@ins22.netins.net>
Source record: 38256
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389652581

Ends Sunday evening, tnx fer looking.

Gordon

4547. Re: FA Tempo-One for Parts or Repair - Good Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 22:33:27 UTC
From: Paul&Dorothy Coverdale <coverdale@sympatico.ca>
Message-ID: <3DB1DDB7.AF586994@sympatico.ca>
Source record: 38258
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Are you sure the finals are 6146's ? Thought that rig used 6JS6C's.

Tom Farland wrote:

> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1389652581
>
> Ends Sunday evening, tnx fer looking.
>
> Gordon

4548. Re: Advice on new HF rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-19 23:53:00 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <aosr9o0154r@enews3.newsguy.com>
Source record: 38262

Go to ebay. Buy an Icom IC-735 and PS-55 power supply. If you can find
one, buy an AT-150 antenna tuner. Good solid rig and will cost less than a
new one.

--

Regards,
Joe S.

"oktx" <you@somehost.somedomain> wrote in message
news:0FAAE3514A3E9DFA.13D5602446F7F8FE.57970F03E994EBD5@lp.airnews.net...
> I'm studying hard for my General class. Scheduled for the exam in early
> December. I guess I should be starting my shopping and comparison for a
> transceiver. After I've centered on a radio I'll start obsessing about
> antennas. I don't have tons of money to buy any of the high $ deluxe
> jobs. I do have enough to send on quality though. I want a good "first
> radio" that will provide me years of service with minimum hassles.
> Something I can grow with. I've been reading up on the ICOM IC-718 and
> the Kenwood TS-570 series. They both look to be decent radios and are
> certainly from good companies. The EHAM.NET reviews on both of them are
> good. From reading through the manuals I think I'm leaning towards the
> Kenwood. Pricewise the ICOM looks good, but not by much.
>
> Anyway, are there any other candidates I should consider.
>
> Does anyone have a strong preference either way....and why.
>
> Any url's you can point me to on these would help too.
>
> Thanks
>
>
>
>

4549. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 00:03:44 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <Apms9.12317$gB.5516407@twister.nyc.rr.com>
Source record: 38259
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Only problem genius is that he NEVER shipped the package at all.

Dan
>
> And it has only been 8 days since he made payment! Packages don't
always
> arrive next day.
>
>

4550. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 00:08:40 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <cums9.12318$gB.5520072@twister.nyc.rr.com>
Source record: 38260
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> Dan Cunt wrote:

This type of nonsense is totally unnecessary. At least I use my real name
and do not hide behind a ludicrous moniker like "Common sense talking"
which you are anything but.

>
> Again, the rapist apologizing to the victim after he already committed
rape.
>

You are as big of an ass as the other boob who proposed this insane analogy.

Dan
>

4551. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 00:10:20 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <Mvms9.12319$gB.5521068@twister.nyc.rr.com>
Source record: 38261
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Only problem with the silly secnario below is that the package was never shipped at all until TODAY, 9 days after submitting a prompt PAYPAL payment, and only after being lambasted here, and a complaint filed with PAYPAL.

Dan

> Or the post office that is letting the package sit in the corner for the
> customary 5 days before even seeing where it is supposed to go to being
> responsible for the EIGHT DAYS only that have gone by since his payment
and he
> is sooo upset that the package NEVER ARRIVED yet!
>
> WOO HOO!
>
>

4552. VE7EPS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 00:29:52 UTC
From: vtfoxfire@aol.com
Message-ID: <20021019202952.08253.00000660@mb-ch.aol.com>
Source record: 38263

please contact me at vtfoxfire@aol.com thanx Foster W1CGT

4553. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 01:57:13 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <Z3os9.24110$Up6.5298151@twister.nyc.rr.com>
Source record: 38264
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> Naw ... you just send it as an email attachment.
> Should arrive just as fast as the PayPal.
>
> The "tantrum kid" will grow up eventually, but I wonder if he
> will ever get over his whining problem. "I want it NOW and
> I'll scream and whine and kick until I get it, so there!"
>
> Did I miss the posting with an agreement about shipping terms?
> First day air? Overnight? Ground? Buyer pickup?
> Maybe they agreed on counter-to-counter.
>
No Hank...

The agreement was, I pay immediately via PAYPAL, and he ships the next day.
Not too complicated for you is it?

However, as of today, 9 days after this agreement, the item still had not
been shipped.
Am I still the "tantrum kid"? Would YOU tolerate this violation of an
agreement?
Oh sorry, I guess I'm just whining. Big grown up men such as you would have
much much more patience, right?

Dan

4554. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 02:08:03 UTC
From: N8KDV <n8kdv@iserv.net>
Message-ID: <3DB21003.7C74ED27@iserv.net>
Source record: 38266
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

What was the excuse?

Dan Conti wrote:

> Only problem with the silly secnario below is that the package was never
> shipped at all until TODAY, 9 days after submitting a prompt PAYPAL
> payment, and only after being lambasted here, and a complaint filed with
> PAYPAL.
>
> Dan
>
> > Or the post office that is letting the package sit in the corner for the
> > customary 5 days before even seeing where it is supposed to go to being
> > responsible for the EIGHT DAYS only that have gone by since his payment
> and he
> > is sooo upset that the package NEVER ARRIVED yet!
> >
> > WOO HOO!
> >
> >

4555. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 02:08:54 UTC
From: Ian Smith <ianinhoose_at_earthlink_dot_net@forfarbridie.com>
Message-ID: <Weos9.3811$U97.383261@newsread2.prod.itd.earthlink.net>
Source record: 38265
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Tom Holden" <holden_family@cbc.ca> wrote in message
news:LKfs9.3903$OG5.692470@news20.bellglobal.com...
> I hesitate to contribute to this fray because I don't relish
being flamed or

< snipped >

Well put Tom, but that must've taken a while!

4556. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 02:16:42 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <emos9.24114$Up6.5313053@twister.nyc.rr.com>
Source record: 38267
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

>
> If I understand the sequence, Dan transmitted payment to Steve on or about
> Oct 10 through PayPal.

Wrong Tom ,it was transmitted on October 9th.

>Since then he has received neither the goods nor
> replies to repeated e-mails and has hit a deadend tracing Steve's address
> and phone number via his callsign. So he has good reason to be concerned
> that he may have lost both his money and the goods he agreed to buy.

Correct We had an agreement that he ship the next day, the 10th, and he did
not. Actually, as of today, 9 days later, he still had not.

> In the interest of protecting others and in trying to trace Steve, he
posts
> his 'BAD GUY ALERT' on Oct. 18. In that message, he links ethical
behaviour
> with ham radio and higher ethical behaviour with the Extra class
> certification. The responses explode in various directions but one
> respondent knows Steve and states that he has been away for a week. Others
> say that there may be mitigating circumstances, that Dan should be more
> patient and that he should apologise if that is the case. Other threads
spin
> off into debates about ham radio licensing requirements, Morse code, etc.
> Much verbal abuse is slung at Dan and among others. He commits to
informing
> the Newsgroups how the deal turns out, to retracting his statements but
not
> apologising to Steve should the deal go through with a reasonable
> explanation for the delay and lack of communication from Steve.

So far still correct, Tom, especially the abuse slinging and name calling.

> From an ethical point of view:
> 1. Should Dan have posted this message?
> 2. Does it slander Steve?
> 3. Does it slander others?
> 4. Should he have waited longer? Did he rush to judgement?
> 5. If Steve honours the deal and provides a reasonable explanation for the
> delay and lack of response, should Dan apologise to Steve through the
> Newsgroups?
>
> In my view, Dan was premature with the judgemental elements of this
message

> but the plea for help in tracking down Steve was entirely appropriate and
> timely; after all, he had had prompt and satisfactory dealings with him in
> the past. The title is over the top. Should there be a reasonable
> explanation for the delay, I think he should apologise for calling Steve a
> "BAD GUY" and for implying that Steve acted in bad faith - "never been
> burned - until now", "warning NOT to deal with Steve". Retraction alone is
> not sufficient; indeed, Steve may have legal grounds to sue Dan. Should
Dan
> find otherwise, then no retraction or apology to Steve is warranted.

Tom, you are entitled to your viewpoint, but the history of this matter will show that "BAD GUY" title on the thread was necessary to get Steve's attention in my opinion. Please see the new thread titled UPDATE, which will explain my actions.

Regarding libel, there is NO libel if what is said is true. Once again, read the UPDATE thread and you will see what I mean. BAD GUY ALERTS and GOOD GUY ALERTS are commonly posted on the groups for the benfit of others. In my opinion, based on the way Steve handled this transaction, the BAD GUY moniker, albeit a bit harsh, was appropriate and NOT libelous. Had he NOT conducted himself poorly, and I simply made this all up, labelling him a BAD GUY, then he MAY have a cause of action. You are one of the FEW intelligent, and will written fellows here, and your response was excellent, however, in an already overly litigious society, let's not rush to lawsuits for everything. Additionally, you should go back to the law books pertaining to libel and /or slander torts.

> Dan's linkage of higher ethical standards than might be expected from the
> general population with a person's hobby or a technical certificate seems
to
> me to be without foundation - except where the certification contains such
> ethical requirements. I'm not familiar with the Extra class ham radio
> requirements but doubt there is any test or oath on ethics. The word
> 'ethics' is not indexed in the ARRL Handbook although under the paragraph
> entitled "Hams as World Citizens" it says, "it's a good idea to avoid
> sensitive political or ethical issues". Many hams are public-spirited and
> have virtuous ethical behaviour - some are bad apples. Dan should not have
> made the generalisation - his message would be better without it and it
> would not have elicited the spurious debate that distracts from his
central
> concern. I don't think he has to apologise to hams for having held them in
> higher esteem and is now disappointed.

I agree Tom, however, it was purely a personal feeling I had towards hams, and felt it factored into my level of trust for Steve. Nothing more, nothing less. I cannot help it if a boatload of anonymous boobs, hell bent on cursing and calling me vulgar names to make a point, decided to turn a simply cautionary warning into a silly ham radio debate.

> So here's a suggestion for how Dan might have put his first message that
> would be ethically appropriate for the situation. It is slanderous to
> no-one, is factual, and any reader can infer that they should be cautious

if
> they are currently dealing with Steve.
>
Once again I submit that nothing I posted in this matter was slanderous
(spoken) which is impossible here, or libelous, (written).

> <begin>
> Subject: HELP - UNDELIVERED! Where's Steven A. Giron AD6GO?
>
> Steven A. Giron, AD6GO, entered into an agreement to sell me some radio
> equipment for an agreed price. I promptly sent him a PAYPAL payment on
Oct.
> 10.
>
> Since that time, the equipment has not been received, nor has he answered
> my numerous e-mail inquiries on this matter. I have been buying and
selling
> on the groups and eBay for many years, and am usually very cautious, and
to
> date, after hundreds of transactions, have never been burned. I dealt with
> Steve in the past, and he was fine.
>
> Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA
> 90670.

His address has changed, it is incorrect in the FCC database.

> He did not provide a telephone number, nor is there one listed for
> him. If anyone knows Steve, or can contact him on my behalf, I would like
> to speak with him on this matter.
>
> Dan
> <end>

Tom, very well put, and hindsight is always 20/20 and you make a valid
point. We are all entitled to our opinions, and the 1st ammendment
liberties of the newsgroups still allow us to post as we see fit, as long as
it is truthful. It is quite possible that your version would not have had
the same net effect as mine did, or it just might have. Pure speculation at
this juncture!

Maybe I should have you write my update!

Anyway, thanks for the intelligent input.

> Regards,
>
> Tom
>
Dan

4557. UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 02:43:29 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <lLos9.24123$Up6.5328245@twister.nyc.rr.com>
Source record: 38268
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I will preface my remarks by stating that I am appalled by the venom spewed in my direction by the majority of respondents to the topic of my initial thread here. It was also interesting to note the the majority of these responses were from posters hiding behind the veil of anonymity, using foul language and vulgar name calling.

The purpose of this post is to issue an update in this matter as to squelch further debate. The final chapter will probably not be written until Monday or Tuesday of this week, but this is briefly how it stands right now:

Last night, AFTER my PAYPAL complaint was issued, and the initial post was made here, I received an e-mail from Steve. Coincidence? Did someone from here contact him? I don't know. He stated that he was drawn away suddenly to work on a project at a secure government facility, and has been away all week. He stated that he had NO outside internet access this entire time. He did not specify as to the exact date he was drawn away, or when he returned.

Steve was very apologetic in his response.
Steve stated that he was going to reverse the PAYPAL payment to me, and also ship the equipment today, via overnight mail. All I asked of him was to ship the equipment, and I never asked for the reversal. I do not know why he chose to do that if he was shipping me the radio. He trusted that upon receipt of the radio, I would re-submit the payment to him via PAYPAL.

As of this writing, I have not received the PAYPAL reversal in my PAYPAL account.

Also, I did a US Postal tracking on the number he gave for the overnight, and once again, as of this writing, no record of the shipment.

YES, it is possible that there are delays in both items above.

Anyone contesting the facts above should contact me and I will privately e-mail you his e-mail text and the USPS tracking # he provided.

In my opinion, and that is what the newsgroups are, a bunch of opinions, the BAD GUY title was not excessive. I firmly believe that a deal is a deal, and that not having shipped, 9 days past receiving the money, WITHOUT any contact with the buyer, is BAD GUY performance, in the context in which we use GOOD GUY and BAD GUY alerts here.

Yes, there may have been a reason as to the delay, but unless the government snatched him from his house minutes after receiving my PAYPAL money, kept him off the internet, and didn't allow him out until last night, I think a short e-mail to me from him indicating the shipment would be delayed was in

order.

Those here wishing to do business in that fashion, feel free, but at least you were forewarned.

I should be receiving the radio on Monday, and of course, in fairness to Steve, I will report here under a seperate thread.

Stay tuned.....

Dan

4558. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 03:19:57 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3db220b7$1@news.netacc.net>
Source record: 38270
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:Apms9.12317$gB.5516407@twister.nyc.rr.com...
> Only problem genius is that he NEVER shipped the package at all.
>

Figure it out Dan. If you make the Pay Pal on Monday, seller does not pick up the email until tuesday. He decides to wait until the weekend, or even the following Monday to ship the item (one week, week and a half, no problem, we have lifes). You might get package two weeks or more after you did the Paypal thing.

Now, idiot, look back at all 42 responses to this thread. 41 Say you are a flaming idiot, 1 was kind of neutral and mused at the expectations.

Now raise your hand and say to the whole newsgroup "Dan Conti is a jerk"

Get a life

Steve

4559. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 03:28:40 UTC
From: Tom Holden <holden_family@cbc.ca>
Message-ID: <gbps9.4197$OG5.844459@news20.bellglobal.com>
Source record: 38269
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I'm glad that Steve came through after all, Dan. You are right in correcting my use of the word 'slanderous' and changing it to 'libelous'. I had to check my dictionary to confirm the oral versus written distinction - they are not words that I regularly use.

Also, I was not aware that BAD GUY ALERT and GOOD GUY ALERT were commonly used phrases. I did a Google search on Usenet groups and found 177 results for the former (4 related to this one about Steve) over a span of 10 years but only beginning to appear in the subject since 2000; 459 for the latter over a span of some 6 years. Curiously, the usage of BGA is almost exclusively in radio groups while GGA transcends a variety of groups. I see that you were the beneficiary of at least one GGA.

Regards,

Tom

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:emos9.24114$Up6.5313053@twister.nyc.rr.com...
<snip>
> > So here's a suggestion for how Dan might have put his first message that
> > would be ethically appropriate for the situation. It is slanderous to
> > no-one, is factual, and any reader can infer that they should be
cautious
> if
> > they are currently dealing with Steve.
> >
> Once again I submit that nothing I posted in this matter was slanderous
> (spoken) which is impossible here, or libelous, (written).
>
<snip>
> Dan

4560. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 03:30:44 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <Erps9.24271$Up6.5356993@twister.nyc.rr.com>
Source record: 38271
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

>
> Figure it out Dan. If you make the Pay Pal on Monday, seller does not
pick
> up the email until tuesday.

PAYPAL payment made on Wednesday night, 10/9. He KNEW he would have it that night, and he did. He AGREED to ship the next day.

OK Steve, now YOU raise your little hand....can you spell AGREEMENT?

>He decides to wait until the weekend, or even
> the following Monday to ship the item (one week, week and a half, no
> problem, we have lifes). You might get package two weeks or more after
you
> did the Paypal thing.

I don't know about you, or just how much of what you just spewed you would REALLY tolerate if it was you, but I've done NUMEROUS transactions where the item is shipped the NEXT DAY after the PAYPAL payment was received, except for weekends and holidays. Using Priority Mail, I usually get it 2 to 3 days MAX from that point.

>41 Say you are a flaming idiot

Well, if you base your opinion of ME on 41 basically ANONYMOUS boobs with limited writing abilty and use of vulgarities and name calling, and you want to put yourself with THAT group, then you are not only an idiot, but a moron as well.

>I was kind of neutral and mused at the expectations.

I doubt it.

> Now raise your hand and say to the whole newsgroup "Dan Conti is a jerk"

OK Steve, I will if you also raise yours and proclaim, "Steve is a mindless fool who follows babbling idiots and does not have a mind of his own".

Dan -> hands now lowered.

> Get a life

> Steve
>
>
>

4561. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 03:35:11 UTC
From: Fah Q Too <a@b.c>
Message-ID: <Pvps9.40452$ER5.2576384@news2.telusplanet.net>
Source record: 38272
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

lol. watch out. he will start calling you the FBI or some other stupid thing
for posting something like I did. I guess people that actually do a search
are the FBI. I am sorry. Here in CANADA. Ya eh? I need to go get my Beaver
to tell you DAN. we don't have the FBI. maybe he hates us canadians.

Dev

"Tom Holden" <holden_family@cbc.ca> wrote in message
news:gbps9.4197$OG5.844459@news20.bellglobal.com...
> I'm glad that Steve came through after all, Dan. You are right in
correcting
> my use of the word 'slanderous' and changing it to 'libelous'. I had to
> check my dictionary to confirm the oral versus written distinction - they
> are not words that I regularly use.
>
> Also, I was not aware that BAD GUY ALERT and GOOD GUY ALERT were commonly
> used phrases. I did a Google search on Usenet groups and found 177 results
> for the former (4 related to this one about Steve) over a span of 10 years
> but only beginning to appear in the subject since 2000; 459 for the latter
> over a span of some 6 years. Curiously, the usage of BGA is almost
> exclusively in radio groups while GGA transcends a variety of groups. I
see
> that you were the beneficiary of at least one GGA.
>
> Regards,
>
> Tom
>
> "Dan Conti" <dconti@nj.rr.com> wrote in message
> news:emos9.24114$Up6.5313053@twister.nyc.rr.com...
> <snip>
> > > So here's a suggestion for how Dan might have put his first message
that
> > > would be ethically appropriate for the situation. It is slanderous to
> > > no-one, is factual, and any reader can infer that they should be
> cautious
> > if
> > > they are currently dealing with Steve.
> > >
> > Once again I submit that nothing I posted in this matter was slanderous
> > (spoken) which is impossible here, or libelous, (written).
> >
> <snip>
> > Dan

>
>

4562. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 03:35:56 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <wwps9.24295$Up6.5360009@twister.nyc.rr.com>
Source record: 38273
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> I'm glad that Steve came through after all, Dan. You are right in
correcting
> my use of the word 'slanderous' and changing it to 'libelous'. I had to
> check my dictionary to confirm the oral versus written distinction - they
> are not words that I regularly use.

No problem, Tom. They are terms quite often mis-used AND misunderstood.

> Also, I was not aware that BAD GUY ALERT and GOOD GUY ALERT were commonly
> used phrases. I did a Google search on Usenet groups and found 177 results
> for the former (4 related to this one about Steve) over a span of 10 years
> but only beginning to appear in the subject since 2000; 459 for the latter
> over a span of some 6 years. Curiously, the usage of BGA is almost
> exclusively in radio groups while GGA transcends a variety of groups. I
see
> that you were the beneficiary of at least one GGA.

Whether you agreed with me or not, it was really a pleasure to communicate
with a person who does not hide behind anonymity, use foul language or spew
vulgar names mocking one's surname of which I am very proud, as well as
being able to construct an extremely intelligent response to an issue.

Thanks again.

Dan

> Regards,
>
> Tom
>
> "Dan Conti" <dconti@nj.rr.com> wrote in message
> news:emos9.24114$Up6.5313053@twister.nyc.rr.com...
> <snip>
> > > So here's a suggestion for how Dan might have put his first message
that
> > > would be ethically appropriate for the situation. It is slanderous to
> > > no-one, is factual, and any reader can infer that they should be
> cautious
> > if
> > > they are currently dealing with Steve.
> > >
> > Once again I submit that nothing I posted in this matter was slanderous
> > (spoken) which is impossible here, or libelous, (written).
> >
> <snip>

> > Dan
>
>

4563. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 03:38:11 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <Dyps9.24306$Up6.5361649@twister.nyc.rr.com>
Source record: 38274
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Stupid IS as Stupid does.

Liberal Canadian...I should have known.

Dan
"Fah Q Too" <a@b.c> wrote in message
news:Pvps9.40452$ER5.2576384@news2.telusplanet.net...
> lol. watch out. he will start calling you the FBI or some other stupid
thing
> for posting something like I did. I guess people that actually do a search
> are the FBI. I am sorry. Here in CANADA. Ya eh? I need to go get my Beaver
> to tell you DAN. we don't have the FBI. maybe he hates us canadians.
>
> Dev
>
> "Tom Holden" <holden_family@cbc.ca> wrote in message
> news:gbps9.4197$OG5.844459@news20.bellglobal.com...
> > I'm glad that Steve came through after all, Dan. You are right in
> correcting
> > my use of the word 'slanderous' and changing it to 'libelous'. I had to
> > check my dictionary to confirm the oral versus written distinction -
they
> > are not words that I regularly use.
> >
> > Also, I was not aware that BAD GUY ALERT and GOOD GUY ALERT were
commonly
> > used phrases. I did a Google search on Usenet groups and found 177
results
> > for the former (4 related to this one about Steve) over a span of 10
years
> > but only beginning to appear in the subject since 2000; 459 for the
latter
> > over a span of some 6 years. Curiously, the usage of BGA is almost
> > exclusively in radio groups while GGA transcends a variety of groups. I
> see
> > that you were the beneficiary of at least one GGA.
> >
> > Regards,
> >
> > Tom
> >
> > "Dan Conti" <dconti@nj.rr.com> wrote in message
> > news:emos9.24114$Up6.5313053@twister.nyc.rr.com...
> > <snip>

> > > > So here's a suggestion for how Dan might have put his first message
> that
> > > > would be ethically appropriate for the situation. It is slanderous
to
> > > > no-one, is factual, and any reader can infer that they should be
> > cautious
> > > if
> > > > they are currently dealing with Steve.
> > > >
> > > Once again I submit that nothing I posted in this matter was
slanderous
> > > (spoken) which is impossible here, or libelous, (written).
> > >
> > <snip>
> > > Dan
> >
> >
>
>

4564. MetroWest ProPwer 3 - Instructions?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 03:56:05 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <pPps9.24390$Up6.5372360@twister.nyc.rr.com>
Source record: 38275
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave

I recently received the MetroWest ProPower 3 charging stand included with a radio purchase. Looks like a nice unit, but the buttons are a bit confusing. Anyone have the instructions on how to use this unit? If so, a crash course on the use of this thing is appreciated.
Dan

4565. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 04:35:56 UTC
From: Fah Q Too <a@b.c>
Message-ID: <Moqs9.40540$ER5.2595988@news2.telusplanet.net>
Source record: 38276
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I hatethe friggin liberals. I have and will never vote for them. Whoever
voted for them should be shot.

Dev

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:Dyps9.24306$Up6.5361649@twister.nyc.rr.com...
> Stupid IS as Stupid does.
>
> Liberal Canadian...I should have known.
>
> Dan
> "Fah Q Too" <a@b.c> wrote in message
> news:Pvps9.40452$ER5.2576384@news2.telusplanet.net...
> > lol. watch out. he will start calling you the FBI or some other stupid
> thing
> > for posting something like I did. I guess people that actually do a
search
> > are the FBI. I am sorry. Here in CANADA. Ya eh? I need to go get my
Beaver
> > to tell you DAN. we don't have the FBI. maybe he hates us canadians.
> >
> > Dev
> >
> > "Tom Holden" <holden_family@cbc.ca> wrote in message
> > news:gbps9.4197$OG5.844459@news20.bellglobal.com...
> > > I'm glad that Steve came through after all, Dan. You are right in
> > correcting
> > > my use of the word 'slanderous' and changing it to 'libelous'. I had
to
> > > check my dictionary to confirm the oral versus written distinction -
> they
> > > are not words that I regularly use.
> > >
> > > Also, I was not aware that BAD GUY ALERT and GOOD GUY ALERT were
> commonly
> > > used phrases. I did a Google search on Usenet groups and found 177
> results
> > > for the former (4 related to this one about Steve) over a span of 10
> years
> > > but only beginning to appear in the subject since 2000; 459 for the
> latter
> > > over a span of some 6 years. Curiously, the usage of BGA is almost
> > > exclusively in radio groups while GGA transcends a variety of groups.

I
> > see
> > > that you were the beneficiary of at least one GGA.
> > >
> > > Regards,
> > >
> > > Tom
> > >
> > > "Dan Conti" <dconti@nj.rr.com> wrote in message
> > > news:emos9.24114$Up6.5313053@twister.nyc.rr.com...
> > > <snip>
> > > > > So here's a suggestion for how Dan might have put his first
message
> > that
> > > > > would be ethically appropriate for the situation. It is slanderous
> to
> > > > > no-one, is factual, and any reader can infer that they should be
> > > cautious
> > > > if
> > > > > they are currently dealing with Steve.
> > > > >
> > > > Once again I submit that nothing I posted in this matter was
> slanderous
> > > > (spoken) which is impossible here, or libelous, (written).
> > > >
> > > <snip>
> > > > Dan
> > >
> > >
> >
> >
>
>

4566. FS: GP300 VHF 16ch. w/chrgr/new batt/$175ea

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 05:11:03 UTC
From: "R. Belcher" <randy.belcher@verizon.net>
Message-ID: <HVqs9.12640$Mu4.10613@nwrddc01.gnilink.net>
Source record: 38277
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi all, have some Motorola VHF 16ch. GP300's coming in next week.
They are used but will be refurbished to like-new condition and include the
charger and a NEW battery.
Bench checked and programmed to your spec's for $175 ea. plus shipping.

Acquired as trade-in on corporate system changeovers and they are not
"pieced together" or abused units.

I aim to please so they will also be guaranteed.
Money back if not satisfied (48hr. right of refusal w/refund or exchange,
barring damage to radio on your part.)

If interested or have ANY questions (especially regarding programming),
please reply direct and thanks!
Randy

4567. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 06:01:26 UTC
From: Ken Wolfe <k3qv@hotmail.com>
Message-ID: <ur4hljo3558la9@corp.supernews.com>
Source record: 38278
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> He stated that he was drawn away suddenly
> to work on a project at a secure government facility, and has been away
all
> week. He stated that he had NO outside internet access this entire time.
> He did not specify as to the exact date he was drawn away, or when he
> returned.

Probably working on something related keeping you safe from terrorism or
national security.

So you prematurely called him a "BAD GUY" publicly. I would have waited,
then inquired on this newsgroup regarding him.

> Steve was very apologetic in his response.

So should you......here in this forum, using the subject line as you did to
him.
Say something like : "I SCREWED UP...Sorry Steve A. Giron!"

Have a good day,

Ken
>

4568. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 06:32:45 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <h6ss9.24669$Up6.5484940@twister.nyc.rr.com>
Source record: 38279
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> > He stated that he was drawn away suddenly
> > to work on a project at a secure government facility, and has been away
> all
> > week. He stated that he had NO outside internet access this entire
time.
> > He did not specify as to the exact date he was drawn away, or when he
> > returned.
>
>
> Probably working on something related keeping you safe from terrorism or
> national security.

I simply relayed what he told me. If you believe it, and then want to
extrapolate it into some romantic fantasy about national security, fine.
It's your choice of drugs, keep using them.

> So you prematurely called him a "BAD GUY" publicly. I would have waited,
> then inquired on this newsgroup regarding him.

I don't believe I did, but hey, we agree to disagree. You and many others
simply just don't get it. I thought a deal was a deal, someone's word was
ther bond, and "I'll ship tomorrow" meant just that. Once again, blame the
victim. BTW, how DOES one inquire here publicly? I suggest your read Tom
Holden's response to me regarding Bad Guy and Good Guy alerts.Hope you never
get stiffed, Pal...

>
> > Steve was very apologetic in his response.
>
> So should you......here in this forum, using the subject line as you did
to
> him.
> Say something like : "I SCREWED UP...Sorry Steve A. Giron!"

That will not happen, and the jury is still out as to how this will
ultimately conclude.
Stay tuned.

> Have a good day,
>
Hey, you too....

(Why does everyone always end their bloated tirades here with "Have a nice
day", do you really want me to have a nice day? Or, "get a life"...sheesh,
what does that mean? All very sophmoric, yet amusing).

Dan

> Ken
> >
>
>

4569. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 07:20:12 UTC
From: Fah Q Too <a@b.c>
Message-ID: <MOss9.40949$ER5.2632356@news2.telusplanet.net>
Source record: 38280
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

it is called. get the fucking dildo out of your ass. if someone sent something ground mail. it can take up to 15 days to recieve. I have payed people for 2 day delivery and got over 20 day delivery. I myself don't have a dildo up my ass. As you seem to alway run me down on all my posts. Nomatter if they are helpful or not. I would not beleive that you have contributed to this group at all. Well besides whining, running people down and saying people don't do things they should do. You remind me of a few sales I have had. A person whining saying they payed the person money and not getting anything in return. Even though they probably didn'tsend the money. That is the advantage of a credit card. You insist he has your $$. when infact. You could. if you wanted to. Call paypal. or even say visa, mastercard. american express and say you did not even send that transaction. all 4of those. will either stop the $$ being sent. Paypal will freeze the money or refund it and take it out of the other account and so on. If you can prove you are not a loser just wanting to flame a person out ofthe blue like you do to me. Shit. I sell lots of my canadian gear to the US with 2 day courier service. I have not got 1 bad comment on ebay or elsewhere. So I don't believe you have tried to stop the payment. there are easy ways to stop it. Oh ya. you insist I am hiding and you insist onswearing by ebay. I am NEMOSWITCH no matter where you look ya baby. waaaaaaaaahhhhhh. do some searching mr FBI dude. A credit card does not have the $$ till it is final.

Dev

4570. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 07:26:25 UTC
From: Fah Q Too <a@b.c>
Message-ID: <BUss9.40968$ER5.2635640@news2.telusplanet.net>
Source record: 38281
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

oh. I would give my Identity. But. Knowing you. You would try telling people
I sold you a product that I didn't. Next. you may stalk me. or even try to
rape me. ya sicko.

Dev

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:h6ss9.24669$Up6.5484940@twister.nyc.rr.com...
>
> > > He stated that he was drawn away suddenly
> > > to work on a project at a secure government facility, and has been
away
> > all
> > > week. He stated that he had NO outside internet access this entire
> time.
> > > He did not specify as to the exact date he was drawn away, or when he
> > > returned.
> >
> >
> > Probably working on something related keeping you safe from terrorism or
> > national security.
>
> I simply relayed what he told me. If you believe it, and then want to
> extrapolate it into some romantic fantasy about national security, fine.
> It's your choice of drugs, keep using them.
>
> > So you prematurely called him a "BAD GUY" publicly. I would have
waited,
> > then inquired on this newsgroup regarding him.
>
> I don't believe I did, but hey, we agree to disagree. You and many others
> simply just don't get it. I thought a deal was a deal, someone's word was
> ther bond, and "I'll ship tomorrow" meant just that. Once again, blame
the
> victim. BTW, how DOES one inquire here publicly? I suggest your read Tom
> Holden's response to me regarding Bad Guy and Good Guy alerts.Hope you
never
> get stiffed, Pal...
>
> >
> > > Steve was very apologetic in his response.
> >
> > So should you......here in this forum, using the subject line as you did
> to

> > him.
> > Say something like : "I SCREWED UP...Sorry Steve A. Giron!"
>
> That will not happen, and the jury is still out as to how this will
> ultimately conclude.
> Stay tuned.
>
> > Have a good day,
> >
> Hey, you too....
>
> (Why does everyone always end their bloated tirades here with "Have a nice
> day", do you really want me to have a nice day? Or, "get a
life"...sheesh,
> what does that mean? All very sophmoric, yet amusing).
>
> Dan
>
> > Ken
> > >
> >
> >
>
>

4571. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 07:59:29 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0210192359.81e63bd@posting.google.com>
Source record: 38282
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Common Sense Talking <cs@hotmail.com> wrote in message
news:<3DB181D1.FA032278@hotmail.com>...
> > People tend not to realize that sometimes ALL the bands are dead. There are
> > times when you cannot get phone communications through. I have seen these
> > times. When you could not even hear a phone transmission, you can copy CW.
> > CW may seem a waste to some people, but in some circumstances, it can be the
> > ONLY way to communicate!
>
> In an emergency, you do not want to contact someone in a different country, they
> can't help you.

Who says you have to call another country? I can call anyone I like.
Ain't no gun to my head telling me I have to call Moscow...

Morse Code is of NO VALUE in an emergency or else Police, Fire,
> and Paramedics would be REQUIRED to learn it.

Sure, it's of no value to them. What would they do with it? That's
silly to even consider.
Doesn't it seem odd that they
> are NOT required to know morse code, yet people in a HOBBY are? SURE it seems
> odd. Because it is odd.

Why is it odd? Morse code has been used for years and years. Only the
newest of the hams know no code. The vast majority do. But thats not
the real reason. The real reason is it's required by international
treaty.

>
> Also, in an emergency, you want as MANY PEOPLE AS POSSIBLE to hear and
> UNDERSTAND the call for help, not just the ONE PERSON in another country who
> happens to understand morse code! To most people, all they hear are some beep
> tones and do not know it is a call for help.

Uh, duh...If I had an emergency with only a cw radio, I would call the
closest cw op to my emergency, and have him use the landline to call
help. I can't use the same frequency as the cops, or fire anyway, so
why would it even be an issue? Even if I had an FM radio, I wouldn't
use it on a PD frequency unless it was a true life/death scenario. My
radio's are not capable of xmit on their freq's anyway. I have not
unlocked them, and have no plans to. Yea, you might come back and say
you would, but I ain't you. They throw you in jail for that crap
around here.
>
> If morse code had ANY purpose in an emergency or could help in just ONE way,

> Police officers, Fire fighters, and Paramedics would be required to learn it.

Thats about the silliest thing I've ever heard. "Or read"...:/ What
in the heck would they do with code? They don't monitor shortwave
bands for emergencies. The coast guard can be summoned to the HF bands
though. I've done it myself. I ran into a sailboat in trouble on 40m
one night, and called the coast guard in Miami. They plopped right on
our frequency. I bet someone there at the coast guard station knew
code. No, we didn't use it, as the boat was SSB, but what if the boat
only had a cw rig? Or the batteries were so low, that low power cw was
the prefered route to take?
I guess unless I or someone else that knew the code, heard them, they
would be totally SOL. That would be a hell of a note. Stuck out in the
Pacific on a boat with a cw rig, and not a single person in the US
could copy them, because it became stylish to be "new tech" and
everyone dropped the code totally. That's gonna be our future in not
too many years down the line. The code is history as far as ham tests
as soon as it's dropped by treaty. That very well could be the next
WARC. Less is not more. I am a superior radio operator knowing code,
than not knowing it. Any argument to the contrary is ludicrous. I'll
save that poor cw running bastard in the sailboat. You'll let him
drown due to ignorance if you don't know the code. Thats the simple
truth. New fangled digital modes won't do you a bit of good if he
doesn't have them on the boat. And yes, I have heard one real life
emergency using CW. So it can, and does happen.

> They seem to be able to get through on THEIR BANDS with voice just fine.

Duh, no kidding...
>
> Something to THINK about.

I have better things to think about. MK

4572. FT-990 Firmware version?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 09:42:53 UTC
From: Juha <REMOVEjuha_@hotmail.com>
Message-ID: <aottjp$309$1@phys-news1.kolumbus.fi>
Source record: 38283

Hi

Can you guess the firmware version of FT-990, serial number: 1L090165 ?
I might buy it, but like to know the version first. The owner has the rig on
his other QTH and cannot check the version at the moment.

73
Juha

4573. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 10:39:20 UTC
From: lozada_jesus@yahoo.com
Message-ID: <3735dbf1.0210200239.3a74da3d@posting.google.com>
Source record: 38284
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.swap

Dan,

Read past articles and its responses on "Tips on how to buy a
used shortwave radio on the Internet.", "Need Advice: I May Have Been
Ripped
Off" and "Confessions Of An Ebay/Yahoo Scam Artist" thru google search
in shortwave group. Read peoples experiences on how they deal
transactions on e-bay and learn from it. They have made good responses
to it, it will help you out next time to deal on the Internet.
Research on google groups under shortwave groups only, type the
word "beware of" and you will discover more the people to avoid doing
business on the Internet due to bad deals and complaints from buyers
or sellers.
Good Luck.

Jess

4574. Re: Tips on how to buy a used shortwave radio on the Internet.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 10:45:25 UTC
From: lozada_jesus@yahoo.com
Message-ID: <3735dbf1.0210200245.5678bfd3@posting.google.com>
Source record: 38285
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.swap

If you have any experiences either good or bad deals on buying a used shortwave radio on the Internet. Perhaps, you can share your experiences with us so it can help others to be aware of dealing with crooks who are not honest and avoid having the same mistakes as others did before. So send us your comments or suggestions so we can learn from you as much as you learn from us.
I hope you can pass the torch of this subject always, It will always be in the awareness of people who are doing business on the Internet. As as I told before the Internet is a free market, anything goes, you can deal with the good guys or the bad guys.

Jess

4575. Re: Tips on how to buy a used shortwave radio on the Internet.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 11:29:13 UTC
From: mike <spamme0@juno.com>
Message-ID: <3DB29389.69AA6471@juno.com>
Source record: 38286
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.swap

The questions are good ones....but the best crooks know all about them
and will have very logical and plausible answers.
If you ask if it works perfectly, there are two likely answers:
1) honest guy and it does work perfectly
2) crook sez it does, but it don't.
Over the years I've become WORSE at telling the difference.
Maybe I'm just old....maybe the crooks are getting better.

I know one honest seller with quality equipment who routinely lies
to purchasers telling them what they want to hear. The equipment
works perfectly and the buyer has no lingering doubts.
Kinda like when your girlfriend asks if those pants make her ass look big.

It makes the "sale" a lot easier if you lie a little. ;-)
mike
Bunch of stuff For Sale and Wanted at the link below.
Tek 2465, TFT projector, Transoceanic, ham radio, 30pS pulser
Tektronix Concept Books...
http://www.geocities.com/SiliconValley/Monitor/4710/
First thing you ask from the seller the following questions:

1) How does the seller purchased the unit (brand new or
used)?
2) How long is this unit been with the seller?
3) Does the seller is satisfied with the performance of the
unit?
4) Why the seller is selling the unit?
5) Ask the seller if the unit has been repaired or modified?
6) Ask the seller if he can guarantee the performance of the
unit he
is selling?
7) Ask the seller if the unit sold to you, if faulty. Can the
unit be
returned back and refund the money?
8) What mode of payment the seller wants?

--

4576. Maxon radio's for GMRS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 12:07:57 UTC
From: Karl Fuller <karljb@earthlink.net>
Message-ID: <x0xs9.4619$U97.451123@newsread2.prod.itd.earthlink.net>
Source record: 38287

i have 3 450-470 uhf ht's 2 are 10ch and i (4 ch for parts) and i 16ch 25wt mobile. all will program into gmrs freq's also have the programer for these. these also do rpt and all tones.

--
Karl :-)

4577. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 12:46:34 UTC
From: George <mw1rog@callnetuk.2com>
Message-ID: <aou8j9$69l$1@helle.btinternet.com>
Source record: 38288
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Hey, I have had a radio sent to me in the UK by USPS priority Air express
that took 11 weeks. They are pathetic, and the Royal-Mail here in the UK are
just as bad, I sent a Guy a radio to Canada by surface post the estimated
time is maximun 6 weeks, after 10 weeks I contacted them only to be told it
was sitting in Birmingham airport UK (Birmingham UK is no-where near the
sea) I said how pissed of with them I was and asked why it had taken 10
weeks to travel 100 miles, and why was it at an airport when it was supposed
to go by ship. Three days later the guy received the radio in Canada,
I guess they used a speed-boat :-))
regards
GB

--
.

Please remove the number 2 in email to reply

...
"Mark Keith" <nm5k@wt.net> wrote in message
news:25eb70d7.0210192359.81e63bd@posting.google.com...
> Common Sense Talking <cs@hotmail.com> wrote in message
news:<3DB181D1.FA032278@hotmail.com>...
> > > People tend not to realize that sometimes ALL the bands are dead.
There are
> > > times when you cannot get phone communications through. I have seen
these
> > > times. When you could not even hear a phone transmission, you can copy
CW.
> > > CW may seem a waste to some people, but in some circumstances, it can
be the
> > > ONLY way to communicate!
> >
> > In an emergency, you do not want to contact someone in a different
country, they
> > can't help you.
>
> Who says you have to call another country? I can call anyone I like.
> Ain't no gun to my head telling me I have to call Moscow...
>
> Morse Code is of NO VALUE in an emergency or else Police, Fire,
> > and Paramedics would be REQUIRED to learn it.
>
> Sure, it's of no value to them. What would they do with it? That's
> silly to even consider.

> Doesn't it seem odd that they
> > are NOT required to know morse code, yet people in a HOBBY are? SURE
it seems
> > odd. Because it is odd.
>
> Why is it odd? Morse code has been used for years and years. Only the
> newest of the hams know no code. The vast majority do. But thats not
> the real reason. The real reason is it's required by international
> treaty.
>
> >
> > Also, in an emergency, you want as MANY PEOPLE AS POSSIBLE to hear and
> > UNDERSTAND the call for help, not just the ONE PERSON in another country
who
> > happens to understand morse code! To most people, all they hear are
some beep
> > tones and do not know it is a call for help.
>
> Uh, duh...If I had an emergency with only a cw radio, I would call the
> closest cw op to my emergency, and have him use the landline to call
> help. I can't use the same frequency as the cops, or fire anyway, so
> why would it even be an issue? Even if I had an FM radio, I wouldn't
> use it on a PD frequency unless it was a true life/death scenario. My
> radio's are not capable of xmit on their freq's anyway. I have not
> unlocked them, and have no plans to. Yea, you might come back and say
> you would, but I ain't you. They throw you in jail for that crap
> around here.
> >
> > If morse code had ANY purpose in an emergency or could help in just ONE
way,
> > Police officers, Fire fighters, and Paramedics would be required to
learn it.
>
> Thats about the silliest thing I've ever heard. "Or read"...:/ What
> in the heck would they do with code? They don't monitor shortwave
> bands for emergencies. The coast guard can be summoned to the HF bands
> though. I've done it myself. I ran into a sailboat in trouble on 40m
> one night, and called the coast guard in Miami. They plopped right on
> our frequency. I bet someone there at the coast guard station knew
> code. No, we didn't use it, as the boat was SSB, but what if the boat
> only had a cw rig? Or the batteries were so low, that low power cw was
> the prefered route to take?
> I guess unless I or someone else that knew the code, heard them, they
> would be totally SOL. That would be a hell of a note. Stuck out in the
> Pacific on a boat with a cw rig, and not a single person in the US
> could copy them, because it became stylish to be "new tech" and
> everyone dropped the code totally. That's gonna be our future in not
> too many years down the line. The code is history as far as ham tests
> as soon as it's dropped by treaty. That very well could be the next
> WARC. Less is not more. I am a superior radio operator knowing code,

> than not knowing it. Any argument to the contrary is ludicrous. I'll
> save that poor cw running bastard in the sailboat. You'll let him
> drown due to ignorance if you don't know the code. Thats the simple
> truth. New fangled digital modes won't do you a bit of good if he
> doesn't have them on the boat. And yes, I have heard one real life
> emergency using CW. So it can, and does happen.
>
> > They seem to be able to get through on THEIR BANDS with voice just fine.
>
> Duh, no kidding...
> >
> > Something to THINK about.
>
> I have better things to think about. MK

4578. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 13:36:23 UTC
From: Bill Turner <w7ti@dslextreme.com>
Message-ID: <t6c5ruk8p83v7t85it18gm9b3l08fsf1fj@4ax.com>
Source record: 38289
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

On Sun, 20 Oct 2002 00:08:40 GMT, "Dan Conti" <dconti@nj.rr.com>
wrote:

>This type of nonsense is totally unnecessary. At least I use my real name
>and do not hide behind a ludicrous moniker like "Common sense talking"
>which you are anything but.

Dan: Killfile anyone who posts anonymously. Their blatherings
have zero value.

Bill, W7TI

4579. FS IC-R75

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 14:11:03 UTC
From: Fred Allen <fallen@polarcomm.com>
Message-ID: <3db2b8d8$2@news.polarcomm.com>
Source record: 38290

I have a IC-R75 Shortwave Receiver for sale. Comes with power supply, box, and manual, (no DSP). Unit is in excellent condition. $415.00 shipped via US Priority Mail. Check, MO or Paypal.

Thanks,
Fred

4580. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 14:21:48 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <0_ys9.16575$1P1.1131763@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38291
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:Z3os9.24110$Up6.5298151@twister.nyc.rr.com...
>
> > Naw ... you just send it as an email attachment.
> > Should arrive just as fast as the PayPal.
> >
> > The "tantrum kid" will grow up eventually, but I wonder if he
> > will ever get over his whining problem. "I want it NOW and
> > I'll scream and whine and kick until I get it, so there!"
> >
> > Did I miss the posting with an agreement about shipping terms?
> > First day air? Overnight? Ground? Buyer pickup?
> > Maybe they agreed on counter-to-counter.
> >
> No Hank...
>
> The agreement was, I pay immediately via PAYPAL, and he ships the next day.
> Not too complicated for you is it?
>
> However, as of today, 9 days after this agreement, the item still had not
> been shipped.

How do you know that if you are unable to contact the seller?

> Am I still the "tantrum kid"? Would YOU tolerate this violation of an
> agreement?

Yeah ... I give folks some slack.

> Oh sorry, I guess I'm just whining. Big grown up men such as you would have
> much much more patience, right?

Yes.

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

4581. Re: Advice on new HF rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 14:28:32 UTC
From: Larry Bratcher <lbratche@swbell.net>
Message-ID: <k4zs9.17$ij7.15253605@newssvr12.news.prodigy.com>
Source record: 38292

A couple other radios that are excellent perfomers and are dropping in price
used at the Yaesu FT-920 and Icom IC-746. The 920 is still in production
and I have seen them use for as low as $750 shipped. The 746 runs $800 -
$850 used, but you do get 2 meter. I'd suggest searching Eham.com and
QTH.com classified ads and I bet you find a good used radio.
"Joe S." <joe@schlatter.org> wrote in message
news:aosr9o0154r@enews3.newsguy.com...
> Go to ebay. Buy an Icom IC-735 and PS-55 power supply. If you can find
> one, buy an AT-150 antenna tuner. Good solid rig and will cost less than
a
> new one.
>
> --
>
> ------
> Regards,
> Joe S.
>
>
> "oktx" <you@somehost.somedomain> wrote in message
> news:0FAAE3514A3E9DFA.13D5602446F7F8FE.57970F03E994EBD5@lp.airnews.net...
> > I'm studying hard for my General class. Scheduled for the exam in early
> > December. I guess I should be starting my shopping and comparison for a
> > transceiver. After I've centered on a radio I'll start obsessing about
> > antennas. I don't have tons of money to buy any of the high $ deluxe
> > jobs. I do have enough to send on quality though. I want a good "first
> > radio" that will provide me years of service with minimum hassles.
> > Something I can grow with. I've been reading up on the ICOM IC-718 and
> > the Kenwood TS-570 series. They both look to be decent radios and are
> > certainly from good companies. The EHAM.NET reviews on both of them are
> > good. From reading through the manuals I think I'm leaning towards the
> > Kenwood. Pricewise the ICOM looks good, but not by much.
> >
> > Anyway, are there any other candidates I should consider.
> >
> > Does anyone have a strong preference either way....and why.
> >
> > Any url's you can point me to on these would help too.
> >
> > Thanks
> >
> >
> >
> >

>
>

4582. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 14:52:00 UTC
From: Jake <Jake@napster.com>
Message-ID: <kqzs9.157804$IL6.7823319@news2.east.cox.net>
Source record: 38293
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Dan,

Don't let these fools get to you. Anytime you post something be prepared
for some fool to attack you with their vile language. Makes me wonder why
in any discourse one party feels the necessity to launch a personal attack.
Guess they learn it from the politicians, launch a personal attack because
their position is really defenseless.

Can you imagine what kind of life they must have if a post on the internet
can make them that disturbed?

Keep posting about bad experiences and let the jokers post their most
intelligent replys, they are rather humerous.

4583. Hallicrafter SX-62

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 15:16:03 UTC
From: PeterMuto <p.muto@att.net>
Message-ID: <TMzs9.11274$Mb3.363521@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38294

I have a Hallicrafters Model SX-62 in working condition with spare tubes. I also have a tube tester Mercury Model 1101 with manual and tube listing manual also in working order

If interested reply to this e-mail or call 413-732-7392

Peter Muto

4584. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 15:40:31 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <vij5rucddq5fs14jrocniuho22udn2m7q4@4ax.com>
Source record: 38295

On Sun, 20 Oct 2002 07:20:12 GMT, "Fah Q Too" <a@b.c> wrote:

>it is called. get the fucking dildo out of your ass. if someone sent

Hmm.. forwarded to ISP for TOS violation. bye bye
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

4585. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 15:41:08 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <pjj5ru83r2k5uqo2vo0pa98rpbtlpann9d@4ax.com>
Source record: 38296

On Sun, 20 Oct 2002 02:43:29 GMT, "Dan Conti" <dconti@nj.rr.com>
wrote:

>I will preface my remarks by stating that I am appalled by the venom spewed
>in my direction by the majority of respondents to the topic of my initial
>thread here. It was also interesting to note the the majority of these
>responses were from posters hiding behind the veil of anonymity, using foul
>language and vulgar name calling.

Unfortunately it is the nature of the newsgroups. Good luck on your
purchase.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

4586. Re: FT-990 Firmware version?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 16:09:55 UTC
From: Juha <REMOVEjuha_@hotmail.com>
Message-ID: <aouk9g$g6s$1@phys-news1.kolumbus.fi>
Source record: 38297

"Juha" wrote
> Hi
>
> Can you guess the firmware version of FT-990, serial number: 1L090165 ?
> I might buy it, but like to know the version first. The owner has the rig
on
> his other QTH and cannot check the version at the moment.
>
> 73
> Juha
>

Problem solved!

4587. Re: Advice on new HF rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 16:51:06 UTC
From: Lou <tech@dp.net>
Message-ID: <aounvr$1a5s$1@news.dp.net>
Source record: 38198

Based on "my" own experience.... If I had it to do over, I'd stick with an older rig, bought in decent condition. I've had an HW 101, I bought a brand new Kenwood TS-440S/AT. I'm not saying the new rig was bad or I don't like it. But for the money, I was just as well off with the old HW 101 and a separate General Coverage Receiver. I don't use the new one much, nor have I used half the options that came with it. As for the tuner, I will say I'm not happy with it. A waste of extra money in my book. I've been using an external tuner more often than not. As to audio, I still like the crisp crackle of the tube sets.... When I first got into Electronics at the age of 10, Transistors had already made their debut. But the ole reliable tubes still do much better I think, when it comes to audio. My opinion only. There is no way in hell, I would shell out another $1300 or so for a radio. How some of these guys have 7 or 8 pictured in their shack is beyond me. Even if I could afford that many I wouldn't "waste" the money.....You can't even work on them unless you have top notch equipment (which I have) but still, they are a pain to work on. I prefer the old stuff. Much easier to repair. Besides, the older I do get, the worse it is to see the smaller stuff. I like to be able to "see" what I'm working on..

Lou/Tech@DP.NET

"Larry Bratcher" <lbratche@swbell.net> wrote in message
news:k4zs9.17$ij7.15253605@newssvr12.news.prodigy.com...
> A couple other radios that are excellent perfomers and are dropping in
price
> used at the Yaesu FT-920 and Icom IC-746. The 920 is still in production
> and I have seen them use for as low as $750 shipped. The 746 runs $800 -
> $850 used, but you do get 2 meter. I'd suggest searching Eham.com and
> QTH.com classified ads and I bet you find a good used radio.
> "Joe S." <joe@schlatter.org> wrote in message
> news:aosr9o0154r@enews3.newsguy.com...
> > Go to ebay. Buy an Icom IC-735 and PS-55 power supply. If you can
find
> > one, buy an AT-150 antenna tuner. Good solid rig and will cost less
than
> a
> > new one.
> >
> > --
> >
> > ------
> > Regards,
> > Joe S.
> >
> >

> > "oktx" <you@somehost.somedomain> wrote in message
> >
news:0FAAE3514A3E9DFA.13D5602446F7F8FE.57970F03E994EBD5@lp.airnews.net...
> > > I'm studying hard for my General class. Scheduled for the exam in
early
> > > December. I guess I should be starting my shopping and comparison for
a
> > > transceiver. After I've centered on a radio I'll start obsessing
about
> > > antennas. I don't have tons of money to buy any of the high $ deluxe
> > > jobs. I do have enough to send on quality though. I want a good
"first
> > > radio" that will provide me years of service with minimum hassles.
> > > Something I can grow with. I've been reading up on the ICOM IC-718
and
> > > the Kenwood TS-570 series. They both look to be decent radios and are
> > > certainly from good companies. The EHAM.NET reviews on both of them
are
> > > good. From reading through the manuals I think I'm leaning towards the
> > > Kenwood. Pricewise the ICOM looks good, but not by much.
> > >
> > > Anyway, are there any other candidates I should consider.
> > >
> > > Does anyone have a strong preference either way....and why.
> > >
> > > Any url's you can point me to on these would help too.
> > >
> > > Thanks
> > >
> > >
> > >
> > >
> >
> >
>
>

4588. Re: Advice on new HF rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 18:48:39 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <wvOyPZfTEMpN7RvRkUDsyczf9uv=@4ax.com>
Source record: 38199

oktx <you@somehost.somedomain> wrote:

>I'm studying hard for my General class. Scheduled for the exam in early
>December. I guess I should be starting my shopping and comparison for a
>transceiver. After I've centered on a radio I'll start obsessing about
>antennas. I don't have tons of money to buy any of the high $ deluxe
>jobs. I do have enough to send on quality though. I want a good "first
>radio" that will provide me years of service with minimum hassles.
>Something I can grow with. I've been reading up on the ICOM IC-718 and
>the Kenwood TS-570 series. They both look to be decent radios and are
>certainly from good companies. The EHAM.NET reviews on both of them are
>good. From reading through the manuals I think I'm leaning towards the
>Kenwood. Pricewise the ICOM looks good, but not by much.
>
>Anyway, are there any other candidates I should consider.
>
>Does anyone have a strong preference either way....and why.
>
>Any url's you can point me to on these would help too.

Since you're new and just starting out on hf, it's hard to know what to recommend -- what works best for you will depend on what particular mode(s) you get interested in, what activities you like on hf, etc. Still, your instincts are pretty good -- mainstream all-mode 100-watt rigs that you can easily resell if you decide on something else.

Try http://www.aesham.com and ask that they mail their paper catalog to you. It's about 150 pages long, and lists virtually off of the currently popular ham gear and all of the accessories, etc. you'll need. Kind of a "dream-book" for radio dweebs.

It's also a good idea to subscribe to QST so you can go to http://www.arrl.org and look at the product reviews in their "members only" section. You'll have access to virtually every rig review of the past 20 years or so.

If you buy used, if from an individual, it's best to stick with someone local rather than a stranger on the internet. Or, you can go to a store like Amateur Electronic Supply or a manufacturer like Ten-Tec and get used gear that's guaranteed for 30 days, so you can return it if you don't like it.

Otherwise, I'd say just stick with the known brands -- Icom, Kenwood, Yaesu, Alinco and Ten-Tec. You can save a bit of money by going with a power supply from Astron or MFJ -- the power suppies from the radio manufacturers seem overpriced to me.

Have fun...

Bob
k5qwg

>
>Thanks
>
>
>

4589. WTB ICOM IC-2800H DISPLAY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 19:03:59 UTC
From: Terry Bailey <ham654@yahoo.com>
Message-ID: <3DB2FE20.98C1CA75@yahoo.com>
Source record: 38200

I am looking to purchase a display panel for a Icom IC-2800. I have a working radio but the display was stolen out of my vehicle about a year ago. Need to find someone that has non-working radio but a working display. This is a chance to get something back out of a broken radio. Contact me at ham654@yahoo.com

Terry

4590. FA: Really Nice YAESU FT-221R All-Mode, 2-mtrs, TechSpec-Tonite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 19:18:51 UTC
From: rlucch2098@aol.com
Message-ID: <20021020151851.26142.00003980@mb-fe.aol.com>
Source record: 38201

Ends tonight, real nice pictures also!
Please place http: in front of the URL(address)
//cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387936997

4591. FA: Precision "TUBE MASTER" 10-12 Tube Tester, Nice one-tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 19:20:49 UTC
From: rlucch2098@aol.com
Message-ID: <20021020152049.26142.00003982@mb-fe.aol.com>
Source record: 38202

Ends tonight, real nice pictures also!
A big $40.00
Please place http: in front of the URL(address)
//cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387936976

4592. FA: MINT US ARMY SIG.CORPS BC-221-AA by PHILCO, '42, 2-NITE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 19:24:17 UTC
From: rlucch2098@aol.com
Message-ID: <20021020152417.26142.00003986@mb-fe.aol.com>
Source record: 38203

Ends tonight, real nice pictures also!
A big $40.00
Please place http: in front of the URL(address)
//cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387936962

4593. fa>Ham CAMERA COLLECTORS>1950 Ferrania ElioFlex TLR-MINT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 19:26:36 UTC
From: rlucch2098@aol.com
Message-ID: <20021020152636.26142.00003989@mb-fe.aol.com>
Source record: 38204

Ends tonight, real nice pictures also!
A big $26.00
Please place http: in front of the URL(address)
//cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387936992

4594. fa> Ham CB COLLECTORS> Lafayette COMSTAT 19 Tube CB -2-nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 19:28:33 UTC
From: rlucch2098@aol.com
Message-ID: <20021020152833.26142.00003994@mb-fe.aol.com>
Source record: 38205

Ends tonight, real nice pictures also!
A big $70.00
Please place http: in front of the URL(address)
//cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387936973

4595. Fa--US ARMY SIG Corps RADIO FILTER FL-5-C, Last call @$11

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 19:30:39 UTC
From: rlucch2098@aol.com
Message-ID: <20021020153039.26142.00003995@mb-fe.aol.com>
Source record: 38206

Ends tonight, real nice pictures also!
A big $11.00
Please place http: in front of the URL(address)
//cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387936955
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

4596. Fa-- Allied/Realistic SP-150 Speaker, really Clean @$18, Tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 19:32:25 UTC
From: rlucch2098@aol.com
Message-ID: <20021020153225.26142.00003998@mb-fe.aol.com>
Source record: 38207

Ends tonight, real nice pictures also!
A big $18.00
Please place http: in front of the URL(address)
//cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387941871

4597. FA_ RARE ASTATIC DN-HZ Microphone from 40's-50's@abig $18 tonite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 19:34:16 UTC
From: rlucch2098@aol.com
Message-ID: <20021020153416.26142.00004000@mb-fe.aol.com>
Source record: 38208

Ends tonight, real nice pictures also!
A big $18.00
Please place http: in front of the URL(address)
//cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1387936967

4598. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 20:06:03 UTC
From: Ken Wolfe <k3qv@hotmail.com>
Message-ID: <ur635b5epv8524@corp.supernews.com>
Source record: 38209
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:h6ss9.24669$Up6.5484940@twister.nyc.rr.com...
> > Have a good day,
> >
> Hey, you too....
>
> (Why does everyone always end their bloated tirades here with "Have a nice
> day", do you really want me to have a nice day? Or, "get a
life"...sheesh,
> what does that mean? All very sophmoric, yet amusing).
>
> Dan
>
> > Ken
> > >

You tell me.....you seem to be the only one around here with the correct
answers.

4599. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 20:09:47 UTC
From: Carleton Ingerson <n1dxm@prexar.com>
Message-ID: <ra36ruk9e8m8q5ltp28184mu2vqlcppl68@4ax.com>
Source record: 38210

Why the hell don't you guys let this die??? You thoroughly beat it to
death and I for one am sick of seeing it.

Carl

On Sun, 20 Oct 2002 14:21:48 GMT, "Hank Oredson" <horedson@att.net>
wrote:

>
>"Dan Conti" <dconti@nj.rr.com> wrote in message
>news:Z3os9.24110$Up6.5298151@twister.nyc.rr.com...
>>
>> > Naw ... you just send it as an email attachment.
>> > Should arrive just as fast as the PayPal.
>> >
>> > The "tantrum kid" will grow up eventually, but I wonder if he
>> > will ever get over his whining problem. "I want it NOW and
>> > I'll scream and whine and kick until I get it, so there!"
>> >
>> > Did I miss the posting with an agreement about shipping terms?
>> > First day air? Overnight? Ground? Buyer pickup?
>> > Maybe they agreed on counter-to-counter.
>> >
>> No Hank...
>>
>> The agreement was, I pay immediately via PAYPAL, and he ships the next day.
>> Not too complicated for you is it?
>>
>> However, as of today, 9 days after this agreement, the item still had not
>> been shipped.
>
>How do you know that if you are unable to contact the seller?
>
>> Am I still the "tantrum kid"? Would YOU tolerate this violation of an
>> agreement?
>
>Yeah ... I give folks some slack.
>
>> Oh sorry, I guess I'm just whining. Big grown up men such as you would have
>> much much more patience, right?
>
>Yes.

4600. FS: Yaesu FT-1000D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 21:04:24 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <2h56ru4fvfhci4fjqgesfc046ism6dve2r@4ax.com>
Source record: 38211

I have for sale in excellent condition a Yaesu FT-1000D bought new in 1992. I have the original boxes and manual and its from a non-smoker. I will ship it anywhere in the 48 states for $2100. If you have any questions email or call (508) 821-2993....WZ1U Steve / Lakeville, Ma.

4601. FS: RS PRO-34/2026 Service Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 21:05:50 UTC
From: dinoal7lz@aol.com
Message-ID: <20021020170550.04382.00003688@mb-fi.aol.com>
Source record: 38212

Have one copy each....$23 each shipped to your door.

Dino KL0S/4

4602. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 21:21:23 UTC
From: Dick Carroll <dixie@townsqr.com>
Message-ID: <aov6ojdeq0@208.207.71.150>
Source record: 38213
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Sir Circumference wrote:
>
> Brenda Ann wrote:
> >
> > People tend not to realize that sometimes ALL the bands are dead. There are
> > times when you cannot get phone communications through. I have seen these
> > times.
>
> If the bands are dead, even cw isn't going to get through.

But it darn sure will when the bands are too dead for voice modes.If
there's any propagation at all then CW is more likely to make it
through. Of course some of the new digital modes do even better, but
require the necessary hardware, while CW does it with simple gear.

4603. FS: 2 AM broadcast CP's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 22:08:04 UTC
From: dangett@yahoo.com
Message-ID: <49206ac2.0210201408.1d55c03e@posting.google.com>
Source record: 38214

Hello:

I am looking for qualified buyers who are interested in an AM construction permit for the Central Gulf Coast Florida area OR the Northern California area.

Interested parties should respond to the email above with complete contact info.
Thanks,
Dan

4604. FS: Siemens C3m valves, NOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 22:10:26 UTC
From: arnoldg@c2i.net
Message-ID: <3db3294e.20397855@news1.c2i.net>
Source record: 38215

Hello,

This very special Siemens valve can be used as a driver for 300B and similar. It is a pentode with a heater of 20V 0.125A, Va 225 Vg2 155V Ia 16mA Ig2 3mA S = 6.5mA/V Wa 4W max Ik max 30mA. Loctal socket. I have several in stock at NOK 172.- each or about $ 22.90. They are all NOS and in original boxes. Pictures and data on my web site - www.demostenes.no

Best regards,

Arnold Goks&#65533;yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as sockets,transformers,books,caps,resistors and other components. Web site is updated every week. You can order on-line.

4605. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 22:50:53 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <hrGs9.12694$Mb3.408393@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38216

So why do you read it then?

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Carleton Ingerson" <n1dxm@prexar.com> wrote in message
news:ra36ruk9e8m8q5ltp28184mu2vqlcppl68@4ax.com...
> Why the hell don't you guys let this die??? You thoroughly beat it to
> death and I for one am sick of seeing it.
>
> Carl
>
> On Sun, 20 Oct 2002 14:21:48 GMT, "Hank Oredson" <horedson@att.net>
> wrote:
>
> >
> >"Dan Conti" <dconti@nj.rr.com> wrote in message
> >news:Z3os9.24110$Up6.5298151@twister.nyc.rr.com...
> >>
> >> > Naw ... you just send it as an email attachment.
> >> > Should arrive just as fast as the PayPal.
> >> >
> >> > The "tantrum kid" will grow up eventually, but I wonder if he
> >> > will ever get over his whining problem. "I want it NOW and
> >> > I'll scream and whine and kick until I get it, so there!"
> >> >
> >> > Did I miss the posting with an agreement about shipping terms?
> >> > First day air? Overnight? Ground? Buyer pickup?
> >> > Maybe they agreed on counter-to-counter.
> >> >
> >> No Hank...
> >>
> >> The agreement was, I pay immediately via PAYPAL, and he ships the next
day.
> >> Not too complicated for you is it?
> >>
> >> However, as of today, 9 days after this agreement, the item still had not
> >> been shipped.
> >
> >How do you know that if you are unable to contact the seller?
> >

> >> Am I still the "tantrum kid"? Would YOU tolerate this violation of an
> >> agreement?
> >
> >Yeah ... I give folks some slack.
> >
> >> Oh sorry, I guess I'm just whining. Big grown up men such as you would
have
> >> much much more patience, right?
> >
> >Yes.
>

4606. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 22:59:03 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <XyGs9.14492$gB.6370917@twister.nyc.rr.com>
Source record: 38217
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> You tell me.....you seem to be the only one around here with the correct
> answers.
>
Thanks Ken, you're right.

It's so nice of them to ask me to have a nice day, isn't it?

8)

Dan

4607. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 22:59:31 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <nzGs9.14493$gB.6371389@twister.nyc.rr.com>
Source record: 38218
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Thanks Jake...

"Jake" <Jake@napster.com> wrote in message
news:kqzs9.157804$IL6.7823319@news2.east.cox.net...
> Dan,
>
> Don't let these fools get to you. Anytime you post something be prepared
> for some fool to attack you with their vile language. Makes me wonder why
> in any discourse one party feels the necessity to launch a personal
attack.
> Guess they learn it from the politicians, launch a personal attack because
> their position is really defenseless.
>
> Can you imagine what kind of life they must have if a post on the internet
> can make them that disturbed?
>
> Keep posting about bad experiences and let the jokers post their most
> intelligent replys, they are rather humerous.
>
>
>
>
>
>
>

4608. Re: Advice on new HF rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 23:04:16 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DB3370A.7C7B5F8@optonline.net>
Source record: 38219

Hi, I don't know what those radios below go for but you can get a
used Yaesu FT-847, HF, 2 meters, 6 meters, 440 for around $800 - 1000.
Great radio, most bang for the buck.

Follow the link below to check it out. Good Luck and 73

http://www.uksmg.org/ft847.htm

---

oktx wrote:

> I'm studying hard for my General class. Scheduled for the exam in early
> December. I guess I should be starting my shopping and comparison for a
> transceiver. After I've centered on a radio I'll start obsessing about
> antennas. I don't have tons of money to buy any of the high $ deluxe
> jobs. I do have enough to send on quality though. I want a good "first
> radio" that will provide me years of service with minimum hassles.
> Something I can grow with. I've been reading up on the ICOM IC-718 and
> the Kenwood TS-570 series. They both look to be decent radios and are
> certainly from good companies. The EHAM.NET reviews on both of them are
> good. From reading through the manuals I think I'm leaning towards the
> Kenwood. Pricewise the ICOM looks good, but not by much.
>
> Anyway, are there any other candidates I should consider.
>
> Does anyone have a strong preference either way....and why.
>
> Any url's you can point me to on these would help too.
>
> Thanks

4609. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 23:26:12 UTC
From: Sir Circumference <mrradio@hotnet.net>
Message-ID: <3DB33B94.19693CB7@hotnet.net>
Source record: 38225
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

```
Dick Carroll wrote:
>
> Sir Circumference wrote:
> >
> > Brenda Ann wrote:
> > >
> > > People tend not to realize that sometimes ALL the bands are dead. There are
> > > times when you cannot get phone communications through. I have seen these
> > > times.
> > >
> > If the bands are dead, even cw isn't going to get through.
>
> But it darn sure will when the bands are too dead for voice modes.If
> there's any propagation at all then CW is more likely to make it
> through. Of course some of the new digital modes do even better, but
> require the necessary hardware, while CW does it with simple gear.

Then the band isn't dead.
```

4610. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-20 23:31:09 UTC
From: SideBand <krNO8SPAMlr@cac.net>
Message-ID: <3DB33CBD.1080604@cac.net>
Source record: 38220
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

You're a hypocrite, Robert.

You don't like CBers, yet you plan to act like one on 27.whatever (27.185
is 19, BTW).

IF you have a license, you should already know that actions like this,
regardless of what band they're done on, are not only against FCC rules,
but against the rules of common decency.

de KR8LR, Chris

Robert M. Bratcher Jr wrote:

> On Tue, 15 Oct 2002 07:21:51 GMT, Dwight Stewart <stewart@sc.rr.com>
> wrote:
>
>
>>"n7vrz@charter.net" wrote:
>>
>>>Well, as much as I hate to see CB'ers use that
>>>stuff and trashing the bands with bleed over,
>>>it's not illegal to sell/own one. It is illegal
>>>to use it, though. So I see no problem with him
>>>selling.
>>>
>>
>> Actually, you need to look at the regulations again. A change in the rules
>>several years ago made it illegal to sell non-certified equipment capable of
>>transmitting on the frequencies in or around the CB band (95.603, 95.607,
>>95.639, and so on).
>>
>>
>>
>
> Then what about older 50's era ham transmitters that have the 11 meter
> band already on them? I suppose a ham could legally sell that to
> another ham as the average cb'er wouldn't know how to tune a tube
> based transmitter.
>
>
>>>He should note in his ad that it is not for use
>>>on anything other than amatuer radio bands.
>>>
>>
>> It doesn't matter what he says in the ads, if it can transmit on the

>>frequencies in or around the CB band, it is still against the rules.
>>
>>
>>Dwight Stewart (W5NET)
>>
>
> Still it might be fun (and very illegal) tu tune an old collins (50's
> era) rig (like the 32-v series, KWS-1 or KW-1) on Ch 19 (27. whatever
> it is) and QRM the cb'ers for awhile.
>
> 100w (or even a KW) of dead carrier (or whistles & other noise) would
> drive them nuts on a cb channel. But then I really don't like cb'ers
> anyway.
>
> Would I ever do it? Nope...
>

--
73 de KR8LR, Chris

4611. Re: Best Radio For Technican Class License

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 00:32:56 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <lkqzPel6=KGE2GmPKlU+EPZfxKAo@4ax.com>
Source record: 38221

"Jackie LaVaque" <buzzygirl@REMOVE.attbi.com> wrote:

>
>"Dee D. Flint" <dee.hays@sbcglobal.net> wrote in message
>news:0Ogs9.589$z5.438233@newssvr28.news.prodigy.com...
>
>> According to the book "Morse Code the Essential Language", it takes the
>> average person 30 hours of study and practice to get to 5 words per
>minute.
>> Some people will take a lot less and some will take a lot more. If you've
>> only got a few minutes per day, it could take 6 months.
>
>I've given myself 6 months for precisely that reason- I have maybe 10
>minutes or less per day to devote to CW study, and even then I won't be able
>to study everyday. It may even take me longer than 6 months, but it'd have
>little to do with how fast or how well I learn, and everything to do with
>how much time I can devote to it. Working two jobs kinda takes a big bite
>out of free time that way.

If you drive to work, you might look for a code-learning program that will play
on your car audio system -- that'd be a good way to make use of your drivetime.

Bob
k5qwg
>
>Jackie
>

4612. Galaxy Saturn Turbo

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 00:44:12 UTC
From: Dick <grburke@adelphia.net>
Message-ID: <w5Is9.38722$m92.7471759@news1.news.adelphia.net>
Source record: 38222
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb

Can anyone tell me what one of these radios is worth used in great condition?I have an offer of a trade as they want a RCI 2950 I have and will trade me even up.He just wants a mobile and not the base.
My instincts say go for it.I know the person,and do know he keeps his equipment in mint shape.I just need to know what it is worth if I want to sell it as I may do.I don't use the 2950, and I doubt that I will use the Galaxy .Email me if you got any info that may be of help.Thanks for any help in advance.

4613. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 00:44:58 UTC
From: Dan Morisseau <dpm3@morisseau.org>
Message-ID: <3DB34E2C.615C0DBD@morisseau.org>
Source record: 38223
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Ken Wolfe wrote:

> "Dan Conti" <dconti@nj.rr.com> wrote in message
> news:h6ss9.24669$Up6.5484940@twister.nyc.rr.com...
> > > Have a good day,
> > >
> > Hey, you too....
> >
> > (Why does everyone always end their bloated tirades here with "Have a nice
> > day", do you really want me to have a nice day? Or, "get a
> life"...sheesh,
> > what does that mean? All very sophmoric, yet amusing).
> >
> > Dan
> >
> > > Ken
> > > >
>
> You tell me.....you seem to be the only one around here with the correct
> answers.

Hey! Give it a freekin' rest will you, pal? You just can't seem to leave well enough alone. If Dan had literally fallen upon his sword (he has done so figuratively already) you'd be complaining that he didn't suffer enough pain. I don't think you guys are interested in anything more high minded than cheap posturing. You guys want to parade your sensitivity bona fides for all the other cheap shot specialists to admire? Do it somewhere else. Your act is getting old.

--
Dan Morisseau - N 38ï¿½34'53", W 90ï¿½22'32", 680'
On the sunrise side of Mo-Pac's famous Kirkwood Hill!
Cardinal Nation: JFB / DK - 57
"ï¿½Y tu madre tambien!"

4614. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 00:56:37 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <9hls9.14511$gB.6460337@twister.nyc.rr.com>
Source record: 38224
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Hey FAH Q

Once again....

FAH Q

Dan

"Fah Q Too" <a@b.c> wrote in message
news:MOss9.40949$ER5.2632356@news2.telusplanet.net...
> it is called. get the fucking dildo out of your ass. if someone sent
> something ground mail. it can take up to 15 days to recieve. I have payed
> people for 2 day delivery and got over 20 day delivery. I myself don't
have
> a dildo up my ass. As you seem to alway run me down on all my posts.
> Nomatter if they are helpful or not. I would not beleive that you have
> contributed to this group at all. Well besides whining, running people
down
> and saying people don't do things they should do. You remind me of a few
> sales I have had. A person whining saying they payed the person money and
> not getting anything in return. Even though they probably didn'tsend the
> money. That is the advantage of a credit card. You insist he has your $$.
> when infact. You could. if you wanted to. Call paypal. or even say visa,
> mastercard. american express and say you did not even send that
transaction.
> all 4of those. will either stop the $$ being sent. Paypal will freeze the
> money or refund it and take it out of the other account and so on. If you
> can prove you are not a loser just wanting to flame a person out ofthe
blue
> like you do to me. Shit. I sell lots of my canadian gear to the US with 2
> day courier service. I have not got 1 bad comment on ebay or elsewhere. So
I
> don't believe you have tried to stop the payment. there are easy ways to
> stop it. Oh ya. you insist I am hiding and you insist onswearing by ebay.
I
> am NEMOSWITCH no matter where you look ya baby. waaaaaaaaahhhhhh. do some
> searching mr FBI dude. A credit card does not have the $$ till it is
final.
>
> Dev
>
>
>

4615. KLM 15M6 & 10M6 manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 01:52:38 UTC
From: Zoran Brlecic <WA7AA@attbi.com>
Message-ID: <3DB35D6B.5060509@attbi.com>
Source record: 38226
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

Hi, folks.

I am still looking for the KLM 15M6 and 10M6 monobander manuals. I know there are quite a few out there who are still using them so, please, guys, do me a favor...
If you don't have time to scan or copy them, let me know and I'll arrange a FedEx pickup for you to send me the originals so I can copy them, then I'll send you the originals back. Or something. Name your price.

I'll even settle for only a diagram with measurements.

Thanks and 73 .... Zoran WA7AA

4616. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 02:36:48 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aovnqt$k8m$1@news1.kornet.net>
Source record: 38227
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

�Y que?

> Dan Morisseau - N 38�34'53", W 90�22'32", 680'
> On the sunrise side of Mo-Pac's famous Kirkwood Hill!
> Cardinal Nation: JFB / DK - 57
> "�Y tu madre tambien!"
>
>

4617. Re: Advice on new HF rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 02:37:24 UTC
From: lombryt@hotmail.com
Message-ID: <db35a0c.0210201837.4078516c@posting.google.com>
Source record: 38228

oktx <you@somehost.somedomain> wrote in message
news:<0FAAE3514A3E9DFA.13D5602446F7F8FE.57970F03E994EBD5@lp.airnews.net>...
> I'm studying hard for my General class. Scheduled for the exam in early
> December. I guess I should be starting my shopping and comparison for a
> transceiver. After I've centered on a radio I'll start obsessing about
> antennas. I don't have tons of money to buy any of the high $ deluxe
> jobs. I do have enough to send on quality though. I want a good "first
> radio" that will provide me years of service with minimum hassles.
> Something I can grow with. I've been reading up on the ICOM IC-718 and
> the Kenwood TS-570 series. They both look to be decent radios and are
> certainly from good companies. The EHAM.NET reviews on both of them are
> good. From reading through the manuals I think I'm leaning towards the
> Kenwood. Pricewise the ICOM looks good, but not by much.

Hi OM,

I reviewed the TS-570D in a long article for eham some months ago what
received a warm appreciation (see
http://www.astrosurf.com/lombry/qsl-ts570.htm) and several other
procusts too.
I personally selected the 570 serie for its size first, then its
design and digital board and secondarily for its features (DSP
functions) as it was also for me a new one, a "test" RTX after 20
years of "off-line" doing other activities before buying something
"better" if needed. But using it for about 5 months now and in an
average of about 5-8 hours each day I can say I am very satisfied with
it and the "better RTX" will probably wait in the store for some years
or decades... until I estimate that this one is obsolete.
But I think that I will keep it all my live, even as a second RTX (or
to install in a 2d QTH) if I buy another one, a high-end one.

As stated other OMs, kenwood and icom, but even yaesu, are know to
sale excellents models, but all depends your activities and budget.
To begin read a first explanation about this on
http://www.astrosurf.com/lombry/qsl-transceiver.htm were I discuss in
one page about the utility of buying middle and high-ends RTX.

Like for all hobbies, taking my case for example and generalizing it,
I suggest you to try to answer these few questions (and more) :
- What is the time I can reserve to radio : a few or many hours each
day, each week or each month... If you have only a few hours left each
month it is maybe useless or not really necessary to invest in a high
tech rig you will switch on rarely... You will lost your money and it
will be preferable to invest in something more useful.

- What is my budget (far different from country to country, depending your socio-economical level). A TS-570D is today below $1000 but a high-end model may cost you over 3 times that value. Why ? because by definition high-ends use many features and technical design not included in low cost models.

- Can I reserve a room for this activity or not at all... ? See with your wife and maybe your kids if you are married. If you are single the problem is problably resolved as you have all the place you need, even in your car (your wife could appreciate it there to arrange her appointments on the way home)...

- As OM you need an emitting antenna system too. Do you prefer a low cost model, like a dipole (home-made or < $100) or more expensive ones like vertical or beams, or rather a mobile antenna for field or activities of various spots ? Your choice will depend of your space left and prices may vary quite a lot. You can also buy second hands antenna. But if you buy a expensive antenna, you will have less money to invest in your rig or in your P.A.

- What RTX to buy ? This is of course the main "problem"... New rigs include today many digital features and most complex ones cover all bands from HF to UHF or more (for scanners). Minus sides high-ends are also very expensive, heavy, and not really "portable"...
- So are you interested in a base station or a mobile one, in HF only (SSB or CW) or higher bands and other modes too, which require specific antennas or accessories too ? The choice of your RTX (or RTXs) - and peripherals - will depend of your answers...

- Are you fan of DXing and pile-ups or more simply by local QSO from time to time, etc ? Do you want to achieve your DXCC honor roll in one year or never ?
To excel in pile-up i.e, to be a performer you need also (usually) a performing system (RTX, procedure and antenna), even if you can reach Antarctica in QRP.
RTX side (or RX side) you need features able to extract weak signals, to isolate them from QRM or to extract signals lost below the white noise, depending your activities. You also need memories and other facilities to quick access to most used features when working pile-ups or under QRM.
So you should select e.g. rigs placing their DSP at the IF stage in place of the Audio stage (like in the TS-570D), even if some old analog model are always great performers (TS-850S, etc). But such "move" of the DSP cost a lot too... even if an Elecraft is an excellent low-cost challenger (RX side it uses one of the best DSP) even if its looks is "old-fashion" ;-).

I suggest you to read the technical reports on RTX written by users on www.eham.net, http://www.eham.net/reviews/products/14, in QST magazine or various other Ham radio magazine, and to speak with users of both low-end and high-ends rigs.

Remember also that a user (novice or advaned) having just bought a new rig will probably not recognize easily he had made a wrong choice...

73
Thierry
ONL5183
http://www.astrosurf.com/lombry/menu-qsl.htm

> Anyway, are there any other candidates I should consider.
>
> Does anyone have a strong preference either way....and why.
>
> Any url's you can point me to on these would help too.
>
> Thanks

4618. Need recessed mini switch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 03:00:40 UTC
From: cprstn54zz@att.net
Message-ID: <3db36bec.207859609@news-server.optonline.net>
Source record: 38229

I just built a popular kit keyer only to realize after completion that it really needs a recessed 50 mA SPST mini switch for power on-off (internal alkalines) so that it won't reset or start beaconing when packed for camping. Maybe a button strapped to the inside of the back cover and actuated thru a tiny hole? Radio Shack had nothing suitable. Any recommendations?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

4619. Re: Need recessed mini switch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 03:32:50 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3DB37562.7757AFBD@nettally.com>
Source record: 38230

Find a hole mount pushbutton switch and cut the stem off flush with the
threaded body.

Ken wrote:

> I just built a popular kit keyer only to realize after completion that
> it really needs a recessed 50 mA SPST mini switch for power on-off
> (internal alkalines) so that it won't reset or start beaconing when
> packed for camping. Maybe a button strapped to the inside of the back
> cover and actuated thru a tiny hole? Radio Shack had nothing
> suitable. Any recommendations?
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

4620. FS: Complete station

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 04:07:28 UTC
From: "Richard S. Lindzen" <rlindzen@mit.edu>
Message-ID: <iav6ru4u0sc8dapvqhlr41pvu9fhcn2i4g@4ax.com>
Source record: 38231

The following items are for sale as a package (preferably to someone
who can pick them up in the Boston area):

ICOM 750 (Japanese version of the 751) with original microphone, 250hz
CW filter, 6khz AM filter, manual, Service Manual, new ROM and
battery, original box, excellent condition.
Astron RS35M 12 Volt Supply. Excellent condition.
Dentron Clipperton L Linear Amplifier with tuned input and manual.
Excellent condition.
ICOM 260A all mode two meter rig with mike and manual. Very good
condition.
Mirage 100 W. 2 meter Amplifier with preamp. Excellent condition.
Datong RF Speech processor. Excellent condition.

Take everything for $1000. (Miscellaneous extras will be thrown in.)
If interested, contact me by email.

Dick Lindzen, KA1SA, rlindzen@mit.edu

4621. Re: BIG CB amp on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 04:40:25 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3DB38539.17173319@sympatico.ca>
Source record: 38232
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I would have sworn he said:
"Still it might be fun (and very illegal)"
and
"Would I ever do it? Nope..."

Anyhow, thanks for telling anyone who might be so inclined what the
specific frequency is.

Dave

SideBand wrote:
>
> You're a hypocrite, Robert.
>
> You don't like CBers, yet you plan to act like one on 27.whatever (27.185
> is 19, BTW).
>
> IF you have a license, you should already know that actions like this,
> regardless of what band they're done on, are not only against FCC rules,
> but against the rules of common decency.
>
> de KR8LR, Chris
>
> Robert M. Bratcher Jr wrote:
>
> > On Tue, 15 Oct 2002 07:21:51 GMT, Dwight Stewart <stewart@sc.rr.com>
> > wrote:
> >
> >
> >>"n7vrz@charter.net" wrote:
> >>
> >>>Well, as much as I hate to see CB'ers use that
> >>>stuff and trashing the bands with bleed over,
> >>>it's not illegal to sell/own one. It is illegal
> >>>to use it, though. So I see no problem with him
> >>>selling.
> >>>
> >>
> >> Actually, you need to look at the regulations again. A change in the rules
> >>several years ago made it illegal to sell non-certified equipment capable of
> >>transmitting on the frequencies in or around the CB band (95.603, 95.607,
> >>95.639, and so on).
> >>
> >>

> >>
> >
> > Then what about older 50's era ham transmitters that have the 11 meter
> > band already on them? I suppose a ham could legally sell that to
> > another ham as the average cb'er wouldn't know how to tune a tube
> > based transmitter.
> >
> >
> >>>He should note in his ad that it is not for use
> >>>on anything other than amatuer radio bands.
> >>>
> >>
> >> It doesn't matter what he says in the ads, if it can transmit on the
> >>frequencies in or around the CB band, it is still against the rules.
> >>
> >>
> >>Dwight Stewart (W5NET)
> >>
> >
> > Still it might be fun (and very illegal) tu tune an old collins (50's
> > era) rig (like the 32-v series, KWS-1 or KW-1) on Ch 19 (27. whatever
> > it is) and QRM the cb'ers for awhile.
> >
> > 100w (or even a KW) of dead carrier (or whistles & other noise) would
> > drive them nuts on a cb channel. But then I really don't like cb'ers
> > anyway.
> >
> > Would I ever do it? Nope...
> >
>
> --
> 73 de KR8LR, Chris

4622. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 05:36:04 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <8nMs9.20074$1P1.1226166@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38233
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:lLos9.24123$Up6.5328245@twister.nyc.rr.com...
> I will preface my remarks by stating that I am appalled by the venom
spewed
> in my direction by the majority of respondents to the topic of my initial
> thread here.

You put your venom in their faces. What do you expect? They were appalled
by your venom.

Do you think you have a corner on that market? Or are you the only one that
matters?

What *should* you expect?

See comments re: personal problems, below.

> It was also interesting to note the the majority of these
> responses were from posters hiding behind the veil of anonymity, using
foul
> language and vulgar name calling.

I believe you started the namecalling with "Thief!"

Didn't you?

Did you not?

And how do we know "Dan Conti" is your name and that dconti@nj.rr.com is
your email address?

And who cares?

But it does not go unnoticed that you expanded you venomous outburt to just
about everyone that responded.

Here's a fact:

You did not make your post as any type of public service so that others
could be protected, rather it was a childish temper tantrum meant to
embarrass and damage Steve. It was mean-spirted, self-centered,
self-serving, childish, and ill-conceived.

> The purpose of this post is to issue an update in this matter as to
squelch
> further debate.

What you mean here is to squelch the criticism you rightly brought upon
yourself.

Do you always try to control everyone around you?

And, if so, why would you make a fool of yourself in public?

> The final chapter

(The "final chapter" is written everytime someone disagrees with you.)

> will probably not be written until Monday
> or Tuesday of this week, but this is briefly how it stands right now:
>
> Last night, AFTER my PAYPAL complaint was issued, and the initial post was
> made here, I received an e-mail from Steve. Coincidence? Did someone
from
> here contact him? I don't know.

We'll add that to the long list of things you don't know. That long, long
list.

> He stated that he was drawn away suddenly
> to work on a project at a secure government facility, and has been away
all
> week. He stated that he had NO outside internet access this entire time.
> He did not specify as to the exact date he was drawn away, or when he
> returned.

So?

Are you now calling him a liar?

Based on what?

And WHY?

> Steve was very apologetic in his response.

I'm sure he was.

Will you be?

You certainly haven't been yet.

> Steve stated that he was going to reverse the PAYPAL payment to me, and
also
> ship the equipment today, via overnight mail. All I asked of him was to
> ship the equipment, and I never asked for the reversal.

Did you refuse it?

Did you refuse the reversal?

Why not?

Your comment, "All I asked of him . . . .", is the most self-serving, deceitful thing you've posted yet.

Have you no shame?

Have you no notion of right and wrong?

> I do not know why
> he chose to do that if he was shipping me the radio.

To stop you from trashing him publicly?

Do ya think?

Could it be?

Don't play innocent.

It is EXACTLY the response you wanted.

You have a pathological desire for public validation. And that's why YOU reprinted it here.

> He trusted that upon
> receipt of the radio, I would re-submit the payment to him via PAYPAL.

So at least one party to this transaction shows some trust in the other person.

OK, we make a little progress.

BTW, I wouldn't trust a bit. Not on your life.

> As of this writing, I have not received the PAYPAL reversal in my PAYPAL
> account.

So what? Must the world stop and all atnetion be directed to you? Is instant gratification the only gratification you know?

Do you ever stop whining?

Are you public (government) school teacher?

> Also, I did a US Postal tracking on the number he gave for the overnight,
> and once again, as of this writing, no record of the shipment.

So what?

At least one party to this transaction has shown some trust.

Why haven't you?

WHY HAVEN'T YOU?

> YES, it is possible that there are delays in both items above.

So what?

> Anyone contesting the facts above should contact me and I will privately
> e-mail you his e-mail text and the USPS tracking # he provided.

Most people don't care about your personal problems. Problems,
incidentally, unrelated to this transaction. And you'[re the last one I
would trust to produce "facts".

> In my opinion, and that is what the newsgroups are, a bunch of opinions,
the
> BAD GUY title was not excessive.

Not in your mind. But that goes back to the personal problems not a subject
of this thread.

> I firmly believe that a deal is a deal,
> and that not having shipped, 9 days past receiving the money, WITHOUT any
> contact with the buyer, is BAD GUY performance, in the context in which we
> use GOOD GUY and BAD GUY alerts here.

What's this "we" stuff, Lindburg?

In your posts you speak for yourself, not others.

I suppose you presume to speak for others when you childish behaviour is
questioned. I'd expect no more from you.

> Yes, there may have been a reason as to the delay, but unless the
government
> snatched him from his house minutes after receiving my PAYPAL money, kept
> him off the internet, and didn't allow him out until last night, I think a
> short e-mail to me from him indicating the shipment would be delayed was
in
> order.

I have really bad news for you. There are things, millions of them in fact,
more important than you and your personal problems.

But you attempt at sarcasm only adds to the negatives in your column.

> Those here wishing to do business in that fashion, feel free, but at least
> you were forewarned.

(Your claim of "forewarning" is vacuous.)

I'll certainly remember not to do business with you, and will look forward
to doing business with Steve.

All as a result of your postings. Thanks for the warning.

> I should be receiving the radio on Monday, and of course, in fairness to
> Steve, I will report here under a seperate thread.

Oh, gosh, I'll hold my breath. But fairness is not one of your exhibited
traits here. Maybe you'll surprise us and apologize for your tantrum. And
if it isn't there MONDAY, we'll look forward to more venom and namecalling
from you>

> Stay tuned.............

Maybe you should reconsider your behaviour.

You're continuing to make a fool of yourself.

> Dan

4623. Re: Maxon radio's for GMRS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 05:42:02 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <ap0pdl32pkb@enews4.newsguy.com>
Source record: 38238

How much for them??

"Karl Fuller" <karljb@earthlink.net> wrote in message
news:x0xs9.4619$U97.451123@newsread2.prod.itd.earthlink.net...
> i have 3 450-470 uhf ht's 2 are 10ch and i (4 ch for parts) and i 16ch
25wt
> mobile. all will program into gmrs freq's also have the programer for
these.
> these also do rpt and all tones.
>
> --
> Karl :-)
>
>

4624. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 07:10:00 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <cLNs9.14574$gB.6761995@twister.nyc.rr.com>
Source record: 38234
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Ahhh, "To Tell the Truth" another ANONYMOUS little fool spewing SO many words and saying SO little.

OK, I'll bite......let's see what words of wisdom YOU have for me on this....

> You put your venom in their faces. What do you expect? They were appalled
> by your venom.

I guess you've never seen BAD GUY Alerts on the groups before? You use the words "their" and "they". Are you now the new ANONYMOUS spokesperson for the newsgroups?

> Do you think you have a corner on that market? Or are you the only one
that
> matters?
>
> What *should* you expect?
>
> See comments re: personal problems, below.
>
> I believe you started the namecalling with "Thief!"

No , I did not. If and when you learn to read and not follow, you will know this.
Not one time did I call Steve any names, other then the initial title of the generic "Bad Guy Alert" which I stand by.

Also, in all of my responses to the posters here, not once did I ever call anyone a name, use foul language or vulgarities. Despite the nonsense thrown in my direction. We can all agree to disagree, and a good debate is healthy. The other nonsense is unnecessary, wouldn't you agree to that at least?

> Didn't you?

NO

> Did you not?

Uh, no I did not. Asked and answered.

> And how do we know "Dan Conti" is your name and that dconti@nj.rr.com is
> your email address?

#1. dumb statement in this response not worthy of a reply.

> And who cares?

Well, Mr Turth, apparently you do since you spent quite some time, thought, and effort into responding to me here. The fact that you even question it's veracity indictaes you DO care.

> But it does not go unnoticed that you expanded you venomous outburt to just
> about everyone that responded.

OK, show me just ONE example from any of my responses where I "expanded venomous outbursts" to anyone....(whatever that means. I didn't know you could expand a venomous outburst, must be fun).

> Here's a fact:
>
> You did not make your post as any type of public service so that others
> could be protected, rather it was a childish temper tantrum meant to
> embarrass and damage Steve. It was mean-spirted, self-centered,
> self-serving, childish, and ill-conceived.

#2. dumb statement. These are the FACTS according to Mr. Tell the Truth. In reality sir, it is merely your opinion of which you are of course entitled.

> What you mean here is to squelch the criticism you rightly brought upon
> yourself.

Once again, if that is how you perceive the update, knock yourself out.

> Do you always try to control everyone around you?

Yes, I do Mr. Truth...OK?

> And, if so, why would you make a fool of yourself in public?

Your opinion against which I cannot defend.

> > The final chapter

> (The "final chapter" is written everytime someone disagrees with you.)

#4. dumb statement. The one and only time I used that terminology was in the update. I thought it's meaning was pretty clear. If you and others would like, I can certainly offer many MORE chapters to the saga. I can go on and on with this mental mastrubation indefinately.

> We'll add that to the long list of things you don't know. That long, long
> list.

There you go with the "we" again. So if I understand you correctly, you and a bunch of other ANONYMOUS folk got togther, took a look at an entire litany of information, and decided as a group that there are many things I do not know. Damn, you are good.
OOpps, I forgot, add this as dumb statement #5.

> > He stated that he was drawn away suddenly
> > to work on a project at a secure government facility, and has been away
> all
> > week. He stated that he had NO outside internet access this entire
time.
> > He did not specify as to the exact date he was drawn away, or when he
> > returned.
>
> So?

Well, many folks were wondering as to what Steve's excuse was for NOT shipping AS AGREED. (Once again if you READ all of the threads you would know this). So I obliged and relayed it here. OK?

> Are you now calling him a liar?

No, never did, that's another silly conclusion YOU drew from the information.

> Based on what?

> And WHY?

These little snippets will be # 6 and # 7 dumb statements.

> > Steve was very apologetic in his response.
>
> I'm sure he was.

Well , he had reason to be. If you don't get it, YOU WILL NEVER GET IT!

> Will you be?

No, absolutely not. I did not do anything wrong, nor did I violate any terms of our agreement.

> You certainly haven't been yet.

Nor will I be...

> > Steve stated that he was going to reverse the PAYPAL payment to me, and
> also
> > ship the equipment today, via overnight mail. All I asked of him was to
> > ship the equipment, and I never asked for the reversal.
>
> Did you refuse it?

Refuse what? The radio? It is due to arrive tomorrow and I will accept it. Never got the reversal, and it is just as well. Receiving the radio will suffice.

> Did you refuse the reversal?

No. See above.

> Your comment, "All I asked of him . . . .", is the most self-serving,
> deceitful thing you've posted yet.

>
> Have you no shame?

Your posting quotes of mine out of context is the most self-serving, moronic
thing you could do as well. Have YOU no shame?

> Have you no notion of right and wrong?

I guess not, according to you and your committee.

> > I do not know why
> > he chose to do that if he was shipping me the radio.
>
> To stop you from trashing him publicly?

No, to finally fulfill his end of an agreement.

> Do ya think?
>
> Could it be?
>
> Don't play innocent.

Your cutesy attempt at an arrogant literary style asking rhetorical
questions you obviously have already answered was quaint once or twice, but
has become boring and silly in it's continuation.

> It is EXACTLY the response you wanted.
>
> You have a pathological desire for public validation. And that's why YOU
> reprinted it here.

Now Mr. Truth is a Psychologist as well?

> > He trusted that upon
> > receipt of the radio, I would re-submit the payment to him via PAYPAL.
>
> So at least one party to this transaction shows some trust in the other
> person.
>
> OK, we make a little progress.
>
> BTW, I wouldn't trust a bit. Not on your life.
>
> > As of this writing, I have not received the PAYPAL reversal in my PAYPAL
> > account.
>
> So what? Must the world stop and all atnetion be directed to you? Is
> instant gratification the only gratification you know?
>
> Do you ever stop whining?
>
> Are you public (government) school teacher?

Makes absolutely NO sense, and is BEYOND dumb statement.

You have become so caught up in your own unimportance here as evidneced by your rantings above which are now redudancies or previously issued attacks against me.

> > Also, I did a US Postal tracking on the number he gave for the overnight,
> > and once again, as of this writing, no record of the shipment.
>
> So what?
>
> At least one party to this transaction has shown some trust.
>
> Why haven't you?
>
> WHY HAVEN'T YOU?
>
More redundancy, more rhetorical questions. Amazing how hateful someone can be against another whom they do not know, defending someone else whom they do not know.
Once again, blame the victim. But alas, you are absolved as you cannot help yourself.

> > YES, it is possible that there are delays in both items above.
>
> So what?

You said that once or twice already. A little writing tip : Don't keep asking silly stupid questions rhetorically, just make your statement and move on.

> > Anyone contesting the facts above should contact me and I will privately
> > e-mail you his e-mail text and the USPS tracking # he provided.
>
> Most people don't care about your personal problems. Problems,
> incidentally, unrelated to this transaction. And you'[re the last one I
> would trust to produce "facts".

Well, there you go again speaking for "most people". For someone who doesn not care at all about this matter, I remind you once again of the time and effort you expended to blast me here. Thanks for caring.

> > In m
y opinion, and that is what the newsgroups are, a bunch of opinions,
> the
> > BAD GUY title was not excessive.
>
> Not in your mind. But that goes back to the personal problems not a subject
> of this thread.
>
> > I firmly believe that a deal is a deal,

> > and that not having shipped, 9 days past receiving the money, WITHOUT
any
> > contact with the buyer, is BAD GUY performance, in the context in which
we
> > use GOOD GUY and BAD GUY alerts here.
>
> What's this "we" stuff, Lindburg?

We meaning the group, meaning others on the group in the past have used
these monikers.
Do not even attempt to correct me on the use of "we" as you come to this
forum unarmed.

> In your posts you speak for yourself, not others.
>
Of course, unlike YOU , I can only speak for myself.

> I suppose you presume to speak for others when you childish behaviour is
> questioned. I'd expect no more from you.
>
Dumb statement #, ooops, er, I lost count... 8)

> > Yes, there may have been a reason as to the delay, but unless the
> government
> > snatched him from his house minutes after receiving my PAYPAL money,
kept
> > him off the internet, and didn't allow him out until last night, I think
a
> > short e-mail to me from him indicating the shipment would be delayed was
> in
> > order.
>
> I have really bad news for you. There are things, millions of them in
fact,
> more important than you and your personal problems.
>
> But you attempt at sarcasm only adds to the negatives in your column.
>
> > Those here wishing to do business in that fashion, feel free, but at
least
> > you were forewarned.
>
> (Your claim of "forewarning" is vacuous.)
>
Hey, nice word there truth, you are catching on now.

> I'll certainly remember not to do business with you, and will look forward
> to doing business with Steve.
>
Uh oh....I'm loosing sleep now. You and Steve will make good business
associates.

> All as a result of your postings. Thanks for the warning.

Well sir, you are MOST welcome, indeed.

> > I should be receiving the radio on Monday, and of course, in fairness to
> > Steve, I will report here under a seperate thread.
>
> Oh, gosh, I'll hold my breath. But fairness is not one of your exhibited
> traits here. Maybe you'll surprise us and apologize for your tantrum.
And
> if it isn't there MONDAY, we'll look forward to more venom and namecalling
> from you>
>
You are repeating yourself again. Duh, you've made all of these points over
and over again ad nauseum. AREN'T YOU DONE YET?

> > Stay tuned.............
>
> Maybe you should reconsider your behaviour.
>
> You're continuing to make a fool of yourself.
>

PHHEEEEEW. Man, that was more pablum then anyone should ever have to wade
through. But we made it,Mr. Truth, yes we made it through together.

BTW,,,do you have brothers named "Justice" and "The American Way"
(I couldn't resist).

Dan

4625. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 08:13:40 UTC
From: RKollman <kollman@swbell.net>
Message-ID: <UGOs9.85$Jj1.79025259@newssvr11.news.prodigy.com>
Source record: 38235
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

How did this get from Bad guy alert to a debate? Oh yeah VHF is the way to
go for emergency's, Why use HF?
Police and firefighters don't need to know CW due to the their involvement
in THEIR Radio public service. It's separate and licensing is completed thru
their respective dept. In fact most Officers have Nextel's as well as
handheld 800mhz.
Hams handle modes of communication that requires a degree of skill not
required by a Police or Fire agency.
That's why we have Ham Radio Operators!!! For a Hobby UNTIL we are called
upon for our Public Service. By whatever modes necessary.
Oh By the way next time a earthquake or something worse, That's when you
use HF.

--

"Mark Keith" <nm5k@wt.net> wrote in message
news:25eb70d7.0210192359.81e63bd@posting.google.com...
> Common Sense Talking <cs@hotmail.com> wrote in message
news:<3DB181D1.FA032278@hotmail.com>...
> > > People tend not to realize that sometimes ALL the bands are dead.
There are
> > > times when you cannot get phone communications through. I have seen
these
> > > times. When you could not even hear a phone transmission, you can copy
CW.
> > > CW may seem a waste to some people, but in some circumstances, it can
be the
> > > ONLY way to communicate!
> >
> > In an emergency, you do not want to contact someone in a different
country, they
> > can't help you.
>
> Who says you have to call another country? I can call anyone I like.
> Ain't no gun to my head telling me I have to call Moscow...
>
> Morse Code is of NO VALUE in an emergency or else Police, Fire,
> > and Paramedics would be REQUIRED to learn it.
>
> Sure, it's of no value to them. What would they do with it? That's
> silly to even consider.
> Doesn't it seem odd that they
> > are NOT required to know morse code, yet people in a HOBBY are? SURE
it seems

> > odd. Because it is odd.
>
> Why is it odd? Morse code has been used for years and years. Only the
> newest of the hams know no code. The vast majority do. But thats not
> the real reason. The real reason is it's required by international
> treaty.
>
> >
> > Also, in an emergency, you want as MANY PEOPLE AS POSSIBLE to hear and
> > UNDERSTAND the call for help, not just the ONE PERSON in another country
who
> > happens to understand morse code! To most people, all they hear are
some beep
> > tones and do not know it is a call for help.
>
> Uh, duh...If I had an emergency with only a cw radio, I would call the
> closest cw op to my emergency, and have him use the landline to call
> help. I can't use the same frequency as the cops, or fire anyway, so
> why would it even be an issue? Even if I had an FM radio, I wouldn't
> use it on a PD frequency unless it was a true life/death scenario. My
> radio's are not capable of xmit on their freq's anyway. I have not
> unlocked them, and have no plans to. Yea, you might come back and say
> you would, but I ain't you. They throw you in jail for that crap
> around here.
> >
> > If morse code had ANY purpose in an emergency or could help in just ONE
way,
> > Police officers, Fire fighters, and Paramedics would be required to
learn it.
>
> Thats about the silliest thing I've ever heard. "Or read"...:/ What
> in the heck would they do with code? They don't monitor shortwave
> bands for emergencies. The coast guard can be summoned to the HF bands
> though. I've done it myself. I ran into a sailboat in trouble on 40m
> one night, and called the coast guard in Miami. They plopped right on
> our frequency. I bet someone there at the coast guard station knew
> code. No, we didn't use it, as the boat was SSB, but what if the boat
> only had a cw rig? Or the batteries were so low, that low power cw was
> the prefered route to take?
> I guess unless I or someone else that knew the code, heard them, they
> would be totally SOL. That would be a hell of a note. Stuck out in the
> Pacific on a boat with a cw rig, and not a single person in the US
> could copy them, because it became stylish to be "new tech" and
> everyone dropped the code totally. That's gonna be our future in not
> too many years down the line. The code is history as far as ham tests
> as soon as it's dropped by treaty. That very well could be the next
> WARC. Less is not more. I am a superior radio operator knowing code,
> than not knowing it. Any argument to the contrary is ludicrous. I'll
> save that poor cw running bastard in the sailboat. You'll let him
> drown due to ignorance if you don't know the code. Thats the simple

> truth. New fangled digital modes won't do you a bit of good if he
> doesn't have them on the boat. And yes, I have heard one real life
> emergency using CW. So it can, and does happen.
>
> > They seem to be able to get through on THEIR BANDS with voice just fine.
>
> Duh, no kidding...
> >
> > Something to THINK about.
>
> I have better things to think about. MK

4626. Re: Galaxy Saturn Turbo

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 10:20:12 UTC
From: MD <ve3tmt@rac.ca>
Message-ID: <NwQs9.2327$A12.306989@news20.bellglobal.com>
Source record: 38236
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb

"Dick" <grburke@adelphia.net> wrote in message
news:w5Is9.38722$m92.7471759@news1.news.adelphia.net...
> Can anyone tell me what one of these radios is worth used in great
> condition?I have an offer of a trade as they want a RCI 2950 I have and
will
> trade me even up.He just wants a mobile and not the base.
> My instincts say go for it.I know the person,and do know he keeps his
> equipment in mint shape.I just need to know what it is worth if I want to
> sell it as I may do.I don't use the 2950, and I doubt that I will use the
> Galaxy .Email me if you got any info that may be of help.Thanks for any
help
> in advance.

You might try rec.radio.cb newsgroup. Many more "knowledged" users in
there.

4627. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 11:50:08 UTC
From: Dick Carroll <dixie@townsqr.com>
Message-ID: <ap0plg$8ql$0@208.206.142.78>
Source record: 38237
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

MJ wrote:
>
> And I've seen times when you couldn't copy CW to save your life but a
> PSK31 signal was error free copy... So there goes the morse code
> theory again if the digital modes make it through better.
>

And I've seen times when conditions were so poor and signals so very
weak, probably with some polar phase shifting, that PSK31 would not
print a single good character, but when the CW ID came along it was
completely copyable although very weak!

4628. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 12:32:00 UTC
From: Pappy@USA.net
Message-ID: <3DB3F3C0.E3060295@USA.net>
Source record: 38239
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Get over it, so some one got ripped off. It happens every day.

These groups are about RADIOS.

Dan Conti wrote:

> Hey FAH Q
>
> Once again....
>
> FAH Q
>
> Dan
>
> "Fah Q Too" <a@b.c> wrote in message
> news:MOss9.40949$ER5.2632356@news2.telusplanet.net...
> > it is called. get the fucking dildo out of your ass. if someone sent
> > something ground mail. it can take up to 15 days to recieve. I have payed
> > people for 2 day delivery and got over 20 day delivery. I myself don't
> have
> > a dildo up my ass. As you seem to alway run me down on all my posts.
> > Nomatter if they are helpful or not. I would not beleive that you have
> > contributed to this group at all. Well besides whining, running people
> down
> > and saying people don't do things they should do. You remind me of a few
> > sales I have had. A person whining saying they payed the person money and
> > not getting anything in return. Even though they probably didn'tsend the
> > money. That is the advantage of a credit card. You insist he has your $$.
> > when infact. You could. if you wanted to. Call paypal. or even say visa,
> > mastercard. american express and say you did not even send that
> transaction.
> > all 4of those. will either stop the $$ being sent. Paypal will freeze the
> > money or refund it and take it out of the other account and so on. If you
> > can prove you are not a loser just wanting to flame a person out ofthe
> blue
> > like you do to me. Shit. I sell lots of my canadian gear to the US with 2
> > day courier service. I have not got 1 bad comment on ebay or elsewhere. So
> I
> > don't believe you have tried to stop the payment. there are easy ways to
> > stop it. Oh ya. you insist I am hiding and you insist onswearing by ebay.
> I
> > am NEMOSWITCH no matter where you look ya baby. waaaaaaaaahhhhhh. do some
> > searching mr FBI dude. A credit card does not have the $$ till it is
> final.

> >
> > Dev
> >
> >
> >

4629. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 13:02:30 UTC
From: JEB <jebeat@earthlink.net>
Message-ID: <GVSs9.6954$U97.638903@newsread2.prod.itd.earthlink.net>
Source record: 38240
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

It's time to take this thread off the list to private e-mails. Talk about beating a dead horse!

--

John Beattie
jebeat@earthlink.net

4630. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 13:34:14 UTC
From: Sir Circumference <mrradio@hotnet.net>
Message-ID: <3DB40256.16B099F3@hotnet.net>
Source record: 38246
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Dan Conti wrote:

> Refuse what? The radio? It is due to arrive tomorrow and I will accept it.
> Never got the reversal, and it is just as well. Receiving the radio will
> suffice.

Maybe it will arrive smashed, would be what you deserve.

4631. Re: Yaesu FT-1000D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 13:42:56 UTC
From: Jake <Jake@napster.com>
Message-ID: <AvTs9.162681$IL6.8017880@news2.east.cox.net>
Source record: 38241

Hi Steve,
I have a spare SM-230 if you see anyone looking for one. I would be willing
to deal on this.
73 Bob

"WZ1U" <wz1u@attbi.com> wrote in message
news:2h56ru4fvfhci4fjqgesfc046ism6dve2r@4ax.com...
> I have for sale in excellent condition a Yaesu FT-1000D bought new in
> 1992. I have the original boxes and manual and its from a non-smoker.
> I will ship it anywhere in the 48 states for $2100. If you have any
> questions email or call (508) 821-2993....WZ1U Steve / Lakeville, Ma.

4632. TS-680S HF & 6 MTR rig for sale/trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 14:54:28 UTC
From: Tony <n5gpi@hotmail.com>
Message-ID: <EyUs9.393$vp7.69@newssvr16.news.prodigy.com>
Source record: 38242
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Looking to sell (or swap) my TS-680S and get something that is better suited for running mobile in a small/new car. Rig is in good condition and I have manual, mic and power cable to go with it. Looking for a TS-50 or a Yaesu or Icom equiv. (same features, size and era).

Click below for specs:
http://www.rigpix.com/kenwood/ts680s.htm

Tony

4633. Re: ebay question: How did this happen?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 14:55:23 UTC
From: larry <larry_the_rabbit@nospam.com>
Message-ID: <3DB41530.7ACD2D61@nospam.com>
Source record: 38243

For about six months now you can't retract a bid made in the last hour.

amstraur wrote:

> Yes... other than having to pay the listing fee. No... auction and bid
> cancellations are not "right", even though Ebay buyers and sellers can
> cancel their bids and auctions without any feedback ramifications.
>
> I was watching an auction a few weeks ago where the high bid between two
> sole bidders got up around $100. Within the last hour of the auction, the
> high bidder retracted their bid. The other bidder got the goods at their
> original $9.99 opening bid. I bet the seller was cussing pretty good about
> that one.
>
> Even though most Ebay auctions aren't worth the time or energy to enforce,
> they're still contracts. Just try to pull crap like this at a real live
> estate auction and there will be heck to pay...
>
> "Joe S." <joe@schlatter.org> wrote in message
> news:aofvfe01g40@enews2.newsguy.com...
>
> > It's his stuff and he can do what he wants with it -- but -- it seems if
> you
> > put something up for sale you should leave it there. Can he do this
> without
> > penalty?

4634. Re: eBay buyers beware

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 15:14:27 UTC
From: larry <larry_the_rabbit@nospam.com>
Message-ID: <3DB419A7.87878C6@nospam.com>
Source record: 38244

Yes, some like to sockit to you with the s+h because it is not subject to
the auction fee that ebay charges.

I had purchased a nice used ts530s and it was shipped double boxed in bubble
wrap to my door for $ 12.00 ups. Shipped from SC to NC ground, I got it
the next day ! No extra charges either. Thats the way to do business.

I never charge more then $ 1. or$ 2.00 over the actual postage or ups,
unless buyer requests insurance or faster shipment.

Chas wrote:

> This is nothing new, but I have seen more of this lately. I was looking
> into someones feedback and noticed a complaint. Apparently this guy sold 2
> books to another person and they gave him negative feedback because he
> charged him $9 to ship the books, the postage only came to $2.25. The seller
> responded that the ad said "$9 shipping and handling". I just smiled and
> continued to look through eBay.
> The next day I saw someone auctioning a Universal M-7000 decoder and
> clearly stated in the ad was this: "$50 flat shipping and handling fee."
> $50?!! Heck, you can ship that from New York to California, UPS for about
> $12! $20, if you have to buy the shipping materials!! If your bidding on
> eBay, beware of this kind of crap. They have a right to charge it if they
> say it up front (unethical as it is), but this is a blatant attempt to pad
> their pockets. READ THE AD CAREFULLY! If they say flat fee, don't bother
> bidding unless it's a fair price.
> I recently bought a camera from a guy 60 miles away, his ad on eBay said
> flat $20 fee for shipping, I thought I might get out his way in a couple of
> weeks and pick it up, sorry buckaroo, he only wanted to ship it, now I know
> why, it only cost him $6 to ship it, where did the rest go?? Right into his
> pocket. @#$%&!
>
> Chuck WG2A

4635. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 15:29:42 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <G3Vs9.16678$Mb3.493701@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38245
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:cLNs9.14574$gB.6761995@twister.nyc.rr.com...
> Ahhh, "To Tell the Truth" another ANONYMOUS little fool spewing SO many
> words and saying SO little.
>
> OK, I'll bite......let's see what words of wisdom YOU have for me on
> this....
>
> > You put your venom in their faces. What do you expect? They were
appalled
> > by your venom.
>
> I guess you've never seen BAD GUY Alerts on the groups before?

Sure I have. But rarely as idiotic as your.

> You use the
> words "their" and "they". Are you now the new ANONYMOUS spokesperson for
> the newsgroups?

I thought you werre.

> > Do you think you have a corner on that market? Or are you the only one
> that
> > matters?
> >
> > What *should* you expect?
> >
> > See comments re: personal problems, below.
> >
> > I believe you started the namecalling with "Thief!"
>
> No , I did not. If and when you learn to read and not follow, you will
know
> this.
> Not one time did I call Steve any names, other then the initial title of
the
> generic "Bad Guy Alert" which I stand by.

Of course you stand by it. That's called compulsion.

> Also, in all of my responses to the posters here, not once did I ever call
> anyone a name, use foul language or vulgarities.

You didn't use your short fuse to call someone a BAD GUY?

Gee, I must have read someone else's posts.

> Despite the nonsense
> thrown in my direction.

I saw you throwing nonsense.

You must have missed it.

> We can all agree to disagree, and a good debate is
> healthy.

Unless we disagree with you, of course. You are, after all the victim,
right?

> The other nonsense is unnecessary, wouldn't you agree to that at
> least?
>
> > Didn't you?
>
> NO
>
> > Did you not?
>
> Uh, no I did not. Asked and answered.
>
> > And how do we know "Dan Conti" is your name and that dconti@nj.rr.com is
> > your email address?
>
> #1. dumb statement in this response not worthy of a reply.\

You can't.

It isn't dumb at all. But your namecalling is noted. Wait, you don't do
that, right?

> > And who cares?
>
> Well, Mr Turth, apparently you do since you spent quite some time,
thought,
> and effort into responding to me here. The fact that you even question
it's
> veracity indictaes you DO care.

I wasn't addressing the transaction, merely your behaviour.

> > But it does not go unnoticed that you expanded you venomous outburt to
> just
> > about everyone that responded.
>
> OK, show me just ONE example from any of my responses where I "expanded
> venomous outbursts" to anyone....(whatever that means. I didn't know you
> could expand a venomous outburst, must be fun).

Here is just onw example:

"I will preface my remarks by stating that I am appalled by the venom spewed in my direction by the majority of respondents to the topic of my initial thread here. It was also interesting to note the the majority of these responses were from posters hiding behind the veil of anonymity, using foul language and vulgar name calling."

> > Here's a fact:
> >
> > You did not make your post as any type of public service so that others
> > could be protected, rather it was a childish temper tantrum meant to
> > embarrass and damage Steve. It was mean-spirted, self-centered,
> > self-serving, childish, and ill-conceived.
>
> #2. dumb statement. These are the FACTS according to Mr. Tell the Truth.
> In reality sir, it is merely your opinion of which you are of course
> entitled.

"#2 dumb statement"

There's another example.

And, again, when caught with your pants down, you resort to childish namecalling.

I would expect no more from you.

> > What you mean here is to squelch the criticism you rightly brought upon
> > yourself.
>
> Once again, if that is how you perceive the update, knock yourself out.
>
> > Do you always try to control everyone around you?
>
> Yes, I do Mr. Truth...OK?

Finally, some progress.

>
> > And, if so, why would you make a fool of yourself in public?
>
> Your opinion against which I cannot defend.

I know.

>
> > > The final chapter
>
> > (The "final chapter" is written everytime someone disagrees with you.)
>
> #4. dumb statement.

Another example.

> The one and only time I used that terminology was in
> the update. I thought it's meaning was pretty clear. If you and others

> would like, I can certainly offer many MORE chapters to the saga. I can
go
> on and on with this mental mastrubation indefinately.
>
> > We'll add that to the long list of things you don't know. That long,
> long
> > list.
>
> There you go with the "we" again. So if I understand you correctly, you
and
> a bunch of other ANONYMOUS folk got togther, took a look at an entire
litany
> of information, and decided as a group that there are many things I do not
> know. Damn, you are good.

I know.

> OOpps, I forgot, add this as dumb statement #5.

And another example.

> > > He stated that he was drawn away suddenly
> > > to work on a project at a secure government facility, and has been
away
> > all
> > > week. He stated that he had NO outside internet access this entire
> time.
> > > He did not specify as to the exact date he was drawn away, or when he
> > > returned.
> >
> > So?
>
> Well, many folks were wondering as to what Steve's excuse was for NOT
> shipping AS AGREED. (Once again if you READ all of the threads you would
> know this). So I obliged and relayed it here. OK?

Not the reason.

>
> > Are you now calling him a liar?
>
> No, never did, that's another silly conclusion YOU drew from the
> information.

Then tell me, what was BAD about this BAD GUY?

List it here =>

>
> > Based on what?
>
> > And WHY?
>

> These little snippets will be # 6 and # 7 dumb statements.

Two more examples.

> > > Steve was very apologetic in his response.
> >
> > I'm sure he was.
>
> Well , he had reason to be. If you don't get it, YOU WILL NEVER GET IT!

Nothing like a schoolyard bully declaring victory.

And nothing funnier.

> > Will you be?
>
> No, absolutely not. I did not do anything wrong, nor did I violate any
terms
> of our agreement.

You tirade here was part of this "agreement"?

> > You certainly haven't been yet.
>
> Nor will I be...

I would expect nothing else from you.

> > > Steve stated that he was going to reverse the PAYPAL payment to me,
and
> > also
> > > ship the equipment today, via overnight mail. All I asked of him was
to
> > > ship the equipment, and I never asked for the reversal.
> >
> > Did you refuse it?
>
> Refuse what?

No, the reversal.

> The radio? It is due to arrive tomorrow and I will accept it.
> Never got the reversal, and it is just as well. Receiving the radio will
> suffice.

Until the next time someone is unfortunate enough to enter into one of your
"agrteements".

>
> > Did you refuse the reversal?
>
> No. See above.

Another mishandled small detail. You didn't address it above.

>
> > Your comment, "All I asked of him . . . .", is the most self-serving,
> > deceitful thing you've posted yet.
> >
> > Have you no shame?
>
> Your posting quotes of mine out of context is the most self-serving,
moronic
> thing you could do as well. Have YOU no shame?

You wouldn't know it of your saw it.

Give it a rest.

> > Have you no notion of right and wrong?
>
> I guess not, according to you and your committee.

And a little more progress.

> > > I do not know why
> > > he chose to do that if he was shipping me the radio.
> > >
> > > To stop you from trashing him publicly?
>
> No, to finally fulfill his end of an agreement.

School yard bully.

You don't play well with others.

>
> > Do ya think?
> >
> > Could it be?
> >
> > Don't play innocent.
>
> Your cutesy attempt at an arrogant literary style asking rhetorical
> questions you obviously have already answered was quaint once or twice,
but
> has become boring and silly in it's continuation.

It wasn't rhetorical.

Anmd you couldn't answer.

> > It is EXACTLY the response you wanted.
> >
> > You have a pathological desire for public validation. And that's why
YOU
> > reprinted it here.
>
> Now Mr. Truth is a Psychologist as well?

No, I raised children. And you certainly are a child.

> > > He trusted that upon
> > > receipt of the radio, I would re-submit the payment to him via PAYPAL.
> > >
> > So at least one party to this transaction shows some trust in the other
> > person.
> > >
> > OK, we make a little progress.
> > >
> > BTW, I wouldn't trust a bit. Not on your life.
> > >
> > > As of this writing, I have not received the PAYPAL reversal in my
PAYPAL
> > > account.
> > >
> > So what? Must the world stop and all atnetion be directed to you? Is
> > instant gratification the only gratification you know?
> > >
> > Do you ever stop whining?
> > >
> > Are you public (government) school teacher?
> >
> Makes absolutely NO sense, and is BEYOND dumb statement.

And another example.

> You have become so caught up in your own unimportance here as evidneced by
> your rantings above which are now redudancies or previously issued attacks
> against me.

Not rantinds, rather a response to your public posting.

> > > Also, I did a US Postal tracking on the number he gave for the
> overnight,
> > > and once again, as of this writing, no record of the shipment.
> > >
> > So what?
> > >
> > At least one party to this transaction has shown some trust.
> > >
> > Why haven't you?
> > >
> > WHY HAVEN'T YOU?
> > >
> More redundancy, more rhetorical questions.

Neither rhetorical nor redundant.

And again, you do not answer.

> Amazing how hateful someone can
> be against another whom they do not know,

Look at your statements re: Steve.

Pot-kettle-black.

> defending someone else whom they
> do not know.

Here's where, after making a public post you object to public discussion.

Because so few people agree with you.

One would think you'd be used to that by now . . . .

> Once again, blame the victim.

You are a victim mof your own behaviour

> But alas, you are absolved as you cannot help
> yourself.

I know not to do business with you.

> > > YES, it is possible that there are delays in both items above.
> >
> > So what?
>
> You said that once or twice already twice already.

And you ingored it twice already.

> A little writing tip : Don't keep
> asking silly stupid questions rhetorically, just make your statement and
> move on.

You could try addressing the question.

Oops, you cannot.

> > > Anyone contesting the facts above should contact me and I will
privately
> > > e-mail you his e-mail text and the USPS tracking # he provided.
> >
> > Most people don't care about your personal problems. Problems,
> > incidentally, unrelated to this transaction. And you'[re the last one I
> > would trust to produce "facts".
>
> Well, there you go again speaking for "most people". For someone who
doesn
> not care at all about this matter, I remind you once again of the time and
> effort you expended to blast me here. Thanks for caring.

Your'e welcome.

> > > In m
> y opinion, and that is what the newsgroups are, a bunch of opinions,
> > the
> > > BAD GUY title was not excessive.

> >
> > Not in your mind. But that goes back to the personal problems not a
> subject
> > of this thread.
> >
> > > I firmly believe that a deal is a deal,
> > > and that not having shipped, 9 days past receiving the money, WITHOUT
> any
> > > contact with the buyer, is BAD GUY performance, in the context in
which
> we
> > > use GOOD GUY and BAD GUY alerts here.
> >
> > What's this "we" stuff, Lindburg?
>
> We meaning the group,

Well if you count the responses, you aren;t among the "we", now, are you?

> meaning others on the group in the past have used
> these monikers.
> Do not even attempt to correct me on the use of "we" as you come to this
> forum unarmeD.

You've done the very same thing.

Again, you see yourself as a victim. It make like easier for you, but not
those around you.

Oh, yea, they don't matter.

> > In your posts you speak for yourself, not others.
> >
> Of course, unlike YOU , I can only speak for myself.

LOL!

> > I suppose you presume to speak for others when you childish behaviour is
> > questioned. I'd expect no more from you.
> >
> Dumb statement #, ooops, er, I lost count... 8)

Another example, . . . ooops, er, I lost count...
>
> > > Yes, there may have been a reason as to the delay, but unless the
> > government
> > > snatched him from his house minutes after receiving my PAYPAL money,
> kept
> > > him off the internet, and didn't allow him out until last night, I
think
> a
> > > short e-mail to me from him indicating the shipment would be delayed
was

> > in
> > > order.
> >
> > I have really bad news for you. There are things, millions of them in
> fact,
> > more important than you and your personal problems.
> >
> > But you attempt at sarcasm only adds to the negatives in your column.
> >
> > > Those here wishing to do business in that fashion, feel free, but at
> least
> > > you were forewarned.
> >
> > (Your claim of "forewarning" is vacuous.)
> >
> Hey, nice word there truth, you are catching on now.
>
> > I'll certainly remember not to do business with you, and will look
forward
> > to doing business with Steve.
> >
> Uh oh....I'm loosing sleep now. You and Steve will make good business
> associates.

As long as you aren't inviolved.

> > All as a result of your postings. Thanks for the warning.
>
> Well sir, you are MOST welcome, indeed.
>
> > > I should be receiving the radio on Monday, and of course, in fairness
to
> > > Steve, I will report here under a seperate thread.
> >
> > Oh, gosh, I'll hold my breath. But fairness is not one of your
exhibited
> > traits here. Maybe you'll surprise us and apologize for your tantrum.
> And
> > if it isn't there MONDAY, we'll look forward to more venom and
namecalling
> > from you>
> >
> You are repeating yourself again. Duh, you've made all of these points
over
> and over again ad nauseum. AREN'T YOU DONE YET?

And if you will review the post, you will see that you ignored them over and
over again ad nauseum

> > > Stay tuned.............
> >

> > Maybe you should reconsider your behaviour.
> >
> > You're continuing to make a fool of yourself.
> >
>
> PHHEEEEEW. Man, that was more pablum then anyone should ever have to wade
> through. But we made it,Mr. Truth, yes we made it through together.

There is no "we" where you and I are concerned.

And I shall endeavour to keep it that way, based solely upon your posts.

> BTW,,,do you have brothers named "Justice" and "The American Way"
> (I couldn't resist).

No.

>
> Dan
>
>

4636. National rx ????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 16:17:15 UTC
From: 106312.1035@compuserve.com
Message-ID: <3db4271d.3818917@news.compuserve.com>
Source record: 38247

Can anyone help with info on the following:

National NC-2-40S receiver.

picture at: http://www.qsl.net/g4bxd/g4bxd10/htm

Looking in Ostermans SW Rx's Past & Present, my set has the
square meter of the 40D but the round center scale of the 40C,
also, my set has only 1 h/phone jack. My set came with a
dog kennel psu, bigger than the HRO version though.

If anyone can help with any history on this set I would
be most obliged.

contact Ben, G4BXD at: G4BXD@qsl.net

4637. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 16:36:14 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <22Ws9.20407$1P1.1270432@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38148
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Sir Circumference" <mrradio@hotnet.net> wrote in message
news:3DB40256.16B099F3@hotnet.net...
>
>
> Dan Conti wrote:
>
> > Refuse what? The radio? It is due to arrive tomorrow and I will accept
it.
> > Never got the reversal, and it is just as well. Receiving the radio
will
> > suffice.
>
> Maybe it will arrive smashed, would be what you deserve.

LOL!

Then he'd reneg on his side of his ill-defined "agreement".

4638. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 17:11:06 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <KyWs9.20438$1P1.1273591@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38149
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

They aren't about Dan Conti's need for attention?

<Pappy@USA.net> wrote in message news:3DB3F3C0.E3060295@USA.net...
> Get over it, so some one got ripped off. It happens every day.
>
> These groups are about RADIOS.
>
> Dan Conti wrote:
>
> > Hey FAH Q
> >
> > Once again....
> >
> > FAH Q
> >
> > Dan
> >
> > "Fah Q Too" <a@b.c> wrote in message
> > news:MOss9.40949$ER5.2632356@news2.telusplanet.net...
> > > it is called. get the fucking dildo out of your ass. if someone sent
> > > something ground mail. it can take up to 15 days to recieve. I have
payed
> > > people for 2 day delivery and got over 20 day delivery. I myself don't
> > have
> > > a dildo up my ass. As you seem to alway run me down on all my posts.
> > > Nomatter if they are helpful or not. I would not beleive that you have
> > > contributed to this group at all. Well besides whining, running people
> > down
> > > and saying people don't do things they should do. You remind me of a
few
> > > sales I have had. A person whining saying they payed the person money
and
> > > not getting anything in return. Even though they probably didn'tsend
the
> > > money. That is the advantage of a credit card. You insist he has your
$$.
> > > when infact. You could. if you wanted to. Call paypal. or even say
visa,
> > > mastercard. american express and say you did not even send that
> > transaction.
> > > all 4of those. will either stop the $$ being sent. Paypal will freeze
the
> > > money or refund it and take it out of the other account and so on. If

you
> > > can prove you are not a loser just wanting to flame a person out ofthe
> > blue
> > > like you do to me. Shit. I sell lots of my canadian gear to the US
with 2
> > > day courier service. I have not got 1 bad comment on ebay or
elsewhere. So
> > I
> > > don't believe you have tried to stop the payment. there are easy ways
to
> > > stop it. Oh ya. you insist I am hiding and you insist onswearing by
ebay.
> > I
> > > am NEMOSWITCH no matter where you look ya baby. waaaaaaaaahhhhhh. do
some
> > > searching mr FBI dude. A credit card does not have the $$ till it is
> > final.
> > >
> > > Dev
> > >
> > >
> > >
>

4639. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 18:07:01 UTC
From: THINK! <think@hotmail.com>
Message-ID: <3DB442D5.A584D342@hotmail.com>
Source record: 38150
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> > If the bands are dead, even cw isn't going to get through.
>
> But it darn sure will when the bands are too dead for voice modes.

1) It is not getting through when the person listening on the other end doesn't understand morse code, which would be 99% of the population.

2) No bands needed for emergencies are ever "dead" for voice modes. No police officer starts using morse code because bands are not good enough for his voice to get through to the dispatcher.

3) Try calling 911 and use the touch tone pad to send morse code the next time you need help rather than talking into the phone and see what happens.

> If there's any propagation at all then CW is more likely to make it
> through.

Voice will always make it through to more people on the other end than morse code, and this is because more people understand voice, and very few of the population understand morse code. Even the military gave up on the inefficient and obsolete morse code.

4640. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 18:15:49 UTC
From: THINK! <think@hotmail.com>
Message-ID: <3DB444E5.F1863C2@hotmail.com>
Source record: 38151
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> > In an emergency, you do not want to contact someone in a different country, they
> > can't help you.
>
> Who says you have to call another country?

The whole point of "bands being so bad that voice can't get through" is in relation to talking
long distances. In an emergency, you want someone close by, not in the next state or country.

> Morse Code is of NO VALUE in an emergency or else Police, Fire,
> > and Paramedics would be REQUIRED to learn it.
>
> Sure, it's of no value to them. What would they do with it? That's
> silly to even consider.

Glad you see that. Most oldtimer Hams don't.

> Doesn't it seem odd that they
> > are NOT required to know morse code, yet people in a HOBBY are? SURE it seems
> > odd. Because it is odd.
>
> Why is it odd? Morse code has been used for years and years.

And so were washboards and horses. Now we use washing machines and cars. Having been used for
years means nothing. We didn't invent microphones and speakers yet, that is why morse code was
used. The telephone quickly replaced the telegraph and no one uses their phone lines to send
morse code. Only a few nostalgic hams use morse code, no one else.

> Only the newest of the hams know no code. The vast majority do.

The MAJORITY of hams are no-code technician class! The MINORITY of hams know morse code.

> But thats not
> the real reason. The real reason is it's required by international
> treaty.

Japan seems to have no problem having hams use bands below 6 meters without learning code, and
even in the US, getting a doctor's note lets you violate these international laws for some
reason. Needless to say, international code requirement are going to finally be removed
officially next year. There is nothing you can do about it.

> > Also, in an emergency, you want as MANY PEOPLE AS POSSIBLE to hear and
> > UNDERSTAND the call for help, not just the ONE PERSON in another country who
> > happens to understand morse code! To most people, all they hear are some beep
> > tones and do not know it is a call for help.
> > If morse code had ANY purpose in an emergency or could help in just ONE way,
> > Police officers, Fire fighters, and Paramedics would be required to learn it.
>
> > They seem to be able to get through on THEIR BANDS with voice just fine.
>
> Duh, no kidding...
> >
> > Something to THINK about.

4641. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 18:18:19 UTC
From: THINK! <think@hotmail.com>
Message-ID: <3DB4457B.75EF4F95@hotmail.com>
Source record: 38152
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> > However, as of today, 9 days after this agreement, the item still had not
> > been shipped.
>
> How do you know that if you are unable to contact the seller?

He couldn't. He jumped to a conclusion and raced to publish the poor guy's
personal info all over the internet before thinking.

4642. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 18:22:05 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <hBXs9.20530$1P1.1278784@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38153
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"THINK!" <think@hotmail.com> wrote in message
news:3DB4457B.75EF4F95@hotmail.com...
> > > However, as of today, 9 days after this agreement, the item still had
not
> > > been shipped.
> >
> > How do you know that if you are unable to contact the seller?
>
> He couldn't. He jumped to a conclusion and raced to publish the poor
guy's
> personal info all over the internet before thinking.
>

Then he's still got time for this foolishness since he hasn't started
thinking yet.

A typical malcontent schoolyard bully, only this time he does it at a safe
distance.

4643. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 18:26:59 UTC
From: THINK! <think@hotmail.com>
Message-ID: <3DB44783.B13DA3BD@hotmail.com>
Source record: 38154
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> I will preface my remarks by stating that I am appalled by the venom spewed
> in my direction by the majority of respondents to the topic of my initial
> thread here.

The initial thread being your posting someone's personal information on the internet without his consent.

> It was also interesting to note the the majority of these
> responses were from posters hiding behind the veil of anonymity

After what you did with the other guy's personal info, do you really think any SMART person would reply with his real name? And why do you care so much what name someone is using to make a point here? The ONLY reason this could bother you is because you want the real identities so that you can take revenge with this info. My points made here will have no different meaning just because I am stupid and post my real name, if anything, it just shows that I would be stupid and then my points would therefore be LESS credible, not more.

> , using foul
> language and vulgar name calling.

You forgot posting people's personal information on newsgroups because you dislike them. That is a LOT WORSE than simple name calling and using words that are in the dictionary.

> The purpose of this post is to issue an update in this matter as to squelch
> further debate.

Then you are not very smart. No post can do that. The way to stop the thread is to stop posting replies. When you stop replying, the thread will die.

> Last night, AFTER my PAYPAL complaint was issued, and the initial post was
> made here, I received an e-mail from Steve. He stated that he was drawn away
> suddenly
> to work on a project at a secure government facility, and has been away all
> week.

So we were right, and you made an ass out of yourself.

> He stated that he had NO outside internet access this entire time.
> He did not specify as to the exact date he was drawn away, or when he
> returned.
>
> Steve was very apologetic in his response.
> Steve stated that he was going to reverse the PAYPAL payment to me, and also
> ship the equipment today, via overnight mail.

And now there is no way you can undo the posting of his personal information. You will get your item and your life will be just fine, meanwhile the damage you did to poor steve will be around on usenet search engines for many many years to come.

Did you mention to him what you did here on the newsgroups? Please let us know how he responded to you telling him this.

4644. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 18:30:34 UTC
From: THINK! <think@hotmail.com>
Message-ID: <3DB4485A.754BA520@hotmail.com>
Source record: 38155
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Dan Cunt wrote:

> Thanks Jake...

He won't be so agreeable the next time when you post HIS personal info all over the newsgroups!

> "Jake" <Jake@napster.com> wrote in message
> news:kqzs9.157804$IL6.7823319@news2.east.cox.net...
> > Dan,
> >
> > Don't let these fools get to you. Anytime you post something be prepared
> > for some fool to attack you with their vile language. Makes me wonder why
> > in any discourse one party feels the necessity to launch a personal
> attack.

You mean the way he posted the poor guy's personal info all over the newsgroups?

> > Keep posting about bad experiences and

And.... their personal info like names addresses and phone numbers?

We shall see how much you stand up for this loooser when he posts all YOUR info next time and we will remember what you say here when your personal info IS posted and you start whining about it!

4645. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:05:15 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <LdYs9.14681$gB.7039388@twister.nyc.rr.com>
Source record: 38156
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

...
> > > However, as of today, 9 days after this agreement, the item still had
not
> > > been shipped.
> >
> > How do you know that if you are unable to contact the seller?
>
> He couldn't. He jumped to a conclusion and raced to publish the poor
guy's
> personal info all over the internet before thinking.
>
HE violates an agreement, DOES NOT ship as promised, yet he is the poor guy.

Go figure.

Dan

4646. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:05:53 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <leYs9.14684$gB.7039680@twister.nyc.rr.com>
Source record: 38157
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

```
>
> A typical malcontent schoolyard bully, only this time he does it at a safe
> distance.
>
At least I'm not ANONYMOUS.....
```

4647. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:07:37 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <ZfYs9.14692$gB.7040026@twister.nyc.rr.com>
Source record: 38158
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

>
> > Thanks Jake...
>
> He won't be so agreeable the next time when you post HIS personal info all
over
> the newsgroups!

Not a problem. Unlike YOU, I do not post ANONYMOUSLY.

Dan

4648. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:13:43 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <HlYs9.14720$gB.7042980@twister.nyc.rr.com>
Source record: 38159
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Dear Mr. Truth :

For your information, pointing out DUMB statements, is NOT name calling, but simply a reflection upon the infomration you provided.

The rest of your diatribe here is simply trash, redundant,and not worthy of a continued waste of time.

Dan

> > Ahhh, "To Tell the Truth" another ANONYMOUS little fool spewing SO many
> > words and saying SO little.
> >
> > OK, I'll bite......let's see what words of wisdom YOU have for me on
> > this....
> >
> > > You put your venom in their faces. What do you expect? They were
> appalled
> > > by your venom.
> >
> > I guess you've never seen BAD GUY Alerts on the groups before?
>
> Sure I have. But rarely as idiotic as your.
>
> > You use the
> > words "their" and "they". Are you now the new ANONYMOUS spokesperson
for
> > the newsgroups?
>
> I thought you werre.
>
> > > Do you think you have a corner on that market? Or are you the only
one
> > that
> > > matters?
> > >
> > > What *should* you expect?
> > >
> > > See comments re: personal problems, below.
> > >
> > > I believe you started the namecalling with "Thief!"
> >
> > No , I did not. If and when you learn to read and not follow, you will
> know

> > this.
> > Not one time did I call Steve any names, other then the initial title of
> the
> > generic "Bad Guy Alert" which I stand by.
>
> Of course you stand by it. That's called compulsion.
>
> > Also, in all of my responses to the posters here, not once did I ever
call
> > anyone a name, use foul language or vulgarities.
>
> You didn't use your short fuse to call someone a BAD GUY?
>
> Gee, I must have read someone else's posts.
>
> > Despite the nonsense
> > thrown in my direction.
>
> I saw you throwing nonsense.
>
> You must have missed it.
>
> > We can all agree to disagree, and a good debate is
> > healthy.
>
>
> Unless we disagree with you, of course. You are, after all the victim,
> right?
>
> > The other nonsense is unnecessary, wouldn't you agree to that at
> > least?
> >
> > > Didn't you?
> >
> > NO
> >
> > > Did you not?
> >
> > Uh, no I did not. Asked and answered.
> >
> > > And how do we know "Dan Conti" is your name and that dconti@nj.rr.com
is
> > > your email address?
> >
> > #1. dumb statement in this response not worthy of a reply.\
>
> You can't.
>
> It isn't dumb at all. But your namecalling is noted. Wait, you don't do
> that, right?

>
> > > And who cares?
> >
> > Well, Mr Turth, apparently you do since you spent quite some time,
> thought,
> > and effort into responding to me here. The fact that you even question
> it's
> > veracity indictaes you DO care.
>
> I wasn't addressing the transaction, merely your behaviour.
>
> > > But it does not go unnoticed that you expanded you venomous outburt to
> > just
> > > about everyone that responded.
> >
> > OK, show me just ONE example from any of my responses where I "expanded
> > venomous outbursts" to anyone....(whatever that means. I didn't know
you
> > could expand a venomous outburst, must be fun).
>
> Here is just onw example:
>
> "I will preface my remarks by stating that I am appalled by the venom
spewed
> in my direction by the majority of respondents to the topic of my initial
> thread here. It was also interesting to note the the majority of these
> responses were from posters hiding behind the veil of anonymity, using
foul
> language and vulgar name calling."
>
> > > Here's a fact:
> > >
> > > You did not make your post as any type of public service so that
others
> > > could be protected, rather it was a childish temper tantrum meant to
> > > embarrass and damage Steve. It was mean-spirted, self-centered,
> > > self-serving, childish, and ill-conceived.
> >
> > #2. dumb statement. These are the FACTS according to Mr. Tell the
Truth.
> > In reality sir, it is merely your opinion of which you are of course
> > entitled.
>
> "#2 dumb statement"
>
> There's another example.
>
> And, again, when caught with your pants down, you resort to childish
> namecalling.
>

> I would expect no more from you.
>
> > > What you mean here is to squelch the criticism you rightly brought
upon
> > > yourself.
> >
> > Once again, if that is how you perceive the update, knock yourself out.
> >
> > > Do you always try to control everyone around you?
> >
> > Yes, I do Mr. Truth...OK?
>
> Finally, some progress.
>
> >
> > > And, if so, why would you make a fool of yourself in public?
> >
> > Your opinion against which I cannot defend.
>
> I know.
>
> >
> > > > The final chapter
> >
> > > (The "final chapter" is written everytime someone disagrees with you.)
> >
> > #4. dumb statement.
>
> Another example.
>
> > The one and only time I used that terminology was in
> > the update. I thought it's meaning was pretty clear. If you and others
> > would like, I can certainly offer many MORE chapters to the saga. I can
> go
> > on and on with this mental mastrubation indefinately.
> >
> > > We'll add that to the long list of things you don't know. That long,
> > long
> > > list.
> >
> > There you go with the "we" again. So if I understand you correctly, you
> and
> > a bunch of other ANONYMOUS folk got togther, took a look at an entire
> litany
> > of information, and decided as a group that there are many things I do
not
> > know. Damn, you are good.
>
> I know.
>

> > OOpps, I forgot, add this as dumb statement #5.
>
> And another example.
>
> > > > He stated that he was drawn away suddenly
> > > > to work on a project at a secure government facility, and has been
> away
> > > all
> > > > week. He stated that he had NO outside internet access this entire
> > time.
> > > > He did not specify as to the exact date he was drawn away, or when
he
> > > > returned.
> > >
> > > So?
> >
> > Well, many folks were wondering as to what Steve's excuse was for NOT
> > shipping AS AGREED. (Once again if you READ all of the threads you
would
> > know this). So I obliged and relayed it here. OK?
>
> Not the reason.
>
> >
> > > Are you now calling him a liar?
> >
> > No, never did, that's another silly conclusion YOU drew from the
> > information.
>
> Then tell me, what was BAD about this BAD GUY?
>
> List it here =>
>
> >
> > > Based on what?
> >
> > > And WHY?
> >
> > These little snippets will be # 6 and # 7 dumb statements.
>
> Two more examples.
>
> > > > Steve was very apologetic in his response.
> > >
> > > I'm sure he was.
> >
> > Well , he had reason to be. If you don't get it, YOU WILL NEVER GET IT!
>
> Nothing like a schoolyard bully declaring victory.
>

> And nothing funnier.
>
> > > Will you be?
> >
> > No, absolutely not. I did not do anything wrong, nor did I violate any
> terms
> > of our agreement.
>
> You tirade here was part of this "agreement"?
>
> > > You certainly haven't been yet.
> >
> > Nor will I be...
>
> I would expect nothing else from you.
>
> > > > Steve stated that he was going to reverse the PAYPAL payment to me,
> and
> > > also
> > > > ship the equipment today, via overnight mail. All I asked of him
was
> to
> > > > ship the equipment, and I never asked for the reversal.
> > >
> > > Did you refuse it?
> >
> > Refuse what?
>
> No, the reversal.
>
> > The radio? It is due to arrive tomorrow and I will accept it.
> > Never got the reversal, and it is just as well. Receiving the radio
will
> > suffice.
>
> Until the next time someone is unfortunate enough to enter into one of
your
> "agrteements".
>
> >
> > > Did you refuse the reversal?
> >
> > No. See above.
>
> Another mishandled small detail. You didn't address it above.
>
> >
> > > Your comment, "All I asked of him . . . .", is the most self-serving,
> > > deceitful thing you've posted yet.
> > >

> > > Have you no shame?
> >
> > Your posting quotes of mine out of context is the most self-serving,
> moronic
> > thing you could do as well. Have YOU no shame?
>
> You wouldn't know it of your saw it.
>
> Give it a rest.
>
> > > Have you no notion of right and wrong?
> >
> > I guess not, according to you and your committee.
>
> And a little more progress.
>
> > > > I do not know why
> > > > he chose to do that if he was shipping me the radio.
> > >
> > > To stop you from trashing him publicly?
> >
> > No, to finally fulfill his end of an agreement.
>
> School yard bully.
>
> You don't play well with others.
>
> >
> > > Do ya think?
> > >
> > > Could it be?
> > >
> > > Don't play innocent.
> >
> > Your cutesy attempt at an arrogant literary style asking rhetorical
> > questions you obviously have already answered was quaint once or twice,
> but
> > has become boring and silly in it's continuation.
>
> It wasn't rhetorical.
>
> Anmd you couldn't answer.
>
> > > It is EXACTLY the response you wanted.
> > >
> > > You have a pathological desire for public validation. And that's why
> YOU
> > > reprinted it here.
> >
> > Now Mr. Truth is a Psychologist as well?

>
> No, I raised children. And you certainly are a child.
>
> > > > He trusted that upon
> > > > receipt of the radio, I would re-submit the payment to him via
PAYPAL.
> > >
> > > So at least one party to this transaction shows some trust in the
other
> > > person.
> > >
> > > OK, we make a little progress.
> > >
> > > BTW, I wouldn't trust a bit. Not on your life.
> > >
> > > > As of this writing, I have not received the PAYPAL reversal in my
> PAYPAL
> > > > account.
> > >
> > > So what? Must the world stop and all atnetion be directed to you? Is
> > > instant gratification the only gratification you know?
> > >
> > > Do you ever stop whining?
> > >
> > > Are you public (government) school teacher?
> >
> > Makes absolutely NO sense, and is BEYOND dumb statement.
>
> And another example.
>
> > You have become so caught up in your own unimportance here as evidneced
by
> > your rantings above which are now redudancies or previously issued
attacks
> > against me.
>
> Not rantinds, rather a response to your public posting.
>
> > > > Also, I did a US Postal tracking on the number he gave for the
> > overnight,
> > > > and once again, as of this writing, no record of the shipment.
> > >
> > > So what?
> > >
> > > At least one party to this transaction has shown some trust.
> > >
> > > Why haven't you?
> > >
> > > WHY HAVEN'T YOU?
> > >

> > More redundancy, more rhetorical questions.
>
> Neither rhetorical nor redundant.
>
> And again, you do not answer.
>
> > Amazing how hateful someone can
> > be against another whom they do not know,
>
> Look at your statements re: Steve.
>
> Pot-kettle-black.
>
> > defending someone else whom they
> > do not know.
>
> Here's where, after making a public post you object to public discussion.
>
> Because so few people agree with you.
>
> One would think you'd be used to that by now . . . .
>
> > Once again, blame the victim.
>
> You are a victim mof your own behaviour
>
> > But alas, you are absolved as you cannot help
> > yourself.
>
> I know not to do business with you.
>
> > > > YES, it is possible that there are delays in both items above.
> > >
> > > So what?
> >
> > You said that once or twice already twice already.
>
> And you ingored it twice already.
>
> > A little writing tip : Don't keep
> > asking silly stupid questions rhetorically, just make your statement and
> > move on.
>
> You could try addressing the question.
>
> Oops, you cannot.
>
> > > > Anyone contesting the facts above should contact me and I will
> privately
> > > > e-mail you his e-mail text and the USPS tracking # he provided.

> > >
> > > Most people don't care about your personal problems. Problems,
> > > incidentally, unrelated to this transaction. And you'[re the last one
I
> > > would trust to produce "facts".
> > >
> > Well, there you go again speaking for "most people". For someone who
> doesn
> > not care at all about this matter, I remind you once again of the time
and
> > effort you expended to blast me here. Thanks for caring.
>
> Your'e welcome.
>
> > > > In m
> > y opinion, and that is what the newsgroups are, a bunch of opinions,
> > > the
> > > > BAD GUY title was not excessive.
> > >
> > > Not in your mind. But that goes back to the personal problems not a
> > subject
> > > of this thread.
> > >
> > > > I firmly believe that a deal is a deal,
> > > > and that not having shipped, 9 days past receiving the money,
WITHOUT
> > any
> > > > contact with the buyer, is BAD GUY performance, in the context in
> which
> > we
> > > > use GOOD GUY and BAD GUY alerts here.
> > >
> > > What's this "we" stuff, Lindburg?
> > >
> > We meaning the group,
>
> Well if you count the responses, you aren;t among the "we", now, are you?
>
> > meaning others on the group in the past have used
> > these monikers.
> > Do not even attempt to correct me on the use of "we" as you come to this
> > forum unarmeD.
>
> You've done the very same thing.
>
> Again, you see yourself as a victim. It make like easier for you, but not
> those around you.
>
> Oh, yea, they don't matter.
>

> > > In your posts you speak for yourself, not others.
> > >
> > Of course, unlike YOU , I can only speak for myself.
>
> LOL!
>
> > > I suppose you presume to speak for others when you childish behaviour
is
> > > questioned. I'd expect no more from you.
> > >
> > Dumb statement #, ooops, er, I lost count... 8)
>
> Another example, . . . ooops, er, I lost count...
> >
> > > > Yes, there may have been a reason as to the delay, but unless the
> > > government
> > > > snatched him from his house minutes after receiving my PAYPAL money,
> > kept
> > > > him off the internet, and didn't allow him out until last night, I
> think
> > a
> > > > short e-mail to me from him indicating the shipment would be delayed
> was
> > > in
> > > > order.
> > > >
> > > I have really bad news for you. There are things, millions of them in
> > fact,
> > > more important than you and your personal problems.
> > > >
> > > But you attempt at sarcasm only adds to the negatives in your column.
> > > >
> > > > Those here wishing to do business in that fashion, feel free, but at
> > least
> > > > you were forewarned.
> > > >
> > > (Your claim of "forewarning" is vacuous.)
> > > >
> > Hey, nice word there truth, you are catching on now.
> >
> > > I'll certainly remember not to do business with you, and will look
> forward
> > > to doing business with Steve.
> > > >
> > Uh oh....I'm loosing sleep now. You and Steve will make good business
> > associates.
>
> As long as you aren't inviolved.
>
> > > All as a result of your postings. Thanks for the warning.

> >
> > Well sir, you are MOST welcome, indeed.
> >
> > > > I should be receiving the radio on Monday, and of course, in
fairness
> to
> > > > Steve, I will report here under a seperate thread.
> > >
> > > Oh, gosh, I'll hold my breath. But fairness is not one of your
> exhibited
> > > traits here. Maybe you'll surprise us and apologize for your tantrum.
> > And
> > > if it isn't there MONDAY, we'll look forward to more venom and
> namecalling
> > > from you>
> > >
> > You are repeating yourself again. Duh, you've made all of these points
> over
> > and over again ad nauseum. AREN'T YOU DONE YET?
>
> And if you will review the post, you will see that you ignored them over
and
> over again ad nauseum
>
> > > > Stay tuned.............
> > >
> > > Maybe you should reconsider your behaviour.
> > >
> > > You're continuing to make a fool of yourself.
> > >
> >
> > PHHEEEEEW. Man, that was more pablum then anyone should ever have to
wade
> > through. But we made it,Mr. Truth, yes we made it through together.
>
> There is no "we" where you and I are concerned.
>
> And I shall endeavour to keep it that way, based solely upon your posts.
>
> > BTW,,,do you have brothers named "Justice" and "The American Way"
> > (I couldn't resist).
>
> No.
>
> >
> > Dan
> >
> >
>
>

4649. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:17:27 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <bpYs9.17012$Mb3.511700@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38160
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:leYs9.14684$gB.7039680@twister.nyc.rr.com...
>
> >
> > A typical malcontent schoolyard bully, only this time he does it at a
safe
> > distance.
> >
> At least I'm not ANONYMOUS.....

Well, you *say* you're not anonymous, but you are, nonetheless, a malcontent
and schoolyard bully.

>
>

4650. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:20:41 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <dsYs9.17014$Mb3.512136@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38161
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"THINK!" <think@hotmail.com> wrote in message
news:3DB44783.B13DA3BD@hotmail.com...

<snip>

> And now there is no way you can undo the posting of his personal
information.
> You will get your item and your life will be just fine

Which is, after all, the only thing that matters to this malcontent and
schoolyard bully.

> , meanwhile the damage you
> did to poor steve will be around on usenet search engines for many many
years to
> come.
>
> Did you mention to him what you did here on the newsgroups? Please let
us
> know how he responded to you telling him this.

Do you think the malcontent schoolyard bully cares?

He cares about only himself in his warped view of the world.

Period.

>
>

4651. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:24:16 UTC
From: Harris <aharris@bookworm.suffolk.lib.ny.us>
Message-ID: <AvYs9.19829$T_.471701@iad-read.news.verio.net>
Source record: 38164
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

In rec.radio.shortwave THINK! <think@hotmail.com> wrote:

> The MAJORITY of hams are no-code technician class! The MINORITY of hams know morse code.

WRONG! There are more Techs than any other single class, but still far
from a majority. See ham census data below from qrz.com:

http://www.qrz.com/i/census.html?

BTW, many Tech Plus (passed code) hams have been reclassified as Tech by
the FCC when they renew because the FCC no longer wants to track Tech Plus in
their database.

Art Harris N2AH

4652. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:25:31 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <LwYs9.17023$Mb3.512197@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38162
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:HlYs9.14720$gB.7042980@twister.nyc.rr.com...
> Dear Mr. Truth :
>
> For your information, pointing out DUMB statements, is NOT name calling,
but
> simply a reflection upon the infomration you provided.

You stick to that story, ya "dumb" schoolyard bully.

> The rest of your diatribe here is simply trash, redundant,and not worthy
of
> a continued waste of time.

I don't blame you for ignoring it. You've made enough of a fool of yourself
already.

> Dan
>
> > > Ahhh, "To Tell the Truth" another ANONYMOUS little fool spewing SO
many
> > > words and saying SO little.
> > >
> > > OK, I'll bite......let's see what words of wisdom YOU have for me on
> > > this....
> > >
> > > > You put your venom in their faces. What do you expect? They were
> > appalled
> > > > by your venom.
> > >
> > > I guess you've never seen BAD GUY Alerts on the groups before?
> >
> > Sure I have. But rarely as idiotic as your.
> >
> > > You use the
> > > words "their" and "they". Are you now the new ANONYMOUS spokesperson
> for
> > > the newsgroups?
> >
> > I thought you werre.
> >
> > > > Do you think you have a corner on that market? Or are you the only
> one
> > > that

> > > > matters?
> > > >
> > > > What *should* you expect?
> > > >
> > > > See comments re: personal problems, below.
> > > >
> > > > I believe you started the namecalling with "Thief!"
> > >
> > > No , I did not. If and when you learn to read and not follow, you
will
> > know
> > > this.
> > > Not one time did I call Steve any names, other then the initial title
of
> > the
> > > generic "Bad Guy Alert" which I stand by.
> >
> > Of course you stand by it. That's called compulsion.
> >
> > > Also, in all of my responses to the posters here, not once did I ever
> call
> > > anyone a name, use foul language or vulgarities.
> >
> > You didn't use your short fuse to call someone a BAD GUY?
> >
> > Gee, I must have read someone else's posts.
> >
> > > Despite the nonsense
> > > thrown in my direction.
> >
> > I saw you throwing nonsense.
> >
> > You must have missed it.
> >
> > > We can all agree to disagree, and a good debate is
> > > healthy.
> >
> >
> > Unless we disagree with you, of course. You are, after all the victim,
> > right?
> >
> > > The other nonsense is unnecessary, wouldn't you agree to that at
> > > least?
> > >
> > > > Didn't you?
> > >
> > > NO
> > >
> > > > Did you not?
> > >

> > > Uh, no I did not. Asked and answered.
> > >
> > > > And how do we know "Dan Conti" is your name and that
dconti@nj.rr.com
> is
> > > > your email address?
> > >
> > > #1. dumb statement in this response not worthy of a reply.\
> >
> > You can't.
> >
> > It isn't dumb at all. But your namecalling is noted. Wait, you don't
do
> > that, right?
> >
> > > > And who cares?
> > >
> > > Well, Mr Turth, apparently you do since you spent quite some time,
> > thought,
> > > and effort into responding to me here. The fact that you even
question
> > it's
> > > veracity indictaes you DO care.
> >
> > I wasn't addressing the transaction, merely your behaviour.
> >
> > > > But it does not go unnoticed that you expanded you venomous outburt
to
> > > just
> > > > about everyone that responded.
> > >
> > > OK, show me just ONE example from any of my responses where I
"expanded
> > > venomous outbursts" to anyone....(whatever that means. I didn't know
> you
> > > could expand a venomous outburst, must be fun).
> >
> > Here is just onw example:
> >
> > "I will preface my remarks by stating that I am appalled by the venom
> spewed
> > in my direction by the majority of respondents to the topic of my
initial
> > thread here. It was also interesting to note the the majority of these
> > responses were from posters hiding behind the veil of anonymity, using
> foul
> > language and vulgar name calling."
> >
> > > > Here's a fact:
> > > >

> > > > You did not make your post as any type of public service so that
> others
> > > > could be protected, rather it was a childish temper tantrum meant to
> > > > embarrass and damage Steve. It was mean-spirted, self-centered,
> > > > self-serving, childish, and ill-conceived.
> > >
> > > #2. dumb statement. These are the FACTS according to Mr. Tell the
> Truth.
> > > In reality sir, it is merely your opinion of which you are of course
> > > entitled.
> >
> > "#2 dumb statement"
> >
> > There's another example.
> >
> > And, again, when caught with your pants down, you resort to childish
> > namecalling.
> >
> > I would expect no more from you.
> >
> > > > What you mean here is to squelch the criticism you rightly brought
> upon
> > > > yourself.
> > >
> > > Once again, if that is how you perceive the update, knock yourself
out.
> > >
> > > > Do you always try to control everyone around you?
> > >
> > > Yes, I do Mr. Truth...OK?
> >
> > Finally, some progress.
> >
> > >
> > > > And, if so, why would you make a fool of yourself in public?
> > >
> > > Your opinion against which I cannot defend.
> >
> > I know.
> >
> > >
> > > > > The final chapter
> > >
> > > > (The "final chapter" is written everytime someone disagrees with
you.)
> > >
> > > #4. dumb statement.
> >
> > Another example.
> >

> > > The one and only time I used that terminology was in
> > > the update. I thought it's meaning was pretty clear. If you and
others
> > > would like, I can certainly offer many MORE chapters to the saga. I
can
> > go
> > > on and on with this mental mastrubation indefinately.
> > >
> > > > We'll add that to the long list of things you don't know. That
long,
> > > long
> > > > list.
> > >
> > > There you go with the "we" again. So if I understand you correctly,
you
> > and
> > > a bunch of other ANONYMOUS folk got togther, took a look at an entire
> > litany
> > > of information, and decided as a group that there are many things I do
> not
> > > know. Damn, you are good.
> >
> > I know.
> >
> > > OOpps, I forgot, add this as dumb statement #5.
> >
> > And another example.
> >
> > > > > He stated that he was drawn away suddenly
> > > > > to work on a project at a secure government facility, and has been
> > away
> > > > > all
> > > > > week. He stated that he had NO outside internet access this
entire
> > > time.
> > > > > He did not specify as to the exact date he was drawn away, or when
> he
> > > > > returned.
> > > >
> > > > So?
> > >
> > > Well, many folks were wondering as to what Steve's excuse was for NOT
> > > shipping AS AGREED. (Once again if you READ all of the threads you
> would
> > > know this). So I obliged and relayed it here. OK?
> >
> > Not the reason.
> >
> > >
> > > > Are you now calling him a liar?

> > >
> > > No, never did, that's another silly conclusion YOU drew from the
> > > information.
> > >
> > Then tell me, what was BAD about this BAD GUY?
> > >
> > List it here =>
> > >
> > > >
> > > > Based on what?
> > > >
> > > > And WHY?
> > > >
> > > These little snippets will be # 6 and # 7 dumb statements.
> > >
> > Two more examples.
> > >
> > > > > Steve was very apologetic in his response.
> > > > >
> > > > I'm sure he was.
> > > >
> > > Well , he had reason to be. If you don't get it, YOU WILL NEVER GET
IT!
> > >
> > Nothing like a schoolyard bully declaring victory.
> > >
> > And nothing funnier.
> > >
> > > > Will you be?
> > > >
> > > No, absolutely not. I did not do anything wrong, nor did I violate any
> > terms
> > > of our agreement.
> > >
> > You tirade here was part of this "agreement"?
> > >
> > > > You certainly haven't been yet.
> > > >
> > > Nor will I be...
> > >
> > I would expect nothing else from you.
> > >
> > > > > Steve stated that he was going to reverse the PAYPAL payment to
me,
> > and
> > > > > also
> > > > > ship the equipment today, via overnight mail. All I asked of him
> was
> > to
> > > > > ship the equipment, and I never asked for the reversal.

> > > >
> > > > Did you refuse it?
> > > >
> > > Refuse what?
> >
> > No, the reversal.
> >
> > > The radio? It is due to arrive tomorrow and I will accept it.
> > > Never got the reversal, and it is just as well. Receiving the radio
> will
> > > suffice.
> >
> > Until the next time someone is unfortunate enough to enter into one of
> your
> > "agrteements".
> >
> > > >
> > > > Did you refuse the reversal?
> > > >
> > > No. See above.
> >
> > Another mishandled small detail. You didn't address it above.
> >
> > > >
> > > > Your comment, "All I asked of him . . . .", is the most
self-serving,
> > > > deceitful thing you've posted yet.
> > > > >
> > > > Have you no shame?
> > > >
> > > Your posting quotes of mine out of context is the most self-serving,
> > moronic
> > > thing you could do as well. Have YOU no shame?
> >
> > You wouldn't know it of your saw it.
> >
> > Give it a rest.
> >
> > > > Have you no notion of right and wrong?
> > > >
> > > I guess not, according to you and your committee.
> >
> > And a little more progress.
> >
> > > > > > I do not know why
> > > > > > he chose to do that if he was shipping me the radio.
> > > > >
> > > > To stop you from trashing him publicly?
> > > >
> > > No, to finally fulfill his end of an agreement.

> >
> > School yard bully.
> >
> > You don't play well with others.
> >
> > >
> > > > Do ya think?
> > > >
> > > > Could it be?
> > > >
> > > > Don't play innocent.
> > >
> > > Your cutesy attempt at an arrogant literary style asking rhetorical
> > > questions you obviously have already answered was quaint once or
twice,
> > but
> > > has become boring and silly in it's continuation.
> >
> > It wasn't rhetorical.
> >
> > Anmd you couldn't answer.
> >
> > > > It is EXACTLY the response you wanted.
> > > >
> > > > You have a pathological desire for public validation. And that's
why
> > YOU
> > > > reprinted it here.
> > >
> > > Now Mr. Truth is a Psychologist as well?
> >
> > No, I raised children. And you certainly are a child.
> >
> > > > > He trusted that upon
> > > > > receipt of the radio, I would re-submit the payment to him via
> PAYPAL.
> > > >
> > > > So at least one party to this transaction shows some trust in the
> other
> > > > person.
> > > >
> > > > OK, we make a little progress.
> > > >
> > > > BTW, I wouldn't trust a bit. Not on your life.
> > > >
> > > > > As of this writing, I have not received the PAYPAL reversal in my
> > PAYPAL
> > > > > account.
> > > >
> > > > So what? Must the world stop and all atnetion be directed to you?

Is
> > > > instant gratification the only gratification you know?
> > > >
> > > > Do you ever stop whining?
> > > >
> > > > Are you public (government) school teacher?
> > >
> > > Makes absolutely NO sense, and is BEYOND dumb statement.
> >
> > And another example.
> >
> > > You have become so caught up in your own unimportance here as
evidneced
> by
> > > your rantings above which are now redudancies or previously issued
> attacks
> > > against me.
> >
> > Not rantinds, rather a response to your public posting.
> >
> > > > > Also, I did a US Postal tracking on the number he gave for the
> > > overnight,
> > > > > and once again, as of this writing, no record of the shipment.
> > > >
> > > > So what?
> > > >
> > > > At least one party to this transaction has shown some trust.
> > > >
> > > > Why haven't you?
> > > >
> > > > WHY HAVEN'T YOU?
> > > >
> > > More redundancy, more rhetorical questions.
> >
> > Neither rhetorical nor redundant.
> >
> > And again, you do not answer.
> >
> > > Amazing how hateful someone can
> > > be against another whom they do not know,
> >
> > Look at your statements re: Steve.
> >
> > Pot-kettle-black.
> >
> > > defending someone else whom they
> > > do not know.
> >
> > Here's where, after making a public post you object to public
discussion.

> >
> > Because so few people agree with you.
> >
> > One would think you'd be used to that by now . . . .
> >
> > > Once again, blame the victim.
> >
> > You are a victim mof your own behaviour
> >
> > > But alas, you are absolved as you cannot help
> > > yourself.
> >
> > I know not to do business with you.
> >
> > > > > YES, it is possible that there are delays in both items above.
> > > > >
> > > > So what?
> > > >
> > > You said that once or twice already twice already.
> >
> > And you ingored it twice already.
> >
> > > A little writing tip : Don't keep
> > > asking silly stupid questions rhetorically, just make your statement
and
> > > move on.
> >
> > You could try addressing the question.
> >
> > Oops, you cannot.
> >
> > > > > Anyone contesting the facts above should contact me and I will
> > privately
> > > > > e-mail you his e-mail text and the USPS tracking # he provided.
> > > > >
> > > > Most people don't care about your personal problems. Problems,
> > > > incidentally, unrelated to this transaction. And you'[re the last
one
> I
> > > > would trust to produce "facts".
> > > >
> > > Well, there you go again speaking for "most people". For someone who
> > doesn
> > > not care at all about this matter, I remind you once again of the time
> and
> > > effort you expended to blast me here. Thanks for caring.
> >
> > Your'e welcome.
> >
> > > > > In m

> > > y opinion, and that is what the newsgroups are, a bunch of opinions,
> > > > the
> > > > > BAD GUY title was not excessive.
> > > > >
> > > > Not in your mind. But that goes back to the personal problems not a
> > > subject
> > > > of this thread.
> > > > >
> > > > > I firmly believe that a deal is a deal,
> > > > > and that not having shipped, 9 days past receiving the money,
> WITHOUT
> > > any
> > > > > contact with the buyer, is BAD GUY performance, in the context in
> > which
> > > we
> > > > > use GOOD GUY and BAD GUY alerts here.
> > > > >
> > > > What's this "we" stuff, Lindburg?
> > >
> > > We meaning the group,
> >
> > Well if you count the responses, you aren;t among the "we", now, are
you?
> >
> > > meaning others on the group in the past have used
> > > these monikers.
> > > Do not even attempt to correct me on the use of "we" as you come to
this
> > > forum unarmeD.
> >
> > You've done the very same thing.
> >
> > Again, you see yourself as a victim. It make like easier for you, but
not
> > those around you.
> >
> > Oh, yea, they don't matter.
> >
> > > > In your posts you speak for yourself, not others.
> > > > >
> > > Of course, unlike YOU , I can only speak for myself.
> >
> > LOL!
> >
> > > > I suppose you presume to speak for others when you childish
behaviour
> is
> > > > questioned. I'd expect no more from you.
> > > > >
> > > Dumb statement #, ooops, er, I lost count... 8)

> >
> > Another example, . . . ooops, er, I lost count...
> > >
> > > > > Yes, there may have been a reason as to the delay, but unless the
> > > > government
> > > > > snatched him from his house minutes after receiving my PAYPAL
money,
> > > kept
> > > > > him off the internet, and didn't allow him out until last night, I
> > think
> > > a
> > > > > short e-mail to me from him indicating the shipment would be
delayed
> > was
> > > > in
> > > > > order.
> > > >
> > > > I have really bad news for you. There are things, millions of them
in
> > > fact,
> > > > more important than you and your personal problems.
> > > >
> > > > But you attempt at sarcasm only adds to the negatives in your
column.
> > > >
> > > > > Those here wishing to do business in that fashion, feel free, but
at
> > > least
> > > > > you were forewarned.
> > > >
> > > > (Your claim of "forewarning" is vacuous.)
> > > >
> > > Hey, nice word there truth, you are catching on now.
> > >
> > > > I'll certainly remember not to do business with you, and will look
> > forward
> > > > to doing business with Steve.
> > > >
> > > Uh oh....I'm loosing sleep now. You and Steve will make good business
> > > associates.
> >
> > As long as you aren't inviolved.
> >
> > > > All as a result of your postings. Thanks for the warning.
> > >
> > > Well sir, you are MOST welcome, indeed.
> > >
> > > > > I should be receiving the radio on Monday, and of course, in
> fairness
> > to

> > > > > Steve, I will report here under a seperate thread.
> > > > >
> > > > > Oh, gosh, I'll hold my breath. But fairness is not one of your
> > exhibited
> > > > > traits here. Maybe you'll surprise us and apologize for your
tantrum.
> > > And
> > > > > if it isn't there MONDAY, we'll look forward to more venom and
> > namecalling
> > > > > from you>
> > > > >
> > > You are repeating yourself again. Duh, you've made all of these
points
> > over
> > > > and over again ad nauseum. AREN'T YOU DONE YET?
> > >
> > And if you will review the post, you will see that you ignored them over
> and
> > over again ad nauseum
> > >
> > > > > Stay tuned.............
> > > > >
> > > > > Maybe you should reconsider your behaviour.
> > > > >
> > > > > You're continuing to make a fool of yourself.
> > > > >
> > > >
> > > PHHEEEEEW. Man, that was more pablum then anyone should ever have to
> wade
> > > through. But we made it,Mr. Truth, yes we made it through together.
> > >
> > There is no "we" where you and I are concerned.
> > >
> > And I shall endeavour to keep it that way, based solely upon your posts.
> > >
> > > BTW,,,do you have brothers named "Justice" and "The American Way"
> > > (I couldn't resist).
> > >
> > No.
> > >
> > > >
> > > Dan
> > > >
> > > >
> > >
> > >
> >
>

4653. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:29:44 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <IAYs9.17035$Mb3.512671@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38163
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

You are the one ranting in public.

And you demand sympathy?

What a self-centered malcontent schoolyard bully.

Pathetic.

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:LdYs9.14681$gB.7039388@twister.nyc.rr.com...
> ...
> > > > However, as of today, 9 days after this agreement, the item still
had
> not
> > > > been shipped.
> > >
> > > How do you know that if you are unable to contact the seller?
> >
> > He couldn't. He jumped to a conclusion and raced to publish the poor
> guy's
> > personal info all over the internet before thinking.
> >
> HE violates an agreement, DOES NOT ship as promised, yet he is the poor
guy.
>
> Go figure.
>
> Dan
>
>

4654. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:29:47 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <LAYs9.14790$gB.7049971@twister.nyc.rr.com>
Source record: 38165
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

>
> The initial thread being your posting someone's personal information on
the
> internet without his consent.
>
The information I posted is public record, made public by Steve in his acceptance of an FCC radio license. No big secret there, nothing sensitive or personal posted. BTW, it turns out his address has changed.

Funny thing is that in t heir zeal to chastise me, and put their two cents in on this matter, respondents here, most anonymous did additional research and dug up all of Steve's real information and beyond, AND POSTED IT! I didn't do that, your COLLEAGUES HERE DID!

> After what you did with the other guy's personal info, do you really think
any
> SMART person would reply with his real name?

You are assuming there SMART people frequent these groups. The majority of posters on these groups post anonymously not because they are afraid of horrible people like me, they do it so they can use foul language, call people names, and say really STUPID things without anyone knowing the true identity of the fool doing it.

>And why do you care so much what name someone is using to make a point
here?

See above.

> The ONLY reason this could bother you is because you want the real
identities so that >you can take revenge with this info.

Revenge? Be careful there my friend, you are starting to cross over the line. I would really like to hear how you describe this "revenge" I will be taking.

> My points made here will have no different meaning just because I
> am stupid and post my real name, if anything, it just shows that I would
be
> stupid and then my points would therefore be LESS credible, not more.

Again, see above.

> > , using foul
> > language and vulgar name calling.
>

> You forgot posting people's personal information on newsgroups because you
> dislike them.

No, once again it was PUBLIC information. Please try and follow. I do not
DISLIKE Steve, what I dislike is when someone violates an agreement and does
not even communicate with the buyer. Maybe I was just expecting too much.

> That is a LOT WORSE than simple name calling and using words that are in
the dictionary.

It is? You are Proud that words like F***, S***, and C*** are in the
dictionary?
The word BITCH is in the dictionary, but if your wife or girlfriend,
(assuming you are a man), posted here, and in my response I called her a
BITCH, you would be upset, correct? Or maybe not.

>
> > The purpose of this post is to issue an update in this matter as to
squelch
> > further debate.
>
> Then you are not very smart. No post can do that. The way to stop the
thread
> is to stop posting replies. When you stop replying, the thread will die.

Negative. It is NOT in my nature to NOT defend when being attacked for
something I stand by.

> > Last night, AFTER my PAYPAL complaint was issued, and the initial post
was
> > made here, I received an e-mail from Steve. He stated that he was drawn
away
> > suddenly
> > to work on a project at a secure government facility, and has been away
all
> > week.
>
> So we were right, and you made an ass out of yourself.
>

Well, if that's your assessment of what happened, fine, go with it.

> > He stated that he had NO outside internet access this entire time.
> > He did not specify as to the exact date he was drawn away, or when he
> > returned.
> >
> > Steve was very apologetic in his response.
> > Steve stated that he was going to reverse the PAYPAL payment to me, and
also
> > ship the equipment today, via overnight mail.
>
> And now there is no way you can undo the posting of his personal
information.

> You will get your item and your life will be just fine, meanwhile the
damage you
> did to poor steve will be around on usenet search engines for many many
years to
> come.

Poor Steve? Blame the vicitm once again.

> Did you mention to him what you did here on the newsgroups? Please let
us
> know how he responded to you telling him this.
>

Yes, and I believe he has viewed the threads and will be responding on his own in due course. He will have his response, opinion, and be entitled to it. However, rest assured I will defend against any inaccuracies.

Stay tuned...

Dan

>

4655. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:36:21 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <VGYs9.14819$gB.7051991@twister.nyc.rr.com>
Source record: 38166
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Malcontent and schoolyard bully. Is that the best you can do?

Come on, your strong point seems to be name calling, so let's have it, go
for the gusto, I am sure you can find better and more illustrative names to
call me.

I stand corrected, and will change course here, and in your case, resort to
name calling :

YOU, my anonymous little friend, are a mindless, hateful SCUMBAG with
nothing better to do with your life then respond to silly insignificant
posts on the newsgroups.

This thread I created served MY purpose. How does being so hatefull here
serve yours?

Dan
> > And now there is no way you can undo the posting of his personal
> information.
> > You will get your item and your life will be just fine
>
> Which is, after all, the only thing that matters to this malcontent and
> schoolyard bully.
>
> > , meanwhile the damage you
> > did to poor steve will be around on usenet search engines for many many
> years to
> > come.
> >
> > Did you mention to him what you did here on the newsgroups? Please
let
> us
> > know how he responded to you telling him this.
>
> Do you think the malcontent schoolyard bully cares?
>
> He cares about only himself in his warped view of the world.
>
> Period.
>
> >
> >
>
>

4656. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:41:36 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <QLYs9.17066$Mb3.513940@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38167
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:LAYs9.14790$gB.7049971@twister.nyc.rr.com...

<snip>

> You are assuming there SMART people frequent these groups.

Hardly, you post here, ya schoolyard bully.

> The majority of
> posters on these groups post anonymously not because they are afraid of
> horrible people like me, they do it so they can use foul language, call
> people names, and say really STUPID things without anyone knowing the true
> identity of the fool doing it.

And you just did what?

Ya schoolyard bully.

> >And why do you care so much what name someone is using to make a point
> here?
>
> See above.
>
> > The ONLY reason this could bother you is because you want the real
> identities so that >you can take revenge with this info.
>
> Revenge? Be careful there my friend, you are starting to cross over the
> line. I would really like to hear how you describe this "revenge" I will
be
> taking.

You trashed Steve without posting the whole story.

> > My points made here will have no different meaning just because I
> > am stupid and post my real name, if anything, it just shows that I would
> be
> > stupid and then my points would therefore be LESS credible, not more.
>
> Again, see above.
>
> > > , using foul
> > > language and vulgar name calling.
> >
> > You forgot posting people's personal information on newsgroups because
you

> > dislike them.
>
> No, once again it was PUBLIC information. Please try and follow. I do
not
> DISLIKE Steve, what I dislike is when someone violates an agreement

And agreement you have yet to post.

Ya schoolyard bully.

>and does
> not even communicate with the buyer.

Then how was this "agreement" made?

> Maybe I was just expecting too much.

You always expect too much.

Ya schoolyard bully.

>
> > That is a LOT WORSE than simple name calling and using words that are
in
> the dictionary.
>
> It is? You are Proud that words like F***, S***, and C*** are in the
> dictionary?
> The word BITCH is in the dictionary, but if your wife or girlfriend,
> (assuming you are a man), posted here, and in my response I called her a
> BITCH, you would be upset, correct? Or maybe not.
> >
> > > The purpose of this post is to issue an update in this matter as to
> squelch
> > > further debate.
> >
> > Then you are not very smart. No post can do that. The way to stop
the
> thread
> > is to stop posting replies. When you stop replying, the thread will
die.
>
> Negative. It is NOT in my nature to NOT defend when being attacked for
> something I stand by.

You attacked Steve.

Hypocrite.

Schoolyard bully.

>

> > > Last night, AFTER my PAYPAL complaint was issued, and the initial post
> was
> > > made here, I received an e-mail from Steve. He stated that he was
drawn
> away
> > > suddenly
> > > to work on a project at a secure government facility, and has been
away
> all
> > > week.
> >
> > So we were right, and you made an ass out of yourself.
> >
>
> Well, if that's your assessment of what happened, fine, go with it.
>
> > > He stated that he had NO outside internet access this entire time.
> > > He did not specify as to the exact date he was drawn away, or when he
> > > returned.
> > >
> > > Steve was very apologetic in his response.
> > > Steve stated that he was going to reverse the PAYPAL payment to me,
and
> also
> > > ship the equipment today, via overnight mail.
> >
> > And now there is no way you can undo the posting of his personal
> information.
> > You will get your item and your life will be just fine, meanwhile the
> damage you
> > did to poor steve will be around on usenet search engines for many many
> years to
> > come.
>
> Poor Steve? Blame the vicitm once again.
>
> > Did you mention to him what you did here on the newsgroups? Please
let
> us
> > know how he responded to you telling him this.
> >
>
> Yes, and I believe he has viewed the threads and will be responding on his
> own in due course. He will have his response, opinion, and be entitled to
> it. However, rest assured I will defend against any inaccuracies.
>
> Stay tuned...
>
> Dan
>
>

> >
>
>

4657. FA:ALINCO DJ-X10T MINT!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 19:43:49 UTC
From: msdbm@aol.com
Message-ID: <20021021154349.03523.00011701@mb-cr.aol.com>
Source record: 38168

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390786831&ssPageName=ADME:B:DS:US:3

4658. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 20:37:53 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <BAZs9.17149$Mb3.517841@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38169
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:VGYs9.14819$gB.7051991@twister.nyc.rr.com...
> Malcontent and schoolyard bully. Is that the best you can do?

I needn't go any further.

It is an apt description.

> Come on, your strong point seems to be name calling, so let's have it, go
> for the gusto, I am sure you can find better and more illustrative names
to
> call me.

Others may. I needn't.

> I stand corrected, and will change course here, and in your case, resort
to
> name calling :
>
> YOU, my anonymous little friend, are a mindless, hateful SCUMBAG with
> nothing better to do with your life then respond to silly insignificant
> posts on the newsgroups.

OK, I'll add "hypocrite".

> This thread I created served MY purpose.

Of course it did. Your "purpose" is all that matters to you.

OK, since you brought it up, that's called a sociopath.

> How does being so hatefull here
> serve yours?

Because *you* might get something out of it.

Ya schoolyard bully.

>
> Dan
> > > And now there is no way you can undo the posting of his personal
> > information.
> > > You will get your item and your life will be just fine
> >
> > Which is, after all, the only thing that matters to this malcontent and
> > schoolyard bully.
> >

> > > , meanwhile the damage you
> > > did to poor steve will be around on usenet search engines for many
many
> > years to
> > > come.
> > >
> > > Did you mention to him what you did here on the newsgroups? Please
> let
> > us
> > > know how he responded to you telling him this.
> >
> > Do you think the malcontent schoolyard bully cares?
> >
> > He cares about only himself in his warped view of the world.
> >
> > Period.
> >
> > >
> > >
> >
> >
>
>

4659. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 20:39:19 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <XBZs9.15072$gB.7080635@twister.nyc.rr.com>
Source record: 38170
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

The only thing I'll get out of continuing with the likes if YOU is a
headache.

Crawl back under your rock.

Dan

"TellTheTruth" <tellthetruth@every.net> wrote in message
news:BAZs9.17149$Mb3.517841@bgtnsc04-news.ops.worldnet.att.net...
>
> "Dan Conti" <dconti@nj.rr.com> wrote in message
> news:VGYs9.14819$gB.7051991@twister.nyc.rr.com...
> > Malcontent and schoolyard bully. Is that the best you can do?
>
> I needn't go any further.
>
> It is an apt description.
>
> > Come on, your strong point seems to be name calling, so let's have it,
go
> > for the gusto, I am sure you can find better and more illustrative names
> to
> > call me.
>
> Others may. I needn't.
>
> > I stand corrected, and will change course here, and in your case, resort
> to
> > name calling :
> >
> > YOU, my anonymous little friend, are a mindless, hateful SCUMBAG with
> > nothing better to do with your life then respond to silly insignificant
> > posts on the newsgroups.
>
> OK, I'll add "hypocrite".
>
> > This thread I created served MY purpose.
>
> Of course it did. Your "purpose" is all that matters to you.
>
> OK, since you brought it up, that's called a sociopath.
>
> > How does being so hatefull here
> > serve yours?

>
> Because *you* might get something out of it.
>
> Ya schoolyard bully.
>
> >
> > Dan
> > > > And now there is no way you can undo the posting of his personal
> > > information.
> > > > You will get your item and your life will be just fine
> > > >
> > > Which is, after all, the only thing that matters to this malcontent
and
> > > schoolyard bully.
> > > >
> > > > , meanwhile the damage you
> > > > did to poor steve will be around on usenet search engines for many
> many
> > > years to
> > > > come.
> > > >
> > > > Did you mention to him what you did here on the newsgroups?
Please
> > let
> > > us
> > > > know how he responded to you telling him this.
> > > >
> > > Do you think the malcontent schoolyard bully cares?
> > > >
> > > He cares about only himself in his warped view of the world.
> > > >
> > > Period.
> > > >
> > > >
> > > >
> > > >
> > >
> > >
>
>

4660. Yaesu VX-1R - 9k6 packet capable?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 21:01:47 UTC
From: "Odd Erling N. Eriksen" <odderi@pvv.org>
Message-ID: <ap1pvr$m9n$1@tyfon.itea.ntnu.no>
Source record: 38171

Subject line says it all, really. I assume it cannot operate 9k6 out-of-the-box (Otherwise, Yaesu would have boasted it on their website), but is it possible to insert a signal at the modulator input, thus enabling it to transmit 9k6? Setting the receive mode to WFM ought to enable it to receive 9k6, but for my application, 9k6 TX is the important mod.

Other suggestions as to small handhelds capable of 9k6 packet are most welcome. Thanks,

--
73 de LB1LF

Odd Erling, ARK

"I never make mistakes. Only unintentional improvisations."

4661. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 21:30:47 UTC
From: Think! <Think@thought.com>
Message-ID: <3DB47297.2935B907@thought.com>
Source record: 38172
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> > The MAJORITY of hams are no-code technician class! The MINORITY of hams know morse code.
>
> WRONG! There are more Techs than any other single class, but still far
> from a majority.

Not only are the Techs a majority (don't forget that most of the other classes on your census are
from dead people and those not in ham radio anymore) but MOST hams from the other classes don't
know code either!
They learned letters A and E to pass the multiple choice tests (that's all it took! Learn those
two letters and you could pick the correct sentence for the multiple choice answers!) and either
never knew the code, or forgot it from never using it as they just wanted to upgrade to TALK on
HF, not use code.

If you even TALKED to most General hams, you would know this.

I also "memorized" the code to get my Extra, but can't remember anything more than SOS, as is the
case with everyone in our ham club.

Next time you are at a ham fest or your local club, you might want to "quiz" a few of your General class hams and you might be surprised how many don't know the code anymore!

I wan't kidding when I said to THINK god dammit!

4662. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 21:49:18 UTC
From: Think! <Think@thought.com>
Message-ID: <3DB476ED.6AE078E3@thought.com>
Source record: 38173
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> > The initial thread being your posting someone's personal information on
> the
> > internet without his consent.
> >
> The information I posted is public record, made public by Steve in his
> acceptance of an FCC radio license. No big secret there, nothing sensitive
> or personal posted.

If you really feel that way, you will have no problem posting the same info about yourself, right? Start with your home address. If you refuse, or try to weasle out of this one, you will just be hiding and be anonymous to us! You should have NO PROBLEM posting your address and info here if you REALLY feel there was nothing wrong with posting Steves. If you REFUSE to post your info, then you prove us right and that you know what you did was wrong.

> > After what you did with the other guy's personal info, do you really think
> any
> > SMART person would reply with his real name?
>

> The majority of
> posters on these groups post anonymously not because they are afraid of
> horrible people like me,

But that horrible people like you will post their home addresses and phone numbers.

> they do it so they can use foul language, call
> people names, and say really STUPID things without anyone knowing the true
> identity of the fool doing it.

No. Someone could post as "John Emerson" or "Gordon Thompson" and you would not KNOW they are not using their real names! At least when someone uses a handle instead of a name, they are not trying to be deceptive. Anyone can post on a newsgroup as "Dan Conti" and preach that they are not posting anonymously when they really are. Why not PROVE you are really Dan Conti?! If you don't, then you are just as anonymous.

> >And why do you care so much what name someone is using to make a point
> here?
> > The ONLY reason this could bother you is because you want the real
> identities so that >you can take revenge with this info.

Right!

> > My points made here will have no different meaning just because I
> > am stupid and post my real name, if anything, it just shows that I would
> be
> > stupid and then my points would therefore be LESS credible, not more.

Right again!

> > You forgot posting people's personal information on newsgroups because you
> > dislike them.
> > That is a LOT WORSE than simple name calling and using words that are in
> the dictionary.
>
> It is? You are Proud that words like F***, S***, and C*** are in the
> dictionary?

I, nor anyone else, take pride that ANY words are in the dictionary. Are you proud that the word "THE" is in the dictionary? ALL words of the English language should be in the dictionary, not just ones that YOU or other christian assholes approve of the rest of the population using.

> The word BITCH is in the dictionary, but if your wife or girlfriend,
> (assuming you are a man), posted here, and in my response I called her a
> BITCH, you would be upset, correct?

How would you be calling me or anyone I know names make me upset?! Would this make YOU upset? How creepy to know that all I have to do is say that your mother is a whore and you would be upset by this!
Wow. Think of all the power I have over you!

> It is NOT in my nature to NOT defend when being attacked for
> something I stand by.

YOU were the one who made the attack! LOL! You dumb stupid bozo! You don't even remember this do you? You schoolyard bully!

> > > Last night, AFTER my PAYPAL complaint was issued, and the initial post
> was
> > > made here, I received an e-mail from Steve. He stated that he was drawn
> away
> > > suddenly
> > > to work on a project at a secure government facility, and has been away
> all
> > > week.
> >
> > So we were right, and you made an ass out of yourself.
> >
>
> Well, if that's your assessment of what happened, fine, go with it.

At least you finally admit it.

> > And now there is no way you can undo the posting of his personal
> information.
> > You will get your item and your life will be just fine, meanwhile the

> damage you
> > did to poor steve will be around on usenet search engines for many many
> years to
> > come.
>
> Poor Steve? Blame the vicitm once again.

The victim is the one who has his personal info on the internet for years to
come because of your actions.

You have had nothing done wrong to you and will be receiving your package
shortly. Life goes on as normal for you, poor victim Steve is screwed for
years to come because of your actions.

The fact that you don't see this shows what an evil being you really are.

> > Did you mention to him what you did here on the newsgroups? Please let
> us
> > know how he responded to you telling him this.
>
> Yes, and I believe he has viewed the threads and will be responding on his
> own in due course.

No... what did he say to YOU when you told him this, you liar?

> Stay tuned...
>
> Dan

Dan, the schoolyard bully.

4663. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 21:53:26 UTC
From: "R. Scott" <washingtonham@yahoo.com>
Message-ID: <3DB47756.7A4AD6A7@yahoo.com>
Source record: 38174
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

OK, Can all participants drop it now. So much dirty laundry being aired
its beggining to STINK around here.

N7HJ

4664. FS: TR-7 Service kit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-21 23:23:03 UTC
From: Bob W7AVK <rsrolfne@atnet.net>
Message-ID: <3DB48F48.CB7101CE@atnet.net>
Source record: 38175

FOR SALE - Service kit for the Drake TR-7/7A or R-7/7A.
The 13 Extender cards and the Digital Jumper board
required to do any real trouble shooting. See
http://www.atnet.net/~rsrolfne

Price $63.85, with priority postage in the US.

73 Bob W7AVK

4665. A lot of electronic components F/A on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 00:27:06 UTC
From: Jon <innagoddadavida@hotmail.com>
Message-ID: <uX0t9.1059$vZ6.914407@newshog.newsread.com>
Source record: 38176
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,sci.electronics.components

I just inherited a ton of Electronic stuff from my Uncle Mostly New old stock he never got around to using . He worked for a major company repairing electronic items . I dont really have a use for this stuff and am sure you can get a deal as I dont really have an idea as to its worth. I will be putting up more stuff as it sells or if you are looking for something in particular just ask. I have about 20 lbs. of potentiometers yet to go up. these are 99% new-unused. and more !

Resistors
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779443052

More Resistors !
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779442941

AM/FM/CB Disquise antenna (NEW)
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391228222

Small speakers Great for projects
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779195860

Quite a few IC's in a nice parts bin. 4000 - 7000 9000 series and more
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779195597

Need Switches ? Here ya go
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779195190

Need Transistors ? Just about any kind you need here.....
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194947

Diodes and L.E.D. Lot
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194771

Need Capacitors ? >>>>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194511
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194392
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194282

Audio jacks..Microphones plugs anything to do with audio connections Here !
>>>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194189
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193968

PC Boards - amp kits and more ...>>>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193608

Trimmers and misc...
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193798

Digital displays and the like
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193448

More IC's NOS
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193179

Now all ya need is a breadboard to put it all together
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193314

4666. A lot of electronic components F/A on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 00:35:08 UTC
From: Jon <innagoddadavida@hotmail.com>
Message-ID: <031t9.1062$vZ6.915243@newshog.newsread.com>
Source record: 38177
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap

I just inherited a ton of Electronic stuff from my Uncle Mostly New old stock he never got around to using . He worked for a major company repairing electronic items . I dont really have a use for this stuff and am sure you can get a deal as I dont really have an idea as to its worth. I will be putting up more stuff as it sells or if you are looking for something in particular just ask. I have about 20 lbs. of potentiometers yet to go up. these are 99% new-unused. and more !

Resistors
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779443052

More Resistors !
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779442941

AM/FM/CB Disquise antenna (NEW)
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391228222

Small speakers Great for projects
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779195860

Quite a few IC's in a nice parts bin. 4000 - 7000 9000 series and more
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779195597

Need Switches ? Here ya go
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779195190

Need Transistors ? Just about any kind you need here.....
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194947

Diodes and L.E.D. Lot
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194771

Need Capacitors ? >>>>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194511
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194392
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194282

Audio jacks..Microphones plugs anything to do with audio connections Here !
>>>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779194189
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193968

PC Boards - amp kits and more ...>>>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193608

Trimmers and misc...
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193798

Digital displays and the like
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193448

More IC's NOS
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193179

Now all ya need is a breadboard to put it all together
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1779193314

4667. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 00:49:45 UTC
From: Dan Morisseau <dpm3@morisseau.org>
Message-ID: <3DB4A0D8.D49D6026@morisseau.org>
Source record: 38178
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Brenda Ann wrote:

> ï¿½Y que?
>

Y el caballo en que tu lleguste! ;-)

--
Dan Morisseau - N 38ï¿½34'53", W 90ï¿½22'32", 680'
On the sunrise side of Mo-Pac's famous Kirkwood Hill!
Cardinal Nation: JFB / DK - 57
"ï¿½Y tu madre tambien!"

4668. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 01:03:54 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <_t1t9.16521$gB.7267152@twister.nyc.rr.com>
Source record: 38179
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> On Mon, 21 Oct 2002 19:29:47 GMT, "Dan Conti" <dconti@nj.rr.com> wrote:
> Lots, to lots of people...
>
>
> Dan. Give it a rest. I've worked political campaigns for about 20 yrs.
> There's something I always tell the candidates: "When you're explaining,
you're losing"
>
Rollo, you've got that right. Good advice.

> Did you get your radio?

Yes.

> Did you own up for maybe posting negatives prematurely?
No. I don't think I did, and on that we will agree to disagree.

> If the answer to both of these is "yes" you're good. You ain't gonna be
prom queen, so quit trying.
> Not everybody needs to like you.
>
Very true. I can also due without the Prom "Queen" stuff! 8)

Dan
>
>

4669. Where can I get fingerstock??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 01:34:31 UTC
From: Murray Neece <radioranch@cableone.net>
Message-ID: <3DB4AB27.D1C3E3FE@cableone.net>
Source record: 38180
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment
Body handling: Binary attachment payload not displayed: radioranch.vcf

I have a scredrive and the fingers tock is wearing out, nearly gone...where can I get some and what is best? The unit was a Texas Tornado built in Dallas area but the builder has died...thanks Murray K5MDM

[One or more binary attachments are retained only in the source text.]

4670. Tripp Lite PR-40 Schematic Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 01:46:58 UTC
From: jcplpsm@aol.communicate
Message-ID: <20021021214658.15809.00003483@mb-dd.aol.com>
Source record: 38181

Greetings, I am in need of a schematic for a Tripp Lite PR-40 12VDC power supply. Scanned is fine, paper also. Please reply via e-mail. Take the "municate off the end of .com

Thanks,
Scott M.
KA1MRO

4671. Re: Where can I get fingerstock??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 02:36:47 UTC
From: Harry <hgk@centurytel.net>
Message-ID: <3DB4B9BF.DE0385E7@centurytel.net>
Source record: 38182
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Murray
Why not look here
http://www.surplussales.com/RF/RFFingerstk-1.html

Murray Neece wrote:
>
> I have a scredrive and the fingers tock is wearing out, nearly
> gone...where can I get some and what is best? The unit was a Texas
> Tornado built in Dallas area but the builder has died...thanks Murray
> K5MDM

4672. ALERT: DO NOT DONATE to RADIO CLUB of JHS - 22

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 02:53:37 UTC
From: falster762@aol.com
Message-ID: <20021021225337.07586.00004295@mb-mq.aol.com>
Source record: 38184

Dear fellow Hams;
Before you decide to donate your hard earned radio gear.
Ask this organization for a disclosure of when & what the solicited donations/gear has been used for or donated too!
If you get NO response from them, then you know the whole organization is pure crap.
Please do not even buy his manuals which are in violation of copy right laws, that he solicits all over the WWW, which is one of the reasons that he was asked to leave the QRZ.com site!
At that point, donate it to a reliable organization or sell it right here, then donate the money locally to a good cause!
Good Luck;
Brian

4673. Pactor Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 02:55:45 UTC
From: tayl0rr@yahoo.com
Message-ID: <7C2835356CE5AD24.A56B3D9A0AF527CF.9CB9863EA42C5335@lp.airnews.net>
Source record: 38183

I'm trying to get started in Pactor. My main idea is to send and receive email from my boat. I understand the basics but I'm having a little trouble with the details. I understand I need an HF radio, Pactor modem, and computer. My questions are as follows.

Will any HF radio work? Does it absolutely have to have a Temperature controlled crystal?

I have seen many packet modems that say they work on multiple modes, Amtor, Pactor, etc. However they don't say what modes of Pactor they handle. I.E Pactor-II or Pactor-III how do I tell? What Pactor modems are popular?

Thanks
Robert

4674. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 04:21:58 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <ap2idaavc1@news1.kornet.net>
Source record: 38185
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

No pude traer un caballo a Coree conmigo.. el ahoga.. :(

"Dan Morisseau" <dpm3@morisseau.org> wrote in message
news:3DB4A0D8.D49D6026@morisseau.org...
>
>
> Brenda Ann wrote:
>
> > > Y que?
> > >
>
> Y el caballo en que tu lleguste! ;-)
>
> --
> Dan Morisseau - N 38°34'53", W 90°22'32", 680'
> On the sunrise side of Mo-Pac's famous Kirkwood Hill!
> Cardinal Nation: JFB / DK - 57
> "Y tu madre tambien!"
>
>

4675. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 05:50:44 UTC
From: foxyie@inwind.it
Message-ID: <UG5t9.12033$r7.486373@twister.tampabay.rr.com>
Source record: 38186
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Maybe he died....

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:reYr9.22074$Up6.4149984@twister.nyc.rr.com...
> Be advised that Steven A. Giron, AD6GO, and EXTRA class radio amateur, (
so
> much for the integrity of this hobby), entered into an agreement with me
to
> sell some radio equipment for an agreed price. I promptly sent him a
PAYPAL
> payment.
>
> Since that time, he has not responded to the receipt of the money, nor has
> he answered my numerous e-mail inquiries on this matter. Of course, to
date
> the equipment has not been received.
>
> Steve is listed as residing at 11609 Nova Street, Santa Fe Springs, CA
> 90670. He did not provide a telephone number, nor is there one listed for
> him.
>
> I will take the necessary steps with PAYPAL in an attempt to retrieve my
> money, but this is not gauranteed.
>
> I have been buying and selling on the groups and eBay for many years, and
am
> usually very cautious, and to date, after hundreds of transactions, have
> never been burned - until now.
> I dealt with Steve in the past, and he was fine. Also, I always thought
> that being an EXTRA class ham included some integrity as well. I guess
not.
> Additionally, his eBay feedback is good except for two neutral ratings
> relative to his lack of communication. So much for eBay feedback.
>
> This is a warning NOT to deal with Steve. If anyone knows Steve, or can
> contact him on my behalf, I would like to speak with him on this matter.
>
> Dan
>
>
>

4676. Re: Yaesu VX-1R - 9k6 packet capable?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 07:31:37 UTC
From: F8BOE Olivier <f8boe@free.fr>
Message-ID: <3db50041$0$1391$626a54ce@news.free.fr>
Source record: 38187

Hello!

Yes I have!
Considering all the so called "9k6 capable rigs", the audio input direct to the mixer or any PKT minidin connector wouldn't make it unless the rigs delay between RX and TX is higher than 300 ms (txd 30).
Real 9k6 packet transfer needs less than 100 ms (txd 10) and most european digis do. If you have higher times to switch from TX to RX or RX to TX you would be rejected or couldn't even connect to the digipeater!
An example... well let's say the rudged Icom 706 MKII series and most handies.
I use a Yaesu FT 51r to work 1k2 PKT, and it doesn't work anymore with the TXD set below 23... So it is useless to modify it to 9k6 ability.
The best way is to go for a Kenwood TH D7 V.2, a link-trx or a T7F kit dedicated to 9k6 (and 19k2 with some mods) packet.

73 de F8BOE Olivier ...-.-

"Odd Erling N. Eriksen" odderi@pvv.org wrote
ap1pvr$m9n$1@tyfon.itea.ntnu.no...
>
> Other suggestions as to small handhelds capable of 9k6 packet are most
> welcome. Thanks,
>
> --
> 73 de LB1LF
>
> Odd Erling, ARK

4677. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 07:45:54 UTC
From: Alan Childress <na4i@hotmail.com>
Message-ID: <Sm7t9.164770$IL6.8200910@news2.east.cox.net>
Source record: 38188
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

>There is a problem here, the problem is elitist thinking people trying to keep us normal modern people off the air because >they are afraid of CB'ers coming in. CB'ers will always not get to be on HAM because they will always be too stupid. In >the desire to eliminate CB people, HAM's have made the requirements so hard that they exclude everyone except again, >the old farts who have too much time on their hands already.

Here's an example of another jackass that spends days trying to rationalize why he/she is too lazy to learn a skill. This is the old fart's real grip. The governing body wants to keep the hobby alive (or maybe knife it in the back) by rewarding the lazy ignorant masses by giving them something for nothing.

<Alan>

4678. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 09:55:20 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0210220155.6546ab9b@posting.google.com>
Source record: 38189
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"THINK!" <think@hotmail.com> wrote in message news:<3DB444E5.F1863C2@hotmail.com>...
>
>
> And so were washboards and horses. Now we use washing machines and cars. Having been used for
> years means nothing. We didn't invent microphones and speakers yet, that is why morse code was
> used. The telephone quickly replaced the telegraph and no one uses their phone lines to send
> morse code. Only a few nostalgic hams use morse code, no one else.

Thats not true at all. Many hams still use CW, without thinking at all
about nostalga. Also, cars have been in use as long as spark gap
radio. When are you going to dump your car? They do sell small private
helicopters and such, you know.
Overall, this argument means nothing to me, and I must have heard it
401 times. Only when CW is totally useless, would it be worth giving
up totally. And that will never happen anytime soon. I don't care if
something is 400 years old. If it still works, it's still worth using.

>
> > Only the newest of the hams know no code. The vast majority do.
>
> The MAJORITY of hams are no-code technician class! The MINORITY of hams know morse code.

That may be true if the no-codes have passed up the coded in total
licenses, but I bet 1/2 of those no-codes have already given up radio.
Most got a taste, and then faded out once they found they really
couldn't do a whole lot with a no-code license. Almost all hams on the
hf bands know at least 5 wpm. And most no-codes are learning the 5 wpm
sooner or later. Being stuck on 2m rptrs is no way to live, and most
that are still active, are starting to realize it.
>
> > But thats not
> > the real reason. The real reason is it's required by international
> > treaty.
>
> Japan seems to have no problem having hams use bands below 6 meters without learning code, and
> even in the US, getting a doctor's note lets you violate these international laws for some
> reason. Needless to say, international code requirement are going to finally be removed
> officially next year. There is nothing you can do about it.

Why would I want to do anything about it? I have better things to do with my time. I could care less what the tests involve. I'm just commenting on the supposed uselessness of CW, which is a load of caca. It's only useless to those who don't know it. It's very useful to me, and many others that do use it. But I don't have a mental block, or other strange anxieties when it comes to code. It's just another small part of radio to me. People that whine and moan about the code, and use it as an excuse for not getting a ticket, instead of just getting off their lazy asses and learning it, strike me as weinies. There is a lot of crap I had to learn for the written tests that I really have little use for, but I don't spend my time whining about it. And I don't begrudge any of the newer hams that don't learn code. But I don't consider them quite as capable a radio operator either. "Note I say radio operator, not ham!" But thats their choice. But less is never more. Some get confused, and think less is equal or even more if they use new enough fangled gadgets. I use all the new modes too, and still would prefer CW most of the time. It's more fun. Most of the newer modes are really pretty boring once the new wears off. Sorry, if this strayed for the original topic, but I get tired of hearing code inaccurately slammed by people that have probably never even used it, much less learn it. They really don't seem to have a clue about what it's like to be a regular user of cw. Note the "only can work far off dx" part...I can work cw to anywhere that I can work any other mode. In fact, many qso's are fairly close in. "IE: 40m in the daytime". On 40m at night, CW is the mode of choice if you do want to work dx. You won't be working much on phone, unless you work split. If I didn't or couldn't work cw, I would never get to work europe on 40m. Maybe thats ok to the no-coder, but I couldn't live like that myself. Some of the best dx I hear is on 30m. But if you don't work cw, even a visa or mastercard won't help you on that band. I guess you can use a puter CW program, but it's not near as good a performer as noodleware.
MK

4679. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 14:09:29 UTC
From: jer1538a@aol.com
Message-ID: <20021022100929.20757.00003475@mb-mo.aol.com>
Source record: 38190

CW IS TOTALLY USELESS WITH STUFF LIKE PSK31 AROUND
MUCH MORE EFFECTIVE !!

4680. Re: Advice on new HF rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 14:53:44 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <YDdt9.18287$Mb3.611398@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38191

I have had the 570 for a few years, and I have been happy with it. The feature set that it has is pretty typical, but Kenwood did put their money into the performance. This unit uses a Quad JFET 1st mixer; this is one of the best mixer topologies available. The Icom and the Yaesu offerings are also ok, but the Kenwood is my favorite. Also, the 570 does use glass epoxy circuit boards, the same type of material that you see being used in commercial and military equipment.

Pete

4681. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 15:38:29 UTC
From: n2ah@yahoo.com
Message-ID: <ce47897e.0210220738.4821fa78@posting.google.com>
Source record: 38192
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Think!" wrote:

> > > The MAJORITY of hams are no-code technician class! The MINORITY of hams know morse code.
> >
> > WRONG! There are more Techs than any other single class, but still far
> > from a majority.
>
> Not only are the Techs a majority (don't forget that most of the other classes on your census are
> from dead people and those not in ham radio anymore)

The up-to-date census (as of 10/22/02) based on FCC records shows that
Tech licensees make up about 1/3 of all hams. See:

http://www.qrz.com/i/census.html?

What proof do you have to support your assertion that No-code Techs
are a majority of hams?

Look at the license renewal rates for the original No-Code Techs
(their licenses started coming up for renewal in February 2001) and
you will see they are dropping out faster than other classes. As for
"dead people," some of the Techs listed in the data base are dead too!

Art Harris N2AH
20 wpm Extra (since 1971)

4682. WTB: Yaesu G1000SDX Rotor Box

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 15:52:28 UTC
From: rs2bk@aol.com
Message-ID: <20021022115228.20112.00000410@mb-bd.aol.com>
Source record: 38193

Looking the rotor control box that goes with
the G1000sdx. Mine took a hit from mother
nature.

Thanks for the look,

Jim Roseman, w9ud
Moline, IL

4683. FT-980 Mars cap mod

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 16:22:26 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <4let9.139$_l5.13@news.bellsouth.net>
Source record: 38194

Hi
Does any one know the details of the Mars cap mod for the Yaesu FT-980
Your help would be appreciated
Best 73's
Martyn

4684. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 17:25:08 UTC
From: People Suck <you@suck.com>
Message-ID: <3DB58A86.2CEC78EA@suck.com>
Source record: 38195
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

from your remarks, I see you haven't talked to any of the Generals or Extras in your area and quized
them to see if they actually still or ever knew morse code. Don't ASK them if they still know it,
punch out something in code and see if they can tell you what you sent! The results will shock the
hell out of someone like yourself. Of course, I am assuming that YOU even remember any of the code
yourself to do this experiment!

Of course you do. Only someone as pro-code as you are would actually know and use it.

NEW DISCLAIMER....

I will no longer respond to idiotic replies to my posts made by trolls for the sole reason of trying to
keep an argument going. My statements can be easily understood and are always facts. If you reply to
one of my posts and I don't respond, it means your reply was so idiotic that I can not waste time
responding to it. The fact that anyone responds to this post shows that they believe the opposite,
that my post is worth the time to respond, which therefore will prove my point. Thanks in advance for
proving me right.

4685. Re: FS: PRO-43 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 18:08:53 UTC
From: Mountain Bob <rtiberiNOSPAM@csusb.edu>
Message-ID: <3db593fb.100100441@news.calstate.edu>
Source record: 38196
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

On Tue, 15 Oct 2002 21:54:30 -0500, Iman Nassoul <rectal@orifice.org>
wrote:

>What's the date code (a sticker inside the battery compartment...should
>be something like 2A4)?
>
I have a PRO-43 with a code of 1A3. What does that mean?

MT Bob
Always looking for Corvettes and VWs

4686. Re: PRO-43 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 18:11:04 UTC
From: Mountain Bob <rtiberiNOSPAM@csusb.edu>
Message-ID: <3db5949e.100262937@news.calstate.edu>
Source record: 38197
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

On Wed, 16 Oct 2002 05:55:38 GMT, "Jim Wayda" <jwayda@cox.net> wrote:

What does a 1A3 code in the battery compartment signify?

MT Bob
Always looking for Corvettes and VWs

4687. Wanted: Connector contacts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 18:34:25 UTC
From: Wes Stewart <n7ws@nowhere.com>
Message-ID: <j96bruc4ct5tv37p2tklseen3gf054tag7@4ax.com>
Source record: 38048
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I'm looking for some contact pins (female) for a Cannon KPT06F14-18S connector or a complete unused connector set.

Wes n7ws@arrl.net

4688. Re: PRO-43 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 18:46:06 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <%Wgt9.7288$46.3227@fe01>
Source record: 38049
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

"Mountain Bob (Mountain Bob)" <rtiberiNOSPAM@csusb.edu> wrote in message
news:3db5949e.100262937@news.calstate.edu...
> On Wed, 16 Oct 2002 05:55:38 GMT, "Jim Wayda" <jwayda@cox.net> wrote:
>
>
> What does a 1A3 code in the battery compartment signify?
>
>
> MT Bob
> Always looking for Corvettes and VWs

Whether or not it can be moded to receive the cellular freqs- which is
pretty moot these days as most all of it is digital...

73 de W6DKN

4689. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 18:55:44 UTC
From: "Mark S. Holden" <mark@bmas.org>
Message-ID: <3DB59F30.FF996FBB@bmas.org>
Source record: 38050
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Art Harris wrote:
> <snip>
>
> Look at the license renewal rates for the original No-Code Techs
> (their licenses started coming up for renewal in February 2001) and
> you will see they are dropping out faster than other classes. As for
> "dead people," some of the Techs listed in the data base are dead too!
>
> Art Harris N2AH
> 20 wpm Extra (since 1971)

I agree people who have put in more effort to earn greater privileges
are less likely to loose interest, but I think what you're observing is
largely because newer people are more likely to loose interest than long
term ones.

It works that way with most hobbies and organizations.

4690. IC706MK2G reset problem. It won't. Ideas?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 19:17:51 UTC
From: JJ&A <w7ls@blarg.net>
Message-ID: <3DB5A45F.3E11DE59@blarg.net>
Source record: 38051

I can't reset the Icom 706MK2G. The proceedure is to hold the up and down buttons simultaneously while turning the power button on. All the buttons do their respective jobs, but won't do this when grouped. Anyone experience this before? Thanks. Jim W7LS

4691. Re: Wanted: Connector contacts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 21:14:38 UTC
From: Rich <Rich3784@comcast.net>
Message-ID: <7V-dnWE6WfVXIyigXTWcog@comcast.com>
Source record: 38052
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

R F Connection in Gaithersburg

Cumberland Electronic Harrisburg, York, & Lancaster Pennsylvania

http://www.therfc.com/

http://www.cumb.com/

"Wes Stewart" <n7ws@nowhere.com> wrote in message
news:j96bruc4ct5tv37p2tklseen3gf054tag7@4ax.com...
> I'm looking for some contact pins (female) for a Cannon KPT06F14-18S
> connector or a complete unused connector set.
>
> Wes n7ws@arrl.net

4692. Re: Wanted: Connector contacts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 21:17:53 UTC
From: Rich <Rich3784@comcast.net>
Message-ID: <sX6dnUb4FtUNIiigXTWcoA@comcast.com>
Source record: 38053
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I forgot one

Mouser
http://www.mouser.com/

"Wes Stewart" <n7ws@nowhere.com> wrote in message
news:j96bruc4ct5tv37p2tklseen3gf054tag7@4ax.com...
> I'm looking for some contact pins (female) for a Cannon KPT06F14-18S
> connector or a complete unused connector set.
>
> Wes n7ws@arrl.net

4693. Re: FS: PRO-43 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 22:02:34 UTC
From: Iman Nassoul <rectal@orifice.org>
Message-ID: <2210200217023450001%rectal@orifice.org>
Source record: 38054
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

It means it can be modified for full coverage in the 800MHz band.

In article <3db593fb.100100441@news.calstate.edu>, Mountain Bob
<rtiberiNOSPAM@csusb.edu> wrote:

> On Tue, 15 Oct 2002 21:54:30 -0500, Iman Nassoul <rectal@orifice.org>
> wrote:
>
> >What's the date code (a sticker inside the battery compartment...should
> >be something like 2A4)?
> >
> I have a PRO-43 with a code of 1A3. What does that mean?
>
>
> MT Bob
> Always looking for Corvettes and VWs

4694. Re: Pactor Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 23:00:39 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <urbm5kbagjkeeb@corp.supernews.com>
Source record: 38055

The SCS Multimode Controllers are the *only* ones that will do Pactor II or Pactor III. A number of others will do Pactor I. Most any modern SSB radio will do. The stability doesn't really need an oven controlled oscillator because the modem will make minor adjustments in frequency to compensate for a small amount of drift. You will need to have 10 Hz or less tuning steps (1 Hz is better) in order to get the transceiver close enough in frequency for the automatic frequency control to take hold. The Tx/Rx switching speed of the transceiver also needs to be 20 mS or less (which is okay on most modern solid state transceivers).

4695. Hickok tube tetser meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-22 23:07:47 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <ap4loe0fvs@enews4.newsguy.com>
Source record: 38056
Cross-posted to:
rec.antiques.radio+phono,rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I am in need of a plastic meter face or an entire meter housing for a Hickok 605A tube tester. I recently acquired one that has a broken face. I believe several Hickok tube testers had meters that are physically the same and would work. I will pay cash or would be willing to trade. Please e-mail me a kberlen@ticz.com if you can help.

Thanks, Kevin

4696. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 00:06:42 UTC
From: David Little <dalite01@sprynet.com>
Message-ID: <ap4snsqrk1@slb6.atl.mindspring.net>
Source record: 38058
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Also, have you taken into your assumption that the relaxation of vanity call signs may have a lot to do with this. Remember, you have to give up that original call to get a vanity one. Overall, the entire service is loosing ground.

"Mark S. Holden" <mark@bmas.org> wrote in message news:3DB59F30.FF996FBB@bmas.org...
>
>
> Art Harris wrote:
> > <snip>
> >
> > Look at the license renewal rates for the original No-Code Techs
> > (their licenses started coming up for renewal in February 2001) and
> > you will see they are dropping out faster than other classes. As for
> > "dead people," some of the Techs listed in the data base are dead too!
> >
> > Art Harris N2AH
> > 20 wpm Extra (since 1971)
>
> I agree people who have put in more effort to earn greater privileges
> are less likely to loose interest, but I think what you're observing is
> largely because newer people are more likely to loose interest than long
> term ones.
>
> It works that way with most hobbies and organizations.

4697. Yaesu FT530 annoying beeps

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 01:02:30 UTC
From: Tony Baldock <liability@dodo.com.au>
Message-ID: <u3tbru8vmdj93snfahp0nbp6m4vl3239kg@4ax.com>
Source record: 38057

I have misplaced by manual, and the annoying beeps that emit whenever the keypad is pressed are driving me crazy!

Can anyone kindly tell me what the keypad sequence is to turn off the beeps?

Thanks.

4698. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 01:22:55 UTC
From: Dan Morisseau <dpm3@morisseau.org>
Message-ID: <3DB5FA0B.3FA284B9@morisseau.org>
Source record: 38059
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Brenda Ann wrote:

> No pude traer un caballo a Coree conmigo.. el ahoga.. :(

Tu es ajena, eh? You've exceeded my meager abilities here. You win! :-)

--
Dan Morisseau - N 38ï¿½34'53", W 90ï¿½22'32", 680'
On the sunrise side of Mo-Pac's famous Kirkwood Hill!
Cardinal Nation: JFB / DK - 57
"ï¿½Y tu madre tambien!"

4699. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 03:14:39 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <zuot9.62276$qM2.17152@sccrnsc02>
Source record: 38060

(newsgroups trimmed to the one I read...)

"Mark Keith" <nm5k@wt.net> wrote in message
news:25eb70d7.0210220155.6546ab9b@posting.google.com...

<major snippage>

>And I don't begrudge any of the newer hams that don't learn code. But I
> don't consider them quite as capable a radio operator either. "Note I
> say radio operator, not ham!" <more major snippage>

Mark,

I'm following the "code / no code" part of this thread (I don't care about the "bad guy alert" part of it) out of the spirit of curiousity that a new amateur radio operator would naturally have for many of the procedures and operating modes of this hobby that we, as newbies, have yet to discover.

I am a very recently licensed Technician (October 1, 2002) and have not yet had the time to download or reasearch a CW program to purchase, let alone *learn* CW, but that does not imply that I'm *never* going to learn it. However, right now I don't have much "quality time" to devote to the study of CW. I don't think I can even eke out 5 minutes per day of code study, what with working two jobs and being a single mom and all (if you're wondering how I managed to study for the tech license, I used my brief lunch half-hour at my day job to do so). Suffice to say that my job doesn't allow me the opportunity to study CW like I could study for a written exam, and my older car does not have a working tape or CD player so I can listen to the lessons that way (I'm working at getting a newer car, however). I have barely had time to figure out how my new HT works.

Certainly, I do not feel as capable as I think a seasoned radio operator/ham would. But I could add CW to a whole huge laundry list of things that I don't know about this hobby, such as digital modes and how to work them; antenna theory; practical circuitry and electronics (I'd love to eventually know enough about this to build my own QRP rig), satellites and how to work them, EME, and a host of other topics.

This is an intriguing hobby, and I was drawn to it because there are so many ways one could go with it and have fun. I know that people without code certification are limited in the bands they can work, but I don't necessarily feel that I am any less of an operator for that reason. If anything, I feel that I'm less of an operator, simply because I'm a *beginner*.

Everyone has to start somewhere, right? Beginners in any hobby don't like to be made to feel like they are less a part of their chosen hobby than those

who've been in that hobby longer than they have. I have found the idea of Elmering to be a very attractive part of this hobby, because it seems that there are a number of you more seasoned types out there who're willing to take us neophytes under their wings and help them to become more proficient operators. And we can go in many directions in a hobby like amateur radio- there are many different avenues for us to explore. Not all of them require knowledge or use of CW to pursue. Some fraction of the people who choose not to learn CW may have learning difficulties that prohibit them from learning CW quickly, if at all (such as people with dyslexia or auditory processing disabilities).

It was stated in this thread that most hams eventually learn CW if they choose to stay in the hobby. Without knowing this for certain, I'll assume that most active hams eventually go on to learn CW, and that some percentage of those people will use it actively. Code certification is something that I am eventually aiming for, but I also acknowledge that I have some limitations put on me by just living my life, and that I will learn CW slowly. In the meantime, I will try and have some fun learning what can be done in the VHF/UHF bands.

I suppose my message could have been abbreviated somewhat, but my point in posting this reply is that those who've been in the hobby for awhile should not consider the "technician" class types to be comprised wholly, or even partially, of a bunch of uninformed, lazy "CW is obsolete" complainers. Some of us are really new to the hobby, and of course we're not expert radio operators/hams yet. We may not have had time to learn the things you experienced operators know, and maybe the majority of us are working hard at getting there, and just need some encouragement to keep going towards upgrading our licenses/bandwidth privileges.

Jackie
KC0ODY

4700. Re: Pactor Help?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 03:27:34 UTC
From: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com>
Message-ID: <GGot9.65679$%d2.28720@sccrnsc01>
Source record: 38061

We used a Yaesu FT-890 and a Kantronics KAMPLus Ver. 8.2 in Haiti for years.
Worked well.

73,
Ed KA9EES (HH4/KA9EES)

"Rob" <tayl0rr@yahoo.com> wrote in message
news:7C2835356CE5AD24.A56B3D9A0AF527CF.9CB9863EA42C5335@lp.airnews.net...
: I'm trying to get started in Pactor. My main idea is to send and
: receive email from my boat. I understand the basics but I'm having a
: little trouble with the details. I understand I need an HF radio,
: Pactor modem, and computer. My questions are as follows.
:
: Will any HF radio work? Does it absolutely have to have a Temperature
: controlled crystal?
:
: I have seen many packet modems that say they work on multiple modes,
: Amtor, Pactor, etc. However they don't say what modes of Pactor they
: handle. I.E Pactor-II or Pactor-III how do I tell? What Pactor
: modems are popular?
:
: Thanks
: Robert

4701. Re: Yaesu FT530 annoying beeps

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 04:07:58 UTC
From: Leland Cox <lcox107@comcast.net>
Message-ID: <3DB6209E.5000000@comcast.net>
Source record: 38062

Use this sequence...

Function 2 Function 2

Function is the bottom right key on the keypad
2 is the key with SET over it
Do the sequence twice!

Les, AA4F

Tony Baldock wrote:

> I have misplaced by manual, and the annoying beeps that emit whenever
> the keypad is pressed are driving me crazy!
>
> Can anyone kindly tell me what the keypad sequence is to turn off the
> beeps?
>
>
> Thanks.
>
>
>

4702. Re: IC706MK2G reset problem. It won't. Ideas?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 05:10:43 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0210222110.3977d502@posting.google.com>
Source record: 38063

JJ&A <w7ls@blarg.net> wrote in message news:<3DB5A45F.3E11DE59@blarg.net>...
> I can't reset the Icom 706MK2G. The proceedure is to hold the up and
> down buttons simultaneously while turning the power button on. All the
> buttons do their respective jobs, but won't do this when grouped. Anyone
> experience this before? Thanks. Jim W7LS

Never have tried that yet... No real ideas, except maybe try actually
cutting power to the rig for a few minutes, "turn off P/S, or unhook
the battery" and then see if it will reset when you power it back up.
Do you use the "power on check" that is accessed from the "initial set
mode"? You might turn it on before you unpower, so it will be on when
you reapply power. Maybe if there is a problem, it will notice it on
the power up test.

4703. Re: BEWARE!!...Doug Calladonato.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 07:56:54 UTC
From: rowsculls@yahoo.com
Message-ID: <23f4d79b.0210222356.1c567b6@posting.google.com>
Source record: 38064

If he is on ebay, here's how to get him back. keep track of his
auctions and email EVRY bidder this email about him.

dan

klarrg@aol.com (KLARRG) wrote in message
news:<20021015195804.19555.00000130@mb-fs.aol.com>...
> ..Be aware that a gent by the name of Doug Calladonato
> (njscanner@comcast.net)is selling several scanners (approx. 21 of them..) and,
> is willfully and maliciously misrepresenting the condition of these units to
> obtain a sale on them.He sold me two that he represented as in "excellent
> working order" and, that he "tested himself before sending them to me" that are
> BOTH totally non-working, useless units. I am out a SUBSTANTIAL SUM OF $$$ and
> he denies they were non-working at time of sale.Mr. Calladonato outright lied
> and denied several Emails he initially sent me that represented theses radios
> I got from him as TOTALLY WORKING UNITS...he says one thing IN PRINT in the
> original Emails then DENIES IT in the later ones..even tho' I have it IN PRINT
> IN MY FILES FROM HIM !! (???!!)
>
> Upon opening the units, they were filled with poor-quality solder (attempted)
> repairs and had obviously been tampered with prior to the sale. The one unit
> has a squelch that will not close, and the unit wont even scan. The second one
> has such poor reception as to make it useless. If both units HAD been tested as
> seller stated, these problems would have been painfully obvious.
> I have contacted this gent asking him for a refund and he ignores my efforts
> entirely. I am posting this to advise any potential customers of this seller to
> AVOID doing business with him Currently, I am in the process of legal action
> againt this crook.His actions are obviously dishonest in nature and I have
> adequate proof in the form of Emails from him and, two DOA radios to prove it.
>
> Buyers beware AVOID THIS CLOWN !!.Dont get SCREWED like I did by this jerk !
>)<:

4704. Filters to IC-781 ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 09:50:15 UTC
From: Ismo <Remove.ismo.leskela@metpela.fi>
Message-ID: <rhut9.178$k46.6544@read2.inet.fi>
Source record: 38065

Hello
I`m planning to upgrade filters to my ic-781.
Now I�m looking dealers for filters FL-44A and FL-223, is there any in
Europe ?

73 de ismo -OH1NHW

4705. WTB: TR-7 ACCESSORIES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 12:39:33 UTC
From: Joe Hargis <joehargis@worldnet.att.net>
Message-ID: <9Mwt9.19593$Mb3.723320@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38066

Looking for Aux-7, filters, xtal cal. Cash paid but I have lots of 'stuff'
to trade if interested: tubes, transformers, chokes, sockets (older), fil
transformers.
I'm also at WS0E via hotmail and arrl
tnx Joe in MO

4706. Re: Hickok tube tetser meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 13:27:02 UTC
From: judson5a@aol.com
Message-ID: <af940756.0210230527.7bd45f18@posting.google.com>
Source record: 38067
Cross-posted to:
rec.antiques.radio+phono,rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

"Kevin" <kberlen@ticz.com> wrote in message news:<ap4loe0fvs@enews4.newsguy.com>...
> I am in need of a plastic meter face or an entire meter housing for a Hickok
> 605A tube tester. I recently acquired one that has a broken face. I believe
> several Hickok tube testers had meters that are physically the same and
> would work. I will pay cash or would be willing to trade. Please e-mail me a
> kberlen@ticz.com if you can help.
>
> Thanks, Kevin

Suggest you contact Wendell Hall, he may have what you need. His
email is: hickok@bellsouth.net. He has a web site at:
http://www.geocities.com/hickokrepair/wendell_e_hall.html

Tom
in San Antonio

4707. FA:ALINCO DJ-X10T 1200 ch wideband multimode scanner - MINT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 13:55:20 UTC
From: msdbm@aol.com
Message-ID: <20021023095520.19006.00002754@mb-df.aol.com>
Source record: 38068

The reserve is close......very close!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390786831&ssPageName=ADME:B:DS:US:3

4708. Re: Wanted: Connector contacts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 15:09:02 UTC
From: Wes Stewart <n7ws@nowhere.com>
Message-ID: <lpedru0q7i33htv56jo5ln12sftocs7e5t@4ax.com>
Source record: 38069
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

On Tue, 22 Oct 2002 17:14:38 -0400, "Rich" <Rich3784@comcast.net>
wrote:

|R F Connection in Gaithersburg
|
|Cumberland Electronic Harrisburg, York, & Lancaster Pennsylvania
|
|http://www.therfc.com/

Nope
|
|http://www.cumb.com/

Nope

Thanks anyway.

Wes

4709. Icom IC-207H low volume on AM aircraft band.??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 15:36:17 UTC
From: BillyBoy <billyboy18@carolina.rr.com>
Message-ID: <Rlzt9.17137$ku2.721637@twister.southeast.rr.com>
Source record: 38070

Hi All. I bought this radio new just a little over a year ago. I finally got it installed in the car, mainly for listening purposes. But, I'm finding out that the volume on the aircraft frequencies is nothing near as loud as on the other FM bands. In fact, when I scan both aircraft and FM channels while I'm driving, I just can't hear the aircraft if I have the volume set for the desired FM volume. If the aircraft is real close (full strength) it is as little better, but still not what I would expect. I have other Icoms with both bands, namely the PCR-100 and the little IC-Q7A, and these both do a real good job on the aircraft band, unlike this IC-207H. It's just out of warranty now, so I guess I'll live with it. Has anyone else noticed the same thing with their IC-207H? Thanks, Billyboy.

4710. wanted:

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 16:49:07 UTC
From: LC8UBT <remove>
Message-ID: <3db6d2fd.4820147@news.online.no>
Source record: 38071

Wanted: Doventron Rtty TU with autostart, and loop current interface.
Must be in working condition. Altso interresed in similar TU's.

73 DE LC8UBT

lc8ubt(a)frisurf.no

4711. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 16:50:04 UTC
From: Pappy@USA.net
Message-ID: <3DB6D33C.86D19083@USA.net>
Source record: 38072
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Mark S. Holden" wrote:

> Art Harris wrote:
> > <snip>
> >
> > Look at the license renewal rates for the original No-Code Techs
> > (their licenses started coming up for renewal in February 2001) and
> > you will see they are dropping out faster than other classes. As for
> > "dead people," some of the Techs listed in the data base are dead too!
> >
> > Art Harris N2AH
> > 20 wpm Extra (since 1971)
>
> I agree people who have put in more effort to earn greater privileges
> are less likely to loose interest, but I think what you're observing is
> largely because newer people are more likely to loose interest than long
> term ones.
>
> It works that way with most hobbies and organizations.

I have had my ham general ticket since 1974. I have no intention on taking another 50 question test for my extra just for a little bit more of band width. There's no other perks that go along with being an extra unless it's about ego for being an extra.

The FCC has made it a bit easier by reducing the code, that was a good move on their part. I'm not a code enthusiast.

4712. FS Yaesu NC-50 Quick Charger for FT50s and Other HTs

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 17:45:47 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <ffBt9.634$6F4.57670@newsread2.prod.itd.earthlink.net>
Source record: 38073

I have for sale a Yaesu NC-50 Quick Charger for FT-50s + Other Yaesu HTs. It is like new and comes with a Pair of CA-14 Charger Sleeves for the FT-50 HT and a Pair of CA-10 Charger Sleeves for the FT11R, FT41R and FT51R HTs. This is the one hour Quick Charger with Dual Slots for charging up to two batteries at once. I have the original manual and some of the boxes. It operates off 120 volts. Price is $75. Thanks, Charlie Hugg, K5MBX

4713. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 17:57:52 UTC
From: Tike <tike@mail.com>
Message-ID: <3DB6E3B1.8B82720D@mail.com>
Source record: 38074
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> I have had my ham general ticket since 1974. I have no intention on taking
> another 50 question test for my extra just for a little bit more of band
> width. There's no other perks that go along with being an extra unless it's
> about ego for being an extra.

EXACTLY! A General has the use of every single band an Extra does! WHY would an Extra need to know and be tested on more theory than a General?! If this theory was actually IMPORTANT to know, then the General should have to know it too since he is using the same bands and equipment! It makes sense for a General to have to know more about shortwave bands and propagation than a Technician does, but it makes absolutely no sense that an Extra Class needs to be tested on anything more than a General does.

This PROVES that it is only to divide Hams into different classes and groups so that some can feel more superior than others in the hobby. I can understand why someone who wants to talk on shortwave would upgrade from Tech to General, but I can't for the life of me understand why someone would "upgrade" from General to Extra unless just to show off and feel better than a General class ham.

> The FCC has made it a bit easier by reducing the code, that was a good move
> on their part. I'm not a code enthusiast.

It really wasn't their choice! Just as eliminating the license for CB radio was not their choice. These choices are made by the people. When the people stick together unanimously, the government is forced to change their laws when they are no longer able to enforce them.

If they didn't eliminate the code from the Tech class, there would not have been enough hams around to help with many emergencies like 9/11 the past decade or so. Reducing the code is an attempt to get more people to be licensed to use the HF bands, but they are starting to see that just reducing it is not having the rush of new General class licenses as they had with Technician class.

Next year the code requirement will be dropped altogether for every class! Remember that I told you this now, so you don't think that the FCC made this decision next year on their own when it happens. This is out of their control. The government NEEDS hams, we don't NEED to help them. We don't want to learn something we have no intention of ever using, so the ball is now in their court, and you will see they MUST and WILL eliminate code next year when the rest of the world agrees that it is time for it to be gone.

4714. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 18:06:53 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0210231006.650a7ccf@posting.google.com>
Source record: 38075

"Jackie L." <buzzygirl@REMOVE.attbi.com> wrote in message
news:<zuot9.62276$qM2.17152@sccrnsc02>...
> (newsgroups trimmed to the one I read...)
>
> "Mark Keith" <nm5k@wt.net> wrote in message
> news:25eb70d7.0210220155.6546ab9b@posting.google.com...
>
> <m
>
> This is an intriguing hobby, and I was drawn to it because there are so many
> ways one could go with it and have fun. I know that people without code
> certification are limited in the bands they can work, but I don't
> necessarily feel that I am any less of an operator for that reason. If
> anything, I feel that I'm less of an operator, simply because I'm a
> *beginner*.

If you don't know CW, then you are a slightly less capable operator
than someone who does. Thats just the plain truth. It would be the
same as a driver not being able to parallel park. He is a less capable
driver than someone who can. If we go to a field day, and you work
phone , and I work CW, and we make an equal number of contacts, I will
make twice the points you will. That would only be a small example of
where my knowing code would pay off. Being able to decode an emergency
message is probably the greatest reason. In an emergency, you would be
useless if the person in trouble only had a cw rig. I don't know how
else I could describe "less capable". But note, I make a distinction
between being a less capable "operator" and a less capable "ham". You
could have a no-code tech who was a more capable "ham", if he did more
overall, and the coded ham did little to nothing.
>
>
> I suppose my message could have been abbreviated somewhat, but my point in
> posting this reply is that those who've been in the hobby for awhile should
> not consider the "technician" class types to be comprised wholly, or even
> partially, of a bunch of uninformed, lazy "CW is obsolete" complainers.

I don't, and never have. Only a small fraction of the tech's are
actually whiners. Many are not hams at all yet. If you are not a
whiner, which you don't seem to be, you have nothing to worry about
from me. But some do fit the description...I've seen many, that if
they applied the energy used to constantly whine about the code, they
could pass the test in no time. Some people seem to make a career out
of whining about the code. Just do a deja search on misc
amateur/code/no/code, etc...Heck, I talk to many no-code techs. I've
never given any of them a hard time, although I do try to talk them

into learning the code and upgrading. But if they don't , I sure don't lose any sleep over it. It won't be long before the code requirements are history. I have no real feelings about that either way. Nothing stays the same. MK

4715. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 18:49:56 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <obCt9.1004$VJ5.33765@bgtnsc05-news.ops.worldnet.att.net>
Source record: 38076
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:cums9.12318$gB.5520072@twister.nyc.rr.com...
>
> > Dan Cunt wrote:
>
> This type of nonsense is totally unnecessary. At least I use my real name
> and do not hide behind a ludicrous moniker like "Common sense talking"
> which you are anything but.

You do hide behind a PO Box.

And we don't know that "Dan Conti" is your name or that dconti@nj.rr.com is
you email address.

And we do know, now that Steve has responded, that you do shave the truth a
bit.

> > Again, the rapist apologizing to the victim after he already committed
> rape.
> >
>
>
> You are as big of an ass as the other boob who proposed this insane
analogy.

And what were you saying earlier about namecalling and vulgarity?

LOL!

>
> Dan
> >
>
>

4716. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 18:54:05 UTC
From: dplatt@radagast.org
Message-ID: <urds2dbpes9k18@corp.supernews.com>
Source record: 38077
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

In article <3DB6E3B1.8B82720D@mail.com>, Tike <tike@mail.com> wrote:
>> I have had my ham general ticket since 1974. I have no intention on taking
>> another 50 question test for my extra just for a little bit more of band
>> width. There's no other perks that go along with being an extra unless it's
>> about ego for being an extra.
>
>EXACTLY! A General has the use of every single band an Extra does! WHY would
>an Extra need to know and be tested on more theory than a General?! If this
>theory was actually IMPORTANT to know, then the General should have to know it
>too since he is using the same bands and equipment! It makes sense for a
>General to have to know more about shortwave bands and propagation than a
>Technician does, but it makes absolutely no sense that an Extra Class needs to
>be tested on anything more than a General does.

Well... I think you're both right and wrong here.

I agree with you that no additional skills, above and beyond those required by the General ticket, are technically required to _operate_ in the Extra bands. In that sense, you're right. The extra learning and theory is not necessary for _you_ personally.

That isn't the point, though. It isn't all about you (or about me, or about any other ham individually).

The way that I see it (and the way that I read the Federal legislation which defines the Amateur Radio system), one of the big purposes of the Amateur Radio system is to help advance the state-of-the-art of radio itself, and to encourage and cultivate a community of people who are skilled in the art. This serves the "public good" and is a big part of what justifies setting aside some pretty big chunks of the RF spectrum for amateur (nonprofessional use). [There are a lot of other groups fighting for spectrum space, and many of them are willing to pay millions (even billions I think) of dollars to the Government in order to "buy" spectrum for commercial uses.]

Having amateurs who are willing to go the extra mile, and learn a bunch of additional "unnecessary" theory and electronics skills, helps encourage innovation both within the amateur community, and in the society as a whole. It enables amateurs to contribute to, and help advance, the state-of-the-art in amateur operations, and many of these advances end up reflecting back into other areas of radio and electronics.

The Extra-class license exists, with its "perks" of added operating sub-bands, as an incentive to encourage amateurs to improve their own

skill levels to those *beyond* the ones needed to simply operate in the bands... because it's believed (by the people who set up the system) that having a cohort of amateurs with those sorts of advanced skills is good for the health of the sciences in the U.S. and thus for the good of the public as a whole.

I was just reading some letters and editorials in EE Times magazine, about the rather dire state of the job market for skilled electrical engineers here in the U.S. A lot of very good EEs are out of work, as a result of the .BOMB downturn, and as the result of many companies' decisions to "export" the EE design work to overseas locations to save money. Things don't look as if they'll get a lot better in the near future. Enrollment in EE college degrees is down... a lot... as a result of the poor job/career prospects in this profession, and the U.S. may very well find itself rather starved for skilled EEs in the years go on.

Having some amateur-radio operators who are willing to buck this trend, and improve their skill sets, may be very important.

Speaking for myself... one of the reasons I chose to go for the Extra ticket, once I got my Technician license, was precisely because of the advanced theory required. It gave me both the incentive, and the opportunity, to learn quite a bit that was new to me, and it opened the door to additional opportunities to learn and understand.

There are already several classes of civilian radio capability available to pretty much anyone, without regard to skill or training or ability - CB and FRS are the two most obvious (and one could argue that cellphones are yet another). I'm glad to see that there's still one which, by its very definition and terms, requires its participants to learn and to improve their knowledge and abilities.

If "pushing" yourself through the advanced theory isn't your own path, that's cool... nobody says that you have to. I do feel, though, that having the Extra class (and the very modest perks which come with it) does serve a reasonable and valid purpose for amateur radio, and I'd be a bit sorry to see it eliminated.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will boycott any company which has the gall to send me such ads!

4717. FS icom 821H dual band satellite all mode base

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 19:33:04 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <oTCt9.11387$cG.238964@twister.kc.rr.com>
Source record: 38079
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf

This icom 2 meter and 440 all mode satellite base works and looks great.
Comes with tone board installed.
Also comes with original box manual mic and power cord.
$775 shipped u.s only ups insured.
E-mail for picture of the radio.

4718. FS: Yaesu VX-1R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 19:34:31 UTC
From: XXX <jopp2@earthlink.net>
Message-ID: <bRCt9.790$6F4.68715@newsread2.prod.itd.earthlink.net>
Source record: 38078

like new in box, firmware A106 which means easy mod makes it unblocked. $125 plus shipping.

4719. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 19:42:04 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <gYCt9.24425$gB.8603336@twister.nyc.rr.com>
Source record: 38080
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

You have WAY too much spare time on your hands.

> > This type of nonsense is totally unnecessary. At least I use my real
name
> > and do not hide behind a ludicrous moniker like "Common sense talking"
> > which you are anything but.
>
> You do hide behind a PO Box.
>
> And we don't know that "Dan Conti" is your name or that dconti@nj.rr.com
is
> you email address.
>
> And we do know, now that Steve has responded, that you do shave the truth
a
> bit.
>
> > > Again, the rapist apologizing to the victim after he already committed
> > rape.
> > >
> >
> >
> > You are as big of an ass as the other boob who proposed this insane
> analogy.
>
> And what were you saying earlier about namecalling and vulgarity?
>
> LOL!
>
> >
> > Dan
> > >
> >
> >
>
>

4720. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 19:48:33 UTC
From: TellTheTruth <tellthetruth@every.net>
Message-ID: <l2Dt9.20043$Mb3.754306@bgtnsc04-news.ops.worldnet.att.net>
Source record: 38081
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:gYCt9.24425$gB.8603336@twister.nyc.rr.com...
> You have WAY too much spare time on your hands.

How about that PO Box?

Why do YOU hide behind that?

There were a few "problems" witht he facts, weren't there?

In your own words, "Who gives a rat's ass?"

LOL!

>
>
> > > This type of nonsense is totally unnecessary. At least I use my real
> name
> > > and do not hide behind a ludicrous moniker like "Common sense talking"
> > > which you are anything but.
> >
> > You do hide behind a PO Box.
> >
> > And we don't know that "Dan Conti" is your name or that dconti@nj.rr.com
> is
> > you email address.
> >
> > And we do know, now that Steve has responded, that you do shave the
truth
> a
> > bit.
> >
> > > > Again, the rapist apologizing to the victim after he already
committed
> > > rape.
> > > > >
> > > >
> > > >
> > > > You are as big of an ass as the other boob who proposed this insane
> > analogy.
> >
> > And what were you saying earlier about namecalling and vulgarity?
> >
> > LOL!
> >

> > >
> > > Dan
> > > >
> > >
> > >
> >
> >
>
>

4721. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 19:50:45 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3DB6FD95.84E8B9A9@mailcity.net>
Source record: 38089
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

General Johnson Jameson wrote:
>
> A group of hams who are fed up with the FCC's efforts to stop the spread of
> illegal amplifier use are reported to be buying linear amplifiers and
> installing trojan horse mods that can burn out the receive section of
> transceivers operating out of band.
>
> The modifications detect certain transmitted frequencies and trigger a
> device installed on the amp that places a series of high voltage pulse type
> signals across the antenna line effectively burning out the front end of the
> receiver.
>
> Only technicians familiar with solid state circuits can detect the devices
> which are cleverly disguised as actual amplifier components.
>
> Be very careful when purchasing used amplifiers or purchasing amplifiers
> online from unknown sellers. The information that I have received indicates
> the normal user will re-sell the amplifier which once again will perform
> it's mission un-detected during normal use. The user will think the problem
> is his transceiver, not the amplifier. Use extreme caution.

Now this is an original one. Musta thought long to come up with
this. Not a bad idea though.

4722. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 20:27:07 UTC
From: kb9rvb@arrl.net
Message-ID: <77f1797e.0210231227.5e35d2ae@posting.google.com>
Source record: 38082

"Jackie L." <buzzygirl@REMOVE.attbi.com> wrote in message
news:<zuot9.62276$qM2.17152@sccrnsc02>...

As one who probably felt (and feels) the way you have expressed
yourself about the wide variety of opportunity in ham radio, I
sincerely hope you find the time to at least "taste" those aspects of
the hobby that interest you.

> It was stated in this thread that most hams eventually learn CW if they
> choose to stay in the hobby.

I would guess that one probably needs to define the concept "learn
CW." I have many friends who are 13 wpm Advanced and 20 wpm Extra who
have never touched a CW key or paddle. I have other friends who are 5
wpm General and Extra who have discovered QRP and are enthusiastically
building low power transceivers and making long distance contacts
across the HF bands.

Currently, most active hams who want to use the bands below 6 meters
will have tested out of CW at some speed or another. Whether that
hobbyist has actually learned and uses CW is more a matter that
depends upon her/his interests, which is really what you are saying.

> Without knowing this for certain, I'll assume
> that most active hams eventually go on to learn CW, and that some percentage
> of those people will use it actively. Code certification is something that I
> am eventually aiming for, but I also acknowledge that I have some
> limitations put on me by just living my life, and that I will learn CW
> slowly. In the meantime, I will try and have some fun learning what can be
> done in the VHF/UHF bands.

4723. WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 20:53:39 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <R%Dt9.597$oP5.263834668@news.inreach.com>
Source record: 38083
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

A group of hams who are fed up with the FCC's efforts to stop the spread of illegal amplifier use are reported to be buying linear amplifiers and installing trojan horse mods that can burn out the receive section of transceivers operating out of band.

The modifications detect certain transmitted frequencies and trigger a device installed on the amp that places a series of high voltage pulse type signals across the antenna line effectively burning out the front end of the receiver.

Only technicians familiar with solid state circuits can detect the devices which are cleverly disguised as actual amplifier components.

Be very careful when purchasing used amplifiers or purchasing amplifiers online from unknown sellers. The information that I have received indicates the normal user will re-sell the amplifier which once again will perform it's mission un-detected during normal use. The user will think the problem is his transceiver, not the amplifier. Use extreme caution.

4724. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 21:01:49 UTC
From: 'Doc <w5lz@cwis.net>
Message-ID: <3DB70E3D.949C3177@cwis.net>
Source record: 38084
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

General,
Now ~that~ is a good troll! I think it's the best
I've seen in quite a while. Even some original thought(?)
to it. Gotta give that one a '9'+...
'Dco

4725. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 21:08:04 UTC
From: Sir Rhosis of the liver <who-carez@apathy.net>
Message-ID: <ure3tcf3d6ngcc@corp.supernews.com>
Source record: 38085
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:R%Dt9.597$oP5.263834668@news.inreach.com...
> A group of hams who are fed up with the FCC's efforts to stop the spread
of
> illegal amplifier use are reported to be buying linear amplifiers and
> installing trojan horse mods that can burn out the receive section of
> transceivers operating out of band.
>
> The modifications detect certain transmitted frequencies and trigger a
> device installed on the amp that places a series of high voltage pulse
type
> signals across the antenna line effectively burning out the front end of
the
> receiver.
>
> Only technicians familiar with solid state circuits can detect the devices
> which are cleverly disguised as actual amplifier components.
>
> Be very careful when purchasing used amplifiers or purchasing amplifiers
> online from unknown sellers. The information that I have received
indicates
> the normal user will re-sell the amplifier which once again will perform
> it's mission un-detected during normal use. The user will think the
problem
> is his transceiver, not the amplifier. Use extreme caution.
>
>

'sniff' 'sniff'......<smells fishy oder>

4726. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 21:38:56 UTC
From: "D. Stussy" <kd6lvw@bde-arc.ampr.org>
Message-ID: <Pine.LNX.4.44.0210232136210.3254-100000@exp.bde-arc.ampr.org>
Source record: 38086
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

On Wed, 23 Oct 2002, 'Doc wrote:
>General,
> Now ~that~ is a good troll! I think it's the best
>I've seen in quite a while. Even some original thought(?)
>to it. Gotta give that one a '9'+...
> 'Dco

That was almost as good as selling a "can of squelch" - after all, all that turning of the knob lets it all leak out! :-)

4727. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 21:50:52 UTC
From: rabbit <rabbitsass@aol.com>
Message-ID: <We-dnUBVictbhCqgXTWc3Q@comcast.com>
Source record: 38088
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

hahahahahahahahahahahahahahhahaha
hahahahahah you are just to funny

voltage pulse type
signals across the antenna line hahahahahhahahahhahahahahhahahahhahaha'
jajajahahhahahahhahahahahhaha ROFL

dickweed
go read and learn something

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:R%Dt9.597$oP5.263834668@news.inreach.com...
> A group of hams who are fed up with the FCC's efforts to stop the spread
of
> illegal amplifier use are reported to be buying linear amplifiers and
> installing trojan horse mods that can burn out the receive section of
> transceivers operating out of band.
>
> The modifications detect certain transmitted frequencies and trigger a
> device installed on the amp that places a series of high voltage pulse
type
> signals across the antenna line effectively burning out the front end of
the
> receiver.
>
> Only technicians familiar with solid state circuits can detect the devices
> which are cleverly disguised as actual amplifier components.
>
> Be very careful when purchasing used amplifiers or purchasing amplifiers
> online from unknown sellers. The information that I have received
indicates
> the normal user will re-sell the amplifier which once again will perform
> it's mission un-detected during normal use. The user will think the
problem
> is his transceiver, not the amplifier. Use extreme caution.
>
>

4728. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 21:50:53 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DB71A5A.EF4CF86F@optonline.net>
Source record: 38087
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

ha ha ha HA HA HA HA HA

General Johnson Jameson wrote:

> A group of hams who are fed up with the FCC's efforts to stop the spread of
> illegal amplifier use are reported to be buying linear amplifiers and
> installing trojan horse mods that can burn out the receive section of
> transceivers operating out of band.
>
> The modifications detect certain transmitted frequencies and trigger a
> device installed on the amp that places a series of high voltage pulse type
> signals across the antenna line effectively burning out the front end of the
> receiver.
>
> Only technicians familiar with solid state circuits can detect the devices
> which are cleverly disguised as actual amplifier components.
>
> Be very careful when purchasing used amplifiers or purchasing amplifiers
> online from unknown sellers. The information that I have received indicates
> the normal user will re-sell the amplifier which once again will perform
> it's mission un-detected during normal use. The user will think the problem
> is his transceiver, not the amplifier. Use extreme caution.

4729. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 22:08:54 UTC
From: crossfire <noone@home.com>
Message-ID: <1035411368.498240@nnrp1.phx1.gblx.net>
Source record: 38090
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

BULLSHIT !!!!!!
"Mark Russo" <mrrusso@optonline.net> wrote in message
news:3DB71A5A.EF4CF86F@optonline.net...
ha ha ha HA HA HA HA HA
General Johnson Jameson wrote:

A group of hams who are fed up with the FCC's efforts to stop the spread of illegal amplifier use are reported to be buying linear amplifiers and installing trojan horse mods that can burn out the receive section of transceivers operating out of band.
The modifications detect certain transmitted frequencies and trigger a device installed on the amp that places a series of high voltage pulse type signals across the antenna line effectively burning out the front end of the receiver.

Only technicians familiar with solid state circuits can detect the devices which are cleverly disguised as actual amplifier components.

Be very careful when purchasing used amplifiers or purchasing amplifiers online from unknown sellers. The information that I have received indicates the normal user will re-sell the amplifier which once again will perform it's mission un-detected during normal use. The user will think the problem is his transceiver, not the amplifier. Use extreme caution.

4730. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 22:25:57 UTC
From: yeti@REMOVEcet.com
Message-ID: <3db72114.303131@news.cet.com>
Source record: 38091
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

In <R%Dt9.597$oP5.263834668@news.inreach.com>, "General Johnson Jameson" <area52@zecretbase.com> wrote:

> A group of hams who are fed up with the FCC's efforts to stop the spread of
>illegal amplifier use are reported to be buying linear amplifiers and
>installing trojan horse mods that can burn out the receive section of
>transceivers operating out of band.
>
>The modifications detect certain transmitted frequencies and trigger a
>device installed on the amp that places a series of high voltage pulse type
>signals across the antenna line effectively burning out the front end of the
>receiver.

It might be much easier to hook a low-Q series LC circuit resonant for 27.2 (or thereabouts) straight from output to input. Blows the radio, self-destructs the amp, and the evidence goes up in a puff of smoke.

4731. FS: Diamond F-22A 2 meter antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 22:37:08 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <8v8eruo1em3qb306p48vemsdhr71d3nve8@4ax.com>
Source record: 38092

For Sale: Diamond F-22A 2 meter vertical 6.7db gain 10' 5" base antenna in very good condition. Will take $50.00 and prefer a pick up. I'm located in Lakeville, Mass. 30 miles south of Boston...(508) 821-2993 or email.....WZ1U Steve

4732. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 22:44:39 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <rDFt9.99317$om2.1697179@twister.rdc-kc.rr.com>
Source record: 38093
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Oh great...I clicked on this post and it fried my PC. ;-)

Van

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:R%Dt9.597$oP5.263834668@news.inreach.com...
> A group of hams who are fed up with the FCC's efforts to stop the spread
of
> illegal amplifier use are reported to be buying linear amplifiers and
> installing trojan horse mods that can burn out the receive section of
> transceivers operating out of band.
>

4733. Re: Icom IC-207H low volume on AM aircraft band.??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 22:54:48 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <ap79bslfr1@terabinaries.xmission.com>
Source record: 38094

"BillyBoy" <billyboy18@carolina.rr.com> wrote in message
news:Rlzt9.17137$ku2.721637@twister.southeast.rr.com...
> Hi All. I bought this radio new just a little over a year ago. I finally
> got it installed in the car, mainly for listening purposes. But, I'm
> finding out that the volume on the aircraft frequencies is nothing near as
> loud as on the other FM bands. In fact, when I scan both aircraft and FM
> channels while I'm driving, I just can't hear the aircraft if I have the
> volume set for the desired FM volume. If the aircraft is real close (full
> strength) it is as little better, but still not what I would expect. I
> have other Icoms with both bands, namely the PCR-100 and the little
IC-Q7A,
> and these both do a real good job on the aircraft band, unlike this
IC-207H.
> It's just out of warranty now, so I guess I'll live with it. Has anyone
> else noticed the same thing with their IC-207H? Thanks, Billyboy.
>
>

Billyboy,

All four of mine are low on the aircraft band. It's probably normal for
that radio. I think I remember seeing a post about that somewhere.

Dan

4734. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 22:55:22 UTC
From: Tike <tike@mail.com>
Message-ID: <3DB72969.5413CF0@mail.com>
Source record: 38095
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> >> I have had my ham general ticket since 1974. I have no intention on taking
> >> another 50 question test for my extra just for a little bit more of band
> >> width. There's no other perks that go along with being an extra unless it's
> >> about ego for being an extra.
> >
> >EXACTLY! A General has the use of every single band an Extra does! WHY would
> >an Extra need to know and be tested on more theory than a General?! If this
> >theory was actually IMPORTANT to know, then the General should have to know it
> >too since he is using the same bands and equipment! It makes sense for a
> >General to have to know more about shortwave bands and propagation than a
> >Technician does, but it makes absolutely no sense that an Extra Class needs to
> >be tested on anything more than a General does.
>
> I agree with you that no additional skills, above and beyond those
> required by the General ticket, are technically required to _operate_
> in the Extra bands. In that sense, you're right. The extra learning
> and theory is not necessary for _you_ personally.
>
> That isn't the point, though.

We know it isn't. I pointed out what the point was. To separate hams into different groups or "classes" and we all know what problems that causes. We need to learn to UNITE together, rather than to separate ourselves into classes. Isn't it bad enough that we are separated into classes by race? Do we really need to add MORE classes to cause MORE problems? We need to make ONE class of ham license.

> The way that I see it (and the way that I read the Federal legislation
> which defines the Amateur Radio system), one of the big purposes of
> the Amateur Radio system is to help advance the state-of-the-art of
> radio itself, and to encourage and cultivate a community of people who
> are skilled in the art.

Right, not separate people into more sub groups and classes.

> This serves the "public good" and is a big
> part of what justifies setting aside some pretty big chunks of the RF
> spectrum for amateur (nonprofessional use). [There are a lot of other
> groups fighting for spectrum space, and many of them are willing to
> pay millions (even billions I think) of dollars to the Government in
> order to "buy" spectrum for commercial uses.]

Right, so what does Ham radio do? They make certain parts of bands that can only be used by the smallest minority of Hams that are Extras. When these parts are not being used, they will be taken away and put up for auction. Allowing all hams to use all parts of all bands designated for ham use does several things...

1) It makes those parts of the bands USED more which means they have less chance of being taken away.
2) It doesn't have certain portions of bands where an Extra can't talk to anyone else but another Extra! If there was a part of the radio spectrum where only one race could talk to another race, boy would there be protests and outrage! This is really no different, other than the fact instead of skin color being different, we invented another way to put people into groups that was not necessary.

> Having amateurs who are willing to go the extra mile, and learn a
> bunch of additional "unnecessary" theory and electronics skills, helps
> encourage innovation both within the amateur community, and in the
> society as a whole.

That is wrong. You should never have to learn "unnecessary" things. There was a reason hams were required to learn code back in the old days, it was because they were required to pass along military communications in times of emergency. Now that the military no longer uses code, this requirement is unnecessary. When people say that more theory or something should replace the code requirement if the code requirement is dropped so that it is not as easy to get the license is not understanding the point AT ALL!
The code requirement was NEVER to make it harder, or another hurdle to jump over to keep the "rif raf" off the bands! It actually had a purpose for being a requirement! That purpose no longer exists for many years now. We should not make it HARDER for someone to get a ham license, we should make it as easy as possible! The only reason we NEED to make sure some theory and technical knowledge is known first, is because we are allowing them to run transmitters with hundreds of watts output! If the power limit was limited to a few milliwatts, no one would need to be tested at all, and is why no license is needed for CB or FRS radios. (They don't need to know code either) The power output used, and the fact that hams are allowed to make their own transmitters is why we want to make sure they know something first as this could cause lots of interference and other problems to public safety if they don't! Not knowing the code will have no effect on these problems at all!

> It enables amateurs to contribute to, and help
> advance, the state-of-the-art in amateur operations, and many of these
> advances end up reflecting back into other areas of radio and
> electronics.

Right. And code has nothing to do with any of that.

> The Extra-class license exists, with its "perks" of added operating
> sub-bands, as an incentive to encourage amateurs to improve their own
> skill levels to those *beyond* the ones needed to simply operate in
> the bands...

What incentive? There are no other bands to use. A General can access the same bands as an Extra. What incentive is there? One should want to learn more so they know more, not so that they can talk on a few special sections of those bands where no Generals will be allowed to talk. If anything, the incentive is that you get to be a snob. Some incentive.

> because it's believed (by the people who set up the
> system) that having a cohort of amateurs with those sorts of advanced
> skills is good for the health of the sciences in the U.S. and thus for
> the good of the public as a whole.

It is understandable why you would need to learn more and be tested more to operate on HF bands as opposed to 6 meters and above. It is understandable that you should not force someone who wants to only operate on VHF and above to learn all the crap and be tested on HF stuff, just as no one should have to learn code if they don't want to use it. You can speak Russian on Ham radio if you want to, but we don't force ALL hams to learn Russian before they are allowed to speak English on the ham bands, do we?

> I was just reading some letters and editorials in EE Times magazine,
> about the rather dire state of the job market for skilled electrical
> engineers here in the U.S. A lot of very good EEs are out of work, as
> a result of the .BOMB downturn, and as the result of many companies'
> decisions to "export" the EE design work to overseas locations to save
> money. Things don't look as if they'll get a lot better in the near
> future. Enrollment in EE college degrees is down... a lot... as a
> result of the poor job/career prospects in this profession, and the
> U.S. may very well find itself rather starved for skilled EEs in the
> years go on.
>
> Having some amateur-radio operators who are willing to buck this
> trend, and improve their skill sets, may be very important.

And this current trend is happening while the Ham radio requirements and classes are set up as they are right now! Perhaps if we make just one class and drop the code altogether, and make it as EASY and ENJOYABLE as possible to become a ham, more people will become hams, and then this will lead to harder electronics and careers. (to steal from the anti-drug campaign slogan)

After all, it was the fact that I could buy a CB for $5 at a flea market without needing a license that got me started and how I eventually became a ham. I had to learn the code and therefore, couldn't talk to a lot of my friends who had a hard time learning it, so I had much more fun on the CB, even after getting my ham license.
When the code requirement for 2 meters was dropped, my wife was able to get her license and ham radio became more fun. The code has stopped a lot of my friends with good technical skills that far surpass many Extra hams from being able to talk on radios when they were repairing similar radios with their General Class Commercial FCC licenses. If you have seen the Extra exams, most of the questions are taken from the GROL exam and worded exactly the same!

> Speaking for myself... one of the reasons I chose to go for the Extra
> ticket, once I got my Technician license, was precisely because of the
> advanced theory required. It gave me both the incentive, and the
> opportunity, to learn quite a bit that was new to me, and it opened
> the door to additional opportunities to learn and understand.

I already know the Extra theory and MORE and have the GROL license. Next year when the code requirement is dropped, I could take the test in 5 minutes and get my Extra,

but I don't see any need to do that. As a matter of fact, I would never want to talk on portions of a band where none of my friends and family would be allowed to talk. I'm not that kind of person. It takes a special kind of person to be like that.

> There are already several classes of civilian radio capability
> available to pretty much anyone, without regard to skill or training
> or ability - CB and FRS are the two most obvious (and one could argue
> that cellphones are yet another). I'm glad to see that there's still
> one which, by its very definition and terms, requires its participants
> to learn and to improve their knowledge and abilities.

You mean FORCES them to pass a multiple choice test. Many of them never know anything about what they are being "tested" on, they only memorized the answers. People who used CB learned on their own about antenna systems, how to fix their radios (although this was technically illegal) and how to fox hunt and track down other CBers. They learned this because they wanted to, not because the law forced them to.

Many people now HATE the code only because it is something that is being forced on them as a requirement.
When the code requirement is eliminated, I predict that code use and learning will INCREASE! Once you take away that "YOU HAVE TO LEARN THIS" away, people will actually start learning it on their own because they WANT to learn it for fun and nostalgia. The same way people learn other modes on Ham radio that are not a requirement.

> If "pushing" yourself through the advanced theory isn't your own
> path, that's cool... nobody says that you have to. I do feel, though,
> that having the Extra class (and the very modest perks which come with
> it)

The only perks are that you get to be a member of an exclusive snob club.

> does serve a reasonable and valid purpose for amateur radio, and
> I'd be a bit sorry to see it eliminated.

That's like saying you would be sorry to see racism be eliminated. I would rather see all the separate classes of ham radio go away and everyone be on the same team! Instead of being at a hamfest and having someone ask me what class license I have which is like asking what religion or race I am, I would like it if no one could ever ask that and all hams could just look at each other as EQUALS.

No more of this "Let's go talk on the exclusive Extra channel so no Generals can bother us" crap.

4735. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 23:18:59 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0210231518.63cb37ca@posting.google.com>
Source record: 38096
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Tike <tike@mail.com> wrote in message news:<3DB6E3B1.8B82720D@mail.com>...
>
>
> This PROVES that it is only to divide Hams into different classes and groups so
> that some can feel more superior than others in the hobby. I can understand
> why someone who wants to talk on shortwave would upgrade from Tech to General,
> but I can't for the life of me understand why someone would "upgrade" from
> General to Extra unless just to show off and feel better than a General class
> ham.

We didn't make the rules. The fcc decided years ago "about 1968" that
hams were becoming appliance operators for the most part, and decided
to use incentive licensing to encourage more learning of theory, and
yes, they threw in code also, but the theory was the main concern.
Whether or not it was a good idea, I won't guess...I know many of
those generals that had full privileges, and then lost portions
overnight, were bent severely out of shape. Don't blame em , really...
I have been a novice,general, advanced, and extra, and I haven't
noticed any change in the way I feel. I sure don't feel better. If
anything due to aging, I feel crappier. The main reason I upgraded was
to get a shorter callsign while the pickings were good. Most of the
decent ones are gone now. But I also get to do more things than when I
was a general. Lets take the russian sat's. You can't work the 15m-10m
mode unless you are at least advanced. Lets take DX on 40m. The best
dx on 40m is the extra class CW portion. Above 7.025 , the dx falls
off fast from EU. Some up to 7.035 or so, but scads of them below
7.025. That in itself makes it worth the trouble to me. I almost never
use the extra phone bands, so I could care less about those. But it
does give you place to get away from the "crowd". Can be real handy on
75m at night. You can't hardly find a place to sit in the general
band. I almost never see cases where extras act "superior" on the ham
bands. Thats mainly a figment of the imaginations of a few non hams.
All the people I talk to could care less what class I have.
>
> > The FCC has made it a bit easier by reducing the code, that was a good move
> > on their part. I'm not a code enthusiast.
>
> It really wasn't their choice! Just as eliminating the license for CB radio was
> not their choice. These choices are made by the people. When the people stick
> together unanimously, the government is forced to change their laws when they
> are no longer able to enforce them.
>
> If they didn't eliminate the code from the Tech class, there would not have

> been enough hams around to help with many emergencies like 9/11 the past decade
> or so.

I'm sorry, but you must be high....There has never been a shortage of
hams to do anything.

Reducing the code is an attempt to get more people to be licensed
to
> use the HF bands, but they are starting to see that just reducing it is not
> having the rush of new General class licenses as they had with Technician class.

You sure had a rush of generals going to extra though. I wonder why
they all felt it was worth it?
>
> Next year the code requirement will be dropped altogether for every class!
> Remember that I told you this now, so you don't think that the FCC made this
> decision next year on their own when it happens.

Duh....The fcc will drop the code when WARC does, mainly because the
radio makers "icom, kenwood, yaesu" will be on their asses to do so.
Money talks, the rest walks...

This is out of their
> control. The government NEEDS hams, we don't NEED to help them. We don't
> want to learn something we have no intention of ever using, so the ball is now
> in their court, and you will see they MUST and WILL eliminate code next year
> when the rest of the world agrees that it is time for it to be gone.

They probably will if WARC does, but it's no great secret. And really
not related to us hams much at all. But the fcc doesn't HAVE to do
anything. There is not, and never has been a shortage of amateur radio
operators. When they drop code, all it will amount to is a slight
reduction in the amount of knowledge required to get a ham ticket. No
more, and no less. Myself, I think dumbing down the exams is a
mistake, but I'm not going to whine about it. The tests we have now,
even for the extra, are a joke compared to the exams given in the
1960's. You had to actually know what you were doing back then. Now,
any dumbass can get an extra. I've seen 12 year olds pass it, that
couldn't change a tube in a HW-101 without someone holding their hand
in the real world. It's really no big deal, and we hams know it. Or
most of us, anyway... It's only the outsiders that seem to have
anxieties about this from what I see. That, and maybe tightass people
with paper thin skins. Most of the people I talk to are rednecks, with
no such skin problems. MK

4736. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 23:49:21 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3DB73581.3B172A76@mailcity.net>
Source record: 38105
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Tike wrote:

>
> We know it isn't. I pointed out what the point was. To separate hams into different
> groups or "classes" and we all know what problems that causes. We need to learn to
> UNITE together, rather than to separate ourselves into classes. Isn't it bad enough
> that we are separated into classes by race? Do we really need to add MORE classes to
> cause MORE problems? We need to make ONE class of ham license.

So just how technical would you make the exam for the one class of ham license? If there is only one class of license, then the exam needs to cover a lot, most of what would be on the tech, general and extra tests. So now what do you do about an entry level class of license to get people into ham radio? How many would be discouraged at having to learn all the material at one time to get this one class of license?

4737. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 23:49:25 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3DB73585.1D26F653@sympatico.ca>
Source record: 38097
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

General Johnson Jameson wrote:
>
> A group of hams who are fed up with the FCC's efforts to stop the spread of
> illegal amplifier use are reported to be buying linear amplifiers and
> installing trojan horse mods that can burn out the receive section of
> transceivers operating out of band.
>
> The modifications detect certain transmitted frequencies and trigger a
> device installed on the amp that places a series of high voltage pulse type
> signals across the antenna line effectively burning out the front end of the
> receiver.
>
> Only technicians familiar with solid state circuits can detect the devices
> which are cleverly disguised as actual amplifier components.
>
> Be very careful when purchasing used amplifiers or purchasing amplifiers
> online from unknown sellers. The information that I have received indicates
> the normal user will re-sell the amplifier which once again will perform
> it's mission un-detected during normal use. The user will think the problem
> is his transceiver, not the amplifier. Use extreme caution.

Very nice!

What a shame you didn't wait a while, I'm sure one of the magazines
would have paid for this for the April issue.

Dave

4738. Re: Icom IC-207H low volume on AM aircraft band.??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-23 23:50:15 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3DB735B7.5EBC0EB1@sympatico.ca>
Source record: 38098

Dan wrote:
>
> "BillyBoy" <billyboy18@carolina.rr.com> wrote in message
> news:Rlzt9.17137$ku2.721637@twister.southeast.rr.com...
> > Hi All. I bought this radio new just a little over a year ago. I finally
> > got it installed in the car, mainly for listening purposes. But, I'm
> > finding out that the volume on the aircraft frequencies is nothing near as
> > loud as on the other FM bands. In fact, when I scan both aircraft and FM
> > channels while I'm driving, I just can't hear the aircraft if I have the
> > volume set for the desired FM volume. If the aircraft is real close (full
> > strength) it is as little better, but still not what I would expect. I
> > have other Icoms with both bands, namely the PCR-100 and the little
> IC-Q7A,
> > and these both do a real good job on the aircraft band, unlike this
> IC-207H.
> > It's just out of warranty now, so I guess I'll live with it. Has anyone
> > else noticed the same thing with their IC-207H? Thanks, Billyboy.
> >
> >
>
> Billyboy,
>
> All four of mine are low on the aircraft band. It's probably normal for
> that radio. I think I remember seeing a post about that somewhere.
>
> Dan

My two as well.

Dave

4739. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 00:04:53 UTC
From: "Donnie (N4JZH)" <n4jzh@knology.net>
Message-ID: <tnderu4h0kcofep0tidcltm57udjcc0cqo@4ax.com>
Source record: 38099
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

On Wed, 23 Oct 2002 22:44:39 GMT, "Keith" <kavan@neb.rr.com> wrote:

>Oh great...I clicked on this post and it fried my PC. ;-)
>
>Van
>
>"General Johnson Jameson" <area52@zecretbase.com> wrote in message
>news:R%Dt9.597$oP5.263834668@news.inreach.com...
>> A group of hams who are fed up with the FCC's efforts to stop the spread
>of
>> illegal amplifier use are reported to be buying linear amplifiers and
>> installing trojan horse mods that can burn out the receive section of
>> transceivers operating out of band.
>>
>
NEW URBAN LEGEND EH!

Scientific study indicates that the average human use about 1/10th of there brain, I am throughly convinced that you fall WAY below that 1/10th.
''Behold how good and pleasant it is for Brethren to dwell together in unity''
Donnie n4jzh@knology.net

4740. BAD HAM ALERT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 00:33:04 UTC
From: vtfoxfire@aol.com
Message-ID: <20021023203304.09577.00004955@mb-cu.aol.com>
Source record: 38101

i hate to use that term but it fits the bill...I bought a kenwoon tm-d700 from

VE7EPS KERRY ATKINSON of Edmonton, ablerta... I sent the payment
by western union.. no radio i call i emailed he said it was shipped , then
he said he would trace the package... not the email does not work and his
phone is disconnected..... I know now of others that have been burned by this
person.
I have asked for a refund but no answer to that eather.....
DO NOT DEAL WITH THIS PERSON ....
I hope this message saves somebody else from being took by this guy
If anybody has any info on this person please email it to me....
thank-you 73's Foster w1cgt@amsat.org

4741. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 00:33:26 UTC
From: Wes Stewart <n7ws@nowhere.com>
Message-ID: <9teerucnr1f7cou9f6gvtb01sjspf2ankd@4ax.com>
Source record: 38100
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

On Wed, 23 Oct 2002 20:04:53 -0400, "Donnie (N4JZH)"
<n4jzh@knology.net> wrote:

[snip]

|NEW URBAN LEGEND EH!
|
| Scientific study indicates that the average human use about 1/10th of there brain, I am
|throughly convinced that you fall WAY below that 1/10th.

There, their, they're, you are proof positive. Perhaps ewe meant two
say, "Average humans use about one-tenth of their brains." Or, "The
average human uses about one-tenth of his brain."

Yew mussed bee careful how you ewes homophones. No what I mein?

4742. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 00:47:46 UTC
From: "Donnie (N4JZH)" <n4jzh@knology.net>
Message-ID: <4ogeru8orh321j4s2oqlu0nahd58ltg20j@4ax.com>
Source record: 38102
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

On Wed, 23 Oct 2002 17:33:26 -0700, Wes Stewart <n7ws@nowhere.com> wrote:

>On Wed, 23 Oct 2002 20:04:53 -0400, "Donnie (N4JZH)"
><n4jzh@knology.net> wrote:
>
>[snip]
>
>|NEW URBAN LEGEND EH!
>|
>| Scientific study indicates that the average human use about 1/10th of there brain, I am
>|throughly convinced that you fall WAY below that 1/10th.
>
>There, their, they're, you are proof positive. Perhaps ewe meant two
>say, "Average humans use about one-tenth of their brains." Or, "The
>average human uses about one-tenth of his brain."
>
>Yew mussed bee careful how you ewes homophones. No what I mein?

YAWN!!! No matter how I posted, An Insult is a INSULT!!!
''Behold how good and pleasant it is for Brethren to dwell together in unity''
Donnie n4jzh@knology.net

4743. Hallicrafters SX-115

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 01:05:56 UTC
From: landaircom@aol.com
Message-ID: <20021023210556.14318.00010637@mb-bj.aol.com>
Source record: 38103

THE RECEIVER IS IN GOOD CONDITION WE ARE ASKING $1400.00 PLUS POSTAGE CONTACT HAL AT 718-8473090

4744. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 01:22:24 UTC
From: Max <ve3tmt@yahoo.ca>
Message-ID: <XXHt9.9808$Kf.1118248@news20.bellglobal.com>
Source record: 38104
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"'Doc" <w5lz@cwis.net> wrote in message news:3DB70E3D.949C3177@cwis.net...
>
>
> General,
> Now ~that~ is a good troll! I think it's the best
> I've seen in quite a while. Even some original thought(?)
> to it. Gotta give that one a '9'+...
> 'Dco

Hey Doc,

Cosmetically a 9+, mentally I'd rate it a 2. I can just picture him now at the keyboard typing that out. With a fish hook hanging out of his mouth of course!

He gets an "e" for effort.

4745. YAESU FT-51R, QUICK QUESTION...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 01:52:07 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DB752E3.4897E3@optonline.net>
Source record: 38106
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.vhf-uhf,rec.radio.amateur.swap

Hi all, the FT-51R has 2 LEDs on the upper front of the radio.
One side is for VHF, the other is for UHF. They glow red on transmit
and green on receive.
Now the question. A while ago I was playing with the radio and was able
to turn OFF the GREEN LED (receive) on the VHF side. If I remember
correctly by doing this saves the LED draw on the battery. I only did
the one side. I can't find the manual and I'll like to put it on
again. ANY CLUES??????????????????
Please e-mail me direct at:
mrrusso@optonline.net

THANKS, Mark

4746. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 02:00:27 UTC
From: Artie DeCoe <Artie@dcoe.net>
Message-ID: <a7mcnZ0e1ZCjySqgXTWcow@comcast.com>
Source record: 38107
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Might try the buttons on the mic, instead. Maybe a problem with the control head?

"Donnie (N4JZH)" <n4jzh@knology.net> wrote in message news:4ogeru8orh321j4s2oqlu0nahd58ltg20j@4ax.com...
> On Wed, 23 Oct 2002 17:33:26 -0700, Wes Stewart <n7ws@nowhere.com> wrote:
>
> >On Wed, 23 Oct 2002 20:04:53 -0400, "Donnie (N4JZH)"
> ><n4jzh@knology.net> wrote:
> >
> >[snip]
> >
> >|NEW URBAN LEGEND EH!
> >|
> >| Scientific study indicates that the average human use about 1/10th of there brain, I am
> >|throughly convinced that you fall WAY below that 1/10th.
> >
> >There, their, they're, you are proof positive. Perhaps ewe meant two
> >say, "Average humans use about one-tenth of their brains." Or, "The
> >average human uses about one-tenth of his brain."
> >
> >Yew mussed bee careful how you ewes homophones. No what I mein?
>
> YAWN!!! No matter how I posted, An Insult is a INSULT!!!
> ''Behold how good and pleasant it is for Brethren to dwell together in unity''
> Donnie n4jzh@knology.net

4747. Re: IC706MK2G reset problem. It won't. Ideas?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 02:02:19 UTC
From: Artie DeCoe <Artie@dcoe.net>
Message-ID: <30idna2P1tkwySqgXTWcog@comcast.com>
Source record: 38108

Might try the buttons on the mic, instead. Maybe a problem with the control head?

"Mark Keith" <nm5k@wt.net> wrote in message
news:25eb70d7.0210222110.3977d502@posting.google.com...
> JJ&A <w7ls@blarg.net> wrote in message
news:<3DB5A45F.3E11DE59@blarg.net>...
> > I can't reset the Icom 706MK2G. The proceedure is to hold the up and
> > down buttons simultaneously while turning the power button on. All the
> > buttons do their respective jobs, but won't do this when grouped. Anyone
> > experience this before? Thanks. Jim W7LS
>
> Never have tried that yet... No real ideas, except maybe try actually
> cutting power to the rig for a few minutes, "turn off P/S, or unhook
> the battery" and then see if it will reset when you power it back up.
> Do you use the "power on check" that is accessed from the "initial set
> mode"? You might turn it on before you unpower, so it will be on when
> you reapply power. Maybe if there is a problem, it will notice it on
> the power up test.

4748. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 02:24:02 UTC
From: JJ <radiobuff0@mailcity.com>
Message-ID: <3DB759C2.6A911528@mailcity.com>
Source record: 38114
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Complaints about this stupid spam should be sent to
abuse@prodigy.net

"Mike G." wrote:
>
> UNPLUG ANYTHING WITH A MICROPROCESSOR FROM YOUR HOUSEHOLD WALL OUTLETS!
>
> As you know, since the deregulation of energy, your household 115V electricity
> MAY NOT come from the same sources it used to! Your electric company is free to
> buy and sell electricity on the open market as they please. Today we have just
> learned, that in a few major cities the electricity purchased has been found to
> contain a secret digital subcarrier on it that when executed, is a destructive
> computer virus! Because of the way the national power grid is set up, it is
> virtually impossible to trace these particular blocks of electricity back to
> their source or sources in the US.
>
> PLEASE!! As soon as you read this, quickly unplug ANY computers and household
> appliances that contain microprocessor chips from their wall sockets until we
> can somehow locate the source of the subcarriers and put an end to it. This
> will include things like televisions, VCRs, radios, home entertainment systems,
> answering machines, cordless phones, digital clocks, and digital thermostats.
>
> You may ONLY charge your cell phones using a car adapter. Do NOT charge them
> with standard wall chargers, or the virus could be spread using cellular phones
> calls as well. Major appliances manufactured in the past 20 years including
> refrigerators, washers, dryers, microwave ovens, electric ovens, electric
> stovetops, and even gas appliances that have digital clocks, timers, and
> controls built in them ARE ALL VULNERABLE!. (Backyard, gas bar-b-ques have been
> declared safe to use.) If you are at all unsure, UNPLUG IT!
>
> We cannot stress enough the extreme havoc this virus will cause if not stopped
> in its tracks! It will spread from house to house and community to community if
> not stopped. This is why we are urging EVERY CITIZEN to do their part by
> unplugging ALL intelligent household appliances NOW! Tune in your battery
> operated AM radio to an Emergency Broadcast station and listen for the official
> "ALL CLEAR" announcement. If you don't have an AM radio, GO BUY ONE with a
> LARGE box of batteries. PLEASE, DO NOT PLUG ANYTHING BACK IN UNTIL YOU HEAR THE
> "ALL CLEAR" ANNOUNCEMENT FROM THE EMERGENCY BROADCAST SYSTEM!!
>
> Start with YOUR PC and MODEM *FIRST* General Johnson Jameson!

4749. Re: BAD GUY ALERT! -RE: Dan Conti

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 02:28:09 UTC
From: cajunkyarddog@aol.com
Message-ID: <20021023222809.03216.00000915@mb-fo.aol.com>
Source record: 38109

Dan Conti once wrote in newsgroups.....

"Why don't you guys pick apart each other via E-Mail, and refrain from subjecting this group to further balderdash concerning this fiasco. Obviously, neither of you are getting any sympathy here........"

"But, to blast him publicly, and then speculate further as to "what he might be up to....without proof, is unfair...

dconti@carroll.com
Amateur Radio - N2TYB
Ridgefield, New Jersey
fax (201) 943-2379"

4750. FS: Kenwood TS-520 SSB/CW tranceiver, Works great

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 02:52:03 UTC
From: maritimus49@aol.com
Message-ID: <20021023225203.05783.00003665@mb-mw.aol.com>
Source record: 38110

I have for sale the Kenwood TS-520 80-10 meter transceiver. It works very well and looks excellent. The front panel is in very good shape and looks like new. The knobs are shiny. The carrying handle shows little wear and the rig has all 8 of its bottom and side feet plus the access door on the left side is excellent and has no missing "rivets". Comes with AC and DC power cords and the manual. It will be carefully double-boxed for shipment. Here is your chance to own an excellent and reliable transceiver for a very reasonable price. Asking $225 plus shipping. Thanks for looking.
73,
Bruce K6RQR

4751. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 03:15:21 UTC
From: "Mike G." <nospam@my.email.address>
Message-ID: <48eeru011qkp4md9oqi9lsca3nqfuubtk5@4ax.com>
Source record: 38111
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

UNPLUG ANYTHING WITH A MICROPROCESSOR FROM YOUR HOUSEHOLD WALL OUTLETS!

As you know, since the deregulation of energy, your household 115V electricity MAY NOT come from the same sources it used to! Your electric company is free to buy and sell electricity on the open market as they please. Today we have just learned, that in a few major cities the electricity purchased has been found to contain a secret digital subcarrier on it that when executed, is a destructive computer virus! Because of the way the national power grid is set up, it is virtually impossible to trace these particular blocks of electricity back to their source or sources in the US.

PLEASE!! As soon as you read this, quickly unplug ANY computers and household appliances that contain microprocessor chips from their wall sockets until we can somehow locate the source of the subcarriers and put an end to it. This will include things like televisions, VCRs, radios, home entertainment systems, answering machines, cordless phones, digital clocks, and digital thermostats.

You may ONLY charge your cell phones using a car adapter. Do NOT charge them with standard wall chargers, or the virus could be spread using cellular phones calls as well. Major appliances manufactured in the past 20 years including refrigerators, washers, dryers, microwave ovens, electric ovens, electric stovetops, and even gas appliances that have digital clocks, timers, and controls built in them ARE ALL VULNERABLE!. (Backyard, gas bar-b-ques have been declared safe to use.) If you are at all unsure, UNPLUG IT!

We cannot stress enough the extreme havoc this virus will cause if not stopped in its tracks! It will spread from house to house and community to community if not stopped. This is why we are urging EVERY CITIZEN to do their part by unplugging ALL intelligent household appliances NOW! Tune in your battery operated AM radio to an Emergency Broadcast station and listen for the official "ALL CLEAR" announcement. If you don't have an AM radio, GO BUY ONE with a LARGE box of batteries. PLEASE, DO NOT PLUG ANYTHING BACK IN UNTIL YOU HEAR THE "ALL CLEAR" ANNOUNCEMENT FROM THE EMERGENCY BROADCAST SYSTEM!!

Start with YOUR PC and MODEM *FIRST* General Johnson Jameson!

4752. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 04:12:11 UTC
From: Tom Coates <tecoates@comcast.net>
Message-ID: <brmcnRF57qiH7iqgXTWcqg@comcast.com>
Source record: 38112
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Here's a larger version:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391619869

Tom

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:DsFr9.322$kT5.168847524@news.inreach.com...
> How cute, a custom built pill box by our friend, Drifter the builder......
>
>
> " will do 1500 to 1800 watts on 14 volts and slam a 2000 watt meter on 18
> volts "
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390014386
>
>
> Guess the doors are wide open at Ebay for the 11 meter amp biz....
>
>
>
>
>
>

4753. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 04:21:02 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3db77529@news.netacc.net>
Source record: 38113
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

"Donnie (N4JZH)" <n4jzh@knology.net> wrote in message
news:4ogeru8orh321j4s2oqlu0nahd58ltg20j@4ax.com...
> YAWN!!! No matter how I posted, An Insult is a INSULT!!!
> ''Behold how good and pleasant it is for Brethren to dwell together in
unity''

How curious that a person who holds out the benefits of "dwelling in unity"
takes such great pride in his ability to INSULT!!! people. (All caps
quoted from Donnie's original post)

Sigh, another person not quite clear on the concept...

Steve

4754. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 04:31:04 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3db77783$1@news.netacc.net>
Source record: 38115
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> Tike wrote:
>
> >
> > We know it isn't. I pointed out what the point was. To separate hams
into different
> > groups or "classes" and we all know what problems that causes. We need
to learn to
> > UNITE together, rather than to separate ourselves into classes. Isn't
it bad enough
> > that we are separated into classes by race? Do we really need to add
MORE classes to
> > cause MORE problems? We need to make ONE class of ham license.
>

You seem unclear about the concept of license class and operating privlages.

Take your typical state drivers license. Your basic automobile license will not let you operate a motorcycle or a semi-tractor. This does not imply that you are a lesser person than those who hold licenses for motorcycles and tractor trailor rigs.

Take your non typical pilot's certificate (license of sorts) which grants you privlages for single engine, multi engine, complex, commercial, rotary wing helicopter, hot air balloon, etc etc etc. This does not imply that the holder of a single engine private pilot's certificate is any lesser a human than a multi-engine commercial pilot.

Now, if your reasoning were applied to pilot's certificates, would you put your wife and kids in a Boeing 747 piloted by lil ole me with a private pilot, single engine certificate??? I dont think so!

Steve

4755. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 04:44:36 UTC
From: Jim Wayda <jwayda@cox.net>
Message-ID: <UUKt9.13520$C53.494396@news2.west.cox.net>
Source record: 38116
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Code is an antiquated mode of communicating that should be OPTIONAL and not mandatory to operate on HF. In this day and age of digital communication, there is no reason to require code proficiency.

-jim

"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message news:3db77783$1@news.netacc.net...
>
> > Tike wrote:
> >
> > > >
> > > We know it isn't. I pointed out what the point was. To separate hams
> into different
> > > groups or "classes" and we all know what problems that causes. We
need
> to learn to
> > > UNITE together, rather than to separate ourselves into classes.
Isn't
> it bad enough
> > > that we are separated into classes by race? Do we really need to add
> MORE classes to
> > > cause MORE problems? We need to make ONE class of ham license.
> > >
>
> You seem unclear about the concept of license class and operating
privlages.
>
> Take your typical state drivers license. Your basic automobile license
will
> not let you operate a motorcycle or a semi-tractor. This does not imply
> that you are a lesser person than those who hold licenses for motorcycles
> and tractor trailor rigs.
>
> Take your non typical pilot's certificate (license of sorts) which grants
> you privlages for single engine, multi engine, complex, commercial, rotary
> wing helicopter, hot air balloon, etc etc etc. This does not imply that
the
> holder of a single engine private pilot's certificate is any lesser a
human
> than a multi-engine commercial pilot.
>
> Now, if your reasoning were applied to pilot's certificates, would you put
> your wife and kids in a Boeing 747 piloted by lil ole me with a private

> pilot, single engine certificate??? I dont think so!
>
> Steve
>
>
>
>

4756. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 05:31:50 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <DBLt9.619$Lf7.269864030@news.inreach.com>
Source record: 38119
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"Mike G." wrote in message
...
> UNPLUG ANYTHING WITH A MICROPROCESSOR FROM YOUR HOUSEHOLD WALL OUTLETS!

Mike, I'd like to thank you personally for the wonderful advice you have supplied. After I read your post I immediately went outside and took a large axe with me. The 220 volt lines to my trailer fell quickly from the repeated blows of the razor-sharp double-edged wood axe. A small fire erupted near the charged wires but I soaked it good with the garden hose and got one hellava shock.
Apparently water conducts electricity very well!

After the local utility company restored power, I quickly checked for new viruses on my trusty C-64 and found NOTHING. The VCR, DVD and clock-toaster all seemed functional, I'll check them when the sun comes up and it is safe to go outside.

Good work soldier!

Respectively

General Johnson Jameson

4757. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 05:37:59 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <6vLt9.96$b4.5185@sooner.brightok.net>
Source record: 38117
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Ah-h, come on! It's pretty funny, IMHO, and certainly better than the petty bickering that's been going on for the last week or two. MUCH better than the original post about the booby-trapped linears. Personally, I give it a "9", and have forwarded it to friends and coworkers for their enjoyment.

Mark

"JJ" <radiobuff0@mailcity.com> wrote in message news:3DB759C2.6A911528@mailcity.com...
> Complaints about this stupid spam should be sent to
> abuse@prodigy.net
>
>
> "Mike G." wrote:
> >
> > UNPLUG ANYTHING WITH A MICROPROCESSOR FROM YOUR HOUSEHOLD WALL OUTLETS!
> >
> > As you know, since the deregulation of energy, your household 115V electricity
> > MAY NOT come from the same sources it used to! Your electric company is free to
> > buy and sell electricity on the open market as they please. Today we have just
> > learned, that in a few major cities the electricity purchased has been found to
> > contain a secret digital subcarrier on it that when executed, is a destructive
> > computer virus! Because of the way the national power grid is set up, it is
> > virtually impossible to trace these particular blocks of electricity back to
> > their source or sources in the US.
> >
> > PLEASE!! As soon as you read this, quickly unplug ANY computers and household
> > appliances that contain microprocessor chips from their wall sockets until we
> > can somehow locate the source of the subcarriers and put an end to it. This
> > will include things like televisions, VCRs, radios, home entertainment systems,
> > answering machines, cordless phones, digital clocks, and digital thermostats.
> >

> > You may ONLY charge your cell phones using a car adapter. Do NOT charge
them
> > with standard wall chargers, or the virus could be spread using cellular
phones
> > calls as well. Major appliances manufactured in the past 20 years
including
> > refrigerators, washers, dryers, microwave ovens, electric ovens,
electric
> > stovetops, and even gas appliances that have digital clocks, timers, and
> > controls built in them ARE ALL VULNERABLE!. (Backyard, gas bar-b-ques
have been
> > declared safe to use.) If you are at all unsure, UNPLUG IT!
> >
> > We cannot stress enough the extreme havoc this virus will cause if not
stopped
> > in its tracks! It will spread from house to house and community to
community if
> > not stopped. This is why we are urging EVERY CITIZEN to do their part by
> > unplugging ALL intelligent household appliances NOW! Tune in your
battery
> > operated AM radio to an Emergency Broadcast station and listen for the
official
> > "ALL CLEAR" announcement. If you don't have an AM radio, GO BUY ONE with
a
> > LARGE box of batteries. PLEASE, DO NOT PLUG ANYTHING BACK IN UNTIL YOU
HEAR THE
> > "ALL CLEAR" ANNOUNCEMENT FROM THE EMERGENCY BROADCAST SYSTEM!!
> >
> > Start with YOUR PC and MODEM *FIRST* General Johnson Jameson!

4758. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 05:44:08 UTC
From: 'Doc <w5lz@cwis.net>
Message-ID: <3DB788A8.74E01C94@cwis.net>
Source record: 38118
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Hang on Max, you can't rate a 'troll' for it's
'IQ'! I don't think negative numbers count.
'Doc

4759. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 05:54:59 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <urf2oqqjejrsfe@corp.supernews.com>
Source record: 38120
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

I for one don't have to worry since I installed
Norton Antivirus in my electric meter! ;^)

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

"Mike G." <nospam@my.email.address> wrote in message
news:48eeru011qkp4md9oqi9lsca3nqfuubtk5@4ax.com...
> UNPLUG ANYTHING WITH A MICROPROCESSOR FROM YOUR HOUSEHOLD WALL OUTLETS!
>
> As you know, since the deregulation of energy, your household 115V
electricity
> MAY NOT come from the same sources it used to! Your electric company is
free to
> buy and sell electricity on the open market as they please. Today we have
just
> learned, that in a few major cities the electricity purchased has been
found to
> contain a secret digital subcarrier on it that when executed, is a
destructive
> computer virus! Because of the way the national power grid is set up, it
is
> virtually impossible to trace these particular blocks of electricity back
to
> their source or sources in the US.
>
> PLEASE!! As soon as you read this, quickly unplug ANY computers and
household
> appliances that contain microprocessor chips from their wall sockets until
we
> can somehow locate the source of the subcarriers and put an end to it.
This
> will include things like televisions, VCRs, radios, home entertainment
systems,
> answering machines, cordless phones, digital clocks, and digital
thermostats.
>
> You may ONLY charge your cell phones using a car adapter. Do NOT charge
them
> with standard wall chargers, or the virus could be spread using cellular
phones

> calls as well. Major appliances manufactured in the past 20 years
including
> refrigerators, washers, dryers, microwave ovens, electric ovens, electric
> stovetops, and even gas appliances that have digital clocks, timers, and
> controls built in them ARE ALL VULNERABLE!. (Backyard, gas bar-b-ques have
been
> declared safe to use.) If you are at all unsure, UNPLUG IT!
>
> We cannot stress enough the extreme havoc this virus will cause if not
stopped
> in its tracks! It will spread from house to house and community to
community if
> not stopped. This is why we are urging EVERY CITIZEN to do their part by
> unplugging ALL intelligent household appliances NOW! Tune in your battery
> operated AM radio to an Emergency Broadcast station and listen for the
official
> "ALL CLEAR" announcement. If you don't have an AM radio, GO BUY ONE with a
> LARGE box of batteries. PLEASE, DO NOT PLUG ANYTHING BACK IN UNTIL YOU
HEAR THE
> "ALL CLEAR" ANNOUNCEMENT FROM THE EMERGENCY BROADCAST SYSTEM!!
>
>
> Start with YOUR PC and MODEM *FIRST* General Johnson Jameson!
>

4760. WTB: R-388 or 51J3

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 06:58:48 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <ISMt9.2205$Mg5.1819@newssvr19.news.prodigy.com>
Source record: 38121
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

Looking for a nice R-388 or 51J3.
Let me know what you have and the price.

-TNX-

4761. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 07:15:40 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <ap86i4$1td$1@bob.news.rcn.net>
Source record: 38122
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

<radiobuff0@mailcity.com>, a shameless top-poster, spouted:

> Complaints about this stupid spam should be sent to
> abuse@prodigy.net

Me thinks you need to re-learn the definition of spam.
And while you are at it, please send your reports of
top-posting to abuse@mailcity.com

Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4762. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 07:30:41 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <NdNt9.8553$46.4262@fe01>
Source record: 38123
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:R%Dt9.597$oP5.263834668@news.inreach.com...
> A group of hams who are fed up with the FCC's efforts to stop the spread
of
> illegal amplifier use are reported to be buying linear amplifiers and
> installing trojan horse mods that can burn out the receive section of
> transceivers operating out of band.
>
> The modifications detect certain transmitted frequencies and trigger a
> device installed on the amp that places a series of high voltage pulse
type
> signals across the antenna line effectively burning out the front end of
the
> receiver.
>
> Only technicians familiar with solid state circuits can detect the
devices
> which are cleverly disguised as actual amplifier components.
>
> Be very careful when purchasing used amplifiers or purchasing amplifiers
> online from unknown sellers. The information that I have received
indicates
> the normal user will re-sell the amplifier which once again will perform
> it's mission un-detected during normal use. The user will think the
problem
> is his transceiver, not the amplifier. Use extreme caution.
>

Simple, don't use an amp on 11 meters, then you don't have anything to
worry about...

73

4763. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 07:58:26 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <ap87pkbbo1@news1.kornet.net>
Source record: 38124
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Upgraded to a 3CX10000, huh? That's all we used in the main TX at the FM station I used to engineer for.. the guy's house must glow in the dark. And where would he find an antenna that would stand up to it? Let alone a radio that that much stray RF wouldn't turn into a large, molten paperweight??

"Tom Coates" <tecoates@comcast.net> wrote in message news:brmcnRF57qiH7iqgXTWcqg@comcast.com...
> Here's a larger version:
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391619869
>
> Tom
>
> "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> news:DsFr9.322$kT5.168847524@news.inreach.com...
> > How cute, a custom built pill box by our friend, Drifter the builder......
> >
> >
> > " will do 1500 to 1800 watts on 14 volts and slam a 2000 watt meter on 18
> > volts "
> >
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390014386
> >
> >
> > Guess the doors are wide open at Ebay for the 11 meter amp biz....
> >
> >
> >
> >
> >
> >
> >
>
>

4764. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 10:24:17 UTC
From: "Mike G." <nospam@my.email.address>
Message-ID: <b4ifru4ke1ljmgbccijdj26g72b8jk1luc@4ax.com>
Source record: 38125
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

On Wed, 23 Oct 2002 22:31:50 -0700, "General Johnson Jameson"
<area52@zecretbase.com> wrote:

>"Mike G." wrote in message
>...
>> UNPLUG ANYTHING WITH A MICROPROCESSOR FROM YOUR HOUSEHOLD WALL OUTLETS!
>
>Mike, I'd like to thank you personally for the wonderful advice you have
>supplied. After I read your post I immediately went outside and took a large
>axe with me. The 220 volt lines to my trailer fell quickly from the repeated
>blows of the razor-sharp double-edged wood axe. A small fire erupted near
>the charged wires but I soaked it good with the garden hose and got one
>hellava shock.
>Apparently water conducts electricity very well!
>
>After the local utility company restored power, I quickly checked for new
>viruses on my trusty C-64 and found NOTHING. The VCR, DVD and clock-toaster
>all seemed functional, I'll check them when the sun comes up and it is safe
>to go outside.
>
>Good work soldier!
>
>Respectively
>
>General Johnson Jameson

Thank you SIR! Sorry to hear about your accident. Sounds like you stopped
it in time though, as all your things checked out OK. Let me know if I can
email you some WATTS that are known to be good to get you back on your feet.
I'm sorry, but it will just be a small charge...

4765. FS icom 2710 manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 10:33:55 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <n0Qt9.119141$w63.1834532@twister.rdc-kc.rr.com>
Source record: 38126
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

I have a icom 2710 owner's manual forsale it the original not a copy $15 shipped. u.s only
Please e-mail me directed.

4766. Moto HT1000 Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 10:37:56 UTC
From: Seamus Murphy <nobody@yahoo.com>
Message-ID: <84Qt9.81621$qM2.22776@sccrnsc02>
Source record: 38127

I'm not nearly technical enough to make the stuff I need to reprogram my HT1000 (and the only dealer in town charges quite a bit for the service), so if you're going to tell me that I'm a moron I'll save you the time by openingly admitting it.

Is there someplace I can just buy the equipment I need? I've been told that what I need is an RIB box, a programming cable, and the software. I have the latter two, but no box. If you have any suggestions, please shoot me an email at emtff1977@yahoo.com.

Thanks.

MJ

4767. It was bound to happen . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 10:46:50 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ap8j2c02au@enews1.newsguy.com>
Source record: 38128

. . . . porn distributors posing as Ebay.

Today I received a message from ebay confirming that I had won the auction
on item #1234567890.

Only I have not bid on anything lately.

Upon closer examination, the message:
1. Was addressed to "Undisclosed Recipients"
2. Invited me to "watch my neighbor undress through my webcam"

Add another one to the mail filter.

--

Regards,
Joe S.

4768. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 11:12:32 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <urfld38lsvf0da@corp.supernews.com>
Source record: 38129
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I think the Federal Government should provide a free rig to every person who passes the simple one class ham license. After all, if we don't do that then hams will still be divided into classes based upon how expensive a rig they can afford to buy. :-)

4769. Re: It was bound to happen . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 11:31:19 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailnospamorama.com>
Message-ID: <96Tt9.4167$bS5.287@news.bellsouth.net>
Source record: 38141

Yea, I've gotten simalir from "HOTMAIL MEMBER SERVICES"

--
73,
Chuck
KE4ETH

"Joe S." <joe@schlatter.org> wrote in message
news:ap8j2c02au@enews1.newsguy.com...
> . . . . porn distributors posing as Ebay.
>
> Today I received a message from ebay confirming that I had won the auction
> on item #1234567890.
>
> Only I have not bid on anything lately.
>
> Upon closer examination, the message:
> 1. Was addressed to "Undisclosed Recipients"
> 2. Invited me to "watch my neighbor undress through my webcam"
>
> Add another one to the mail filter.
>
> --
>
> ------
> Regards,
> Joe S.
>
>
>
>

4770. Yaesu FT-10 2 Meter H.T. Package F.S.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 12:27:59 UTC
From: Mark Carlson <w4ksr@gwi.net>
Message-ID: <GL6cnRF1aLOHeiqgXTWcog@gwi.net>
Source record: 38130
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

Yaesu FT-10 2 Meter, 5 Watt HT with spare FNB-41 battery, Motorola-type leather swivel case, manual, and wall charger. Has CTCSS encode/decode & DCS. Operates like new, minor wear to the case. Has 99 memories, DVR. $100. Pics available upon request. w4ksr@gwi.net.

4771. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 12:32:29 UTC
From: Bill M <exray@no>
Message-ID: <urfput8p23rq19@corp.supernews.com>
Source record: 38131
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Brenda Ann wrote:
>
> Upgraded to a 3CX10000, huh? That's all we used in the main TX at the FM
> station I used to engineer for.. the guy's house must glow in the dark. And
> where would he find an antenna that would stand up to it? Let alone a radio
> that that much stray RF wouldn't turn into a large, molten paperweight??

Well, here's your 5000 watt AM/20000 watt SSB antenna to go with it.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391812847

-BM

4772. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 12:59:38 UTC
From: k5dh@raytheon.com
Message-ID: <_8St9.1561$Bd4.11850@dfw-service2.ext.raytheon.com>
Source record: 38132
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

In article <Pine.LNX.4.44.0210232136210.3254-100000@exp.bde-arc.ampr.org>,
kd6lvw@bde-arc.ampr.org says...
>
>On Wed, 23 Oct 2002, 'Doc wrote:
>>General,
>> Now ~that~ is a good troll! I think it's the best
>>I've seen in quite a while. Even some original thought(?)
>>to it. Gotta give that one a '9'+...
>> 'Dco
>
>That was almost as good as selling a "can of squelch" - after all,
>all that turning of the knob lets it all leak out! :-)

Remember when the CBers were buying VSWR SPRAY back in the 1970s? :)

73,
Dean K5DH

4773. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 13:25:12 UTC
From: Tike <Tike@mail.com>
Message-ID: <3DB7F54B.ECA15408@mail.com>
Source record: 38133
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

JJ wrote:

> Tike wrote:
>
> >
> > We know it isn't. I pointed out what the point was. To separate hams into different
> > groups or "classes" and we all know what problems that causes. We need to learn to
> > UNITE together, rather than to separate ourselves into classes. Isn't it bad enough
> > that we are separated into classes by race? Do we really need to add MORE classes to
> > cause MORE problems? We need to make ONE class of ham license.
>
> So just how technical would you make the exam for the one class of
> ham license? If there is only one class of license, then the exam
> needs to cover a lot, most of what would be on the tech, general
> and extra tests.

No, not what is on the extra tests. A General is allowed to operate ALL the bands an Extra does, so the General test obviously must have all the necessary testing needed to operate those bands.

A General exam is not that much more than the Tech test as it is the next step up. The only thing that made it hard for people to get a license was the code. After the code was dropped in the Tech class, thousands of people were able to become hams that never before were allowed to. The theory and rules part of the test is not hard. Many holders of GROLs never got ham licenses only because of the code.

Basically, all you need is the General class, but it would just be called a Ham license, no class needed.

> So now what do you do about an entry level class
> of license to get people into ham radio?

This would be the entry level. It is only a few questions more than it is now. Basically, all you need to know is what is relevant to the propagation and rules relating to HF.

> How many would be
> discouraged at having to learn all the material at one time to get
> this one class of license?

Actually, it would be EASIER than it was a few years ago! The entry level Tech required passing the NOVICE test first! Then you had to take the Tech test too! Now they only require Techs to take the test exam and dropped the Novice class altogether. By just adding the few General questions needed to be aware of the differences of HF to the Tech test, you really made it no harder than the way the No-code Tech tests were when they first came out!

4774. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 13:28:52 UTC
From: Tike <Tike@mail.com>
Message-ID: <3DB7F627.85EA61B7@mail.com>
Source record: 38134
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> Take your typical state drivers license. Your basic automobile license will
> not let you operate a motorcycle or a semi-tractor. This does not imply
> that you are a lesser person than those who hold licenses for motorcycles
> and tractor trailor rigs.

The different classes are necessary here because you are being tested on DIFFERENT vehicles! No need to test someone on driving a semi truck if they only want to drive a car! (No need to be tested on code if you only want to TALK on HF!) The Extra class gives you NO ADDITIONAL band use from a General. What type of DRIVER'S LICENSE in your analogy means additional testing to drive the exact same vehicles as a lower class driver's license?????

4775. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 13:32:11 UTC
From: Tike <Tike@mail.com>
Message-ID: <3DB7F6EE.8C3B5A6A@mail.com>
Source record: 38135
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Jim Wayda wrote:

> Code is an antiquated mode of communicating that should be OPTIONAL and not
> mandatory to operate on HF.

The key thing here is to operate by using a MICROPHONE on HF.

If you WANT to use code, then you have to learn code. If you only want to use a microphone and TALK on HF, there is no need to learn code.

Likewise, a person who is unable to speak because of a birth defect or injury, does not have to be tested on how to speak into a microphone if all they want to do is use morse code.

When you get a fishing license, you do not have to pass a test on your ability to understand Russian.

4776. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 13:46:56 UTC
From: Tike <Tike@mail.com>
Message-ID: <3DB7FA62.D3C1A05E@mail.com>
Source record: 38136
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> approach. Before it was: "Why should I have to pass a 20 wpm test?"
> Now it's: "Why should I have to pass a 50 question test?" Man, if the
> FCC reduces the requirements to "What's your favorite color?" these
> same whiners will say: "Why do I have to decide a favorite color?"

Why do you have to learn the Russian language before you can get a driver's
license?

.......you DON'T. and YOU would then also "bitch" "Why do I have to learn
Russian to get a driver's license?" with the rest of us logical thinkers.

The questions are....

Why do I have to learn morse code in order to use a microphone?

Why do I have to take an Extra test in order to use the same bands as a General?

The Extra class needs to be eliminated altogether. The code requirement needs to
be eliminated altogether.
Those that wish to USE morse code, can then learn the code.

This is all common sense, sorry that is a new thing for you.

> How about the theory of getting more for doing more? More effort =
> more privileges.

There are no more privileges from General to Extra. NONE. Unless of course
the few channels set aside on the same General bands that only Extra snobs can
talk to other Extra snobs without having to talk to any Generals. In an
emergency, then all of a sudden the General magically becomes "technically
qualified" to use these channels too. SNOBBISH.

> Be lazy, get less. Pretty simple, huh?

Then why is it you get to have a driver's license and didn't have to learn Russian
or French first? You LAZY SON OF A BITCH!!

> time. It's a HOBBY, not a job.

Right. So is fishing. So why don't you have to learn how to hunt and kill
buffalo before you can get your Extra class fishing license? Why is ONE class
of license good enough for that HOBBY?

> I've noticed a pattern in my many years as a VE: it's no coincidence
> that the only whiners are those that have "no intention" of expending
> the minuscule amount of extra effort to gain additional privileges.

Let me tell you something. I have a GROL and that has quite a bit more than the Extra did. When the code requirement is dropped next year, I will NOT be upgrading to Extra, even though I could pass that test in five minutes without studying for it. Why? Because I don't gain ANY extra privileges, so why would I waste my time?? I can use all the same bands an Extra can NOW! The only thing I can't do, is talk to snobs like you on the few special channels set aside on each of the General bands for Extra snobs.

Why would I waste my time learning code when I will never use it? Do you learn how to speak Russian for no reason at all, other than perhaps so that others will not call you lazy??

It is very interesting to note that I have no problem with you learning or using morse code, why should you care if I don't like code and have no intention of using it?

Start hitting the books so you can be tested on Russian before you ever use your HF bands again. If you refuse to do this, you are as LAZY as everyone else you accuse of being lazy.

4777. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 13:47:56 UTC
From: Tike <Tike@mail.com>
Message-ID: <3DB7FA9F.D54AD850@mail.com>
Source record: 38137
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> I think the Federal Government should provide a free rig to every
> person who passes the simple one class ham license.

You mean like the free fishing pole the government gives everyone of the
simple one class no exam fishing license?

LEARN people, THINK!

4778. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 13:48:45 UTC
From: Tike <Tike@mail.com>
Message-ID: <3DB7FAD0.A01421C@mail.com>
Source record: 38138
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> And then give a passing grade to anyone even if they never tested for
> a license.
> What a bunch of dead beats :')
>
> Pass the tests or go without!!

Those LAZY fishermen! They don't pass any theory OR code and get to have
a license for their hobby!

4779. Re: BAD HAM ALERT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 13:51:24 UTC
From: WG <nojunk@mail.com>
Message-ID: <wVSt9.61770$ER5.3895593@news2.telusplanet.net>
Source record: 38139

I don't know if this will help out but first of all Edmonton is in VE6 land
not VE7. I have an address for that person in VE7 land
1. Callsign: VE7EPS
Name: Kerry Gerald Atkinson
Address: SUITE 211, 11948 - 207TH STREET
MAPLE RIDGE, BC V2X 2T9
Qualifications: BASIC
A quick search of Canada 411 should produce a phone # in BC and see if he
answers. Good Luck

"VTFOXFIRE" <vtfoxfire@aol.com> wrote in message
news:20021023203304.09577.00004955@mb-cu.aol.com...
> i hate to use that term but it fits the bill...I bought a kenwoon tm-d700
from
>
> VE7EPS KERRY ATKINSON of Edmonton, ablerta... I sent the payment
> by western union.. no radio i call i emailed he said it was shipped ,
then
> he said he would trace the package... not the email does not work and his
> phone is disconnected..... I know now of others that have been burned by
this
> person.
> I have asked for a refund but no answer to that eather.....
> DO NOT DEAL WITH THIS PERSON ....
> I hope this message saves somebody else from being took by this
guy
> If anybody has any info on this person please email it to me....
> thank-you 73's Foster w1cgt@amsat.org

4780. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 14:18:06 UTC
From: Pappy@USA.net
Message-ID: <3DB8011D.DF9D510@USA.net>
Source record: 38140
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

This discussion is NOT about arguing or bashing each other. It's about sharing your personnel feelings. Your definitely entitled to yours as others are entitled to theirs.

If you care to call me a dead beat so be it. It's a childish way to expressing your opinion.

helmsman wrote:

> On Thu, 24 Oct 2002 07:12:32 -0400, "Bob Lewis \(AA4PB\)"
> <rlewis@staffnet.com> wrote:
>
> >I think the Federal Government should provide a free rig to every
> >person who passes the simple one class ham license. After all, if we
> >don't do that then hams will still be divided into classes based upon
> >how expensive a rig they can afford to buy. :-)
> >
>
> And then give a passing grade to anyone even if they never tested for
> a license.
> What a bunch of dead beats :')
>
> Pass the tests or go without!!

4781. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 14:24:01 UTC
From: JJ <radiobuff0@mailcity.com>
Message-ID: <3DB80281.3BD040D0@mailcity.com>
Source record: 38147
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Like mailcity or any other ISP cares if I top post or not.

Mark Walsh wrote:
>
> <radiobuff0@mailcity.com>, a shameless top-poster, spouted:
>
> > Complaints about this stupid spam should be sent to
> > abuse@prodigy.net
>
> Me thinks you need to re-learn the definition of spam.
> And while you are at it, please send your reports of
> top-posting to abuse@mailcity.com
>
> Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4782. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 14:29:44 UTC
From: Tike <tike@mail.com>
Message-ID: <3DB8046A.CED6ADE2@mail.com>
Source record: 38142
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> Let me tell you something. I have a GROL and that has quite a bit more
than the
> Extra did. When the code requirement is dropped next year, I will NOT be

> upgrading to Extra, even though I could pass that test in five minutes
without
> studying for it. Why? Because I don't gain ANY extra privileges, so
why would

Let me correct this this statement. I learned the code to get my General,
but never
ever USED the code, so now I don't know it anymore, as is the case with most
other
Hams I know. I realize I don't have to wait until next year when the code
requirement is dropped in order to get the extra as a General now does not
have to
pass any code test again to get the Extra. So, being that I could go
tomorrow and
take the Extra test and pass it without studying as they borrowed most of
their
questions from the GROL (which I have) I still don't see why I would waste
time and
gas to do this as I would get no additional bands to use. As it is, I
never use
anything below 2 meters anyway as that is not where technology is going, and
Hams
should be helping to invent and create new technology as we have done in the
past.
Right now the microwave bands are the main concern, and the bands most
threatened to
be taken away and auctioned off to phone companies and the like.

Keep pounding out morse code on shortwave radios in between washing your
clothes on a
washboard, while the rest of us evolve.

4783. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 14:55:19 UTC
From: Wes Stewart <n7ws@nowhere.com>
Message-ID: <n02gru8ahuat1rfr689a4e245eg0r6red4@4ax.com>
Source record: 38143
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

On Thu, 24 Oct 2002 00:12:11 -0400, "Tom Coates"
<tecoates@comcast.net> wrote:

|Here's a larger version:
|http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391619869

I especially love the use of "VACUM TUNNERS". The Bird dual
directional coupler without any DC leads or slugs and the high voltage
lead going through the unbushed hole in the back panel are a nice
finishing touchs.

4784. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 14:57:20 UTC
From: JJ <radiobuff0@mailcity.com>
Message-ID: <3DB80A50.9DA1430@mailcity.com>
Source record: 38003
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Fred Hambrecht Sr." wrote:

<good stuff sniped>

What he said!!!

4785. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 15:41:46 UTC
From: Mountain Bob <rtiberiNOSPAM@csusb.edu>
Message-ID: <3db81413.5194816@news.calstate.edu>
Source record: 38144
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

On Thu, 24 Oct 2002 04:44:36 GMT, "Jim Wayda" <jwayda@cox.net> wrote:

>Code is an antiquated mode of communicating that should be OPTIONAL and not
>mandatory to operate on HF. In this day and age of digital communication,
>there is no reason to require code proficiency.
>

While I agree that CW is antiquated, someday we may need it. If we
ever lose SATCOM, the only way to get messages longhaul will be via
CW.

I must admit that I was totally surprised when I learned that the US
Navy had dropped morse as a requirement for the Radioman rating. How
the hell can you call yourself a radioman if all you are doing is
using a computer?

MT Bob
Always looking for Corvettes and VWs

4786. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 16:01:45 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <urg6bh16b5mtc1@corp.supernews.com>
Source record: 38145
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

And we need to determine the economic and ethnic diversity and be sure all classes are covered equally. No additional licenses would be issued except to under represented diversity groups.

Let's see, let's start with womyn... once they are 50 percent men may once again apply for licensees.

All hams will use the same rig and antenna so none will feel they are a lesser ham. Those that have knowledge that other don't have will be fined for revealing it, as it makes those without it feel bad...

Morse code shall be banned as it is a clear sign of effort expended for the sole purpose of making others feel bad...

DXCC and other awards will be issued with the new "no test licence" so none may claim superiorty and make other feel bad. End of politically correct horse droppings and start of real feelings!

I like big cars, big boats, big motorcycles, big houses, and big campfires. I believe the money I make belongs to me and my family, not some governmental stooge with a bad comb-over who wants to give it away to crack addicts for squirting out babies.

Guns do not make you a killer. I think killing makes you a killer. You can kill someone with a baseball bat or a car, but no one is trying to ban you from driving to the ball game.

I think that if you feel homosexuality is wrong, it is not a phobia, it is an opinion.

I don't think being a minority makes you a victim of anything except numbers.

The only things I can think of that are truly discriminatory are things like the United Negro College Fund, Jet Magazine, Black Entertainment Television, and Miss Black America. Try to have things like the United Caucasian College Fund, Cloud Magazine, White Entertainment Television, or Miss White America and see what happens. Jesse Jackson will be knocking down your door.

I have the right "NOT" to be tolerant of others because they are different, weird, or tick me off. When 70% of the people who get arrested are black, in cities where 70% of the population is black, that is not racial profiling, it is the law of statistics.

I know what sex is, and there are not varying degrees of it. If I received sex from one of my subordinates in my office, it wouldn't be a private

matter or my personal business. I would be "FIRED" immediately!

I believe that if you are selling me a milk shake, a pack of cigarettes, a newspaper or a hotel room, you must do it in English. As a matter of fact, if you want to be an American citizen you should speak English. My father and grandfather shouldn't have to die in vain so you can leave the countries you were born in to come over and disrespect ours.

I think the police should have every right to shoot your sorry ass if you threaten them after they tell you to stop. If you can't understand the word "freeze" or "stop" in English, see the above lines.

I feel much safer letting a machine with no political affiliation recount votes when needed. I know what the definition of lying is.

I don't think just because you were not born in this country, you are qualified for any special loan programs, government sponsored bank loans or tax breaks etc., so you can open a hotel, convenience store, trinket shop, or any other business.

We did not go to the aid of certain foreign countries and risk our lives in wars to defend their freedoms so that decades later they could come over here and tell us our constitution is a living document and open to their interpretations.

I don't hate the rich. I don't pity the poor. I know wrestling is fake, but so are movies and television, and that doesn't stop you from watching them. I believe a self-righteous liberal or conservative with a cause is more dangerous than a Hell's Angel with an attitude.

I think Bill Gates has every right to keep every penny he made and continue to make more. If it ticks you off, go and invent the next operating system that's better and put your name on the building. Ask your buddy that invented the Internet to help you.

It doesn't take a whole village to raise a child right, but it does take a parent to stand up to the kid and smack his little ass when necessary and say "NO"

I think tattoos and piercing are fine if you want them, but please don't pretend they are a political statement. And stay home until that new lip ring heals, I don't want to look at your ugly infected mouth as you serve me fries.

I am sick of "Political Correctness" and of all the suck ups that go along with it.

I do not think any of us owe reparation to any one. I know a lot of black people, and not a single one of them was ever a slave, and I do not know any one who has ever owned a slave. We need to get over it already!!!

Why must it be, "African Americans", "Mexican Americans", "Asian Americans", etc. I don't go around saying I am European American just because my great great great great great Grandfather came here from Europe.

I am proud to be from America and no where else!!! And if you don't like my point of view, tough!!! That is your right because this is America!!!

"Bob Lewis (AA4PB)" <rlewis@staffnet.com> wrote in message news:urfld38lsvf0da@corp.supernews.com...
> I think the Federal Government should provide a free rig to every
> person who passes the simple one class ham license. After all, if we
> don't do that then hams will still be divided into classes based upon
> how expensive a rig they can afford to buy. :-)
>
>

4787. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 16:02:25 UTC
From: Tike <Tike@mail.com>
Message-ID: <3DB81A23.69F1D25C@mail.com>
Source record: 38146
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> >Code is an antiquated mode of communicating that should be OPTIONAL and not
> >mandatory to operate on HF. In this day and age of digital communication,
> >there is no reason to require code proficiency.
> >
>
> While I agree that CW is antiquated, someday we may need it. If we
> ever lose SATCOM, the only way to get messages longhaul will be via
> CW.

No, you could use shortwave radios, microphones and speakers.

> I must admit that I was totally surprised when I learned that the US
> Navy had dropped morse as a requirement for the Radioman rating.

Are you also surprised that they don't use washboards to clean their uniforms?

> How
> the hell can you call yourself a radioman if all you are doing is
> using a computer?

Are they still using radios with the computers? How does knowing morse code
make someone a radioman?

4788. Wanted: Tek 2465b service manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 16:28:52 UTC
From: douglasfir@charter.net
Message-ID: <urg7u46e47s9aa@corp.supernews.com>
Source record: 38002
Cross-posted to: sci.electronics.design,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Hi,

I need the service manual for the Tektronix 2465b Oscilloscope.

thanks,

Dennis

4789. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 16:29:32 UTC
From: walt <walt@nospam.com>
Message-ID: <3DB81FEA.D29C7A3F@nospam.com>
Source record: 37998
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Just got to admire the quality construction of this puppy....

You don't want to fire this one up if you want to have children, with all that stray RF the current owner must be sterile.

Would make a nice jack o lantern for the front porch.... if turned on..

Bill M wrote:

> Brenda Ann wrote:
> >
> > Upgraded to a 3CX10000, huh? That's all we used in the main TX at the FM
> > station I used to engineer for.. the guy's house must glow in the dark. And
> > where would he find an antenna that would stand up to it? Let alone a radio
> > that that much stray RF wouldn't turn into a large, molten paperweight??
>
> Well, here's your 5000 watt AM/20000 watt SSB antenna to go with it.
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391812847
>
> -BM

4790. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 16:29:44 UTC
From: walt <walt@nospam.com>
Message-ID: <3DB81FF6.79628A3C@nospam.com>
Source record: 37999
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Just got to admire the quality construction of this puppy....

You don't want to fire this one up if you want to have children, with all that stray RF the current owner must be sterile.

Would make a nice jack o lantern for the front porch.... if turned on..

Bill M wrote:

> Brenda Ann wrote:
> >
> > Upgraded to a 3CX10000, huh? That's all we used in the main TX at the FM
> > station I used to engineer for.. the guy's house must glow in the dark. And
> > where would he find an antenna that would stand up to it? Let alone a radio
> > that that much stray RF wouldn't turn into a large, molten paperweight??
>
> Well, here's your 5000 watt AM/20000 watt SSB antenna to go with it.
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391812847
>
> -BM

4791. Re: Alabama pill box

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 16:30:22 UTC
From: walt <walt@nospam.com>
Message-ID: <3DB8201C.91B785E2@nospam.com>
Source record: 38000
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Just got to admire the quality construction of this puppy....

You don't want to fire this one up if you want to have children, with all that stray RF the current owner must be sterile.

Would make a nice jack o lantern for the front porch.... if turned on..

Bill M wrote:

> Brenda Ann wrote:
> >
> > Upgraded to a 3CX10000, huh? That's all we used in the main TX at the FM
> > station I used to engineer for.. the guy's house must glow in the dark. And
> > where would he find an antenna that would stand up to it? Let alone a radio
> > that that much stray RF wouldn't turn into a large, molten paperweight??
>
> Well, here's your 5000 watt AM/20000 watt SSB antenna to go with it.
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391812847
>
> -BM

4792. Re: Alabama pill box

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 16:30:48 UTC
From: walt <walt@nospam.com>
Message-ID: <3DB82036.B19832E2@nospam.com>
Source record: 38001
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Just got to admire the quality construction of this puppy....

You don't want to fire this one up if you want to have children, with all that stray RF the current owner must be sterile.

Would make a nice jack o lantern for the front porch.... if turned on..

Bill M wrote:

> Brenda Ann wrote:
> >
> > Upgraded to a 3CX10000, huh? That's all we used in the main TX at the FM
> > station I used to engineer for.. the guy's house must glow in the dark. And
> > where would he find an antenna that would stand up to it? Let alone a radio
> > that that much stray RF wouldn't turn into a large, molten paperweight??
>
> Well, here's your 5000 watt AM/20000 watt SSB antenna to go with it.
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391812847
>
> -BM

4793. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 17:04:46 UTC
From: JJ <radiobuff0@mailcity.com>
Message-ID: <3DB8282E.BC842A81@mailcity.com>
Source record: 38010
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

KMA-104 wrote:
>
> "JJ" <radiobuff0@mailcity.com> wrote in message
> news:3DB80281.3BD040D0@mailcity.com...
>
> >"Like mailcity or any other ISP cares if I top post or not".<
>
> LOL, Bad use of the English language, JJ....
> Should be...(As if mailcity.....)
>
> Shut up, & learn something, ...Putz. :)

LOL, bad use of the English language, KMA whoever you are.

Bad does not need to be capitalized in your sentence, and
it should be "That should be...(As if mailcity...)

You need to shut up and learn something....Putz.

4794. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 17:12:15 UTC
From: Tike <Tike@mail.com>
Message-ID: <3DB82A81.31413A21@mail.com>
Source record: 38004
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> All hams will use the same rig and antenna so none will feel they are a
> lesser ham. Those that have knowledge that other don't have will be fined
> for revealing it, as it makes those without it feel bad...

This is silly. If there was a requirement to learn and be tested on how to hunt buffalo before getting a fishing license, or another class of fishing license that required more testing without giving any additional lakes to fish in, anyone pointing out how stupid that would be would be replied to by you in this manner:

"All fishermen should use the same poles and reels or they will feel like they are a lesser fisherman."

?!?!?!

> Morse code shall be banned as it is a clear sign of effort expended for the
> sole purpose of making others feel bad...

Not banned, just not a requirement. The problem is that you have no idea or concept of the difference between the two. No one wants morse code banned.

It would make no sense to REQUIRE someone to learn and be tested on using the Russian language before they would be allowed to get a fishing license in the United States, right? (perhaps you will argue this too, but then we all will know you are just a troll if you do.) Those that realize this would be stupid, would be opposed by idiots that claim they are lazy and trying to ban the Russian language because they don't think they should have to learn Russian to get a fishing license in the USA. There would be no ban, people could still choose to learn and speak Russian in the USA while fishing if they so chose to, but there is no need to force ALL people who fish in the USA to know and use the Russian language.

Anyone will always be free to learn and use morse code on ham radio, but why force everyone to learn morse code that only want to use a microphone to talk on HF?

Make no sense. You can continue to TRY and make an argument, but no argument you make will ever make any sense in this argument, ever.

> DXCC and other awards will be issued with the new "no test licence" so none
> may claim superiorty and make other feel bad.

ARRL awards and the like are worthless. Anyone can make up an award certificate and award it. Why I could make an award for most states and countries contacted without using morse code, big deal. Contests and the like only jam up the frequencies without any real purpose other than those that find

it really important to post all these worthless pieces of paper on their walls to feel really important. If you want to talk to lots of people in different states and countries, go ahead and do it. But don't do it just because you want to get one of these silly pieces of paper, do it because you like to do this. Seems everything in Ham radio is only to get into a better class, or to win more awards, not to just have a good time or to invent new technologies relating to radio. But then, there is no ARRL awards to invent new radio technology, so why would anyone bother to do that when they don't get any piece of paper for it?

> I like big cars, big boats, big motorcycles, big houses, and big campfires.
> I believe the money I make belongs to me and my family, not some
> governmental stooge with a bad comb-over who wants to give it away to crack
> addicts for squirting out babies.

Now you are making some sense. There is nothing wrong with this statement.

> Guns do not make you a killer. I think killing makes you a killer. You can
> kill someone with a baseball bat or a car, but no one is trying to ban you
> from driving to the ball game.

Again, nothing wrong here. Even the sniper was not considered a murderer when he killed people in the Gulf war for Clinton and Bush, then he is a hero. He is only a murderer when he kills people in the USA for people in the middle east.

Of course if you were living in the middle east, he would have been a murderer before, and a hero now. The difference between murder and killing depends on which county you live in or what the local laws are.

A police officer can use a gun to kill and never be called a murderer. The word murder is ridiculous, lets just call killing "killing" as it applies to everyone equally.

> I think that if you feel homosexuality is wrong, it is not a phobia, it is
> an opinion.

Right. Someone who HATES homosexuals can NOT be a homophobe! Homophobe means you are AFRAID of homosexuals. Likewise a person who abuses children can NOT be a pedophile! Pedophile means to LOVE children.

> I don't think being a minority makes you a victim of anything except
> numbers.

Being a minority means you are a victim of democracy. Everyone else will always be outvoting you and telling you how to live your life.

> The only things I can think of that are truly discriminatory are things
> like the United Negro College Fund, Jet Magazine, Black Entertainment
> Television, and Miss Black America. Try to have things like the United
> Caucasian College Fund, Cloud Magazine, White Entertainment Television, or
> Miss White America and see what happens. Jesse Jackson will be knocking down
> your door.

This is very very true.

> I have the right "NOT" to be tolerant of others because they are different,
> weird, or tick me off. When 70% of the people who get arrested are black, in
> cities where 70% of the population is black, that is not racial profiling,
> it is the law of statistics.

Right again. If you are swimming in the ocean and see a shark coming towards you, you will get the hell out of the water and judge it on the STEREOTYPE given to sharks, not be politically correct and hang around to judge him as an individual that may not kill you just because he is a shark. Stereotypes are statistical facts, not something pulled out of a hat at random.

> I know what sex is, and there are not varying degrees of it. If I received
> sex from one of my subordinates in my office, it wouldn't be a private
> matter or my personal business. I would be "FIRED" immediately!

If both of you consented to the sex, this is wrong.

> I believe that if you are selling me a milk shake, a pack of cigarettes, a
> newspaper or a hotel room, you must do it in English. As a matter of fact,
> if you want to be an American citizen you should speak English. My father
> and grandfather shouldn't have to die in vain so you can leave the countries
> you were born in to come over and disrespect ours.

Very true. Again, instead of uniting everyone to the same language, customs, and pride in our one country, we have separate groups of people with their own languages, customs and pride in their own nationalities instead of the county they live in, which is pulling this country down and destroying it. English is what our constitution is written in, our money is printed with, our street signs are made with, and what the pledge and national anthem are in.

> I think the police should have every right to shoot your sorry ass if you
> threaten them after they tell you to stop. If you can't understand the word
> "freeze" or "stop" in English, see the above lines.

True to a point. But when a cop is harassing you over a victimless crime, such as not wearing a seat belt, or being in possession of plant leaves that hurts no one else, then things are different. If you did nothing wrong to anyone else and a cop points a gun at you because you exercise your constitutional right to not only own but to bear arms, then that cop has no right to point his gun at you and you have a right to defend yourself.

> I feel much safer letting a machine with no political affiliation recount
> votes when needed. I know what the definition of lying is.

Voting is a waste of time. The majority of people voted for Gore last election, and the government decided to put Bush into office. Not only does your one vote not count, nobody's vote counted. People make fun of Iraq's election where Saddam was the only one on the ballot. I seem to remember many offices on my US ballot with Judges and such where there was only ONE person on the ballot too! At least in Iraq they had the choice to vote NO for saddam, there was no NO choice for me to punch on the US ballot. At least Saddam got 100% of the vote, Bush didn't even get a majority and was put into power. Which system is more screwed up?

> I don't think just because you were not born in this country, you are
> qualified for any special loan programs, government sponsored bank loans or
> tax breaks etc., so you can open a hotel, convenience store, trinket shop,
> or any other business.

This is exactly right. You want to know something interesting? All these points you make are exactly what Hitler realized and wrote in Mein Kampf. You might want to read that good book, that is if you can still find a copy in this country. Note also how many of the German people loved him and shouted in praise at what he would say and do for them. (Want to know what he said to them? A book of his speeches on Amazon.com or any local book store will cost you $600 to find out! This is the american way of censorship.) Bush and Clinton never get screams of hails and praise after any of their speeches. Our government likes to make Hitler and everyone else out to be evil and we get taught all these bad things about people, but if you do some research, you find out quite the opposite. Don't read any of the books on Hitler you find on the shelves in the bookstore, but DO note that they all are by Jewish authors that seem to write the books with some bias for some reason. The covers of the books calling Hitler a "diabolical madman" forewarns that you are not going to get any unbiased information here! Mein Kampf was written by Hitler himself, so this is really the only way you can find out the truth about how he thought and felt about things. There are three other books that he wrote, but for some reason they are not in print in this country. Seems our government doesn't want us reading any of those books anymore. I found one in a used book store, and I can see WHY they don't want us reading it! Seriously though, your statements here are in exact agreement with what Hitler said and did. This is not meant as an insult, quite the opposite. You really should read Mein Kampf, you would be surprised at how much it says exactly what you do.

> We did not go to the aid of certain foreign countries and risk our lives in
> wars to defend their freedoms so that decades later they could come over
> here and tell us our constitution is a living document and open to their
> interpretations.

Correct.

> I don't hate the rich. I don't pity the poor. I know wrestling is fake,
> but so are movies and television, and that doesn't stop you from watching
> them. I believe a self-righteous liberal or conservative with a cause is
> more dangerous than a Hell's Angel with an attitude.

No arguments.

> I think Bill Gates has every right to keep every penny he made and continue
> to make more. If it ticks you off, go and invent the next operating system
> that's better and put your name on the building.

Sounds fair.

> It doesn't take a whole village to raise a child right, but it does take a
> parent to stand up to the kid and smack his little ass when necessary and
> say "NO"

Man I am standing up and applauding now!

> I am sick of "Political Correctness" and of all the suck ups that go along
> with it.

Correctness is always better than "political correctness" which is a
contradictory term.

> I do not think any of us owe reparation to any one. I know a lot of black
> people, and not a single one of them was ever a slave, and I do not know
> any one who has ever owned a slave. We need to get over it already!!!

This is true. As much as the United States was founded by slave owners who used
ethnic cleansing to rid the land of native americans, you and I should not be
punished for their actions. We are being punished by never being given the
chance to have jobs like chief of police, judge, or anything in which a quota
says sorry, you don't have the right skin color, this job has to be given to a
black person. What did we do to get treated like this? Why is it not
illegal, but rather LEGAL discrimination?! Two wrongs don't make it right.
Just because the people who were guilty of discrimination before are dead and
can't be punished, stop going after someone else to take revenge for something
you never suffered. I wish I was black, then I could get a high paying job
without any fear of getting fired, as I would have Jesse Jackson to protect
me. Why doesn't that racist ever come to the defense of white people, only
blacks? Never once has he stood up for someone white, every single case has
been against blacks. If someone white did what he does to protect whites, then
this person would be called a racist and have death threats made against him and
possible arrested for "hate crimes."

> Why must it be, "African Americans", "Mexican Americans", "Asian
> Americans", etc. I don't go around saying I am European American just
> because my great great great great great Grandfather came here from Europe.

Right. You can only be a citizen of ONE country. PICK ONE! It is even MORE
insulting to put the other country BEFORE American, instead of say, "American
African" (like putting the US flag above the African one on a pole for respect,
the other way would be insulting and illegal) Also, did you ever call a
Jamaican an "African American"? They don't take to kindly to that stupid
phrase either! What do you call blacks that live in Germany or France?
"African Americans"? That would make no sense! Call them BLACKS or
NEGROS. It is the only thing that fits in all situations and does not insult
our country.

>

4795. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 17:34:12 UTC
From: Tom Sevart <n2uhcNOSPAM@yahoo.com>
Message-ID: <ap9afb$skpim$1@ID-52518.news.dfncis.de>
Source record: 38005
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:R%Dt9.597$oP5.263834668@news.inreach.com...
> A group of hams who are fed up with the FCC's efforts to stop the spread
of
> illegal amplifier use are reported to be buying linear amplifiers and
> installing trojan horse mods that can burn out the receive section of
> transceivers operating out of band.

I'm sure this will become another CB urban legend, along with the "coax has
to be the right length" thing that always goes around.

Tom

4796. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 17:36:12 UTC
From: Tom Sevart <n2uhcNOSPAM@yahoo.com>
Message-ID: <ap9am6$spk1o$1@ID-52518.news.dfncis.de>
Source record: 38006
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"Donnie (N4JZH)" <n4jzh@knology.net> wrote in message
news:tnderu4h0kcofep0tidcltm57udjcc0cqo@4ax.com...
> >
> NEW URBAN LEGEND EH!
>
> Scientific study indicates that the average human use about 1/10th of
there brain,

How ironic. What you just stated is itself an urban legend.

"Irony can be pretty ironic sometimes." - Airplane II

Tom

4797. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 17:37:50 UTC
From: Tom Sevart <n2uhcNOSPAM@yahoo.com>
Message-ID: <ap9ame$spk1o$2@ID-52518.news.dfncis.de>
Source record: 38007
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"Mike G." <nospam@my.email.address> wrote in message
news:48eeru011qkp4md9oqi9lsca3nqfuubtk5@4ax.com...
> UNPLUG ANYTHING WITH A MICROPROCESSOR FROM YOUR HOUSEHOLD WALL OUTLETS!
>

> Today we have just
> learned, that in a few major cities the electricity purchased has been
found to
> contain a secret digital subcarrier on it that when executed, is a
destructive
> computer virus!

Be sure and cover your phones with plastic while the phone company blows the
dust out of the lines...

Tom

4798. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 18:21:45 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailnospamorama.com>
Message-ID: <Y4Yt9.4691$bS5.2264@news.bellsouth.net>
Source record: 38015
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Coax always has to be the right length. From the radio to the antenna.

--
73,
Chuck
KE4ETH

"Tom Sevart" <n2uhcNOSPAM@yahoo.com> wrote in message
news:ap9afb$skpim$1@ID-52518.news.dfncis.de...
>
> "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> news:R%Dt9.597$oP5.263834668@news.inreach.com...
> > A group of hams who are fed up with the FCC's efforts to stop the spread
> of
> > illegal amplifier use are reported to be buying linear amplifiers and
> > installing trojan horse mods that can burn out the receive section of
> > transceivers operating out of band.
>
> I'm sure this will become another CB urban legend, along with the "coax
has
> to be the right length" thing that always goes around.
>
> Tom
>
>

4799. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 18:25:45 UTC
From: KMA-104 <who-carez@apathy.net>
Message-ID: <urgep0l317pufc@corp.supernews.com>
Source record: 38008
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"JJ" <radiobuff0@mailcity.com> wrote in message
news:3DB80281.3BD040D0@mailcity.com...

>"Like mailcity or any other ISP cares if I top post or not".<

LOL, Bad use of the English language, JJ....
Should be...(As if mailcity.....)

Shut up, & learn something, ...Putz. :)

>
> Mark Walsh wrote:
> >
> > <radiobuff0@mailcity.com>, a shameless top-poster, spouted:
> >
> > > Complaints about this stupid spam should be sent to
> > > abuse@prodigy.net
> >
> > Me thinks you need to re-learn the definition of spam.
> > And while you are at it, please send your reports of
> > top-posting to abuse@mailcity.com
> >
> > Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4800. FS 900 mhz 8 cavity duplexer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 18:29:16 UTC
From: Mike Kulyk <mkulyk@optonline.net>
Message-ID: <0_Wt9.5280$D63.5212@news4.srv.hcvlny.cv.net>
Source record: 38016
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur,rec.radio.amateur.homebrew,alt.ham-radio.vhf-uhf,alt.ham-radio.marketplace

900 MHz 8 Cavity Duplexer
Compact Duplexer with Circulator

This Duplexer came from an older 900 MHz linking radio system. It is presently tuned for 895.90 MHz TX and 934.70 RX, making it very suitable for the 900 MHz Ham band. It came out of service, so should be working fine, but it comes AS-IS.

$150 plus shipping

4801. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 18:38:56 UTC
From: Alan Strawinski <rrcb@strawinski.net>
Message-ID: <Xns92B17678C9709rrcbstrawinskinet@216.168.3.44>
Source record: 38009
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

k5dh@raytheon.com (K5DH) wrote in
news:_8St9.1561$Bd4.11850@dfw-service2.ext.raytheon.com:

>
> Remember when the CBers were buying VSWR SPRAY back in the 1970s? :)
>
> 73,
> Dean K5DH
>
>
LOL. People actually did that? Wow.

--
Alan Strawinski
http://alan.strawinski.net
rrcb@strawinski.net

4802. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 19:14:09 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <urghj21a30du9f@corp.supernews.com>
Source record: 38011
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"Tom Sevart" <n2uhcNOSPAM@yahoo.com> wrote in message
news:ap9afb$skpim$1@ID-52518.news.dfncis.de...
>
> "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> news:R%Dt9.597$oP5.263834668@news.inreach.com...
> > A group of hams who are fed up with the FCC's efforts to stop the spread
> of
> > illegal amplifier use are reported to be buying linear amplifiers and
> > installing trojan horse mods that can burn out the receive section of
> > transceivers operating out of band.
>
> I'm sure this will become another CB urban legend, along with the "coax
has
> to be the right length" thing that always goes around.
>
> Tom
>
>

Well I hate to tell you this but the coax DOES have to be the right length,
otherwise it won't reach the antenna! ;^)

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

4803. Motorola Expo Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 19:19:44 UTC
From: paul_dokken@yahoo.com
Message-ID: <15cc39be.0210241119.7142acf1@posting.google.com>
Source record: 38012

I recently bought several Motorola Expo hand held radios. They did not come with batteries. Where is a good source to find batteries for these units? How much should I expect to pay? What frequencies do these radios use? Any information on this radio would be appreciated. I have never used a handheld radio before.

Thanks
Paul

4804. FA - 220 Alinco DR-235T Transceiver - Like NIB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 19:21:41 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <B9DD9656.1BF92%pilot.marc@verizon.net>
Source record: 38013

220 Alinco DR-235T Transceiver - Like NIB

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391532472

4805. Where can I get an adapter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 19:58:43 UTC
From: jder8745@aol.com
Message-ID: <20021024155843.14610.00000148@mb-cl.aol.com>
Source record: 38014

Howdy,

I have an adapter which consists of a PL-259 and a Pair of binding posts.

Don't know who made it ro where I got it. I want another one.

Any help would be appreciated.

Jack, K9CUN

4806. FA:ALINCO DJ-X10T MINT - 5 hours left!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 20:25:21 UTC
From: msdbm@aol.com
Message-ID: <20021024162521.01045.00000124@mb-mk.aol.com>
Source record: 38017

The reserve is very close!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390786831

4807. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 20:37:28 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <urgmg984e3dqd0@corp.supernews.com>
Source record: 38018
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

The usual whinning.... geez, I never use sstv, pactor, amtor, am, etc., but I was tested on them, maybe we should restructure all the tests for the whinny few.

Chuck WG2A

"Tike" <Tike@mail.com> wrote in message news:3DB7F6EE.8C3B5A6A@mail.com...
> Jim Wayda wrote:
>
> > Code is an antiquated mode of communicating that should be OPTIONAL and not
> > mandatory to operate on HF.
>
> The key thing here is to operate by using a MICROPHONE on HF.
>
> If you WANT to use code, then you have to learn code. If you only want to use
> a microphone and TALK on HF, there is no need to learn code.
>
> Likewise, a person who is unable to speak because of a birth defect or injury,
> does not have to be tested on how to speak into a microphone if all they want to
> do is use morse code.
>
>
> When you get a fishing license, you do not have to pass a test on your ability
> to understand Russian.
>
>

4808. Re: Where can I get an adapter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 20:56:38 UTC
From: Bob Stein <w6nbi@earthlink.net>
Message-ID: <3DB85E79.8010303@earthlink.net>
Source record: 38019

JDer8745 wrote:
> Howdy,
>
> I have an adapter which consists of a PL-259 and a Pair of binding posts.
>
> Don't know who made it ro where I got it. I want another one.
>
> Any help would be appreciated.
>
> Jack, K9CUN

Try Pomona, if they are still in business.

Bob

4809. Re: Where can I get an adapter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 20:57:50 UTC
From: Idontwantspam@net
Message-ID: <3db85dc8.32523396@news.bellatlantic.net>
Source record: 38020

On 24 Oct 2002 19:58:43 GMT, jder8745@aol.com (JDer8745) wrote:

>Howdy,
>
>I have an adapter which consists of a PL-259 and a Pair of binding posts.
>
>Don't know who made it ro where I got it. I want another one.
>
Sounds like the center of a DIY dipole antenna, I think.

Some coax to your rig, two wire lengths (at 1/4 wave for your favorite
band) on the binding posts, and a way to suspend it all, and you're
cooking.

Sounds like a hamfest item.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

4810. HL50B FT817 amp on 160m ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 20:58:47 UTC
From: Mike Tatum <miket@cybatek.fsnet.co.uk>
Message-ID: <pan.2002.10.24.20.58.47.516389.12861@cybatek.fsnet.co.uk>
Source record: 38021

Hi All,

Has anyone tried the HL50B on 160m ?

I've been wondering whether it would work since
it appears to have low pass filters rather than
band pass filters ??

Can someone try it into a dummy load and let
me know the out come please ?

If it does indeed do 160m I'll order one for my FT817 ...

Cheers!

MikeT ...

4811. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 21:01:57 UTC
From: Dave VanHorn <dvanhorn@cedar.net>
Message-ID: <Ct-cncF7ufs0wiWgXTWcog@comcast.com>
Source record: 38022
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"Chuck/KE4ETH" <chuck_hawks@hotmailnospamorama.com> wrote in message
news:Y4Yt9.4691$bS5.2264@news.bellsouth.net...
> Coax always has to be the right length. From the radio to the antenna.

Cable only comes in two lengths. Too long, and too short.

4812. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 21:36:19 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3DB867D3.31FC46E7@mailcity.net>
Source record: 38029
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Moparholic@hotmailnospam.com wrote:
>
> JJ <radiobuff0@mailcity.com> wrote:
> >>LOL, bad use of the English language, KMA whoever you are.
> > >
> Hey JJ,do you also post as Sir Circumference?
>

I assume Sir Circumference posts as himself, whoever he is.

4813. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 22:35:43 UTC
From: "Jeffrey M. Swiger" <N8NOE@Comcast.Net>
Message-ID: <B9DDEDFF.26AB%N8NOE@Comcast.Net>
Source record: 38023
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

On 10/23/02 3:50 PM, in article 3DB6FD95.84E8B9A9@mailcity.net, "JJ"
<radiobuff0@mailcity.net> wrote:

>
>
> General Johnson Jameson wrote:
>>
>> A group of hams who are fed up with the FCC's efforts to stop the spread of
>> illegal amplifier use are reported to be buying linear amplifiers and
>> installing trojan horse mods that can burn out the receive section of
>> transceivers operating out of band.
>>
>> The modifications detect certain transmitted frequencies and trigger a
>> device installed on the amp that places a series of high voltage pulse type
>> signals across the antenna line effectively burning out the front end of the
>> receiver.
>>
>> Only technicians familiar with solid state circuits can detect the devices
>> which are cleverly disguised as actual amplifier components.
>>
>> Be very careful when purchasing used amplifiers or purchasing amplifiers
>> online from unknown sellers. The information that I have received indicates
>> the normal user will re-sell the amplifier which once again will perform
>> it's mission un-detected during normal use. The user will think the problem
>> is his transceiver, not the amplifier. Use extreme caution.
>
> Now this is an original one. Musta thought long to come up with
> this. Not a bad idea though.
Now I'm wishin' I was that smart!....
Who thinks this Up?.....

4814. Need Electra Bearcat Scanner Crystals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 22:51:00 UTC
From: "Buford T. Justice" <BTJustice@gmx.net.no.spam>
Message-ID: <nP_t9.200$EOT8.46137449@news2.randori.com>
Source record: 38024

I need the following frequencies for my Electra Bearcat III scanner...

155.415
153.980
157.450
155.340
155.055
39.500
159.210
453.250

Let me know if you have more than 1 of the above frequencies as I am putting together another Bearcat III for a friend of mine.

Now I have 4 crystals I do not need. If you guys want to work out a deal on them, that is fine with me. Like trading 1 for 1 or something. I need to keep this cheap. The frequencies for the 4 I don't need are...

47.69666
48.150
460.100
460.300
I should be getting more crystals from scanners I won I eBay and I will post them here in this thread.

Thanks,
BTJustice

4815. Re: Where can I get an adapter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 22:56:57 UTC
From: dplatt@radagast.org
Message-ID: <urgulpoh87bpea@corp.supernews.com>
Source record: 38025

>Howdy,
>
>I have an adapter which consists of a PL-259 and a Pair of binding posts.
>
>Don't know who made it ro where I got it. I want another one.
>
>Any help would be appreciated.

Somebody else suggested Pomona (http://www.pomonaelectronics.com/)
as a possible origin.

I don't see anything quite like this in their on-line catalog... they
don't seem to have PL-259 connectors on any of their adapters.

They do have several BNC-to-binding-post adapters, though... their
#1296 is a male BNC to full-size binding posts (see the PDF writeup at
http://www.pomonaelectronics.com/pdf/d1296_1_02.pdf for details).

You could use one of these, plus a commonly-available PL-259 to BNC-female
adapter to do what you want, as long as you're not trying to handle
more power than a BNC can take (a few tens of watts?).

Mouser Electronics sells the #1296 for $11.20, or the #1452
(BNC-female to binding posts) for $9.40.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

4816. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 23:11:23 UTC
From: dplatt@radagast.org
Message-ID: <urgvgrravdca93@corp.supernews.com>
Source record: 38026
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

In article <Ct-cncF7ufs0wiWgXTWcog@comcast.com>,
Dave VanHorn <dvanhorn@cedar.net> wrote:

>> Coax always has to be the right length. From the radio to the antenna.
>
>Cable only comes in two lengths. Too long, and too short.

This implies that cable is made from the cut-off legs of old army
uniform pants, doesn't it?

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

4817. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 23:30:50 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <ap9vt1ech1@terabinaries.xmission.com>
Source record: 38027
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

"Tom Coates" <tecoates@comcast.net> wrote in message
news:brmcnRF57qiH7iqgXTWcqg@comcast.com...
> Here's a larger version:
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391619869
>
> Tom
>
> "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> news:DsFr9.322$kT5.168847524@news.inreach.com...
> > How cute, a custom built pill box by our friend, Drifter the
builder......
> >
> >
> > " will do 1500 to 1800 watts on 14 volts and slam a 2000 watt meter on
18
> > volts "
> >
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390014386
> >
> >
> > Guess the doors are wide open at Ebay for the 11 meter amp biz....

Sure glad I don't live next to that guy...

Dan

4818. Re: eBay buyers beware

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 23:37:20 UTC
From: recrossler@hotmail.com
Message-ID: <945a26e3.0210241537.56fa7470@posting.google.com>
Source record: 38028

One thing I always do when purchasing items on Ebay is to find the
same item at another place online and see what it would cost at a
retail place. That means I could go pick it up. If I can't get it
cheaper through Ebay adding in shipping I don't bid on it. I also
figure $2-5 is not savings enough to not have a store standing behind
the product.

larry <larry_the_rabbit@nospam.com> wrote in message news:<3DB419A7.87878C6@nospam.com>...
> Yes, some like to sockit to you with the s+h because it is not subject to
> the auction fee that ebay charges.
>
> I had purchased a nice used ts530s and it was shipped double boxed in bubble
> wrap to my door for $ 12.00 ups. Shipped from SC to NC ground, I got it
> the next day ! No extra charges either. Thats the way to do business.
>
> I never charge more then $ 1. or$ 2.00 over the actual postage or ups,
> unless buyer requests insurance or faster shipment.
>
> Chas wrote:
>
> > This is nothing new, but I have seen more of this lately. I was looking
> > into someones feedback and noticed a complaint. Apparently this guy sold 2
> > books to another person and they gave him negative feedback because he
> > charged him $9 to ship the books, the postage only came to $2.25. The seller
> > responded that the ad said "$9 shipping and handling". I just smiled and
> > continued to look through eBay.
> > The next day I saw someone auctioning a Universal M-7000 decoder and
> > clearly stated in the ad was this: "$50 flat shipping and handling fee."
> > $50?!! Heck, you can ship that from New York to California, UPS for about
> > $12! $20, if you have to buy the shipping materials!! If your bidding on
> > eBay, beware of this kind of crap. They have a right to charge it if they
> > say it up front (unethical as it is), but this is a blatant attempt to pad
> > their pockets. READ THE AD CAREFULLY! If they say flat fee, don't bother
> > bidding unless it's a fair price.
> > I recently bought a camera from a guy 60 miles away, his ad on eBay said
> > flat $20 fee for shipping, I thought I might get out his way in a couple of
> > weeks and pick it up, sorry buckaroo, he only wanted to ship it, now I know
> > why, it only cost him $6 to ship it, where did the rest go?? Right into his
> > pocket. @#$%&!
> >
> > Chuck WG2A

4819. Question about TS-940 low output on CW mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-24 23:59:28 UTC
From: Chris <va3ut@rac.ca>
Message-ID: <CP%t9.11546$Kf.1380876@news20.bellglobal.com>
Source record: 38030

Hi,

Thank you for reading this posting. I have some problem with my TS-940S. It works fine with SSB on all bands, but the CW output is low. I don't know why and I don't know where to start with. CW waveform seems looking good and the receiver is good as well. Only the CW output power is low at around 50W with the Carrier all the way up.

Oh, one more thing. SSB works well, but the Processor doesn't seem to work properly. It works well without the Processor, but I get low power with the Processor on. Strange!

Thank you for reading this and I will appreciate any comment.

Chris VA3UT

4820. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 00:09:13 UTC
From: "Dee D. Flint" <dee.hays@sbcglobal.net>
Message-ID: <JY%t9.1829$z5.1210052@newssvr28.news.prodigy.com>
Source record: 38031
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

1. Code IS a digital mode
2. Code is the only digital mode that does not require extra equipment
(i.e. a computer) in the setup.
3. There have been and always will be occasions when other digital modes
fail yet CW will hold up.

"Jim Wayda" <jwayda@cox.net> wrote in message
news:UUKt9.13520$C53.494396@news2.west.cox.net...
> Code is an antiquated mode of communicating that should be OPTIONAL and
not
> mandatory to operate on HF. In this day and age of digital communication,
> there is no reason to require code proficiency.
>
> -jim
>
>
> "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
> news:3db77783$1@news.netacc.net...
> >
> > > Tike wrote:
> > >
> > > >
> > > > We know it isn't. I pointed out what the point was. To separate
hams
> > into different
> > > > groups or "classes" and we all know what problems that causes. We
> need
> > to learn to
> > > > UNITE together, rather than to separate ourselves into classes.
> Isn't
> > it bad enough
> > > > that we are separated into classes by race? Do we really need to
add
> > MORE classes to
> > > > cause MORE problems? We need to make ONE class of ham license.
> > >
> >
> > You seem unclear about the concept of license class and operating
> privlages.
> >
> > Take your typical state drivers license. Your basic automobile license
> will
> > not let you operate a motorcycle or a semi-tractor. This does not

imply
> > that you are a lesser person than those who hold licenses for
motorcycles
> > and tractor trailor rigs.
> >
> > Take your non typical pilot's certificate (license of sorts) which
grants
> > you privlages for single engine, multi engine, complex, commercial,
rotary
> > wing helicopter, hot air balloon, etc etc etc. This does not imply that
> the
> > holder of a single engine private pilot's certificate is any lesser a
> human
> > than a multi-engine commercial pilot.
> >
> > Now, if your reasoning were applied to pilot's certificates, would you
put
> > your wife and kids in a Boeing 747 piloted by lil ole me with a private
> > pilot, single engine certificate??? I dont think so!
> >
> > Steve
> >
> >
> >
> >
>
>

4821. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 00:34:12 UTC
From: "Dee D. Flint" <dee.hays@sbcglobal.net>
Message-ID: <8k0u9.1833$z5.1212766@newssvr28.news.prodigy.com>
Source record: 38032
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Tike" <Tike@mail.com> wrote in message news:3DB7FAD0.A01421C@mail.com...
> [various comments]

I have watched this debate and comparison to other hobbies and none of the comparisons are really valid. Take the fishing one. Nobody is trying to take fishing privileges away from the people. By contrast ever since the beginning of radio, government and commercial interests have been trying to eliminate amateur radio. If you don't believe it, simply dig into the newspaper archives, the ARRL archives, and read the book "200 Meters and Down". We have to have something to offer and make it worthwhile to prevent the loss of these radio privileges.

One could take the time and show the lack of validity of the other comparisons too but I don't care to spend all night typing so one example should suffice.

Radio amateurs have successfully defended their existence by having something to offer. That is a trained pool of radio operators and individual experimentation and learning. To maintain this, standards are necessary. Life is all about standards. In many fields, one must meet standards to reap the benefits. This is true both in career pursuits (high school diplomas, college degrees, etc) and in hobby pursuits (amateur radio license, private pilot's license, hunter's courses).

Dee Flint, N8UZE

4822. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 00:39:12 UTC
From: "Dee D. Flint" <dee.hays@sbcglobal.net>
Message-ID: <Qo0u9.1835$z5.1213045@newssvr28.news.prodigy.com>
Source record: 38033
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Tike" <Tike@mail.com> wrote in message news:3DB81A23.69F1D25C@mail.com...
>
> > While I agree that CW is antiquated, someday we may need it. If we
> > ever lose SATCOM, the only way to get messages longhaul will be via
> > CW.
>
> No, you could use shortwave radios, microphones and speakers.
>
>

You show your lack of experience here. It is not uncommon for the shortwave bands to be in poor enough shape that voice communications are not understandable. Under those conditions only digital gets through and of the digital, CW gets through the best.

Dee Flint, N8UZE

4823. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 00:53:05 UTC
From: dplatt@radagast.org
Message-ID: <urh5fhn803bved@corp.supernews.com>
Source record: 38034
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

>Sure glad I don't live next to that guy...

Hmmm. Hang a multi-turn loop on the side of your house, hook it to a full-wave rectifier bridge using fast diodes, and at the very least you could keep your gel-cell batteries charged up. Might even be able to run your lighting, or even go off-grid entirely.

It would be tough to only be able to cook or shave when your neighbor keyed up, though.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will boycott any company which has the gall to send me such ads!

4824. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 00:57:56 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <oG0u9.14176$vq2.653637@news1.east.cox.net>
Source record: 38035
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

OK, and Jimi Hendrix is still alive on that island in the So.Pacific.

Question: When a radio is in the transmit mode, how can you overload the front end of a receiver? When the T/R circuitry is in transmit, the receiver is out of series.

4825. Re: Question about TS-940 low output on CW mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 01:39:07 UTC
From: jcplpsm@aol.communicate
Message-ID: <20021024213907.27850.00000144@mb-mf.aol.com>
Source record: 38036

>Only the CW output power is low at around
>50W with the Carrier all the way up.

Are you referring to the Power level on the front? You can raise the maximum power level by using the Car Level slide control on the top of the unit under the little door where the VOX controls are. Push it all the way back.

4826. FA: Almost MINT KNIGHTKIT T-60 XMTR, many pics Collectable Condx

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 01:42:01 UTC
From: rlucch2098@aol.com
Message-ID: <20021024214201.09330.00000220@mb-cu.aol.com>
Source record: 38037

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796524

4827. FA: Very Rare HEATHKIT GW-42 CB TUBE TYPE XCVR

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 01:43:39 UTC
From: rlucch2098@aol.com
Message-ID: <20021024214339.09330.00000223@mb-cu.aol.com>
Source record: 38038

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796521
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

4828. FA: HEATHKIT V-7A Type VTVM, Only @a big $9.99 :-(

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 01:44:51 UTC
From: rlucch2098@aol.com
Message-ID: <20021024214451.09330.00000224@mb-cu.aol.com>
Source record: 38039

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796517

4829. fa> National Radio "VELVET DIAL" Hard to find, Cheep @$10

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 01:46:30 UTC
From: rlucch2098@aol.com
Message-ID: <20021024214630.09330.00000227@mb-cu.aol.com>
Source record: 38040

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796512

4830. fa-Millen 10039 Vernier Drive tuning dial, Excellent for Homebrewers :-)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 01:48:58 UTC
From: rlucch2098@aol.com
Message-ID: <20021024214858.09330.00000228@mb-cu.aol.com>
Source record: 38041

Many nice, clear pictures!
At only $10.00 or so!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796509

4831. Fa>> YAESU XF-30A Filter on circuit board, only $10 so far

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 01:50:22 UTC
From: rlucch2098@aol.com
Message-ID: <20021024215022.09330.00000231@mb-cu.aol.com>
Source record: 38043

Many nice, clear pictures!
At only $10.00 or so!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796504

4832. FA::MFJ-308 "WORLD TRAVELER" SW Converter for car radio @$9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 01:51:55 UTC
From: rlucch2098@aol.com
Message-ID: <20021024215155.09330.00000232@mb-cu.aol.com>
Source record: 38045

Many nice, clear pictures!
At only $10.00 or so!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796502

4833. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 01:53:39 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <fGOdnSu4At1BLiWgXTWcpw@ctc.net>
Source record: 37951
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Most of the transceivers do not have a relay but use a couple of diodes to
do the switching. They are low power units rated for only a few watts. If
you feed back 100 watts or so into the transceiver while it is transmitting
it would take out the diodes and maybe other devices.

>
> Question: When a radio is in the transmit mode, how can you overload the
> front end of a receiver? When the T/R circuitry is in transmit, the
receiver
> is out of series.
>
>

4834. Ebay- aea pakratt-64 tnc, exc. condition es cheap too.gotta see.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 01:53:47 UTC
From: rlucch2098@aol.com
Message-ID: <20021024215347.09330.00000235@mb-cu.aol.com>
Source record: 38044

Many nice, clear pictures!
At only $24.00 or so!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796498

4835. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 02:05:29 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <JF1u9.15104$vq2.671264@news1.east.cox.net>
Source record: 38046
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

> But..if you have independent trans/recever's,it could happen.

No it wouldn't because even if there were a separate transmitter and receiver the T/R relay between the two radios will only allow each to be engaged separately. When transmitting the receive side of the antenna is disengaged and out of series.....So much for the Trojan Mod. The original posting and this mod is someone's fantasy.....

4836. Re: Where can I get an adapter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 02:09:38 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <CJ1u9.101655$om2.1771123@twister.rdc-kc.rr.com>
Source record: 38047

How about a BNC to binding post, and then just use a PL-259 to BNC adapter?

http://www.ba-electronics.com/bncother.htm

"JDer8745" <jder8745@aol.com> wrote in message
news:20021024155843.14610.00000148@mb-cl.aol.com...
> Howdy,
>
> I have an adapter which consists of a PL-259 and a Pair of binding posts.
>
> Don't know who made it ro where I got it. I want another one.
>
> Any help would be appreciated.
>
> Jack, K9CUN

4837. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 02:14:41 UTC
From: General Johnson Jameson <area52@zecretbase.com>
Message-ID: <OO1u9.662$u%1.280870972@news.inreach.com>
Source record: 37948
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"Paul Vanasse" wrote in message
>
> Question: When a radio is in the transmit mode, how can you overload the
> front end of a receiver? When the T/R circuitry is in transmit, the
receiver
> is out of series.
>

Simple.

The disguised circuitry samples and stores the exciter's output frequency. When the sampled signal is compared to a list of allowable frequencies on a eprom chip, the circuitry either remains in the dormant mode or becomes destruct active. Once triggered, high voltage signal pulses are applied to the antenna line using the amplifiers own power supply. The pulse sequence only lasts a few milliseconds before the circuit slips back into sniff and search mode.

hugs and kisses,

General Johsnson Jameson

4838. Re: Question about TS-940 low output on CW mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 02:35:56 UTC
From: Chris <va3ut@rac.ca>
Message-ID: <k62u9.8361$Zy4.1322166@news20.bellglobal.com>
Source record: 37950

Thank you for the reply. I meant both Power Level and Carrier Leven under the sliding door on top of the radio. I get 140W+ with SSB but not even close with CW. Thanks again.

Chris VA3UT

"SAM" <jcplpsm@aol.communicate> wrote in message news:20021024213907.27850.00000144@mb-mf.aol.com...
> >Only the CW output power is low at around
> >50W with the Carrier all the way up.
>
> Are you referring to the Power level on the front? You can raise the maximum
> power level by using the Car Level slide control on the top of the unit under
> the little door where the VOX controls are. Push it all the way back.

4839. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 02:38:10 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <m82u9.15476$vq2.680105@news1.east.cox.net>
Source record: 37949
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

> The disguised circuitry samples and stores the exciter's output frequency.

Uh...OK

> When the sampled signal is compared to a list of allowable frequencies on
a
> eprom chip, the circuitry either remains in the dormant mode or becomes
> destruct active.

Hmmm, OK, Im still with you.

>Once triggered, high voltage signal pulses are applied to
> the antenna line using the amplifiers own power supply.

I supposed a bank of HV caps are also included in this super mod. Is there a new James Bond movie out that I havent seen yet?

>The pulse sequence
> only lasts a few milliseconds before the circuit slips back into sniff and
> search mode.

Pulse sequence? Sniff and search? I guess these happen right after Mr. Scott installs a new set of Dilithium Crystals in the amp eh. Sounds great, but still someone's wet dream.....

4840. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 03:20:53 UTC
From: General Johnson Jameson <10milesunderthesurfaceofMars@wow.com>
Message-ID: <SM2u9.671$Kc2.281735194@news.inreach.com>
Source record: 37952
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

"Paul Vanasse" wrote in message

> Pulse sequence? Sniff and search? I guess these happen right after Mr.
Scott
> installs a new set of Dilithium Crystals in the amp eh. Sounds great, but
> still someone's wet dream.....
>

Mr Vanasse, may I call you Paul?

You see, I'm not a real General. In fact, I've never even been anywhere near the military in my whole life. Dropped out of high school when I was 15 and sold bags of pot along the streets of San Francisco back in the 60's.

I was married once but it didn't work out. My favorite color is green and I voted
for Bill Clinton twice. I've never seen an actual UFO but I have seen photographs
of pie plates hanging by fishing line tied to tree limbs. Boy did they look real.

Sure, go ahead and have a good laugh. Make fun of an old man just trying to help folks out by trying to stop senseless destruction of expensive electronic
equipment. Go ahead, poke me in the eye, I can handle it.

Sincerely,

General Johnson Jameson

4841. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 03:26:43 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <TR2u9.16015$vq2.692730@news1.east.cox.net>
Source record: 37953
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

> Sure, go ahead and have a good laugh. Make fun of an old man just trying
to
> help folks out by trying to stop senseless destruction of expensive
> electronic
> equipment. Go ahead, poke me in the eye, I can handle it.

Im not laughing at you General, Im laughing at this supposed modification that would cost more money than the amp itself. It would be cheaper to have an amp buyback program.

4842. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 03:26:47 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <apbfhd$1uaf$1@madmax.keyway.net>
Source record: 37966
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

You don't even need a license to jam and bitch out your buddies
on the CB.

What qualifies YOU to tell me what MY hobby should be like?

"Chas" <wg2a@frontiernet.net> wrote in message news:urgmg984e3dqd0@corp.supernews.com...
: The usual whinning.... geez, I never use sstv, pactor, amtor, am, etc.,
: but I was tested on them, maybe we should restructure all the tests for the
: whinny few.
:
: Chuck WG2A
:
: "Tike" <Tike@mail.com> wrote in message news:3DB7F6EE.8C3B5A6A@mail.com...
: > Jim Wayda wrote:
: >
: > > Code is an antiquated mode of communicating that should be OPTIONAL and
: not
: > > mandatory to operate on HF.
: >
: > The key thing here is to operate by using a MICROPHONE on HF.
: >
: > If you WANT to use code, then you have to learn code. If you only want
: to use
: > a microphone and TALK on HF, there is no need to learn code.
: >
: > Likewise, a person who is unable to speak because of a birth defect or
: injury,
: > does not have to be tested on how to speak into a microphone if all they
: want to
: > do is use morse code.
: >
: >
: > When you get a fishing license, you do not have to pass a test on your
: ability
: > to understand Russian.
: >
: >
:
:

4843. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 03:59:26 UTC
From: General Johnson Jameson <10milesunderthesurfaceofMars@nausea.com>
Message-ID: <%k3u9.674$No2.282524782@news.inreach.com>
Source record: 37954
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

"Paul Vanasse" wrote in message

> Im not laughing at you General, Im laughing at this supposed modification
> that would cost more money than the amp itself. It would be cheaper to
have
> an amp buyback program.
>

The donations for this project came from a group of very
wealthy hams whom for obvious reasons wish to remain anonymous.

They have personally invested many thousands of dollars into
their " hobby " and unlike the FCC are attempting to cure a problem
that has become malignant and affects everybody.
Poorly designed, tuned and improperly used high-power amplifiers
cause havoc to government, aviation, hospital and industrial equipment.

Ask any pilot about spurious signals they have heard on their airplane
transceivers. Harmonic signals so loud they cover up tower
and plane to plane communications, making it impossible to communicate.
Imagine trying to determine where the plane is in front of you when a cb'er
running a few kilowatts decides to keyup and practice his whistling.

But hey, I'm just an old man with phony name and email address.
I'm full of crap and so are my posts. After all, it's just entertainment
right?

hugs and kisses

General Johnson Jameson

4844. FS: Yaesu FT-920 160-6 meter transceiver, Mint!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 04:48:45 UTC
From: maritimus49@aol.com
Message-ID: <20021025004845.13999.00000201@mb-fq.aol.com>
Source record: 37955

I have for sale the FT-920 transceiver in mint condition. Comes with several options - an Inrad 2.8 kHz SSB filter for the best audio on receiver and transmit and which actually has better ultimate rejection than the standard Yaesu 2.4 kHz it replaces. The 2.4 kHz filter is also included if you want to put it back or sell it. Also comes with TCXO-7 high-stabilty crystal oscillator, FM-1 FM board, and the Yaesu 6 kHz AM filter for the best SW listening and AM operation. Many, many features including IF shift, noise blanker, noise reduction, keypad, audio DSP (very effective), speech compressor, etc, etc. Read the 5/5 reviews on eham.net This rig is highly versatile and a pleasure to use. Comes with microphone, manual, and DC power cord. Will be carefully double-boxed for shipment. Please email me for photo. Asking $925 plus shipping. Thanks for looking.
73,
Bruce

4845. Re: PRO-43 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 04:51:13 UTC
From: abbicus <onthewayto@dot.com>
Message-ID: <apa806$t5ga9$1@ID-121301.news.dfncis.de>
Source record: 38042
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Means it was manufactured in Jan. 93
First number is month, second number is year. A is just the divider.

"Mountain Bob (Mountain Bob)" <rtiberiNOSPAM@csusb.edu> wrote in message
news:3db5949e.100262937@news.calstate.edu...
> On Wed, 16 Oct 2002 05:55:38 GMT, "Jim Wayda" <jwayda@cox.net> wrote:
>
>
> What does a 1A3 code in the battery compartment signify?
>
>
> MT Bob
> Always looking for Corvettes and VWs

4846. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 05:25:33 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <apakfgrla1@bob.news.rcn.net>
Source record: 37956
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

"JJ" <radiobuff0@mailcity.com> uttered:
> Mark Walsh wrote:
> > <radiobuff0@mailcity.com>, a shameless top-poster, spouted:

> > > Complaints about this stupid spam should be sent to
> > > abuse@prodigy.net

> > Me thinks you need to re-learn the definition of spam.
> > And while you are at it, please send your reports of
> > top-posting to abuse@mailcity.com

> Like mailcity or any other ISP cares if I top post or not.

You are halfway there. Prodigy likewise won't care about
your re-definition of "spam."

Mark Walsh ***** mark@die.spam.die.km6xu.com ***** http://www.km6xu.com

4847. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 05:31:37 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <urhlor5u4eticf@corp.supernews.com>
Source record: 37957
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

"General Johnson Jameson" <10milesunderthesurfaceofMars@nausea.com> wrote in
message news:%k3u9.674$No2.282524782@news.inreach.com...
>
> "Paul Vanasse" wrote in message
>
> > Im not laughing at you General, Im laughing at this supposed
modification
> > that would cost more money than the amp itself. It would be cheaper to
> have
> > an amp buyback program.
> >
>
> The donations for this project came from a group of very
> wealthy hams whom for obvious reasons wish to remain anonymous.
>
> They have personally invested many thousands of dollars into
> their " hobby " and unlike the FCC are attempting to cure a problem
> that has become malignant and affects everybody.
> Poorly designed, tuned and improperly used high-power amplifiers
> cause havoc to government, aviation, hospital and industrial equipment.
>
> Ask any pilot about spurious signals they have heard on their airplane
> transceivers. Harmonic signals so loud they cover up tower
> and plane to plane communications, making it impossible to communicate.
> Imagine trying to determine where the plane is in front of you when a
cb'er
> running a few kilowatts decides to keyup and practice his whistling.
>
> But hey, I'm just an old man with phony name and email address.
> I'm full of crap and so are my posts. After all, it's just entertainment
> right?
>
> hugs and kisses
>
> General Johnson Jameson

Ok General, let's just say your story is true. Now if this circuitry does
work just like you say, what happens if the circuitry fails and starts
burning out radios when they are in the proper frequencies? How will
anyone know (us hams for one) how to fix this anti-freeband circuitry?

Though on the other hand hearing about a freebanders radio going up
in flames on say 27.555 MHz would be amusing. It kinda makes me
wish this wasn't just a urban myth wannabe.

--
'73' From KB9TMP
"He may look like an idiot
and talk like an idiot
but don't let that fool you.
He really is an idiot."
-Groucho Marx

4848. Re: Request: DTMF project for IRLP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 05:40:46 UTC
From: Mark Walsh <mark@km6xu.die.spam.die.com>
Message-ID: <apalc1$31$1@bob.news.rcn.net>
Source record: 37958

"Craig" <craigmorrison1nospam@hotmail.com> wrote:

> I would be grateful if anyone could suggest a site where there is a
> circuit for building a suitable DTMF encoder for use on the IRLP.

Are you trying to build a retro-encoder out of discrete components, or are you trying to find an encoder to integrate into another project? If the former, find some electronics textbooks from the 60s and 70s like those written by Forrest Mims or Rufus Turner. If the latter, most repeater jockeys have made use of the products from Communications Specialists (e.g. the infamous TS-32P CTCSS encoder)...

4849. Re: Alliance HD73 Rotor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 07:02:29 UTC
From: Barry <btuttleman@worldnet.att.net>
Message-ID: <3DB8ECB1.194B638F@worldnet.att.net>
Source record: 37959
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

i have the manual scan; if you need it contact me.
barry
carson city nv
http://home.att.net/~btuttleman2/electron.html

4850. Re: Galaxy Saturn Turbo

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 10:22:13 UTC
From: * RADIOSERVICE 39 * <cbradioservice@poczta.gazeta.pl>
Message-ID: <apb5vitt1@news.gazeta.pl>
Source record: 37960
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb

Hi,
Galaxy Saturn Turbo has the same main board as RCI2950, but ... with deleted one of final transistors (2SC2312). The big power unit in this rig (added after the final transistor) is of a very low quality. The power supply DC unit inside this large case is also not the very best. A well tuned up RCI2950 will give to you MUCH MORE satisfaction, beeing also much more comfortable (little size case). I'm using a RCI2950 since 1990 and I'm very satisfied. Many times i had a sick "Turbos" on my table, my friends' properties. My advice is : be a owner of 2950 as long, as you can and never buy a "Turbo".
Best regards,
Chris,
Poland

-= RADIOSERVICE 39 =-
radio39@wp.pl
radioservice39@poczta.onet.pl
cbradioservice@poczta.onet.pl
GG # 2184191
ICQ # 146776296
+48 603 360 445
==========
U&#65533;ytkownik "Dick" <grburke@adelphia.net> napisa&#65533; w wiadomo&#65533;ci news:w5Is9.38722$m92.7471759@news1.news.adelphia.net...
> Can anyone tell me what one of these radios is worth used in great
> condition?I have an offer of a trade as they want a RCI 2950 I have and will
> trade me even up.He just wants a mobile and not the base.
> My instincts say go for it.I know the person,and do know he keeps his
> equipment in mint shape.I just need to know what it is worth if I want to
> sell it as I may do.I don't use the 2950, and I doubt that I will use the
> Galaxy .Email me if you got any info that may be of help.Thanks for any help
> in advance.

--
Serwis Usenet w portalu Gazeta.pl -> http://www.gazeta.pl/usenet/

4851. Re: It was bound to happen . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 10:29:41 UTC
From: aokd5fxt@aol.com
Message-ID: <20021025062941.10915.00000006@mb-fh.aol.com>
Source record: 37961

same thing happened to me.. i just trashed it.

Bill, kd5fxt

4852. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 12:12:27 UTC
From: n2ah@yahoo.com
Message-ID: <ce47897e.0210250412.6ddc26c@posting.google.com>
Source record: 37962
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Pappy@USA.net wrote:

> I have had my ham general ticket since 1974. I have no intention on taking
> another 50 question test for my extra just for a little bit more of band
> width. There's no other perks that go along with being an extra unless it's
> about ego for being an extra.
>
> The FCC has made it a bit easier by reducing the code, that was a good move
> on their part. I'm not a code enthusiast.

I got MY General ticket in 1969 and upgraded to Extra in 1971.

If you're not a code enthusiast, there is very little to be gained by
getting the Extra. Most of the Extra privileges are in the lower
portions of the CW sub bands.

But for those you ARE code enthusiasts, those frequencies are very
valuable because that's where most of the DX is.

Upgrading is not about ego. It's about earning privileges.

Art Harris N2AH

4853. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 12:35:04 UTC
From: n2ah@yahoo.com
Message-ID: <ce47897e.0210250435.1bf1a005@posting.google.com>
Source record: 37963
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Tike wrote:

> A General has the use of every single band an Extra does! WHY would
> an Extra need to know and be tested on more theory than a General?!

It's known as incentive licensing. Even back before WWII there were
different classes of ham licences. If you read the FCC regulations as
to WHY amateur radio exists, one if the key reasons is to provide a
pool of technically capable people to serve the national interest.
Many electronic engineers started out as ham operators.

> This PROVES that it is only to divide Hams into different classes and groups
> so that some can feel more superior than others in the hobby.

Please elaborate on this. Are you saying that incentive licensing is
some sinister plot by the FCC to breed discontent among hams?

> I can understand
> why someone who wants to talk on shortwave would upgrade from Tech to General,
> but I can't for the life of me understand why someone would "upgrade" from
> General to Extra unless just to show off and feel better than a General class
> ham.

One reason to upgrade is to have access to the choice DX frequencies.
And with today's exams, what is so hard about passing a multiple
choice test where the exact questions and answers are published for
all to see? You might even learn something in the process. But I guess
folks today don't want to exert any effort at all.

I suppose you would like a no-code, no-theory license where you would
be issued a licence just for filling out a form with your name and
address. After all, you don't build your own radio. Why should you
have to learn all this boring technical stuff?

Art Harris N2AH

4854. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 12:44:27 UTC
From: n2ah@yahoo.com
Message-ID: <ce47897e.0210250444.4f20bbdf@posting.google.com>
Source record: 37964
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Tike wrote:

> After the code was
> dropped in the Tech class, thousands of people were able to become hams that > never before were allowed to.

Never allowed to? You mean they were too lazy. If they wanted to
become hams, no one was stopping them!

Art Harris N2AH

4855. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 12:58:29 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <9ebu9.8444$NV.152351@news.direcpc.com>
Source record: 37965
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Call me crazy. I got my Extra , complete with 20wpm test, not for extra priviledges but just because it was a challenge and it was there. I was Novice/Tech/Class B at age 14, Class A at 15 but waited 'till age 51 for the Extra.

Ed, W5EJ

"Art Harris" <n2ah@yahoo.com> wrote in message news:ce47897e.0210250412.6ddc26c@posting.google.com...
> Pappy@USA.net wrote:
>
> > I have had my ham general ticket since 1974. I have no intention on taking
> > another 50 question test for my extra just for a little bit more of band
> > width. There's no other perks that go along with being an extra unless it's
> > about ego for being an extra.
> >
> > The FCC has made it a bit easier by reducing the code, that was a good move
> > on their part. I'm not a code enthusiast.
>
> I got MY General ticket in 1969 and upgraded to Extra in 1971.
>
> If you're not a code enthusiast, there is very little to be gained by
> getting the Extra. Most of the Extra privileges are in the lower
> portions of the CW sub bands.
>
> But for those you ARE code enthusiasts, those frequencies are very
> valuable because that's where most of the DX is.
>
> Upgrading is not about ego. It's about earning privileges.
>
> Art Harris N2AH

4856. FA: Excellent BC-949-D Frequency Meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 13:49:45 UTC
From: Tom Farland <tfarl@IowaTelecom.net>
Message-ID: <apbhpj$o2n$1@ins22.netins.net>
Source record: 37967
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391198743

No Reserve. Ends Saturday at 1336 PDT.

Thanks for looking

4857. FA: Heathkit HX-20 mobile xvcr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 13:53:43 UTC
From: Tom Farland <tfarl@IowaTelecom.net>
Message-ID: <apbi12qir1@ins22.netins.net>
Source record: 37968
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391192229

For parts or repair. Good tubes. Ends Saturday @ 1309 PDT.

73, es Thanks for looking.

4858. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 14:08:08 UTC
From: Reese Friggin <rfriggin@hotmail.com>
Message-ID: <3DB950DB.E95C132B@hotmail.com>
Source record: 37969
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> > A General has the use of every single band an Extra does! WHY would
> > an Extra need to know and be tested on more theory than a General?!
>
> It's known as incentive licensing. Even back before WWII there were
> different classes of ham licences.

Wow this is a real good argument to the statement that was made. I guess this means you admit it is a fact since you try to change the subject rather than try to prove the statement false.

> If you read the FCC regulations as
> to WHY amateur radio exists,

Now if only you could research the early regulations as to why the morse code requirement existed! Here is a hint: It was NOT to make the license harder to get, it actually had a purpose. Hint #2: The reason for the requirement is no longer valid due to something the military did.

> > This PROVES that it is only to divide Hams into different classes and groups
> > so that some can feel more superior than others in the hobby.
>
> Please elaborate on this. Are you saying that incentive licensing is
> some sinister plot by the FCC to breed discontent among hams?

They just never cleaned up the the old laws and requirements that no longer apply. For instance, the fact that someone had to take a Novice test and learn about shortwave bands they are not even allowed to use as a Tech so that they could get their Technician's class license was idiotic. They finally realized this mistake, and eliminated the Novice class altogether as it made no sense to be tested on HF in order to get a license for VHF and above. Next year the mistake to have someone tested on code before they can use a microphone on HF will be cleared up as well. The government just always takes a long time to catch up to common sense, and they are always way behind.

Was it a sinister plot by the government to not allow blacks and women to vote to breed discontent among it's citizens? Or did it just take them a long time to figure out how stupid their rules were? If not for people like me to point out these stupid rules and laws, they would never get fixed. You sheep would just do as you are told and never speak up about anything that was wrong.

> > I can understand
> > why someone who wants to talk on shortwave would upgrade from Tech to General,
> > but I can't for the life of me understand why someone would "upgrade" from
> > General to Extra unless just to show off and feel better than a General class
> > ham.

>
> One reason to upgrade is to have access to the choice DX frequencies.

They are only choice because no one else is allowed to use them. Think about it, you could make ALL HF frequencies off limits to Generals as well and then really improve them for DX use! The FACT is, when no one is using the bands, they get taken away and given to someone who WILL use them. Ham radio has shown that it really doesn't want those frequencies that it does not allow MOST of it's operators to use, even though they have been tested and shown to be qualified to use them as Generals that use those same bands that those frequencies are on. Wake up! Or soon YOU will be bitching and moaning why you can't use those frequencies either because they were taken away from Ham radio! Then it will be TOO LATE for you to come around to common sense.

> And with today's exams, what is so hard about passing a multiple
> choice test where the exact questions and answers are published for
> all to see? You might even learn something in the process. But I guess
> folks today don't want to exert any effort at all.

All the questions on the Extra were taken from the GROL exam that I took and passed. There is nothing that I am going to learn from taking the easier Extra test. It is not a point of it being any extra effort to get the Extra class license from General, it is the question of WHY would I get it when I get use of all the same bands NOW as a General?! Of course if you READ posts before you replied to them, you would have read this explanation the FIRST time.

Interesting too how no one is able to debate any of the facts being made, only snipping them out and attempts made to twist the direction of the argument to something unrelated or back to the old argument that was just disproved by the statement and post being replied to.

> I suppose you would like a no-code, no-theory license where you would
> be issued a licence just for filling out a form with your name and
> address.

You know what is ironic about that? The fact that getting a license for not amateur, but PROFESSIONAL COMMERCIAL radio stations using upto 50,000 watts or more WAS just a matter of filling out a form and getting your restricted permit! At first it was a Third class license in which you needed to be tested, then they reduced it to the form you fill out and sign certifying that you know what you are supposed to know and did not need to be tested. NOW you don't even need to fill out a form at all! Yet for an AMATEUR hobby license, for which some never use more than a 500 mW HT, they have to be tested and pass an exam. This somehow must make sense to people like yourself, but it sure doesn't seem to utilize any form of logic that I have heard of other than "fucked-up logic".

I'm not saying they should have eliminated the broadcast operator's license, or that they should eliminate testing for amateur licenses. BOTH have operators that are authorized to operate transmitters with a lot of power that could do some serious damage if they don't know something about it first! The POINT was (which you people never seem to grasp and you need to be tested on comprehension before you are allowed to reply on a newsgroup) that you don't need to be tested on things that

have nothing to do with what license and bands you want to access. You DON'T need to be tested on morse code if you want to use a microphone to talk, you don't need to be tested on additional theory and knowledge to be an Extra when as a General you were considered tested enough to operate the same power on the same bands!

This is like saying there is an EXTRA CLASS driver's license available. You get tested on ADDITIONAL traffic rules and theory for this license, but don't get to access any additional roads or travel at any higher speeds with this license, people just get them so that they can look down at people with the regular licenses and call them lazy! If the regular license was enough to allow someone to get behind the wheel and drive on the same roads as the Extra, what is the point in getting the Extra class license?

> After all, you don't build your own radio. Why should you
> have to learn all this boring technical stuff?

The technical stuff IS needed, you really don't get that do you? No matter what bands you use, you will ALWAYS be using a radio, so you should know about radios! You do not need to use morse code to operate a radio and use it with a microphone, so you don't need to know morse code to be a radio operator.

SIMPLE!

Here, let me set up some more examples for you and see if you can figure them out...

1) Does a ham radio operator need to know about antennas and be tested on this?
a) No, because sometimes you can use a radio without an antenna.
b) Yes, because ALL hams will be using antennas for all modes and bands.

2) Does a ham radio operator need to know about radio controlled airplanes and be tested on them?
a) Yes, because ALL hams will be using radio controlled airplanes, and they can be used in an emergency when the bands are noisy to send a note via radio controlled airmail.
b) No, because many hams will not ever buy or own a radio controlled airplane because one is not needed to operate a radio or participate in the hobby.

3) Should people be required to pass a test showing they know how to read and comprehend a post on a newsgroup before replying to it?
a) No, because everyone likes when people just post arguments that have nothing to do with the statements made and ask the same idiotic questions requiring the original poster to keep repeating the statements over and over again because the idiot did not read or comprehend them.
b) Yes, because those people who don't want to take and pass this test and just think anyone should be allowed to use a newsgroup without passing a test first are lazy people that never want to put any effort into anything. They feel that they should just be allowed to use the internet for free and no one should ever have to take any tests or get any licenses first.
c) Since no public safety bands are interfered with by idiots posting on newsgroups, and no one is in danger of any physical harm by them posting, no test is required, but it sure would be nice if everyone put in at least SOME effort to read and comprehend a post before hitting the reply button and starting an argument!

Don't peek! Answers are below.....

1) B
2) B
3) C

If you didn't get a 100% on this test, you should not be allowed to play with transmitters capable of hundreds of watts of power. Giving a transmitter to someone that can't pass this test, is like giving a loaded gun to someone who doesn't know what the hell it is.

Any replies to this that make statements without first reading and comprehending what was said here, will not be replied to by myself any further.

4859. Re: Question about TS-940 low output on CW mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 14:08:32 UTC
From: Gary McAdams <g.m.mcadams@worldnet.att.net>
Message-ID: <Afcu9.4233$VJ5.240428@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37970

Chris <va3ut@rac.ca> wrote in message
news:k62u9.8361$Zy4.1322166@news20.bellglobal.com...
> Thank you for the reply. I meant both Power Level and Carrier Leven under
> the sliding door on top of the radio. I get 140W+ with SSB but not even
> close with CW. Thanks again.
>
> Chris VA3UT

Chris,

The power level that you can achieve on SSB would
lead me to suspect that someone has mis-adjusted
the ALC circuit to get more SSB power. This has
probably screwed up the CW power adjustments.

An alignment is probably called for. A properly adjusted
940 will get only about 100 watts both SSB and CW.
The manual calls for an output of 110 watts CW.
VR2 on the control board sets this. VR2 is on the bottom
of the radio, on the control board. I would not adjust
this thing too much or your likely to end up worse than
you started.

Check with Cliff at AVVID. He monitors the Kenwood
reflector available on QTH.net.

73, Gary WG7X

4860. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 14:13:56 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3DB951A4.9EBB4BE@ix.netcom.com>
Source record: 37971
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Ed Juge/NM wrote:
>
> Call me crazy. I got my Extra , complete with 20wpm test, not for extra
> priviledges but just because it was a challenge and it was there....

In this area as in any other-
Some people do their best and work to achieve for its own sake.
Others whine and make excuses.
Some take responsibility for themselves and climb their personal
mountains.
Others blame everyone but themselves.

Dave AB5S
p.s. I supported the reduction in code speed, even though I'm a
20 WPM Extra. I don't support its elimination. I do believe
the code seperates those who work from those who whine,
the winners from the wannabes.
I'll cast my lot with the workers, thanks.

4861. Frequency counter vs. scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 14:14:53 UTC
From: cprstn54zz@att.net
Message-ID: <3db950df.52847640@news-server.optonline.net>
Source record: 37973

If I have a hand-held, very accurate all-band, all-mode scanner, do I need a frequency counter? I would use it to set or measure a QRP radio's frequency -- which I seem to be able to do with the scanner.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

4862. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 14:15:45 UTC
From: Reese Friggin <rfriggin@hotmail.com>
Message-ID: <3DB952A4.97804BA@hotmail.com>
Source record: 37972
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> Call me crazy. I got my Extra , complete with 20wpm test, not for extra
> priviledges but just because it was a challenge and it was there.

Apparently this is the same reason everyone else did too as there AREN'T any
extra privileges!

Now, what is stopping you from learning and being tested on a 50wpm test, as
well as some additional theory that was not included on the Extra, and in
return, you will get an EXTRA EXTRA CLASS license that will allow you to use the
same bands you are now using? Why are you stopping at the Extra class?
LAZY?
Why are you not learning and mastering the Russian language in your spare
time? And brain surgery? Don't give any lame excuses about not needing to
learn them because you have no intentions of using them, that is just the LAZY
man's way out! What if one day you are stranded in Russia and your loved one
falls down and needs brain surgery and there are no other brain surgeons around
for hundreds of miles?

> I was
> Novice/Tech/Class B at age 14, Class A at 15 but waited 'till age 51 for the
> Extra.
>
> Ed, W5EJ
>
> "Art Harris" <n2ah@yahoo.com> wrote in message
> news:ce47897e.0210250412.6ddc26c@posting.google.com...
> > Pappy@USA.net wrote:
> >
> > > I have had my ham general ticket since 1974. I have no intention on
> taking
> > > another 50 question test for my extra just for a little bit more of band
> > > width. There's no other perks that go along with being an extra unless
> it's
> > > about ego for being an extra.
> > >
> > > The FCC has made it a bit easier by reducing the code, that was a good
> move
> > > on their part. I'm not a code enthusiast.
> >
> > I got MY General ticket in 1969 and upgraded to Extra in 1971.
> >
> > If you're not a code enthusiast, there is very little to be gained by
> > getting the Extra. Most of the Extra privileges are in the lower
> > portions of the CW sub bands.

> >
> > But for those you ARE code enthusiasts, those frequencies are very
> > valuable because that's where most of the DX is.
> >
> > Upgrading is not about ego. It's about earning privileges.
> >
> > Art Harris N2AH

4863. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 14:17:11 UTC
From: General Johnson Jameson <10milesunderthesurfaceofMars@nausea.com>
Message-ID: <aocu9.686$zu3.286939253@news.inreach.com>
Source record: 37974
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

"KB9TMP" wrote in message

> Ok General, let's just say your story is true. Now if this circuitry does
> work just like you say, what happens if the circuitry fails and starts
> burning out radios when they are in the proper frequencies? How will
> anyone know (us hams for one) how to fix this anti-freeband circuitry?
>

As I stated previously, everything is being done anonymously.
If the user stays within legal band edges, including mars/cap
frequencies, the programming on the eprom, which by the way
has been cleverly shielded from stray RF from what the designers
have told me, will never know it's even installed. A fail-safe design
insures that upon power-up, an internal self-diagnostics program
runs to insure that the unit is operating within design parameters.

Is this legal? Is using a RF amplifier on 11 meters legal? Of course not.
If such a device caused damage to your equipment, you could collect for
damages in civil court providing you could prove how the damage occurred
and could identify the party who sold you the amplifier. You would also have
to show the court that the selling party knew it was installed and that
he or she had criminal intentions to defraud or cause physical damage to
your equipment. Bottom line, no attorney worth his salt would take this case
and you'd be laughed out of small claims court just trying to explain the
" star wars " device hidden somewhere in your amplifier.

4864. Re: SB1000 amp question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 14:24:31 UTC
From: CJ <cjr@visi.com>
Message-ID: <3DB9541F.B85C086A@visi.com>
Source record: 37975

"Waltï¿½ï¿½ï¿½ï¿½ï¿½ï¿½" wrote:
>
> Here's the problem;
>
> I have a SB1000 that doesn't work on ten meters. It appears
> the cut wire mod above the bandswitch has been performed. Are there
> any other mods needed to make this amp work on ten meters? The
> schematic
> doesn't even show the ten meter portions of the circuit. The amp
> works fine on 160 - 15 meters, so the rest of the amp is ok. Is there
> a mod I missed? Where did the black wire go that is cut to enable 10
> meters?
> This is not covered in the schematic either. When you try to run the
> amp
> on 10 tremendous amounts of drive (80w) get just a little power out
> with
> a fairly high plate current. Weird.
> Anyway thanks;
>
> Walt
> K4WDE

Hi Walt -

The black wire is referred to in the assembly instructions on pages 31 and 45. It is also shown in pictorials 5-4 and 6-11. Note that there is also an L6 shown in pictorials 5-2, 5-3 and 5-4. This is the 10 meter input coil and is even referred to as such on page 30. The black wire shorts it out.

L6 should be peaked up on 10m following the obvious extension of the procedures outlined on page 55. However, it doesn't sound like thats your problem. If you are able to drive the amp to significant plate current but output is low, the problem is certainly in the output tank circuit. Can't guess what it might be.

There is no other 10m mod that I know of. I had the black wire mod in hand before I built my amp and just simply didn't install it. The amp tunes up on 10m just fine although I have tried to use it there only once. The rf got into the horizontal sweep of the TV in the next room and caused it to shut down. Very unpopular with the rest of the family who were trying to watch a football game and probably not good for the TV set, either!

Good luck.

73, CJ K0CJ

4865. FS: New RF Capacitors 0.001 uF at 2.5KV

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 15:06:56 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <4fniru8e1qjvkkbu4ill3ah54q0p1qf6ea@4ax.com>
Source record: 37976
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

New Sangamo postage stamp style capacitors. Brown Bakelite with round
solder
terminals.

0.001 uF = 1000 pF at 2500 Volts DC.

Excellent.

$2.50 each or 10 for $20.00
plus postage.

E-mail me to arrange purchase

4866. FS Adi at-600 dual band ht

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 15:34:10 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <Svdu9.129691$w63.1901989@twister.rdc-kc.rr.com>
Source record: 37978
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Looks and works great.
It will do 2 meter and 440 at the same time.
100.000 to 985.000 mhz
Come with 2-5 watt batteries.
One with a charger the other is a w&w 104s 12volt 1200 mah.
This one needs a drop in charger wich i don't have.
Comes with belt clip rubber duck and manual in pdf format.
$150 shipped u.s only ups insured.
E-mail me for a picture of the ht.

4867. Re: Where can I get an adapter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 15:34:50 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnarip4p.c1o.nobody@animas.frontier.net>
Source record: 37977

On Fri, 25 Oct 2002 02:09:38 GMT, Keith Beckmann hath writ:
>
> http://www.ba-electronics.com/bncother.htm

Wow!
When you posted that, I thought Burstein-Applebee was back!!
sigh...

Jonesy
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

4868. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 16:18:22 UTC
From: Mountain Bob <rtiberiNOSPAM@csusb.edu>
Message-ID: <3db96e49.7640186@news.calstate.edu>
Source record: 37979
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

On Fri, 25 Oct 2002 14:15:45 GMT, Reese Friggin <rfriggin@hotmail.com>
wrote:

>> Call me crazy. I got my Extra , complete with 20wpm test, not for extra
>> priviledges but just because it was a challenge and it was there.
>
>Apparently this is the same reason everyone else did too as there AREN'T any
>extra privileges!
>
>Now, what is stopping you from learning and being tested on a 50wpm test, as
>well as some additional theory that was not included on the Extra, and in
>return, you will get an EXTRA EXTRA CLASS license that will allow you to use the
>same bands you are now using? Why are you stopping at the Extra class?
>LAZY?
>Why are you not learning and mastering the Russian language in your spare
>time?

Once upon a time, I was given a CW test by the Navy...I got 1 of 50
correct. They ended up sending me to Russian language school.

The guys I worked with later were copying CW at 30-40WPM. I was glad
I had been sent to language school...much easier!

MT Bob
Always looking for Corvettes and VWs

4869. Re: Frequency counter vs. scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 16:27:48 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <nbeu9.9409$46.635@fe01>
Source record: 37980

"Ken" <cprstn54zz@att.net> wrote in message
news:3db950df.52847640@news-server.optonline.net...
> If I have a hand-held, very accurate all-band, all-mode scanner, do I
> need a frequency counter? I would use it to set or measure a QRP
> radio's frequency -- which I seem to be able to do with the scanner.
>
> Ken KC2JDY

It depends on how accurate you want to be. Does your scanner resolve down to less than 50-100 cycles? Does it drift with temperature changes or is it using a TCXO for stability?

Personally, I want to know my transmissions are as close to the indicated frequency as possible, especially for CW or SSB work. However, if you are only working AM or FM modes, then it is not as critical.

73 de W6DKN

4870. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 16:32:23 UTC
From: Pappy@USA.net
Message-ID: <3DB97217.FA481018@USA.net>
Source record: 37981
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave

Art, I studied code until I was blue in the face but couldn't get above that 18 word per min. level.

I am happy to pat any one on the back for doing so.

But ham radio isn't all about passing a code test or even using it on the air as the majority of us will attest too.

The people here that have taken some of the posts on this thread to heart seem to be extra class hams. It's not about being nasty, it's just a discussion and we all have our opinions.

Well i'm going back to the major subject of this newsgroup - scanners.

Have a positive day and "God Bless America" for the right to exercise my opinion openly.

Art Harris wrote:

> Pappy@USA.net wrote:
>
> > I have had my ham general ticket since 1974. I have no intention on taking
> > another 50 question test for my extra just for a little bit more of band
> > width. There's no other perks that go along with being an extra unless it's
> > about ego for being an extra.
> >
> > The FCC has made it a bit easier by reducing the code, that was a good move
> > on their part. I'm not a code enthusiast.
>
> I got MY General ticket in 1969 and upgraded to Extra in 1971.
>
> If you're not a code enthusiast, there is very little to be gained by
> getting the Extra. Most of the Extra privileges are in the lower
> portions of the CW sub bands.
>
> But for those you ARE code enthusiasts, those frequencies are very
> valuable because that's where most of the DX is.
>
> Upgrading is not about ego. It's about earning privileges.
>
> Art Harris N2AH

4871. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 16:46:53 UTC
From: k9xyz <k9xyz@insightbb.com>
Message-ID: <1Aeu9.94225$md1.18453@sccrnsc03>
Source record: 37982
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Dan, take all this for what it's worth(not much) just look at the spelling, grammar, etc. in most of the replies!
Most of the replies are negative and in your direction, but I can assure you if the shoe was on the other foot these same people would probably have a stroke over it, esp. someone stupid enough to use an acronym of profanity(F Q T) for their nickname on this board instead of having the courage to be known. Also I have a hard time beleiving someone is "drawn" away to a place so "secure" they have no access to e-mail for over a week, even the pres. dosen't live this secluded, makes you wonder doesn't it?
Oh well hope this transaction turns out okay for all concerned.
73
T.Wilson

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:lLos9.24123$Up6.5328245@twister.nyc.rr.com...
> I will preface my remarks by stating that I am appalled by the venom
spewed
> in my direction by the majority of respondents to the topic of my initial
> thread here. It was also interesting to note the the majority of these
> responses were from posters hiding behind the veil of anonymity, using
foul
> language and vulgar name calling.
>
> The purpose of this post is to issue an update in this matter as to
squelch
> further debate. The final chapter will probably not be written until
Monday
> or Tuesday of this week, but this is briefly how it stands right now:
>
> Last night, AFTER my PAYPAL complaint was issued, and the initial post was
> made here, I received an e-mail from Steve. Coincidence? Did someone
from
> here contact him? I don't know. He stated that he was drawn away
suddenly
> to work on a project at a secure government facility, and has been away
all
> week. He stated that he had NO outside internet access this entire time.
> He did not specify as to the exact date he was drawn away, or when he
> returned.
>
> Steve was very apologetic in his response.
> Steve stated that he was going to reverse the PAYPAL payment to me, and
also

> ship the equipment today, via overnight mail. All I asked of him was to
> ship the equipment, and I never asked for the reversal. I do not know why
> he chose to do that if he was shipping me the radio. He trusted that upon
> receipt of the radio, I would re-submit the payment to him via PAYPAL.
>
> As of this writing, I have not received the PAYPAL reversal in my PAYPAL
> account.
>
> Also, I did a US Postal tracking on the number he gave for the overnight,
> and once again, as of this writing, no record of the shipment.
>
> YES, it is possible that there are delays in both items above.
>
> Anyone contesting the facts above should contact me and I will privately
> e-mail you his e-mail text and the USPS tracking # he provided.
>
> In my opinion, and that is what the newsgroups are, a bunch of opinions,
the
> BAD GUY title was not excessive. I firmly believe that a deal is a deal,
> and that not having shipped, 9 days past receiving the money, WITHOUT any
> contact with the buyer, is BAD GUY performance, in the context in which we
> use GOOD GUY and BAD GUY alerts here.
>
> Yes, there may have been a reason as to the delay, but unless the
government
> snatched him from his house minutes after receiving my PAYPAL money, kept
> him off the internet, and didn't allow him out until last night, I think a
> short e-mail to me from him indicating the shipment would be delayed was
in
> order.
>
> Those here wishing to do business in that fashion, feel free, but at least
> you were forewarned.
>
> I should be receiving the radio on Monday, and of course, in fairness to
> Steve, I will report here under a seperate thread.
>
> Stay tuned.............
>
> Dan
>
>

4872. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 17:01:06 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <mNeu9.25376$Mb3.971431@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37983
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

The statement regarding the police not needing code, because the FM mode that they use, is kind of off topic. Anyway, I remember an incident in the early 70s, where a Hillside Illinois police officer routinely pulled over a motorist. He ended up getting abducted by the motorist, and later killed. He tried to call for help on the local frequency (155.49MHz), and was covered up by other traffic sharing that frequency. It was because of the capture effect that FM exhibits that he wasn't heard. Also, there were around 20 local towns on that frequency. After that incident, many of the towns switched to 155.64MHz, to alleviate that problem. Too late for this poor fellow, but hopefully, it helped prevent future incidents. The digital modes used in the land mobile service help out, but if a signal gets too weak, the BER (Bit Error Rate) suffers.
As far as the code.....maybe it shouldn't be pushed down peoples' throats, but it can be a handy mode, and in a life or death situation, it could be the only thing that could help. The sound of an SOS is unmistakable, and with the direction finding equipment currently available, chances of locating you are pretty good. The current equipment will provide a bearing on the signal as soon as a transmission is detected. If two SAR units are involved, simple triangulation would provide an accurate location of the transmitter. This is, of course, negleting the effects of ionospheric phase shift.

Pete KE9OA

4873. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 17:09:08 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <uriuli522tlq44@corp.supernews.com>
Source record: 37985
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

And this response is supposed to impress us with logic??

whinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinew
hine

yawn!

Chuck WG2A

"Reese Friggin" <rfriggin@hotmail.com> wrote in message
news:3DB952A4.97804BA@hotmail.com...
> > Call me crazy. I got my Extra , complete with 20wpm test, not for extra
> > priviledges but just because it was a challenge and it was there.
>
> Apparently this is the same reason everyone else did too as there AREN'T
any
> extra privileges!
>
> Now, what is stopping you from learning and being tested on a 50wpm test,
as
> well as some additional theory that was not included on the Extra, and in
> return, you will get an EXTRA EXTRA CLASS license that will allow you to
use the
> same bands you are now using? Why are you stopping at the Extra class?
> LAZY?
> Why are you not learning and mastering the Russian language in your spare
> time? And brain surgery? Don't give any lame excuses about not needing
to
> learn them because you have no intentions of using them, that is just the
LAZY
> man's way out! What if one day you are stranded in Russia and your
loved one
> falls down and needs brain surgery and there are no other brain surgeons
around
> for hundreds of miles?
>
>
>
>
> > I was
> > Novice/Tech/Class B at age 14, Class A at 15 but waited 'till age 51 for
the
> > Extra.
> >

> > Ed, W5EJ
> >
> > "Art Harris" <n2ah@yahoo.com> wrote in message
> > news:ce47897e.0210250412.6ddc26c@posting.google.com...
> > > Pappy@USA.net wrote:
> > >
> > > > I have had my ham general ticket since 1974. I have no intention on
> > taking
> > > > another 50 question test for my extra just for a little bit more of
band
> > > > width. There's no other perks that go along with being an extra
unless
> > it's
> > > > about ego for being an extra.
> > > >
> > > > The FCC has made it a bit easier by reducing the code, that was a
good
> > move
> > > > on their part. I'm not a code enthusiast.
> > >
> > > I got MY General ticket in 1969 and upgraded to Extra in 1971.
> > >
> > > If you're not a code enthusiast, there is very little to be gained by
> > > getting the Extra. Most of the Extra privileges are in the lower
> > > portions of the CW sub bands.
> > >
> > > But for those you ARE code enthusiasts, those frequencies are very
> > > valuable because that's where most of the DX is.
> > >
> > > Upgrading is not about ego. It's about earning privileges.
> > >
> > > Art Harris N2AH
>
>
>
>

4874. WTB :APHEX DOMINATOR 2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 17:12:52 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <oYeu9.25388$Mb3.972483@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37984

Price and condition

Bill Salerno 201 368 3655 w2onv@att.net<<<<<<<<

4875. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 17:18:42 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <uriv7i35s7hf48@corp.supernews.com>
Source record: 37986
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

whinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinew
hinewhine
whinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinewhinew
hinewhine

Geez, you sound worse than my sister-in-laws 3 year old! I never use am,
sstv, amtor, pactor, rtty, etc. and I had to be tested on them, many of them
are nearly as antiquated as cw. Why does the FCC test us concerning them??
Because they want us to know something about the modes we can use, the only
difference between cw and the others is that proficiency is shown by
receiving and writing it down rather than just basic memorization. Your
lack of real logic is appalling and you've deceived yourself because of your
obvious hatred of cw and anyone who has more than you.

Chuck WG2A

"Reese Friggin" <rfriggin@hotmail.com> wrote in message
news:3DB950DB.E95C132B@hotmail.com...
> > > A General has the use of every single band an Extra does! WHY would
> > > an Extra need to know and be tested on more theory than a General?!
> >
> > It's known as incentive licensing. Even back before WWII there were
> > different classes of ham licences.
>
> Wow this is a real good argument to the statement that was made. I guess
this means
> you admit it is a fact since you try to change the subject rather than try
to prove
> the statement false.
>
> > If you read the FCC regulations as
> > to WHY amateur radio exists,
>
> Now if only you could research the early regulations as to why the morse
code
> requirement existed! Here is a hint: It was NOT to make the license
harder to
> get, it actually had a purpose. Hint #2: The reason for the requirement
is no
> longer valid due to something the military did.
>
> > > This PROVES that it is only to divide Hams into different classes and
groups
> > > so that some can feel more superior than others in the hobby.

> >
> > Please elaborate on this. Are you saying that incentive licensing is
> > some sinister plot by the FCC to breed discontent among hams?
>
> They just never cleaned up the the old laws and requirements that no
longer apply.
> For instance, the fact that someone had to take a Novice test and learn
about
> shortwave bands they are not even allowed to use as a Tech so that they
could get
> their Technician's class license was idiotic. They finally realized
this mistake,
> and eliminated the Novice class altogether as it made no sense to be
tested on HF in
> order to get a license for VHF and above. Next year the mistake to have
someone
> tested on code before they can use a microphone on HF will be cleared up
as
> well. The government just always takes a long time to catch up to
common sense,
> and they are always way behind.
>
> Was it a sinister plot by the government to not allow blacks and women to
vote to
> breed discontent among it's citizens? Or did it just take them a long
time to
> figure out how stupid their rules were? If not for people like me to
point out
> these stupid rules and laws, they would never get fixed. You sheep would
just do
> as you are told and never speak up about anything that was wrong.
>
> > > I can understand
> > > why someone who wants to talk on shortwave would upgrade from Tech to
General,
> > > but I can't for the life of me understand why someone would "upgrade"
from
> > > General to Extra unless just to show off and feel better than a
General class
> > > ham.
> >
> > One reason to upgrade is to have access to the choice DX frequencies.
>
> They are only choice because no one else is allowed to use them. Think
about it,
> you could make ALL HF frequencies off limits to Generals as well and then
really
> improve them for DX use! The FACT is, when no one is using the bands,
they get
> taken away and given to someone who WILL use them. Ham radio has shown

that it
> really doesn't want those frequencies that it does not allow MOST of it's
operators
> to use, even though they have been tested and shown to be qualified to use
them as
> Generals that use those same bands that those frequencies are on. Wake
up! Or
> soon YOU will be bitching and moaning why you can't use those frequencies
either
> because they were taken away from Ham radio! Then it will be TOO LATE
for you to
> come around to common sense.
>
> > And with today's exams, what is so hard about passing a multiple
> > choice test where the exact questions and answers are published for
> > all to see? You might even learn something in the process. But I guess
> > folks today don't want to exert any effort at all.
>
> All the questions on the Extra were taken from the GROL exam that I took
and
> passed. There is nothing that I am going to learn from taking the easier
Extra
> test. It is not a point of it being any extra effort to get the Extra
class
> license from General, it is the question of WHY would I get it when I get
use of all
> the same bands NOW as a General?! Of course if you READ posts before
you replied
> to them, you would have read this explanation the FIRST time.
>
> Interesting too how no one is able to debate any of the facts being made,
only
> snipping them out and attempts made to twist the direction of the argument
to
> something unrelated or back to the old argument that was just disproved by
the
> statement and post being replied to.
>
> > I suppose you would like a no-code, no-theory license where you would
> > be issued a licence just for filling out a form with your name and
> > address.
>
> You know what is ironic about that? The fact that getting a license for
not
> amateur, but PROFESSIONAL COMMERCIAL radio stations using upto 50,000
watts or more
> WAS just a matter of filling out a form and getting your restricted
permit! At
> first it was a Third class license in which you needed to be tested, then
they

> reduced it to the form you fill out and sign certifying that you know what
you are
> supposed to know and did not need to be tested. NOW you don't even need
to fill
> out a form at all! Yet for an AMATEUR hobby license, for which some
never use
> more than a 500 mW HT, they have to be tested and pass an exam. This
somehow must
> make sense to people like yourself, but it sure doesn't seem to utilize
any form of
> logic that I have heard of other than "fucked-up logic".
>
> I'm not saying they should have eliminated the broadcast operator's
license, or that
> they should eliminate testing for amateur licenses. BOTH have operators
that are
> authorized to operate transmitters with a lot of power that could do some
serious
> damage if they don't know something about it first! The POINT was
(which you
> people never seem to grasp and you need to be tested on comprehension
before you are
> allowed to reply on a newsgroup) that you don't need to be tested on
things that
> have nothing to do with what license and bands you want to access. You
DON'T
> need to be tested on morse code if you want to use a microphone to talk,
you don't
> need to be tested on additional theory and knowledge to be an Extra when
as a
> General you were considered tested enough to operate the same power on the
same
> bands!
>
> This is like saying there is an EXTRA CLASS driver's license available.
You get
> tested on ADDITIONAL traffic rules and theory for this license, but don't
get to
> access any additional roads or travel at any higher speeds with this
license, people
> just get them so that they can look down at people with the regular
licenses and
> call them lazy! If the regular license was enough to allow someone to
get behind
> the wheel and drive on the same roads as the Extra, what is the point in
getting the
> Extra class license?
>
> > After all, you don't build your own radio. Why should you
> > have to learn all this boring technical stuff?

>
> The technical stuff IS needed, you really don't get that do you? No
matter what
> bands you use, you will ALWAYS be using a radio, so you should know about
> radios! You do not need to use morse code to operate a radio and use
it with a
> microphone, so you don't need to know morse code to be a radio operator.
>
> SIMPLE!
>
> Here, let me set up some more examples for you and see if you can figure
them out...
>
>
>
> 1) Does a ham radio operator need to know about antennas and be tested on
this?
> a) No, because sometimes you can use a radio without an antenna.
> b) Yes, because ALL hams will be using antennas for all modes and bands.
>
> 2) Does a ham radio operator need to know about radio controlled airplanes
and be
> tested on them?
> a) Yes, because ALL hams will be using radio controlled airplanes, and
they can be
> used in an emergency when the bands are noisy to send a note via radio
controlled
> airmail.
> b) No, because many hams will not ever buy or own a radio controlled
airplane
> because one is not needed to operate a radio or participate in the hobby.
>
> 3) Should people be required to pass a test showing they know how to read
and
> comprehend a post on a newsgroup before replying to it?
> a) No, because everyone likes when people just post arguments that have
nothing to
> do with the statements made and ask the same idiotic questions requiring
the
> original poster to keep repeating the statements over and over again
because the
> idiot did not read or comprehend them.
> b) Yes, because those people who don't want to take and pass this test and
just
> think anyone should be allowed to use a newsgroup without passing a test
first are
> lazy people that never want to put any effort into anything. They feel
that they
> should just be allowed to use the internet for free and no one should ever
have to

> take any tests or get any licenses first.
> c) Since no public safety bands are interfered with by idiots posting on
newsgroups,
> and no one is in danger of any physical harm by them posting, no test is
required,
> but it sure would be nice if everyone put in at least SOME effort to read
and
> comprehend a post before hitting the reply button and starting an
argument!
>
>
>
> Don't peek! Answers are below.....
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
> 1) B
> 2) B
> 3) C
>
>
> If you didn't get a 100% on this test, you should not be allowed to play
with
> transmitters capable of hundreds of watts of power. Giving a transmitter
to
> someone that can't pass this test, is like giving a loaded gun to someone
who
> doesn't know what the hell it is.
>
>
>
>

> --
> Any replies to this that make statements without first reading and
comprehending
> what was said here, will not be replied to by myself any further.
>
>

4876. FOR SALE: KENWOOD TS-950-SDX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 17:32:32 UTC
From: dwight136@aol.com
Message-ID: <20021025133232.12076.00000477@mb-fj.aol.com>
Source record: 37987

HAVE A 100% WORKING KENWOOD TS-950-SDX TRANSCEIVER HAS A FEW SCRATCHES ON THE VERY TOP WHERE SOMETHING WAS SITTING ON IT, NOT BAD ..THE FRONT PANEL AND EVERYTHING ELSE IS PERFECT...NONSMOKER...COMES WITH THE ORIGINAL INNER AND OUTER BOXES,MANUAL ETC..SHIPPED TO YOUR DOOR ! $2300.00 IN THE LOWER 48 STATES ..I DO ACCEPT PAY-PAL

4877. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 17:38:30 UTC
From: Harris <n2ah@spam.sprynet.com>
Message-ID: <qkfu9.10208$D63.10051@news4.srv.hcvlny.cv.net>
Source record: 37988
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

<pleasenospam@at.all> wrote:

> I've noticed a pattern in my many years as a VE: it's no coincidence
> that the only whiners are those that have "no intention" of expending
> the minuscule amount of extra effort to gain additional privileges.

> A child can easily pass the tests, including code, they do regularly. Of
> course maybe the ten bucks is too much for you cheapskates, whatever.
> If you don't care then don't whine. That's pretty simple, right?

You hit the nail right on the head. Two of my kids passed their Tech Plus license when they were nine years old. My daughter got 100 percent on the written test, my son got one question wrong. But there were adults at the session who failed miserably. Why? I suspect they just picked up a "study guide" at Radio Shack and skimmed through it for an hour or so before taking the test.

It's amazing. People now have access to the exact questions that are going to be on the test, and they still aren't willing to spend enough time to get a passing grade. That speaks volumes about their commitment. Seems like the easier it becomes to get a license, the more some people whine!

Art Harris N2AH

4878. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 18:14:32 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <urj2f8c6jg759b@corp.supernews.com>
Source record: 37990
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Harris" <n2ah@spam.sprynet.com> wrote in message
news:qkfu9.10208$D63.10051@news4.srv.hcvlny.cv.net...
> <pleasenospam@at.all> wrote:
>
> > I've noticed a pattern in my many years as a VE: it's no coincidence
> > that the only whiners are those that have "no intention" of expending
> > the minuscule amount of extra effort to gain additional privileges.
>
> > A child can easily pass the tests, including code, they do regularly. Of
> > course maybe the ten bucks is too much for you cheapskates, whatever.
> > If you don't care then don't whine. That's pretty simple, right?
>
> You hit the nail right on the head. Two of my kids passed their Tech Plus
> license when they were nine years old. My daughter got 100 percent on the
> written test, my son got one question wrong. But there were adults at the
> session who failed miserably. Why? I suspect they just picked up a "study
> guide" at Radio Shack and skimmed through it for an hour or so before
taking
> the test.
>
> It's amazing. People now have access to the exact questions that are going
> to be on the test, and they still aren't willing to spend enough time to
get
> a passing grade. That speaks volumes about their commitment. Seems like
the
> easier it becomes to get a license, the more some people whine!
>
> Art Harris N2AH

For me the code test was the hardest test I've ever taken in my life. And it took me 3 years of study just to get to that point. Now I'm working on the General upgrade and kicking myself because I miss 2 to3 questions on the practice tests, but I keep on studying.

I read once that Larry Bird (who just lives 10 miles away from here BTW) would stand in his back yard and shoot free-throws until he had made 10 in a row without touching the rim. He WANTED to play basketball and worked to get what he wanted.

That is the reason that so many people fail on the tests it's not anything more than how much they WANT to be a ham and are willing to work to get what they want! The whiners and those who fail do so because if they can get it for nothing (work or money expense) they'll take it but if it costs something (time or trouble) they don't care anymore!

--
'73' From KB9TMP
"Quote me as saying I was misquoted."
-Groucho Marx

4879. FOR SALE: HENRY 2-K FLOOR MODEL AMP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 18:26:07 UTC
From: dwight136@aol.com
Message-ID: <20021025142607.12087.00000445@mb-fj.aol.com>
Source record: 37991

HAVE A 9+ IN ALL RESPECTS HENRY 2-K FLOOR MODEL AMP ...THAT WORKS BEAUTIFUL AND LOOKS THE SAME . HAS A HEAVY-DUTY PETER-DAHL TRANSFORMER AND HAS THE SOLID STATE MOD DONE , THIS IS A REAL WORKHORSE ...HAS ONE SPARE TUBE WITH IT ...THIS AMP RUNS 3-400-Z TUBES..THIS HAS THE TEARDROP METERS ..COMES WITH THE ORIGINAL MANUAL ...PICKUP ONLY IN NORTH CAROLINA(ROCKY MOUNT) 50 MILES EAST OF RALEIGH AND 1 MILE OFF I-95 .THIS IS A VERY PRETTY FLOOR MODEL AMP , DON'T PASS IT UP ...252-985-9980 $800.00

4880. Re: Motorola Expo Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 18:51:28 UTC
From: paul_dokken@yahoo.com
Message-ID: <15cc39be.0210251051.4acf8464@posting.google.com>
Source record: 37992

I recently bought several Motorola Expo hand held radios. They did not come with batteries. Where is a good source to find batteries for these units? How much should I expect to pay? What frequencies do these radios use? Any information on this radio would be appreciated. I have never used a handheld radio before.

Thanks
Paul

4881. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 18:55:55 UTC
From: Richard Dreyfuss <jquimby@hotmail.com>
Message-ID: <Xns92B2828CA55Cjquimbyhotmailcom@206.141.192.32>
Source record: 37989
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"JB" <ac6tk@nospamcybertime.net> wrote in
news:apbfhd$1uaf$1@madmax.keyway.net:

> You don't even need a license to jam and bitch out your buddies
> on the CB.
>
> What qualifies YOU to tell me what MY hobby should be like?
>

You mean OUR hobby? The one that has lots of members besides you?

Ben
KC9BAR

4882. ARRL Handbook in NC/USA

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 19:21:03 UTC
From: Benson Wills <blackhole@doozy.us>
Message-ID: <urj6d1sn8hp907@corp.supernews.com>
Source record: 37993

Anyone in NW North Carolina (wilkes county) have a one or two year old handbook you want to unload?
Contact me via e-mail - I'll get anything at the domain doozy.us (except blackhole@doozy.us - that one is a bottomless pit)

4883. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 19:21:35 UTC
From: Harris <n2ah@spam.sprynet.com>
Message-ID: <3Rgu9.10309$D63.7000@news4.srv.hcvlny.cv.net>
Source record: 37898
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Reese Friggin" wrote:
> > > A General has the use of every single band an Extra does! WHY would
> > > an Extra need to know and be tested on more theory than a General?!
> >
> > It's known as incentive licensing. Even back before WWII there were
> > different classes of ham licences.
>
> Wow this is a real good argument to the statement that was made. I guess
this means
> you admit it is a fact since you try to change the subject rather than try
to prove
> the statement false.

I'm not changing the subject at all. The question asked why the requirements for the Extra are tougher than the General. The answer is that the FCC uses the license structure as a means to encourage hams to increase their knowledge. This is consistent with the "Basis and Purpose" of amateur radio as defined in the first section of Part 97 of the rules. Extra operating privileges are used as an incentive to learn more. The incentive in this case is access to a wider range of frequencies within the band. You might not like it, but that's the answer to the question.

> > > This PROVES that it is only to divide Hams into different classes and
groups
> > > so that some can feel more superior than others in the hobby.
> >
> > Please elaborate on this. Are you saying that incentive licensing is
> > some sinister plot by the FCC to breed discontent among hams?
>
> They just never cleaned up the the old laws and requirements that no
longer apply.

WHAT? There was a MAJOR RESTRUCTURING of amateur radio in 2000. Basically, there was a complete rewrite of Part 97. They cleaned up everything that needed to be cleaned.

Now there are only three license classes available. The statement I disagree with is that the license structure exists "only to divide Hams into different classes and groups so that some can feel more superior than others in the hobby." The purpose of the different classes is to provide rewards for those who earn them.

> Was it a sinister plot by the government to not allow blacks and women to
vote to
> breed discontent among it's citizens?

This is a ridiculous comparison! Stay on the topic.

> > One reason to upgrade is to have access to the choice DX frequencies.
>
> They are only choice because no one else is allowed to use them.

You can use them. All you have to do is pass the test. But you say below, you don't care enough about those frequencies to take the test.

> It is not a point of it being any extra effort to get the Extra class
> license from General, it is the question of WHY would I get it when I get use of all
> the same bands NOW as a General?!

Then after a rambling diatribe you said:

> Here, let me set up some more examples for you and see if you can figure them out...
> 1) Does a ham radio operator need to know about antennas and be tested on this?
> a) No, because sometimes you can use a radio without an antenna.
> b) Yes, because ALL hams will be using antennas for all modes and bands.
>
> 2) Does a ham radio operator need to know about radio controlled airplanes and be
> tested on them?
> a) Yes, because ALL hams will be using radio controlled airplanes, and they can be
> used in an emergency when the bands are noisy to send a note via radio controlled
> airmail.
> b) No, because many hams will not ever buy or own a radio controlled airplane
> because one is not needed to operate a radio or participate in the hobby.
> 3) Should people be required to pass a test showing they know how to read and
> comprehend a post on a newsgroup before replying to it?
> a) No, because everyone likes when people just post arguments that have nothing to
> do with the statements made and ask the same idiotic questions requiring the
> original poster to keep repeating the statements over and over again because the
> idiot did not read or comprehend them.
> b) Yes, because those people who don't want to take and pass this test and just
> think anyone should be allowed to use a newsgroup without passing a test first are
> lazy people that never want to put any effort into anything. They feel that they
> should just be allowed to use the internet for free and no one should ever have to
> take any tests or get any licenses first.

> c) Since no public safety bands are interfered with by idiots posting on newsgroups,
> and no one is in danger of any physical harm by them posting, no test is required,
> but it sure would be nice if everyone put in at least SOME effort to read and
> comprehend a post before hitting the reply button and starting an argument!

Hey, for a guy who can't be bothered to TAKE a test, you seem to have plenty of time to give them. Who the hell are you to give me a test? Sod off.

Art Harris N2AH

4884. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 19:29:06 UTC
From: Fah Q Too <a@b.c>
Message-ID: <6Ygu9.40388$Sk6.3841817@news1.telusplanet.net>
Source record: 37994
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

LOL. I leave to saskatchewan for 1 whole week and dan is still whining. That is so friggin funny. All dan had to do is stop replying. But naa. He wants to fuel all our fires by calling us names and other stuff.

Dev

"TellTheTruth" <tellthetruth@every.net> wrote in message news:LwYs9.17023$Mb3.512197@bgtnsc04-news.ops.worldnet.att.net...
>
> "Dan Conti" <dconti@nj.rr.com> wrote in message
> news:HlYs9.14720$gB.7042980@twister.nyc.rr.com...
> > Dear Mr. Truth :

4885. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 19:32:50 UTC
From: Fah Q Too <a@b.c>
Message-ID: <C%gu9.40390$Sk6.3842354@news1.telusplanet.net>
Source record: 37995
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

You coulda just posted his name and not ALL his info. People probably would not of jumped on you. But as usual, you were a baby and was hoping someone would snipe him or take him our or whatever. I would never post my real name for you. I ain't that nuts. You would most likely sell my name. Post it as a bad buyer alert or even use it for your porn sites. I ain't falling your your level. You do know that it is illegal to slander and post other personal info without written concent.

Dev

Dev

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:VGYs9.14819$gB.7051991@twister.nyc.rr.com...
> Malcontent and schoolyard bully. Is that the best you can do?
>
> Come on, your strong point seems to be name calling, so let's have it, go
> for the gusto, I am sure you can find better and more illustrative names
to
> call me.
>
> I stand corrected, and will change course here, and in your case, resort
to
> name calling :
>
> YOU, my anonymous little friend, are a mindless, hateful SCUMBAG with
> nothing better to do with your life then respond to silly insignificant
> posts on the newsgroups.
>
> This thread I created served MY purpose. How does being so hatefull here
> serve yours?
>
> Dan
> > > And now there is no way you can undo the posting of his personal
> > information.
> > > You will get your item and your life will be just fine
> >
> > Which is, after all, the only thing that matters to this malcontent and
> > schoolyard bully.
> >
> > > , meanwhile the damage you
> > > did to poor steve will be around on usenet search engines for many
many
> > years to

> > > come.
> > >
> > > Did you mention to him what you did here on the newsgroups? Please
> let
> > us
> > > know how he responded to you telling him this.
> >
> > Do you think the malcontent schoolyard bully cares?
> >
> > He cares about only himself in his warped view of the world.
> >
> > Period.
> >
> > >
> > >
> >
> >
>
>

4886. Heathkit GR-78 Battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 19:41:08 UTC
From: "Gary \"Joe\" Mayfield" <gary_mayfield@hotmail.com>
Message-ID: <urj7ka4p5fu216@corp.supernews.com>
Source record: 37997

I'm restoring a GR-78. Fortunatly someone removed the battery years ago. I know the original battery was a NiCad (I plan to use one too). I can also tell the battery is "split" in other words charged as two batteries, then used as one battery. Does anyone know how many cells this battery has? A first guess looks like 4 cells on each side. In other words an 8 cell / 10 Volt battery. This sounds odd so I thought I would ask if anyone knows for sure.

Thanks,
Gary

4887. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 19:42:04 UTC
From: Fah Q Too <a@b.c>
Message-ID: <g8hu9.40393$Sk6.3844273@news1.telusplanet.net>
Source record: 37996
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I wasn't arguing with you. I just thought it was stupid to call someone a lier and a rip off. Especially when the post of the alert was less then a 8 day transaction. Hell Some radio equipment I sent to the states somehow took longer then 2 weeks. I gave the guy some money back. I did pay for the parcel to go airmail too. All I am saying is that it was rude to put this non paying alert when there wasn't even a grace period of waiting. After 2 weeks I would of complained.
73
Devin

"k9xyz" <k9xyz@insightbb.com> wrote in message
news:1Aeu9.94225$md1.18453@sccrnsc03...
> Dan, take all this for what it's worth(not much) just look at the spelling,
> grammar, etc. in most of the replies!
> Most of the replies are negative and in your direction, but I can assure
> you if the shoe was on the other foot these same people would probably have
> a stroke over it, esp. someone stupid enough to use an acronym of
> profanity(F Q T) for their nickname on this board instead of having the
> courage to be known. Also I have a hard time beleiving someone is "drawn"
> away to a place so "secure" they have no access to e-mail for over a week,
> even the pres. dosen't live this secluded, makes you wonder doesn't it?
> Oh well hope this transaction turns out okay for all concerned.
> 73
> T.Wilson
>
>
>
> "Dan Conti" <dconti@nj.rr.com> wrote in message
> news:lLos9.24123$Up6.5328245@twister.nyc.rr.com...
> > I will preface my remarks by stating that I am appalled by the venom
> spewed
> > in my direction by the majority of respondents to the topic of my initial
> > thread here. It was also interesting to note the the majority of these
> > responses were from posters hiding behind the veil of anonymity, using
> foul
> > language and vulgar name calling.
> >
> > The purpose of this post is to issue an update in this matter as to
> squelch
> > further debate. The final chapter will probably not be written until

> Monday
> > or Tuesday of this week, but this is briefly how it stands right now:
> >
> > Last night, AFTER my PAYPAL complaint was issued, and the initial post
was
> > made here, I received an e-mail from Steve. Coincidence? Did someone
> from
> > here contact him? I don't know. He stated that he was drawn away
> suddenly
> > to work on a project at a secure government facility, and has been away
> all
> > week. He stated that he had NO outside internet access this entire
time.
> > He did not specify as to the exact date he was drawn away, or when he
> > returned.
> >
> > Steve was very apologetic in his response.
> > Steve stated that he was going to reverse the PAYPAL payment to me, and
> also
> > ship the equipment today, via overnight mail. All I asked of him was to
> > ship the equipment, and I never asked for the reversal. I do not know
why
> > he chose to do that if he was shipping me the radio. He trusted that
upon
> > receipt of the radio, I would re-submit the payment to him via PAYPAL.
> >
> > As of this writing, I have not received the PAYPAL reversal in my PAYPAL
> > account.
> >
> > Also, I did a US Postal tracking on the number he gave for the
overnight,
> > and once again, as of this writing, no record of the shipment.
> >
> > YES, it is possible that there are delays in both items above.
> >
> > Anyone contesting the facts above should contact me and I will privately
> > e-mail you his e-mail text and the USPS tracking # he provided.
> >
> > In my opinion, and that is what the newsgroups are, a bunch of opinions,
> the
> > BAD GUY title was not excessive. I firmly believe that a deal is a
deal,
> > and that not having shipped, 9 days past receiving the money, WITHOUT
any
> > contact with the buyer, is BAD GUY performance, in the context in which
we
> > use GOOD GUY and BAD GUY alerts here.
> >
> > Yes, there may have been a reason as to the delay, but unless the
> government

> > snatched him from his house minutes after receiving my PAYPAL money,
kept
> > him off the internet, and didn't allow him out until last night, I think
a
> > short e-mail to me from him indicating the shipment would be delayed was
> in
> > order.
> >
> > Those here wishing to do business in that fashion, feel free, but at
least
> > you were forewarned.
> >
> > I should be receiving the radio on Monday, and of course, in fairness to
> > Steve, I will report here under a seperate thread.
> >
> > Stay tuned.............
> >
> > Dan
> >
> >
>
>

4888. Re: Where can I get an adapter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 19:46:13 UTC
From: jder8745@aol.com
Message-ID: <20021025154613.17653.00000015@mb-fd.aol.com>
Source record: 37899

They are in busimness but do not show one. They show a BNC-binding post adapter. May get one and a UHF-BNC adapter.

Thanks, Jack

4889. Re: Where can I get an adapter?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 19:50:08 UTC
From: jder8745@aol.com
Message-ID: <20021025155008.17653.00000018@mb-fd.aol.com>
Source record: 37900

Howdy.

I still cherish my old B-A Catalogs.

And they are not for sale.

Jack

4890. Re: Need Electra Bearcat Scanner Crystals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 20:40:35 UTC
From: "Buford T. Justice" <BTJustice@gmx.net.no.spam>
Message-ID: <3%hu9.232$EOT8.131503@news2.randori.com>
Source record: 37901

I received 3 more scanners today and pulled the crystals out of them. I now have this list of Bearcat crystals I want to trade for the frequencies listed in the other post below...

33.940
33.940
39.780
39.820
45.220
46.380
153.890 (47.69666)
154.250 (47.81667)
154.740
154.755
154.860
155.010
155.100 (48.10000)
155.250 (48.15000)
155.250
155.580
159.090
162.475
453.500
460.025
460.100
460.150 (49.92778)
460.300
460.375 (49.95278)

BTJustice

"Buford T. Justice" <BTJustice@gmx.net.no.spam> wrote in message news:nP_t9.200$EOT8.46137449@news2.randori.com...
> I need the following frequencies for my Electra Bearcat III scanner...
>
> 155.415
> 153.980
> 157.450
> 155.340
> 155.055
> 39.500
> 159.210
> 453.250
>
> Let me know if you have more than 1 of the above frequencies as I am

putting
> together another Bearcat III for a friend of mine.
>
> Now I have 4 crystals I do not need. If you guys want to work out a deal
on
> them, that is fine with me. Like trading 1 for 1 or something. I need to
> keep this cheap. The frequencies for the 4 I don't need are...
>
> 47.69666
> 48.150
> 460.100
> 460.300
> I should be getting more crystals from scanners I won I eBay and I will
post
> them here in this thread.
>
> Thanks,
> BTJustice
>
>
>

4891. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 21:11:32 UTC
From: Paul Vanasse <pvanasse@cox.net>
Message-ID: <8siu9.24420$vq2.826088@news1.east.cox.net>
Source record: 37902
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

> The donations for this project came from a group of very
> wealthy hams whom for obvious reasons wish to remain anonymous.

Wealthy hams!.....LOL. Gee's General, now you're really taking a trip to Fantasy Island. Lets see if we get this one straight.....The same guys that nickel and dime you over at the local hamfest by trying to get a $1500 radio for $200 are secretly financing and deploying this modification of yours?? That's a real good one.

I know this one supposedly wealthy ham that's been waiting a year for $6.00 Silver PL-259's to be marked down to $3.50 a piece so he can buy the 3 or 4 that he desperately needs.....These are the guys running this clandestine Trojan operation?

The phrase "Wealthy Hams" is an oxymoron.

4892. WTB: Az-El rotator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 21:31:15 UTC
From: Mont O'Leary <k0ycn@arrl.net>
Message-ID: <DKiu9.835$id2.364970107@newssvr30.news.prodigy.com>
Source record: 37903

I'm looking for an azimuth-elevation rotator that can be computer controlled
via RS232 port like a Yaesu G5500.
k0ycn@arrl.net

4893. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 21:54:07 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <34ju9.33477$gB.10377189@twister.nyc.rr.com>
Source record: 37904
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

T.......

What do you expect, he is Canadian.

Hey Fah Q Too....

Fah Q

"k9xyz" <k9xyz@insightbb.com> wrote in message
news:1Aeu9.94225$md1.18453@sccrnsc03...
> Dan, take all this for what it's worth(not much) just look at the
spelling,
> grammar, etc. in most of the replies!
> Most of the replies are negative and in your direction, but I can assure
> you if the shoe was on the other foot these same people would probably
have
> a stroke over it, esp. someone stupid enough to use an acronym of
> profanity(F Q T) for their nickname on this board instead of having the
> courage to be known. Also I have a hard time beleiving someone is "drawn"
> away to a place so "secure" they have no access to e-mail for over a week,
> even the pres. dosen't live this secluded, makes you wonder doesn't it?
> Oh well hope this transaction turns out okay for all concerned.
> 73
> T.Wilson
>
>
>
> "Dan Conti" <dconti@nj.rr.com> wrote in message
> news:lLos9.24123$Up6.5328245@twister.nyc.rr.com...
> > I will preface my remarks by stating that I am appalled by the venom
> spewed
> > in my direction by the majority of respondents to the topic of my
initial
> > thread here. It was also interesting to note the the majority of these
> > responses were from posters hiding behind the veil of anonymity, using
> foul
> > language and vulgar name calling.
> >
> > The purpose of this post is to issue an update in this matter as to
> squelch
> > further debate. The final chapter will probably not be written until
> Monday
> > or Tuesday of this week, but this is briefly how it stands right now:
> >

> > Last night, AFTER my PAYPAL complaint was issued, and the initial post
was
> > made here, I received an e-mail from Steve. Coincidence? Did someone
> from
> > here contact him? I don't know. He stated that he was drawn away
> suddenly
> > to work on a project at a secure government facility, and has been away
> all
> > week. He stated that he had NO outside internet access this entire
time.
> > He did not specify as to the exact date he was drawn away, or when he
> > returned.
> >
> > Steve was very apologetic in his response.
> > Steve stated that he was going to reverse the PAYPAL payment to me, and
> also
> > ship the equipment today, via overnight mail. All I asked of him was to
> > ship the equipment, and I never asked for the reversal. I do not know
why
> > he chose to do that if he was shipping me the radio. He trusted that
upon
> > receipt of the radio, I would re-submit the payment to him via PAYPAL.
> >
> > As of this writing, I have not received the PAYPAL reversal in my PAYPAL
> > account.
> >
> > Also, I did a US Postal tracking on the number he gave for the
overnight,
> > and once again, as of this writing, no record of the shipment.
> >
> > YES, it is possible that there are delays in both items above.
> >
> > Anyone contesting the facts above should contact me and I will privately
> > e-mail you his e-mail text and the USPS tracking # he provided.
> >
> > In my opinion, and that is what the newsgroups are, a bunch of opinions,
> the
> > BAD GUY title was not excessive. I firmly believe that a deal is a
deal,
> > and that not having shipped, 9 days past receiving the money, WITHOUT
any
> > contact with the buyer, is BAD GUY performance, in the context in which
we
> > use GOOD GUY and BAD GUY alerts here.
> >
> > Yes, there may have been a reason as to the delay, but unless the
> government
> > snatched him from his house minutes after receiving my PAYPAL money,
kept
> > him off the internet, and didn't allow him out until last night, I think

a
> > short e-mail to me from him indicating the shipment would be delayed was
> in
> > order.
> >
> > Those here wishing to do business in that fashion, feel free, but at
least
> > you were forewarned.
> >
> > I should be receiving the radio on Monday, and of course, in fairness to
> > Steve, I will report here under a seperate thread.
> >
> > Stay tuned.............
> >
> > Dan
> >
> >
>
>

4894. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 22:09:44 UTC
From: Wes Stewart <n7ws@nowhere.com>
Message-ID: <gqfjruc4v5m7jmlkqrke4l6s9csoqe3rtn@4ax.com>
Source record: 37905
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

On Thu, 24 Oct 2002 17:12:15 GMT, Little Tike <Tike@mail.com> wrote:

|Why I could make an award for most states and
|countries contacted without using morse code, big deal.

Uh, I don't know how to break this to you Tikie but these are called "Phone" awards. Got one of 'em here on the wall right next to the "CW" award. They've got them for RTTY too but I never tried for one of those, even though I had to answer questions about it on my Extra class exam. That would be the one with 20 wpm solid-copy code, taken before an FCC examiner; no memorizing the question pool or paying off the VE allowed.

4895. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 22:26:01 UTC
From: N8KDV <n8kdv@iserv.net>
Message-ID: <3DB9C4F9.E308F807@iserv.net>
Source record: 37906
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Yep, those were the days Wes, a 'real' FCC examiner staring one down.
They were damn intimidating too. Back when you had to draw out schematics
also... what fun it was.

Steve
Holland, MI

Wes Stewart wrote:

> On Thu, 24 Oct 2002 17:12:15 GMT, Little Tike <Tike@mail.com> wrote:
>
> |Why I could make an award for most states and
> |countries contacted without using morse code, big deal.
>
> Uh, I don't know how to break this to you Tikie but these are called
> "Phone" awards. Got one of 'em here on the wall right next to the
> "CW" award. They've got them for RTTY too but I never tried for one
> of those, even though I had to answer questions about it on my Extra
> class exam. That would be the one with 20 wpm solid-copy code, taken
> before an FCC examiner; no memorizing the question pool or paying off
> the VE allowed.

4896. Any Lnux opensource fro Ten-Tec Pegasus?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 23:06:00 UTC
From: jeff <wd4nmq@earthlink.net>
Message-ID: <3DB9CF4B.9070806@earthlink.net>
Source record: 37907

Antbody know of any open source radio control software for the Ten-Tec Pegasus/Jupiter radios.

Thinking about one for our club as a remote base. I downloaded the Pegasus .pdf manual from Ten-Tec and it made no sense on their equations. I couldn't even get them to match what they had in their tables.

I looked at their C++ app and it was so convoluted it gave me a headache.

Please don't send replys on where to buy Windows software.
It will be done in Linux. Windows is to unstable. Plus, I buy no software I don't get the source code to. To fix bugs and modify to my specifications.

--
Jeff, wd4nmq
wd4nmq@earthlink.net
http://home.earthlink.net/~wd4nmq
iLink client node #10438, iLink sysop link node #14746

4897. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 23:41:45 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <urjllumct7kv81@corp.supernews.com>
Source record: 37908
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

> Apparently this is the same reason everyone else did too
> as there AREN'T any extra privileges!

Wrong. Some of the "prime real estate" for CW is awarded to Extras.

> And brain surgery? Don't give any lame excuses about not needing
to
> learn them because you have no intentions of using them, that is
just the LAZY
> man's way out!

The difference is that he is not sitting here complaining that they won't let him do brain surgery, nor is he demanding that they change the rules to let him perform brain surgery without taking the exams.

4898. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 23:49:20 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3DB9D880.D6218B94@mailcity.net>
Source record: 37912
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Art Harris wrote:

>
> I suppose you would like a no-code, no-theory license where you would
> be issued a licence just for filling out a form with your name and
> address. After all, you don't build your own radio. Why should you
> have to learn all this boring technical stuff?
>
> Art Harris N2AH

We had that once, just purchase the radio and along with it came
the application, fill it out, send it in and you got a license
with a callsigh, you know...the Citizen's Band. And you see what a
sewer pit of radio communications it is now.

4899. Re: SB1000 amp question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 23:49:47 UTC
From: John Siegel <JohnASiegel@worldnet.att.net>
Message-ID: <3DB9D898.D0C3DDF5@worldnet.att.net>
Source record: 37909

Maybe this is too obvious but
Is the bandswitch in the (unmarked) 10M position?
I too when I built one simply left off the wire and the amp worked fine
on 10M at full power.
John

CJ wrote:
>
> "Waltï¿½ï¿½ï¿½ï¿½ï¿½ï¿½" wrote:
> >
> > Here's the problem;
> >
> > I have a SB1000 that doesn't work on ten meters. It appears
> > the cut wire mod above the bandswitch has been performed. Are there
> > any other mods needed to make this amp work on ten meters? The
> > schematic
> > doesn't even show the ten meter portions of the circuit. The amp
> > works fine on 160 - 15 meters, so the rest of the amp is ok. Is there
> > a mod I missed? Where did the black wire go that is cut to enable 10
> > meters?
> > This is not covered in the schematic either. When you try to run the
> > amp
> > on 10 tremendous amounts of drive (80w) get just a little power out
> > with
> > a fairly high plate current. Weird.
> > Anyway thanks;
> >
> > Walt
> > K4WDE
>
> Hi Walt -
>
> The black wire is referred to in the assembly instructions on pages 31
> and 45. It is also shown in pictorials 5-4 and 6-11. Note that there is
> also an L6 shown in pictorials 5-2, 5-3 and 5-4. This is the 10 meter
> input coil and is even referred to as such on page 30. The black wire
> shorts it out.
>
> L6 should be peaked up on 10m following the obvious extension of the
> procedures outlined on page 55. However, it doesn't sound like thats
> your problem. If you are able to drive the amp to significant plate
> current but output is low, the problem is certainly in the output tank
> circuit. Can't guess what it might be.
>

> There is no other 10m mod that I know of. I had the black wire mod in
> hand before I built my amp and just simply didn't install it. The amp
> tunes up on 10m just fine although I have tried to use it there only
> once. The rf got into the horizontal sweep of the TV in the next room
> and caused it to shut down. Very unpopular with the rest of the family
> who were trying to watch a football game and probably not good for the
> TV set, either!
>
> Good luck.
>
> 73, CJ K0CJ

4900. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 23:52:32 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3DB9D940.53B31241@mailcity.net>
Source record: 37913
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Harris wrote:

> Now there are only three license classes available. The statement I disagree
> with is that the license structure exists "only to divide Hams into
> different classes and groups so that some can feel more superior than others
> in the hobby." The purpose of the different classes is to provide rewards
> for those who earn them.
>

Unfortunately in today's society, too many don't want to earn
anything, they think it is owed to them just because they were
born.

4901. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-25 23:57:33 UTC
From: Lou <tech@dp.net>
Message-ID: <apcn2j$1qp7$1@news.dp.net>
Source record: 37910
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I'm a [head] VE/CE... We do both Amateur and Commercial exams. One session, myself and 2 other guys, both Amateur Extras and holding Commercial FCC Licenses were conducting exam with about 16 applicants. A lady came in to test for her Tech. She said "I've been in radio for 25 years, I bet I know more than all 3 of you put together." My reply, "Well, you should do real well - my licenses are in my wallet, so I am not the one who has to prove anything". She BOMBED the NOVICE written, NOT ONCE, THREE TIMES. Being embarrassed (I suppose), she requested taking it the extra two times to "try" to pass. So much for knowing it all! WE got accused of causing her to fail. WHY? Because WE asked for the ID as the FCC requires. It got her all shook up. Boo Hoo!

We've tested literally hundreds. You can tell who studied and who didn't. I did have one young boy fail once after having done so well on computer at home - according to his parents. I asked him what happened? He "got scared". I told him to relax and forget we were there. Place himself at his computer. In his second attempt, he passed with flying colors. He was about 10. So, YOU CAN PASS "IF" YOU STUDY.....

This truly is the dumbing down of America.... When I tested, I didn't have a book with ALL the "possible questions and answers". Nor were there computers let alone programs to help prepare. YOU HAD TO KNOW IT. If you didn't know theory, rules, etc, you just wasted your time and trip going to an FCC Exam site.

Come on people, it isn't any harder than studying a driving manual. YOU GOT TO WANT IT! Don't you have any pride in what you can accomplish with some effort?

Lou/tech@dp.net

"Harris" <n2ah@spam.sprynet.com> wrote in message
news:qkfu9.10208$D63.10051@news4.srv.hcvlny.cv.net...
> <pleasenospam@at.all> wrote:
>
> > I've noticed a pattern in my many years as a VE: it's no coincidence
> > that the only whiners are those that have "no intention" of expending
> > the minuscule amount of extra effort to gain additional privileges.
>
> > A child can easily pass the tests, including code, they do regularly. Of
> > course maybe the ten bucks is too much for you cheapskates, whatever.
> > If you don't care then don't whine. That's pretty simple, right?
>
> You hit the nail right on the head. Two of my kids passed their Tech Plus
> license when they were nine years old. My daughter got 100 percent on the

> written test, my son got one question wrong. But there were adults at the
> session who failed miserably. Why? I suspect they just picked up a "study
> guide" at Radio Shack and skimmed through it for an hour or so before
taking
> the test.
>
> It's amazing. People now have access to the exact questions that are going
> to be on the test, and they still aren't willing to spend enough time to
get
> a passing grade. That speaks volumes about their commitment. Seems like
the
> easier it becomes to get a license, the more some people whine!
>
> Art Harris N2AH
>
>

4902. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 00:28:47 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <urjodsklgh02fc@corp.supernews.com>
Source record: 37911
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Great Lou! I couldn't have said it better!

Chuck WG2A

"Lou" <tech@dp.net> wrote in message news:apcn2j$1qp7$1@news.dp.net...
> I'm a [head] VE/CE... We do both Amateur and Commercial exams. One
session,
> myself and 2 other guys, both Amateur Extras and holding Commercial FCC
> Licenses were conducting exam with about 16 applicants. A lady came in to
> test for her Tech. She said "I've been in radio for 25 years, I bet I know
> more than all 3 of you put together." My reply, "Well, you should do real
> well - my licenses are in my wallet, so I am not the one who has to prove
> anything". She BOMBED the NOVICE written, NOT ONCE, THREE TIMES. Being
> embarrassed (I suppose), she requested taking it the extra two times to
> "try" to pass. So much for knowing it all! WE got accused of causing her
to
> fail. WHY? Because WE asked for the ID as the FCC requires. It got her all
> shook up. Boo Hoo!
>
> We've tested literally hundreds. You can tell who studied and who didn't.
I
> did have one young boy fail once after having done so well on computer at
> home - according to his parents. I asked him what happened? He "got
scared".
> I told him to relax and forget we were there. Place himself at his
computer.
> In his second attempt, he passed with flying colors. He was about 10. So,
> YOU CAN PASS "IF" YOU STUDY.....
>
> This truly is the dumbing down of America.... When I tested, I didn't have
a
> book with ALL the "possible questions and answers". Nor were there
computers
> let alone programs to help prepare. YOU HAD TO KNOW IT. If you didn't know
> theory, rules, etc, you just wasted your time and trip going to an FCC
Exam
> site.
>
> Come on people, it isn't any harder than studying a driving manual. YOU
GOT
> TO WANT IT! Don't you have any pride in what you can accomplish with some
> effort?
>
> Lou/tech@dp.net

>
> "Harris" <n2ah@spam.sprynet.com> wrote in message
> news:qkfu9.10208$D63.10051@news4.srv.hcvlny.cv.net...
> > <pleasenospam@at.all> wrote:
> >
> > > I've noticed a pattern in my many years as a VE: it's no coincidence
> > > that the only whiners are those that have "no intention" of expending
> > > the minuscule amount of extra effort to gain additional privileges.
> >
> > > A child can easily pass the tests, including code, they do regularly.
Of
> > > course maybe the ten bucks is too much for you cheapskates, whatever.
> > > If you don't care then don't whine. That's pretty simple, right?
> >
> > You hit the nail right on the head. Two of my kids passed their Tech
Plus
> > license when they were nine years old. My daughter got 100 percent on
the
> > written test, my son got one question wrong. But there were adults at
the
> > session who failed miserably. Why? I suspect they just picked up a
"study
> > guide" at Radio Shack and skimmed through it for an hour or so before
> taking
> > the test.
> >
> > It's amazing. People now have access to the exact questions that are
going
> > to be on the test, and they still aren't willing to spend enough time to
> get
> > a passing grade. That speaks volumes about their commitment. Seems like
> the
> > easier it becomes to get a license, the more some people whine!
> >
> > Art Harris N2AH
> >
> >
>
>

4903. Re: PRO-43 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 02:31:58 UTC
From: Len <Len.C@sympNOCRAPatico.ca>
Message-ID: <khvjruccb8ipq8dc43qevmcpfvjpqncfti@4ax.com>
Source record: 37914
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Could also have been manufactured in Jan 83

There is nothing to tell the first part of the year, unless you know for
a fact that the model number was never manufactured in a certain year.

On Thu, 24 Oct 2002 21:51:13 -0700, "abbicus" <onthewayto@dot.com>
wrote:

>Means it was manufactured in Jan. 93
>First number is month, second number is year. A is just the divider.
>
>
>"Mountain Bob (Mountain Bob)" <rtiberiNOSPAM@csusb.edu> wrote in message
>news:3db5949e.100262937@news.calstate.edu...
>> On Wed, 16 Oct 2002 05:55:38 GMT, "Jim Wayda" <jwayda@cox.net> wrote:
>>
>>
>> What does a 1A3 code in the battery compartment signify?
>>
>>
>> MT Bob
>> Always looking for Corvettes and VWs
>

REMOVE the NOCRAP in my address to reply.

4904. FS: SONY ICF-2010 w/Kiwa filters installed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 03:09:16 UTC
From: Chuck Yarbrough <wampus@nc.rr.com>
Message-ID: <wHnu9.25912$dn3.1107935@twister.southeast.rr.com>
Source record: 37915
Cross-posted to:
rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.dx,rec.radio.amateur.digital.misc

All--I have a Sony ICF-2010 MW/FM/SW/AIR radio with both the AM and SSB filters replaced with the higher quality KIWA replacement filters. Radio sound and looks great. Asking $250.00US plus $10.00 Shipping. The Sony power adapter for the radio is also included as well as the owner's manual.

Please respond to wampus@nc.rr.com. Thanks

Chuck

4905. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 03:35:26 UTC
From: General Johnson Jameson <10milesunderthesurfaceofMars@nausea.com>
Message-ID: <x4ou9.719$Ur5.295069722@news.inreach.com>
Source record: 37916
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

"Paul Vanasse" wrote in message
>>
> I know this one supposedly wealthy ham that's been waiting a year for
$6.00
> Silver PL-259's to be marked down to $3.50 a piece so he can buy the 3 or
4
> that he desperately needs

Can you believe what they want for those little boogers now? A single
PL-259 without the rg-58 reducer goes for $3.99 EACH at Radio Shack now.

I remember when they came in pairs and went for $1.99. Of course if you
waited till the local hamswap came around they were 25 cents each or less
depending on your bartering skills.

Times just ain't what they used to be, are they?

(((((((hugs))))))) and {{{{{{{kisses}}}}}}}

General Johnson Jameson

4906. Pumpkin Drop

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 04:17:26 UTC
From: "David A. Webb" <davidw1@netexpress.*remove*.net>
Message-ID: <v75kru87rdeomdhjqskstnul9cr98d6di2@4ax.com>
Source record: 37917

HELP

A local FM radio station , KCQQ 106.5 in Davenport, Iowa is having an internet poll to select a vehicle that will be the target of a pumpkin drop.

The pumpkin set the record for the largest pumpkin grown in Iowa.

They are going to lift it with a crane, and drop it from 80 feet.

My pickup is one of the 7 vehicles they selected to be in the poll.

Actually, it is number 7.

A video of the vehicle being crushed by the pumpkin will be posted afterwards.

Of the 7 vehicles, only two are really competing. Me and an astrovan.

The key is the web server hosting the web poll allows 15 votes per IP address. It is a free for all, and it is boiling down to how many people we can get to vote for us.

I'm to the point of begging now, because I'm loosing.

The voting ends Monday morning.

http://www.twodorks.com/frontpage/pumpkindrop/index.htm

Please vote for my "bad truck" (car 7)

thanks,

Dave
N9HUR

4907. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 04:25:44 UTC
From: Dave VanHorn <dvanhorn@cedar.net>
Message-ID: <alidnXR5O6a_hCegXTWcpw@comcast.com>
Source record: 37918
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

> Can you believe what they want for those little boogers now? A single
> PL-259 without the rg-58 reducer goes for $3.99 EACH at Radio Shack now.
>
> I remember when they came in pairs and went for $1.99. Of course if you
> waited till the local hamswap came around they were 25 cents each or less
> depending on your bartering skills.

If they aren't silver-teflon, they aren't worth any price.
By the time you get them hot enough to properly solder in an RG-8 size
braid, they're melting the center insulator. Those shiny plated ones are
also tough to get the solder to adhere to, but the silver teflon ones just
flow.

4908. Wanted: GU-43B socket and chimney

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 05:40:46 UTC
From: Henry Flores <hdflores@*REMOVE*worldnet.att.net>
Message-ID: <yVpu9.26474$Mb3.1044208@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37919

I am looking for one or two GU-43B socket and chimney. Send condition and price delivered to Reno,Nevada US

Henry
KD6UW

4909. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 07:44:56 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0210252344.3360f447@posting.google.com>
Source record: 37920
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Reese Friggin <rfriggin@hotmail.com> wrote in message
news:<3DB952A4.97804BA@hotmail.com>...
> > Call me crazy. I got my Extra , complete with 20wpm test, not for extra
> > priviledges but just because it was a challenge and it was there.
>
> Apparently this is the same reason everyone else did too as there AREN'T any
> extra privileges!

There aren't? What about 3.500-3.525, 3.750-3.775, 7.000-7.025,
14.000-14.025, 14.150-14.175, 21.000-21.025, 21.200-21.225. I guess
these are just figments of our imagination.
>
> Now, what is stopping you from learning and being tested on a 50wpm test, as
> well as some additional theory that was not included on the Extra, and in
> return, you will get an EXTRA EXTRA CLASS license that will allow you to use the
> same bands you are now using?

I'm game. And I can pass the 50 wpm test now. Will this give me
broadcast privileges on 41 meters? A MW allocation? I'll take a clear
channel, thank you. I want to play "Art Bell".
I think 730 kc would have a good ring to it...I also want to be able
to play rock -n- roll oldies on the shortwave bands. I think 7373 kc
has a good ring to it.
If this new class comes into existence, I guess I'll have to come on
here and ask donations for a new 50 kw continental transmitter that
would befit my new EXTRA, EXTRA, status. Of course, these donations
would be tax deductable. I'll also send free propellerhead caps with
blinking red LED's on the rims to all donation senders over $100.
Donations over $500 will include a 1/4 wave 2m vertical attached to
the top. These should be a hit at the hamfests, and should become a
collectors item in the future. MK

http://web.wt.net/~nm5k/

4910. Need picture of your (big) shack

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 09:35:47 UTC
From: Thierry Lombry <lombryt@hotmail.com>
Message-ID: <3dba61b9_2@news.vo.lu>
Source record: 37921

Hi,

I would to publish a web page on my site
http://www.astrosurf.com/lombry/menu-qsl.htm showing radio shacks, to show to the novice and all curious what is the working environment of hams, what your are able to build or ...accumulate in your shack, Hi !

I am specially searching pictures with the OM/YL in front of his radio, but not pictures of light, "simple" shack like mine.
So NOT picture like these (even if expensive and if you proud of it, Hi) :
http://www.astrosurf.com/lombry/qsl-hamspirit.htm ,
http://www.astrosurf.com/lombry/qsl-propa.htm , or
http://www.astrosurf.com/lombry/qsl-confirmed-2.htm

But rather shacks like these ones :
http://www.radioamateur.org/albums/stations/F5OZK.jpg
or if you know them, similar to the shacks of A71MA, 9K2OK, K4JAD, W4NFR, VE3SY... (see QRZ.com)

Only for the fun I would like to highlight the biggest and most complete shack ever assemblied, the most "modern", accumulating on the wall of your room rigs and other devices, placing your RTX and accessories in racks, picture of shacks using at least 2 superposed racks and more (sorry for the small configs...), covering the wall with awards and cups, etc.

If you have to take a new picture, try to sort or arrange a bit your shack, that's look better...

Any picture from ANY station (worldwide) in JPG or GIF format is welcome.

They will be presented in size of about 100 pixels high and at their maximum size (say about half a screen) once clicking on the picture.
Your callsign and a link to your website (if relevant) will be add below each picture as I do usually on my website). So do not forget to give me your URL.

Send your pic to my public url lombryt@hotmail.com

Do not worry about the colors or format of your pic (of course do for the best in providing me a "good picture" as draft) as I work also with some image processing software and I can correct most artefacts quite easily.

Thanks in advance for your help.

A+
Thierry
ONL5183

4911. Re: Moto HT1000 Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 10:05:14 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <uNtu9.26791$Mb3.1063642@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37922

Go to batlabs; they have a schematic and board layout for the RLN4008 RIB.

Pete

4912. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 13:30:49 UTC
From: Harris <n2ah@spam.sprynet.com>
Message-ID: <dOwu9.18034$D63.6580@news4.srv.hcvlny.cv.net>
Source record: 37923
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"JJ" wrote:
>
> Harris wrote:
>
> > Now there are only three license classes available. The statement I
disagree
> > with is that the license structure exists "only to divide Hams into
> > different classes and groups so that some can feel more superior than
others
> > in the hobby." The purpose of the different classes is to provide
rewards
> > for those who earn them.
> >
>
> Unfortunately in today's society, too many don't want to earn
> anything, they think it is owed to them just because they were
> born.

What's even worse are those who feel others are given favorable treatment while they themselves are "not allowed" certain privileges. That is a loser's mentality. They can't even conceive of going out and earning what they want.

If anything, it is easier than ever to get an Extra Class license. VE sessions are numerous and conveniently located in most areas. The 20 wpm code requirement has been eliminated. New applicants no longer need to take the Advanced Class exam. And the exact questions/answers are published. None of those advantages existed when I took the test.

Art Harris N2AH

4913. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 13:32:51 UTC
From: walt <walt@nospam.com>
Message-ID: <3DBA9980.52FD9B0F@nospam.com>
Source record: 37924
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I looked up the 3CX1500A7 tube just for kicks. My book only goes to the 3CX1200A7 and it takes 7.5 volts @21 amps (157.7 watts) for the filaments and 5000 volts @800 ma on the plate, 4KW input! Three of them would run 12 KW input with an output of 4500 watts. The number after the "X" on these tubes always depicts the plate dissipation and which approximates the output, not actually, it just figures out that way. This moron selling this furnace, is going to a 3CX10000......It is an expensive way to heat his house. Guess he doesn't know what the amateur power limits are....he's probably a xxx anyway and doesn't know the difference between 5 watts and 5KW except for two letters.

4914. WTB; APHEX DOMINATOR 2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 13:42:46 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <qZwu9.26967$Mb3.1077916@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37925

Price and condition

Bill Salerno 201 368 3655 w2onv@att.net

>>>>>>>>>>>www.w2onv.com <<<<<<<<<<<<<<<

4915. Re: Pumpkin Drop

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 14:07:54 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3dbaa1b2@news.netacc.net>
Source record: 37926

"David A. Webb" <davidw1@netexpress.*remove*.net> wrote in message
news:v75kru87rdeomdhjqskstnul9cr98d6di2@4ax.com...
> HELP
>
> A local FM radio station , KCQQ 106.5 in Davenport, Iowa is having an
> internet poll to select a vehicle that will be the target of a pumpkin
> drop.
>
> I'm to the point of begging now, because I'm loosing.
>
> The voting ends Monday morning.
>
> http://www.twodorks.com/frontpage/pumpkindrop/index.htm
>
> Please vote for my "bad truck" (car 7)
>

OK Dave, I gave you a vote and I see your are now leading the competition with 44% of the vote. Since I admire your ambition I voted for you but if I were just looking at the choices, unbiased, I would really like to see the aerostar van get crunched. It will be much more dramatic a show than the old pick up.

Tnx for the fun bit of distraction.

Steve

4916. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 14:44:46 UTC
From: General Johnson Jameson <10milesunderthesurfaceofMars@nausea.com>
Message-ID: <1Uxu9.732$jq7.303191087@news.inreach.com>
Source record: 37927
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

"Dave VanHorn" < wrote in message

> If they aren't silver-teflon, they aren't worth any price.
> By the time you get them hot enough to properly solder in an RG-8 size
> braid, they're melting the center insulator. Those shiny plated ones are
> also tough to get the solder to adhere to, but the silver teflon ones just
> flow.

I soldered my first PL-259 way back in 1967 and have been burning
my fingers ever since. When the satellite TV craze hit in the 80's,
I learned about a new connector to hate, Soldering N connectors to
make pigtails. I found the best way to get solder to flow on any connector
was to swab a little solder paste on them. Includes the coax braid as well.

Can you imagine a world where there isn't the smoke of solder slowly
floating upward, into nostrils, lungs and eyes? I certainly can't!

The General's laboratory is constantly adrift with floating clouds of solder
and paste flux smoke. A beautiful sight to behold!

4917. want 2 meter duplexer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 14:57:41 UTC
From: DBN <dnicholson@mcmsys.com>
Message-ID: <apes85vvb1@news.mcmsys.com>
Source record: 37936

WANTED WANTED WANTED...Low power 2 meter duplexer. I am in need of a LOW power duplexer set that will do the 600khz split. 10-15 watt is all I need. Anyone have something like this out there? I am trying to complete a portable repeater project so I cant use a heavy full size duplexer set.

Thanks Dan/N�FPE

4918. Free Kantronics manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 16:20:35 UTC
From: DBN <dnicholson@mcmsys.com>
Message-ID: <apf13jeq1@news.mcmsys.com>
Source record: 37939

I have the following manuals that I will send to someone for the price of
the shipping.

KPC-3 Reference manual

KAM, KPC-4, KPC-2400, KPC-2, KPC-1
Operations manual
Installation Manual
Commands manual

Any takers?

I would say for the KPC-3 manual abt $3 mail it
and for the other 3 manuals abt $7 mailing

73 Dan

4919. Schematic forPryme PR-52

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 16:29:27 UTC
From: N1RZB <n1rzb@110.net>
Message-ID: <urlgnqqhtj069c@corp.supernews.com>
Source record: 37928

I'm looking for a schematic for the Pryme PR-52 HT. Tried Pryme but they weren't forthcoming and didn't want to help. Quote, "Send the HT to us. We will repair it"

Thanks
Dave

4920. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 16:46:13 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <urlhmramjpnb95@corp.supernews.com>
Source record: 37929
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I'm sure there are many who don't realize that there was a time when you had to get up and leave at 5AM for a trip to the FCC field office to take the exams and that they were generally given only one day a month in a few locations and once every six months in other locations. With that much effort expended just to get there I expect most people tried to make sure they were prepared.

Personally, I think there should be a minimum time requirement between license classes. While there is no practical way to ensure that they gain any on the air experience during the waiting period, the majority of people probably would.

4921. Re: Pumpkin Drop

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 17:52:34 UTC
From: "David A. Webb" <davidw1@netexpress.*remove*.net>
Message-ID: <callrugmrk4deedbmuee41ktie3836614c@4ax.com>
Source record: 37930

Thank you.

I'm glad you see it for what it is.
A lot of friends/family are asking me what I get if I win.
I don't get anything but a squashed truck.
But it will be cool to watch.

Thanks again,

Dave

On Sat, 26 Oct 2002 10:07:54 -0400, "Stephen C. Robbins"
<srobbinsNoSPaMDUDES@netacc.net> wrote:

>OK Dave, I gave you a vote and I see your are now leading the competition
>with 44% of the vote. Since I admire your ambition I voted for you but if I
>were just looking at the choices, unbiased, I would really like to see the
>aerostar van get crunched. It will be much more dramatic a show than the
>old pick up.
>
>Tnx for the fun bit of distraction.
>
>
>Steve
>
>

4922. FS SP-21 VHF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 17:59:26 UTC
From: Dick <grburke@adelphia.net>
Message-ID: <2KAu9.2547$Zx.474733@news1.news.adelphia.net>
Source record: 37931
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Have for sale a nice Motorola SP-21 VHF hand held.I don't know much about it but have had it sitting on my shelf for some time.I don't use it and would like to sell it for $80.00 shipped to your door.Email me if interested.My email is: n1rsp@qsl.net

4923. FS: sma-to-bnc custom fit antenna adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 18:20:53 UTC
From: gulyas@earthlink.net
Message-ID: <12235960.0210261020.7fd74225@posting.google.com>
Source record: 37932
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

Do you have a need for a high-quality SMA-to-BNC antenna adapter that
is custom made to fit and protect your H.T. or scanner radio?

Adapter allows you to:
Quickly change antennas to base, mobile or different style use.
Use the more popular and wider selection available of BNC antennas.
Prevent chassis connector wear or from coming loose due to antenna
changes.

Adapter features:
Gold plated contacts with a teflon insulator.
A low profile design with a rubber covering for a factory antenna look.
The rubber base seals to the top of the radio with no spacers needed
for moisture and dirt protection.
The base also provides an excellent support for any length of antenna
or application.
No need to remove adapter once installed to make a quick and safe
antenna change.

Sizes to fit radio models:
Yaesu: VX-5, VX-1, FT-50-R, VX-10, VX-150, VX-110, VXA-100, VXA-120
Icom: IC-T90, IC-T8A, IC-T81A, IC-Q7A, IC-R2
Kenwood: TH-D7, TH-G71, TH-F6A, TH-F7A
Alinco: DJ-V5, DJ-X3, DJ-S40
Standard: C508A, C510A
Radio Shack: HTX-420, HTX-400, HTX-245, HTX-200
Aor: AR-16

Previewed in the May 2000 Issue of CQ Magazine, and the Nov. 2000
Issue of QST Magazine.

$11.95 + $1.50 S+H(One to unlimited)
(Check or money order only in U.S.Funds)
(Specify-radio-model)

STEPHEN G.GULYAS
706 LALOR ST.
TRENTON, N.J. 08610
U.S.A.

A photo of the adapter is available upon request.

I welcome any questions or comments at my email:
gulyas@earthlink.net

Thanks for looking at my posting.
S.G.G. KC2BHO 73's

4924. FS: Lafayette HE45B Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 19:04:30 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <roplrugh4pdpd6s0hefjkn6f8eghrh53ga@4ax.com>
Source record: 37933
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

Beautiful Lafayette HE-45B transceiver for 6 meter AM.
A very desirable classic radio.
15 watts to a 2E26 final tube. Modulated by a 7868
Built-in both power supplies for 120V AC and 12V DC.

Excellent condition. No rust, dents or scratches.
120V AC operation with built-in speaker and many other
nice features. Has 1uV sensitivity, noise limiter etc.
Fully operational. All original knobs. No modifications.
Dimensions 12-1/2" wide X 5-1/2" high X 8" deep.

This one is in showroom condition and comes complete with
manual copy, including schematic and parts list etc.
Comes with a brand new crystal for 50.4 MHz installed
and ready to go.

Will sell for $85.00 plus shipping

E-mail me for a picture or to arrange purchase

4925. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 19:35:26 UTC
From: wieland@copland.udel.edu
Message-ID: <apeqpu$9t$1@copland.udel.edu>
Source record: 37934
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

In article <ce47897e.0210250444.4f20bbdf@posting.google.com>,
Art Harris <n2ah@yahoo.com> wrote:
>
>Never allowed to? You mean they were too lazy. If they wanted to
>become hams, no one was stopping them!
>
>Art Harris N2AH

Mr. Harris,
Your position on this issue is becoming very clear. Code is easy.
Laziness is the ONLY reason for inability.

This simply isn't so. There are large classes of people who CAN'T learn
code. Autistics can't at all. Asbergers' people usually can't.

If your position were accurate, the intense code schools the military ran
during WWII had a 100% graduation rates. We all know, that even after
screening students for code ability, many failed out.

Copying code is, like sight-reading music, a talent that exists because
activity between the brain's two hemispheres is organized a certain way.
Folks with a different organization can't get good at it, and practice
doesn't really help.

The problem with these facts, which causes people like you to reject them,
is that they reframe the 'code/nocode' debate from being about work ethic,
and into being about discrimination. I agree with you that, before maybe
1960, CW was such a large part of hamming that the exclusion of those who
couldn't do it well was justified. But, it hasn't been 1960 for a very
long time, and you need to stop running down those who are differently
abled.

What the 'code/nocode' debate is actually about is whether the bandplans
should continue to be slanted so much in favor of the CW operators,
whether the small & shrinking CW community should continue to monopolize
48% of the bandwidth below 25MHz (excluding 30 meters, a special case.)
Nobody is talking about outlawing CW, just about dropping the fiction
that it constituting about half of all hamming.

If your position is that the elimination of morse as a license requirement
will result in its virtual disappearance from the bands, I think that's MY
point. We only disagree about whether that's good or bad.

R F Wieland
Electrical (Electronic) Engineer
Ex-Ham, who made 5 WPM by the skin of my teeth with every trick in the

book
Apparent Asberger's sufferer

4926. Wanted Kenwood BT-6 Battery holder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 19:49:41 UTC
From: Your name <Rory@Sillycountry.freeserve.co.uk>
Message-ID: <Xns92B3D3758C826RorySillycountryfree@195.92.193.157>
Source record: 37935

For th 77e/a

4927. No More 10.8 IF Crystals For Bearcats From Radio Shack

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 20:01:04 UTC
From: "Buford T. Justice" <BTJustice@gmx.net.no.spam>
Message-ID: <3wCu9.17$Tdra.1573029@news2.randori.com>
Source record: 37937
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.scanner

I stopped by my local Radio Shack tonight to see about getting some crystals for my Electra Bearcat III. The salesman (who appeared to know what he was doing) called the Radio Shack Service Center. They told him that the warehouse Radio Shack had for the Bearcat 10.8 IF crystals had been closed down and all they had left was a very limited supply of 10.7 IF crystals for Realistic crystal scanners and others which use 10.7 IF crystals.

BTJustice

4928. Need rig dust cover...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 20:11:35 UTC
From: Karl Juul <karljuul@hotmail.com>
Message-ID: <XFCu9.16202$TX.6427745@twister.nyroc.rr.com>
Source record: 37938

I'm looking for a source of dust covers for ham transceivers...the market seems to have evaporated...

Either vinyl or fabric would be fine, but where?

"Judy's Covers" (AKA: Rig covers 4u) seems to be defunct...no email response and lots of recent hostile reviews about non-shipment...

Any suggestions?

Thank you-

Karl, KB2XG

4929. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 21:55:58 UTC
From: Harris <n2ah@spam.sprynet.com>
Message-ID: <ObEu9.20292$D63.5276@news4.srv.hcvlny.cv.net>
Source record: 37940
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Robert F Wieland" wrote:

> Art Harris wrote:
> >
> >Never allowed to? You mean they were too lazy. If they wanted to
> >become hams, no one was stopping them!

> Mr. Harris,
> There are large classes of people who CAN'T learn
> code. Autistics can't at all. Asbergers' people usually can't.

> Copying code is, like sight-reading music, a talent that exists because
> activity between the brain's two hemispheres is organized a certain way.
> Folks with a different organization can't get good at it, and practice
> doesn't really help.

I agree that everyone is not wired the same. When my kids were learning the code, my daughter picked it up much easier than my son, while my son had an easier time with the theory. And for those who have trouble with the code, I'm sure there are different degrees of difficulty.

> The problem with these facts, which causes people like you to reject them,
> is that they reframe the 'code/nocode' debate from being about work ethic,
> and into being about discrimination. I agree with you that, before maybe
> 1960, CW was such a large part of hamming that the exclusion of those who
> couldn't do it well was justified. But, it hasn't been 1960 for a very
> long time, and you need to stop running down those who are differently
> abled.

I certainly don't want to bar anyone from ham radio because they have a physical condition that makes passing the code test extremely difficult or impossible. VE's are required to make accomodations for people with physical or other conditions. In some cases, a sending test can be substituted for a receiving test. Sometimes the letters can be sent one at a time at whatever rate the applicant can respond to. In extreme cases the test can be waived altogether if the condition is properly documented.

The FCC's position has been that they want people with disabilities to at least make an attempt at learning the code. The 5 wpm level can often be achieved (albeit with difficulty) in many cases as you have demonstrated.

I can remember having a CW contact at about 30 wpm with a fellow who was both deaf and blind. He copied the code by placing his fingers on the speaker cone and feeling the vibrations. Granted, that is a different condition than you describe, but remarkable just the same.

However, I believe that most of those complaining the loudest about the code do not have such disabilities, but rather just don't wish to expend the necessary effort. And I have no doubt that some prospective hams even cajoled their doctors into writing bogus notes for them for the purpose of evading the code test.

> What the 'code/nocode' debate is actually about is whether the bandplans
> should continue to be slanted so much in favor of the CW operators,
> whether the small & shrinking CW community should continue to monopolize
> 48% of the bandwidth below 25MHz (excluding 30 meters, a special case.)

That 48 percent number is very misleading. If you study the ARRL bandplans, you will see large portions of the "CW" bands designated for AMTOR, PACTOR, RTTY, beacons, etc. On the 20 meter band for example, the General Class CW operator is limited to about 35 kHz (14.025 to 14.060 MHz). On the 40 meter band, Canadian phone stations are operating as low as 7.040 MHz. And the ARRL has proposed some expansion of the U.S. phone bands.

> Nobody is talking about outlawing CW, just about dropping the fiction
> that it constituting about half of all hamming.

I hear this agument all the time. "No one is going to stop you from operating CW as long as you want to." But remember, CW is a language. And if newcomers aren't required to learn it, most will probably choose not to. Then incrementally, the CW sub bands will be shrunk until they disappear. The No-code lobby would have more crediblility if they DID call for making CW illegal.

> If your position is that the elimination of morse as a license requirement
> will result in its virtual disappearance from the bands, I think that's MY
> point. We only disagree about whether that's good or bad.

Agree to disagree.

>
> R F Wieland
> Electrical (Electronic) Engineer
> Ex-Ham, who made 5 WPM by the skin of my teeth with every trick in the
> book
> Apparent Asberger's sufferer

Why an "ex-ham"?

Art Harris N2AH

4930. FS: James Millen Company Grid Dip Meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 22:04:37 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <u84mru0e3o5hjvfaf2inuu4adt6fni2vil@4ax.com>
Source record: 37941
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

FOR SALE:

James Millen Company Grid Dip Meter.
Model 90651 GDO mint in the original Millen carry case.
Best looking one you will find anywhere.
Available for $125.00

4931. FS: Electrovoice 621 Desk Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 22:36:01 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <i36mru08lj1710quv79rhcnqke1htqp14i@4ax.com>
Source record: 37943
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FOR SALE:

Top quality desk mic. Looks similar to one used by Heath on several of their later rigs.

Low Impedance. Nice locking PTT bar etc. A great sounding microphone with that famous Electrovoice qulaity.

Picture is at:
http://home.cfl.rr.com/happysurfer/imag/ev621.jpg

Selling this one for $75.00 plus shipping

4932. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 23:14:33 UTC
From: "Dee D. Flint" <dee.hays@sbcglobal.net>
Message-ID: <tlFu9.2102$z5.1499930@newssvr28.news.prodigy.com>
Source record: 37942
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

"Robert F Wieland" <wieland@copland.udel.edu> wrote in message
news:apeqpu$9t$1@copland.udel.edu...
> In article <ce47897e.0210250444.4f20bbdf@posting.google.com>,
> Art Harris <n2ah@yahoo.com> wrote:
> This simply isn't so. There are large classes of people who CAN'T learn
> code. Autistics can't at all. Asbergers' people usually can't.

For properly documented handicaps such as these, accommodations/exceptions
can be made.

>
> If your position were accurate, the intense code schools the military ran
> during WWII had a 100% graduation rates. We all know, that even after
> screening students for code ability, many failed out.

They were looking for a much higher level of expertise such as being able to
copy random letters at high speed. This was necessary due to the encryption
of sensitive materials. Also they were trying to train people on a very
short time table. Thus a normal person would probably flunk even though
they could master morse code for plain text and only the gifted would make
it. That they basically ended up with only the gifted doesn't mean normal
people couldn't learn code.

>
> Copying code is, like sight-reading music, a talent that exists because
> activity between the brain's two hemispheres is organized a certain way.

I've yet to find anyone that can't achieve a basic, bare minimum in either
one. No one says you have to be a professional level symphony player.

>
> R F Wieland
> Electrical (Electronic) Engineer
> Ex-Ham, who made 5 WPM by the skin of my teeth with every trick in the
> book
> Apparent Asberger's sufferer

"Apparent"?? Have you been tested or is this a self-diagnosis?

Also how much time did you actually devote to learning the code. Those
people who I've met that "can't learn code" turn out to have spent
insufficient time at it because they observed a few hyper-talented people
learn it in what would be an unreasonably short time for any normal person.
I've asked them how much time they spent at it and how steady a schedule
they had (practicing once or twice a month or even once a week isn't going
to get it)

Unrealistic expectations cause more people to fail to learn coded than any other reason. They just don't put in the time. The average person needs 30 hours of learning and training to reach 5 wpm. A statistical spread would then have a variation of from about 15 to 60 hours. It took me closer to the 60 even though I'm musically trained and supposedly should have had an easier time. For my 20 wpm, it took me about 300 hours of practice, average is about 250 hours. This means a normal person might take anywhere from 125 to 500 hours to reach 20wpm.

Dee Flint, N8UZE.

4933. WTB ICOM AH-4 Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-26 23:17:45 UTC
From: David <"See MessageText"@ToReply.com>
Message-ID: <3dbb21c9$0$14053$afc38c87@news.optusnet.com.au>
Source record: 37944

Hi,

WTB ICOM AH-4 Automatic Antenna Tuner (ATU)
or similar for use with ICOM IC-706 MkII or ICOM IC-718.

Please email with Price / Condition / Pics if possible ?

davidgem@SPAMAZAPPER.optusnet.com.au
(You know what to do... :-)

73
David - VK4GL
Team Leader
VK9WI (2000) www.qsl.net/vk9wi
VK9ML (2001) www.qsl.net/vk9ml
VK9ML (2002) www.qsl.net/vk9ml/2002

4934. WTB Wavetek 3001 parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 00:06:27 UTC
From: Larry McGee <lrmagoo@worldnet.att.net>
Message-ID: <76Gu9.27879$Mb3.1136598@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37945

Hello,
I need the M10W output amplifier plug in with both connecting wires/plugs.
If you have those, or a partial or complete non-working 3001, I would be
interested in buying it. Thanks.
Larry

4935. Re: No More 10.8 IF Crystals For Bearcats From Radio Shack

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 00:23:15 UTC
From: "S. Miller" <stemp-removethis-@gstarusa.com>
Message-ID: <3DBB31F2.5DFA5B2E@gstarusa.com>
Source record: 37946
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.scanner

So? Just buy them from the source...

http://www.icmfg.com/

They'll make you whatever you want.

"Buford T. Justice" wrote:

> I stopped by my local Radio Shack tonight to see about getting some crystals
> for my Electra Bearcat III. The salesman (who appeared to know what he was
> doing) called the Radio Shack Service Center. They told him that the
> warehouse Radio Shack had for the Bearcat 10.8 IF crystals had been closed
> down and all they had left was a very limited supply of 10.7 IF crystals for
> Realistic crystal scanners and others which use 10.7 IF crystals.
>
> BTJustice

4936. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 00:30:50 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <_sGu9.112496$md1.22532@sccrnsc03>
Source record: 37947

Snipped all the recent conversation about CW to ask an ignorant newbie question.

CW is used internationally, but how does it translate when the characters used by English speakers are received by someone in, say, Bahrain, where Arabic is spoken? In other words, how does a non-English speaker, who does not use the Roman alphabet, learn and use the code? Are the many abbreviations that code uses, universal?

Jackie KC0ODY
Incompetent Technician :)

4937. Re: How it works, the hard cold facts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 00:41:50 UTC
From: cheesecutter@webhideout.com
Message-ID: <fef386d5.0210261641.15a8c74f@posting.google.com>
Source record: 37848
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

"General Johnson Jameson" <10milesunderthesurfaceofMars@nausea.com> wrote in message news:<1Uxu9.732$jq7.303191087@news.inreach.com>...
> "Dave VanHorn" < wrote in message
>
> > If they aren't silver-teflon, they aren't worth any price.
> > By the time you get them hot enough to properly solder in an RG-8 size
> > braid, they're melting the center insulator. Those shiny plated ones are
> > also tough to get the solder to adhere to, but the silver teflon ones just
> > flow.
>
> I soldered my first PL-259 way back in 1967 and have been burning
> my fingers ever since. When the satellite TV craze hit in the 80's,
> I learned about a new connector to hate, Soldering N connectors to
> make pigtails. I found the best way to get solder to flow on any connector
> was to swab a little solder paste on them. Includes the coax braid as well.
>
> Can you imagine a world where there isn't the smoke of solder slowly
> floating upward, into nostrils, lungs and eyes? I certainly can't!
>
> The General's laboratory is constantly adrift with floating clouds of solder
> and paste flux smoke. A beautiful sight to behold!

i fail to understand why you are cross posting..such behavior can get
you tossed....this is a cb radio newsgroup and not a ham
newgroup....unfortunately there are a few bad apple type hams hanging
around here for whatever reason, and they cannot seem to figure out
just exactly where they belong.......maybe that explains your cross
posting ideas.............

4938. Re: Need rig dust cover...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 00:59:05 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <urmed6jrlb16df@corp.supernews.com>
Source record: 37850

I use VCR dust covers, work pretty good.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Karl Juul" <karljuul@hotmail.com> wrote in message
news:XFCu9.16202$TX.6427745@twister.nyroc.rr.com...
> I'm looking for a source of dust covers for ham transceivers...the market
> seems to have evaporated...
>
> Either vinyl or fabric would be fine, but where?
>
> "Judy's Covers" (AKA: Rig covers 4u) seems to be defunct...no email
> response and lots of recent hostile reviews about non-shipment...
>
> Any suggestions?
>
> Thank you-
>
> Karl, KB2XG
>
>
>

4939. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 01:03:24 UTC
From: lc <larryc@northwest.com>
Message-ID: <3DBB3B5C.68D485A4@northwest.com>
Source record: 37849
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

I think we should label it the Dah-Dit Dysfunctional Syndrome.

===
Welcome to Oregon - "The Food Stamp State"

4940. Re: Need rig dust cover...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 01:31:54 UTC
From: Glenn Miller <glennmiller@worldnet.att.net>
Message-ID: <emHu9.28084$Mb3.1146852@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37851

"Karl Juul" <karljuul@hotmail.com> wrote in message
news:XFCu9.16202$TX.6427745@twister.nyroc.rr.com...
> I'm looking for a source of dust covers for ham transceivers...the market
> seems to have evaporated...

Try here: http://www.surplussales.com/DustCovers.html

73
Glenn AA5PK

4941. FS: Motorola Syntor X UHF 100 watt

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 01:53:04 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <8ahmrugc25gk5uhkb9tmb7hefkm2ugkh5s@4ax.com>
Source record: 37852

I have for sale a Motorola Syntor X UHF Mobile 100 watt 16 channel
radio. The model is T74VBJ7D04AK. It comes with all the normal accys.
I believe its range is 450-470 but I am using one in the 440 ham band.
Please email me with any questions. The price is $175 plus shipping.
Thanks, Mike
mfunaro@worldnet.att.net

4942. Need Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 02:53:47 UTC
From: warren weber <hiview@worldnet.att.net>
Message-ID: <%yIu9.7851$VJ5.433146@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37853

Anyone have a schematic for Palomar TX 75 broad band linear amp. Palomar went out of business about 20 years ago. Thanks for any reply. Warren

4943. FA: Beautiful KNIGHTKIT T-60 Transmitter & Working, Gotta See! 1-day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 04:09:25 UTC
From: rlucch2098@aol.com
Message-ID: <20021027000925.12404.00000080@mb-fo.aol.com>
Source record: 37858

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796524

4944. FA: JAMES MILLEN Dial ASSY & Crystal radio Tuner w-National Dial

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 04:11:37 UTC
From: rlucch2098@aol.com
Message-ID: <20021027001137.12404.00000081@mb-fo.aol.com>
Source record: 37854

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796509
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796512

4945. fa>> Heathkit V-7A vtvm, cheep at $10, last day :-(

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 04:13:09 UTC
From: rlucch2098@aol.com
Message-ID: <20021027001309.12404.00000084@mb-fo.aol.com>
Source record: 37855

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796517

4946. Fa-- Super Rare HEATHKIT GW-42 CB TUBE radio, Don't miss this one!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 04:15:28 UTC
From: rlucch2098@aol.com
Message-ID: <20021027001528.12404.00000085@mb-fo.aol.com>
Source record: 37856

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390796521

4947. FA: Hey Builders! Check out this MINT National type "N" Vernier Dial

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 04:19:00 UTC
From: rlucch2098@aol.com
Message-ID: <20021027001900.12404.00000088@mb-fo.aol.com>
Source record: 37857

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706616

4948. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 05:53:34 UTC
From: Wes Stewart <n7ws@nowhere.com>
Message-ID: <dqvmruoov1h054il7h0kkaedblbllhkrqs@4ax.com>
Source record: 37859

On Sun, 27 Oct 2002 00:30:50 GMT, "Jackie L."
<buzzygirl@REMOVE.attbi.com> wrote:

|Snipped all the recent conversation about CW to ask an ignorant newbie
|question.
|
|CW is used internationally, but how does it translate when the characters
|used by English speakers are received by someone in, say, Bahrain, where
|Arabic is spoken? In other words, how does a non-English speaker, who does
|not use the Roman alphabet, learn and use the code? Are the many
|abbreviations that code uses, universal?

Yes.
|
|Jackie KC0ODY
|Incompetent Technician :)
|
|
|

4949. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 06:57:28 UTC
From: Monty Python <radioman@thebigdial.com>
Message-ID: <rlvmruselbds0ldk5aqf8kud1jimvpievs@4ax.com>
Source record: 37860
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Hey Fah Q Too,

just write something about the catholic church leadership
ALLOWING and IGNORING all those pedophile priests
that raped all those little boys.

i did and the asshole dropped the argument.

must be his problem ... when he was a young alter boy
he must have fallen in love with the padre who raped him
and then left him for a younger alter boy. he's still bitter after all
these years.

anonymous monty

"Fah Q Too" <a@b.c> wrote:

>I wasn't arguing with you. I just thought it was stupid to call someone a
>lier and a rip off. Especially when the post of the alert was less then a 8
>day transaction. Hell Some radio equipment I sent to the states somehow took
>longer then 2 weeks. I gave the guy some money back. I did pay for the
>parcel to go airmail too. All I am saying is that it was rude to put this
>non paying alert when there wasn't even a grace period of waiting. After 2
>weeks I would of complained.
>73
>Devin
>
>"k9xyz" <k9xyz@insightbb.com> wrote in message
>news:1Aeu9.94225$md1.18453@sccrnsc03...
>> Dan, take all this for what it's worth(not much) just look at the
>spelling,
>> grammar, etc. in most of the replies!
>> Most of the replies are negative and in your direction, but I can assure
>> you if the shoe was on the other foot these same people would probably
>have
>> a stroke over it, esp. someone stupid enough to use an acronym of
>> profanity(F Q T) for their nickname on this board instead of having the
>> courage to be known. Also I have a hard time beleiving someone is "drawn"
>> away to a place so "secure" they have no access to e-mail for over a week,
>> even the pres. dosen't live this secluded, makes you wonder doesn't it?
>> Oh well hope this transaction turns out okay for all concerned.
>> 73
>> T.Wilson
>>
>>

>>
>> "Dan Conti" <dconti@nj.rr.com> wrote in message
>> news:lLos9.24123$Up6.5328245@twister.nyc.rr.com...
>> > I will preface my remarks by stating that I am appalled by the venom
>> spewed
>> > in my direction by the majority of respondents to the topic of my
>initial
>> > thread here. It was also interesting to note the the majority of these
>> > responses were from posters hiding behind the veil of anonymity, using
>> foul
>> > language and vulgar name calling.
>> >
>> > The purpose of this post is to issue an update in this matter as to
>> squelch
>> > further debate. The final chapter will probably not be written until
>> Monday
>> > or Tuesday of this week, but this is briefly how it stands right now:
>> >
>> > Last night, AFTER my PAYPAL complaint was issued, and the initial post
>was
>> > made here, I received an e-mail from Steve. Coincidence? Did someone
>> from
>> > here contact him? I don't know. He stated that he was drawn away
>> suddenly
>> > to work on a project at a secure government facility, and has been away
>> all
>> > week. He stated that he had NO outside internet access this entire
>time.
>> > He did not specify as to the exact date he was drawn away, or when he
>> > returned.
>> >
>> > Steve was very apologetic in his response.
>> > Steve stated that he was going to reverse the PAYPAL payment to me, and
>> also
>> > ship the equipment today, via overnight mail. All I asked of him was to
>> > ship the equipment, and I never asked for the reversal. I do not know
>why
>> > he chose to do that if he was shipping me the radio. He trusted that
>upon
>> > receipt of the radio, I would re-submit the payment to him via PAYPAL.
>> >
>> > As of this writing, I have not received the PAYPAL reversal in my PAYPAL
>> > account.
>> >
>> > Also, I did a US Postal tracking on the number he gave for the
>overnight,
>> > and once again, as of this writing, no record of the shipment.
>> >
>> > YES, it is possible that there are delays in both items above.
>> >

>> > Anyone contesting the facts above should contact me and I will privately
>> > e-mail you his e-mail text and the USPS tracking # he provided.
>> >
>> > In my opinion, and that is what the newsgroups are, a bunch of opinions,
>> the
>> > BAD GUY title was not excessive. I firmly believe that a deal is a
>deal,
>> > and that not having shipped, 9 days past receiving the money, WITHOUT
>any
>> > contact with the buyer, is BAD GUY performance, in the context in which
>we
>> > use GOOD GUY and BAD GUY alerts here.
>> >
>> > Yes, there may have been a reason as to the delay, but unless the
>> government
>> > snatched him from his house minutes after receiving my PAYPAL money,
>kept
>> > him off the internet, and didn't allow him out until last night, I think
> a
>> > short e-mail to me from him indicating the shipment would be delayed was
>> in
>> > order.
>> >
>> > Those here wishing to do business in that fashion, feel free, but at
>least
>> > you were forewarned.
>> >
>> > I should be receiving the radio on Monday, and of course, in fairness to
>> > Steve, I will report here under a seperate thread.
>> >
>> > Stay tuned.............
>> >
>> > Dan
>> >
>> >
>>
>>
>

4950. problem with CW on FT726

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 09:27:37 UTC
From: F&#65533;DBD <f0dbd@f0dbd.comX>
Message-ID: <apgbi7$94j$1@wanadoo.fr>
Source record: 37861

Hello dear OM,

I is allowed to write to you to put a question about Yaesu FT726r.

I have this transceiver recently, and it has a problem in the mode CW Above all, I wish to know if, once the key CW selected, when you handle your key do you have a monitoring of telegraphy?

Second question, about my station, when I activate the PTT in CW mode the signal on the S-Meter goes up to 9 and PO is on 8, the station seems to pass in emission but not in telegraphy, it is carrying which is sent: - (do you know the problem?)

In advance thank you for your assistance, so long

--&#65533;
73, Fr&#65533;d&#65533;rick
Site perso http://www.f0dbd.com (Webcam Live)

4951. WTB DAWE Nixie Counter - desperate!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 11:29:12 UTC
From: Machineage <machineage@ntlworld.com>
Message-ID: <B9E17E87.376B%machineage@ntlworld.com>
Source record: 37862

Hi there

I'm looking to locate a DAWE 3000 AR/6 nixie counter. It dates from the 1970s and uses 6 nixie tubes. Does anyone know of this instrument or where I may be able to locate one?

Thanks!
--
Chris

4952. Radios and Scanners FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 12:34:16 UTC
From: Dick <grburke@adelphia.net>
Message-ID: <c3Ru9.3948$Zx.711668@news1.news.adelphia.net>
Source record: 37863
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb

Have for sale a Yaesu Ft-50R in the box with all docs.I am asking $225.00for
it shipped to your door.
Have for sale a Yaesu Ft-50R in the box with all docs.I am asking $225.00for
it shipped to your door.
Have for sale a nice Pro-2042 scanner.I am asking $175.00 shipped to your
door.
I have several of these Standard C-508 hts for sale.I am asking
$125.00each.These are used and I do have boxes and papers with them.
Have for sale a nice Motorola SP-21 VHF hand held.I don't know much about it
but have had it sitting on my shelf for some time.I don't use it and would
like to sell it for $80.00 shipped to your door.
Have a nice condition Pro 2046 for sale.I will sell for $125.00plus a
littlefor shipping.
On any of this stuff I can be interested in trades for a dual or tri band
mobile radio that receives over 472.mhz.
Email me on any of this equipment.My email is : n1rsp@qsl.net

4953. Icom 47A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 12:56:07 UTC
From: Rod KI0KT <rliebeg@spininternet.com>
Message-ID: <3DBBE267.DD1FDC6@spininternet.com>
Source record: 37864

Does anyone know if you can modify the Icom 47A to use the 430-440 portion instead of the 440-450 potion of the band?? If so can you let me know or point me to the correct link.. I have looked in most of the modification sites and haven't found anything..

Thanks Rod KI0KT
rliebeg@spininternet.com

4954. Re: Need rig dust cover...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 14:20:30 UTC
From: Turner Morgan <tmorgan7955@comcast.net>
Message-ID: <Xns92B45F0B1BFFBtmorgan7955comcastne@216.148.53.94>
Source record: 37866

"Karl Juul" <karljuul@hotmail.com> wrote in
news:XFCu9.16202$TX.6427745@twister.nyroc.rr.com:

> I'm looking for a source of dust covers for ham transceivers...the market
> seems to have evaporated...
>
> Either vinyl or fabric would be fine, but where?
>

Try your sewing machine. If you don't have one of those, get yourself an old plastic tablecloth, plastic material on one side, very thin cloth-like material on the other side, and find someone, wife, mother, aunt, girlfriend, etc., to make one for you.

That's what my wife did for my Heathkit SB-104A and matching equipment. It was not very difficult, in her words, anyway. She just covered the two sides, the front and the top, leaving the back open because of all the wires and cables plugged in back there. Mostly it was just folding the two corners at the top front and stitching it. You dont really have to make any cuts except for cutting to size. You could almost "stitch" it with a few safety pins.

Anyway, hope that gives you an idea to tide you over until you can find "professional" dust covers. You're right. I remember those things being advertised in QST some years back. Don't see them any more. The radios today can almost be covered with a sheet of paper, i.e., the FT-817.

Good luck,

Turner - WA4MQY

4955. FS: Murch UT-2000B antenna tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 14:27:10 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <ehtnru8ijit2hj7icrlpklhe4ko8420vip@4ax.com>
Source record: 37865

I have for sale a Murch UT-2000B in excellent condition.....It covers
160 to 10 meters and rated for 2KW PEP....It would be very hard to
find one in this condition and are getting rare....MFJ does not even
come close to the quality it has......I will take $250 plus
shipping.......I can be reached at (508) 821-2993 or email...WZ1U
Steve / Lakeville, Ma.

4956. WTB: APHEX DOMINATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 15:35:40 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <gJTu9.29175$Mb3.1213068@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37868

Price and Condition

Bill Salerno w2onv@att.net<<<<<<201 368 3655

4957. Re: sma-to-bnc custom fit antenna adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 15:35:44 UTC
From: John Everson <ab6li@jps.net>
Message-ID: <kJTu9.8805$6F4.757357@newsread2.prod.itd.earthlink.net>
Source record: 37867
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

"Stephen G. Gulyas" <gulyas@earthlink.net> wrote in message
news:12235960.0210261020.7fd74225@posting.google.com...
> Do you have a need for a high-quality SMA-to-BNC antenna adapter that
> is custom made to fit and protect your H.T. or scanner radio?
>
> Adapter allows you to:
> Quickly change antennas to base, mobile or different style use.
> Use the more popular and wider selection available of BNC antennas.
> Prevent chassis connector wear or from coming loose due to antenna
> changes.
>
> Adapter features:
> Gold plated contacts with a teflon insulator.
> A low profile design with a rubber covering for a factory antenna look.
> The rubber base seals to the top of the radio with no spacers needed
> for moisture and dirt protection.
> The base also provides an excellent support for any length of antenna
> or application.
> No need to remove adapter once installed to make a quick and safe
> antenna change.
>
> Sizes to fit radio models:
> Yaesu: VX-5, VX-1, FT-50-R, VX-10, VX-150, VX-110, VXA-100, VXA-120
> Icom: IC-T90, IC-T8A, IC-T81A, IC-Q7A, IC-R2
> Kenwood: TH-D7, TH-G71, TH-F6A, TH-F7A
> Alinco: DJ-V5, DJ-X3, DJ-S40
> Standard: C508A, C510A
> Radio Shack: HTX-420, HTX-400, HTX-245, HTX-200
> Aor: AR-16
>
> Previewed in the May 2000 Issue of CQ Magazine, and the Nov. 2000
> Issue of QST Magazine.
>
> $11.95 + $1.50 S+H(One to unlimited)
> (Check or money order only in U.S.Funds)
> (Specify-radio-model)
>
> STEPHEN G.GULYAS
> 706 LALOR ST.
> TRENTON, N.J. 08610
> U.S.A.
>
> A photo of the adapter is available upon request.

>
> I welcome any questions or comments at my email:
> gulyas@earthlink.net
>
> Thanks for looking at my posting.
> S.G.G. KC2BHO 73's
>

4958. Balanced/Balanced tuner..Need Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 15:42:14 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DBC0956.AB7FE00C@qth.com>
Source record: 37869
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Body handling: Binary attachment payload not displayed: radioranch.vcf

There was an article about one but I give my books to the
scouts...anyone have it or have good schematic for one? Thanks, Murray
K5MDM

[One or more binary attachments are retained only in the source text.]

4959. Re: Balanced/Balanced tuner..Need Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 16:07:58 UTC
From: Edward Knobloch <e.knobloch@verizon.net>
Message-ID: <3DBC0F3B.9EE8DEAD@verizon.net>
Source record: 37870
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

The "Balanced Balanced" antenna tuner was written
by Richard Measures. He has it on his web page:

http://www.vcnet.com/measures/bbat.html

73,
Ed

Murray Neece wrote:
>
> There was an article about one but I give my books to the
> scouts...anyone have it or have good schematic for one? Thanks, Murray
> K5MDM

4960. Re: Icom 47A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 16:09:24 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <rq3oruofimtbt5b022mludsfl6814qed9v@4ax.com>
Source record: 37871

On Sun, 27 Oct 2002 06:56:07 -0600, Rod KI0KT
<rliebeg@spininternet.com> wrote:

>Does anyone know if you can modify the Icom 47A to use the 430-440
>portion instead of the 440-450 potion of the band?? If so can you let me
>know or point me to the correct link.. I have looked in most of the
>modification sites and haven't found anything..
>
>Thanks Rod KI0KT
>rliebeg@spininternet.com
>
During my time at Icom, I don't remember such a modification being
available. Seems to me the frequency coverage in that vintage radio
was burned into the firmware and not as flexible as today's products.

Gary K8IZ

4961. TRA-4 Rotor Controller Info Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 16:33:18 UTC
From: Ron <news2@remthis.rongross.com>
Message-ID: <izUu9.858$rw1.75224365@newssvr13.news.prodigy.com>
Source record: 37872

I have a TRA-4 rotor (as stamped on the bottom rim of the top housing), not sure of the manufacturer. It has has no controller. It is a 4 wire rotor. It looks just like the one on the top/right of Norms rotor repair page....

http://www.rotorservice.com/

....except it is not a tower mount, rather, a pole mount version.

I am wondering if anyone has the schematic to or any advice on building a simple controller to allow the rotor to be used manually. I have looked at Norms repair site, but don't find any info there, just repair prices.

Thanks for any info one may have....Ron

4962. Re: UPDATE - RE: Steve A. Giron

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 17:53:20 UTC
From: Fah Q Too <a@b.c>
Message-ID: <kKVu9.90854$wU3.4753260@news0.telusplanet.net>
Source record: 37873
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

?

Dev

"Monty Python" <radioman@thebigdial.com> wrote in message
news:rlvmruselbds0ldk5aqf8kud1jimvpievs@4ax.com...

Hey Fah Q Too,

just write something about the catholic church leadership
ALLOWING and IGNORING all those pedophile priests
that raped all those little boys.

i did and the asshole dropped the argument.

must be his problem ... when he was a young alter boy
he must have fallen in love with the padre who raped him
and then left him for a younger alter boy. he's still bitter after all
these years.

anonymous monty

"Fah Q Too" <a@b.c> wrote:

>I wasn't arguing with you. I just thought it was stupid to call someone a
>lier and a rip off. Especially when the post of the alert was less then a 8
>day transaction. Hell Some radio equipment I sent to the states somehow
took
>longer then 2 weeks. I gave the guy some money back. I did pay for the
>parcel to go airmail too. All I am saying is that it was rude to put this
>non paying alert when there wasn't even a grace period of waiting. After 2
>weeks I would of complained.
>73
>Devin
>
>"k9xyz" <k9xyz@insightbb.com> wrote in message
>news:1Aeu9.94225$md1.18453@sccrnsc03...
>> Dan, take all this for what it's worth(not much) just look at the
>spelling,
>> grammar, etc. in most of the replies!
>> Most of the replies are negative and in your direction, but I can assure
>> you if the shoe was on the other foot these same people would probably
>have
>> a stroke over it, esp. someone stupid enough to use an acronym of
>> profanity(F Q T) for their nickname on this board instead of having the
>> courage to be known. Also I have a hard time beleiving someone is "drawn"

>> away to a place so "secure" they have no access to e-mail for over a
week,
>> even the pres. dosen't live this secluded, makes you wonder doesn't it?
>> Oh well hope this transaction turns out okay for all concerned.
>> 73
>> T.Wilson
>>
>>
>>
>> "Dan Conti" <dconti@nj.rr.com> wrote in message
>> news:1Los9.24123$Up6.5328245@twister.nyc.rr.com...
>> > I will preface my remarks by stating that I am appalled by the venom
>> spewed
>> > in my direction by the majority of respondents to the topic of my
>initial
>> > thread here. It was also interesting to note the the majority of these
>> > responses were from posters hiding behind the veil of anonymity, using
>> foul
>> > language and vulgar name calling.
>> >
>> > The purpose of this post is to issue an update in this matter as to
>> squelch
>> > further debate. The final chapter will probably not be written until
>> Monday
>> > or Tuesday of this week, but this is briefly how it stands right now:
>> >
>> > Last night, AFTER my PAYPAL complaint was issued, and the initial post
>was
>> > made here, I received an e-mail from Steve. Coincidence? Did someone
>> from
>> > here contact him? I don't know. He stated that he was drawn away
>> suddenly
>> > to work on a project at a secure government facility, and has been away
>> all
>> > week. He stated that he had NO outside internet access this entire
>time.
>> > He did not specify as to the exact date he was drawn away, or when he
>> > returned.
>> >
>> > Steve was very apologetic in his response.
>> > Steve stated that he was going to reverse the PAYPAL payment to me, and
>> also
>> > ship the equipment today, via overnight mail. All I asked of him was
to
>> > ship the equipment, and I never asked for the reversal. I do not know
>why
>> > he chose to do that if he was shipping me the radio. He trusted that
>upon
>> > receipt of the radio, I would re-submit the payment to him via PAYPAL.
>> >

>> > As of this writing, I have not received the PAYPAL reversal in my
PAYPAL
>> > account.
>> >
>> > Also, I did a US Postal tracking on the number he gave for the
>overnight,
>> > and once again, as of this writing, no record of the shipment.
>> >
>> > YES, it is possible that there are delays in both items above.
>> >
>> > Anyone contesting the facts above should contact me and I will privatel
y
>> > e-mail you his e-mail text and the USPS tracking # he provided.
>> >
>> > In my opinion, and that is what the newsgroups are, a bunch of
opinions,
>> the
>> > BAD GUY title was not excessive. I firmly believe that a deal is a
>deal,
>> > and that not having shipped, 9 days past receiving the money, WITHOUT
>any
>> > contact with the buyer, is BAD GUY performance, in the context in which
>we
>> > use GOOD GUY and BAD GUY alerts here.
>> >
>> > Yes, there may have been a reason as to the delay, but unless the
>> government
>> > snatched him from his house minutes after receiving my PAYPAL money,
>kept
>> > him off the internet, and didn't allow him out until last night, I
think
> a
>> > short e-mail to me from him indicating the shipment would be delayed
was
>> in
>> > order.
>> >
>> > Those here wishing to do business in that fashion, feel free, but at
>least
>> > you were forewarned.
>> >
>> > I should be receiving the radio on Monday, and of course, in fairness
to
>> > Steve, I will report here under a seperate thread.
>> >
>> > Stay tuned.............
>> >
>> > Dan
>> >
>> >

>>
>>
>

4963. FS: Pristine Kenwood TS-940S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 18:14:41 UTC
From: jonweiner@aol.com
Message-ID: <20021027131441.12528.00000105@mb-fo.aol.com>
Source record: 37874

I have for sale a prisitne condition Kenwood TS-940S/AT transceiver. Has the factory installed antenna tuner, and the original instruction manual. Looks and works "as new." High 8 mil. plus serial number. No additional filters installed. Superb receiver, high power transmitter, and no need to go through 5 menus to change a setting. Price $825. delivered (48 USA).

Jon, K1VVC
Greer, SC

4964. FA: 220 Alinco DR-235T Transceiver - Like NIB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 18:53:47 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <B9E17639.1C8FE%pilot.marc@verizon.net>
Source record: 37875

220 Alinco DR-235T Transceiver - Like NIB

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1391532472

4965. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 18:58:24 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aphd2f$1thr$1@madmax.keyway.net>
Source record: 37876
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Morse code requires a certain amount of dedication and patience.
Many people who lack these attributes can't even appreciate anything
to any depth. It has been universally decided by those with little
interest that these attributes are not necessary for the continued
existence of Ham Radio, so the code speed and testing has been
dropped accordingly.

Jim, ac6tk

"Harris" <n2ah@spam.sprynet.com> wrote in message
news:ObEu9.20292$D63.5276@news4.srv.hcvlny.cv.net...
:
: "Robert F Wieland" wrote:
:
: > Art Harris wrote:
: > >
: > >Never allowed to? You mean they were too lazy. If they wanted to
: > >become hams, no one was stopping them!
:
: > Mr. Harris,
: > There are large classes of people who CAN'T learn
: > code. Autistics can't at all. Asbergers' people usually can't.
:
: > Copying code is, like sight-reading music, a talent that exists because
: > activity between the brain's two hemispheres is organized a certain way.
: > Folks with a different organization can't get good at it, and practice
: > doesn't really help.
:
: I agree that everyone is not wired the same. When my kids were learning the
: code, my daughter picked it up much easier than my son, while my son had an
: easier time with the theory. And for those who have trouble with the code,
: I'm sure there are different degrees of difficulty.
:
: > The problem with these facts, which causes people like you to reject them,
: > is that they reframe the 'code/nocode' debate from being about work ethic,
: > and into being about discrimination. I agree with you that, before maybe
: > 1960, CW was such a large part of hamming that the exclusion of those who
: > couldn't do it well was justified. But, it hasn't been 1960 for a very
: > long time, and you need to stop running down those who are differently
: > abled.
:
: I certainly don't want to bar anyone from ham radio because they have a
: physical condition that makes passing the code test extremely difficult or
: impossible. VE's are required to make accomodations for people with physical

: or other conditions. In some cases, a sending test can be substituted for a
: receiving test. Sometimes the letters can be sent one at a time at whatever
: rate the applicant can respond to. In extreme cases the test can be waived
: altogether if the condition is properly documented.
:
: The FCC's position has been that they want people with disabilities to at
: least make an attempt at learning the code. The 5 wpm level can often be
: achieved (albeit with difficulty) in many cases as you have demonstrated.
:
: I can remember having a CW contact at about 30 wpm with a fellow who was
: both deaf and blind. He copied the code by placing his fingers on the
: speaker cone and feeling the vibrations. Granted, that is a different
: condition than you describe, but remarkable just the same.
:
: However, I believe that most of those complaining the loudest about the code
: do not have such disabilities, but rather just don't wish to expend the
: necessary effort. And I have no doubt that some prospective hams even
: cajoled their doctors into writing bogus notes for them for the purpose of
: evading the code test.
:
: > What the 'code/nocode' debate is actually about is whether the bandplans
: > should continue to be slanted so much in favor of the CW operators,
: > whether the small & shrinking CW community should continue to monopolize
: > 48% of the bandwidth below 25MHz (excluding 30 meters, a special case.)
:
: That 48 percent number is very misleading. If you study the ARRL bandplans,
: you will see large portions of the "CW" bands designated for AMTOR, PACTOR,
: RTTY, beacons, etc. On the 20 meter band for example, the General Class CW
: operator is limited to about 35 kHz (14.025 to 14.060 MHz). On the 40 meter
: band, Canadian phone stations are operating as low as 7.040 MHz. And the
: ARRL has proposed some expansion of the U.S. phone bands.
:
: > Nobody is talking about outlawing CW, just about dropping the fiction
: > that it constituting about half of all hamming.
:
: I hear this agument all the time. "No one is going to stop you from
: operating CW as long as you want to." But remember, CW is a language. And if
: newcomers aren't required to learn it, most will probably choose not to.
: Then incrementally, the CW sub bands will be shrunk until they disappear.
: The No-code lobby would have more crediblility if they DID call for making
: CW illegal.
:
: > If your position is that the elimination of morse as a license requirement
: > will result in its virtual disappearance from the bands, I think that's MY
: > point. We only disagree about whether that's good or bad.
:
: Agree to disagree.
:
: >
: > R F Wieland

```
: > Electrical (Electronic) Engineer
: > Ex-Ham, who made 5 WPM by the skin of my teeth with every trick in the
: > book
: > Apparent Asberger's sufferer
:
: Why an "ex-ham"?
:
: Art Harris N2AH
:
:
```

4966. Icom IC-2100H and sending DTMF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 19:47:15 UTC
From: jhayes7@hotmail.com
Message-ID: <ddf642ea.0210271147.781d0883@posting.google.com>
Source record: 37877

I'd like to know if it's possible to send DTMF tones with the 2100 as one can with the W32A (just hold the PTT and push the appropriate buttons on the keypad).

The 2100 manual leads me to believe that I can only transmit a DTMF string from a memory; is this true?

Thanks for any information.

Robert K2RTB

4967. Re: Icom IC-2100H and sending DTMF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 20:00:08 UTC
From: SideBand <krNO8SPAMlr@cac.net>
Message-ID: <3DBC45C8.6000801@cac.net>
Source record: 37878

No.. Press the DTMF button on the mic, and press the buttons.. Keying the mic is not necessary.

de KR8LR, Chris

robertb wrote:

> I'd like to know if it's possible to send DTMF tones with the 2100 as
> one can with the W32A (just hold the PTT and push the appropriate
> buttons on the keypad).
>
> The 2100 manual leads me to believe that I can only transmit a DTMF
> string from a memory; is this true?
>
> Thanks for any information.
>
> Robert K2RTB
>

--
73 de KR8LR, Chris

4968. Need advice: soldering equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 20:38:26 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <nkjoruoftisuoja4j9vnoom5k68mb29qos@4ax.com>
Source record: 37879

I was wondering if anyone could offer advice on the type of soldering
iron to use and the type of solder to use to wire up a microphone.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

4969. Re: Need rig dust cover...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 20:41:16 UTC
From: Tony Hackenberg <tony.hackenberg@worldnet.att.net>
Message-ID: <MbYu9.8841$VJ5.523156@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37880

I got a custom dust cover made by this cover place awhile ago and I'm very pleased with the quality of their products:
http://www.co-du-co.com/ .

Tony/WA8SSQ

4970. Great Ham Speakers!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 20:50:39 UTC
From: JR31882@aol.com
Message-ID: <aphjj4$ol6$4@bob.news.rcn.net>
Source record: 37881

Perfect amateur radio speakers. Increase intelligibilty, less hiss, great bass, less fatigue during long time spent listening. Check out:

http://www.soundssweet.com

4971. Heath SS-9000 ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 20:57:07 UTC
From: Henry Kolesnik <wd5jfr@oklahoma.net>
Message-ID: <urokp6kci4ale2@corp.supernews.com>
Source record: 37882

The Heath SS-9000, not a kit is from about 1982 and has a port to be controlled by a computer. I understand that at the time Heath was promoting its H-8 and had some control programs for the pair. Does anyone have a copy or a IBM PC compatible program that they would care to share?
tnx
hank wd5jfr

4972. Ten Tec Pegasus and ladder line feeders?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 21:54:55 UTC
From: denton <denton@oregontrail.net>
Message-ID: <aphn4iqht1@news.apaynet.com>
Source record: 37883

Hi all...
Anyone using a Ten Tec Pegasus haveing rf problems when using ladderline to feed a multi-band antenna?
I have a lead on a used Peggy...the antenna system here is an 80 mtr delta loop used on 80 thru 10 meters fed with 450 ohm ladder line to a Johnson Matchbox in the shack.
My current rigs, an Icom 718 and a Corsair II show no rf problems.
Thanks in advance de Denton WB7TDG

4973. Pinout needed: Astatic D-104 and Robyn DG-1300

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 22:11:26 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <apooruc2idil61sc04j13l72gs1aoeqkdb@4ax.com>
Source record: 37884

I was wondering if anyone happened to have information on wiring the
D-104 microphone for a Robyn DG-1300 CB.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

4974. Need help ID'ing parts.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 22:57:27 UTC
From: Mitch Monger <squidmonkeySPAMZILCH@yahoo.com>
Message-ID: <squidmonkeySPAMZILCH-F520DD.14584627102002@nnrp02.earthlink.net>
Source record: 37885

Hi, I literally live in a junkyard. An old illiterate guy lived here
until he passed away a couple of years ago. He was a junk dealer and had
things piled in "thematic" piles. In the pile that seemed to be for old
radio equipment I found some of these odd objects. I enjoy listening to
shortwave, but I don't know much about electronics yet. I don't have
much money and am trying very hard to make a living on eBay. I was
hoping that some of you knowledgeable folks could ID some of these parts
I've found, and let me know if they are worth anything. Pictures of the
parts are at:
http://www.hackse.com/ebay/radioparts/unkrad.html
Thank you for your time.
-Mitch

4975. CONVERSION INFO Motorola P200 to 54 Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-27 23:33:39 UTC
From: msisco9939@aol.com
Message-ID: <20021027183339.27737.00000799@mb-mf.aol.com>
Source record: 37886

HI:

I am requesting (any) Ham or Tech that has sucessufully
made the Modifications to move a 42-50 Mhz P200 / MT1000
to 54 mhz.

I am very serius about making these Mods, and wish for anyone
who has made them to perhaps share with me the value and location
of what parts were change.

Here is some photos of the Laser Trim Caps I suspect need to be
change.

http://www2.4dcomm.com/metrotech/lb_coil1.jpg

http://www2.4dcomm.com/metrotech/lb_pic1.jpg

http://www2.4dcomm.com/metrotech/lb_pic2.jpg

http://www2.4dcomm.com/metrotech/lb_pic3.jpg

Monty

4976. Re: Need help ID'ing parts.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 00:14:50 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <urp05rd8uvgeec@corp.supernews.com>
Source record: 37887

plate choke
power resistors
rotory relay
power resistor

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Mitch Monger" <squidmonkeySPAMZILCH@yahoo.com> wrote in message
news:squidmonkeySPAMZILCH-F520DD.14584627102002@nnrp02.earthlink.net...
> Hi, I literally live in a junkyard. An old illiterate guy lived here
> until he passed away a couple of years ago. He was a junk dealer and had
> things piled in "thematic" piles. In the pile that seemed to be for old
> radio equipment I found some of these odd objects. I enjoy listening to
> shortwave, but I don't know much about electronics yet. I don't have
> much money and am trying very hard to make a living on eBay. I was
> hoping that some of you knowledgeable folks could ID some of these parts
> I've found, and let me know if they are worth anything. Pictures of the
> parts are at:
> http://www.hackse.com/ebay/radioparts/unkrad.html
> Thank you for your time.
> -Mitch

4977. Re: TRA-4 Rotor Controller Info Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 00:41:45 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailnospamorama.com>
Message-ID: <o%1v9.23719$Be4.18944@news.bellsouth.net>
Source record: 37891

Send Norm an Email. He should be able to tell you
--
73,
Chuck
KE4ETH

"Ron" <news2@remthis.rongross.com> wrote in message
news:izUu9.858$rw1.75224365@newssvr13.news.prodigy.com...
> I have a TRA-4 rotor (as stamped on the bottom rim of the top housing),
not
> sure of the manufacturer. It has has no controller. It is a 4 wire
rotor.
> It looks just like the one on the top/right of Norms rotor repair
page....
>
> http://www.rotorservice.com/
>
> ....except it is not a tower mount, rather, a pole mount version.
>
> I am wondering if anyone has the schematic to or any advice on building a
> simple controller to allow the rotor to be used manually. I have looked
at
> Norms repair site, but don't find any info there, just repair prices.
>
> Thanks for any info one may have....Ron
>
>

4978. Re: TRA-4 Rotor Controller Info Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 01:32:00 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3DBC936D.4CE6875E@tampabay.rr.com>
Source record: 37888

why not email norm and ask him or email the guys at rotordoc and ask them
either place should be able to help you out i'll bet norms even got a control
box for it
good luck

Ron wrote:

> I have a TRA-4 rotor (as stamped on the bottom rim of the top housing), not
> sure of the manufacturer. It has has no controller. It is a 4 wire rotor.
> It looks just like the one on the top/right of Norms rotor repair page....
>
> http://www.rotorservice.com/
>
> ....except it is not a tower mount, rather, a pole mount version.
>
> I am wondering if anyone has the schematic to or any advice on building a
> simple controller to allow the rotor to be used manually. I have looked at
> Norms repair site, but don't find any info there, just repair prices.
>
> Thanks for any info one may have....Ron

4979. Re: Pinout needed: Astatic D-104 and Robyn DG-1300

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 01:44:24 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3DBC9655.9060FE78@tampabay.rr.com>
Source record: 37889

hey andy why dont you go back to the CB store and ask them the pin out
hell they could even solder it for you so you dont have to
remember to put in a new battery and crank up the gain on the mic so you
can get a really good signal on 2 meters

Andy KC2SSB wrote:

> I was wondering if anyone happened to have information on wiring the
> D-104 microphone for a Robyn DG-1300 CB.
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA Grid FM29vw
> http://vhfradiobuff.tripod.com

4980. Schematics and tech info needed for old tube CB's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 02:54:46 UTC
From: Ed - VA3ES <va3es@rac.ca>
Message-ID: <Il1v9.766$qD2.208078@news20.bellglobal.com>
Source record: 37890
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb

Hi All;

I'm in the process of restoration and 10M-conversion of three tube-type AM CB radios:
The first is a Pierce-Simpson "Guardian-23,", and the second unit is a "Cardon Spitfire", (which is identical to the Robyn T-123, and very similar to the Kris 23). The last is an oddball - a Canadian made "Chisholm GRS-1566"

I'm missing schematics and other technical info for these radios. There is suitable info in Sams CB series CB-35 (Robyn T-123) and in CB-8 for the Guardian 23. Would anyone have either of these Sams books, or any schematics/service info for these rigs? I'll gladly pay for copies of the technical info.

Thanks, and vy 73,

Ed, VA3ES
va3es@hotmail.com

4981. Radio Club of JHS 22 NYC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 03:28:08 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <apiarh015as@enews1.newsguy.com>
Source record: 37893

Recently someone posted a message about the "Radio Club of JHS 22 NYC" --
would that person please post the article again -- as I recall, it was not
good news -- something about donated equipment.

Thanks.

No, I do not represent "Radio Club of JHS 22 NYC."

--

Regards,
Joe S.

4982. Re: Need advice: soldering equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 03:32:54 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailnospamorama.com>
Message-ID: <F82v9.23774$Be4.8900@news.bellsouth.net>
Source record: 37892

60/40.

15 watt

--
73,
Chuck
KE4ETH

"Andy KC2SSB" <vhfradiobuff@yahoo.com> wrote in message
news:nkjoruoftisuoja4j9vnoom5k68mb29qos@4ax.com...
> I was wondering if anyone could offer advice on the type of soldering
> iron to use and the type of solder to use to wire up a microphone.
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA Grid FM29vw
> http://vhfradiobuff.tripod.com

4983. Re: Need help ID'ing parts.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 04:46:35 UTC
From: Jack and Jo <jackandjo@wi.net>
Message-ID: <3DBCC12B.8A48F865@nospamwi.net>
Source record: 37894

Item 3 is an old telephone company #5 crossbar switch wiper I believe. Don't know any value if any?

Jack

Mitch Monger wrote:

> Hi, I literally live in a junkyard. An old illiterate guy lived here
> until he passed away a couple of years ago. He was a junk dealer and had
> things piled in "thematic" piles. In the pile that seemed to be for old
> radio equipment I found some of these odd objects. I enjoy listening to
> shortwave, but I don't know much about electronics yet. I don't have
> much money and am trying very hard to make a living on eBay. I was
> hoping that some of you knowledgeable folks could ID some of these parts
> I've found, and let me know if they are worth anything. Pictures of the
> parts are at:
> http://www.hackse.com/ebay/radioparts/unkrad.html
> Thank you for your time.
> -Mitch

4984. FS Henry 2K Classic Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 06:14:37 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <hB4v9.9556$Fj6.865603@newsread1.prod.itd.earthlink.net>
Source record: 37895

I have a nice Henry 2K Classic stand up console for $900.00 pick up only Los Angeles, CA.

You may view it on my web page under amateur amplifiers

http://radioleo.tripod.com/leo/id25.html

Thank You & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

4985. FS Bird Elements

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 06:18:21 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <NE4v9.9562$Fj6.866146@newsread1.prod.itd.earthlink.net>
Source record: 37896

I have some Bird Elements for sale

250H..........$50.00

100C...........$50.00

1000H.........$70.00

You may view it under accessories on my web page

http://radioleo.tripod.com/leo/id25.html

Thank You & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

4986. FS Yaesu Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 06:23:43 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <PJ4v9.9573$Fj6.866713@newsread1.prod.itd.earthlink.net>
Source record: 37897

I have a list of some Yaesu goodies, hope you like them.................

Yaesu SP-102P Phone Patch/Speaker.....$95.00

Yaesu FC-707 Antenna Tuner...........$120.00

Yaesu " In The Box" FV-707DM External VFO...$120.00

Yaesu "Brand New In The Box" MR-7 Rack for the FT-707....$30.00

Yaesu "Brand New In The Box" FRB-707 Amp/Relay.........$39.00

Yaesu FV-101Z FT-101ZD Matching External VFO.........$80.00

Yaesu FF-501 TVI Filter.............$20.00

(2) Yaesu Landliner Speaker/Phone Patch........$50.00 each

Thank You & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

4987. FS Heathkit SB-221

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 06:40:03 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <7Z4v9.9592$Fj6.867760@newsread1.prod.itd.earthlink.net>
Source record: 37798

I have a nice Heathkit SB-221 amplifier for $550.00.

You may view it on my web page under amateur amplifiers

http://radioleo.tripod.com/leo/id25.html

Thank You & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

4988. WTB; APHEX DOMINATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 12:39:10 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <Odav9.31184$Mb3.1325071@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37799

Price and Condition

Bill Salerno mailto:w2onv@ att.net 201 368 3655 <<<<

4989. Anyone make a TNC cable for their Yaesu HT?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 13:41:19 UTC
From: cprstn54zz@att.net
Message-ID: <3dbd3d4d.196351328@news-server.optonline.net>
Source record: 37800

The one I made won't key PTT and it is all heat-shrink sealed up, so I have to ruin it to start experimenting.

The manual says use a 2 kOhm resistor on the MIC/PTT lead. I had a 2.2 kOhm, so I used that.

I tested all leads of my cable at the TNC end and they all test out OK. When I checked two speaker-mics I had, they showed 700 Ohms and 1.1 kOhms for the MIIC/PTT lead with PTT closed. Maybe the manual meant 1 kOhm? Anone else make one that works?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

4990. FS or trade. icom 821H dual band satellite all mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 14:04:56 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <Ntbv9.46628$cG.549236@twister.kc.rr.com>
Source record: 37801
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

I have have a icom 821H dual band satellite all mode rig forsale or trade.
Its 2 meter and 440 all mode with the tone board installed.
Comes with original box manual mic power cord.
The light on the right side of radio is out.
The lights for the meter and left side work fine.
This radio has 1 so 239 and one N for ufh.
$750 + shipping u.s only
Would like to trade for.
icom 706 with cr 502 crystal installed.
or 706 mark 2 or mark 2-G
Plus $ how much will depend on witch radio is offered and what comes with
it.
Please e-mail for picture.
I also have a comet duplexer forsale the radio will have to go before i sell
the duplexer since i need it for the radio $40 + shipping. u.s only

4991. Need help with Galaxy V xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 14:13:35 UTC
From: k5dh@raytheon.com
Message-ID: <jCbv9.1574$Bd4.11872@dfw-service2.ext.raytheon.com>
Source record: 37802
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I bought a Galaxy V xcvr and remote VFO at a hamfest
this weekend. Didn't get a p/s or a manual with it,
although it does have the crystal calibrator and VOX
units installed (I've been told they were optional).
I know they made a plain Galaxy V, a Mk.I, a Mk.II,
and a Mk.III model. How do I tell which one I have?
I've never messed with any Galaxy gear before. The
front panel and the label on the rear panel just say
"Galaxy V". I'll need a manual, but I need to know
which one to beg for. :)

Thanks and 73,
Dean K5DH

4992. Need parts for Heath MT-1 Cheyenne

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 14:16:49 UTC
From: k5dh@raytheon.com
Message-ID: <lFbv9.1575$Bd4.12150@dfw-service2.ext.raytheon.com>
Source record: 37803
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I bought a fixer-upper Heath MT-1 Cheyenne transmitter
at a hamfest this weekend. I need the following parts:

- "Spotting" switch
- four of the smaller knobs (satin finish style)
- unbroken dial drum (yeah, I know, they're very scarce)

73,
Dean K5DH

4993. Re: Anyone make a TNC cable for their Yaesu HT?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 15:26:45 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3DBD570A.27D07D62@tampabay.rr.com>
Source record: 37804

hey ken
i would check with MFJ they make a lot of differnt cables for differnt radios and TNCs
good luck

Ken wrote:

> The one I made won't key PTT and it is all heat-shrink sealed up, so I
> have to ruin it to start experimenting.
>
> The manual says use a 2 kOhm resistor on the MIC/PTT lead. I had a
> 2.2 kOhm, so I used that.
>
> I tested all leads of my cable at the TNC end and they all test out
> OK. When I checked two speaker-mics I had, they showed 700 Ohms and
> 1.1 kOhms for the MIIC/PTT lead with PTT closed. Maybe the manual
> meant 1 kOhm? Anone else make one that works?
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

4994. DC Convertor DP 5 Icom 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 16:29:14 UTC
From: Rachid <rachid@intnet.mu>
Message-ID: <apjoce$mt9$1@news.intnet.mu>
Source record: 37805

I am wondering if anybody can tell me where I can purchase/order the DC convertor DP 5 for Icom 720. This part is located on the logic unit of this transceiver.

Thanks

Rachid - 3B8FP

4995. Re: Need advice: soldering equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 17:20:13 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <1HC9PSk1zFBDLBo7647dEXG1ONIw@4ax.com>
Source record: 37806

"Chuck/KE4ETH" <chuck_hawks@hotmailnospamorama.com> wrote:

>60/40.
>
>15 watt

See your neighborhood Radio Shack. Any small soldering iron or gun, 60 watts or less, with a sharp pencil tip, will work for this and other general soldering chores. Plus a nice hunk of 60/40 lead/tin with a rosin core.

Bob
k5qwg

4996. Re: Need help with Galaxy V xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 18:09:51 UTC
From: Bill M <exray@no>
Message-ID: <urqv71s4dur29@corp.supernews.com>
Source record: 37807
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

K5DH wrote:
>
> I bought a Galaxy V xcvr and remote VFO at a hamfest
> this weekend. Didn't get a p/s or a manual with it,
> although it does have the crystal calibrator and VOX
> units installed (I've been told they were optional).
> I know they made a plain Galaxy V, a Mk.I, a Mk.II,
> and a Mk.III model. How do I tell which one I have?
> I've never messed with any Galaxy gear before. The
> front panel and the label on the rear panel just say
> "Galaxy V". I'll need a manual, but I need to know
> which one to beg for. :)
>
> Thanks and 73,
> Dean K5DH

I've got some Galaxy gear here. The 'Mark' models will say so on the front panel so yours is apparently an original Galaxy V. Tubes in the VFO, right?
I have a manual copy here for the 5, VFO and PS but its 40-odd pages and I have no way to make free copies. I could mail it and you copy and return it or whatever.
Plus I've got two junker rigs (if you need any parts) and three good power supplies and a station console..any of which wouldn't mind a new home.
If your VFO is 'virgin' and hasn't had any mods I need some information from it.
Tnx,
Bill WX4A
exray@caribe.net

4997. Re: Pinout needed: Astatic D-104 and Robyn DG-1300

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 19:46:18 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <apk469$3dp$1@slb2.atl.mindspring.net>
Source record: 37808

I wonder if it is the 8 wire/6 wire or the 4 wire one? I wonder if it is the 'pre-amped' version or not?

I could help him out but since he is such an AHole I wont bother.

Dan/W4NTI

"Dennis Kaylor" <k4oxg@tampabay.rr.com> wrote in message news:3DBC9655.9060FE78@tampabay.rr.com...
> hey andy why dont you go back to the CB store and ask them the pin out
> hell they could even solder it for you so you dont have to
> remember to put in a new battery and crank up the gain on the mic so you
> can get a really good signal on 2 meters
>
>
> Andy KC2SSB wrote:
>
> > I was wondering if anyone happened to have information on wiring the
> > D-104 microphone for a Robyn DG-1300 CB.
> > =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> > 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> > Beachwood, NJ USA Grid FM29vw
> > http://vhfradiobuff.tripod.com
>

4998. Does mic switcher really work?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 20:11:21 UTC
From: ham-it-up <123@456.789>
Message-ID: <urr6fll86ml5c9@corp.supernews.com>
Source record: 37809

A company called New Communications Solutions is advertising in QST a microphone switcher that they say can match any microphone to any radio. Does this work? Why would I want one of these?
73

4999. Frtisel FB23 te koop

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 20:36:39 UTC
From: "Frans Schwartz (PA5CA)" <schwartz@tebenet.nl>
Message-ID: <rdhv9.2387681$oa7.84798177@Flipper>
Source record: 37810

Beste radio vrienden, ik heb te koop een heuse Fritsel FB 23 met 3Kw ballun.

Vraag prijs 85 Euro.

pa5ca@amsat.org

Frans Schwartz.

5000. Re: Does mic switcher really work?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 21:02:30 UTC
From: dplatt@radagast.org
Message-ID: <urr9f6rcp61t9b@corp.supernews.com>
Source record: 37811

>A company called New Communications Solutions is advertising in QST a
>microphone switcher that they say can match any microphone to any radio.
>Does this work?

In principle, a product of this sort _could_ work quite nicely. I have no information as to whether this particular product works as advertised.

> Why would I want one of these?

Microphones differ in their voice characteristics (frequency response), pickup pattern (e.g. omni vs. cardioid), output signal levels, impedance, requirement for a power supply, and so forth. They also differ physically (handheld vs. stand-supported of various sorts, etc.) and in the sorts of plugs and jacks that they supply or require.

Let's say, for instance, that you happen to have a desktop microphone which has a low-impedance (150 ohm) output, and which has characteristics that you find useful (e.g. a frequency response which emphasizes your voice in a way which helps you cut through pileups). Let's also say that you buy a new rig, which requires the use of higher-impedance microphones (e.g. 600 ohms) and whose factory-supplied microphone is not to your liking.

You can either live with the factory-supplied mike, or buy a new one which is compatible with your rig, or figure out some way to adapt your existing desk microphone to the new rig. The latter is what a product of this sort would do.

For a person with only one rig, it might be easier and cheaper to just buy a new microphone. The more different rigs that you use, and the more microphone types you buy or collect, the more useful a flexible adapter would become. People who collect vintage microphones might find a device of this sort to be a big trouble-saver.

If I were building something like this, I'd probably build it with its own independent microphone preamp stage (with switch-selectable loading and gain, and a balanced input circuit to provide good common-mode hum rejection), a buffered output circuit to sent a suitable-level signal to the rig (again, with selectable gain), and some sort of modular connector capability for both the mike and the rig(s). Multiple inputs and outputs would be a plus, as would a "smart" switching feature which would automatically activate a microphone input whenever the mike's PTT switch was closed.

On the topic of vintage microphones... at www.surplusshed.com you can buy an ElectroVoice dynamic microphone, originally made for the Army

as model M-43/U, for all of $15. The ad says it's an omni, but
references I've found elsewhere on the Net suggest that it's a
cardioid... I think it was used for broadcast applications. XLR
female connector and a standard mike-stand bushing. Unused surplus;
the one I got was still in the original sealed packaging. It's a
low-Z mike (150 ohms); I need to cobble up a way to hook it to my
Kenwood TS-2000.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

5001. Re: Does mic switcher really work?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 21:37:10 UTC
From: ham-it-up <123@456.789>
Message-ID: <urrbg8106h16d7@corp.supernews.com>
Source record: 37812

----- Original Message -----
From: "Dave Platt" <dplatt@radagast.org>
Newsgroups: rec.radio.amateur.equipment
Sent: Monday, October 28, 2002 4:02 PM
Subject: Re: Does mic switcher really work?

<snip>

Funny you should say this... The ad indicates it does have all these
features plus it switches cw keyer and speaker audio from radios. Maybe I
should try it.
73

> If I were building something like this, I'd probably build it with its
> own independent microphone preamp stage (with switch-selectable
> loading and gain, and a balanced input circuit to provide good
> common-mode hum rejection), a buffered output circuit to sent a
> suitable-level signal to the rig (again, with selectable gain), and
> some sort of modular connector capability for both the mike and the
> rig(s). Multiple inputs and outputs would be a plus, as would a
> "smart" switching feature which would automatically activate a
> microphone input whenever the mike's PTT switch was closed.
> --
> Dave Platt <dplatt@radagast.org> AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
> boycott any company which has the gall to send me such ads!

5002. Re: TRA-4 Rotor Controller Info Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-28 22:14:53 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <UOKcnWxSWP2XWCCgXTWc3Q@ctc.net>
Source record: 37813

Why didn't you post your real email address ? I sent you a copy of a schematic of an ar-22 which is a 4 wire unit and probalby the same as yours ?

"Ron" <news2@remthis.rongross.com> wrote in message news:izUu9.858$rw1.75224365@newssvr13.news.prodigy.com...
> I have a TRA-4 rotor (as stamped on the bottom rim of the top housing), not
> sure of the manufacturer. It has has no controller. It is a 4 wire rotor.
> It looks just like the one on the top/right of Norms rotor repair page....
>
> http://www.rotorservice.com/
>
> ....except it is not a tower mount, rather, a pole mount version.
>
> I am wondering if anyone has the schematic to or any advice on building a
> simple controller to allow the rotor to be used manually. I have looked at
> Norms repair site, but don't find any info there, just repair prices.
>
> Thanks for any info one may have....Ron
>
>

5003. FT100D AM transmit distortion

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 00:18:09 UTC
From: jburke1296@aol.com
Message-ID: <20021028191809.07628.00001072@mb-mn.aol.com>
Source record: 37814

I have an FT100D that works fine in all modes but AM. Reports on all bands report muffled distortion. I am using the stock mike & I have reduced the modulation down to 25% and I am not using the processor. I seem to recall in the FT100 writeup in QST that they encountered the same problem. My question is has anyone reccomended a fix for this problem or is this a gotcha from Yaesu.

Jim N1VFZ

5004. FS: Bencher BY-2 Chrome Paddle

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 00:31:59 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <m1lrruc719av1jbqfnq4aar0pbp1dvr631@4ax.com>
Source record: 37815

Hello, I have for sale a very nice Bencher BY-2 Chrome paddle. It is in mint condition and I will ship for $85. Please email me with any questions. Thanks, Mike
mfunaro@worldnet.att.net

5005. Schematic for Nye Viking MBIV or MBV..need!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 00:40:30 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DBDD8FD.CDE1BB01@qth.com>
Source record: 37818
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment
Body handling: Binary attachment payload not displayed: radioranch.vcf

Need to see what someone did to this thing hihi!! Its an MB;4 but 5
will work Im sure...could you scan it or tell me where one
is...appreciate it..73 Murray

[One or more binary attachments are retained only in the source text.]

5006. FS: Alinco DJ-191

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 00:56:29 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <11lv9.99931$kF.15970175@twister.columbus.rr.com>
Source record: 37816

For Sale DJ-191 by Alinco. Unit is about 2 years old. It looks and works like new. I have the original box, manual and drop in charger. I also have a spare EBP-37n batt and MFJ speaker/mike for it. I am asking $100 and this will include shipping to the lower 48. For more info, please call 419-675-0747 or email k8srb@arrl.net.
Stan

5007. FS: 2 meter deviation monitor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 00:57:04 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <A1lv9.99932$kF.15970529@twister.columbus.rr.com>
Source record: 37817

For sale D-144 two meter deviation monitor manufactured by RF Applications.
Tuning range is from 144.5 to 148 MHz. It operates from external 12-16 VDC.
If you would like to see it, I have jpg of the monitor. The unit looks and
works like new. I am asking $80 and this includes shipping to the lower 48.
For more info, please call 419-675-0747 or email k8srb@arrl.net.
Stan

5008. Re: Simplex frequencies to use in a new radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 01:32:28 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <5v2dnf-FHYPFbiCgXTWcqg@ctc.net>
Source record: 37825

Unless you live in an unuaual area all normal FM on vhf and above (not counting some microwave stuff) is narrow band width (5 Khz).

The simplex frequencies will depend on the area you are in. You can usually count on 146.52 and go up in increments of 15 khz from there (.535, .550) . You may also find some in use around 147.585.

"Jeffrey P. Bonn" <spamresistantemail@adelphia.net> wrote in message news:3DBDED41.5080504@adelphia.net...
> I have my Technician license, and I am going
> to buy a handheld 2 meter radio soon.
>
> What -simplex- frequencies should I program the
> radio for? My copy of the band plan shows four
> ranges of frequencies for FM simplex voice, but
> it doesn't show what frequencies people are actually using.
>
> Also, are the frequecies wide bandwidth or narrow bandwidth?
>
>

5009. Re: FT100D AM transmit distortion

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 01:35:01 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <bdprru4lmv0i2ivscdunfiot3017sdl5ol@4ax.com>
Source record: 37819

On 29 Oct 2002 00:18:09 GMT, jburke1296@aol.com (JBurke1296) wrote:

> I have an FT100D that works fine in all modes but AM. Reports on all bands
>report muffled distortion. I am using the stock mike & I have reduced the
>modulation down to 25% and I am not using the processor. I seem to recall in
>the FT100 writeup in QST that they encountered the same problem. My question
>is has anyone reccomended a fix for this problem or is this a gotcha from
>Yaesu.

The FT-100D just sounds terrible on AM. The best solution is to get
the AM filter for the 100D. It supposedly clears up the distortion.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

5010. Need Ameco PT Preamplifier schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 01:35:09 UTC
From: Markus Thomerson <k5wtx@arrl.net>
Message-ID: <hBlv9.489$Ik6.34288@newsread1.prod.itd.earthlink.net>
Source record: 37820
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I need the schematic and manual for the original Ameco PT preamplifier. This is the one uses a tube and was made before the PT-2 and PT-3. The manual on the Bama site is for the PT-2 although it is listed as the PT. Please reply via email. Thanks for reading, Markus

5011. Re: Handheld radio questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 01:37:44 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <TvWdnVOaKKQJaSCgXTWcoQ@ctc.net>
Source record: 37826

YOu will get beter resuslts than with the antenna that comes on the HT. You will still hear some stations that you can not contact. Lots are using 50 to 100 watts.

The 5 watts should nto cause too many problems. You probably will get into a couple of catv stations areound chanel 18 . If so it is not your problem but the catv peoples problem for not having enough sheilding on their cable.

YOu do have to call for prices in many cases. Besure to include shipping and handling. Hamfests can be a good place to buy.

"Jeffrey P. Bonn" <spamresistantemail@adelphia.net> wrote in message news:3DBDF163.2020104@adelphia.net...
> If I put a magnet mount 2 meter antenna on the
> roof of my car, and connect it to a 5 watt handheld
> radio, will I get good results? Or, will I hear
> a lot of distant stations that my radio won't be
> able to reach?
>
> Suppose I use that 5 watt radio inside my condominium.
> Is it likely to cause any interference? If so, what
> devices would be most affected: cordless phones,
> FM radio, or cable TV?
>
> Handheld radios don't seem to have squelch knobs.
> Is the squelch level set through a menu instead?
> Perhaps squelch doesn't matter much when using CTCSS codes?
>
> Finally, what is the best way to shop for a radio?
> Most web sites say "call for price". Do I have to
> call/email every supplier to get the best deal?
>

5012. Re: FT100D AM transmit distortion

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 01:51:56 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <apkpjo$7rq$1@slb6.atl.mindspring.net>
Source record: 37821

Shut up Andy...you can't even solder a mic connector.

Now to comment on the poster.....the 100 has distorted audio in all modes.
Including SSB. This is based on what I have heard on the air.

When using a ssb sorta radio to transmit AM you are running in the linear
mode. Thus the settings are critical. I realise you are being told to set
it for about 25 watts output in AM mode. Try reducing this. I have found
that 15 is more likely the best spot.

Also if that rig has the ability to shift its carrier insert frequency try
moving it around a bit. Without good test gear you will need to rely on on
the air reports. Which may or may not be a good thing.

Hope that helps some.

Dan/W4NTI

"Andy KC2SSB" <vhfradiobuff@yahoo.com> wrote in message
news:bdprru4lmv0i2ivscdunfiot3017sdl5ol@4ax.com...
> On 29 Oct 2002 00:18:09 GMT, jburke1296@aol.com (JBurke1296) wrote:
>
> > I have an FT100D that works fine in all modes but AM. Reports on all
bands
> >report muffled distortion. I am using the stock mike & I have reduced the
> >modulation down to 25% and I am not using the processor. I seem to recall
in
> >the FT100 writeup in QST that they encountered the same problem. My
question
> >is has anyone reccomended a fix for this problem or is this a gotcha from
> >Yaesu.
>
> The FT-100D just sounds terrible on AM. The best solution is to get
> the AM filter for the 100D. It supposedly clears up the distortion.
> =-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA Grid FM29vw
> http://vhfradiobuff.tripod.com

5013. Simplex frequencies to use in a new radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 02:05:43 UTC
From: "Jeffrey P. Bonn" <spamresistantemail@adelphia.net>
Message-ID: <3DBDED41.5080504@adelphia.net>
Source record: 37822

I have my Technician license, and I am going
to buy a handheld 2 meter radio soon.

What -simplex- frequencies should I program the
radio for? My copy of the band plan shows four
ranges of frequencies for FM simplex voice, but
it doesn't show what frequencies people are actually using.

Also, are the frequecies wide bandwidth or narrow bandwidth?

5014. Re: Pinout needed: Astatic D-104 and Robyn DG-1300

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 02:17:19 UTC
From: foxyie@inwind.it
Message-ID: <Pcmv9.73239$r7.1447501@twister.tampabay.rr.com>
Source record: 37823

Breaker Breaker,

Maybe you should try rec.radio.cb

"Andy KC2SSB" <vhfradiobuff@yahoo.com> wrote in message
news:apooruc2idil61sc04j13l72gs1aoeqkdb@4ax.com...
> I was wondering if anyone happened to have information on wiring the
> D-104 microphone for a Robyn DG-1300 CB.
> =-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA Grid FM29vw
> http://vhfradiobuff.tripod.com
>

5015. Handheld radio questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 02:23:21 UTC
From: "Jeffrey P. Bonn" <spamresistantemail@adelphia.net>
Message-ID: <3DBDF163.2020104@adelphia.net>
Source record: 37824

If I put a magnet mount 2 meter antenna on the
roof of my car, and connect it to a 5 watt handheld
radio, will I get good results? Or, will I hear
a lot of distant stations that my radio won't be
able to reach?

Suppose I use that 5 watt radio inside my condominium.
Is it likely to cause any interference? If so, what
devices would be most affected: cordless phones,
FM radio, or cable TV?

Handheld radios don't seem to have squelch knobs.
Is the squelch level set through a menu instead?
Perhaps squelch doesn't matter much when using CTCSS codes?

Finally, what is the best way to shop for a radio?
Most web sites say "call for price". Do I have to
call/email every supplier to get the best deal?

5016. WTB:TR-7 ITEMS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 02:42:52 UTC
From: Joe Hargis <joehargis@worldnet.att.net>
Message-ID: <MAmv9.11291$VJ5.682384@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37827

Still looking for accessories: Aux-7, Digital Control board, filters,
calibrator.
Tell condition and price. Tnx -Joe in MO

5017. Re: Simplex frequencies to use in a new radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 02:55:33 UTC
From: "Jeffrey P. Bonn" <spamresistantemail@adelphia.net>
Message-ID: <3DBDF8EB.6090802@adelphia.net>
Source record: 37828

Ralph Mowery wrote:

> The simplex frequencies will depend on the area you are in. You can usually
> count on 146.52 and go up in increments of 15 khz from there (.535, .550) .
> You may also find some in use around 147.585.

Thanks, I will ask around locally to get the whole story.

5018. Re: Simplex frequencies to use in a new radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 03:07:39 UTC
From: Idontwantspam@net
Message-ID: <3dbdf976.55667705@news.bellatlantic.net>
Source record: 37829

On Tue, 29 Oct 2002 02:05:43 GMT, "Jeffrey P. Bonn"
<spamresistantemail@adelphia.net> wrote:

>I have my Technician license, and I am going
>to buy a handheld 2 meter radio soon.
>
>What -simplex- frequencies should I program the
>radio for? My copy of the band plan shows four
>ranges of frequencies for FM simplex voice, but
>it doesn't show what frequencies people are actually using.
>
>Also, are the frequecies wide bandwidth or narrow bandwidth?
>
The simplex frequencies have some national standards, but will vary
with your area. Often repeater guides will also indicate common
simplex for certain areas as well. A local radio club would also be
helpful.

146.520 is the National Simplex frequency.

For some areas, the hams who work with emergency communications have
set up a different simplex one for their area.

There's a lot of people and repeaters on 2M. Narrow 5 kHz spacing
helps.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

5019. Re: BAD GUY ALERT! - Steven A. Giron AD6GO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 03:43:20 UTC
From: Fah Q Too <a@b.c>
Message-ID: <stnv9.51971$Sk6.4983667@news1.telusplanet.net>
Source record: 37831
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

ya. even something simple like . ._ _ _ _ .
simple and effective. + rude. lol. but. I am a touch outa tune cause I
haven't a place to throw up HF. :(

Dev

"People Suck" <you@suck.com> wrote in message
news:3DB58A86.2CEC78EA@suck.com...
> from your remarks, I see you haven't talked to any of the Generals or
Extras in your area and quized
> them to see if they actually still or ever knew morse code. Don't ASK
them if they still know it,
> punch out something in code and see if they can tell you what you sent!
The results will shock the
> hell out of someone like yourself. Of course, I am assuming that YOU even
remember any of the code
> yourself to do this experiment!
>
> Of course you do. Only someone as pro-code as you are would actually know
and use it.
>
>
>
> ----------
> NEW DISCLAIMER....
>
> I will no longer respond to idiotic replies to my posts made by trolls for
the sole reason of trying to
> keep an argument going. My statements can be easily understood and are
always facts. If you reply to
> one of my posts and I don't respond, it means your reply was so idiotic
that I can not waste time
> responding to it. The fact that anyone responds to this post shows that
they believe the opposite,
> that my post is worth the time to respond, which therefore will prove my
point. Thanks in advance for
> proving me right.
>
>
>

5020. FT/FS Icom FL-30 SSB filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 04:08:08 UTC
From: KC8SSG <kc8ssg@yahoo.com>
Message-ID: <IQnv9.458$dF1.5649@news>
Source record: 37830
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

I have a Icom FL-30 9.0115mhz (2.3khz/-6db)SSB filter.I'm not sure what it fits but it came in my 706 and it isn't listed as an option so I don't think it would work for this radio. I'm open to trades of any sort.Otherwise I'd like to get $65 for it not including shipping.Let me know what you got!
crandall@ee.net

--
Rob W8CRZ

5021. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 04:09:32 UTC
From: Tom Coates <tecoates@comcast.net>
Message-ID: <ZxycnXGN1KFnlCOgXTWcpA@comcast.com>
Source record: 37832
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Here's another one, "adaptable:"

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1393761740

Looks better constructed.

Tom

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:DsFr9.322$kT5.168847524@news.inreach.com...
> How cute, a custom built pill box by our friend, Drifter the builder......
>
>
> " will do 1500 to 1800 watts on 14 volts and slam a 2000 watt meter on 18
> volts "
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390014386
>
>
> Guess the doors are wide open at Ebay for the 11 meter amp biz....
>
>
>
>
>
>

5022. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 04:16:42 UTC
From: "atec77(nospam)" <"atec77(nospam)"@hotmail.com>
Message-ID: <3DBE0BAA.5BF20AAB@hotmail.com>
Source record: 37833
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Damn that would be seriously dirty and prolly a health hazard .

Tom Coates wrote:
>
> Here's another one, "adaptable:"
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1393761740
>
> Looks better constructed.
>
> Tom
>
> "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> news:DsFr9.322$kT5.168847524@news.inreach.com...
> > How cute, a custom built pill box by our friend, Drifter the builder......
> >
> >
> > " will do 1500 to 1800 watts on 14 volts and slam a 2000 watt meter on 18
> > volts "
> >
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1390014386
> >
> >
> > Guess the doors are wide open at Ebay for the 11 meter amp biz....
> >
> >
> >
> >
> >
> >

5023. Re: Handheld radio questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 05:11:11 UTC
From: "Mike G." <nospam@my.email.address>
Message-ID: <pp0sruc1rc3mfspppq7o7ubjpj84n7j086@4ax.com>
Source record: 37834

On Tue, 29 Oct 2002 02:23:21 GMT, "Jeffrey P. Bonn"
<spamresistantemail@adelphia.net> wrote:

>If I put a magnet mount 2 meter antenna on the
>roof of my car, and connect it to a 5 watt handheld
>radio, will I get good results? Or, will I hear
>a lot of distant stations that my radio won't be
>able to reach?

What works for me is if I can hear a repeater full squash,
then I can probably work it with an HT on an external
antenna. Working another station simplex is a different
story. That mostly depends on where the other guy is and
what he's using. It will be a LOT more consistant than a
rubber duck. I don't like working stations in a car on a
duck. It can get irritating for both parties.

>Suppose I use that 5 watt radio inside my condominium.
>Is it likely to cause any interference? If so, what
>devices would be most affected: cordless phones,
>FM radio, or cable TV?

The only thing I've found is more things interfere with
my radio, than the reverse, especially on 2 meters. PC's
are probably the worst offenders.

>Handheld radios don't seem to have squelch knobs.
>Is the squelch level set through a menu instead?
>Perhaps squelch doesn't matter much when using CTCSS codes?

They all have a squelch somehow. Some are knobs, some are
menu settable. It depends on the radio.

>Finally, what is the best way to shop for a radio?
>Most web sites say "call for price". Do I have to
>call/email every supplier to get the best deal?

Try the pricing at http://www.universal-radio.com/
Pretty good pricing, good selection. If you DO email or
call others about pricing, ask if they will beat the price
you find there. At least it will give you a starting point.

eBay always has a wide variety that changes daily. It's
fun just cruising and seeing what others have to offer
and what the going prices are.

73's

5024. Looking to trade JVC MiniDV for Ham Gear

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 05:32:17 UTC
From: W7KID <w7kid@arrl.net>
Message-ID: <B3pv9.156883$La5.513267@rwcrnsc52.ops.asp.att.net>
Source record: 37835

Hello everyone, my wife and I are looking to trade our JVC Mini Digital Video recorder for either HF gear, or VHV/UHF gear. Unit is about 2 years old, well over a grand invested, LOTs of accessories. Can email pics and full details upon request. It's in excellent condition. Let us know what you have to offer. We have tons of references. Thanks for your time.

73s Ken & Sallie
W7KID & KD7NVZ

5025. Re: FT100D AM transmit distortion

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 12:18:11 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <i0vsruk1e26qdgq4o4vsehg7127gkujvbc@4ax.com>
Source record: 37836

On 29 Oct 2002 00:18:09 GMT, jburke1296@aol.com (JBurke1296) wrote:

> I have an FT100D that works fine in all modes but AM. Reports on all bands
>report muffled distortion. I am using the stock mike & I have reduced the
>modulation down to 25% and I am not using the processor. I seem to recall in
>the FT100 writeup in QST that they encountered the same problem. My question
>is has anyone reccomended a fix for this problem or is this a gotcha from
>Yaesu.
>
>
>Jim N1VFZ

From the FT-100 FAQ (http://www.k0lee.com/ft100faq.html#am):

AM Settings

Gary Mitchelson, N3JPU, has done some interesting tests with the AM
settings and found some settings that work much better than the
defaults. The parameters that sound the best are: PO set to 25, Mic
gain to 40 to 50 and Carrier Level set to 225 (F51 menu). You can hear
a sample of his testing at: http://mywebpages.comcast.net/n3jpu/

Most owners who have had difficulties with AM audio quality have
reported that the 6k HZ option AM filter (p/n XF117A) is an absolute
necessity for both transmitting and receiving in AM mode.

I hope this helps.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

5026. Re: FT100D AM transmit distortion

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 12:29:01 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <23u+Pf=5J1623HwDwRhsjC+c0Gxm@4ax.com>
Source record: 37837

jburke1296@aol.com (JBurke1296) wrote:

> I have an FT100D that works fine in all modes but AM. Reports on all bands
>report muffled distortion. I am using the stock mike & I have reduced the
>modulation down to 25% and I am not using the processor. I seem to recall in
>the FT100 writeup in QST that they encountered the same problem. My question
>is has anyone reccomended a fix for this problem or is this a gotcha from
>Yaesu.
>
>
>Jim N1VFZ

If you're doing AM through your stock SSB filter, that's why it sounds muffled. You need the xf-117a 6-KHz AM filter. The wider filter will also give you much better fidelity on received AM signals.

The reason SSB is so popular nowadays, is it takes up less bandwidth than AM. If you're going to do AM, you need the wider filter to sound good :-)

Bob
k5qwg

5027. Re: Handheld radio questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 14:21:56 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <9Swv9.10239$NV.182174@news.direcpc.com>
Source record: 37838

Hi, Jeffrey...

A lot will depend on where you live. I tried a handheld and outside antenna in Ft. Worth, TX... a "hotbed of RF interference". What I found was it did a decent, not "good," job of letting locals on the repeater hear me. I lived about 20 miles out of town. However, the HT's receiver sensitivity is raised to let it hear well on a short "rubber duck" antenna. With a mag mount on the roof, I was hearing intermod, paging services, commercial radio and all sorts of "bleed-over" **when I was anywhere near the downtown area** that could wipe out even a strong signal from a repeater. If your environment is less RF-rich, it may work great. Ask some of your locals... surely some of them have tried it.

Honestly, what I found, after a couple of months, was that there were enough limitations for me to using an HT mobile, that it was time to buy a real mobile radio... even an older, used one. It WAS worth it.

Later model HTs tend to have menu-adjusted squelch that, believe it or not, works very well on the ones I've tried. I rarely have to manually adjust my TH-F6A.

You can shop around on the internet and you probably won't find $10 difference in prices between the larger dealers. Look for things like prepaid freight... some might have it and some not. Also you might find a special or two, but it's probably not worth spending the money to call a bunch of 'em.

Good luck & 73... Ed, W5EJ

"Jeffrey P. Bonn" <spamresistantemail@adelphia.net> wrote in message news:3DBDF163.2020104@adelphia.net...
> If I put a magnet mount 2 meter antenna on the
> roof of my car, and connect it to a 5 watt handheld
> radio, will I get good results? Or, will I hear
> a lot of distant stations that my radio won't be
> able to reach?
>
> Suppose I use that 5 watt radio inside my condominium.
> Is it likely to cause any interference? If so, what
> devices would be most affected: cordless phones,
> FM radio, or cable TV?
>
> Handheld radios don't seem to have squelch knobs.
> Is the squelch level set through a menu instead?
> Perhaps squelch doesn't matter much when using CTCSS codes?
>

> Finally, what is the best way to shop for a radio?
> Most web sites say "call for price". Do I have to
> call/email every supplier to get the best deal?
>

5028. Re: Alabama pill box (hey Riley, you listening?)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 14:33:38 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3dbe9c3e$1@news.netacc.net>
Source record: 37839
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

"atec77(nospam)" <"atec77(nospam)"@hotmail.com> wrote in message
news:3DBE0BAA.5BF20AAB@hotmail.com...
> Damn that would be seriously dirty and prolly a health hazard .
>
> > Here's another one, "adaptable:"
> >
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1393761740
> >

Hmm, I see no reason this would be "dirty". The unit used a crystal controlled oscillator and a high q bandbass filter for it's output stage. As far as for quality of signal if it were used for communications, that would depend on the circuits used to key it in CW, or generate the SSB signal.

I suspect that the buyer would strip out the oscillator circuits and configure this as a straight linear amplifier, driven by his transceiver. As such, it would make a fine clean amplifier. Add some LC circuits and a heavy duty bandswitch, and you have a typical amateur radio linear.

Health hazard??? You must be joking. My Collins 30 S 1 is in the same grade and I dont for a minute fear the RF from that.

Now if I were to get my carcass across the HV Plate power supply.....
that would be a health hazard :-)

Steve

5029. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 14:56:11 UTC
From: Deos <lineoffiretoday@yahoo.com>
Message-ID: <apoi61$3fp$2@nic.grnet.gr>
Source record: 37765
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

why not just put some tnt in the amplifier or c4,

--
http://deosiereas.virtualave.net
"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:R%Dt9.597$oP5.263834668@news.inreach.com...
> A group of hams who are fed up with the FCC's efforts to stop the spread
of
> illegal amplifier use are reported to be buying linear amplifiers and
> installing trojan horse mods that can burn out the receive section of
> transceivers operating out of band.
>
> The modifications detect certain transmitted frequencies and trigger a
> device installed on the amp that places a series of high voltage pulse
type
> signals across the antenna line effectively burning out the front end of
the
> receiver.
>
> Only technicians familiar with solid state circuits can detect the devices
> which are cleverly disguised as actual amplifier components.
>
> Be very careful when purchasing used amplifiers or purchasing amplifiers
> online from unknown sellers. The information that I have received
indicates
> the normal user will re-sell the amplifier which once again will perform
> it's mission un-detected during normal use. The user will think the
problem
> is his transceiver, not the amplifier. Use extreme caution.
>
>

5030. Kenwood TS-680S HF+6 Meter for SALE! (reduced)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 15:11:49 UTC
From: Tony <n5gpi@hotmail.com>
Message-ID: <Vyxv9.3887$wN4.1714@newssvr19.news.prodigy.com>
Source record: 37841
Cross-posted to:
alt.ham-radio.hf,alt.ham-radio.marketplace,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

In very nice cond. HF (160-10+) and 6 Meters w/General coverage 100w HF,10w+
6Meters w/mic and power cord. Will also trade outright for a TS-50 in
good cond. or looking to get $475.00 + shipping from 78257 (San Antonio, Tx)

N5GPI

5031. Re: Handheld radio questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 15:18:29 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <9Fxv9.46391$C53.2128447@news2.west.cox.net>
Source record: 37840

Using a mag mount with an HT will work -- many do this successfully. But be aware the HT was designed to work with a rubber duck and you may experience intermod when you use a better antenna and get close to powerful repeaters or even pagers. Mobile radios are far less susceptible to this.

As for hearing stations you can't work --- could be as you are limited to about 5 or 6 watts. And some repeaters are known as alligators -- big mouth, small ears. But usually if you are in a reasonable range of a repeater -- you will probably work them OK.
For repeater range estimation -- See URL
http://www.artscipub.com/simpleton/simp.range.html

For operating an HT inside the home -- I do it all the time with no interference -- your mileage may vary -- if so K-com filters will help with telephones and proper TV filters will help there.
For help with RFI -- see URL:
http://ac6v.com/techref.htm#RFI

Many new rigs have squelch adjustments by menu -- check the manual.

As for best price -- it as you say -- check QST, web sites and shop til you drop.

And finally -- take a look at eham reviews where folks rate their radios -- URL:
http://www.eham.net/reviews/

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com

==========
"Jeffrey P. Bonn" <spamresistantemail@adelphia.net> wrote in message news:3DBDF163.2020104@adelphia.net...
> If I put a magnet mount 2 meter antenna on the
> roof of my car, and connect it to a 5 watt handheld
> radio, will I get good results? Or, will I hear
> a lot of distant stations that my radio won't be
> able to reach?
>
> Suppose I use that 5 watt radio inside my condominium.
> Is it likely to cause any interference? If so, what
> devices would be most affected: cordless phones,
> FM radio, or cable TV?
>

> Handheld radios don't seem to have squelch knobs.
> Is the squelch level set through a menu instead?
> Perhaps squelch doesn't matter much when using CTCSS codes?
>
> Finally, what is the best way to shop for a radio?
> Most web sites say "call for price". Do I have to
> call/email every supplier to get the best deal?
>

5032. Mosley PRO57A antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 15:21:37 UTC
From: ljl160@aol.com
Message-ID: <20021029102137.10905.00000082@mb-fh.aol.com>
Source record: 37842

Still have FS the PRO57A beam. 7 elements, 10-12-15-17-20 meter coverage, 5kw pep, all stainless, 24 ft boom, and in great put up condition. This is a 1 owner antenna run only at 100 watts and up only 40 ft. Will last for years and give troublefree service. Does an easy 8db fwd and 18-25 db f to b ! The owner is having to move to senior housing so I took it down for him. I can ship stateside no problem. Oh and 40 or 30 can be added by a factory kit and will give u 2 el on either band @4db gain as I recall. $450 will include packing, shipping, and insurance. Thanks for the read and 73s Lew KlNDV

5033. Interference in car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 16:10:06 UTC
From: ddevani@chat.carleton.ca
Message-ID: <apmbsu$iu0$1@driftwood.ccs.carleton.ca>
Source record: 37844

I was wondering if anyone has a simple fix for my problem. Whenever i take my scanner into a car I get static on most channels when the car is on. I can basically hear the acceleration of the car as a steady background ringing which rings at a higher frequency when acceration occurs. When the car is turned off the scanner can be used properly. There are no problems with the cars radios. What do you guys think?

5034. FS:Alinco DJ-X10T Communications Receiver .1-2 khz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 16:11:09 UTC
From: msdbm@aol.com
Message-ID: <20021029111109.23665.00000059@mb-cr.aol.com>
Source record: 37843

ALINCO DJ-X10T WIDE RANGE SCANNING RECEIVER

THIS RADIO IS IN ABSOLUTELY NEW CONDITION!
TWO MONTHS OLD AND NEVER OUT OF THE HOUSE
A HIGH QUALITY RADIO......ALL METAL CONSTRUCTION

MULTI-MODE RECEIVER WITH 1200 MEMORY CHANNELS
40 Channels in 30 Banks......DUAL VFO's
100 KHZ THROUGH 2 GHZ COVERAGE (cellular excluded)
WFM, NFM, AM, USB, LSB, and AM MODES
THREE LINE ALPHA-NUMERIC CHANNEL DESIGNATIONS
MULTI-FUNCTION CHANNEL SCOPE DISPLAY (spectrum analyzer)
MULTI-SCAN MODES
INTERNAL HELP FUNCTION
BEGINNER AND EXPERT OPERATING MODES
AUTO TIMER, ON/OFF, CLOCK
BACKLIT DISPLAY AND KEYS

THIS IS A GREAT RADIO FOR THE PROFESSIONAL OR BEGINNER
IT DOES IT ALL!
CHECK THE ALINCO WEB SITE FOR A DETAILED LIST OF ALL IT'S BELLS AND WHISTLES!

$250.00 Shipped anywhere in 48 states
JOE K2JAD
Will E-Mail photos upon request.

5035. Re: Interference in car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 17:21:15 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <apmg2asif1@slb7.atl.mindspring.net>
Source record: 37845

How are you obtaining the voltage to power the scanner?

If its via the 'cigarette plug' then that is likely the problem.

You are picking up alternator and various other things generated in the car electrical system. Perhaps a wire straight to the battery or you could try a tap off the fuse going to the radio in the car. It may have a bit more shielding/filtering.

If not...go to radio shack and buy a brute force in line filter for 12v system in the car.

Dan/W4NTI

"Devang Devani" <ddevani@chat.carleton.ca> wrote in message news:apmbsu$iu0$1@driftwood.ccs.carleton.ca...
>
> I was wondering if anyone has a simple fix for my problem. Whenever i
> take my scanner into a car I get static on most channels when the car is
> on. I can basically hear the acceleration of the car as a steady
> background ringing which rings at a higher frequency when acceration
> occurs. When the car is turned off the scanner can be used properly.
> There are no problems with the cars radios. What do you guys think?

5036. Documentation of receivers and scanners.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 18:58:59 UTC
From: percom <percom@zonnet.nl>
Message-ID: <apmm6q$d2j$16@reader1.tiscali.nl>
Source record: 37846

For manuals of measuring instruments, receivers, scanners etc. look at:
www.percom.myweb.nl

For sale >>> documentation.

e-mail: percom@zonnet.nl

5037. Re: Simplex frequencies to use in a new radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 19:12:36 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnartnd3.i42.nobody@animas.frontier.net>
Source record: 37847

On Mon, 28 Oct 2002 21:32:28 -0400, Ralph Mowery hath writ:
>
> The simplex frequencies will depend on the area you are in. You can usually
> count on 146.52 and go up in increments of 15 khz from there (.535, .550) .
> You may also find some in use around 147.585.

"...on 146.52 and go up..."
and down
"...in increments of 15 khz from there..."

Same-o in the 147. segment.

Eventually you'll run into some appliance operator
on 146.52 Mcs that'll ask you: "Gee, What repeater is this?"

Jonesy
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

5038. Yaesu Frog7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 19:45:42 UTC
From: Adrian <ar015c4396@wideblueyonder.co.uk>
Message-ID: <LABv9.15128$8c5.7128@news-binary.blueyonder.co.uk>
Source record: 37748
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

Folks
Just acquired a Frog-7 - badged 'Sommerkamp'.
Help! The tone quality of the audio is horrible!!
It sounds like everything is underwater!

The tone is responding to the tone switch and is marginally improved by
using an external speaker (but not much). Volume control is working OK and
there's no audible distortion - just a very narrow audio range.

Can anything be done? All help appreciated

Thanks

Adrian

--
1950's British Battery Tube Portables
See them and more at: http://www.geocities.com/portable_tubes
anti-spam: remove 'wide' to reply

5039. Re: Handheld radio questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 19:53:55 UTC
From: dplatt@radagast.org
Message-ID: <urtpqjn6h6bgce@corp.supernews.com>
Source record: 37749

>If I put a magnet mount 2 meter antenna on the
>roof of my car, and connect it to a 5 watt handheld
>radio, will I get good results?

This should be adequate for working most local repeaters. You'll almost certainly get better range out of the HT than you would with its own rubber-duck antenna.

> Or, will I hear
>a lot of distant stations that my radio won't be
>able to reach?

This might be the case for distant, high-power stations or repeaters, but that'll always be the case. Your range is probably going to depend a lot more on having a reasonably clear line-of-sight to the distant station, than it is to small differences in your power level or antenna type.

>Suppose I use that 5 watt radio inside my condominium.
>Is it likely to cause any interference? If so, what
>devices would be most affected: cordless phones,
>FM radio, or cable TV?

I think you're unlikely to cause significant interference under those conditions, with any of the devices you've mentioned.

I haven't experienced any interference from my 2-meter radios (up to 100 watts FM from a roof antenna when I was experimenting with trying to hit a distant repeater). At 440, I was able to make my solar-powered motion-detector light in the driveway switch on, when I keyed up from my vehicle-mobile rig at 25 watts at a distance of about 10'.

>Handheld radios don't seem to have squelch knobs.
>Is the squelch level set through a menu instead?

Usually, yes.

>Perhaps squelch doesn't matter much when using CTCSS codes?

Squelch matters!

A lot of repeaters don't put tone on their output, so you can't always depend on this. Using tone on simplex is tricky at best (I think it's practical only if you're working with a specific set of people such as an ARES group, at a specific event).

Fortunately, in "portable" operation, you can usually set your squelch level once for a given repeater and not have to change it unless your position changes greatly (e.g. you go into a building which has a lot of computers or other RF-noisy devices operating).

The lack of a separate squelch knob is one of the things which makes an HT less than wonderful for vehicle-mobile operation. Vulnerability to intermod interference is another. As you drive around almost any metro area, you're likely to find an HT being de-squelched repeatedly by intermod interference from paging transmitters, high-power amateur or other transmitters on nearby frequencies, etc. Having to try to fiddle with an HT's menu structure to adjust the squelch is *not* something you want to do while driving!

Mobile rigs tend to have better front-end RF filtering against intermod, and separate squelch knobs... intermod is less of a problem, and you can adjust the squelch without having to take your eyes off of the road.

>Finally, what is the best way to shop for a radio?
>Most web sites say "call for price". Do I have to
>call/email every supplier to get the best deal?

Very probably, yes.

Remember, also, that aftermarket support can count for a lot, and that you're somewhat more likely to get decent support from a vendor who does not regularly offer the rockbottom prices on most equipment. A dealer who offers the best discount prices may not be willing to help out with problems, "DOA" or defective-when-purchased products, etc. and will simply refer you to the manufacturer's repair facility (Google around to read some of the horror stories about slow or bad repair support!). The bigger, established dealers (e.g. AES and HRO among others) may charge slightly higher prices, but they're more likely to be willing to help out with over-the-counter exchanges, returns, and so forth.

I've found, over the years, that "buying cheap can be very expensive".

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will boycott any company which has the gall to send me such ads!

5040. FS: Nye Viking MB-V-A antenna tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 20:18:20 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <dsqtru0qsvdajjjoaapcgcjvamms6vvn15@4ax.com>
Source record: 37750

I have for sale a Nye Viking MB-V-A antenna tuner in excellent condition....On a scale of 1 to 10 its a 9.5......There are no scratches or any marks and from a non-smoker....I have the original manual and will ship it anywhere in the 48 states for $550....They sell new for over $900 and this one I have looks like new....If interested call me at (508) 821-2993 or email......WZ1U Steve / Lakeville, Ma.

5041. Using Regency 10.7 IF Scanner Crystals Instead Of Bearcat 10.8 IF Crystals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 22:27:20 UTC
From: "Buford T. Justice" <BTJustice@gmx.net.no.spam>
Message-ID: <cXDv9.3$CR7c.2359454@news2.randori.com>
Source record: 37751
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

I wonder if it would make sense to use Regency crystals in my Bearcat scanners as there are way more of them. Is that as reliable as the actual Bearcat crystals? Now these are the frequencies I want to monitor with my Bearcat III / IV...

155.415
153.980
157.450
155.340
155.055
39.500
162.400
159.210
453.250

Now if I want to get these frequencies through the use of Regency crystals, I would need (if I am doing my math correctly)...

155.315
153.880
157.350
154.955
39.400
162.300
159.110
453.150

Does that sound correct? If so, might anyone have any of those in Regency crystals they would want to get rid of?

Sincerely,
BTJustice

5042. Re: Using Regency 10.7 IF Scanner Crystals Instead Of Bearcat 10.8 IF Crystals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 22:39:57 UTC
From: "Buford T. Justice" <BTJustice@gmx.net.no.spam>
Message-ID: <07Ev9.4$CR7c.2687133@news2.randori.com>
Source record: 37752
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

Forgot something. For 155.340 I would need a 155.240 Regency crystal.

Sorry,
BTJustice

"Buford T. Justice" <BTJustice@gmx.net.no.spam> wrote in message
news:cXDv9.3$CR7c.2359454@news2.randori.com...
> I wonder if it would make sense to use Regency crystals in my Bearcat
> scanners as there are way more of them. Is that as reliable as the actual
> Bearcat crystals? Now these are the frequencies I want to monitor with my
> Bearcat III / IV...
>
> 155.415
> 153.980
> 157.450
> 155.340
> 155.055
> 39.500
> 162.400
> 159.210
> 453.250
>
> Now if I want to get these frequencies through the use of Regency
crystals,
> I would need (if I am doing my math correctly)...
>
> 155.315
> 153.880
> 157.350
> 154.955
> 39.400
> 162.300
> 159.110
> 453.150
>
> Does that sound correct? If so, might anyone have any of those in Regency
> crystals they would want to get rid of?
>
> Sincerely,
> BTJustice
>
>
>

5043. FA: YAESU FT-51R DUAL BAND HT, VHF/UHF **NICE**

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 22:53:18 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DBF1204.7B3A0CF3@optonline.net>
Source record: 37753
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.swap,alt.ham-radio.vhf-uhf

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392945596

5044. Kenwood TU-79

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 23:15:27 UTC
From: George Andrews <gandrews@ntplx.net>
Message-ID: <3EEv9.22$JS2.2496@news.ntplx.net>
Source record: 37754

To All

I am looking for a TU-79 tone board for a friend, so I don't have the bottom line for price. The tone board is for a KW 7930/7950 series 2 M radios. The tone board may have had other applications that I am not aware of. Anyone have one of these and what's the asking price?

--
George Andrews, RRPT
N1YAE FN31kj
gandrews@ntplx.net

5045. Re: Simplex frequencies to use in a new radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 23:23:23 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uru5tb2vqabd3d@corp.supernews.com>
Source record: 37755

146.52MHz.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Jeffrey P. Bonn" <spamresistantemail@adelphia.net> wrote in message
news:3DBDED41.5080504@adelphia.net...
> I have my Technician license, and I am going
> to buy a handheld 2 meter radio soon.
>
> What -simplex- frequencies should I program the
> radio for? My copy of the band plan shows four
> ranges of frequencies for FM simplex voice, but
> it doesn't show what frequencies people are actually using.
>
> Also, are the frequecies wide bandwidth or narrow bandwidth?
>
>

5046. Re: Kenwood TU-79

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 23:29:12 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DBF19C8.B39B1E49@erols.com>
Source record: 37756

**Hi George,
I have a Kenwood TS 7950 and a tone board. Simple plug in but it
only gives you a choice of 3 tones. You have to cut the diodes
according to the operating manual and pick the tones you want.
Believe it or not, I have not used the unit since the repeaters I
normally stay on do not have PL.

I notice that one of the three PLs has two diodes cut so it must be
already set for a specific tone. I would have to check the book to
find out but they can be resoldered. Since I am not using it, make
an offer. I have no idea what they are worth. Small unit, measures
about 2 1/2" long X 1" X maybe 1/8" thick and plugs into the 7950.
Has two screw holes that I believe are already in place inside the
transceiver. PS: Don't believe it has any other applications.
73 Murray, K3BEQ

George Andrews wrote:
>
> To All
>
> I am looking for a TU-79 tone board for a friend, so I don't have the bottom
> line for price. The tone board is for a KW 7930/7950 series 2 M radios. The
> tone board may have had other applications that I am not aware of. Anyone
> have one of these and what's the asking price?
> --
> George Andrews, RRPT
> N1YAE FN31kj
> gandrews@ntplx.net

5047. Re: Kenwood TU-79

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-29 23:54:41 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DBF1FC1.2D710BAB@erols.com>
Source record: 37757

***Addendum to my previous message. Your friend will need the
operating manual for the 7930/7950 to determine which diodes to cut
to setup the selected tones. I can reproduce a copy if he does not
have one.
73 Murray, K3BEQ

George Andrews wrote:
>
> To All
>
> I am looking for a TU-79 tone board for a friend, so I don't have the bottom
> line for price. The tone board is for a KW 7930/7950 series 2 M radios. The
> tone board may have had other applications that I am not aware of. Anyone
> have one of these and what's the asking price?
> --
> George Andrews, RRPT
> N1YAE FN31kj
> gandrews@ntplx.net

5048. WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 00:26:43 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DBF2743.2718067A@erols.com>
Source record: 37758

WANTED: YASEU FT-225RD 2 meter all mode from the 1980s. Contact kf4goq@arrl.net directly, not me. Thanks.

73, Murray, K3BEQ

5049. PR-52 HT Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 00:55:36 UTC
From: N1RZB <n1rzb@110.net>
Message-ID: <urubhdebpobj19@corp.supernews.com>
Source record: 37759

From: "N1RZB" <n1rzb@110.net>
Newsgroups: rec.radio.amateur.equipment
Sent: Saturday, October 26, 2002 11:29 AM
Subject: Schematic forPryme PR-52

> I'm looking for a schematic for the Pryme PR-52 HT. Tried Pryme but they
> weren't forthcoming and didn't want to help. Quote, "Send the HT to us. We
> will repair it"
>
> Thanks
> Dave
>

5050. Re: Using Regency 10.7 IF Scanner Crystals Instead Of Bearcat 10.8 IF Crystals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 02:12:24 UTC
From: Harry <marnells@cox.net>
Message-ID: <ceHv9.58573$vq2.1739875@news1.east.cox.net>
Source record: 37760
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

I used to do that... when it would work. Sometimes using UHF crystals
in VHF slots (or vice versa) will come out to a "real" frequency.
Sobtract the 10.7 or 10.8 (or 10.85) , then multiply x 3; then add back
the 10.7 or whatever.

F'r instance railroad freq 160.65 - 10.7 = 149.95; x3 = 449.85; + 10.7
= 460.55

harry

You can play with that for hours... or make a little app to do it for
you in Excel or something

"Buford T. Justice" <BTJustice@gmx.net.no.spam> wrote in message
news:cXDv9.3$CR7c.2359454@news2.randori.com...
> I wonder if it would make sense to use Regency crystals in my Bearcat
> scanners as there are way more of them. Is that as reliable as the
actual
> Bearcat crystals? Now these are the frequencies I want to monitor
with my
> Bearcat III / IV...
>
> 155.415
> 153.980
> 157.450
> 155.340
> 155.055
> 39.500
> 162.400
> 159.210
> 453.250
>
> Now if I want to get these frequencies through the use of Regency
crystals,
> I would need (if I am doing my math correctly)...
>
> 155.315
> 153.880
> 157.350
> 154.955
> 39.400
> 162.300
> 159.110

> 453.150
>
> Does that sound correct? If so, might anyone have any of those in
Regency
> crystals they would want to get rid of?
>
> Sincerely,
> BTJustice
>
>

5051. FS: Kenwood VS-2 Voice Synthesizer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 02:29:42 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <vqgurugq1frekg3vuli4f3rkmk3q0rm2dm@4ax.com>
Source record: 37761

Hello, I have for sale a Kenwood VS-2 Voice Synthesizer. It is in mint condition. I will ship for $50.
Thanks, Mike
mfunaro@worldnet.att.net

5052. FS: Icom UT-102 Voice Sythensizer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 02:38:24 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <tchurucoegmec27ooam78f0tejognv5r7u@4ax.com>
Source record: 37762

I have for sale a Icom UT-102 Voice Sythensizer. It is new and never
used. I will ship for $50.
Thanks, Mike
mfunaro@worldnet.att.net

5053. Re: Handheld radio questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 09:03:55 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <apoonl22hl4@enews4.newsguy.com>
Source record: 37768

"Jeffrey P. Bonn" <spamresistantemail@adelphia.net> wrote in message
news:3DBDF163.2020104@adelphia.net...
> If I put a magnet mount 2 meter antenna on the
> roof of my car, and connect it to a 5 watt handheld
> radio, will I get good results? Or, will I hear
> a lot of distant stations that my radio won't be
> able to reach?

I had to do that for the first six months of operation in my own case. It surprisingly increased my range.... was able to hit repeaters 30+ miles or more away and it definitely increased my simplex operating range.

>
> Suppose I use that 5 watt radio inside my condominium.
> Is it likely to cause any interference? If so, what
> devices would be most affected: cordless phones,
> FM radio, or cable TV?

I have seen a little on FM and on non-cabled TV from time to time, but this was on old TV's and radios. Not saying you will have that same problem though....

>
> Handheld radios don't seem to have squelch knobs.
> Is the squelch level set through a menu instead?
> Perhaps squelch doesn't matter much when using CTCSS codes?

Some do have a squelch setting and some don't. Some have a button that you can push to hear unsquelched audio for as long as you can push the button. CTCSS tones are nice especially when ya have a repeater that seems to have other repeaters around the state that get's into it from time to time. Our repeater here in Midland, MI 147.000 has competition with the Kalamazoo, and I believe Detroit area repeaters on the same frequency..... running the PL tones on input and output helps some.

>
> Finally, what is the best way to shop for a radio?
> Most web sites say "call for price". Do I have to
> call/email every supplier to get the best deal?

First decide on the model you wish to purchase. This can be a challenge, but decide on the features that seems to fit your needs the most after you have decided on types of usage you think you may have for it.

Yes, you might have to call some of the retailers but some retailers have enough integrity to stick to a price for at least a certain period of the publishing of the ad.... or on a website.

Good Luck,

--
Ryan, KC8PMX
FF/MFR
REMOVE "NOSPAM" in email address to reply.

5054. Re: Handheld radio questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 09:07:21 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <apoonp32hl4@enews4.newsguy.com>
Source record: 37769

Oh yeah... forgot something..... There are a variety of mobiles within a decent price range. From time to time I have seen sold on sales for around the $125-150 mark. May be a possible alternative? Definitely more than 5 watts.

--
Ryan, KC8PMX
FF/MFR
REMOVE "NOSPAM" in email address to reply.

"Jeffrey P. Bonn" <spamresistantemail@adelphia.net> wrote in message news:3DBDF163.2020104@adelphia.net...
> If I put a magnet mount 2 meter antenna on the
> roof of my car, and connect it to a 5 watt handheld
> radio, will I get good results? Or, will I hear
> a lot of distant stations that my radio won't be
> able to reach?
>
> Suppose I use that 5 watt radio inside my condominium.
> Is it likely to cause any interference? If so, what
> devices would be most affected: cordless phones,
> FM radio, or cable TV?
>
> Handheld radios don't seem to have squelch knobs.
> Is the squelch level set through a menu instead?
> Perhaps squelch doesn't matter much when using CTCSS codes?
>
> Finally, what is the best way to shop for a radio?
> Most web sites say "call for price". Do I have to
> call/email every supplier to get the best deal?
>

5055. Re: Interference in car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 09:09:23 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <apoonr42hl4@enews4.newsguy.com>
Source record: 37770

As well as utilizing an exterior antenna may help also on top of the power delivery issues Dan mentioned. Not saying it is the total solution, but it *may* help. It helped in my case with my scanner.....

--
Ryan, KC8PMX
FF/MFR
REMOVE "NOSPAM" in email address to reply.

"Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in message
news:apmg2asif1@slb7.atl.mindspring.net...
> How are you obtaining the voltage to power the scanner?
>
> If its via the 'cigarette plug' then that is likely the problem.
>
> You are picking up alternator and various other things generated in the
car
> electrical system. Perhaps a wire straight to the battery or you could
try
> a tap off the fuse going to the radio in the car. It may have a bit more
> shielding/filtering.
>
> If not...go to radio shack and buy a brute force in line filter for 12v
> system in the car.
>
> Dan/W4NTI
>
> "Devang Devani" <ddevani@chat.carleton.ca> wrote in message
> news:apmbsu$iu0$1@driftwood.ccs.carleton.ca...
> >
> > I was wondering if anyone has a simple fix for my problem. Whenever i
> > take my scanner into a car I get static on most channels when the car is
> > on. I can basically hear the acceleration of the car as a steady
> > background ringing which rings at a higher frequency when acceration
> > occurs. When the car is turned off the scanner can be used properly.
> > There are no problems with the cars radios. What do you guys think?
>
>

5056. FS: HW-9

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 10:43:57 UTC
From: aokd5fxt@aol.com
Message-ID: <20021030054357.06279.00000255@mb-cn.aol.com>
Source record: 37763

10-80 METERS WITH WARC BANDS. NO POWER CORD, BUT RIG WORKS PRETTY GOOD. I
RIGGED ONE UP FOR TESTING. A COUPLE OF SCRATHES ON TOP, FACE IN GOOD CONDITION.
$180 SHIPPED CONUS. PURCHASED AS PART OF AN ESTATE SALE.

BILL, KD5FXT

5057. Yaesu FT-8900 wide RX?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 11:16:43 UTC
From: Erik Finskas <lakki@iki.fi>
Message-ID: <3DBFBF9B.8010107@iki.fi>
Source record: 37764
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf,uk.radio.amateur

Hi all.

I finally got my new mobile rig, the Yaesu FT-8900.

Its a great radio though, but wide RX around 10m and 6m would be nice to have.

I did some research with the solder pads next to the processor, but I was unsuccessfull revealing new features or band limits. The modification archive www.mods.dk have the MARS/CAP modification available, which extends the TX on 2m/70cm and opens the 29.700-30.000MHz gap, but nothing else.

Weird thing was, that the radio would not even boot with some jumper configuration.

I have a US-model of the radio, and also would like to modify it to EU-version to keep the TX range in the european bandsplits. UHF for example is now 10MHz too wide, as there is no ham traffic here on 440-450, its allocated for LMR/PMR.

If anyone had better results with the modifications, or know some key combinations to active features, I would like to hear from You. Also if someone has already a european model, I would like to know the jumper settings of Your radio.

73
Erik OH2LAK

5058. FS: Ten Tec OMNI-6 Plus Station

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 12:41:49 UTC
From: jonweiner@aol.com
Message-ID: <20021030074149.21471.00002013@mb-mu.aol.com>
Source record: 37766

Pristine condition Ten Tec Omni 6 Plus station. Station includes the Omni-6 Plus transceiver. This is a real Omni-6 Plus, not a conversion or factory update. Also included is the model 961 Power Supply/Speaker, and the model 705 Desk Microphone, as well as the original factory manual. In perfect cosmetic and operating condition. Shipped in the original Ten Tec carton. Price for all $1450.

5059. JRC NRD 545 With PC Control Program Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 12:53:25 UTC
From: Robert11 <rgsrose@tiac.net>
Message-ID: <apokv6$mm2$1@slb5.atl.mindspring.net>
Source record: 37767

Hello:

For anyone out there using a JRC NRD 545 with a PC control program:

Was wondering if you've run into the need to initially preload, or
"pre-condition" the memories in the radio
with any frequency first, before you can download new frequencies from a PC
conctrol program file
to the radio ? (with the new frequencie(s) replacing the one(s) preloaded)

If so, any idea why this is required ?

Thanks,
Bob

5060. FA: Classic Tempo S15 working 2 meter HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 14:35:27 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <53Sv9.269$H02.92@news.bellsouth.net>
Source record: 37771

Wife says I have to sell another one of my favorite radios.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394128624

5061. Re: Interference in car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 15:22:46 UTC
From: ddevani@chat.carleton.ca
Message-ID: <apotg6$3gg$1@driftwood.ccs.carleton.ca>
Source record: 37772

Ya, I'm actually running on battery pack when in the car that's why I
figured it was kinda weird hearing the noises when the car is on.

KC8PMX (kc8pmx@NOSPAMdiamondcs.net) wrote:
> As well as utilizing an exterior antenna may help also on top of the power
> delivery issues Dan mentioned. Not saying it is the total solution, but it
> *may* help. It helped in my case with my scanner.....

> --
> Ryan, KC8PMX
> FF/MFR
> REMOVE "NOSPAM" in email address to reply.

> "Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in message
> news:apmg2asif1@slb7.atl.mindspring.net...
> > How are you obtaining the voltage to power the scanner?
> >
> > If its via the 'cigarette plug' then that is likely the problem.
> >
> > You are picking up alternator and various other things generated in the
> car
> > electrical system. Perhaps a wire straight to the battery or you could
> try
> > a tap off the fuse going to the radio in the car. It may have a bit more
> > shielding/filtering.
> >
> > If not...go to radio shack and buy a brute force in line filter for 12v
> > system in the car.
> >
> > Dan/W4NTI
> >
> > "Devang Devani" <ddevani@chat.carleton.ca> wrote in message
> > news:apmbsu$iu0$1@driftwood.ccs.carleton.ca...
> > >
> > > I was wondering if anyone has a simple fix for my problem. Whenever i
> > > take my scanner into a car I get static on most channels when the car is
> > > on. I can basically hear the acceleration of the car as a steady
> > > background ringing which rings at a higher frequency when acceration
> > > occurs. When the car is turned off the scanner can be used properly.
> > > There are no problems with the cars radios. What do you guys think?
> >
> >

5062. Re: Interference in car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 15:53:18 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <apov9d$650$1@slb7.atl.mindspring.net>
Source record: 37773

See how much trouble you could have saved if you mentioned that?

Are you using the antenna directly on the scanner? If so follow previous posters advice.

The problem is radiated interference from the cars electrical system. You will still need to filter it if you want it gone.

Dan/W4NTI

"Devang Devani" <ddevani@chat.carleton.ca> wrote in message news:apotg6$3gg$1@driftwood.ccs.carleton.ca...
> Ya, I'm actually running on battery pack when in the car that's why I
> figured it was kinda weird hearing the noises when the car is on.
>
> KC8PMX (kc8pmx@NOSPAMdiamondcs.net) wrote:
> > As well as utilizing an exterior antenna may help also on top of the power
> > delivery issues Dan mentioned. Not saying it is the total solution, but it
> > *may* help. It helped in my case with my scanner.....
> >
> >
> > --
> > Ryan, KC8PMX
> > FF/MFR
> > REMOVE "NOSPAM" in email address to reply.
> >
> >
> > "Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in message
> > news:apmg2asif1@slb7.atl.mindspring.net...
> > > How are you obtaining the voltage to power the scanner?
> > >
> > > If its via the 'cigarette plug' then that is likely the problem.
> > >
> > > You are picking up alternator and various other things generated in the
> > car
> > > electrical system. Perhaps a wire straight to the battery or you could
> > try
> > > a tap off the fuse going to the radio in the car. It may have a bit more
> > > shielding/filtering.
> > >

> > > If not...go to radio shack and buy a brute force in line filter for
12v
> > > system in the car.
> > >
> > > Dan/W4NTI
> > >
> > > "Devang Devani" <ddevani@chat.carleton.ca> wrote in message
> > > news:apmbsu$iu0$1@driftwood.ccs.carleton.ca...
> > > >
> > > > I was wondering if anyone has a simple fix for my problem. Whenever
i
> > > > take my scanner into a car I get static on most channels when the
car is
> > > > on. I can basically hear the acceleration of the car as a steady
> > > > background ringing which rings at a higher frequency when acceration
> > > > occurs. When the car is turned off the scanner can be used properly.
> > > > There are no problems with the cars radios. What do you guys think?
> > >
> > >
>
>

5063. FS: Misc Magazines and more

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 16:36:36 UTC
From: Jeff Chase <jchase@coe.neu.edu>
Message-ID: <oUTv9.14644$FS5.2474@nwrddc04.gnilink.net>
Source record: 37774

I have old QST Magazines from early 70's, 60's, and possiblely earlier.

Also have a few Amatuer Radio Handbooks (1968, etc)

The Radio Amateurs Journal from early 70's, 60's, and possiblely earlier.

Have a Antenna Relay Unit BC-442 AM manu by Colonial Radio Corp for the Army
(Not sure of working cond.)

IC Active Filter-QF1 - Manu Autek Research (Not sure of working cond.)

Philmore Junior Microphone in Box (Not sure of working cond.)

Also have a bunch of vacuum tubes and electron tubes, pretty sure they do
not work (look blown)

Location: North of Boston, MA

Email me,

Can email pictures if you want to see the stuff

5064. Help with Wavetek 3001 Signal Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 18:54:04 UTC
From: David Black <dblack4@earthlink.net>
Message-ID: <dblack4-C631E5.10535030102002@nnrp04.earthlink.net>
Source record: 37775
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi,

I'm in need of assistance in repairing the power supply in my Wavetek 3001 Signal Generator. What I'm looking for is the schematic for the power supply. I have a maintenance/repair manual but the ps schematic does not match the ps in the unit.

My generators ps uses discrete components for voltage regulation and only has 1 voltage adjustment pot. The schematic shows voltage regulators(LM395 & LM317) and 2 adjustment pots.

If you should have the schematic I'm looking for I would appreciate a copy. Thanks

david
KG6BTC

--
--
David Black <dblack4@earthlink.net>

5065. Re: Using Regency 10.7 IF Scanner Crystals Instead Of Bearcat 10.8 IF Crystals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 20:13:33 UTC
From: w8ems@juno.com
Message-ID: <59af69d5.0210301213.49abb677@posting.google.com>
Source record: 37776
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

"Buford T. Justice" <BTJustice@gmx.net.no.spam> wrote in message
news:<cXDv9.3$CR7c.2359454@news2.randori.com>...
> I wonder if it would make sense to use Regency crystals in my Bearcat
> scanners <snip>
>
> Sincerely,
> BTJustice

Remove your 10.8 MHz IF crystal, find an old Regency or Radio Shack
scanner, remove the 10.7 IF crystal and install it in your Bearcat.
Then use the Regency Crystals marked with the proper frequency. Yes,
it will work, have done it many times.

de W8EMS, Jim

5066. Re: Interference in car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 21:27:22 UTC
From: "John C." <caps@cablespeed.com>
Message-ID: <us0jls6kpdh486@corp.supernews.com>
Source record: 37777

> > > > on. I can basically hear the acceleration of the car as a
steady
> > > > background ringing which rings at a higher frequency when
acceration
> > > > occurs. When the car is turned off the scanner can be
used properly.
> > > > There are no problems with the cars radios. What do you
guys think?
> > >
Some suggestions.

Try two or three snap-on rf chokes on the alternator leads
>
Use a grounding strap between the hood and the body - Is
surprising how this often helps especiallly if two straps are
used - one on each corner near the hinge.

Sometimes it is the electric fuel pump that makes the noise. You
can check this by having the scanner on and turning the car to
on, but not starting it. The fuel pump will usually run for two
or three seconds to built up pressure. IT you hear the noise
during this time then you probally have fuel pump noise. RF
chokes can be used here as well.

Also sometimes the fuel injectors cause noise - check grounds
and make sure engine is well grounded to body and body to frame.
Shielding braid from an old piece of coax cable works well for
this.

If you use an outside antenna, make sure that your are not
routing the antenna wire along side of other wires from the
wiring harness. They often carry digital noise that can bleed
into your antenna.

You didn't say what kind of car or what type of ignitition
system. Each has its own quirks. Check to see if you have good
quality ignition wires and proper type of resistor plugs.

Another trick that sometimes works is to remove the antenna from
the scanner if its a handheld, replace it with a resistor and
"sniff" around the engine compartment with it to try and localize
the noise. Holding it near the noise source will help identify
the source. If your scanner is not a handheld, use a piece of
coax with a resistor shorted across the end as the "sniffer"

Hope this helps - sometimes the noise comes from multiple sources. Wiper motors, fans, pumps, dashboard displays, computers, even fan belts have been known to cause noise. Let us know what worked for you.

John C
KC3LX

5067. WANTED: Bearcat III / IV Scanner Crystals (USED)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 21:44:59 UTC
From: "Buford T. Justice" <BTJustice@gmx.net.no.spam>
Message-ID: <tpYv9.76$CR7c.26607692@news2.randori.com>
Source record: 37778
Cross-posted to: alt.radio.scanner,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.scanner,rec.radio.swap

I have been DESPERATELY looking for 10.8 IF crystals for my Bearcat III scanner. I need the following listening frequencies...

155.415
153.980
157.450
155.340
155.055
39.500
162.400
159.210
453.250

I suppose 10.7 IF crystals would work in it if I used...

155.315
153.880
157.350
155.240
154.955
39.600
162.300
159.110
453.150

I would either like to trade 1 for 1 with crystals I have now that I cannot use in my area or buy cheaply.

Sincerely,
BTJustice

5068. FS:SK-410, J MILLEN COUNTER +

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 22:27:03 UTC
From: Heytubeguy <heytubeguy@worllnet.att.net>
Message-ID: <X0Zv9.36930$Mb3.1612714@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37779

SK-410 NIB, ANTENNA NOISE BRIDGE, 4 & 5 PIN SOCKETS, MILLEN TURNS COUNTER,SIMPSON 390 METER,BIRD L.P.FILTER: Do seller search on eBay under heytubeguy

73 Joe

5069. Re: Help with Wavetek 3001 Signal Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-30 22:40:10 UTC
From: Chuck Harris <cfharris@erols.com>
Message-ID: <appn29$4qj$1@bob.news.rcn.net>
Source record: 37780
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi,

The manual I have for the 3001 has a 723, and a 1458, and one adjustment pot.

It is identified as: DPS 2/DPS2-1 Revision H.

Better?

73,

Chuck, WA3UQV

David Black wrote:

> Hi,
>
> I'm in need of assistance in repairing the power supply in my Wavetek
> 3001 Signal Generator. What I'm looking for is the schematic for the
> power supply. I have a maintenance/repair manual but the ps schematic
> does not match the ps in the unit.
>
> My generators ps uses discrete components for voltage regulation and
> only has 1 voltage adjustment pot. The schematic shows voltage
> regulators(LM395 & LM317) and 2 adjustment pots.
>
> If you should have the schematic I'm looking for I would appreciate a
> copy. Thanks
>
>
> david
> KG6BTC
>

5070. Re: Interference in car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 00:10:06 UTC
From: Kenwood <noneya@biz.net>
Message-ID: <yx_v9.48961$CJ5.9630416@news3.news.adelphia.net>
Source record: 37781

It's going to be from either the ignition wires, the electrical fuel pump or the alternator.
Simple to isolate the fuel pump by pulling the fuse for it and turning the car on.You can isolate the alternator by unplugging the leads for it as well.
I had a noisy fuel pump on a Ford Explorer once and found a Technical Service Bulletin about RF noise created by the fuel pump and had the dealer drop the fuel tank and put in a
new fuel pump per the TSB. See if there already is a TSB for your vehicle by searching the NHTS website
at www.nhtsa.dot.gov

Good luck,
Steve

"Devang Devani" <ddevani@chat.carleton.ca> wrote in message news:apmbsu$iu0$1@driftwood.ccs.carleton.ca...
>
> I was wondering if anyone has a simple fix for my problem. Whenever i
> take my scanner into a car I get static on most channels when the car is
> on. I can basically hear the acceleration of the car as a steady
> background ringing which rings at a higher frequency when acceration
> occurs. When the car is turned off the scanner can be used properly.
> There are no problems with the cars radios. What do you guys think?

5071. Re: FS: Yaesu VX-1R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 00:15:24 UTC
From: "Chip G." <n.1.m.i.e@snet.net>
Message-ID: <3010200219152714 80%n.1.m.i.e@snet.net>
Source record: 37782

In article <bRCt9.790$6F4.68715@newsread2.prod.itd.earthlink.net>, XXX <jopp2@earthlink.net> wrote:

> like new in box, firmware A106 which means easy mod makes it unblocked. $125
> plus shipping.

I can order one new (not LIKE new) from several mail order places for $119. Why would I purchase one from you for more?

5072. FS: Frequency Synthesizer for Drake R-4 Series

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 00:32:51 UTC
From: Bob Stein <w6nbi@earthlink.net>
Message-ID: <3DC07A29.1030505@earthlink.net>
Source record: 37784

This frequency synthesizer for the Drake R-4 series receivers was designed and built by me and was published in the August 1972 issue of "ham radio" magazine. The synthesizer provides complete coverage from 500 kHz to 30 MHz. When the Drake receiver is used as the controlling VFO in transceive mode, full operation is possible from 1.5 to 30 MHz, including the WARC bands. I will supply an original issue of the magazine (torn cover), as well as schematics of all the circuits which improved performance but were never published.

Best offer over $275. Buyer pays shipping.

Bob, W6NBI

5073. WTB: Icom Handmic Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 00:39:53 UTC
From: Jim <nj3t@floodcity.net>
Message-ID: <3dc07422_2@corp.newsgroups.com>
Source record: 37783

Does anyone have a Icom 8 pin Touch Tone mic they would like to sell ??
Preferably a HM56A or HM23 but will consider others, please describe.
Please, no bad news ..... looking for working microphone.

email me with description and price please
Thanks,

73 de Jim
email: nj3t@floodcity.net

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

5074. AOR AR 1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 00:42:29 UTC
From: Russell <rustyspam@dccnet.com>
Message-ID: <3DC07C75.9010004@dccnet.com>
Source record: 37785

Hi there,
I have the above radio but it seems to be 10-15 KHz off frequncy in all bands?... has anyone had or seen this problem?...anyone know a fix or have the scematic for the radio?..any help would be greatly appreciated!
Please reply to the following address rusty@dccnet.com
Thanks in advance-Russ

5075. FA: REALLY NICE KENWOOD AT-130 Tuner, SMALL for mobile/Field

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 03:02:10 UTC
From: rlucch2098@aol.com
Message-ID: <20021030220210.22803.00000577@mb-cg.aol.com>
Source record: 37786

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706706

5076. FA: MINT-O KENWOOD HS-5 HEADPHONES, best made!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 03:03:50 UTC
From: rlucch2098@aol.com
Message-ID: <20021030220350.22803.00000580@mb-cg.aol.com>
Source record: 37787

Many nice, clear pictures!
These are $90 new, only at $30
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706639

5077. FA: SHURE Bros. 414B Hand Microphone, No Bids @$9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 03:05:24 UTC
From: rlucch2098@aol.com
Message-ID: <20021030220524.22803.00000584@mb-cg.aol.com>
Source record: 37788

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706626

5078. fa>> Mint National "N" Velvet Vernier Tuning Dial, Attn: Builders :-)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 03:07:04 UTC
From: rlucch2098@aol.com
Message-ID: <20021030220704.22803.00000586@mb-cg.aol.com>
Source record: 37789

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706616

5079. fa- two Westinhouse 866A Mercury Rectifier Tubes in Boxes, No Bids!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 03:08:53 UTC
From: rlucch2098@aol.com
Message-ID: <20021030220853.22803.00000590@mb-cg.aol.com>
Source record: 37790

Many nice, clear pictures!
Big $9.99
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706600

5080. Fa>>->TWO(2) National Ceramic Flex Couplings>> Builders Alert

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 03:10:42 UTC
From: rlucch2098@aol.com
Message-ID: <20021030221042.22803.00000591@mb-cg.aol.com>
Source record: 37791

Many nice, clear pictures!
Big $9.99
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706582

5081. EBAY>> TWO(2) LARGE DAKA-WARE KNOBS w/SKIRTS @$9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 03:12:28 UTC
From: rlucch2098@aol.com
Message-ID: <20021030221228.22803.00000596@mb-cg.aol.com>
Source record: 37792

Many nice, clear pictures!
Big $9.99
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706570

5082. EBAY ALERT>> DRAKE AC-4 POWER SUPPLY @ a mere $39 :-(

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 03:15:16 UTC
From: rlucch2098@aol.com
Message-ID: <20021030221516.22803.00000599@mb-cg.aol.com>
Source record: 37793

Many nice, clear pictures!
Big $39.99
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706544

5083. FS: Motorola HT1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 03:43:40 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <apq8te$oa9$1@terabinaries.xmission.com>
Source record: 37794
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have forsale a Motorola HT1000 in good condition. Factory 16ch,
403-470Mhz with a NEW, 301 datecode battery and beltclip. No charger.
Asking $175 shipped. Reply to email if interested.

Dan

5084. FA: HEATHKIT "BLUE SERIES" RLC BRIDGE & Supply,Original Boxes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 04:01:43 UTC
From: rlucch2098@aol.com
Message-ID: <20021030230143.22784.00000599@mb-cg.aol.com>
Source record: 37795

Many nice, clear pictures!
Big $31.00
Please add>>http in front of the URL(address) Please!
RLC Bridge IB-5281
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706446

Supply for 5 units, IPA-5280-1 @$9.99 :-(
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706500

5085. FA> HEATHKIT/ELECTROVOICE #423A PTT MIKE STAND-A GEM!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 04:04:35 UTC
From: rlucch2098@aol.com
Message-ID: <20021030230435.22784.00000604@mb-cg.aol.com>
Source record: 37796

Many nice, clear pictures!
Big $9.99 :-(
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706387

5086. SOLD! SM 220 Kenwood Scope

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 04:05:19 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <3_1w9.4763$lk6.437140@newsread1.prod.itd.earthlink.net>
Source record: 37797
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Thanks to all that replied to my post.

73 de Rich, W6VX
Los Angeles

5087. Fa-- Remember the Radio Shack Frequency Counter? Try This>Cheep!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 04:06:20 UTC
From: rlucch2098@aol.com
Message-ID: <20021030230620.22784.00000608@mb-cg.aol.com>
Source record: 37698

Many nice, clear pictures!
Very Reasonable!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706298

5088. fa: Need 5 Like New FT-243 Crystals w/popular frequencies? Don't Miss

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 04:08:09 UTC
From: rlucch2098@aol.com
Message-ID: <20021030230809.22784.00000610@mb-cg.aol.com>
Source record: 37699

Many nice, clear pictures!
Very Reasonable!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706341

5089. FS: Drake R-4, T-4X, AC-4, MS-4

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 07:03:29 UTC
From: Bob Stein <w6nbi@earthlink.net>
Message-ID: <3DC0D59B.2070607@earthlink.net>
Source record: 37700
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Drake R-4 Receiver, T-4X Transmitter, MS-4 Speaker and AC-4 Power Supply, all with original manuals. The T-4X has full power output; the finals have had less than 25 hours of use. The R-4 is in perfect operating condition. It comes with several extra crystals, which are not needed if used with the Drake frequency synthesizer. I have at least one of the original shipping boxes.

Best offer over $325. Buyer pays shipping.

Bob, W6NBI

5090. Re: Interference in car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 11:47:05 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <us261rnahjln16@corp.supernews.com>
Source record: 37701

> Simple to isolate the fuel pump by pulling the fuse for it and
turning the
> car on.

It's usually not even necessary to do that on the newer vehicles. When the ignition is turned on without starting the car, the fuel pump runs for 2-3 seconds and then stops.

5091. Looking for JUNKER Hammarlunds

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 13:10:54 UTC
From: Al Link <K4ICL@Charter.net>
Message-ID: <us2b0bmsdfa9d@corp.supernews.com>
Source record: 37702
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Looking for junker Hammarlund transmitters and receivers from the 1960-1970 era, the more modern looking gear. Models might include the HQ-180, HQ-170, HQ-100, HQ-110, and HQ-145 series. Also HX and HL series transmitters.

By JUNKER I mean radios usually needing repair and/or servicing or may be, otherwise, in non-working condition and have appropriately LOW prices!

Please email with descriptions and/or pictures.

Cheers,

AL
K4ICL@Charter.net

5092. FS Standard HT440mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 14:04:57 UTC
From: Steve <stev@voyager.net>
Message-ID: <3dc137bf$0$1455$4c5ecdc7@news.erinet.com>
Source record: 37703

I have a as new standard HT 440 mhz with the original box manuals wall charger,and extra battery. it also has the 200 memory channel chip installed $ 130.00 = shipping and insurance. N8RKB in ohio .

5093. FS: Top Ten Devices Tower Mounted Antenna Relay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 14:09:30 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <std2su0cnhg7ehm6gv18gpj75pq67bk364@4ax.com>
Source record: 37704

I have for sale a Top Ten Devices 6 position weather proof antenna
relay. You can see a picture and specs at
http://www.qth.com/topten/twrsixwy.htm
Please email me with any questions. I will ship for $110.
Thanks, Mike N0XD
mfunaro@worldnet.att.net

5094. FS: Motorola Syntor X 100 Watt UHF mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 14:27:53 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <tbf2su0dhssfbtl0qo4aerpctpgpjii57r@4ax.com>
Source record: 37705

I have for sale a Motorola Syntor X UHF Mobile 100 watt 16 channel
radio. The model is T74VBJ7D04AK. It comes with all the normal accys.
I believe its range is 450-470 but I am using one in the 440 ham band.
Please email me with any questions. The price is $150 plus shipping.
Thanks, Mike
mfunaro@worldnet.att.net

5095. Re: FS: Yaesu VX-1R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 14:37:10 UTC
From: Jake <Jake@napster.com>
Message-ID: <qebw9.62211$gA1.2048791@news2.east.cox.net>
Source record: 37706

It has been tested

"Chip G." <n.1.m.i.e@snet.net> wrote in message
news:301020021915271480%n.1.m.i.e@snet.net...
> In article <bRCt9.790$6F4.68715@newsread2.prod.itd.earthlink.net>, XXX
> <jopp2@earthlink.net> wrote:
>
> > like new in box, firmware A106 which means easy mod makes it unblocked.
$125
> > plus shipping.
>
> I can order one new (not LIKE new) from several mail order places for
> $119. Why would I purchase one from you for more?

5096. FS: Kenwood TS-50 $475

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 15:13:30 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <uMbw9.183060$qM2.61937@sccrnsc02>
Source record: 37707
Cross-posted to:
alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

KENWOOD TS-50 with original mike, manual, pwr cord, box.

All in great shape. Non-smoker.

Asking $475 + shipping.

5097. FS: SONY AN-1 Active Antenna Kit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 15:15:50 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <GObw9.183071$qM2.61668@sccrnsc02>
Source record: 37708
Cross-posted to:
alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

SONY AN-1 Active Antenna kit with original manual & box.

$149 new, asking $75 + shipping.

You can see what it looks like at:
http://www.universal-radio.com/catalog/sw_ant/2206.html

5098. want Tektronics 465 parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 16:34:51 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <aprm3brff1@slb4.atl.mindspring.net>
Source record: 37709
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,sci.electronics.misc,misc.industry.electronics.marketplace,sci.electronics.equipment

I'm looking for a foot (348-0339-00) and a front cover (200-1412-00) for a
tektronics 465 scope.
Used parts are fine. I'd also be interested in a non-working 'Parts' 465.
Thanks
--
Steve .. AI7W
wn6bdb@hotmail.com

5099. need help using spectrum analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 17:18:27 UTC
From: Norm Waterston <nospamnail@nospam.com>
Message-ID: <aprojo$731$2@slb4.atl.mindspring.net>
Source record: 37712
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

I just purchased a used HP141T with plug-ins. Although it didn't have manuals, I was able to obtain some military technical manuals, but these seem more suited to maintenance than actual use. There is an operational section, but unclear, at least to me. I'd just like to get stated using the analyzer. Are there any places on the web with tutorials?

Thanks, in advance.

Norm

5100. WANTED=>[Saber Mic Connectors / Broken, etc]<===

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 18:02:10 UTC
From: msisco9939@aol.com
Message-ID: <20021031130210.26669.00000334@mb-cq.aol.com>
Source record: 37710

HI:

Looking for (1) or (any) Quanity of Motorola Saber Mic Connectors ! This is the one that fits on the Radio Side.

Can come from Old Mic Cables, Adaptors, or whatever you may have laying around.

Will convert them into Cash / or I have lot of stuff to trade.

Will pay for Shipping & Handling too !!

Monty

5101. HF rig, 2 meter amp, handhelds and more gear for sale/trade!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 18:26:04 UTC
From: Tony <as8383@netzero.net>
Message-ID: <0Bew9.250226$Fw2.7197850@twister.austin.rr.com>
Source record: 37711
Cross-posted to: alt.ham-radio.marketplace,alt.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.swap

Have the following items for sale or trade:

Kenwood TS-680S HF + 6 Meter Rig - All modes, all bands, full coverage
$475.00

MFJ 1278T (Turbo w/2400 Baud modem) VHF, HF all mode, Packet, Amtor, Rtty,
Cw, Fax and more w/cables no power supply (uses 12v DC).
$75.00

Icom HM-14 Touch tone hand mike w/no connector (works on any rig w/8v
supply, Kenwood, Icom, Yaesu ect.)
$50.00

Kenwood SP-120 matching speaker for 120/130/140/430/440/450/680 etc rigs
$50.00

Radio Shack HXT-202 2 meter handheld w/no so great Icom BP-8 battery (radio
used very little, excellent cond)
$80.00

BC-350 Icom quick desktop charger for BP and Super BP series batteries
$40.00

IC-U12 Commercial UHF handheld in non-working cond. had touch tone pad etc.
(no idea what it does & don't want to waste time finding out)
$15.00

Diamond HomeFree 802.11 wireless cards - One PCMCIA and Two ISA cards,
perfect cond. upgraded to Cisco aironet and don't need these.
$25.00 for ALL three cards!

IBM type 4707 (10"??) VGA monochrome monitor in excellent cond. Great for
tight spaces and communications use (cw, rtty, packet etc.) VGA modes upto
640x480
$50.00

RF Concepts VHF Amplifier model 2-315, rated at 20 in, 150 out and 40 in
170+ watts out, great amp. GasFet preamplifier in excellent cond., used very
little and bought new.
$250.00

Considering trades on some items for the following:

Icom IC-706 MK II G
Alinco DX70TH
or something on that line...

Also looking for a 10 meter mobile like a Magnum 257, RS HTX-10, or one of those clones like those rigs

Shipping for 78258 extra...

N5GPI

5102. Recommendations for "All in One" unit?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 19:24:13 UTC
From: axinar@one.net
Message-ID: <c45d35a2.0210311124.60de0ab9@posting.google.com>
Source record: 37713

Okay, having unloaded basically ALL of my accumulated stash of radio gear on eBay -- my Yaesu FT-51R and VX-5R, my Sony 2010, even my Yaesu FT-411, plus my old 12V belt-pack lead-acid pack, I've been hunting around to see if I can find something better to cover everything in as few units as possible.

This is proving easier said than done.

Had my eye on the Kenwood TH-F6A, but the reviews are saying that it is even worse on shortwave reception than the VX-5R, and that was nothing to write home about.

Yaesu VX-7R looks like a decent contender of course, particularly with the inclusion of the low power 220 transmit ability, but reviews seem to say that waterproofing the mic and speaker has lead to less-than-ideal audio peformance ... plus there are reports of all sorts of other chaos with this radio.

Kenwood TH-D7A(G) looks kind of interesting ... built in TNC. Is it correct that you just have to hook up this radio to your serial port and you're ready to go? Haven't been on packet in a long, long time. Don't suspect too many are still on the air though. However, there seem to be some "ruggedness" issues in the reviews.

I even looked at something called an Alinco DJ-X2000T just for the scanning side ... have been able to find very little in terms of reviews on this one though.

I've even been looking at the Yaesu FT-817 and FT-897 ... of course I live in an apartment so I'd have to get creative with the antenna situation if I went this route and wanted to do much on RF.

For the power situation I've been looking at one of the units from Store4power.com wich the built-in inverter.

So, basically, I'm just going to open this up to suggestions --

Here's what I'm trying to do ...

Would like a decent HF reciever capable of sideband.

Would like a decent HT capable of at least transmit on 2m and 440.

POSSIBLY would like a portable HF transciever that can operate on a portable battery and a portable antenna setup that can be done in an apartment setting.

Any suggestions appreciated.

Thanks!

Ax

5103. Re: FS: Yaesu VX-1R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 19:44:51 UTC
From: DBN <dnicholson@mcmsys.com>
Message-ID: <aps1c3$j1j$1@news.mcmsys.com>
Source record: 37714

HAHAHAH!!!! Good answer.....

"Jake" <Jake@napster.com> wrote in message
news:qebw9.62211$gA1.2048791@news2.east.cox.net...
> It has been tested
>
> "Chip G." <n.1.m.i.e@snet.net> wrote in message
> news:301020021915271480%n.1.m.i.e@snet.net...
> > In article <bRCt9.790$6F4.68715@newsread2.prod.itd.earthlink.net>, XXX
> > <jopp2@earthlink.net> wrote:
> >
> > > like new in box, firmware A106 which means easy mod makes it
unblocked.
> $125
> > > plus shipping.
> >
> > I can order one new (not LIKE new) from several mail order places for
> > $119. Why would I purchase one from you for more?
>
>

5104. Re: need help using spectrum analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 20:04:02 UTC
From: Wes Stewart <n7ws@nowhere.com>
Message-ID: <e823su8jiuf2fqlndg93jf7ii1kuji9vie@4ax.com>
Source record: 37715
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Thu, 31 Oct 2002 12:18:27 -0500, "Norm Waterston"
<nospamnail@nospam.com> wrote:

|I just purchased a used HP141T with plug-ins. Although it didn't have
|manuals, I was able to obtain some military technical manuals, but these
|seem more suited to maintenance than actual use. There is an operational
|section, but unclear, at least to me. I'd just like to get stated using the
|analyzer. Are there any places on the web with tutorials?
|
|Thanks, in advance.

Norm,

First try:

http://we.home.agilent.com/cgi-bin/bvpub/agilent/expandedresults/cp_ExpandedResults.jsp?LANGUAGE_CODE=eng&JPID=%2Ffind%2Flibrary&NID=03&NAV_ID=-11145.0.00&COUNTRY_CODE=ZZ&CT=AGILENT_COLLECTION&contentType=Editorial&entityType=ED30&subjectSelect=SUB-069

(I don't know whether this link will come through without breaks, you
may have to piece it together)

and download "Spectrum Analyzer Basics AN-150."

This will get you started but is not specific to your analyzer.

Wes N7WS

5105. FA: PAIR, MOTOROLA RADIUS SP10 RADIOS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 20:39:05 UTC
From: Daniel Hicks <w8mmq-NOSPAM@email.com>
Message-ID: <3dc194b5$0$1452$2c3e98f8@news.voyager.net>
Source record: 37716

FA: PAIR, MOTOROLA RADIUS SP10 RADIOS
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1393785524

These radios operate on VHF HI frequencies. Sixteen (16) Itinerant/Business frequencies can be switch selected. The radios come with the antenna, battery and belt clip. There is NO manual or battery charger, but these can be found elsewhere on eBay.

For dip switch settings and frequency coverage:
http://www.batlabs.com/spirit.html
Note: I am not associated with the site listed above.

73 de,
Dan, W8MMQ

Remove '-NOSPAM' to send me email

5106. Re: TRA-4 Rotor Controller Info Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 21:41:13 UTC
From: Ron <news2@remthis.rongross.com>
Message-ID: <Zrhw9.68$or4.3165291@newssvr21.news.prodigy.com>
Source record: 37717

I am sorry, I forgot to add my signature which says to remove the "rmvthis."
and then send. I don't like getting junk email usenet email ID farming.
Sorry.
--
----
remove "rmvthis." to send email
www.rongross.com

"Ralph Mowery" <rmowery@ctc.net> wrote in message
news:UOKcnWxSWP2XWCCgXTWc3Q@ctc.net...
> Why didn't you post your real email address ? I sent you a copy of a
> schematic of an ar-22 which is a 4 wire unit and probalby the same as
yours
> ?
>
>
> "Ron" <news2@remthis.rongross.com> wrote in message
> news:izUu9.858$rw1.75224365@newssvr13.news.prodigy.com...
> > I have a TRA-4 rotor (as stamped on the bottom rim of the top housing),
> not
> > sure of the manufacturer. It has has no controller. It is a 4 wire
> rotor.
> > It looks just like the one on the top/right of Norms rotor repair
> page....
> >
> > http://www.rotorservice.com/
> >
> > ....except it is not a tower mount, rather, a pole mount version.
> >
> > I am wondering if anyone has the schematic to or any advice on building
a
> > simple controller to allow the rotor to be used manually. I have looked
> at
> > Norms repair site, but don't find any info there, just repair prices.
> >
> > Thanks for any info one may have....Ron
> >
> >
>
>

5107. FA: YAESU FT-51R DUAL BAND HT, VHF/UHF **NICE**

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 22:00:02 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DC1A88B.144603B8@optonline.net>
Source record: 37718
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.swap,alt.ham-radio.vhf-uhf

> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392945596

5108. Re: Recommendations for "All in One" unit?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 22:31:11 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <RKzBPdrEqMqNSYh7vle=mB00cq+9@4ax.com>
Source record: 37719

axinar@one.net (Axinar) wrote:

>
>Here's what I'm trying to do ...
>
>Would like a decent HF reciever capable of sideband.
>
>Would like a decent HT capable of at least transmit on 2m and 440.
>
>POSSIBLY would like a portable HF transciever that can operate on a
>portable battery and a portable antenna setup that can be done in an
>apartment setting.
>
>Any suggestions appreciated.
>
>Thanks!
>
> Ax

It sounds like you want to talk on the repeaters, listen on hf, and possibly do some hf qrp. I'd just look at an Icom 706 or Yaesu ft-100 (they're both going for about $799 nowadays). You can always crank them down to qrp levels for apartment or battery operation. Listen everywhere. Talk on the repeaters. And possibly augment that with a second box, a dual-band ht, if ya just gotta have a carry-around. The 706/ft-100 would also give you enough power for mobile hf operation -- just add ham sticks and go...

Bob
k5qwg

5109. FS: ICOM-KENWOOD Voice Modules

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 22:36:12 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <mtb3su8u8nh5jge2ubsk08pkrimt4ee7he@4ax.com>
Source record: 37720

Hello, I have for sale a ICOM UT-102 and a Kenwood VS-2 Voice synthesizer board. I will ship for $50 each. Thanks, Mike mfunaro@worldnet.att.net

5110. W.T.B. G-1000SDX Rotor Box

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 22:40:37 UTC
From: rs2bk@aol.com
Message-ID: <20021031174037.03601.00000091@mb-ma.aol.com>
Source record: 37721

My rotor control box was smoked by mother nature.
Looking for another one.

Jim Roseman w9ud
Moline, IL

5111. Re: Interference in car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-10-31 22:44:20 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <4LHBPRKyht=dirU3S4xfB5exdwaL@4ax.com>
Source record: 37722

ddevani@chat.carleton.ca (Devang Devani) wrote:

>
>I was wondering if anyone has a simple fix for my problem. Whenever i
>take my scanner into a car I get static on most channels when the car is
>on. I can basically hear the acceleration of the car as a steady
>background ringing which rings at a higher frequency when acceration
>occurs. When the car is turned off the scanner can be used properly.
>There are no problems with the cars radios. What do you guys think?

What's your vehicle brand and engine? Fords are notorious for this sort of
thing, although other brands can be bad, too...

Bob
k5qwg

5112. Re: Motorola HT1000 *** SOLD ***

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 02:01:51 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <apsnajuvg1@terabinaries.xmission.com>
Source record: 37723
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

The radio is SOLD. Thanks to all who responded.

"Dan" <n7slc@yahoo.com> wrote in message
news:apq8te$oa9$1@terabinaries.xmission.com...
> I have forsale a Motorola HT1000 in good condition. Factory 16ch,
> 403-470Mhz with a NEW, 301 datecode battery and beltclip. No charger.
> Asking $175 shipped. Reply to email if interested.
>
> Dan
>
>

5113. Antenna Reel for Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 02:20:11 UTC
From: john price <jm.price@att.net>
Message-ID: <3DC1E565.31AAD2EE@att.net>
Source record: 37724
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.ham-radio.marketplace,rec.radio.amateur.equipment,rec.aviation.owning

I have a Learadio model RH-4 Junior Unihand Reel antenna
reel... I believe this was used in the Stinson L-5...
Willing to trade it for an RCA AVA-120 reel as used in
the Aeronca L3s and Piper L4s...

John Price
CFII/AGI/IGI
WA2FZW
http://home.att.net/~jm.price

5114. FS>>Various items

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 04:11:57 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <hanw9.2226$S44.670@news4.srv.hcvlny.cv.net>
Source record: 37725

I have the following items for sale:

1- MFJ 949-e Versa Tuner II - Slight scratches on top, otherwise in excellent condition. Asking $75.00, I ship.

2- Ameco PT-2 preamp. Excellent condition. Asking $50.00, I ship.

3- Yaesu FT-470 HT. Very good physical condition, however there is a problem in that the squelch does not always open on received PL. Also included is a Yaesu NC-29 battery charger and W&W 7.2 volt 1200 mAh battery which seems to hold a charge forever. The charger works great but is missing one of the push button rubber covers. The charger has had the trickle charge mod and, other than the missing push button cover is in great shape. This radio would be excellent for packet. Asking $100, I ship.

Pictures of all and additional information is available upon request.

Thank you....

John Schneider, KB2COP
thecop@optonline.net

5115. FS: GP-68 vhf/uhf $260 NEW w/chrgr, etc.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 06:26:13 UTC
From: "R. Belcher" <randy.belcher@verizon.net>
Message-ID: <98pw9.54778$wm6.26848@nwrddc01.gnilink.net>
Source record: 37726
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi all, I have a client looking to move some brand new GP68's, V/U at
$260ea. in lots of 5 or more.
Ready to go, programmable from front panel, English instructions, etc.
Rapid charger and battery included.
email if interested.
Thanks!
Randy

5116. Re: need help using spectrum analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 08:15:55 UTC
From: UnTale <i@i.com>
Message-ID: <%Kqw9.102760$%M1.2612739@twister2.libero.it>
Source record: 37727
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

> First try:
>
http://we.home.agilent.com/cgi-bin/bvpub/agilent/expandedresults/cp_ExpandedResults.jsp?LANGUAGE_CODE=eng&JPID=%2Ffind%2Flibrary&NID=03&NAV_ID=-11145.0.00&COUNTRY_CODE=ZZ&CT=AGILENT_COLLECTION&contentType=Editorial&entityType=ED30&subjectSelect=SUB-069
> (I don't know whether this link will come through without breaks, you
> may have to piece it together)
> and download "Spectrum Analyzer Basics AN-150."

I confirm!
search for Agilent application note; you'll find all you need:

5965-7009E.pdf=Hint for making better spectrum analyzer measurements (AN1286-1)
5966-4008E.pdf=Spectrum analyzer measurements and noise (AN1303)
5968-3411E.pdf=Optimizing spectrum analyzer measurement speed (AN1318)
5968-3659E.pdf=Optimizing spectrum analyzer spectrum accuracy (AN1316)
5968-4545E.pdf=Optimizing RF and microwave spectrum analyzer dynamic range (AN1315)
hp-am-fm.pdf (may be I've renamed the file)=Spectrum analysis Amplitude and frequency modulation (AN150-1)
signal analysis AN243.pdf (") =The fundamentals of signal analysis (AN243)
SpectAnalysis-AN150.pdf (") =Spectrum analysis (AN150)
wireless_sabasics.pdf (" ")=Spectrum analysis basics

I suggest you (in order)
1)AN150
2)Spectrum analysis basics
3)AN1286-1

--
"Nunc est bibendum,
nunc pede libero pulsanda tellus"
Orazio, Odi, I, 37, 1

73 de iz7ath, Talino
http://www.qsl.net/iz7ath

5117. A Source for Large/Long Telescopic Whip Antenna Elements?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 08:47:03 UTC
From: Will White <googlyelmo@earthlink.net>
Message-ID: <3DC23FBD.5E2D4A01@earthlink.net>
Source record: 37728
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

I am in search of long telescopic whip antenna elements for a portable loaded HF dipole I am making. The largest I have found thus far are 72"

extended, and I need 96-108", about .25" diameter, not more than .50" fattest section, with a threaded or punched base for mounting. I have tried Rat Shack and the usual catalog suppliers (Mouser, Fair Radio, Ocean State, AES) without success. Does anyone know of a mail-order source for such parts?

--
Will White, KD7BFX
Seattle WA US
King County, Grid CN87tq
ITU Zone 6, CQ Zone 3
****
"The wireless telegraph is not difficult to understand.
The ordinary telegraph is like a very long cat.
You pull the tail in New York, and it meows in Los Angeles.
The wireless is the same, only without the cat."
- Albert Einstein
****

5118. Re: need help using spectrum analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 09:06:27 UTC
From: Norm Waterston <nospamnail@nospam.com>
Message-ID: <aptg58$5lo$1@slb3.atl.mindspring.net>
Source record: 37729
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Body handling: HTML body converted to readable text

Thanks Wes and Talino. I have downloaded the files you both suggested.

Norm

"UnTale" wrote in message
news:%Kqw9.102760$%M1.2612739@twister2.libero.it...
> > First try:
> >
>
http://we.home.agilent.com/cgi-bin/bvpub/agilent/expandedresults/cp_Expanded
>
Results.jsp?LANGUAGE_CODE=eng&JPID=%2Ffind%2Flibrary&NID=03&NAV_ID=-11145.0.
>
00&COUNTRY_CODE=ZZ&CT=AGILENT_COLLECTION&contentType=Editorial&entityType=ED
> 30&subjectSelect=SUB-069
> > (I don't know whether this link will come through without breaks, you
> > may have to piece it together)
> > and download "Spectrum Analyzer Basics AN-150."
>
>
> I confirm!
> search for Agilent application note; you'll find all you need:
>
> 5965-7009E.pdf=Hint for making better spectrum analyzer measurements
> (AN1286-1)
> 5966-4008E.pdf=Spectrum analyzer measurements and noise (AN1303)
> 5968-3411E.pdf=Optimizing spectrum analyzer measurement speed (AN1318)
> 5968-3659E.pdf=Optimizing spectrum analyzer spectrum accuracy (AN1316)
> 5968-4545E.pdf=Optimizing RF and microwave spectrum analyzer dynamic range
> (AN1315)
> hp-am-fm.pdf (may be I've renamed the file)=Spectrum analysis Amplitude
and
> frequency modulation (AN150-1)
> signal analysis AN243.pdf (") =The fundamentals of signal analysis
(AN243)
> SpectAnalysis-AN150.pdf (") =Spectrum analysis (AN150)
> wireless_sabasics.pdf (" ")=Spectrum analysis basics
>
> I suggest you (in order)
> 1)AN150
> 2)Spectrum analysis basics
> 3)AN1286-1

>
>
> --
> "Nunc est bibendum,
> nunc pede libero pulsanda tellus"
> Orazio, Odi, I, 37, 1
>
> 73 de iz7ath, Talino
> http://www.qsl.net/iz7ath
>
>
>

5119. WTB: 39.1 MHz xtal for Drake 4-Line

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 13:43:47 UTC
From: k5dh@raytheon.com
Message-ID: <nyvw9.1626$Bd4.12728@dfw-service2.ext.raytheon.com>
Source record: 37730
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Subject sez it all.

73,
Dean K5DH

5120. Re: Interference in car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 13:56:11 UTC
From: ddevani@chat.carleton.ca
Message-ID: <apu15r$91b$1@driftwood.ccs.carleton.ca>
Source record: 37731

I've tried it in the following cars, one was a 96' Ford Aerostar, '94
Pontiac Grand Am, 2000 Toyota Corolla, 1998 Nissan Altima. All with the
same problems :S

Bob Miller (bxmillerSpamNot@texas.net) wrote:
> ddevani@chat.carleton.ca (Devang Devani) wrote:

> >
> >I was wondering if anyone has a simple fix for my problem. Whenever i
> >take my scanner into a car I get static on most channels when the car is
> >on. I can basically hear the acceleration of the car as a steady
> >background ringing which rings at a higher frequency when acceration
> >occurs. When the car is turned off the scanner can be used properly.
> >There are no problems with the cars radios. What do you guys think?

> What's your vehicle brand and engine? Fords are notorious for this sort of
> thing, although other brands can be bad, too...

> Bob
> k5qwg

5121. Re: WTB: 39.1 MHz xtal for Drake 4-Line

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 17:39:16 UTC
From: kludge@panix.com
Message-ID: <apue84oci1@panix2.panix.com>
Source record: 37732
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

In article <nyvw9.1626$Bd4.12728@dfw-service2.ext.raytheon.com>,
K5DH <k5dh@raytheon.com> wrote:
>Subject sez it all.
>

Any crystal house can make you one for a reasonable price if you tell them the frequency, the loading capacitance, the package and whether you need series or parallel resonance.

International Crystal Manufacturing and JAN Crystals are probably the biggest outfits. Cuemeks Electronics at 888-678-9825 are cheap and can do some odd stuff for less.
--scott

--
"C'est un Nagra. C'est suisse, et tres, tres precis."

5122. WTB: APHEX DOMINATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 18:24:11 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <fFzw9.40209$Mb3.1826250@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37733

Price And Condition

Bill Salerno 201 368 3655 w2onv@att.net www.w2onv.com

5123. Re: Recommendations for "All in One" unit?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 18:26:40 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <MGzw9.55160$cG.797966@twister.kc.rr.com>
Source record: 37734

It's hard to beat the receive of the Sony 2010! I'm not sure you'll like the 706 or FT-100 if your used to using the Synchronous Detection of the Sony...

"Axinar" <axinar@one.net> wrote in message news:c45d35a2.0210311124.60de0ab9@posting.google.com...
> Okay, having unloaded basically ALL of my accumulated stash of radio
> gear on eBay -- my Yaesu FT-51R and VX-5R, my Sony 2010, even my Yaesu
> FT-411, plus my old 12V belt-pack lead-acid pack, I've been hunting
> around to see if I can find something better to cover everything in as
> few units as possible.
>
> This is proving easier said than done.
>
> Had my eye on the Kenwood TH-F6A, but the reviews are saying that it
> is even worse on shortwave reception than the VX-5R, and that was
> nothing to write home about.
>
> Yaesu VX-7R looks like a decent contender of course, particularly with
> the inclusion of the low power 220 transmit ability, but reviews seem
> to say that waterproofing the mic and speaker has lead to
> less-than-ideal audio peformance ... plus there are reports of all
> sorts of other chaos with this radio.
>
> Kenwood TH-D7A(G) looks kind of interesting ... built in TNC. Is it
> correct that you just have to hook up this radio to your serial port
> and you're ready to go? Haven't been on packet in a long, long time.
> Don't suspect too many are still on the air though. However, there
> seem to be some "ruggedness" issues in the reviews.
>
> I even looked at something called an Alinco DJ-X2000T just for the
> scanning side ... have been able to find very little in terms of
> reviews on this one though.
>
> I've even been looking at the Yaesu FT-817 and FT-897 ... of course I
> live in an apartment so I'd have to get creative with the antenna
> situation if I went this route and wanted to do much on RF.
>
> For the power situation I've been looking at one of the units from
> Store4power.com wich the built-in inverter.
>
> So, basically, I'm just going to open this up to suggestions --
>
> Here's what I'm trying to do ...

>
> Would like a decent HF reciever capable of sideband.
>
> Would like a decent HT capable of at least transmit on 2m and 440.
>
> POSSIBLY would like a portable HF transciever that can operate on a
> portable battery and a portable antenna setup that can be done in an
> apartment setting.
>
> Any suggestions appreciated.
>
> Thanks!
>
> Ax

5124. Re: Using Regency 10.7 IF Scanner Crystals Instead Of Bearcat 10.8 IF Crystals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 19:58:13 UTC
From: fmmck@aol.com
Message-ID: <20021101145813.13044.00001296@mb-mb.aol.com>
Source record: 37735

<< Remove your 10.8 MHz IF crystal, find an old Regency or Radio Shack scanner, remove the 10.7 IF crystal and install it in your Bearcat. Then use the Regency Crystals marked with the proper frequency. >>

Jim-

Are you refering to a crystal that converts 10.8 to 455 KHz? I think that should work. The original crystal for 10.8, would be 10.800 +/- 0.455 = 11.255 or 10.345. The new crystal for 10.7 would be 10.700 +/- 0.455 = 11.155 or 10.245.

I'm not sure, but I think Buford's original formula would result in an error, depending on whether he was using high-side injection or low-side injection in the first conversion. For high-side injection, the Regency crystal would need to be marked 100 KHz higher than the desired channel, or 100 KHz lower for low-side injection. The trouble is that you don't always know which is in use unless the crystal frequency is marked in addition to the channel frequency.

73, Fred, K4DII

5125. Re: WTB: 39.1 MHz xtal for Drake 4-Line

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 20:06:26 UTC
From: dplatt@radagast.org
Message-ID: <us5nm2b0jtot6c@corp.supernews.com>
Source record: 37736
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

>Any crystal house can make you one for a reasonable price if you tell
>them the frequency, the loading capacitance, the package and whether you
>need series or parallel resonance.
>
>International Crystal Manufacturing and JAN Crystals are probably the
>biggest outfits. Cuemeks Electronics at 888-678-9825 are cheap and can
>do some odd stuff for less.

I had good results with ComClok / Cal Crystal (www.calcrystal.com)...
excellent service.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

5126. Re: Recommendations for "All in One" unit?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 22:02:45 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <HqEw9.12568$NV.204926@news.direcpc.com>
Source record: 37738

Keith...

For what you describe, you would be hard pressed to beat the FT-817!! I owned one and only got rid of it because I bought/built an Elecraft K2 which I like much better. I have not worked with the 897 but would expect it to be equally good. One thing I can tell you with **absolute certainty** is you will NOT find a scanner or HT that is worth a flip on HF. PERIOD!! Yes, some will receive signals on HF, but probably not 2% of what's there. The Yaesus are REAL HF radios in addition to their other capabilities. I have talked to Russia, Europe, Japan... all over the world on an 817. The ONLY thing that will limit you with a radio like that is the antenna. You still need a good, full-size, tuned-to-frequency antenna for best results.

I use an FT-100D in my car. GREAT little radio with the very best noise blanker (optimized for ignition interference) on the market.

That all said... if you plan to OPERATE HF, get a "real" HF radio. As for the "all-in-ones" many people like them because they're less expensive than separate radios, conveniently small and compact, etc. Personally, I don't want to have to cease listening to my local friends on the 2m/70cm repeaters when I get on HF. And if ANY band or feature in an all-in-one goes out and necessitates a trip back to the factory... you're 100% off the air on all bands 'till it comes home. I don't like that, either. I would personally opt for a used HF plus a used U/VHF radio if space permits. But that's just me.

Hope it helps.. Ed, W5EJ

"Keith Beckmann" <Kbeckmann.spankme@wi.rr.com> wrote in message news:MGzw9.55160$cG.797966@twister.kc.rr.com...
> It's hard to beat the receive of the Sony 2010! I'm not sure you'll like
> the 706 or FT-100 if your used to using the Synchronous Detection of the
> Sony...
>
>
>
> "Axinar" <axinar@one.net> wrote in message
> news:c45d35a2.0210311124.60de0ab9@posting.google.com...
> > Okay, having unloaded basically ALL of my accumulated stash of radio
> > gear on eBay -- my Yaesu FT-51R and VX-5R, my Sony 2010, even my Yaesu
> > FT-411, plus my old 12V belt-pack lead-acid pack, I've been hunting
> > around to see if I can find something better to cover everything in as
> > few units as possible.
> >
> > This is proving easier said than done.
> >

> > Had my eye on the Kenwood TH-F6A, but the reviews are saying that it
> > is even worse on shortwave reception than the VX-5R, and that was
> > nothing to write home about.
> >
> > Yaesu VX-7R looks like a decent contender of course, particularly with
> > the inclusion of the low power 220 transmit ability, but reviews seem
> > to say that waterproofing the mic and speaker has lead to
> > less-than-ideal audio peformance ... plus there are reports of all
> > sorts of other chaos with this radio.
> >
> > Kenwood TH-D7A(G) looks kind of interesting ... built in TNC. Is it
> > correct that you just have to hook up this radio to your serial port
> > and you're ready to go? Haven't been on packet in a long, long time.
> > Don't suspect too many are still on the air though. However, there
> > seem to be some "ruggedness" issues in the reviews.
> >
> > I even looked at something called an Alinco DJ-X2000T just for the
> > scanning side ... have been able to find very little in terms of
> > reviews on this one though.
> >
> > I've even been looking at the Yaesu FT-817 and FT-897 ... of course I
> > live in an apartment so I'd have to get creative with the antenna
> > situation if I went this route and wanted to do much on RF.
> >
> > For the power situation I've been looking at one of the units from
> > Store4power.com wich the built-in inverter.
> >
> > So, basically, I'm just going to open this up to suggestions --
> >
> > Here's what I'm trying to do ...
> >
> > Would like a decent HF reciever capable of sideband.
> >
> > Would like a decent HT capable of at least transmit on 2m and 440.
> >
> > POSSIBLY would like a portable HF transciever that can operate on a
> > portable battery and a portable antenna setup that can be done in an
> > apartment setting.
> >
> > Any suggestions appreciated.
> >
> > Thanks!
> >
> > Ax
>
>

5127. FS: 6B4G Svetlana

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-01 23:11:58 UTC
From: arnoldg@c2i.net
Message-ID: <3dc309d1.24743954@news1.c2i.net>
Source record: 37737

Hi,

I have several pcs in stock of the 6C4C valve from Svetlana. This is the same as 6B4G. The valves are very well built and looks identical to NOS Sylvania. They are made probably somewhere between 1960 and 1980 The price is about $ 41.- each. Picture and data at my web site www.demostenes.no

Regards,

Arnold
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as sockets,transformers,books,caps,resistors and other components. Web site is updated every week. You can order on-line.

5128. Re: Followup: Strange problem with TH-F6a

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 02:11:02 UTC
From: va3sg <"my callsign"@rac.ca>
Message-ID: <us6d1ncctvg0c0@corp.supernews.com>
Source record: 37739

Seems the battery was the culprit. Battery did same thing in another TH-F6a.
New battery works well. Seems detection circuit is in battery, and was too
"critical"

Steve

"va3sg" <"my callsign"@rac.ca> wrote in message
news:uqf52c3s9f9446@corp.supernews.com...
> Just playing around with a new Kenwood TH-F6A, and I find that when
> transmitting on high power on 440 (5w), the unit immediately shuts down
and
> I have to remove and re-seat the battery to re-start the HT.
> I suspect there may be a current limit sensor somewhere? I assume on 440,
> the stock antenna is lousy and may be giving high SWR. If I hold the
antenna
> in my hand while TX, it stays on.
> All other bands and power levels are ok. I tried a RH-77 on same rig, and
> seems to be ok at 5W on 440.
> Is the stock antenna that bad, of is the battery /sensor just a bit too
> sensitive?
>
> If anyone else has had this problem, let me know what the fix may have
been
> Thanks
> Steve
> VE3CWJ/VA3SG
>
>

5129. Re: Yaesu Frog7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 03:02:48 UTC
From: Fred Zepp <jca1954@irpimus.com.au>
Message-ID: <3dc340e6_1@news.iprimus.com.au>
Source record: 37740
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

Have a look at http://thierry.leconte.chez.tiscali.fr/FRG7mods.html Adrian,
there should be some ideas there !
John
"Adrian" <ar015c4396@wideblueyonder.co.uk> wrote in message
news:LABv9.15128$8c5.7128@news-binary.blueyonder.co.uk...
> Folks
> Just acquired a Frog-7 - badged 'Sommerkamp'.
> Help! The tone quality of the audio is horrible!!
> It sounds like everything is underwater!
>
> The tone is responding to the tone switch and is marginally improved by
> using an external speaker (but not much). Volume control is working OK and
> there's no audible distortion - just a very narrow audio range.
>
> Can anything be done? All help appreciated
>
> Thanks
>
> Adrian
>
> --
> 1950's British Battery Tube Portables
> See them and more at: http://www.geocities.com/portable_tubes
> anti-spam: remove 'wide' to reply
>
>

5130. FS:ICOM W2A DualBander HT with charger

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 04:40:53 UTC
From: Ed Mellnik <ed@emavideo.com>
Message-ID: <pHIw9.5648$bG.2162@rwcrnsc53>
Source record: 37741

I have a W2A dualbander HT for sale. It comes with a Drop in charger.
$130. Plus shipping.
Everything is working good. The Battery is used but hold its charge still
well.

Ed

5131. FS: New Uniden BC200XLT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 06:27:47 UTC
From: Gary <garytaylor605@yahoo.com>
Message-ID: <DfKw9.2537$UA4.2247494@news.alltel.net>
Source record: 37742
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

For Sale: New Uniden BC200XLT handheld scanner with full 800MHZ. Never used, still in the box with all original accessories. Asking $160, obo. If anyone is interested, please email directly.

Thanks,
Gary

5132. FS: Yeasu VX-5

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 06:32:07 UTC
From: Stuart Schwartz <news.directvinternet.com>
Message-ID: <3dc37165$1_5@nopics.sjc>
Source record: 37743

Brand new VX-5 for sale or trade. Orignal box and paper work. Also haev the programming cable for unit. Has also been modifired for extend tx and rx. Looking to 400 including cable and software. or trade for a yease

5133. Like new yaesu VX-5 for sale or trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 06:36:37 UTC
From: Stuart Schwartz <news.directvinternet.com>
Message-ID: <3dc37274_7@nopics.sjc>
Source record: 37744
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.ham-radio.swap,alt.ham-radio.mods,fido7.hamradio

Like new yaesu VX-5 for sale or trade. Orignal box and paper work. Also have the programming cable for unit. Has also been modifired for extend tx and rx. Looking to 400 including cable and software. or trade for a yaesu FT-90 dual band mobile or comprable mobile. e-mail me at stuart@cisteam.com

5134. ITT MACKAY MSR 8000 A manual needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 06:56:46 UTC
From: j-cherry@pacbell.net
Message-ID: <84750ee0.0211012256.6b7d2248@posting.google.com>
Source record: 37745

I am looking for a manual on the MSR 8000A transciever..Thanks..

email me at j-cherry@pacbell.net

5135. Re: AOR AR 1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 09:19:09 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <hMMw9.41131$Mb3.1913699@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37746

It sounds as if the reference oscillator for your synthesizer has drifted off frequency. The frequency error should be higher on the higher frequency bands, if this is the case. I picked up an Icom R100 last year for a good price. The reason that the person sold it was because of the tuning error. It is a 10 minute job to set things back on, if you have the right equipment. A "quick and dirty" fix is to tune the unit to a known, steady signal, such as an NOAA weather station to set the reference oscillator. Once you get things close-in, you can then tune to something like a control channel on the 800MHz band for more refined tuning.

Pete KE9OA

5136. FS: Icom - Kenwood Voice Modules

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 13:59:35 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <1gm7susgd2fn5h9bjo1756h0jdar89s5l7@4ax.com>
Source record: 37747

Hello, I have for sale a ICOM UT-102 and a Kenwood VS-2 Voice synthesizer board. I will ship for $50 each. Thanks, Mike mfunaro@worldnet.att.net

5137. FS: Outdoor Antenna Switch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 14:02:00 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <4km7suspikg217mbho4jumm473fulfspl5@4ax.com>
Source record: 37648

I have for sale a Top Ten Devices 6 position weather proof antenna
relay. You can see a picture and specs at
http://www.qth.com/topten/twrsixwy.htm
Please email me with any questions. I will ship for $110.
Thanks, Mike N0XD
mfunaro@worldnet.att.net

5138. WTT: Icom UT-102 for FL-223

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 14:10:22 UTC
From: George Encarnacion <ah6bv@arrl.net>
Message-ID: <i1Rw9.79238$gA1.2488182@news2.east.cox.net>
Source record: 37650
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment

Have an extra UT-102 voice synthesizer for IC-706, 746, 746 Pro, 756 Pro and
756 ProII, that I would like to trade for a 1.9 kHz SSB filter.
Please reply direct - ah6bv@arrl.net

Tnx & 73, George AH6BV / w1

5139. Optoelectronics dc442 DPL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 14:12:00 UTC
From: jr <jerham@pobox.com>
Message-ID: <3DC3DD30.1F7297D@pobox.com>
Source record: 37649

Does anyone know how to see the reverse dpl on the dc442?

I have one, but did not get a manual with it, dpl codes are reversed.

5140. Need Help with Disk Capacitor Value (repairing a Daiwa CN-801H SWR meter)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 15:12:13 UTC
From: Rick and Theresa <n6cy@earthlink.net>
Message-ID: <hXRw9.2831$t4.315834@newsread2.prod.itd.earthlink.net>
Source record: 37651

I'm replacing some burned components in a Daiwa CN-801H HF SWR meter. One small disk capacitor, marked:

6C
KCK

eludes me as to its value and I don't have an RCL instrument to test its true value. Can any of you smart hobbyists out there help me out with this?

thanks, Rick N6CY

5141. FS: Misc Items

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 16:28:49 UTC
From: NZ8J <nz8j@woh.rr.com>
Message-ID: <53Tw9.24542$yY.2183996@twister.neo.rr.com>
Source record: 37653
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Aftronics Super Scaf audio filter, exc cond, works great, with original manual, 110Vac, works great on ssb or cw $43 shipped

Heathkit HD-1418, Hi/Lo pass, notch, peak, rtty, cw, works great, no manual, has some marks on case, front panel exc, runs off 12vdc $32 shipped

Heathkit HD-1422 Antenna noise bridge, works good, with manual $20 shipped

Ten Tec hand microphone, current mic with 4 pin connector exc cond (have 2 for sale) $19 each shipped

Ten Tec Model 1202 Dual Band wattmeter, HF-2 meters, connect 2 rigs at once, 20w and 200 w scale, good condition with assembly and alignment manual (I think there was a discussion on qrp-l of adjusting this for 2w and 20w scale for QRP operation) $39 shipped.

MFJ model 8043 IC electronic keyer. Sidetone, volume, weighting, tone, speed all work, but it keys the radio all the time, not sure what is wrong with it. $15 shipped

Ten Tec model 1150 overvoltage protector for early model Ten Tec p/s's $15 shipped

Please email with any questions
Thanks
Tim
Nz8J

5142. WTB- 440 band HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 16:51:34 UTC
From: KC8SSG <kc8ssg@yahoo.com>
Message-ID: <qoTw9.517$dF1.6156@news>
Source record: 37652
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

I am looking for a 440 band ht.It can be 250mw.I don't need much power I
just really need one.Condition is not important.Please email me!

--
Rob W8CRZ
crandall@ee.net

5143. FS: J.W. Miller Coil FOrms

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 17:13:08 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <cq18su4nhburiqub4tj9n9hm5epr28fa31@4ax.com>
Source record: 37655
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE - Millen coil forms. New in boxes.
Type 23A013-7 and 23A014-7
Slug-tuned, dimensions:
1/4" diameter X 1/2" tall with two terminals. Great for
homebrew projects.

Will sell for $1.00 each or 20 for $16.00 plus shipping

E-mail me to arrange purchase

5144. FS: Icom CK11 Remote Cable Kit for IC435 Mobile Xcvrs

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 17:18:20 UTC
From: mnowlen@comcast.net
Message-ID: <3dc407f9.496262968@news.va.comcast.giganews.com>
Source record: 37654
Cross-posted to: rec.radio.swap,rec.radio.lmr-commercial,rec.radio.amateur.equipment,rec.radio.amateur.swap

New Icom CK-11 remote cable kit complete with mounting and hardware
for Icom IC 435 Series Commercial Mobile Transceivers

$35 + shipping

mnowlen@comcast.net

5145. FS: Kenwood TS-520 HF Transceiver Great Condition

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 18:10:57 UTC
From: groups@nickmatic.com
Message-ID: <e77ffe9e.0211021010.63d11d96@posting.google.com>
Source record: 37656

For Sale on Ebay Item # 1394896616
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394896616

Kenwood TS-520 SSB/CW HF Transceiver in excellent condition. Serial # 521184

This is a great rig that served me well during my HF DXing days. Extremely sensitive receive, really clear. Pulls in weak signals well.

80/40/20/15/10M bands USB, LSB, and CW modes. About 100W output power on all bands.

All solid-state with tube finals. Finals can be powered down when not transmitting to save heater life. Built-in cooling fan.

Well-built and rugged radio, one of Kenwood's finest. Often used in mobile configs.

Can be powered by 120VAC, 240VAC, or 13.8VDC. Includes 120VAC power cord and Service Manual.

Has VOX, NB, AGC, RIT, Mic control, Carrier control, Standby, WWV receive, etc, etc.

A few minor scratches on cabinet, but face is in great condition, all lettering clear and bright.

Installed tubes are working great and comes with these spare new tubes:

2 x 6146A (final)
1 x 6146B (final)
1 x 12BY7A (driver)

Two finals and one driver are required.

Great output and receive recently verified but due to age and nature of this radio, sold "as is". Shipment will be packed with care.

5146. FS: PC 900 high gm triode - cheap

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 18:21:57 UTC
From: arnoldg@c2i.net
Message-ID: <3dc41717.21750174@news1.c2i.net>
Source record: 37657
Cross-posted to:
rec.radio.amateur.homebrew,rec.audio.tubes,rec.audio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hello,

PC 900 is a B7G base triode with a heater of 3.9V 0.3A, Va is 135V
Vg -1V Ia=11mA Wa 2.2W Ik=20mA max, u=76 and the gm is 14.5mA/V
A very promising valve to experiment with in low-level stages, both
audio and HF/VHF amplification. It was developed for use in VHF and
UHF television tuners. The low heater voltage makes it very easy to
use in an ordinary 6.3V heater system, just use a dropper resistor of
8.2 ohm 2W and you are very close to 3.9V

I have 400 pcs in stock and I will sell them at only $ 5.00 each or
$ 2.50 each if you buy 100 pcs or more. The valves are NOS, in mint
condition, original boxes and the label is Haltron, but they are
rebranded, and probably made by Philips or Siemens.
Have a look at my website www.demostenes.no and e-mail me if
interested.

Best regards,

Arnold Goks&#65533;yr

DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

5147. WTB:pass cavity

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 18:30:31 UTC
From: n2ion@aol.com
Message-ID: <20021102133031.10665.00003233@mb-mq.aol.com>
Source record: 37658

I'M IN NEED OF A COUPLE OF 1/4 WAVE VHF PASS CAVITIES.
IF YOU CAN HELP ME OUT, PLEASE EMAIL.

THANKS IN ADVANCE

5148. WTB; APHEX DOMINATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 18:35:56 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <gWUw9.21768$VJ5.1250589@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37659

Price and Condition

Bill Salerno 201 368 3655 w2onv@att.net

5149. AARL Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 19:04:43 UTC
From: gary <gary.mugford@sympatico.ca>
Message-ID: <3DC421CB.C19566EA@sympatico.ca>
Source record: 37660
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

```
For Sale - toronto area
1 Hardcover 1990 ARRL Handbook.
Make an Offer.
```

5150. Re: FS: Misc Items

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 19:12:16 UTC
From: Mary Anne Olsen <wolsen@erols.com>
Message-ID: <3DC42390.B56A5A4D@erols.com>
Source record: 37661
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I'll buy the Heathkit HD-1422 Antenna Noise Bridge. Bill N3TVU in
Delaware.

NZ8J wrote:
>
> Aftronics Super Scaf audio filter, exc cond, works great, with original
> manual, 110Vac, works great on ssb or cw $43 shipped
>
> Heathkit HD-1418, Hi/Lo pass, notch, peak, rtty, cw, works great, no
> manual, has some marks on case, front panel exc, runs off 12vdc $32 shipped
>
> Heathkit HD-1422 Antenna noise bridge, works good, with manual $20 shipped
>
> Ten Tec hand microphone, current mic with 4 pin connector exc cond (have 2
> for sale) $19 each shipped
>
> Ten Tec Model 1202 Dual Band wattmeter, HF-2 meters, connect 2 rigs at once,
> 20w and 200 w scale, good condition with assembly and alignment manual (I
> think there was a discussion on qrp-l of adjusting this for 2w and 20w scale
> for QRP operation) $39 shipped.
>
> MFJ model 8043 IC electronic keyer. Sidetone, volume, weighting, tone, speed
> all work, but it keys the radio all the time, not sure what is wrong with
> it. $15 shipped
>
> Ten Tec model 1150 overvoltage protector for early model Ten Tec p/s's $15
> shipped
>
> Please email with any questions
> Thanks
> Tim
> Nz8J

5151. FS: Icom IC-R100 Scanner PRE BAN

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 19:19:42 UTC
From: Christopher Kania <N8FZT@worldnet.att.net>
Message-ID: <izVw9.42009$Mb3.1964442@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37662

Mint condx IC-R100 Scanner PRE BAN!
Covers .1kHz~1856mHz in AM/FM-N/FM/-W modes
Continuous coverage. 100+ memories, clock.
$415 shipped anywhere in the CONUS
Postal money order accepted for payment ONLY
73 de Chris N8FZT
ckn8fzt@juno.com

5152. FS: VARIAC-style Adjustable Transformer 7.5 Amps

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 19:32:26 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <gu98sucb8asmjugphnjm3s13633c3lsmmd@4ax.com>
Source record: 37663
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace

Standard Electric Co. Adjust-A-Volt variable transformer.

Provides 0 - 135V AC from 120V AC input.
Current up to 7.5 Amp rating.

Open frame style. Excellent condition with knob.

Will sell for $75.00 plus shipping

5153. FS: VARIAC 0-120V AC at 10 Amps

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 19:36:20 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <t4a8sucq39oc5d42k720fll8ghcrrbipni@4ax.com>
Source record: 37664
Cross-posted to: rec.radio.amateur.boatanchors,alt.ham-radio.marketplace,rec.radio.amateur.equipment

FOR SALE

General Radio Company VARIAC Model W10
variable transformer. Provides 0-120V at 10 Amps
with knob
Selling for $85.00 plus shipping

E-mail me to arrange purchase

5154. FS: Collins MM1 Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 20:16:34 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <iec8su8f9nh9gajpmnj3grn4abu0she1q1@4ax.com>
Source record: 37665
Cross-posted to: rec.radio.amateur.boatanchors,alt.ham-radio.marketplace,rec.radio.amateur.equipment

FOR SALE:

Collins MM-1 a pressure-operated dynamic microphone designed to
fit your hand comfortably.
Engineered for max voice response, die-cast case finished
in brushed satin chrome. A five-foot length of Koiled Kord with mike
plug is supplied.

The MM-1 has a frequency response from 200-10,000 cycles per second
and has an output level of -48 db.
Excellent condition with the original Collins style plug.
Sell for $200.00 plus shipping

E-mail me to arrange purchase

5155. Re: PC 900 high gm triode - cheap

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 20:18:48 UTC
From: Choky <choky*remove*@eunet.yu>
Message-ID: <aq1ge1$k5e$1@news.eunet.yu>
Source record: 37669
Cross-posted to:
rec.radio.amateur.homebrew,rec.audio.tubes,rec.audio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

```
huh,Demo -this is good Spam example!
at least -looking on xposting issue.
btw- like I said once before,PC900 is nice little one.....
```

--
Choky
Prodanovic Aleksandar
choky*remove*@eunet.yu
YU
---
remove *remove* to reply!

"DEMOSTENES A. Goks&#65533;yr" <arnoldg@c2i.net> wrote in message
news:3dc41717.21750174@news1.c2i.net...
| Hello,
|
| PC 900 is a B7G base triode with a heater of 3.9V 0.3A, Va is 135V
| Vg -1V Ia=11mA Wa 2.2W Ik=20mA max, u=76 and the gm is 14.5mA/V
| A very promising valve to experiment with in low-level stages, both
| audio and HF/VHF amplification. It was developed for use in VHF and
| UHF television tuners. The low heater voltage makes it very easy to
| use in an ordinary 6.3V heater system, just use a dropper resistor of
| 8.2 ohm 2W and you are very close to 3.9V
|
| I have 400 pcs in stock and I will sell them at only $ 5.00 each or
| $ 2.50 each if you buy 100 pcs or more. The valves are NOS, in mint
| condition, original boxes and the label is Haltron, but they are
| rebranded, and probably made by Philips or Siemens.
| Have a look at my website www.demostenes.no and e-mail me if
| interested.
|
| Best regards,
|
| Arnold Goks&#65533;yr
|
| DEMOSTENES - N6899 Balestrand, Norway
| Tlf. +47 5769 1340 Fax +47 5769 1267
| http://www.demostenes.no
|
| Thousands of different valves in stock as well as
| sockets,transformers,books,caps,resistors and
| other components. Web site is updated every week.

| You can order on-line.
|

5156. Manual Needed - Heath IP-5220 Isolated AC Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 20:20:09 UTC
From: dinoal7lz@aol.com
Message-ID: <20021102152009.11293.00002803@mb-fi.aol.com>
Source record: 37666

Anyone have an extra manual for the IP-5220 or who'd be willing to make a copy?
Got a supply on eBay and would like to have the manual just for records.
Copying/mailing costs of course provided...

Thanks in advance!

Dino KL0S/4

5157. FS: 10Hz-600MHz frequency counter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 20:42:52 UTC
From: lagagnon@fakesprint.ca
Message-ID: <3dc438af.9686101@news.sprint.ca>
Source record: 37667

Due to impending long term travel plans I am having to sell some of my
radio and test equipment. I therefore have for sale my Trionyx TR-1000
frequency counter with its manual. The counter works perfectly and is
in excellent cosmetic condition. It has the following specifications:

range: 10Hz-600MHz
display: 7 large 0.4" LED digit display
gates: 1 sec and 0.1 sec
portable: internal NiCad battery pack
power input: 9-15V AC or DC adapter (wall wart) at 300Ma
dimensions: 13x14x7 cm
weight: 700 grams including NiCads
flexible rubber duck antenna for RF sniffing
BNC inputs
manual

I am asking US$49 for this counter and that includes surface shipping
to any address in North America. Please contact me by direct email if
you are interested.

Larry Gagnon VE6MK

****
to send direct email remove "fake" from address

5158. FS Galaxy Saturn Turbo

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 21:15:36 UTC
From: Dick <grburke@adelphia.net>
Message-ID: <YfXw9.4838$6g.1421508@news1.news.adelphia.net>
Source record: 37668
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

I have for sale a base Galaxy Saturn Turbo.Make me a reasonable offer on it.I don't really know what it is worth,so I will entertain your offers.I prefer local pickup as shipping would be really high.I am in the northeast of Mass.01930.You can call 978-281-3359 if interested or email me.Thanks for any interest.

5159. FS:RASCAL mkV Digital Mode Interface

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 23:20:22 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <n4Zw9.62465$cG.872544@twister.kc.rr.com>
Source record: 37670

The newest version of the Rascal, the NEW mk V with SGC-2020 ADSP transceiver to Rascal mkV cable. The mk V can be interfaced with ANY transceiver by simply buying the correct cable allowing you to use it with any/all of your radios. I've had this unit for less than one week (have invoice) and decided I will not be using the digital modes, e.g., psk-31 etc. Nothing has been opened or undone, it's just as it came to me. My cost was $56.95 shipped. I'll ship it for $44.95 Conus. See at: www.packetradio.com/rascalmkv.htm

P.S. I would also be interested in trading for a Kenwood MC-43S hand mic in excellent condition.

Thanks,
Van K0KAV

5160. WTT/WTB 440mhz Ht's Standard,Kenwood & Icom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 23:41:03 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <joZw9.42444$Mb3.1988313@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37671
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

I'm looking for the following 440 ht's:
Standard C468
Kenwood TH45AT w/tone board
Icom 4SAT w/UT50 tone board

They must be in very good condition operationally and cosmetically.

I have Motorola programming cables for trade and an assortment of
Motorola/Radius software for trade.

thnx
please email
RW613@lycos.com

5161. Re: WANTED: Bearcat III / IV Scanner Crystals (USED)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 23:42:43 UTC
From: 0880@iname.com
Message-ID: <700e61c7.0211021542.1e01014@posting.google.com>
Source record: 37672
Cross-posted to: alt.radio.scanner,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.scanner,rec.radio.swap

If all else fails you can try http://www.iinc.com/ggcomm/repinfo.html

"Buford T. Justice" <BTJustice@gmx.net.no.spam> wrote in message
news:<tpYv9.76$CR7c.26607692@news2.randori.com>...
> I have been DESPERATELY looking for 10.8 IF crystals for my Bearcat III
> scanner. I need the following listening frequencies...
>
> 155.415
> 153.980
> 157.450
> 155.340
> 155.055
> 39.500
> 162.400
> 159.210
> 453.250
>
> I suppose 10.7 IF crystals would work in it if I used...
>
> 155.315
> 153.880
> 157.350
> 155.240
> 154.955
> 39.600
> 162.300
> 159.110
> 453.150
>
> I would either like to trade 1 for 1 with crystals I have now that I cannot
> use in my area or buy cheaply.
>
> Sincerely,
> BTJustice

5162. Who sells PCB components?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 23:49:32 UTC
From: cprstn54zz@att.net
Message-ID: <3dc4641b.215692375@news-server.optonline.net>
Source record: 37673

I am looking for basic PCB components like jumper blocks and plastic hexagonal spacers. Radio Shack seems to have less and less of this stuff and I can't find it on mouser.com. Where can I get what I need for my little projects?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

5163. Re: Who sells PCB components?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-02 23:56:10 UTC
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Message-ID: <uCZw9.227936$%d2.76204@sccrnsc01>
Source record: 37674

"Ken" <cprstn54zz@att.net> wrote in message
news:3dc4641b.215692375@news-server.optonline.net...
> I am looking for basic PCB components like jumper blocks and plastic
> hexagonal spacers. Radio Shack seems to have less and less of this
> stuff and I can't find it on mouser.com. Where can I get what I need
> for my little projects?
>
> Ken KC2JDY

DigiKey

W4ZCB

5164. Re: PC 900 high gm triode - cheap

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 00:05:42 UTC
From: la8ak.xnd@online.no
Message-ID: <3dc44a77.358039186@news.online.no>
Source record: 37675
Cross-posted to:
rec.radio.amateur.homebrew,rec.audio.tubes,rec.audio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

On Sat, 2 Nov 2002 21:18:48 +0100, "Choky" <choky*remove*@eunet.yu>
wrote:

>huh,Demo -this is good Spam example!
>at least -looking on xposting issue.
>btw- like I said once before,PC900 is nice little one.....
>
even for audio - I am told, if they are inexpensive....

--
remove ,xnd to reply

5165. FS Heathkit SB-221 $475.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 00:42:25 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <Rh_w9.3556$7n.387081@newsread1.prod.itd.earthlink.net>
Source record: 37677

I have a nice Heathkit SB-221 amplifier for $475.00 plus shipping

You may view it on my web page under amateur amplifiers

http://radioleo.tripod.com/leo/id25.html

Thank You & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

5166. Re: Misc Items ****ALL SOLD EXCEPT HD-1418***

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 00:45:25 UTC
From: NZ8J <nz8j@woh.rr.com>
Message-ID: <Fk_w9.24645$yY.2343001@twister.neo.rr.com>
Source record: 37676
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Everything has been sold except the HD-1418 Audio Filter..

Thanks
Tim
NZ8J

"NZ8J" <nz8j@woh.rr.com> wrote in message
news:53Tw9.24542$yY.2183996@twister.neo.rr.com...
> Aftronics Super Scaf audio filter, exc cond, works great, with original
> manual, 110Vac, works great on ssb or cw $43 shipped
>
> Heathkit HD-1418, Hi/Lo pass, notch, peak, rtty, cw, works great, no
> manual, has some marks on case, front panel exc, runs off 12vdc $32
shipped
>
> Heathkit HD-1422 Antenna noise bridge, works good, with manual $20 shipped
>
> Ten Tec hand microphone, current mic with 4 pin connector exc cond (have 2
> for sale) $19 each shipped
>
> Ten Tec Model 1202 Dual Band wattmeter, HF-2 meters, connect 2 rigs at
once,
> 20w and 200 w scale, good condition with assembly and alignment manual (I
> think there was a discussion on qrp-l of adjusting this for 2w and 20w
scale
> for QRP operation) $39 shipped.
>
> MFJ model 8043 IC electronic keyer. Sidetone, volume, weighting, tone,
speed
> all work, but it keys the radio all the time, not sure what is wrong with
> it. $15 shipped
>
> Ten Tec model 1150 overvoltage protector for early model Ten Tec p/s's $15
> shipped
>
> Please email with any questions
> Thanks
> Tim
> Nz8J
>
>
>
>
>

>
>
>
>
>
>
>

5167. FS Henry 2K Classic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 00:45:31 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <Lk_w9.3566$7n.388545@newsread1.prod.itd.earthlink.net>
Source record: 37678

I have a nice Henry 2K Classic stand up console for $799.00 pick up only Los Angeles, CA.

You may view it on my web page under amateur amplifiers

http://radioleo.tripod.com/leo/id25.html

Thank You & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

5168. FS Yaesu Stuff reduced

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 00:47:51 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <Xm_w9.3572$7n.364345@newsread1.prod.itd.earthlink.net>
Source record: 37679

I have a list of some Yaesu goodies, hope you like them.................

Yaesu SP-102P Phone Patch/Speaker.....$89.00

Yaesu FC-707 Antenna Tuner...........$100.00

Yaesu "Brand New In The Box" MR-7 Rack for the FT-707....$30.00

Yaesu "Brand New In The Box" FRB-707 Amp/Relay.........$29.00

Yaesu FV-101Z FT-101ZD Matching External VFO.........$75.00

Yaesu FF-501 TVI Filter.............$20.00

(2) Yaesu Landliner Speaker/Phone Patch........$50.00 each

Thank You & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

5169. FS Bird

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 00:51:37 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <tq_w9.3577$7n.388241@newsread1.prod.itd.earthlink.net>
Source record: 37680

I have some Bird Elements for sale

250H..........$4500

100C...........$45.00

1000H.........$60.00

You may view it under accessories on my web page

http://radioleo.tripod.com/leo/id25.html

Thank You & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

5170. FS Bird

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 00:52:04 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <Uq_w9.3579$7n.389654@newsread1.prod.itd.earthlink.net>
Source record: 37681

I have some Bird Elements for sale

250H..........$4500

100C...........$45.00

1000H.........$60.00

You may view it under accessories on my web page

http://radioleo.tripod.com/leo/id25.html

Thank You & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

5171. FA: Yaesu FT-7200 UHF Mobile - clean!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 00:58:36 UTC
From: JP <parmentier@mindspring.com>
Message-ID: <3DC474BC.35D9EF7E@mindspring.com>
Source record: 37682
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace

For auction on eBay:

Yaesu FT-7200 35W UHF Mobile - 430-440Mhz in excellent condition.

Check here:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394489728

5172. Re: FS:RASCAL mkV Digital Mode Interface

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 01:24:19 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <7V_w9.136373$om2.2276716@twister.rdc-kc.rr.com>
Source record: 37683

The newest version of the Rascal, the NEW mk V with SGC-2020 ADSP
transceiver to Rascal mkV cable and Software. The mk V can be interfaced
with ANY transceiver by simply buying the correct cable allowing you to use
it
with any/all of your radios. I've had this unit for less than one week
(have invoice) and decided I will not be using the digital modes,
e.g., psk-31 etc. Nothing has been opened or undone, it's just as it
came to me. My cost was $56.95 shipped. I'll ship it for $44.95
Conus. See at: www.packetradio.com/rascalmkv.htm

Thanks,
Van K0KAV

5173. Re: Who sells PCB components?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 02:34:03 UTC
From: Idontwantspam@net
Message-ID: <3dc48aea.16194766@news.bellatlantic.net>
Source record: 37684

On Sat, 02 Nov 2002 23:49:32 GMT, cprstn54zz@att.net (Ken) wrote:

> I am looking for basic PCB components like jumper blocks and plastic
>hexagonal spacers. Radio Shack seems to have less and less of this
>stuff and I can't find it on mouser.com. Where can I get what I need
>for my little projects?
>
>Ken KC2JDY
>
Find the manufacturers of the type of stuff you want, and ask them who
their dealers are, preferably in your area.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

5174. FS HAM GOODIES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 02:51:38 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <_a0x9.3728$7n.406239@newsread1.prod.itd.earthlink.net>
Source record: 37685

HERE ARE JUST A FEW THINGS I HAVE FOR SALE.....

PLEASE VIEW ALL OF THEM ON MY WEB PAGE........73

http://radioleo.tripod.com/leo/id25.html

PH/FAX (310) 670-6969

Yaesu SP-102P Phone Patch/Speaker...$89.00

Yaesu FC-707 Antenna Tuner...$100.00

Yaesu "Brand New In The Box" MR-7 Rack for the FT-707..$30.00

Yaesu "Brand New In The Box" FRB-707 Amp/Relay.....$30.00

Yaesu FV-101Z FT-101ZD Matching External VFO.....$80.00

Yaesu FF-501 TVI Filter.....$20.00

(2) Yaesu Landliner Speaker/Phone Patch.....$50.00 each

Nye - Viking MB-V-A 3000 Watt Antenna Tuner.....$500.00

Ten Tec Model 4229 Antenna Tuner $139.00

Henry 2K Classic Console Amplifier 10,15,20,40,80 meters.....$799.00

Heathkit SB-221 Amplifier.....$475.00

PAL 120+ 12 Volt Tube Amplifier.....$99.00

PAL KW-1 SWR/Watt Meter.....$40.00

Heathkit SB-614 Scope.....$90.00

Mirage B-108 2 Meter Amplifier 10 watts in 80 watts out.....$75.00

Bird 100C 100 Watt Element for 100 - 250 MHz.....$45.00

Bird 1000H 1000 Watt Element for 2 - 30 MHz $60.00

Bencher Keyer $50.00

Ham Key $40.00

MFJ - 1278 TNC ALL MODE $80.00

(2) MFJ-1272B TNC/MIC Switch.....$10.00 each

Heil HM-10-5 Desk Microphone Wired For Yaesu.....$70.00

THANK YOU

5175. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 03:04:59 UTC
From: Casey <caseymccullough@hotmail.com>
Message-ID: <vn0x9.2942$186.219451637@newssvr14.news.prodigy.com>
Source record: 37686
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Tike,

Even though yours was a loaded question, Rollo certainly did not answer it correctly.

The correct answer is: Yes, the general test contains all the necessary testing to operate within the same bands that an Extra does. Since this is all your asked, it's all I'll answer.

Regards,

Casey KF6OQ

"Rollo" <nobody@nowhere.com> wrote in message news:1106_1036291233@netnews.attbi.com...
> On Thu, 24 Oct 2002 13:25:12 GMT, Tike <Tike@mail.com> wrote:
> >A General is allowed to operate ALL the bands an Extra
> > does, so the General test obviously must have all the necessary testing needed to operate
> > those bands.
>
> All the same bands, yes. All the same frequencies within those bands, no.
> >
>
>
>

5176. FS: Speaker for Drake 2B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 03:14:16 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <9359su46bnujdq2ia1m71g7obdg1riimav@4ax.com>
Source record: 37687
Cross-posted to: rec.radio.amateur.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

FOR SALE

Drake deluxe speaker for model 2B receiver. Very good condition. Has
been tastefully
modified slightly on the front, with the addition of a plate and jacks
for
1/4" and 1/8" connectors. Speaker is better than the original.
Cabinet looks very nice. Will sell for $30.00 plus shipping
Picture available on request

5177. Icom IC-R10 mods

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 03:21:41 UTC
From: jder8745@aol.com
Message-ID: <20021102222141.24206.00002605@mb-mw.aol.com>
Source record: 37688

Howdy,

Anyone have any luck with the mods for the IC-R10 which are available on the web?

I've never used surface mount resistors before and I'm afraid I won't have the expertise (or steadiness) to solder them to the board.

Comments? Suggestions?

tnx es 73 de Jack, K9CUN

5178. Re: Icom IC-R10 mods

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 03:32:22 UTC
From: David <ddlee@houston.rr.com>
Message-ID: <aN0x9.253424$8o3.7452091@twister.austin.rr.com>
Source record: 37689

Jack-
I used discrete resistors. 1/4W, but 1/8W would have been easier.
Need small tipped iron, though.
good luck

"JDer8745" <jder8745@aol.com> wrote in message
news:20021102222141.24206.00002605@mb-mw.aol.com...
> Howdy,
>
> Anyone have any luck with the mods for the IC-R10 which are available on
the
> web?
>
> I've never used surface mount resistors before and I'm afraid I won't have
the
> expertise (or steadiness) to solder them to the board.
>
> Comments? Suggestions?
>
> tnx es 73 de Jack, K9CUN

5179. Looking for source of 2.4 Gig equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 03:47:18 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <a%0x9.2004$vZ6.1839620@newshog.newsread.com>
Source record: 37690

I'm looking for some 2.4 gig equipment to try both EME, ATV, and digital.

I've not worked on the 2.4 gig band before, so I know very little about it.
The ARRL handbook does little more than aknowledge it exists. With all the
shairing, it's difficult to find what frequencys I can use and what power.

So far the highest I've been has been the 23 CM band.

73

--
Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)

5180. FS icom 718

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 04:54:09 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <yZ1x9.64271$cG.891471@twister.kc.rr.com>
Source record: 37691

I have a nice condition icom 718 forsale.
Comes with box manual mic and power cord.
$475 shipped ups insured.
U.S only
E-mail me for a picture of the radio.

5181. FA: Kenwood R-820 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 05:13:43 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3dc4b083_2@nopics.sjc>
Source record: 37692
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395235714

5182. TS-520S Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 09:00:33 UTC
From: mrogers@gpcom.net
Message-ID: <70230530.0211030100.474a4171@posting.google.com>
Source record: 37693

My Ts-520s seems to have lost power in all circuits save the 4 pilot lamps. No LEDS's no meter, no audio, nothing. Anyone know of a possible problem? Thanks!
Mark WBï¿½SYV

5183. Drake 2B Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 12:40:50 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <4a6asucog8ni7c0dafldr04heh38lkjc0o@4ax.com>
Source record: 37694

Drake deluxe speaker for model 2B receiver. Very good condition. Has
been tastefully
modified slightly on the front, with the addition of a plate and jacks
for
1/4" and 1/8" connectors. Speaker is better than the original.
Cabinet looks very nice. Will sell for $30.00 plus shipping
Picture available on request

5184. FS: 6JS6C Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 12:42:30 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <8d6asugh7l55mp6b7ktb1mel7nta3f83ha@4ax.com>
Source record: 37695

FOR SALE:

Pair of new in box 6JS6C transmitting tubes.

Available for $48.00 plus shipping.

E-mail me to arrange purchase.

5185. FS: Heathkit MM-1 VOM meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 13:14:10 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <2s7asug90finohdo0long36m5d4c3hnk6u@4ax.com>
Source record: 37696

I have for sale in very good condition a Heathkit model MM-1 VOM...It comes with the orginal manual and probes....I will take $20 plus shipping. If you have any questions I can be reached at (508) 821-2993 or email.......WZ1U Steve / Lakeville, Ma.

5186. FS: EV621L Desk Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 13:38:21 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <7l9asucm8137h99mnjhqmi5l8dgq2qjbmh@4ax.com>
Source record: 37697
Cross-posted to: rec.radio.amateur.swap,rec.radio.amateur.equipment

FOR SALE:

Electrovoice 621L Top quality desk mic.

Low Impedance. Nice locking PTT bar etc. A great sounding microphone
with that famous Electrovoice quality.

Picture is at:
http://home.cfl.rr.com/happysurfer/imag/ev621.jpg

Selling this one for $75.00 plus shipping

E-mail me to arrange purchase.

5187. FS>>PRO-2005 w/ laptop

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 13:40:40 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <aq393cjsa1@bob.news.rcn.net>
Source record: 37548

This sale was posted some time ago, but the deal fell through. I am posting to the N.G.'s prior to listing on Ebay.

I have for sale a Radio Shack PRO-2005 scanner with the computer control board (Opto Lite 456) installed. This radio also has the discriminator mod. done and an RCA jack has been installed on the rear panel for easy hook-up.

The radio, in my opinion, is a 8.5 out of 10. There are very few normal wear marks on the case and the display is very good considering the age of the radio.

The chrome coloring on the volume and squelch knobs appears a bit worn. The internal power supply has been removed to facilitate room for the Opto board. As a result, a Radio Shack wall wart is included. There is a bit of "play" in the external radio power supply jack, so that it must be moved so as not to make the radio cut out. Once moved, the radio stays powered. With the radio hooked up to the laptop, it becomes a "black-box" scanner and there is no display anyway. This is the only problem with this setup.

The laptop is a Sharp 486 (on boot-up a 586 chip is displayed, but the system info. indicates 486, so that's how I'll advertise the rig) with 500 meg.'s of memory and 16 meg.'s of RAM. It has a nice crisp color display and is running Windows 95. In addition Probe v. 6.0 is installed (Probe running this scanner makes the scanning speed nothing short of amazing, even by today's standards). The pc battery will not hold a charge, but the included power supply works great (batteries for this computer are still readily available from various vendors).

I do not have any of the original documentation with the exception of the Opto board installation instructions. Nor do I have any of the original boxes. The included telescopic whip works great, but again, is not original.

I apologize for such a long post, but I would much prefer the buyer NOT be surprised nor not know what he is purchasing.

The asking price of the radio and laptop is $350.00 + $20.00 shipping. I will accept personal checks or postal money orders. If you wish to pay via PayPal, I must charge an additional $10 to cover their fee.

Pictures are available upon request. Please e-mail direct if you have any questions or need any additional information.

Thanks for your time.

John Schneider
thecop@optonline.net

5188. FS: Kenwood TH-F6

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 14:03:04 UTC
From: n8qxb <n8qxb@earthlink.net>
Message-ID: <pan.2002.11.03.14.09.06.584795@earthlink.net>
Source record: 37549
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace

```
FS: KENWOOD TH-F6
Condition: Mint
Includes: Extra battery case (BT-13), manual and original box
Price: 250.00 w/ free shipping CONUS
If interested please e-mail

Thanks,
Tom
n8qxb@earthlink.net
```

5189. Manual or Programming Instructions Regency XL-2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 14:34:30 UTC
From: Carleton Ingerson <n1dxm@prexar.com>
Message-ID: <lrcasukemvqip42ih97t6cl9j5muduuiqs@4ax.com>
Source record: 37550

Does anyone have a copy of the manual or at least the programming instructions for a REGENCY XL-2000 VHF Radio??? Will pay for copying and maililng.

73 de Carl N1DXM

5190. F.S. ameriton al-1200x amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 15:01:25 UTC
From: graham <grahamva3gjb@sympatico.ca>
Message-ID: <USax9.115$3e2.55247@news20.bellglobal.com>
Source record: 37552

al-1200 x model amplifier tube 100% output 10-160 mtr. amp is 2 years old
and been used abt 20hrs.

mint condition 1600.00 U.S.D. OR 2500.00 CDN buyer pays shipping

graham dyer va3gjb email or contact at 905-836-0052 after 4pm

5191. For Trade: LDG RT-11 for LDG AT-11 MP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 15:03:51 UTC
From: NZ8J <nz8j@woh.rr.com>
Message-ID: <rVax9.25722$yY.2599736@twister.neo.rr.com>
Source record: 37551
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I have a month old mint condition LDG RT-11 160-6 meter remote antenna tuner with the RT-11 remote control unit and interconnecting cables that I would like to trade for a LDG AT-11 MP in like condition. The RT-11 was only used in the shack, and I would like the AT-11 MP that has the built in meters. Thanks Tim NZ8J

5192. FS:RASCAL Mark V by BUXcomm

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 15:32:59 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <Lkbx9.137279$om2.2308023@twister.rdc-kc.rr.com>
Source record: 37553

The newest version of Rascal, the Mark V. Do them all, PSK31, Packet, SSTV, EchoLink, APRS and more on multiple transceivers using only one RASCAL mkV. Complete with software and cable for SG-2020. Use with ANY transceiver by purchasing appropriate cable. Less than one week old. Decided not to do digital modes. Never opened or used. $40 shipped conus.

Van,
K0KAV

5193. icom IC735 TRANSCEIVER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 15:49:01 UTC
From: johnyk78@aol.com
Message-ID: <20021103104901.22267.00001065@mb-cv.aol.com>
Source record: 37554

I Have an icom ic735 good condition with manual and mic

will sell it for $495 plus shipping johnyk78@aol.com

5194. AARL Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 16:01:25 UTC
From: gary <gary.mugford@sympatico.ca>
Message-ID: <3DC54855.FB35BD29@sympatico.ca>
Source record: 37555

This item is sold. Thanks for your interest.

Gary

5195. SOLD: Heathkit MM-1 VOM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 16:57:53 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <e0lasu0d6frdtn3psh98fjqru4e1996t8b@4ax.com>
Source record: 37556

SOLD !

5196. FA: Icom IC-W2A Amatuer Dual Band Handheld.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 17:08:03 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3dc557f4$1_7@nopics.sjc>
Source record: 37557
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395331447

--

CQ WAS & DX Stations !
Join me on the Century Club Nets
Website: http://www.3905ccn.com
Net Schedules Direct Link: http://www.qsl.net/wd5bjq/netsched.htm

"I can hear you...
The rest of the world hears you...
And the people who knocked these buildings down will hear us soon."
President George W Bush - Sept 14th, 2001

5197. Re: Kenwood TU-79, available from PIEXX.com

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 17:17:57 UTC
From: Chris <c_sieg@conknet.com>
Message-ID: <3DC55A03.ABEE01F3@conknet.com>
Source record: 37558

PIEXX sells a new replacement board for the TU-79 $59 + shipping

http://www.piexx.com

73

5198. FS: Ten Tec Argonaut 509 Station

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 17:39:40 UTC
From: John Harper AE5X <ae5x@qsl.net>
Message-ID: <wbdx9.1175$0x.1021@news4.srv.hcvlny.cv.net>
Source record: 37559
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395338695
--

John Harper AE5X
Outdoor QRP & 80-Meter DXing: http://www.ae5x.com

5199. Re: TS-520S Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 19:09:10 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0211031109.3a664704@posting.google.com>
Source record: 37560

mrogers@gpcom.net (Mark) wrote in message
news:<70230530.0211030100.474a4171@posting.google.com>...
> My Ts-520s seems to have lost power in all circuits save the 4 pilot
> lamps. No LEDS's no meter, no audio, nothing. Anyone know of a
> possible problem? Thanks!
> Mark WBï¿½SYV

Check fuses. Probably have a power supply problem. Most of the supply componants are on the "AVC"?? board if I remember right. I have a 520 manual somewhere, but not handy at the moment..My manual is not for the "s" model though. You will need a service manual to work on it. You need to check the voltages on that board. "9v, 3.3?? volts, etc" You may have popped a transister on that board, or have another problem. MK

5200. FA:RadioShack Portable/HandHeld Frequency Counter- Cheep>>Tonite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 20:00:27 UTC
From: rlucch2098@aol.com
Message-ID: <20021103150027.11066.00001820@mb-fe.aol.com>
Source record: 37561

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706298

5201. FA- 5 Popular Ham-Band FT-243 Xtals, CW Brand, ends this eve!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 20:02:17 UTC
From: rlucch2098@aol.com
Message-ID: <20021103150217.11066.00001823@mb-fe.aol.com>
Source record: 37562

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706341

5202. FA=ELECTROVOICE/HEATH 423A PTT MICROPHONE STAND 2-NITE!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 20:03:53 UTC
From: rlucch2098@aol.com
Message-ID: <20021103150353.11066.00001825@mb-fe.aol.com>
Source record: 37563

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706387

5203. fa>HEATHKIT IB-5281 RLC BRIDGE w/Orig. Box, MINT Last Call!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 20:06:24 UTC
From: rlucch2098@aol.com
Message-ID: <20021103150624.11066.00001828@mb-fe.aol.com>
Source record: 37564

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706446

Matching Multi-Unit supply
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706500

5204. fa> DRAKE AC-4 POWER SUPPLY, Great Shape, 2-night!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 20:07:54 UTC
From: rlucch2098@aol.com
Message-ID: <20021103150754.11066.00001830@mb-fe.aol.com>
Source record: 37565

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706544

5205. Fa>>->TWO(2) LARGE DAKA-WARE KNOBS w/SKIRTS Last call

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 20:09:40 UTC
From: rlucch2098@aol.com
Message-ID: <20021103150940.11066.00001833@mb-fe.aol.com>
Source record: 37566

Many nice, clear pictures!
Still at $9.99
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706570

5206. FA::TWO(2) NATIONAL CERAMIC FLEX COUPLINGS-LN Ends-2-nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 20:11:09 UTC
From: rlucch2098@aol.com
Message-ID: <20021103151109.11066.00001834@mb-fe.aol.com>
Source record: 37567

Many nice, clear pictures!
Still at $9.99
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706582

5207. fa- HALLICRAFTERS CB-12 CB RADIO, 1965, Rare Last call!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 20:14:15 UTC
From: rlucch2098@aol.com
Message-ID: <20021103151415.11066.00001839@mb-fe.aol.com>
Source record: 37568

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706615

5208. Fa;KENWOOD HS-5 HEADPHONES, LIKE NEW>>>-> ToNight

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 20:16:07 UTC
From: rlucch2098@aol.com
Message-ID: <20021103151607.11066.00001842@mb-fe.aol.com>
Source record: 37569

Many nice, clear pictures!
Cost $80 new!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706639

5209. Fa++ SHURE 414B HAND MICROPHONE, SMALL & Handy, No Bids!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 20:17:58 UTC
From: rlucch2098@aol.com
Message-ID: <20021103151758.11066.00001844@mb-fe.aol.com>
Source record: 37570

Many nice, clear pictures!
Still @$9.99
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1392706626

5210. FS:ALINCO DJ-X10T Wide range handheld receiver 100 khz-2 ghz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 20:25:19 UTC
From: msdbm@aol.com
Message-ID: <20021103152519.29445.00002223@mb-mg.aol.com>
Source record: 37571

ALINCO DJ-X10T WIDE RANGE SCANNING RECEIVER

THIS RADIO IS IN ABSOLUTELY NEW CONDITION!
TWO MONTHS OLD AND NEVER OUT OF THE HOUSE
A HIGH QUALITY RADIO......ALL METAL CONSTRUCTION

MULTI-MODE RECEIVER WITH 1200 MEMORY CHANNELS
40 Channels in 30 Banks......DUAL VFO's
100 KHZ THROUGH 2 GHZ COVERAGE (cellular excluded)
WFM, NFM, AM, USB, LSB, and AM MODES
THREE LINE ALPHA-NUMERIC CHANNEL DESIGNATIONS
MULTI-FUNCTION CHANNEL SCOPE DISPLAY (spectrum analyzer)
MULTI-SCAN MODES
INTERNAL HELP FUNCTION
BEGINNER AND EXPERT OPERATING MODES
AUTO TIMER, ON/OFF, CLOCK
BACKLIT DISPLAY AND KEYS

THIS IS A GREAT RADIO FOR THE PROFESSIONAL OR BEGINNER
IT DOES IT ALL!
CHECK THE ALINCO WEB SITE FOR A DETAILED LIST OF ALL IT'S BELLS AND WHISTLES!

$250.00 Shipped anywhere in 48 states
JOE K2JAD
Will E-Mail photos upon request.

5211. FS: Johnson 8640 on 900mhz Ham Band.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 21:31:08 UTC
From: Pete <*n2mci*@*arrl*.*net*>
Message-ID: <wAgx9.57522$c51.18818107@twister.nyroc.rr.com>
Source record: 37572
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have 5 Johnson 8640's 900mhz radio's "Ready to Go" on the 900mhz Ham band using the 25mhz Split.. These radios are 15w, 10ch, pl/dpl, and

are capable of scanning while on the hook.. These radios are NOT capable

of talking simplex, only to a repeater in the 902/927 range. The radios come programmed, but can be re-programmed with existing RSS..

Each radio comes with a Mic, mounting Bracket, power cord, tuned & programmed to your freq.'s..

Each radio is $50 plus shipping USPS or all 5 for $250 with free shipping..

Also available are :
3db mag. mount ant's $10
1 8640 service manual $10
extra 8640 CPU's (Firmware)(to convert other 8640/4's you might own) $10
8655 CPU's (Firmware)(to convert 8655's to the ham band) $10

-73, Pete n2mci@arrl.net

5212. DO YOU NEED A MANUAL?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 22:17:44 UTC
From: joeee1621@aol.com
Message-ID: <20021103171744.17903.00001886@mb-cu.aol.com>
Source record: 37573

OVER 850 TITLES TO CHOOSE FROM..WE PROBABLY HAVE THE ONE YOU NEED ..ALL MANUALS
$16 SHIPPED TO THE LOWER 48 STATES UNLESS OTHERWISE NOTED.. PLEASE TAKE A LOOK
AT OUR LIST- http://hometown.aol.com/joeee1621/myhomepage/business.html -AND
LET US KNOW WHAT YOU WOULD LIKE-WE GLADLY SHIP WORLDWIDE-..NEW MANUALS
DAILY..ORDER TODAY..SHIP TOMORROW.

5213. Need Schematic for MFJ-432 Voice Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 22:28:36 UTC
From: Robert Wilson <wa4puj@peoplepc.com>
Message-ID: <usb8ktdvak4u74@corp.supernews.com>
Source record: 37574

I made a weekend hamfest purchase of an MFJ 432 Voice Keyer that had no documentation with it. I found a text Instruction Manul online but I'd like a schematic. If anyone has one they could copy and mail or scan and email, please let me know. I'll be willing to compensate for this!

I see from an Internet search that these Keyers are subject to some problems but I'm hoping that with adequate info, I can make mine work.

Thanks

Bob - WA4PUJ

5214. Audio filter question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 23:05:12 UTC
From: fvracr@aol.com
Message-ID: <20021103180512.10357.00001110@mb-ch.aol.com>
Source record: 37575

I am looking for a good audio filter. Reccomendations?
I have looked at the Autek QF-1A and the Heath Kit HD-1814.
Anybody have one of these and can you tell me what you think of it.

Tnx,
Kirk Mohror
K7EKM

5215. FS Kenwoos TS 830S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 23:26:41 UTC
From: Larry W <liweaver@hotmail.com>
Message-ID: <Xns92BBBBA142B95scuttlebutt@130.133.1.4>
Source record: 37576

Kenwood TS830S and matching VFO. Both in excellent condition. NW Ohio area pick up or meet please. $500.00

Thanks,
Larry

5216. FA: Motorola Micom XF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-03 23:26:55 UTC
From: Tom Sharples <tsharples@qorvus.com>
Message-ID: <2hix9.79353$wG.296328@rwcrnsc51.ops.asp.att.net>
Source record: 37577

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395069466

5217. FS: Palomar Noise Bridge

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 00:56:23 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <XAjx9.994$I8.125552@newsread1.prod.itd.earthlink.net>
Source record: 37578
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Palomar noise bridge. Used to tune antennas by listening for maximum noise in the receiver. This unit is very small and easy to carry in the tool bag or box. Powered by a 9 volt battery.
This unit is currently sold by Palomar. Check their catalog for details.

Used once and returned to the box. I will safely ship this to you in its original box.

Asking only $40.00. Plus shipping via USPS Priority Mail.

Rich, W6VX in Sherman Oaks CA

w6vx@arrl.net

5218. FS: Heathkit HW-100 - Very Nice!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 01:39:43 UTC
From: wa8mea@hotmail.com
Message-ID: <8a260fb2.0211031739.4d4a4dcc@posting.google.com>
Source record: 37579
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment

For Sale: A VERY nice Heathkit HW-100 WITH HP-23 power supply. Comes with power supply to xcvr power cord, TWO hand mics (one the original Heath, the other a Turner that looks like a Heath mic...) I purchased a NEW W7FG Vintage Manual for the transmitter. (But not for the power supply.) The manual set me back about $40...but I'll include the manual FREE with the purchase of the rig. I bought and installed two brand new 6146 finals for it AND a new 6CL6 driver and neutralized. I'll toss in a pair of spare 6146's and 6CL6 into the deal.

No dents, no rust, original paint and only a couple of minor scratches. Original knobs and paint. A VERY nice rig for the collector or for a first rig.

$295 plus $14.95 towards shipping and insurance. (The xcvr isn't all that heavy...but the power supply is.) If you are short on cash, we can run the tranaction through my little ham/swl business using your Visa or Mastercard.

First email gets it! wa8mea@hotmail.com

73, Bill Lauterbach - WA8MEA

1.517.563.2613

http://qth.com.dwm

wa8mea@hotmail.com

5219. AEA CK-2 Contester Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 01:49:13 UTC
From: Terry Ashland <t_ashland@yahoo.com>
Message-ID: <aq4jmksjm1@ins22.netins.net>
Source record: 37580

Hi All! I purchased an AEA CK-2 Contest keyer recently and it works great except for the keypad. Unfortunately the 1 and 3 keys do not function. The problem is, the one key is important because you can program in your beacon message, set up serial numbers, etc. I contacted Timewave to see if they might have parts, but they had none. I would really like to get this thing working. Does anyone have any idea what the problem might be? The keys feel fine, but I have no audio feedback when I press these keys like I get when I press any of the other keys. The keypad is a 12 keypad (0-9, *, #). Anyone have a dead CK-2 keyer for parts?
Thanks and 73,
Terry, WK0F

5220. FS: MINT MFJ-9406 Six Meter SSB Xcvr.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 02:01:55 UTC
From: wa8mea@hotmail.com
Message-ID: <8a260fb2.0211031801.2b6b78e7@posting.google.com>
Source record: 37581
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,alt.ham-radio.marketplace

For Sale: MINT MFJ-9406 six Meter transceiver. These little rigs are a blast! This is the third different model/band I've owned. Talked all over the U.S. and the world with just a three element yagi only 20 feet off the ground. GREAT transmit audio. Also has CW module installed.

Comes with manual, original box, stock hand mic and DC power cord.

$169 and I will be glad to pay for the shipping and insurance by Priority Mail. If you're short on cash, we can run the transaction through my little ham/swl business using your Visa or Mastercard.

First e-mail gets it! wa8mea@hotmail.com

73, Bill Lauterbach - WA8MEA

1.517.563.2613

http://qth.com/dwm

wa8mea@hotmail.com

5221. FS: MFJ Frequency Counter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 02:07:33 UTC
From: wa8mea@hotmail.com
Message-ID: <8a260fb2.0211031807.4f6b1b46@posting.google.com>
Source record: 37582
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,alt.ham-radio.marketplace

For Sale: MFJ Pocket Frequency Counter. Only a few weeks old. Like new, MINT condition. Has duckie antenna and DC adapter. I used it to calibrate my HW-100...which is now up for sale, too.

$75 and I'll pay for shipping and insurance via Priority Mail. If you're short on cash, we can run the transaction through my little ham/swl business using your Visa or Mastercard.

First e-mail gets it! wa8mea@hotmail.com

73, Bill Lauterbach - WA8MEA

1.517.563.2613

http://qth.com/dwm

wa8mea@hotmail.com

5222. Free Maunual Kenwood TR-2500 Handheld Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 04:12:54 UTC
From: Rick and Theresa <n6cy@earthlink.net>
Message-ID: <atmx9.1421$l8.159066@newsread1.prod.itd.earthlink.net>
Source record: 37583

I have, excess to my needs a photocopy of a Kenwood TR-2500 instruction and service manual. It's yours if you're interested for whatever the postage costs. Please let me know by 8 November.

Rick N6CY
San Diego CA

5223. Re: Need Schematic for MFJ-432 Voice Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 09:27:27 UTC
From: Peter <deypet@pandora.be>
Message-ID: <34rx9.3407$bz6.965038237@hestia.telenet-ops.be>
Source record: 37584

Hi Bob,

i had the same problem....i contacted MFJ and they offered me
to send to Belgium a schematic drawing totally FREE even without
mailingcosts...that's a great service from MFJ.

73's Peter ON7BJ.

ps:it's still has to come,asked just 5days ago..

"Robert Wilson" <wa4puj@peoplepc.com> schreef in bericht
news:usb8ktdvak4u74@corp.supernews.com...
> I made a weekend hamfest purchase of an MFJ 432 Voice Keyer that had no
> documentation with it. I found a text Instruction Manul online but I'd
like
> a schematic. If anyone has one they could copy and mail or scan and
email,
> please let me know. I'll be willing to compensate for this!
>
> I see from an Internet search that these Keyers are subject to some
problems
> but I'm hoping that with adequate info, I can make mine work.
>
> Thanks
>
> Bob - WA4PUJ
>
>

5224. Looking for information about constructeur

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 12:26:40 UTC
From: b.larcheveque@free.fr
Message-ID: <20c7a271.0211040426.226d97fa@posting.google.com>
Source record: 37585

Hey everybody,
I'm student in Msc and I'm trying to produce a survey about the
different kind of internal antenna and makes of phone which use them;
I already found information about the different type of antenna but i
still ignore which constructor use which technology ... if you know
where I could find this type of information it would be helpfull for
me.

thank you,

--
Benjamin LARCHEVEQUE
benjamin.larcheveque@students.plymouth.ac.uk
b.larcheveque@free.fr

5225. Re: No More 10.8 IF Crystals For Bearcats From Radio Shack

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 13:10:23 UTC
From: foxyie@inwind.it
Message-ID: <3lux9.120207$r7.2192560@twister.tampabay.rr.com>
Source record: 37587
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.scanner

Too bad for Radio Shack, but there are many companies who will make crystals
for every possible use.

"S. Miller" <stemp-removethis-@gstarusa.com> wrote in message
news:3DBB31F2.5DFA5B2E@gstarusa.com...
>
> So? Just buy them from the source...
>
> http://www.icmfg.com/
>
> They'll make you whatever you want.
>
>
>
> "Buford T. Justice" wrote:
>
> > I stopped by my local Radio Shack tonight to see about getting some
crystals
> > for my Electra Bearcat III. The salesman (who appeared to know what he
was
> > doing) called the Radio Shack Service Center. They told him that the
> > warehouse Radio Shack had for the Bearcat 10.8 IF crystals had been
closed
> > down and all they had left was a very limited supply of 10.7 IF crystals
for
> > Realistic crystal scanners and others which use 10.7 IF crystals.
> >
> > BTJustice
>
>

5226. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 13:14:51 UTC
From: foxyie@inwind.it
Message-ID: <fpux9.120210$r7.2192980@twister.tampabay.rr.com>
Source record: 37589
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Why would a group care what he FCC does or does not do? This email is plain stupid and would only work on a really stupid CBer who likes to pick up on rumors....

"Deos" <lineoffiretoday@yahoo.com> wrote in message
news:apoi61$3fp$2@nic.grnet.gr...
> why not just put some tnt in the amplifier or c4,
>
> --
> http://deosiereas.virtualave.net
> "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> news:R%Dt9.597$oP5.263834668@news.inreach.com...
> > A group of hams who are fed up with the FCC's efforts to stop the spread
> of
> > illegal amplifier use are reported to be buying linear amplifiers and
> > installing trojan horse mods that can burn out the receive section of
> > transceivers operating out of band.
> >
> > The modifications detect certain transmitted frequencies and trigger a
> > device installed on the amp that places a series of high voltage pulse
> type
> > signals across the antenna line effectively burning out the front end of
> the
> > receiver.
> >
> > Only technicians familiar with solid state circuits can detect the
devices
> > which are cleverly disguised as actual amplifier components.
> >
> > Be very careful when purchasing used amplifiers or purchasing amplifiers
> > online from unknown sellers. The information that I have received
> indicates
> > the normal user will re-sell the amplifier which once again will perform
> > it's mission un-detected during normal use. The user will think the
> problem
> > is his transceiver, not the amplifier. Use extreme caution.
> >
> >
>
>
>

5227. FS: Ten-Tec OMNI VI Plus Station

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 13:19:29 UTC
From: jonweiner@aol.com
Message-ID: <20021104081929.10779.00004133@mb-mq.aol.com>
Source record: 37588

I have for sale a mint condition Ten-Tec OMNI VI PLUS station. Consists of the model 564 OMNI VI PLUS (factory Plus, not an upgrade or conversion), model 961 Power Supply/Speaker, and model 705 desk microphone, as well as original factory manuals. In the original factory carton. No optional filters installed. Price $1500. including shipping (CONUS)

5228. Antenna Reel for Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 13:34:28 UTC
From: john price <jm.price@att.net>
Message-ID: <3DC677F1.CFE04C01@att.net>
Source record: 37590
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.aviation.owning

I have a Learadio model RH-4 Junior Unihand Reel
with mounting brackets... I believe this was used
on the Stinson L-5... It is in excellent condition...
It currently does not have the wire, but can put
some on the reel...

I need an RCA AVA-120 reel, which was used on the
Aeronca L3Bs and The Piper L4s... Would like to
make a swap... Or am willing to but an AVA-120,
if anyone has one...

Thanks
John Price
CFII/AGI/IGI
WA2FZW
http://home.att.net/~jm.price

5229. Looking for Wind Generator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 13:38:28 UTC
From: john price <jm.price@att.net>
Message-ID: <3DC678E3.FB84B80E@att.net>
Source record: 37591
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.aviation.owning

Still looking for a General Armature AG-40 wind generator
for my Aeronca L3... Will consider similar equipment...

Thanks
John Price
CFII/AGI/IGI
WA2FZW
http://home.att.net/~jm.price

5230. FS:ENDS TODAY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 13:46:40 UTC
From: Heytubeguy <heytubeguy@worllnet.att.net>
Message-ID: <4Tux9.24511$VJ5.1498892@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37592

James Millen Counter, Ant. noise bridge, 4 & 5 pin ceramic sockets: estate items:see heytubeguy under ebay 'seller' for these and other item. Many, many others + 20-30 antique radios coming in the future.
73 Heytubeguy

5231. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 13:47:16 UTC
From: the el-cheapo ham radio op <bigfatalhohoho@aol.com>
Message-ID: <3dc67afe@snipnews.snip.net>
Source record: 37594
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

```
The only people who worry about CB'ers with amps
are self-righteous ham radio operators who think that
their pathetic hobby is the centre of the universe and
they have some kind of a duty to catch "radio criminals".
(and yet if you goto a hamfest or e-bay lookin for an
amp, 9 times out of 10 there's a ham op behind the
table selling it who will gladly look the other way for a
wad of cash and a thank you. Bada-Bing! (just tellin
the truth and they can't stand it)

<foxyie@inwind.it> wrote in message
news:fpux9.120210$r7.2192980@twister.tampabay.rr.com...
> Why would a group care what he FCC does or does not do? This email is
plain
> stupid and would only work on a really stupid CBer who likes to pick up on
> rumors....
>
>
> "Deos" <lineoffiretoday@yahoo.com> wrote in message
> news:apoi61$3fp$2@nic.grnet.gr...
> > why not just put some tnt in the amplifier or c4,
> >
> > --
> > http://deosiereas.virtualave.net
> > "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> > news:R%Dt9.597$oP5.263834668@news.inreach.com...
> > > A group of hams who are fed up with the FCC's efforts to stop the
spread
> > of
> > > illegal amplifier use are reported to be buying linear amplifiers and
> > > installing trojan horse mods that can burn out the receive section of
> > > transceivers operating out of band.
> > >
> > > The modifications detect certain transmitted frequencies and trigger a
> > > device installed on the amp that places a series of high voltage pulse
> > type
> > > signals across the antenna line effectively burning out the front end
of
> > the
> > > receiver.
> > >
> > > Only technicians familiar with solid state circuits can detect the
> devices
```

> > > which are cleverly disguised as actual amplifier components.
> > >
> > > Be very careful when purchasing used amplifiers or purchasing
amplifiers
> > > online from unknown sellers. The information that I have received
> > indicates
> > > the normal user will re-sell the amplifier which once again will
perform
> > > it's mission un-detected during normal use. The user will think the
> > problem
> > > is his transceiver, not the amplifier. Use extreme caution.
> > >
> > >
> >
> >
> >
>
>

5232. FS: KENWOOD TS-950-SDX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 13:48:02 UTC
From: dwight136@aol.com
Message-ID: <20021104084802.13919.00002882@mb-fq.aol.com>
Source record: 37593

HAVE A 100% WORKING TS 950-SDX TRANSCEIVER , IT IS A 9+ OUT OF 10 HAS A FEW SCRATCHES ON THE TOP WHERE SOMETHING WAS SETTING ON IT ,THE FRONT PANEL IS PERFECT ......COMES WITH THE INNER AND OUTER BOXES,THE ORIGINAL MANUAL,HANDMIC...A NONE SMOKING ENVIROMENT ......WILL SHIP TO YOUR DOOR IF YOU ARE IN THE LOWER 48 STATES $2,000.00 ......

5233. ICOM battery pack replacement needed, where 2 buy?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 14:07:03 UTC
From: Richard J <nospam@nospam.mah.se>
Message-ID: <aq5phngti1@news.lth.se>
Source record: 37586

Hi group -

where -INSIDE EU- can I find decently priced NiCad replacement packs for the BP-7 battery for an old Icom handheld?
It's the 3 inch high casing I have (13.2V/600mAh or so, not the 1200mAh variant).
Tips appreciated. Web searches turn up a lot of US companies, but US is a no-go with the shipping, VAT and customs on top of price.

Cheers & TNX for your time

/Rick SM7SCJ

5234. WTB; APHEX DOMIONATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 15:19:20 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <Ydwx9.45101$Mb3.2204776@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37595

Price and condition

Bill Salerno w2onv@att.net 201 368 3655

5235. Re: need help using spectrum analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 15:21:45 UTC
From: temple@karvul.zzz
Message-ID: <3dc68c9d.2339487@news.attcanada.ca>
Source record: 37596
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

I remember that one!

As I recall, the original manuals were not that helpful if you were unfamiliar with basic S/A use. I had an Elmer when I worked in the lab.

Have you tried HP's web site directly?

I've noticed that a lot of equipment manufacturers have become much less anal-retentive about documentation in recent years.

>I just purchased a used HP141T with plug-ins. Although it didn't have
>manuals, I was able to obtain some military technical manuals, but these
>seem more suited to maintenance than actual use. There is an operational
>section, but unclear, at least to me. I'd just like to get stated using the
>analyzer. Are there any places on the web with tutorials?
>
>Thanks, in advance.
>
>Norm
>
>
>
>

5236. REPORT: For Sale: MINT Radio Shack HTX-252 Two Meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 16:19:54 UTC
From: wa8mea@hotmail.com
Message-ID: <8a260fb2.0211040819.9a8d1dc@posting.google.com>
Source record: 37597
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace

The guy who wanted this has evidently backed out of his agreement to purchase. I haven't heard hide nor hair from him in over ten days. So.....we will put it back out there. However, this time I think instead of waiting for a money order in the mail, it's best we just put the transaction through my ham/swl antenna business using a Visa or Mastercard. This will protect BOTH of us. (Plus...it will get the rig to you quicker.)

FOR SALE: Radio Shack HTX-252 two meter FM rig. MINT condition. Only used for a few months. Never mobile. Used it here at the base for a back-up during severe weather. So not many hours of operation on it. 25 watts high power...10 watts low. Rcvr goes up into the PSB and NOAA weather portions. (I use to listen to our sheriff on it.)

Original manual, box, DC cord and stock hand mic.

$95 and I'll pay for shipping and insurance.

First e-mail gets it!

73, Bill Lauterbach - WA8MEA
1.517.563.2613 - wa8mea@hotmail.com

DWM Communications:
http://qth.com/dwm

5237. Interceptor TC300 schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 16:35:40 UTC
From: Bruno Rodrigues <sniffpt@hotmail.com>
Message-ID: <aq67b1$8ac$1@sagan.global-one.pt>
Source record: 37598

I need Interceptor TC300 schematic radio.
If somebody has the project of the radio please send me for my mail.
sniffpt@hotmail.com

Thanks !

5238. FS WiMo R-150 QRP HF Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 16:53:01 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <NBxx9.564$fn6.80383@newsread1.prod.itd.earthlink.net>
Source record: 37599

I have for sale an as new WiMo R-150 HF QRP Amplifier built for the FT-817. This is a German built HF Amplifier that runs up to 150 watts output with 5 watts input. It operates from 1.8 to 30 MHz. Although it was built to go with the Yaesu FT-817, it can be used with any QRP rig. running around 5 watts output. For more information see the WiMo WebPage. Enter WiMo in an search engine. Price is $235 shipped in lower 48. Thanks, Charlie Hugg, K5MBX

5239. Re: Who sells PCB components?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 16:58:22 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <OGxx9.24735$VJ5.1516968@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37600

You might want to try Keystone; they make all of these weird things. I believe that they are on the East coast.

Pete

5240. SOLD! MFJ Frequency Counter. Thanks.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 17:59:58 UTC
From: wa8mea@hotmail.com
Message-ID: <8a260fb2.0211040959.bbdd268@posting.google.com>
Source record: 37601
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,alt.ham-radio.marketplace

wa8mea@hotmail.com (Bill) wrote in message
news:<8a260fb2.0211031807.4f6b1b46@posting.google.com>...
> For Sale: MFJ Pocket Frequency Counter. Only a few weeks old. Like
> new, MINT condition. Has duckie antenna and DC adapter. I used it to
> calibrate my HW-100...which is now up for sale, too.
>
> $75 and I'll pay for shipping and insurance via Priority Mail. If
> you're short on cash, we can run the transaction through my little
> ham/swl business using your Visa or Mastercard.
>
> First e-mail gets it! wa8mea@hotmail.com
>
> 73, Bill Lauterbach - WA8MEA
>
> 1.517.563.2613
>
> http://qth.com/dwm
>
> wa8mea@hotmail.com

****

It's been sold. Thanks!

73, Bill WA8MEA

5241. FS icom 821H dual band satellite all mode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 19:49:18 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <2bAx9.140741$om2.2391526@twister.rdc-kc.rr.com>
Source record: 37602
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

New lower price $700 + shipping u.s only ups insured shipping.
Icom 821H dual band satellite all mode rig.
2 meter and 440 all mode.
cross band repeat ready.
One light needs to be replaced all other light work.
This radio looks and works great.
Comes with original box manual mic and power cord.
E-mail me for picture.

5242. Re: Icom IC-2100H and sending DTMF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 21:06:58 UTC
From: jhayes7@hotmail.com
Message-ID: <ddf642ea.0211041306.2585f16c@posting.google.com>
Source record: 37603

Chris,

Thanks for the information.

Robert K2RTB

SideBand <krNO8SPAMlr@cac.net> wrote in message news:<3DBC45C8.6000801@cac.net>...
> No.. Press the DTMF button on the mic, and press the buttons.. Keying the
> mic is not necessary.
>
> de KR8LR, Chris
>
> robertb wrote:
>
> > I'd like to know if it's possible to send DTMF tones with the 2100 as
> > one can with the W32A (just hold the PTT and push the appropriate
> > buttons on the keypad).
> >
> > The 2100 manual leads me to believe that I can only transmit a DTMF
> > string from a memory; is this true?
> >
> > Thanks for any information.
> >
> > Robert K2RTB
> >

5243. Re: FS:ENDS TODAY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 22:41:14 UTC
From: tester <tester@aol.com>
Message-ID: <bqtdsugkptdp1ocn2t681b6k63spo46pee@4ax.com>
Source record: 37604

Get the hell out of here jerkoff. Learn how to post FA items so we can
filter them out.

On Mon, 04 Nov 2002 13:46:40 GMT, "Heytubeguy"
<heytubeguy@worllnet.att.net> wrote:

>James Millen Counter, Ant. noise bridge, 4 & 5 pin ceramic sockets: estate
>items:see heytubeguy under ebay 'seller' for these and other item. Many,
>many others + 20-30 antique radios coming in the future.
>73 Heytubeguy
>

5244. IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-04 23:53:10 UTC
From: "M.M." <junquemaile@cox.net>
Message-ID: <Xns92BCABEA23530nobodynowhere@68.6.19.6>
Source record: 37605
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I'm trying to decide between an Icom IC-706 and a Yaesu FT-100. I've read the reviews but would like to hear from anyone who has experience with both. Prices & features appear to be about the same. Anyone have any particular reasons toward (or away from) either one?

Thanks & 73... Mark AA7TA

5245. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 00:16:16 UTC
From: Ken Bessler <kg0wx@yahoo.com>
Message-ID: <k5Ex9.120858$Ju.2944@news2.central.cox.net>
Source record: 37606
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

"M.M." <junquemaile@cox.net> wrote in message
news:Xns92BCABEA23530nobodynowhere@68.6.19.6...
> I'm trying to decide between an Icom IC-706 and a Yaesu FT-100. I've read
> the reviews but would like to hear from anyone who has experience with
> both. Prices & features appear to be about the same. Anyone have any
> particular reasons toward (or away from) either one?
>
> Thanks & 73... Mark AA7TA

I've heard lots of bad reports about the quality and reliability of the
FT100. I've heard none with the 706 series except for the poor vhf rx on the
original 706 (there is a simple mod for this).

Get the '706.....

Ken KG0WX

5246. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 00:18:08 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <P9Ex9.13763$NV.230348@news.direcpc.com>
Source record: 37607
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

My personal opinion...

FOR 100D: If you plan to use it mobile, the 100D has a vastly superior noise blanker (superior to ANYTHING I found, not just the 706), optimized for ignition noise. If not, they're both good radios.

FOR 706: The 706's controls are a little larger and maybe easier to use.

AGAINST BOTH: I would hate having to quit listening to the local repeater(s) any time I wanted to operate HF... AND... losing ALL comm capability if either my HF or V/UHF radio had to go back for service. I always use separate HF and V/UHF radios. I own a 100D and use it only for HF mobile.

73... Ed, W5EJ

"M.M." <junquemaile@cox.net> wrote in message
news:Xns92BCABEA23530nobodynowhere@68.6.19.6...
> I'm trying to decide between an Icom IC-706 and a Yaesu FT-100. I've read
> the reviews but would like to hear from anyone who has experience with
> both. Prices & features appear to be about the same. Anyone have any
> particular reasons toward (or away from) either one?
>
> Thanks & 73... Mark AA7TA

5247. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 00:18:22 UTC
From: crossfire <noone@home.com>
Message-ID: <1036455686.589728@nnrp1.phx1.gblx.net>
Source record: 37608
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I've owned both of these radio's and the 706 beats the ft100 hands down
"Ken Bessler" <kg0wx@yahoo.com> wrote in message
news:k5Ex9.120858$Ju.2944@news2.central.cox.net...
> "M.M." <junquemaile@cox.net> wrote in message
> news:Xns92BCABEA23530nobodynowhere@68.6.19.6...
> > I'm trying to decide between an Icom IC-706 and a Yaesu FT-100. I've
read
> > the reviews but would like to hear from anyone who has experience with
> > both. Prices & features appear to be about the same. Anyone have any
> > particular reasons toward (or away from) either one?
> >
> > Thanks & 73... Mark AA7TA
>
> I've heard lots of bad reports about the quality and reliability of the
> FT100. I've heard none with the 706 series except for the poor vhf rx on
the
> original 706 (there is a simple mod for this).
>
> Get the '706.........
>
> Ken KG0WX
>
>

5248. Re: WTB DAWE Nixie Counter - desperate!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 01:32:37 UTC
From: "Alan 'A.J.' Franzman" <a.j.franzman@null.com.invalid>
Message-ID: <VcFx9.14826$t1.8492@nwrddc02.gnilink.net>
Source record: 37610

"Machineage" <machineage@ntlworld.com> wrote in message
news:B9E17E87.376B%machineage@ntlworld.com...
> Hi there
>
> I'm looking to locate a DAWE 3000 AR/6 nixie counter. It dates from
the
> 1970s and uses 6 nixie tubes. Does anyone know of this instrument or
where I
> may be able to locate one?
>
> Thanks!

You may be in luck:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1784462530
is a Dawe 3000, don't know about the AR/6 part. Seller (not me) will
ship internationally.

--

Alan "A.J." Franzman

Email: a.j.franzman at verizon dot net

5249. National NC-303 on Ebay with 2+6 meter converters and speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 01:41:06 UTC
From: k.mccabe@insightbb.com
Message-ID: <36c98545.0211041741.719da777@posting.google.com>
Source record: 37611

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395796833

5250. Re: Who sells PCB components?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 02:05:24 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns92BCB9D50F8B8Frog207Junocom@148.78.248.76>
Source record: 37613

A good source for all your parts needs, including PC board stuff is the
old Allied Electronics

http://www.alliedelec.com

Ed WB6SAT

5251. FS: Kenwood TS940SAT HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 02:21:44 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <YWFx9.1381$En4.155873@newsread2.prod.itd.earthlink.net>
Source record: 37614
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood TS940SAT HF Radio.

10-160 coverage, extended RX/TX. 100 Watts output.

Very clean, one-owner radio.

Asking $900.00 or best offer. Buyer pays for packing/shipping.

Contact Rich, W6VX here or at 818/997-1217

73

5252. Re: KENWOOD TS-950-SDX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 02:21:48 UTC
From: "Dee D. Flint" <dee.hays@sbcglobal.net>
Message-ID: <0XFx9.3995$z5.2959900@newssvr28.news.prodigy.com>
Source record: 37609

When a brand new top of the line Kenwood is less than $2000, what makes this radio worth so much USED?????

Dee Flint, N8UZE

"Dwight 136" <dwight136@aol.com> wrote in message news:20021104084802.13919.00002882@mb-fq.aol.com...
> HAVE A 100% WORKING TS 950-SDX TRANSCEIVER , IT IS A 9+ OUT OF 10 HAS A FEW
> SCRATCHES ON THE TOP WHERE SOMETHING WAS SETTING ON IT ,THE FRONT PANEL IS
> PERFECT ......COMES WITH THE INNER AND OUTER BOXES,THE ORIGINAL
> MANUAL,HANDMIC...A NONE SMOKING ENVIROMENT ......WILL SHIP TO YOUR DOOR IF YOU
> ARE IN THE LOWER 48 STATES $2,000.00 ......

5253. FS: Kenwood YK88C and YK88S Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 02:23:06 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <eYFx9.1384$En4.152686@newsread2.prod.itd.earthlink.net>
Source record: 37615
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood YK88S Sideband Filter/YK88C CW (500 Hz) filters.

Used in the Kenwood TS 430/TS440 radios.

Asking $75.00 each. Buyer pays packaging/shipping.

Contact Rich, W6VX here or at 818/997-1217

73

5254. FS: Kenwood PC-1A Phone Patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 02:24:11 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <fZFx9.1387$En4.156066@newsread2.prod.itd.earthlink.net>
Source record: 37616
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood PC-1A Phone Patch for sale. All cables and manual.

Excellent condition. Asking $75.00 plus packing/shipping.

Contact Rich, W6VX here or at 818/997-1217.

73

5255. FS: Kenwood TS440SAT Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 02:26:25 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <I%Fx9.1391$En4.156803@newsread2.prod.itd.earthlink.net>
Source record: 37617
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Very clean TS440SAT. One owner, low hours. Mike, manual, power cord and original box for shipping.

Asking $475 plus shipping from 91411.

Rich W6VX
w6vx@arrl.net

5256. JRC-245 gone.. any replacement?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 02:40:44 UTC
From: rich u <k2koq@yahoo.com>
Message-ID: <Xns92BCDC912BF21k2koqyahoocom@167.206.3.2>
Source record: 37618

I see the JRC-245 xcever has been discontinued. Is there going to be a replacement?

Or are they out of the ham radio business?

5257. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 03:01:58 UTC
From: Steven L Umbach <sumbach@ameritech.net>
Message-ID: <GwGx9.4323$mN6.1575975@newssrv26.news.prodigy.com>
Source record: 37612
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a FT-100 and really like it. I don't use it mobile though, more as a shack accessory. From other hams I have talked to and from ARRL test measurements the FT-100 clearly has the better receiver. It has an incredible receiver for such a small radio. The noise blanker is also top notch and unlike the Icom it has DSP bandwith control (at least the first two 706's did not have this). The transmit audio is also outstanding with hand mike. There is no doubt though that Icom has had a better reliabilty record at least compared to early FT-100. I find the fan noise a bit annoying on the FT-100 when you transmit though - of course a shack is a lot quieter than a car, I am not sure how the Icom is as far as fan noise. Also I am not sure how robust the antenna pigtails on the FT-100 will be for the long run. Good luck. ---- Steve KK9ZZ

"M.M." <junquemaile@cox.net> wrote in message
news:Xns92BCABEA23530nobodynowhere@68.6.19.6...
> I'm trying to decide between an Icom IC-706 and a Yaesu FT-100. I've read
> the reviews but would like to hear from anyone who has experience with
> both. Prices & features appear to be about the same. Anyone have any
> particular reasons toward (or away from) either one?
>
> Thanks & 73... Mark AA7TA

5258. Looking for Mitrek Control Head

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 03:18:50 UTC
From: "J.R." <jkrusso@nospamstarband.net>
Message-ID: <PMGx9.5368$XK4.2084302888@twister2.starband.net>
Source record: 37619

I'm looking for a Motorola Mitrek Control Head, cable harness and mic. This Mitrek is a four channel UHF model. Please respond here with the particulars.

Thanks,
Jim Russo
KC4YJV

5259. Re: JRC-245 gone.. any replacement?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 03:34:56 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <useessa25pvd6f@corp.supernews.com>
Source record: 37620

Word has it that an IF DSP based rig is on the way soon. Much like the JRC DSP recvr currently offered.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"rich u" <k2koq@yahoo.com> wrote in message
news:Xns92BCDC912BF21k2koqyahoocom@167.206.3.2...
> I see the JRC-245 xcever has been discontinued. Is there going to be a
> replacement?
>
> Or are they out of the ham radio business?

5260. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 04:06:01 UTC
From: crossfire <noone@home.com>
Message-ID: <1036469349.424815@nnrp1.phx1.gblx.net>
Source record: 37621
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

A few things to consider with the 706 that I found to be better for Me was the fact that the 706 has better drive , It is much easier to use at night while driving because the display is big and easy to read , Even though I must admit that the 100 does have a far better receiver but the 706 still hears very well and I think one small thing that turned Me off with the 100 in the mobile is the fact that the mic plugs in to the body of the radio and not the detachable face . I have the 706 mounted under My back seat of the pickup and the face on the dash and I can take the face off the mount in 1 second, put it in My pocket with the mic and I'm gone. and it reattaches just as quick.
73"
"crossfire" <noone@home.com> wrote in message
news:1036455686.589728@nnrp1.phx1.gblx.net...
> I've owned both of these radio's and the 706 beats the ft100 hands down
> "Ken Bessler" <kg0wx@yahoo.com> wrote in message
> news:k5Ex9.120858$Ju.2944@news2.central.cox.net...
> > "M.M." <junquemaile@cox.net> wrote in message
> > news:Xns92BCABEA23530nobodynowhere@68.6.19.6...
> > > I'm trying to decide between an Icom IC-706 and a Yaesu FT-100. I've
> read
> > > the reviews but would like to hear from anyone who has experience with
> > > both. Prices & features appear to be about the same. Anyone have any
> > > particular reasons toward (or away from) either one?
> > >
> > > Thanks & 73... Mark AA7TA
> >
> > I've heard lots of bad reports about the quality and reliability of the
> > FT100. I've heard none with the 706 series except for the poor vhf rx on
> the
> > original 706 (there is a simple mod for this).
> >
> > Get the '706.....
> >
> > Ken KG0WX
> >
> >
>
>

5261. FS: Henry 2KD Classic Desktop HF Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 04:20:01 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <RFHx9.1523$fn6.185866@newsread1.prod.itd.earthlink.net>
Source record: 37622
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Henry 2KD Classic desktop amplifier. 10-80M, (2) 3-500Z tubes, 1200+ watts output.
Very clean unit, low hours. 10M modification made at the Henry factory.
Asking $1000.00 plus packing/professional shipping. Unit weighs about 80 pounds out of the box.

Contact Rich, W6VX
818/997-1217

w6vx@arrl.net

5262. FS: 10Hz-600MHz frequency counter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 04:36:06 UTC
From: lagagnon@fakesprint.ca
Message-ID: <3dc74a36.171760@news.sprint.ca>
Source record: 37623

Due to long term travel plans I am having to sell some of my radio and test equipment. I therefore have for sale my Trionyx TR-1000 frequency counter with its manual. The counter works perfectly and is in excellent cosmetic condition. It has the following specifications:

range: 10Hz-600MHz
display: 7 large 0.4" LED digit display
gates: 1 sec and 0.1 sec
portable: internal NiCad battery pack
power input: 9-15V AC or DC adapter (wall wart) at 300Ma
dimensions: 13x14x7 cm
weight: 700 grams including NiCads
flexible rubber duck antenna for RF sniffing
BNC inputs
manual

I am asking US$49 for this counter and that includes surface shipping to any address in North America. Please contact me by direct email if you are interested.

Larry Gagnon VE6MK

****
to send direct email remove "fake" from address

5263. Motorola automatic antenna tuners

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 05:30:47 UTC
From: Tom Sharples <tsharples@qorvus.com>
Message-ID: <bIIx9.12754$Wi.41857@sccrnsc02>
Source record: 37624

Hey folks, I have several of the Mot auto antenna tuners (for use with Micom XF), but unfortunately no documentation. Can anyone out here give me the pinout of the
screw-terminals (1 through 4) on the back of these units? One of them is +12 VDC, one is N/C, but what are the other ones (#1 and #2) for? Any help would be appreciated, thanks!

73, Tom WA6HAS

5264. Re: need help using spectrum analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 07:52:18 UTC
From: Norm Waterston <nospamnail@nospam.com>
Message-ID: <aq7tac$h90$1@slb7.atl.mindspring.net>
Source record: 37625
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

With a little help from the group, I was able to figure it out. The operation is a lot less complicated than I thought. I re-read the manuals and everything was clearer. This is one nice unit! I'm able to see all kinds of signal phenomena with it.

Norm

"LoneSloane" <temple@karvul.zzz> wrote in message news:3dc68c9d.2339487@news.attcanada.ca...
> I remember that one!
>
> As I recall, the original manuals were not that helpful if you were
> unfamiliar with basic S/A use. I had an Elmer when I worked in the
> lab.
>
> Have you tried HP's web site directly?
>
> I've noticed that a lot of equipment manufacturers have become much
> less anal-retentive about documentation in recent years.
>
> >I just purchased a used HP141T with plug-ins. Although it didn't have
> >manuals, I was able to obtain some military technical manuals, but these
> >seem more suited to maintenance than actual use. There is an operational
> >section, but unclear, at least to me. I'd just like to get stated using
the
> >analyzer. Are there any places on the web with tutorials?
> >
> >Thanks, in advance.
> >
> >Norm
> >
> >
> >
> >
>

5265. FA: Last day - Working Tempo S15 2 Meter HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 11:28:42 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <0UNx9.5555$7F2.5@news.bellsouth.net>
Source record: 37626

Last chance to get a cheap working backup radio.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394128624

5266. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 11:45:45 UTC
From: Bob Allen <mcamp@gmavt.net>
Message-ID: <3DC7AF69.9AAA9833@gmavt.net>
Source record: 37627
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

The FT-100 wins on features, price and receive sensitivity but be aware there are some mods that are easy and sometimes need to be done, see the ft100 group on yahoo groups and read the FAQs. If there is a reliability issue, I don't know as I have a 2 yr. old ft-100d with no known repairs and no mods. Get the FT-100d, it has all the latest features, if you use AM you will need the $80-120 filter I've been told.
Bob
KB1FRW
73

"M.M." wrote:
>
> I'm trying to decide between an Icom IC-706 and a Yaesu FT-100. I've read
> the reviews but would like to hear from anyone who has experience with
> both. Prices & features appear to be about the same. Anyone have any
> particular reasons toward (or away from) either one?
>
> Thanks & 73... Mark AA7TA

5267. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 13:37:30 UTC
From: PD <kc4yob@deletethis.arrl.com>
Message-ID: <3dc7c99d$0$1405$272ea4a1@news.execpc.com>
Source record: 37628
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Wait a couple of months and watch for a new offering from Kenwood. It is
only my opinion, but I believe KW has a small HF rig about to come to market
to replace the TS50.
Good luck - I chose the FT100 - Really enjoy it too. Liked the ATAS100 idea
for mobile and portable. I have made a simple portable mount and ground
plane for the ATAS and can quickly lay out and be operating in just minutes.
Bought the FT100 and ATAS100 used. No problems, just fun.
PD

"M.M." <junquemaile@cox.net> wrote in message
news:Xns92BCABEA23530nobodynowhere@68.6.19.6...
> I'm trying to decide between an Icom IC-706 and a Yaesu FT-100. I've read
> the reviews but would like to hear from anyone who has experience with
> both. Prices & features appear to be about the same. Anyone have any
> particular reasons toward (or away from) either one?
>
> Thanks & 73... Mark AA7TA

5268. Re: KENWOOD TS-950-SDX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 14:13:10 UTC
From: Jake <Jake@napster.com>
Message-ID: <WlQx9.197964$vq2.3070713@news1.east.cox.net>
Source record: 37629

It is great radio and it not the Kenwood Toastmaster 2000. This is the last
of the good Kenwood radios.

"Dee D. Flint" <dee.hays@sbcglobal.net> wrote in message
news:0XFx9.3995$z5.2959900@newssvr28.news.prodigy.com...
> When a brand new top of the line Kenwood is less than $2000, what makes
this
> radio worth so much USED?????
>
> Dee Flint, N8UZE
>
> "Dwight 136" <dwight136@aol.com> wrote in message
> news:20021104084802.13919.00002882@mb-fq.aol.com...
> > HAVE A 100% WORKING TS 950-SDX TRANSCEIVER , IT IS A 9+ OUT OF 10 HAS A
> FEW
> > SCRATCHES ON THE TOP WHERE SOMETHING WAS SETTING ON IT ,THE FRONT PANEL
IS
> > PERFECT ......COMES WITH THE INNER AND OUTER BOXES,THE ORIGINAL
> > MANUAL,HANDMIC...A NONE SMOKING ENVIROMENT ......WILL SHIP TO YOUR DOOR
IF
> YOU
> > ARE IN THE LOWER 48 STATES $2,000.00 ......
>
>

5269. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 15:37:06 UTC
From: Bill Turner <w7ti@dslextreme.com>
Message-ID: <88pfsug6b22ufeip2v3f0jdfirl0s4m6gs@4ax.com>
Source record: 37630
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

On Mon, 04 Nov 2002 23:53:10 GMT, "M.M." <junquemaile@cox.net>
wrote:

>Anyone have any
>particular reasons toward (or away from) either one?

I have an FT-100D and love it except for one small gripe. On
VHF, the scan rate (channels per second) is pretty slow. Only a
few channels per second and there doesn't seem to be any way to
speed it up.

I really had to stretch to find a gripe, didn't I? :-)

73, Bill W7TI

5270. New Manufacturer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 17:11:24 UTC
From: NCS Radio <ncs@ncsradio.com>
Message-ID: <usfuu22k8puh8e@corp.supernews.com>
Source record: 37631

We are a new manufacturer of Amateur Radio accessories and we're trying to determine the effectiveness of our advertising and website. If you have time, we'd appreciate you looking at our ad in QST (Sept, Oct & Nov 2002) and our website (www.ncsradio.com) and giving any feedback you have - good or bad. Does the ad catch your attention? Is it clear what the products do? If you have some interest in the products, but are not ready to buy, what additional info would convince you to buy?

Tnx & 73,

Carey Fisher, K8VZ
Chief Technical Officer
New Communications Solutions, LLC
5364 Valley Mist Trace
Norcross, GA 30092
careyfisher@ncs123radio.com (remove the numbers for the real address)
Toll Free Tel & Fax: 888-883-5788
www.ncsradio.com

5271. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 18:00:00 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <8f1gsucoj19ln8rkkkl8aen6kicopacorq@4ax.com>
Source record: 37632

On Mon, 04 Nov 2002 23:53:10 GMT, "M.M." <junquemaile@cox.net> wrote:

>I'm trying to decide between an Icom IC-706 and a Yaesu FT-100. I've read
>the reviews but would like to hear from anyone who has experience with
>both. Prices & features appear to be about the same. Anyone have any
>particular reasons toward (or away from) either one?
>
>Thanks & 73... Mark AA7TA

Before I picked up the FT-100D, I did a comparasion of features, read
reviews and asked opinions on the net. My results were that the
FT-100D had more negative aspects (such as the so-called "SWR" mod and
mike mod that some say NEED to be done, no alpha-numeric display and
no computer programming), but it also had more positives than the
706MkIIG (such as more memory channels, wider RX, better NB, lower
price and more standard features). I'm a 100% Yaesu ham, not because
I think that only Yaesu makes good products, but because I research
before a new purchase and I seem to keep finding Yaesu's products the
best. My first Yaesu was an FT-1500 2m FM, then the VX-5R, then the
100D, and now the FT-8900.

Go to groups.yahoo.com and check out the FT-100 grounds there. I'm
sure you'll find some good informationt here.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

5272. WTT:Tram D300 for Browning Goldn Eagle

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 18:07:59 UTC
From: KC0EH <okiemansc@yahoo.com>
Message-ID: <3OTx9.2178$fn6.283013@newsread1.prod.itd.earthlink.net>
Source record: 37633
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

I have a Tram D300 in good working and cosmetic condition I would like to trade for a Browning Golden Eagle late Mark III or a Mark IV in similar condition.Has stock Tram hand mike.Must have references or eBay feedback.Pics available on request.
...Charlie...

5273. FA: ELECTRO-VOICE 664 W/ 419 STAND

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 18:19:36 UTC
From: dwight136@aol.com
Message-ID: <20021105131936.11989.00003577@mb-fj.aol.com>
Source record: 37634

LAST DAY ! ITEM # 1394643550

5274. FA: YAESU FT-50 HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 19:50:03 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <LhVx9.78348$Up6.17825591@twister.nyc.rr.com>
Source record: 37635
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.swap,rec.radio.amateur.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395964744

5275. FS: 2m Deviation monitor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 21:04:09 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <dnWx9.15724$oa.3186338@twister.columbus.rr.com>
Source record: 37636

Model D-144 Two meter deviation monitor manufactured by RF Applications.
Tuning range is from 144.5 to 148 MHz nominal. It operates from external
12-16VDC. I am asking $80 and this includes shipping and insurance to the
lower 48. For picture and additional info, please email k8srb@arrl.net. Stan

5276. FS: Alinco DJ-191 2m HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 21:04:09 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <dnWx9.15725$oa.3186219@twister.columbus.rr.com>
Source record: 37637

Alinco DJ-191 2 meter HT in new condition. The radio is about 2 years old. I have the original box, manual and the drop in charger. In addition I have a spare EBP-37n batt and MFJ speaker/mike. I am asking $100 and this includes shipping and insurance to the lower 48. For more info, email to k8srb@arrl.net.

Stan

5277. FS: Alinco DJ-191 2m HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 21:04:09 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <dnWx9.15723$oa.3186385@twister.columbus.rr.com>
Source record: 37638

Alinco DJ-191 2 meter HT in new condition. The radio is about 2 years old. I have the original box, manual and the drop in charger. In addition I have a spare EBP-37n batt and MFJ speaker/mike. I am asking $100 and this includes shipping and insurance to the lower 48. For more info, email to k8srb@arrl.net.

Stan

5278. FS: FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 21:14:09 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <BwWx9.15789$oa.3189273@twister.columbus.rr.com>
Source record: 37639

Yaesu FT-847 HF/VHF/UHF radio with INRAD CW and SSB filters. The radio is about a year and a half old. I am the original owner, the radio was never mobile so it is 10 out of 10 in appearance. I have the original box and the stuff that come with the radio. I am asking $1000 for the radio and the filters and this includes shipping and insurance to the lower 48. I live in west central Oh., and I am willing to deliver or meet someone within 150 mile radius. For more info, email k8srb@arrl.net or call 419-675-0747.

Stan

5279. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-05 23:00:46 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3dc84b69$0$951$39cecf19@nnrp1.twtelecom.net>
Source record: 37640
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $600

Kenwood TMV7A 50W 2M/35W 440 FM
DFK3C REMOTE CABLE KIT
PG4S PC INTERFACE CABLE + SOFTWARE $350
Sold as a group,

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.

I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

5280. FS: 6 Position Tower Mounted Coax Relay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 01:53:47 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <27tgsuohm9cio88h5ak51bc0t12bimqled@4ax.com>
Source record: 37641

Hello, I have a 6 Position Tower Mounted Coax Relay made by Top Ten
Devices. I have two and I am selling one. It handles 1500 watts to
30 MHZ. Go to http://www.qth.com/topten/twrsixwy.htm
for full specs and a picture. Please email me with any questions.
I will ship for $100.
Thanks, Mike N0XD
mfunaro@worldnet.att.net

5281. Re: KENWOOD TS-950-SDX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 02:51:13 UTC
From: Max <ve3tmt@yahoo.ca>
Message-ID: <ks%x9.4210$w07.798328@news20.bellglobal.com>
Source record: 37642

"Jake" <Jake@napster.com> wrote in message
news:WlQx9.197964$vq2.3070713@news1.east.cox.net...
> It is great radio and it not the Kenwood Toastmaster 2000. This is the
last
> of the good Kenwood radios.

I would have to agree. I'll take a used 950 over a new 2000 any day.

5282. FA: Heathkit HM-9 qrp wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 03:26:16 UTC
From: Tom N&#65533;JMY - AAR7FV <tfarl@IowaTelecom.net>
Message-ID: <aqa24d$cp6$1@ins22.netins.net>
Source record: 37643

A really nice one:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396080754

As always, vy 73 es tnx for looking,
Tom

5283. TM D700A (Mic-E format to $GPGGA format conversion).

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 04:02:11 UTC
From: naomanahmed@yahoo.com
Message-ID: <dcb2321a.0211052002.9826768@posting.google.com>
Source record: 37644

I am using TM D700A and using it in Packet mode,
I am receiving GPS data of remote location from serial port on my pc
through built in TNC of TM D700A.
The data received is in Mic-E format ,I want to convert it back into
$GPGGA format,(original Format of GPS Receiver).
Will any body tell me how to do,
Thanks a lot in advance.
Nauman.

5284. Icom 706 noisey VFO knob

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 04:16:07 UTC
From: khowel1@aol.comnospam
Message-ID: <20021105231607.13318.00000148@mb-fb.aol.com>
Source record: 37645

Hi all,
I have a Icom 706MK2G, I really like the radio, but the quick spin finger hole in the VFO knob rattles when I go down the road, I travel a lot and usually just pull the knob off so that I don't have to listen to the rattle, I have looked at the back of the knob to see if there is a way to take it apart to see if I can put a thin piece of felt behind it to tighten it up to correct the problem. Any ideas on how to do this? Or what have others done to correct this, I can't believe that I am the only one with this problem.

73's

Kevin
W0KLH

5285. Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 06:00:06 UTC
From: zach@benders.net
Message-ID: <7bc3548.0211052200.5b7fceb2@posting.google.com>
Source record: 37646

Hi

I am planning the purchase of an icom 746 pro or a Kenwd TS 2000. My question is that I am also thinking, of purchasing a Goldline or the Classic mic with the radio.

I know that different mics serve different voice modes, more efficiently then others. Would the goldline be a better choice for an all around rag chew mic, using AM, SSB, and FM? Or would the classic be better suited for AM or SSB In general?

I understand the goldline gets pretty good reviews, but I don't know that much about the classics performance? Anyone have one or both of these mics, and could give some insight?

I am at also wondering, who makes a good brand, and or model of footswitch to key the radio?

Thanks for the help
Zach K7LTF
Seattle WA

5286. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 06:27:36 UTC
From: Alun Palmer <elektros@yahoo.com>
Message-ID: <Xns92BECE1343DFelektrosmdonet@130.133.1.4>
Source record: 37647

Wes Stewart <n7ws@nowhere.com> wrote in
news:dqvmruoov1h054il7h0kkaedblbllhkrqs@4ax.com:

> On Sun, 27 Oct 2002 00:30:50 GMT, "Jackie L."
> <buzzygirl@REMOVE.attbi.com> wrote:
>
>|Snipped all the recent conversation about CW to ask an ignorant newbie
>|question.
>|
>|CW is used internationally, but how does it translate when the
>|characters used by English speakers are received by someone in, say,
>|Bahrain, where Arabic is spoken? In other words, how does a non-English
>|speaker, who does not use the Roman alphabet, learn and use the code?
>|Are the many abbreviations that code uses, universal?
>
> Yes.
>|
>|Jackie KC0ODY
>|Incompetent Technician :)
>|
>|
>|
>

Ah, but there's more to it than that. There are other versions of Morse Code besides the International version. Apart from the largely defunct American Morse Code, I'm talking about the Japanese and Chinese versions. I by no means understand either language, but I know a little about their structure and their versions of CW. Chinese has thousands of characters, each equivalent to a word, and these are sent in International Morse as such, but as 5-digit numbers! This takes so long to learn that it used to take 5 years full time to become a ship's radio operator in China. I say used to, because nobody uses CW at sea anymore.

Japan uses a limited set of these Chinese characters (1,950 only!), plus three different 'syllabaries', each having 22 characters, called that because each character represents a whole syllable. Which syllabary is used to spell a particular word depends mainly, I understand, on the type of thing the word means. To send Japanese in CW, each word has to be first tansliterated into the katakana syllabary, even if it is one that is written as a single Chinese character, and then there are 22 combinations of dots and dashes that represent the katakana characters. Since each dot-dash combination represents a syllable, rather than a letter, it would be hard for us even to write it down. But to take a CW test for a ham licence, they have to learn International Morse Code, which is not well

adapted to sending Japanese. Guess which way they will vote next year!

As for other languages that have alphabets, but not the Roman alphabet, they mostly do go straight from their own characters to the dot-dash combinations for the nearest Roman equivalent, but I think they have some extra letters in some cases, as do many countries that do use the Roman alphabet, who have accented letters that give dot-dash combinations that don't exist in English.

The pro CW testing camp like to make a lot out of CW being international, but it's not the whole story.

73 de N3KIP

5287. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 06:36:11 UTC
From: James Hurry <jdhurry@austin.rr.com>
Message-ID: <vL2y9.286246$Fw2.8373577@twister.austin.rr.com>
Source record: 37498
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Mark,

I have had them both, the 706 MKIIG and now the FT100D. Both are great little radios, but be prepaired to have multiple menus for each button, and HOW do they get so much functions in such little packages??

While spending many hours operating both here are a few of the things that I noticed..

The 706 has 100 memory channels, FT100D has 300.
The 706 has a better remote console hookup (single cable) the FT100D has to have 3 cables run (mike,speaker, and console)
The FT100D has a little better receiver and better noise blanker than the 706.
The 706 has more audio output than the FT100.
The console on the FT100 is smaller in size than the 706 (fits in consoles better)
The FT100 has two fans on the rear that kick in on the first transmittion, and because being two sometimes there is a harmonic between the two fans, the 706 has one internal fan.
The FT100 is more sensive to high SWR than 706. (neither one like more than 2:1)
The FT100 will receive on 220 mhz where the 706 can't.
The AmCom Autotuner for screwdrivers will only work in automatic with the 706 and not the FT100 (incase you are considering a screwdriver antenna.)

Both are fine radios, but don't count on the internal DSPs from either radio... Go buy a ClearSpeech speaker from AmCom, it works and WORKs better than either radio.

All this being said, I am now in the process of going to a TS2000 for a mobile, for the extra filters and features that are in the Kenwood, but not because of any trouble from either one..

Good luck and I know you will enjoy either one..

--
Thanks and 73's,
Dudley
WA5QPZ
jhurry@austin.rr.com

"M.M." <junquemaile@cox.net> wrote in message
news:Xns92BCABEA23530nobodynowhere@68.6.19.6...
> I'm trying to decide between an Icom IC-706 and a Yaesu FT-100. I've read
> the reviews but would like to hear from anyone who has experience with

> both. Prices & features appear to be about the same. Anyone have any
> particular reasons toward (or away from) either one?
>
> Thanks & 73... Mark AA7TA

5288. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 08:32:59 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <Xv4y9.14356$NV.242911@news.direcpc.com>
Source record: 37499

Hi, Zach...

In my opinion, the ideal audio system is the Heil Gold Line with one of W2IYH's 8-band equalizers.

Each radio is a little different, as is each person's voice. The Gold Line is a great, full-response microphone. On my 756PRO, it's the first thing I've used that has let me run pure VOX... all the time... without ever a false key-up or any hassle from the anti-vox, etc. And it doesn't seem to matter how loud I have the receiver volume set. It has been a joy to use. However, when I added the EQ, and got it adjusted to my voice, everyone said the EQ was a very worthwhile improvement. The PRO's built-in audio adjustments just couldn't come close to doing the same things.

Sorry, no experience with AM on modern radios.

Heil also makes an excellent foot switch. I own one but the VOX works so well with my Gold Line, I nevr use the foot sw.

Good Luck... Ed

"K7LTF Zach" <zach@benders.net> wrote in message news:7bc3548.0211052200.5b7fceb2@posting.google.com...
> Hi
>
> I am planning the purchase of an icom 746 pro or a Kenwd TS 2000. My
> question is that I am also thinking, of purchasing a Goldline or the
> Classic mic with the radio.
>
> I know that different mics serve different voice modes, more
> efficiently then others. Would the goldline be a better choice for an
> all around rag chew mic, using AM, SSB, and FM? Or would the classic
> be better suited for AM or SSB In general?
>
> I understand the goldline gets pretty good reviews, but I don't know
> that much about the classics performance? Anyone have one or both of
> these mics, and could give some insight?
>
> I am at also wondering, who makes a good brand, and or model of
> footswitch to key the radio?
>
> Thanks for the help
> Zach K7LTF
> Seattle WA

5289. Yaesu FT8100 transmission power at 477MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 09:12:31 UTC
From: Sam.Yang@csiro.au
Message-ID: <4b8ff9bc.0211060112.5a562c85@posting.google.com>
Source record: 37500

I am thinking to get a FT8100R as a mobile scanner and UHF CB radio.
Has anyone tested its transmission power output near 477MHz (after a
modification)?

Regards,

Sam

5290. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 11:16:16 UTC
From: Sven Pran <no.direct@mail.please>
Message-ID: <4S6y9.618$sP2.8967@news4.ulv.nextra.no>
Source record: 37501

"Alun Palmer" wrote
....
> As for other languages that have alphabets, but not the Roman alphabet,
> they mostly do go straight from their own characters to the dot-dash
> combinations for the nearest Roman equivalent, but I think they have some
> extra letters in some cases, as do many countries that do use the Roman
> alphabet, who have accented letters that give dot-dash combinations that
> don't exist in English.
>
> The pro CW testing camp like to make a lot out of CW being international,
> but it's not the whole story.
>
> 73 de N3KIP

Quite so, and I can immediately tell you four such "letters":
The German CH is represented by ---- (four dashes)
The Scandinavian characters AE by .-.- OE by ---. and AA by .--.-

73 LA7SG

5291. Re: Yaesu FT8100 transmission power at 477MHz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 13:50:06 UTC
From: F8BOE Olivier <f8boe@free.fr>
Message-ID: <3dc91e20$0$6118$626a54ce@news.free.fr>
Source record: 37502

No! Sorry.

If you want to know you'd better try on any CB or pirate NG.

Bye!

"Sam Yang" <Sam.Yang@csiro.au> a crit dans le message de news:
4b8ff9bc.0211060112.5a562c85@posting.google.com...
> I am thinking to get a FT8100R as a mobile scanner and UHF CB radio.
> Has anyone tested its transmission power output near 477MHz (after a
> modification)?
>
> Regards,
>
> Sam

5292. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 15:42:57 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <aqbda8$3r5$1@slb0.atl.mindspring.net>
Source record: 37504

You can communicate to ANY other Amateur station and/or commercial, and/or military, by using the international Q and Z signs. You don't even need to know the other persons language.

Dan/W4NTI

> The pro CW testing camp like to make a lot out of CW being international,
> but it's not the whole story.
>
> 73 de N3KIP

5293. Dumb questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 16:29:29 UTC
From: rkhen@softhome.net
Message-ID: <7007f740.0211060829.7b5cee86@posting.google.com>
Source record: 37505

I'm just starting out in small-rig QRP and have two dumb questions.

1. How do you connect a longwire antenna to a tuner that only has a coax connector for output, as many lightweight QRP tuners seem to do?

2. How do you tune up the antenna without an SWR meter, as most QRP rigs and tuners don't have one?

Thanks in advance for your patience .

Rob Henderson
KB7PWJ

5294. Re: Dumb questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 16:56:12 UTC
From: k5dh@raytheon.com
Message-ID: <MQby9.1653$Bd4.12700@dfw-service2.ext.raytheon.com>
Source record: 37506

In article <7007f740.0211060829.7b5cee86@posting.google.com>,
rkhen@softhome.net says...
>
>I'm just starting out in small-rig QRP and have two dumb questions.

Nope... NOT dumb questions at all!

>1. How do you connect a longwire antenna to a tuner that only has a
>coax connector for output, as many lightweight QRP tuners seem to do?

Solder the end of the wire to a standard banana plug, which will plug
right into the SO-239 receptacle. Or, solder the wire to the pin of
a PL-259 plug (making sure to insulate the wire so that if it should
touch the shell of the connector, it won't short out). The banana
plug is the easiest way and it works well.

>2. How do you tune up the antenna without an SWR meter, as most QRP
>rigs and tuners don't have one?

You really do need some sort of VSWR indicator. It's not hard to
build one (refer to any of the late W1FB's QRP books, or to most
ARRL Handbooks). You can also use a cheapie CB-type VSWR meter.
You'd be surprised at how accurate they really are at HF. Many
good QRP-type tuners DO have a VSWR meter built in, by the way.

73/72,
Dean K5DH/QRP

5295. Re: Screwdriver Antenna Decision

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 17:35:30 UTC
From: khowel1@aol.comnospam
Message-ID: <20021106123530.29983.00002090@mb-de.aol.com>
Source record: 37507

Bill;
I am using an ATAS 100 connected to Icom706mk2g with a AM-COM anntenna controller, and like it very much, I have it mounted on a Jeep Cherokee with a custom mount that I built, and is grounded to the frame through the antenna mount.

Kevin
W0KLH

5296. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 17:36:15 UTC
From: p bear <kg4smn@dtccom.net>
Message-ID: <Oncy9.21012$46.20768@fe01>
Source record: 37508
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Not True!

I drive truck cross country for a living and it burns my ass when one of
these rambo's gets near me with an mistuned amp and desenses my receiver on
75!
the el-cheapo ham radio op <bigfatalhohoho@aol.com> wrote in message
news:3dc67afe@snipnews.snip.net...
> The only people who worry about CB'ers with amps
> are self-righteous ham radio operators who think that
> their pathetic hobby is the centre of the universe and
> they have some kind of a duty to catch "radio criminals".
> (and yet if you goto a hamfest or e-bay lookin for an
> amp, 9 times out of 10 there's a ham op behind the
> table selling it who will gladly look the other way for a
> wad of cash and a thank you. Bada-Bing! (just tellin
> the truth and they can't stand it)
>
>
> <foxyie@inwind.it> wrote in message
> news:fpux9.120210$r7.2192980@twister.tampabay.rr.com...
> > Why would a group care what he FCC does or does not do? This email is
> plain
> > stupid and would only work on a really stupid CBer who likes to pick up
on
> > rumors....
> >
> >
> > "Deos" <lineoffiretoday@yahoo.com> wrote in message
> > news:apoi61$3fp$2@nic.grnet.gr...
> > > why not just put some tnt in the amplifier or c4,
> > >
> > > --
> > > http://deosiereas.virtualave.net
> > > "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> > > news:R%Dt9.597$oP5.263834668@news.inreach.com...
> > > > A group of hams who are fed up with the FCC's efforts to stop the
> spread
> > > of
> > > > illegal amplifier use are reported to be buying linear amplifiers
and
> > > > installing trojan horse mods that can burn out the receive section
of
> > > > transceivers operating out of band.

> > > >
> > > > The modifications detect certain transmitted frequencies and trigger
a
> > > > device installed on the amp that places a series of high voltage
pulse
> > > type
> > > > signals across the antenna line effectively burning out the front
end
> of
> > > the
> > > > receiver.
> > > >
> > > > Only technicians familiar with solid state circuits can detect the
> > devices
> > > > which are cleverly disguised as actual amplifier components.
> > > >
> > > > Be very careful when purchasing used amplifiers or purchasing
> amplifiers
> > > > online from unknown sellers. The information that I have received
> > > indicates
> > > > the normal user will re-sell the amplifier which once again will
> perform
> > > > it's mission un-detected during normal use. The user will think the
> > > problem
> > > > is his transceiver, not the amplifier. Use extreme caution.
> > > >
> > > >
> > >
> > >
> > >
> >
> >
>
>

5297. Re: Dumb questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 18:50:12 UTC
From: "Dee D. Flint" <dee.hays@sbcglobal.net>
Message-ID: <Evdy9.4275$z5.3153842@newssvr28.news.prodigy.com>
Source record: 37509

Unfortunately you will have to get a different tuner. For the antenna, you could build some type of matching circuit that would allow you to use coax, perhaps.

Dee Flint, N8UZE

"RK Henderson" <rkhen@softhome.net> wrote in message news:7007f740.0211060829.7b5cee86@posting.google.com...
> I'm just starting out in small-rig QRP and have two dumb questions.
>
> 1. How do you connect a longwire antenna to a tuner that only has a
> coax connector for output, as many lightweight QRP tuners seem to do?
>
> 2. How do you tune up the antenna without an SWR meter, as most QRP
> rigs and tuners don't have one?
>
> Thanks in advance for your patience .
>
> Rob Henderson
> KB7PWJ
>

5298. Simpson 269 VOM battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 20:25:12 UTC
From: Bill Ogden <ogden@us.ibm.com>
Message-ID: <3DC97AA8.68D72EE8@us.ibm.com>
Source record: 37510

I just acquired a Simpson Model 269 VOM. Beautiful old meter, although I am not clear why I might need it :-)

It had two batteries for resistance measurements. One is a common D cell. The other battery slot has a 22.5v battery that is the same size as a common 9v battery, except that there is a connector on each end. This battery is dead. The slot holding this battery looks like it was made for a larger battery. Anyone know what battery should be used?

Thanks,

Bill Ogden

5299. Re: Simpson 269 VOM battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 20:50:09 UTC
From: mike <spamme0@juno.com>
Message-ID: <3DC98081.E6FD3035@juno.com>
Source record: 37511

Bill Ogden wrote:

> I just acquired a Simpson Model 269 VOM. Beautiful old meter, although
> I am not clear why I might need it :-)
>
> It had two batteries for resistance measurements. One is a common D
> cell. The other battery slot has a 22.5v battery that is the same size
> as a common 9v battery, except that there is a connector on each end.
> This battery is dead. The slot holding this battery looks like it was
> made for a larger battery. Anyone know what battery should be used?
>
> Thanks,
>
> Bill Ogden

I'd try two 9V in series.
mike
--
Bunch of stuff For Sale and Wanted at the link below.
Tek 2465, TFT projector, ham radio, 30pS pulser
Tektronix Concept Books...
http://www.geocities.com/SiliconValley/Monitor/4710/

5300. Re: Simpson 269 VOM battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 21:43:11 UTC
From: Mat Nieuwenhoven <mnieuw@dontincludethis.zap.a2000.nl>
Message-ID: <zavrhjqbagvapyhqrguvfmncnay.h56szc0.pminews@news.ams.chello.nl>
Source record: 37512

My 260 has a 1.5 v and 9V battery; a 22.5v battery like you describe was used
in old photo equipment - try a photo shop.

Mat

On Wed, 06 Nov 2002 15:25:12 -0500, Bill Ogden wrote:

>I just acquired a Simpson Model 269 VOM. Beautiful old meter, although
>I am not clear why I might need it :-)
>
>It had two batteries for resistance measurements. One is a common D
>cell. The other battery slot has a 22.5v battery that is the same size
>as a common 9v battery, except that there is a connector on each end.
>This battery is dead. The slot holding this battery looks like it was
>made for a larger battery. Anyone know what battery should be used?
>
>Thanks,
>
>Bill Ogden
>

5301. Re: TS-520S Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 22:47:13 UTC
From: Zygmunt Skrobanski <zygmunt@mindspring.com>
Message-ID: <pu6jsuso5s3i7ia6jotmuergopvdh4ubpj@4ax.com>
Source record: 37513

Check the SG switch position on the back of the unit.

mrogers@gpcom.net (Mark) wrote:

>My Ts-520s seems to have lost power in all circuits save the 4 pilot
>lamps. No LEDS's no meter, no audio, nothing. Anyone know of a
>possible problem? Thanks!
>Mark WBï¿½SYV

--

-Zyg-

5302. Re: TS-520S Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-06 23:33:07 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <aqc8resso1@slb4.atl.mindspring.net>
Source record: 37514

Excuse me??? All the SG (Screen Grid) switch does is remove voltage from the screen grid of the final tubes. He is saying he has no voltage other than what lights the pilot lights of the radio.

It has been many years but I would look at the regulator board. The radio uses both High VOltage and low voltage. The HV is a standard transformer deal. And I think the 12v / 5 v or whatever it used is done with a seperate regulator card.

Sorry, thats all I remember about that fine ole rig.

Dan/W4NTI

"Zygmunt Skrobanski" <zygmunt@mindspring.com> wrote in message news:pu6jsuso5s3i7ia6jotmuergopvdh4ubpj@4ax.com...
> Check the SG switch position on the back of the unit.
>
> mrogers@gpcom.net (Mark) wrote:
>
> >My Ts-520s seems to have lost power in all circuits save the 4 pilot
> >lamps. No LEDS's no meter, no audio, nothing. Anyone know of a
> >possible problem? Thanks!
> >Mark WB�SYV
>
> --
>
> -Zyg-
>

5303. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 00:20:50 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <usjc8skepaane2@corp.supernews.com>
Source record: 37515

There is not differance in the mic elements, only the outside .

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"K7LTF Zach" <zach@benders.net> wrote in message
news:7bc3548.0211052200.5b7fceb2@posting.google.com...
> Hi
>
> I am planning the purchase of an icom 746 pro or a Kenwd TS 2000. My
> question is that I am also thinking, of purchasing a Goldline or the
> Classic mic with the radio.
>
> I know that different mics serve different voice modes, more
> efficiently then others. Would the goldline be a better choice for an
> all around rag chew mic, using AM, SSB, and FM? Or would the classic
> be better suited for AM or SSB In general?
>
> I understand the goldline gets pretty good reviews, but I don't know
> that much about the classics performance? Anyone have one or both of
> these mics, and could give some insight?
>
> I am at also wondering, who makes a good brand, and or model of
> footswitch to key the radio?
>
> Thanks for the help
> Zach K7LTF
> Seattle WA

5304. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 00:48:58 UTC
From: Jake <Jake@napster.com>
Message-ID: <_Liy9.11480$6b.303416@news2.east.cox.net>
Source record: 37518

Sorry, there is a difference.

The Goldline: 60Hz-16kHz response.
The Classic: 50Hz-18kHz response

"M.E." <bogus@nospam.com> wrote in message
news:usjc8skepaane2@corp.supernews.com...
> There is not differance in the mic elements, only the outside .
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "K7LTF Zach" <zach@benders.net> wrote in message
> news:7bc3548.0211052200.5b7fceb2@posting.google.com...
> > Hi
> >
> > I am planning the purchase of an icom 746 pro or a Kenwd TS 2000. My
> > question is that I am also thinking, of purchasing a Goldline or the
> > Classic mic with the radio.
> >
> > I know that different mics serve different voice modes, more
> > efficiently then others. Would the goldline be a better choice for an
> > all around rag chew mic, using AM, SSB, and FM? Or would the classic
> > be better suited for AM or SSB In general?
> >
> > I understand the goldline gets pretty good reviews, but I don't know
> > that much about the classics performance? Anyone have one or both of
> > these mics, and could give some insight?
> >
> > I am at also wondering, who makes a good brand, and or model of
> > footswitch to key the radio?
> >
> > Thanks for the help
> > Zach K7LTF
> > Seattle WA
>
>

5305. Re: How would you compare ICOM T90 VS kenwood F6A?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 01:36:41 UTC
From: John Corso <corso@xnet.com>
Message-ID: <brgjsuo3aldnjga0p16jgehnqu14urbact@4ax.com>
Source record: 37519

On Mon, 14 Oct 2002 22:30:00 +1000, "CheeBye" <abc@dontknow.com>
wrote:

>The Kenwood is the winner
>

5306. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 01:37:37 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <vvjy9.14436$NV.248598@news.direcpc.com>
Source record: 37520

Are you sure, Matt? I don't believe it, but I just moved and all my
literature is put away. There is no comparison between my GL and my
other "standard" dual-element Heil.

Ed, W5EJ

"M.E." <bogus@nospam.com> wrote in message
news:usjc8skepaane2@corp.supernews.com...
> There is not differance in the mic elements, only the outside .
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "K7LTF Zach" <zach@benders.net> wrote in message
> news:7bc3548.0211052200.5b7fceb2@posting.google.com...
> > Hi
> >
> > I am planning the purchase of an icom 746 pro or a Kenwd TS 2000. My
> > question is that I am also thinking, of purchasing a Goldline or the
> > Classic mic with the radio.
> >
> > I know that different mics serve different voice modes, more
> > efficiently then others. Would the goldline be a better choice for an
> > all around rag chew mic, using AM, SSB, and FM? Or would the classic
> > be better suited for AM or SSB In general?
> >
> > I understand the goldline gets pretty good reviews, but I don't know
> > that much about the classics performance? Anyone have one or both of
> > these mics, and could give some insight?
> >
> > I am at also wondering, who makes a good brand, and or model of
> > footswitch to key the radio?
> >
> > Thanks for the help
> > Zach K7LTF
> > Seattle WA
>
>

5307. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 01:52:29 UTC
From: Wes Stewart <n7ws@nowhere.com>
Message-ID: <plhjsu05gvg62qs220krvnr6cv2e55gmb6@4ax.com>
Source record: 37521

On Thu, 07 Nov 2002 00:48:58 GMT, "Jake" <Jake@napster.com> wrote:

|Sorry, there is a difference.
|
|The Goldline: 60Hz-16kHz response.
|The Classic: 50Hz-18kHz response

Just what everybody needs to feed a radio with 300-3000Hz (or less)
bandwidth.

5308. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 02:24:35 UTC
From: we6a@wt.net
Message-ID: <4522def3.0211061824.2cc708e2@posting.google.com>
Source record: 37522
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

"James Hurry" <jdhurry@austin.rr.com> wrote in message
news:<vL2y9.286246$Fw2.8373577@twister.austin.rr.com>...
> Mark,
>
> I have had them both, the 706 MKIIG and now the FT100D. Both are great
> little radios, but be prepaired to have multiple menus for each button, and
> HOW do they get so much functions in such little packages??
>
> While spending many hours operating both here are a few of the things that I
> noticed..
>
> The 706 has 100 memory channels, FT100D has 300.
> The 706 has a better remote console hookup (single cable) the FT100D has to
> have 3 cables run (mike,speaker, and console)
> The FT100D has a little better receiver and better noise blanker than the
> 706.
> The 706 has more audio output than the FT100.
> The console on the FT100 is smaller in size than the 706 (fits in consoles
> better)
> The FT100 has two fans on the rear that kick in on the first transmittion,
> and because being two sometimes there is a harmonic between the two fans,
> the 706 has one internal fan.
> The FT100 is more sensive to high SWR than 706. (neither one like more than
> 2:1)
> The FT100 will receive on 220 mhz where the 706 can't.
> The AmCom Autotuner for screwdrivers will only work in automatic with the
> 706 and not the FT100 (incase you are considering a screwdriver antenna.)
>
> Both are fine radios, but don't count on the internal DSPs from either
> radio... Go buy a ClearSpeech speaker from AmCom, it works and WORKs
> better than either radio.
>
> All this being said, I am now in the process of going to a TS2000 for a
> mobile, for the extra filters and features that are in the Kenwood, but not
> because of any trouble from either one..
>
> Good luck and I know you will enjoy either one..
>
>
> --
> Thanks and 73's,
> Dudley
> WA5QPZ

> jhurry@austin.rr.com
>

I agree whole heartedly. I had the 706 in the car and I couldn't
work a thing cause the N.B. was totally useless. Replaced it with the
FT-100 and work the world. I hear the weak ones now real easily and
it is a pleasure to use. The FT-100 does take a bit to get used to.
Best to install it in the house first to understand all the functions,
then install it in the mobile.
Doc WE6A
>
>
>
> "M.M." <junquemaile@cox.net> wrote in message
> news:Xns92BCABEA23530nobodynowhere@68.6.19.6...
> > I'm trying to decide between an Icom IC-706 and a Yaesu FT-100. I've read
> > the reviews but would like to hear from anyone who has experience with
> > both. Prices & features appear to be about the same. Anyone have any
> > particular reasons toward (or away from) either one?
> >
> > Thanks & 73... Mark AA7TA

5309. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 02:43:02 UTC
From: Jake <Jake@napster.com>
Message-ID: <Wqky9.11839$6b.334798@news2.east.cox.net>
Source record: 37523

"Wes Stewart" <n7ws@nowhere.com> wrote in message
news:plhjsu05gvg62qs220krvnr6cv2e55gmb6@4ax.com...
> On Thu, 07 Nov 2002 00:48:58 GMT, "Jake" <Jake@napster.com> wrote:
>
> |Sorry, there is a difference.
> |
> |The Goldline: 60Hz-16kHz response.
> |The Classic: 50Hz-18kHz response
>
> Just what everybody needs to feed a radio with 300-3000Hz (or less)
> bandwidth.

It sure is.....

5310. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 02:56:53 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <usjldeqp7f1mea@corp.supernews.com>
Source record: 37525

Bob Heil, himself told me that the classic has the same "wide-range" element
as the gold-line.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Ed Juge/NM" <ed@juge.org> wrote in message
news:vvjy9.14436$NV.248598@news.direcpc.com...
> Are you sure, Matt? I don't believe it, but I just moved and all my
> literature is put away. There is no comparison between my GL and my
> other "standard" dual-element Heil.
>
> Ed, W5EJ
>
> "M.E." <bogus@nospam.com> wrote in message
> news:usjc8skepaane2@corp.supernews.com...
> > There is not differance in the mic elements, only the outside .
> >
> > --
> > Respond to my "real" e-mail;
> > kk5dr@ev1.net
> > "K7LTF Zach" <zach@benders.net> wrote in message
> > news:7bc3548.0211052200.5b7fceb2@posting.google.com...
> > > Hi
> > >
> > > I am planning the purchase of an icom 746 pro or a Kenwd TS 2000. My
> > > question is that I am also thinking, of purchasing a Goldline or the
> > > Classic mic with the radio.
> > >
> > > I know that different mics serve different voice modes, more
> > > efficiently then others. Would the goldline be a better choice for an
> > > all around rag chew mic, using AM, SSB, and FM? Or would the classic
> > > be better suited for AM or SSB In general?
> > >
> > > I understand the goldline gets pretty good reviews, but I don't know
> > > that much about the classics performance? Anyone have one or both of
> > > these mics, and could give some insight?
> > >
> > > I am at also wondering, who makes a good brand, and or model of
> > > footswitch to key the radio?
> > >
> > > Thanks for the help
> > > Zach K7LTF
> > > Seattle WA

> >
> >
>
>

5311. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 02:58:45 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <usjlh1vgpug26@corp.supernews.com>
Source record: 37524

As I said, Bob Heil told me that the Classic uses the same element as the Gold-line, and differance is accustical be virtue of the enclosure.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"M.E." <bogus@nospam.com> wrote in message
news:usjc8skepaane2@corp.supernews.com...
> There is not differance in the mic elements, only the outside .
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "K7LTF Zach" <zach@benders.net> wrote in message
> news:7bc3548.0211052200.5b7fceb2@posting.google.com...
> > Hi
> >
> > I am planning the purchase of an icom 746 pro or a Kenwd TS 2000. My
> > question is that I am also thinking, of purchasing a Goldline or the
> > Classic mic with the radio.
> >
> > I know that different mics serve different voice modes, more
> > efficiently then others. Would the goldline be a better choice for an
> > all around rag chew mic, using AM, SSB, and FM? Or would the classic
> > be better suited for AM or SSB In general?
> >
> > I understand the goldline gets pretty good reviews, but I don't know
> > that much about the classics performance? Anyone have one or both of
> > these mics, and could give some insight?
> >
> > I am at also wondering, who makes a good brand, and or model of
> > footswitch to key the radio?
> >
> > Thanks for the help
> > Zach K7LTF
> > Seattle WA
>
>

5312. FA: Pro-2006 Scanner w/ S-Meter and SCA Decoder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 03:06:51 UTC
From: dstanton@apk.net
Message-ID: <aqclcbloa3@plonk.apk.net>
Source record: 37526

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396369092

5313. FA: Grundig YB400 Shortwave Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 03:07:20 UTC
From: dstanton@apk.net
Message-ID: <aqcld8loa4@plonk.apk.net>
Source record: 37527

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396352511

5314. FA: BEAUTIFUL HEATHKIT IG-42 LAB RF GENERATOR@$15.50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 03:45:41 UTC
From: rlucch2098@aol.com
Message-ID: <20021106224541.21492.00006256@mb-mu.aol.com>
Source record: 37528

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1783606941

5315. FA: Collect Tube CB Radios? Take a look at these, Johnson's & Gladding

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 03:48:16 UTC
From: rlucch2098@aol.com
Message-ID: <20021106224816.21492.00006257@mb-mu.aol.com>
Source record: 37529

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394662659
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686802
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686796

5316. FA: ASTATIC D-104 POWER MICROPHONE on T-UG8 BASE @$16:-(

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 03:49:45 UTC
From: rlucch2098@aol.com
Message-ID: <20021106224945.21492.00006260@mb-mu.aol.com>
Source record: 37530

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686810

5317. fa: Box of 25 BIRNBACH 2" ceramic fedline spreaders>OLD & Cheep!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 03:51:25 UTC
From: rlucch2098@aol.com
Message-ID: <20021106225125.21492.00006261@mb-mu.aol.com>
Source record: 37531

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686819

5318. fa>SONAR FR-101DX MONITOR RECEIVER 25-50mcs RARE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 03:52:41 UTC
From: rlucch2098@aol.com
Message-ID: <20021106225241.21492.00006264@mb-mu.aol.com>
Source record: 37532

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686825

5319. Fa--FOUR "THOR RADIO" ANTIQUE COILS w/BOX, From RADIO ROW

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 03:54:07 UTC
From: rlucch2098@aol.com
Message-ID: <20021106225407.21492.00006265@mb-mu.aol.com>
Source record: 37533

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686830

5320. FA: Beautiful Yaesu FT-902DM still at a super low $225, 1-of the best!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 03:56:05 UTC
From: rlucch2098@aol.com
Message-ID: <20021106225605.21492.00006268@mb-mu.aol.com>
Source record: 37534

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686847

5321. fa>>->FITZGERALD "VIOLET RAY" QUACK DEVICE "Holy Tesla!"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 03:57:33 UTC
From: rlucch2098@aol.com
Message-ID: <20021106225733.21492.00006269@mb-mu.aol.com>
Source record: 37535

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=730716990

5322. WTB: AEA Dr. DX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 03:58:36 UTC
From: K0VJ <k0vj@arrl.net>
Message-ID: <g0pjsu8s23lhv97kkk9ohdec7t5o6kblo6@4ax.com>
Source record: 37536

If you have one of these old CW contest simulators for the venerable
Commodore 64, I'd be interested in buying it for a reasonable price.

73, Rick Kï¿½VJ

5323. WTB DUAL BAND MOBILE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 04:11:08 UTC
From: John Smith <W6hnm@msn.com>
Message-ID: <aqcepl$km8$1@slb5.atl.mindspring.net>
Source record: 37516

I would like to find a nice 2 meter/440 dual band mobile that is in good condition and is sturdy for mobile use. It need not have dual receivers or cross band repeat capability but I do want a good sturdy rig.

If you have something along these lines for sale please let me know your asking price... otherwise I will probably buy an Icom 207 new next week.

Thanks

73

Patrick
W4PHM
W4PHM@ARRL.NET

5324. WTB DUAL BAND MOBILE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 04:12:33 UTC
From: John Smith <W6hnm@msn.com>
Message-ID: <aqcepm$km8$3@slb5.atl.mindspring.net>
Source record: 37517

I would like to find a nice 2 meter/440 dual band mobile that is in good condition and is sturdy for mobile use. It need not have dual receivers or cross band repeat capability but I do want a good sturdy rig.

If you have something along these lines for sale please let me know your asking price... otherwise I will probably buy an Icom 207 new next week.

Thanks

73

Patrick
W4PHM
W4PHM@ARRL.NET

5325. FS - Telrex TB6EM TriBand Beam

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 04:28:22 UTC
From: "K.W. Schang" <kschang@wideopenwest.com>
Message-ID: <MPG.1833b5f34e72ab8989683@news-east.giganews.com>
Source record: 37537
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap

FS - Two 6 element TB6EM Telrex Triband beams.
One antenna FB. Both 15 meter traps are bad on second antenna, otherwise
second antenna is FB
Have instruction manual. Detroit area.
Ken, W8LU

5326. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 05:49:33 UTC
From: Alun Palmer <elektros@yahoo.com>
Message-ID: <Xns92BF66F61FCAelektrosmdonet@130.133.1.4>
Source record: 37538

"Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in
news:aqbda8$3r5$1@slb0.atl.mindspring.net:

> You can communicate to ANY other Amateur station and/or commercial,
> and/or military, by using the international Q and Z signs. You don't
> even need to know the other persons language.
>
> Dan/W4NTI
>
>
>> The pro CW testing camp like to make a lot out of CW being
>> international, but it's not the whole story.
>>
>> 73 de N3KIP
>
>
>

What if the other station is using Japanese Morse to send katakana
characters to you? Or didn't you read my post before replying?

5327. Kenwood F7E Handheld advice, please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 07:29:45 UTC
From: olly <o.morgan@brutele.be>
Message-ID: <aqd4r5kvi1@news.brutele.be>
Source record: 37539

Hi,

I've had a Kenwood F7E for a few months. It's working fine on the 2m band
which is mainly what I needed it for.
However reception is difficult on the 88-105 MHz band, I can only listen to
a small number of the comercial radios that are available.

I assume this is an Antenna problem? Can anyone recommend a solution to
this?
Thanks

Olly Morgan
(please also mail to olly06@sirocos.com)

5328. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 08:08:48 UTC
From: Roffus <la2ju@chello.no>
Message-ID: <kcpy9.73$lg5.3369@news01.chello.no>
Source record: 37540
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Have you looked under your bed lately?

RBJ

"General Johnson Jameson" <area52@zecretbase.com> skrev i melding
news:R%Dt9.597$oP5.263834668@news.inreach.com...
> A group of hams who are fed up with the FCC's efforts to stop the spread
of
> illegal amplifier use are reported to be buying linear amplifiers and
> installing trojan horse mods that can burn out the receive section of
> transceivers operating out of band.
>
> The modifications detect certain transmitted frequencies and trigger a
> device installed on the amp that places a series of high voltage pulse
type
> signals across the antenna line effectively burning out the front end of
the
> receiver.
>
> Only technicians familiar with solid state circuits can detect the devices
> which are cleverly disguised as actual amplifier components.
>
> Be very careful when purchasing used amplifiers or purchasing amplifiers
> online from unknown sellers. The information that I have received
indicates
> the normal user will re-sell the amplifier which once again will perform
> it's mission un-detected during normal use. The user will think the
problem
> is his transceiver, not the amplifier. Use extreme caution.
>
>

5329. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 10:53:50 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <4Ery9.14541$NV.251355@news.direcpc.com>
Source record: 37541

If you want to tailor your audio for the best on-air sound, that's exactly
the right place to start.

Ed, W5EJ

"Wes Stewart" <n7ws@nowhere.com> wrote in message
news:plhjsu05gvg62qs220krvnr6cv2e55gmb6@4ax.com...
> On Thu, 07 Nov 2002 00:48:58 GMT, "Jake" <Jake@napster.com> wrote:
>
> |Sorry, there is a difference.
> |
> |The Goldline: 60Hz-16kHz response.
> |The Classic: 50Hz-18kHz response
>
> Just what everybody needs to feed a radio with 300-3000Hz (or less)
> bandwidth.
>
>

5330. TS850 & transverter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 12:52:33 UTC
From: Max <ve3tmt@yahoo.ca>
Message-ID: <6mty9.5271$Yf1.1057863@news20.bellglobal.com>
Source record: 37542

Anyone using their Kenwood TS850 with a V/UHF transverter? I'd like to know how you supress the RF out from the 850's antenna jack during TX. I have odne the IF OUT mod to drive the transverter, but Kenwood suggests a choke method, which I don't entirely trust. Wondering what the general population is doing.

Please respond to ve3tmt@yahoo.ca

Thanks,

Max

5331. Screwdriver Antenna Decision

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 14:04:48 UTC
From: Bill East <beast@pcs.mb.ca>
Message-ID: <dl9y9.6080$i%.1545351@localhost>
Source record: 37503

Like to get some comments on performance on how your screwdriver antenna is operating. Mount location info ,grounding method etc. anything else to assist me is making a decision. Plan on using a ft-100D or the new ft-897install the antenna on the rear fender of late model 1/2 ton .

thanks,
Bill

5332. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 14:30:36 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <03bKPQsZtkNT+t0vez=jUeICifc3@4ax.com>
Source record: 37543

"M.E." <bogus@nospam.com> wrote:

>As I said, Bob Heil told me that the Classic uses the same element as the
>Gold-line, and differance is accustical be virtue of the enclosure.

That makes sense. My latest AES catalog says the Classic is available with the hc4 or hc5 elements, or the Icom iC element. The Goldline is available with the hc4 or hc5 elements.

There are also "vintage" setups available for either microphone, but the original poster says he's thinking of a new Icom or Kenwood, so this wouldn't be applicable to him.

Bob
k5qwg

5333. YAESU FT-10 + extras $90

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 14:56:26 UTC
From: John Miller <bfdp1@msn.com>
Message-ID: <551330850407eb11d85c4b5bbd5f9dcb.54632@mygate.mailgate.org>
Source record: 37544

Nice 2 meter FT-10, 88 channels, digital voice recorder, CTCSS
enncode/decode, 2 batteries, wall charger, manual, antenna, belt clip,
heavy duty belt case and swivel.

$90 shipped

PayPal ok.

--
Posted via Mailgate.ORG Server - http://www.Mailgate.ORG

5334. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 15:02:12 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <Ugvy9.14585$NV.252599@news.direcpc.com>
Source record: 37545

That's right. I believe I bought my GL with the GL and "DX" elements. After a lot of experimenting... settings of both the IC-756PRO's internal EQ and the W2IHY external 8-band EQ... I find the GL element is the only one I ever use.

And (this won't thrill most tinkerers) after some initial experimentation during the first month, I never change the EQ settings. I got them "right" over a year ago, then tried some changes on various stations... they always sent me back to the initial settings. I tried switching the EQ in and out... they always liked it in. I tried the two different elements and they always pointed me back to the GL full-range element. The GL and W2IHY EQ has been a great system at least for me.

BTW... I did use this system also on a Collins S-Line and KWM-2 when I had them. Worked fine there, too, though the settings were different. It made my EV-664 sound like a muffled tin-can and string. Also vastly superior to a D-104 on the Collins stuff.

73... Ed, W5EJ

"Bob Miller" <bxmillerSpamNot@texas.net> wrote in message news:03bKPQsZtkNT+t0vez=jUeICifc3@4ax.com...
> "M.E." <bogus@nospam.com> wrote:
>
> >As I said, Bob Heil told me that the Classic uses the same element as the
> >Gold-line, and differance is accustical be virtue of the enclosure.
>
> That makes sense. My latest AES catalog says the Classic is available with the
> hc4 or hc5 elements, or the Icom iC element. The Goldline is available with the
> hc4 or hc5 elements.
>
> There are also "vintage" setups available for either microphone, but the
> original poster says he's thinking of a new Icom or Kenwood, so this wouldn't be
> applicable to him.
>
> Bob
> k5qwg
>

5335. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 15:07:59 UTC
From: Jake <Jake@napster.com>
Message-ID: <jlvy9.14912$6b.433540@news2.east.cox.net>
Source record: 37546

Check the stats on the web

"M.E." <bogus@nospam.com> wrote in message
news:usjldeqp7f1mea@corp.supernews.com...
> Bob Heil, himself told me that the classic has the same "wide-range"
element
> as the gold-line.
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "Ed Juge/NM" <ed@juge.org> wrote in message
> news:vvjy9.14436$NV.248598@news.direcpc.com...
> > Are you sure, Matt? I don't believe it, but I just moved and all my
> > literature is put away. There is no comparison between my GL and my
> > other "standard" dual-element Heil.
> >
> > Ed, W5EJ
> >
> > "M.E." <bogus@nospam.com> wrote in message
> > news:usjc8skepaane2@corp.supernews.com...
> > > There is not differance in the mic elements, only the outside .
> > >
> > > --
> > > Respond to my "real" e-mail;
> > > kk5dr@ev1.net
> > > "K7LTF Zach" <zach@benders.net> wrote in message
> > > news:7bc3548.0211052200.5b7fceb2@posting.google.com...
> > > > Hi
> > > >
> > > > I am planning the purchase of an icom 746 pro or a Kenwd TS 2000.
My
> > > > question is that I am also thinking, of purchasing a Goldline or the
> > > > Classic mic with the radio.
> > > >
> > > > I know that different mics serve different voice modes, more
> > > > efficiently then others. Would the goldline be a better choice for
an
> > > > all around rag chew mic, using AM, SSB, and FM? Or would the classic
> > > > be better suited for AM or SSB In general?
> > > >
> > > > I understand the goldline gets pretty good reviews, but I don't know
> > > > that much about the classics performance? Anyone have one or both
of

> > > > these mics, and could give some insight?
> > > >
> > > > I am at also wondering, who makes a good brand, and or model of
> > > > footswitch to key the radio?
> > > >
> > > > Thanks for the help
> > > > Zach K7LTF
> > > > Seattle WA
> > >
> > >
> >
> >
>
>

5336. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 15:08:32 UTC
From: Jake <Jake@napster.com>
Message-ID: <Qlvy9.14914$6b.433540@news2.east.cox.net>
Source record: 37547

Check the start on the web

"M.E." <bogus@nospam.com> wrote in message
news:usjlh1vgpug26@corp.supernews.com...
> As I said, Bob Heil told me that the Classic uses the same element as the
> Gold-line, and differance is accustical be virtue of the enclosure.
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "M.E." <bogus@nospam.com> wrote in message
> news:usjc8skepaane2@corp.supernews.com...
> > There is not differance in the mic elements, only the outside .
> >
> > --
> > Respond to my "real" e-mail;
> > kk5dr@ev1.net
> > "K7LTF Zach" <zach@benders.net> wrote in message
> > news:7bc3548.0211052200.5b7fceb2@posting.google.com...
> > > Hi
> > >
> > > I am planning the purchase of an icom 746 pro or a Kenwd TS 2000. My
> > > question is that I am also thinking, of purchasing a Goldline or the
> > > Classic mic with the radio.
> > >
> > > I know that different mics serve different voice modes, more
> > > efficiently then others. Would the goldline be a better choice for an
> > > all around rag chew mic, using AM, SSB, and FM? Or would the classic
> > > be better suited for AM or SSB In general?
> > >
> > > I understand the goldline gets pretty good reviews, but I don't know
> > > that much about the classics performance? Anyone have one or both of
> > > these mics, and could give some insight?
> > >
> > > I am at also wondering, who makes a good brand, and or model of
> > > footswitch to key the radio?
> > >
> > > ThankavG2r the help
> > > Zach K7LTF
> > > Seattle WA
> >
> >
>
>

5337. Re: IC-706 vs. FT-100?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 16:12:48 UTC
From: "kw3u@warwick.net" <kw3u@warwick.net>
Message-ID: <3DCA9100.7090906@warwick.net>
Source record: 37448
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I believe the 100d comes with a cw filter installed standard, not
sure but that would make the differance in my case.
Jim

Bill Turner wrote:

> On Mon, 04 Nov 2002 23:53:10 GMT, "M.M." <junquemaile@cox.net>
> wrote:
>
>
>>Anyone have any
>>particular reasons toward (or away from) either one?
>>
>
> --
>
> I have an FT-100D and love it except for one small gripe. On
> VHF, the scan rate (channels per second) is pretty slow. Only a
> few channels per second and there doesn't seem to be any way to
> speed it up.
>
> I really had to stretch to find a gripe, didn't I? :-)
>
> 73, Bill W7TI
>

5338. Looking for IC-2SAT manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 16:46:56 UTC
From: Chow <rad20k@yahoo.com>
Message-ID: <1036687616.45775@cswreg.cos.agilent.com>
Source record: 37449

I am looking for an operation or service manual for Icom IC-2SAT ht.
Appreciate if someone can provide me a scanned copy.

Thanks....Dave

5339. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 17:20:13 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <aqe7c3$k4d$1@slb0.atl.mindspring.net>
Source record: 37450

The normal manner is to send in English. In case you don't know English is the language of choice in the communications world. In otherwords no one is going to be sending in Japanese in the real world of international commo.

Thus Q/Z signals are universal.

Dan/W4NTI

"Alun Palmer" <elektros@yahoo.com> wrote in message
news:Xns92BF66F61FCAelektrosmdonet@130.133.1.4...
> "Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in
> news:aqbda8$3r5$1@slb0.atl.mindspring.net:
>
> > You can communicate to ANY other Amateur station and/or commercial,
> > and/or military, by using the international Q and Z signs. You don't
> > even need to know the other persons language.
> >
> > Dan/W4NTI
> >
> >
> >> The pro CW testing camp like to make a lot out of CW being
> >> international, but it's not the whole story.
> >>
> >> 73 de N3KIP
> >
> >
> >
>
> What if the other station is using Japanese Morse to send katakana
> characters to you? Or didn't you read my post before replying?

5340. WTB; APHEX DOMINATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 17:28:04 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <Eoxy9.4492$SY3.277048@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37451

Price and Condition

Bill Salerno w2onv@att.net 201 368 3655

5341. FA : Yaesu FT-50 HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 17:55:35 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <rOxy9.88402$Up6.19216629@twister.nyc.rr.com>
Source record: 37452
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395964744

5342. Trade: Motorola HT750 UHF for MFJ Antenna Analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 18:31:52 UTC
From: John Cameron <alchemyaudio@attbi.com>
Message-ID: <3DCAB174.2A37F1B8@attbi.com>
Source record: 37453

I have a very good condition HT750 UHF 403-470 split with battery, antenna and charger. I need a MFJ antenna analyzer in very good condition.

John
N1OWA

5343. Re: Looking for IC-2SAT manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 20:13:33 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aqeg3b$kg1$1@news1.kornet.net>
Source record: 37454

I'll scan it in and e-mail it to you later today. :)

"Chow" <rad20k@yahoo.com> wrote in message
news:1036687616.45775@cswreg.cos.agilent.com...
> I am looking for an operation or service manual for Icom IC-2SAT ht.
> Appreciate if someone can provide me a scanned copy.
>
> Thanks....Dave
>
>

5344. FA>> AMECO HF Preamp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 20:19:57 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <NVzy9.19536$h4.16159@news4.srv.hcvlny.cv.net>
Source record: 37455

Please visit my auction at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396541636&ssPageName=ADM
E:B:LC:US:1

5345. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 22:13:10 UTC
From: Alun Palmer <elektros@yahoo.com>
Message-ID: <Xns92BFAD32A48A2elektrosmdonet@130.133.1.4>
Source record: 37456

"Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in
news:aqe7c3$k4d$1@slb0.atl.mindspring.net:

> The normal manner is to send in English. In case you don't know
> English is the language of choice in the communications world. In
> otherwords no one is going to be sending in Japanese in the real world
> of international commo.
>
> Thus Q/Z signals are universal.
>
> Dan/W4NTI
>
> "Alun Palmer" <elektros@yahoo.com> wrote in message
> news:Xns92BF66F61FCAelektrosmdonet@130.133.1.4...
>> "Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in
>> news:aqbda8$3r5$1@slb0.atl.mindspring.net:
>>
>> > You can communicate to ANY other Amateur station and/or commercial,
>> > and/or military, by using the international Q and Z signs. You
>> > don't even need to know the other persons language.
>> >
>> > Dan/W4NTI
>> >
>> >
>> >> The pro CW testing camp like to make a lot out of CW being
>> >> international, but it's not the whole story.
>> >>
>> >> 73 de N3KIP
>> >
>> >
>> >
>>
>> What if the other station is using Japanese Morse to send katakana
>> characters to you? Or didn't you read my post before replying?
>
>
>

You don't have to tune around HF much to hear Spanish, French, German,
etc. Let me see, your argument is that Morse is an international language
because everyone speaks English? I must be missing something here!

73 de N3KIP

5346. Re: Dumb questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 22:13:52 UTC
From: KC5CQW <kc5cqw@excite.com>
Message-ID: <uslpf5r4j9sn53@corp.supernews.com>
Source record: 37457

Read up on the NorCal BLT. You will find some mods for that tuner that may help you. Heck, for $29 you may want to pick one up!

"RK Henderson" <rkhen@softhome.net> wrote in message news:7007f740.0211060829.7b5cee86@posting.google.com...
> I'm just starting out in small-rig QRP and have two dumb questions.
>
> 1. How do you connect a longwire antenna to a tuner that only has a
> coax connector for output, as many lightweight QRP tuners seem to do?
>
> 2. How do you tune up the antenna without an SWR meter, as most QRP
> rigs and tuners don't have one?
>
> Thanks in advance for your patience .
>
> Rob Henderson
> KB7PWJ

5347. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 23:30:29 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aqerjt$113$1@news1.kornet.net>
Source record: 37458

I hear very little English on phone freqs here.. only time I really hear it
is when someone in Korea, Russia or Japan is trying to talk to someone
stateside or in Australia..

"Alun Palmer" <elektros@yahoo.com> wrote in message
news:Xns92BFAD32A48A2elektrosmdonet@130.133.1.4...
> "Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in
> news:aqe7c3$k4d$1@slb0.atl.mindspring.net:
>
> > The normal manner is to send in English. In case you don't know
> > English is the language of choice in the communications world. In
> > otherwords no one is going to be sending in Japanese in the real world
> > of international commo.
> >
> > Thus Q/Z signals are universal.
> >
> > Dan/W4NTI
> >
> > "Alun Palmer" <elektros@yahoo.com> wrote in message
> > news:Xns92BF66F61FCAelektrosmdonet@130.133.1.4...
> >> "Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in
> >> news:aqbda8$3r5$1@slb0.atl.mindspring.net:
> >>
> >> > You can communicate to ANY other Amateur station and/or commercial,
> >> > and/or military, by using the international Q and Z signs. You
> >> > don't even need to know the other persons language.
> >> >
> >> > Dan/W4NTI
> >> >
> >> >
> >> >> The pro CW testing camp like to make a lot out of CW being
> >> >> international, but it's not the whole story.
> >> >>
> >> >> 73 de N3KIP
> >> >
> >> >
> >> >
> >>
> >> What if the other station is using Japanese Morse to send katakana
> >> characters to you? Or didn't you read my post before replying?
> >
> >
> >
>

> You don't have to tune around HF much to hear Spanish, French, German,
> etc. Let me see, your argument is that Morse is an international language
> because everyone speaks English? I must be missing something here!
>
> 73 de N3KIP

5348. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 23:54:29 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <aqeui8$3hv$1@slb6.atl.mindspring.net>
Source record: 37459

Yes you are missing something. Experience apparantly.

Dan/W4NTI

"Alun Palmer" <elektros@yahoo.com> wrote in message
news:Xns92BFAD32A48A2elektrosmdonet@130.133.1.4...
I must be missing something here!
>
> 73 de N3KIP

5349. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-07 23:56:05 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <aqeui9$3hv$2@slb6.atl.mindspring.net>
Source record: 37460

We are not discussing phone operation.

Dan/W4NTI

"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:aqerjt$113$1@news1.kornet.net...
> I hear very little English on phone freqs here.. only time I really hear
it
> is when someone in Korea, Russia or Japan is trying to talk to someone
> stateside or in Australia..
>
>
> "Alun Palmer" <elektros@yahoo.com> wrote in message
> news:Xns92BFAD32A48A2elektrosmdonet@130.133.1.4...
> > "Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in
> > news:aqe7c3$k4d$1@slb0.atl.mindspring.net:
> >
> > > The normal manner is to send in English. In case you don't know
> > > English is the language of choice in the communications world. In
> > > otherwords no one is going to be sending in Japanese in the real world
> > > of international commo.
> > >
> > > Thus Q/Z signals are universal.
> > >
> > > Dan/W4NTI
> > >
> > > "Alun Palmer" <elektros@yahoo.com> wrote in message
> > > news:Xns92BF66F61FCAelektrosmdonet@130.133.1.4...
> > >> "Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in
> > >> news:aqbda8$3r5$1@slb0.atl.mindspring.net:
> > >>
> > >> > You can communicate to ANY other Amateur station and/or commercial,
> > >> > and/or military, by using the international Q and Z signs. You
> > >> > don't even need to know the other persons language.
> > >> >
> > >> > Dan/W4NTI
> > >> >
> > >> >
> > >> >> The pro CW testing camp like to make a lot out of CW being
> > >> >> international, but it's not the whole story.
> > >> >>
> > >> >> 73 de N3KIP
> > >> >
> > >> >
> > >> >

> > >>
> > >> What if the other station is using Japanese Morse to send katakana
> > >> characters to you? Or didn't you read my post before replying?
> > >
> > >
> > >
> >
> > You don't have to tune around HF much to hear Spanish, French, German,
> > etc. Let me see, your argument is that Morse is an international
language
> > because everyone speaks English? I must be missing something here!
> >
> > 73 de N3KIP
>
>

5350. FS: New Uniden BC200XLT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 00:04:55 UTC
From: Gary <garytaylor605@yahoo.com>
Message-ID: <HcDy9.2929$UA4.2683696@news.alltel.net>
Source record: 37461
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner

For Sale: New Uniden BC200XLT handheld scanner with full 800MHZ. Never used, still in the box with all original accessories. Asking $160, obo. If anyone is interested, please email directly.

Thanks,
Gary

5351. FS Adi at-600 dual band ht

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 00:30:02 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <4ADy9.506$3j6.17157@twister.kc.rr.com>
Source record: 37462
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Forsale is a nice working and looking adi at-600 dual band ht.
It will do 2 meter and 440 at the same time.
2 volumes 2 sql controls.
Comes with rubber duck belt clip 2-5 watt batteries one charger that came
with the radio.
Manual in pdf format.
You will need a drop in charger for one of the batteries wich is a W&W 104s
12volt 1200 mah.
$150 shipped u.s only ups insured shipping.
E-mail for picture of the radio.

5352. Re: FA>> AMECO HF Preamp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 01:26:48 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <spEy9.23422$h4.13341@news4.srv.hcvlny.cv.net>
Source record: 37463

I forgot to add...NO RESERVE !!

"John Schneider" <thecop@optonline.net> wrote in message
news:NVzy9.19536$h4.16159@news4.srv.hcvlny.cv.net...
> Please visit my auction at:
>
>
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396541636&ssPageName=ADM
> E:B:LC:US:1
>
>

5353. Re: IC-706 vs. FT-100 - THANKS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 01:31:17 UTC
From: "M.M." <junquemaile@cox.net>
Message-ID: <Xns92BFBC83EB61Bnobodynowhere@68.6.19.6>
Source record: 37464
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Thanks to all who responded to my question. I must have received 50 replies. The concensus seems to be they're both decent radios.

Altho I'm leaning slightly toward the 706, I still haven't decided for sure...it'll likely come down to the best deal.

Thanks & 73... Mark AA7TA

5354. Yaesu Parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 03:08:39 UTC
From: Ken Wolfe <k3qv@hotmail.com>
Message-ID: <usmalnrjmpke92@corp.supernews.com>
Source record: 37465

Anybody know where I can get a memory backup battery for an FT2400?
It's a CR2016 with tabs
Takes too long to get parts out of Yaesu, so I was looking for a quick source.

Thanks,

Ken.

5355. F9FT 6 Mtr BEAM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 03:31:48 UTC
From: wjmilton@snip.net
Message-ID: <3dcb2eb9.18596099@news.snip.net>
Source record: 37466

Hi,

I have a F9FT 5 el 6 Mtr beam that I'm trying to find some replacement parts. Does anyone know of a distributer of the Tonna F9FT antennas in the states. I have email their store over seas several times, but have received no answers. I would like to get this antenna back in the air.

I can be reached via email, just remove the extra spaces.

Walt, KA2NJF

5356. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 04:04:19 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aqfd5o$2o1n$1@madmax.keyway.net>
Source record: 37467

```
:
: > You can communicate to ANY other Amateur station and/or commercial,
: > and/or military, by using the international Q and Z signs. You don't
: > even need to know the other persons language.
: >
: > Dan/W4NTI
: >
: >
: >> The pro CW testing camp like to make a lot out of CW being
: >> international, but it's not the whole story.
: >>
: >> 73 de N3KIP
: What if the other station is using Japanese Morse to send katakana
: characters to you? Or didn't you read my post before replying?

Then you reply with Q or Z abbreviations to tell him to reply in kind.
Most have learned enough CW and English to be able converse
in a highly abbreviated exchange (although entire newspapers
used to be sent via Morse before teleprinters). In any case,
another station wouldn't be sending Katakana(sp?) to ME for
any reason. Yet numerous QSL cards line my shack from hams
that I would have little hope of making sense of on Phone.

Consider this: Thousands of hams "used to" contact one another
with CW all around the world without knowing each other's native
tongue before ignorance became fashionable. Indeed civilization
seems to have largely pre-dated the Internet by centuries.

AC6TK
```

5357. Re: Yaesu FT-50 HT - SOLD!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 04:12:10 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <uQGy9.90386$Up6.19572992@twister.nyc.rr.com>
Source record: 37468
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.swap

This item has been SOLD! Thanks to all.

Dan

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:rOxy9.88402$Up6.19216629@twister.nyc.rr.com...
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395964744
>
>
>

5358. Re: Interference in car

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 04:13:22 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aqfdmn$2obd$1@madmax.keyway.net>
Source record: 37469

Electric Fuel pump is the most notorious... When you first turn the
key on (engine off) the pump will run for a few seconds then turn off.
You should be able to hear if this is it.

The fix usually involves dropping the tank and hash filtering the
fuel pump motor at the source, and most any mechanic won't have
any idea what you are trying to do. If you intend to do it yourself,
make sure the women and children are well out of earshot for the
weekend.

Jim, ac6tk.
"Devang Devani" <ddevani@chat.carleton.ca> wrote in message
news:apu15r$91b$1@driftwood.ccs.carleton.ca...
: I've tried it in the following cars, one was a 96' Ford Aerostar, '94
: Pontiac Grand Am, 2000 Toyota Corolla, 1998 Nissan Altima. All with the
: same problems :S
:
: Bob Miller (bxmillerSpamNot@texas.net) wrote:
: > ddevani@chat.carleton.ca (Devang Devani) wrote:
:
: > >
: > >I was wondering if anyone has a simple fix for my problem. Whenever i
: > >take my scanner into a car I get static on most channels when the car is
: > >on. I can basically hear the acceleration of the car as a steady
: > >background ringing which rings at a higher frequency when acceration
: > >occurs. When the car is turned off the scanner can be used properly.
: > >There are no problems with the cars radios. What do you guys think?
:
: > What's your vehicle brand and engine? Fords are notorious for this sort of
: > thing, although other brands can be bad, too...
:
: > Bob
: > k5qwg
:

5359. Need Aeronca L3B Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 05:10:06 UTC
From: john price <jm.price@att.net>
Message-ID: <3DCB47C1.D83A4ACE@att.net>
Source record: 37470
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.aviation.owning

Hi all...

I'm still trying to find some of the original radio
equipment for my airplane (an Aeronca L3B "Grasshopper")...

The specific equipment I still need is:

RCA AVA-120 Trailing wire antenna (will trade Learadio RH-4 for one)
General Armature AG-40B Wind generator
RCA AVT-15A Transmitter and Remote Control Unit

Any help would be appreciated

John Price
WA2FZW
CFII/AGI/IGI
http://home.att.net/~jm.price

5360. Need help with Henry 2k-4

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 10:33:58 UTC
From: aokd5fxt@aol.com
Message-ID: <20021108053358.01210.00003885@mb-mk.aol.com>
Source record: 37471

I just picked up a Henry 2k-4. I have no test sheet indicating preset values
for tuning and load. Can someone give me an idea of where to set these to
start out?
Pls reply via email.
tnx

5361. Re: Yaesu Parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 10:50:26 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <SFMy9.7346$SY3.372174@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37472

You should be able to find it either at Radio Shack or the Battery Store.

Pete

5362. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 11:49:50 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <usn973ilqgnh4d@corp.supernews.com>
Source record: 37473

So it is the "Q" and "Z" signals that are the "universal" language,
not CW. The "Q" and "Z" signals could also be used on any other of the
newer modes making them as universal as CW.

5363. FS: HV Diode modules for large HF amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 14:38:51 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <mYPy9.4866$ds6.550@news.bellsouth.net>
Source record: 37474

I have 4 diode blocks for a HV power supply for a large
HF amp. I don't have the rating but believe they are
10 KV modules based on the size. I took them out of
a Large amp that I restored to stock diode configuration that
used three 3-500z tubes and a 3500 volt plus power supply.

I suspect they are 1 Amp rated. They are 3 3/4" long, 1" deep
and at the highest point, 2" high with screw terminal on each end
and polarity marking on the bottom. They are ideal for a homebrew
project or upgrade the diode bridge on an existing amp. I can
send you a picture if you are interested. These are quite expensive
if purchased from RF parts etc but all I am asking is a reasonable
offer for the 4 modules.

I have been posting such items on Ebay but have been asked to list
items on newsgroup first. If no reasonable offers are made I will
place them on Ebay. Check my ebay feedback for proof that I
only do up fron deals. Ebay id is garyh@bellsouth.net.

Thanks

Gary K4MT

5364. WTB Standard C-5900

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 15:10:46 UTC
From: Dick <grburke@adelphia.net>
Message-ID: <WtQy9.10172$6g.3523019@news1.news.adelphia.net>
Source record: 37475
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I am looking for a Standard C-5900 radio in great working shape that you may not want anymore.Let me know what you may want for it (hopefully not much).I am on a low budget as of now because of layoff from work.I do have stuff for trades also if interested.Anyway,let me know what you got.Email me at n1rsp@qsl.net

5365. Collins S-line w/amplifier, Round Emblem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 15:57:41 UTC
From: m38 <m38@cox-internet.net>
Message-ID: <usp1hqcnppvla7@corp.supernews.com>
Source record: 37493

FS: Complete Collins S-Line, all Round Emblem. Collins 75S-3C (with CW mech. fileter), 312B-4 wattmeter phone-patch console, 32S-3 transmitter, 516F-2 (in cabinet) and 30L-1 linear amplifier. The transmitter, receiver, and power supply have all been sent to Bud Whitney (Collins specialist) last year to be brought back to factory specs. The power supply was rebuilt completely to solid state and Bud's new specs (AC isolation relay, new filters, new choke, etc.). This S-line is currently on line and can be heard on Wednesday nights on the Boatanchor Net on 3870 khz. I have owned it for 20 plus years and is very nice (excellent) in physical appearance (knobs and dials all look nice). It also includes original manuals. $4200 takes all. Call for details at (979) 693-1461 eves and weekends. Thanks, Mike.

5366. FS: ITEMS FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 16:24:06 UTC
From: Heytubeguy <heytubeguy@worllnet.att.net>
Message-ID: <GyRy9.7944$SY3.396850@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37476

Small items now include:2.5v xfmr, 8H choke, Sk-406, BTI & COLLINS original manuals, Variable inductor, Weston DC Mil- meter, old Collins mech filter...COMING filament xfmrs, chokes, hv xfmrs, sockets, Western Electric tubes...check my seller page.

Liquidating three building of 'stuff' including ANTIQUE RADIOS by A-K, Westinghouse, Fada, National (SW-3, FB-7), Splitdorf, EH SCOTT, Silvertone, Masterpiece, Freshman... coming soon - heytubeguy

5367. Misc. old radio and newer test equipment.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 16:48:20 UTC
From: m38 <m38@cox-internet.net>
Message-ID: <usp4882i3bohfd@corp.supernews.com>
Source record: 37494

FS: The following items are for sale.

1. Icom FM board for IC-700 series tranceivers, $35.

2. Heath DX-100, very nice cabinet and front panel, lots of copper plating left on chassis, w/manual, $250.

3. Johnson Valiant 2, complete but unchecked. Not dead when powered up. Some paint chipping around outside edge. Includes manual, $400.

4. Racal 9000 frequency counter, microprocessor control, reciprocal counting, with service manual, works, $125.

5. HP-5315B frequency counter (1 ghz), has optional Offset/Normalize module, works good, $185.

6. HP-3582A Audio Spectrum Analyzer, appears to work okay, $135.

7. Collins ART-13 transmitter, complete and unmodified, 85% finish, looks nice, $265.

5368. Re: F9FT 6 Mtr BEAM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 17:45:42 UTC
From: "Hanno, DG8JZ" <hanno@dg8jz.de>
Message-ID: <aqgthq$505$01$1@news.t-online.com>
Source record: 37477

Hello,
just a suggestion from my side of the water... sand a fax to Tonna in Rheims, France and ask Franck Tonna, F5SP for the spare parts you need. He is very happy to service all customera around the world. I know it from my own needs in the past. It is hard to find a dealer who carry spare parts. Just note it on a copy of manual, send it by mail to Franck and I am sure he will response.
Greetings
Hanno, DG8JZ

"Walter Milton" <wjmilton@snip.net> schrieb im Newsbeitrag news:3dcb2eb9.18596099@news.snip.net...
> Hi,
>
> I have a F9FT 5 el 6 Mtr beam that I'm trying to find some replacement
> parts. Does anyone know of a distributer of the Tonna F9FT antennas
> in the states. I have email their store over seas several times, but
> have received no answers. I would like to get this antenna back in
> the air.
>
> I can be reached via email, just remove the extra spaces.
>
> Walt, KA2NJF

5369. Need a TU-49 For BC-610

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 18:02:21 UTC
From: Sparks W4EAS <sparksw4eas@mindspring.com>
Message-ID: <3DCBFC2D.1D28@mindspring.com>
Source record: 37478

Need a TU-49 for BC-610 3.2 to 4.0 Mcs Sparks W4EAS

5370. Misc. radio/test equip. corrected email address

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 18:06:12 UTC
From: m38 <m38@cox-internet.com>
Message-ID: <usp8qjids30c55@corp.supernews.com>
Source record: 37497

correct email: gspubl@tca.net
FS: The following items are for sale.

1. Icom FM board for IC-700 series tranceivers, $35.

2. Heath DX-100, very nice cabinet and front panel, lots of copper plating left on chassis, w/manual, $250.

3. Johnson Valiant 2, complete but unchecked. Not dead when powered up. Some paint chipping around outside edge. Includes manual, $400.

4. Racal 9000 frequency counter, microprocessor control, reciprocal counting, with service manual, works, $125.

5. HP-5315B frequency counter (1 ghz), has optional Offset/Normalize module, works good, $185.

6. HP-3582A Audio Spectrum Analyzer, appears to work okay, $135.

7. Collins ART-13 transmitter, complete and unmodified, 85% finish, looks nice, $265.

5371. Have you bought an FT897?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 18:18:18 UTC
From: Nick G4FAL <g4fal@nospam.riverauto.co.uk>
Message-ID: <LdTy9.4665$dz2.423208@stones>
Source record: 37479

Please let me have your first impressions as I am considering purchasing one.

Nick, G4FAL

5372. Re: WTB Standard C-5900

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 20:05:08 UTC
From: Chris Musselman <junkmailboxREMOVETHIS@pacbell.net>
Message-ID: <3DCC18FD.8040502@pacbell.net>
Source record: 37480
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Dick-

That Standard radio was a $900 item when it came out, and I always wanted one too. Have you seen the new Yaesu FT-8900? It has 6m, 2m, and 70cm, and 10m FM too. Yaesu bought Standard a few years back, and I have been told the 8900 has similarities to the Standard 5900. It sells for about US$470 new. I have been very happy with mine so far-I sold my Icom 2m/70cm rig, and my Alinco 6m will be next. 73-

Chris W6ATV

Dick wrote:
> I am looking for a Standard C-5900 radio in great working shape that you may
> not want anymore.Let me know what you may want for it (hopefully not much).I
> am on a low budget as of now because of layoff from work.I do have stuff for
> trades also if interested.Anyway,let me know what you got.Email me at
> n1rsp@qsl.net
>
>

5373. $$$For=>[Broken Saber Mic Connectors]<=$$$

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 21:25:21 UTC
From: msisco9939@aol.com
Message-ID: <20021108162521.16600.00000005@mb-cp.aol.com>
Source record: 37481

HI:

$$$For=>[Broken Saber Mic Connectors]<=$$$

Still looking for person / persons who may have a
a bunch (or even a few) Saber Mic Connceors.

Looking just for the Universal Connector (Radio)
Side. Need the Shell, Housing & Pins

If perhaps you have (1) or a 100, Please email me
and I will reward you with Cash / or Trade...Will Pay
for shipping too !

Monty

5374. Re: Yaesu Parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 22:42:38 UTC
From: Ken Wolfe <k3qv@hotmail.com>
Message-ID: <usofeumsh8b064@corp.supernews.com>
Source record: 37483

Not with tabs.......been thru several searches on several battery supplier's
and Radio Shack's sites.

I have CR2016 cells here.......just need tabs to mount it behind the
faceplate where the original position is.

I don't have room for a cell holder. (which would be sweet).

Thanks for the reply

Ken K3QV

"Pete KE9OA" <n.gianakopoulos@worldnet.att.net> wrote in message
news:SFMy9.7346$SY3.372174@bgtnsc04-news.ops.worldnet.att.net...
> You should be able to find it either at Radio Shack or the Battery Store.
>
> Pete
>
>

5375. FA>> National NA-173 w/ Owners Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 23:19:24 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <0EXy9.8336$XG3.3889@news4.srv.hcvlny.cv.net>
Source record: 37484

Please visit my auction at:

http://cgi.ebay.com/ws/eBayISAPI.dll?viewItem&item=800126311&indexURL=0#ebay photohosting

LOW reserve

5376. FA>> Navy "waterproof" CW key

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 23:21:39 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <7GXy9.8405$XG3.1449@news4.srv.hcvlny.cv.net>
Source record: 37485

Please visit my auction at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800129274

LOW reserve

5377. FA>> 2 meter base/mobile amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 23:22:51 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <fHXy9.8436$XG3.7538@news4.srv.hcvlny.cv.net>
Source record: 37486

Please visit my auction at:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800115232

LOW reserve

5378. FA>>4-way transmitter analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 23:24:57 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <dJXy9.8496$XG3.6642@news4.srv.hcvlny.cv.net>
Source record: 37487

Please take a look at my auction:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800121678

LOW reserve

5379. Replacing resistors and caps help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-08 23:35:36 UTC
From: gil <gilpi@mindspring.com>
Message-ID: <aqhh4v$f7r$1@slb2.atl.mindspring.net>
Source record: 37488

Got a couple of old boatanchors sitting around that need some cap and resistor replacement and since I have a lot of new parts laying around I was wondering...especially with resistors when it comes to replacing the big ones (in size and wattage that is) does it matter if I use ceramic or any other kind as long as the value is the same and wattage the same or higher?

Thanks for the read

Gil

5380. Re: Yaesu Parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 00:10:17 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aqhiae$94r$1@news1.kornet.net>
Source record: 37489

You might try www.batteriesamerica.com or www.sunnbattery.com

"Ken Wolfe" <k3qv@hotmail.com> wrote in message
news:usofeumsh8b064@corp.supernews.com...
> Not with tabs.......been thru several searches on several battery
supplier's
> and Radio Shack's sites.
>
> I have CR2016 cells here.......just need tabs to mount it behind the
> faceplate where the original position is.
>
> I don't have room for a cell holder. (which would be sweet).
>
> Thanks for the reply
>
> Ken K3QV
>
>
> "Pete KE9OA" <n.gianakopoulos@worldnet.att.net> wrote in message
> news:SFMy9.7346$SY3.372174@bgtnsc04-news.ops.worldnet.att.net...
> > You should be able to find it either at Radio Shack or the Battery
Store.
> >
> > Pete
> >
> >
>
>

5381. Re: Yaesu Parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 00:50:16 UTC
From: Ken Wolfe <k3qv@hotmail.com>
Message-ID: <usomu8emhjebd1@corp.supernews.com>
Source record: 37490

Thanks, I will

Ken K3QV

"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:aqhiae$94r$1@news1.kornet.net...
> You might try www.batteriesamerica.com or www.sunnbattery.com
>
>
> "Ken Wolfe" <k3qv@hotmail.com> wrote in message
> news:usofeumsh8b064@corp.supernews.com...
> > Not with tabs.......been thru several searches on several battery
> supplier's
> > and Radio Shack's sites.
> >
> > I have CR2016 cells here.......just need tabs to mount it behind the
> > faceplate where the original position is.
> >
> > I don't have room for a cell holder. (which would be sweet).
> >
> > Thanks for the reply
> >
> > Ken K3QV
> >
> >
> > "Pete KE9OA" <n.gianakopoulos@worldnet.att.net> wrote in message
> > news:SFMy9.7346$SY3.372174@bgtnsc04-news.ops.worldnet.att.net...
> > > You should be able to find it either at Radio Shack or the Battery
> Store.
> > >
> > > Pete
> > >
> > >
> >
> >
>
>

5382. Help ID this key

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 00:53:50 UTC
From: Toscano <toscano2@ix.netcom.com>
Message-ID: <aqhcehsu1@slb4.atl.mindspring.net>
Source record: 37482

Received this a few years ago as part of a lot of military equipment. Now I am a ham and have a different perspective on this previously-useless item...

All parts appear to be flat-finished metal except for possibly wooden knob on keyer and black plastic "housing" for contacts. Baseplate measures about 2 x 4 inches, has for holes for mounting. Bottom is stamped with reddish-colored "US" with an anchor (I am assuming this designated USN). Top has white markign embedded in it: CMI-26003A. This is the only distincting marking except for the "US" on the bottom.
Any help in IDing this appreciated.

73s de KB1ILS

5383. Henry 2KD Classic HF AMplifier SOLD!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 01:54:42 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <CVZy9.2004$Aq5.217297@newsread2.prod.itd.earthlink.net>
Source record: 37491
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Thanks to all that replied.

73 de Rich

5384. Need Manual: SSC 832 Tone Remote Term Board

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 02:31:20 UTC
From: Eric <kf8yk@arrl.net>
Message-ID: <Yr_y9.3010$UA4.2764074@news.alltel.net>
Source record: 37492

Anyone have a manual that they would be willing to copy or sell for a SSC model 832 tone remote termination board?

This board is also known as Midland radio P/N 72-2051.

Thanks,

Eric
KF8YK

kf8yk@arrl.net

5385. Icom IC-726 HF+6 100 watt xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 04:18:06 UTC
From: m38 <m38@cox-internet.com>
Message-ID: <usqclhdi0lblbc@corp.supernews.com>
Source record: 37408

Nice clean Icom IC-726 HF+6mtrs 100 watt mobile tranceiver that works perfectly. It includes manual, mike and power cord, $395.

5386. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 05:07:34 UTC
From: Alun Palmer <elektros@yahoo.com>
Message-ID: <Xns92C0F3754B86Belektrosmdonet@130.133.1.4>
Source record: 37495

"Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in
news:aqeui8$3hv$1@slb6.atl.mindspring.net:

> Yes you are missing something. Experience apparantly.
>
> Dan/W4NTI
>
> "Alun Palmer" <elektros@yahoo.com> wrote in message
> news:Xns92BFAD32A48A2elektrosmdonet@130.133.1.4...
> I must be missing something here!
>>
>> 73 de N3KIP
>
>
>

CW experience certainly. I only use phone. So all the stations I hear
chatting away in their native languages switch to English for CW? Hard to
beleive, but you're the CW op.

5387. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 05:10:38 UTC
From: Alun Palmer <elektros@yahoo.com>
Message-ID: <Xns92C0F3FA38DA8elektrosmdonet@130.133.1.4>
Source record: 37496

"Bob Lewis \(AA4PB\)" <rlewis@staffnet.com> wrote in
news:usn973ilqgnh4d@corp.supernews.com:

> So it is the "Q" and "Z" signals that are the "universal" language,
> not CW. The "Q" and "Z" signals could also be used on any other of the
> newer modes making them as universal as CW.
>
>
>

I always have used Q signals on phone. I fail to understand why some
people (such as the ARRL) deprecate that practice, which I am convinced is
a very good one.

5388. ADMS-1E programming software and cable (Yaesu) anyone have one FS? (have trades to)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 06:07:53 UTC
From: forrestfunk@forrestfunk.com
Message-ID: <5b15e4a5.0211082207.7b32f2b6@posting.google.com>
Source record: 37398

I could also use the programming cable only. Both sell for $39 new, I will be happy to pay a fair price.
I can also use a vx-5 battery if you happen to have one.

Or if you like i have some things to trade, I have:

1. 50 of hi quality LMR-400 coax. Very low loss, comsidered by many to be the best. Ask around.

2. Radio shack base antennas, ground plane wide band recieve. these are rather tall at 6'but work fantastic.

3. Johnson Police model car radio speakers. Very solid and sound better than motorolas. 5"x5" I have 2. work great on a base or in the auto even w/ windows open.

4. Maha rapid charger for any model HT batteries nimh or nicad. conditions them as well.(wont do lithium batts)
model crx-333

Thanks in advance,
N0JAM

5389. Re: Help ID this key

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 06:30:06 UTC
From: Bob Nielsen <nielsen@remove_this.oz.net>
Message-ID: <aqia1e$u9v$0@216.39.144.81>
Source record: 37399

On Fri, 8 Nov 2002 16:53:50 -0800, Toscano wrote:
> Received this a few years ago as part of a lot of military equipment. Now I
> am a ham and have a different perspective on this previously-useless item...
>
> All parts appear to be flat-finished metal except for possibly wooden knob
> on keyer and black plastic "housing" for contacts. Baseplate measures about
> 2 x 4 inches, has for holes for mounting. Bottom is stamped with
> reddish-colored "US" with an anchor (I am assuming this designated USN). Top
> has white markign embedded in it: CMI-26003A. This is the only distincting
> marking except for the "US" on the bottom.
> Any help in IDing this appreciated.
>
> 73s de KB1ILS
>
>

This is a Navy "Flame-Proof" key. The CMI signifies it was
manufactured by Moulded Insulation Company. The same design was also
made by several other companies.

Google found several hits for CMI-26003A, including some nice photos.

73, Bob N7XY

5390. Alpha 76, 78, & 374 Owners I have 8874 tubes for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 10:29:17 UTC
From: w4th@hotmail.com
Message-ID: <dc97c428.0211090229.39588b41@posting.google.com>
Source record: 37400

I have 5, brand new in the box, never opened, 3-400a7 (8874) tubes for sale. These ARE NOT NOS, but BRAND NEW FACTORY FRESH TUBES. These tubes carry a 2 year warranty from Svetlana. One year of shelf storage and then an additional year of actual service warranty. Each tube will have a warranty sheet included.
The price is $325.00 each firm....plus $10.00 shipping.
I live in Boaz, so you may want to drive up and save the shipping.
73
Tom.......w4th

5391. FA: Vintage radio related books

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 10:35:36 UTC
From: Mark Trotman <mark@armscroft.com>
Message-ID: <3DCCE4F8.5090204@armscroft.com>
Source record: 37401

Hi folks,

The XYL has decided that it's now time to sell my small library of radio related books. I have
started to list them on ebay but it's taking longer than I thought to get them on there so I will be
adding to the listing over the next week (or so!).. If you have an interest in books from the 1940's
onwards check out the following URL;

http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=armscroft&include=0&since=-1&sort=3&rows=25

If you are not interested, sorry about the waste of bandwidth.

Regards

Mark

5392. FS: KLM KT34XA Triband Yagi

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 13:37:12 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <cc8z9.2801$Aq5.294813@newsread2.prod.itd.earthlink.net>
Source record: 37403
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

KLM's "big gun" antenna used by many DX'ers around the world. It has six elements on a 32 foot boom.
This antenna is on the ground and ready to be installed. Fully inspected, cleaned, and measured. Owner decided to install another antenna.

Asking $350.00 plus shipping from Los Angeles.

Prefer local viewing and pickup in Los Angeles. (San Fernando Valley)

Rich, W6VX

w6vx@arrl.net

5393. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 14:00:21 UTC
From: "Dee D. Flint" <dee.hays@sbcglobal.net>
Message-ID: <Vx8z9.5019$z5.3454286@newssvr28.news.prodigy.com>
Source record: 37402

"Alun Palmer" <elektros@yahoo.com> wrote in message
news:Xns92C0F3FA38DA8elektrosmdonet@130.133.1.4...
> "Bob Lewis \(AA4PB\)" <rlewis@staffnet.com> wrote in
> news:usn973ilqgnh4d@corp.supernews.com:
>
> I always have used Q signals on phone. I fail to understand why some
> people (such as the ARRL) deprecate that practice, which I am convinced is
> a very good one.
>

On phone, they are often used incorrectly as some who are phone ops only
didn't study the usage of Q signals in depth. One example is that some
think QTH refers only to your home rather than location. I.e. they do not
understand that one can refer to one's home QTH, work QTH, or that QTH
without a modifier simply refers to the current operating location.

5394. RATELCO 48 Volt @ 150 Amps

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 14:15:43 UTC
From: rhawk@gnc.net
Message-ID: <3dcd1869.3734072@news.gnc.net>
Source record: 37404

RATELCO Battery charger / Rectifier. Type FC481505A
Model # 102B-3608-00. 48 Volt @ 150 Amps, Float or Equalize.
These units were manufactured SEPT 1991 and are in the Factory
crates and have Never been used, have 2, sequential Serial numbers.
These units can be used as 48 volt charger for Telephone Central
Office Battery supply's with the ability to Float or Equalize.
They can also be used as a stand alone, well filtered, power
supply rated at 48 volts at 150 amps CONTINOUS DUTY.
Input = 110, 208, 240 Volts. 60 Hz, single phase
A must for the expirimenter working with the new generation
of 48 volt solid state RF devices Rated in excess of a Kilowatt.

Weight is approximately 550 pounds, Crated for freight shipping.

1500.xx Prepaid, in my garage in Merritt Island, Florida.

Loading and shiping are buyers responsibility.

For Pictures

http://gnc.net/~rhawk/

Email

rhawk@gnc.net

Bob

RATELCO 48 Volt @ 150 Amps

5395. FA Two TV-7 Tube Testers/Ends Today

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 14:49:42 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <ag9z9.2635$tW4.312423@newsread1.prod.itd.earthlink.net>
Source record: 37405

I have up for auction two TV-7 Tubes Testers. This auction ends today.
Please see at:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395214408&ssPageName=ADM
E:B:LC:US:1
Thanks, Charlie Hugg, K5MBX

5396. FA Pristine SBE SB2-LA HF Amp/Ends tomorrow

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 15:06:32 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <Yv9z9.2662$tW4.315612@newsread1.prod.itd.earthlink.net>
Source record: 37406

I have up for auction a Pristine SBE SB2-LA HF Amplifier. The auction ends tomorrow.
To view the item, go to:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395365317
This amplifier is as close to new as one could ever find. Please take a look.
Thanks, Charlie Hugg, K5MBX

5397. Re: FA>> Navy "waterproof" CW key

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 15:34:16 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <YV9z9.15247$XG3.10252@news4.srv.hcvlny.cv.net>
Source record: 37407

I have unintentionally labeled this as "waterproof", when in fact it is designated as "flameproof". I apologize for the mistake and will attempt to rectify it upon end of bidding.

Sorry...

John Schneider

"John Schneider" <thecop@optonline.net> wrote in message news:7GXy9.8405$XG3.1449@news4.srv.hcvlny.cv.net...
> Please visit my auction at:
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800129274
>
> LOW reserve
>
>

5398. FS "LIKE NEW" Icom, & Radio Shack

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 16:26:37 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <1Haz9.3004$Aq5.322110@newsread2.prod.itd.earthlink.net>
Source record: 37409

I have for sale some Handheld, and Mobile radios MOST of them have only been turned on once or twice.
EXCELLENT condition.................

Icom 207 H 144/440 MHz mobile transceiver with original box "LIKE NEW" $225.00
Icom 2000H 144 MHz mobile transceiver with original box "LIKE NEW" $100.00
Icom 281H 144 MHz mobile transceiver with original box "LIKE NEW"...$100.00
Icom V68 handheld transceiver with original box "LIKE NEW "....$100.00
Icom T7A 144/440 MHz handheld transceiver with original box "LIKE NEW"...$120.00
Icom W2 144/440 MHz handheld transceiver with the original box in good condition...$100.00

Radio Shack HTX-202 144 MHz handheld in the original box "LIKE NEW"...$90.00
Radio Shack HTX-204 144/440 MHz hanheld in original box "LIKE NEW" ...$150.00
Radio Shack HTX-212 144 MHz mobile radio in original box "LIKE NEW"...$100.00

Thanks & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

5399. Kenwodd stuff for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 16:59:13 UTC
From: dw73454@alltel.net
Message-ID: <3dd03eb6.4340674@unlnews.unl.edu>
Source record: 37410

TS50/AT50(excellent) with high quality INRAD 2.4Khz filter never
been moblie, w/manuals, mic, and mobile mount.
$600

TS-130SE/PS-30/VFO-120/SP-120/AT-130 (all in average or good
condition)works great, w/manuals, some original boxes for small stuff
$500

TR-751A 2 meter xcvr, FM works fine, SSB transmits fine, RIT doesn't
work SSB receive weak, needs memory battery replaced $175 (got
skee-roooed big time buyin' this thing for $300!!!!!!)

all prices plus shiiping from Lincoln, Nebraska

OR...come see and use and take with ya'

73 de Dan -- Wï¿½DJW ..
w0djw@arrl.net
402-489-8076(shack)

5400. FS: Ten Tec Delta II

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 17:08:06 UTC
From: NZ8J <nz8j@woh.rr.com>
Message-ID: <Whbz9.3160$tY3.1013059@twister.neo.rr.com>
Source record: 37411
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Exc condition Delta II with box, manual, power cord. Works perfect,
milliwatts to 100+ watts on all bands. Back light has been replaced.
$460 shipped and insured in the conus

Thanks
Tim
NZ8J

5401. Re: Replacing resistors and caps help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 19:58:34 UTC
From: "John C." <caps@cablespeed.com>
Message-ID: <usqq7bshmkv1a7@corp.supernews.com>
Source record: 37412

"gil" <gilpi@mindspring.com> wrote in message
news:aqhh4v$f7r$1@slb2.atl.mindspring.net...
Got a couple of old boatanchors sitting around that need some cap
and
resistor replacement and since I have a lot of new parts laying
around I
was wondering...especially with resistors when it comes to
replacing the big
ones (in size and wattage that is) does it matter if I use
ceramic or any
other kind as long as the value is the same and wattage the same
or higher?

Thanks for the read

Gil

Most often it will not matter - however - it depends on what the
resistor is "doing" in the circuit. Many of the higher power
resistors are of the wire wound varienty and exhibit inductance.
In resonate or RF circuitry they could be a disaster if used when
a carbon or non-inductive resistor is specified. Likewise many
of the carbon film resistors are made by wrapping a film of
carbon film around a core and these may also show inductances.
I learned this the hard way by blowing several of them up in the
cavity of a 432 MHz transmitter by using radio shack 2 watt
carbon film resistors when the schematic called for non-inductive
types. Also check the voltage ratings - they are all not the
same.
In a VFO, use only exact replacments unless you don't mind having
having your dial somewhere other than where your actually tuned.
Generally, I would not replace a resistor unless there is
something wrong with it.

John
KC3LX

5402. FS: 10Hz-600MHz frequency counter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 20:15:19 UTC
From: lagagnon@fakesprint.ca
Message-ID: <3dcd6b0d.966045@news.sprint.ca>
Source record: 37413

Due to long term travel plans I am having to sell some of my radio and test equipment. I therefore have for sale my Trionyx TR-1000 frequency counter with its manual. The counter works perfectly and is in excellent cosmetic condition. It has the following specifications:

range: 10Hz-600MHz
display: 7 large 0.4" LED digit display
gates: 1 sec and 0.1 sec
portable: internal NiCad battery pack
power input: 9-15V AC or DC adapter (wall wart) at 300Ma
dimensions: 13x14x7 cm
weight: 700 grams including NiCads
flexible rubber duck antenna for RF sniffing
BNC inputs
manual

I am asking US$49 for this counter and that includes surface shipping to any address in North America. Please contact me by direct email if you are interested.

Larry Gagnon VE6MK

****
to send direct email remove "fake" from address

5403. INFO: XMatch antenna tuner by N4XM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 20:17:29 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <0uqqsu4uipqrc6brveqr7c1ncdahl3h7ib@4ax.com>
Source record: 37414

If your using the XMatch antenna tuner by N4XM would appreciate your comments on it....Looking to buy a new one, but would like someone who has one to let me know what they think about it....73's WZ1U Steve

5404. MUTEK Info wanted ...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 21:36:49 UTC
From: M3CVU <M3CVU@hotmail.com>
Message-ID: <aqjv5g$75u$1@knossos.btinternet.com>
Source record: 37415

Does anyone have the installation manual for the Mutek mod on a Yaesu Ft-225RD?

Can anyone out there help me withthis please?

Regards - Paul

(All costs reimbursed)

5405. Re: Have you bought an FT897?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 22:34:44 UTC
From: Mike <km6ab@pacbell.net>
Message-ID: <3DCD8D87.1020701@pacbell.net>
Source record: 37416

Nick G4FAL wrote:
> Please let me have your first impressions as I am considering purchasing
> one.
>
> Nick, G4FAL
>
>

There is an FT-897 Yahoo discussion group with lots of new owners.
Mike

5406. FA>> GREAT PRO-2005 scanner setup

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 22:47:18 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <Wfgz9.17608$XG3.1755@news4.srv.hcvlny.cv.net>
Source record: 37417

Please visit my auction for a fabulous deal!!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800399967

5407. VARIOUS SW RADIOS/TRANSCEIVER AND SCANNER WITH DISCRIMINATOR TAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-09 23:26:31 UTC
From: Tony <prosper2040@sympatico.ca>
Message-ID: <hRgz9.10329$w07.1753566@news20.bellglobal.com>
Source record: 37418
Cross-posted to:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.shortwave

REALISTIC PRO-2040 SCANNER - Canadian Version
With Descriminator tap Mod, RCA type plug added to rear of unit to connect DATA SLICER which I'm also selling
Excellent scanner, I've decoded ACARS, FLEX, POCSAG paging, MDT, MOBITEX, etc with the data slicer and my PC
I will even include the software. This scanner can receive cell phone transmissions also. Original box, manual,
telescopic antenna and power adapter included. -$115.00

REALISTIC DX-392 Shortwave with Cassette Recoder!! With Mute and Beep Mod!, Manual, excellent condition, NO BLOWN FETS! - On Ebay Now.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800394541&rd=1

GRUNDIG YACHT BOY 400PE
With Mute and Fine Tune Mod!!!, Manual, Original box, carrying case, Wall Adapter, long-wire external antenna,
Hardly used! -$105.00

BELTEK 23 CHANNEL AM TRANSCEIVER
This one's an oldie, looks like a mid seventies transceiver, couldn't find anything on the web about it. It measures about
12x10x4 in an all metal cabinet, it has a 120v ac as well as connections for 12v mobile. This is a solid state transceiver
and it works. -$15.00

I'm located in SW Ontario, shipping to anywhere in North America is about 8-12 dollars for these items.

Regards.

5408. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 00:06:02 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aqk849$278a$1@madmax.keyway.net>
Source record: 37419

: > I always have used Q signals on phone. I fail to understand why some
: > people (such as the ARRL) deprecate that practice, which I am convinced is
: > a very good one.
: >
:
: On phone, they are often used incorrectly as some who are phone ops only
: didn't study the usage of Q signals in depth. One example is that some
: think QTH refers only to your home rather than location. I.e. they do not
: understand that one can refer to one's home QTH, work QTH, or that QTH
: without a modifier simply refers to the current operating location.
:
Indeed a heavy accent can make CW a lot faster than resorting to phonetics
again and again to try to get anything meaningful accross. And yes, Q sigs
can be sent over other digital modes as well. I prefer CW and RTTY
because the exchange can be done much faster than Phone. CW has the
edge for punch.

I don't care what anyone who doesn't know has to say about it. I used to
"hate" math and wonder what it was good for until I just stopped hating it
and learned it. Impatience and Hatred of the unknown are -NOT-
conducive virtues.

5409. FS: Meters..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 00:07:29 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <5rhz9.661754$vq2.4668059@news1.east.cox.net>
Source record: 37420
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment

> Meters for Sale:
>
> 1. Weston Round 3.5", Scale 0-500 AC Amps, FS=5A, NOS in
> original box --- $15.00 2 available.
>
> 2. Weston Round 3.5", Scale 0-400 AC Amps, FS=5A, NOS in
> original box --- $15.00
>
> 3. Weschler Electric Corp, Rectangular (4" x 4"), Scale
> 0-150 VAC, NOS in original (ragged!) box. --- $15.00
>
> 4. Modutec, Rectangular (5" x 4"), Mirrored Scale 0-1000
> DC Amps, FS=50 MV -- not sure this one works, used
> condition.. -- $5.00
>
> 6. General Electric, Rectangular (slightly curved) 2.5"
> x "2.5", Scale 0-1.2 DC Kiloamps,FS=50 MV. NOS in original
> box. --- $15.00
>
> 7. Gastech, Rectangular (2.75" x 2.5"), 3 Scales (1:
> 0-100% LEL, 2: 0-500 PPM, 3: 0-25% O2), fs = 1 MA, NOS in
> original box, --- $10.00
>
> 8. General Electric, Rectangular (slightly curved, 3.5"
> x 3.5", Scale 0-1 DC Kiloamp, FS = 50 MV, appears NOS -- no
> box -- $12.00
>
> 9. General Electric, Rectangular (3" x 3"), Scale 0-120
> AC Amps, FS=4A. Used - meter enclosure is slightly
> discolored - probably removed from equipment. I can't get the needle
> to zero -- $5.00
>
> 10. Simpson, Rectangular (2.25" x 2.25"), Scale 0-9 with
> a center indicator (dot) at 4.5. Needle position is at the
> center indicator. "Hewlett Packard" under the scale.
> Looks like NOS but no box -- worn --- $12.00
>
> 11. Several (5 ea.) 400 Hz Frequency Meters, designed to
> measure the frequency of a 100-150 VAC source. If anyone
> is interested in these, please contact me for better
> descriptions.
>

> Terms:
>
> 1. Shipping extra. Should be able to ship any of these
> via USPS Priority Mail for $4.00.
>
> 2. I will ship upon receipt of payment.
>
>
> If you need more information, please contact me.
>
> 73,
>
>
> Larry Keith
> KQ4BY

5410. FS: 400 watt VHF/UHF Linear Amp..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 00:21:00 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <MDhz9.661835$vq2.4672033@news1.east.cox.net>
Source record: 37421
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Put a big signal on 2M, 220 Mhz or 432 Mhz..

AM-6155/GRT-22 Linear power amp, 225-400MHz, 50W out (AM rating -- conservative) 10W in, Eimac X651Z/8930 final, extensive metering, rack mount 7" high, 80 lbs, ITT (model 3212), Part of AN/GRT-22. FAA Surplus. 110 VAC supply.

This Amp uses Emiac X651Z/8930 in silver-plated cavity-drawer; 175-turn TUNE counter dial. Main chassis has solid-state power supply and buffer amp/mulitplier; panel meter monitors voltages. Requires 105/120/210/240 VAC 50-400 Hz and +20 V req 60 ma. +20 V keyed; 7x19x18.5, 80 lbs shipping weight.

The HV Supply from AM-6155 is Loaded with GREAT parts to include a 1752V at 270ma transformer, 8HY 300ma choke, 100K ohm 95 watt resistor, 2x5mfd 3KVDC capacitor, & rectifier circuits card.

One ham has used a 4CX400A (available from Svetlana)to raise the output power to 450 Watts. Others have reported that you can run the 8930 (electrically identical to 4CX250R/7850W) at about 400 watts on 432 Mhz...

A quick Google search on "AM-6155" produced many hits of conversion information.. Check it out.

Used - Excellant Condition (NOT TESTED -- because it is not converted, yet!) $295.00 plus shipping from zip 31088.

Email if you have any questions.

73,

Larry Keith, KQ4BY

5411. Thanks to AC6V

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 01:26:08 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <aqkchn02dsu@enews1.newsguy.com>
Source record: 37422

Too frequently those of us who use free web resources don't thank the people responsible for them. I purchased a piece of used equipment that came without the manual.

Where to get a manual? Went to AC6V's site, went to the index, clicked on manuals, and within 5 minutes I had one ordered.

THANK YOU, SIR.

--

Regards,
Joe S.

5412. Re: FS - Telrex TB6EM TriBand Beam

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 02:15:25 UTC
From: "J. McLaughlin" <JCM@Power-Net.Net>
Message-ID: <usrg9d4rbqmaa4@corp.supernews.com>
Source record: 37423
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap

I am not too far from Ken and have another such Telrex. It is on the ground, assembled, and on saw-horses. The rear two elements do not have traps. They are 20 meter and 15 meter reflectors. Those two elements broke in the middle (in a LOT of wind). I have the pieces. If you buy Ken's antennas, consider buying my antenna too. You could then have two working antennas and a lot of high quality parts. (Or three antennas, one without 15 meters)
The beam is a real good performer. I worked a lot of DX with it.
73 Mac N8TT

--
J. Mc Laughlin - Michigan USA
Home: JCM@Power-Net.Net

"K.W. Schang" <kschang@wideopenwest.com> wrote in message news:MPG.1833b5f34e72ab8989683@news-east.giganews.com...
> FS - Two 6 element TB6EM Telrex Triband beams.
> One antenna FB. Both 15 meter traps are bad on second antenna, otherwise
> second antenna is FB
> Have instruction manual. Detroit area.
> Ken, W8LU

5413. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 02:27:07 UTC
From: Radioguy <radioactiveham@yahoo.com>
Message-ID: <%tjz9.234$LH6.28376309@newssvr14.news.prodigy.com>
Source record: 37424

Oh its got to be true if you read it on the web. LOL :-)

> Check the start on the web
>
>
> "M.E." <bogus@nospam.com> wrote in message
> news:usjlh1vgpug26@corp.supernews.com...
> > As I said, Bob Heil told me that the Classic uses the same element as
the
> > Gold-line, and differance is accustical be virtue of the enclosure.
> >
> > --
> > Respond to my "real" e-mail;
> > kk5dr@ev1.net
> > "M.E." <bogus@nospam.com> wrote in message
> > news:usjc8skepaane2@corp.supernews.com...
> > > There is not differance in the mic elements, only the outside .
> > >
> > > --
> > > Respond to my "real" e-mail;
> > > kk5dr@ev1.net
> > > "K7LTF Zach" <zach@benders.net> wrote in message
> > > news:7bc3548.0211052200.5b7fceb2@posting.google.com...
> > > > Hi
> > > >
> > > > I am planning the purchase of an icom 746 pro or a Kenwd TS 2000.
My
> > > > question is that I am also thinking, of purchasing a Goldline or the
> > > > Classic mic with the radio.
> > > >
> > > > I know that different mics serve different voice modes, more
> > > > efficiently then others. Would the goldline be a better choice for
an
> > > > all around rag chew mic, using AM, SSB, and FM? Or would the classic
> > > > be better suited for AM or SSB In general?
> > > >
> > > > I understand the goldline gets pretty good reviews, but I don't know
> > > > that much about the classics performance? Anyone have one or both
of
> > > > these mics, and could give some insight?
> > > >
> > > > I am at also wondering, who makes a good brand, and or model of
> > > > footswitch to key the radio?
> > > >

> > > > ThankavG2r the help
> > > > Zach K7LTF
> > > > Seattle WA
> > >
> > >
> >
> >
>
>

5414. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 02:37:01 UTC
From: Jake <Jake@napster.com>
Message-ID: <hDjz9.27639$6b.1092538@news2.east.cox.net>
Source record: 37425

Seeing how it is on Heil's web site, I would consider it true. LOL

"Radioguy" <radioactiveham@yahoo.com> wrote in message
news:%tjz9.234$LH6.28376309@newssvr14.news.prodigy.com...
> Oh its got to be true if you read it on the web. LOL :-)
>
>
>
> > Check the start on the web
> >
> >
> > "M.E." <bogus@nospam.com> wrote in message
> > news:usjlh1vgpug26@corp.supernews.com...
> > > As I said, Bob Heil told me that the Classic uses the same element as
> the
> > > Gold-line, and differance is accustical be virtue of the enclosure.
> > >
> > > --
> > > Respond to my "real" e-mail;
> > > kk5dr@ev1.net
> > > "M.E." <bogus@nospam.com> wrote in message
> > > news:usjc8skepaane2@corp.supernews.com...
> > > > There is not differance in the mic elements, only the outside .
> > > >
> > > > --
> > > > Respond to my "real" e-mail;
> > > > kk5dr@ev1.net
> > > > "K7LTF Zach" <zach@benders.net> wrote in message
> > > > news:7bc3548.0211052200.5b7fceb2@posting.google.com...
> > > > > Hi
> > > > >
> > > > > I am planning the purchase of an icom 746 pro or a Kenwd TS 2000.
> My
> > > > > question is that I am also thinking, of purchasing a Goldline or
> the
> > > > > Classic mic with the radio.
> > > > >
> > > > > I know that different mics serve different voice modes, more
> > > > > efficiently then others. Would the goldline be a better choice
> for
> an
> > > > > all around rag chew mic, using AM, SSB, and FM? Or would the
> classic
> > > > > be better suited for AM or SSB In general?

> > > > >
> > > > > I understand the goldline gets pretty good reviews, but I don't
know
> > > > > that much about the classics performance? Anyone have one or both
> of
> > > > > these mics, and could give some insight?
> > > > > >
> > > > > > I am at also wondering, who makes a good brand, and or model of
> > > > > > footswitch to key the radio?
> > > > > >
> > > > > > ThankavG2r the help
> > > > > > Zach K7LTF
> > > > > > Seattle WA
> > > > >
> > > > >
> > > >
> > > >
> > >
> > >
> >
>

5415. Re: fa>>->FITZGERALD "VIOLET RAY" QUACK DEVICE "Holy Tesla!"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 03:09:55 UTC
From: Radioguy <radioactiveham@yahoo.com>
Message-ID: <66kz9.241$WP6.28869782@newssvr14.news.prodigy.com>
Source record: 37426

None of your links work

"RLucch2098" <rlucch2098@aol.com> wrote in message
news:20021106225733.21492.00006269@mb-mu.aol.com...
> Many nice, clear pictures!
> Please add>>http in front of the URL(address) Please!
> ://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=730716990

5416. Re: fa>>->FITZGERALD "VIOLET RAY" QUACK DEVICE "Holy Tesla!"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 03:17:26 UTC
From: n4buq@aol.com
Message-ID: <20021109221726.24269.00000011@mb-co.aol.com>
Source record: 37427

The link works for me. I don't understand, though, why the seller doesn't choose to put the entire URL in his posts.

Barry - N4BUQ

>Subject: Re: fa>>->FITZGERALD "VIOLET RAY" QUACK DEVICE "Holy Tesla!"
>From: "Radioguy" radioactiveham@yahoo.com
>Date: 11/9/02 9:09 PM Central Standard Time
>Message-id: <66kz9.241$WP6.28869782@newssvr14.news.prodigy.com>
>
>None of your links work
>
>
>
>"RLucch2098" <rlucch2098@aol.com> wrote in message
>news:20021106225733.21492.00006269@mb-mu.aol.com...
>> Many nice, clear pictures!
>> Please add>>http in front of the URL(address) Please!
>> ://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=730716990

5417. TS 940SAT HF Transceiver-SOLD!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 03:28:57 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <Znkz9.3552$tW4.433628@newsread1.prod.itd.earthlink.net>
Source record: 37428
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Thanks to all that replied to this post.

73 de Rich, W6VX

5418. FS: Kenwood YK88C and YK88S Filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 03:34:23 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <3tkz9.3564$tW4.289893@newsread1.prod.itd.earthlink.net>
Source record: 37429
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood YK88S Sideband Filter/YK88C CW (500 Hz) filters.

Used in the Kenwood TS 430/TS440 radios.

Asking $75.00/OBO each. Buyer pays shipping.

Contact Rich, W6VX here or at w6vx@arrl.net
73

5419. FS: Kenwood PC-1A Phone Patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 03:36:38 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <avkz9.3566$tW4.434930@newsread1.prod.itd.earthlink.net>
Source record: 37430
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood PC-1A Phone Patch for sale. All cables and manual.

Excellent condition. Asking $50.00 plus shipping.

Contact Rich, W6VX here or at 818/997-1217.

73

5420. FA: Mint Yaesu FT-902DM for a mere $242? No way! Ends tomorrow

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 03:41:56 UTC
From: rlucch2098@aol.com
Message-ID: <20021109224156.25568.00000171@mb-ch.aol.com>
Source record: 37431

Many nice, clear pictures!
Reserve is $410
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686847

5421. FA: Beautiful HEATHKIT IG-42 Laboratory RF Generator, last day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 03:44:29 UTC
From: rlucch2098@aol.com
Message-ID: <20021109224429.25568.00000172@mb-ch.aol.com>
Source record: 37432

Many nice, clear pictures!
at mere $27
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1783606941

5422. FA: ASTATIC D-104 on T-UG8 Grip to talk POWER MIKE STAND$20:-(

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 03:46:53 UTC
From: rlucch2098@aol.com
Message-ID: <20021109224653.25568.00000175@mb-ch.aol.com>
Source record: 37433

Many nice, clear pictures!
at mere $20
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686810

5423. fa- Very Rare SONAR FR-101DX MONITOR RECEIVER, Last Call!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 03:48:44 UTC
From: rlucch2098@aol.com
Message-ID: <20021109224844.25568.00000176@mb-ch.aol.com>
Source record: 37434

Many nice, clear pictures!
at mere $51
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686825

5424. Fa;FOUR ANTIQUE RADIO COILS in BOX From"OLD RADIO ROW"NYC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 03:52:21 UTC
From: rlucch2098@aol.com
Message-ID: <20021109225221.25568.00000179@mb-ch.aol.com>
Source record: 37435

Many nice, clear pictures!
at mere $19.
The box is worth more then the coils.
Where the WTC buildings were once located :-(
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686830

5425. FA: RS HTX-200

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 04:07:23 UTC
From: Truman <no@hello.goodbye>
Message-ID: <yJkz9.8498$oN4.4023@news.bellsouth.net>
Source record: 37436
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800473039

5426. Re: Fa;FOUR ANTIQUE RADIO COILS in BOX From"OLD RADIO ROW"NYC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 04:27:59 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns92C1D0540FFCBFrog207Junocom@148.78.248.76>
Source record: 37437

> Please add>>http in front of the URL(address) Please!
>://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1394686830

I will not be reading any more of these auction listings if you can't even put the complete URL in these postings. It isn't worth the effort to do the cutting, pasting, and typing for them.

Ed

5427. FA: Kenwood R820 Receiver (Ending in 12 hours)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 04:51:07 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3dcde5b8$1_7@nopics.sjc>
Source record: 37438
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395235714

5428. FA: Icom IC-W2A Amateur VHF UHF Handheld (Ending in 12 hours)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 04:52:21 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3dcde602$1_1@nopics.sjc>
Source record: 37439
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1395331447

5429. Looking for Ham.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 09:18:22 UTC
From: Rowland <rrwf@qnet.com>
Message-ID: <r19ssu4s748vfhkhqujbjb6uqko4esods3@4ax.com>
Source record: 37440

Would like to get in touch with the Ham that bought a Hallicrafters S-85 Receiver from me at an Ontario, CA, swap meet about 10 years ago or so. It had a Heathkit Q Multiplier that went with it and it had been adapted with a phono plug on the rear of the chassis for the connector.

5430. HELP with TX-455

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 10:21:11 UTC
From: Igor <nrc@netvigator.com>
Message-ID: <aqlbug$hmq2@imsp212.netvigator.com>
Source record: 37441

I have got TX-455 second hand tower in Hong Kong.

It happened that the pulley had been removed during the transportation and after it was disassembled for cleaning.

It the present moment we are having some doubts how to assemble it back...

Could somebody please e-mail any layouts of the pulley or some pictures ?

The problem is that we are not sure how to install sprinkles in pulley's frame to let it go one way and be blocked itself by the weight of the section...

Igor Khroustalev
VR2ZQZ / UA3QJC / KC5VFV / JT1FDD
Hong Kong
tel 852 92522934
fax 852 28732934
ICQ 115028763

5431. FS: KENWOOD TS-50, LIKE NEW

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 12:02:32 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <rVrz9.24$lk4.174@sccrnsc02>
Source record: 37442
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

KENWOOD TS-50 like new with original mike, manual, pwr cord, packaging.
Non-smoking. $525 + shipping.

Rudi - WA6RW

5432. FS: SONY AN-1 ACTIVE SWL ANTENNA

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 12:04:09 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <ZWrz9.30$lk4.141@sccrnsc02>
Source record: 37443
Cross-posted to:
alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

SONY AN-1 Antenna Booster kit, manual, $149 new, asking $65 + shipping.

VIEW ONE AT:
http://www.universal-radio.com/catalog/sw_ant/2206.html

Rudi - WA6RW

5433. FS: Heathkit model IM-17 VOM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 13:16:22 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <nkmssuoff0umi01jif5elvsj61kpuv3qtu@4ax.com>
Source record: 37444

I have for sale a Heathkit model IM-17 VOM with its built-in plastic case with carrying handle and test probes ....I do not have the manual for it and it will be sold as a non-working unit.... Its in excellent condition and will sell it for $10 plus shipping. I can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Ma.

5434. F.S. -- Kenwood AT-230 ant tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 15:17:11 UTC
From: k9mov@aol.com
Message-ID: <20021110101711.19749.00000014@mb-df.aol.com>
Source record: 37445

$75.00 + shipping
Lane -- K9MOV@AOL.COM

5435. F.S. HALLICRAFTERS SX-101 mk2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 15:20:13 UTC
From: k9mov@aol.com
Message-ID: <20021110102013.19749.00000015@mb-df.aol.com>
Source record: 37446

works good --new tubes (needs minor alignment)
front panel good(8) cabinet very scratched
$200.00 NO SHIP (pickup or meet 1/2 way)
Lane -- K9MOV@AOL.COM

5436. F.S. HEATHKIT DX-60b transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 15:23:02 UTC
From: k9mov@aol.com
Message-ID: <20021110102302.19749.00000016@mb-df.aol.com>
Source record: 37447

80-10 mtrs CW/AM
new tubes and elect. cap
$65.00 + shipping
Lane -- K9MOV@AOL.COM

5437. F.S. KNIGHT T-60 transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 15:25:55 UTC
From: k9mov@aol.com
Message-ID: <20021110102555.19749.00000017@mb-df.aol.com>
Source record: 37348

80-6 mtrs CW/AM
new tubes and elect. cap
$60.00 + shipping
Lane -- K9MOV@AOL.COM

5438. F.S. -- DRAKE MS-4 speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 15:28:15 UTC
From: k9mov@aol.com
Message-ID: <20021110102815.19749.00000018@mb-df.aol.com>
Source record: 37349

```
good condition, few scratches
$40.00 shipped
Lane -- K9MOV@AOL.COM
```

5439. Live internet ham radio broadcasts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 16:54:50 UTC
From: EDesign <edesign1@takas.lt>
Message-ID: <aqlvhj$b1iia$1@ID-164367.news.dfncis.de>
Source record: 37350
Cross-posted to: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

Hi Fellows,
I am wondering if it is any live ham radio broadcasts on Web (etc. .ram (RealAudio), .asx)
If you know any please share.
Thanks,
Edgar
73

5440. FA: Classic TS-820S Tranceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 17:47:30 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3dce9bb2$1_4@nopics.sjc>
Source record: 37351
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800597254

5441. ICOM U101

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 17:48:56 UTC
From: JohnB <john.g8ozh@freeuk.co.uk>
Message-ID: <1036950897.10722.1@despina.uk.clara.net>
Source record: 37352

Hi Folks,

Does anyone out there have any information on the ICOM U-101 ? This is a 12 channel, programable, UHF mobile radio and I would like to be able to reprogram some of the channels. Apparently the device used to carry out the programming is an EX704 so any info on this would also be greatly appreciated.

73 all

JohnB

5442. FA: Wireless Set#19 MKII, Exc/Mint, complete installation less only the key

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 19:28:36 UTC
From: Mark@His.Desk
Message-ID: <uoctsug7194dfmu8n7nkg866rpdd40nnm9@4ax.com>
Source record: 37353

Fellow Boat Anchor Enthusiasts,

I've just put up a complete (less only the key) WS#19 set on
EBay. The direct url is

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=734264334

The description as it appears on EBay (less the pictures) appears
below. This set was bought surplus by the original owner in 1946
and partially unpacked. Then it sat for nearly six decades in a
favorable environment (indoors, Colorado). Nearly everything is in
mint condition.

The auction ends at about 10AM PST Sun 17 Nov.

--Mark

==========

Here is a Wireless #19 Mark II radio set, missing only
the key. Included are the transceiver, dynamotor supply,
variometer, mounting base, three control boxes, HF and
UHF antenna bases and whip sections, five headset/mike
sets, canvas cover and satchel signals bag, all
interconnect cabling, and miscellaneous hardware.

Major items have matching serial numbers (1205). This
is the Sherman Tank installation, and was the last U.S.
contract built, but never delivered. A complete inventory
of all items appears below.

I have NOT operated the set, nor do intend to. The reason
is that I know fans of the older gear can be very particular
about the methods used to first fire it up after almost 60
years of inactivity! I'm representing it as complete
(except for the key), apparently unused. Most items have
the original I.D. tags attached.

Shipping is EXTRA, over and above the winning bid. I will
be carefully packing it and shipping by UPS (or whatever
carrier works best) in several packages. Figure on about 150
pounds total NET from Colorado Springs, CO. Insurance, if
desired, is the responsibility of the buyer. Payment terms
are cashier's/bank check or money order.

I'll be available via email for the duration of the auction to
field any questions you may have, supply additional pix,
clarification, etc.

Thanks!

COMPLETE INVENTORY of WS#19 Mark II, Serial #1205:

Condition of all items is excellent+ to mint EXCEPT where
noted. Items not in excellent+ to mint condition are
preceded by a "***", with further explanation.

Wireless Set #19 MKII #1205, ZA 10178, CZR 12440-PHILA-44, PC 92049C

Supply Unit #1 #1205, ZA 3108, Canvas Strap type, PC 75608C

Aerial Variometer #1205, PC 75608C

Metal Cap for Variometer when feedpost not attached

Variometer Adapter Plate, PC 59951

Variometer Adapter Washer, PC 59953

Mounting base with fabric retaining straps. There is a partially
obscured
separated tag, "Carrier Assembly No. 1"

2 ea. Radio Channel Assy (bracket), PC 59992

15 ea. Connector Retaining Clip, SD 3R-200 Detail No. 1

***15 ea. Connector Retaining Clip, SD III-R-200 Detail No. 3, loose,
4 clips
show some corrosion

5 ea. Hooks for Microphone and Headgear, PC 59952

5 ea. Connector Retaining Clip, SD 3R-200, Detail No. 2

1 set Screws, Nuts, and Washers, Order #12440 PHILA-44-02

Bracket, 2.5" x 1.25" x 3/8" with 3/4" inch hole one end and 1/4" dia
short peg on other. Fits variometer.

***Case Spare Valves w/all valves and fabric covers. Paint generally
excellent,
with chip/corrosion on one corner. One handle bracket shows some
corrosion.

***Case Spare Parts #5c, all contents present except key. Paint
excellent+, but
minor light colored staining on cover.

O.D. Canvas Radio Cover

Microphone and Receiver Headgear #1 Assy Box opened, but contents
mint,
dessicant still present, PC 76338

Microphone and Receiver Headgear #1 Assy, Box unopened, PC 76338

Microphone and Receiver Headgear #1 Assy, Box unopened, PC 76338

***Microphone and Receiver Headgear #1 Assy, Loose, excellent, some minor cracking
on rubber flaps over cord connection on phones, PC 76338

***Microphone and Receiver Headgear #1 Assy, Loose, rubber mouth cone on mike
has small cracks. Push to talk lever is chipped at hinge (function not impaired), PC 76338

2 ea. O.D. painted metal chest brackets w/straps for mike

Satchel Signal bag

4 ea. Resilient Seating, in wrap, PC 90818

Interconnect dogbone, Power Supply to Radio, Z.A. 1780, PC 76442

Connector 12 point #50F cable, PC 84667

Connector 12 point #50K cable, PC 84671

2 ea. Jumper Leads 5 point #16 60 feet, PC 65632

Connector Coaxial (cable), PC 76422C

Aerial Feeder (cable), PC 76421C

Printed Metal Plate, system interconnect diagram

Aerial Base #8, PC 76387

Aerial Base #8 Mounting #1, PC 76456

Antenna Mount, ZA1766, PC 76420

Antenna Gooseneck (part of above antenna mount), ZA 1764, PC 75525

Dummy load "Snubber" assembly, PC-76418C-191

3 ea. 2ft antenna sections with threads at bottom (UHF masts)

9 ea. Larger Mast Sections, enough for three complete 12ft HF whips. These
are the later screw-together type.

Junction Distribution #3 #2066, "Call Commander", PC 75523-C

Control Units #1 MKII, PC 75524C

Control Units #2 MKII, PC 75732C

Documents:

Wiring Diagram Print No. 18 MKII U.S., Audio and control interconnect diagram, in envelope PC 64545

Bill of Lading, Northern Pacific Railway Company, Seattle for "Box
Radio
Transmitter and Parts, new", Dated 4-11-1946

5443. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 20:54:41 UTC
From: Alun Palmer <elektros@yahoo.com>
Message-ID: <Xns92C29FE452849elektrosmdonet@130.133.1.4>
Source record: 37354

"JB" <ac6tk@nospamcybertime.net> wrote in
news:aqk849$278a$1@madmax.keyway.net:

>: > I always have used Q signals on phone. I fail to understand why
>: > some
>: > people (such as the ARRL) deprecate that practice, which I am
>: > convinced is a very good one.
>: >
>:
>: On phone, they are often used incorrectly as some who are phone ops
>: only didn't study the usage of Q signals in depth. One example is
>: that some think QTH refers only to your home rather than location.
>: I.e. they do not understand that one can refer to one's home QTH, work
>: QTH, or that QTH without a modifier simply refers to the current
>: operating location.
>:
> Indeed a heavy accent can make CW a lot faster than resorting to
> phonetics again and again to try to get anything meaningful accross.
> And yes, Q sigs can be sent over other digital modes as well. I prefer
> CW and RTTY because the exchange can be done much faster than Phone.
> CW has the edge for punch.
>
> I don't care what anyone who doesn't know has to say about it. I used
> to "hate" math and wonder what it was good for until I just stopped
> hating it and learned it. Impatience and Hatred of the unknown are
> -NOT- conducive virtues.
>
>
>

1 - My understanding of QTH is location. What is the argument here? I
can't say that I've noticed much incorrect use of Q codes by phone ops. I
don't get it. Anyone can read the definitions of the Q codes.

2 - If you bothered to check, just by looking up my name you could easily
tell that I passed my Extra when the code speed was still 20 wpm. All I
said was I only use 'phone.

My point was only that I don't buy into the 'Morse as an international
language' theory. Just yesterday I was listening to a QSO in Spanish, and
was able to pull out the callsigns, cities, names, etc, and I didn't even
do any Spanish classes in school. They were using international phonetics
and Q signals.

73 de N3KIP

5444. FS: Johnson #213 Ceramic Tube Socket

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 20:59:34 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <mlhtsu4o8c205vkpaep8rdiik6enf73r1f@4ax.com>
Source record: 37355

I have 1 Johnson #213 Ceramic Tube Socket in excellent condition....I will take $10 plus shipping.....I can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, Ma.

5445. Re: Have you bought an FT897?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 21:52:45 UTC
From: Nick G4FAL <nick@nospam.totterdell.co.uk>
Message-ID: <_xAz9.5138$dz2.526589@stones>
Source record: 37356

"Mike" <km6ab@pacbell.net> wrote in message
news:3DCD8D87.1020701@pacbell.net...
> Nick G4FAL wrote:
> > Please let me have your first impressions as I am considering purchasing
> > one.
> >
> > Nick, G4FAL
> >
> >
>
> There is an FT-897 Yahoo discussion group with lots of new owners.
> Mike
>
Thanks Mike

Discussion group give relatively favourable reception - no big problems.

73s

5446. Re: KENWOOD TS-950-SDX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 22:53:17 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <0OHOPaiiL2+YpLupXHEvDaHOCQes@4ax.com>
Source record: 37357

"Dee D. Flint" <dee.hays@sbcglobal.net> wrote:

>When a brand new top of the line Kenwood is less than $2000, what makes this
>radio worth so much USED?????

New, it ran $4000 to $5000. That's why.

Just because Kenwood has figured out how to make an upscale 706 for $2000
doesn't make the 950 any less a rig.

Bob
k5qwg

>
>Dee Flint, N8UZE
>
>"Dwight 136" <dwight136@aol.com> wrote in message
>news:20021104084802.13919.00002882@mb-fq.aol.com...
>> HAVE A 100% WORKING TS 950-SDX TRANSCEIVER , IT IS A 9+ OUT OF 10 HAS A
>FEW
>> SCRATCHES ON THE TOP WHERE SOMETHING WAS SETTING ON IT ,THE FRONT PANEL IS
>> PERFECT ......COMES WITH THE INNER AND OUTER BOXES,THE ORIGINAL
>> MANUAL,HANDMIC...A NONE SMOKING ENVIROMENT ......WILL SHIP TO YOUR DOOR IF
>YOU
>> ARE IN THE LOWER 48 STATES $2,000.00 ......
>

5447. Anyone have 73 Aug99 Issue?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 23:29:47 UTC
From: Brent <bc316@yahoo.com>
Message-ID: <LZBz9.11356$jj5.207934@twister.rdc-kc.rr.com>
Source record: 37358
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

I'm looking for the August 99 issue of 73. Actually the WA8TXT article about a psk31 interface.
If anyone would scan it possible post to a web site or better yet email it to me at n9bc-----@msn.com remove the ----'s from the address. I would be greatly appreciated!

Thanks
Brent N9BC

5448. HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-10 23:50:48 UTC
From: none@nonya.com
Message-ID: <tbstsukd6h5d2dpsrgqkubf8aff1nqtr0u@4ax.com>
Source record: 37359

Hello All. For those looking at the Icom IC T2H, and/or Icom IC-V8 2m HTs. Beware of ebay sellers trying to sell these radios for inflated prices! AES and HRO sell these radios for $99.95, and right now you get a FREE nicad pack. These are good radios, just a head up for the buyer to beware of ripof artists!

5449. Re: Heathkit HM-9 qrp wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 00:58:11 UTC
From: Tom N&#65533;JMY - AAR7FV <tfarl@IowaTelecom.net>
Message-ID: <aqmvag$7fh$1@ins22.netins.net>
Source record: 37360

A really nice one:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396080754

As always, vy 73 es tnx for looking,
Tom N&#65533;JMY - AAR7FV

5450. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 01:40:17 UTC
From: myanilox <myanilox@hotmail.com>
Message-ID: <usu2k47dl5dmaa@corp.supernews.com>
Source record: 37361

Ripoff artists?? Can't blame the Ebay sellers one bit. It's the bidders who don't know what they are going for new and as an Ebay seller I'm sure in the hell not going to give them that information freely...

<none@nonya.com> wrote in message news:tbstsukd6h5d2dpsrgqkubf8aff1nqtr0u@4ax.com...

> for the buyer to beware of ripof artists!

5451. Re: Live internet ham radio broadcasts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 02:58:46 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DCF1CE5.F28F0880@qth.com>
Source record: 37362
Cross-posted to: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Body handling: Binary attachment payload not displayed: radioranch.vcf

http://www.3819khz.net/listen.htm
Heres agood one...73Murray K5MDM
has swapnets on weekends, dont know what they have rest of the time..its
out of dallas..

EDesign wrote:

> Hi Fellows,
> I am wondering if it is any live ham radio broadcasts on Web (etc. .ram
> (RealAudio), .asx)
> If you know any please share.
> Thanks,
> Edgar
> 73

[One or more binary attachments are retained only in the source text.]

5452. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 03:01:42 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <%9Fz9.15730$NV.278296@news.direcpc.com>
Source record: 37363

I have to agree. It's not the sellers' fault, it's overanxious or uninformed buyers who pay more than they should. Don't blame the sellers... they only set the initial price, not the final price.

Ed

"myanilox" <myanilox@hotmail.com> wrote in message news:usu2k47dl5dmaa@corp.supernews.com...
> Ripoff artists?? Can't blame the Ebay sellers one bit. It's the bidders who
> don't know what they are going for new and as an Ebay seller I'm sure in the
> hell not going to give them that information freely...
>
> <none@nonya.com> wrote in message
> news:tbstsukd6h5d2dpsrgqkubf8aff1nqtr0u@4ax.com...
>
> > for the buyer to beware of ripof artists!
>
>

5453. Re: Live internet ham radio broadcasts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 03:37:55 UTC
From: "Privacy, please" <no.spam@wanted.here>
Message-ID: <JxadnanECoW_u1KgXTWcpg@comcast.com>
Source record: 37364
Cross-posted to: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

"EDesign" <edesign1@takas.lt> wrote in message
news:aqlvhj$b1iia$1@ID-164367.news.dfncis.de...
> Hi Fellows,
> I am wondering if it is any live ham radio broadcasts on Web (etc. .ram
> (RealAudio), .asx)
> If you know any please share.
> Thanks,
> Edgar
> 73

Get EchoLink - licensed hams can use it to patch your PC into systems around the world, not only to listen but to chat. EchoLink + soundcard + mic lets me make contacts from the US on 2m repeaters in Australia, Chile, Alaska and anywhere else they happen to have a patch.

5454. DRAKE MS-4 SOLD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 03:47:41 UTC
From: k9mov@aol.com
Message-ID: <20021110224741.11086.00000019@mb-cq.aol.com>
Source record: 37365

Thanks

5455. Kenwood AT-230 SOLD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 03:48:18 UTC
From: k9mov@aol.com
Message-ID: <20021110224818.11086.00000020@mb-cq.aol.com>
Source record: 37366

Thanks

5456. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 04:11:38 UTC
From: Lou <tech@dp.net>
Message-ID: <aqnd8v$1sso$1@news.dp.net>
Source record: 37368

E-Bay pet peeves, situations experienced for me to learn from buying and selling as well as suggestions for both buyer and seller. And it really has nothing to do with E-Bay "directly".

1. Most people lately it seems, think E-BAY is a "secure" way to buy - sell. E-Bay can not provide 100% guarantee someone won't be ripped off. I say this because at one time prior to E-Bay's popularity, I was able to sell items pretty quick on newsgroups. Now it seems MANY have problems doing that, not only me. I have sold many items on E-Bay for far more than what I was wanting or asking in newsgroups. The down side, I had to wait for the auction to end and await payment.... I prefer selling a lot faster. I'm not knocking E-Bay as it did get me more...but more is not always the answer. Not for me. I like to clear the stuff out, not have to "wait".

2. It kills me when people bid on an item, then bitch about it. Be it received in a defective manner of some sort or too much or whatever. EXCUSE ME... NO ONE HOLDS A GUN TO YOUR HEAD TO MAKE YOU BID.....IF you don't like the chances, DON'T BID! How hard is that to understand??????

3. ANY buyer and seller too, should know an approximate value of an item up for bids. Some sellers DO price items far too high at the onset... then - and I know this to be true from watching many, THEY GET NO BIDS. However, fierce competition on some items I've seen also has driven the price of an item over it's "new" or current market price. But there again... if the price is over your head or you feel it isn't what you feel it's worth - DON"T BID....

4. When bidding on an item, you should have an idea of it's worth new, used, needing repairs.. Then ask yourself the following questions. Can you afford to risk it if in need of some sort of repairs? Can you afford it whatever it is getting to in price? How bad do you want it? How bad do you need it? Is the sellers profile representing a decent person to deal with? Are there any other items similar up for bids equal to or better that may save you some money?

5. One other thing that gets me, some try to screw you in the terms. You say payment in 10 days. Some I've had to remind to send it. YOU say Money Orders only, they send you a damned check. You say no shipping out of USA, you get someone from another country bidding. It's amazing....Yes, I could give them bad feedback and relist, but I try to be nice. But it just irks me. TERMS ARE TERMS. Or, is it no one can read or has enough common sense anymore?

Luckily for me, 99.9 % of my customers have been nice. It's only been a couple I've had to deal with.......Even if only in questions sent to me on the side asking me to forego the terms.

BUYERS! DO YOUR HOMEWORK... it'll save you a lot of grief. It may not be 100% fool proof, but sure beats shooting from the hip in dealing.

Fortunately for me, I've had no negatives yet, due largely to the fact of being as honest as I can... If it doesn't work I SAY SO.... I give as much detail as I can. The only thing I don't list is that I plain don't know. But even with that, it is amazing how many people do not understand AS IS. Even a local walk in sale went sour - once.. A couple bought a USED computer off me, played with it here for 1 hour before buying. They took it home, 2 weeks later, it fried, though I think THEY helped it as they loved to experiment with computer innards. They wanted a refund. They were told when they bought it, it is AS IS.... They got pissed at me!!!!!!!

There was an ass who bid on some stuff of mine, and like 4 others at same time. He stiffed each of us. We all left negative feedback and I'm sure he was booted from E-Bay.. I know "I" complained. They had a (0) profile and shades. I learned right then and there not to trust all buyers. Unfortunately for newcomers, I will NOT sell to any with a ZERO and SHADES. I'll bump them. I check out the potential bid winners profiles as well, to see if I may anticipate any problems.

Mailing: #1. I shipped out a package Priority mail. It was "supposed to be" 2 days. It took 2 weeks and 2 days. I was able to prove I shipped by sending an E-Mail picture of the receipt. #2. A package coming to me, took over 30 days. The guy had sent it, but didn't have a way to send me proof. Needless to say, until it arrived, I was getting antsy about the deal.... The shipping caused undue frustration. #3 On the last deal, the guy said he sent me a Postal MO on 5/30..... I never got it in a reasonable time. I told him I didn't get it, to trace it after 30 days. Well, the PO wanted more to trace it than it was worth. The guy was starting to say things as though I had cashed it and was hiding it. Words such as "we'll see who's name is on it, when it comes back":. Well, 32 days later, I did get the MO in the mail. True to his word, he bought it on 5/30. The postmark, 2 days before "I" got it. I e-mailed him a photo of the envelope showing the postmark. His package shipped within 24 hours.

MY POINT... BE PREPARED for anything to go wrong in a deal be it E-Bay or any other online deal...It is a 2 way street.. E-BAY or whatever does not and CAN NOT guarantee a successful deal. You are only kidding yourself if you think otherwise......

Lou/Tech@DP.NET

"myanilox" <myanilox@hotmail.com> wrote in message
news:usu2k47dl5dmaa@corp.supernews.com...
> Ripoff artists?? Can't blame the Ebay sellers one bit. It's the bidders
who
> don't know what they are going for new and as an Ebay seller I'm sure in
the
> hell not going to give them that information freely...
>
> <none@nonya.com> wrote in message
> news:tbstsukd6h5d2dpsrgqkubf8aff1nqtr0u@4ax.com...

>
> > for the buyer to beware of ripof artists!
>
>

5457. Ham stores in Miami, USA?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 04:22:07 UTC
From: Tapio Sokura <oh2kku@iki.fi>
Message-ID: <aqnb9f$15mah$1@midnight.cs.hut.fi>
Source record: 37367

I'm going to Miami, (FL, USA) for a few days next month and thought about doing some ham shopping. I've never been to Miami before and I don't have a clue on ham shops in the area. I know two chains, HRO and AESHAM, and neither has stores in Miami (Orlando is too far away).

So I'm open for suggestions, personal experiences on places where to go and what to avoid are also welcome. I'll be waiting for replies either via this newsgroup or email.

5458. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 05:51:33 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <FzHz9.7653$hK4.722952@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37369

Thanks for giving the heads up. While it is true that it is not the seller's fault, it is good to inform newbees who don't know any better. How about if we take it a step further, and tell people that it is not the killer's fault, when they kill an innocent person who realize that they were going into a bad neighborhood, because they were new to the city?
That doesn't cut it. The reason that I stopped buying from eBay, is because of the proliferation of junk that is being sold, described with endearing terms such as "nice" "mint condition", etc. My choice; other folk's mileage may vary.
On another note.....I have found quite a few honest people on eBay selling good test equipment, but in the last couple of years, it seems that even most of the good test equipment has already been sold.

Pete

5459. Problems with Yeasu MD-100 and ICOM IC-745

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 08:56:30 UTC
From: S57MHA - Alex <mr.alex@email.si>
Message-ID: <chKz9.371$tQ1.45400@news.siol.net>
Source record: 37370

Hello there.

I got used Yeasu MD100 desk mike and it has worked great on Icom IC-736. At home I have Icom IC-745 and I get very bad audio from this mic. I have tried it on another IC-745 and the result was the same. I have played with wires and cut the power from the radio (cca. 8V) in this case the audio is fine but modulation was very quiet and filters on the bottom of the mike don't work.

Has anyone had the same problem or know how to correct the problem?

Any info is welcome and appreciated.

73 de Alex • S57MHA

5460. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 11:59:09 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <usv6sn9tfh9d70@corp.supernews.com>
Source record: 37371

I think its true for anything you buy at auction (or anywhere else for that matter) - do your homework first. One of the potential benefits to the seller at an auction is that people get caught up in the moment, bidding and making quick (uninformed) decisions so you wind up getting more for your item than it is actually worth.

5461. Wanted: one Drake 4-Line knob

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 14:13:52 UTC
From: k5dh@raytheon.com
Message-ID: <AWOz9.23$Z74.350@dfw-service2.ext.raytheon.com>
Source record: 37372
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap

I need a Drake 4-Line knob. Just bought an R-4B
and the "Function" knob is missing (that's the
"OFF/STBY/ON/MUTE/NB/CAL" control, by the way).

73,
Dean K5DH

5462. Re: Ham stores in Miami, USA?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 14:18:37 UTC
From: Will Rogers <nospamw4wlrnospam@nospambellsouthnospam.nospamnetnospam>
Message-ID: <zMOz9.11237$IE2.966@news.bellsouth.net>
Source record: 37373

Hi!

Don't know about Miami anymore, but there are two stores in Ft. Lauderdale:

Mike's Electronics - Just off Commercial Blvd. East of I-95 about 2 blocks
north on NW 10th on the left.

Eli's Amateur Radio - Just off State Road 84 at SW 9th.

Hope this helps!

Will Rogers
"Tapio Sokura" <oh2kku@iki.fi> wrote in message
news:aqnb9f$15mah$1@midnight.cs.hut.fi...
> I'm going to Miami, (FL, USA) for a few days next month and thought about
> doing some ham shopping. I've never been to Miami before and I don't have
> a clue on ham shops in the area. I know two chains, HRO and AESHAM, and
> neither has stores in Miami (Orlando is too far away).
>
> So I'm open for suggestions, personal experiences on places where to go
and
> what to avoid are also welcome. I'll be waiting for replies either via
> this newsgroup or email.

5463. Re: Ham stores in Miami, USA?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 14:19:57 UTC
From: Idontwantspam@net
Message-ID: <3dcfb9e9.3594188@news.bellatlantic.net>
Source record: 37374

On 11 Nov 2002 04:22:07 GMT, Tapio Sokura <oh2kku@iki.fi> wrote:

>I'm going to Miami, (FL, USA) for a few days next month and thought about
>doing some ham shopping. I've never been to Miami before and I don't have
>a clue on ham shops in the area. I know two chains, HRO and AESHAM, and
>neither has stores in Miami (Orlando is too far away).
>
>So I'm open for suggestions, personal experiences on places where to go and
>what to avoid are also welcome. I'll be waiting for replies either via
>this newsgroup or email.

These days, I think there are many areas which do not have any walk-in
ham specialty stores.

Between the difficulties of any specialty store in an age of
brick-and-mortar mega-retailers skimming of sales of high volume
products, and the presence of so many mail/phone/Web retailers
specializing in ham radio gear, its actually surprising to have any
walk-in ham stores.

There have been fundamental changes in specialty retailing, not all of
them benefiting customers.

There's always Radio Shack, if you have the time to explain to them
what they are selling you. ;-)

If I am guessing correctly, you are visiting from Europe, and looking
for equipment hard to find (or very pricey) back home. If you know
what you want, you could mail/Web order from HRO or AES and have it
sent to the address you are staying at in Miami.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

5464. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 14:28:39 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <Nb3PPUKqNC7TBa1UcatqpMdSfi5t@4ax.com>
Source record: 37375

none@nonya.com wrote:

>Hello All. For those looking at the Icom IC T2H, and/or Icom IC-V8
>2m HTs. Beware of ebay sellers trying to sell these radios for
>inflated prices! AES and HRO sell these radios for $99.95, and right
>now you get a FREE nicad pack. These are good radios, just a head up
>for the buyer to beware of ripof artists!

The T2H "Sport" model is in the $99 range, normally without batteries. The "non-sport" model is more expensive -- I paid $139 at AES. The V-8 lists at $169 in the AES catalog -- they may have it on special, but I doubt if it's going for $99.

Basically, it pays to shop around.

Have a happy...

Bob
k5qwg

5465. Re: Ham stores in Miami, USA?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 14:34:41 UTC
From: Beans <beans@gate.net>
Message-ID: <3DCFC001.372F7E4E@gate.net>
Source record: 37376

Will Rogers wrote:

> Hi!
>
> Don't know about Miami anymore, but there are two stores in Ft. Lauderdale:
>
> Mike's Electronics - Just off Commercial Blvd. East of I-95 about 2 blocks
> north on NW 10th on the left.
>
> Eli's Amateur Radio - Just off State Road 84 at SW 9th.
>
> Hope this helps!
>

I don't know much about Eli's, but I have been very happy with Mikes. Eli's has Yaesu, Mike's has Icom. I know Mike's is closed on Sundays and Saturday afternoons.

Mike is friendly and helpful, unlike AES.

Jeff

5466. Re: Ham stores in Miami, USA?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 14:46:51 UTC
From: Will Rogers <nospamw4wlrnospam@nospambellsouthnospam.nospamnetnospam>
Message-ID: <0bPz9.11255$IE2.2923@news.bellsouth.net>
Source record: 37377

Hi!

Yep...BTW, Mike's will be closed this Friday and Saturday. He will reopen
on the 18th!

Will
"Beans" <beans@gate.net> wrote in message news:3DCFC001.372F7E4E@gate.net...
> Will Rogers wrote:
>
> > Hi!
> >
> > Don't know about Miami anymore, but there are two stores in Ft.
Lauderdale:
> >
> > Mike's Electronics - Just off Commercial Blvd. East of I-95 about 2
blocks
> > north on NW 10th on the left.
> >
> > Eli's Amateur Radio - Just off State Road 84 at SW 9th.
> >
> > Hope this helps!
> >
>
> I don't know much about Eli's, but I have been very happy with Mikes.
Eli's has
> Yaesu, Mike's has Icom. I know Mike's is closed on Sundays and Saturday
> afternoons.
>
> Mike is friendly and helpful, unlike AES.
>
> Jeff
>

5467. Re: Problems with Yeasu MD-100 and ICOM IC-745

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 14:48:08 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <glgvsu493dm8274ngbliddolv2h1tfgmbj@4ax.com>
Source record: 37378

On Mon, 11 Nov 2002 09:56:30 +0100, "S57MHA - Alex" <mr.alex@email.si>
wrote:

>I got used Yeasu MD100 desk mike and it has worked great on Icom IC-736. At
>home I have Icom IC-745 and I get very bad audio from this mic. I have tried
>it on another IC-745 and the result was the same. I have played with wires
>and cut the power from the radio (cca. 8V) in this case the audio is fine
>but modulation was very quiet and filters on the bottom of the mike doni¿½t
>work.
>
>Has anyone had the same problem or know how to correct the problem?

I can't give you a definate answer, but it sounds like the same
problem the FT-100D has with that microphone. There is an impedence
mismatch, which won't allow the microphone to work. If you go to
http://groups.yahoo.com/group/FT100 and do a search for "MD-100"
and/or "MD100", you'll find a bunch of messages refering to this
topic.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

5468. Info wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 15:04:34 UTC
From: M3CVU <M3CVU@hotmail.com>
Message-ID: <aqogu2$q60$1@helle.btinternet.com>
Source record: 37379

Hi
I am looking for the installation details for the Mutek modification on a
yeasu FT-225RD.

I will reimburse any costs involved with copying.

Regards - Paul

5469. HEATHKIT APACHE TX-1 PARTS AVAILABLE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 16:20:32 UTC
From: Al Link <K4ICL@Charter.net>
Message-ID: <usvmeasdsdf3ca@corp.supernews.com>
Source record: 37381
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Apache Owners and rebuilders:

The following Original Heathkit TX-1 Apache parts are currently available:

Audio preamp transformers, $5.00
Chassis control hardware, $8.00
Drum and related assembly, $8.00
Driver band switch, $5.00
Final band switch, $9.00
Final loading condenser, $8.00
Final tuning condenser, $9.00
Front panel complete (glass cracked but easily replaced), $17.00
HV plate transformer, $29.00
HV power supply choke, $ 27.00
Meter switch, $5.00
Meter, $ 8.00
Meter mount with pilot light sockets, $2.00
One pair of good 6146A tubes (tested good), $18.00
Set of the "satinized" knobs (not the chrome plated ones) (1 medium sized is damaged, all others good), $16.00
VFO assembly (less tubes), $8.00
Undamaged cabinet (needs refinishing), $21.00 [Fits Mohawk and other receivers.]
Various pots, switches and other controls, $2.00 ea
6146 tube sockets, $2.00 ea
Final plate choke, $6.00
Driver plate choke, $4.00

Inquire about any minor parts you do not see above.

Email your needs and zip code. Specify Heathkit part number, if you have it.

Above prices do not include shipping. NO out of country shipping is available.

Cheers,

AL
K4ICL

5470. ANTIQUE STUFF,and stuff, and stuff

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 16:32:19 UTC
From: Heytubeguy <heytubeguy@worllnet.att.net>
Message-ID: <nYQz9.277$vM1.20203@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37380

BTI manual
Collins 312B4/5 manual original
Ford spark coil
Johnson 229 var inductor
Kenwood KPS-7 ps
Weston dc meter
Collins mech filter
Thord. filter choke
DRF coil set
Kenwood 230 VFO man. orig.
Hal ST-5000

check out under sellers: heytubeguy
emptying out 3 buildings: watch weekly
coming: 30 antique radio, parts, tubes (+WE types)

5471. Re: Problems with Yeasu MD-100 and ICOM IC-745

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 16:50:21 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <aqonco$c1$1@slb5.atl.mindspring.net>
Source record: 37382

The ICOM radio uses a mic that requires the voltage from the radio to power it. The MD100 does not need that voltage and willnot work properly with the ICOM.

Dan/W4NTI

"S57MHA - Alex" <mr.alex@email.si> wrote in message news:chKz9.371$tQ1.45400@news.siol.net...
> Hello there.
>
> I got used Yeasu MD100 desk mike and it has worked great on Icom IC-736. At
> home I have Icom IC-745 and I get very bad audio from this mic. I have tried
> it on another IC-745 and the result was the same. I have played with wires
> and cut the power from the radio (cca. 8V) in this case the audio is fine
> but modulation was very quiet and filters on the bottom of the mike don't
> work.
>
> Has anyone had the same problem or know how to correct the problem?
>
> Any info is welcome and appreciated.
>
> 73 de Alex - S57MHA
>
>
>

5472. Re: Stop the extinction... 2036

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 17:18:33 UTC
From: MTV <mvolzRemoveTheseFourWords@houston.rr.com>
Message-ID: <3DCFE617.9DD01223@houston.rr.com>
Source record: 37383
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

And this has what to do with radio?

pawe@hotmail.com wrote:

> Please read this itll only take you a minute - it could be your local area next...!
> The corporations are at it again, this time focussing their attentions on a small part of the SW of England. A large international mining company claims to have found platinum in the UK and in their quest for money are going to extinquish at least 1 species from our planet. Butterflies, birds, small mammals, fish and even some plants are at risk from extinction if this corporate monster is not stopped.
>
> Please, please, please send as many emails as you can to register your views at info@mcleaninternationalmining.com - like i said, it could be your area next...
>
> Thanks
> Harry
> P.A.W.E
> yulvcnjhmkqwjrdnimflpqplwgyjuwvmjqsszwxpgsrprmsxtjwhkodcjntwgluwjyrxhjjphp

--
This mail checked and found to be free of any virus.

5473. APHEX DOMINATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 17:24:18 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <6JRz9.341$vM1.25280@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37384

Price and Condition

Bill Salerno w2onv@att.net 201 368 3655

5474. Re: Replacing resistors and caps help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 17:34:52 UTC
From: Ken Finney <kenneth.c.finney@boeing.com>
Message-ID: <H5FA63.5t@news.boeing.com>
Source record: 37386

"John C." <(delete_this)caps@cablespeed.com> wrote in message
news:usqq7bshmkv1a7@corp.supernews.com...
> "gil" <gilpi@mindspring.com> wrote in message
> news:aqhh4v$f7r$1@slb2.atl.mindspring.net...
> Got a couple of old boatanchors sitting around that need some cap
> and
> resistor replacement and since I have a lot of new parts laying
> around I
> was wondering...especially with resistors when it comes to
> replacing the big
> ones (in size and wattage that is) does it matter if I use
> ceramic or any
> other kind as long as the value is the same and wattage the same
> or higher?
>
> Thanks for the read
>
> Gil
>
> Most often it will not matter - however - it depends on what the
> resistor is "doing" in the circuit. Many of the higher power
> resistors are of the wire wound varienty and exhibit inductance.
> In resonate or RF circuitry they could be a disaster if used when
> a carbon or non-inductive resistor is specified. Likewise many
> of the carbon film resistors are made by wrapping a film of
> carbon film around a core and these may also show inductances.
> I learned this the hard way by blowing several of them up in the
> cavity of a 432 MHz transmitter by using radio shack 2 watt
> carbon film resistors when the schematic called for non-inductive
> types. Also check the voltage ratings - they are all not the
> same.
> In a VFO, use only exact replacments unless you don't mind having
> having your dial somewhere other than where your actually tuned.
> Generally, I would not replace a resistor unless there is
> something wrong with it.
>
> John
> KC3LX
>

A slight clarification: In the past, a "carbon resistor" meant a carbon
composition resistor, the whole contents of the resistor was the actual
resistive element, and these parts would handle high power spikes and were
essentially non-inductive. These days a "carbon resistor" almost always

means a carbon film resistor, where the resistive element is just the film on the core, and these parts cannot handle high power spikes and have more inductance.

5475. Re: Goldline - or classic ?? which one would be better suited?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 17:39:53 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0211110939.423451b4@posting.google.com>
Source record: 37385

Bob Miller <bxmillerSpamNot@texas.net> wrote in message
news:<03bKPQsZtkNT+t0vez=jUeICifc3@4ax.com>...
> "M.E." <bogus@nospam.com> wrote:
>
> >As I said, Bob Heil told me that the Classic uses the same element as the
> >Gold-line, and differance is accustical be virtue of the enclosure.
>
> That makes sense. My latest AES catalog says the Classic is available with the
> hc4 or hc5 elements, or the Icom iC element. The Goldline is available with the
> hc4 or hc5 elements.
>
> There are also "vintage" setups available for either microphone, but the
> original poster says he's thinking of a new Icom or Kenwood, so this wouldn't be
> applicable to him.

I can believe it as far as the acoustics being the only difference
between the classic and the gold line. I can make a large change in
sound just in the manner I close or open my side and back ports on my
mike. "Audio technica un-direct dynamic" If I want more bass, I open
back ports, etc. Normally, I run my back and side ports totally
closed. My voice has enough bass as it is...Myself, if I were to buy a
heil mike, it would probably be a gold line. They sound pretty good
for rag chewing. They sound "great" on most icoms. Should be good for
a 746. I know a gold line sounds good on a 706mk2g...Beware though,
that you will probably need the "icom" version of the mike, or the
preamp that they sell for icoms. Most icoms need a good bit of drive
compared to other rigs. I have to use a preamp on my 706g, or I only
get about 1/2 drive using my element alone. The HC-5 is mellower
sounding than the HC-4, which is a DX'ers mike.
>
> Bob
> k5qwg

5476. FS: Hallicrafters SR-42 transciever and matching VFO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 18:39:25 UTC
From: treynolds@my-deja.com
Message-ID: <ad7a9af4.0211111039.55d407dd@posting.google.com>
Source record: 37387

For sale Hallicrafters SR-42 two meter AM transciever and matching HA26 VFO. Also included is an SR42A (same radio but with squelch) for parts. Includes original manual for VFO and reproduction manual for SR-42. Cosmetic and electrical condition of both are very good. $60 plus shipping. Located in San Diego area.
Please Email me for more details and pictures. Thanks, Tom
treynolds@saintNOSPAMmail.net (remove NOSPAM to send Email).

5477. FA: Large HV Power supply diode modules

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 19:11:09 UTC
From: GaryH <garyh@bellsouth.net>
Message-ID: <EdTz9.3833$wO4.873@news.bellsouth.net>
Source record: 37388

4 Diode Modules for your next HF amp power
supply.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800962693

5478. W8MMQ Radio mods page

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 19:22:43 UTC
From: Daniel Hicks <w8mmq-NOSPAM@email.com>
Message-ID: <3dd00324$0$17644$2c3e98f8@news.voyager.net>
Source record: 37389

Check out the W8MMQ web page:
http://www.w8mmq.com/

Also, the W8MMQ Radio Mods page:
http://www.w8mmq.com/mods/
There are over 1,200 radio mods listed.

If you can't find a mod at my site, another good source for mods is
http://mods.dk/

5479. FA: Kenwood TS-820S Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 19:35:09 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3dd0066d$1_6@nopics.sjc>
Source record: 37390
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800597254

5480. Help with Diode Substitution

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 21:06:00 UTC
From: Jim Widener <jwide@tricon.net>
Message-ID: <lXUz9.25947$46.10463@fe01>
Source record: 37391

One of the 1N34 diodes in my MFJ antenna tuner got zapped. Radio Shack has a nice new display for diodes, resistors, capacitors, etc. but the substitution charts are not in yet! Does anyone know the RS substitute for the 1N34? All of their diodes have the nomenclature 1N4004, etc. Any help appreciated.
Jim, W4VJ

5481. Re: Help with Diode Substitution

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 21:24:43 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <yoednYoRqMPEs02gXTWc3Q@ctc.net>
Source record: 37396

Just look at the description. If it says germanium you can use it. If it says silicon then you can not use it for a sub. The 1N400x series are silicon and will not work in your application.

"Jim Widener" <jwide@tricon.net> wrote in message news:lXUz9.25947$46.10463@fe01...
> One of the 1N34 diodes in my MFJ antenna tuner got zapped. Radio Shack has a
> nice new display for diodes, resistors, capacitors, etc. but the
> substitution charts are not in yet! Does anyone know the RS substitute for
> the 1N34? All of their diodes have the nomenclature 1N4004, etc. Any help
> appreciated.
> Jim, W4VJ
>
>
>

5482. SSB Hi-Fi Gear FS/FT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 21:24:44 UTC
From: ve3tmt@sympatico.ca
Message-ID: <bf70tu4a8gjmff5tcjs0k9crv6f06oam17@4ax.com>
Source record: 37394

I have the following gear I'd like to get rid of..All in excellent condition.

Apex 430 Studio condenser microphone, includes shock mount

see e-ham review here: http://www.eham.net/reviews/detail/2598

Behringer M602A EQ/Mixer

see e-ham review here: http://www.eham.net/reviews/detail/1787

Samson S-Com proccessor/noise gate

http://www.samsontech.com/products/productpage.cfm?prodID=96&brandID=2

Will entertain any reasonable offer. I am in Ontario Canada so please factor shipping into your offers. Will sell items seperately.

Trades considered.

Thanks for looking,

Max

5483. Re: Help with Diode Substitution

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 21:25:13 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aqp5omlsv1@news1.kornet.net>
Source record: 37392

I looked through the RS online catalog, and they no longer seem to carry any signal diodes at all. If they still carry a crystal set kit, you MAY be able to find one that way. Otherwise, you could order from Allied or MCM Electronics. Unfortunately, most of the mail order electronics outfits have minimum orders. This is fine, if you can find enough other goodies you want for your collection. I may have a 1N34/1N60 that I could send you.

Take care, and stay well.

Brenda Ann

"Jim Widener" <jwide@tricon.net> wrote in message
news:lXUz9.25947$46.10463@fe01...
> One of the 1N34 diodes in my MFJ antenna tuner got zapped. Radio Shack has
a
> nice new display for diodes, resistors, capacitors, etc. but the
> substitution charts are not in yet! Does anyone know the RS substitute for
> the 1N34? All of their diodes have the nomenclature 1N4004, etc. Any help
> appreciated.
> Jim, W4VJ
>
>
>

5484. Re: Help with Diode Substitution

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 21:25:34 UTC
From: n4bk@hiwaay.net
Message-ID: <3DD0204E.94316422@hiwaay.net>
Source record: 37393

Jim Widener wrote:

> One of the 1N34 diodes in my MFJ antenna tuner got zapped. Radio Shack has a
> nice new display for diodes, resistors, capacitors, etc. but the
> substitution charts are not in yet! Does anyone know the RS substitute for
> the 1N34? All of their diodes have the nomenclature 1N4004, etc. Any help
> appreciated.
> Jim, W4VJ

Jim Radio Shack has the 1N34 diodes in a bulk pack for 1.19. Bought some the other day cat number is 276-1123. Good luck Bob N4BK

5485. Kenwood TS 790A For Sale..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 22:01:28 UTC
From: beezlebub <tedm@xtra.co.nz>
Message-ID: <KJVz9.6852$8o1.1143300@news.xtra.co.nz>
Source record: 37395
Cross-posted to: aus.radio.amsat,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.space

Hello and thanks for reading this:

I am selling my Kenwood TS-790A VHF / UHF allmode transceiver. This unit
has the optional 1296 MHz module fitted and comes with handbook and
microphone. Condition is 9.9.
Original packing. $NZ2700 firm.
Will ship anywhere in the world at your cost.
73
Ted Minchin
ZL1MT

tedm@xtra.co.nz

5486. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 22:39:55 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <ar8hfr$1r5j$1@madmax.keyway.net>
Source record: 37172

```
:
: My point was only that I don't buy into the 'Morse as an international
: language' theory. Just yesterday I was listening to a QSO in Spanish, and
: was able to pull out the callsigns, cities, names, etc, and I didn't even
: do any Spanish classes in school. They were using international phonetics
: and Q signals.
:
: 73 de N3KIP
```

How about; "Internationally recognized symbolic communications exchange facilitator". But where does that leave American Sign "Language". What is a language by your definition?
If you can't call International Morse a Language, what is it?
Well... It's a code, but it's usage goes beyond language.
But then, we can't blame the language for a difficulty in comprehension. You claim that you don't buy into;
"...'Morse as an international : language' theory.", then proceed to PROVE the theory while negating your main point.
If we look into the Webster's definition of language, it even includes Programming languages. It is certainly possible to be understood using International Morse by a large community.
Nowhere is it stated that a language can't incorporate other languages nor adopt elements of other languages.

Jim, ac6tk

5487. Re: SSB Hi-Fi Gear FS/FT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-11 23:00:19 UTC
From: VE3TMT <ve3tmt@cogeco.ca>
Message-ID: <AEWz9.9428$L47.968316@read2.cgocable.net>
Source record: 37397

Wrong e-mail address, should be ve3tmt@cogeco.ca

Sorry, sent original from work.

5488. MICROPHONE HELP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 00:16:57 UTC
From: JEEPMON <JEEPMON@HOTMAIL.COM>
Message-ID: <ZLXz9.657$nB.110@sccrnsc03>
Source record: 37298
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

I have an Icom HM-56A microphone. I took it apart the other day to clean it fully and I saw two variable resistors on the board. They are labeled R16 and R19. Can anyone tell me what these are for?? What do they adjust?

5489. VX-7R Black version -- differences other than cosmetic?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 00:22:06 UTC
From: axinar@one.net
Message-ID: <c45d35a2.0211111622.2fffb6c8@posting.google.com>
Source record: 37299

Hi there ...

Say ... have any of you had a chance to handle the Black version of the VX-7R? Are there any differences besides the cosmetic ones?

Thanks!

Ax

5490. Re: MICROPHONE HELP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 00:26:00 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <JUXz9.47530$8P5.20578@news-binary.blueyonder.co.uk>
Source record: 37300
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:ZLXz9.657$nB.110@sccrnsc03...
> I have an Icom HM-56A microphone. I took it apart the other day to clean
it
> fully and I saw two variable resistors on the board. They are labeled R16
> and R19. Can anyone tell me what these are for?? What do they adjust?
>
>

5491. Re: MICROPHONE HELP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 00:27:28 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <5WXz9.47532$8P5.34877@news-binary.blueyonder.co.uk>
Source record: 37301
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

> I have an Icom HM-56A microphone. I took it apart the other day to clean
it
> fully and I saw two variable resistors on the board. They are labeled R16
> and R19. Can anyone tell me what these are for?? What do they adjust?
>

R16 and R19 are for deviation adjustment.

73 de G0MEM

5492. Re: Stop the extinction... 2036

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 00:31:11 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <AZXz9.47539$8P5.43993@news-binary.blueyonder.co.uk>
Source record: 37302
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Its SPAM, I live in SW england, and I never heard of such a thing.

73 de G0MEM

"MTV" <mvolzRemoveTheseFourWords@houston.rr.com> wrote in message
news:3DCFE617.9DD01223@houston.rr.com...
> And this has what to do with radio?
>
>
> pawe@hotmail.com wrote:
>
> > Please read this itll only take you a minute - it could be your local
area next...!
> > The corporations are at it again, this time focussing their attentions
on a small part of the SW of England. A large international mining company
claims to have found platinum in the UK and in their quest for money are
going to extinquish at least 1 species from our planet. Butterflies, birds,
small mammals, fish and even some plants are at risk from extinction if this
corporate monster is not stopped.
> >
> > Please, please, please send as many emails as you can to register your
views at info@mcleaninternationalmining.com - like i said, it could be your
area next...
> >
> > Thanks
> > Harry
> > P.A.W.E
> >
yulvcnjhmkqwjrdnimflpqplwgyjuwvmjqsszwxpgsrprmsxtjwhkodcjntwgluwjyrxhjjphp
>
> --
> This mail checked and found to be free of any virus.
>
>

5493. Re: MICROPHONE HELP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 01:01:23 UTC
From: Steve Terry <g4wwk-remove-to-reply-@wormwoodscrubs.co.uk>
Message-ID: <aqpjt7$c73li$1@ID-139484.news.dfncis.de>
Source record: 37303
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

"g0mem" <isembardbinladen@hotmail.com> wrote in message
news:5WXz9.47532$8P5.34877@news-binary.blueyonder.co.uk...
>
> > I have an Icom HM-56A microphone. I took it apart the other day to clean
> it
> > fully and I saw two variable resistors on the board. They are labeled R16
> > and R19. Can anyone tell me what these are for?? What do they adjust?
>
> R16 and R19 are for deviation adjustment.
> 73 de G0MEM
>
Deviation, in a microphone ?
You are really M3MEM and I claim my prize

Steve Terry

5494. Re: MICROPHONE HELP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 01:04:26 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <KsYz9.47646$8P5.40283@news-binary.blueyonder.co.uk>
Source record: 37304
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

> Deviation, in a microphone ?
> You are really M3MEM and I claim my prize
>
> Steve Terry
>
>
I should have said audio output level adjustment.
M3MEM who??

73 de G0MEM

5495. Re: VX-7R Black version -- differences other than cosmetic?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 01:22:23 UTC
From: Jake <Jake@napster.com>
Message-ID: <jJYz9.1631$T16.122248@news2.east.cox.net>
Source record: 37305

The black ones like chicken bones and watermelon

"Axinar" <axinar@one.net> wrote in message
news:c45d35a2.0211111622.2fffb6c8@posting.google.com...
> Hi there ...
>
> Say ... have any of you had a chance to handle the Black version of the
> VX-7R? Are there any differences besides the cosmetic ones?
>
> Thanks!
>
> Ax

5496. HEATHKIT APACHE TX-1 PARTS AVAILABLE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 01:25:42 UTC
From: Al Link <K4ICL@Charter.net>
Message-ID: <ut0m7pki1l206e@corp.supernews.com>
Source record: 37306
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Apache Owners and rebuilders:

The following Original Heathkit TX-1 Apache parts are currently available:

Audio preamp transformers, $5.00
Chassis control hardware, $8.00
Drum and related assembly, $8.00
Driver band switch, $5.00
Final band switch, $9.00
Final loading condenser, $8.00
Final tuning condenser, $9.00
Front panel complete (glass cracked but easily replaced), $17.00
HV plate transformer, $29.00
HV power supply choke, $ 27.00
Meter switch, $5.00
Meter, $ 8.00
Meter mount with pilot light sockets, $2.00
One pair of good 6146A tubes (tested good), $18.00
VFO assembly (less tubes), $8.00
Undamaged cabinet (needs refinishing), $21.00 [Fits Mohawk and other receivers.]
Various pots, switches and other controls, $2.00 ea
6146 tube sockets, $2.00 ea
Final plate choke, $6.00
Driver plate choke, $4.00

Inquire about any minor parts you do not see above.

Email your needs and zip code. Specify Heathkit part number, if you have it.

Above prices do not include shipping. NO out of country shipping is available.

Cheers,

AL
K4ICL

5497. Re: Live internet ham radio broadcasts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 02:00:45 UTC
From: Tobias6000 <t6k@nospam.nycap.rr.com>
Message-ID: <hhZz9.25093$Em.11044724@twister.nyroc.rr.com>
Source record: 37307
Cross-posted to: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

Edgar,

EQso is pretty cool too. Better than just listening to streaming audio...

Toby Seguin
KC2JRF

"EDesign" <edesign1@takas.lt> wrote in message
news:aqlvhj$b1iia$1@ID-164367.news.dfncis.de...
> Hi Fellows,
> I am wondering if it is any live ham radio broadcasts on Web (etc. .ram
> (RealAudio), .asx)
> If you know any please share.
> Thanks,
> Edgar
> 73
>
>
>
>

5498. Re: Ham stores in Miami, USA?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 02:22:42 UTC
From: Tapio Sokura <oh2kku@iki.fi>
Message-ID: <aqpoli$1636o$1@midnight.cs.hut.fi>
Source record: 37308

Gary S. <Idontwantspam@net> wrote:
> Between the difficulties of any specialty store in an age of
> brick-and-mortar mega-retailers skimming of sales of high volume
> products, and the presence of so many mail/phone/Web retailers
> specializing in ham radio gear, its actually surprising to have any
> walk-in ham stores.

I too think this is a universal problem. People look more at the price tag and buy from the big company than buy from a store where you can feel the equipment before buying, talk with the knowledgeable store owner and have to pay a little more. And some go talk to the small store owner and then order from the mega retailer.

> If I am guessing correctly, you are visiting from Europe, and looking
> for equipment hard to find (or very pricey) back home. If you know
> what you want, you could mail/Web order from HRO or AES and have it
> sent to the address you are staying at in Miami.

Yes, this is one option I'm considering. The prices on your side of the pond seem to be almost half the prices here, so the temptation to bring something back is a big one. Of course possible warranty repairs and rig modification for the European band allocations are things to consider, but if all goes well the saving of over 1000 euros for a typical HF rig is a lot of money.

But at the moment I'm just thinking of my options and haven't really decided on what I want. TS-2000 is something I've been looking at as a 50 MHz & up guy who thinks it's nice to work some HF too every now and then (I currently have an FT-847).

5499. Re: SSB Hi-Fi Gear FS/FT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 02:47:44 UTC
From: VE3TMT <ve3tmt@cogeco.ca>
Message-ID: <x0_z9.12525$lj.328742@read1.cgocable.net>
Source record: 37309

Mic and EQ are gone.

5500. Kenwood TS 570D ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 03:27:18 UTC
From: Henry Kolesnik <wd5jfr@oklahoma.net>
Message-ID: <ut0t8ot5c9tv00@corp.supernews.com>
Source record: 37310

Has anyone tried to see how the TS-570 receives below 500 kHz? The digital dial tunes all the way down to 30 kHz but the one I have is all but deaf. I wonder if it needs a mod, pre-amp, or just doesn't have the circuitry?
tnx
hank wd5jfr

5501. MFJ TNC2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 03:54:55 UTC
From: Peter Pohlmann <peter@e-partner.com>
Message-ID: <gY_z9.5503$2x4.517848@news20.bellglobal.com>
Source record: 37311

Hello Group,

I have a TNC 2 from about 10 or 12 years ago..
Now I would like to get into packet again. Can I still use this or do I have to upgrade the rom. If so, where can I get the new binary code for the rom ?

With kind regards 73
VE3POH

5502. Re: RS HTX-200

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 04:34:19 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <fx%z9.1342$vM1.100900@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37314
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Radio Shack is closing this item out right now for 50 dollars; I just bought on last Sunday. A good unit for the money.

Pete KE9OA

5503. Re: MFJ TNC2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 04:39:52 UTC
From: Bob Nielsen <nielsen@remove_this.oz.net>
Message-ID: <aqq0mo$rn2$0@216.39.144.81>
Source record: 37315

On Mon, 11 Nov 2002 22:54:55 -0500, Peter Pohlmann wrote:
> Hello Group,
>
> I have a TNC 2 from about 10 or 12 years ago..
> Now I would like to get into packet again. Can I still use this or do I have
> to upgrade the rom. If so, where can I get the new binary code for the rom ?
>
> With kind regards 73
> VE3POH
>
>

It should still work. You can buy an updated EPROM (with new features)
from MFJ. TAPR has EPROMS which are similar but without a mailbox (and
images for previous versions so you can burn your own).
http://www.tapr.org

73,
Bob, N7XY

5504. Re: Live internet ham radio broadcasts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 04:46:18 UTC
From: Adair Winter <adair@revivedrecords.com>
Message-ID: <uI%z9.231$7F3.161002719@newssvr12.news.prodigy.com>
Source record: 37316
Cross-posted to: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

"Tobias6000" <t6k@nospam.nycap.rr.com> wrote in message
news:hhZz9.25093$Em.11044724@twister.nyroc.rr.com...
> Edgar,
>
> EQso is pretty cool too. Better than just listening to streaming audio...
>
> Toby Seguin
> KC2JRF
>
>
> "EDesign" <edesign1@takas.lt> wrote in message
> news:aqlvhj$b1iia$1@ID-164367.news.dfncis.de...
> > Hi Fellows,
> > I am wondering if it is any live ham radio broadcasts on Web (etc. .ram
> > (RealAudio), .asx)
> > If you know any please share.
> > Thanks,
> > Edgar
> > 73
> >
How about some links to some of these programs?

Adair
KD5DYP

5505. Re: KENWOOD TS-950-SDX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 05:03:12 UTC
From: "Dee D. Flint" <dee.hays@sbcglobal.net>
Message-ID: <kY%z9.5348$z5.3739727@newssvr28.news.prodigy.com>
Source record: 37312

Unfortunately that is the market you are competing against so it will affect potential buyer's perspective. The buyer doesn't care what you paid. He'll compare it to the current new models. Good luck.

Dee Flint, N8UZE

"Bob Miller" <bxmillerSpamNot@texas.net> wrote in message news:0OHOPaiiL2+YpLupXHEvDaHOCQes@4ax.com...
> "Dee D. Flint" <dee.hays@sbcglobal.net> wrote:
>
> >When a brand new top of the line Kenwood is less than $2000, what makes this
> >radio worth so much USED?????
>
> New, it ran $4000 to $5000. That's why.
>
> Just because Kenwood has figured out how to make an upscale 706 for $2000
> doesn't make the 950 any less a rig.
>
> Bob
> k5qwg
>
>
> >
> >Dee Flint, N8UZE
> >
> >"Dwight 136" <dwight136@aol.com> wrote in message
> >news:20021104084802.13919.00002882@mb-fq.aol.com...
> >> HAVE A 100% WORKING TS 950-SDX TRANSCEIVER , IT IS A 9+ OUT OF 10 HAS A
> >FEW
> >> SCRATCHES ON THE TOP WHERE SOMETHING WAS SETTING ON IT ,THE FRONT PANEL IS
> >> PERFECT ......COMES WITH THE INNER AND OUTER BOXES,THE ORIGINAL
> >> MANUAL,HANDMIC...A NONE SMOKING ENVIROMENT ......WILL SHIP TO YOUR DOOR IF
> >YOU
> >> ARE IN THE LOWER 48 STATES $2,000.00 ......
> >>
>
>

5506. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 05:09:46 UTC
From: "Dee D. Flint" <dee.hays@sbcglobal.net>
Message-ID: <u20A9.5352$z5.3740573@newssvr28.news.prodigy.com>
Source record: 37313

"Pete KE9OA" <n.gianakopoulos@worldnet.att.net> wrote in message
news:FzHz9.7653$hK4.722952@bgtnsc05-news.ops.worldnet.att.net...
> ... The reason that I stopped buying from eBay, is because
> of the proliferation of junk that is being sold, described with endearing
> terms such as "nice" "mint condition", etc. My choice; other folk's
mileage
> may vary.

You are NOT buying from eBay. You are going to an auction and bidding on items offered by individual sellers. Some are honest and some are not. Some are knowledgeable and some are not. Any auction has these problems. The solution is to know the worth of the used item and don't get caught up in a bidding war.

Dee Flint, N8UZE

5507. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 05:14:22 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <O60A9.1372$vM1.106265@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37317

Let me rephrase things; the reason that I stopped buying, using eBay as a middle entity. Does that sound better? Anyway, nothing I ever bought through that auction was through a "bidding frenzy". Some of the stuff was as represented, but other stuff was misrepresented. It was inoperable equipment that was represented in good working order. I don't mind a "handyman's special", if the item is represented that way, but I need to know that up front.
On another note.....a friend of mine won an auction for a microscope. He paid out 3000 dollars, and never received the item. He did file a complaint with eBay, and eBay did nothing about it. Eventually, the FBI got involved, but they never caught the fellow. I turned out that supposedly, somebody stole this person's eBay ID, and ripped off many people.
A big problem; you don't know who you are dealing with, even if the person has good feedback. What good is it, if people can steal ID's and eBay either doesn't have the wherewithall or they don't care enough to do anything about it.
No thanks; I like to deal with people face to face.....been burned too many times on eBay.

Pete

5508. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 05:15:48 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <880A9.1374$vM1.105043@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37318

One other note.....there is an eBay auction going on right now for a Radio Shack HTX200; Radio Shack is closing this item out right now for 50 dollars.

Pete

5509. Look for Icom IC-R9000 receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 07:00:25 UTC
From: "B. Dashoff" <dash@dslextreme.com>
Message-ID: <3DD0A709.2030708@dslextreme.com>
Source record: 37319

If you have one for sale please email,

Thanks,

Bob...

5510. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 10:32:02 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aqqjrt$6t7$1@news1.kornet.net>
Source record: 37320

I wish they had that on their website.. I would love to buy one.. :(

"Pete KE9OA" <n.gianakopoulos@worldnet.att.net> wrote in message
news:880A9.1374$vM1.105043@bgtnsc04-news.ops.worldnet.att.net...
> One other note.....there is an eBay auction going on right
now
> for a Radio Shack HTX200; Radio Shack is closing this item out right now
for
> 50 dollars.
>
> Pete
>
>

5511. Re: Problems with Yeasu MD-100 and ICOM IC-745

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 13:18:15 UTC
From: S57MHA - Alex <mr.alex@email.si>
Message-ID: <Ac7A9.421$tQ1.47285@news.siol.net>
Source record: 37321

That mic works when I remove the power from the radio. Audio level is very
low than... But this mic has worked on Icom IC-736 with no problems. Ther
might be a problem with "older" Icom radios. I don't know?!

Thanks for replay.

73 de Alex - S57MHA

"Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in message
news:aqonco$c1$1@slb5.atl.mindspring.net...
> The ICOM radio uses a mic that requires the voltage from the radio to
power
> it. The MD100 does not need that voltage and willnot work properly with
the
> ICOM.
>
> Dan/W4NTI
>
> "S57MHA - Alex" <mr.alex@email.si> wrote in message
> news:chKz9.371$tQ1.45400@news.siol.net...
> > Hello there.
> >
> > I got used Yeasu MD100 desk mike and it has worked great on Icom IC-736.
> At
> > home I have Icom IC-745 and I get very bad audio from this mic. I have
> tried
> > it on another IC-745 and the result was the same. I have played with
wires
> > and cut the power from the radio (cca. 8V) in this case the audio is
fine
> > but modulation was very quiet and filters on the bottom of the mike
don't
> > work.
> >
> > Has anyone had the same problem or know how to correct the problem?
> >
> > Any info is welcome and appreciated.
> >
> > 73 de Alex - S57MHA
> >
> >
> >
>
>

5512. Re: Problems with Yeasu MD-100 and ICOM IC-745

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 13:19:37 UTC
From: S57MHA - Alex <mr.alex@email.si>
Message-ID: <Rd7A9.422$tQ1.47606@news.siol.net>
Source record: 37322

I will look there. I hope I can finde the problem.

Thanks for replay.

73 de Alex - S57MHA

"Andy KC2SSB" <vhfradiobuff@yahoo.com> wrote in message
news:glgvsu493dm8274ngbliddolv2h1tfgmbj@4ax.com...

> I can't give you a definate answer, but it sounds like the same
> problem the FT-100D has with that microphone. There is an impedence
> mismatch, which won't allow the microphone to work. If you go to
> http://groups.yahoo.com/group/FT100 and do a search for "MD-100"
> and/or "MD100", you'll find a bunch of messages refering to this
> topic.
> =-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA Grid FM29vw
> http://vhfradiobuff.tripod.com

5513. ADI 147 2m mobile problems??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 14:04:20 UTC
From: Clip <eclip01@hotmail.com>
Message-ID: <01c28a54$59df7d60$82878685@clip>
Source record: 37323

Hey gang....I see there are a several ADI 147's on Ebay and
reading the description they both have the same problems
(display fades out etc) and I was wondering if this is a common
problem with these, and also is it an easy fix (connections)
or something worse? Anyone have any experiences with
this radio?

5514. Re: MICROPHONE HELP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 14:28:43 UTC
From: n4bk@hiwaay.net
Message-ID: <3DD1101B.4879F001@hiwaay.net>
Source record: 37324
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

JEEPMON wrote:

> I have an Icom HM-56A microphone. I took it apart the other day to clean it
> fully and I saw two variable resistors on the board. They are labeled R16
> and R19. Can anyone tell me what these are for?? What do they adjust?

One should be for audio level and the other for DTMF level can' say for sure
which is which. Bob N4BK

5515. Re: VX-7R Black version -- differences other than cosmetic?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 14:32:38 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <ui8A9.50292$8P5.39753@news-binary.blueyonder.co.uk>
Source record: 37325

"Axinar" <axinar@one.net> wrote in message
news:c45d35a2.0211111622.2fffb6c8@posting.google.com...
> Hi there ...
>
> Say ... have any of you had a chance to handle the Black version of the
> VX-7R? Are there any differences besides the cosmetic ones?
>
> Thanks!
>
> Ax

Has the black one got less bugs than the silver one.

73 de G0MEM

5516. Re: Ham stores in Miami, USA?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 14:34:02 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <HQ=RPUZynaOwJ+Y6gTGyQ=NHWwkV@4ax.com>
Source record: 37326

Tapio Sokura <oh2kku@iki.fi> wrote:

>
>
>But at the moment I'm just thinking of my options and haven't really decided
>on what I want. TS-2000 is something I've been looking at as a 50 MHz & up
>guy who thinks it's nice to work some HF too every now and then (I currently
>have an FT-847).

When you get to Florida, you may want to check and see if there is a state sales tax. (Here in Texas, the state sales tax is 8.25%) If there is a state tax, you can eliminate the tax by buying by mail from a ham dealer who has no business presence in Florida. Just get on the internet and shop around, and look for the best price, and make a few phone calls.

Bob
k5qwg

5517. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 15:06:26 UTC
From: Lou <tech@dp.net>
Message-ID: <aqr7u4$r07$1@news.dp.net>
Source record: 37331

E-BAY has NOTHING to do with the honesty or sincerity of the seller. They merely offer a service. Like Your newspaper does when they print a FOR SALE AD for YOU. YOU (the seller) put the ad there, not the paper (E-Bay in this instance). I don't understand WHY that is so hard for some to figure out... IF YOU CAN'T AFFORD TO LOSE, DON'T BID (BUY).....NO ONE IS FORCING YOU TOO. THERE IS NO GUN TO YOUR HEAD..... There are unscrupulous buyers too. I pointed that out in my last post on this issue. Myself and about 4 other people got screwed out of about $800 worth of items up for bids. A guy bid and outbid to top others only to NOT pay for them. WE all had to relist, and to some of us, it isn't the fee - they are credited to you by E-Bay if proper steps are taken. It is the TIME. I don't have TIME to play stupid games.

IF those who THINK they are/were so easily taken ARE, I have a few billion stars I'd like to sell the deeds to.....$1000.00 cash each.... Get them while they're hot....

Lou/Tech@DP.NET

"Dee D. Flint" <dee.hays@sbcglobal.net> wrote in message
news:u20A9.5352$z5.3740573@newssvr28.news.prodigy.com...
>
> "Pete KE9OA" <n.gianakopoulos@worldnet.att.net> wrote in message
> news:FzHz9.7653$hK4.722952@bgtnsc05-news.ops.worldnet.att.net...
> > ... The reason that I stopped buying from eBay, is because
> > of the proliferation of junk that is being sold, described with
endearing
> > terms such as "nice" "mint condition", etc. My choice; other folk's
> mileage
> > may vary.
>
> You are NOT buying from eBay. You are going to an auction and bidding on
> items offered by individual sellers. Some are honest and some are not.
> Some are knowledgeable and some are not. Any auction has these problems.
> The solution is to know the worth of the used item and don't get caught up
> in a bidding war.
>
> Dee Flint, N8UZE
>
>
>

5518. Re: Problems with Yeasu MD-100 and ICOM IC-745

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 15:15:24 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <aqr69k$db6$1@slb6.atl.mindspring.net>
Source record: 37328

I believe that would be correct Alex. I know the older ICOM's had to have a mic designed for that radio. Since I never have used a ICOM HF setup I am going by what I have heard on the air.

Dan/W4NTI

"S57MHA - Alex" <mr.alex@email.si> wrote in message news:Ac7A9.421$tQ1.47285@news.siol.net...
> That mic works when I remove the power from the radio. Audio level is very
> low than... But this mic has worked on Icom IC-736 with no problems. Ther
> might be a problem with "older" Icom radios. I don't know?!
>
> Thanks for replay.
>
> 73 de Alex - S57MHA
>
> "Dan/W4NTI" <w4ntinospam@mindspring.com> wrote in message
> news:aqonco$c1$1@slb5.atl.mindspring.net...
> > The ICOM radio uses a mic that requires the voltage from the radio to
> power
> > it. The MD100 does not need that voltage and willnot work properly with
> the
> > ICOM.
> >
> > Dan/W4NTI
> >
> > "S57MHA - Alex" <mr.alex@email.si> wrote in message
> > news:chKz9.371$tQ1.45400@news.siol.net...
> > > Hello there.
> > >
> > > I got used Yeasu MD100 desk mike and it has worked great on Icom
IC-736.
> > At
> > > home I have Icom IC-745 and I get very bad audio from this mic. I have
> > tried
> > > it on another IC-745 and the result was the same. I have played with
> wires
> > > and cut the power from the radio (cca. 8V) in this case the audio is
> fine
> > > but modulation was very quiet and filters on the bottom of the mike
> don't
> > > work.
> > >
> > > Has anyone had the same problem or know how to correct the problem?
> > >

> > > Any info is welcome and appreciated.
> > >
> > > 73 de Alex - S57MHA
> > >
> > >
> > >
> >
> >
>
>

5519. Re: Stop the extinction... 2036

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 15:16:09 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <aqr69l$db6$2@slb6.atl.mindspring.net>
Source record: 37329
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Sounds to me like a demented greener is having a fit.

Dan/W4NTI

"MTV" <mvolzRemoveTheseFourWords@houston.rr.com> wrote in message
news:3DCFE617.9DD01223@houston.rr.com...
> And this has what to do with radio?
>
>
> pawe@hotmail.com wrote:
>
> > Please read this itll only take you a minute - it could be your local
area next...!
> > The corporations are at it again, this time focussing their attentions
on a small part of the SW of England. A large international mining company
claims to have found platinum in the UK and in their quest for money are
going to extinquish at least 1 species from our planet. Butterflies, birds,
small mammals, fish and even some plants are at risk from extinction if this
corporate monster is not stopped.
> >
> > Please, please, please send as many emails as you can to register your
views at info@mcleaninternationalmining.com - like i said, it could be your
area next...
> >
> > Thanks
> > Harry
> > P.A.W.E
> >
yulvcnjhmkqwjrdnimflpqplwgyjuwvmjqsszwxpgsrprmsxtjwhkodcjntwgluwjyrxhjjphp
>
> --
> This mail checked and found to be free of any virus.
>
>

5520. Re: ADI 147 2m mobile problems??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 15:18:49 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <tZ8A9.888$Bh1.66126@newsread1.prod.itd.earthlink.net>
Source record: 37327

Well, I have a problem with my ADI 146, which uses the same display (I
think) as the 147.
The problem is that the connector pins on the display seem to oxide.
Now, I haven't fixed mine, just removed it and inserted it again.
It would seem appropriate to use some sort of cleaner (tuner cleaner did not
work) like the guys use on old tube rigs.
I am open to this if someone can tell me what to use. I think it is called
deoxide or something similar to that.
Frank KG9H
"Clip" <eclip01@hotmail.com> wrote in message
news:01c28a54$59df7d60$82878685@clip...
> Hey gang....I see there are a several ADI 147's on Ebay and
> reading the description they both have the same problems
> (display fades out etc) and I was wondering if this is a common
> problem with these, and also is it an easy fix (connections)
> or something worse? Anyone have any experiences with
> this radio?
>

5521. Re: Live internet ham radio broadcasts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 15:22:19 UTC
From: Bruno <bhaineault@hotmail.com>
Message-ID: <Xns92C44B1F03AB0bhaineaulthotmailcom@68.6.19.6>
Source record: 37330
Cross-posted to: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

"Adair Winter" <adair@revivedrecords.com> wrote in
news:uI%z9.231$7F3.161002719@newssvr12.news.prodigy.com:

> How about some links to some of these programs?
>
> Adair
> KD5DYP

eQSO = http://www.eqso.net/
Echolink = http://www.echolink.org/el/
Ilink = http://homepage.ntlworld.com/mikeadams/ilink.htm

If you want to link your radio to the net, then boards can be found
here = http://www.ilinkboards.com/

Enjoy ;-)

--
Bruno, W6AFK/VE2EQ
Oceanside, California

5522. Re: ADI 147 2m mobile problems??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 15:38:38 UTC
From: n4bk@hiwaay.net
Message-ID: <3DD1207E.6E610D76@hiwaay.net>
Source record: 37332

Frank Krozel wrote:

> Well, I have a problem with my ADI 146, which uses the same display (I
> think) as the 147.
> The problem is that the connector pins on the display seem to oxide.
> Now, I haven't fixed mine, just removed it and inserted it again.
> It would seem appropriate to use some sort of cleaner (tuner cleaner did not
> work) like the guys use on old tube rigs.
> I am open to this if someone can tell me what to use. I think it is called
> deoxide or something similar to that.
> Frank KG9H
> "Clip" <eclip01@hotmail.com> wrote in message
> news:01c28a54$59df7d60$82878685@clip...
> > Hey gang....I see there are a several ADI 147's on Ebay and
> > reading the description they both have the same problems
> > (display fades out etc) and I was wondering if this is a common
> > problem with these, and also is it an easy fix (connections)
> > or something worse? Anyone have any experiences with
> > this radio?
> >

You might try noalox which is availiable at electrical supply houses and possibly Lowes or Home Depot, but as this is basically the same problem as the Kenwood TM-241 radio had your best bet is to hardwire the two boards with a short length of multi-conductor cable. Bob N4BK

5523. Re: Stop the extinction... 2036

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 15:40:47 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <ut287s3qi2og68@corp.supernews.com>
Source record: 37333
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

"g0mem" <isembardbinladen@hotmail.com> wrote in message
news:AZXz9.47539$8P5.43993@news-binary.blueyonder.co.uk...
> Its SPAM, I live in SW england, and I never heard of such a thing.
>
> 73 de G0MEM

It may be SPAM but it is also a real story.
Check out the news release on their web site at:
http://www.mcleaninternationalmining.com/pages/press.htm

You really need to keep up with your local news! ;^)

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

5524. Re: Thanks to AC6V

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 15:49:56 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <Eq9A9.2998$XF5.433111@news2.west.cox.net>
Source record: 37334

Golly Gee Blush Blush -- Tnx Joe
We try
--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com

"Joe S." <joe@schlatter.org> wrote in message
news:aqkchn02dsu@enews1.newsguy.com...
> Too frequently those of us who use free web resources don't thank the
people
> responsible for them. I purchased a piece of used equipment that came
> without the manual.
>
> Where to get a manual? Went to AC6V's site, went to the index, clicked on
> manuals, and within 5 minutes I had one ordered.
>
> THANK YOU, SIR.
>
> --
>
> ------
> Regards,
> Joe S.
>
>
>
>

5525. HEATHKIT TX-1 APACHE PARTS OFFERED...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 15:53:20 UTC
From: Al Link <K4ICL@Charter.net>
Message-ID: <ut293agpnnr15a@corp.supernews.com>
Source record: 37335
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Apache Owners and rebuilders:

The following Original Heathkit TX-1 Apache parts are currently available:

Audio preamp transformers, $5.00
Chassis control hardware, $8.00
Drum and related assembly, $8.00
Driver band switch, $5.00
Final band switch, $9.00
Final loading condenser, $8.00
Final tuning condenser, $9.00
Front panel complete (glass cracked but easily replaced), $17.00
HV plate transformer, $29.00
HV power supply choke, $ 27.00
Meter switch, $5.00
Meter, $ 8.00
Meter mount with pilot light sockets, $2.00
One pair of good 6146A tubes (tested good), $18.00
VFO assembly (less tubes), $8.00
Undamaged cabinet (needs refinishing), $21.00 [Fits Mohawk and other receivers.]
Various pots, switches and other controls, $2.00 ea
6146 tube sockets, $2.00 ea
Final plate choke, $6.00
Driver plate choke, $4.00

Inquire about any minor parts you do not see above.

Email your needs and zip code. Specify Heathkit part number, if you have it.

Above prices do not include shipping. NO out of country shipping is available.

Cheers,

AL
K4ICL

5526. Re: Stop the extinction... 2036

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 15:54:29 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <CR9A9.50631$8P5.39555@news-binary.blueyonder.co.uk>
Source record: 37337
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:ut287s3qi2og68@corp.supernews.com...
>
> "g0mem" <isembardbinladen@hotmail.com> wrote in message
> news:AZXz9.47539$8P5.43993@news-binary.blueyonder.co.uk...
> > Its SPAM, I live in SW england, and I never heard of such a thing.
> >
> > 73 de G0MEM
>
> It may be SPAM but it is also a real story.
> Check out the news release on their web site at:
> http://www.mcleaninternationalmining.com/pages/press.htm
>
> You really need to keep up with your local news! ;^)
>
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

Ah the mining is going to be in Cornwall, which is 150 miles from me. I guess our local news is a bit too local!. It hasn't been on the national news either here.

Thanks for the info.

73 de G0MEM

5527. FA MANY ITEMS SHACK CLEANING

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 16:15:49 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3DD12935.1C191032@ckradio.net>
Source record: 37336

http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=ve3ngw&include=0&since=-1&sort=3&rows=25

5528. Re: Stop the extinction... 2036

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 16:18:04 UTC
From: Dan/W4NTI <w4ntinospam@mindspring.com>
Message-ID: <aqr9oi$b0j$1@slb6.atl.mindspring.net>
Source record: 37338
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I consider these ecowackos terrorists. Remember those forest fires a few
months back out west? Why was that? Because those green wackos wouldn't
let anyone clean out the underbrush. And if ANY sort of clearing was to be
done to help break up fires they took em to court.

Got no use for them at all.

Dan/W4NTI

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:ut287s3qi2og68@corp.supernews.com...
>
> "g0mem" <isembardbinladen@hotmail.com> wrote in message
> news:AZXz9.47539$8P5.43993@news-binary.blueyonder.co.uk...
> > Its SPAM, I live in SW england, and I never heard of such a thing.
> >
> > 73 de G0MEM
>
> It may be SPAM but it is also a real story.
> Check out the news release on their web site at:
> http://www.mcleaninternationalmining.com/pages/press.htm
>
> You really need to keep up with your local news! ;^)
>
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

5529. Pro-46 repair question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 16:47:33 UTC
From: Gary <garytaylor605@yahoo.com>
Message-ID: <FgaA9.884$Ta6.84893@newsread2.prod.itd.earthlink.net>
Source record: 37339

I have two Pro-46 scanners with the same problem. They have very poor reception, especially in the 800MHz range. Does anyone know if RS will still repair this model? Is there somewhere else I can get them repaired?

Any help would be appreciated.

Thanks,
Gary

5530. Re: Kenwodd stuff for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 17:21:36 UTC
From: dw73454@alltel.net
Message-ID: <3dd13885.16813955@unlnews.unl.edu>
Source record: 37340

actually i meant KENWOOD!!!!!!!
>
>73 de Dan -- Wï¿½DJW ..
>w0djw@arrl.net
>402-489-8076(shack)

5531. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 17:54:22 UTC
From: rjones@mail.cccd.edu
Message-ID: <aqrf8e$6h8$1@spock.dis.cccd.edu>
Source record: 37341

In article <tbstsukd6h5d2dpsrgqkubf8aff1nqtr0u@4ax.com>, none@nonya.com says...
>
>Hello All. For those looking at the Icom IC T2H, and/or Icom IC-V8
>2m HTs. Beware of ebay sellers trying to sell these radios for
>inflated prices! AES and HRO sell these radios for $99.95, and right
>now you get a FREE nicad pack. These are good radios, just a head up
>for the buyer to beware of ripof artists!

I understand your concern but it is an auction after all. Think of it as a regular auction where people gather together and bid in person. The auctioneer describes the merchandise and it's usually available for viewing prior to the bidding. I've never been to an auction where the seller gives a value to the auctioned item other than a minimum bid amount. The whole idea of an auction is to sell to the highest bidder and to drive the price up as high as bidders are willing to go. It is the bidders responsibility to know what they are bidding on and what it is worth.

Again, I understand your concern and your heart is certainly in the right place. Maybe the answer is that ebay or other auction services aren't the right place for newbies to be acquiring equipment. Ideally, a newbie could find an experienced ham to come along side and provide some wisdom when it comes to buying gear. I realize this isn't possible in all situations though.

Unfortunately, there will always be some who a too naive to know they are getting in over their heads.

73,

Rick, KG6RJ

5532. Re: ADI 147 2m mobile problems??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 18:16:05 UTC
From: dplatt@radagast.org
Message-ID: <ut2hb5qnpbcf57@corp.supernews.com>
Source record: 37342

>Well, I have a problem with my ADI 146, which uses the same display (I
>think) as the 147.
>The problem is that the connector pins on the display seem to oxide.
>Now, I haven't fixed mine, just removed it and inserted it again.
>It would seem appropriate to use some sort of cleaner (tuner cleaner did not
>work) like the guys use on old tube rigs.
>I am open to this if someone can tell me what to use. I think it is called
>deoxide or something similar to that.

You're probably referring to De-Ox-It, a product from CAIG Labs. It's
a cleaner, oxide remover, and contact-surface protector... the
successor to the older Cramolin products. It's good stuff to have
around... I've used it for years on stereo equipment connectors,
flashlights, etc.

You can buy it in an aerosol form, or in an applicator "pen". Here in
the Silicon Valley, Fry's carries it. It's also available from many
of the big mail-order electronics and stereo-supply distributors.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

5533. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 18:17:59 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <rBbA9.2081$vM1.164608@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37343

Hi Brenda,
I am not sure where you are located, but I am assuming that
you are in another part of the world. Let me know if you want me to pick
one up and ship it out to you.

Pete Gianakopoulos
Mount Prospect, Illinois
USA

5534. Re: Radio Shack 440Mhz handi talkie help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 20:00:44 UTC
From: rhock@westvirginia.net
Message-ID: <3dd15dd4.521120701@news.iolinc.net>
Source record: 37344

Manual should be available at www.radioshack.com.

On Sun, 18 Apr 2010 22:09:54 -0400, Kevin Kitchen
<morganpk@bellsouth.net> wrote:

>I have purchased a used RS 440 Mhz but cannot figure out how to program
>in the PL tones for the various repeaters. Anybody familiar with it?
>n9pbw
>

5535. 2M Deviation monitor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 20:12:39 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <XgdA9.7768$2m.2490466@twister.columbus.rr.com>
Source record: 37345

Model D-144 Two meter deviation monitor manufactured by RF Applications. Tuning range is from 144.5 to 148 MHz nominal. It operates from external 12-16VDC. I am asking $80 and this includes shipping and insurance to the lower 48. For picture and additional info, please email k8srb@arrl.net. Stan

5536. FS:DJ-191 2m HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 20:12:39 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <XgdA9.7767$2m.2490133@twister.columbus.rr.com>
Source record: 37346

Alinco DJ-191 2 meter HT in new condition. The radio is about 2 years old. I have the original box, manual and the drop in charger. In addition I have a spare EBP-37n batt and MFJ speaker/mike. I am asking $100 and this includes shipping and insurance to the lower 48. For more info, email to k8srb@arrl.net.

Stan

5537. FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 20:12:39 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <XgdA9.7769$2m.2490395@twister.columbus.rr.com>
Source record: 37347

Yaesu FT-847 HF/VHF/UHF radio with INRAD CW and SSB filters. The radio is about a year and a half old. I am the original owner, the radio was never mobile so it is 10 out of 10 in appearance. I have the original box and the stuff that come with the radio. I am asking $1000 for the radio and the filters and this includes shipping and insurance to the lower 48. I live in west central Oh., and I am willing to deliver or meet someone within 150 mile radius. For more info, email k8srb@arrl.net or call 419-675-0747.

Stan

5538. FS: VX5R w/box, charger, and antenna.MARS/CAP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 20:21:29 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <dpdA9.2427$vM1.174390@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37248
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

I have a VX5R, the unit is about 1 yr old. Its overall condition is very good. Keypad and numbers in great shape. It has one slight problem, the SMA connector in the radio keeps working loose. The antenna stays on, but the antenna moves around even when its screwed onto the radio. Other than that, it works great, on TX & RX.
It has the freeband mod done and works great.
First $175.00 takes it. Plus $5.00 Priority Mail shipping.
Insurance is extra.
Please email RW613@lycos.com

5539. FS: Heatkit HD-1250

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 20:32:56 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <YzdA9.7775$2m.2495422@twister.columbus.rr.com>
Source record: 37249

For Sale Heatkit HD-1250 Dip meter with the case. I purchased it from estate of silent key, but have no use for it. The unit looks 9 out of 10 and works good. One coil appears to be in a sad shape, but all others are like new. I am asking $45 and this includes shipping and insurance to the lower 48. For more info, please email k8srb@arrl.net.

73, de Stan

5540. FS: Yaesu FT-727R Dual Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 21:08:45 UTC
From: "K. Gianino" <ken@hnvr.com>
Message-ID: <3dd16b38$0$6750$4c41069e@reader1.ash.ops.us.uu.net>
Source record: 37250
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale: Yaesu FT-727R dual band handheld (2m/70cm). Fair condition, but everything works. Missing pushbutton on VOX switch. Recently rebuilt 8.4V, 1200mAh battery. Includes charger (not original), UHF helical antenna (not dual-band), programming guide (no manual), belt clip and lanyard. Picture available on request. $75 plus shipping from St. Louis, MO.
Ken - WB0QNA

5541. Re: Anyone have 73 Aug99 Issue?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 21:29:21 UTC
From: Eskay <Nospamve3jua@rac.ca>
Message-ID: <3DD172B1.7FA616F3@rac.ca>
Source record: 37251
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Please if anyone could send this I would like a copy too.
VE3JUA,,,, sieb@uraxis.com

Brent wrote:

> I'm looking for the August 99 issue of 73. Actually the WA8TXT article about
> a psk31 interface.
> If anyone would scan it possible post to a web site or better yet email it
> to me at n9bc-----@msn.com remove the ----'s from the address. I would be
> greatly appreciated!
>
> Thanks
> Brent N9BC

5542. WTD: CUSHMAN CE31A Service Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 22:17:34 UTC
From: w1ksz@tiac.net
Message-ID: <3dd17dea.2656616@news.tiac.net>
Source record: 37252

Looking for the Service Manual for the
Cushman CE31A Service Monitor.
Anyone know where I can find these ?

Thanks, Dick, W1KSZ

5543. FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 22:44:16 UTC
From: Mike Kulyk <mkulyk@optonline.net>
Message-ID: <4vfA9.4259$Vy4.4096@news4.srv.hcvlny.cv.net>
Source record: 37253
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package shrink wrap still on the box. Lifetime warranty.. Retail this card is about $160.

$90 shipped free CONUS

I also have some 3c509B-X pulls. $45 each also free shipping.

Mike WB2GLW

5544. REDUCED - Collins MM1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 22:57:49 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <hp13tuc8t1r3cig84uk0folg6lrtsc5drb@4ax.com>
Source record: 37254
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

Collins MM-1 microphone.

"Designed to fit your hand comfortably. Engineered for max voice
response, die- cast case finished in brushed satin chrome. A five-foot
length of Koiled Kord with mike plug is supplied."

The MM-1 has a frequency response from 200-10,000 cycles per second
and
has an output level of -48 db.
Excellent condition with the original Collins style plug.

Reduced to $150.00 plus shipping

5545. Re: FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-12 23:08:03 UTC
From: "D. Stussy" <kd6lvw@bde-arc.ampr.org>
Message-ID: <Pine.LNX.4.44.0211122307090.2416-100000@exp.bde-arc.ampr.org>
Source record: 37255
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

On Tue, 12 Nov 2002, Mike Kulyk wrote:
>I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package
>shrink wrap still on the box. Lifetime warranty.. Retail this card is about
>$160.
>
>$90 shipped free CONUS
>
>I also have some 3c509B-X pulls. $45 each also free shipping.
>
>Mike WB2GLW

What are you smoking? 3C509's around here are $5.00 items.

5546. Re: FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 00:22:43 UTC
From: Tony Hwang <dragon40@shaw.ca>
Message-ID: <3DD19B4D.4010202@shaw.ca>
Source record: 37257
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

D. Stussy wrote:
> On Tue, 12 Nov 2002, Mike Kulyk wrote:
>
>>I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package
>>shrink wrap still on the box. Lifetime warranty.. Retail this card is about
>>$160.
>>
>>$90 shipped free CONUS
>>
>>I also have some 3c509B-X pulls. $45 each also free shipping.
>>
>>Mike WB2GLW
>
>
> What are you smoking? 3C509's around here are $5.00 items.
>

Hi,
It could be special edition made with pure gold.
Tony, VE6CGX

5547. Re: Live internet ham radio broadcasts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 00:23:26 UTC
From: Bob Stevens <ganderatc@yahoo.ca>
Message-ID: <2YgA9.10622$nB.1540@sccrnsc03>
Source record: 37258
Cross-posted to: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

On Wednesday nights at 9 PM Eastern you can listen to the Southeastern
Linked Repeater Net at http://stoddard.homeip.net/SLRN/.

Bob

"Murray Neece" <radioranch@qth.com> wrote in message
news:3DCF1CE5.F28F0880@qth.com...
> http://www.3819khz.net/listen.htm
> Heres agood one...73Murray K5MDM
> has swapnets on weekends, dont know what they have rest of the time..its
> out of dallas..
>
> EDesign wrote:
>
> > Hi Fellows,
> > I am wondering if it is any live ham radio broadcasts on Web (etc. .ram
> > (RealAudio), .asx)
> > If you know any please share.
> > Thanks,
> > Edgar
> > 73
>

5548. Re: FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 00:28:45 UTC
From: "D. Stussy" <kd6lvw@bde-arc.ampr.org>
Message-ID: <Pine.LNX.4.44.0211130028040.2570-100000@exp.bde-arc.ampr.org>
Source record: 37259
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

On Wed, 13 Nov 2002, Tony Hwang wrote:
>D. Stussy wrote:
>> On Tue, 12 Nov 2002, Mike Kulyk wrote:
>>>I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package
>>>shrink wrap still on the box. Lifetime warranty.. Retail this card is about
>>>$160.
>>>
>>>$90 shipped free CONUS
>>>
>>>I also have some 3c509B-X pulls. $45 each also free shipping.
>>>
>>>Mike WB2GLW
>>
>>
>> What are you smoking? 3C509's around here are $5.00 items.
>>
>
>Hi,
>It could be special edition made with pure gold.
>Tony, VE6CGX

I doubt it. All versions - B's, C's, etc. - go for $5.00 here in Southern CA.

5549. W.T.B.BIRD DUAL LINE SECTION

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 00:41:26 UTC
From: galaxydoctor@aol.com
Message-ID: <20021112194126.28344.00005236@mb-fy.aol.com>
Source record: 37260

I AM LOOKING FOR BIRD DUAL LINE SECTION
E-MAIL ME AT GALAXYDOCTOR@AOL.COM
THANK YOU

5550. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 00:48:16 UTC
From: "Dee D. Flint" <dee.hays@sbcglobal.net>
Message-ID: <kjhA9.92$4j5.53786@newssvr28.news.prodigy.com>
Source record: 37256

"Pete KE9OA" <n.gianakopoulos@worldnet.att.net> wrote in message
news:O60A9.1372$vM1.106265@bgtnsc04-news.ops.worldnet.att.net...
> ... On another note.................a friend of mine won an auction for a
> microscope. He paid out 3000 dollars, and never received the item.

For this kind of money outlay, why didn't he insist on using the eBay escrow
option. I certainly wouldn't put that much at risk.

Dee Flint, N8UZE

5551. Kenwood TS-430S for $800 !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 01:24:47 UTC
From: foxyie@inwind.it
Message-ID: <zRhA9.125691$fa.2449326@twister.tampabay.rr.com>
Source record: 37261

What a joke!

See http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801102330

5552. Re: Kenwood TS-430S for $800 !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 01:39:25 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <z3iA9.2994$rC5.159@news-binary.blueyonder.co.uk>
Source record: 37262

<foxyie@inwind.it> wrote in message
news:zRhA9.125691$fa.2449326@twister.tampabay.rr.com...
> What a joke!
>
> See http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801102330
>
>
>

Your never know he may get lucky. There has been plenty of other ham &
non-ham, stuff going for twice a much as its worth, especially when you get
3 or 4 bidders that get carried away. I've seen Yaesu VX5s and FT817s going
for more than the new price.

Mind he is asking a lot, especially when he sounds like he knows nothing
about the TS430S, a one line description (he dont even say if it works), no
picture, zero feedback, and the very high reserve price. I guess he's new to
Ebay..

73 de G0MEM

5553. Icom IC-2410 Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 01:57:23 UTC
From: Brian E <none@bigcorp.com>
Message-ID: <XjiA9.8326$P71.2250907@newsfeed.slurp.net>
Source record: 37263
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf

I seek an Icom IC-2410 to be used as a parts radio. If you have a dead
'2410 and would be willing to part with it at a reasonable price please send
an e-mail to besche at sigecom dot net. Thanks!

5554. Re: FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 02:00:16 UTC
From: grenner <regencytr1@hotmail.com>
Message-ID: <3dd1b231$0$4477$a1866201@newsreader.visi.com>
Source record: 37264
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

I wish I knew your value, I have been throwing some away, I can hardly give them away

"Mike Kulyk" <mkulyk@optonline.net> wrote in message news:4vfA9.4259$Vy4.4096@news4.srv.hcvlny.cv.net...
> I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package
> shrink wrap still on the box. Lifetime warranty.. Retail this card is about
> $160.
>
> $90 shipped free CONUS
>
> I also have some 3c509B-X pulls. $45 each also free shipping.
>
> Mike WB2GLW
>
>

5555. Re: FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 03:05:35 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <3kjA9.3435$vM1.219448@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37265
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

"D. Stussy" <kd6lvw@bde-arc.ampr.org> wrote in message
news:Pine.LNX.4.44.0211122307090.2416-100000@exp.bde-arc.ampr.org...
> On Tue, 12 Nov 2002, Mike Kulyk wrote:
> >I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package
> >shrink wrap still on the box. Lifetime warranty.. Retail this card is about
> >$160.
> >
> >$90 shipped free CONUS
> >
> >I also have some 3c509B-X pulls. $45 each also free shipping.
> >
> >Mike WB2GLW
>
> What are you smoking? 3C509's around here are $5.00 items.

You can get $5 for them?
Maybe I shouldn't have tossed mine in the trash (along with the Intel
Ether Express 16 cards and NE1000 cards etc.)

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

5556. Last Day FA: Pro-2006 w/ S-meter and SCA Decoder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 03:10:03 UTC
From: dstanton@apk.net
Message-ID: <aqsfqb$l2l$2@plonk.apk.net>
Source record: 37266

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396369092

5557. Last Day FA: Grundig YB400 Shortwave Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 03:11:53 UTC
From: dstanton@apk.net
Message-ID: <aqsftp$l2l$8@plonk.apk.net>
Source record: 37267

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396352511

5558. Re: FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 03:23:13 UTC
From: "Mike G." <nospam@my.email.address>
Message-ID: <vsg3tush3sud0e7l7frfosks13uarkcijh@4ax.com>
Source record: 37268
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

On Wed, 13 Nov 2002 03:05:35 GMT, "Hank Oredson" <horedson@att.net> wrote:

>
>"D. Stussy" <kd6lvw@bde-arc.ampr.org> wrote in message
>news:Pine.LNX.4.44.0211122307090.2416-100000@exp.bde-arc.ampr.org...
>> On Tue, 12 Nov 2002, Mike Kulyk wrote:
>> >I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package
>> >shrink wrap still on the box. Lifetime warranty.. Retail this card is about
>> >$160.
>> >
>> >$90 shipped free CONUS
>> >
>> >I also have some 3c509B-X pulls. $45 each also free shipping.
>> >
>> >Mike WB2GLW
>>
>> What are you smoking? 3C509's around here are $5.00 items.
>
>
>You can get $5 for them?
>Maybe I shouldn't have tossed mine in the trash (along with the Intel
>Ether Express 16 cards and NE1000 cards etc.)

Ain't it the truth! Last weekend I bought 2 brand new 10/100 PCI NICs with
Wake-On-LAN (with the WOL cable!) at Fry's for $1.99 each! No rebate
needed, though there was a limit of 2. Now THERE'S something worth $5!

10Base-T cards? I thought there was a disposal fee required for each one
like your old tires.

5559. Re: Icom IC-2410 Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 03:55:16 UTC
From: Radioguy <radioactiveham@yahoo.com>
Message-ID: <E2kA9.892$Xh3.87600162@newssvr21.news.prodigy.com>
Source record: 37269
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf

"Brian E" <none@bigcorp.com> wrote in message
news:XjiA9.8326$P71.2250907@newsfeed.slurp.net...
> I seek an Icom IC-2410 to be used as a parts radio. If you have a dead
> '2410 and would be willing to part with it at a reasonable price please
send
> an e-mail to besche at sigecom dot net. Thanks!

Wouldn't have besche@sigecom.net worked better ???? :-)

>
>

5560. Re: FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 04:39:41 UTC
From: "rkstratton@cox.net" <rkstratton@cox.net>
Message-ID: <3DD1D7B6.2070102@cox.net>
Source record: 37270
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

Give me a break I required one last week for the OS2 machine I had to
build to test some ancient software with.

Mike Kulyk wrote:
> I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package
> shrink wrap still on the box. Lifetime warranty.. Retail this card is about
> $160.
>
> $90 shipped free CONUS
>
> I also have some 3c509B-X pulls. $45 each also free shipping.
>
> Mike WB2GLW
>
>

5561. Re: Kenwood TS-430S for $800 !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 06:12:27 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <iYIA9.27585$46.1823@fe01>
Source record: 37271

<foxyie@inwind.it> wrote in message
news:zRhA9.125691$fa.2449326@twister.tampabay.rr.com...
> What a joke!
>
> See http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801102330
>
>
>

Some CB'er will probably buy it...

73 de W6DKN

5562. Re: ADI 147 2m mobile problems??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 11:51:41 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <h1rA9.3869$vM1.263416@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37272

Hi Frank,
You are talking about De-Oxit, from Caig. Another good
product from them is Pro Gold. They are around 12 dollars and 17 dollars a
can, respectively. When the HP techs would check out the test equipment at
Motorola, they would use De-Oxit to clean the switches and controls.

Pete

5563. Re: ADI 147 2m mobile problems??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 11:53:44 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <c3rA9.3871$vM1.264271@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37273

Tri State carries it, in the Chicago area. They are on Northwest Highway,
in Des Plaines.

Pete

5564. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 12:02:59 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <TbrA9.3875$vM1.261158@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37274

He had dealt with the person that had this ID in the past, to the point of actually driving out to Naperville, Illinois and visiting this person. He had good past dealings with this person, but apparently, some fellow in Europe had stolen his ID. The best thing that eBay could have done would be to kill that ID, but who knows.....it seems that the real owner of that ID is still using it for his eBay sales.

Pete

5565. Re: Kenwood TS-430S for $800 !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 12:19:11 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <nrrA9.9928$rC5.3550@news-binary.blueyonder.co.uk>
Source record: 37275

>
> Some CB'er will probably buy it...
>
> 73 de W6DKN

Yeh then the CBer will probably come on hear asking about modifying it for 27MHz.

73 de G0MEM

5566. Re: Kenwood TS-430S for $800 !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 12:27:21 UTC
From: Carleton Ingerson <n1dxm@prexar.com>
Message-ID: <v7h4tus6bm79ofdjgm1u6kkqv2d9ck5124@4ax.com>
Source record: 37276

Hell! I have two of them I would sell for $800!! This guy is wacko!

On Tue, 12 Nov 2002 22:12:27 -0800, "W6DKN" <w6dkn-nospam-@qsl.net>
wrote:

><foxyie@inwind.it> wrote in message
>news:zRhA9.125691$fa.2449326@twister.tampabay.rr.com...
>> What a joke!
>>
>> See http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801102330
>>
>>
>>
>
>Some CB'er will probably buy it...
>
>73 de W6DKN
>
>

5567. Re: Kenwood TS 570D ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 12:35:38 UTC
From: Al W2JUV <robinsona@rl.af.mil>
Message-ID: <3dd242a7$1_2@corp.newsgroups.com>
Source record: 37277

Hank:

Most ham HF transceivers have substantial attenuation when tuned to
any frequency below 1600Khz. Apparently this is to protect the receiver
front end from possible strong local signals on the BCB.

Al, W2JUV

"Henry Kolesnik" <wd5jfr@oklahoma.net> wrote in message
news:ut0t8ot5c9tv00@corp.supernews.com...
> Has anyone tried to see how the TS-570 receives below 500 kHz? The
digital
> dial tunes all the way down to 30 kHz but the one I have is all but deaf.
I
> wonder if it needs a mod, pre-amp, or just doesn't have the circuitry?
> tnx
> hank wd5jfr
>
>

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

5568. Re: Kenwood TS 570D ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 14:15:00 UTC
From: mogens9181@aol.com
Message-ID: <20021113091500.27575.00000243@mb-mr.aol.com>
Source record: 37278

I have four local AM stations programmed into my 570's memory. Maybe there's just not that much activity below 500mhz?

5569. Re: KENWOOD TS-950-SDX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 14:17:43 UTC
From: mogens9181@aol.com
Message-ID: <20021113091743.27575.00000244@mb-mr.aol.com>
Source record: 37279

It's a fact engraved in stone. The seller is the only one that thinks an item is worth what he's asking.

5570. Re: Kenwood TS 570D ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 14:26:52 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <5jtA9.10956$rC5.8559@news-binary.blueyonder.co.uk>
Source record: 37280

"Al W2JUV" <robinsona@rl.af.mil> wrote in message
news:3dd242a7$1_2@corp.newsgroups.com...
> Hank:
>
> Most ham HF transceivers have substantial attenuation when tuned to
> any frequency below 1600Khz. Apparently this is to protect the receiver
> front end from possible strong local signals on the BCB.
>
> Al, W2JUV
>

I guess this is proved on the Yaesu FT817.

This is the quoted AM sensitivity from Yaesu:-

100 kHz-500 kHz not quoted
500 kHz-1.8 MHz 32 µV
1.8 MHz-28 MHz 2 µV

Although an FT817 tunes down to 100kHz its sensitivity rapidly rolls of at
about 600kHz. I can only just hear 'Radio 4', which is a very strong Long
Wave station round here on 198 kHz.

The same seams apply to most modern ham transceivers that I have used.

73 de G0MEM

5571. Re: Anyone have 73 Aug99 Issue?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 14:30:20 UTC
From: Eskay <Nospamve3jua@rac.ca>
Message-ID: <3DD261FC.3FFACA5D@rac.ca>
Source record: 37281
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Thanks to VE4K?? for the article it is great to get responses to requests made here.
73 de Sieb VE3JUA.

Eskay wrote:

> Please if anyone could send this I would like a copy too.
> VE3JUA,,,, sieb@uraxis.com
>
> Brent wrote:
>
> > I'm looking for the August 99 issue of 73. Actually the WA8TXT article about
> > a psk31 interface.
> > If anyone would scan it possible post to a web site or better yet email it
> > to me at n9bc-----@msn.com remove the ----'s from the address. I would be
> > greatly appreciated!
> >
> > Thanks
> > Brent N9BC

5572. KENWOOD 733 Mobile..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 15:18:22 UTC
From: GOOBER-south <bob@temp.com>
Message-ID: <8r15tuggtiacrbqbpthkoj8ss93m71t110@4ax.com>
Source record: 37282

I bought a Kenwood 733 Mobile years ago, and I remember it had a problem with the microphone PTT button going out. I had search before on deja and I found an article that had the appropriate part number from Digikey or someone in the article. I cannot seem to find it now, would anyone know of what the replacement part might be, or if someone could help me find it in a catalog. I'd like to get the dust off of it and start getting back into it, since i'm in a different area.

Any help would be appreciated..

KC5TPQ

5573. RE:SONY ICF2001 SCHEMATIC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 15:22:39 UTC
From: dg <daniele.guareschi@fastwebnet.it>
Message-ID: <B6uA9.10679$5a.91243@tornado.fastwebnet.it>
Source record: 37283

I NEED THE SCHEMATIC FOR SONY ICF-2001 (IS NOT ICF2001D OR 2010) THANK YOU
I2UJJ
daniele.guareschi@fastwebnet.it

5574. FS QRP Amplifier for FT-817 and other radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 15:29:18 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <iduA9.2568$Bh1.253499@newsread1.prod.itd.earthlink.net>
Source record: 37284

I have for sale a CTE International Solid State Mobile HF Power Amplifier, Model 757. It has a switch for AM/FM and SSB/CW and a switch for Class AB or Class C. I have used it on 40, 20, 17, and 10 meters. I get 100 watts output with 5 watts input. However, this amp has some problems. I get reports of distortion and noise on the signal. This would be a good project for a technical person, which I am not. I don't have the manual. You can see an amp similar to this one on the CTE WebPage at:
http://www.alan-uk.com/amps/amp_2.htm#s07009
The Model 777 looks almost identical to the Model 757, but the 777 runs more power.
I am asking $55 plus shipping from 79602. Thanks, Charlie Hugg, K5MBX

5575. Re: KENWOOD 733 Mobile..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 15:31:00 UTC
From: GOOBER-south <bob@temp.com>
Message-ID: <fm25tugkvsv09b0eaaht9p04sog522otuj@4ax.com>
Source record: 37285

nevermind... after sniffing around some more, i found the article..
nevermind! :)

KC5TPQ

On Wed, 13 Nov 2002 15:18:22 GMT, GOOBER-south <bob@temp.com> wrote:

>I bought a Kenwood 733 Mobile years ago, and I remember it had a
>problem with the microphone PTT button going out. I had search before
>on deja and I found an article that had the appropriate part number
>from Digikey or someone in the article. I cannot seem to find it now,
>would anyone know of what the replacement part might be, or if someone
>could help me find it in a catalog. I'd like to get the dust off of
>it and start getting back into it, since i'm in a different area.
>
>Any help would be appreciated..
>
>KC5TPQ

5576. FS:ALINCO DJ-X10T MINT!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 15:35:10 UTC
From: msdbm@aol.com
Message-ID: <20021113103510.08167.00000264@mb-cv.aol.com>
Source record: 37286

ALINCO DJ-X10T WIDE RANGE SCANNING RECEIVER

THIS RADIO IS IN ABSOLUTELY NEW CONDITION!
THREE MONTHS OLD AND NEVER OUT OF THE HOUSE
A HIGH QUALITY RADIO......ALL METAL CONSTRUCTION

MULTI-MODE RECEIVER WITH 1200 MEMORY CHANNELS
40 Channels in 30 Banks......DUAL VFO's
100 KHZ THROUGH 2 GHZ COVERAGE (cellular excluded)
WFM, NFM, AM, USB, LSB, and AM MODES
THREE LINE ALPHA-NUMERIC CHANNEL DESIGNATIONS
MULTI-FUNCTION CHANNEL SCOPE DISPLAY (spectrum analyzer)
MULTI-SCAN MODES
INTERNAL HELP FUNCTION
BEGINNER AND EXPERT OPERATING MODES
AUTO TIMER, ON/OFF, CLOCK
BACKLIT DISPLAY AND KEYS

THIS IS A GREAT RADIO FOR THE PROFESSIONAL OR BEGINNER
IT DOES IT ALL!
CHECK THE ALINCO WEB SITE FOR A DETAILED LIST OF ALL IT'S BELLS AND WHISTLES!

$250.00 Shipped anywhere in 48 states
JOE

5577. Re: KENWOOD TS-950-SDX

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 15:53:33 UTC
From: Jake <Jake@napster.com>
Message-ID: <1AuA9.39$uJ.15436@news2.east.cox.net>
Source record: 37287

That's the truth. And the buyer is the one who sets the value.

"Mogens9181" <mogens9181@aol.com> wrote in message
news:20021113091743.27575.00000244@mb-mr.aol.com...
> It's a fact engraved in stone. The seller is the only one that thinks an
item
> is worth what he's asking.

5578. Re: Kenwood TS-430S for $800 !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 15:55:57 UTC
From: Jake <Jake@napster.com>
Message-ID: <hCuA9.40$uJ.16886@news2.east.cox.net>
Source record: 37288

Lots of good laughs on E-bay. There are current production radios selling
on E-bay for more than a dealer such as AES of HRO will ship to your door.

<foxyie@inwind.it> wrote in message
news:zRhA9.125691$fa.2449326@twister.tampabay.rr.com...
> What a joke!
>
> See http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801102330
>
>
>

5579. Looking for Ham Radio Magazine March 1968

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 16:11:19 UTC
From: canyon <kloc@commspeed.net>
Message-ID: <1037204459.470453@news.commspeed.net>
Source record: 37289
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Hi Guys,

I am looking for an article in Ham Radio Magazine, March 1968.
The article is "Modifing the Yaesu FT-310 for 30 Meters"
I would be interested in the issue or a copy of the article.

Thank you very much,

WA4MNT

5580. Re: Kenwood TS 570D ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 16:39:14 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3DD28032.DE3705D5@sympatico.ca>
Source record: 37290

g0mem wrote:
>
> "Al W2JUV" <robinsona@rl.af.mil> wrote in message
> news:3dd242a7$1_2@corp.newsgroups.com...
> > Hank:
> >
> > Most ham HF transceivers have substantial attenuation when tuned to
> > any frequency below 1600Khz. Apparently this is to protect the receiver
> > front end from possible strong local signals on the BCB.
> >
> > Al, W2JUV
> >
>
> I guess this is proved on the Yaesu FT817.
>
> This is the quoted AM sensitivity from Yaesu:-
>
> 100 kHz-500 kHz not quoted
> 500 kHz-1.8 MHz 32 ï¿½V
> 1.8 MHz-28 MHz 2 ï¿½V
>
> Although an FT817 tunes down to 100kHz its sensitivity rapidly rolls of at
> about 600kHz. I can only just hear 'Radio 4', which is a very strong Long
> Wave station round here on 198 kHz.
>
> The same seams apply to most modern ham transceivers that I have used.
>
> 73 de G0MEM

On a good evening, which is far from being every night, I can hear Radio 4 on 198 kHz with an 18 foot whip on my R-5000, HF-150, TS-450 and TS-570; a long wire is even better - it is not comfortable armchair copy, but it is often readable. Some other longwave stations even further away are much easier catches. I'm much further away that you are at 45N 75W. When I visit the East Coast of North America the signals are noticeably stronger and I can even listen to it on my DX-398 with a few feet of wire thrown into a tree.

A friend of mine who spent some time on an island in the Gulf of St. Lawrence last summer was able to hear it, and many other European LW stations, around the clock with a wire lying on the beach.

The FT817 must be really rolled off.

Dave

5581. Re: Kenwood TS 570D ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 16:53:50 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <SsvA9.12498$rC5.11578@news-binary.blueyonder.co.uk>
Source record: 37291

> > 100 kHz-500 kHz not quoted
> > 500 kHz-1.8 MHz 32 ?V
> > 1.8 MHz-28 MHz 2 ?V

>

>
> The FT817 must be really rolled off.
>
> Dave

It must be, which is why Yaesu dont quote a sensitivity below 500kHz. Below 200kHz the 817 is almost silent, virtually no background noise. I guess its sensitivity at 200 kHz or so is probably 1 VOLT!

Radio 4 round here is quite strong, I can hear it quite loud on a crystal set with 1 meter of wire as an antenna.

5582. RE:SONY ICF2001 SCHEMATIC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 17:15:57 UTC
From: Mat Nieuwenhoven <mnieuw@dontincludethis.zap.a2000.nl>
Message-ID: <zavrhjqbagvapyhqrguvfmncnay.h5jfad0.pminews@news.ams.chello.nl>
Source record: 37292

Hi,

try www.agtannenbaum.com

regards, Mat PA0MNU

On Wed, 13 Nov 2002 16:22:39 +0100, dg wrote:

>I NEED THE SCHEMATIC FOR SONY ICF-2001 (IS NOT ICF2001D OR 2010) THANK YOU
>I2UJJ
>daniele.guareschi@fastwebnet.it
>
>

5583. Re: FS QRP Amplifier for FT-817 and other radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 17:29:38 UTC
From: Dale Parfitt <parinc@verizon.net>
Message-ID: <3DD28C82.E330F891@verizon.net>
Source record: 37293

Charles Hugg wrote:

> I have for sale a CTE International Solid State Mobile HF Power Amplifier,
> Model 757. It has a switch for AM/FM and SSB/CW and a switch for Class AB or
> Class C. I have used it on 40, 20, 17, and 10 meters. I get 100 watts output
> with 5 watts input. However, this amp has some problems. I get reports of
> distortion and noise on the signal. This would be a good project for a
> technical person, which I am not. I don't have the manual. You can see an
> amp similar to this one on the CTE WebPage at:
> http://www.alan-uk.com/amps/amp_2.htm#s07009
> The Model 777 looks almost identical to the Model 757, but the 777 runs more
> power.
> I am asking $55 plus shipping from 79602. Thanks, Charlie Hugg, K5MBX

What kind of a scheme do you use to switch LPF or bandpass filters on the
output?

Dale W4OP

5584. Re: Looking for Ham Radio Magazine March 1968

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 19:22:40 UTC
From: dinoal7lz@aol.com
Message-ID: <20021113142240.06600.00000455@mb-fi.aol.com>
Source record: 37294

I looked all thru my copy of the March 1968 issue of HR and can't find anything like that....are you sure of the date?

Dino KLï¿½S/4

5585. Wanted: Ameco PS-1 Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 20:53:18 UTC
From: jldaly_73@yahoo.com
Message-ID: <52a1b0c2.0211131253.552a4777@posting.google.com>
Source record: 37295

Hi all, I am looking for an Ameco PS-1 power supply to run a CB-6 converter. If you have a reasonably priced (& working unit) one available please contact me ...

5586. Re: FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 21:37:41 UTC
From: "D. Stussy" <kd6lvw@bde-arc.ampr.org>
Message-ID: <Pine.LNX.4.44.0211132136170.6323-100000@exp.bde-arc.ampr.org>
Source record: 37296
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

On Wed, 13 Nov 2002, Mike G. wrote:
>On Wed, 13 Nov 2002 03:05:35 GMT, "Hank Oredson" <horedson@att.net> wrote:
>>"D. Stussy" <kd6lvw@bde-arc.ampr.org> wrote in message
>>news:Pine.LNX.4.44.0211122307090.2416-100000@exp.bde-arc.ampr.org...
>>> On Tue, 12 Nov 2002, Mike Kulyk wrote:
>>> >I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package
>>> >shrink wrap still on the box. Lifetime warranty.. Retail this card is about
>>> >$160.
>>> >
>>> >$90 shipped free CONUS
>>> >
>>> >I also have some 3c509B-X pulls. $45 each also free shipping.
>>> >
>>> >Mike WB2GLW
>>>
>>> What are you smoking? 3C509's around here are $5.00 items.
>>
>>
>>You can get $5 for them?
>>Maybe I shouldn't have tossed mine in the trash (along with the Intel
>>Ether Express 16 cards and NE1000 cards etc.)
>
>Ain't it the truth! Last weekend I bought 2 brand new 10/100 PCI NICs with
>Wake-On-LAN (with the WOL cable!) at Fry's for $1.99 each! No rebate
>needed, though there was a limit of 2. Now THERE'S something worth $5!
>
>10Base-T cards? I thought there was a disposal fee required for each one
>like your old tires.

In Southern California, it hasn't come to that yet. There's still plenty of older, ISA-bus based computers in operation.... However, I admit that the $5.00 price is a bit old - as of the last time I bought any. They may have fallen to $1.00 each by now, but aren't completely worthless. Most NE2000 and other cards are worthless, but for some reason, the 3COM's are preferred.

5587. FS: Yaesu FT-3000M 2-meter mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 22:23:39 UTC
From: n2rll@aol.com
Message-ID: <20021113172339.13975.00000020@mb-cj.aol.com>
Source record: 37297

Mint condition FT3000M, 70-watt 2-meter mobile with bracket, mike, power cord and manual. Will ship three-day delivery for $150 postal money order. This rig works perfectly, no scracthes, mods or otherwise.
Please send emails to me at N2RLL@aol.com. Thank you.
Harold, N2RLL

5588. FS: MFJ-6-meter SSB Rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 22:26:26 UTC
From: n2rll@aol.com
Message-ID: <20021113172626.13975.00000021@mb-cj.aol.com>
Source record: 37198

Mint, 6-meter "Adventure Radio" as MFJ calls it. This is their MFJ-9406. It's mint condtion, with mike and manual. $150 includes three-day shipping. Postal money order only, please.
If interested, please contact me at N2RLL@aol.com. Thank you.
Harold, N2RLL

5589. FS: Astron SS-30M Switching Pwr Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 22:28:24 UTC
From: n2rll@aol.com
Message-ID: <20021113172824.13975.00000022@mb-cj.aol.com>
Source record: 37199

Mint Astron switching power supply; has two large analog type meters. Includes power cord and manual. Works perfectly, mint condition. $100 postal money order only, please. I will ship three-day at no extra charge. Contact me at N2RLL@aol.com.
Thank you,
Harold, N2RLL

5590. Any sailers online??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-13 23:19:54 UTC
From: Dave Edwards <kd2e@comcast.net>
Message-ID: <ZG-dnZgA79nTQ0-gXTWcpA@comcast.com>
Source record: 37200
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hey Folks... Say, any hams on the newsgroup that also sail??
I am not into it, but a friend querried me on the subject of receiving
weather Fax while
sailing. I told him I no little about it, but would look into it.
How is it done, and what kind of equipment is required?
I told him it was either wide-band FM aroun 136 Mhz direct off a satellite,
or
land based wefax info off the hf bands.
Can anyone set me straight on the subject?
I sure could use some enlightenment.
Regards....Dave KD2E

5591. FS Shure 522 Mics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 00:22:19 UTC
From: Bill <k5ofy@yahoo.com>
Message-ID: <aquqfo$dn9ac$2@ID-44314.news.dfncis.de>
Source record: 37201

I have 4 of these Microphones for sale. New, they have never been used but I do
not have the boxes for them. Will sell them for $75ea. This Web Site has the information on these Microphones:

http://www.shure.com/microphones/models/522.asp

If interested Email me at k5ofy@arrl.net

---

522 Desktop Microphone, Cardioid Dynamic, High or Low Impedance, Noise Cancelling, Push-to-Talk Switch $143.52 New.

522 Desktop Microphone, Cardioid Dynamic, Tailored Response, 40 Hz to 10 kHz

The Model 522 is a dynamic base station microphone designed especially for radio communications, paging, and dispatching systems. Its cardioid (unidirectional) pickup pattern suppresses unwanted background noise -- the type of noise generated by other dispatchers working nearby, by ventilating equipment, or by office machines in the same area. It also eliminates or reduces feedback in public address paging applications.

Features:
Dual impedance(19 to 300 ohms or High)
Impedance change switch for convenient change-over
Finger-tip control bar (locking or non-locking action) to actuate
microphone circuit and an external relay or control circuit
Long-life switch to satisfy rigorous requirements of communications and
paging systems
Sturdy, high impact ARMO-DUR® base and microphone case
Adjustable microphone height
Dependability -- under all operating conditions

Bill k5ofy@arrl.net

5592. FS: Vintage Packet Books by K4ABT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 00:37:07 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <TeCA9.3900$X5.218723@news1.east.cox.net>
Source record: 37202
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

1. Glossary of Packet Terms And Definitions, by Buck Rogers, K4ABT. Soft Cover, approximately 50 pages, published by Kantronics Press in 1988. 1st edition, 1st printing, VGC. $7.00 postage paid to CONUS.

2. RS-232 as related to PACKET, by Buck Rogers, K4ABT. Soft Cover, approximately 50 pages, published by Kantronics Press in 1989.1st edition, 1st printing, VGC. $7.00 postage paid to CONUS.

3. Advanced Packet by Buck Rogers, K4ABT, Soft Cover, approximately 50 pages, published by Kantronics Press in 1988. 1st edition, 1st printing, VGC. $7.00 postage paid to CONUS.

Terms: I will ship upon receipt of payment. Contact me if you need additional info.

Larry Keith, KQ4BY
Warner Robins, GA

GA_BONEYARD$@$HOTMAIL$.COM$

remove the $ to use the e-mail address

5593. Re: Any sailers online??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 00:49:13 UTC
From: gaschafer@attbi.com
Message-ID: <3dd2f352.38082182@netnews.attbi.com>
Source record: 37203
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Try this news group.

rec.boats.electronics

73
Gary K4FMX

On Wed, 13 Nov 2002 18:19:54 -0500, "Dave Edwards" <kd2e@comcast.net>
wrote:

>Hey Folks... Say, any hams on the newsgroup that also sail??
>I am not into it, but a friend querried me on the subject of receiving
>weather Fax while
>sailing. I told him I no little about it, but would look into it.
>How is it done, and what kind of equipment is required?
>I told him it was either wide-band FM aroun 136 Mhz direct off a satellite,
>or
>land based wefax info off the hf bands.
>Can anyone set me straight on the subject?
>I sure could use some enlightenment.
>Regards....Dave KD2E
>
>

5594. Re: Looking for Ham Radio Magazine March 1968

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 01:57:20 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns92C5B6E3DB8Frog207Junocom@148.78.248.76>
Source record: 37204

> I looked all thru my copy of the March 1968 issue of HR and can't find
> anything like that....are you sure of the date?
>
> Dino KL�S/4

And while on the subject of errors, did he mean FT 301 instead of FT 310?

Ed

5595. FS icom 821H dual band all mode w/ut84

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 02:19:55 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <MJDA9.14014$3j6.416512@twister.kc.rr.com>
Source record: 37205
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a nice looking and working icom 821 dual band satellite all mode
with ut84 tone board installed.
One light needs to be replaced.
All other lights work.
Comes with original box manual mic and power cord.
Comes from a smoke free home.
E-mail for picture.
$725 shipped ups insured u.s only
Or make me a offer.
Or i will trade for a icom 706mk2G with all the came with it from the store
as new.

5596. Re: FS QRP Amplifier for FT-817 and other radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 03:58:41 UTC
From: Max Donoghue <ve3tmt@cogeco.ca>
Message-ID: <phFA9.14585$lj.379916@read1.cgocable.net>
Source record: 37206

> What kind of a scheme do you use to switch LPF or bandpass filters on the
> output?
>
> Dale W4OP

The receive preamp switch is a dead giveaway. I didn't think CB amps used filters!!

5597. Re: Kenwood TS 570D ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 04:07:48 UTC
From: Henry Kolesnik <wd5jfr@oklahoma.net>
Message-ID: <ut68cnhogbsg92@corp.supernews.com>
Source record: 37207

After I was pointed to the directions I moved the BC ATT jumper from NORM to DX, Now the TS 570 picks up my Tek 191 sig gen on 50kHz with an S 5 whereas before you could barely hear it and there was no S meter indication. I also hear quite a few beacons where before it was totlally deaf.
tnx
hank wd5jfr
"g0mem" <isembardbinladen@hotmail.com> wrote in message news:SsvA9.12498$rC5.11578@news-binary.blueyonder.co.uk...
>
> > > 100 kHz-500 kHz not quoted
> > > 500 kHz-1.8 MHz 32 V
> > > 1.8 MHz-28 MHz 2 V
>
> >
>
> >
> > The FT817 must be really rolled off.
> >
> > Dave
>
> It must be, which is why Yaesu dont quote a sensitivity below 500kHz. Below
> 200kHz the 817 is almost silent, virtually no background noise. I guess its
> sensitivity at 200 kHz or so is probably 1 VOLT!
>
> Radio 4 round here is quite strong, I can hear it quite loud on a crystal
> set with 1 meter of wire as an antenna.
>
>

5598. Re: Look for Icom IC-R9000 receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 05:30:34 UTC
From: "K.chattenton" <k.chattenton@btopenwold.com>
Message-ID: <aqvcdpmou1@knossos.btinternet.com>
Source record: 37208

HI Bob,
"B. Dashoff" <dash@dslextreme.com> wrote in message
news:3DD0A709.2030708@dslextreme.com...
> If you have one for sale please email,
>
> Thanks,
>
> Bob...
>

"Martin Lynch & Son" have them new for sale in the UK.

Tel (UK) 0208-566-1120.
WEB site, www.hamradio.co.uk .....Hope this helps Bob, cheers and good luck, Ken, G4KIR.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.410 / Virus Database: 231 - Release Date: 31/10/2002

5599. Need help in removing Icom FL52A filter.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 05:50:01 UTC
From: Michael Herron <Hurricane145@worldnet.att.net>
Message-ID: <dQGA9.12644$hK4.1184437@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37209

I put it in a 751A too many years ago! Don't remember if it snaps in or is just a tight fit. Do you need to get to the bottom of the pcb to release it?? I don't want to mess with it till Iam sure how it comes out. Any assistance much appreciated! Mike, K7MH.

5600. Re: FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 07:21:31 UTC
From: j-winters <j-winters@attbi.com>
Message-ID: <%9IA9.25504$ME6.15088@rwcrnsc53>
Source record: 37210
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

I sold three of these on ebay with a hub for $20.00 and I thought I was doing good.

"Mike Kulyk" <mkulyk@optonline.net> wrote in message news:4vfA9.4259$Vy4.4096@news4.srv.hcvlny.cv.net...
> I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package
> shrink wrap still on the box. Lifetime warranty.. Retail this card is about
> $160.
>
> $90 shipped free CONUS
>
> I also have some 3c509B-X pulls. $45 each also free shipping.
>
> Mike WB2GLW
>
>

5601. 4CX250 Mod for FT101?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 08:05:01 UTC
From: Dave Bullock <DaveB@ihr.mrc.ac.uk>
Message-ID: <3DD3592D.3040007@ihr.mrc.ac.uk>
Source record: 37211

Homebrewers, here's a good question.....

The FT-101 "probably the most modified Ham bands radio ever"
or so the saying goes.
The 6JS6C probably the most sought after tube for this radio!
I have seen lots of modification info to convert to 6146B's etc
but I would have thought that another of the radio classics..... the
4CX150 or (250) would have been a more suitabe choice.

Readily available, (10-a-penny) at junk sales, even ones that are tired
of UHF would probably work on DC ......sorry HF)!
Unbreakable, (in this application) only being asked to produce 100W they
can dissipate 250W!
Junking all thet parallel wiring would probably remove the need for
neutralisation too!

As the new owner of an FT-101 in need of O/P bottles, do any of you know
what is the problem, converting the set to a single 4CX250?
(There must be something I missed)!

Thanks ...Dave

--
* * * * * * * * * * * * * * * * * * * *
* Dave Bullock *
* MRC Institute of Hearing Research *
* Nottingham University *
* Nottingham *
* NG7 2RD *
* *
* daveb@ihr.mrc.ac.uk *
* * * * * * * * * * * * * * * * * * * *

5602. UPD 650C IC for Multi 750A 2m

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 09:26:47 UTC
From: xrenfredm@xtra.co.nz
Message-ID: <3dd36bf6.3270551@news.xtra.co.nz>
Source record: 37212

Hi gang. Wondered if anyone had a junked rig or knew where I could
obtain this IC. It is the main controller IC in the rig. Any help
greatly appreciated. Cheers, Renfred ZL1BDL.
Remove (X) from xrenfred for correct email address...thanks.

5603. Re: 4CX250 Mod for FT101?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 10:43:10 UTC
From: dj <dalej2@mac.remove.this.com>
Message-ID: <dalej2-1BEE55.04431014112002@hermes-ge0.rdc-kc.rr.com>
Source record: 37213

In article <3DD3592D.3040007@ihr.mrc.ac.uk>,
Dave Bullock <DaveB@ihr.mrc.ac.uk> wrote:

> Homebrewers, here's a good question.....
>
> The FT-101 "probably the most modified Ham bands radio ever"
> or so the saying goes.
> The 6JS6C probably the most sought after tube for this radio!
> I have seen lots of modification info to convert to 6146B's etc
> but I would have thought that another of the radio classics..... the
> 4CX150 or (250) would have been a more suitabe choice.
>
> Readily available, (10-a-penny) at junk sales, even ones that are tired
> of UHF would probably work on DC ......sorry HF)!
> Unbreakable, (in this application) only being asked to produce 100W they
> can dissipate 250W!
> Junking all thet parallel wiring would probably remove the need for
> neutralisation too!
>
> As the new owner of an FT-101 in need of O/P bottles, do any of you know
> what is the problem, converting the set to a single 4CX250?
> (There must be something I missed)!
>
> Thanks ...Dave

Your gonna need airflow thru the tube otherwise it will burn up even
just with the filaments on.
good luck
dj

5604. Restored SX-42 at auction

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 12:03:00 UTC
From: Paul G <radioactive390a@attbi.com>
Message-ID: <UhMA9.19001$NH2.1434@sccrnsc01>
Source record: 37214
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801393659

5605. Re: FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 12:10:17 UTC
From: Mike Kulyk <mkulyk@optonline.net>
Message-ID: <JoMA9.33365$Vy4.23115@news4.srv.hcvlny.cv.net>
Source record: 37215
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

Sorry Gentleman

I sold them all and I got my price.
"Mike Kulyk" <mkulyk@optonline.net> wrote in message
news:4vfA9.4259$Vy4.4096@news4.srv.hcvlny.cv.net...
> I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package
> shrink wrap still on the box. Lifetime warranty.. Retail this card is
about
> $160.
>
> $90 shipped free CONUS
>
> I also have some 3c509B-X pulls. $45 each also free shipping.
>
> Mike WB2GLW
>
>

5606. Re: Looking for Ham Radio Magazine March 1968

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 13:23:39 UTC
From: Bob Liesenfeld <robert.liesenfeld@neicoltech.org>
Message-ID: <3DD3A3DB.90E48132@neicoltech.org>
Source record: 37216
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

canyon wrote:

> Hi Guys,
>
> I am looking for an article in Ham Radio Magazine, March 1968.
> The article is "Modifing the Yaesu FT-310 for 30 Meters"
> I would be interested in the issue or a copy of the article.

Canyon,
I have the complete set of Ham Radio on CDs and do not see an
article with this title in any issue. Also, I don't think we had 30
meters back in 1968. Did you mean QST or perhaps 73 and a different
year?

Bob L. WB0POQ

5607. Need Schematic for NEC SSB Linear Amplifier Model CQ-301

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 14:40:14 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <iBOA9.7690$XF5.1218477@news2.west.cox.net>
Source record: 37217

This is on behalf of a DX friend Andy PA3EYZ
E-Mail him at
Nico <nhuisman@chello.nl>

E-Mail me also so I know his request has been met
ac6v@amsat.org

Thanks

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com

5608. Re: 4CX250 Mod for FT101?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 15:38:03 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <ar0g7p$1o9$1@slb4.atl.mindspring.net>
Source record: 37218

The screen voltage is critical in AB1, AB2 configuration. They are easly
overdriven and prone to flat topping.

I base this on experience (mostly bad) with them at 144mhz years ago.

Dan/W4NTI

"dj" <dalej2@mac.remove.this.com> wrote in message
news:dalej2-1BEE55.04431014112002@hermes-ge0.rdc-kc.rr.com...
> In article <3DD3592D.3040007@ihr.mrc.ac.uk>,
> Dave Bullock <DaveB@ihr.mrc.ac.uk> wrote:
>
> > Homebrewers, here's a good question.....
> >
> > The FT-101 "probably the most modified Ham bands radio ever"
> > or so the saying goes.
> > The 6JS6C probably the most sought after tube for this radio!
> > I have seen lots of modification info to convert to 6146B's etc
> > but I would have thought that another of the radio classics..... the
> > 4CX150 or (250) would have been a more suitabe choice.
> >
> > Readily available, (10-a-penny) at junk sales, even ones that are tired
> > of UHF would probably work on DC ......sorry HF)!
> > Unbreakable, (in this application) only being asked to produce 100W they
> > can dissipate 250W!
> > Junking all thet parallel wiring would probably remove the need for
> > neutralisation too!
> >
> > As the new owner of an FT-101 in need of O/P bottles, do any of you know
> > what is the problem, converting the set to a single 4CX250?
> > (There must be something I missed)!
> >
> > Thanks ...Dave
>
> Your gonna need airflow thru the tube otherwise it will burn up even
> just with the filaments on.
> good luck
> dj

5609. Re: Problems with Yeasu MD-100 and ICOM IC-745

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 15:57:31 UTC
From: Mike Coslo <mjc5@psu.edu>
Message-ID: <3DD3C7EB.4020102@psu.edu>
Source record: 37219

I have an IC745, and you are correct, Dan. There are also likely to be problems with the levels of the mic.

- Mike KB3EIA -

Dan/W4NTI wrote:
> I believe that would be correct Alex. I know the older ICOM's had to have a
> mic designed for that radio. Since I never have used a ICOM HF setup I am
> going by what I have heard on the air.
>
<snip>

5610. FS: Motorola RIB OEM & cables.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 16:03:36 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <sPPA9.12981$hK4.1227755@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37220
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

1-RLN-4008B RIB box. w/power supply. $225.00
1-OEM Maxtrac/Radius programming cable. $65.00
1-HT1000/MT2000/MTS2000 prog. cable. $45.00
1-GP300/P100 programming cable. $40.00
1-MT1000/HT600/P200 prog. cable. $40.00
1-NTN-5560C P50-MT1000 speaker mic adapter. $10.00
1-MT1000/P200/HT600 belt clip 4205477U08 $5.00

Everything above is must sell so if interested, please email direct.
thnx

5611. Re: Looking for Ham Radio Magazine March 1968

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 17:02:21 UTC
From: "Ken Knox (N1JRO)" <knox_k@midmaine.com.invalid>
Message-ID: <jnl7tuc6cfbpnjvkf8dfjcs7njfme27kh8@4ax.com>
Source record: 37221
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Thu, 14 Nov 2002 07:23:39 -0600, Bob Liesenfeld
<robert.liesenfeld@neicoltech.org> wrote:

>
>
>canyon wrote:
>
>> Hi Guys,
>>
>> I am looking for an article in Ham Radio Magazine, March 1968.
>> The article is "Modifing the Yaesu FT-310 for 30 Meters"
>> I would be interested in the issue or a copy of the article.
>
> Canyon,
> I have the complete set of Ham Radio on CDs and do not see an
>article with this title in any issue. Also, I don't think we had 30
>meters back in 1968. Did you mean QST or perhaps 73 and a different
>year?
>

He made a typo...it is in the march 1986 issue.

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

5612. FA: Mini-UHF for Proflex cheap $8.00 for 15!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 18:22:16 UTC
From: US Patriot <nospam@tome.com>
Message-ID: <sRRA9.13221$hK4.1236853@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37222
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

15-RF Industries mini-UHF connectors for proflex new in packaging. Great deal.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801841232&ssPageName=ADME:B:LC:US:1

5613. FA: Almost MINT Icom IC-2AT w/BC-30 Charger at a big $30 :-(

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 19:42:14 UTC
From: rlucch2098@aol.com
Message-ID: <20021114144214.16751.00000928@mb-fc.aol.com>
Source record: 37223

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676249

5614. FA:JOHNSON TURNS COUNTER>COMPLETE- LIKE NEW-hard to find!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 19:43:57 UTC
From: rlucch2098@aol.com
Message-ID: <20021114144357.16751.00000929@mb-fc.aol.com>
Source record: 37224

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676246

5615. FA: EIGHT(8) "VECTOR" EXTENSION TUBE SOCKETS>>> NEW!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 19:45:18 UTC
From: rlucch2098@aol.com
Message-ID: <20021114144518.16751.00000932@mb-fc.aol.com>
Source record: 37225

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676243

5616. fa>>DAIWA CN-540 SWR/WATT-METER 50-150mhz@a big $19

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 19:46:34 UTC
From: rlucch2098@aol.com
Message-ID: <20021114144634.16751.00000934@mb-fc.aol.com>
Source record: 37226

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676233

5617. Fa-HEATHKIT IG-28 COLOR DOT/BAR GENERATOR w/MANUAL $9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 19:48:16 UTC
From: rlucch2098@aol.com
Message-ID: <20021114144816.16751.00000937@mb-fc.aol.com>
Source record: 37227

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676230

5618. FA>>->HITACHI KH-1170H PORTABLE SW/AM/FM/PSB RADIO $24

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 19:49:29 UTC
From: rlucch2098@aol.com
Message-ID: <20021114144929.16751.00000938@mb-fc.aol.com>
Source record: 37228

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676215

5619. FA: Very RARE>CENTRAL ELECTRONICS model DQ Q-MULTIPLIER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 19:50:53 UTC
From: rlucch2098@aol.com
Message-ID: <20021114145053.16751.00000942@mb-fc.aol.com>
Source record: 37229

Many nice, clear pictures!
At a big $19
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676211

5620. fa>U.S. ARMY SIGNAL CORPS FL-5-C RADIO FILTER No Bids@9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 19:52:13 UTC
From: rlucch2098@aol.com
Message-ID: <20021114145213.16751.00000943@mb-fc.aol.com>
Source record: 37230

Many nice, clear pictures!
At a big $9.99 with no bids :-(
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396672009

5621. HF recieving antenna recommendations for Kenwood TH-F6A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 20:28:19 UTC
From: axinar@one.net
Message-ID: <c45d35a2.0211141228.6db3c6f7@posting.google.com>
Source record: 37231

Say ... does anyone have any suggestions for a recieving antenna for the Kenwood TH-F6A?

Despite the various reviews, the reciever is not all that bad ... I have had pretty decent results on HF recieve with the Miracle Whip antenna.

In fact I often get better signal strength (not to mention quality) with the TH-F6A / Miracle Whip stack than I get with the Sony 2010 with it's built-in Whip.

Of course that right angle connector on the Miracle Whip was built for a Yaesu FT-817 and, all in all, the PHYSICAL configuration is an accident waiting to happen (there is so much leverage from the antenna that one false move and the RADIO may go flying across the room) ... then there's the issue of the adapter at that angle.

Anyone have any recommendations on good recieve antennas for the TH-F6A?

Thanks!

Ax

5622. ALERT!! Never donate your old gear because.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 20:33:32 UTC
From: falster762@aol.com
Message-ID: <20021114153332.16829.00000762@mb-fc.aol.com>
Source record: 37232

Like every other non profit organization in this country for cars, houses, radio gear & who knows what other stuff, it gets lost or never ever does any good to the few that need help or gear.
They get sold on Ebay, QTH.com, Eham, etc!
Money goes in the pocket of the scan-running non profit org.
Here is how you can help>>
Sell it your self then actually find a youngster in your own area could could use the money for newer gear or just give the youngsters the gear instead of selling.
Why make some sweet talking scam artist collect enough money to buy new cars, etc!
Ask me how I know?
I donated a bunch of gear, only to see WB2JKJ from Radio Club of JHS 22, sell it on QRZ.com, Eham & QTH.com.
When I asked him, I never got any reply, Duh!
I could have done that!!!!!!!!!!
Be Smart, Don't donate ZIPPO!
Brian

5623. Re: Kenwood TS-430S for $800 !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 21:22:11 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <7uUA9.13536$hK4.1251218@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37233

I have a 930SAT you can have for half that price :-)

--

... Hank

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

<foxyie@inwind.it> wrote in message
news:zRhA9.125691$fa.2449326@twister.tampabay.rr.com...
> What a joke!
>
> See http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801102330
>
>
>

5624. Re: Need help in removing Icom FL52A filter.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 21:44:13 UTC
From: Gary Fiber <g.fiber@verizon.net>
Message-ID: <NOUA9.19645$4N1.5345@nwrddc04.gnilink.net>
Source record: 37234

Michael Herron wrote:

> I put it in a 751A too many years ago! Don't remember if it snaps in or is
> just a tight fit. Do you need to get to the bottom of the pcb to release
> it?? I don't want to mess with it till Iam sure how it comes out. Any
> assistance much appreciated! Mike, K7MH.

Original factory installed filters used the nuts to keep the filter in place during assembly. I seem to remember the FL-52A was an original equipment factory installed filter and it is likely attached using the nuts on the bottom of the filter. This means you will need to lift the main unit to remove the filter.

The FL-52A came with nuts that were on the mounting studs. As an aftermarket filter, the user was supposed to remove the nuts, slip the FL-52A into the clip and throw away the nuts. Some however did lift the main unit and install the nuts to hold the filter in place. I wonder if you might have done that if you installed the filter ?

Gary K8IZ

5625. Re: FS IRLP NIC Cards

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 21:59:30 UTC
From: "Mike G." <nospam@my.email.address>
Message-ID: <a478tucc8vmqc069opcnbeof0he8203l7p@4ax.com>
Source record: 37235
Cross-posted to: rec.radio.amateur.misc,rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

Wow, if you can do that, I have a bridge you can sell too!

On Thu, 14 Nov 2002 12:10:17 GMT, "Mike Kulyk" <mkulyk@optonline.net>
wrote:

>Sorry Gentleman
>
>I sold them all and I got my price.
>"Mike Kulyk" <mkulyk@optonline.net> wrote in message
>news:4vfA9.4259$Vy4.4096@news4.srv.hcvlny.cv.net...
>> I have one new 3COM 3c509B combo NIC card 10 mbs ISA new in the package
>> shrink wrap still on the box. Lifetime warranty.. Retail this card is
>about
>> $160.
>>
>> $90 shipped free CONUS
>>
>> I also have some 3c509B-X pulls. $45 each also free shipping.
>>
>> Mike WB2GLW
>>
>>
>

5626. FT 817 Price Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 22:01:49 UTC
From: KC0EH <okiemansc@yahoo.com>
Message-ID: <h3VA9.678$pi7.92514@newsread2.prod.itd.earthlink.net>
Source record: 37236
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Thinking of Christmas and I wonder who has the best price on a new Yaesu
FT-817.
Please reply direct.
Thanks,
...Charlie...KC0EH...

5627. TS-450 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-14 23:23:42 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <ar1ba00p27@enews1.newsguy.com>
Source record: 37241

I have a TS-450S/AT on the way. Can someone provided a list or web address where I can find the part numbers for the various filters, etc that are available for this rig? Also, are the 8MHz filters better that the 455KHz filters? Or vice-versa? Thanks,

Kevin, K9HX

5628. WTB: Icom YF-110C Xtal filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 00:07:49 UTC
From: Bibby <bibby@attbi.com>
Message-ID: <pVWA9.24356$NH2.1791@sccrnsc01>
Source record: 37237

I am interested in either the YF-110C or the YF-110CN filter for an FRG-100.

Malcolm

5629. Re: Icom YF-110C Xtal filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 00:14:50 UTC
From: Bibby <bibby@attbi.com>
Message-ID: <_%WA9.32098$nB.2496@sccrnsc03>
Source record: 37238

Correction, I should have said Yaesu!

Malcolm

"Bibby" <bibby@attbi.com> wrote in message
news:pVWA9.24356$NH2.1791@sccrnsc01...
> I am interested in either the YF-110C or the YF-110CN filter for an
FRG-100.
>
> Malcolm
>
>

5630. FA>>Last day: Ham 2 meter base/mobile amp.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 00:18:37 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <x3XA9.41172$Vy4.23084@news4.srv.hcvlny.cv.net>
Source record: 37239

Please visit my auction at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800115232

LOW reserve

Thanks for looking

5631. FA>>Last day: Ham 2 meter base/mobile amp.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 00:24:49 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <l9XA9.41274$Vy4.34991@news4.srv.hcvlny.cv.net>
Source record: 37240

Please visit my auction at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800115232

LOW reserve

Thanks for looking

5632. Schematic or service man TS 700

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 00:51:44 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DD44520.88838B1@qth.com>
Source record: 37242
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment
Body handling: Binary attachment payload not displayed: radioranch.vcf

Need one can you help? Friend has a problem, his TS 700 wont split onthe 145.Mhz portion of his TS 700....needs a schematic or svc manual...happy to pay the goin rate...thanks 73 Murray

[One or more binary attachments are retained only in the source text.]

5633. For Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 01:53:22 UTC
From: llgpt@aol.commcenter
Message-ID: <20021114205322.07619.00005329@mb-mn.aol.com>
Source record: 37243

A pristine Hallicrafters SX-100 MK1, recapped with orange drops, new filter electrolytic, retubed where necessary, aligned. Original manual.

Will trade for an original Hammarlund SP-600 cabinet.

Les
Gulfport, Ms.
Drake R8B
Hallicrafters SX-100
Hammarlund SP-600JX-14
Quantum QX Pro Loop
Alpha Delta Sloper
Alpha Delta DXEE
131 ft. Inverted L
85 ft. Random Wire
++
Remove "mcenter" to reply

5634. Re: Schematic or service man TS 700

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 02:01:57 UTC
From: Will Rogers <nospamw4wlrnospam@nospambellsouthnospam.nospamnetnospam>
Message-ID: <WIYA9.424$dr6.297@news.bellsouth.net>
Source record: 37244
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi Murray!

The original TS-700A did not have that capability as it was designed before the "new" repeater sub-band on 144-145 MHz. There was a kit I recall that allowed the shift in that portion of the band. I think it was called an RSK-700 or something like that. It had some components that would allow the shift.

Hope this helps.

Will Rogers

"Murray Neece" <radioranch@qth.com> wrote in message news:3DD44520.88838B1@qth.com...
> Need one can you help? Friend has a problem, his TS 700 wont split
> onthe 145.Mhz portion of his TS 700....needs a schematic or svc
> manual...happy to pay the goin rate...thanks 73 Murray
>

5635. Re: HF recieving antenna recommendations for Kenwood TH-F6A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 02:14:54 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3DD4589E.472258AE@sympatico.ca>
Source record: 37245

Axinar wrote:
>
> Say ... does anyone have any suggestions for a recieving antenna for
> the Kenwood TH-F6A?
>
> Despite the various reviews, the reciever is not all that bad ... I
> have had pretty decent results on HF recieve with the Miracle Whip
> antenna.
>
> In fact I often get better signal strength (not to mention quality)
> with the TH-F6A / Miracle Whip stack than I get with the Sony 2010
> with it's built-in Whip.
>
> Of course that right angle connector on the Miracle Whip was built for
> a Yaesu FT-817 and, all in all, the PHYSICAL configuration is an
> accident waiting to happen (there is so much leverage from the antenna
> that one false move and the RADIO may go flying across the room) ...
> then there's the issue of the adapter at that angle.
>
> Anyone have any recommendations on good recieve antennas for the
> TH-F6A?
>
> Thanks!
>
> Ax

I have been considering a TH-F6A but backed off for the moment after reading a couple of European user reviews that the sensitivity on the 225-400MHz aviation band is almost non-existant. I tend to listen there quite a bit so it is a significant matter to me - I am curious if it is just the European version since the band structure differs so it might be just that version.

As to the HF antenna. I faced a similar problem with my DX-398 where connecting an external antenna directly looked like it might end up causing physical damage. I decided to make a short co-ax patch cord with RG-174 and a BNC connector on the end - this gave me a system with no stress on the receiver and allowed me to connect to various antennas. Actually I made two of them, one about a foot long and one about 10 feet long which allowed me to connect to an outdoor antenna when away from home. I complemented this with a minibox with a BNC connector and two insulated binding posts at opposite ends. This has permitted me to put up a simple dipole, or, with a short length of wire with a large bulldog clip on one end, to set up a simple random wire and ground the other side. One last touch was to install a screw eye on the minbox opposite

the BNC connector so I could hang the box/centre insulator from some convenient object.

Don't know if the idea is useful to you but it has worked very well for me and I'll use it with the TH-F6A, or whatever competitor I end up with. Might even try it with a portable HF transceiver if I get around to purchasing one.

Dave Holford
VE3HLU

5636. FA: ALINCO DJ X10T Multi-mode receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 02:58:46 UTC
From: msdbm@aol.com
Message-ID: <20021114215846.21163.00004702@mb-fx.aol.com>
Source record: 37246

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802011528

5637. Re: TS-450 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 03:20:19 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <_OadnXpjWot0-kmgXTWcqw@comcast.com>
Source record: 37247

Unfortunately, the TS-450 is discontinued, and I doubt you'll find any sellers (AES, HRO) of accessories specifically made for that radio unless they also fit the newer radios as well.

The service manual lists several options and accessories, such as an external power supply with loudspeaker, a TXCO reference oscillator, a DC power cord, an external speaker, a voice synthesizer, six IF filters, and a tone encoder board. I can copy the appropriate pages and mail them to you if your address is correct on qrz.com. Let us know.

In certain situations, the high IF filters reduce strong overloading signals better than the low IF filters. I have a couple of each in my radio. The low IF filters seem to have a much more noticeable effect when turned on singly.

Bob M.
======
"Kevin" <kberlen@ticz.com> wrote in message
news:ar1ba00p27@enews1.newsguy.com...
> I have a TS-450S/AT on the way. Can someone provided a list or web
address
> where I can find the part numbers for the various filters, etc that are
> available for this rig? Also, are the 8MHz filters better that the 455KHz
> filters? Or vice-versa? Thanks,
>
> Kevin, K9HX
>
>

5638. Re: Schematic or service man TS 700

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 04:38:37 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <hT_A9.14144$hK4.1300305@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37098
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi Murray,
Unless his rig had the upgrade kit installed, it won't
work in repeater mode below 146MHz. There was an upgrade kit available,
consisting of a small PC board, and a couple of offset crystals. I did that
to a 700 that I had several years ago. Right now, I have a TS700SP; this
model comes out of the box with the offset mode across the whole tuning
range.

Pete

5639. Re: ALERT!! Never donate your old gear because.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 04:41:01 UTC
From: rlucch2098@aol.com
Message-ID: <20021114234101.06564.00000946@mb-fi.aol.com>
Source record: 37099

I know that QST es others charges much less to non-profit orgs then regular businesses.
Of course they have to sell the donations or have a Warehouse to store it all.
My question is wat does he do with the money besides spend it on ads & cars.
Money for upkeep? What upkeep? he uses the NYC school systems electricity & room for the station.
Matter of fact, before yopu can put a commercial ad in QST, they want to see the item or service before allowing such.
Why not check his organization out? Because they might lose revenue!
What to see his ads on ebay? Try a search for joeee1621@aol.com or wb2jkj@aol.com or ccccqqqqq@aol.com, he'll pop up for all to see whats donated.
It might amaze you.
Keep up the word!
Brian
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Manual Copies @ http://www.myradioroom.com/manualsale.html
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

5640. Re:FA>>Last day - Navy

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 09:34:09 UTC
From: "Guest 4"
Message-ID: <539_50_17545@echo.cellmail.com>
Source record: 37116

:-)

On Thu, 14 Nov 2002 8:13 pm, "John Schneider" <thecop@optonline.net> said:
>Please visit my auction at:
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800129274
>
>LOW reserve
>
>

5641. Cheap or self made Aerial for a TV/Radio card

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 11:09:14 UTC
From: "JJ (UK)" <gee@i.cant.think.why.you'd.want.my.email.address.com>
Message-ID: <dB4B9.506$ic7.27937@newsfep1-gui.server.ntli.net>
Source record: 37100
Cross-posted to: rec.radio.amateur.equipment,free.uk.greater.london.radio,alt.radio.uk,alt.radio.digital

Hello

I have a Hauppage WinTV Go! card which is kind of great (I say kind of because I have a real TV in the study so I don't really have a use for a TV card at all, but that's bundles for you) and I want to put the Radio capabilities of it to good use.

So, does anyone know where I can buy a cheap FM aerial for it (I mean less that £10) or advise how I can make one up?

It doesn't have to be great quality since it won't be long before I get my hi-fi up and running anyway thus making the card and aerial redundant anyway...

All advice gratefully received.

JJ (UK)

5642. Re: FT 817 Price Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 11:35:24 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <bdrUPQ9dfHQx62u27edaBUIW4Hzc@4ax.com>
Source record: 37101

"KC0EH" <okiemansc@yahoo.com> wrote:

>Thinking of Christmas and I wonder who has the best price on a new Yaesu
>FT-817.
>Please reply direct.
>Thanks,
>...Charlie...KC0EH...

I imagine it changes every day, and the less you pay, the less you can expect in the way of service if there's a problem. Try the web sites for AES, HRO, Burghardt, and for lowest price, possibly Texas Towers.

(The extra $10 you save from some lowballer may not be worth it, if you have problems.)

Bob
k5qwg
>

5643. Re: ALERT!! Never donate your old gear because.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 11:38:02 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <NNzUPRfSqIIB7eRvXVxDUIwazLQL@4ax.com>
Source record: 37102

rlucch2098@aol.com (RLucch2098) wrote:

On the other hand, he may be selling the stuff, and using the proceeds for the
school station.

Why don't you drop a note to the ARRL ad department, if this really bugs you?

Bob
k5qwg

>I know that QST es others charges much less to non-profit orgs then regular
>businesses.
>Of course they have to sell the donations or have a Warehouse to store it all.
>My question is wat does he do with the money besides spend it on ads & cars.
>Money for upkeep? What upkeep? he uses the NYC school systems electricity &
>room for the station.
>Matter of fact, before yopu can put a commercial ad in QST, they want to see
>the item or service before allowing such.
>Why not check his organization out? Because they might lose revenue!
>What to see his ads on ebay? Try a search for joeee1621@aol.com or
>wb2jkj@aol.com or ccccqqqqq@aol.com, he'll pop up for all to see whats donated.
>It might amaze you.
>Keep up the word!
>Brian
>Thanks es 73...........RICH-WA2RQY RLUCCH2098@aol.com
>Manual Copies @ http://www.myradioroom.com/manualsale.html
>Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html
>

5644. Re: HF recieving antenna recommendations for Kenwood TH-F6A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 13:25:00 UTC
From: axinar@one.net
Message-ID: <c45d35a2.0211150525.1070b676@posting.google.com>
Source record: 37104

Near as I can tell the reciever is fine ... on par with my Sony 2010
... at least on HF ...

2m and 440 it is quite comprable to any other HT I have ever had.

The problem seems to be with the ANTENNA on HF ... you have to hook up
something more "serious". The Miracle Whip does the job but it's a
physical
accident waiting to happen.

73,
Ax

Dave Holford <holford@sympatico.ca> wrote in message
news:<3DD4589E.472258AE@sympatico.ca>...
> I have been considering a TH-F6A but backed off for the moment after
> reading a couple of European user reviews that the sensitivity on the
> 225-400MHz aviation band is almost non-existant. I tend to listen there
> quite a bit so it is a significant matter to me - I am curious if it is
> just the European version since the band structure differs so it might
> be just that version.
>
> As to the HF antenna. I faced a similar problem with my DX-398 where
> connecting an external antenna directly looked like it might end up
> causing physical damage. I decided to make a short co-ax patch cord with
> RG-174 and a BNC connector on the end - this gave me a system with no
> stress on the receiver and allowed me to connect to various antennas.
> Actually I made two of them, one about a foot long and one about 10 feet
> long which allowed me to connect to an outdoor antenna when away from
> home. I complemented this with a minibox with a BNC connector and two
> insulated binding posts at opposite ends. This has permitted me to put
> up a simple dipole, or, with a short length of wire with a large bulldog
> clip on one end, to set up a simple random wire and ground the other
> side. One last touch was to install a screw eye on the minbox opposite
> the BNC connector so I could hang the box/centre insulator from some
> convenient object.
>
> Don't know if the idea is useful to you but it has worked very well for
> me and I'll use it with the TH-F6A, or whatever competitor I end up
> with. Might even try it with a portable HF transceiver if I get around
> to purchasing one.
>
> Dave Holford
> VE3HLU

5645. Re: Cheap or self made Aerial for a TV/Radio card

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 13:43:34 UTC
From: DAB sounds worse than FM <info@remove_this.digitalradiotech.co.uk>
Message-ID: <ar2tt6$t33$1@news8.svr.pol.co.uk>
Source record: 37105
Cross-posted to: rec.radio.amateur.equipment,alt.radio.uk,alt.radio.digital

"JJ (UK)" <gee@i.cant.think.why.you'd.want.my.email.address.com> wrote in
message news:dB4B9.506$ic7.27937@newsfep1-gui.server.ntli.net...
> Hello
>
> I have a Hauppage WinTV Go! card which is kind of great (I say kind of
> because I have a real TV in the study so I don't really have a use for a
TV
> card at all, but that's bundles for you) and I want to put the Radio
> capabilities of it to good use.

I've just had a look at the spec for a WinTV Go card and it says it does not
receive FM. See:

http://www.microdirect.co.uk/default2.asp

and look under video cards then look at the information on the WinTV Go
card.

--
DAB sounds far worse than FM

Hearing is believing just how poor DAB really is.
www.digitalradiotech.co.uk -- Subscribe for free to the DAB Listeners Group
Newsletter
Digital Satellite is far better for radio than DAB for home listening

5646. Re: Kenwodd stuff for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 14:16:49 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <ll7B9.18791$5Q5.506@news-binary.blueyonder.co.uk>
Source record: 37106

Shouldn't it be 'Kenwood'

5647. Re: Cheap or self made Aerial for a TV/Radio card

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 14:34:55 UTC
From: "JJ (UK)" <gee@i.cant.think.why.you'd.want.my.email.address.com>
Message-ID: <dC7B9.861$ic7.41228@newsfep1-gui.server.ntli.net>
Source record: 37107
Cross-posted to: rec.radio.amateur.equipment,alt.radio.uk,alt.radio.digital

DAB sounds worse than FM <info@remove_this.digitalradiotech.co.uk> wrote in
message news:ar2tt6$t33$1@news8.svr.pol.co.uk...
> I've just had a look at the spec for a WinTV Go card and it says it does
not
> receive FM. See:
>
> http://www.microdirect.co.uk/default2.asp
>
> and look under video cards then look at the information on the WinTV Go
> card.

Darn, you're right, and the ProdInfo utility confirms No Radio

God spot, er, thanks (I think)

;-)

Cheers

JJ (UK)

5648. Needed: Comtek RCB-5 remote antenna switch users guide

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 15:26:10 UTC
From: golfradio@yahoo.com
Message-ID: <21b5602c.0211150726.32eb8cd@posting.google.com>
Source record: 37108

I just purchased a Comtek RCB-5 remote antenna switch and am looking for the users guide. I've contacted Comtek and they do not have it. Anyone out there in radioland have it? Will pay reasonable copying/shipping cost. Email attachment will work also. Thanks in advance...

73', Mark NB1U

5649. Re: Kenwodd stuff for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 15:40:17 UTC
From: dw73454@alltel.net
Message-ID: <3dd61544.9286993@unlnews.unl.edu>
Source record: 37109

On Fri, 15 Nov 2002 14:16:49 -0000, "g0mem"
<isembardbinladen@hotmail.com> wrote:

>
>Shouldn't it be 'Kenwood'

duhhhhh......ayup-ayup...derr..herrrr

>

5650. Re: Kenwood TS-430S for $800 !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 15:50:55 UTC
From: dw73454@alltel.net
Message-ID: <3dd7178b.9870377@unlnews.unl.edu>
Source record: 37110

On Wed, 13 Nov 2002 12:19:11 -0000, "g0mem"
<isembardbinladen@hotmail.com> wrote:

>
>>
>> Some CB'er will probably buy it...
>>
>> 73 de W6DKN
>
>Yeh then the CBer will probably come on hear asking about modifying it for
>27MHz.
>
>73 de G0MEM
>

Shouldn't that be come on "here"?

5651. Need info on Yaesu FT2400

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 15:51:18 UTC
From: "Alex J." <alexjent@citlink.net>
Message-ID: <uta5vo55e2ke4f@corp.supernews.com>
Source record: 37112

Can anyone provide info on where to find Mic gain pot in this radio.

Alex
KC0AK Minneapolis, MN

5652. Any Word From Kenwood On Replacement For TS870S??????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 15:56:17 UTC
From: w1smc@thatguy.net
Message-ID: <6a6bf8a2.0211150756.5f605fd2@posting.google.com>
Source record: 37111

I'm gearing up to purchase a replacement base HF rig (had to sell my TS950SDX a few years back)and was looking at the TS870S.

The 870 does not appear on the Kenwood Amateur Radio Products page anymore and I was wondering if Kenwood was in the works with a new 870 replacement rig and if so has anybony heard any news.

I'd hate to think Kenwood would only have the TS2000 as it's mainstay base HF rig (I really don't like it all.).

When I called Kenwood in California they won't say eitherway.

Thanks,

Steve (W1SMC)

5653. Re: FS icom 821H dual band all mode w/ut84

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 15:59:26 UTC
From: John Smith <W6hnm@msn.com>
Message-ID: <ar2qttjej1@slb6.atl.mindspring.net>
Source record: 37103
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I wish I had the money or the need to buy it, anyone reading this.....

I own an 821H with the UT844 for tone scan, what a great rig,
it can be modified to crossband repeat and has great sensitivity
along with great spurious signal rejection, a hard balance.

73

Patrick
W4PHM

"Magnum45" <Magnum45@mn.rr.com> wrote in message
news:MJDA9.14014$3j6.416512@twister.kc.rr.com...
> I have a nice looking and working icom 821 dual band satellite all mode
> with ut84 tone board installed.
> One light needs to be replaced.
> All other lights work.
> Comes with original box manual mic and power cord.
> Comes from a smoke free home.
> E-mail for picture.
> $725 shipped ups insured u.s only
> Or make me a offer.
> Or i will trade for a icom 706mk2G with all the came with it from the
store
> as new.
>
>

5654. FAL Radio Shack HTX-200

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 16:04:31 UTC
From: Truman <no@hello.goodbye>
Message-ID: <MH8B9.4053$dr6.808@news.bellsouth.net>
Source record: 37113
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800473039

5655. FA>>Last day - Navy "Flameproof" cw key

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 16:12:55 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <b29B9.62$S9.26@rcache1.news.cv.net>
Source record: 37114

Please visit my auction at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800129274

LOW reserve

5656. Re: Any Word From Kenwood On Replacement For TS870S??????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 16:41:57 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <pt9B9.10280$XF5.1715906@news2.west.cox.net>
Source record: 37115

Steve the TS-870S is still on the Kenwood page -- URL:
http://www.kenwood.net/

I have asked the Kenwood reps about a new flagship HF rig and they sed not
that they knew of.

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Steve Campisano" <w1smc@thatguy.net> wrote in message
news:6a6bf8a2.0211150756.5f605fd2@posting.google.com...
> I'm gearing up to purchase a replacement base HF rig (had to sell my
> TS950SDX a few years back)and was looking at the TS870S.
>
> The 870 does not appear on the Kenwood Amateur Radio Products page
> anymore and I was wondering if Kenwood was in the works with a new 870
> replacement rig and if so has anybony heard any news.
>
> I'd hate to think Kenwood would only have the TS2000 as it's mainstay
> base HF rig (I really don't like it all.).
>
> When I called Kenwood in California they won't say eitherway.
>
> Thanks,
>
> Steve (W1SMC)

5657. Re: Need info on Yaesu FT2400

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 17:58:48 UTC
From: "Scott C. Gray" <scottcgray@attbi.com>
Message-ID: <3DD535E1.D11C1B60@attbi.com>
Source record: 37117

Alex,

I have the Yaesu FT-8000R and the FT-8500R. Also I've worked on the Yaesu FT-8100R. No micrphone gain pots! Pretty "cocky" of them to assume levels in fixed resistors. They may have had that practice of a fixed setting on the FT-2400 too,,

Good luck.

Scott KD6CQ

"Alex J." wrote:

> Can anyone provide info on where to find Mic gain pot in this radio.
>
> Alex
> KC0AK Minneapolis, MN

5658. FS: YAESU FT-817 PACKAGE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 18:29:23 UTC
From: Dean <n8ihs@comcast.net>
Message-ID: <ctmdnZUSXc-4oEigXTWcqg@comcast.com>
Source record: 37118
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I have for sale an as new FT-817 all mode portable transceiver. This radio is a QRP 5 watt HF/50/144 and 430MHz multimode transceiver. I bough this radio and all of the included options new in August of this year. I am a non smoker. This equipment has only been powered up for no more than 1 hour. I have all of the boxes, paperwork with warranty cards and all standard included accessories including the hand microphone. All equipment is absolutely flawless and has only been set up in the family room of my home. I would like to sell this as a system package. The package I am offering consists of the following:

Yaesu Ft-817 serial # 1K440086
W4RT 1 Touch Tune Option. This enables you to auto tune with the LDG Z11 while you are in the SSB mode.
Collins 2.5 KHz SSB Mechanical Filter
Astron RS5A Power Supply with 3 socket cigarette plug module installed
LDG Z11 Automatic Antenna Tuner. Covers 1.8-30 MHz
Joey Outbacker Antenna. This antenna covers HF/VHF range from 80 thru 2M, including 30, 17 and 12 meter
Alpha Delta Micro Mount for the Joey
Maha FNB-72 1700mAh NiMH Battery
W4RT 817 Mini Pack-It Reference Manual 2nd Edition
Laminated color 8 &#65533; X 11 Quick Reference Chart for operation of the FT-817
Yaesu NC-72B Battery Charger
12 ft Mini 8U Coax Jumper with silver PL-259's to go from the LDG Z11 Tuner to the Joey Antenna
1ft Mini 8U Coax Jumper with silver PL-259's to go from the LDG Z11 Tuner to the FT-817

If you are seriously interested I can take digital pictures of part or all equipment as requested.
I have over $1,400 invested in this system
I am asking $1,000 shipped CONUS ground UPS to your door.
73's
N8IHS
n8ihs@comcast.net

5659. Re: Any Word From Kenwood On Replacement For TS870S??????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 18:56:19 UTC
From: Jake <Jake@napster.com>
Message-ID: <nrbB9.7659$0U1.528863@news2.east.cox.net>
Source record: 37119

The Mixmaster TS-2000 is a poor excuse for a big Icom-706. Still have my SDX
and Kenwood would be smart to upgrade the SDX and bring out a top of the
line HF radio.

"AC6V" <ac6v@amsat.org> wrote in message
news:pt9B9.10280$XF5.1715906@news2.west.cox.net...
> Steve the TS-870S is still on the Kenwood page -- URL:
> http://www.kenwood.net/
>
> I have asked the Kenwood reps about a new flagship HF rig and they sed not
> that they knew of.
>
> --
> I Doubt, Therefore I Might Be
> 73 From AC6V, Rod In Oceanside, CA
> http://ac6v.com
> "Steve Campisano" <w1smc@thatguy.net> wrote in message
> news:6a6bf8a2.0211150756.5f605fd2@posting.google.com...
> > I'm gearing up to purchase a replacement base HF rig (had to sell my
> > TS950SDX a few years back)and was looking at the TS870S.
> >
> > The 870 does not appear on the Kenwood Amateur Radio Products page
> > anymore and I was wondering if Kenwood was in the works with a new 870
> > replacement rig and if so has anybony heard any news.
> >
> > I'd hate to think Kenwood would only have the TS2000 as it's mainstay
> > base HF rig (I really don't like it all.).
> >
> > When I called Kenwood in California they won't say eitherway.
> >
> > Thanks,
> >
> > Steve (W1SMC)
>
>

5660. FS KENWOOD TL-922A LINEAR AMP $750 firm

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 19:17:29 UTC
From: policydad@yahoo.com
Message-ID: <3DD54849.AD2DE43@yahoo.com>
Source record: 37120
Cross-posted to: dc.forsale.misc,rec.radio.amateur.equipment

FS KENWOOD TL-922A LINEAR AMP. Uses two 3-500Zs, Has not been used in 4 years, but assume output is within specs. No Manual. Very nice condition, non smoker. Wired for 220v, and modified for 10m. WILL NOT SHIP. PICK UP ONLY in Maryland. Cash or Money Order $750.00 Firm. Also 2KW MFJ Antenna tuner $150. BOTH $850. ANY QUESTIONS CALL (301)-441-9245.

5661. WTB: Looking for Yaesu YF-110C or YF-110CN filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 19:53:37 UTC
From: Bibby <bibby@attbi.com>
Message-ID: <5hcB9.42843$1O2.4482@sccrnsc04>
Source record: 37121

Anyone have one of these filters for sale?

Malcolm

5662. Re: Any Word From Kenwood On Replacement For TS870S??????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 22:50:38 UTC
From: dj <dalej2@mac.remove.this.com>
Message-ID: <dalej2-9085A2.16503815112002@hermes-ge0.rdc-kc.rr.com>
Source record: 37124

In article <6a6bf8a2.0211150756.5f605fd2@posting.google.com>,
w1smc@thatguy.net (Steve Campisano) wrote:

> I'm gearing up to purchase a replacement base HF rig (had to sell my
> TS950SDX a few years back)and was looking at the TS870S.
>
> The 870 does not appear on the Kenwood Amateur Radio Products page
> anymore and I was wondering if Kenwood was in the works with a new 870
> replacement rig and if so has anybony heard any news.
>
> I'd hate to think Kenwood would only have the TS2000 as it's mainstay
> base HF rig (I really don't like it all.).
>
> When I called Kenwood in California they won't say eitherway.
>
> Thanks,
>
> Steve (W1SMC)

I've had a 870 which I think is a very good radio. I have replaced it
with a TS-2000. I think the TS-2000 has a better DSP implementation
than the 870. The 870 I think has better hi-fi audio, if thats what
you're after. The 2K is very close however with received bandwidth from
0 to 5000 hz compared to the 870 0-6000 hz.

The TS-2000 also has many other capabilities over and above the 870.
VHF all modes, UHF all modes, 1.2 g. all modes (optional).

A super radio. 870 a super radio too.

dj

5663. Re: TS-450 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-15 23:18:39 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <ar3vcf02qt@enews4.newsguy.com>
Source record: 37125

I would like to have the accessory part numbers. That way, if I come across a filter or accessory I can determine if it will work in the rig. I am good on QRZ.com. Thanks,
Kevin, K9HX

"Bob M." <xxxxx@yyyy.zzz> wrote in message
news:_OadnXpjWot0-kmgXTWcqw@comcast.com...
> Unfortunately, the TS-450 is discontinued, and I doubt you'll find any
> sellers (AES, HRO) of accessories specifically made for that radio unless
> they also fit the newer radios as well.
>
> The service manual lists several options and accessories, such as an
> external power supply with loudspeaker, a TXCO reference oscillator, a DC
> power cord, an external speaker, a voice synthesizer, six IF filters, and
a
> tone encoder board. I can copy the appropriate pages and mail them to you
if
> your address is correct on qrz.com. Let us know.
>
> In certain situations, the high IF filters reduce strong overloading
signals
> better than the low IF filters. I have a couple of each in my radio. The
low
> IF filters seem to have a much more noticeable effect when turned on
singly.
>
> Bob M.
> ======
> "Kevin" <kberlen@ticz.com> wrote in message
> news:ar1ba00p27@enews1.newsguy.com...
> > I have a TS-450S/AT on the way. Can someone provided a list or web
> address
> > where I can find the part numbers for the various filters, etc that are
> > available for this rig? Also, are the 8MHz filters better that the
455KHz
> > filters? Or vice-versa? Thanks,
> >
> > Kevin, K9HX
> >
> >
>
>

5664. Re: Radio Shack 440Mhz handi talkie help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 00:21:52 UTC
From: Idontwantspam@net
Message-ID: <3dd58f37.1549247@news.bellatlantic.net>
Source record: 37126

On Tue, 12 Nov 2002 20:00:44 GMT, rhock@westvirginia.net (Ross
Hockenberry) wrote:

>Manual should be available at www.radioshack.com.
>
Yes, many of them are.

Use the search engine on the RS site, and try the model both with and
without a dash (HT123 and HT-123).

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

5665. FS: Icom W32A HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 00:34:15 UTC
From: John Smith <W6hnm@msn.com>
Message-ID: <ar3pbvihh1@slb5.atl.mindspring.net>
Source record: 37122

For Sale, Icom W32A dual band HT. Less than 60 days old.
Comes with original box, manual and two batteries along with
charger.

The rig is in perfect condition, no scratches, perfect operationally.
Guaranteed money back if not satisfied with rig. Receipt comes
with rig in box with both batteries, charger etc.

$220 firm. Includes shipping

Thanks for reading this post,

Patrick Mason
W4PHM@ARRL.NET
(804) 452-3178

5666. Re: ALERT!! Never donate your old gear because.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 00:42:35 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ar447k0213s@enews2.newsguy.com>
Source record: 37127

This is not exactly in response to your post -- but -- I retired from the Army in 1995 and in 1996 became the executive director of a non-profit working to repair and build houses for very low income families in central Appalachia -- 20 or so counties of S WV, SW VA, NE TN, and SE KY. I left the job in late 2000, but, in the meantime I got a real education in how non-profits operate.

Most non-profit organizations are solid. They pay low salaries, demand enormous amounts of work and dedication, and tend to burn people out. And they can always use volunteers and donations.

The business of donating used vehicles to non-profits, however, is not exactly what it appears to be. Most of the non-profits I know of that solicit used cars sell them. And what really rips me is that many of them use an agent to sell the car -- you donate your used car to a non-profit; a representative of the non-profit, who is really working for the agent, picks up the car and gives you a receipt for your tax purposes; the agent then sells the used car, keeps a portion, and gives some to the non-profit. And most of those that I know about give more to the agent than to the non-profit.

Now, if any of you folks out there, especially who live in or near the area I described, have a vehicle, especially a used 4-wheel-drive pickup, a standard pickup, or a big ol' van that you want to donate, visit the web site of the Appalachia Service Project: www.asphome.org

If you donate a vehicle to them, they will use it -- for construction work, for staff vehicles, or for spare parts to keep the rest of the fleet running. When the vehicle is completely worn out, they'll sell it for scrap. Every single vehicle in the 120-plus fleet is donated, except for the 18-wheeler tractor that we had to buy a few years ago. ASP does good work and is a solid organization.

--

Regards,
Joe S.

"Falster762" <falster762@aol.com> wrote in message
news:20021114153332.16829.00000762@mb-fc.aol.com...
> Like every other non profit organization in this country for cars, houses,
> radio gear & who knows what other stuff, it gets lost or never ever does
any
> good to the few that need help or gear.
> They get sold on Ebay, QTH.com, Eham, etc!

> Money goes in the pocket of the scan-running non profit org.
> Here is how you can help>>
> Sell it your self then actually find a youngster in your own area could
could
> use the money for newer gear or just give the youngsters the gear instead
of
> selling.
> Why make some sweet talking scam artist collect enough money to buy new
cars,
> etc!
> Ask me how I know?
> I donated a bunch of gear, only to see WB2JKJ from Radio Club of JHS 22,
sell
> it on QRZ.com, Eham & QTH.com.
> When I asked him, I never got any reply, Duh!
> I could have done that!!!!!!!!!!
> Be Smart, Don't donate ZIPPO!
> Brian

5667. FS Icom W2A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 00:42:40 UTC
From: John Smith <W6hnm@msn.com>
Message-ID: <ar3pj8oqk1@slb4.atl.mindspring.net>
Source record: 37123

For sale, true dual band icom W2A HT, has a scratch or two
but is an 8 out of 10 visually and only has about 30 hours talk
time. Comes with two 12 volt batteries and one Nicad backup
pack. Manual included.

$100 firm includes shipping.

Patrick Mason
W4PHM@ARRL.NET

(804) 452-3178

5668. HELP with CES Micropad and KDK 2015R

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 01:06:31 UTC
From: Captain Bob <captainbob7@attbi.com>
Message-ID: <rSgB9.11846$P31.3205@rwcrnsc53>
Source record: 37128

I am looking for the pin-outs for the CES Micropad (Microphone with dial pad).circa 1985.

Also need manual for KDK 2015R 2M transciever.

Would appreciate any help !

Bob N1HBT

5669. Re: Any Word From Kenwood On Replacement For TS870S??????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 01:08:16 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DD59A80.E31A8F51@qth.com>
Source record: 37129
Body handling: Binary attachment payload not displayed: radioranch.vcf

Get a 756 Pro II and youll never bother with a Kenwood again hihi...M

Steve Campisano wrote:

> I'm gearing up to purchase a replacement base HF rig (had to sell my
> TS950SDX a few years back)and was looking at the TS870S.
>
> The 870 does not appear on the Kenwood Amateur Radio Products page
> anymore and I was wondering if Kenwood was in the works with a new 870
> replacement rig and if so has anybony heard any news.
>
> I'd hate to think Kenwood would only have the TS2000 as it's mainstay
> base HF rig (I really don't like it all.).
>
> When I called Kenwood in California they won't say eitherway.
>
> Thanks,
>
> Steve (W1SMC)

[One or more binary attachments are retained only in the source text.]

5670. Re: Any Word From Kenwood On Replacement For TS870S??????

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 01:46:15 UTC
From: Jake <Jake@napster.com>
Message-ID: <HrhB9.8428$0U1.639987@news2.east.cox.net>
Source record: 37130

Words of advice from the idiot Murray....according to the listings of his
junk all his for sale radios are the best every make. What a crock.
Murray, you would not know the truth if you bit it on the ass.

"Murray Neece" <radioranch@qth.com> wrote in message
news:3DD59A80.E31A8F51@qth.com...
> Get a 756 Pro II and youll never bother with a Kenwood again hihi...M
>
> Steve Campisano wrote:
>
> > I'm gearing up to purchase a replacement base HF rig (had to sell my
> > TS950SDX a few years back)and was looking at the TS870S.
> >
> > The 870 does not appear on the Kenwood Amateur Radio Products page
> > anymore and I was wondering if Kenwood was in the works with a new 870
> > replacement rig and if so has anybony heard any news.
> >
> > I'd hate to think Kenwood would only have the TS2000 as it's mainstay
> > base HF rig (I really don't like it all.).
> >
> > When I called Kenwood in California they won't say eitherway.
> >
> > Thanks,
> >
> > Steve (W1SMC)
>

5671. FS: Kenwood TS790A 144/440 All Mode Satellite Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 02:46:09 UTC
From: Mike Funaro <mfunaro@worldnet.att.net>
Message-ID: <0tbbtu8pl09sl9hn28m1smpu251je6dmct@4ax.com>
Source record: 37131

Hello, I have a mint Kenwood TS790A 144/440 All Mode Satellite Radio for sale. This radio has a problem. The S meter light and the SUB display is is out. The main display works fine on 144 or 440 and the receiver works great and the transmitter has full output on both bands. I am putting a $500 price on this shipped for someone that has the time to fix it. It comes with manual, mic and power cord and you can't tell it from a new one physicaly. Please email me with any questions or a request for a picture. Thanks, Mike N0XD mfunaro@worldnet.att.net

5672. fa Amateur Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 03:44:33 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3DD5BF21.511A2D16@ckradio.net>
Source record: 37132

http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=ve3ngw

5673. Test Equipment Connection?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 03:45:30 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3DD5BF5A.9703ABC6@nettally.com>
Source record: 37133

Has anybody done business with TEC in Lake Mary FL? If so please respond
by e-mail off line. Thanks.

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

5674. Re: Kenwood TS790A 144/440 All Mode Satellite Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 03:51:40 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <eajB9.32224$46.7651@fe01>
Source record: 37134

"Mike Funaro" <mfunaro@worldnet.att.net> wrote in message
news:0tbbtu8pl09sl9hn28m1smpu251je6dmct@4ax.com...
> Hello, I have a mint Kenwood TS790A 144/440 All Mode Satellite Radio
> for sale. This radio has a problem. The S meter light and the SUB
> display is is out. The main display works fine on 144 or 440 and the
> receiver works great and the transmitter has full output on both
> bands. I am putting a $500 price on this shipped for someone that has
> the time to fix it. It comes with manual, mic and power cord and you
> can't tell it from a new one physicaly. Please email me with any
> questions or a request for a picture. Thanks, Mike N0XD
> mfunaro@worldnet.att.net

This is a great deal for somebody needing a good 2/440 (and optional 1.2 gig) all mode rig, the sub display fix is likely only two easily replaced "grain of wheat" lamps, likewise for the "S" meter light. $2.00 worth of parts and about 5 minutes to fix.

(The sub-band display is a backlit lcd display that will go dark if the bulbs burn out - the main band display is fluorescent - a whole different animal).

73 de W6DKN

5675. FS: R-390A Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 04:01:36 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <3ogbtukbha7ig7rjhjj0h21913possgr0f@4ax.com>
Source record: 37135
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

R-390A receiver. Includes meters and manual.

Also comes with the Twin-AX antenna connecting adapter and an 8 ohm
output transformer carefully attached to the back with no added holes.
No modifications other than standard ballast tube mod.

I will supply an original manual in three-ring binder.

This receiver works and receives well on all bands, all modes, all
functions.

Available for $550.00 plus insured shipping
Price includes heavy duty protective packaging on a wood base.

5676. Re: TS-450 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 04:41:15 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <P7OcnZf2O7b9UUigXTWcqA@comcast.com>
Source record: 37136

OK. I copied the appropriate pages from my service manual and will send them out either Saturday or Monday depending on when it stops raining out here.

Very nice rig. Unfortunately they don't have much resale value in today's market, and it's hard to find something that works as well and has all the features. As much as I'd like a 756PRO or equivalent, I'm stuck with the TS450 for a while.

Bob M.
======
"Kevin" <kberlen@ticz.com> wrote in message
news:ar3vcf02qt@enews4.newsguy.com...
> I would like to have the accessory part numbers. That way, if I come
across
> a filter or accessory I can determine if it will work in the rig. I am
good
> on QRZ.com. Thanks,
> Kevin, K9HX
>
>
>
> "Bob M." <xxxxx@yyyy.zzz> wrote in message
> news:_OadnXpjWot0-kmgXTWcqw@comcast.com...
> > Unfortunately, the TS-450 is discontinued, and I doubt you'll find any
> > sellers (AES, HRO) of accessories specifically made for that radio
unless
> > they also fit the newer radios as well.
> >
> > The service manual lists several options and accessories, such as an
> > external power supply with loudspeaker, a TXCO reference oscillator, a
DC
> > power cord, an external speaker, a voice synthesizer, six IF filters,
and
> a
> > tone encoder board. I can copy the appropriate pages and mail them to
you
> if
> > your address is correct on qrz.com. Let us know.
> >
> > In certain situations, the high IF filters reduce strong overloading
> signals
> > better than the low IF filters. I have a couple of each in my radio. The
> low
> > IF filters seem to have a much more noticeable effect when turned on
> singly.

> >
> > Bob M.
> > ======
> > "Kevin" <kberlen@ticz.com> wrote in message
> > news:ar1ba00p27@enews1.newsguy.com...
> > > I have a TS-450S/AT on the way. Can someone provided a list or web
> > address
> > > where I can find the part numbers for the various filters, etc that
are
> > > available for this rig? Also, are the 8MHz filters better that the
> 455KHz
> > > filters? Or vice-versa? Thanks,
> > >
> > > Kevin, K9HX
> > >
> > >
> >
> >
>
>

5677. Re: FS: Motorola RIB OEM & cables.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 06:35:16 UTC
From: KC7ZRU - Tate <73kc7zru73@arrl.net>
Message-ID: <3DD5E725.5D0208AB@arrl.net>
Source record: 37137
Cross-posted to: alt.ham-radio.vhf-uhf,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

http://www.batlabs.com

US Patriot wrote:
>
> 1-RLN-4008B RIB box. w/power supply. $225.00
> 1-OEM Maxtrac/Radius programming cable. $65.00
> 1-HT1000/MT2000/MTS2000 prog. cable. $45.00
> 1-GP300/P100 programming cable. $40.00
> 1-MT1000/HT600/P200 prog. cable. $40.00
> 1-NTN-5560C P50-MT1000 speaker mic adapter. $10.00
> 1-MT1000/P200/HT600 belt clip 4205477U08 $5.00
>
> Everything above is must sell so if interested, please email direct.
> thnx

5678. IC-2720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 08:02:52 UTC
From: Radiotronicgizzmo <radiotronic@spydercat.com>
Message-ID: <MYmB9.291328$S8.6020512@twister.tampabay.rr.com>
Source record: 37138

Now that the IC-2720 is out -- where is the CAPS/MARS extended xmit mod?

Looks like the radio comes wide open on receive out of the box.

who found the xmit mod?

cheers

5679. FS: Time Delay Relays

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 12:53:37 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <ptfctu4mhfic3r05qa1c910bchj7vkb480@4ax.com>
Source record: 37139
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

Fixed and variable time delay relays:

115N02 Time Delay Relays - glass octal type for 115V AC
With fixed delay time of 2 seconds, normally open contacts
New in box. Available for $10.00 each

115N010 Time Delay Relays - glass octal type for 115V AC
With fixed delay time of 10 seconds, normally open contacts
New in box. One only - Available for $10.00

Time delay relay - AGASTAT 2112A4SC, 120V 60 Hz operation
Adjustable 0.15 sec to 1 sec. with dial scale and knob.
DPDT contacts. Black metal crinkle finish case with octal plug-in
connection. New,
no box.
These sell new for $250.00 each.
I have QTY 3 available at $25.00 each.
http://home.cfl.rr.com/happysurfer/imag/agastat_delay_relay.jpg

Time delay relay - Potter and Brumfield 120v AC
Adjustable 1.8 to 180 seconds with dial scale and knob.
DPDT contacts rated 10 Amps. Octal base plug-in type units.
QTY 3 available for $20.00 each
http://home.cfl.rr.com/happysurfer/imag/delay_relay.jpg

Shipping additional

5680. REDUCED - Collins MM1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 13:13:40 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <13hctuoih3pmnu84e4r8jaqkodahaf0dg6@4ax.com>
Source record: 37141
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

Collins MM-1 microphone.

"Designed to fit your hand comfortably. Engineered for max voice
response, die- cast case finished in brushed satin chrome. A five-foot
length of Koiled Kord with mike plug is supplied."

The MM-1 has a frequency response from 200-10,000 cycles per second
and
has an output level of -48 db.
Excellent condition with the original Collins style plug.

Reduced to $150.00 plus shipping

5681. FS: Surplus Frequency Meter/VFO - nice!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 13:15:27 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <g6hctusk2oo20jje2s47lqfhl3q1a8hhfb@4ax.com>
Source record: 37140
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

FOR SALE:

TS-175A/U Frequency Meter - exceptionally nice military unit in
near-mint condition with original chart. Covers 125 kHz to 20 MHz.
Dimensions 12.5" X 10" X 9"
Tube complement: 9002 osc., 12AT7 mixer/xtal osc., 12AT7 audio.
Consists of VFO, crystal oscillator and audio modulation stages.
Has all covers, space for battery or AC supply. Has connector for
AC power cord but no power supply. Front panel looks perfect -
no scratches. With all original knobs. Beautifully constructed.
Pictures available via e-mail

Selling for $55.00 plus shipping

5682. FS: MFJ-816 HF SWR/WATTMETER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 16:28:20 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <EmuB9.29818$jj5.600915@twister.rdc-kc.rr.com>
Source record: 37142

Brand new in the box, never used. 30W & 300W scales. 1.8 to 30 MHz. Compact size excellent for HF Portable use. $25 shipped.

Van,
K0KAV

5683. FA Zenith TO, SX-25. PM-23 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 16:57:54 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <mOuB9.958$fY3.81239@newsread2.prod.itd.earthlink.net>
Source record: 37143

Please see my auctions for a SX-25, a PM-23 Speaker, and Zenith TO. Auction
Ends Today
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800494432&ssPageName=ADME
:B:LC:US:1

5684. FA PHONE PATCH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 17:55:59 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3DD686AF.42AF0404@ckradio.net>
Source record: 37144

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800830654

5685. Re: IC-2720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 18:29:34 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <VUidnYk4x5gfE0ugXTWcoQ@comcast.com>
Source record: 37145

Where is it available? I just got an HRO catalog last week and it and Icom's web site still say the unit is not for sale, nor can it be offered for sale, until FCC approval is received, which I assume has not happened.

And what's the selling price? It's gonna have to compete with the Yaesu 8900 if they plan to sell any of them.

Bob M.
======
"Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message news:MYmB9.291328$S8.6020512@twister.tampabay.rr.com...
> Now that the IC-2720 is out -- where is the CAPS/MARS extended xmit mod?
>
> Looks like the radio comes wide open on receive out of the box.
>
> who found the xmit mod?
>
> cheers
>
>

5686. Re: TS-450 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 18:30:51 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <4j2dnRj6sbZSE0ugXTWc3Q@comcast.com>
Source record: 37146

The envelope went out this morning (16-Mov-02) around 8:15 AM.

Bob M.
======
"Bob M." <xxxxx@yyyy.zzz> wrote in message
news:P7OcnZf2O7b9UUigXTWcqA@comcast.com...
> OK. I copied the appropriate pages from my service manual and will send
them
> out either Saturday or Monday depending on when it stops raining out here.
>
> Very nice rig. Unfortunately they don't have much resale value in today's
> market, and it's hard to find something that works as well and has all the
> features. As much as I'd like a 756PRO or equivalent, I'm stuck with the
> TS450 for a while.
>
> Bob M.
> ======
> "Kevin" <kberlen@ticz.com> wrote in message
> news:ar3vcf02qt@enews4.newsguy.com...
> > I would like to have the accessory part numbers. That way, if I come
> across
> > a filter or accessory I can determine if it will work in the rig. I am
> good
> > on QRZ.com. Thanks,
> > Kevin, K9HX
> >
> >
> >
> > "Bob M." <xxxxx@yyyy.zzz> wrote in message
> > news:_OadnXpjWot0-kmgXTWcqw@comcast.com...
> > > Unfortunately, the TS-450 is discontinued, and I doubt you'll find any
> > > sellers (AES, HRO) of accessories specifically made for that radio
> unless
> > > they also fit the newer radios as well.
> > >
> > > The service manual lists several options and accessories, such as an
> > > external power supply with loudspeaker, a TXCO reference oscillator, a
> DC
> > > power cord, an external speaker, a voice synthesizer, six IF filters,
> and
> > a
> > > tone encoder board. I can copy the appropriate pages and mail them to
> you
> > if

> > > your address is correct on qrz.com. Let us know.
> > >
> > > In certain situations, the high IF filters reduce strong overloading
> > signals
> > > better than the low IF filters. I have a couple of each in my radio.
The
> > low
> > > IF filters seem to have a much more noticeable effect when turned on
> > singly.
> > >
> > > Bob M.
> > > ======
> > > "Kevin" <kberlen@ticz.com> wrote in message
> > > news:ar1ba00p27@enews1.newsguy.com...
> > > > I have a TS-450S/AT on the way. Can someone provided a list or web
> > > address
> > > > where I can find the part numbers for the various filters, etc that
> are
> > > > available for this rig? Also, are the 8MHz filters better that the
> > 455KHz
> > > > filters? Or vice-versa? Thanks,
> > > > >
> > > > Kevin, K9HX
> > > > >
> > > > >
> > > >
> > > >
> > >
> > >
> >
> >
>
>

5687. Kenwood tm-261a 2m mobile memories query

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 19:09:48 UTC
From: 0junk4me@bellsouth.net
Message-ID: <0KwB9.12682$dr6.5290@news.bellsouth.net>
Source record: 37149

HI folks,

Just bought my xyl one of these rigs at a hamfest a couple of weeks ago. Brand new in the box this time. Been perusing the manual carefully but can't see what it is we're missing.

THe problem: wE can seem to program a memory but it doesn't seem to save the ctcss tone encode information. THe book doesn't actually tell us what we're missing here.

Another question. since one must set the ctcss tone through its menu a is one able to program more than one ctcss encode tone in memories? WIth as many memories as this rig has it's sure going to be a bear to ahve to go into this menu while moving down the road when needing to switch tones.

AT the moment just moving the vfo around among repeaters in the area which all seem to use the same tone, but would sure like to make use of the memory channels <grin>.

Anyone with a clue as to what we're both missing?

Thanks and 73

Richard WEbb

Electric SPider Productions,
amateur radio call nf5b

Replace anything before the at symbol with elspider for real email reply or use my callsign at mmsn.org

5688. Re: IC-2720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 19:11:44 UTC
From: aidehua@aol.com
Message-ID: <20021116141144.15024.00000019@mb-cd.aol.com>
Source record: 37147

HRO has it for $399.

5689. Re: IC-2720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 19:13:46 UTC
From: Radiotronicgizzmo <radiotronic@spydercat.com>
Message-ID: <KNwB9.221801$r7.3805074@twister.tampabay.rr.com>
Source record: 37148

I bought 2 at AES (orlando) last weekend -- $379

"Bob M." <xxxxx@yyyy.zzz> wrote in message
news:VUidnYk4x5gfE0ugXTWcoQ@comcast.com...
> Where is it available? I just got an HRO catalog last week and it and
Icom's
> web site still say the unit is not for sale, nor can it be offered for
sale,
> until FCC approval is received, which I assume has not happened.
>
> And what's the selling price? It's gonna have to compete with the Yaesu
8900
> if they plan to sell any of them.
>
> Bob M.
> ======
> "Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message
> news:MYmB9.291328$S8.6020512@twister.tampabay.rr.com...
> > Now that the IC-2720 is out -- where is the CAPS/MARS extended xmit mod?
> >
> > Looks like the radio comes wide open on receive out of the box.
> >
> > who found the xmit mod?
> >
> > cheers
> >
> >
>
>
>

5690. Re: Radio Shack 440Mhz handi talkie help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 19:32:22 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DD69E06.7F04F135@optonline.net>
Source record: 37150

which RS 440? Is it the tiny HTX-400??
If it is, it's a PAIN at first but easy after.
Let me know if it is the 400.

Ross Hockenberry wrote:

> Manual should be available at www.radioshack.com.
>
> On Sun, 18 Apr 2010 22:09:54 -0400, Kevin Kitchen
> <morganpk@bellsouth.net> wrote:
>
> >I have purchased a used RS 440 Mhz but cannot figure out how to program
> >in the PL tones for the various repeaters. Anybody familiar with it?
> >n9pbw
> >

5691. Re: Kenwood tm-261a 2m mobile memories query

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 20:27:10 UTC
From: Radiotronicgizzmo <radiotronic@spydercat.com>
Message-ID: <ySxB9.222123$r7.3817124@twister.tampabay.rr.com>
Source record: 37151

Tone frequency and CTCSS frequency and status (enabled/disabled) is stored into memory when you store the freq into a channel.

besure you have the T and the CTCSS indicators on the LCD when you store the freq into memory.

And also be aware that you cant use CTCSS until you install the optional TSU8 CTCSS board.

the Tone encode is built in, not the decode.

The table on page 24 of the manual, clearly shows what information is stored in memory when you store a channel.

and it works! (unless there is somethig wrong with it) -- so play with it until you get it right.

cheers

<0junk4me@bellsouth.net> wrote in message news:0KwB9.12682$dr6.5290@news.bellsouth.net...
> HI folks,
>
> Just bought my xyl one of these rigs at a hamfest a couple of weeks
> ago. Brand new in the box this time. Been perusing the manual
> carefully but can't see what it is we're missing.
>
> THe problem: wE can seem to program a memory but it doesn't seem to
> save the ctcss tone encode information. THe book doesn't actually
> tell us what we're missing here.
>
> Another question. since one must set the ctcss tone through its menu
> a is one able to program more than one ctcss encode tone in memories?
> WIth as many memories as this rig has it's sure going to be a bear to
> ahve to go into this menu while moving down the road when needing to
> switch tones.
>
> AT the moment just moving the vfo around among repeaters in the area
> which all seem to use the same tone, but would sure like to make use
> of the memory channels <grin>.
>
> Anyone with a clue as to what we're both missing?
>
> Thanks and 73
>
>

>
>
>
>
> Richard WEbb
>
> Electric SPider Productions,
> amateur radio call nf5b
>
> Replace anything before the at symbol with elspider for real email reply
> or use my callsign at mmsn.org
>
>
>

5692. Wanted: Lafayette HA-410 manual/schematic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 20:58:11 UTC
From: Ed - VA3ES <va3es@rac.ca>
Message-ID: <skyB9.14905$Vr1.1886766@news20.bellglobal.com>
Source record: 37152

Hello Gang,

I am in need of a operations/service manual and schematics
for the Lafayette HA-410 10M transceiver.

I'll gladly pay for original or good copies.

T I A,

73, Ed VA3ES
~~~~~~
Ed Sieb, VA3ES va3es@rac.ca
P. O. Box 8377, Ottawa Terminal, Ottawa, Ontario, K1G 3H8
613-738-8924 (H)
AMI #529 Canadian Division Director.
Member - Radio Club of America, QCWA, AWA
Net Manager - Canadian Boat Anchor Net (3745 Kcs)
~~~~~~

5693. R&S ESH 2 receiver. Req. advice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 21:49:23 UTC
From: alfamix@genie.it
Message-ID: <16ecfc77.0211161349.5629b3a5@posting.google.com>
Source record: 37153

Has someone tried or know this receiver?
Every comment is pleasant.
Thanks.
A.Briga

5694. FS: Mint Ten-Tec Omni V

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 22:25:53 UTC
From: JS <wd1v@amsat.org>
Message-ID: <wd1v-FC144C.17255316112002@netnews.attbi.com>
Source record: 37154

Absolutely mint Omni V with all filters, manual, DC power
cable, and Heil desk mic. $875.00 shipped UPS insured to
any USA address. Certified Cashiers Check or Money Order.

No mods - works perfectly!

72/73
John Seney, WD1V [FN42]
QRP ARCI 10345 K2 #1388
FIST #5014 CC: 1151
http://www.qsl.net/wd1v
wd1v@amsat.org

5695. Re: Cheap or self made Aerial for a TV/Radio card

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-16 23:57:05 UTC
From: Joe Strain <yodar@cfl.rr.com>
Message-ID: <IXAB9.299650$S8.6103624@twister.tampabay.rr.com>
Source record: 37155
Cross-posted to: rec.radio.amateur.equipment,free.uk.greater.london.radio,alt.radio.uk,alt.radio.digital

MAKE ONE out of300 ohm twinlead.Strip insulation off ont end to reveal paired conductors....solder 'em together.....go about 3-4 feet down and do it again to the other end.

Half way between the ends on your 3-4 ' twin-lead, open up the insulation on ONE of the conductors, split it and solder the exposed conductors to a lead in wire made of (guess what?) 300 ohm twin lead. Staple the twin lead to the wall and hook up the lead-in to yer set

Yodar in orlando
==========
"JJ (UK)" <gee@i.cant.think.why.you'd.want.my.email.address.com> wrote in message news:dB4B9.506$ic7.27937@newsfep1-gui.server.ntli.net...
> Hello
>
> I have a Hauppage WinTV Go! card which is kind of great (I say kind of
> because I have a real TV in the study so I don't really have a use for a TV
> card at all, but that's bundles for you) and I want to put the Radio
> capabilities of it to good use.
>
> So, does anyone know where I can buy a cheap FM aerial for it (I mean less
> that £10) or advise how I can make one up?
>
> It doesn't have to be great quality since it won't be long before I get my
> hi-fi up and running anyway thus making the card and aerial redundant
> anyway...
>
> All advice gratefully received.
>
> JJ (UK)
>
>

5696. Re: Live internet ham radio broadcasts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 00:41:46 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <utdp7v25pits82@corp.supernews.com>
Source record: 37156

If you get pleasure for the antics on 14.313MHz, your twisted.
That freq is an embarassment to ham radio.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Basil Fungee" <fungee@hotmail.com> wrote in message
news:5F4U25XM37577.0287037037@Gilgamesh-frog.org...
> On Tue, 12 Nov 2002, Bruno <bhaineault@hotmail.com> wrote:
> >"Adair Winter" <adair@revivedrecords.com> wrote in
> >news:uI%z9.231$7F3.161002719@newssvr12.news.prodigy.com:
> >
> >> How about some links to some of these programs?
> >>
> >> Adair
> >> KD5DYP
> >
> >eQSO = http://www.eqso.net/
> >Echolink = http://www.echolink.org/el/
> >Ilink = http://homepage.ntlworld.com/mikeadams/ilink.htm
> >
> >If you want to link your radio to the net, then boards can be found
> >here = http://www.ilinkboards.com/
> >
> >Enjoy ;-)
> >
> Are there any sites that 'broadcast' ham radio frequencies over the
> internet for listening only? I'm an swl and got more pleasure out of
> 14.313 about 10 years ago than tv and radio put together.
>
> Now I'm stuck in a place too small for an outdoor antenna and with too
> much qrn to pick up 14.313, 3865, 3910, or any of the other hot ham
> frequencies on the piece of wire I'm using. Internet broadcasts of
> some of the hot frequencies would be ideal.
>
>
>
>

5697. FA: Heath xtal filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 02:13:54 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ar6tut01uca@enews4.newsguy.com>
Source record: 37158

Two Heath xtal filters for auction.

This 2.1 kHz SSB filter is for older Heath gear, not certain which model
this one is for:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802288250

This one is a 400 Hz CW filter for SB- series:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802290443

Then, someone may be interested in this non-radio item:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=922892787

--

Regards,
Joe S.

5698. Re: Kenwood tm-261a 2m mobile memories query

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 02:27:00 UTC
From: 0junk4me@bellsouth.net
Message-ID: <U7DB9.6158$%j3.4274@news.bellsouth.net>
Source record: 37157

On 2002-11-16 radiotronic@spydercat.com said:
>Tone frequency and CTCSS frequency and status (enabled/disabled) is
>stored into memory when you store the freq into a channel.
>besure you have the T and the CTCSS indicators on the LCD when you
>store the freq into memory.
>And also be aware that you cant use CTCSS until you install the
>optional TSU8 CTCSS board.
>the Tone encode is built in, not the decode.
Just trying to encode ctcss, not decode. WAs pretty sure I had the t
and ctcss lit, but hoping it's not because I don't have the decode
board. Have no reason for it.

My xyl has to do the reading, old blind man can't see the print in the
manual, but will have her check out that table on page 24.

Thanks,

Richard WEbb

Electric SPider Productions,
amateur radio call nf5b

Replace anything before the at symbol with elspider for real email reply
or use my callsign at mmsn.org

5699. WTB: Wavetek 3000 or 3001 parts.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 03:12:39 UTC
From: Larry McGee <lrmagoo@worldnet.att.net>
Message-ID: <HODB9.10206$vM1.742019@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37159

Hello. I need a couple of plugin modules for either of these units; the M2M & M10W for sure. If you have these, or any complete non working units that are for sale, I would like to hear from you. Thanks. Larry

5700. FA:ALINCO DJ X10T 1200 ch Handheld Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 03:42:02 UTC
From: msdbm@aol.com
Message-ID: <20021116224202.28758.00000060@mb-ck.aol.com>
Source record: 37160

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802011528

5701. Re: IC-2720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 04:28:22 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <TqednHiW-5Eh0qgXTWcrg@comcast.com>
Source record: 37161

I just got the word tonight via e-mail that HRO has them. I've been waiting
for them since Dayton. So tell us, how well does it work?

Bob M.
======
"Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message
news:KNwB9.221801$r7.3805074@twister.tampabay.rr.com...
> I bought 2 at AES (orlando) last weekend -- $379
>
>
> "Bob M." <xxxxx@yyyy.zzz> wrote in message
> news:VUidnYk4x5gfE0ugXTWcoQ@comcast.com...
> > Where is it available? I just got an HRO catalog last week and it and
> Icom's
> > web site still say the unit is not for sale, nor can it be offered for
> sale,
> > until FCC approval is received, which I assume has not happened.
> >
> > And what's the selling price? It's gonna have to compete with the Yaesu
> 8900
> > if they plan to sell any of them.
> >
> > Bob M.
> > ======
> > "Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message
> > news:MYmB9.291328$S8.6020512@twister.tampabay.rr.com...
> > > Now that the IC-2720 is out -- where is the CAPS/MARS extended xmit
mod?
> > >
> > > Looks like the radio comes wide open on receive out of the box.
> > >
> > > who found the xmit mod?
> > >
> > > cheers
> > >
> > >
> >
> >
> >
> >
> >

5702. Re: IC-2720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 04:59:03 UTC
From: artie <silli_artie@hotmail.com>
Message-ID: <1611200220590449 21%silli_artie@hotmail.com>
Source record: 37162

Yes, HRO has them -- got them in earlier in the week. The mounting
bracket for the head is incredibly cheezy. Your choice of green or
amber backlighing on the display. An interesting feature is the
ability to change the first IF. No block diagram in the manual.
Unlike the Y8900, the programming software is available for the 2720
now (HRO also has it). www.eham.com has some reviews, but so far, no
word on mods and extended tx coverage.

In article <TqedndHiW-5Eh0qgXTWcrg@comcast.com>, Bob M.
<xxxxx@yyyy.zzz> wrote:

> I just got the word tonight via e-mail that HRO has them. I've been waiting
> for them since Dayton. So tell us, how well does it work?
>
> Bob M.
> ======
> "Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message
> news:KNwB9.221801$r7.3805074@twister.tampabay.rr.com...
> > I bought 2 at AES (orlando) last weekend -- $379
> >
> >
> > "Bob M." <xxxxx@yyyy.zzz> wrote in message
> > news:VUidnYk4x5gfE0ugXTWcoQ@comcast.com...
> > > Where is it available? I just got an HRO catalog last week and it and
> > Icom's
> > > web site still say the unit is not for sale, nor can it be offered for
> > sale,
> > > until FCC approval is received, which I assume has not happened.
> > >
> > > And what's the selling price? It's gonna have to compete with the Yaesu
> > 8900
> > > if they plan to sell any of them.
> > >
> > > Bob M.
> > > ======
> > > "Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message
> > > news:MYmB9.291328$S8.6020512@twister.tampabay.rr.com...
> > > > Now that the IC-2720 is out -- where is the CAPS/MARS extended xmit
> > mod?
> > > > >
> > > > Looks like the radio comes wide open on receive out of the box.
> > > > >
> > > > who found the xmit mod?
> > > > >
> > > > cheers

> > > >
> > > >
> > >
> > >
> > >
> >
> >
>
>

5703. Re: IC-2720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 06:15:12 UTC
From: Radiotronicgizzmo <radiotronic@spydercat.com>
Message-ID: <QtGB9.230828$r7.3883219@twister.tampabay.rr.com>
Source record: 37163

No alpha tags either --- I don't like that -- got used to them.

And the memories keep 2meter/70cm in one lot -- no band changes. Different,
think i'll like that better, easier to put towns in a bank, regardless of
band.

remote it with a standard rj-6 mic with a rj-11 (8pin) -- mic control can
do everything including volume up.down.

rx is wide open, but i want to open up the tx before mounting in truck.

go buy one -- if you don't mind the no alpha -- seems to be a top notch
radio.

I like the dual controls -- left right volume/squelch/tune -- no fussing
around with selecting "main" etc.
like two radios in one -- you do have to select which you are going to xmit
on though.

first radio i have owned that tunes the 220 meg band.

overall pretty nice.

"artie" <silli_artie@hotmail.com> wrote in message
news:161120022059044921%silli_artie@hotmail.com...
>
> Yes, HRO has them -- got them in earlier in the week. The mounting
> bracket for the head is incredibly cheezy. Your choice of green or
> amber backlighing on the display. An interesting feature is the
> ability to change the first IF. No block diagram in the manual.
> Unlike the Y8900, the programming software is available for the 2720
> now (HRO also has it). www.eham.com has some reviews, but so far, no
> word on mods and extended tx coverage.
>
>
>
>
> In article <TqedndHiW-5Eh0qgXTWcrg@comcast.com>, Bob M.
> <xxxxx@yyyy.zzz> wrote:
>
> > I just got the word tonight via e-mail that HRO has them. I've been
waiting
> > for them since Dayton. So tell us, how well does it work?
> >
> > Bob M.
> > ======
> > "Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message

> > news:KNwB9.221801$r7.3805074@twister.tampabay.rr.com...
> > > I bought 2 at AES (orlando) last weekend -- $379
> > >
> > >
> > > "Bob M." <xxxxx@yyyy.zzz> wrote in message
> > > news:VUidnYk4x5gfE0ugXTWcoQ@comcast.com...
> > > > Where is it available? I just got an HRO catalog last week and it
and
> > > Icom's
> > > > web site still say the unit is not for sale, nor can it be offered
for
> > > sale,
> > > > until FCC approval is received, which I assume has not happened.
> > > >
> > > > And what's the selling price? It's gonna have to compete with the
Yaesu
> > > 8900
> > > > if they plan to sell any of them.
> > > >
> > > > Bob M.
> > > > ======
> > > > "Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message
> > > > news:MYmB9.291328$S8.6020512@twister.tampabay.rr.com...
> > > > > Now that the IC-2720 is out -- where is the CAPS/MARS extended
xmit
> > mod?
> > > > > >
> > > > > Looks like the radio comes wide open on receive out of the box.
> > > > > >
> > > > > who found the xmit mod?
> > > > > >
> > > > > cheers
> > > > > >
> > > > > >
> > > > >
> > > > >
> > > > >
> > > >
> > > >
> > >
> > >
> >

5704. Radio Shack Pro-2006 scanner.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 07:05:52 UTC
From: m38 <m38@cox-internet.com>
Message-ID: <utfpfk2k56bo08@corp.supernews.com>
Source record: 37181

FS: Radio Shack Pro-2006 scanner, like new, original manual. I'm the original (non-smoking) owner. This is the one with Hypercan. $300.

5705. Re: Live internet ham radio broadcasts?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 10:51:50 UTC
From: "Privacy, please" <no.spam@wanted.here>
Message-ID: <HE6dnXLjL75N6UqgXTWcrg@comcast.com>
Source record: 37164
Cross-posted to: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.misc

"Basil Fungee" <fungee@hotmail.com> wrote in message
news:5F4U25XM37577.0287037037@Gilgamesh-frog.org...
> On Tue, 12 Nov 2002, Bruno <bhaineault@hotmail.com> wrote:
> >"Adair Winter" <adair@revivedrecords.com> wrote in
> >news:uI%z9.231$7F3.161002719@newssvr12.news.prodigy.com:

> Are there any sites that 'broadcast' ham radio frequencies over the
> internet for listening only?

http://www.visualradio.de/javatune.html

http://weatherstation.tripod.com/TUNE.html

5706. FS: ICOM 775

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 11:57:07 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <gh0ftu0cnc35uga26bp1lkqc5s5iu6re12@4ax.com>
Source record: 37165

I have for sale in excellent condition an ICOM 775 DSP HF rig....Its a 9.5 on condition no marks or scratches and from a non-smoker and in 100% operating condition.....It comes with the original manual and the inner and outer original cartons.....I bought it new so I'm the original owner.....There are no optional filters in it....I will take $1995 plus shipping in the 48 states only....I can be reached at (508) 821-2993 or email......WZ1U Steve / Lakeville, Ma

5707. Re: Kenwood tm-261a 2m mobile memories query

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 14:24:17 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailnospamorama.com>
Message-ID: <WyNB9.9208$%j3.4600@news.bellsouth.net>
Source record: 37166

After you have set the tone in the menu programming. and exited the menu.
Press the T (for tone) on every channel you want set. button. I needed to be
shown that by the slesman at the candy store 2 weeks after I bought the
radios.

--
73,
Chuck
KE4ETH
Remove the obvious from Email.

<0junk4me@bellsouth.net> wrote in message
news:0KwB9.12682$dr6.5290@news.bellsouth.net...
> HI folks,
>
> Just bought my xyl one of these rigs at a hamfest a couple of weeks
> ago. Brand new in the box this time. Been perusing the manual
> carefully but can't see what it is we're missing.
>
> THe problem: wE can seem to program a memory but it doesn't seem to
> save the ctcss tone encode information. THe book doesn't actually
> tell us what we're missing here.
>
> Another question. since one must set the ctcss tone through its menu
> a is one able to program more than one ctcss encode tone in memories?
> WIth as many memories as this rig has it's sure going to be a bear to
> ahve to go into this menu while moving down the road when needing to
> switch tones.
>
> AT the moment just moving the vfo around among repeaters in the area
> which all seem to use the same tone, but would sure like to make use
> of the memory channels <grin>.
>
> Anyone with a clue as to what we're both missing?
>
> Thanks and 73
>
>
>
>
>
>
> Richard WEbb
>
> Electric SPider Productions,

> amateur radio call nf5b
>
> Replace anything before the at symbol with elspider for real email reply
> or use my callsign at mmsn.org
>
>

5708. Kenwood TS-680S HF+6 Meters, 2 Meter Handheld, VHF amp, MFJ TNC and more 4-SALE/Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 16:22:59 UTC
From: Tony <as8383@netzero.net>
Message-ID: <DnPB9.31592$Yb.740962@twister.austin.rr.com>
Source record: 37167
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

have the following to sell, but would trade some items.

Kenwood TS-680S Allmode HF and 6 meter rig in excellent cond, power cord,
manual.
$500.00

MFJ 1278 Allmode TNC (HF,VHF,Packet, RTTY,CW,FAX,AMTOR,WEFAX and more)
$75.00

RF Concepts 315 VHF amplifier in MINT cond. 30w in 150out, 40w in 170w + out
$235.00

Radio Shack HTX-202 2 meter handheld w/bad BP8 battery
$65.00

BC-350 desktop quick charger for Icom BP batteries and others
$40.00

HomeFree 802.11 wireless cards (to setup your own wireless network)
- 1 PCMCIA, 2 ISA and CD-ROM
$25.00 for all three cards!

Shipping from 78258 extra...

N5GPI

5709. FA Transceivers, Receivers and Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 16:47:31 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3DD7C823.924ACE45@ckradio.net>
Source record: 37168

http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=ve3ngw

5710. FA:Icom IC-2AT H/T with BC-30 Desk Charger, A Give-away @$30 2-nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 16:49:42 UTC
From: rlucch2098@aol.com
Message-ID: <20021117114942.18518.00000148@mb-fp.aol.com>
Source record: 37169

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676249

5711. FA: Beautiful Central Electronics DQ Q-Multiplier, Last Call, Don't miss!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 16:51:37 UTC
From: rlucch2098@aol.com
Message-ID: <20021117115137.18518.00000149@mb-fp.aol.com>
Source record: 37170

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676211

5712. FA: Neat Hitachi SW/PB/AM/FM Portable Radio, Cheep>Ends 2Nite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 16:53:35 UTC
From: rlucch2098@aol.com
Message-ID: <20021117115335.18518.00000152@mb-fp.aol.com>
Source record: 37171

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676215

5713. FA: Mint HEATHKIT IG-28 Color Dot/Bar Generator w/manual @$9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 16:55:27 UTC
From: rlucch2098@aol.com
Message-ID: <20021117115527.18518.00000153@mb-fp.aol.com>
Source record: 37173

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676230

5714. fa: Daiwa SWR/WATT CN-540 Dual Meter 50-150mhz Cheep @$26

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 16:58:57 UTC
From: rlucch2098@aol.com
Message-ID: <20021117115857.18518.00000156@mb-fp.aol.com>
Source record: 37174

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676233

5715. Fa>> 8 "VECTOR" brand Extension Sockets, NOS, Only at $13, ToNite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 17:01:05 UTC
From: rlucch2098@aol.com
Message-ID: <20021117120105.18518.00000157@mb-fp.aol.com>
Source record: 37175

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676243

5716. fa-- Mint-o JOHNSON TURNS COUNTER DIAL, COMPLETE, ToNite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 17:03:01 UTC
From: rlucch2098@aol.com
Message-ID: <20021117120301.18518.00000160@mb-fp.aol.com>
Source record: 37176

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1396676246

5717. FS: Astron RS-12A Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 17:18:01 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <j5jftus8m8488v7rp2di1u74b0qrvgf6oi@4ax.com>
Source record: 37177

I have for sale in excellent condition an Astron RS-12A power supply. Its a 9 amp supply with a 12amp surge. I will take $40 plus shipping and can be reached at (508) 821- 2993 or email......WZ1U Steve / Lakeville, Mass.

5718. FT-2400H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 17:31:49 UTC
From: Jack <jack@satterfield.org>
Message-ID: <3dd7d6bd_3@news1.prserv.net>
Source record: 37178

I just purchased a used FT-2400H 2 meter rig. Does anyone know if it is possible to input the frequency via the DTMF microphone?

Thanks, Jack
W4GRJ

5719. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 17:47:55 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <utflj0j1vbb5c4@corp.supernews.com>
Source record: 37179

Morse is simply a way of encoding the signal for transmission just like ascii, baudot, or PSK31. It is not a "language". If it were then any two people who knew Morse could efficiently communicate but you can't. In many cases you can copy the characters but you don't understand the words they spell. Hams often can get the idea of the content because things like call signs and operational signals are relatively standard - not because Morse is a universal language. The same is true for ascii, baudot, and PSK31.

5720. Re: Screwdriver Antenna Decision

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 18:09:44 UTC
From: Jerry Oxendine <joxendi@bellsouth.net>
Message-ID: <f2RB9.11573$%j3.6728@news.bellsouth.net>
Source record: 37180

Bill East <beast@pcs.mb.ca> wrote in message
news:dl9y9.6080$i%.1545351@localhost...
>
> Like to get some comments on performance on how your screwdriver antenna
> is operating. Mount location info ,grounding method etc. anything else to
> assist me is making a decision. Plan on using a ft-100D or the new
> ft-897install the antenna on the rear fender of late model 1/2 ton .
>
> thanks,
> Bill

Well, mine is mounted on left rear on homemade mount. It is a Carolina
Cyclone.

www.qsl.net/k4kwh

73

Jerry

>
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.391 / Virus Database: 222 - Release Date: 9/20/02

5721. FS: NEW Electrolytic Can Capacitors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 19:11:47 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <beqftuood28vrn8j7l71f04o8tls3iuca0@4ax.com>
Source record: 37182
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

FOR SALE:
Electrolytic Capacitors, new in box.

1 40+40uF/500V, 100uF/200V
1 40uF/500V, 140+100+50uF/350V
1 80+4+4+4uF/500V
1 50+10+10uF/500V
1 50+10+10+5uF/500V
1 50+40+5uF/500V, 200uF/350V
1 30+20uF/500V, 50uF/250V, 200uF/150V
1 30uF/500V, 130+10+10uF/350V
1 50+20uF/500V, 50uF/25V
1 40+40+30uF/500V, 100uF/100V
4 100 uF/450V
1 120 uF at 450V DC
1 30+10uF/500V, 150+50uF/50V
1 20+20 uF/500V, 100 uF/ 450V
1 20+20 uF/500V, 200 uF/ 50V
1 80 uF/450V, 40uF/450V, 20uF/450V, 100uF/200V
1 80+80+30uF/450V
1 80+20+2uF/450V, 50uF/50V
1 80+60uF/450V, 100+100uF/250V
1 80+10/450V, 80uF/250V, 100uF/50V
1 50+10uF/450V, 160uF/250V
1 80uF/450V, 80uF/200V, 100uF/50V
1 30+20/450V, 160+40/250V
1 20+10+10uF/450V
1 100+10uF/450V, 30+20uF/50V
1 80+20uF/450V
1 50uF/450V, 160uF/250V, 50uF/50V
1 10uF/450V, 100uF/200V, 200uF/75V
1 150+150+5uF/350V
1 100+60+20uF/350V
1 20uF/350V, 100uF/200V, 100uF/100V
1 20+5uF/350V, 150uF/50V

$5.00 each for the 500V caps, $4.50 each for the 450V caps,
and 3.50 each for the 350V caps.

Shipping additional

E-mail me to arrange purchase

5722. FS: Terminal Boards - Tube type / NEW

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 19:22:32 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <l2rftugm0dm3hmi43b0nnmk87dgp1c38hl@4ax.com>
Source record: 37183
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

TERMINAL BOARDS - Tube type building parts:

Brand new terminal boards with turrets - 13.1" X 1.5"
Two rows of five turrets on each section. Five sections.
NOTE: The longer boards can easily be broken down into single
sections. QTY 42 of these 5-way units at $5.00 each

QTY 10 Brand new terminal boards with turrets - 10.5" X 1.5"
Two rows of five turrets with mounting holes.
Available for $5.00 each

QTY 2 - Brand new terminal boards with turrets - 2.6" X 1.5"
Two rows of five turrets.
Will sell for $1.00 each

QTY 19 - Brand new terminal boards with turrets - 2.6" X 2.5"
Two rows of five turrets on each.
Available for $1.50 each

Most are bakelite/phenolic, and a few are fibreglass.
These are perfect for building guitar amps, tube receivers
and transmitters, or for repairing/building amplifiers and
hi-fi audio amplifiers.

Shipping to domestic USA $5.00 for any quantity.

Reply via e-mail to arrange purchase

5723. Complete Station Price Reduced

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 20:33:48 UTC
From: "Richard S. Lindzen" <rlindzen@mit.edu>
Message-ID: <r7vftu0j5qh28gou5dt9nsv9v09da4hrat@4ax.com>
Source record: 37184

The following items are for sale as a package (preferably to someone
who can pick them up in the Boston area):

ICOM 750 (Japanese version of the 751) with original microphone, 250hz
CW filter, 6khz AM filter, manual, Service Manual, new ROM and
battery, original box, excellent condition.
Astron RS35M 12 Volt Supply. Excellent condition.
Dentron Clipperton L Linear Amplifier with tuned input and manual.
Excellent condition.
ICOM 260A all mode two meter rig with mike and manual. Very good
condition.
Mirage 100 W. 2 meter Amplifier with preamp. Excellent condition.
Datong RF Speech processor. Excellent condition.

Take everything for $900. (Miscellaneous extras will be thrown in.)
If interested, contact me by email.

Dick Lindzen, KA1SA, rlindzen@mit.edu

5724. M2 6M7 Instruction booklet wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 22:08:08 UTC
From: John <john@vhfdx.idps.co.uk>
Message-ID: <3dd812a2_2@mk-nntp-1.news.uk.worldonline.com>
Source record: 37185
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Hello, can someone please supply me with a copy of the M2 6M7 booklet. I have just got the antenna seond-hand without the instruction booklet and need a copy to set it up correctly.

Scan by email is okay.

Cheers

John

5725. INFO WTD: RCA AVR-11 Airport Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 22:47:02 UTC
From: gnj2@ridgenetnospam.net
Message-ID: <ar9696$jg9$1@delphi.ridgenet.net>
Source record: 37186

To beg, borrow or buy a schematic or copy plus other related techniceal information for this radio such as alignment and voltage data. Radio is a large, very heavy 16-tube, 4-band shutter dial. Please remove (nospam) from my address to respond.
Thanks, Gene

5726. FS: Shure Mic Wired For Collins

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 23:15:38 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <on8gtusrq3me5mqbt4c5eqnvmdud1e4ikv@4ax.com>
Source record: 37187
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

Shure 444 Microphone wired for Collins rigs with the appropriate 3/16" approx. diameter connector. Great sounding mic with locking PTT etc.

Ready to go with your KWM-2 or S-line gear

Very good condition. Available for $50.00 plus shipping

Picture available on request.

E-mail me to arrange purchase

5727. FS>>Pierson KE-93 receiver w/ owners manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 23:16:06 UTC
From: John Schneider <thecop@optonline.net>
Message-ID: <WqVB9.13771$I8.275@news4.srv.hcvlny.cv.net>
Source record: 37188

The subject pretty much says it all. The radio is in VERY good condition (pic.'s available on request) as is the owners manual, although it has some marks on it.

I must add that I have not powered this up so I cannot attest to how well it works (unless the way it looks is any indication).

I REALLY don't want to put this on Ebay, so first come first serve!

$125.00 + shipping (OBO)

John Schneider
thecop@optonline.net

5728. Re: IC-2720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-17 23:52:35 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <82mdnUVnyeUotkWgXTWc3w@comcast.com>
Source record: 37189

Thanks for the comments. I don't have enough items in my Kenwood HT to even use the alpha tags. That rig has 80 memory channels that are used for both VHF and UHF - it's up to the owner to decide which ones will be VHF (I chose 1 thru 40) and UHF (41 thru 80).

My Standard C5608DA has separate controls for each band - it's basically two radios with one control head. Has a horrible time with intermod from the local pagers. I read one review on eHam that mentioned lots of VHF intermod. I did try out a Yaesu 8900 and it had absolutely no intermod and seemed to fit a lot of places in my vehicles.

One bad thing about the 8900 is that you must be level with, or "above" the axis of the front panel to view the LCDs, otherwise they disappear. This precludes mounting the control head overhead, or vertical on the transmission hump.

Does the 2720 give you both amber and green, or do you select it when you buy the particular model? The 8900 is a very readable amber, when you can see it, and ALL the digits are the same size. It does do alpha-numeric tags. One downside to the 8900 is that it only gives you 28-29.7 and 50-54 MHz receive below 108 MHz. Why they couldn't have left it open from 28 thru 500 is beyond me, but that's Yaesu for you.

Bob M.
======
"Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message
news:QtGB9.230828$r7.3883219@twister.tampabay.rr.com...
> No alpha tags either --- I don't like that -- got used to them.
>
> And the memories keep 2meter/70cm in one lot -- no band changes.
Different,
> think i'll like that better, easier to put towns in a bank, regardless of
> band.
>
> remote it with a standard rj-6 mic with a rj-11 (8pin) -- mic control
can
> do everything including volume up.down.
>
>
> rx is wide open, but i want to open up the tx before mounting in truck.
>
> go buy one -- if you don't mind the no alpha -- seems to be a top notch
> radio.
>
> I like the dual controls -- left right volume/squelch/tune -- no fussing

> around with selecting "main" etc.
> like two radios in one -- you do have to select which you are going to
xmit
> on though.
>
> first radio i have owned that tunes the 220 meg band.
>
> overall pretty nice.
>
>
> "artie" <silli_artie@hotmail.com> wrote in message
> news:161120022059044921%silli_artie@hotmail.com...
> >
> > Yes, HRO has them -- got them in earlier in the week. The mounting
> > bracket for the head is incredibly cheezy. Your choice of green or
> > amber backlighing on the display. An interesting feature is the
> > ability to change the first IF. No block diagram in the manual.
> > Unlike the Y8900, the programming software is available for the 2720
> > now (HRO also has it). www.eham.com has some reviews, but so far, no
> > word on mods and extended tx coverage.
> >
> >
> >
> >
> > In article <TqedndHiW-5Eh0qgXTWcrg@comcast.com>, Bob M.
> > <xxxxx@yyyy.zzz> wrote:
> >
> > > I just got the word tonight via e-mail that HRO has them. I've been
> waiting
> > > for them since Dayton. So tell us, how well does it work?
> > >
> > > Bob M.
> > > ======
> > > "Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message
> > > news:KNwB9.221801$r7.3805074@twister.tampabay.rr.com...
> > > > I bought 2 at AES (orlando) last weekend -- $379
> > > >
> > > >
> > > > "Bob M." <xxxxx@yyyy.zzz> wrote in message
> > > > news:VUidnYk4x5gfE0ugXTWcoQ@comcast.com...
> > > > > Where is it available? I just got an HRO catalog last week and it
> and
> > > > Icom's
> > > > > web site still say the unit is not for sale, nor can it be offered
> for
> > > > sale,
> > > > > until FCC approval is received, which I assume has not happened.
> > > > >
> > > > > And what's the selling price? It's gonna have to compete with the
> Yaesu

> > > > 8900
> > > > > if they plan to sell any of them.
> > > > >
> > > > > Bob M.
> > > > > ======
> > > > > "Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message
> > > > > news:MYmB9.291328$S8.6020512@twister.tampabay.rr.com...
> > > > > > Now that the IC-2720 is out -- where is the CAPS/MARS extended
> xmit
> > > mod?
> > > > > >
> > > > > > Looks like the radio comes wide open on receive out of the box.
> > > > > >
> > > > > > who found the xmit mod?
> > > > > >
> > > > > > cheers
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > >
> > > > >
> > > >
> > > >
> > >
> >
>

5729. Re: IC-2720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 00:14:13 UTC
From: artie <silli_artie@hotmail.com>
Message-ID: <171120021614150793%silli_artie@hotmail.com>
Source record: 37190

In article <82mdnUVnyeUotkWgXTWc3w@comcast.com>, Bob M.
<xxxxx@yyyy.zzz> wrote:

> Thanks for the comments. I don't have enough items in my Kenwood HT to even
> use the alpha tags. That rig has 80 memory channels that are used for both
> VHF and UHF - it's up to the owner to decide which ones will be VHF (I chose
> 1 thru 40) and UHF (41 thru 80).
>
> My Standard C5608DA has separate controls for each band - it's basically two
> radios with one control head. Has a horrible time with intermod from the
> local pagers. I read one review on eHam that mentioned lots of VHF intermod.
> I did try out a Yaesu 8900 and it had absolutely no intermod and seemed to
> fit a lot of places in my vehicles.
>
> One bad thing about the 8900 is that you must be level with, or "above" the
> axis of the front panel to view the LCDs, otherwise they disappear. This
> precludes mounting the control head overhead, or vertical on the
> transmission hump.
>
> Does the 2720 give you both amber and green, or do you select it when you
> buy the particular model? The 8900 is a very readable amber, when you can
> see it, and ALL the digits are the same size. It does do alpha-numeric tags.
> One downside to the 8900 is that it only gives you 28-29.7 and 50-54 MHz
> receive below 108 MHz. Why they couldn't have left it open from 28 thru 500
> is beyond me, but that's Yaesu for you.
>

You can choose either amber or green in one of the setup menus (the
folks at HRO hadn't seen that yet -- I borrowed the book and worked my
way through the demo they'd just set up).

The 2720 display is quite nice -- I can read it without my reading
glasses, and it's readable from below the display. I have the control
heads for the 706 and the 8100 overhead on the ceiling console on my
grand cherokee. I even checked the 2720 display with my polarized
sunglasses -- it's readable. Yaesu on the 8100 set the polarization of
the LCD so that it's almost completely dark when viewed through my
sunglasses.

If Yaesu had opened up 42-49 MHz (or someone publishes a mod that opens
it up for RX) I'd get the 8900, in spite of the fact I already have 10
and 6 covered with the 706.

5730. FA:ALINCO Multimode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 00:31:38 UTC
From: msdbm@aol.com
Message-ID: <20021117193138.03450.00000248@mb-ma.aol.com>
Source record: 37191

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802011528&ssPageName=AD
ME:B:DS:US:3

5731. FS. GRUNDING YACHT BOY 400 WITH MODS!! and Vintage Beltek AM Transceiver.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 00:44:57 UTC
From: Tony <prosper2040@sympatico.ca>
Message-ID: <WKWB9.1636$7X4.178019@news20.bellglobal.com>
Source record: 37192
Cross-posted to:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.shortwave

GRUNDIG YACHT BOY 400PE
With Mute and Fine Tune Mod!!!, Manual, Original box, carrying case, Wall Adapter, long-wire external antenna,
Hardly used! -$105.00

BELTEK 23 CHANNEL AM TRANSCEIVER
This one's an oldie, looks like a mid seventies transceiver, couldn't find anything on the web about it. It measures about
12x10x4 in an all metal cabinet, it has a 120v ac as well as connections for 12v mobile. This is a solid state transceiver
and it works. -$15.00

I'm located in SW Ontario, shipping to anywhere in North America is about 8-12 dollars for these items.

Regards.

5732. Fixing Old Heathkit HW101

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 01:47:55 UTC
From: Marty Friedman <radiomf@nospamcomcast.net>
Message-ID: <H1CdnRjiHtpS20WgXTWc3Q@comcast.com>
Source record: 37193

Hi Group,
I just got back on the air after over thirty years, I have aquired a Heath HW 101 and need some help fixing the VOX. All other features seem ok, When I tap the mike the relays click, but do not latch (hold) If I speak into the mike I can hear my voice slightly in the speaker and the relay coils vibrate too.I have tried the adjustments with no changes noted. Tubes are ok. I do have the manual. Grateful for any ideas. If there is a better newsgroup for this, please advise.
73, Marty (KC2KMN)

5733. FS: Mattco 745 Frequency Counter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 03:40:51 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <h0ogtugvu5c3tdhto98mo581ivv0espjg8@4ax.com>
Source record: 37194
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace

FOR SALE:

Mattco 745 Frequency Counter

Works with any radio to measure and show your
operating frequency. Simply connects in line with your
antenna with a PL-259 jumper.

Has controls for ON-OFF, SENSITIVITY and MHz-KHz.

The digital readout will show, for example 27.185
in the MHz position or down two digits further
(if you want) in the kHz position.

Works at all power levels from 2 watts and up.

Requires 12V DC to operate. Fully tested and guaranteed.

Will sell for $125.00 plus $5.00 conus shipping

5734. If this POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 03:44:46 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ar9nl50o12@enews1.newsguy.com>
Source record: 37197

. . . . is an amateur radio amplifier . . . .
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802850920

--

Regards,
Joe S.

5735. Label on the rear of this POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 03:46:19 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ar9no10o61@enews1.newsguy.com>
Source record: 37001

. . . . says "FCC regulations prohibit the use of this device on the Class D
Citizens Band."
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800114122

Right.

--

Regards,
Joe S.

5736. This POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 03:48:12 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ar9nrj0oc7@enews1.newsguy.com>
Source record: 37000

. . . . is for amateur radio use only. That's what the seller says. Read
the description. He does not say which amateur band(s) it operates on .
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800990657

--

Regards,
Joe S.

5737. Notice the true MILSPEC construction . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 03:49:41 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ar9nub0ohq@enews1.newsguy.com>
Source record: 37003

. . . .on this POS.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802202191

I especially like the labels and the cooling fan.
--

Regards,
Joe S.

5738. Beautiful!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 03:50:44 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ar9o0b0om3@enews1.newsguy.com>
Source record: 37002

Just beautiful!!!
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800880189

--

Regards,
Joe S.

5739. FS: Yaesu FT-2 Auto, Packet station

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 03:52:45 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <otogtuc76bal113u743bhjt2dal67f503j@4ax.com>
Source record: 37195
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.digital,rec.radio.amateur.digital.misc

FOR SALE:

Yaesu FT-2 Auto in near mint condition.
144 - 148 MHz Vintage FM.
Includes original manual. This rig sparkles.
Power output is 10 Watts or 1 Watt.
Dimensions: 210 mm wide X 95 mm High X 270 mm deep.
Made tough like a battleship. Lots of steel and chrome.
Has a nice tilt-bail and unusually nice chrome front.
Built in AC supply for 120V AC.

Present configuration includes crystals for -
145.07 Packet
145.09 Packet
146.52 Simplex
146.16/.76
146.34/.94
146.37/.97

Supplied with an interface cable made for running packet radio also.
Available for $55.00 plus shipping

E-mail me to arrange purchase or request pictures etc.

5740. "For amateur radio use only"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 03:53:50 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ar9o650p3s@enews1.newsguy.com>
Source record: 36999

That's what it says.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801540868

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800275669

--

Regards,
Joe S.

5741. Re: 4CX250 Mod for FT101?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 03:59:06 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <19pgtuo29i53s9t7sfcvn9vhncirkj6gam@4ax.com>
Source record: 37196

A more reasonable approach - I have for sale some pairs of 6JS6C tubes
here if anyone would like a pair.

They are new and in the boxes.

E-mail me if you would like some.

AF4K

On Thu, 14 Nov 2002 04:43:10 -0600, dj <dalej2@mac.remove.this.com>
was like:

>In article <3DD3592D.3040007@ihr.mrc.ac.uk>,
> Dave Bullock <DaveB@ihr.mrc.ac.uk> wrote:
>
>> Homebrewers, here's a good question.....
>>
>> The FT-101 "probably the most modified Ham bands radio ever"
>> or so the saying goes.
>> The 6JS6C probably the most sought after tube for this radio!
>> I have seen lots of modification info to convert to 6146B's etc
>> but I would have thought that another of the radio classics..... the
>> 4CX150 or (250) would have been a more suitabe choice.
>>
>> Readily available, (10-a-penny) at junk sales, even ones that are tired
>> of UHF would probably work on DC ......sorry HF)!
>> Unbreakable, (in this application) only being asked to produce 100W they
>> can dissipate 250W!
>> Junking all thet parallel wiring would probably remove the need for
>> neutralisation too!
>>
>> As the new owner of an FT-101 in need of O/P bottles, do any of you know
>> what is the problem, converting the set to a single 4CX250?
>> (There must be something I missed)!
>>
>> Thanks ...Dave
>
>Your gonna need airflow thru the tube otherwise it will burn up even
>just with the filaments on.
>good luck
>dj

5742. But wait!!! There's more!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 04:01:18 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ar9ok50prh@enews1.newsguy.com>
Source record: 37004

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801957409

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802508873

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802580159

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802679315

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802306542

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802499725

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802802813

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802873428
(This one is an amateur radio amplifier -- says so right on the label.)

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802079997

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802844894

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802805841

Would someone please tell me again how careful eBay is about listing only
legitimate, legal amplifiers for auction? I need a good laugh about now.

--

Regards,
Joe S.

5743. Re: But wait!!! There's more!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 07:59:52 UTC
From: "M. Schneider" <markinokla@juno.com>
Message-ID: <t41C9.136$y6.6738@sooner.brightok.net>
Source record: 37005

Are you under the impression that anybody here gives a flying flip what is advertised on eBay? Or do you just have too much time on your hands?

Mark

"Joe S." <joe@schlatter.org> wrote in message news:ar9ok50prh@enews1.newsguy.com...
>snip<
> Would someone please tell me again how careful eBay is about listing only
> legitimate, legal amplifiers for auction? I need a good laugh about now.
>
> --
>
> ------
> Regards,
> Joe S.
>
>
>
>

5744. Re: But wait!!! There's more!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 10:33:48 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <arafjv020mg@enews1.newsguy.com>
Source record: 37006

"M. Schneider" <markinokla@juno.com> wrote in message
news:t41C9.136$y6.6738@sooner.brightok.net...
> Are you under the impression that anybody here gives a flying flip what is
> advertised on eBay? Or do you just have too much time on your hands?
>
> Mark

Neither.

I drink a bit.

--

Regards,
Joe S.

>
> "Joe S." <joe@schlatter.org> wrote in message
> news:ar9ok50prh@enews1.newsguy.com...
> >snip<
> > Would someone please tell me again how careful eBay is about listing
only
> > legitimate, legal amplifiers for auction? I need a good laugh about
now.
> >
> > --
> >
> > ------
> > Regards,
> > Joe S.
> >
> >
> >
> >
>
>

5745. Re: But wait!!! There's more!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 12:09:31 UTC
From: "Alex J." <alexjent@citlink.net>
Message-ID: <uthm3rlucoj7f@corp.supernews.com>
Source record: 37007

Fine....see if you can write "FA" in your posts too!

Alex

"Joe S." <joe@schlatter.org> wrote in message
news:arafjv020mg@enews1.newsguy.com...
> "M. Schneider" <markinokla@juno.com> wrote in message
> news:t41C9.136$y6.6738@sooner.brightok.net...
> > Are you under the impression that anybody here gives a flying flip what
is
> > advertised on eBay? Or do you just have too much time on your hands?
> >
> > Mark
>
> Neither.
>
> I drink a bit.
>
> --
>
> ------
> Regards,
> Joe S.
>
> >
> > "Joe S." <joe@schlatter.org> wrote in message
> > news:ar9ok50prh@enews1.newsguy.com...
> > >snip<
> > > Would someone please tell me again how careful eBay is about listing
> only
> > > legitimate, legal amplifiers for auction? I need a good laugh about
> now.
> > >
> > > --
> > >
> > > ------
> > > Regards,
> > > Joe S.
> > >
> > >
> > >
> > >
> > >
> >
> >
>

>

5746. FS: Ten-Tec, Icom HF Rigs + Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 13:03:01 UTC
From: JS <wd1v@amsat.org>
Message-ID: <wd1v-964153.08030418112002@netnews.attbi.com>
Source record: 37008

* Ten Tec Omni V - Collector Quality
Mint Condition with all filters, DC power cord, manual, and
Heil Desk Mic. No Modifications. $835.00 and will ship UPS
to any USA location.

* Icom 746 with stock SSB filter and optional Icom 500 Hz CW
filter, DC power cable, HM-36 Hand Mic, New Icom 746 log book,
manual, service manual, and no modifications. Works great.
Cosmetically a "9.5" $835.00 and will ship UPS to any USA
location.

* PS-125 13.8 volt 25 amp DC power supply - new in box.
$100.00 or just $25.00 if purchased with either of the
above HF transceivers.

* MFJ Model 407C Deluxe Keyer with AC supply. A 5 - 9 volt
battery will also work for portable operations. Grid block
or direct keying. Works perfectly. $35.00 and will ship UPS
to any USA location.

73,

John Seney, WD1V
Manchester, NH
wd1v@amsat.org
http://www.qsl.net/wd1v

5747. Help Upgr IC820 ->IC821

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 13:59:39 UTC
From: Alexey Luzjanin <ua1ali@sp.ru>
Message-ID: <62shtu4ec1dqndgj7ice0j8tetae6vfgcu@4ax.com>
Source record: 37009

Respond who it already did it !!!!
Please send ua1ali@sp.ru
73, Alexey

5748. Help upgrade IC-820 --> IC821

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 14:03:35 UTC
From: Alexey Luzjanin <ua1ali@sp.ru>
Message-ID: <ejshtukab3t27q94dhhchmqg62lbmpq3eo@4ax.com>
Source record: 37010

Hello!!!
Respond who it already did it !!!!
Please send on email ua1ali@sp.ru
73, Alexey

5749. Need info on Yaesu FT-8900 Quad Band

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 14:36:11 UTC
From: Dick <grburke@adelphia.net>
Message-ID: <vV6C9.27462$6g.6983377@news1.news.adelphia.net>
Source record: 37011
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Anyone have one of these radios and have a tone that comes up when you hit the ptt to transmit?When you press to talk it send out some tone like a DTMF tone and I can't figure how to shut it off.I have called HRO and no one knows what I am talking about.They tell me to do a full reset and that should take care of it.IT Don't.
Right out of box as soon as you put in a frequency it does it.It stays in with as many frequencys you load.I can go to any channel and key up and you would know who it is if you are aware of it.Any help is welcomed.

5750. Re: Need info on Yaesu FT-8900 Quad Band

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 15:18:21 UTC
From: WR2M <wr2m@optonline.net>
Message-ID: <3DD912AF.5030504@optonline.net>
Source record: 37012
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I had an 8900 here for a day or two, it is the internet button causing
that. Look in the book for the location of the internet button and
toggle it off, It should be somwhere right on the front panel.
Bill, wr2m

Dick wrote:
> Anyone have one of these radios and have a tone that comes up when you hit
> the ptt to transmit?When you press to talk it send out some tone like a DTMF
> tone and I can't figure how to shut it off.I have called HRO and no one
> knows what I am talking about.They tell me to do a full reset and that
> should take care of it.IT Don't.
> Right out of box as soon as you put in a frequency it does it.It stays in
> with as many frequencys you load.I can go to any channel and key up and you
> would know who it is if you are aware of it.Any help is welcomed.
>
>
>

5751. Kenwood TS-140S problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 15:37:30 UTC
From: rod_pruner@yahoo.com
Message-ID: <90411613.0211180737.72b05195@posting.google.com>
Source record: 37013

After over 10 years of flawless operation,
my TS-140S has developed a problem.

The symptoms are this:
1.) Very low receive signal level. Must turn AF and RF gain
to full on position to hear even background noise. S-meter
does not register a signal even on ones that can be heard at the
low level. CW side tone and audible mode indications are normal volume.

2.) TX will not key in any mode: SSB, CW, AM or FM. No response
from the PTT button on mic (in LSB, USB or AM/FM), SEND/RECEIVE
button on front panel or in CW mode using a key.

Inspected inside covers for loose connectors, found none.
Nothing smells burnt or over heated. No visable signs of damage.

Any help/suggestions are appreciated.

TNX es 73's,
Rod, KN3ZOG

5752. Re: "For amateur radio use only"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 16:00:29 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uti3ku1kbu9k53@corp.supernews.com>
Source record: 37014

"Joe S." <joe@schlatter.org> wrote in message
news:ar9o650p3s@enews1.newsguy.com...
> That's what it says.
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801540868
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800275669
>
>
>
> --
>
> ------
> Regards,
> Joe S.

"For amateur radio use only" Yea right, wink wink, nudge nudge!

Also notice in the location it says "ASK SELLER NOT SUPPORTED"
And he also has a "hidden" feedback. I wouldn't buy anything from
this guy! Unless you like spending your hard earned money on junk
from someone who won't take emailed questions and wants to hide
his real feedbacks, for reasons known only to him.

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

5753. Re: Beautiful!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 16:03:18 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uti3q7cskhtudb@corp.supernews.com>
Source record: 37017

"Joe S." <joe@schlatter.org> wrote in message
news:ar9o0b0om3@enews1.newsguy.com...
> Just beautiful!!!
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800880189
>
> --
>
> ------
> Regards,
> Joe S.

Don't you just love the faux woodgrain finish? ;^)

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

5754. Re: Label on the rear of this POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 16:12:39 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uti4bntfuuvh91@corp.supernews.com>
Source record: 37016

"Joe S." <joe@schlatter.org> wrote in message
news:ar9no10o61@enews1.newsguy.com...
> . . . . says "FCC regulations prohibit the use of this device on the Class
D
> Citizens Band."
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800114122
>
> Right.
>
> --
>
> ------
> Regards,
> Joe S.

Do you doubt that the FCC prohibits the use of this amp
on class D CB radios?

Why don't you file a complaint with ebay on all these "finds"
and do some real good! I've seen several of the "10 Meter Ham"
radios pulled in the last few days, by people sending in complaints.

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

5755. Re: "For amateur radio use only"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 16:17:47 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <Uo8C9.48355$5Q5.10468@news-binary.blueyonder.co.uk>
Source record: 37015

> "For amateur radio use only" Yea right, wink wink, nudge nudge!
>
> Also notice in the location it says "ASK SELLER NOT SUPPORTED"
> And he also has a "hidden" feedback. I wouldn't buy anything from
> this guy! Unless you like spending your hard earned money on junk
> from someone who won't take emailed questions and wants to hide
> his real feedbacks, for reasons known only to him.
>
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx

The guy has 64 plus feedbacks,1 neutral, and 8 neg feedbacks, but he's not keen to let anyway see the feedbacks. Looks like he's got something to hide.

73 de G0MEM

5756. FT-100D on 2 meter packet

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 16:57:45 UTC
From: Allan <Allan@rr.com>
Message-ID: <d_8C9.17210$0U1.1649170@news2.east.cox.net>
Source record: 37018

Is anyone using the FT-100D on 2 meter packet? Is so, please post your results and the frequency of the fan running.

regards... Al

5757. Re: Need info on Yaesu FT-8900 Quad Band

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 17:01:37 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3DD91CF1.7AA67370@ckradio.net>
Source record: 37019
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Hi Dick
You have the DTMF Paging turned on. Go to the menu and turn it off. It's in the manual.
All modern Yaesu units have this feature, look under DTMF Paging Code.
If the word PAGE appears on your screen? Make it go off. 73 Chris VE3NGW/W4 Florida

Dick wrote:

> Anyone have one of these radios and have a tone that comes up when you hit
> the ptt to transmit?When you press to talk it send out some tone like a DTMF
> tone and I can't figure how to shut it off.I have called HRO and no one
> knows what I am talking about.They tell me to do a full reset and that
> should take care of it.IT Don't.
> Right out of box as soon as you put in a frequency it does it.It stays in
> with as many frequencys you load.I can go to any channel and key up and you
> would know who it is if you are aware of it.Any help is welcomed.

5758. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 17:13:39 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <arb740$j5o$1@slb4.atl.mindspring.net>
Source record: 37020

Incorrect. At slow speeds what you say is basically true. You copy the letters, then look at it either on the paper or in your minds eye and determine what was sent.

At speeds over about 35 wpm you copy in groups. You do not copy only the characters. The faster you go the less 'translation' is required. At speeds over 50 wpm you copy words and sentences. At this point it becomes the language we are refering to.

Dan/W4NTI

"Bob Lewis (AA4PB)" <rlewis@staffnet.com> wrote in message news:utflj0j1vbb5c4@corp.supernews.com...
> Morse is simply a way of encoding the signal for transmission just
> like ascii, baudot, or PSK31. It is not a "language". If it were then
> any two people who knew Morse could efficiently communicate but you
> can't. In many cases you can copy the characters but you don't
> understand the words they spell. Hams often can get the idea of the
> content because things like call signs and operational signals are
> relatively standard - not because Morse is a universal language. The
> same is true for ascii, baudot, and PSK31.
>
>
>

5759. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 18:56:56 UTC
From: ccox@chopped-ham-filtre.uhc.com.invalid
Message-ID: <arbd5oqsh1@gabriel.uhc.com>
Source record: 37021

Morse Code is not a language, it is an encoding system for the alphabet,
numerals, punctuation, etc.

The LANGUAGE is (or at least was) called RADIOESE.

--
Chris Cox, N0UK/G4JEC NIC Handle: CC345
UnitedHealthGroup, Inc., MN10-W116, UNIX Services & Consulting
6300 Olson Memorial Highway, Golden Valley, MN 55427
email: ccox@uhc.com (work) chrisc@chris.org (home)

5760. Microwave Modules Morse Talker wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 18:59:04 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <5MaC9.713$H4.312@news-binary.blueyonder.co.uk>
Source record: 37022

Microwave Modules Morse Talker wanted either MMS1 or MMS2, must be working.
Good price payed, I am in the UK

73 de G0MEM

5761. Wanted: one Drake 4-Line knob

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 19:18:39 UTC
From: k5dh@raytheon.com
Message-ID: <j2bC9.60$Z74.558@dfw-service2.ext.raytheon.com>
Source record: 37023
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap

I need to buy one Drake 4-line bar knob, set-screw style,
to replace a missing one on the R-4B that I'm restoring.
Might be able to use the push-on style if set-screw style
is unavailable.

Please help! :)

73,
Dean K5DH

5762. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 19:46:35 UTC
From: Pappy@USA.net
Message-ID: <3DD9439B.7414D249@USA.net>
Source record: 37024

Lou, how does one achieve a higher rating than "0" unless they make a purchase? The new people on ebay have to start with buying or selling from someone, just like "U" did when you where new. I like giving a person the benefit of the doubt, the majority of people who buy and sell on ANY auction site are honest and just want to either make their sale or purchase.

Lou wrote:

> E-Bay pet peeves, situations experienced for me to learn from buying and
> selling as well as suggestions for both buyer and seller. And it really has
> nothing to do with E-Bay "directly".
>
> 1. Most people lately it seems, think E-BAY is a "secure" way to buy - sell.
> E-Bay can not provide 100% guarantee someone won't be ripped off. I say
> this because at one time prior to E-Bay's popularity, I was able to sell
> items pretty quick on newsgroups. Now it seems MANY have problems doing
> that, not only me. I have sold many items on E-Bay for far more than what I
> was wanting or asking in newsgroups. The down side, I had to wait for the
> auction to end and await payment.... I prefer selling a lot faster. I'm not
> knocking E-Bay as it did get me more...but more is not always the answer.
> Not for me. I like to clear the stuff out, not have to "wait".
>
> 2. It kills me when people bid on an item, then bitch about it. Be it
> received in a defective manner of some sort or too much or whatever. EXCUSE
> ME... NO ONE HOLDS A GUN TO YOUR HEAD TO MAKE YOU BID.....IF you don't
> like the chances, DON'T BID! How hard is that to understand??????
>
> 3. ANY buyer and seller too, should know an approximate value of an item up
> for bids. Some sellers DO price items far too high at the onset... then -
> and I know this to be true from watching many, THEY GET NO BIDS. However,
> fierce competition on some items I've seen also has driven the price of an
> item over it's "new" or current market price. But there again... if the
> price is over your head or you feel it isn't what you feel it's worth -
> DON"T BID....
>
> 4. When bidding on an item, you should have an idea of it's worth new, used,
> needing repairs.. Then ask yourself the following questions. Can you afford
> to risk it if in need of some sort of repairs? Can you afford it whatever it
> is getting to in price? How bad do you want it? How bad do you need it? Is
> the sellers profile representing a decent person to deal with? Are there any
> other items similar up for bids equal to or better that may save you some
> money?
>
> 5. One other thing that gets me, some try to screw you in the terms. You say
> payment in 10 days. Some I've had to remind to send it. YOU say Money Orders

> only, they send you a damned check. You say no shipping out of USA, you get
> someone from another country bidding. It's amazing....Yes, I could give them
> bad feedback and relist, but I try to be nice. But it just irks me. TERMS
> ARE TERMS. Or, is it no one can read or has enough common sense anymore?
>
> Luckily for me, 99.9 % of my customers have been nice. It's only been a
> couple I've had to deal with.......Even if only in questions sent to me on
> the side asking me to forego the terms.
>
> BUYERS! DO YOUR HOMEWORK... it'll save you a lot of grief. It may not be
> 100% fool proof, but sure beats shooting from the hip in dealing.
>
> Fortunately for me, I've had no negatives yet, due largely to the fact of
> being as honest as I can... If it doesn't work I SAY SO.... I give as much
> detail as I can. The only thing I don't list is that I plain don't know. But
> even with that, it is amazing how many people do not understand AS IS. Even
> a local walk in sale went sour - once.. A couple bought a USED computer off
> me, played with it here for 1 hour before buying. They took it home, 2 weeks
> later, it fried, though I think THEY helped it as they loved to experiment
> with computer innards. They wanted a refund. They were told when they bought
> it, it is AS IS.... They got pissed at me!!!!!!!
>
> There was an ass who bid on some stuff of mine, and like 4 others at same
> time. He stiffed each of us. We all left negative feedback and I'm sure he
> was booted from E-Bay.. I know "I" complained. They had a (0) profile and
> shades. I learned right then and there not to trust all buyers.
> Unfortunately for newcomers, I will NOT sell to any with a ZERO and SHADES.
> I'll bump them. I check out the potential bid winners profiles as well, to
> see if I may anticipate any problems.
>
> Mailing: #1. I shipped out a package Priority mail. It was "supposed to be"
> 2 days. It took 2 weeks and 2 days. I was able to prove I shipped by sending
> an E-Mail picture of the receipt. #2. A package coming to me, took over 30
> days. The guy had sent it, but didn't have a way to send me proof. Needless
> to say, until it arrived, I was getting antsy about the deal.... The
> shipping caused undue frustration. #3 On the last deal, the guy said he sent
> me a Postal MO on 5/30..... I never got it in a reasonable time. I told him
> I didn't get it, to trace it after 30 days. Well, the PO wanted more to
> trace it than it was worth. The guy was starting to say things as though I
> had cashed it and was hiding it. Words such as "we'll see who's name is on
> it, when it comes back":. Well, 32 days later, I did get the MO in the mail.
> True to his word, he bought it on 5/30. The postmark, 2 days before "I" got
> it. I e-mailed him a photo of the envelope showing the postmark. His package
> shipped within 24 hours.
>
> MY POINT... BE PREPARED for anything to go wrong in a deal be it E-Bay or
> any other online deal...It is a 2 way street.. E-BAY or whatever does not
> and CAN NOT guarantee a successful deal. You are only kidding yourself if
> you think otherwise......
>

> Lou/Tech@DP.NET
>
> "myanilox" <myanilox@hotmail.com> wrote in message
> news:usu2k47dl5dmaa@corp.supernews.com...
> > Ripoff artists?? Can't blame the Ebay sellers one bit. It's the bidders
> who
> > don't know what they are going for new and as an Ebay seller I'm sure in
> the
> > hell not going to give them that information freely...
> >
> > <none@nonya.com> wrote in message
> > news:tbstsukd6h5d2dpsrgqkubf8aff1nqtr0u@4ax.com...
> >
> > > for the buyer to beware of ripof artists!
> >
> >

5763. Re: Need info on Yaesu FT-8900 Quad Band

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 20:01:19 UTC
From: Dick <grburke@adelphia.net>
Message-ID: <jGbC9.28787$6g.7069990@news1.news.adelphia.net>
Source record: 37025
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Thank you all that helped.Bill WR2M hit it right on the nail.That was it
exactly.Thanks again.
"Dick" <grburke@adelphia.net> wrote in message
news:vV6C9.27462$6g.6983377@news1.news.adelphia.net...
> Anyone have one of these radios and have a tone that comes up when you hit
> the ptt to transmit?When you press to talk it send out some tone like a
DTMF
> tone and I can't figure how to shut it off.I have called HRO and no one
> knows what I am talking about.They tell me to do a full reset and that
> should take care of it.IT Don't.
> Right out of box as soon as you put in a frequency it does it.It stays in
> with as many frequencys you load.I can go to any channel and key up and
you
> would know who it is if you are aware of it.Any help is welcomed.
>
>
>

5764. Midland 70-154b

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 20:12:26 UTC
From: Jeff Jaques <jjaques@randlefire.org>
Message-ID: <arbhdc$2uaq$1@feed.centurytel.net>
Source record: 37026

Can someone provide me with the mod for key programing a Midland 70-154b?
Thanks in advance

5765. Re: 4CX250 Mod for FT101?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 23:47:32 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <utiuq9579p3972@corp.supernews.com>
Source record: 37027

Cheaper, & easier to convert it to 6146B's

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Sidevalve" <Sabbatai_zvi@hotmail.com> wrote in message
news:19pgtuo29i53s9t7sfcvn9vhncirkj6gam@4ax.com...
> A more reasonable approach - I have for sale some pairs of 6JS6C tubes
> here if anyone would like a pair.
>
> They are new and in the boxes.
>
> E-mail me if you would like some.
>
> AF4K
>
> On Thu, 14 Nov 2002 04:43:10 -0600, dj <dalej2@mac.remove.this.com>
> was like:
>
> >In article <3DD3592D.3040007@ihr.mrc.ac.uk>,
> > Dave Bullock <DaveB@ihr.mrc.ac.uk> wrote:
> >
> >> Homebrewers, here's a good question.....
> >>
> >> The FT-101 "probably the most modified Ham bands radio ever"
> >> or so the saying goes.
> >> The 6JS6C probably the most sought after tube for this radio!
> >> I have seen lots of modification info to convert to 6146B's etc
> >> but I would have thought that another of the radio classics..... the
> >> 4CX150 or (250) would have been a more suitabe choice.
> >>
> >> Readily available, (10-a-penny) at junk sales, even ones that are tired
> >> of UHF would probably work on DC ......sorry HF)!
> >> Unbreakable, (in this application) only being asked to produce 100W
they
> >> can dissipate 250W!
> >> Junking all thet parallel wiring would probably remove the need for
> >> neutralisation too!
> >>
> >> As the new owner of an FT-101 in need of O/P bottles, do any of you
know
> >> what is the problem, converting the set to a single 4CX250?
> >> (There must be something I missed)!
> >>

> >> Thanks ...Dave
> >
> >Your gonna need airflow thru the tube otherwise it will burn up even
> >just with the filaments on.
> >good luck
> >dj
>

5766. Re: This POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-18 23:47:33 UTC
From: Ken Bessler <kg0wx@yahoo.com>
Message-ID: <p_eC9.77879$hR3.23121@news2.central.cox.net>
Source record: 37028

"Joe S." <joe@schlatter.org> wrote in message
news:ar9nrj0oc7@enews1.newsguy.com...
> . . . . is for amateur radio use only. That's what the seller says. Read
> the description. He does not say which amateur band(s) it operates on .
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800990657
>
> --
>
> ------
> Regards,
> Joe S.
>

What I want to know is how he gets 450 watts with a 20 amp fuse......ROFLMAO

KG0WX

5767. Re: Wanted: one Drake 4-Line knob

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 00:55:51 UTC
From: Henry Kolesnik <wd5jfr@oklahoma.net>
Message-ID: <utj31ah1ggd793@corp.supernews.com>
Source record: 37029
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap

I'm looking for one too, for my TR$CW w RIT, so if you run into extras let
me know..
tnx
hank wd5jfr
"K5DH" <k5dh@raytheon.com> wrote in message
news:j2bC9.60$Z74.558@dfw-service2.ext.raytheon.com...
> I need to buy one Drake 4-line bar knob, set-screw style,
> to replace a missing one on the R-4B that I'm restoring.
> Might be able to use the push-on style if set-screw style
> is unavailable.
>
> Please help! :)
>
> 73,
> Dean K5DH
>

5768. Re: Label on the rear of this POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 01:21:20 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <arc3rb020f5@enews1.newsguy.com>
Source record: 37033

Why don't I file a complaint with eBay? You mean I can do that? I have
searched and searched the eBay site for a contact e-mail -- where is it?

--

Regards,
Joe S.

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:uti4bntfuuvh91@corp.supernews.com...
>
> "Joe S." <joe@schlatter.org> wrote in message
> news:ar9no10o61@enews1.newsguy.com...
> > . . . . says "FCC regulations prohibit the use of this device on the
Class
> D
> > Citizens Band."
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800114122
> >
> > Right.
> >
> > --
> >
> > ------
> > Regards,
> > Joe S.
>
> Do you doubt that the FCC prohibits the use of this amp
> on class D CB radios?
>
> Why don't you file a complaint with ebay on all these "finds"
> and do some real good! I've seen several of the "10 Meter Ham"
> radios pulled in the last few days, by people sending in complaints.
>
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

5769. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 01:31:33 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <utj53psaaphl71@corp.supernews.com>
Source record: 37030

At higher speeds even though you copy complete words or even sentences, your understanding is still based upon the language (English, etc) that you speak therefore Morse is itself still a way of encoding rather than a language. Someone who does not understand a word of English would have an impossible time trying to communicate with you via Morse. As I said before, hams can often get enough communications across to count it as a contact only because the call signs, Q signals, etc. are rather universal among radio operators - not because Morse is a "universal language". If Morse were such a language, two people could communicate with 100% understanding without either of them knowing a single word of any other language.

5770. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 01:36:27 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <utj5cu77q99f6@corp.supernews.com>
Source record: 37037

> At speeds over 50 wpm you copy words and sentences.

Yup, and those "words" or "sentences" are English, German, French or some other language. Without some other language, Morse contains no meaning at all therefore it cannot be a language in and of itself. It is only a way of encoding some language.

5771. Re: Beautiful!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 01:40:24 UTC
From: Tinker <cliplead@yahoo.com>
Message-ID: <oj5jtuknou6q738aerll5jqprd8ia0jhbv@4ax.com>
Source record: 37031

On Sun, 17 Nov 2002 22:50:44 -0500, "Joe S." <joe@schlatter.org>
wrote:

>Just beautiful!!!
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800880189

Lookup the callsign on QRZ........

5772. Re: This POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 01:41:05 UTC
From: laborkei <laborkeiNOSPAM@hotmail.com>
Message-ID: <3dd996b1$1_5@nopics.sjc>
Source record: 37032

Looks to be a 10/11 Meter amplifier.

"Joe S." <joe@schlatter.org> wrote in message
news:ar9nrj0oc7@enews1.newsguy.com...
> . . . . is for amateur radio use only. That's what the seller says. Read
> the description. He does not say which amateur band(s) it operates on .
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800990657
>
> --
>
> ------
> Regards,
> Joe S.
>
>
>
>

5773. Re: Need info on Yaesu FT-8900 Quad Band

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 01:49:16 UTC
From: Gary <baycity@pacifier.com>
Message-ID: <utj6tmqgga3h94@corp.supernews.com>
Source record: 37035
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Do you like the 8900??

"Dick" <grburke@adelphia.net> wrote in message
news:jGbC9.28787$6g.7069990@news1.news.adelphia.net...
> Thank you all that helped.Bill WR2M hit it right on the nail.That was it
> exactly.Thanks again.
> "Dick" <grburke@adelphia.net> wrote in message
> news:vV6C9.27462$6g.6983377@news1.news.adelphia.net...
> > Anyone have one of these radios and have a tone that comes up when you
hit
> > the ptt to transmit?When you press to talk it send out some tone like a
> DTMF
> > tone and I can't figure how to shut it off.I have called HRO and no one
> > knows what I am talking about.They tell me to do a full reset and that
> > should take care of it.IT Don't.
> > Right out of box as soon as you put in a frequency it does it.It stays
in
> > with as many frequencys you load.I can go to any channel and key up and
> you
> > would know who it is if you are aware of it.Any help is welcomed.
> >
> >
> >
>
>

5774. Kenwood TM-707 dual bander

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 01:58:35 UTC
From: Russell <rustyspam@dccnet.com>
Message-ID: <3DD99ACB.7060901@dccnet.com>
Source record: 37036

Hi there,
Does anyone have a mod to speed up the scan rate on this dual band mobile?
Any help would be greatly appreciated
Please e-mail me directly at rusty@dccnet.com
Thanks-Russ

5775. Re: Microwave Modules Morse Talker wanted

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 02:03:19 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <RZgC9.4777$H4.2533@news-binary.blueyonder.co.uk>
Source record: 37034

Found one in Australia

73 de G0MEM

5776. Re: Need info on Yaesu FT-8900 Quad Band

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 02:14:24 UTC
From: Dick <grburke@adelphia.net>
Message-ID: <48hC9.31199$6g.7166403@news1.news.adelphia.net>
Source record: 37048
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

So far I like the radio and its performance.It does surprise me that you can
get a nice package for less than a Tri band.I can't wait to get the ADMS
software as soon as it comes out.
"Gary" <baycity@pacifier.com> wrote in message
news:utj6tmqgga3h94@corp.supernews.com...
> Do you like the 8900??
>
>
> "Dick" <grburke@adelphia.net> wrote in message
> news:jGbC9.28787$6g.7069990@news1.news.adelphia.net...
> > Thank you all that helped.Bill WR2M hit it right on the nail.That was it
> > exactly.Thanks again.
> > "Dick" <grburke@adelphia.net> wrote in message
> > news:vV6C9.27462$6g.6983377@news1.news.adelphia.net...
> > > Anyone have one of these radios and have a tone that comes up when you
> hit
> > > the ptt to transmit?When you press to talk it send out some tone like
a
> > DTMF
> > > tone and I can't figure how to shut it off.I have called HRO and no
one
> > > knows what I am talking about.They tell me to do a full reset and that
> > > should take care of it.IT Don't.
> > > Right out of box as soon as you put in a frequency it does it.It stays
> in
> > > with as many frequencys you load.I can go to any channel and key up
and
> > you
> > > would know who it is if you are aware of it.Any help is welcomed.
> > >
> > >
> > >
> >
> >
>
>

5777. forsale: 2 scanners for the price of one

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 03:35:10 UTC
From: J <Xmotorolaman2003@yahoo.comX>
Message-ID: <6miC9.18855$lj.494043@read1.cgocable.net>
Source record: 37042
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.swap,rec.radio.amateur,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

for sale:

bearcat bc300 mobile/base 50 channels

has the VHF-LO, HI and UHF
has 11 presets for searches,
weather searches
clock
50 channels 5 banks of 10
works on AC or 12 volts
with telescopic antenna
keyboard entry of frequencies

radioshack pro 38
10 channel pocket
VHF-LO,HI and UHF
with dc jack for 12v,
takes 5 AA batteries, akaline or rechargeable with switch for either
has rubberduck antenna
has delay and lockouts

both scanners 40.00US + 5.00 for shipping
for one price

thanks
motorolaman2002@yahoo.com

5778. for sale X10 wireless remote color camera package 95.00US

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 03:47:11 UTC
From: J <Xmotorolaman2003@yahoo.comX>
Message-ID: <mxiC9.18954$lj.494436@read1.cgocable.net>
Source record: 37038
Cross-posted to: alt.radio.scanner,rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,rec.radio.swap

for sale:

a large package of new x10 camera systems.

2 wireless colour cameras (xc10a) 4 channels
2 receivers (vr36a) 2.46ghz 4 channels
1 eagle eye wireless motion sensor (mx14a-c)
1 palm pad remote for up to 16 cameras controlled (hr12a-c)
1 dc battery pack (holds 4 AAs) (zb10a)
1 VCR remote controller (ux23a-c)
2 remote controlled powersupplies (xm13a)

95.00US + 5.00US for shipping

thanks
motorolaman2003@yahoo.com

5779. forsale: FRS radio package

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 03:51:26 UTC
From: J <Xmotorolaman2003@yahoo.comX>
Message-ID: <uDiC9.19007$lj.494440@read1.cgocable.net>
Source record: 37039
Cross-posted to: alt.radio.scanner,rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.scanner,rec.radio.swap

```
3 frs radios for sale,
2 radioshack and one uniden
all are 14 channels with 38 subtones and call alerts,
all have headphone jacks.
they all take AA batteries

3 FRS radio base/mobile stations
audiovox FRS 1000
14 channels, 38 subtones, 5 call alerts, hands free speaker, weather channel
scan, headset jack, takes wall plug or batteries, built in charger
has a signal meter as well.

all 6 radios for 100US + 10.00US for shipping

thanks again
motorolaman2003@yahoo.com
```

5780. for sale NEW motorola spirit gt portables 8 channnel UHF 1 WATT, with chargers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 03:55:32 UTC
From: J <Xmotorolaman2003@yahoo.comX>
Message-ID: <jCiC9.16862$L47.2323562@read2.cgocable.net>
Source record: 37040
Cross-posted to: alt.radio.scanner,rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.scanner,rec.radio.swap

for sale,

brandnew motorola spirit gt portables
8 channels, 1 watt
38 subtones
with call alert
headset jack
rechargeable battery packs and wall chargers
manuals

135.00US + 5.00US for shipping
thanks
motorolaman2003@yahoo.com

5781. Re: Midland 70-154b

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 04:05:24 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <fjdjtuoq77bve63i2vpo4vejtlmgsp8q7v@4ax.com>
Source record: 37041

On the Icom H-16 there was a diode on the early versions that needed to be cut and a small jumper on the later versions that needed to be pulled off. Both were on the logic board which is on the backside of the front panel. You might look for either of those.

Since Icom private labeled the 70-154b and 70-254b for Midland, they were built to Midland's specs including use of an outboard programming box to program. I worked for a Midland shop when those replaced the Shinwa radios Midland was selling. I also know the radio to radio cloning is disabled. I think there is either a transistor or capacitor missing for that feature.

By the way Icom may not touch them as that was a Icom, Inc and Midland deal. Icom America, Inc was never involved with that deal. When I worked for Icom America we used to refer callers to Midland for product support on those transceivers.

Gary K8IZ

On Mon, 18 Nov 2002 12:12:26 -0800, "Jeff Jaques"
<jjaques@randlefire.org> wrote:

>Can someone provide me with the mod for key programing a Midland 70-154b?
>Thanks in advance
>

5782. Re: for sale NEW motorola spirit gt portables 8 channnel UHF 1 WATT, with chargers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 04:33:04 UTC
From: J <Xmotorolaman2003@yahoo.comX>
Message-ID: <v9jC9.16869$L47.2325028@read2.cgocable.net>
Source record: 37047
Cross-posted to: alt.radio.scanner,rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.scanner,rec.radio.swap

this is for a pair

J <Xmotorolaman2003@yahoo.comX> wrote in message
news:jCiC9.16862$L47.2323562@read2.cgocable.net...
> for sale,
>
> brandnew motorola spirit gt portables
> 8 channels, 1 watt
> 38 subtones
> with call alert
> headset jack
> rechargeable battery packs and wall chargers
> manuals
>
> 135.00US + 5.00US for shipping
> thanks
> motorolaman2003@yahoo.com
>
>
>

5783. FS:TELEREX 20M MONOBANDER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 05:06:35 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <vFjC9.5467$fY3.583522@newsread2.prod.itd.earthlink.net>
Source record: 37043
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Telerex 20 Meter monoband antenna for sale. Model #20M546.
5 Elements on a 46 foot boom. Approximate weight 110 lbs.
This is a very heavy duty antenna.

Asking $500.00 plus shipping from Los Angeles by truck only.

Rich W6VX
818/997-1217

5784. FS: TELEREX 15M MONOBANDER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 05:09:03 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <PHjC9.5470$fY3.584011@newsread2.prod.itd.earthlink.net>
Source record: 37044
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Telerex 15Meter monoband antenna for sale. Model #15M36 5 Elements on a 36 foot boom. Approximate weight 75 lbs.
This is a very heavy duty antenna.

Asking $300.00 plus shipping from Los Angeles by truck only.

Rich W6VX
818/997-1217

5785. Telerex Rotator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 05:15:11 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <zNjC9.5484$fY3.583293@newsread2.prod.itd.earthlink.net>
Source record: 37045
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Telerex heavy duty rotator. Dual gear reduction drive. 1/2 h.p. motor.

Asking $500.00 plus shipping from Los Angeles.

Rich, W6VX
818/997-1217

5786. Re: Label on the rear of this POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 05:20:40 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <arcg79$9fr$1@news1.kornet.net>
Source record: 37046

Don't feel so all alone.. I've been a regular e-bayer for 3 years, and I
have yet to find a way to contact them.. they're as bad as Yahoo about
anyone getting in touch with them.

"Joe S." <joe@schlatter.org> wrote in message
news:arc3rb020f5@enews1.newsguy.com...
> Why don't I file a complaint with eBay? You mean I can do that? I have
> searched and searched the eBay site for a contact e-mail -- where is it?
>
> --
>
> ------
> Regards,
> Joe S.
>
>
> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:uti4bntfuuvh91@corp.supernews.com...
> >
> > "Joe S." <joe@schlatter.org> wrote in message
> > news:ar9no10o61@enews1.newsguy.com...
> > > . . . . says "FCC regulations prohibit the use of this device on the
> Class
> > D
> > > Citizens Band."
> > > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800114122
> > >
> > > Right.
> > >
> > > --
> > >
> > > ------
> > > Regards,
> > > Joe S.
> >
> > Do you doubt that the FCC prohibits the use of this amp
> > on class D CB radios?
> >
> > Why don't you file a complaint with ebay on all these "finds"
> > and do some real good! I've seen several of the "10 Meter Ham"
> > radios pulled in the last few days, by people sending in complaints.
> >
> > --
> > '73' From KB9TMP

> > "The secret of life is honesty and fair dealing,
> > if you can fake that, you've got it made."
> > -Groucho Marx
> >
> >
> >
>
>

5787. FA HF RADIOS AND THINGS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 06:43:49 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3DD9DDA5.278B5C89@ckradio.net>
Source record: 36998

http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=ve3ngw

5788. FS: Telefunken RS 31g WW2 power triode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 08:00:28 UTC
From: arnoldg@c2i.net
Message-ID: <3dd9efbf.1484753@news1.c2i.net>
Source record: 37049

Hello,

I have one of these very nice vintage power triodes in stock. RS 31g
was made by Telefunken and have some similarities with the RS 237
which is not far from 211.
The heater on RS 31g is 10V 4.8A, anode dissipation is 65W and max
anode voltage is 1600V. The valve is NOS and in its original box. The
price is NOK 910.- or about $ 120.- You can find a picture and more
data, and you can even order it from my web site: www.demostenes.no
Just search for RS 31g.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

5789. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 10:29:29 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0211190229.1987482c@posting.google.com>
Source record: 37050

"Dan/W4NTI" <w4nti@NOSPAMmindspring.com> wrote in message
news:<arb740$j5o$1@slb4.atl.mindspring.net>...
> Incorrect. At slow speeds what you say is basically true. You copy the
> letters, then look at it either on the paper or in your minds eye and
> determine what was sent.
>
> At speeds over about 35 wpm you copy in groups. You do not copy only the
> characters. The faster you go the less 'translation' is required. At
> speeds over 50 wpm you copy words and sentences. At this point it becomes
> the language we are refering to.
>
> Dan/W4NTI

Dunno, I gotta side with Bob on this one. It's still just a method of
encoding the english language no matter what the speed. Same as rtty,
etc. You just become a more efficient "machine" over time as far as
copy. I still copy many individual letters even over 50 wpm. Actually,
most all of them. If I didn't , I would have too many errors. I get at
what you mean about it seeming more like a language at faster speeds,
but I thinks thats probably more from actually being a bit closer to
spoken speech speeds instead of being so slow you can't get anything
said in less than 49 min. I myself used to think I copied more in
"groups" of words rather than letters at high speeds, and I'm sure I
do on many common words. But after thinking about it, I think I really
just copy farther behind, the faster I go. I'm still listening to most
every letter. On deals such as field day, it's mandatory. Almost every
thing I copy has to be kept, and be correct. No slacking off on that
deal...:(FD is the only contest I work, and it keeps me in shape as
far as CW once a year..I'll start out at one speed at the beginning,
and be 15 wpm faster by the end. It's quite a workout, cuz you have to
copy solid. All my qso's here at the house, are rag chewing. And being
I always match speeds, most are under 30 wpm. Not really fast enough
to "exercise" me as far as cw. Some use keyboards, and go real fast.
"60+ wpm" I can't keep up with those guys using the bencher paddle I
use without getting sloppy. And my typing is slower than I can send
with the bencher...:/ MK

5790. FA: Panel Meters & Electronic Books

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 13:05:41 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <FGqC9.92522$Ru1.1638748@news1.east.cox.net>
Source record: 37051
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment

http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=ga_boneyard&include=0&since=-1&sort=3&rows=25

thanks for looking!

5791. Re: Label on the rear of this POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 17:31:59 UTC
From: Gloria <gloria@nospam.net>
Message-ID: <3DDA758A.2C963BCA@nospam.net>
Source record: 37052

Hi,

Copy the auction number and then click on rules safely at bottom of page.
Then you got to navigate several drop down menu boxes to create the
complaint to ebay. Once you do this you can do it again for other items fast.

It should be put in the listing offenses section.

Many times I send on in and the items stay on auction, even if the seller is
a power seller, I guess they can't stop all of them.

gloria

Brenda Ann wrote:

> Don't feel so all alone.. I've been a regular e-bayer for 3 years, and I
> have yet to find a way to contact them.. they're as bad as Yahoo about
> anyone getting in touch with them.
>
> "Joe S." <joe@schlatter.org> wrote in message
> news:arc3rb020f5@enews1.newsguy.com...
> > Why don't I file a complaint with eBay? You mean I can do that? I have
> > searched and searched the eBay site for a contact e-mail -- where is it?
> >
> > --
> >
> > ------
> > Regards,
> > Joe S.
> >
> >
> > "KB9TMP" <kb9tmp@juno.com> wrote in message
> > news:uti4bntfuuvh91@corp.supernews.com...
> > >
> > > "Joe S." <joe@schlatter.org> wrote in message
> > > news:ar9no10o61@enews1.newsguy.com...
> > > > . . . . says "FCC regulations prohibit the use of this device on the
> > Class
> > > > D
> > > > Citizens Band."
> > > > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800114122
> > > >
> > > > Right.
> > > >
> > > > --
> > > >

> > > > ------
> > > > Regards,
> > > > Joe S.
> > >
> > > Do you doubt that the FCC prohibits the use of this amp
> > > on class D CB radios?
> > >
> > > Why don't you file a complaint with ebay on all these "finds"
> > > and do some real good! I've seen several of the "10 Meter Ham"
> > > radios pulled in the last few days, by people sending in complaints.
> > >
> > > --
> > > '73' From KB9TMP
> > > "The secret of life is honesty and fair dealing,
> > > if you can fake that, you've got it made."
> > > -Groucho Marx
> > >
> > >
> > >
> >
> >

5792. WTB: APHEX DOMINATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 17:39:09 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <1HuC9.14731$vM1.1090400@bgtnsc04-news.ops.worldnet.att.net>
Source record: 37053

Price and Condition

Bill Salerno w2onv@att.net 201 368 3655

5793. Re: But wait!!! There's more!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 17:40:52 UTC
From: luke <lukeatme@nospam.com>
Message-ID: <3DDA779F.D18D7F11@nospam.com>
Source record: 37054

hi joe,

ebay stopped acknowledging my complaints, at first they would pull the
auction
and later they told me to contact the fcc using two email addresses for the
lab
they sent me. waste of time.

FCC should kick their butts with a hefty fine. But that will never happen.

300 watts out with only 4 watts in..... FREE LUNCH ??

luke

"Joe S." wrote:

> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801957409
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802508873
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802580159
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802679315
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802306542
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802499725
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802802813
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802873428
> (This one is an amateur radio amplifier -- says so right on the label.)
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802079997
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802844894
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802805841
>
> Would someone please tell me again how careful eBay is about listing only
> legitimate, legal amplifiers for auction? I need a good laugh about now.
>
> --
>
> ------
> Regards,

> Joe S.

5794. Re: Label on the rear of this POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 17:47:25 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <utku9bhp7ber25@corp.supernews.com>
Source record: 37055

"Joe S." <joe@schlatter.org> wrote in message
news:arc3rb020f5@enews1.newsguy.com...
> Why don't I file a complaint with eBay? You mean I can do that? I have
> searched and searched the eBay site for a contact e-mail -- where is it?
>
> --
>
> ------
> Regards,
> Joe S.
>
Joe
First thing you do is copy down the item number for the auction, because you will need it.

Next go to the very bottom of the webpage for the item and find the link "SafeHarbor (Rules & Safety)" and click on it.

On the right hand side of the page will be the header What is SafeHarber? and below it will be the link "Items that may not be allowed for sale" click on that link.

On the next page find the first link "Contact Rules & Safety" and click it.

It leads you to the Rules & Safety Support form page where you will enter the info for the item your complaining about, for a radio or power booster use 1 Questionable Content on ebay > 2 Prohibited or Questionable Items > 3 Scanners and Electronic Equipment, then press the "continue" button.

The next page is the Rules & Safety Support: Instant Help page, near the bottom are two buttons use the one labeled "Contact Support"

If your not signed in you'll get the sign in page. After you sign in with your username and password it leads you to the Rules & Safety Support: Send Message page this is where you put in the item number and a short message of why you think the item should not be sold on ebay. Press the "Send to Support" button and your done.

They have it set up as a maze to keep people from finding it. But once you do find it and use it, stuff just happens to vanish off of the ebay site. That's the items that when you click the link to see you get an "invalid item" page for.

I hope this helps anyone who wants to get rid of the crap that keeps getting passed off as "Amateur Radio Equipment"!

--
'73' & Happy Hunting From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

5795. FS kenwood 742a

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 18:04:33 UTC
From: "Larry D. Clark" <buddycl@swbell.net>
Message-ID: <R2vC9.52$sj5.57713790@newssvr11.news.prodigy.com>
Source record: 37056
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

hi

got a kenwood 742a with manual and the 2m
and 70cm boards and diamond mx-72h duplexor
that are excess to my needs. both are in excellent
shape. $350 to your door via insured priority usps.

larry
kd5foy

5796. Re: FS kenwood 742a

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 18:08:02 UTC
From: "Larry D. Clark" <buddycl@swbell.net>
Message-ID: <66vC9.53$4t5.58335485@newssvr11.news.prodigy.com>
Source record: 37057
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

it also has the original mic and mobile
bracket. it's never been mobile.

"Larry D. Clark" <buddycl@swbell.net> wrote in message
news:R2vC9.52$sj5.57713790@newssvr11.news.prodigy.com...
> hi
>
> got a kenwood 742a with manual and the 2m
> and 70cm boards and diamond mx-72h duplexor
> that are excess to my needs. both are in excellent
> shape. $350 to your door via insured priority usps.
>
> larry
> kd5foy
>
>
>

5797. WTT:AL1500/Qsk5/10m mod for 756Pro

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 18:11:36 UTC
From: Steve Massey <N6TT@adelphia.net>
Message-ID: <s9vC9.63541$CJ5.13407651@news3.news.adelphia.net>
Source record: 37058

I bought this Ameritron AL1500 new about 3 years ago, it has the Qsk5 and 10 mtr mod done by the factory. It has low hours as I used it for chasing DX - I was running it on 220 volts, will run 2kw at about 60 watts of drive, it works on WARC bands. Id rate it a 9 but I don't see a scratch on it. I have the original manual but not the boxes. Id like to trade for a Icom 756 Pro or 1000 or ? - I had a straight across trade for a Pro that fell through when he found the tuner wasn't working correctly. If interested I can be reached at N6TT@hotmail.com
I live in the LA area, if shipped it will have to go in three boxes...
73,Steve

5798. TVI question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 20:14:27 UTC
From: gil <gilpi@mindspring.com>
Message-ID: <are5ci$c6u$1@slb2.atl.mindspring.net>
Source record: 37059

I have an Icom 725 and a set of Drake twins running no more than 40 watts and I seem to get some light TVI even with cable TV. Now when I switch to my Icom 718 (same antenna) there is no interferience at all even past 50 watts. I know there are ways of reducing TVI...better coax, good ground etc. but my question is... why dont I get that kind of TVI with the 718?

Thanks in advance

Gil

5799. Re: TVI question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 20:32:19 UTC
From: dj <dalej2@mac.remove.this.com>
Message-ID: <dalej2-551ED4.14340619112002@zeus-ge0.rdc-kc.rr.com>
Source record: 37060

In article <are5ci$c6u$1@slb2.atl.mindspring.net>,
"gil" <gilpi@mindspring.com> wrote:

> I have an Icom 725 and a set of Drake twins running no more than 40 watts
> and I seem to get some light TVI even with cable TV. Now when I switch to my
> Icom 718 (same antenna) there is no interferience at all even past 50 watts.
> I know there are ways of reducing TVI...better coax, good ground etc. but my
> question is... why dont I get that kind of TVI with the 718?
>
> Thanks in advance
>
> Gil
>
>

Maybe the other gear has stronger harmonic radiation, or perhaps not
shielded as well. Is your tv located in another room? Which bands do
you get the tvi on? I think I had a like situation with a FT1000 which
seemed to have a little more tvi and I kind of thought the FT1000 had a
little less harmonic suppression on ten meters than the other rig I
used.

perform some more tests and report your findings.

Dale J.

5800. Re: Kenwood TS-140S problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 20:55:34 UTC
From: n0dg@aol.com
Message-ID: <20021119155534.05454.00005876@mb-fw.aol.com>
Source record: 37061

I have no manual for the 140 but my first guess would be that you have lost one of the low (5 or 9) volt regulators or a filter Cap in one of these supplies.

Check all voltages and good luck.
N0DG

5801. Re: TVI question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 22:00:41 UTC
From: Andy <acorbin@infi.net>
Message-ID: <3DDAB489.3020208@infi.net>
Source record: 37062

I suspect you may have a parasitic suppressor on the finals that is
going bad on the Drake transmitter.

Andy
WD4KDN

gil wrote:
> I have an Icom 725 and a set of Drake twins running no more than 40 watts
> and I seem to get some light TVI even with cable TV. Now when I switch to my
> Icom 718 (same antenna) there is no interferience at all even past 50 watts.
> I know there are ways of reducing TVI...better coax, good ground etc. but my
> question is... why dont I get that kind of TVI with the 718?
>
> Thanks in advance
>
> Gil
>
>

5802. ALINCO DJ-X10T 1200 channels

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 22:10:48 UTC
From: msdbm@aol.com
Message-ID: <20021119171048.05538.00000039@mb-df.aol.com>
Source record: 37064

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802011528&ssPageName=AD
ME:B:DS:US:3

5803. Re: TVI question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 22:14:50 UTC
From: gil <gilpi@mindspring.com>
Message-ID: <arece9cfk1@slb6.atl.mindspring.net>
Source record: 37063

Dale
Thanks for the response. My problem is on 40m. which I use for CW, and its not a big problem but I can see some interferience on the TV everytime I key up except with the 718, just wondering if it had to do with newer rigs having less harmonic radiation?

Gil

dj <dalej2@mac.remove.this.com> wrote in message news:dalej2-551ED4.14340619112002@zeus-ge0.rdc-kc.rr.com...
> In article <are5ci$c6u$1@slb2.atl.mindspring.net>,
> "gil" <gilpi@mindspring.com> wrote:
>
> > I have an Icom 725 and a set of Drake twins running no more than 40 watts
> > and I seem to get some light TVI even with cable TV. Now when I switch to my
> > Icom 718 (same antenna) there is no interferience at all even past 50 watts.
> > I know there are ways of reducing TVI...better coax, good ground etc. but my
> > question is... why dont I get that kind of TVI with the 718?
> >
> > Thanks in advance
> >
> > Gil
> >
> >
>
> Maybe the other gear has stronger harmonic radiation, or perhaps not
> shielded as well. Is your tv located in another room? Which bands do
> you get the tvi on? I think I had a like situation with a FT1000 which
> seemed to have a little more tvi and I kind of thought the FT1000 had a
> little less harmonic suppression on ten meters than the other rig I
> used.
>
> perform some more tests and report your findings.
>
> Dale J.

5804. Re: TVI question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 22:26:02 UTC
From: Rich Griffiths <richgrif@one.net>
Message-ID: <3DDABA7A.D1CE03EC@one.net>
Source record: 37065

Gil:

I'd be looking at how each rig is powered, and I'm not familiar with the 725. But your power supply for the Drake gear and the 718 is surely different. You may have RF getting into the AC circuits with the Drake and 725 but not the 718. Cable TV will not be immune to that source of interference.

... Rich

gil wrote:
>
> I have an Icom 725 and a set of Drake twins running no more than 40 watts
> and I seem to get some light TVI even with cable TV. Now when I switch to my
> Icom 718 (same antenna) there is no interferience at all even past 50 watts.
> I know there are ways of reducing TVI...better coax, good ground etc. but my
> question is... why dont I get that kind of TVI with the 718?
>
> Thanks in advance
>
> Gil

5805. FA Kenwood TM-V7A Dual Band Mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-19 23:36:10 UTC
From: Dick <grburke@adelphia.net>
Message-ID: <KVzC9.38824$6g.7506114@news1.news.adelphia.net>
Source record: 37066
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner

Check it out.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940080512&rd=1

5806. Re: TVI question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 00:31:54 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <arelec$65q$1@slb5.atl.mindspring.net>
Source record: 37067

Yep...now a days you have to be 60 db done. Back in the Drake days it was
40 as I recall.

Dan/W4NTI

"gil" <gilpi@mindspring.com> wrote in message
news:arece9cfk1@slb6.atl.mindspring.net...
> Dale
> Thanks for the response. My problem is on 40m. which I use for CW, and its
> not a big problem but I can see some interferience on the TV everytime I
key
> up except with the 718, just wondering if it had to do with newer rigs
> having less harmonic radiation?
>
> Gil
>
> dj <dalej2@mac.remove.this.com> wrote in message
> news:dalej2-551ED4.14340619112002@zeus-ge0.rdc-kc.rr.com...
> > In article <are5ci$c6u$1@slb2.atl.mindspring.net>,
> > "gil" <gilpi@mindspring.com> wrote:
> >
> > > I have an Icom 725 and a set of Drake twins running no more than 40
> watts
> > > and I seem to get some light TVI even with cable TV. Now when I switch
> to my
> > > Icom 718 (same antenna) there is no interferience at all even past 50
> watts.
> > > I know there are ways of reducing TVI...better coax, good ground etc.
> but my
> > > question is... why dont I get that kind of TVI with the 718?
> > >
> > > Thanks in advance
> > >
> > > Gil
> > >
> > >
> >
> > Maybe the other gear has stronger harmonic radiation, or perhaps not
> > shielded as well. Is your tv located in another room? Which bands do
> > you get the tvi on? I think I had a like situation with a FT1000 which
> > seemed to have a little more tvi and I kind of thought the FT1000 had a
> > little less harmonic suppression on ten meters than the other rig I
> > used.
> >
> > perform some more tests and report your findings.

> >
> > Dale J.
>
>

5807. Icom 706 mk11

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 01:15:07 UTC
From: Bob Owen <slides@ihug.co.nz>
Message-ID: <arenbdfmh1@lust.ihug.co.nz>
Source record: 37068

Hi I am looking for a main board for an Icom 706 mk11, mine corded out
Cheers Bob

5808. Re: Label on the rear of this POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 01:20:46 UTC
From: JWheeler <kd5bcu@yahoo.com>
Message-ID: <utlord654j1uc9@corp.supernews.com>
Source record: 37069

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:utku9bhp7ber25@corp.supernews.com...
>
> "Joe S." <joe@schlatter.org> wrote in message
> news:arc3rb020f5@enews1.newsguy.com...
> > Why don't I file a complaint with eBay? You mean I can do that? I
have...<snip>

http://pages.ebay.com/help/basics/select-RS.html

All you need to add to it is the item number of the auction. Start with
Questionable Content... Prohibited Items...Scanners and Electronics
Equipment. Be warned that some of the auctions you might report will be
cancelled; others won't.

JWheeler

5809. Alinco 620T reports???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 01:27:29 UTC
From: steve@waits.net
Message-ID: <f327e120.0211191727.4075901c@posting.google.com>
Source record: 37070

Anyone using this radio yet? What's your opinion of it?

Is it full duplex? (I don't think it is)

V/V, U/U work OK?

What about cross-band repeat?

What about software and cable (or cable pinouts) availability?

Audio reports?

I'm in the market for a mobile and, well, the Icom 2720 would be
perfect other than the inexcusable lack of alpha tags. The Alinco,
feature-wise, looks like a decent choice.

Thanks,
Steve

5810. --->HELP! Need HENRY 2K-3 SCHEMATIC <---

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 02:17:48 UTC
From: BEAR <bearlabs@netzero.net>
Message-ID: <3DDAF0CC.D145FBD9@netzero.net>
Source record: 37071

Anyone got a Henry 2k-3 schematic?
Especially the power supply.

An emailed copy or a URL where it resides would be wonderful.

TIA,

_-_-bear WB2GCR

--
_-_-bearlabs

http://www.bearlabsUSA.com
- Silver Lightning Interconnects & Custom Mods -

5811. Re: TS-450 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 02:55:23 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <aretit09sf@enews4.newsguy.com>
Source record: 37073

The pages arrived today. Thank you and 73,

Kevin, K9HX

"Bob M." <xxxxx@yyyy.zzz> wrote in message
news:4j2dnRj6sbZSE0ugXTWc3Q@comcast.com...
> The envelope went out this morning (16-Mov-02) around 8:15 AM.
>
> Bob M.
> ======
> "Bob M." <xxxxx@yyyy.zzz> wrote in message
> news:P7OcnZf2O7b9UUigXTWcqA@comcast.com...
> > OK. I copied the appropriate pages from my service manual and will send
> them
> > out either Saturday or Monday depending on when it stops raining out
here.
> >
> > Very nice rig. Unfortunately they don't have much resale value in
today's
> > market, and it's hard to find something that works as well and has all
the
> > features. As much as I'd like a 756PRO or equivalent, I'm stuck with the
> > TS450 for a while.
> >
> > Bob M.
> > ======
> > "Kevin" <kberlen@ticz.com> wrote in message
> > news:ar3vcf02qt@enews4.newsguy.com...
> > > I would like to have the accessory part numbers. That way, if I come
> > across
> > > a filter or accessory I can determine if it will work in the rig. I am
> > good
> > > on QRZ.com. Thanks,
> > > Kevin, K9HX
> > >
> > >
> > >
> > > "Bob M." <xxxxx@yyyy.zzz> wrote in message
> > > news:_OadnXpjWot0-kmgXTWcqw@comcast.com...
> > > > Unfortunately, the TS-450 is discontinued, and I doubt you'll find
any
> > > > sellers (AES, HRO) of accessories specifically made for that radio
> > unless
> > > > they also fit the newer radios as well.
> > > >

> > > > The service manual lists several options and accessories, such as an
> > > > external power supply with loudspeaker, a TXCO reference oscillator,
a
> > DC
> > > > power cord, an external speaker, a voice synthesizer, six IF
filters,
> > and
> > > a
> > > > tone encoder board. I can copy the appropriate pages and mail them
to
> > you
> > > if
> > > > your address is correct on qrz.com. Let us know.
> > > >
> > > > In certain situations, the high IF filters reduce strong overloading
> > > signals
> > > > better than the low IF filters. I have a couple of each in my radio.

> The
> > > low
> > > > IF filters seem to have a much more noticeable effect when turned on
> > > singly.
> > > >
> > > > Bob M.
> > > > ======
> > > > "Kevin" <kberlen@ticz.com> wrote in message
> > > > news:ar1ba00p27@enews1.newsguy.com...
> > > > > I have a TS-450S/AT on the way. Can someone provided a list or
web
> > > address
> > > > > where I can find the part numbers for the various filters, etc
that
> > are
> > > > > available for this rig? Also, are the 8MHz filters better that the
> > > 455KHz
> > > > > filters? Or vice-versa? Thanks,
> > > > >
> > > > > Kevin, K9HX
> > > > >
> > > > >
> > > >
> > > >
> > > >
> > >
> > >
> >
> >
>
>

5812. FS: Kenwood YK-88C-1 500 Hz CW filter, Perfect

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 03:46:40 UTC
From: maritimus49@aol.com
Message-ID: <20021119224640.08919.00000055@mb-cp.aol.com>
Source record: 37072

I have for sale the Kenwood YK-88C-1 500 Hz CW filter used in the TS-850S transceiver and other Kenwood model transceivers. It is in perfect condition and includes the mounting screws. I would like to get $80 for it which includes CONUS shipping. Thanks for looking.

Bruce K6RQR

5813. Re: morse code

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 05:59:57 UTC
From: Alun Palmer <elektros@yahoo.com>
Message-ID: <Xns92CCA26DB29Belektrosmdonet@130.133.1.4>
Source record: 37074

"JB" <ac6tk@nospamcybertime.net> wrote in
news:ar8hfr$1r5j$1@madmax.keyway.net:

>:
>: My point was only that I don't buy into the 'Morse as an international
>: language' theory. Just yesterday I was listening to a QSO in Spanish,
>: and was able to pull out the callsigns, cities, names, etc, and I
>: didn't even do any Spanish classes in school. They were using
>: international phonetics and Q signals.
>:
>: 73 de N3KIP
>
> How about; "Internationally recognized symbolic communications
> exchange facilitator". But where does that leave American Sign
> "Language".

That's even less international. A deaf American using ASL can't even be
understood by a deaf English person!

> What is a language by your definition?
> If you can't call International Morse a Language, what is it?
> Well... It's a code, but it's usage goes beyond language.
> But then, we can't blame the language for a difficulty in
> comprehension. You claim that you don't buy into;
> "...'Morse as an international : language' theory.", then proceed
> to PROVE the theory while negating your main point.

<snip>

I didn't prove the theory - I was talking about a --phone-- QSO in
Spanish, in case I didn't make that sufficiently clear. My point is that
you don't have to be using CW for Q signals and other standard procedural
signals to work just fine.

Alun, N3KIP

5814. Software for Windows 2000 and PK-232

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 09:03:57 UTC
From: Bill <willbryant@msn.com>
Message-ID: <1eIC9.12030$8D.500367@twister.austin.rr.com>
Source record: 37075

Can anyone tell me where to get some "Ham Windows 2000" software that will drive my PK-232 for all digital modes ? Thanks in Advance ... Bill

5815. 2 Meter SSB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 10:26:21 UTC
From: Newbie <newbie@nowhere.net>
Message-ID: <BMJC9.66$b_4.7169@sydney.visi.net>
Source record: 37076

I am considering buying a 2 meter ssb mobile radio and would like to see comments from people who operate in this band as to their favorite radio.

Thanks.

5816. 222 Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 10:27:16 UTC
From: Newbie <newbie@nowhere.net>
Message-ID: <tNJC9.67$b_4.7237@sydney.visi.net>
Source record: 37077

I am considering buying a 222 Mhz mobile radio and would like to see comments from people who operate in this band as to their favorite radio.

Thanks.

5817. Re: TVI question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 12:03:56 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <6bumtugk2tn5gkahql8mcplp59q3hdq65m@4ax.com>
Source record: 37078

On Tue, 19 Nov 2002 18:31:54 -0600, "Dan/W4NTI"
<w4nti@NOSPAMmindspring.com> wrote:

>Yep...now a days you have to be 60 db done. Back in the Drake days it was
>40 as I recall.
>
>Dan/W4NTI

No its still 40 db for frequencies below 30 MHz and 60 for frequencies
30 to 225 MHz

(d) The mean power of any spurious emission from a station transmitter
or external RF power amplifier transmitting on a frequency below 30
MHz must not exceed 50 mW and must be at least 40 dB below the mean
power of the fundamental emission. For a transmitter of mean power
less than 5 W, the attenuation must be at least 30 dB. A transmitter
built before April 15, 1977, or first marketed before January 1, 1978,
is exempt from this requirement.

(e) The mean power of any spurious emission from a station transmitter
or external RF power amplifier transmitting on a frequency between
30-225 MHz must be at least 60 dB below the mean power of the
fundamental. For a transmitter having a mean power of 25 W or less,
the mean power of any spurious emission supplied to the antenna
transmission line must not exceed 25 ï¿½W and must be at least 40 dB
below the mean power of the fundamental emission, but need not be
reduced below the power of 10 ï¿½W. A transmitter built before April 15,
1977, or first marketed before January 1, 1978, is exempt from this
requirement.

Might be some RF is coming down the power cable on the 725. Generally
wrapping a few turns around a toroid will solve the issue. I expect he
is seeing some sort of TV receiver overload rather than a spurious
emission.

Gary K8IZ

5818. FA: Heavy Duty Panel Meters!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 14:10:40 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <AJMC9.142411$Ru1.1908732@news1.east.cox.net>
Source record: 37079
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment

0-400 AC Amps Panel Meter..

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1790249337

0-500 AC Amps Panel Meter..

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1790103419

0-1.2 kiloamp DC Panel Meter

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1790101327

0-1 kiloamp DC Panel Meter..

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1790099842

thanks for looking!!

5819. Re: FA: Heavy Duty Panel Meters!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 14:21:50 UTC
From: Boris Mohar <borism-notrequired-@sympatico.ca>
Message-ID: <5g6ntu4aqc7qk3ju9nnf6f945npogvcijv@4ax.com>
Source record: 37080
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment

On Wed, 20 Nov 2002 14:10:40 GMT, "ga_boneyard" <ga_boneyard@hotmail.com>
wrote:

>0-400 AC Amps Panel Meter..
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1790249337
>
>0-500 AC Amps Panel Meter..
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1790103419
>
>0-1.2 kiloamp DC Panel Meter
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1790101327
>
>0-1 kiloamp DC Panel Meter..
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1790099842
>
>
>thanks for looking!!
>

Beware that those meters likely need a expensive calibrated shunt
resistor to display the correct current. By themselves they are just mV
meters.

Regards,

Boris Mohar
Viatrack Printed Circuit Designs

5820. WTB; APHEX DOMINATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 15:39:04 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <s0OC9.23550$hK4.2038397@bgtnsc05-news.ops.worldnet.att.net>
Source record: 37081

Price and Condition

Bill Salerno 201 368 3655 w2onv@att.net

5821. Help FT-897 External Conections

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 16:49:48 UTC
From: CJ <cjr@visi.com>
Message-ID: <3DDBBD2C.ADCA9E5@visi.com>
Source record: 37082

According to the manual, pages 10 and 18, the ACC connector, a 3.5 mm stereo jack provides an open collector output on the ring terminal which goes to ground on transmit. However.....

1. On page 18 the ring terminal is labled TXREQ.

2. On the schematic, the two lines are identified as TXREQ and E-ALC. But just to keep things interesting, TXREQ is shown as being the tip terminal.

3. The ACC ring terminal has about +4.8 volts on it (looks like logic high) and grounding it puts the transceiver into transmit mode.

The schematic does show an open collector connection to pin 2 of the CAT/LINEAR connector. This looks like the place to control an external amplifier or transverter.

I did try to connect a transverter key line to the ring terminal of the ACC connector (~+12v, 40 ma). It keyed up and stayed that way. Looks like I was lucky that I didn't destroy something. Guess the 1k resistor in series with the line saved the day.

Anybody out there know whether what I think I have found is true? That the manual is seriously wrong and that I must use the CAT/LINEAR connector to control an external device?

Thanks in advance for replies.

73, CJ K0CJ

5822. FS: Kenwood TS-50 HF mobile rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 17:14:41 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <5qPC9.93734$nB.7387@sccrnsc03>
Source record: 37083
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

LIKE NEW KENWOOD TS-50 with original mike, manual, pwr cord, packaging.
Non-smoking. $500 + shipping.

5823. FS: Sony AN-1 Active SWL Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 17:16:53 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <9sPC9.94550$QZ.14553@sccrnsc02>
Source record: 37084
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

SONY AN-1 Antenna Booster kit, manual, $149 new, asking $65 + shipping.

View one at:

http://www.universal-radio.com/catalog/sw_ant/2206.html

5824. Re: Kenwood TS-50 HF mobile rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 17:18:04 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <otPC9.26456$H4.22617@news-binary.blueyonder.co.uk>
Source record: 37085
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

"Rudi" <wiedemann@attbi.com> wrote in message
news:5qPC9.93734$nB.7387@sccrnsc03...
> LIKE NEW KENWOOD TS-50 with original mike, manual, pwr cord, packaging.
> Non-smoking. $500 + shipping.
>

'Non-Smoking' does that mean it's not been blown up?? ;-)

73 de G0MEM

5825. Re: Kenwood TS-50 HF mobile rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 18:06:28 UTC
From: Allan <Allan@rr.com>
Message-ID: <EaQC9.21896$0U1.2250857@news2.east.cox.net>
Source record: 37086
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

No, it means it is not smoking dope like it appears you do before
(PWS)...postinh while stupid

"g0mem" <isembardbinladen@hotmail.com> wrote in message
news:otPC9.26456$H4.22617@news-binary.blueyonder.co.uk...
>
> "Rudi" <wiedemann@attbi.com> wrote in message
> news:5qPC9.93734$nB.7387@sccrnsc03...
> > LIKE NEW KENWOOD TS-50 with original mike, manual, pwr cord, packaging.
> > Non-smoking. $500 + shipping.
> >
>
> 'Non-Smoking' does that mean it's not been blown up?? ;-)
>
> 73 de G0MEM
>
>

5826. FS: Siemens F2a power pentode

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 18:55:32 UTC
From: arnoldg@c2i.net
Message-ID: <3ddbdac6.31916186@news1.c2i.net>
Source record: 37087

I have four pcs of the very nice Siemens F2a power pentode for sale.
They are NOS and in original boxes. Picture and technical data on my
web site - www.demostenes.no
Just search for F2a in the left hand corner.

Regards,

Arnold Goks�yr
DEMOSTENES - N6899 Balestrand, Norway
Tlf. +47 5769 1340 Fax +47 5769 1267
http://www.demostenes.no

Thousands of different valves in stock as well as
sockets,transformers,books,caps,resistors and
other components. Web site is updated every week.
You can order on-line.

5827. Re: 2 Meter SSB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 19:10:34 UTC
From: Max Donoghue <ve3tmt@rac.ca>
Message-ID: <0cnntu4fh8jjren3muncgpm3ondla2jj85@4ax.com>
Source record: 37088

On Wed, 20 Nov 2002 05:26:21 -0500, "Newbie" <newbie@nowhere.net>
wrote:

> I am considering buying a 2 meter ssb mobile radio and would like to see
>comments from people who operate in this band as to their favorite radio.
>
>Thanks.
>
>
Not too many companies are making 2m SSB rigs anymore. Aside from the
ICOM base very $$$, you would be better off to get something like an
Icom 706 or Yaesu FT100 all band all mode radio. Then when you get
your HF priviledges, if you don't already have them, you will still be
able to use the same radio. Also the FT817 QRP rig is great for
portability. I have made many contacts on HF SSB, but not much 2m SSB
activity in my area.

5828. Re: FS kenwood 742a

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 19:24:34 UTC
From: k6stu@aol.com
Message-ID: <20021120142434.23905.00000045@mb-cv.aol.com>
Source record: 37089

HI LARRY.
IF YOU STILL HAV THE TM-742 FOR SALE I WOULD LIKE TO BUY IT.
MIKE

5829. Re: Software for Windows 2000 and PK-232

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 19:30:11 UTC
From: Radiotronicgizzmo <radiotronic@spydercat.com>
Message-ID: <7pRC9.251555$r7.4544368@twister.tampabay.rr.com>
Source record: 37090

I use Hyperterm

works well, and is free. -- it's part of the operating system.

"Bill" <willbryant@msn.com> wrote in message
news:1eIC9.12030$8D.500367@twister.austin.rr.com...
> Can anyone tell me where to get some "Ham Windows 2000" software that will
> drive my PK-232 for all digital modes ? Thanks in Advance ... Bill
>
>
>

5830. Re: WTB; APHEX DOMINATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 19:55:54 UTC
From: dj <dalej2@mac.remove.this.com>
Message-ID: <dalej2-01CA9E.13574320112002@zeus-ge0.rdc-kc.rr.com>
Source record: 37091

In article
<s0OC9.23550$hK4.2038397@bgtnsc05-news.ops.worldnet.att.net>,
"Bill Salerno" <w2onv@worldnet.att.net> wrote:

> Price and Condition
>
> Bill Salerno 201 368 3655 w2onv@att.net
>
>

You might try rec.audio.pro or rec.audio.marketplace someone there
may have one of those.

Dale J.

5831. Re: 2 Meter SSB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 19:58:11 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <wPRC9.20$il5.18@news-binary.blueyonder.co.uk>
Source record: 37092

The only current 2M SSB only rigs I know of are the Mizuho and Nishi-Musen hand-helds.

73 de G0MEM

"Newbie" <newbie@nowhere.net> wrote in message news:BMJC9.66$b_4.7169@sydney.visi.net...
> I am considering buying a 2 meter ssb mobile radio and would like to see
> comments from people who operate in this band as to their favorite radio.
>
> Thanks.
>
>
>

5832. Re: Kenwood TS-140S problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 22:47:32 UTC
From: rod_pruner@yahoo.com
Message-ID: <90411613.0211201447.3dfa1ef5@posting.google.com>
Source record: 37093

n0dg@aol.com (N0DG) wrote in message news:<20021119155534.05454.00005876@mb-fw.aol.com>...
> I have no manual for the 140 but my first guess would be that you have lost one
> of the low (5 or 9) volt regulators or a filter Cap in one of these supplies.
>
> Check all voltages and good luck.
> N0DG

Thanks for the suggestions. I'll add this to my list of things to check.
So far most suggest a problem with K-16 or a voltage regulator problem.

73,
Rod, KN3ZOG

5833. Kenwood TS 450

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-20 23:58:59 UTC
From: Lou <tech@dp.net>
Message-ID: <arhafl$2cs9$1@news.dp.net>
Source record: 37094

Anyone have

1. A repair manual possibly for sale?
2. Hints on the cause of following symptoms:

a) Automatic Tuner doesn't work
b) Display shows all dots when first turned on. Sometimes after warm up, it goes away and a frequency is shown, sometimes not even then.

The owner of this rig had it stored away as he had moved about 2 years ago. recently took it out to use and found those symptoms. He doesn't have access to newsgroups, so I'm posting for him. TIA for the help. Please reply directly if possible. I don't always get to read the newsgroups.

E: MAIL: TECH@DP.NET

5834. Re: Help FT-897 External Conections

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 00:35:47 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <efaotukln1ifjimsha4a9ajuhvhiqtpegr@4ax.com>
Source record: 37095

On Wed, 20 Nov 2002 10:49:48 -0600, CJ <cjr@visi.com> wrote:

>According to the manual, pages 10 and 18, the ACC connector, a 3.5 mm
>stereo jack provides an open collector output on the ring terminal which
>goes to ground on transmit. However.....
>
> 1. On page 18 the ring terminal is labled TXREQ.
>
> 2. On the schematic, the two lines are identified as TXREQ and E-ALC.
> But just to keep things interesting, TXREQ is shown as being the
> tip terminal.
>
> 3. The ACC ring terminal has about +4.8 volts on it (looks like
>logic high) and grounding it puts the transceiver into transmit
>mode.
>
>The schematic does show an open collector connection to pin 2 of the
>CAT/LINEAR connector. This looks like the place to control an external
>amplifier or transverter.
>
>I did try to connect a transverter key line to the ring terminal of the
>ACC connector (~+12v, 40 ma). It keyed up and stayed that way. Looks
>like I was lucky that I didn't destroy something. Guess the 1k resistor
>in series with the line saved the day.
>
>Anybody out there know whether what I think I have found is true? That
>the manual is seriously wrong and that I must use the CAT/LINEAR
>connector to control an external device?
>
>Thanks in advance for replies.
>
>73, CJ K0CJ

Remember an open collector generally requires the use of a pull up
resistor.

Gary K8IZ

5835. Re: TS-450 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 01:11:38 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <RuOcnWq-VsEkr0GgXTWcpw@comcast.com>
Source record: 37096

RR. Glad to help. Just passed someone selling a 500 Hz CW filter that might be one you could use.

Bob M.
======
"Kevin" <kberlen@ticz.com> wrote in message
news:aretit09sf@enews4.newsguy.com...
> The pages arrived today. Thank you and 73,
>
> Kevin, K9HX
>
> "Bob M." <xxxxx@yyyy.zzz> wrote in message
> news:4j2dnRj6sbZSE0ugXTWc3Q@comcast.com...
> > The envelope went out this morning (16-Mov-02) around 8:15 AM.
> >
> > Bob M.
> > ======
> > "Bob M." <xxxxx@yyyy.zzz> wrote in message
> > news:P7OcnZf2O7b9UUigXTWcqA@comcast.com...
> > > OK. I copied the appropriate pages from my service manual and will send
> > them
> > > out either Saturday or Monday depending on when it stops raining out
> here.
> > >
> > > Very nice rig. Unfortunately they don't have much resale value in
> today's
> > > market, and it's hard to find something that works as well and has all
> the
> > > features. As much as I'd like a 756PRO or equivalent, I'm stuck with the
> > > TS450 for a while.
> > >
> > > Bob M.
> > > ======
> > > "Kevin" <kberlen@ticz.com> wrote in message
> > > news:ar3vcf02qt@enews4.newsguy.com...
> > > > I would like to have the accessory part numbers. That way, if I come
> > > across
> > > > a filter or accessory I can determine if it will work in the rig. I am
> > > good
> > > > on QRZ.com. Thanks,
> > > > Kevin, K9HX

> > > >
> > > >
> > > >
> > > > "Bob M." <xxxxx@yyyy.zzz> wrote in message
> > > > news:_OadnXpjWot0-kmgXTWcqw@comcast.com...
> > > > > Unfortunately, the TS-450 is discontinued, and I doubt you'll find
> any
> > > > > sellers (AES, HRO) of accessories specifically made for that radio
> > > unless
> > > > > they also fit the newer radios as well.
> > > > >
> > > > > The service manual lists several options and accessories, such as
an
> > > > > external power supply with loudspeaker, a TXCO reference
oscillator,
> a
> > > DC
> > > > > power cord, an external speaker, a voice synthesizer, six IF
> filters,
> > > and
> > > > > a
> > > > > tone encoder board. I can copy the appropriate pages and mail them
> to
> > > you
> > > > > if
> > > > > your address is correct on qrz.com. Let us know.
> > > > >
> > > > > In certain situations, the high IF filters reduce strong
overloading
> > > > signals
> > > > > better than the low IF filters. I have a couple of each in my
radio.
>
> > The
> > > > > low
> > > > > IF filters seem to have a much more noticeable effect when turned
on
> > > > singly.
> > > > >
> > > > > Bob M.
> > > > > ======
> > > > > "Kevin" <kberlen@ticz.com> wrote in message
> > > > > news:ar1ba00p27@enews1.newsguy.com...
> > > > > > I have a TS-450S/AT on the way. Can someone provided a list or
> web
> > > > address
> > > > > > where I can find the part numbers for the various filters, etc
> that
> > > are
> > > > > > available for this rig? Also, are the 8MHz filters better that

the
> > > > 455KHz
> > > > > > filters? Or vice-versa? Thanks,
> > > > > >
> > > > > > Kevin, K9HX
> > > > > >
> > > > > >
> > > > >
> > > > >
> > > >
> > > >
> > >
> > >
> >
> >
>
>

5836. WTB AH4 antenna tuner or vertical antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 03:37:54 UTC
From: theplanters95@aol.comnospam
Message-ID: <20021120223754.08558.00000101@mb-da.aol.com>
Source record: 37097

I am looking for a good clean, used Icom AH4 tuner.

Also looking for a vertical antenna.

Please email me at theplanters95@aol.com.

Randy KA4NMA

5837. Replacement for GE SR III

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 04:17:29 UTC
From: kennethleegilbert@hotmail.com
Message-ID: <aaaf3dd9.0211202017.522ccbbe@posting.google.com>
Source record: 36948

Hi,
I recently moved into a mobile home in Bellingham, WA (maybe 90 miles north of Seattle) and the electrical interference on my GE SR III is awful for Seattle am talk radio. Reception is not a problem if no other electrical item is in use. But, for example, my compact fluorescent bulbs create a loud buzz if the radio is in the same room, the microwave buzz is incredible even if the radio is at the other end of the mobile, and even spinning my Lifecycle (it has an led display from a 9v battery!?) in the same room makes the radio buzz some. Bellingham stations are buzz-free but I prefer listening to the Seattle stations. I've searched google groups for solutions but buying "a 1970's am-only car radio" (and rigging 12 volt power inside?) does not appeal. Surely there is a $100 or $150 home radio that has the answer? The mobile home is 1980 without metal siding or roof; no aluminum wiring if it matters. Brand and model please. TIA,
Ken

5838. FA: Heathkit Ha-201A Mobile amp for 2 Mtr H/T's, No Bids, Last Day!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 04:34:15 UTC
From: rlucch2098@aol.com
Message-ID: <20021120233415.10377.00003013@mb-md.aol.com>
Source record: 36949

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=801129276

5839. FA: Very Handy MERCURY DECADE BOX, does it all & cheeply :-)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 04:35:48 UTC
From: rlucch2098@aol.com
Message-ID: <20021120233548.10377.00003014@mb-md.aol.com>
Source record: 36950

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802028160

5840. FA-YAESU YE-17 HAND MICROPHONE,BRAND-NEW,NO BIDS @$10

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 04:37:45 UTC
From: rlucch2098@aol.com
Message-ID: <20021120233745.10377.00003017@mb-md.aol.com>
Source record: 36951

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802028113

5841. fa>B & W "PROTAX" 5-POSITION COAXIAL SWITCH in Box>Cheep yet!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 04:39:30 UTC
From: rlucch2098@aol.com
Message-ID: <20021120233930.10377.00003018@mb-md.aol.com>
Source record: 36953

Many nice, clear pictures!
A mere $24 so far
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802028119

5842. FA>->HEATHKIT PS-4 HI-VOLTAGE TUBE SUPPLY@$12? Geez!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 04:41:07 UTC
From: rlucch2098@aol.com
Message-ID: <20021120234107.10377.00003021@mb-md.aol.com>
Source record: 36954

Many nice, clear pictures!
A mere $12 so far :-(
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=736286804

5843. fa:YAESU XF-30A SSB CRYSTAL FILTER w/BOARD @$10, no bids!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 04:42:45 UTC
From: rlucch2098@aol.com
Message-ID: <20021120234245.10377.00003022@mb-md.aol.com>
Source record: 36955

Many nice, clear pictures!
A mere $10 so far :-(
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802028190

5844. FA_US NAVY "FLAME-PROOF" MORSE KEY>Bunnell & A Beaut!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 04:44:32 UTC
From: rlucch2098@aol.com
Message-ID: <20021120234432.10377.00003028@mb-md.aol.com>
Source record: 36956

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802028151

5845. fa=NUMECHRON TYMETER "TV" MECHANICAL CLOCK>RARE!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 04:46:11 UTC
From: rlucch2098@aol.com
Message-ID: <20021120234611.10377.00003030@mb-md.aol.com>
Source record: 36957

Many nice, clear pictures!
No Bids @ $9.99
Please add>>http in front of the URL(address) Please!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802028167

5846. Re: Replacement for GE SR III

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 05:28:56 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <arhpen$a94$1@news1.kornet.net>
Source record: 36958

Noise is a problem in fringe areas.. but it sounds like you may not have a good earth ground in the mobile home. You might try running a ground wire outside the home, and sink a 6 - 10' copper clad iron rod in soft ground, and attach the wire to that, and attach the other end to the ground connection on your SRIII.. you'd be surprised how much difference that can make.. adding a 30' wire run outdoors from the AM antenna lug on the SRIII can further improve that... the wire needn't be strung in the air to be effective, but it helps.

"ken gilbert" <kennethleegilbert@hotmail.com> wrote in message news:aaaf3dd9.0211202017.522ccbbe@posting.google.com...
> Hi,
> I recently moved into a mobile home in Bellingham, WA (maybe 90 miles
> north of Seattle) and the electrical interference on my GE SR III is
> awful for Seattle am talk radio. Reception is not a problem if no
> other electrical item is in use. But, for example, my compact
> fluorescent bulbs create a loud buzz if the radio is in the same room,
> the microwave buzz is incredible even if the radio is at the other end
> of the mobile, and even spinning my Lifecycle (it has an led display
> from a 9v battery!?) in the same room makes the radio buzz some.
> Bellingham stations are buzz-free but I prefer listening to the
> Seattle stations. I've searched google groups for solutions but
> buying "a 1970's am-only car radio" (and rigging 12 volt power
> inside?) does not appeal. Surely there is a $100 or $150 home radio
> that has the answer? The mobile home is 1980 without metal siding or
> roof; no aluminum wiring if it matters. Brand and model please. TIA,
> Ken

5847. FS: Kenwood YK88S Sideband Filter/YK88C CW (500 Hz) filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 06:14:39 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <jR_C9.1831$It3.157293@newsread2.prod.itd.earthlink.net>
Source record: 36959
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood YK88S Sideband Filter/YK88C CW (500 Hz) filters.

Used in the Kenwood TS 430/TS440 radios.

Asking $75.00/OBO each. Buyer pays shipping.

Contact Rich, W6VX here or at w6vx@arrl.net
73

5848. HF, VHF and MORE 4-SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 06:24:00 UTC
From: Tony <as8383@netzero.net>
Message-ID: <4__C9.17908$8D.649556@twister.austin.rr.com>
Source record: 36952

have the following to sell, but would trade some items.

Kenwood TS-680S Allmode HF and 6 meter rig in excellent cond, power cord, manual.
$500.00

MFJ 1278 Allmode TNC (HF,VHF,Packet, RTTY,CW,FAX,AMTOR,WEFAX and more)
$75.00

RF Concepts 315 VHF amplifier in MINT cond. 30w in 150out, 40w in 170w + out
$235.00

Radio Shack HTX-202 2 meter handheld w/bad BP8 battery
$65.00

BC-350 desktop quick charger for Icom BP batteries and others
$40.00

HomeFree 802.11 wireless cards (to setup your own wireless network)
- 1 PCMCIA, 2 ISA and CD-ROM
$25.00 for all three cards!

Shipping from 78258 extra...

N5GPI

5849. Re: Kenwood TS-50 HF mobile rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 07:08:18 UTC
From: Josh Fiden <AD6XI@arrl.net>
Message-ID: <3DDC866F.8F2672E7@arrl.net>
Source record: 36960
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I thought it was darn funny.

73 de AD6XI

Allan wrote:

> No, it means it is not smoking dope like it appears you do before
> (PWS)...postinh while stupid
>
> "g0mem" <isembardbinladen@hotmail.com> wrote in message
> news:otPC9.26456$H4.22617@news-binary.blueyonder.co.uk...
> >
> > "Rudi" <wiedemann@attbi.com> wrote in message
> > news:5qPC9.93734$nB.7387@sccrnsc03...
> > > LIKE NEW KENWOOD TS-50 with original mike, manual, pwr cord, packaging.
> > > Non-smoking. $500 + shipping.
> > >
> >
> > 'Non-Smoking' does that mean it's not been blown up?? ;-)
> >
> > 73 de G0MEM
> >
> >

5850. Kenwood TS820 Technical Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 08:33:12 UTC
From: Benjamin Naber <naberb@QuixNet.net>
Message-ID: <3ddc97ac$1_2@news.teranews.com>
Source record: 36961

Hello All,

Appreciate you reading this just by the title. Some of you are in hopes of helping someone out. I got a chance for ya'll.

I have a Kenwood TS-820 (obviously from the title...) and there seems to be a problem with the plate current. While tuning the trasmitter, the manual calls to dip the plate current after you peaked the the ALC via the DRIVE control. The problem is, when I switch the meter to the IP setting like the manual calls for, the needle doesn't move at all when I adjust the PLATE control to dip the plate current. At first I thought it was the main 6046 (or were they 6064?) tubes because they look like the metal grid inside them was wrinkling up. But that wasn't the answer.

Another thing to mention is that the power output, even to a 50ohm dummy load, reached only about 30 watts and maybe once peaked to 40watts. I don't think it's supposed to be that low when it should be a 100watt output when properly tuned.

Any ideas on this, I'd really appreciate to hear from ya.

Thanks and 73
de KB9LFZ
~Benjamin
KB9LFZ@arrl.net

5851. Icom 756 -Problem (two lines)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 11:00:47 UTC
From: JM <cmb@mail.telepac.pt>
Message-ID: <1037875992.908783@proxynews1>
Source record: 36962

I need some help, i have the Icom 756 , in the LCD screen appear two horizontal lines. Whar can i do ?

73 from CT1BRM

Jose

5852. Re: Visualize a post-christian era! k\yk

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 11:05:46 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <o63D9.5577$il5.2370@news-binary.blueyonder.co.uk>
Source record: 36963

"Rupert Lomax" <rupert@stockbot.org> wrote in message
news:ari8fu$e6m@netnews.proxy.lucent.com...
> Jesus walks into a hotel,
> and puts 3 nails on the counter,
> and says to the clerk,
> can you put me up for the night?
>
> rupert@stockbot.org

Hey Jesus, stop biting your nails :-)

73 de G0MEM

5853. Re: Help FT-897 External Conections

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 14:29:29 UTC
From: CJ <cjr@visi.com>
Message-ID: <3DDCEDC9.DB796892@visi.com>
Source record: 36964

"Gary P. Fiber" wrote:
>
> On Wed, 20 Nov 2002 10:49:48 -0600, CJ <cjr@visi.com> wrote:
>
<snip>
>
> Remember an open collector generally requires the use of a pull up
> resistor.
>
> Gary K8IZ

Quite right. The 12v on the other end of the relay coil should fill that
requirement.

CJ K0CJ

5854. Re: Kenwood TS-50 HF mobile rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 15:26:10 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <mW6D9.100101$1O2.7604@sccrnsc04>
Source record: 36965
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Actually, I stuffed all the smoke back into those little black flat things soldered to the funny green board with silver wiggly lines.

Cause you know, when you let that smoke out of the black thingies, the box don't work no more!

"g0mem" <isembardbinladen@hotmail.com> wrote in message news:otPC9.26456$H4.22617@news-binary.blueyonder.co.uk...
>
> "Rudi" <wiedemann@attbi.com> wrote in message
> news:5qPC9.93734$nB.7387@sccrnsc03...
> > LIKE NEW KENWOOD TS-50 with original mike, manual, pwr cord, packaging.
> > Non-smoking. $500 + shipping.
> >
>
> 'Non-Smoking' does that mean it's not been blown up?? ;-)
>
> 73 de G0MEM
>
>

5855. Re: Visualize a post-christian era! k\yk

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 15:47:36 UTC
From: Gene Seibel <gene@pad39a.com>
Message-ID: <se7D9.1816$OZ4.208407@newsread1.prod.itd.earthlink.net>
Source record: 36966

Visualize a post Lomax era........
--
Gene Seibel
Confessions of a Pilot - http://pad39a.com/publishing

"Rupert Lomax" <rupert@stockbot.org> wrote in message
news:ari8fu$e6m@netnews.proxy.lucent.com...
> Jesus walks into a hotel,
> and puts 3 nails on the counter,
> and says to the clerk,
> can you put me up for the night?
>
> rupert@stockbot.org
>
>
>
>
>
> Q#Thk(?u[oD6y1Ju$,#*u.
>

5856. Astro Digital Saber Detailed Service Manual on CD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 15:59:30 UTC
From: jedi@jedicreator.net
Message-ID: <e952349b.0211210759.9a15c19@posting.google.com>
Source record: 36967

I have a few Astro Digital Saber Detailed Service Manuals.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1790909726

5857. Re: Icom 756 -Problem (two lines)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 16:18:37 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <IH7D9.7887$il5.7776@news-binary.blueyonder.co.uk>
Source record: 36968

"JM" <cmb@mail.telepac.pt> wrote in message
news:1037875992.908783@proxynews1...
> I need some help, i have the Icom 756 , in the LCD screen appear two
> horizontal lines. Whar can i do ?
>
> 73 from CT1BRM
>
> Jose
>

Unfortunately not a lot, apart from replacement of the whole screen module.

Has the screen had any knocks to it. The screen on the IC756 is very similar to laptop PC screens. And laptop screens can be quite prone to this 'line' problem, especially if they have been dropped etc.

The screen itself is a sealed module, with embedded controller chips, mounted directly onto a flexible PCB around the edges of the screen. I have stripped a couple of old laptop screens in the past, they are not user repairable.

73 de G0MEM

5858. Re: Icom 756 -Problem (two lines)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 16:31:35 UTC
From: g0mem <isembardbinladen@hotmail.com>
Message-ID: <RT7D9.7986$il5.2468@news-binary.blueyonder.co.uk>
Source record: 36969

"g0mem" <isembardbinladen@hotmail.com> wrote in message
news:IH7D9.7887$iI5.7776@news-binary.blueyonder.co.uk...
>
> "JM" <cmb@mail.telepac.pt> wrote in message
> news:1037875992.908783@proxynews1...
> > I need some help, i have the Icom 756 , in the LCD screen appear two
> > horizontal lines. Whar can i do ?
> >
> > 73 from CT1BRM
> >
> > Jose
> >
>
> Unfortunately not a lot, apart from replacement of the whole screen
module.

Replacement of the screen, is something I think Icom would have to do, I
doubt if they supply them to end-users.

73 de G0MEM

5859. Re: --->HELP! Need HENRY 2K-3 SCHEMATIC <---

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 17:31:11 UTC
From: BEAR <bearlabs@netzero.net>
Message-ID: <3DDD185F.778FAE49@netzero.net>
Source record: 36970

Dick Hughes wrote:

> Try Henry Radio http://www.henryradio.com/ or Radio Dan at
> http://www.radiodan.com/
>
> Dick - W6CCD
>
> On Tue, 19 Nov 2002 21:17:48 -0500, BEAR <bearlabs@netzero.net> wrote:
>
> >
> >Anyone got a Henry 2k-3 schematic?
> >Especially the power supply.
> >
> >An emailed copy or a URL where it resides would be wonderful.
> >
> > TIA,
> >
> > _-_-bear WB2GCR

Yeah -

Hoping not to buy it for way toooooo much money...

Hoping for a URL with it posted.

Or a kind soul who will email or send me a copy!

Regards,

_-_-bear

--
_-_-bearlabs

http://www.bearlabsUSA.com
- Silver Lightning Interconnects & Custom Mods -

5860. WTB; APHEX DOMINATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 17:36:14 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <iQ8D9.25077$hK4.2174786@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36971

Price and Condition

Bill Salerno 201 368 3655 w2onv@att.net

5861. Re: 2 Meter SSB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 17:42:38 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <KBndPY+s3UG8B42waZ82UlQaeQJF@4ax.com>
Source record: 36972

"Newbie" <newbie@nowhere.net> wrote:

> I am considering buying a 2 meter ssb mobile radio and would like to see
>comments from people who operate in this band as to their favorite radio.
>
>Thanks.
>
>

Most 2 meter activity is FM-oriented and goes through repeaters.

If you operate 2 meter SSB mobile, you won't have many people to talk to, most of the time.

Having said that, the only 2 meter rigs I know of that operate ssb are the Icom 706, Yaesu ft-100 and and Kenwood ts-2000. These rigs also operate in all modes, including am, fm, ssb and cw, and operate on all bands, 160 m through 440 mhz. Don't know of any ssb-only rigs for 2 meters.

You also posted a question about 220 mhz operation. There aren't many people on 220 mhz.

You'd be best off getting a dual-band fm-only rig for 2 meters and 440 mhz. Then you'd have people to talk to! Icom, Yaesu, Kenwood and Alinco all make good dual-banders.

Bob
k5qwg

5862. FA:ALINCO Communications Receiver -5hours left

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 20:12:47 UTC
From: msdbm@aol.com
Message-ID: <20021121151247.01126.00006607@mb-mk.aol.com>
Source record: 36973

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802011528

5863. New program STUMATCH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 20:26:22 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <arjfhegia1@sparta.btinternet.com>
Source record: 36704

NOW AVAILABLE ** New Program STUMATCH.exe"

This program assists with the design of stub-line transformers used for such purposes as matching the feedpoint impedance of radio antennas to the Zo impedance of the transmission line from the transmitter. The program is applicable to both balanced-pair and coaxial lines. These and similar types of transmission line transformers have traditionally been designed with the aid of Smith Charts. The superiority of this program in respect of time, operating simplicity, accuracy and user appreciation is clearly seen.

Download STUMATCH from website below.

==========
Regards from Reg G4FGQ
For Free Radio Design Software
Go to http://www.g4fgq.com
==========

5864. Re: Kenwood TS820 Technical Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 20:59:11 UTC
From: n0dg@aol.com
Message-ID: <20021121155911.02521.00007009@mb-fv.aol.com>
Source record: 36974

Hummmmm
Perhaps when you are tunning up the 820 you have it in tune position which holds the output power down to probably the range you are talking about. I also wonder what band you were trying? on 160 meters the dip is very broad but still there. also I wonder what the plate current (IP) is when loading up. when the 6146 tubes start to go bad the plate current usually starts to go up to above 250-300 MA. If this rig is new to you I might add that if you have a plug in the CW jack then you must have the key down to tune up.

these are good solid rigs so I wish you well.
N0DG
Don

5865. IC-756ProII & AL-811 AMP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 21:24:41 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <tacD9.76$pa7.65895@twister.columbus.rr.com>
Source record: 36975

Hello... is anyone using the above set up? Wondering if the 756 can key the amp or does it require external relay ? Any help would be appreciated.
73's de Stan, K8SRB
k8srb@arrl.net

5866. Re: 2 Meter SSB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 22:33:50 UTC
From: KA9CAR <nospam@nospam.usa>
Message-ID: <arjmpeunb1@news1.tribune.com>
Source record: 36976

Ten Tec (tentec.com) makes a nice state of the art 6 meter 2 meter all
mode radio (in Tennessee.)

KA9CAR

"Newbie" <newbie@nowhere.net> wrote in message
news:BMJC9.66$b_4.7169@sydney.visi.net...
> I am considering buying a 2 meter ssb mobile radio and would like to see
> comments from people who operate in this band as to their favorite radio.
>
> Thanks.
>
>
>

5867. FS: Ten-Tec Scout

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 22:58:13 UTC
From: n8qxb <n8qxb@earthlink.net>
Message-ID: <pan.2002.11.21.23.00.35.526813@earthlink.net>
Source record: 36977

FS: Ten-Tec Scout
Includes: Noise Blank Blanker, Mobile Mount (Un-opened, still in
box),10-20-40M Modules, mic, manual and original box.
Condition: Mint, was hardly used.
Price: $300.00 includes free shipping CONUS

If interested please e-mail

n8qxb@earthlink.net

Tom

5868. Re: Notice the true MILSPEC construction . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 23:20:25 UTC
From: Artie DeCoe <Artie@dcoe.net>
Message-ID: <xdicndQO_tye90CgXTWc3w@comcast.com>
Source record: 36978

Looks like it says "Two Dill". Could get you into a real "pickle".

"Joe S." <joe@schlatter.org> wrote in message
news:ar9nub0ohq@enews1.newsguy.com...
> . . . .on this POS.
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802202191
>
> I especially like the labels and the cooling fan.
> --
>
> ------
> Regards,
> Joe S.
>
>
>
>

5869. Re: Beautiful!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 23:23:25 UTC
From: Artie DeCoe <Artie@dcoe.net>
Message-ID: <PBydnRDfUYQr90CgXTWcqA@comcast.com>
Source record: 36979

Hmmm, 80 watts "is just enough to work some QRP". Say wha'?

"Joe S." <joe@schlatter.org> wrote in message
news:ar9o0b0om3@enews1.newsguy.com...
> Just beautiful!!!
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800880189
>
> --
>
> ------
> Regards,
> Joe S.
>
>
>
>

5870. Re: This POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 23:24:48 UTC
From: Artie DeCoe <Artie@dcoe.net>
Message-ID: <1vKdnaHsDd-X9kCgXTWcqg@comcast.com>
Source record: 36980

Must be a really big fuse :^)

"Ken Bessler" <kg0wx@yahoo.com> wrote in message
news:p_eC9.77879$hR3.23121@news2.central.cox.net...
>
> "Joe S." <joe@schlatter.org> wrote in message
> news:ar9nrj0oc7@enews1.newsguy.com...
> > . . . . is for amateur radio use only. That's what the seller says.
Read
> > the description. He does not say which amateur band(s) it operates on .
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800990657
> >
> > --
> >
> > ------
> > Regards,
> > Joe S.
> >
>
> What I want to know is how he gets 450 watts with a 20 amp
fuse......ROFLMAO
>
> KG0WX
>
>

5871. Re: Icom 756 -Problem (two lines)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-21 23:43:03 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <utqrlrk884g821@corp.supernews.com>
Source record: 36981

Send it to ICOM, the display must be replaced. Defective batch of displays.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"JM" <cmb@mail.telepac.pt> wrote in message
news:1037875992.908783@proxynews1...
> I need some help, i have the Icom 756 , in the LCD screen appear two
> horizontal lines. Whar can i do ?
>
> 73 from CT1BRM
>
> Jose
>
>

5872. FS: Dowkey Relay model number 60-262842 with the external contacts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 00:45:23 UTC
From: NZ8J <nz8j@woh.rr.com>
Message-ID: <D6fD9.2356$oc1.120619@twister.neo.rr.com>
Source record: 36982
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I have a Dowkey Relay model number 60-262842 with the external contacts. I haven't used it in years.
One of the 110v terminals came loose and it was fixed with a short piece of wire
soldered to it and then some epoxy put around it. It worked fine..
I will ship it priority mail for $30. Can send a pic if interested
Thanks and 73's
Tim
NZ8J

5873. Re: 222 Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 01:25:38 UTC
From: Roland Stiner <nk2u@1stconnect.com>
Message-ID: <_BfD9.2881$EY.911@fe01>
Source record: 36983

> I am considering buying a 222 Mhz mobile radio and would like to see
> comments from people who operate in this band as to their favorite radio.

Icom IC-37A hands down.

Roland, NK2U

5874. Re: IC-756ProII & AL-811 AMP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 02:15:43 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DDD934F.627B4164@qth.com>
Source record: 36984
Body handling: Binary attachment payload not displayed: radioranch.vcf

Stan, nothing is needed on teh AL 811...no real voltage on the keying circuit..73 Murray

Stan Grigaliunas wrote:

> Hello... is anyone using the above set up? Wondering if the 756 can key the
> amp or does it require external relay ? Any help would be appreciated.
> 73's de Stan, K8SRB
> k8srb@arrl.net

[One or more binary attachments are retained only in the source text.]

5875. FS: Kenwood TS-950SDX Service Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 03:22:20 UTC
From: John <ki4nr@qsl.net>
Message-ID: <8qhD9.572$YN6.40806@newsfeed.slurp.net>
Source record: 36985

Hi
New factory service manual for the TS-950SDX , just bought a month ago

$55.00 including shipping

Thanks john, KI4NR

5876. WTB: Hustler vertical

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 04:25:08 UTC
From: KU4YP <ku4yp@earthlink.net>
Message-ID: <EkiD9.3020$OZ4.305966@newsread1.prod.itd.earthlink.net>
Source record: 36986
Cross-posted to: rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment

hello,

looking for a hustler hf vertical. please state price and condition.
would like to find one in the south east usa if possible.

--
73 de KU4YP "There is no spoon....."
Michael Prevatt
Willow Oak, Florida
Homepage: http://home.earthlink.net/~ku4yp

5877. FS: SK-410, & SK-400 SOCKETS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 14:15:35 UTC
From: Heytubeguy <heytubeguy@worldnet.att.net>
Message-ID: <b_qD9.20236$vM1.1445658@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36987

EIMAC SK-410 NOS, & SK-400 air socket on ebay:

check under seller heytubeguy

5878. FS: Kenwood TS790A 144/440 All Mode Satellite Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 15:01:57 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <gnhstusm6mugdjs5fb1so9harflu0hjh5m@4ax.com>
Source record: 36988

Hello, I have a mint Kenwood TS790A 144/440 All Mode Satellite Radio for sale. This radio has a problem. The S meter light and the SUB display is is out. The main display works fine on 144 or 440 and the receiver works great and the transmitter has full output on both bands. I am putting a $500 price on this shipped for someone that has the time to fix it. It comes with manual, mic and power cord and you can't tell it from a new one physicaly. Please email me with any questions or a request for a picture. Thanks, Mike N0XD mfunaro@worldnet.att.net

5879. NIR-12

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 15:13:34 UTC
From: JR@aythorpe.freeserve.co.uk
Message-ID: <19e9019b.0211220713.45f30b54@posting.google.com>
Source record: 36989

Has anyone up to date software (EPROM) for the NIR-12. My EPROM is marked 1094113100. Am also interested in the Adapter kit and manual for amateur programming

5880. For Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 17:26:55 UTC
From: "Dave (W4CLJ)" <mycallsignhere@arrl.net>
Message-ID: <Xns92CE7EA2799D3W4CLJ@216.166.71.239>
Source record: 36990

Have several Radio, Computer and Photography items for trade.
See details at: http://mywebpages.comcast.net/w4clj

--
Amateur Radio Station W4CLJ
Dave Jarrell
Dale City, VA 22193

5881. Elecraft K2/100 CQ Mag. Review Available (.pdf)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 19:17:47 UTC
From: Eric Swartz WA6HHQ - Elecraft <eric@elecraft.com>
Message-ID: <3DDE82DB.766E1BB3@elecraft.com>
Source record: 36991
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

CQ Magazine has just given us their November 2002 review of the K2/100 in .pdf format. You can download it from the Elecraft web page at:

http://www.elecraft.com/TechNotes/CQ_K2_100_Review.pdf

73, Eric WA6HHQ
http://www.elecraft.com

5882. Re: Icom 756 -Problem (two lines)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 19:43:45 UTC
From: Barry <luminosity@madriver.com>
Message-ID: <3DDE88F0.9D5F856D@madriver.com>
Source record: 36992

"M.E." wrote:
>
> Send it to ICOM, the display must be replaced. Defective batch of displays.
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "JM" <cmb@mail.telepac.pt> wrote in message
> news:1037875992.908783@proxynews1...
> > I need some help, i have the Icom 756 , in the LCD screen appear two
> > horizontal lines. Whar can i do ?
> >
> > 73 from CT1BRM
> >
> > Jose
> >
> >

Unfortunately, Icom won't admit to a defective batch of LCD
screens in early production # IC756's. It's going to cost you
about $325.00 + shipping to have them install a new one.
You can always computer interface your rig and bypass the defective
screen as an option.
Good Luck / Barry N1QWA

5883. FA ICOM, HALLICRAFTERS, BIRD, CSI AUTOPATCH and other things

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 20:14:19 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3DDE901B.3F31AE0D@ckradio.net>
Source record: 36993

http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=ve3ngw

5884. FS: Diamond SX-100 SWR/Power Meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 21:18:42 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <2f7ttu4h6l7215vh4s74nhougffdfg9og1@4ax.com>
Source record: 36994

Hello, I have for sale a Diamond SX-100 SWR/Power Meter.
It covers 1.6-60 mhz 30/300/3kw PEP. It is in mint condition and the
price is $90 plus a few bucks for shipping. Thanks, Mike

5885. Midland LMR 70-336B Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 22:21:56 UTC
From: Rick P <pman976@hotmail.com>
Message-ID: <3ddea935_4@corp.newsgroups.com>
Source record: 36995

I am searching for the programming software
for a Midland LMR 70-336B

I have a 70-1000 programmer and adapter for the eprom but no software...any
help would be appreciated.

Rick
pman976@hotmail.com

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

5886. FA Hallicrafters PM-23 Speaker/end this weekend

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-22 23:24:51 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <71zD9.4930$lt3.432477@newsread2.prod.itd.earthlink.net>
Source record: 36996

Please see my Hallicrafters PM-23 Speaker up for auction. It ends this
weekend.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802790145&ssPageName=ADME
:B:LC:US:1
Thanks, Charlie Hugg, K5MBX

5887. WTB-VHF PASS CAVITY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 01:40:27 UTC
From: n2ion@aol.com
Message-ID: <20021122204027.05599.00003884@mb-mq.aol.com>
Source record: 36997

I NEED 2 OR 3 VHF 1/4 WAVE PASS CAVITIES. I'M ON A LIMITED BUDGET. IF YOU CAN HELP ME OUT, EMAIL.

THANKS IN ADVANCE

5888. Re: FS: Kenwood TS790A 144/440 All Mode Satellite Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 03:21:04 UTC
From: Michael Funaro <mfunaro@worldnet.att.net>
Message-ID: <90tttuoi5hjuf50bq4kh19bmtffgjfip1d@4ax.com>
Source record: 36898

SOLD

On Fri, 22 Nov 2002 15:01:57 GMT, Michael Funaro
<mfunaro@worldnet.att.net> wrote:

>Hello, I have a mint Kenwood TS790A 144/440 All Mode Satellite Radio
>for sale. This radio has a problem. The S meter light and the SUB
>display is is out. The main display works fine on 144 or 440 and the
>receiver works great and the transmitter has full output on both
>bands. I am putting a $500 price on this shipped for someone that has
>the time to fix it. It comes with manual, mic and power cord and you
>can't tell it from a new one physicaly. Please email me with any
>questions or a request for a picture. Thanks, Mike N0XD
>mfunaro@worldnet.att.net

5889. Icom 746Pro - bugs worked out yet??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 03:22:33 UTC
From: Steven L Umbach <n9rou@nsattbi.com>
Message-ID: <ZvCD9.115085$QZ.18722@sccrnsc02>
Source record: 36899

What is the word on the IC 746Pro?? I am thinking of buying one, but am concerned about a number of problems users reviewing it at Eham http://www.eham.net/reviews/detail/1951 are having. Just about everyone loves the receiver and dsp, but are having various problems. I would like to get a full dsp rig to have along with my FT1000MP (which I have NO desire to part with). I understand that the 746Pro has virtually the same dsp "engine" as the 756ProII. ARRL lab test show that the receiver performance is virtually identical for the two rigs. I see the major dealers are now selling it for $1549 including a PS-125 powers supply. I could probably sell the PS-125 for around $200 and end up getting the 746Pro for $1349 - which is a real nice decrease from $1899. Has anyone heard if they have fixed any "bugs" ? Why the big price decrease? Do you think they are trying to clear out old inventory for a "better" lot or just slow sales due to bad economy? Any special serial number range to avoid or look for? Does anyone know how long the special deal price/promo will be on for? I think it might be at least until Christmas and if I do buy I probably will wait till about then. Thanks for any advice. --- Steve KK9ZZ

5890. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 06:21:44 UTC
From: "Chuck C." <chuckcrews61@NOSPAM.hotmail.com>
Message-ID: <Y7FD9.6607$wc2.437008@news2.east.cox.net>
Source record: 36900
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Why would someone actually BELIEVE that a SOFTWARE trojan horse (virus) can be intalled in a ANALOG piece of equipment???

I am an Electronics Technican and the only actual concern for a CB, is that the manufacturer can (and likely will) FILTER the CB freqs applied to the Linear Amp, making it not useful.

If you want real power ! Get your Amateur Radio License ! It is EASY and you have MUCH MORE POWER and 1000% better equipment to use.
Up to 1500 watts of LEGAL transmit power ! Actually TALK to people, not listen to static and rude abnoxious people !!!

If you have questions about Amateur Radio licensing, e-mail me direct and I will help you all I can.

Chuck - KD4REL

<foxyie@inwind.it> wrote in message
news:fpux9.120210$r7.2192980@twister.tampabay.rr.com...
> Why would a group care what he FCC does or does not do? This email is
plain
> stupid and would only work on a really stupid CBer who likes to pick up on
> rumors....
>
>
> "Deos" <lineoffiretoday@yahoo.com> wrote in message
> news:apoi61$3fp$2@nic.grnet.gr...
> > why not just put some tnt in the amplifier or c4,
> >
> > --
> > http://deosiereas.virtualave.net
> > "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> > news:R%Dt9.597$oP5.263834668@news.inreach.com...
> > > A group of hams who are fed up with the FCC's efforts to stop the
spread
> > of
> > > illegal amplifier use are reported to be buying linear amplifiers and
> > > installing trojan horse mods that can burn out the receive section of
> > > transceivers operating out of band.
> > >
> > > The modifications detect certain transmitted frequencies and trigger a
> > > device installed on the amp that places a series of high voltage pulse
> > type
> > > signals across the antenna line effectively burning out the front end
of

> > the
> > > receiver.
> > >
> > > Only technicians familiar with solid state circuits can detect the
> devices
> > > which are cleverly disguised as actual amplifier components.
> > >
> > > Be very careful when purchasing used amplifiers or purchasing
amplifiers
> > > online from unknown sellers. The information that I have received
> > indicates
> > > the normal user will re-sell the amplifier which once again will
perform
> > > it's mission un-detected during normal use. The user will think the
> > problem
> > > is his transceiver, not the amplifier. Use extreme caution.
> > >
> > >
> >
> >
> >
>
>

5891. Wtb: Mobile antennas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 06:27:04 UTC
From: Roger Peterson <kc8qr@neo.rr.com>
Message-ID: <YcFD9.4695$oc1.431802@twister.neo.rr.com>
Source record: 36901

Would like to buy some hustler mobile antennas. The kilowatt jobs would be best. 75meters-15 will be what i need or the hamsticks 80 thru 10 meters. need prices. Tnx Pete Kc8qr---kc8qr2neo.rr.com.

5892. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 06:55:29 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <arn78l$7q0$1@news1.kornet.net>
Source record: 36902
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Unless of course you are on 75m or 2m.. :)

<snippage>

"Chuck C." <chuckcrews61@NOSPAM.hotmail.com> wrote in message
news:Y7FD9.6607$wc2.437008@news2.east.cox.net...
Actually TALK to people, not
> listen to static and rude abnoxious people !!!
>
> Chuck - KD4REL
>
> <foxyie@inwind.it> wrote in message
> news:fpux9.120210$r7.2192980@twister.tampabay.rr.com...
> > Why would a group care what he FCC does or does not do? This email is
> plain
> > stupid and would only work on a really stupid CBer who likes to pick up
on
> > rumors....
> >
> >
> > "Deos" <lineoffiretoday@yahoo.com> wrote in message
> > news:apoi61$3fp$2@nic.grnet.gr...
> > > why not just put some tnt in the amplifier or c4,
> > >
> > > --
> > > http://deosiereas.virtualave.net
> > > "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> > > news:R%Dt9.597$oP5.263834668@news.inreach.com...
> > > > A group of hams who are fed up with the FCC's efforts to stop the
> spread
> > > of
> > > > illegal amplifier use are reported to be buying linear amplifiers
and
> > > > installing trojan horse mods that can burn out the receive section
of
> > > > transceivers operating out of band.
> > > >
> > > > The modifications detect certain transmitted frequencies and trigger
a
> > > > device installed on the amp that places a series of high voltage
pulse
> > > type
> > > > signals across the antenna line effectively burning out the front
end

> of
> > > the
> > > > receiver.
> > > >
> > > > Only technicians familiar with solid state circuits can detect the
> > devices
> > > > which are cleverly disguised as actual amplifier components.
> > > >
> > > > Be very careful when purchasing used amplifiers or purchasing
> amplifiers
> > > > online from unknown sellers. The information that I have received
> > > indicates
> > > > the normal user will re-sell the amplifier which once again will
> perform
> > > > it's mission un-detected during normal use. The user will think the
> > > problem
> > > > is his transceiver, not the amplifier. Use extreme caution.
> > > >
> > > >
> > >
> > >
> > >
> >
> >
>
>

5893. WTB Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 09:21:40 UTC
From: Paul Cooper <plcooper@starband.net>
Message-ID: <3DDF48B1.3050902@starband.net>
Source record: 36904

WTB Heath HD-10 Keyer in good condx.

Paul, K6PY

5894. Kam 98?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 10:15:16 UTC
From: Bill <willbryant@msn.com>
Message-ID: <UyID9.29702$8D.1032456@twister.austin.rr.com>
Source record: 36903

Is there an upgrade for the PK-232MBX to bring it to the level of the Kam98 functionality?

5895. Good Guy Report: Pete KE9OA

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 11:52:46 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <arnom8eek1@news1.kornet.net>
Source record: 36905

A recent post to this NG spoke of Radio Shack selling out their HTX-200 2m HT's for $50. I really wanted to take advantage of such a great deal from Radio Shack, but their online website did not list this radio. Pete graciously offered to purchase one for me, and allow me to purchase it from him at cost. He was not even going to charge me shipping. Of course, I insisted that he not have any out of pocket expenses, and am sending him a money order for the full amount. He's one of the good ones, for sure. He trusted me to pay for the radio, meanwhile having mailed it to me for my approval. I received it yesterday, and I love the radio. I just wanted to post this to show my appreciation for his help and trust in a time when both are in very short supply. Thanks Pete. May God bless you and yours. I hope someday to be able to return the favor.

5896. Re: Icom 746Pro - bugs worked out yet??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 14:03:49 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <utv2mep908pca6@corp.supernews.com>
Source record: 36906

I can only say that I've had a PRO for a couple of years now and have not experienced any of the problems or failures that some reviewers on e-ham are talking about. I expect people who experience a failure or problem take the time to post and those who have a good experience are a "silent majority".

The PRO-II has a couple of "obscure" advantages if you are working some of the newer digital modes. It has an extra set of 3 standard filter selections for the digital modes so you don't have to use one or more of your SSB filters. It has the ability to select a digital mode (USB-D or LSB-D) via the CI-V interface (this was overlooked in the PRO). It also has a selectable filter shape factor for the CW ops that don't care for the very sharp DSP skirts.

5897. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 14:07:45 UTC
From: nm2k@arrl.net
Message-ID: <b6d27e22.0211230607.1a50febb@posting.google.com>
Source record: 36907
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Where can I buy a few of these amps? I want to give a few to some of
the local PITA CB'ers in the area. Merry Christmas. Poof! <G>

Ed Cregger

"General Johnson Jameson" <area52@zecretbase.com> wrote in message
news:<R%Dt9.597$oP5.263834668@news.inreach.com>...
> A group of hams who are fed up with the FCC's efforts to stop the spread of
> illegal amplifier use are reported to be buying linear amplifiers and
> installing trojan horse mods that can burn out the receive section of
> transceivers operating out of band.
(snip)

5898. FS: 0.001 uF at 2500V Capacitors - Brand New

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 14:35:17 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <4e4vtukmia6hu7nslo2vgvev8du6geprph@4ax.com>
Source record: 36908
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.antiques.radio+phono

FOR SALE:

New Sangamo postage stamp style capacitors. Brown Bakelite with round solder terminals.

0.001 uF = 1000 pF at 2500 Volts DC.

Excellent.

$2.50 each or 10 for $20.00
plus postage.

E-mail me to arrange purchase

5899. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 15:17:59 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <utv6qqeurrdib9@corp.supernews.com>
Source record: 36909
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

CBers beleive just about anything. In one instance, a CBer asked me how to make his rig run really HOT. I told him to take out all the crystals, place them in a metal pan, then put them in the kitchen oven and bake them at 500 degrees for two hours. Never heard from him again...

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Chuck C." <chuckcrews61@NOSPAM.hotmail.com> wrote in message
news:Y7FD9.6607$wc2.437008@news2.east.cox.net...
> Why would someone actually BELIEVE that a SOFTWARE trojan horse (virus)
can
> be intalled in a ANALOG piece of equipment???
>
> I am an Electronics Technican and the only actual concern for a CB, is
that
> the manufacturer can (and likely will) FILTER the CB freqs applied to the
> Linear Amp, making it not useful.
>
> If you want real power ! Get your Amateur Radio License ! It is EASY and
> you have MUCH MORE POWER and 1000% better equipment to use.
> Up to 1500 watts of LEGAL transmit power ! Actually TALK to people, not
> listen to static and rude abnoxious people !!!
>
> If you have questions about Amateur Radio licensing, e-mail me direct and
I
> will help you all I can.
>
> Chuck - KD4REL
>
> <foxyie@inwind.it> wrote in message
> news:fpux9.120210$r7.2192980@twister.tampabay.rr.com...
> > Why would a group care what he FCC does or does not do? This email is
> plain
> > stupid and would only work on a really stupid CBer who likes to pick up
on
> > rumors....
> >
> >
> > "Deos" <lineoffiretoday@yahoo.com> wrote in message
> > news:apoi61$3fp$2@nic.grnet.gr...
> > > why not just put some tnt in the amplifier or c4,
> > >

> > > --
> > > http://deosiereas.virtualave.net
> > > "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> > > news:R%Dt9.597$oP5.263834668@news.inreach.com...
> > > > A group of hams who are fed up with the FCC's efforts to stop the
> spread
> > > of
> > > > illegal amplifier use are reported to be buying linear amplifiers
and
> > > > installing trojan horse mods that can burn out the receive section
of
> > > > transceivers operating out of band.
> > > >
> > > > The modifications detect certain transmitted frequencies and trigger
a
> > > > device installed on the amp that places a series of high voltage
pulse
> > > type
> > > > signals across the antenna line effectively burning out the front
end
> of
> > > the
> > > > receiver.
> > > >
> > > > Only technicians familiar with solid state circuits can detect the
> > devices
> > > > which are cleverly disguised as actual amplifier components.
> > > >
> > > > Be very careful when purchasing used amplifiers or purchasing
> amplifiers
> > > > online from unknown sellers. The information that I have received
> > > indicates
> > > > the normal user will re-sell the amplifier which once again will
> perform
> > > > it's mission un-detected during normal use. The user will think the
> > > problem
> > > > is his transceiver, not the amplifier. Use extreme caution.
> > > >
> > > >
> > >
> > >
> > >
> >
> >
>
>

5900. Re: Kam 98?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 15:22:26 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <utv735cjestm33@corp.supernews.com>
Source record: 36910

Those are two completely different brands of TNC's You will need to contact Timewave/AEA to get an "upgrade" the 232.
You will not be able to do "G-tor" mode, since that is a Kantronics only mode.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Bill" <willbryant@msn.com> wrote in message news:UyID9.29702$8D.1032456@twister.austin.rr.com...
> Is there an upgrade for the PK-232MBX to bring it to the level of the Kam98
> functionality?
>
>

5901. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 15:28:22 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DDF9E96.EB26F7E1@qth.com>
Source record: 36911
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap
Body handling: Binary attachment payload not displayed: radioranch.vcf

Well said Chuck.... I second the motion!!

"Chuck C." wrote:

> Why would someone actually BELIEVE that a SOFTWARE trojan horse (virus) can
> be intalled in a ANALOG piece of equipment???
>
> I am an Electronics Technican and the only actual concern for a CB, is that
> the manufacturer can (and likely will) FILTER the CB freqs applied to the
> Linear Amp, making it not useful.
>
> If you want real power ! Get your Amateur Radio License ! It is EASY and
> you have MUCH MORE POWER and 1000% better equipment to use.
> Up to 1500 watts of LEGAL transmit power ! Actually TALK to people, not
> listen to static and rude abnoxious people !!!
>
> If you have questions about Amateur Radio licensing, e-mail me direct and I
> will help you all I can.
>
> Chuck - KD4REL
>
> <foxyie@inwind.it> wrote in message
> news:fpux9.120210$r7.2192980@twister.tampabay.rr.com...
> > Why would a group care what he FCC does or does not do? This email is
> plain
> > stupid and would only work on a really stupid CBer who likes to pick up on
> > rumors....
> >
> >
> > "Deos" <lineoffiretoday@yahoo.com> wrote in message
> > news:apoi61$3fp$2@nic.grnet.gr...
> > > why not just put some tnt in the amplifier or c4,
> > >
> > > --
> > > http://deosiereas.virtualave.net
> > > "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> > > news:R%Dt9.597$oP5.263834668@news.inreach.com...
> > > > A group of hams who are fed up with the FCC's efforts to stop the
> spread
> > > of
> > > > illegal amplifier use are reported to be buying linear amplifiers and
> > > > installing trojan horse mods that can burn out the receive section of
> > > > transceivers operating out of band.

> > > >
> > > > The modifications detect certain transmitted frequencies and trigger a
> > > > device installed on the amp that places a series of high voltage pulse
> > > type
> > > > signals across the antenna line effectively burning out the front end
> of
> > > the
> > > > receiver.
> > > >
> > > > Only technicians familiar with solid state circuits can detect the
> > devices
> > > > which are cleverly disguised as actual amplifier components.
> > > >
> > > > Be very careful when purchasing used amplifiers or purchasing
> amplifiers
> > > > online from unknown sellers. The information that I have received
> > > indicates
> > > > the normal user will re-sell the amplifier which once again will
> perform
> > > > it's mission un-detected during normal use. The user will think the
> > > problem
> > > > is his transceiver, not the amplifier. Use extreme caution.
> > > >
> > > >
> > >
> > >
> > >
> >
> >

[One or more binary attachments are retained only in the source text.]

5902. Re: One Drake 4-Line knob AVAILABLE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 15:50:35 UTC
From: "G. Beat" <gregory.beat.nospam@spam.attbi.com>
Message-ID: <ftND9.120905$1O2.8092@sccrnsc04>
Source record: 36912
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap

These are readily available.

One gentleman has been selling them on eBay, but can be found at
Caltronics, a California parts distributors.

http://www.caltronix.com/catalog/cat89.htm (near bottom of page)

Part number 50-131 (which is .625 in diameter)
I "think" the Drake knob was this size

They also have a 50-132 with is .750 in diameter

73 de Greg
W9GB

a.. Started in 1973 in Canoga Park California with approximately 200
products.
a.. Publish both the Caltronics Catalog and the Private Label version.
a.. Specialize in both Caltronics Brand and distributing nationally branded
products using their name and logos.
a.. Expanded product line to include over 20,000 items.
a.. Developed innovative and practical packaging to better serve our
customers.
a.. Merged with Interstate Group in November 2000 and moved to a larger
facility in Torrance California.
.

"K5DH" <k5dh@raytheon.com> wrote in message
news:j2bC9.60$Z74.558@dfw-service2.ext.raytheon.com...
> I need to buy one Drake 4-line bar knob, set-screw style,
> to replace a missing one on the R-4B that I'm restoring.
> Might be able to use the push-on style if set-screw style
> is unavailable.
>
> Please help! :)
>
> 73,
> Dean K5DH
>

5903. FS: Yaesu FT707 HF WARC xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 16:21:51 UTC
From: Tim Carey <velopista@earthlink.net>
Message-ID: <zWND9.6008$lt3.559352@newsread2.prod.itd.earthlink.net>
Source record: 36913
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Nice condition Yaesu FT707 100W HF w WARC bands xcvr. $255 plus shipping
from N Ca
Thanks,
NI6L tim

5904. FS: Icom IC 202S 2M xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 16:23:41 UTC
From: Tim Carey <velopista@earthlink.net>
Message-ID: <hYND9.6014$lt3.558758@newsread2.prod.itd.earthlink.net>
Source record: 36914
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Nice IC202S with orig box and accessories 2M 3W portable SSB/CW xcvr
covers 144-146 MHz
$140 plus ship from N Ca
Thanks,
Tim

5905. FS: Ten Tec Triton IV HF xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 16:25:23 UTC
From: Tim Carey <velopista@earthlink.net>
Message-ID: <TZND9.6017$lt3.559811@newsread2.prod.itd.earthlink.net>
Source record: 36915

Beautiful Triton IV xcvr - analog dial- $195 obo
Thanks,
Tim

5906. FS 2M AM gear= COLLECTOR quality

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 16:27:09 UTC
From: Tim Carey <velopista@earthlink.net>
Message-ID: <x%ND9.6022$lt3.560010@newsread2.prod.itd.earthlink.net>
Source record: 36916

Clegg 22er 2M AM /CW xcvr $75 beautiful condition

Heath Two'er great looking radio. $75

Tim

5907. FS: NEW Icom CK11 Remote Cable Kit for IC435 Mobile Xcvrs

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 17:52:33 UTC
From: mnowlen@comcast.net
Message-ID: <3ddfc035.311801106@news.va.comcast.giganews.com>
Source record: 36917
Cross-posted to: rec.radio.swap,rec.radio.lmr-commercial,rec.radio.amateur.equipment,rec.radio.amateur.swap

New Icom CK-11 remote cable kit complete with mounting and hardware in original box for Icom IC 435 Series Commercial Mobile Transceivers

$35 + shipping

mnowlen@comcast.net

5908. Great pictures of AO-40 antennas over the world.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 18:02:56 UTC
From: Peter ON5US <on5ushaalmijhieruit@easynet.be>
Message-ID: <3ddfc31f$0$30449$afc38c87@sisyphus.news.be.easynet.net>
Source record: 36918
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment

Hi,
a lot of antenna pictures about AO-40 of different stations over the world
can be found at the new website of Marc, ON6AA.
Homepage: http://www.qsl.net/on6aa/
This website is still under construction, so new pictures can be added very
soon.

--
Met vriendelijke groeten, Peter.
73's de ON5US

Please visit the radioamateur-homepage of UBA-section OST at
http://users.skynet.be/uba-ost/

Een fan van KISS?? Bezoek dan http://www.kisstory.be eens!!!

5909. Re: ADI 147 2m mobile problems??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 18:11:33 UTC
From: paul flautt <pflautt@netpluscom.com>
Message-ID: <3DDFC4D5.4F6CD4AF@netpluscom.com>
Source record: 36919

Yes,I had 147 and it was a piece of JUNK.Adi
replaced it several times,same problem.Display
would act up in cold weather.
Paul

Clip wrote:

> Hey gang....I see there are a several ADI 147's on Ebay and
> reading the description they both have the same problems
> (display fades out etc) and I was wondering if this is a common
> problem with these, and also is it an easy fix (connections)
> or something worse? Anyone have any experiences with
> this radio?

5910. Transworld T1000 amplifier ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 18:22:39 UTC
From: Johan <on7du@hotmail.com>
Message-ID: <PHPD9.16296$Ti2.2961@afrodite.telenet-ops.be>
Source record: 36920
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Hi,

I'm looking for some more information on the T1000 amplifier manufactured
by Trans world electronics around 1980 in Escondido California.
Anyone out there familiar with this amp ? I'd like to get in touch with
T1000-owners. I'd like to know what kind of transistors are being used in
the power modules...

Please mail me -> on7du@hotmail.com

Johan.

5911. Guts of an IC-45?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 18:51:07 UTC
From: hollandguy@aol.com
Message-ID: <20021123135107.05656.00000105@mb-df.aol.com>
Source record: 36921

Does anyone know where the backup battery is in the Icom IC-45 UHF radio? The manual doesn't show where it is, and I can't spot it by taking the covers off.

Many thanks.
Max

5912. Re: Transworld T1000 amplifier ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 19:12:01 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <utvkhi4viukh48@corp.supernews.com>
Source record: 36922
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

The company should be able to help you, they still make them out there.
I've only seen one TW-1000, a friend owns it.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Johan" <on7du@hotmail.com> wrote in message
news:PHPD9.16296$Ti2.2961@afrodite.telenet-ops.be...
> Hi,
>
>
> I'm looking for some more information on the T1000 amplifier manufactured
> by Trans world electronics around 1980 in Escondido California.
> Anyone out there familiar with this amp ? I'd like to get in touch with
> T1000-owners. I'd like to know what kind of transistors are being used in
> the power modules...
>
> Please mail me -> on7du@hotmail.com
>
> Johan.

5913. Re: Guts of an IC-45?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 19:12:01 UTC
From: Andy <acorbin@infi.net>
Message-ID: <3DDFD301.7090604@infi.net>
Source record: 36923

Hollandguy wrote:
> Does anyone know where the backup battery is in the Icom IC-45 UHF radio? The
> manual doesn't show where it is, and I can't spot it by taking the covers off.
>
> Many thanks.
> Max

I think the IC45 is just a beefed up version of the IC25. The IC25 does not have a backup battery. As I recall there were 3 power wires running into the rig. One was for a switched lead, one was to maintain constant power for memory retention and the other was ground.

Andy
WD4KDN

5914. Re: Transworld T1000 amplifier ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 19:14:31 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <rsQD9.24891$ro.811652@news2.west.cox.net>
Source record: 36924
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Johan --- The Raymond Sarrio Company's
Vintage Manuals
has your manual -- see URL:
http://www.sarrio.com/sarrio/rsman4.html

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Johan" <on7du@hotmail.com> wrote in message
news:PHPD9.16296$Ti2.2961@afrodite.telenet-ops.be...
> Hi,
>
>
> I'm looking for some more information on the T1000 amplifier manufactured
> by Trans world electronics around 1980 in Escondido California.
> Anyone out there familiar with this amp ? I'd like to get in touch with
> T1000-owners. I'd like to know what kind of transistors are being used in
> the power modules...
>
> Please mail me -> on7du@hotmail.com
>
> Johan.

5915. Re: Transworld T1000 amplifier ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 19:42:59 UTC
From: Johan <on7du@hotmail.com>
Message-ID: <7TQD9.16414$Ti2.2965@afrodite.telenet-ops.be>
Source record: 36925
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

"M.E." <bogus@nospam.com> wrote in
news:utvkhi4viukh48@corp.supernews.com:

> The company should be able to help you, they still make them out
> there. I've only seen one TW-1000, a friend owns it.
>
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "Johan" <on7du@hotmail.com> wrote in message
> news:PHPD9.16296$Ti2.2961@afrodite.telenet-ops.be...
>> Hi,
>>
>>
>> I'm looking for some more information on the T1000 amplifier
>> manufactured by Trans world electronics around 1980 in Escondido
>> California. Anyone out there familiar with this amp ? I'd like to get
>> in touch with T1000-owners. I'd like to know what kind of transistors
>> are being used in the power modules...
>>
>> Please mail me -> on7du@hotmail.com
>>
>> Johan.
>
>

Do you have a website-address ? I'd like to mail them to see if they can
help me.

Johan

5916. FS or Trade list 11-23-02

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 19:59:19 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <r6RD9.121548$nB.10025@sccrnsc03>
Source record: 36926

20 days since last list

GE Portables

GE MPA VHF System 146 - 170 Aegis digital encryption. Nice radio
9.0 condition. 160 channel Alphanumeric display. With antenna
and battery. Great ham or public safety radio. $300.00

GE MPA VHF Select 16 channel Alpha numeric Display. I have this programmed
on Public Safety. This is a nice radio for fire or Police.

Will do G star for unit ID. $175.00

GE MPA Scan UHF 450 - 470. 192 channel scan. Alphanumeric display.

Has a good battery and new antenna. I am using this radio on ham and
scanning public safety. 8.5 condition $225.00

GE MTL VHF 16 channel scan. Poor mans MPA. No display. Great heavy duty
public safety radio. About a 7.5 condition. $150.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display.
With battery and antenna. 7-7.5 $75.00

GE MPD Scan Voice Guard. VHF 150-170, 48 channel alphanumeric

display. Scan and Voice Guard encryption capable. 4 button Keypad.

With battery and antenna. $130.00

GE PCS UHF 440 - 470 8 channel with battery and antenna. Looks
Good. $80.00

GE PCS VHF 150 - 170 8 channel with battery and antenna. Looks
Good. $80.00

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170
but I have programmed these in the ham band with no trouble. These
have battery, and antenna. $75.00 each

GE MPS VHF 12 channel. 8.5 condition. New antennas and used batteries
Standard charger. $60.00 each have 2.

GE MPS UHF 12 channel 8.5 condition. With battery, antenna, and
standard charger. $60.00 each have 3.

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1
good battery. With 1 dual slot charger. $165.00 all 3 radios.

GE Mobiles

GE Ranger 150 N9HH0A110A 150 - 170 110 watt drawer unit only.
This will work with the control heads and cables I have below.
$75.00

GE MVS UHF 440 -470 128 channels. Scans and works good.
Looks great and is programmed on the ham bands.$165.00

GE MVS VHF 150- 170 MHz. 2 channel with mic. 8.5 condition $80.00

GE MCS UHF 440 - 470 4 channel 10 watt mobile separate speaker is
also the control head. With mic. $75.00

GE MLS Low Band 16 channel scan. 42-50 split. New mic. Should
Program to 6 meter ham. 60 watt $150.00

GE PSX se VHF 2 channel radio with all mount, mic, power cable,

and hang-up box. $75.00

GE Mastr II UHF 75 watt with pre-amp. No Icoms drawer only.
MC65KKG88B $90.00 each only 1 left

GE Mastr II Lowband 42-50 slit 110 watt. MC74KCN33A
With 1 set of Icoms $25.00 each I have many.

GE Mastr Pro Low band 110 watt 42 50 split. MT74TCS33
With 2 sets of Icoms. FREE. You pay shipping and packing. I
have many.

Master Exec II Lowband 30-36 split, 100 watt, CG and NB. With Icoms

And most accessories. $30.00

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr
II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that
I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. Not tested. $60.00

GE S550 head 16 channel looks good but not tested. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.
16 channel model has short cable and some handle bar mounts. Mic
included but no speaker. $50.00

GE S825 Scan head. With Mic and bracket. Alpha numeric head

For Delta or Ranger. 16 channel Ranger can have 224 channels with

this head 32 channel radio can have 448 channels. This head can

control siren and PA system. You can also use this head to program

Deltas and Rangers. $165.00 See below cables for this head.

GE Accessories

GE Duplexer Mod DB4075 P/N 19C307166P2. tx453.xxx rx458.xxx
With cables. 4 cavity. $175.00

GE Duplexer Mod P1 P/N 19C307166P1 tx453.xxx rx458.xxx
With cables. 4cavity. $175.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $1.00 each
Minimum 5 at this price.

Mastr II Mic. $5.00 3 for $10.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen
programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5.
$4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and
162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50
each. These are the only frequencies I have.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each. Picked up 3
sets of UHF 2C Icoms $30.00 per set of 1tx and 1rx Icom. I have Low

Band Icoms.

GE Delta cables. These are the downloading type used with the S820
heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

GE Mastr II mounting plates $15.00 each

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE MPA standard charger, 110 volt. $25.00

GE MPA standard 5 position rack charger, 110 volt. $40.00

GE PCS Universal charger. With wall transformer $20.00 each

GE MPS 6 position rack charger, Rapid 3 hour charger

110 volt. Also works with MPR and MPX. $35.00

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a rapid rack charger with a DB 15 cable and uses a MPD body to attach a battery to. Has LED readout in display area of MPD body to tell discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card and power supply / speaker. $200.00

Home made S825 programming cable. Works great but I just bought a

Factory GE cable so I do not need this now. $20.00

Other Radios and Accessories

Motorola X9000 UHF 100 watt. Has 64 channel head non-DTMF. With

cable, Speaker, and mic. Ready to program and use. $275.00

Motorola HT50 VHF 2 channel 150 - 170 belt clip holder battery and Charger. $75.00

Motorola Maxtrac VHF 40 watt 16 channel scan. 5 pin. With Mic. $225.00

Motorola Radius / Maxtrac VHF 25 watt 16 channel scan. 16 pin port. With mic. $200.00

Yaesu FTH 2070 Dual band commercial radio. 32 channel scan,

Alphanumeric display. Has battery (seems to hold a charge), Antenna,

And Rapid charger. Condition 8.5. $275.00

Uniden SPS 802TS 800 LTR portable. With charger. $75.00 Pair.

EF Johnson Challenger 5852 portables. VHF I think. With charger and batteries but the batteries are dead. Radios make squelch noise when powered up. As is $40.00 pair.

Marconi UHF portable. 16 channel scan with NOS battery. Made by Midland. $65.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$65.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $40.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of crystals for each radio. Also have a working battery and charger for each. I have 4 of these. $50.00 all

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work with the sp2000 as well.$35.00

Cushman CE3 Service monitor. Has model 330 Broad band mixer / watt meter

Duplexer tester plug-in. Also has 201 scope plug-in. Some of the numeral lamps are out but you can see the numbers with a light. Works well and makes a good starter service monitor. $300.00

Consignment section

This area is for a few friends who like those other radios you know "Motorola" They are good people and I will pass along any trades you may wish to make.

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola Saber II UHF 48 channel scan. With battery and antenna. 9 condition $300.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Want List not FS
Extra parts for GE suitcase programmers Data modules, Printers, cables, proms, Anything you have extra. I need some UHF 450 - 470 scan MPD radios. How many do you have and what do you want for them? Johnson scorpion program cable. Looking for an FT90 for the wife's car.

I would like to play with a VX-150 if anyone has 1 to trade.

Terms
All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a question E-mail me. Contact me off list at. Gundoc@insightbb.com

Dean

5917. Kansas City Tracker-Tuner ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 20:21:59 UTC
From: Joe Leikhim <jleikhim@nettally.com>
Message-ID: <3DDFE367.43557E37@nettally.com>
Source record: 36927
Cross-posted to: rec.radio.amateur.space,rec.radio.amateur.equipment

Can anyone advise what is the latest version of the KCT-T?

I have a V2.43A, what is difference between that version and latest version?

Does the version indicate hardware differences or can you simply upgrade the software (drivers?)

Also has anyone explored a "client - server" configuration: I would like to run LOGSAT on my main computer and communicate via LAN to a dedicated remote computer out at the antenna containing the KCT-T.

Is the tuner feature effective with AO-40 S band downlink? I have an IC970A with UX-98 and UX-97.

Thanks.

--
Joe Leikhim K4SAT
Jleikhim@nettally.com

"Jazz is not dead. It just smells funny." -F.Z.

5918. Re: Guts of an IC-45?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 20:32:20 UTC
From: dinoal7lz@aol.com
Message-ID: <20021123153220.05580.00004173@mb-mq.aol.com>
Source record: 36928

Andy is correct (but the 45 is the 450MHz version of the two)...I still have both of mine bought originally LONG ago! They're pretty indestructable.

Dino KLï¿½S/4

5919. Kenwood TM-V7A Mint

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 21:09:20 UTC
From: Dick <grburke@adelphia.net>
Message-ID: <48SD9.1036$kO5.869130@news1.news.adelphia.net>
Source record: 36929
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Check it out.Two days left.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1940080512&
rd=1

5920. Re: Guts of an IC-45?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 22:07:26 UTC
From: Andy <acorbin@infi.net>
Message-ID: <3DDFFC1E.2030804@infi.net>
Source record: 36930

Dino AL7LZ wrote:
> Andy is correct (but the 45 is the 450MHz version of the two)...I still have
> both of mine bought originally LONG ago! They're pretty indestructable.
>
> Dino KLï¿½S/4

You're right Dino. I knew there was an IC45 (I used to own one years ago). I know there was a "high power" version of the IC25 out at one time but cannot remember the model number of it. I was thinking the IC45 was the HP version but you are right, it is just the UHF version of the IC25.

However, the power plug on the IC45 and IC25 are configured with two hots and a ground.

Andy
WD4KDN

5921. Re: Guts of an IC-45?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 22:13:11 UTC
From: k9opo@comteck.qlfit.com
Message-ID: <3ddffcc7.32343492@news.comteck.com>
Source record: 36934

hollandguy@aol.com (Hollandguy) wrote:

>Does anyone know where the backup battery is in the Icom IC-45 UHF radio? The
>manual doesn't show where it is, and I can't spot it by taking the covers off.

The IC-25/45 radios didn't have a backup battery like more modern
radios. The memory in them draws too much current to be practical for
a lithium coin cell. That's why they have a 2nd power line for
unswitched power to keep the memory alive.

There was an optional nicad battery pack for them that, according to
Icom, was basically for carrying it between the house and the car
while keeping the memory alive. Definitely not for long-term memory
retention.

Roger Grady k9opo@comteck.qlfit.com
To reply by email, remove "qlfit." from address

5922. WTB non working radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-23 22:33:06 UTC
From: gip11@yahoo.com
Message-ID: <e1848381.0211231433.2ab24038@posting.google.com>
Source record: 36931

Looking for a project radio, I would prefer a receiver but transceiver ok also.
Please email me with info, thanks

gip11@yahoo.com

5923. FS: UTC LS-151 XFMR

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 00:05:26 UTC
From: Heytubeguy <heytubeguy@worldnet.att.net>
Message-ID: <aJUD9.28717$hK4.2475525@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36932

NOS, never used UTC LS-151 matching transformer see at
cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1941016759&ssPageName=ADME:B:LC:
US:1

or seller heytubeguy

5924. FS: JENSEN 8" ROUND SPEAKER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 00:06:24 UTC
From: Heytubeguy <heytubeguy@worldnet.att.net>
Message-ID: <4KUD9.28719$hK4.2473387@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36933

Near mint Jensen 8" speaker + other goodies. On ebay under seller
heytubeguy

5925. AC Line Filter Rated at 20 Amps

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 02:00:01 UTC
From: <>
Message-ID: <BoWD9.92768$P31.49846@rwcrnsc53>
Source record: 36935

I need to find a reasonable price on a AC line filter rated at 20 Amps.
The ones that I have found are rated for 12-15 Amps and anything
above that costs several hundred dollars.
Also has anyone used the Astron switching power supplies and
does the EMI filtering work effectively in the HF bands?

5926. Re: Icom 746Pro - bugs worked out yet?? Was wondering this too..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 02:37:46 UTC
From: tcp277@yahoo.com
Message-ID: <c50a6464.0211231837.67f60749@posting.google.com>
Source record: 36936

Bob, are you talking about the 756PRO or 746PRO? I think the original poster was asking about the 746.

I also just bought a 746PRO and I'm a little nervous about the problems I've heard with it.. The two common ones I've heard is the tuning knob binding up and cracking the faceplate (since the bolt underneath apparently gets "screwed out"..) and the other is the TX drive ic going out..

I bought my 746PRO in November, and it had a "02" by the model number on the UPC label, (ICOM's website also mentioned this when I registered it); so I wonder if it's not a 2nd revision.

I know ICOM is pretty good when it comes to factory defects like this, but I'd rather not play the warranty time-race or gamble with downtime... Does anyone know any more about this?? (And does ICOM offer any kind of extended service plan? Doubt it..)

Thanks..

-Chris / KC2DZE

"Bob Lewis \(AA4PB\)" <rlewis@staffnet.com> wrote in message news:<utv2mep908pca6@corp.supernews.com>...
> I can only say that I've had a PRO for a couple of years now and have
> not experienced any of the problems or failures that some reviewers on
> e-ham are talking about. I expect people who experience a failure or
> problem take the time to post and those who have a good experience are
> a "silent majority".
>
> The PRO-II has a couple of "obscure" advantages if you are working
> some of the newer digital modes. It has an extra set of 3 standard
> filter selections for the digital modes so you don't have to use one
> or more of your SSB filters. It has the ability to select a digital
> mode (USB-D or LSB-D) via the CI-V interface (this was overlooked in
> the PRO). It also has a selectable filter shape factor for the CW ops
> that don't care for the very sharp DSP skirts.

5927. Icom IC-2720H User group forum created

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 03:38:58 UTC
From: Radiotronicgizzmo <radiotronic@spydercat.com>
Message-ID: <mRXD9.274729$r7.5012855@twister.tampabay.rr.com>
Source record: 36937

A user group/discussion group/ forum has been created at
http://groups.yahoo.com/group/IC2720H/

if you are a new owner of the Icom IC-2720H dual bander,
or are thinking of getting one, or just interested.

stop by, join the group.

5928. Re: Icom 746Pro - bugs worked out yet??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 04:11:48 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DE05183.A779CDB4@qth.com>
Source record: 36938
Body handling: Binary attachment payload not displayed: radioranch.vcf

No bugs in mine so far 6 mos old and awesome!! Good luck...73 Murray

Steven L Umbach wrote:

> What is the word on the IC 746Pro?? I am thinking of buying one, but
> am concerned about a number of problems users reviewing it at Eham
> http://www.eham.net/reviews/detail/1951 are having. Just about everyone
> loves the receiver and dsp, but are having various problems. I would like to
> get a full dsp rig to have along with my FT1000MP (which I have NO desire to
> part with). I understand that the 746Pro has virtually the same dsp "engine"
> as the 756ProII. ARRL lab test show that the receiver performance is
> virtually identical for the two rigs. I see the major dealers are now
> selling it for $1549 including a PS-125 powers supply. I could probably sell
> the PS-125 for around $200 and end up getting the 746Pro for $1349 - which
> is a real nice decrease from $1899. Has anyone heard if they have fixed any
> "bugs" ? Why the big price decrease? Do you think they are trying to clear
> out old inventory for a "better" lot or just slow sales due to bad economy?
> Any special serial number range to avoid or look for? Does anyone know how
> long the special deal price/promo will be on for? I think it might be at
> least until Christmas and if I do buy I probably will wait till about then.
> Thanks for any advice. --- Steve KK9ZZ

[One or more binary attachments are retained only in the source text.]

5929. Tek 454 Parts Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 04:13:43 UTC
From: Keith Densmore <densmore@idirect.com>
Message-ID: <uu0keek6uvt3a2@corp.supernews.com>
Source record: 36939

Greetings,
Anyone got a defunct Tektronix 454 lying around? I could use the Trigger
Switch from it and would be interested in any spare boards as well.

Thanks,
Keith, ve3gem

densmore@idirect.com

5930. WTB: BLUE GONSET 1 INCH AND 3/4 INCH G-28/50 KNOBS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 06:24:28 UTC
From: k6stu@aol.com
Message-ID: <20021124012428.08936.00000172@mb-fd.aol.com>
Source record: 36940

DOES ANYONE HAVE FOR SALE 2 ONE INCH AND ONE 3/4 INCH KNOBS FOR EITHER A G-28
OR A G-50 TRANSCEIVER.
THANKS
MIKE

5931. WTB: GONSET 6 METER AMP WITH 826 TUBES AND EXTRA TUBES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 06:29:11 UTC
From: k6stu@aol.com
Message-ID: <20021124012911.08871.00000202@mb-fd.aol.com>
Source record: 36941

DOES ANYONE HAVE FOR SALE A GONSET 6 METER AMP OR EXTRA 826 TUBES.
THANKS.
MIKE

5932. FS: TT Omni V - Mint! + Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 10:28:07 UTC
From: JS <wd1v@amsat.org>
Message-ID: <wd1v-4F396E.05280324112002@netnews.attbi.com>
Source record: 36942

* Ten Tec Omni V - Collector Quality
Mint Condition with all filters, DC power cord, manual, and
Heil Desk Mic. No Modifications. $835.00 and will ship UPS
to any USA location. $800.00 for local pick-up.

* PS-125 13.8 volt 25 amp DC power supply - new in box.
$100.00 or just $25.00 if purchased with the 746.

* MFJ Model 407C Deluxe Keyer with AC supply. A 5 - 9 volt
battery will also work for portable operations. Grid block
or direct keying. Works perfectly. $35.00 and will ship UPS
to any USA location.

73,

John Seney, WD1V
wd1v@amsat.org
http://www.qsl.net/wd1v
603 627-6303

5933. Chase

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 10:39:06 UTC
From: Utilisateur1 <cgjp.ferlay@wanadoo.fr>
Message-ID: <arqa81$jk8$1@news-reader11.wanadoo.fr>
Source record: 36943

Je suis la recherche d'un r cepteur de mesure Chase ou EB100 R&S
F5LOL
cgjp.ferlay@wanadoo.fr

5934. Re: Icom 746Pro - bugs worked out yet?? Was wondering this too..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 12:18:24 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uu1gsq2bftu060@corp.supernews.com>
Source record: 36944

I'm sorry - I was taking about the 756PRO. Guess I need to read the
subject lines a little closer.

5935. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 12:47:40 UTC
From: rhawk@gnc.net
Message-ID: <3de0ca00.2155326@news.gnc.net>
Source record: 36945

May you and your Ill Gotten gains have a good time in hell..

Just my opinion..

Bob

On Sun, 10 Nov 2002 19:40:17 -0600, "myanilox" <myanilox@hotmail.com>
wrote:

>Ripoff artists?? Can't blame the Ebay sellers one bit. It's the bidders who
>don't know what they are going for new and as an Ebay seller I'm sure in the
>hell not going to give them that information freely...
>
><none@nonya.com> wrote in message
>news:tbstsukd6h5d2dpsrgqkubf8aff1nqtr0u@4ax.com...
>
>> for the buyer to beware of ripof artists!
>
>

5936. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 12:52:13 UTC
From: rhawk@gnc.net
Message-ID: <3de0caa3.2317828@news.gnc.net>
Source record: 36946

eBay is merely a sucky HAVEN for RIP_OFF artist's

On Tue, 12 Nov 2002 10:06:26 -0500, "Lou" <tech@dp.net> wrote:

>E-BAY has NOTHING to do with the honesty or sincerity of the seller. They
>merely offer a service. Like Your newspaper does when they print a FOR SALE
>AD for YOU. YOU (the seller) put the ad there, not the paper (E-Bay in this
>instance). I don't understand WHY that is so hard for some to figure out...
>IF YOU CAN'T AFFORD TO LOSE, DON'T BID (BUY).....NO ONE IS FORCING YOU
>TOO. THERE IS NO GUN TO YOUR HEAD..... There are unscrupulous buyers too. I
>pointed that out in my last post on this issue. Myself and about 4 other
>people got screwed out of about $800 worth of items up for bids. A guy bid
>and outbid to top others only to NOT pay for them. WE all had to relist, and
>to some of us, it isn't the fee - they are credited to you by E-Bay if
>proper steps are taken. It is the TIME. I don't have TIME to play stupid
>games.

And I do not have time to read anymore of these post's, they *uck

Just my opinion..

Bob
>
>IF those who THINK they are/were so easily taken ARE, I have a few billion
>stars I'd like to sell the deeds to......$1000.00 cash each.... Get them
>while they're hot....
>
>Lou/Tech@DP.NET
>
>
>"Dee D. Flint" <dee.hays@sbcglobal.net> wrote in message
>news:u20A9.5352$z5.3740573@newssvr28.news.prodigy.com...
>>
>> "Pete KE9OA" <n.gianakopoulos@worldnet.att.net> wrote in message
>> news:FzHz9.7653$hK4.722952@bgtnsc05-news.ops.worldnet.att.net...
>> > ... The reason that I stopped buying from eBay, is because
>> > of the proliferation of junk that is being sold, described with
>endearing
>> > terms such as "nice" "mint condition", etc. My choice; other folk's
>> mileage
>> > may vary.
>>
>> You are NOT buying from eBay. You are going to an auction and bidding on
>> items offered by individual sellers. Some are honest and some are not.
>> Some are knowledgeable and some are not. Any auction has these problems.
>> The solution is to know the worth of the used item and don't get caught up

>> in a bidding war.
>>
>> Dee Flint, N8UZE
>>
>>
>>
>
>

5937. Re: AC Line Filter Rated at 20 Amps

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 13:05:28 UTC
From: ZZZjim_cronin@juno.comZZZ
Message-ID: <u1j1uucosfm9g04cvaf8ckhcrg5gpcm57v@4ax.com>
Source record: 36947

On Sun, 24 Nov 2002 02:00:01 GMT, <spam@spam.stinks.> wrote:

>
> I need to find a reasonable price on a AC line filter rated at 20 Amps.
>The ones that I have found are rated for 12-15 Amps and anything
>above that costs several hundred dollars.

Are you looking for a line filter module or a finished switchbox
that has filtering?

Best bet for one of the sealed filter modules is the next hamfest.
Haven't seen a pre-built filter rated at 20 amps. After all, most
home circuits are rated at 15 amps.

I've built 3 or 4 filtered switchboxes over the years for home PC
use. Use one filter on the main input, another one for each switched
output, and MOVs for each switched output, after the switch.
Switches and outlets come from the local hardware store. Total cost
is fairly low, and if you're lucky you can scrounge up the multi-
section AC line filters.

73,
Jim
N2VX

5938. Re: Transworld T1000 amplifier ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 13:07:26 UTC
From: Philip de Cadenet <Philstheboss@thebbc.fslife.co.uk>
Message-ID: <+F0MAcMO8M49EwK$@fslife.co.uk>
Source record: 36848
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Bogus,

>The company should be able to help you, they still make them out there.
>I've only seen one TW-1000, a friend owns it.

>> I'm looking for some more information on the T1000 amplifier manufactured
>> by Trans world electronics around 1980 in Escondido California.
>> Anyone out there familiar with this amp ? I'd like to get in touch with
>> T1000-owners. I'd like to know what kind of transistors are being used in
>> the power modules...
It's not as simple as that.

TWE were taken over by:

http://www.dtsi.com/

This company make predominantly for the military.

The T1000 was a mains powered version of their Metron T500M/MA1000. The T500 was for the commercial HF market while the MA1000 was the amateur radio model. In essence the same but 'hams like numbers'!

I have two of the beautiful mobiles each with 8 transistors.

I do not have my manual to hand. However I think you'll find in answer to Johans question that the output devices are the same as the Motorola MRF421's which are i believe 80 or 100w pep devices

The amp is good for around 600w pep.
--
Philip de Cadenet G4ZOW
Transmitters 'R' Us
http://www.transmittersrus.com

5939. Icom Programming query

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 13:57:56 UTC
From: JohnB <john.g8ozh@freeuk.co.uk>
Message-ID: <1038146348.5743.0@iris.uk.clara.net>
Source record: 36849

Hi Group,

Does anyone know where I might obtain an ICOM EX704 programmer at a reasonable price? I'm told there may be PC software which will do the same job so that would be agood alternative if anyone has a copy they would like to sell.
It is for use initially with a U101 12 channel UHF mobile.

Thanks in advance,

John, G8OZH

5940. WTB; APHEX DOMINATOR II 720

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 14:43:16 UTC
From: Bill Salerno <w2onv@worldnet.att.net>
Message-ID: <8A5E9.29550$hK4.2555936@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36850

Price and Condition

Bill Salerno 201 368 3655 w2onv,att,net

5941. FT-1000 Service Manual?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 15:36:07 UTC
From: Dave Maley <dgmaley@inav.net>
Message-ID: <uu1sas93lilt89@corp.supernews.com>
Source record: 36851

Wonder if anyone might have the print version of the FT-1000 service
manual available. Thanks in advance.
Dave WA0ZZH
dgmaley@inav.net
AR

5942. FA: Like-New B&W "PROTAX" 5-position ANT SWITCH in BOX>Tonite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 16:54:49 UTC
From: rlucch2098@aol.com
Message-ID: <20021124115449.26037.00000287@mb-fi.aol.com>
Source record: 36852

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802028119

5943. FA:BRAND-NEW Yaesu YE-17 HAND MIKE w/Buttons, @$9.99>Tonite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 16:56:41 UTC
From: rlucch2098@aol.com
Message-ID: <20021124115641.26037.00000288@mb-fi.aol.com>
Source record: 36853

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802028113

5944. FA:Calling all HAM> U-CONTROL HOBBIESTS, 2-Planes,1-Motor>2nite

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 17:01:41 UTC
From: rlucch2098@aol.com
Message-ID: <20021124120141.26037.00000291@mb-fi.aol.com>
Source record: 36854

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
All 3 items CHEEP-O!
Enya .29 Motor>>
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1788665396
Sterling "Custom RingMaster"(Partial 1960>>
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1788665424
Enterprise Super-Whipsaw(1960)
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1788665406

5945. FA>>->NUMECHRON TYMETER "TV" MECHANICAL CLOCK>RARE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 17:08:49 UTC
From: rlucch2098@aol.com
Message-ID: <20021124120849.26037.00000299@mb-fi.aol.com>
Source record: 36855

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
A Big $11 so far & ends this evening :-(
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802028167

5946. FA--YAESU XF-30A SSB CRYSTAL FILTER w/BOARD@$9.99>Tonite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 17:10:44 UTC
From: rlucch2098@aol.com
Message-ID: <20021124121044.26037.00000300@mb-fi.aol.com>
Source record: 36856

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
A Big $9.99 so far & ends this evening :-(
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=802028190

5947. HTX-404 with Error 2 -- how much will this cost to fix?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 17:28:54 UTC
From: splendor@ctgonline.org
Message-ID: <A65EB5CABB7D70AC.3520EF780C7399CE.15217A4EFED19E65@lp.airnews.net>
Source record: 36857

Anyone had their HTX-404 in for repairs to fix the PLL unlock (ER-2)?
Mine just did this last night with no warning....I'm concerned how
much it's going to cost to repair and if it's worth it.

Also, how long did it take once you sent it in? And did you bring it
to the local RatShack or send it in directly?

Thanks.

73,

Paul WD9GCO

5948. Motorola M1225 questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 17:42:41 UTC
From: CABBYE <cabbye@cox-internet.com>
Message-ID: <3DE10F91.EB6E62D1@cox-internet.com>
Source record: 36859

Just got a previously loved Motorola M1225. However, no manual was included. What is
the key (marked with a "Z") just below the channel control for ? Even if someone has a
"quick" overview of the operation, that would be MOST APPRECIATED !!

Is the software available for the M1225 or do I have to go to a motorola dealer? (RIB and
cable are not a problem)

Thankfully, the radio is programmed with the channels that I want, but the YoYo that
programmed it did not give me ANY features such as Scan or High-Low power and no
DPL/PL. (Maybe he did and I just do not know which combination of buttons do what)
The only thing that I've discovered is > B button changes the back ground light from red to
green and the "Z" button makes a tone but seems to do little else. A and C do nothing that
I can detect other than button A turning squelch on/off . (power is 35W and will not change...I put it on a Bird watt meter) The rest of the controls seem to be the obvious stuff > on/off - volume and the channel changing
rocker.

One last indulgence of your time, can anyone suggest an affordable yet good performance
base station antenna for 450-470 Mhz ? I would like to keep it under $200.00

In advance, Thank You for your time!
Kindest and warmest Holiday Wishes to All !
CAB

5949. Re: Icom 746Pro - bugs worked out yet?? Was wondering this too..

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 17:42:55 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <vm32uu4fr3cbmlbugugvnt8cffcsiv7c01@4ax.com>
Source record: 36858

On 23 Nov 2002 18:37:46 -0800, tcp277@yahoo.com (C. Todd) wrote:

>Bob, are you talking about the 756PRO or 746PRO? I think the original
>poster was asking about the 746.
>
>I also just bought a 746PRO and I'm a little nervous about the
>problems I've heard with it.. The two common ones I've heard is the
>tuning knob binding up and cracking the faceplate (since the bolt
>underneath apparently gets "screwed out"..) and the other is the TX
>drive ic going out..
>
>I bought my 746PRO in November, and it had a "02" by the model number
>on the UPC label, (ICOM's website also mentioned this when I
>registered it); so I wonder if it's not a 2nd revision.
>
>I know ICOM is pretty good when it comes to factory defects like this,
>but I'd rather not play the warranty time-race or gamble with
>downtime... Does anyone know any more about this?? (And does ICOM
>offer any kind of extended service plan? Doubt it..)
>
>Thanks..
>
>-Chris / KC2DZE
>
>"Bob Lewis \(AA4PB\)" <rlewis@staffnet.com> wrote in message
news:<utv2mep908pca6@corp.supernews.com>...
>> I can only say that I've had a PRO for a couple of years now and have
>> not experienced any of the problems or failures that some reviewers on
>> e-ham are talking about. I expect people who experience a failure or
>> problem take the time to post and those who have a good experience are
>> a "silent majority".
>>
>> The PRO-II has a couple of "obscure" advantages if you are working
>> some of the newer digital modes. It has an extra set of 3 standard
>> filter selections for the digital modes so you don't have to use one
>> or more of your SSB filters. It has the ability to select a digital
>> mode (USB-D or LSB-D) via the CI-V interface (this was overlooked in
>> the PRO). It also has a selectable filter shape factor for the CW ops
>> that don't care for the very sharp DSP skirts.

The " 02 " is a version number not a revision. These were indicators
of where in the world the unit was ment to be sold.

For example an " 01 " might be a Japanese version, an " 03 " might be
European version, " 05 " might be SE Asia etc.

Gary K8IZ

5950. Motorola M1225 Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 17:54:46 UTC
From: CABBYE <cabbye@cox-internet.com>
Message-ID: <3DE11266.AFF07B21@cox-internet.com>
Source record: 36860

Just got a previously loved Motorola M1225. However, no manual was included. What is the key (marked with a "Z") just below the channel control for ? Even if someone has a "quick" overview of the operation, that would be MOST APPRECIATED !!
Is the software available for the M1225 or do I have to go to a motorola dealer? (RIB and cable are not a problem)

Thankfully, the radio is programmed with the channels that I want, but the YoYo that programmed it did not give me ANY features such as Scan or High-Low power and no DPL/PL. (Maybe he did and I just do not know which combination of buttons do what) The only thing that I've discovered is > B button changes the back ground light from red to green and the "Z" button makes a tone but seems to do little else. A and C do nothing that
I can detect other than button A turning squelch on/off . (power is 35W and will not change...I put it on a Bird watt meter) The rest of the controls seem to be the obvious stuff > on/off - volume and the channel changing
rocker.

One last indulgence of your time, can anyone suggest an affordable yet good performance
base station antenna for 450-470 Mhz ? I would like to keep it under $200.00

In advance, Thank You for your time!
Kindest and warmest Holiday Wishes to All !
CAB

5951. Re: Guts of an IC-45?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 17:59:58 UTC
From: hollandguy@aol.com
Message-ID: <20021124125958.06788.00000126@mb-dd.aol.com>
Source record: 36861

Thanks for the reply, guys! It seems pretty much unanimous that there is no internal backup battery. Will work on something external.

73's de Jeff, WK3U.

5952. FS: MINT MFJ-9406 six meter SSB transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 18:42:18 UTC
From: wa8mea@hotmail.com
Message-ID: <8a260fb2.0211241042.4a46cf21@posting.google.com>
Source record: 36862
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.swap,rec.radio.amateur.equipment

For Sale: MINT MFJ-9406 six meter SSB transceiver. This little rig is a blast! Hate to part with it, but I've got a new Yaesu FT-847 that has six meters. FANTASTIC transmit audio! I worked the world with this and a little 3 element yagi. 12 watts PEP. Purchased and installed CW module.

Comes with manual, original box, stock hand mic and DC power cord.

$169 and I'll pay for the shipping and insurance by U.S. Priority Mail. If you're short on cash this holiday season, we can run your "plastic" through my little ham/swl business. (This will get the rig to you faster, too!)

Winter sporadic E season coming up, meteor showers, aurora...ALL modes of operating DX on 6 meters.

First e-mail gets it!

73, Bill Lauterbach - WA8MEA
http://qth.com/dwm
wa8mea@hotmail.com
1.517.563.2613

5953. IC-U16T MK2 Help Please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 18:43:29 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <W59E9.8306$dz2.1155844@stones>
Source record: 36863

Thansk for reading this message.

Does anyone know how to (if possible) reprogram the ICOM IC-U16T MK2. We could do with changing three simplex frequencies, so that it can be used to access an internet gateway.

Please email any replies to g1tzc@cheesefamily.plus.com

Thanks in advance,

Neil (G1TZC / M3TZC)

5954. WTB: PL Tone Encoder Board

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 18:55:41 UTC
From: hollandguy@aol.com
Message-ID: <20021124135541.06788.00000132@mb-dd.aol.com>
Source record: 36864

Need a PL tone encoder board for my old, mobile FM rig.

Thanks.
73 de Jeff, WK3U
hollandguy@aol.com

5955. FA Icom Hallicrafters and other radio stuff

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 19:03:42 UTC
From: Chris <ck@ckradio.net>
Message-ID: <3DE1228D.E0BAE544@ckradio.net>
Source record: 36865

http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=ve3ngw

5956. Re: Beautiful!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 19:12:52 UTC
From: Brian Griffey <briangriffey@worldnet.att.net>
Message-ID: <Uw9E9.29873$hK4.2583672@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36866

Yes, very nice...

--
||||||||||||||||||||||||||||||||||||||||
Brian Griffey

View the SkyWave Amplifier brochure at:
http://home.att.net/~briangriffey/SkyWave2879AB.pdf
||||||||||||||||||||||||||||||||||||||||

"Joe S." <joe@schlatter.org> wrote in message
news:ar9o0b0om3@enews1.newsguy.com...
> Just beautiful!!!
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800880189
>

5957. Re: This POS . . . .

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 19:14:34 UTC
From: Brian Griffey <briangriffey@worldnet.att.net>
Message-ID: <uy9E9.29874$hK4.2584615@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36867

He could if it ran on 120V... lol

--
||||||||||||||||||||||||||||||||||||||||
Brian Griffey

View the SkyWave Amplifier brochure at:
http://home.att.net/~briangriffey/SkyWave2879AB.pdf
||||||||||||||||||||||||||||||||||||||||

"Ken Bessler" <kg0wx@yahoo.com> wrote in message
news:p_eC9.77879$hR3.23121@news2.central.cox.net...
>
> "Joe S." <joe@schlatter.org> wrote in message
> news:ar9nrj0oc7@enews1.newsguy.com...
> > . . . . is for amateur radio use only. That's what the seller says.
Read
> > the description. He does not say which amateur band(s) it operates on .
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=800990657
> >
> > --
> >
> > ------
> > Regards,
> > Joe S.
> >
>
> What I want to know is how he gets 450 watts with a 20 amp
fuse......ROFLMAO
>
> KG0WX
>
>

5958. Re: Simpson 269 VOM battery

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 19:26:22 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnau29us.pko.nobody@animas.frontier.net>
Source record: 36868

On Wed, 06 Nov 2002 12:50:09 -0800, mike hath writ:
>
>> I just acquired a Simpson Model 269 VOM. Beautiful old meter, although
>> I am not clear why I might need it :-)
>>
>> It had two batteries for resistance measurements. One is a common D
>> cell. The other battery slot has a 22.5v battery that is the same size
>> as a common 9v battery, except that there is a connector on each end.
>> This battery is dead. The slot holding this battery looks like it was
>> made for a larger battery. Anyone know what battery should be used?
>>
>
> I'd try two 9V in series.

That's what I did in mine. I suppose the 22.5 volt battery is
usable until it drops to something like 15-16 volts or so -- then
the "zero" setting pot will be at its limit. It works with 2 9V
batteries in series -- you'll just have to replace'm more often.
It's been 2 years now and my 2 9Volt'ers are still Doing The Job.

HTH,
Jonesy
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

5959. Re: HTX-404 with Error 2 -- how much will this cost to fix?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 19:27:42 UTC
From: Alfred Carlson <wa7uhr@gte.net>
Message-ID: <3DE12839.4F5E824B@gte.net>
Source record: 36869

I have the same problem with my HTX-202. Its most likely the lithium battery that is gone low. I think you can still order the battery. I haven't replaced mine yet and don't know how hard a job it is to get to the battery. If you do it yourself, please let me know how to get to the battery. You can order the battery from Radio Shack. 73 de Fred.

Paul Braun wrote:

> Anyone had their HTX-404 in for repairs to fix the PLL unlock (ER-2)?
> Mine just did this last night with no warning....I'm concerned how
> much it's going to cost to repair and if it's worth it.
>
> Also, how long did it take once you sent it in? And did you bring it
> to the local RatShack or send it in directly?
>
> Thanks.
>
> 73,
>
> Paul WD9GCO

5960. Re: Transworld T1000 amplifier ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 20:07:48 UTC
From: Johan <nospam@nospam.com>
Message-ID: <okaE9.18036$Ti2.3204@afrodite.telenet-ops.be>
Source record: 36870
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Philip de Cadenet <Philstheboss@thebbc.fslife.co.uk> wrote in
news:+F0MAcMO8M49EwK$@fslife.co.uk:

> Bogus,
>
>>The company should be able to help you, they still make them out
>>there. I've only seen one TW-1000, a friend owns it.
>
>>> I'm looking for some more information on the T1000 amplifier
>>> manufactured by Trans world electronics around 1980 in Escondido
>>> California. Anyone out there familiar with this amp ? I'd like to
>>> get in touch with T1000-owners. I'd like to know what kind of
>>> transistors are being used in the power modules...
> It's not as simple as that.
>
> TWE were taken over by:
>
> http://www.dtsi.com/
>
> This company make predominantly for the military.
>
> The T1000 was a mains powered version of their Metron T500M/MA1000.
> The T500 was for the commercial HF market while the MA1000 was the
> amateur radio model. In essence the same but 'hams like numbers'!
>
> I have two of the beautiful mobiles each with 8 transistors.
>
> I do not have my manual to hand. However I think you'll find in answer
> to Johans question that the output devices are the same as the
> Motorola MRF421's which are i believe 80 or 100w pep devices
>
> The amp is good for around 600w pep.

actually mine is a base version. Very heavy thing. It has 4 power modules,
but no transistor type can be found in the manual.. Only the final types
are missing. It only says 'RF transistor'. Can i still contact the company
by the other name ?

5961. Re: Icom IC-2720H User group forum created

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 21:27:22 UTC
From: K3SLS <k.3.s.l.s@arrl.net>
Message-ID: <_ubE9.138923$dn3.7234654@twister.southeast.rr.com>
Source record: 36871

You mean in addition to http://groups.yahoo.com/group/ic-2720h ? Why do
we need a second group?

73 de k3sls
****
"Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message
news:mRXD9.274729$r7.5012855@twister.tampabay.rr.com...
> A user group/discussion group/ forum has been created at
> http://groups.yahoo.com/group/IC2720H/
>
> if you are a new owner of the Icom IC-2720H dual bander,
> or are thinking of getting one, or just interested.
>
> stop by, join the group.
>
>
>
>

5962. Station FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 22:00:13 UTC
From: "Richard S. Lindzen" <rlindzen@mit.edu>
Message-ID: <iui2uu4m8tfgdkgc1857unm9c527r8hs5s@4ax.com>
Source record: 36872

The following items are for sale as a package (preferably to someone who can pick them up in the Boston area):

ICOM 750 (Japanese version of the 751) with original microphone, 250hz CW filter, 6khz AM filter, manual, Service Manual, new ROM and battery, original box, excellent condition.
Astron RS35M 12 Volt Supply. Excellent condition.
ICOM 260A all mode two meter rig with mike and manual. Very good condition.
Mirage 100 W. 2 meter Amplifier with preamp. Excellent condition.
Datong RF Speech processor. Excellent condition.
Pentium 133 computer with Windows 98. Excellent condition.
Viking phone patch. Excellent condition.

Take everything for $600. (Miscellaneous extras, including service equipment, power supplies, spare parts, several years of QSTs, triband vertical antenna, will be thrown in.) If interested, contact me by email.

Dick Lindzen, KA1SA, rlindzen@mit.edu

5963. Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 22:16:53 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <pdcE9.100055$P31.52354@rwcrnsc53>
Source record: 36873
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

Hi, all:

I am interested in buying a SW receiver kit so that I can build a radio for my son and give it to him for Christmas- trouble is, I've never built anything like a radio before, neither have I soldered (although I just bought some scrap circuit boards, a soldering iron, and some capacitors and resistors so that I can learn how). I learn quickly and am motivated to get this thing done by Christmas, however.

What I'd like to get from you fine people are some recommendations on good kits for beginners. I have checked out a few kits, mostly ones offered by Ramsey, but I didn't get a good sense of how difficult these would be for a beginner to build. If anyone has any other suggestions on brands or places to buy such kits, let me know. I really love stuff of the sort that Ten-Tec and Elecraft offer, but I am afraid that those projects would be too complicated for one such as me... but maybe not after I've built something a little more geared toward a beginner. Thanks in advance for your suggestions.

73,

Jackie
KC0ODY

5964. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 22:29:43 UTC
From: N8KDV <n8kdv@iserv.net>
Message-ID: <3DE152D7.42FD234@iserv.net>
Source record: 36874
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

I don't know how old your son is, but rather than building it for him, why don't the two of you build it together. I remember a long time ago, my dad and I built my Knight Kit Star Roamer receiver. I still remember it very well, even though it was 1966 or so. Dad is gone, but I still have the memories of he and I building that set.

"Jackie L." wrote:

> Hi, all:
>
> I am interested in buying a SW receiver kit so that I can build a radio for
> my son and give it to him for Christmas- trouble is, I've never built
> anything like a radio before, neither have I soldered (although I just
> bought some scrap circuit boards, a soldering iron, and some capacitors and
> resistors so that I can learn how). I learn quickly and am motivated to get
> this thing done by Christmas, however.
>
> What I'd like to get from you fine people are some recommendations on good
> kits for beginners. I have checked out a few kits, mostly ones offered by
> Ramsey, but I didn't get a good sense of how difficult these would be for a
> beginner to build. If anyone has any other suggestions on brands or places
> to buy such kits, let me know. I really love stuff of the sort that Ten-Tec
> and Elecraft offer, but I am afraid that those projects would be too
> complicated for one such as me... but maybe not after I've built something a
> little more geared toward a beginner. Thanks in advance for your
> suggestions.
>
> 73,
>
> Jackie
> KC0ODY

5965. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 22:33:28 UTC
From: "Mark S. Holden" <mark@bmas.org>
Message-ID: <3DE153B8.629BB0C5@bmas.org>
Source record: 36875
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

"Jackie L." wrote:
>
> Hi, all:
>
> I am interested in buying a SW receiver kit so that I can build a radio for
> my son and give it to him for Christmas- trouble is, I've never built
> anything like a radio before, neither have I soldered (although I just
> bought some scrap circuit boards, a soldering iron, and some capacitors and
> resistors so that I can learn how). I learn quickly and am motivated to get
> this thing done by Christmas, however.
>
> What I'd like to get from you fine people are some recommendations on good
> kits for beginners. I have checked out a few kits, mostly ones offered by
> Ramsey, but I didn't get a good sense of how difficult these would be for a
> beginner to build. If anyone has any other suggestions on brands or places
> to buy such kits, let me know. I really love stuff of the sort that Ten-Tec
> and Elecraft offer, but I am afraid that those projects would be too
> complicated for one such as me... but maybe not after I've built something a
> little more geared toward a beginner. Thanks in advance for your
> suggestions.
>
> 73,
>
> Jackie
> KC0ODY

My guess is a ten tec kit would be easier to build than a Ramsey kit, and it would be more likely to work.

I also like Steve's suggestion you build it together, or better yet, have him build it with your help.

5966. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 22:39:59 UTC
From: rhamby1 <rhamby1@twcny.rr.com>
Message-ID: <3zcE9.169739$c51.51811782@twister.nyroc.rr.com>
Source record: 36876
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Hmm......AMEN to that Brother.....
"Chuck C." <chuckcrews61@NOSPAM.hotmail.com> wrote in message
news:Y7FD9.6607$wc2.437008@news2.east.cox.net...
> Why would someone actually BELIEVE that a SOFTWARE trojan horse (virus)
can
> be intalled in a ANALOG piece of equipment???
>
> I am an Electronics Technican and the only actual concern for a CB, is
that
> the manufacturer can (and likely will) FILTER the CB freqs applied to the
> Linear Amp, making it not useful.
>
> If you want real power ! Get your Amateur Radio License ! It is EASY and
> you have MUCH MORE POWER and 1000% better equipment to use.
> Up to 1500 watts of LEGAL transmit power ! Actually TALK to people, not
> listen to static and rude abnoxious people !!!
>
> If you have questions about Amateur Radio licensing, e-mail me direct and
I
> will help you all I can.
>
> Chuck - KD4REL
>
> <foxyie@inwind.it> wrote in message
> news:fpux9.120210$r7.2192980@twister.tampabay.rr.com...
> > Why would a group care what he FCC does or does not do? This email is
> plain
> > stupid and would only work on a really stupid CBer who likes to pick up
on
> > rumors....
> >
> >
> > "Deos" <lineoffiretoday@yahoo.com> wrote in message
> > news:apoi61$3fp$2@nic.grnet.gr...
> > > why not just put some tnt in the amplifier or c4,
> > >
> > > --
> > > http://deosiereas.virtualave.net
> > > "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> > > news:R%Dt9.597$oP5.263834668@news.inreach.com...
> > > > A group of hams who are fed up with the FCC's efforts to stop the
> spread
> > > of

> > > > illegal amplifier use are reported to be buying linear amplifiers
and
> > > > installing trojan horse mods that can burn out the receive section
of
> > > > transceivers operating out of band.
> > > >
> > > > The modifications detect certain transmitted frequencies and trigger
a
> > > > device installed on the amp that places a series of high voltage
pulse
> > > type
> > > > signals across the antenna line effectively burning out the front
end
> of
> > > the
> > > > receiver.
> > > >
> > > > Only technicians familiar with solid state circuits can detect the
> > devices
> > > > which are cleverly disguised as actual amplifier components.
> > > >
> > > > Be very careful when purchasing used amplifiers or purchasing
> amplifiers
> > > > online from unknown sellers. The information that I have received
> > > indicates
> > > > the normal user will re-sell the amplifier which once again will
> perform
> > > > it's mission un-detected during normal use. The user will think the
> > > problem
> > > > is his transceiver, not the amplifier. Use extreme caution.
> > > >
> > > >
> > >
> > >
> > >
> >
> >
>
>

5967. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 22:46:49 UTC
From: Mark Harper <markmdh@btopenworld.mapsoncom>
Message-ID: <MPG.184b672d633425b49896b8@news.btopenworld.com>
Source record: 36877
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

In article <pdcE9.100055$P31.52354@rwcrnsc53>, buzzygirl@REMOVE.attbi.com
once wrote ....
> Hi, all:
>
[kits]

> What I'd like to get from you fine people are some recommendations on good
> kits for beginners. I have checked out a few kits, mostly ones offered by
> Ramsey, but I didn't get a good sense of how difficult these would be for a
> beginner to build. If anyone has any other suggestions on brands or places
> to buy such kits, let me know. I really love stuff of the sort that Ten-Tec
> and Elecraft offer, but I am afraid that those projects would be too
> complicated for one such as me... but maybe not after I've built something a
> little more geared toward a beginner. Thanks in advance for your
> suggestions.
>

Hi Jackie,

Although I've never had any experience of this company - try "Walford
Electronics" - they're based at:

http://www.users.globalnet.co.uk/~walfor/

and is run by a guy called Tim Walford, its literally a one-man
operation! - however, if you do a Google search, there seems to be plenty
of people out there who have bought and built his kits ! - One kit was
reviewed in Practical Wireless, a UK publication...

There's plenty of kits on the site for all varying degrees of experience

I built a Ramsey 2M RX, years ago (before I was even licenced!) - and I
found it a little tough going, admittedly I'm not an expert constructor,
but it was my first kit (other than the Radio Shack/Tandy ones) - I made
the mistake of tackling it in one go - admittedly though I made only 2
minor mistakes, and it still works today !

Let me know how it goes :)

73

--
Mark (MW1/MW3MDH)
- Vice Chairman & Webmaster - Wrexham ARS (www.qsl.net/wars)

5968. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 23:07:09 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <L8CcnXr177p09HygXTWcqw@ctc.net>
Source record: 36882
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

While looking at the kit also look to see what kind of test equipment you might need to set it up. Some can be set with a simple VOM and some kits will need more.

I buit a couple of small things when I was about your son's age. Taught myself how to solder and several other things just by doing it.

> I am interested in buying a SW receiver kit so that I can build a radio for
> my son and give it to him for Christmas- trouble is, I've never built
> anything like a radio before, neither have I soldered (although I just
> bought some scrap circuit boards, a soldering iron, and some capacitors and

5969. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 23:47:25 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <LGPhPWbZpUXdPCJ=mgYT=sQHbVSu@4ax.com>
Source record: 36879

"Jackie L." <buzzygirl@REMOVE.attbi.com> wrote:

>Hi, all:
>
>I am interested in buying a SW receiver kit so that I can build a radio for
>my son and give it to him for Christmas- trouble is, I've never built
>anything like a radio before, neither have I soldered (although I just
>bought some scrap circuit boards, a soldering iron, and some capacitors and
>resistors so that I can learn how). I learn quickly and am motivated to get
>this thing done by Christmas, however.
>
>What I'd like to get from you fine people are some recommendations on good
>kits for beginners. I have checked out a few kits, mostly ones offered by
>Ramsey, but I didn't get a good sense of how difficult these would be for a
>beginner to build. If anyone has any other suggestions on brands or places
>to buy such kits, let me know. I really love stuff of the sort that Ten-Tec
>and Elecraft offer, but I am afraid that those projects would be too
>complicated for one such as me... but maybe not after I've built something a
>little more geared toward a beginner. Thanks in advance for your
>suggestions.

Go to the Ten Tec web site and look at the receiver kits. They look about as simple as you're going to find for something that works and pulls in signals. One advantage to buying from Ten Tec, if you have a problem, they are very good about service and advice.

I've built many kits over the years, and the main thing is that the instructions be written in a clear manner. If you can follow directions, one can build a kit.

Personally, I'd let your kid build it, with your assistance, of course :-)

Have fun...

Bob
k5qwg
>
>73,
>
>Jackie
>KC0ODY
>

5970. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 23:48:28 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <fzdE9.103123$WL3.47338@rwcrnsc54>
Source record: 36878
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

"N8KDV" <n8kdv@iserv.net> wrote in message
news:3DE152D7.42FD234@iserv.net...
> I don't know how old your son is, but rather than building it for him, why
don't
> the two of you build it together. I remember a long time ago, my dad and I
built
> my Knight Kit Star Roamer receiver. I still remember it very well, even
though
> it was 1966 or so. Dad is gone, but I still have the memories of he and I
> building that set.

He's 13, he loves math and science, and he is very interested in electronics, but he's also a bit intimidated by all those little parts- he told me this after we'd been to a local hamfest and he got to see what was inside a Ten-Tec radio whose case had been removed. I have to admit that it got me interested in how these things go together too. About the only thing I know about electronics myself is how to identify some basic parts such as resistors, capacitors, inductors, IC's and so on. I guess that's not a bad start, but I still don't know the theory behind why you put this part here, and that part there, on a circuit board... but there is lots of great material to be found on this via the Internet, however. I also have a couple friends who're EEs, so maybe I could get them to mentor me.

My son's auntie is buying him a beginner's electronics set for Christmas. I think this will encourage him to learn electronics without it overwhelming him to start out.

Since I read your post, I have given some thought to just buying the kit and giving that to him for Christmas, and then telling him that we can build it together. That way I won't be all stressed out trying to build the thing in < 1 month too. Thanks for the idea, it's a good one. I remember my dad bought me a crystal radio set when I was about 10, and he showed me how to put it together. No soldering, quite easy, and COOL, I had my own AM radio. That was a thrill, now that I recall.

Do you have any suggestions for kits that I could buy? Remember, I'm an utter beginner, but I learn quickly and am quite bright. At least I am after I've had that first morning cuppa joe...

Jackie KC0ODY

5971. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 23:51:38 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <eCdE9.103148$WL3.46970@rwcrnsc54>
Source record: 36880
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

"Mark Harper" <markmdh@btopenworld.mapsoncom> wrote in message
news:MPG.184b672d633425b49896b8@news.btopenworld.com...
> In article <pdcE9.100055$P31.52354@rwcrnsc53>, buzzygirl@REMOVE.attbi.com
>
> Although I've never had any experience of this company - try "Walford
> Electronics" - they're based at:
>
> http://www.users.globalnet.co.uk/~walfor/

Hey, this looks like a good possibility- thanks for posting the link Mark!

Jackie

5972. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-24 23:54:30 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <WEdE9.103175$WL3.47265@rwcrnsc54>
Source record: 36881
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

"Mark S. Holden" <mark@bmas.org> wrote in message
news:3DE153B8.629BB0C5@bmas.org...

> My guess is a ten tec kit would be easier to build than a Ramsey kit, and
it would be more likely to work.

Thank you for your suggestion, Mark. I have heard nothing but good things
about Ten-Tec in general. I am thinking about purchasing one of their
(already-put-together) transceivers for myself, once I upgrade to General.

I had a nice conversation with the Ten-Tec reps at the Hamfest last month.
Nice folks, very informative and approachable...

Jackie KC0ODY

5973. ic-746 pro tx drive IC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 00:43:42 UTC
From: tcp277@yahoo.com
Message-ID: <c50a6464.0211241643.32f39d43@posting.google.com>
Source record: 36883

Hello.. I've got an IC-746pro and I've heard that there have been some problems with the tx drive IC going out?? Mine hasn't had this problem yet, but I was just going to take a look into it - does anyone know the part number?? (and, what kind of packaging.. Is it SMT?) Also, has this only been a problem with the 746PRO, or the regular 746 also?

Thanks,

Chris/KC2DZE

5974. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 01:13:25 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uu2u9b17l0huce@corp.supernews.com>
Source record: 36884
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

"Jackie L." <buzzygirl@REMOVE.attbi.com> wrote in message
news:fzdE9.103123$WL3.47338@rwcrnsc54...
>
> "N8KDV" <n8kdv@iserv.net> wrote in message
> news:3DE152D7.42FD234@iserv.net...
> > I don't know how old your son is, but rather than building it for him,
why
> don't
> > the two of you build it together. I remember a long time ago, my dad and
I
> built
> > my Knight Kit Star Roamer receiver. I still remember it very well, even
> though
> > it was 1966 or so. Dad is gone, but I still have the memories of he and
I
> > building that set.
>
> He's 13, he loves math and science, and he is very interested in
> electronics, but he's also a bit intimidated by all those little parts- he
> told me this after we'd been to a local hamfest and he got to see what was
> inside a Ten-Tec radio whose case had been removed. I have to admit that
it
> got me interested in how these things go together too. About the only
thing
> I know about electronics myself is how to identify some basic parts such
as
> resistors, capacitors, inductors, IC's and so on. I guess that's not a bad
> start, but I still don't know the theory behind why you put this part
here,
> and that part there, on a circuit board... but there is lots of great
> material to be found on this via the Internet, however. I also have a
> couple friends who're EEs, so maybe I could get them to mentor me.
>
> My son's auntie is buying him a beginner's electronics set for Christmas.
I
> think this will encourage him to learn electronics without it overwhelming
> him to start out.
>
> Since I read your post, I have given some thought to just buying the kit
and
> giving that to him for Christmas, and then telling him that we can build
it
> together. That way I won't be all stressed out trying to build the thing

in
> < 1 month too. Thanks for the idea, it's a good one. I remember my dad
> bought me a crystal radio set when I was about 10, and he showed me how to
> put it together. No soldering, quite easy, and COOL, I had my own AM
radio.
> That was a thrill, now that I recall.
>
> Do you have any suggestions for kits that I could buy? Remember, I'm an
> utter beginner, but I learn quickly and am quite bright. At least I am
after
> I've had that first morning cuppa joe...
>
> Jackie KC0ODY

Ten Tec has some kits for those who are just getting started in kit
building.
Try the kit selector web page at Ten Tec: http://www.tentec.com/Tkits.htm
it has all their kits from the simple to the expert levels. This might give
you
a better idea on what you can do. I have built the Ten Tec 705 desk mic
kit and really enjoyed the project.

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

5975. WTB: Empty, good condx ICOM equipment boxes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 02:15:23 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <ars1100a3m@enews3.newsguy.com>
Source record: 36886

I need the original cardboard boxes in which several pieces of ICOM gear were packed and sold.

Boxes must be in good shape, not torn, water-damaged, mouse-eaten, etc. and I really do need them to have the original Styrofoam inserts. If the boxes came with carrying handles and the loop-the-loop string closure, those must be present and in good shape, too.

This is a list of what I need.

IC-735 box; need TWO boxes

AT-150 antenna tuner; need TWO boxes

PS-55 power supply; need TWO boxes

SP-3 external speaker; need THREE boxes

PS-20 power supply w/speaker; need ONE box

And before anyone points out the obvious:

1. Yes, I know this is a wacky request -- you see, I drink a bit.

2. Yes, I now I'm dreaming. Then, again, if you look at the stuff for sale on eBay, it's no telling what will show up.

--

Regards,
Joe S.
W4HH

5976. Re: Midland LMR 70-336B Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 02:24:30 UTC
From: Andy Brinkley <andy@brinkleyelectronics.com>
Message-ID: <yRfE9.143731$dn3.7456456@twister.southeast.rr.com>
Source record: 36885

"Rick P" <pman976@hotmail.com> wrote in message
news:3ddea935_4@corp.newsgroups.com...
> I am searching for the programming software
> for a Midland LMR 70-336B
>
> I have a 70-1000 programmer and adapter for the eprom but no
software...any
> help would be appreciated.
>
>
> Rick
> pman976@hotmail.com

Rick -

The original 70-1000 doesn't require "software", it has the program burned
into an eeprom.

If you have a 70-1000-C programmer it will only do the Z-273 memory boards.

E-mail me direct if you need further

73's

NC4AB

5977. Re: Empty, good condx ICOM equipment boxes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 02:47:54 UTC
From: Brian Griffey <briangriffey@worldnet.att.net>
Message-ID: <ubgE9.30491$hK4.2632000@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36887

If there's one thing I hate... it's mouse eaten boxes...lol

--
||||||||||||||||||||||||||||||||||||||||
Brian Griffey

View the SkyWave Amplifier brochure at:
http://home.att.net/~briangriffey/SkyWave2879AB.pdf
||||||||||||||||||||||||||||||||||||||||

> Boxes must be in good shape, not torn, water-damaged, mouse-eaten, etc.
and
> I really do need them to have the original Styrofoam inserts.

5978. Re: PL Tone Encoder Board

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 03:23:57 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <MhGdnWoRWrokCnygXTWcog@comcast.com>
Source record: 36888

Communications Specialists (or Specialties) has several. Look in any AES or
HRO catalog or their web sites. Cost about $30 and up.

Bob M.
======
"Hollandguy" <hollandguy@aol.com> wrote in message
news:20021124135541.06788.00000132@mb-dd.aol.com...
> Need a PL tone encoder board for my old, mobile FM rig.
>
> Thanks.
> 73 de Jeff, WK3U
> hollandguy@aol.com

5979. Re: PL Tone Encoder Board

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 03:31:51 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <ars5jb0e43@enews1.newsguy.com>
Source record: 36890

try here:
http://www.com-spec.com

"Hollandguy" <hollandguy@aol.com> wrote in message
news:20021124135541.06788.00000132@mb-dd.aol.com...
> Need a PL tone encoder board for my old, mobile FM rig.
>
> Thanks.
> 73 de Jeff, WK3U
> hollandguy@aol.com

5980. Re: Icom Programming query

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 03:38:55 UTC
From: jr <jerham@pobox.com>
Message-ID: <3DE19B4F.1299BFCD@pobox.com>
Source record: 36889

I think I may have a mint unit, like new. I would care to ship out of
USA though.

JohnB wrote:
>
> Hi Group,
>
> Does anyone know where I might obtain an ICOM EX704 programmer at a
> reasonable price? I'm told there may be PC software which will do the same
> job so that would be agood alternative if anyone has a copy they would like
> to sell.
> It is for use initially with a U101 12 channel UHF mobile.
>
> Thanks in advance,
>
> John, G8OZH

5981. FS: National NCL 2000 HF Amplidier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 04:02:46 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <GhhE9.8448$It3.860458@newsread2.prod.itd.earthlink.net>
Source record: 36891
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

National NCL 2000 HF amplifier. Full output. Good working condition.

Asking $650.00 plus box/shipping from 91411

Rich W6VX

5982. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 04:43:01 UTC
From: Doug Smith <me@invalid.invalid>
Message-ID: <3DE1AA55.8FC7EB9E@invalid.invalid>
Source record: 36892
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

"Jackie L." wrote:
> What I'd like to get from you fine people are some recommendations on good
> kits for beginners. I have checked out a few kits, mostly ones offered by
> Ramsey, but I didn't get a good sense of how difficult these would be for a
> beginner to build. If anyone has any other suggestions on brands or places
> to buy such kits, let me know. I really love stuff of the sort that Ten-Tec
> and Elecraft offer, but I am afraid that those projects would be too
> complicated for one such as me... but maybe not after I've built something a
> little more geared toward a beginner. Thanks in advance for your
> suggestions.

(I saw the other comments about the Knight Star Roamer - that's
exactly how I got into radio back in the late 1960s.)

I'd take a close look at the Ten-Tec units.

I built their 1320 20-meter QRP radio two years ago - I think it's well
within the capabilities of a beginner. I've also built their
direct-conversion "pick your band" kit - I forget the model number -
it's even easier to build. Ten-Tec believes in "modular" construction -
you build part of the kit, then test it to ensure it works before
advancing to the next step. It's a real confidence builder, not to
mention making it easier to fix it if you make a mistake!

The key is learning how to solder. Before even opening a kit, I'd go to
Radio Shack and buy an experimenters' circuit board and an assortment of
components. It doesn't matter what kind of components, all you're going
to do is practice soldering the components to the board. Once you (and
your son) get to the point where you can reliably make clean solder
connections, you can break open the kit & start building.

Good luck!
--
Doug Smith W9WI
Pleasant View (Nashville), TN EM66
http://www.w9wi.com

5983. Re: HTX-404 with Error 2 -- how much will this cost to fix?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 04:51:53 UTC
From: splendor@ctgonline.org
Message-ID: <0998777409A70C6D.8792995D319A69AD.02A2031E8A70E71D@lp.airnews.net>
Source record: 36893

Hmmmm.... I guess I'll open the sucker up and see what I can find.
I'll post back tomorrow if I'm successful. If I'm not, I'll have neat
little pile of HT parts sitting on my desk.....

Paul WD9GCO

On Sun, 24 Nov 2002 19:27:42 GMT, Alfred Carlson <wa7uhr@gte.net>
wrote:

>I have the same problem with my HTX-202. Its most likely the lithium
>battery that is gone low. I think you can still order the battery. I
>haven't replaced mine yet and don't know how hard a job it is to get to
>the battery. If you do it yourself, please let me know how to get to the
>battery. You can order the battery from Radio Shack. 73 de Fred.
>
>Paul Braun wrote:
>
>> Anyone had their HTX-404 in for repairs to fix the PLL unlock (ER-2)?
>> Mine just did this last night with no warning....I'm concerned how
>> much it's going to cost to repair and if it's worth it.
>>
>> Also, how long did it take once you sent it in? And did you bring it
>> to the local RatShack or send it in directly?
>>
>> Thanks.
>>
>> 73,
>>
>> Paul WD9GCO

5984. FS Collins, Yaesu, Icom, Kenwood, Bird

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 05:52:30 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <yUiE9.88$Lv3.15852@newsread2.prod.itd.earthlink.net>
Source record: 36894

TRW Goodies for sale......

I have lots of items for sale please view them below. I will take them to TRW swapmeet on SATURDAY November 30, 2002. The TRW swapmeet is in the city of Redondo Beach, CA. Time 7:00 -11:00 AM. LOCATION is on the corner of Marine Blvd, and Aviation Blvd.

I have for sale some Handheld, and Mobile radios MOST of them have only been turned on once or twice.
EXCELLENT condition.................

Icom 207 H 144/440 MHz mobile transceiver with original box "LIKE NEW" $220.00
Icom 2000H 144 MHz mobile transceiver with original box "LIKE NEW" $100.00
Icom 281H 144 MHz mobile transceiver with original box "LIKE NEW"...$100.00
Icom V68 handheld transceiver with original box "LIKE NEW "....$100.00
Icom T7A 144/440 MHz handheld transceiver with original box "LIKE NEW"...$120.00
Icom W2 144/440 MHz handheld transceiver with the original box in good condition...$100.00

Radio Shack HTX-202 144 MHz handheld in the original box "LIKE NEW"...$90.00
Radio Shack HTX-204 144/440 MHz hanheld in original box "LIKE NEW" ...$150.00
Radio Shack HTX-212 144 MHz mobile radio in original box "LIKE NEW"...no mic $80.00
Yaesu FT-2500 144 MHz mobile radio in original box "LIKE NEW...$100.00

Kenwood TM-255A 144 MHz all mode transceiver in original box "LIKE NEW" $450.00
Kenwood TS-790A 144/440/1200 MHZ all mode transeiver very good condition $1100.00, and it does have the 1200 MHz module.........

Heathkit SB-221 amplifier is nice condition $485.00 with heavy duty box

Collins 312B-4 winged emblem station console great condition...$250.00

Bird 250H $50.00
Bird 100H $70.00
Bird 100C $50.00

Yaesu SP-102P Phone Patch/Speaker.....$89.00

Yaesu FC-707 Antenna Tuner...........$90.00

aesu "Brand New In The Box" MR-7 Rack for the FT-707....$30.00

Yaesu "Brand New In The Box" FRB-707 Amp/Relay.....$29.00

Yaesu FV-101Z FT-101ZD Matching External VFO.....$75.00

Yaesu FF-501 TVI Filter.....$20.00

(2) Yaesu Landliner Speaker/Phone Patch.....$50.00 each

Ten Tec # 4229 antenna tuner $99.00

PAL 120+ 12 Volt Tube Amplifier.....$70.00

PAL KW-1 SWR/Watt Meter.....$30.00

Heathkit SB-614 Scope.....$80.00

Mirage B-108 2 Meter Amplifier 10 watts in 80 watts out.....$75.00

Bencher Keyer BY-2.....$60.00
"It sell NEW for $125.00"

Ham Key $40.00

Heathkit SA-5010 u Matic Keyer...$4000

Nye Viking Straight Key....$40.00

AEA MorseMatic....$65.00

MFJ - 1278 TNC, Multi-Mode CW,SSTV,FAX,RTTY,AMTOR,ASCII, NAVTEX, CONTEST
MEMORY KEYER.....$89.00

(2) MFJ-1272B TNC/MIC Switch.....$10.00 each

Heil HM-10-5 Desk Microphone Wired For Yaesu.....$70.00

Rig Blaster.....$50.00

Thank You & 73,

Leo KJ6HI

Ph/Fax (310) 670-6969

5985. Re: Guts of an IC-45?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 06:15:39 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <qgf3uu0roas7kmjs35kjobjad824e4b9vt@4ax.com>
Source record: 36895

On 24 Nov 2002 17:59:58 GMT, hollandguy@aol.com (Hollandguy) wrote:

>Thanks for the reply, guys! It seems pretty much unanimous that there is no
>internal backup battery. Will work on something external.
>
>73's de Jeff, WK3U.

You should see 3 wires on the power cord pigtail coming from the
radio.

The wire attached to the pointed end of the connector is positive.
The wire attached to the flat end of the connector is negative
(ground) .
The third wire which is right next to the negative wire is memory
back-up.

Place between 9 to 12 volts positive between that wire and negative,
your memories should be backed up. If you have a current meter put it
in series with the positive voltage you apply to the third wire and
you should be able to read the current draw required to back -up the
memories. then you should be able to calculate a appropriate battery
size for back-up.

Icom's back - up was a BU-1 and it was not a long lived back up
device.

Gary K8IZ

5986. Re: 222 Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 08:33:07 UTC
From: "D.C." <daclark56@stardoggiehotmail.com>
Message-ID: <7flE9.369037$S8.7225118@twister.tampabay.rr.com>
Source record: 36896

No question, the Icom 38a is my choice of all the 222 rigs I have had!
"Newbie" <newbie@nowhere.net> wrote in message
news:tNJC9.67$b_4.7237@sydney.visi.net...
> I am considering buying a 222 Mhz mobile radio and would like to see
> comments from people who operate in this band as to their favorite radio.
>
> Thanks.
>
>
>
>

5987. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 12:08:35 UTC
From: asniz@yahoo.com
Message-ID: <e016ff00.0211250408.76329d24@posting.google.com>
Source record: 36897
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

"Jackie L." <buzzygirl@REMOVE.attbi.com> wrote in message
news:<pdcE9.100055$P31.52354@rwcrnsc53>...
> Hi, all:
>
> I am interested in buying a SW receiver kit so that I can build a radio for
> my son and give it to him for Christmas- trouble is, I've never built
> anything like a radio before, neither have I soldered (although I just
> bought some scrap circuit boards, a soldering iron, and some capacitors and
> resistors so that I can learn how). I learn quickly and am motivated to get
> this thing done by Christmas, however.
>
> What I'd like to get from you fine people are some recommendations on good
> kits for beginners. I have checked out a few kits, mostly ones offered by
> Ramsey, but I didn't get a good sense of how difficult these would be for a
> beginner to build. If anyone has any other suggestions on brands or places
> to buy such kits, let me know. I really love stuff of the sort that Ten-Tec
> and Elecraft offer, but I am afraid that those projects would be too
> complicated for one such as me... but maybe not after I've built something a
> little more geared toward a beginner. Thanks in advance for your
> suggestions.
>
> 73,
>
> Jackie
> KC0ODY

Hello:

One boring evening in 1965, as a boy of 15, I read a book on
transistors. Next day I spent all my pocket money and bought my first
OC71 and 2SB56. That day and today, I am stuck with electrical
engineering.

My suggestion:

Alongwith A VERY SIMPLE and CHEAP radio kit, I would recommend the
following:

1. A soldering kit
2. Some pieces of coppered ciruit board
3. Assorted multi purpose Bipolar transistors eg LF AF RF audio Power
Switching etc.this shouke a dozen or so in all or may be 20
4. A range of quarter watt resistors
5. Assorted capacitors
6. A few Ics such as 555

7. LEDs
8. A simple Analog/digital multimeter
9 One small speaker
10. Two books for begineers with titles such as 999 miracles using 741
, Three-transistor radio circuits, funny lighting circuits, ciruits
that play tricks etc etc.
11. Enamled wire SWG18,24,36,48
12.Twenty dollars extra as petty cash
Thanks
Dilber

5988. Re: Kenwood TS-50 HF mobile rig SOLD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 12:44:05 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <dWoE9.135956$1O2.9884@sccrnsc04>
Source record: 36798
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

SOLD

"Rudi" <wiedemann@attbi.com> wrote in message
news:5qPC9.93734$nB.7387@sccrnsc03...
> LIKE NEW KENWOOD TS-50 with original mike, manual, pwr cord, packaging.
> Non-smoking. $500 + shipping.
>
>

5989. MANUALS U MAY NEED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 13:30:10 UTC
From: joeee1621@aol.com
Message-ID: <20021125083010.29050.00000226@mb-fe.aol.com>
Source record: 36799

OVER 885 TITLES TO CHOOSE FROM..WE PROBABLY HAVE THE ONE YOU NEED ..ALL MANUALS $16 SHIPPED TO THE LOWER 48 STATES UNLESS OTHERWISE NOTED.. PLEASE TAKE A LOOK AT OUR LIST- www.hamradiomanuals.com-AND LET US KNOW WHAT YOU WOULD LIKE-WE GLADLY SHIP WORLDWIDE-..NEW MANUALS DAILY..ORDER TODAY..SHIP TOMORROW.

5990. Re: HTX-404 with Error 2 -- how much will this cost to fix?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 13:39:57 UTC
From: Lou <tech@dp.net>
Message-ID: <artdtr$2ggo$1@news.dp.net>
Source record: 36800

The ER 2 Display is subject to PLL voltage and tuning conditions with possible failed components and/or an IC. The battery is not mentioned as a possible cure for this symptom.

"ER 1" is correctable by the changing of the battery! But before you even replace the battery, there is a step to try. Turn unit on while holding the function button and "D" . This clears the memory. ER 1 is the RAM error message. IF the button cure doesn't work and the battery isn't bad, then it is said to be a bad diode or bad solder joints.

The above - while not verbatim - is out of the repair manual.

If you aren't equipped to do SMT work, you can pretty much forget trying to do ER 2 repairs.
--
****

E: MAIL: TECH@DP.NET

"Paul Braun" <splendor@ctgonline.org> wrote in message news:0998777409A70C6D.8792995D319A69AD.02A2031E8A70E71D@lp.airnews.net...
> Hmmmm.... I guess I'll open the sucker up and see what I can find.
> I'll post back tomorrow if I'm successful. If I'm not, I'll have neat
> little pile of HT parts sitting on my desk.....
>
> Paul WD9GCO
>
> On Sun, 24 Nov 2002 19:27:42 GMT, Alfred Carlson <wa7uhr@gte.net>
> wrote:
>
> >I have the same problem with my HTX-202. Its most likely the lithium
> >battery that is gone low. I think you can still order the battery. I
> >haven't replaced mine yet and don't know how hard a job it is to get to
> >the battery. If you do it yourself, please let me know how to get to the
> >battery. You can order the battery from Radio Shack. 73 de Fred.
> >
> >Paul Braun wrote:
> >
> >> Anyone had their HTX-404 in for repairs to fix the PLL unlock (ER-2)?
> >> Mine just did this last night with no warning....I'm concerned how
> >> much it's going to cost to repair and if it's worth it.
> >>
> >> Also, how long did it take once you sent it in? And did you bring it
> >> to the local RatShack or send it in directly?
> >>
> >> Thanks.

> >>
> >> 73,
> >>
> >> Paul WD9GCO
>

5991. WTD:Motorola Software GM300

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 14:30:47 UTC
From: KC0EH <okiemansc@yahoo.com>
Message-ID: <ruqE9.170$yy.144854@newsread1.prod.itd.earthlink.net>
Source record: 36801
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

I am in need of a hopefully ham version of Motorola GM 300 version 4 or version5 software for converting it to the 440 band for repeater use.
THANKS,
...Charlie...KC0EH...

5992. Radio Shack HTX-10 xcvr Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 14:54:42 UTC
From: born2bdcst@cs.com
Message-ID: <20021125095442.24227.00007190@mb-mw.news.cs.com>
Source record: 36802

Hi, Folks-

I certified for Tech Plus Code recently and have started getting my ham shack together. I'm starting small (and cheap), and purchased a Radio Shack HTX-10 10m xcvr and 10-amp power supply. With this, I'm putting up a simple horizontal dipole to handle the 25w output. I've got a couple of questions and would greatly appreciate any enlightenment you more experienced hams could provide.
1. Has anyone used an HTX-10 and, if so, what do you think of it?
2. I'm looking for a proper SWR meter and/or antenna tuner. Radio Shack has these in stock, but they're priced much less ($20-30) than anything I can find in the Ham Radio Outlet catalog. I've read that cheaper units such as these are useless. I've also read that many units are not true antenna tuners, but merely block reflected power so it won't compromise the solid state xcvr. Any suggestions on a simple, decent unit for a low-end, low-power rig such as mine?

Thanks!
Keith Simon
KC0NNB

5993. ROHN ANNTENNA ACCESSORIES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 15:14:45 UTC
From: wjmilton@snip.net
Message-ID: <3de23d52.5842901@news.snip.net>
Source record: 36803

I am looking for the Rohn flat roof mount, new or used. If you have one you care to part with please email me your asking price. I can be reached at wjmilton at snip dot net.

Thanks,
Walt, KA2NJF

5994. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 16:05:01 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3DE24A2D.F4E2A058@mailcity.net>
Source record: 36807
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

"Jackie L." wrote:
>
>
> What I'd like to get from you fine people are some recommendations on good
> kits for beginners. I have checked out a few kits, mostly ones offered by
> Ramsey, but I didn't get a good sense of how difficult these would be for a
> beginner to build. If anyone has any other suggestions on brands or places
> to buy such kits, let me know. I really love stuff of the sort that Ten-Tec
> and Elecraft offer, but I am afraid that those projects would be too
> complicated for one such as me... but maybe not after I've built something a
> little more geared toward a beginner. Thanks in advance for your
> suggestions.
>
> 73,
>
> Jackie
> KC0ODY

I have assemble some of the Ramsey kits and have to say I was
underwhelmed to say the least. It would be a stretch to say they
worked.

5995. Want The Latest In new Ham Websites and products ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 16:18:32 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <s3sE9.35218$ro.1479205@news2.west.cox.net>
Source record: 36804

Try URL:
http://ac6v.com/new.htm

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com

5996. Re: Radio Shack HTX-10 xcvr Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 16:26:43 UTC
From: Ralph Mowery <rmowery@ctc.net>
Message-ID: <xwydnflWDskMwH-gXTWcoQ@ctc.net>
Source record: 36805

"Born2bdcst" <born2bdcst@cs.com> wrote in message
news:20021125095442.24227.00007190@mb-mw.news.cs.com...
> Hi, Folks-
>
> I certified for Tech Plus Code recently and have started getting my
ham
> shack together. I'm starting small (and cheap), and purchased a Radio
Shack
> HTX-10 10m xcvr and 10-amp power supply. With this, I'm putting up a
simple
> horizontal dipole to handle the 25w output. I've got a couple of
questions and
> would greatly appreciate any enlightenment you more experienced hams could
> provide.
> 1. Has anyone used an HTX-10 and, if so, what do you think of it?
> 2. I'm looking for a proper SWR meter and/or antenna tuner. Radio
Shack
> has these in stock, but they're priced much less ($20-30) than anything I
can
> find in the Ham Radio Outlet catalog. I've read that cheaper units such
as
> these are useless. I've also read that many units are not true antenna
tuners,
> but merely block reflected power so it won't compromise the solid state
xcvr.
> Any suggestions on a simple, decent unit for a low-end, low-power rig such
as
> mine?

While it is not too much beter , you might look at some of the MFJ tuners
with the built in wattmete/swr meter.

All socalled tuners mounted at the radio end of the coax do nothing but fake
out the transmitter so it is looking into the impedance load it was designed
for. YOu loose about 5 to 10 percent of your output power in the tuner.
If you can remote mount the tuner at the antenna you have a good tuner.

I do use the mfj 948 tuner on an Icom 706 . When I got it (new) I had to go
in it and tighten some loose screws. The watt meter was not too accurate
and I did a calibration with my Bird meter. Don't get one with the built in
dummy load as they cost more and if the transmitter you use it with is solid
state you can't adjust the transmitter anyway like you can with most tube
rigs.

5997. Re: HTX-404 with Error 2 -- how much will this cost to fix?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 17:51:20 UTC
From: splendor@ctgonline.org
Message-ID: <9924588e.0211250951.612366e0@posting.google.com>
Source record: 36806

splendor@ctgonline.org (Paul Braun) wrote in message
news:<0998777409A70C6D.8792995D319A69AD.02A2031E8A70E71D@lp.airnews.net>...
> Hmmmm.... I guess I'll open the sucker up and see what I can find.
> I'll post back tomorrow if I'm successful. If I'm not, I'll have neat
> little pile of HT parts sitting on my desk.....
>
> Paul WD9GCO
>

Well, after opening it up, the battery is soldered in fairly well. The
tab is soldered to the rf shield, which isn't necessarily a problem,
but the wire is soldered UNDER the rf shield, which is itself soldered
to the pcb and another shield piece in several places. This is not a
good thing. I'm not sure I want to try and desolder/resolder the rf
shield since the clearances are very tight and with my luck, I'd short
out a crucial IC in doing so. I'm guessing it's better left to a RS
tech, since if he screws it up, it's his fault.

Paul WD9GCO

5998. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 18:21:53 UTC
From: hikezilla@yahoo.com
Message-ID: <662db5ea.0211251021.64e2831a@posting.google.com>
Source record: 36808
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

Jackie,

I highly recommend the Ten Tec Model 1254 SW Receiver kit for $195.00.

This is a very nice super het rig that you can both enjoy for YEARS
and although it is a bit more circuitry than their direct conversion
rigs, this is a very nice super het receiver. The sensitivity is
light years better than the direct conversion rigs. It also makes a
nice ham reciever as well.

73

"Jackie L." <buzzygirl@REMOVE.attbi.com> wrote in message
news:<WEdE9.103175$WL3.47265@rwcrnsc54>...
> "Mark S. Holden" <mark@bmas.org> wrote in message
> news:3DE153B8.629BB0C5@bmas.org...
>
> > My guess is a ten tec kit would be easier to build than a Ramsey kit, and
> it would be more likely to work.
>
> Thank you for your suggestion, Mark. I have heard nothing but good things
> about Ten-Tec in general. I am thinking about purchasing one of their
> (already-put-together) transceivers for myself, once I upgrade to General.
>
> I had a nice conversation with the Ten-Tec reps at the Hamfest last month.
> Nice folks, very informative and approachable...
>
> Jackie KC0ODY

5999. Re: Transworld T1000 amplifier ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 19:09:57 UTC
From: Philip de Cadenet <Philstheboss@thebbc.fslife.co.uk>
Message-ID: <ZfGlmoIFWn49Ew+T@fslife.co.uk>
Source record: 36809
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Johan,

>actually mine is a base version. Very heavy thing. It has 4 power modules,
>but no transistor type can be found in the manual.. Only the final types
>are missing. It only says 'RF transistor'. Can i still contact the company
>by the other name ?
Now that I think of it I do believe the base amp used 28v devices.

Yes, I think their technical department can still help you with part
identification and possible sourcing though you'd be better off at
someone like RF Parts.com if you get the number.

Good luck.
--
Philip de Cadenet G4ZOW
Transmitters 'R' Us
http://www.transmittersrus.com

6000. Re: Radio Shack HTX-10 xcvr Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 19:11:04 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uu4tneiptvukae@corp.supernews.com>
Source record: 36810

"Born2bdcst" <born2bdcst@cs.com> wrote in message
news:20021125095442.24227.00007190@mb-mw.news.cs.com...
> Hi, Folks-
>
> I certified for Tech Plus Code recently and have started getting my
ham
> shack together. I'm starting small (and cheap), and purchased a Radio
Shack
> HTX-10 10m xcvr and 10-amp power supply. With this, I'm putting up a
simple
> horizontal dipole to handle the 25w output. I've got a couple of
questions and
> would greatly appreciate any enlightenment you more experienced hams could
> provide.
> 1. Has anyone used an HTX-10 and, if so, what do you think of it?
> 2. I'm looking for a proper SWR meter and/or antenna tuner. Radio
Shack
> has these in stock, but they're priced much less ($20-30) than anything I
can
> find in the Ham Radio Outlet catalog. I've read that cheaper units such
as
> these are useless. I've also read that many units are not true antenna
tuners,
> but merely block reflected power so it won't compromise the solid state
xcvr.
> Any suggestions on a simple, decent unit for a low-end, low-power rig such
as
> mine?
>
> Thanks!
> Keith Simon
> KC0NNB

Keith
If your making your own dipole just cut it at about 104 inches
on each leg and that should get you in the ballpark on the T+
area of 10. I made mine out of scrap cat 5 computer networking
cable. My first contact on it was from IN to HI not bad for
a "free" antenna. I'm still using one for 6 meters, and I'm keeping
the 10 meter one for use on field day.

I've had the Rat Shack SWR meters before, they aren't precise
by any means but they will give you an idea of how the overall
match is on your antenna, in other words their better than nothing.

CONGRATS ON THE T+ UPGRADE!!!

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

6001. IC756PRO & PROII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 19:46:47 UTC
From: Rollo Tomassi <rollotomassi1@hotmail.com>
Message-ID: <3de27e1e$0$18998$fb624cd1@news1.zeelandnet.nl>
Source record: 36811
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

What are the exactly differences between the Icom IC756PRO & the PROII ? Can i find it somewhere on the internet ?

6002. Re: IC756PRO & PROII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 20:02:38 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <ylvE9.35646$ro.1527282@news2.west.cox.net>
Source record: 36812
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

Rollo the ARRL has reviews as follows:
ICOM IC-756 MF/HF/VHF Transceiver (May 1997 [321 kB] Expanded Report [1195 kB])
ICOM IC-756PRO HF/6-Meter Transceiver (June 2000 [376 kB] Expanded Report [537 kB])
ICOM IC-756PROII HF/6-Meter Transceiver (February 2002 [193 kB] Expanded Report [250 kB])

But you must be an ARRL Member to read them -- have a friend who is a member if you are not.
Or find a copy of the QST Magazines listed above

Also see eHamReviews at URL:
http://www.eham.net/reviews/detail/418 pro model
AND
http://www.eham.net/reviews/detail/1824 proII model

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Rollo Tomassi" <rollotomassi1@hotmail.com> wrote in message news:3de27e1e$0$18998$fb624cd1@news1.zeelandnet.nl...
> What are the exactly differences between the Icom IC756PRO & the PROII ? Can
> i find it somewhere on the internet ?
>
>

6003. IC756 and II

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 20:07:02 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <GpvE9.35662$ro.1528026@news2.west.cox.net>
Source record: 36813
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

Forgot -- The ARRL Page for reviews are at URL:
http://www.arrl.org/members-only/prodrev/bymfg.html

Rollo the ARRL has Web reviews as follows:
ICOM IC-756 MF/HF/VHF Transceiver (May 1997 [321 kB] Expanded Report [1195 kB])
ICOM IC-756PRO HF/6-Meter Transceiver (June 2000 [376 kB] Expanded Report [537 kB])
ICOM IC-756PROII HF/6-Meter Transceiver (February 2002 [193 kB] Expanded Report [250 kB])

But you must be an ARRL Member to read them -- have a friend who is a member if you are not.
Or find a copy of the QST Magazines listed above

Also see eHamReviews at URL:
http://www.eham.net/reviews/detail/418 pro model
AND
http://www.eham.net/reviews/detail/1824 proII model

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com

6004. Re: HT Buyers BE Warned!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 20:38:30 UTC
From: Christopher Kania <N8FZT@worldnet.att.net>
Message-ID: <aTvE9.25019$vM1.1875357@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36814

Fellows, fellows, fellows!
Please, let's not bicker. On the bottom of each page in the E-bay auction program, there is a Latin phrase "caveat emptor," which means in the most simplest form "BUYER BEWARE-No GUARANTEES."
To me that says it all. BUYER BEWARE. Cut & dried.
If you go to a garage sale or flea market or rummage sale, the same thing applies. NO GUARANTEES- BUYER BEWARE
<Pappy@USA.net> wrote in message news:3DD9439B.7414D249@USA.net...
> Lou, how does one achieve a higher rating than "0" unless they make a purchase?
> The new people on ebay have to start with buying or selling from someone, just
> like "U" did when you where new. I like giving a person the benefit of the
> doubt, the majority of people who buy and sell on ANY auction site are honest
> and just want to either make their sale or purchase.
>
>
>
> Lou wrote:
>
> > E-Bay pet peeves, situations experienced for me to learn from buying and
> > selling as well as suggestions for both buyer and seller. And it really has
> > nothing to do with E-Bay "directly".
> >
> > 1. Most people lately it seems, think E-BAY is a "secure" way to buy - sell.
> > E-Bay can not provide 100% guarantee someone won't be ripped off. I say
> > this because at one time prior to E-Bay's popularity, I was able to sell
> > items pretty quick on newsgroups. Now it seems MANY have problems doing
> > that, not only me. I have sold many items on E-Bay for far more than what I
> > was wanting or asking in newsgroups. The down side, I had to wait for the
> > auction to end and await payment.... I prefer selling a lot faster. I'm not
> > knocking E-Bay as it did get me more...but more is not always the answer.
> > Not for me. I like to clear the stuff out, not have to "wait".
> >
> > 2. It kills me when people bid on an item, then bitch about it. Be it
> > received in a defective manner of some sort or too much or whatever.

EXCUSE
> > ME... NO ONE HOLDS A GUN TO YOUR HEAD TO MAKE YOU BID.....IF you
don't
> > like the chances, DON'T BID! How hard is that to understand??????
> >
> > 3. ANY buyer and seller too, should know an approximate value of an item
up
> > for bids. Some sellers DO price items far too high at the onset...
then -
> > and I know this to be true from watching many, THEY GET NO BIDS.
However,
> > fierce competition on some items I've seen also has driven the price of
an
> > item over it's "new" or current market price. But there again... if the
> > price is over your head or you feel it isn't what you feel it's worth -
> > DON"T BID....
> >
> > 4. When bidding on an item, you should have an idea of it's worth new,
used,
> > needing repairs.. Then ask yourself the following questions. Can you
afford
> > to risk it if in need of some sort of repairs? Can you afford it
whatever it
> > is getting to in price? How bad do you want it? How bad do you need it?
Is
> > the sellers profile representing a decent person to deal with? Are there
any
> > other items similar up for bids equal to or better that may save you
some
> > money?
> >
> > 5. One other thing that gets me, some try to screw you in the terms. You
say
> > payment in 10 days. Some I've had to remind to send it. YOU say Money
Orders
> > only, they send you a damned check. You say no shipping out of USA, you
get
> > someone from another country bidding. It's amazing....Yes, I could give
them
> > bad feedback and relist, but I try to be nice. But it just irks me.
TERMS
> > ARE TERMS. Or, is it no one can read or has enough common sense anymore?
> >
> > Luckily for me, 99.9 % of my customers have been nice. It's only been a
> > couple I've had to deal with.......Even if only in questions sent to me
on
> > the side asking me to forego the terms.
> >
> > BUYERS! DO YOUR HOMEWORK... it'll save you a lot of grief. It may not be
> > 100% fool proof, but sure beats shooting from the hip in dealing.

> >
> > Fortunately for me, I've had no negatives yet, due largely to the fact
of
> > being as honest as I can... If it doesn't work I SAY SO.... I give as
much
> > detail as I can. The only thing I don't list is that I plain don't know.
But
> > even with that, it is amazing how many people do not understand AS IS.
Even
> > a local walk in sale went sour - once.. A couple bought a USED computer
off
> > me, played with it here for 1 hour before buying. They took it home, 2
weeks
> > later, it fried, though I think THEY helped it as they loved to
experiment
> > with computer innards. They wanted a refund. They were told when they
bought
> > it, it is AS IS.... They got pissed at me!!!!!!!
> >
> > There was an ass who bid on some stuff of mine, and like 4 others at
same
> > time. He stiffed each of us. We all left negative feedback and I'm sure
he
> > was booted from E-Bay.. I know "I" complained. They had a (0) profile
and
> > shades. I learned right then and there not to trust all buyers.
> > Unfortunately for newcomers, I will NOT sell to any with a ZERO and
SHADES.
> > I'll bump them. I check out the potential bid winners profiles as well,
to
> > see if I may anticipate any problems.
> >
> > Mailing: #1. I shipped out a package Priority mail. It was "supposed to
be"
> > 2 days. It took 2 weeks and 2 days. I was able to prove I shipped by
sending
> > an E-Mail picture of the receipt. #2. A package coming to me, took over
30
> > days. The guy had sent it, but didn't have a way to send me proof.
Needless
> > to say, until it arrived, I was getting antsy about the deal.... The
> > shipping caused undue frustration. #3 On the last deal, the guy said he
sent
> > me a Postal MO on 5/30..... I never got it in a reasonable time. I told
him
> > I didn't get it, to trace it after 30 days. Well, the PO wanted more to
> > trace it than it was worth. The guy was starting to say things as though
I
> > had cashed it and was hiding it. Words such as "we'll see who's name is
on

> > it, when it comes back":. Well, 32 days later, I did get the MO in the
mail.
> > True to his word, he bought it on 5/30. The postmark, 2 days before "I"
got
> > it. I e-mailed him a photo of the envelope showing the postmark. His
package
> > shipped within 24 hours.
> >
> > MY POINT... BE PREPARED for anything to go wrong in a deal be it E-Bay
or
> > any other online deal...It is a 2 way street.. E-BAY or whatever does
not
> > and CAN NOT guarantee a successful deal. You are only kidding yourself
if
> > you think otherwise......
> >
> > Lou/Tech@DP.NET
> >
> > "myanilox" <myanilox@hotmail.com> wrote in message
> > news:usu2k47dl5dmaa@corp.supernews.com...
> > > Ripoff artists?? Can't blame the Ebay sellers one bit. It's the
bidders
> > who
> > > don't know what they are going for new and as an Ebay seller I'm sure
in
> > the
> > > hell not going to give them that information freely...
> > >
> > > <none@nonya.com> wrote in message
> > > news:tbstsukd6h5d2dpsrgqkubf8aff1nqtr0u@4ax.com...
> > >
> > > > for the buyer to beware of ripof artists!
> > >
> > >
> >

6005. FS: FT-102 AM/FM Board

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 21:50:05 UTC
From: John <ki4nr@qsl.net>
Message-ID: <CWwE9.7884$0n4.1367837@newsfeed.slurp.net>
Source record: 36815

FT-102 AM/FM board is perfect condition.

125.00 including shipping

73 john
ki4nr@qsl.net

6006. Re: Icom IC-2720H User group forum created

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 21:55:41 UTC
From: Radiotronicgizzmo <radiotronic@spydercat.com>
Message-ID: <x%wE9.287929$r7.5222531@twister.tampabay.rr.com>
Source record: 36816

No, i meant the IC-2720H. I searched for a group and was surprised not to find any, so I create it.
then they came out of the woodwork so I deleted the group I create (IC2720H) and joined the ic-2720h group
AND the ic2720 group.

didn't need 3 of them. lol

so, ignore my message -- unless you or anyone knows of the mars/cap mods for it.

and FYI -- just for amusement for anyone reading.

I bought two (yes 2) IC-2720Hs a couple of weeks ago -- wanted one in the shack and one in the truck.

Installed the one in the shack right away and it works fine. YESTERDAY, I installed the second in the truck.

I turned it on, it worked fine -- drove all day - around town, shopping, taking the kids to the movies etc etc.
then last nite, I turned it off and POOOWWIIEEEE -- it started SHREAKING at me -- high pitch howling like audio feed back -- turned it back on, it the noise stopped and it worked fine.

turned it off, the noise started up again.

disconnected every cable except power --- noise.

took inside, used my shack head to control it -- did a complete factory reset. -- same thing -- IT WILL NOT POWER OFF WITH THE DC CONNECTED without horrible screeching noise.

Now that is something I haven't heard before.

AES said to bring it back, and I will tormorow, and they'll swap me a new one.

man.

"K3SLS" <k.3.s.l.s@arrl.net> wrote in message news:_ubE9.138923$dn3.7234654@twister.southeast.rr.com...
> You mean in addition to http://groups.yahoo.com/group/ic-2720h ? Why do
> we need a second group?
>
> 73 de k3sls
> **********
> "Radiotronicgizzmo" <radiotronic@spydercat.com> wrote in message

> news:mRXD9.274729$r7.5012855@twister.tampabay.rr.com...
> > A user group/discussion group/ forum has been created at
> > http://groups.yahoo.com/group/IC2720H/
> >
> > if you are a new owner of the Icom IC-2720H dual bander,
> > or are thinking of getting one, or just interested.
> >
> > stop by, join the group.
> >
> >
> >
> >
>
>
>

6007. Re: HTX-404 with Error 2 -- how much will this cost to fix?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 22:00:05 UTC
From: gsm@mendelson.com
Message-ID: <slrnau57a3.ban.gsm@cable.mendelson.com>
Source record: 36817

In article <3DE12839.4F5E824B@gte.net>, Alfred Carlson wrote:
> I have the same problem with my HTX-202. Its most likely the lithium
> battery that is gone low. I think you can still order the battery. I
> haven't replaced mine yet and don't know how hard a job it is to get to
> the battery. If you do it yourself, please let me know how to get to the
> battery. You can order the battery from Radio Shack. 73 de Fred.

Usually not. Err-1 is bad lithum battery. Err-2 is too much RF leaking
in from the antenna on transmit. The cure is:

1 Run at a lower power, e.g. low power or less than 13.8 volts
input on high power,

2. Use a remote antenna. (one connected via a coax cable away from
the HT.

3, Use a a better matched antenna (lower SWR).

4, Resolder antenna connector.(last resort)

I've also replaced the batteries. You open the radio up and it's
in between the circuit boards. There's enough room to be sloppy
with the leads if you tape it well. I just soldered leads onto
a lithium battery of the right size (very carefully) and taped
it well and soldered the leads to the leads of the old one cut
off at the battery end. A little more tape and viola, a fixed
HT.

Geoff.

6008. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 22:12:22 UTC
From: Mark Harper <markmdh@btopenworld.mapsoncom>
Message-ID: <MPG.184cb08b816b5f1d9896b9@news.btopenworld.com>
Source record: 36818
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

In article <eCdE9.103148$WL3.46970@rwcrnsc54>, buzzygirl@REMOVE.attbi.com
once wrote ....
>
> "Mark Harper" <markmdh@btopenworld.mapsoncom> wrote in message
> news:MPG.184b672d633425b49896b8@news.btopenworld.com...
> > In article <pdcE9.100055$P31.52354@rwcrnsc53>, buzzygirl@REMOVE.attbi.com
> >
> > Although I've never had any experience of this company - try "Walford
> > Electronics" - they're based at:
> >
> > http://www.users.globalnet.co.uk/~walfor/
>
> Hey, this looks like a good possibility- thanks for posting the link Mark!
>
Hi Jackie,

No Problem!!

I'm thinking of doing some more kit building and am looking at the
Wurzel, just something to pass the time away! - but as I said, these kits
are being raved about in the UK amateur press :)

Let us know how you get on!!!

73

--
Mark (MW1/MW3MDH)
- Vice Chairman & Webmaster - Wrexham ARS (www.qsl.net/wars)

6009. Re: IC756PRO & PROII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 23:24:59 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uu5c3tmeq0s9c0@corp.supernews.com>
Source record: 36819
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

Stop in on my web site, I have areport that details the differances in the two rigs.
www.qsl.net/kk5dr

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Rollo Tomassi" <rollotomassi1@hotmail.com> wrote in message news:3de27e1e$0$18998$fb624cd1@news1.zeelandnet.nl...
> What are the exactly differences between the Icom IC756PRO & the PROII ? Can
> i find it somewhere on the internet ?
>
>

6010. Need Info Raytheon 152 SSB Radiotelephone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 23:38:58 UTC
From: Jerry <gvibert@nospamoptonline.net>
Message-ID: <3DE2B492.3070004@nospamoptonline.net>
Source record: 36820

Hi all,
I am looking for any info on a Raytheon Ray 152 SSB Radiotelephone. The unit has no microphpne, but does appear to have a final unit. The manufacture date is 1988. Am looking for any info on this unit.....if it can be made to transmit or any wiring diagrams.
Thank you
Please respond to me direct (remove nospam from email address

Jerry

6011. FS: Diamond SRH-519 & SRH-805 HT Antennas SMA Mount. 144/440 Dual Band

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-25 23:41:25 UTC
From: frank@damato.com
Message-ID: <1276490d.0211251541.fffde94@posting.google.com>
Source record: 36821
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.antenna

Selling each antenna for $20 (includes shipping price). Antenna's are brand new, still in original yellow plastic cases. I have no need for them. Received them in a swap. you can see a picture of them at www.frankdamato.com/diamond.jpg

I Accept Paypal as Payment

The Diamond SRH-519 is an HT antenna for 2 meters and 440 MHz. It is 8.5 inches (21 cm) tall. This flexible antenna is black. Gain is a 3 dBi and it can handle up to 10 watts. This antenna terminates to a 50 ohm SMA. It is also very effective as a receive antenna for these bands: 150, 300, 450 and 800 MHz.

SRH-805 Diamond 2m/70cm SMA Low Profile Helical * Tx: 144, 430 & 1200MHz * Rx: 150/300/450/800/900MHz * 10W Max power handling * 1.75 inches (4.5cm long) * SMA fitting
Extremely low profile, yet provides transmit (Tx) capability on three bands and offers useful wideband reception, also for use with scanners. Suitable for Horas, Standards and Yaesu.

E-mail me with questions at frank@damato.com

6012. Re: HTX-404 with Error 2 -- how much will this cost to fix?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 00:12:41 UTC
From: Rick Riverman <rbriver@attbi.com>
Message-ID: <Z%yE9.138930$nB.11576@sccrnsc03>
Source record: 36822

One other thing to try... If you are using an external power supply, try shortening the dc lead to the radio or at least move it away from the antenna. Another thing you can try is to wind the excess dc lead a at the radio end of the and of the dc lead into a three inch loop and wrap some tape around it to secure it from coming unraveled. RF from the antenna can often enter the HT through the DC lead and force a PLL unlock (ERR-2).

Cheers,
Rick
W7RBR

"Geoffrey S. Mendelson" <gsm@mendelson.com> wrote in message news:slrnau57a3.ban.gsm@cable.mendelson.com...
> In article <3DE12839.4F5E824B@gte.net>, Alfred Carlson wrote:
> > I have the same problem with my HTX-202. Its most likely the lithium
> > battery that is gone low. I think you can still order the battery. I
> > haven't replaced mine yet and don't know how hard a job it is to get to
> > the battery. If you do it yourself, please let me know how to get to
the
> > battery. You can order the battery from Radio Shack. 73 de Fred.
>
> Usually not. Err-1 is bad lithum battery. Err-2 is too much RF leaking
> in from the antenna on transmit. The cure is:
>
> 1 Run at a lower power, e.g. low power or less than 13.8 volts
> input on high power,
>
> 2. Use a remote antenna. (one connected via a coax cable away from
> the HT.
>
> 3, Use a a better matched antenna (lower SWR).
>
> 4, Resolder antenna connector.(last resort)
>
> I've also replaced the batteries. You open the radio up and it's
> in between the circuit boards. There's enough room to be sloppy
> with the leads if you tape it well. I just soldered leads onto
> a lithium battery of the right size (very carefully) and taped
> it well and soldered the leads to the leads of the old one cut
> off at the battery end. A little more tape and viola, a fixed
> HT.
>
> Geoff.

6013. Icom HT group take a look.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 00:12:56 UTC
From: 6MtrSSB <nospam@tome.com>
Message-ID: <c0zE9.25199$vM1.1898134@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36823
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

I'm still working on it, but if you have any SAT style radio's for sale or trade feel free to use the board.
http://groups.yahoo.com/group/2SAT/

6014. Re: Radio Shack HTX-10 xcvr Question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 01:04:55 UTC
From: PJ <pyoung47@yahoo.com>
Message-ID: <uu5hmoh1vchfd2@corp.supernews.com>
Source record: 36824

To echo the other statements:

1. Just cut a dipole for the proper length.
2. Hook it up.
3. Talk
4. Of course if the match is too bad, your radio may not give full output. Trim it a bit.
5. A cheap SWR bridge will be fine. You don't need to get a perfect match.

"Born2bdcst" <born2bdcst@cs.com> wrote in message news:20021125095442.24227.00007190@mb-mw.news.cs.com...
> Hi, Folks-
>
> I certified for Tech Plus Code recently and have started getting my ham
> shack together. I'm starting small (and cheap), and purchased a Radio Shack
> HTX-10 10m xcvr and 10-amp power supply. With this, I'm putting up a simple
> horizontal dipole to handle the 25w output. I've got a couple of questions and
> would greatly appreciate any enlightenment you more experienced hams could
> provide.
> 1. Has anyone used an HTX-10 and, if so, what do you think of it?
> 2. I'm looking for a proper SWR meter and/or antenna tuner. Radio Shack
> has these in stock, but they're priced much less ($20-30) than anything I can
> find in the Ham Radio Outlet catalog. I've read that cheaper units such as
> these are useless. I've also read that many units are not true antenna tuners,
> but merely block reflected power so it won't compromise the solid state xcvr.
> Any suggestions on a simple, decent unit for a low-end, low-power rig such as
> mine?
>
> Thanks!
> Keith Simon
> KC0NNB
>
>
>
>

>

6015. Re: Icom HT group take a look.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 01:14:27 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <arugd9qnb1@news1.kornet.net>
Source record: 36825
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

It says you're looking for a 24AT. I have one that I have repaired, except for some reason it doesn't see the battery when it's connected. Contact me and make me an offer if interested. The radio itself works great.

Take care, and stay well.

Brenda Ann
HL2/K7BAD

"6MtrSSB" <nospam@tome.com> wrote in message
news:c0zE9.25199$vM1.1898134@bgtnsc04-news.ops.worldnet.att.net...
> I'm still working on it, but if you have any SAT style radio's for sale or
> trade feel free to use the board.
> http://groups.yahoo.com/group/2SAT/
>
>

6016. Re: Radio kit for beginner to electronics?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 02:46:02 UTC
From: Joe Strain <yodar@cfl.rr.com>
Message-ID: <KfBE9.213782$fa.4638797@twister.tampabay.rr.com>
Source record: 36826
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

bfo for ssb?

Yodar

"Bill" <hikezilla@yahoo.com> wrote in message
news:662db5ea.0211251021.64e2831a@posting.google.com...
> Jackie,
>
> I highly recommend the Ten Tec Model 1254 SW Receiver kit for $195.00.
>
> This is a very nice super het rig that you can both enjoy for YEARS
> and although it is a bit more circuitry than their direct conversion
> rigs, this is a very nice super het receiver. The sensitivity is
> light years better than the direct conversion rigs. It also makes a
> nice ham reciever as well.
>
> 73
>
>
>
> "Jackie L." <buzzygirl@REMOVE.attbi.com> wrote in message
news:<WEdE9.103175$WL3.47265@rwcrnsc54>...
> > "Mark S. Holden" <mark@bmas.org> wrote in message
> > news:3DE153B8.629BB0C5@bmas.org...
> >
> > > My guess is a ten tec kit would be easier to build than a Ramsey kit,
and
> > it would be more likely to work.
> >
> > Thank you for your suggestion, Mark. I have heard nothing but good
things
> > about Ten-Tec in general. I am thinking about purchasing one of their
> > (already-put-together) transceivers for myself, once I upgrade to
General.
> >
> > I had a nice conversation with the Ten-Tec reps at the Hamfest last
month.
> > Nice folks, very informative and approachable...
> >
> > Jackie KC0ODY
>

6017. Emergency 12 volt battery power

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 02:57:01 UTC
From: Brian <KG4IJR@atmc.net>
Message-ID: <aruoco$81uj$1@news3.infoave.net>
Source record: 36827

Has anyone had any experience using one of those emergency jump-start setups used to start vehicles with dead batteries as a power source for field/emergency use? Would there be any advantage to using one of those over, say for example, a deep-cycle marine battery or some such as a power source?

The use I have in mind is for something that would be used mainly for powering a 2-meter mobile rig (not necessarily in a car) for hurricanes or disasters, so it wouldn't be used on a regular basis.

Any comments, pro or con, would be appreciated.

6018. Re: Emergency 12 volt battery power

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 03:13:02 UTC
From: Idontwantspam@net
Message-ID: <3de2e5c3.13102790@news.bellatlantic.net>
Source record: 36828

On Mon, 25 Nov 2002 21:57:01 -0500, "Brian" <KG4IJR@atmc.net> wrote:

>Has anyone had any experience using one of those emergency jump-start setups
>used to start vehicles with dead batteries as a power source for
>field/emergency use? Would there be any advantage to using one of those
>over, say for example, a deep-cycle marine battery or some such as a power
>source?
>
>The use I have in mind is for something that would be used mainly for
>powering a 2-meter mobile rig (not necessarily in a car) for hurricanes or
>disasters, so it wouldn't be used on a regular basis.
>
>Any comments, pro or con, would be appreciated.
>
I have a couple of those, and have used them to power a rig.

Some pluses include being able to power all sorts of 12V items, and
jumpstarting your car.

The gel cell doesn't leak, even if turned over.

They are smaller than a typical marine battery making them more
portable.

I have not run it all the way down, but I estimated a couple of days
of use at 5/5/90 with a 50W FT90 mobile.

Before the spring season of PS events, I am planning to build a radio
cart with one of these to power it.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6019. FS Kenwood TS-2000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 03:25:19 UTC
From: WR2M <wr2m@optonline.net>
Message-ID: <zQBE9.13548$Go1.6648@news4.srv.hcvlny.cv.net>
Source record: 36829

Kenwood TS-2000

Radio is in perfect condition, no dents, scratches, or blemishes. Box, mic, manual, accessory bag, original bill of sale included. Was purchased new in January of 2002. Serial # 305xxxxx.You won't find a nicer one $1425 plus shipping. If interested contact Bill, WR2M @ 973-770-7257 Home or 973-219-5444 Cell

6020. Icom 47A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 03:25:23 UTC
From: "William A. Galletti" <wagalletti@n7ym.net>
Message-ID: <DQBE9.2567$kO5.1730154@news1.news.adelphia.net>
Source record: 36830

Hello there:

My name is William Galletti, N7YM

I have a mobil 440 MHz radio Icom 47A. I call Icom and they can't help me because it will take them about 2 weeks to research.

I basicaly want to know if anyone of you can tell me where the discriminator output is on this radio. I dont have no schematic but the radio works perfect.

If you can help me please email me directly to:

n7ym@n7ym.net

Thanks in advanced

6021. Re: Icom HT group take a look.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 03:41:33 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <d8r5uukd5e6mljpj6uodgo8rnm7n07vj96@4ax.com>
Source record: 36831

On Tue, 26 Nov 2002 10:14:27 +0900, "Brenda Ann"
<brendad@shinbiro.com> wrote:

>It says you're looking for a 24AT. I have one that I have repaired, except
>for some reason it doesn't see the battery when it's connected. Contact me
>and make me an offer if interested. The radio itself works great.
>
>Take care, and stay well.
>
>Brenda Ann
>HL2/K7BAD
>
>
>"6MtrSSB" <nospam@tome.com> wrote in message
>news:c0zE9.25199$vM1.1898134@bgtnsc04-news.ops.worldnet.att.net...
>> I'm still working on it, but if you have any SAT style radio's for sale or
>> trade feel free to use the board.
>> http://groups.yahoo.com/group/2SAT/
>>
>>
>
Do you have to power it from external DC then ? If so have a look at
the DC jack there is a " switch " built into the jack that disconnects
the battery negative when you are powering the radio from direct DC.
If this " switch " is bad in the jack it will not power from the
battery.

Gary K8IZ

6022. WTB: HAM & SHORTWAVE RADIOS ect

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 04:10:17 UTC
From: Greg Raymond <rradio@mindspring.com>
Message-ID: <arusog$4ql$1@slb4.atl.mindspring.net>
Source record: 36832
Cross-posted to:
ne.forsale,ne.wanted,rec.radio.swap,alt.ham-radio.marketplace,misc.forsale.non-computer,rec.radio.amateur.equipment

ALWAYS WANTED

Ham & Shortwave Radios - parts ect...
Entire Estates a specialty!
Have cash will travel!
Please call or email Greg at:

rradio@mindspring.com
(603)942-8709
(603)479-5854

6023. Trade MINT Drake R8 For Icom R75

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 04:47:53 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <Z1DE9.9738$oc1.1239807@twister.neo.rr.com>
Source record: 36833
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Have a beautiful Drake R8 and MS-8 speaker, box, R8 literature, and manual
to trade for R75 with DSP and Kiwa or similar mods in similar condition.
This is one of the nicest R8's you'll see! R75 must be MINT also! No
cosmetic flaws please. Will double box and guarantee satisfaction!
DeWayne KE9K

6024. Re: Trade MINT Drake R8 For Icom R75

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 05:03:41 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <NgDE9.9741$oc1.1246484@twister.neo.rr.com>
Source record: 36834
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Have pics on request.
DeWayne

"DeWayne" <ke9k@indy.rr.com> wrote in message
news:Z1DE9.9738$oc1.1239807@twister.neo.rr.com...
> Have a beautiful Drake R8 and MS-8 speaker, box, R8 literature, and manual
> to trade for R75 with DSP and Kiwa or similar mods in similar condition.
> This is one of the nicest R8's you'll see! R75 must be MINT also! No
> cosmetic flaws please. Will double box and guarantee satisfaction!
> DeWayne KE9K
>
>

6025. Re: HTX-404 with Error 2 -- how much will this cost to fix?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 05:21:28 UTC
From: splendor@ctgonline.org
Message-ID: <68FEAB57CD574683.E4645B3EC85C71D5.FA0C59DB94CE8573@lp.airnews.net>
Source record: 36835

On Tue, 26 Nov 2002 00:12:41 GMT, "Rick Riverman" <rbriver@attbi.com>
wrote:

>One other thing to try... If you are using an external power supply, try
>shortening the dc lead to the radio or at least move it away from the
>antenna. Another thing you can try is to wind the excess dc lead a at the
>radio end of the and of the dc lead into a three inch loop and wrap some
>tape around it to secure it from coming unraveled. RF from the antenna can
>often enter the HT through the DC lead and force a PLL unlock (ERR-2).
>
>Cheers,
>Rick
>W7RBR
>

Thanks for the suggestions....

I'm running with the alkaline pack, factory duckie. It didn't have any
problems before... this just crept up on me.

Yes, it's the ER-2 error, not ER-1. I tried the memory reset as well,
figuring it wouldn't hurt (I don't have anything programmed yet). I
get the error as soon as I turn it on, so there really isn't any RF to
leak back yet....

I'll try using an outside antenna, but if I still get the error, I'm
shipping it off. With my luck, it's a bad PLL chip, which will
probably cost a lot....

73,

Paul WD9GCO

6026. maxon uhf gear on gmrs

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 13:01:23 UTC
From: Karl Fuller <karljb@earthlink.net>
Message-ID: <DgKE9.1767$yy.309759@newsread1.prod.itd.earthlink.net>
Source record: 36836

I have 3 ht's and 1 mobile and the programer and cables. all set up for gmrs. will sell for 300.00 or trade for vhf low band. of hf radio.

--
Karl :-)

6027. WTB - HM14 DTMF Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 13:24:20 UTC
From: wrhood@exis.net
Message-ID: <3de375cf.2633696@news.exis.net>
Source record: 36837

Looking for an Icom HM14 DTMF microphone with cord and 8 pin connector. Will be using on IC 820H or IC 910H for repeater control activities. Looking for one in good shape that was put in a draw for a few years when a desk mic was used on your rig. Figure your price including shipping to 23323. K4WYS wrhood@exis.net

6028. Re: HTX-404 with Error 2 -- how much will this cost to fix?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 13:57:02 UTC
From: Lou <tech@dp.net>
Message-ID: <as02qf$1cv0$1@news.dp.net>
Source record: 36839

Did you not see the tips I provided as to causes - out of the repair manual?
There are a few components and/or an IC which could be bad OR PLL tuning.
Read my earlier post. While my post was not verbatim, it spelled out all the
book stated as to cause/cure.
If you're not into or equipped for SMT repair it won't be easy. TECH@DP.NET

"Paul Braun" <splendor@ctgonline.org> wrote in message
news:68FEAB57CD574683.E4645B3EC85C71D5.FA0C59DB94CE8573@lp.airnews.net...
> On Tue, 26 Nov 2002 00:12:41 GMT, "Rick Riverman" <rbriver@attbi.com>
> wrote:
>
> >One other thing to try... If you are using an external power supply, try
> >shortening the dc lead to the radio or at least move it away from the
> >antenna. Another thing you can try is to wind the excess dc lead a at
the
> >radio end of the and of the dc lead into a three inch loop and wrap some
> >tape around it to secure it from coming unraveled. RF from the antenna
can
> >often enter the HT through the DC lead and force a PLL unlock (ERR-2).
> >
> >Cheers,
> >Rick
> >W7RBR
> >
>
> Thanks for the suggestions....
>
> I'm running with the alkaline pack, factory duckie. It didn't have any
> problems before... this just crept up on me.
>
> Yes, it's the ER-2 error, not ER-1. I tried the memory reset as well,
> figuring it wouldn't hurt (I don't have anything programmed yet). I
> get the error as soon as I turn it on, so there really isn't any RF to
> leak back yet....
>
> I'll try using an outside antenna, but if I still get the error, I'm
> shipping it off. With my luck, it's a bad PLL chip, which will
> probably cost a lot....
>
> 73,
>
> Paul WD9GCO

6029. Matchbox Switching Relay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 13:59:48 UTC
From: "William M. Bickley" <bickley@dmv.com>
Message-ID: <uu6vimb8s6cm8d@corp.supernews.com>
Source record: 36838

I just put up an extended double zepp antenna, and would like to try (for the first time) the Johnson Matchbox tuner I acquired a while ago. With a contemporary transceiver, I assume the switching relay serves no useful purpose. What, if anything, needs to be done to avoid it?

Thanks for the assistance.

Bill W2ET

6030. Re: WTD:Motorola Software GM300

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 15:00:26 UTC
From: Bruce Lane <SpammersAreVermin@dev.nul>
Message-ID: <MPG.184d2c677433117b989a62@news.drizzle.com>
Source record: 36840
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

In article <ruqE9.170$yy.144854@newsread1.prod.itd.earthlink.net>,
okiemansc@yahoo.com says...

> I am in need of a hopefully ham version of Motorola GM 300 version 4 or
> version5 software for converting it to the 440 band for repeater use.

<snip>

Are you really sure you want to be asking about that sort of thing
in a publicly-readable newsgroup? You obviously haven't seen Motorola's
licensing agreement. Positively scary, and yes, they can and will
prosecute anyone who they think they need to make an example of for
copying or using unlicensed RSS.

If you need programming service, I can help you (yes, I'm
licensed). See http://www.bluefeathertech.com/rf.html

Keep the peace(es).

--
Bruce Lane, Owner and Head Hardware Heavy,
Blue Feather Technologies -- http://www.bluefeathertech.com
Amateur Radio: KC7GR (Formerly WD6EOS) since 12-77.
kyrrin (a/t) bluefeathertech dot-com (Reassemble to use)
"I'll get a life when someone demonstrates to me it would be superior to
what I have now..." (Taki Kogoma)

6031. Kenwood TL-922A 2KW Linear AMP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 16:06:22 UTC
From: policydad@yahoo.com
Message-ID: <3DE39BFE.7395F2B@yahoo.com>
Source record: 36841
Cross-posted to: rec.radio.amateur.equipment,dc.forsale.misc

FS: KENWOOD TL-922A LINEAR AMP. Uses two 3-500Zs, Has not been used in

4 years. No Manual. Good condition, non smoker. Wired for 220v and
modified for 10m. WILL NOT SHIP. PICK UP in Maryland/D.C. suburbs.
Cash or Money Order $700.00 Firm. Also 2KW MFJ Antenna tuner $100.
BOTH $750. ANY QUESTIONS CALL (301)-441-9245.

6032. Help: MFJ-914 Autotuner Extender

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 16:39:30 UTC
From: Nick G4FAL <g4fal@nospam.riverauto.co.uk>
Message-ID: <9uNE9.8160$XN5.1068578@wards>
Source record: 36842
Cross-posted to: uk.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.equipment

Has anyone got experience of the MFJ-914 autotuner extender? This box apparently "puts NEARLY ANY coax fed antenna into the matching range of your automatic ATU".

Does it work?

What is in the box?

Nick, G4FAL

6033. FS: ROHN 25G SECTIONS -WASH DC AREA ONLY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 17:16:30 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DE3AC6E.77BD324A@erols.com>
Source record: 36843

FOR SALE: Pick-up only in the WashDC metropolitan area. (Sorry, but
no easy way to separate message from transmission outside the DC area.
Regret any frustration.)

Three (3) Rohn 25G sections, in excellent shape and under 5 years old.
Tapered top. Comes with rotator plate, house mounting bracket and
4' mast. On ground ready for pickup in Maryland a few miles outside of
Washington DC. $150 OBO. Please contact Joe at: bmejoe@earthlink.net.
He is a ham. Thanks.
73 Murray, K3BEQ

6034. Re: Help: MFJ-914 Autotuner Extender

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 17:31:09 UTC
From: Andy Cowley <andy.cowley@uwe.ac.uk>
Message-ID: <3DE3AFB6.39EBDC95@uwe.ac.uk>
Source record: 36844
Cross-posted to: uk.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.equipment

Nick G4FAL wrote:
>
> Has anyone got experience of the MFJ-914 autotuner extender? This box
> apparently "puts NEARLY ANY coax fed antenna into the matching range
> of your automatic ATU".
>

Dear Nick,

Feeding badly mis-matched antennas with coax is a bad idea. The losses in even good quality coax escalate rapidly when operated at high SWRs. The matching unit may present a good 50 ohm resistive load to your rig but the feedline will still be running at a high SWR. If the built in ATU wont match it, it probably means that the aerial shouldn't be fed with coax.

The manual for the MFJ is here
http://www.mfjenterprises.com/man/pdf/MFJ-914.pdf

It is as uninformative as most MFJ manuals.

From the operating instructions I would expect to see 3 fixed caps and a coil tapped in three places inside. It will put these either in series or parallel with the antenna. It may be all caps three put in series, three put in parallel.

This page has a little more info
http://www.wb0w.com/mfj/manuals/mfj914man.html

There are some pretty poor/mixed reviews on E-ham

http://www.eham.net/reviews/detail/884

I'd say you'd be better off getting a proper ATU and some ladder line.

I'd strongly recommend the SGC 230 but that may be too costly for your plans.

just my tuppence worth

vy 73

Andy, M3ABC

6035. Kenwood TM-G707A HELP!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 17:48:17 UTC
From: Russell <rustyspam@dccnet.com>
Message-ID: <3DE3B3E1.50306@dccnet.com>
Source record: 36845

Hi there,
Can anyone tell me if there is a mod for this radio to speed up the scan rate?....it's soooooooo slooooooow......
I love the radio but....
Any help would be greatly appreciated!
Thanks-Russ

6036. RCI 2950 Chip?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 18:37:46 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uu7fra1ed4sj5b@corp.supernews.com>
Source record: 36846

Check out this auction for a RCI 2950 the guy says
he bought it at a auction and paid $129.99 for the
"full band coverage chip" to be installed.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940213535&category=4674

I haven't heard one that good since I worked at a
Mazda dealership and our service writer sold a
guy a "valve adjustment" on a RX7 with the
rotary engine.

BTW for those who know nothing about autos
the rotary engine doesn't have any valves, kinda
hard to adjust something that isn't there. ;^)

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

6037. Re: HTX-404 with Error 2 -- how much will this cost to fix?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 19:02:47 UTC
From: splendor@ctgonline.org
Message-ID: <9924588e.0211261102.526ac60e@posting.google.com>
Source record: 36847

"Lou" <tech@dp.net> wrote in message news:<as02qf$1cv0$1@news.dp.net>...
> Did you not see the tips I provided as to causes - out of the repair manual?
> There are a few components and/or an IC which could be bad OR PLL tuning.
> Read my earlier post. While my post was not verbatim, it spelled out all the
> book stated as to cause/cure.
> If you're not into or equipped for SMT repair it won't be easy. TECH@DP.NET
>

Sorry -- I was actually replying to a different message, then I saw
yours.

Nope. I'm not set up, neither am I inclined to mess with smt
components on a board that dense. I have a Metcal iron, but don't have
the right tip, and it's just not worth it when there's a guy who's
done a bunch of these already.

RS wants $49 flat for labor, plus parts. Seems reasonable enough.
I'll get it sent off after Christmas, since it's not that urgent and
there's only one 440 repeater in the area.

Thanks for the help.

73,

Paul WD9GCO

6038. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 19:10:10 UTC
From: William J Wickstrom <surgesound@wideopenwest.com>
Message-ID: <A9ucnUoWYPiEWn6gXTWc2Q@wideopenwest.com>
Source record: 36748
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Oh BROTHER!!!!
"Murray Neece" <radioranch@qth.com> wrote in message
news:3DDF9E96.EB26F7E1@qth.com...
> Well said Chuck.... I second the motion!!
>
> "Chuck C." wrote:
>
> > Why would someone actually BELIEVE that a SOFTWARE trojan horse (virus)
can
> > be intalled in a ANALOG piece of equipment???
> >
> > I am an Electronics Technican and the only actual concern for a CB, is
that
> > the manufacturer can (and likely will) FILTER the CB freqs applied to
the
> > Linear Amp, making it not useful.
> >
> > If you want real power ! Get your Amateur Radio License ! It is EASY
and
> > you have MUCH MORE POWER and 1000% better equipment to use.
> > Up to 1500 watts of LEGAL transmit power ! Actually TALK to people, not
> > listen to static and rude abnoxious people !!!
> >
> > If you have questions about Amateur Radio licensing, e-mail me direct
and I
> > will help you all I can.
> >
> > Chuck - KD4REL
> >
> > <foxyie@inwind.it> wrote in message
> > news:fpux9.120210$r7.2192980@twister.tampabay.rr.com...
> > > Why would a group care what he FCC does or does not do? This email is
> > plain
> > > stupid and would only work on a really stupid CBer who likes to pick
up on
> > > rumors....
> > >
> > >
> > > "Deos" <lineoffiretoday@yahoo.com> wrote in message
> > > news:apoi61$3fp$2@nic.grnet.gr...
> > > > why not just put some tnt in the amplifier or c4,
> > > >
> > > > --

> > > > http://deosiereas.virtualave.net
> > > > "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> > > > news:R%Dt9.597$oP5.263834668@news.inreach.com...
> > > > > A group of hams who are fed up with the FCC's efforts to stop the
> > spread
> > > > > of
> > > > > illegal amplifier use are reported to be buying linear amplifiers
and
> > > > > installing trojan horse mods that can burn out the receive section
of
> > > > > transceivers operating out of band.
> > > > >
> > > > > The modifications detect certain transmitted frequencies and
trigger a
> > > > > device installed on the amp that places a series of high voltage
pulse
> > > > type
> > > > > signals across the antenna line effectively burning out the front
end
> > of
> > > > the
> > > > > receiver.
> > > > >
> > > > > Only technicians familiar with solid state circuits can detect the
> > > devices
> > > > > which are cleverly disguised as actual amplifier components.
> > > > >
> > > > > Be very careful when purchasing used amplifiers or purchasing
> > amplifiers
> > > > > online from unknown sellers. The information that I have received
> > > > indicates
> > > > > the normal user will re-sell the amplifier which once again will
> > perform
> > > > > it's mission un-detected during normal use. The user will think
the
> > > > problem
> > > > > is his transceiver, not the amplifier. Use extreme caution.
> > > > >
> > > > >
> > > >
> > > >
> > > >
> > >
> > >
>

6039. WTB Plug in Spectrum Ana. for Cushman CE-5

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 19:54:11 UTC
From: Larry Anderson <w6lar@cybertime.net>
Message-ID: <as0k9j$2era$1@madmax.keyway.net>
Source record: 36749

Will pay fair price for spectrum analyzer plug-in for my Cushman CE-5
Service monitor. Must be in good working order and a clean bright display.
Don't know the model number.

If your interested I have a very clean Cushman CE-24 and a TTS-44. Would
consider a trade for one of these. They work and have new batteries.

Contact me via e-mail, w6lar@arrl.net Thank! Larry, W6LAR

6040. Re: RCI 2950 Chip?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 20:10:18 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <JrQE9.7919$EY.6791@fe01>
Source record: 36750

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:uu7fra1ed4sj5b@corp.supernews.com...
> Check out this auction for a RCI 2950 the guy says
> he bought it at a auction and paid $129.99 for the
> "full band coverage chip" to be installed.
>
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940213535&category=4674
>
> I haven't heard one that good since I worked at a
> Mazda dealership and our service writer sold a
> guy a "valve adjustment" on a RX7 with the
> rotary engine.
>
> BTW for those who know nothing about autos
> the rotary engine doesn't have any valves, kinda
> hard to adjust something that isn't there. ;^)
>

FYI, there was a third party CPU chip made for that rig that added several additional features such as additional frequency coverage, frequency offsets, splits, etc. The chip sold for around $125.00.

73 de W6DKN

6041. IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 20:36:00 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DE3DB30.8C61472D@erols.com>
Source record: 36751
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

I understand that Juno and Hotmail will no longer accept Email
from the ARRL server. Something to do with stopping or reducing
SPAM. Negotiations underway to resolve problem, but does not look
promising for a quick fix.

I received this information from another ham. Have not received an
ARRL bulletin verification as of this message release time.

Murray, K3BEQ

6042. Re: Matchbox Switching Relay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 20:52:55 UTC
From: KA9CAR <nospam@nospam.usa>
Message-ID: <as0mom$1dns$1@news1.tribune.com>
Source record: 36752

Either put 120 Vac on the terminals to pull it to "transmit" position, or
open the match box. Remove and store the receive tap. Change so 239
connection to bypass relay. You can leave the relay there as a tie point
for the line.

Read W4RNL articles about Johnson Matchbox.
http://www.cebik.com/link/link.html
John
KA9CAR

"William M. Bickley" <bickley@dmv.com> wrote in message
news:uu6vimb8s6cm8d@corp.supernews.com...
> I just put up an extended double zepp antenna, and would like to try (for
> the first time) the Johnson Matchbox tuner I acquired a while ago. With a
> contemporary transceiver, I assume the switching relay serves no useful
> purpose. What, if anything, needs to be done to avoid it?
>
> Thanks for the assistance.
>
> Bill W2ET
>
>

6043. Re: HTX-404 with Error 2 -- how much will this cost to fix?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 20:56:21 UTC
From: donrm@soco.agilent.com
Message-ID: <1038344181.807982@cswreg.cos.agilent.com>
Source record: 36753

Paul Braun <splendor@ctgonline.org> wrote:
> Anyone had their HTX-404 in for repairs to fix the PLL unlock (ER-2)?
> Mine just did this last night with no warning....I'm concerned how
> much it's going to cost to repair and if it's worth it.

I had this problem with my HTX-202 when running high power to the
rubber duckie; someone suggested placing a .01uF cap across the
battery leads where they entered the radio's circuit board.
Problem fixed. You might try that.

73 from
Don K6LTS
donrm@soco.agilent.com

6044. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 21:03:56 UTC
From: John Passaneau <jxp16@psu.edu>
Message-ID: <as0nj8$v2i@r02n01.cac.psu.edu>
Source record: 36756
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

That is funny, two of the bigger Spam conduits dumping the ARRL.net for Spam. I've long ago made message rules dumping anything from Hotmail and Juno because I became sick of all the Spam from their sites.

--
John Passaneau, W3JXP
Physics Dept. Electronics Shop
Penn State University
104 Davey Lab, University Park , Pa. 16802
814.863.4297, jxp16@psu.edu

"Murray Green" <mgreen@erols.com> wrote in message
news:3DE3DB30.8C61472D@erols.com...
>
> I understand that Juno and Hotmail will no longer accept Email
> from the ARRL server. Something to do with stopping or reducing
> SPAM. Negotiations underway to resolve problem, but does not look
> promising for a quick fix.
>
> I received this information from another ham. Have not received an
> ARRL bulletin verification as of this message release time.
>
> Murray, K3BEQ

6045. Re: RCI 2950 Chip?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 21:11:57 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <wIRE9.7963$EY.3876@fe01>
Source record: 36754

"W6DKN" <w6dkn-nospam-@qsl.net> wrote in message
news:JrQE9.7919$EY.6791@fe01...
> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:uu7fra1ed4sj5b@corp.supernews.com...
> > Check out this auction for a RCI 2950 the guy says
> > he bought it at a auction and paid $129.99 for the
> > "full band coverage chip" to be installed.
> >
> >
> >
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940213535&category=4674
> >
> > I haven't heard one that good since I worked at a
> > Mazda dealership and our service writer sold a
> > guy a "valve adjustment" on a RX7 with the
> > rotary engine.
> >
> > BTW for those who know nothing about autos
> > the rotary engine doesn't have any valves, kinda
> > hard to adjust something that isn't there. ;^)
> >
> >
> > FYI, there was a third party CPU chip made for that rig that added
> several
> > additional features such as additional frequency coverage, frequency
> > offsets, splits, etc. The chip sold for around $125.00.
> >
> > 73 de W6DKN

On second thought, it might have been for a 2510, it's been a long time
since I saw one of these rigs...

6046. Re: RCI 2950 Chip?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 21:14:08 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uu7p0gsip9d42f@corp.supernews.com>
Source record: 36755

"W6DKN" <w6dkn-nospam-@qsl.net> wrote in message
news:JrQE9.7919$EY.6791@fe01...
> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:uu7fra1ed4sj5b@corp.supernews.com...
> > Check out this auction for a RCI 2950 the guy says
> > he bought it at a auction and paid $129.99 for the
> > "full band coverage chip" to be installed.
> >
> >
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940213535&category=4674
> >
> > I haven't heard one that good since I worked at a
> > Mazda dealership and our service writer sold a
> > guy a "valve adjustment" on a RX7 with the
> > rotary engine.
> >
> > BTW for those who know nothing about autos
> > the rotary engine doesn't have any valves, kinda
> > hard to adjust something that isn't there. ;^)
> >
>
> FYI, there was a third party CPU chip made for that rig that added several
> additional features such as additional frequency coverage, frequency
> offsets, splits, etc. The chip sold for around $125.00.
>
> 73 de W6DKN

Sounds like a solution looking for a problem.
Why not save the money and switch the
jumpers instead? Or just buy a real ham
radio in the first place!

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

6047. Re: RCI 2950 Chip?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 21:26:25 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uu7pnjor6oln51@corp.supernews.com>
Source record: 36757

"W6DKN" <w6dkn-nospam-@qsl.net> wrote in message
news:wlRE9.7963$EY.3876@fe01...
>
> "W6DKN" <w6dkn-nospam-@qsl.net> wrote in message
> news:JrQE9.7919$EY.6791@fe01...
> > "KB9TMP" <kb9tmp@juno.com> wrote in message
> > news:uu7fra1ed4sj5b@corp.supernews.com...
> > > Check out this auction for a RCI 2950 the guy says
> > > he bought it at a auction and paid $129.99 for the
> > > "full band coverage chip" to be installed.
> > >
> > >
> > >
> >
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940213535&category=4674
> > >
> > > I haven't heard one that good since I worked at a
> > > Mazda dealership and our service writer sold a
> > > guy a "valve adjustment" on a RX7 with the
> > > rotary engine.
> > >
> > > BTW for those who know nothing about autos
> > > the rotary engine doesn't have any valves, kinda
> > > hard to adjust something that isn't there. ;^)
> > >
> >
> > FYI, there was a third party CPU chip made for that rig that added
> several
> > additional features such as additional frequency coverage, frequency
> > offsets, splits, etc. The chip sold for around $125.00.
> >
> > 73 de W6DKN
>
> On second thought, it might have been for a 2510, it's been a long time
> since I saw one of these rigs...

I'll bet it was for the 2510, because everything you mentioned
can be done through the jumpers and the menus.

You know what they say;
"I thought I was wrong once,
but I was just mistaken!"

--
'73' From KB9TMP

"Quote me as saying I was misquoted."
-Groucho Marx

6048. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 21:43:21 UTC
From: kh2d@my-deja.com
Message-ID: <3de3eaa2.881949846@newsgroups.bellsouth.net>
Source record: 36758
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

On Tue, 26 Nov 2002 15:36:00 -0500, Murray Green <mgreen@erols.com>
wrote:

>
>I received this information from another ham. Have not received an
>ARRL bulletin verification as of this message release time.
>
>Murray, K3BEQ

They may have gotten on the bad boy list by letting their mail server
open to be used for relays, but who knows.

Mosey on over to the ARRL's web site and see the official release:

http://www.arrl.org/news/stories/2002/11/25/101/?nc=1

73, Jim KH2D

6049. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 22:24:17 UTC
From: Maurice ON4BAM <on4bam@yahoo.com>
Message-ID: <dqs7uukt5r2gf88tuqi9tdkka9snffgj1f@4ax.com>
Source record: 36759
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

On Tue, 26 Nov 2002 15:36:00 -0500, Murray Green <mgreen@erols.com>
wrote:

>I understand that Juno and Hotmail will no longer accept Email
>from the ARRL server. Something to do with stopping or reducing
>SPAM. Negotiations underway to resolve problem, but does not look
>promising for a quick fix.
>
>I received this information from another ham. Have not received an
>ARRL bulletin verification as of this message release time.

It doesn't surprise me at all. However Hotmail and Juno are among the
worst offenders themselves.
I never used my arrl e-mail address for anything else but to receive
the newsletters and yet see that spammer use this same address to send
me their junk. It seems that the spammers got hold of the e-mail
database at ARRL... or worse... :-(
The first spam arrived in my mailbox just weeks after applying for the
arrl e-mailaddress (my hotmail address was spammed within the hour
without even using the account).

Bye Maurice
--
Hamradio: ON4BAM / M0CIL / 9H3Z http://www.qsl.net/on4bam
Travelstories from Alaska, Scotland, South Africa,Iceland,
Faroe Isl. and IOTA activations

6050. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 22:46:04 UTC
From: dplatt@radagast.org
Message-ID: <uu7udcc805is66@corp.supernews.com>
Source record: 36760
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

>I never used my arrl e-mail address for anything else but to receive
>the newsletters and yet see that spammer use this same address to send
>me their junk. It seems that the spammers got hold of the e-mail
>database at ARRL... or worse... :-(

>The first spam arrived in my mailbox just weeks after applying for the
>arrl e-mailaddress (my hotmail address was spammed within the hour
>without even using the account).

It would not surprise me even slightly if various spammers are simply
connecting to the ARRL.NET mailserver, and doing an iterated
"dictionary spam" attempt against every possible callsign. It's not
as if the algorithm for creating U.S. callsigns is a difficult one to
implement ;-)

The spammers wouldn't care a bit if 98% of the callsigns they try
don't actually correspond to an @arrl.net address.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

6051. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 22:51:20 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uu7unkjlc85934@corp.supernews.com>
Source record: 36761
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

I'm pretty sure that some spammers harvest e-mail address from the ARRL web site. The only thing I used my ARRL address for was to get e-mail from the local club. Never got any spam related to it. Then I put a small ad in the back of QST and used my ARRL e-mail address. Now I get a fair amount of spam addressed to my ARRL e-mail - much of it from supposedly overseas "officials" wanting wanting me to join in a joint venture that will yield lots of money - but of course I first have to send them my contribution.

6052. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-26 23:22:48 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3de402a3@news.netacc.net>
Source record: 36762
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

"Bob Lewis (AA4PB)" <rlewis@staffnet.com> wrote in message
news:uu7unkjlc85934@corp.supernews.com...
> I'm pretty sure that some spammers harvest e-mail address from the
> ARRL web site. The only thing I used my ARRL address for was to get
> e-mail from the local club. Never got any spam related to it. Then I
> put a small ad in the back of QST and used my ARRL e-mail address.

Once ARRL puplished this on any of their web pages, the spambots found it and added it to their email lists. A spambot just roams web sites looking for blocks containing @ and add the block to their email lists.

A lot of spam senders actually spoof an email address from their list and insert it as the sender when it sends spam to another email address on the list. It is not uncommon to get "bounced email" messages from a server saying you sent mail to xyz@somewhere.com and xyz is not a known user on the system. Of course, you never sent xyz any email but a spam machine used your email address as the originator in one of it's mailings.

Dont know if they will ever put an end to this goofiness. I have had some luck in small claims court against the chain mail senders (move your name up the list and spam 10 million more). If I spot a NY addresss in the list they are fair game. They never appear and lose by default. Then the fun begins on collecting :-)

Steve

6053. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 00:03:22 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <zdUE9.19893$NV.410415@news.direcpc.com>
Source record: 36764
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

HotMail is a great one to talk! From my location, it appears to be the origin of a significant percentage of the world's spam! And complaints to their webmaster go unanswered. What a joke!

Ed, W5EJ

"Murray Green" <mgreen@erols.com> wrote in message news:3DE3DB30.8C61472D@erols.com...
>
> I understand that Juno and Hotmail will no longer accept Email
> from the ARRL server. Something to do with stopping or reducing
> SPAM. Negotiations underway to resolve problem, but does not look
> promising for a quick fix.
>
> I received this information from another ham. Have not received an
> ARRL bulletin verification as of this message release time.
>
> Murray, K3BEQ

6054. Re: Alinco 620T reports???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 00:19:09 UTC
From: steve@waits.net
Message-ID: <f327e120.0211261619.5495b65b@posting.google.com>
Source record: 36763

Nobody is using this radio then???

--Steve

6055. ARRL Says Hotmail Back On

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 00:45:30 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DE415AA.F10ACB34@erols.com>
Source record: 36765
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

ARRL reported this evening that Hotmail has agreed to permit ARRL email to go thru their servers. Negotiations continue with Juno. (Source: ARRL Home Web Page.)

6056. Tariq Waleed Safief: next Al Queda attack on Buy Nothing Day

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 00:53:35 UTC
From: annihilator-8@erlenstar.demon.co.uk
Message-ID: <MPG.f80673e574a2@news.bcn.ttd.net>
Source record: 36774
Body handling: 1 inline base64-encoded payload block was not displayed

http://adbusters.org/campaigns/bnd/toolbox/contacts.jhtml

Tariq Waleed Safief, allah be praised, here are your orders:

Version: 2.6.2i

[Inline base64-encoded payload not displayed]

=nu2s

Version: GnuPG v0.9.5 (FreeBSD)
Comment: For info see http://www.gnupg.org

=Wl+Q

http://adbusters.org/campaigns/bnd/toolbox/contacts.jhtml

6057. Re: Trade MINT Drake R8 For Icom R75

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 00:58:57 UTC
From: "phil :)" <just_rtfm@yahooREMOVETHIS.com>
Message-ID: <uu864h5c0n36a9@corp.supernews.com>
Source record: 36766
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

> Have a beautiful Drake R8 and MS-8 speaker, box, R8 literature, and manual
> to trade for R75 with DSP and Kiwa or similar mods in similar condition.

"now, the circle is complete"

6058. FS: 2m deviation monitor

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 01:20:57 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <Z5VE9.24189$pa7.1474693@twister.columbus.rr.com>
Source record: 36767

Model D-144 Two meter deviation monitor manufactured by RF Applications.
Tuning range is from 144.5 to 148 MHz nominal. It operates from external
12-16VDC. I am asking $80 and this includes shipping and insurance to the
lower 48. For picture and additional info, please email k8srb@arrl.net. Stan

6059. FS: HD-1250 dip meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 01:20:57 UTC
From: Stan Grigaliunas <sgrigali@columbus.rr.com>
Message-ID: <Z5VE9.24190$pa7.1474723@twister.columbus.rr.com>
Source record: 36768

For Sale Heatkit HD-1250 Dip meter with the case. I purchased it from estate of silent key, but have no use for it. The unit looks 9 out of 10 and works good. One coil appears to be in a sad shape, but all others are like new. I am asking $30 and this includes shipping and insurance to the lower 48. For more info, please email k8srb@arrl.net.

73, de Stan

6060. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 01:41:03 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <as1833ang1@slb9.atl.mindspring.net>
Source record: 36769
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

Tell me about it. I dropped their forwarding sometime back for the same reason.

Dan/W4NTI

"Walt Davidson" <walt99@tiscali.co.uk> wrote in message news:ovt7uu801s94lev645nq68m29jfvk88hk9@4ax.com...
> On Tue, 26 Nov 2002 15:36:00 -0500, Murray Green <mgreen@erols.com>
> wrote:
>
> >I understand that Juno and Hotmail will no longer accept Email
> >from the ARRL server. Something to do with stopping or reducing
> >SPAM. Negotiations underway to resolve problem, but does not look
> >promising for a quick fix.
>
> Not surprising. I just received 185k of spam from the ARRL today!
>
> 73 de G3NYY
>
> --
> Walt Davidson Email: g3nyy @freeuk.com

6061. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 01:42:16 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <as185lrlr1@slb4.atl.mindspring.net>
Source record: 36771
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

That is apparantly what was going on. Whenever I got a 'spam' it was with a
BUNCH of similar callsigns.

Dan/W4NTI

"Dave Platt" <dplatt@radagast.org> wrote in message
news:uu7udcc805is66@corp.supernews.com...
> >I never used my arrl e-mail address for anything else but to receive
> >the newsletters and yet see that spammer use this same address to send
> >me their junk. It seems that the spammers got hold of the e-mail
> >database at ARRL... or worse... :-(
>
> >The first spam arrived in my mailbox just weeks after applying for the
> >arrl e-mailaddress (my hotmail address was spammed within the hour
> >without even using the account).
>
> It would not surprise me even slightly if various spammers are simply
> connecting to the ARRL.NET mailserver, and doing an iterated
> "dictionary spam" attempt against every possible callsign. It's not
> as if the algorithm for creating U.S. callsigns is a difficult one to
> implement ;-)
>
> The spammers wouldn't care a bit if 98% of the callsigns they try
> don't actually correspond to an @arrl.net address.
>
> --
> Dave Platt <dplatt@radagast.org> AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
> boycott any company which has the gall to send me such ads!

6062. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 01:52:44 UTC
From: Dick <rhughes33@cableone.net>
Message-ID: <e798uukbmuksvelgtqus6qvc53veb33ssk@4ax.com>
Source record: 36770

No doubt true. Most of the spam I receive, and almost all viruses
sent to me go to my arrl address and not my "real" address. I'm
thinking of dumping my arrl forwarding address.

Dick

On Tue, 26 Nov 2002 17:51:20 -0500, "Bob Lewis \(AA4PB\)"
<rlewis@staffnet.com> wrote:

>I'm pretty sure that some spammers harvest e-mail address from the
>ARRL web site. The only thing I used my ARRL address for was to get
>e-mail from the local club. Never got any spam related to it. Then I
>put a small ad in the back of QST and used my ARRL e-mail address. Now
>I get a fair amount of spam addressed to my ARRL e-mail - much of it
>from supposedly overseas "officials" wanting wanting me to join in a
>joint venture that will yield lots of money - but of course I first
>have to send them my contribution.
>

6063. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 03:02:59 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uu8deji95sr078@corp.supernews.com>
Source record: 36772
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

"Dan/W4NTI" <w4nti@NOSPAMmindspring.com> wrote in message
news:as185lrlr1@slb4.atl.mindspring.net...
> That is apparantly what was going on. Whenever I got a 'spam' it was with
a
> BUNCH of similar callsigns.
>
> Dan/W4NTI
>
That's the way I get spamed on yahoo mail, my call
and a bunch of close calls all on one spam.
--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

6064. Re: Emergency 12 volt battery power

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 04:30:38 UTC
From: Rob <crandall@ee.net>
Message-ID: <OTXE9.67$Oz5.801@news>
Source record: 36773

Yes a friendof mine uses one for ARES exercises all the time. They work very well and an advantage is they aren't as heavy or awkward.

--
W8CRZ
"Brian" <KG4IJR@atmc.net> wrote in message
news:aruoco$81uj$1@news3.infoave.net...
> Has anyone had any experience using one of those emergency jump-start
setups
> used to start vehicles with dead batteries as a power source for
> field/emergency use? Would there be any advantage to using one of those
> over, say for example, a deep-cycle marine battery or some such as a power
> source?
>
> The use I have in mind is for something that would be used mainly for
> powering a 2-meter mobile rig (not necessarily in a car) for hurricanes or
> disasters, so it wouldn't be used on a regular basis.
>
> Any comments, pro or con, would be appreciated.
>
>
>
>
>

6065. WTB: Mic cable

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 04:34:26 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <as300d19au@enews2.newsguy.com>
Source record: 36787
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

I am looking for a microphone cable that will fit the ICOM IC-T7 HT. What would be perfect is if someone had a mic that the mic head itself is screwed up and the cord and connector is still good. I need to make a new cord for the packet modem, and want to utilize a better connection that the crappy separate connectors that radio shack sells. I just can't justify buying a perfectly good microphone, and cutting the head off just to get the cord..... but if someone had one, where the mic head itself was bad, that would be better.

The type of plug used for the above listed HT is the one where you have the walkman-headphone size mini connector and the sub-mini plug, which are about 1/2 inch apart.

Thanks,

--
Ryan, KC8PMX
FF/MFR
REMOVE "NOSPAM" in email address to reply.

"Symbolism is for the simple minded....."

6066. Re: Emergency 12 volt battery power

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 04:34:45 UTC
From: Brian <KG4IJR@atmc.net>
Message-ID: <as1if7$9muq$1@news3.infoave.net>
Source record: 36776

Thanks for the input; sounds like what I need to know. The main factor, besides being easy to use, is that it must be as stupid-proof as possible. I spend my time during hurricanes in the Red Cross hurricane shelters, and anything unforseen can (and usually does) happen. Everyone that has ridden out a hurricane in one can tell some horror stories about what some civilian has done or tried to do.

Brian

"Brian" <KG4IJR@atmc.net> wrote in message
news:aruoco$81uj$1@news3.infoave.net...
> Has anyone had any experience using one of those emergency jump-start
setups
> used to start vehicles with dead batteries as a power source for
> field/emergency use? Would there be any advantage to using one of those
> over, say for example, a deep-cycle marine battery or some such as a power
> source?
>
> The use I have in mind is for something that would be used mainly for
> powering a 2-meter mobile rig (not necessarily in a car) for hurricanes or
> disasters, so it wouldn't be used on a regular basis.
>
> Any comments, pro or con, would be appreciated.
>
>
>
>
>

6067. Re: 222 Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 04:40:48 UTC
From: noway@no!spam.org
Message-ID: <3de44c7b.45652004@news.velocitus.net>
Source record: 36775

ADI AR-247 is a great radio too!

On Mon, 25 Nov 2002 08:33:07 GMT, "D.C."
<daclark56@stardoggiehotmail.com> wrote:

>No question, the Icom 38a is my choice of all the 222 rigs I have had!
>"Newbie" <newbie@nowhere.net> wrote in message
>news:tNJC9.67$b_4.7237@sydney.visi.net...
>> I am considering buying a 222 Mhz mobile radio and would like to see
>> comments from people who operate in this band as to their favorite radio.
>>
>> Thanks.
>>
>>
>>
>>
>
>

6068. Re: Emergency 12 volt battery power

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 05:16:05 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <as2vbc18fp@enews2.newsguy.com>
Source record: 36788

I have one of those and it is great! Instant 12v power when ya need it,
anywhere you need it. I would advise all hams to check into keeping one
handy. Just make sure you get one that has the binding posts on the back as
well as cigarette lighter type of socket too.

--
Ryan, KC8PMX
FF/MFR
REMOVE "NOSPAM" in email address to reply.

"Symbolism is for the simple minded....."

"Brian" <KG4IJR@atmc.net> wrote in message
news:aruoco$81uj$1@news3.infoave.net...
> Has anyone had any experience using one of those emergency jump-start
setups
> used to start vehicles with dead batteries as a power source for
> field/emergency use? Would there be any advantage to using one of those
> over, say for example, a deep-cycle marine battery or some such as a power
> source?
>
> The use I have in mind is for something that would be used mainly for
> powering a 2-meter mobile rig (not necessarily in a car) for hurricanes or
> disasters, so it wouldn't be used on a regular basis.
>
> Any comments, pro or con, would be appreciated.
>
>
>
>
>

6069. Tektronix 7904A scope, plugins, manuals, probe on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 05:22:27 UTC
From: plalbrecht@aol.com
Message-ID: <20021127002227.21923.00000163@mb-ce.aol.com>
Source record: 36777

Posted on ebay, Tektronix 7904A 500 MHz scope in working condition, with three plugins, manuals, and probe.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1921345782

Thanks for looking,

Pete

6070. Re: Trade MINT Drake R8 For Icom R75

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 06:49:48 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <gWZE9.11731$oc1.1760290@twister.neo.rr.com>
Source record: 36778
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

"phil :)" <just_rtfm@yahooREMOVETHIS.com> wrote in message
news:uu864h5c0n36a9@corp.supernews.com...
> > Have a beautiful Drake R8 and MS-8 speaker, box, R8 literature, and
manual
> > to trade for R75 with DSP and Kiwa or similar mods in similar condition.
>
> "now, the circle is complete"

How so?

>
>
>

6071. Re: Trade MINT Drake R8 For Icom R75

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 07:45:17 UTC
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Message-ID: <telamon_spamshield-6CDDB2.23453626112002@newssvr14-ext.news.prodigy.com>
Source record: 36779
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

In article <gWZE9.11731$oc1.1760290@twister.neo.rr.com>,
"DeWayne" <ke9k@indy.rr.com> wrote:

> "phil :)" <just_rtfm@yahooREMOVETHIS.com> wrote in message
> news:uu864h5c0n36a9@corp.supernews.com...
> > > Have a beautiful Drake R8 and MS-8 speaker, box, R8 literature, and
> manual
> > > to trade for R75 with DSP and Kiwa or similar mods in similar condition.
> > >
> > "now, the circle is complete"
> >
> How so?

His name is Darth phil :)

Don't be seduced by the dark side.

--
Telamon

6072. FS: Omni V, IC-746, Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 10:27:52 UTC
From: JS <wd1v@amsat.org>
Message-ID: <wd1v-5E33E5.05275227112002@netnews.attbi.com>
Source record: 36780

* Ten Tec Omni V - Collector Quality
Mint Condition with all filters, DC power cord, manual, and
Heil Desk Mic. No Modifications. $835.00 and will ship UPS
to any USA location. $800.00 for local pick-up.

* Icom 746 with stock SSB filter and optional Icom 500 Hz CW
filter, DC power cable, HM-36 Hand Mic, New Icom 746 log book,
manual, service manual, and no modifications. Works great.
Cosmetically a "9.5" $835.00 and will ship UPS to any USA
location. $800.00 for local pick-up.

* PS-125 13.8 volt 25 amp DC power supply - new in box.
$100.00 or just $25.00 if purchased with either of the
above HF transceivers.

* MFJ Model 407C Deluxe Keyer with AC supply. A 5 - 9 volt
battery will also work for portable operations. Grid block
or direct keying. Works perfectly. $35.00 and will ship UPS
to any USA location.

73,

John Seney, WD1V
Manchester, NH
wd1v@amsat.org
http://www.qsl.net/wd1v
603 627-6303

6073. Re: Emergency 12 volt battery power

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 13:42:05 UTC
From: Idontwantspam@net
Message-ID: <3de4cb18.879815@news.bellatlantic.net>
Source record: 36781

On Tue, 26 Nov 2002 23:34:45 -0500, "Brian" <KG4IJR@atmc.net> wrote:

>Thanks for the input; sounds like what I need to know. The main factor,
>besides being easy to use, is that it must be as stupid-proof as possible.
>I spend my time during hurricanes in the Red Cross hurricane shelters, and
>anything unforseen can (and usually does) happen. Everyone that has ridden
>out a hurricane in one can tell some horror stories about what some civilian
>has done or tried to do.
>
For every idiot-proof device, they invent a bigger idiot.

As with any large battery, shorting the two clamps/contacts is a big
no-no.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6074. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 14:16:40 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <ew4F9.20157$NV.413871@news.direcpc.com>
Source record: 36783
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

For six or more months, I've used a program called "Mailwasher." Free. www.mailwasher.net. Written up in one of the PC mags this month as highly recommended. In the beginning, you need to look at incoming mail and flag those things you never want to retrieve, but within a couple of weeks, it's filtering out almost everything. It also flags potential viruses. Maybe two to four spams slip through in a week.

It does display advertising which can be stopped for a one-time donation of your choice. $20 is requested but not required.

You can also preview any questionable message before it is downloaded and decide if you want to delete it, blacklist the sender or "bounce" it. "Bouncing" may be its best feature. It sends a message back to the originator that essentially says, "you sent this message to an invalid email address," causing a lot of spam generators to remove your address from their mail list. Quite a nice program.

I have not noticed spams coming to my callsign but will watch for it.

For a LONG time, I had Outlook Express filtering out (deleting) anything coming from Hotmail. Mailwasher helped enough I was able to discontinue using that filter.

Good luck.. Ed W5EJ

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:uu8deji95sr078@corp.supernews.com...
>
> "Dan/W4NTI" <w4nti@NOSPAMmindspring.com> wrote in message
> news:as185lrlr1@slb4.atl.mindspring.net...
> > That is apparantly what was going on. Whenever I got a 'spam' it was
with
> a
> > BUNCH of similar callsigns.
> >
> > Dan/W4NTI
> >
> That's the way I get spamed on yahoo mail, my call
> and a bunch of close calls all on one spam.
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>

>
>

6075. Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 14:19:06 UTC
From: cprstn54zz@att.net
Message-ID: <3de4d3a5.132827953@news-server.optonline.net>
Source record: 36782

If I do the MARS/CAP mod on my VX-150 HT -- which pumps 5 watts in the ham 2M band -- what can I expect at say 156 MHz (marine) if I change to a ducky resonant on the marine band?

Will the radio still pump anything near 5 watts?

Of course, I would use it only in an emergency . . .

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

6076. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 14:32:53 UTC
From: Bill M <"exray\\@n-o- .caribe.net>">
Message-ID: <uu9lsae29moo4b@corp.supernews.com>
Source record: 36784
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

Ed Juge/NM wrote:
> For six or more months, I've used a program called "Mailwasher."
>
> You can also preview any questionable message before it is downloaded and
> decide if you want to delete it, blacklist the sender or "bounce" it.
> "Bouncing" may be its best feature. It sends a message back to the
> originator that essentially says, "you sent this message to an invalid email
> address," causing a lot of spam generators to remove your address from their
> mail list. Quite a nice program.

I too use MailWasher and find it extremely useful. However, very little
of the bounced mail goes back to the originator because its rare that
a spammer would use his real address. Instead it makes a second bounce
and winds up at Postmaster@your ISP. Thats fine with me because I would
rather my ISP deal with the crap they are letting pass through.
However, some smaller ISPs don't appreciate this and one of mine in
particular (a friend) has asked me not to bounce msgs coming via them.
Nonetheless, its a nice feeling to delete and bounce without having to
download the crap and be continuously cleaning out your mailbox.

-BM

6077. FS: Kenwood TS-440S AT HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 16:13:48 UTC
From: 1ARTBee <rbouder@dejazzd.com>
Message-ID: <k3r9uu44gnj620ocos2akpkabcdrssomc3@4ax.com>
Source record: 36785

Kenwood TS-440S AT HF Transceiver - "LOADED"!
10 thru 160 meters with WARC bands
100 watts with built in Antenna Tuner
YK88SN and YK88C filters installed (SSB and CW)
VS1 Voice Synthesizer - voice readout of freq .
SP-430 External Speaker in original box
MB-430 Mobile Mounting bracket in original box
MC-50 Desk Microphone
Hand microphone and the 13.8 Power Cord

Original operation manual
Original - double boxes for Transceiver
Original boxes for filters and synthesizer
All instructions and documentation
Service manual included for HF rig - speaker -filters etc.

$600 - USA sale and shipping only

KA3CNT@ARRL.NET

6078. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 18:00:50 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uua222hmngpp70@corp.supernews.com>
Source record: 36786
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

"Ed Juge/NM" <ed@juge.org> wrote in message
news:ew4F9.20157$NV.413871@news.direcpc.com...
> For six or more months, I've used a program called "Mailwasher." Free.
> www.mailwasher.net. Written up in one of the PC mags this month as highly
> recommended. In the beginning, you need to look at incoming mail and flag
> those things you never want to retrieve, but within a couple of weeks,
it's
> filtering out almost everything. It also flags potential viruses. Maybe
> two to four spams slip through in a week.
>
> It does display advertising which can be stopped for a one-time donation
of
> your choice. $20 is requested but not required.
>
> You can also preview any questionable message before it is downloaded and
> decide if you want to delete it, blacklist the sender or "bounce" it.
> "Bouncing" may be its best feature. It sends a message back to the
> originator that essentially says, "you sent this message to an invalid
email
> address," causing a lot of spam generators to remove your address from
their
> mail list. Quite a nice program.
>
> I have not noticed spams coming to my callsign but will watch for it.
>
> For a LONG time, I had Outlook Express filtering out (deleting) anything
> coming from Hotmail. Mailwasher helped enough I was able to discontinue
> using that filter.
>
> Good luck.. Ed W5EJ

Ed
That's the reason I use the disposable email accounts
like yahoo & hotmail. When the spam gets to much
I just switch accounts and start all over. I NEVER
let anyone know my home ISP account address
that way I never get spamed there.

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

6079. ATTENTION ALL HAMS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 23:08:56 UTC
From: Charlie <porker@adelphia.net>
Message-ID: <cgcF9.17394$kO5.2406932@news1.news.adelphia.net>
Source record: 36789

We have a THIEF AMONGST US
HE goes by KC2ETW Eric A. Gonzales
7314 Lovett Ave. Dallas, Texas 75227
His cell phone is 469-360-4099

He got me.
K8GWM [porker@adelphia.net]

--

6080. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 23:34:12 UTC
From: DBN <dnicholson@mcmsys.com>
Message-ID: <as3op3$4gr$1@news.mcmsys.com>
Source record: 36790

Pump?? Your Handheld is water cooled?? Or maybe you mean output power. How abt you learn and use the correct terms instead of CB lingo.....

"Ken" <cprstn54zz@att.net> wrote in message news:3de4d3a5.132827953@news-server.optonline.net...
> If I do the MARS/CAP mod on my VX-150 HT -- which pumps 5 watts in the
> ham 2M band -- what can I expect at say 156 MHz (marine) if I change
> to a ducky resonant on the marine band?
>
> Will the radio still pump anything near 5 watts?
>
> Of course, I would use it only in an emergency . . .
>
> Ken KC2JDY
>
> Ken
> (to reply via email
> remove "zz" from address)

6081. Siskin Multi-Cat, Yaesu FT747gx and logbook program

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 23:39:31 UTC
From: Tech <newbury66@hotmail.com>
Message-ID: <JIcF9.3478$dp1.83112@newsfep3-gui.server.ntli.net>
Source record: 36791

Hello all and thank you for reading this message.

I have recently aquired an old Siskin Multi-cat controller for my aging 747. The software supplied with it (procat) works fine, but I am looking for some more modern (windows) software which incorporates a logbook program to use with it.

At the moment I am trying TRX manager, which I don't really like. Has anybody got any suggestions please?

Also there is a miniture toggle swich on the bottom of the box, can anybody tell me its use please?

Any help would be very gratefully received

Many thanks

Alan
M3TEC

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.423 / Virus Database: 238 - Release Date: 25/11/2002

6082. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-27 23:45:46 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <as3lq6$vt2$1@slb9.atl.mindspring.net>
Source record: 36792

Oh and one more minor detail. If you use a 'ham' radio on the marine bands
it is not legal. The FCC requires type acceptance.

Dan/W4NTI

"DBN" <dnicholson@mcmsys.com> wrote in message
news:as3op3$4gr$1@news.mcmsys.com...
> Pump?? Your Handheld is water cooled?? Or maybe you mean output power.
How
> abt you learn and use the correct terms instead of CB lingo.....
>
>
>
> "Ken" <cprstn54zz@att.net> wrote in message
> news:3de4d3a5.132827953@news-server.optonline.net...
> > If I do the MARS/CAP mod on my VX-150 HT -- which pumps 5 watts in the
> > ham 2M band -- what can I expect at say 156 MHz (marine) if I change
> > to a ducky resonant on the marine band?
> >
> > Will the radio still pump anything near 5 watts?
> >
> > Of course, I would use it only in an emergency . . .
> >
> > Ken KC2JDY
> >
> > Ken
> > (to reply via email
> > remove "zz" from address)
>
>

6083. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 00:17:32 UTC
From: abockelm@optonline.net
Message-ID: <3de56054.122533356@news.optonline.net>
Source record: 36793
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

As of yesterday when I checked ARRL, Hotmail is now forwarding
again and they say they are working with Juno to resolve.

On Wed, 27 Nov 2002 13:00:50 -0500, "KB9TMP" <kb9tmp@juno.com>
wrote:

>
>"Ed Juge/NM" <ed@juge.org> wrote in message
>news:ew4F9.20157$NV.413871@news.direcpc.com...
>> For six or more months, I've used a program called "Mailwasher." Free.
>> www.mailwasher.net. Written up in one of the PC mags this month as highly
>> recommended. In the beginning, you need to look at incoming mail and flag
>> those things you never want to retrieve, but within a couple of weeks,
>it's
>> filtering out almost everything. It also flags potential viruses. Maybe
>> two to four spams slip through in a week.
>>
>> It does display advertising which can be stopped for a one-time donation
>of
>> your choice. $20 is requested but not required.
>>
>> You can also preview any questionable message before it is downloaded and
>> decide if you want to delete it, blacklist the sender or "bounce" it.
>> "Bouncing" may be its best feature. It sends a message back to the
>> originator that essentially says, "you sent this message to an invalid
>email
>> address," causing a lot of spam generators to remove your address from
>their
>> mail list. Quite a nice program.
>>
>> I have not noticed spams coming to my callsign but will watch for it.
>>
>> For a LONG time, I had Outlook Express filtering out (deleting) anything
>> coming from Hotmail. Mailwasher helped enough I was able to discontinue
>> using that filter.
>>
>> Good luck.. Ed W5EJ
>
>
>Ed
>That's the reason I use the disposable email accounts
>like yahoo & hotmail. When the spam gets to much
>I just switch accounts and start all over. I NEVER
>let anyone know my home ISP account address

>that way I never get spamed there.
>
>--
>'73' From KB9TMP
>"The secret of life is honesty and fair dealing,
>if you can fake that, you've got it made."
>-Groucho Marx
>
>
>

6084. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 00:26:43 UTC
From: "Donnie (N4JZH)" <n4jzh@knology.net>
Message-ID: <punauu00a381eip4pigafmo3d3eqmlvaub@4ax.com>
Source record: 36794

On Wed, 27 Nov 2002 17:34:12 -0600, "DBN" <dnicholson@mcmsys.com> wrote:

>Pump?? Your Handheld is water cooled?? Or maybe you mean output power. How
>abt you learn and use the correct terms instead of CB lingo.....
>
>
>
>"Ken" <cprstn54zz@att.net> wrote in message
>news:3de4d3a5.132827953@news-server.optonline.net...
>> If I do the MARS/CAP mod on my VX-150 HT -- which pumps 5 watts in the
>> ham 2M band -- what can I expect at say 156 MHz (marine) if I change
>> to a ducky resonant on the marine band?
>>
>> Will the radio still pump anything near 5 watts?
>>
>> Of course, I would use it only in an emergency . . .
>>
>> Ken KC2JDY
>>
>> Ken
>> (to reply via email
>> remove "zz" from address)
>
I will have too agree with the Dan
Leave the ''pump'' lingo on the chicken band and your comment use it only in a emergency ?
Please explain what type of emergency would require you to use a radio that is type
accepted
for the ham bands on a marine frequency?
Mars/CAP mods are intended for just that, with the proper credentials.
care to share with the group a MARS call...

''Behold how good and pleasant it is for Brethren to dwell together in unity''
Donnie n4jzh@knology.net

6085. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 00:37:39 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <vCdF9.20387$NV.416671@news.direcpc.com>
Source record: 36795
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

Only problem with that is all your friends are constantly having to change
their mailing lists. I never change mine and using Mailwasher, don't have
to. My current spam level is maybe 2-3 per week that sneak through MW...
probably they arrived in the account in the few seconds between the time MW
checked the mail and when OE actually retrieved mail.

Ed

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:uua222hmngpp70@corp.supernews.com...
>
> "Ed Juge/NM" <ed@juge.org> wrote in message
> news:ew4F9.20157$NV.413871@news.direcpc.com...
> > For six or more months, I've used a program called "Mailwasher." Free.
> > www.mailwasher.net. Written up in one of the PC mags this month as
highly
> > recommended. In the beginning, you need to look at incoming mail and
flag
> > those things you never want to retrieve, but within a couple of weeks,
> it's
> > filtering out almost everything. It also flags potential viruses.
Maybe
> > two to four spams slip through in a week.
> >
> > It does display advertising which can be stopped for a one-time donation
> of
> > your choice. $20 is requested but not required.
> >
> > You can also preview any questionable message before it is downloaded
and
> > decide if you want to delete it, blacklist the sender or "bounce" it.
> > "Bouncing" may be its best feature. It sends a message back to the
> > originator that essentially says, "you sent this message to an invalid
> email
> > address," causing a lot of spam generators to remove your address from
> their
> > mail list. Quite a nice program.
> >
> > I have not noticed spams coming to my callsign but will watch for it.
> >
> > For a LONG time, I had Outlook Express filtering out (deleting) anything
> > coming from Hotmail. Mailwasher helped enough I was able to discontinue
> > using that filter.
> >

> > Good luck.. Ed W5EJ
>
>
> Ed
> That's the reason I use the disposable email accounts
> like yahoo & hotmail. When the spam gets to much
> I just switch accounts and start all over. I NEVER
> let anyone know my home ISP account address
> that way I never get spamed there.
>
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

6086. Re: ATTENTION ALL HAMS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 01:01:48 UTC
From: Truman <no@hello.goodbye>
Message-ID: <fHdF9.21061$sT3.17550@news.bellsouth.net>
Source record: 36796

What did he do?

6087. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 01:56:52 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <FCeF9.15310$EY.7712@fe01>
Source record: 36797

"Donnie (N4JZH)" <n4jzh@knology.net> wrote in message
news:punauu00a381eip4pigafmo3d3eqmlvaub@4ax.com...
> On Wed, 27 Nov 2002 17:34:12 -0600, "DBN" <dnicholson@mcmsys.com> wrote:
>
> >Pump?? Your Handheld is water cooled?? Or maybe you mean output power.
How
> >abt you learn and use the correct terms instead of CB lingo.....
> >
> >
> >"Ken" <cprstn54zz@att.net> wrote in message
> >news:3de4d3a5.132827953@news-server.optonline.net...
> >> If I do the MARS/CAP mod on my VX-150 HT -- which pumps 5 watts in the
> >> ham 2M band -- what can I expect at say 156 MHz (marine) if I change
> >> to a ducky resonant on the marine band?
> >>
> >> Will the radio still pump anything near 5 watts?
> >>
> >> Of course, I would use it only in an emergency . . .
> >>
> >> Ken KC2JDY
> >>
> >> Ken
> >> (to reply via email
> >> remove "zz" from address)
> >
> I will have too agree with the Dan
> Leave the ''pump'' lingo on the chicken band and your comment use it only
in a emergency ?
> Please explain what type of emergency would require you to use a radio
that is type accepted
> for the ham bands on a marine frequency?
> Mars/CAP mods are intended for just that, with the proper credentials.
> care to share with the group a MARS call...
>

Or even a regular amateur callsign...?

73 de W6DKN

6088. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 03:15:06 UTC
From: "John C." <caps@cablespeed.com>
Message-ID: <uub2hufcg87e8@corp.supernews.com>
Source record: 36698

"W6DKN" <w6dkn-nospam-@qsl.net> wrote in message
news:FCeF9.15310$EY.7712@fe01...
"Donnie (N4JZH)" <n4jzh@knology.net> wrote in message
news:punauu00a381eip4pigafmo3d3eqmlvaub@4ax.com...
> On Wed, 27 Nov 2002 17:34:12 -0600, "DBN"
<dnicholson@mcmsys.com> wrote:
>
> >Pump?? Your Handheld is water cooled?? Or maybe you mean
output power.
How
> >abt you learn and use the correct terms instead of CB
lingo.....
> >
> >
> >
> >"Ken" <cprstn54zz@att.net> wrote in message
> >news:3de4d3a5.132827953@news-server.optonline.net...
> >>
> >> Ken KC2JDY
> >>
> >> Ken
> >> (to reply via email
> >> remove "zz" from address)
> >
> I will have too agree with the Dan
.
> care to share with the group a MARS call...
>

Or even a regular amateur callsign...?

73 de W6DKN

Um - that is a regular call sign - General Class, in fact.
Check the ARRL web site.

73 de KC3LX

6089. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 03:33:59 UTC
From: cprstn54zz@att.net
Message-ID: <3de587c4.29393750@news-server.optonline.net>
Source record: 36699

On Wed, 27 Nov 2002 14:19:06 GMT, cprstn54zz@att.net (Ken) wrote:

To Dan, Donnie, DBN and W6DKN:

Pump this: You obviously don't know the answer and don't have a life.

It is not unlawful to make this mod or to possess such a radio. It is not unlawful to use the marine VHF band without a license, because no license is required. It is not unlawful to use a non-type-approved radio in an emergency.

It is called the MARS/CAP mod. I didn't name it. I don't represent anything by making the mod. I just solder a jumper in the privacy of my shack.

Lastly, you have no reason to believe that this HT would actually cause any harmful interference on 156 MHz.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

6090. FS: Globe HG-303 Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 13:29:38 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <kg6cuucr3dec69o68sl4l6g2i1ee1dr604@4ax.com>
Source record: 36700
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

For sale - rather rare Globe HG-303 novice transmitter. Mint
condition.

6146 final for 75 watts on 80, 40, 20, 15 and 10m bands. CW only.
Has metering for plate and grid current.
Standby-Operate-Tune switching etc.

Comes in the original box with manual.

Looks just like new and operating fine with full output.

Picture at:

http://home.cfl.rr.com/happysurfer/imag/globe_hg303.jpg

Will sell for $135.00 plus shipping

6091. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 13:54:05 UTC
From: "Donnie (N4JZH)" <n4jzh@knology.net>
Message-ID: <0a7cuukdcsc41830g76jqe1bok660k2ure@4ax.com>
Source record: 36701

On Wed, 27 Nov 2002 17:34:12 -0600, "DBN" <dnicholson@mcmsys.com> wrote:

>Pump?? Your Handheld is water cooled?? Or maybe you mean output power. How
>abt you learn and use the correct terms instead of CB lingo.....
>
>
>
>"Ken" <cprstn54zz@att.net> wrote in message
>news:3de4d3a5.132827953@news-server.optonline.net...
>> If I do the MARS/CAP mod on my VX-150 HT -- which pumps 5 watts in the
>> ham 2M band -- what can I expect at say 156 MHz (marine) if I change
>> to a ducky resonant on the marine band?
>>
>> Will the radio still pump anything near 5 watts?
>>
>> Of course, I would use it only in an emergency . . .
>>
>> Ken KC2JDY
>>
>> Ken
>> (to reply via email
>> remove "zz" from address)
>

Ken,
Marine band radios are dirt cheap, so why would you jeopardize the ticket you worked hard for?
I bet if you this, go down on a police frequency with a modified radio make a emergency call
and see what kind of hot water you will be in.
You can be assured with all of the other modern day devices i.e. a cellular phone, in a investigation it may not come out in your favor.
I am not going to debate with you about what is right or wrong anymore, I just hate to see a
ham who worked hard for his ticket get in trouble for a piece of gear that was not intended for
use on non ham bands.just my two pennies worth.

''Behold how good and pleasant it is for Brethren to dwell together in unity''
Donnie n4jzh@knology.net

6092. FS: Alinco DX70TH radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 14:25:12 UTC
From: DBN <dnicholson@mcmsys.com>
Message-ID: <as5cvr$6j4$1@news.mcmsys.com>
Source record: 36702

I am going to part with my Alinco DX-70TH as I have ordered a new Yaesu FT-897

I have the radio, hand Mic, and manual. No mobile bracket or box. The radio was my primary rig until I purchased a TS-450SAT. It became my 6 meter only rig for the last 6 months. Now that the new Yaesu is on the way it is time to move it on.
The rig is abt a 9 out of 10 and has never been mobile. All panel lamps are good. Radio was back to Alinco abt 2 years ago for a tune-up. I have never had any problems with the rig.
This is the 100 watt rig on both HF and 6 meters. If you want more info or a picture let me know and I will take a pic and send it to you..

I am asking $450 plus shipping and insurance.

Great starter or back up rig

Dan/N&#65533;FPE

6093. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 14:57:07 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <as5as3rjq1@terabinaries.xmission.com>
Source record: 36703

"Donnie (N4JZH)" <n4jzh@knology.net> wrote in message
news:0a7cuukdcsc41830g76jqe1bok660k2ure@4ax.com...
> On Wed, 27 Nov 2002 17:34:12 -0600, "DBN" <dnicholson@mcmsys.com> wrote:
>
> >Pump?? Your Handheld is water cooled?? Or maybe you mean output power.
How
> >abt you learn and use the correct terms instead of CB lingo.....
> >
> >
> >"Ken" <cprstn54zz@att.net> wrote in message
> >news:3de4d3a5.132827953@news-server.optonline.net...
> >> If I do the MARS/CAP mod on my VX-150 HT -- which pumps 5 watts in the
> >> ham 2M band -- what can I expect at say 156 MHz (marine) if I change
> >> to a ducky resonant on the marine band?
> >>
> >> Will the radio still pump anything near 5 watts?
> >>
> >> Of course, I would use it only in an emergency . . .
> >>
> >> Ken KC2JDY
> >>
> >> Ken
> >> (to reply via email
> >> remove "zz" from address)
> >
>
>
> Ken,
> Marine band radios are dirt cheap, so why would you jeopardize the ticket
you worked hard for?
> I bet if you this, go down on a police frequency with a modified radio
make a emergency call
> and see what kind of hot water you will be in.
> You can be assured with all of the other modern day devices i.e. a
cellular phone, in a
> investigation it may not come out in your favor.
> I am not going to debate with you about what is right or wrong anymore, I
just hate to see a
> ham who worked hard for his ticket get in trouble for a piece of gear that
was not intended for
> use on non ham bands.just my two pennies worth.
>
>

>
>
> ''Behold how good and pleasant it is for Brethren to dwell together in
unity''
> Donnie n4jzh@knology.net

Water-cooled? That was funny...BUT what isn't funny is the way is was
presented. Instead of putting someone down, why not politely correct him?
Sheesh, we're having a hard enough time fighting to keep Amateur Radio alive
and don't need any more bad examples for everyone to see.

OK, with that aside...

Modify it all you want to Ken. Your factory antenna will mostly likely work
OK on 156Mhz and you probably won't see too much of a power decrease, if
any.

Just don't use it out of band unless you have an emergency where life or
property are at risk and you've already exhausted every other means of
communication.

I used my IC-706 in the middle of Utah's west desert to contact the
Sheriff's Dept. and dispatch a life-flight helicopter because I had no cell
phone signal and I couldn't get anyone to answer on several ham repeaters.

I'm still hammin...

73,

Dan
N7SLC

6094. WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 15:33:47 UTC
From: Chuck <k8cpa*nospam*@arrl.net*nospam*>
Message-ID: <l4dcuuo8nkn6qas6lo01s94101irp2blcm@4ax.com>
Source record: 36705
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

This is being posted for a friend of mine who does NOT (to my knowledge) have newsgroups on his computer...

WARNING WARNING WARNING WARNING!!!!

THERE IS A THIEF IN OUR RANKS!

KC2ETW
ERIC A GONZALES
7314 LOVETT AVE
DALLAS TX 75227
USA

ADVERTISED A ICOM IC-756PRO, LATE S/N... K8GWM CHARLIE IN OHIO, SENT THE MONEY, WHAT ARRIVED WAS A OLD JUNK CAR RADIO, A 2X4 ALL WRAPPED IN A BLANKET. THE CHECK WAS CASHED AT A PARTY STORE IN DALLAS. (A LIQUOR STORE NO LESS!)

ANYONE WHO HAS HAD DEALINGS WITH KC2ETWM, PLEASE CONTACT CHARLIE, K8GWM AT Porker@Adelphia.net

THIS IS SERIOUS BUSINESS.

ALSO TO KC2ETW, I WOULD STRONGLY ADVISE YOU SIR TO EITHER MAKE GOOD ON CHARLIE'S RADIO, OR SEND CHARLIE'S MONEY BACK, THERE'S TALK ON CHARLIE'S 75 METER HANG OUT, OF A GANG OF GUYS COMING TO YOUR HOUSE TO EVEN THE SCORE. IF I WERE YOU, I'D BE MAKING SOME PHONE CALLS.

73 DE K8CPA

--Chuck

73
-Chuck K8CPA
REAL Ham's use 160, 75 and 40 meters!
REAL Ham's Use CW!
http://mywebpages.comcast.net/k8cpa/

6095. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 16:35:59 UTC
From: cprstn54zz@att.net
Message-ID: <3de641f0.14243671@news-server.optonline.net>
Source record: 36706

On Thu, 28 Nov 2002 07:57:07 -0700, "Dan" <n7slc@yahoo.com> wrote:
>Just don't use it out of band unless you have an emergency where life or
>property are at risk and you've already exhausted every other means of
>communication.

I intend to have it with me while fishing inshore, on lakes and on rivers. The low ground is often poor for land VHF, but there sometimes are boats in plain sight. It is nice to know I could call Mayday on channel 16 if I got into trouble -- without carrying a second radio.

For deep backwoods emergency use I do bring an additional radio -- an airband HT. I have never used it but it is nice to know that regardless of terrain, I can send a Mayday to commercial aircraft on 121.5 AM. If I could modify the VX-150 to TX on 121.5 AM, I would do that too.

I guess the folks who are critical of doing this kind of thing would rather just lie there injured and alone and die. I have no objection to their doing that but, for me, I would like a chance.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

6096. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 17:11:50 UTC
From: Idontwantspam@net
Message-ID: <3de643d9.55903905@news.bellatlantic.net>
Source record: 36707

>>"Ken" <cprstn54zz@att.net> wrote in message
>>news:3de4d3a5.132827953@news-server.optonline.net...
>>> If I do the MARS/CAP mod on my VX-150 HT -- which pumps 5 watts in the
>>> ham 2M band -- what can I expect at say 156 MHz (marine) if I change
>>> to a ducky resonant on the marine band?
>>>
>>> Will the radio still pump anything near 5 watts?
>>>
>>> Of course, I would use it only in an emergency . . .
>>>
>>> Ken KC2JDY
>>>
Correct me if I'm wrong, but I don't think the MARS/CAP mod does not
get all the way to the marine band anyways. I believe that the
MARS/CAP mod brings a 2M rig to transmit on 142-150 mHz instead of
144-148.

MARS/CAP mods are part of the radio's design, and perfectly legal for
those authorized by those groups.

I think Ken means a "freeband" mod, which goes beyond the radio's
design, and may produce low power, harmonics, and other problems when
that far out of its transmission specs.

Also, you are on thin ice legally in using a radio out of its band.
Saying you would only use it in an emergency is fine, but make sure
that the emergency involves immediate threat of bodily injury, and
that there are no other possible means of communications.

It being an emergency may be a helpful defense when brought into court
over illegal transmissions, but it will not automatically make
everything all right, and you could still be penalized by the FCC.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6097. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 17:33:22 UTC
From: Brian Griffey <briangriffey@worldnet.att.net>
Message-ID: <CrsF9.28939$vM1.2227749@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36708

lol...

--
||||||||||||||||||||||||||||||||||||||||
Brian Griffey

View the SkyWave Amplifier brochure at:
http://home.att.net/~briangriffey/SkyWave2879AB.pdf
||||||||||||||||||||||||||||||||||||||||

"Ken" <cprstn54zz@att.net> wrote in message
news:3de587c4.29393750@news-server.optonline.net...
> On Wed, 27 Nov 2002 14:19:06 GMT, cprstn54zz@att.net (Ken) wrote:
>
> To Dan, Donnie, DBN and W6DKN:
>
> Pump this: You obviously don't know the answer and don't have a life.

6098. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 17:41:59 UTC
From: Bruce Lane <SpammersAreVermin@dev.nul>
Message-ID: <MPG.184ff5428df59eae989a68@news.drizzle.com>
Source record: 36709

In article <3de4d3a5.132827953@news-server.optonline.net>,
cprstn54zz@att.net says...

> If I do the MARS/CAP mod on my VX-150 HT -- which pumps 5 watts in the
> ham 2M band -- what can I expect at say 156 MHz (marine) if I change
> to a ducky resonant on the marine band?

Besides potentially poor performance, you can expect to be in
violation of FCC type acceptance regs which largely prohibit the use of
non-type accepted radios on commercial or marine frequencies.

If you need portable coverage in both ham and commercial bands, my
advice would be to get a Motorola Saber, MT1000, or MT2000, and have it
programmed accordingly. They're broadbanded enough that they can do 2m,
MARS, and marine in one package, and they show up at both ham swaps and
on Ebay.

> Will the radio still pump anything near 5 watts?

Impossible to tell without looking at the design specs. I'm not
familiar with the VX-150.

> Of course, I would use it only in an emergency . . .

You would trust a radio that may not perform at spec in an
emergency? You're braver than I am...

--
Bruce Lane, Owner and Head Hardware Heavy,
Blue Feather Technologies -- http://www.bluefeathertech.com
Amateur Radio: KC7GR (Formerly WD6EOS) since 12-77.
kyrrin (a/t) bluefeathertech dot-com (Reassemble to use)
"I'll get a life when someone demonstrates to me it would be superior to
what I have now..." (Taki Kogoma)

6099. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 17:49:10 UTC
From: Bruce Lane <SpammersAreVermin@dev.nul>
Message-ID: <MPG.184ff6eecb86860a989a69@news.drizzle.com>
Source record: 36710

In article <3de641f0.14243671@news-server.optonline.net>,
cprstn54zz@att.net says...

<snippety>

> I guess the folks who are critical of doing this kind of thing would
> rather just lie there injured and alone and die. I have no objection
> to their doing that but, for me, I would like a chance.

Nothing could be further from the truth. It's just that, if my life
or that of my companion(s) were at risk, I would want some assurance that
the radio I carried would do its job with a good set of specs behind it.
The only way to get that assurance is if the radio in question is (1),
designed to work on the frequency in question; And (2), the manufacturer
has certified that functionality through type acceptance.

Also, as others have pointed out, I hate to see someone risking
their license in the manner that you are.

I still think you'd be better off investing in a Saber or MT series
portable, but it's your call.

Good luck...

--
Bruce Lane, Owner and Head Hardware Heavy,
Blue Feather Technologies -- http://www.bluefeathertech.com
Amateur Radio: KC7GR (Formerly WD6EOS) since 12-77.
kyrrin (a/t) bluefeathertech dot-com (Reassemble to use)
"I'll get a life when someone demonstrates to me it would be superior to
what I have now..." (Taki Kogoma)

6100. FA: ASTATIC D-104 MIKE-HEAD only, Stuck @$10.50, ends Sunday!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 17:50:27 UTC
From: rlucch2098@aol.com
Message-ID: <20021128125027.10429.00005171@mb-mv.aol.com>
Source record: 36711

Many nice, clear pictures!
The Element inside cost over $25 alone :-(
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744085

6101. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 17:51:41 UTC
From: Bruce Lane <SpammersAreVermin@dev.nul>
Message-ID: <MPG.184ff784977c965d989a6a@news.drizzle.com>
Source record: 36712

In article <3de587c4.29393750@news-server.optonline.net>,
cprstn54zz@att.net says...

<snip>

> Lastly, you have no reason to believe that this HT would actually
> cause any harmful interference on 156 MHz.

If you have any type of technical background in the RF arena, you
know as well as I do that this is a very dangerous assumption.

If you're bound and determined to do this, please do yourself and
others a favor by checking your portable's output on a good-quality
spectrum analyzer before you take it into service.

--
Bruce Lane, Owner and Head Hardware Heavy,
Blue Feather Technologies -- http://www.bluefeathertech.com
Amateur Radio: KC7GR (Formerly WD6EOS) since 12-77.
kyrrin (a/t) bluefeathertech dot-com (Reassemble to use)
"I'll get a life when someone demonstrates to me it would be superior to
what I have now..." (Taki Kogoma)

6102. FA: Hams Collect CB Radios Too! Check out this Rare ROBERTS CB

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 17:52:20 UTC
From: rlucch2098@aol.com
Message-ID: <20021128125220.10429.00005174@mb-mv.aol.com>
Source record: 36713

Many nice, clear pictures!
Only at $11.00 es Ends Sunday!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744096

6103. FA: Need a dual-Section CARDWELL CAP? 180pF per section @$10

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 17:54:10 UTC
From: rlucch2098@aol.com
Message-ID: <20021128125410.10429.00005175@mb-mv.aol.com>
Source record: 36714

Many nice, clear pictures!
Only at $10.00 es Ends Sunday!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744099

6104. FA Great old NATIONAL "VELVET VERNIER" Drive Dial- Ends Sunday!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 17:56:01 UTC
From: rlucch2098@aol.com
Message-ID: <20021128125601.10429.00005178@mb-mv.aol.com>
Source record: 36715

Many nice, clear pictures!
Only at $23.00 es Ends Sunday!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744104

6105. fa: Crystal Radio/Antenna tuner? Many great old parts & Vernier drive

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 17:57:55 UTC
From: rlucch2098@aol.com
Message-ID: <20021128125755.10429.00005180@mb-mv.aol.com>
Source record: 36716

Many nice, clear pictures!
Only at $11.00 es Ends Sunday!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744101

6106. fa-SEVEN ANTIQUE PLUG-IN COILS for SHORT WAVE Cheep=$12

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 17:59:33 UTC
From: rlucch2098@aol.com
Message-ID: <20021128125933.10429.00005183@mb-mv.aol.com>
Source record: 36717

Many nice, clear pictures!
Only at $12.00 es Ends Sunday!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744105

6107. fa: WRL GLOBE SCOUT 65A TRANSMITTER-1955, Nice one-Sunday!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 18:01:08 UTC
From: rlucch2098@aol.com
Message-ID: <20021128130108.10429.00005185@mb-mv.aol.com>
Source record: 36718

Many nice, clear pictures!
Only at $51.00 es Ends Sunday!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744106

6108. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 18:01:47 UTC
From: cprstn54zz@att.net
Message-ID: <3de65943.20214375@news-server.optonline.net>
Source record: 36719

On Thu, 28 Nov 2002 17:11:50 GMT, Idontwantspam@net (Gary S.) wrote:
>Correct me if I'm wrong, but I don't think the MARS/CAP mod does not
>get all the way to the marine band anyways. I believe that the
>MARS/CAP mod brings a 2M rig to transmit on 142-150 mHz instead of
>144-148.

The MARS/CAP mod for the VX-150 expands the range to 140-174. See:
http://www.icongrp.com/~sllewd/vx150main.html

Highest marine band frequency is 162.025. Channel 16 is 156.8.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

6109. Fa- HAM cb COLLECTORS >>LAFAYETTE COMSTAT-19> WORKING!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 18:03:09 UTC
From: rlucch2098@aol.com
Message-ID: <20021128130309.10429.00005188@mb-mv.aol.com>
Source record: 36720

Many nice, clear pictures!
Only at $45.00 es Ends Sunday!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744114

6110. fA>>-> 3 Hammarlund disc neutralizing caps 3-24pf, no bids @$9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 18:05:19 UTC
From: rlucch2098@aol.com
Message-ID: <20021128130519.10429.00005190@mb-mv.aol.com>
Source record: 36721

Many nice, clear pictures!
Only at $10.00 es Ends Sunday!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744111

6111. fa-> 2 Giant/Jumbo CARDWELL Ceramic Flex-Couplings NOS>cheep

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 18:07:37 UTC
From: rlucch2098@aol.com
Message-ID: <20021128130737.10429.00005193@mb-mv.aol.com>
Source record: 36722

Many nice, clear pictures!
Only at $10.00 es Ends Sunday!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744117

6112. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 18:20:53 UTC
From: Idontwantspam@net
Message-ID: <3de65c3e.62149476@news.bellatlantic.net>
Source record: 36723

On Thu, 28 Nov 2002 18:01:47 GMT, cprstn54zz@att.net (Ken) wrote:

>On Thu, 28 Nov 2002 17:11:50 GMT, Idontwantspam@net (Gary S.) wrote:
>>Correct me if I'm wrong, but I don't think the MARS/CAP mod does not
>>get all the way to the marine band anyways. I believe that the
>>MARS/CAP mod brings a 2M rig to transmit on 142-150 mHz instead of
>>144-148.
>
>The MARS/CAP mod for the VX-150 expands the range to 140-174. See:
>http://www.icongrp.com/~sllewd/vx150main.html
>
>Highest marine band frequency is 162.025. Channel 16 is 156.8.
>
>Ken KC2JDY

I guess different units have different coverage after a MARS/CAP mod.
I got that from another 2M unit specs on the mod. I could not find
exact frequencies for what MARS/CAP actually uses on 2M.

That may resolve the technical issues, although not all standard
antennas will cover that whole range well for xmit.

You still have the legal issues, though. Even though your emergency
situation may warrant the use of non-type accepted equipment, you may
still have to go to court over it with the FCC.

I know a second radio is one more thing to worry about, but having a
marine radio on your boat is not that strange. A friend has one in his
sea kayak. You could monitor on the VX-150 for ham and marine bands,
and pull out the marine radio to transmit during emergencies.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6113. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 18:36:46 UTC
From: cprstn54zz@att.net
Message-ID: <3de65a27.20442515@news-server.optonline.net>
Source record: 36724

On Thu, 28 Nov 2002 09:41:59 -0800, Bruce Lane
<SpammersAreVermin@dev.nul> wrote:
> Besides potentially poor performance, you can expect to be in
>violation of FCC type acceptance regs which largely prohibit the use of
>non-type accepted radios on commercial or marine frequencies.

It appears that the VX-7R does quite well up to around 165 MHz with
the MARS/CAP mod -- almost full power. I am hoping the VX-150 will do
as well.

> If you need portable coverage in both ham and commercial bands, my
>advice would be to get a Motorola Saber, MT1000, or MT2000

OK. This is helpful and these are rugged radios. However:

-Motorola Saber, etc: 8" X 1" X 3", 26 oz., $500 and up

-Yaesu VX-150: 4" X 1" X 2", 12 oz, $79 new complete kit at
gigaparts.com

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

6114. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 20:05:37 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <XXbmPSYYFGHPzI3Q+Hy2rI6mmf4K@4ax.com>
Source record: 36725

cprstn54zz@att.net (Ken) wrote:

>
>I guess the folks who are critical of doing this kind of thing would
>rather just lie there injured and alone and die. I have no objection
>to their doing that but, for me, I would like a chance.

Well, if it's life or death, AES has marine HTs starting at $99, aircraft HTs
starting at $259.

Bob
k5qwg
>
>Ken KC2JDY
>
>
>Ken
>(to reply via email
>remove "zz" from address)

6115. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 20:09:09 UTC
From: cprstn54zz@att.net
Message-ID: <3de67677.27689875@news-server.optonline.net>
Source record: 36726

On Thu, 28 Nov 2002 18:20:53 GMT, Idontwantspam@net (Gary S.) wrote:
>I know a second radio is one more thing to worry about, but having a
>marine radio on your boat is not that strange. A friend has one in his
>sea kayak. You could monitor on the VX-150 for ham and marine bands,
>and pull out the marine radio to transmit during emergencies.

I own three (3) marine VHF radios, including the HX-460S. I use them while boating. The fishing I am talking about is camping/hiking-type fishing. I have to carry the radio, not my boat.

I keep in contact with folks in my party via 2M, so I have the ham HT with me anyway. You can't lawfully do that with a marine radio since most of the time we are on shore or in the woods. I guess we could claim that our sweaty socks are a waterway.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

6116. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 20:55:16 UTC
From: John Anderson <johnandeNOSPAM@interl.net>
Message-ID: <VovF9.15742$0n4.2309478@newsfeed.slurp.net>
Source record: 36727
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

"Ed Juge/NM" <ed@juge.org> wrote in message
news:vCdF9.20387$NV.416671@news.direcpc.com...
Only problem with that is all your friends are constantly having to change
their mailing lists. I never change mine and using Mailwasher, don't have
to. My current spam level is maybe 2-3 per week that sneak through MW...
probably they arrived in the account in the few seconds between the time MW
checked the mail and when OE actually retrieved mail.

Ed

My ISP uses mail filtering which has reduced the load some
90%, but what does, I send to Spamcop.

I just hope my own domain's mail server stays free
for a bit, but I am not posting the mail address anywhere.

John Anderson

http://www.k0bkl.org

6117. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 21:11:43 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <eoXmPT+I9xjev0Y+5O9JYgsWM5A7@4ax.com>
Source record: 36728

cprstn54zz@att.net (Ken) wrote:

>If I do the MARS/CAP mod on my VX-150 HT -- which pumps 5 watts in the
>ham 2M band -- what can I expect at say 156 MHz (marine) if I change
>to a ducky resonant on the marine band?

The expanded coverage for MARS/CAP on one of the Radio Shack HTs is 142 to
149.88 Mhz. If those are the same frequencies you'd get, modding your Yaesu,
you're out of luck for the Marine Band.

Bob
k5qwg

>
>Will the radio still pump anything near 5 watts?
>
>Of course, I would use it only in an emergency . . .
>
>Ken KC2JDY
>
>Ken
>(to reply via email
>remove "zz" from address)

6118. FS: Collins Mics - Reduced even more!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 22:11:49 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <545duu48ghia4uha6caka9vfag83qqhejd@4ax.com>
Source record: 36729
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

Collins MM-1 mobile microphone in excellent condition with the proper
connector for S-line or KWM-2 series.
Now reduced to $115.00 firm plus shipping

Shure 444 Microphone wired for Collins rigs with the appropriate 3/16"
approx. diameter connector.
Very good condition. NOW REDUCED to $40.00 firm plus shipping

Pictures available at:
http://home.cfl.rr.com/happysurfer/mics.htm

6119. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-28 23:22:12 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <cBxF9.20714$NV.421930@news.direcpc.com>
Source record: 36730
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

Whatever works best for you, John, is certainly what you should do.

I made this a new message so you can see that all of my outgoing new stuff includes my email address in the signature. I've had this address for ...mmm... maybe 3-5 years and displayed it freely. The only other address I have is my callsign at ARRL.net and that auto forwards to the one below so anyone wanting to reach me and knowing only my call can get through.

Like I said, MAYBE 2-4 spams per week get through to me. Nothing. In my case certainly not worth the trouble of deceptive measures like inserting "nospam" which people must take time to remove, or otherwise hiding it.

Cheers... Ed

Ed Juge
Hondo, New Mexico
Phone: 505-653-4080
email: ed@juge.org
==========

6120. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 00:51:54 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3DE6BA2A.882FF160@ix.netcom.com>
Source record: 36731
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

Have you taken the package and copies of the emails to
the local post master at the post office?
Mail fraud is a felony and is taken very seriously.
D.S.

6121. WTB: IC-Q7A & UT-50/51

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 00:58:20 UTC
From: CK <rad20k@yahoo.com>
Message-ID: <1038531489.226744@cswreg.cos.agilent.com>
Source record: 36732

Looking to buy used Icom IC-Q7A transceiver and Icom UT-50/51 tone board for IC-2SAT transceiver. Please email direct pricing and condition.

6122. Standard CCR708A and Grundig YB400PE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 03:11:53 UTC
From: John Wilson <n8mkr@neo.rr.com>
Message-ID: <ZVAF9.5340$%p6.953420@twister.neo.rr.com>
Source record: 36733

I recently inherited these two receivers from an old friend and silent key, but neither had owners manuals. Can anyone help me out with nice photocopies or scans? I would be happy to cover the cost of copies and postage.

Thanx,
John
Akron, Ohio

6123. FS: Heathkit HW-100

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 03:52:48 UTC
From: wa8mea@hotmail.com
Message-ID: <8a260fb2.0211281952.420d3aea@posting.google.com>
Source record: 36734
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

For Sale: A very, very nice Heathkit HW-100. Great for the collector or for an inexpensive first rig. Comes with the Heathkit HP-23 power supply and the cable that fits between the supply and rig. I have also purchase a W7FG Vintage Manual for the HW-100 for about $40. I'll toss that into the deal. The rig has two NEW 6146 finals and a new 6CL6 driver. I will toss in the spares. Very good condition...no dents, no rust, original paint, original knobs. Comes with TWO mics, one the original Heathkit hand mic and the other a Turner mike that looks just like the Heath mic. Works great! Received excellent reports from all over...both audio and signal wise.

$295 and I will pay for the shipping and insurance. If you're short on cash, we can run the transaction through my ham/swl business using your "plastic".

You're also welcome to call if you want further info.

First e-mail or phone call gets it!

wa8mea@hotmail.com

73, Bill Lauterbach - WA8MEA

1.517.563.2613

DWM Communications - http://qth.com/dwm

6124. Re: Yahoo Group for Radio Shack DX-394 Users

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 04:12:12 UTC
From: Tom Holden <holden_family@sympatico.ca>
Message-ID: <EMBF9.5299$Nm.781153@news20.bellglobal.com>
Source record: 36735
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.shortwave

http://groups.yahoo.com/group/RADIOSHACKDX394/ has grown to 225 members. It has the most complete collection of modifications, usage tips, links to related websites, documentation, and photos along with a user survey and a message forum (585 messages archived) to help you get the most pleasure and DX out of your Realistic / Radio Shack DX-394, DX394, DX 394.

Additions to Files and Links since the last posting include:

- Options for the DX-394 Telescoping Whip Antenna - techniques for better SNR
- DX-394 AGC Circuit, A-Model Factory Kluge, and Custom Modifications for Fast Attack, 3-Speed Release and Defeat
- Understanding the Principles of DX-394 Frequency Tuning
- Component Data Sheets
- Exploded assembly diagram, printed circuit board layout and schematic with markups for mods, etc.
- Switchable IF Bandwidth for the DX-394 - mod to make IF filters selectable from front panel
- Don Tomkinson's mod to enhance bass output to speaker and headphones.
- Compilation of Frank Cathell's popular mods for the DX-394 with correction for the Noise Blanker mod. Includes: AGC MOD, CROSSTALK MODS, NOISE BLANKER, RF GAIN MOD, AUDIO 'HISS' MOD, CERAMIC FILTER MOD FOR AM (Poor Man's Kiwa).
- RS232 Serial Control Mod by Laurent Beaulieu
- Links to s/w & h/w for add-on IF filters, demodulators, noise blankers, audio filters, etc.
- Links to software and IF converters for possible adaptation of DX-394 as front end for software receiver of DRM digital audio transmissions from international broadcasters.
- Links to downloadable User Manual and to vendors of Service Manual

All those with an interest in this popular radio are welcome to join. Use the link at the top or bottom of this message.

73, Tom VE3MEO

"Tom Holden" <holden_family@cbc.ca> wrote in message news:...
> For those into modifying their DX-394, here are two good collections of
> files: www.mods.dk and
http://groups.yahoo.com/group/RADIOSHACKDX394/files/
>
> Index of www.mods.dk:
> - Ceramic filter mod for AM
> - AGC mod
> - Crosstalk mods
> - Noise blanker mod

> - Audio HISS mod
> - Keyboard beep delete
> - Audio enhancement
> - Radio Shack DX-394 Standby Mod
> - Adding Front Panel Switches to the Radio Shack DX-394 General
> Coverage Receiver
> - Soup up the DX-394 Knob Pointers
> - VHF Image Filter for the DX-394 Whip Antenna
> - Shielding the DX-394 with Aluminum Foil
> - RS-232 Serial Control of DX-394 English language (214 Kbytes)
> - Superior Shielding of the DX-394 with Steel Lids
> - Ultimate Shielding of the DX-394
>
> I think Frank Cathell authored all of the ones dated 23-07-2000 and I'm
> guilty of authoring or editing the rest. The following list from the Yahoo
> SIG duplicates much of the above as I have posted my stuff there, also.
With
> a membership of over 140, it's the largest known group of users of this
> receiver although it's possible there may be more viewers of Usenet
> newsgroups with DX-394's.
>
> Index of http://groups.yahoo.com/group/RADIOSHACKDX394/files/
> DX-394_KnobPointers.htm Description of mod for white knob pointers with
> photo.
> DX-394_foil.htm Instructions for improving the shielding of the DX-394 by
> lining the lids with aluminum foil.
> DX-394_serial.htm Updated description and images of Russ Hellar's mods
for
> serial control of the DX-394 by a computer.
> DX-394_shields.htm Ultimate Shielding of the DX-394 or "The Shields that
> should have been"
> DX-394_standby_mod.htm Mod to add dedicated front panel switch and/or
> external interface for control of STAND BY mode for ham use.
> DX-394_steel_lid.htm Superior Shielding of the DX-394 with Steel Lids.
Main
> page.
> DX-394_switches.htm Description and photo of switches and LED added to
Tom
> Holden's DX-394A at VE3MEO
> MainsFilterChoke.htm Add a Mains Filter Choke to your DX-394 to Reduce
> Ingress of Interference from the AC Power System
> VHFimagefilter-whip.htm VHF image filter for DX-394 whip antenna -
> description.
> dx-394-Schematicsb.JPG DX-394 Mechanical assembly drawing
>
> The Yahoo site also has a discussion forum and relevant links to other
> sites. You have to join Yahoo and register in the group to be able to use
> features other than the e-mail reflector.
>

> 73, Tom VE3MEO
>
> "Tom Holden" <holden_family@cbc.ca> wrote in message
> news:2b309.9274$DN4.1739782@news20.bellglobal.com...
> > Hi all you Radio Shack DX-394 users. I came across a SIG for this
> > much-loved, -modified and -maligned receiver that you may find of
> interest.
> > It's been up since Jan 2001, has 109 members, 171 postings and has all
> those
> > wonderful YahooGroups features ready to be exploited: Chat, Files,
Photos,
> > Bookmarks, Database, Polls, Calendar. And ads - the price of "free"-dom.
> > Hope to see you there.
> >
> > Regards,
> >
> > Tom
> >
> > http://groups.yahoo.com/group/RADIOSHACKDX394/
> >
> > RADIOSHACKDX394 • A Club for those who use and love the DX-394
> >
> > A Fan Club for the Radio Shack DX-394 Shortwave Reciever. Please post
your
> > thoughts and ideas of the DX-394. Your favorite Links to other Great
> DX-394
> > sites. Also helpful Hints and Tips.
> >
> > Subscribe: RADIOSHACKDX394-subscribe@yahoogroups.com

6125. Need Goog AM Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 04:25:28 UTC
From: Rick Pierce <pierce007@att.net>
Message-ID: <3DE6ECA3.6040401@att.net>
Source record: 36736

Hello All,

I know nothing about shortwave and worldband radios, but am told they have better than average AM reception. I need a good AM receiver to pull in a low power AM station from about 20 miles away. Currently, I can get the station on my car radios, but not on any radio in the house.

Can anyone help out with recommending a radio (new or used) that would have a good chance of pulling in the station? I am looking for a modest price radio in the $150 or less range. Somebody once recommended a SONY 3??? as a classic radio with a proven record, but I can't remember the exact model number.

Thanks for any information you may have!

6126. FS: Patcomm PC-9000 Transceiver 160m-6m

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 04:25:54 UTC
From: robert parker <robert931@sympatico.ca>
Message-ID: <r%BF9.5303$Nm.785005@news20.bellglobal.com>
Source record: 36737

Radio is immaculate.

Comes with mike, manual, orginal box and FM board installed.
Built in keyer, NB, RIT and Split plus a DVF (Digital Variable Filter)

This rig covers 160m-6m. Radio is housed in a solid aluminum black anodized
case. Knobs are aluminum. No plastic here.
See
www.patcommradio.com
for details and specs.
See EHAM for reviews of this rig.
http://www.eham.net/reviews/detail/355
Shipped to CONUS or Canada $475USD

Email me: valveman_6146@yahoo.com with questions

6127. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 05:37:06 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <vluduu4677gnq1juhrmu75u5pmedm6vd3s@4ax.com>
Source record: 36738

On Thu, 28 Nov 2002 18:36:46 GMT, cprstn54zz@att.net (Ken) wrote:

>> If you need portable coverage in both ham and commercial bands, my
>>advice would be to get a Motorola Saber, MT1000, or MT2000
>
>OK. This is helpful and these are rugged radios. However:
>
>-Motorola Saber, etc: 8" X 1" X 3", 26 oz., $500 and up
>
>-Yaesu VX-150: 4" X 1" X 2", 12 oz, $79 new complete kit at
>gigaparts.com
>
>
>Ken KC2JDY

It's just not a good idea to go admiting, in a public ham forum, that you have modified a ham radio and intend on transmitting where you're not allowed. If you're gonna stick to the philosophy that modifying your radio to illegally transmit on a non-ham frequency, you might as well go around saying that you're thinking of buying a commercial radio with your local police frequency on it to use it "in case of an emergency."

Ham radios are not type accepted. This means that they do not meet the requirements that commercial radios have to. This may result in poor performance outside of the ham bands or as a worst case scenario, cause harmful interference on commercial frequencies.

A commercial radio, such as a Motorola HT, can legally be used on both commerical and ham bands (with proper licenses if applicable) because it is type accepted and exceeds standards for ham radios. With the Motorola Saber (which you can get for a reasonable price on Ebay), you could program in ham and marine frequencies and not worry about the performance because these radios (and other radios like these) are made for such a broadband of frequencies and there's no legal aspects to worry about because you have your ham license and marine frequencies aren't licensed.

Just my $.02 worth.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

6128. Fluke 79 Series 2 Schematic Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 06:05:34 UTC
From: mtnmann@aol.com
Message-ID: <20021129010534.28816.00000334@mb-fe.aol.com>
Source record: 36739

If you have a Fluke 79 Series 2, Multimeter schematic you would share I would appreciate it.

E-mail me at: mtnmann@aol.com

John Hudick
W6XZ

6129. Doventron option schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 06:51:48 UTC
From: LC8UBT <remove>
Message-ID: <3de70c82.1568671@news.online.no>
Source record: 36740

Can anyone help me with the schematic for the option KEYBOARD OPERATED SEND unit (KOS-100) for a Doventron MCP-1000C? I know that it is not possible to order that option from Doventron, because Hank Sharfe W6SKC vent silent key in April. The company Web page is altso gone. So if anyone can help me with a schematic so i can build that option, it will be very nice. Similar circuits that are easy to build and attach to my doventron will altso be great.

73 DE LC8UBT

LC8UBT(a)frisurf.no

6130. FS: Motorola VISAR, Lot of 30

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 07:17:59 UTC
From: "R. Belcher" <randy.belcher@verizon.net>
Message-ID: <HwEF9.8071$%r6.4248@nwrddc02.gnilink.net>
Source record: 36741
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hello all,

I have a client looking to move 30-40 used Visars model H05RDD9AA4, UHF 403-470mhz. They would be interested in selling in lots of 10 each at $160 for radio, antenna and beltclip holster only, (price includes shipping to your home/business.) Radios are described as excellent physical and electronic condition. Aftermarket batteries available at additional cost. Payment via bank transfer or check/MO. PayPal is available, but not advised due to higher costs.

If interested, feel free to contact me.
thanks!
Randy

6131. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 07:25:01 UTC
From: Bruce Lane <SpammersAreVermin@dev.nul>
Message-ID: <MPG.1850b623d6255b2a989a6e@news.drizzle.com>
Source record: 36742

In article <3de65a27.20442515@news-server.optonline.net>,
cprstn54zz@att.net says...

<snip>

> OK. This is helpful and these are rugged radios. However:
>
> -Motorola Saber, etc: 8" X 1" X 3", 26 oz., $500 and up
>
> -Yaesu VX-150: 4" X 1" X 2", 12 oz, $79 new complete kit at
> gigaparts.com

Being able to absolutely avoid potential prosecution for a type-
acceptance violation, and being able to avoid the risk of losing one's
ham license in the bargain: Priceless.

Cost is not the only factor here. You most certainly get exactly
what you pay for in the electronics realm. Personally, I would not trust
a $79.00 radio to be a good lifeline, especially when there's nothing
else around to back it up.

Show me that the same Yaesu radio can be a solid and
consistent performer, under the same environmental conditions that a
Saber or MT series is built to withstand (heavy rain, snow, dirt, etc),
and I will happily shut up.

Good luck. I have a feeling you're going to need it...

--
Bruce Lane, Owner and Head Hardware Heavy,
Blue Feather Technologies -- http://www.bluefeathertech.com
Amateur Radio: KC7GR (Formerly WD6EOS) since 12-77.
kyrrin (a/t) bluefeathertech dot-com (Reassemble to use)
"I'll get a life when someone demonstrates to me it would be superior to
what I have now..." (Taki Kogoma)

6132. FS: Sony ICF-SW7600G

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 10:14:19 UTC
From: Patrick Wilson <emailpw@mindspring.com>
Message-ID: <as7emdqdh1@slb6.atl.mindspring.net>
Source record: 36743
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This radio is in very nice condition, works perfectly and will come in the box with all accessories including the external antenna and books.

95.00 plus shipping of 5 or 6 dollars.

7 3

W4PW

6133. Re: Need Goog AM Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 13:54:50 UTC
From: "Bob Parnass, AJ9S" <usenet2@parnass.org>
Message-ID: <3de7703f$0$1446$1dc6e903@news.corecomm.net>
Source record: 36744

For better AM broadcast reception, consider the
GE Superradio III. The internal ferrite antenna is larger
than those used in ordinary radios, and this permits
better reception of distant stations.

They are sold in many department stores for $45 - $55, including
Farm and Fleet. I've also seen them in hardware stores, at higher
prices.

You can buy it over the internet from Grove Enterprises:

http://www.grove-ent.com/RCV5.html

6134. Re: Alinco 620T reports???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 15:37:54 UTC
From: eggertm@arcor.de
Message-ID: <b2f86c8f.0211290737.196e146a@posting.google.com>
Source record: 36745

Hello Steve,

I dont know the 620, but the 610 does full Duplex, so I guess the 620 is also capable of doing so.

V/V and U/U did also work ok on the 610E.

Dont know about Cross-Band Repeat and Software.

But I did not buy the Alinco again, I did go with Icom or Kenwood the next time. The 610 is about unpossible to use mobile, just try to switch to repeater offset. The handling of the radio is just awful, my 706mk2g is much easier to use instead (and it is surley not the easiest radio out there)

Good luck,
Marco DJ5KW

steve@waits.net (Stephen Waits) wrote in message news:<f327e120.0211191727.4075901c@posting.google.com>...
> Anyone using this radio yet? What's your opinion of it?
>
> Is it full duplex? (I don't think it is)
>
> V/V, U/U work OK?
>
> What about cross-band repeat?
>
> What about software and cable (or cable pinouts) availability?
>
> Audio reports?
>
> I'm in the market for a mobile and, well, the Icom 2720 would be
> perfect other than the inexcusable lack of alpha tags. The Alinco,
> feature-wise, looks like a decent choice.
>
> Thanks,
> Steve

6135. For Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 15:38:23 UTC
From: oris@dirtball.com
Message-ID: <f7a9c6ac.0211290738.11dc3450@posting.google.com>
Source record: 36746

Hello All
I have a FT 920 with AM filter and MD 100 mike with the MFJ Versa Tuner V that I will Trade for a Yaesu FT 990.Anyone interested I am in the Atlanta area. I will meet with in a 70 mile radius of Athens GA. My email is oris@dirtball.com.sted I am in the Atlanta area. I will meet with in a 70 mile radius of Athens GA.
I Also Have a FT 1000MP that needs work. The frequency display blinks. I was told that there is a problem in the Phase Lock Loop curcuit. I will trade for working Kenwood TS 940 (with antenna tuner) or a FT 990 Or simlar HF rig. I also have a working Icom AT 500 antenna tuner that I will trade for a Kenwood TS 50 or any small 100 watt continuos coverage HF rig. I also Have a Henry radio 2KD-5 Amplifier (pair of Emac 3-500, New Power supply Capacitors, 100 in gets you 1250 out) that I will trade for a FT 990 or FT 1000.
I also Have a Pentium III 500 Mhz computer 40 X cd rom Turtle beach CD burner 128 K of ram sound card Network card 1 gig hard drive keyboard and mouse that I will trade for a HF rig.
Anyone interested I am in the Atlanta area. I will meet with in a 70 mile radius of Athens GA. My email is oris@dirtball.com. I am in the Atlanta area. I will meet with in a 70 mile radius of Athens GA.
Thanks for Reading and Happy Holidays
Oris
N4CND

6136. Re: maxon uhf gear on gmrs

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 18:39:19 UTC
From: Pat Deethardt <deethardt@tomah.com>
Message-ID: <deethardt-FC5092.12391929112002@corp.supernews.com>
Source record: 36747

In article <DgKE9.1767$yy.309759@newsread1.prod.itd.earthlink.net>,
"Karl Fuller" <karljb@earthlink.net> wrote:

> I have 3 ht's and 1 mobile and the programer and cables. all set up for
> gmrs. will sell for 300.00 or trade for vhf low band. of hf radio.
>
> --
> Karl :-)
>
>

What are the model numbers for the HTs and mobile?

Pat

6137. WTB: ICOM IC-901A for Parts

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 19:13:53 UTC
From: bmALLMAN <bmALLMAN@email.msn.com>
Message-ID: <OQifnt9lCHA.1204@cpimsnntpa03>
Source record: 36648

Want to buy an ICOM IC-901A, or just the control head. I have 2 901As and one of the control heads needs to be replaced. Let me know what yiou have, condition and price. Photo would be nice.
Thanks!!
73,
Bill
AB4P
BMallman@msn.com

6138. FS: Rare HeathKit SB-313 SW Receiver with all filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 20:34:32 UTC
From: p34901@hotmail.com
Message-ID: <694df9e0.0211291234.1f1f0813@posting.google.com>
Source record: 36649

FOR SALE: Very RARE HEATHKIT SB-313 SOLID-STATE SW RECEIVER with all filters (SSB/AM/CW) IN NICE WORKING CONDITION and very clean cosmetically. A great looking and sounding radio. E-MAIL ME FOR PICTURES AND OTHER INFO.
ASKING $200 + SHIPPING

6139. FS: Yaesu Landliner Speaker/Phone Path for FT-101 Series

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 20:48:40 UTC
From: p34901@hotmail.com
Message-ID: <694df9e0.0211291248.6f359465@posting.google.com>
Source record: 36650

FS: Yaesu Landliner Speaker/Phone Path for FT-101 Series
Mint Condition. Asking $50 + shipping

6140. Re: Trade MINT Drake R8 For Icom R75

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 20:55:50 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <u9PnPRAB7XPIeFUAHk8atptHgKzo@4ax.com>
Source record: 36652

Telamon <telamon_spamshield@pacbell.net.is.invalid> wrote:

>In article <gWZE9.11731$oc1.1760290@twister.neo.rr.com>,
> "DeWayne" <ke9k@indy.rr.com> wrote:
>
>> "phil :)" <just_rtfm@yahooREMOVETHIS.com> wrote in message
>> news:uu864h5c0n36a9@corp.supernews.com...
>> > > Have a beautiful Drake R8 and MS-8 speaker, box, R8 literature, and
>> manual
>> > > to trade for R75 with DSP and Kiwa or similar mods in similar condition.
>> >
>> > "now, the circle is complete"
>>
>> How so?
>
>His name is Darth phil :)
>
>Don't be seduced by the dark side.

Dunno about circles, but trading a $1000-plus Drake for a $550-or-so Icom ???

Bob
k5qwg

6141. Rhode und Schwarz SSB Demod Power Supply Transformator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 21:00:55 UTC
From: Nicolai Brakel <nicolai.brakel@web.de>
Message-ID: <7ik8sa.fj2.ln@keks.local>
Source record: 36651

Hi there,

I'm using the legendary R&S SW-Receiver EK07 (60 kg, 40 years old)..

Now the SSB-Demodulator NZ10A (seperate unit, 30 kg) broke down,
the power-supply-transformator (many diffrent voltages) blew up.

Can anybody help ????
Part No. is: NZ10-3.2

Thanks in advance,

Nick

6142. FT-50R battery needed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 21:25:21 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DE7DC1A.7DDB7109@optonline.net>
Source record: 36653
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.ham-radio.swap,alt.ham-radio.vhf-uhf

Hi all, I am in need of a dead FT-50R battery pack, number FNB-41.
This is the 9.6 volt @ 600ma battery.
I dropped mine from a rather high place and broke the case pretty badly.
My batteries are good and the radio still works!!
If you have one that you would like to part with please let me know what you
want for it.
Of course I'll pay for shipping.
PLEASE e-mail me direct at:

mrrusso@optonline.net

THANKS and 73, Mark N2FLF

6143. Re: 222 Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 21:48:32 UTC
From: ccox@chopped-ham-filtre.uhc.com.invalid
Message-ID: <as8nbg$j56$1@gabriel.uhc.com>
Source record: 36654

The only problem with the radios listed is that they are all FM only - no
SSB or CW.

--
Chris Cox, N0UK/G4JEC NIC Handle: CC345
UnitedHealthGroup, Inc., MN10-W116, UNIX Services & Consulting
6300 Olson Memorial Highway, Golden Valley, MN 55427
email: ccox@uhc.com (work) chrisc@chris.org (home)

6144. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 22:09:46 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <as8oj4$a14$1@slb6.atl.mindspring.net>
Source record: 36655

With all due respect..."PUMP THIS" .

Dan/W4NTI

"Ken" <cprstn54zz@att.net> wrote in message
news:3de587c4.29393750@news-server.optonline.net...
> On Wed, 27 Nov 2002 14:19:06 GMT, cprstn54zz@att.net (Ken) wrote:
>
> To Dan, Donnie, DBN and W6DKN:
>
> Pump this: You obviously don't know the answer and don't have a life.
>
> It is not unlawful to make this mod or to possess such a radio. It is
> not unlawful to use the marine VHF band without a license, because no
> license is required. It is not unlawful to use a non-type-approved
> radio in an emergency.
>
> It is called the MARS/CAP mod. I didn't name it. I don't represent
> anything by making the mod. I just solder a jumper in the privacy of
> my shack.
>
> Lastly, you have no reason to believe that this HT would actually
> cause any harmful interference on 156 MHz.
>
> Ken KC2JDY
>
>
>
>
> Ken
> (to reply via email
> remove "zz" from address)

6145. Gould Advance OS3000 A Scope Manual Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 22:32:13 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <gXRF9.9144$XN5.1187126@wards>
Source record: 36656

Hi. Thanks for reading this message.

I have just been given a Gould Advance OS3000 A Scope, but there was no manual with it!!
Can anyone help please?

Thanks in advance,

James (M3TCQ)

6146. FS: FT-187 w/accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-29 23:29:13 UTC
From: guygordon@hotmail.com
Message-ID: <b002c35b.0211291529.4245c2fc@posting.google.com>
Source record: 36657

Will take best offer above $695 . . . Here's what I paid through
Gigaparts.com:
FT-817 $625.00 LDP Z-11 Tuner $179.00 OTT by W4RT $59.95 Expedition
Pack $139.95 Maha (MH-FNB-72) NiMH Battery $54.95 Total: $1,058.85

I purchased the FT-817 earlier this year with the intent of using it,
but I've only had one 5 minute QSO on 2meters and listened to HF for a
few hours. It gathers more dust than use, because of the demands of my
job. I am looking for best offer. Please email: guygordon@hotmail.com
Thanks and 73 KO7UJ

6147. Re: Screwdriver Antenna Decision

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 00:29:19 UTC
From: wf3h@ptnospam.com
Message-ID: <3de80440.31248482@news.ptdprolog.net>
Source record: 36658

On Thu, 7 Nov 2002 14:04:48 -0000, "Bill East" <beast@pcs.mb.ca>
wrote:

>
>Like to get some comments on performance on how your screwdriver antenna
>is operating. Mount location info ,grounding method etc. anything else to
>assist me is making a decision. Plan on using a ft-100D or the new
>ft-897install the antenna on the rear fender of late model 1/2 ton .
>
>thanks,
>Bill
>\

I had a TJ antenna company screwdriver. QC was a real problem. It
comes with a small matching xformer for 80m, but they had poor QC and
they had to send me 3 of them to find one which worked.

a buddy of mine blew out 3 screwdriver motors. apparently when TJ
moved mfg locations they had some QC problems with those as well.

Antenna is very, very, very touchy about grounding. unless it's
perfect, the antenna won't work.

i finally gave up and sold mine...

>

6148. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 00:37:33 UTC
From: cprstn54zz@att.net
Message-ID: <3de807ee.130465500@news-server.optonline.net>
Source record: 36659

On Fri, 29 Nov 2002 16:09:46 -0600, "Dan/W4NTI"
<w4nti@NOSPAMmindspring.com> wrote:
>With all due respect..."PUMP THIS" .

That was just as helpful as your first response. You plainly have
nothing to add to this discussion, so why not just sit quietly and let
those who are interested in this thread discuss it?

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

6149. PK-Basic keyer question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 01:48:46 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <as95d401vu@enews1.newsguy.com>
Source record: 36661

I just purchased a couple of the PK-Basic keyer kits from Jackson Harbor. Very small; I plan to mount one in a mini-Altoids box -- smaller than the common Altoids box. Here are a few questions for anyone out there who has experience with this keyer:

1. Keyer needs 3 to 5 volts. How about running it off two or three watch batteries?
2. Keyer needs a piezo transducer (basically a very high impedance speaker) so you can hear the sidetone. Can't I just use an RC circuit and use common ear bud earphones -- the kind you can pick up at Radio Shack or any other place that fine electronic equipment is sold?

Thanks.

--

Regards,
Joe S.

6150. PK-Basic keyer question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 01:49:20 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <as95mf029s@enews1.newsguy.com>
Source record: 36662
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I just purchased a couple of the PK-Basic keyer kits from Jackson Harbor. Very small; I plan to mount one in a mini-Altoids box -- smaller than the common Altoids box. Here are a few questions for anyone out there who has experience with this keyer:

1. Keyer needs 3 to 5 volts. How about running it off two or three watch batteries?
2. Keyer needs a piezo transducer (basically a very high impedance speaker) so you can hear the sidetone. Can't I just use an RC circuit and use common ear bud earphones -- the kind you can pick up at Radio Shack or any other place that fine electronic equipment is sold?

Thanks.

--

Regards,
Joe S.

6151. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 01:53:54 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <as95naopg1@slb9.atl.mindspring.net>
Source record: 36660

Then I suggest you stop bad mouthing me. I tried to be helpful then you
come up with your smart assed comment.

I do know something on the subject. As I worked in the RF Technician field
for many years.

But I'll make you happy....you go ahead and get your advice from those that
may or may not " know " the subject.

Have a good day.

Dan/W4NTI

"Ken" <cprstn54zz@att.net> wrote in message
news:3de807ee.130465500@news-server.optonline.net...
> On Fri, 29 Nov 2002 16:09:46 -0600, "Dan/W4NTI"
> <w4nti@NOSPAMmindspring.com> wrote:
> >With all due respect..."PUMP THIS" .
>
> That was just as helpful as your first response. You plainly have
> nothing to add to this discussion, so why not just sit quietly and let
> those who are interested in this thread discuss it?
>
> Ken KC2JDY
>
>
> Ken
> (to reply via email
> remove "zz" from address)

6152. Re: FT-50R battery needed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 03:39:28 UTC
From: "Christopher.Cox" <Administrator@127.0.0.1>
Message-ID: <3DE8327F.9040502@127.0.0.1>
Source record: 36663
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.ham-radio.swap,alt.ham-radio.vhf-uhf

Bizarre as it may seem, I actually have one, minus the belt clip.

Where do you want me to send it?

Chris

Mark Russo wrote:

> Hi all, I am in need of a dead FT-50R battery pack, number FNB-41.
> This is the 9.6 volt @ 600ma battery.
> I dropped mine from a rather high place and broke the case pretty badly.
> My batteries are good and the radio still works!!
> If you have one that you would like to part with please let me know what
> you want for it.
> Of course I'll pay for shipping.
> PLEASE e-mail me direct at:
>
> mrrusso@optonline.net
>
> THANKS and 73, Mark N2FLF
>

6153. WTB: Yaesu FTS-22 CTCSS Tone decoder

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 04:18:52 UTC
From: Doug and Cindy Deutsch <cindyd1@enter.net>
Message-ID: <3DE83BF8.3BD770E9@enter.net>
Source record: 36664
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment

Hi,

Looking for the above. If you have one you are not using please contact me directly at "cindyd1@enter.net" and also send price.

Thanks in advance,

Doug W3IIY

6154. FT 1000 MP

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 06:33:02 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3DE70A14.9010207@dirtball.com>
Source record: 36665

The 1000MP that Have in a earlier post is now at the shop getting the
blinking display repaired.
http://www.n4da.com is the URL of the guy doing the repair. I am
still looking for a working FT 990 or FT 1000.
73 Oris
N4CND
oris@dirtball.com

6155. Third party CTCSS Sources

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 08:11:44 UTC
From: Norman Franklin <normanf@pacbell.net>
Message-ID: <3DE87363.CC12C0F6@pacbell.net>
Source record: 36666
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Hi,
This question may have already been asked but I could not find it on
a
search of Google.
How easy or hard is it to install a CTCSS encoder from one of the
third
party vendors in a rig? In my case I have an older Kenwood 2 meter unit

that I would like to add an encoder to. The TU-3 that is the Kenwood
module is no longer available. I've seen adds for other encoders but am

not sure this is a good idea.
Any input on this topic would be greatly appreciated. Thanks in
advance

Norman KG6NMT

6156. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 08:52:23 UTC
From: hamish@cloud.net.au
Message-ID: <3de87c47$0$18872$afc38c87@news.optusnet.com.au>
Source record: 36667
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

In rec.radio.amateur.dx Dave Platt <dplatt@radagast.org> wrote:
> It would not surprise me even slightly if various spammers are simply
> connecting to the ARRL.NET mailserver, and doing an iterated
> "dictionary spam" attempt against every possible callsign. It's not
> as if the algorithm for creating U.S. callsigns is a difficult one to
> implement ;-)

Too much effort for most spammers I'd guess. There are far easier ways.

I don't know why the ARRL would be running an outbound mail relay
service anyway - you should use your ISP's server for that.

Hamish
--
Hamish Moffatt VK3SB <hamish@debian.org> <hamish@cloud.net.au>

6157. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 08:54:21 UTC
From: hamish@cloud.net.au
Message-ID: <3de87cbd$0$18872$afc38c87@news.optusnet.com.au>
Source record: 36668
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

In rec.radio.amateur.dx Ed Juge/NM <ed@juge.org> wrote:
> HotMail is a great one to talk! From my location, it appears to be the
> origin of a significant percentage of the world's spam! And complaints to
> their webmaster go unanswered. What a joke!

That's a bit misleading. A lot of spam gets sent with faked hotmail.com
addresses, but the spam often doesn't going anywhere near a hotmail.com
server. There's nothing MS can do about that.

Hamish
--
Hamish Moffatt VK3SB <hamish@debian.org> <hamish@cloud.net.au>

6158. Re: Third party CTCSS Sources

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 12:13:15 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <asaa0u01j93@enews1.newsguy.com>
Source record: 36669
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

try here:
http://www.com-spec.com

73, Kevin, K9HX

"Norman Franklin" <normanf@pacbell.net> wrote in message
news:3DE87363.CC12C0F6@pacbell.net...
> Hi,
> This question may have already been asked but I could not find it on
> a
> search of Google.
> How easy or hard is it to install a CTCSS encoder from one of the
> third
> party vendors in a rig? In my case I have an older Kenwood 2 meter unit
>
> that I would like to add an encoder to. The TU-3 that is the Kenwood
> module is no longer available. I've seen adds for other encoders but am
>
> not sure this is a good idea.
> Any input on this topic would be greatly appreciated. Thanks in
> advance
>
> Norman KG6NMT
>

6159. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 12:30:09 UTC
From: cprstn54zz@att.net
Message-ID: <3de8adb2.172901078@news-server.optonline.net>
Source record: 36670

On Fri, 29 Nov 2002 19:53:54 -0600, "Dan/W4NTI"
<w4nti@NOSPAMmindspring.com> wrote:

>Then I suggest you stop bad mouthing me. I tried to be helpful then you
>come up with your smart assed comment.

If I misconstrued something, I am sorry.

I asked about whether the VX-150 with the MARS/CAP mod would be
effective on the marine band -- for emergency use.

That great mind DBM responded:

>Pump?? Your Handheld is water cooled?? Or maybe you mean output power. How abt you learn
and use the correct terms >instead of CB lingo.....

To which you added:
>Oh and one more minor detail. If you use a 'ham' radio on the marine bands
>it is not legal. The FCC requires type acceptance.

Perhaps you though it was helpful, but I did not. Maybe you
overlooked the "emergency" part.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

6160. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 13:04:19 UTC
From: Bill M <"exray\\@n-o- .caribe.net>">
Message-ID: <uuhdpqcggrqq19@corp.supernews.com>
Source record: 36671
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

hamish@cloud.net.au wrote:
> In rec.radio.amateur.dx Ed Juge/NM <ed@juge.org> wrote:
>
>>HotMail is a great one to talk! From my location, it appears to be the
>>origin of a significant percentage of the world's spam! And complaints to
>>their webmaster go unanswered. What a joke!
>
>
> That's a bit misleading. A lot of spam gets sent with faked hotmail.com
> addresses, but the spam often doesn't going anywhere near a hotmail.com
> server. There's nothing MS can do about that.
>
> Hamish

And thats why spammers use a fake hotmail.com address and hotmail.com
winds up in everybody's filter list.
There's a very finite number of spammers in the world...far fewer than
one would think when your mailbox is full of crap email everyday. MS,
if anybody, has the resources to put a big dent in the numbers.
-BM

6161. WTD: Metrotek CB radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 13:42:03 UTC
From: KC0EH <okiemansc@yahoo.com>
Message-ID: <Le3G9.7312$yy.975334@newsread1.prod.itd.earthlink.net>
Source record: 36672
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.cb

Hi,
I am interested in finding the following Metrotek radios all with the
cream/tan color scheme. Need not be working.Please include price and
condition.
Mustang II
Pacer II
Colt 23
THANKS,
...Charlie...KC0EH...

6162. Re: Screwdriver Antenna Decision

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 14:04:43 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <dC3G9.20896$NV.434898@news.direcpc.com>
Source record: 36673

I have a Stealth/4. Best quality construction I've found. Completely sealed coil assembly... no dirt or moisture can get in. Highest Q with a 4" diameter coil. Performance is equivalent to a "bugcatcher." Mine, with the whip I chose is about 12.5 feet long. The design of this screwdriver keeps overall length of the coil, and therefore the overall antenna, the same whether you're on 10 or 80 meters. The design is patented. You can adjust it so that when you remove the whip, it will always just clear your garage door.

Two of us, locally, have them and the reports are consistently "better than we've ever heard you before," on 40 meters where we mostly operate. Reports on 75 are also excellent.

For best results, mount any mobile antenna as high off the ground as you can and get all of the loading coil ABOVE the roofline of the car. You'll have to balance that with the overall antenna length you want since, on the lower bands, length is also a factor in performance. Mine is mounted on a Dodge Durango. A local welding shop fabricated a great mount for me that is welded to the frame and places the mount close in on the left rear of the car, raised about a foot above the bottom of the bumper (positioned for garage door clearance). A good ground is a must! My ground through the mount seems to be sufficient. I also ran a 3/4" copper strap from the top of the mount to the nearest point on the body of the car where there is an existing screw. Could tell no difference.

Hi-Q Antennas (the manufacturer) makes an awesome quick disconnect that's about 2" in diameter and requires something like 60 pounds of force to engage/disengage. Easy to go through car washes, etc., and it's not obvious there's even a disconnect there.

As to being rugged... twice I've forgotten to remove the whip and driven it into the garage. Both times it bent the stainless steel whip a perfect 90 degrees, about four inches above the threads. The rest of the antenna never knew the difference. I doubt you could do that with ANY other screwdriver and not be picking up the pieces off the floor. Customer service is also awesome.

Stealths are among the most expensive screwdrivers and may not be worth it if you're not a dedicated user of 40 and 75 meters. By the time you get up to 20 meters, there just isn't that much performance advantage over less-expensive, less-efficient competitors.

BTW, I'm also using the FT-100D with a ClearSpeech DSP. The 100D's outstanding noise blanker and the CS give me a near VHF-FM sound on any halfway decent HF signal. Background noise is close to non-existent.

Good luck...

Ed, W5EJ

<wf3h@ptnospam.com> wrote in message
news:3de80440.31248482@news.ptdprolog.net...
> On Thu, 7 Nov 2002 14:04:48 -0000, "Bill East" <beast@pcs.mb.ca>
> wrote:
>
> >
> > >Like to get some comments on performance on how your screwdriver antenna
> > >is operating. Mount location info ,grounding method etc. anything else to
> > >assist me is making a decision. Plan on using a ft-100D or the new
> > >ft-897install the antenna on the rear fender of late model 1/2 ton .
> > >
> > >thanks,
> > >Bill

6163. Re: WTD: Metrotek CB radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 14:53:00 UTC
From: Gary Tait <taitg@hurontel.on.ca>
Message-ID: <c3khuuc0qfmnhstjtaoivd4m4bdcibmejd@4ax.com>
Source record: 36674
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.cb

On Sat, 30 Nov 2002 13:42:03 GMT, "KC0EH" <okiemansc@yahoo.com> wrote:

>Hi,
>I am interested in finding the following Metrotek radios all with the
>cream/tan color scheme. Need not be working.Please include price and
>condition.
>Mustang II
>Pacer II
>Colt 23
>THANKS,
>...Charlie...KC0EH...
>
Are these the ones with a Motorola 145106 based PLL synthesizer on
it's own board? I have a couple of them (not that I want to get rid of
them). What are your plans for them?

6164. Re: Fluke 79 Series 2 Schematic Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 15:17:47 UTC
From: Brian Griffey <briangriffey@worldnet.att.net>
Message-ID: <vE4G9.31095$vM1.2437195@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36675

John Fluke will certainly share it... for a slight fee of course.
http://www.fluke.com/

--
||||||||||||||||||||||||||||||||||||||||
Brian Griffey

View the SkyWave Amplifier brochure at:
http://home.att.net/~briangriffey/SkyWave2879AB.pdf
||||||||||||||||||||||||||||||||||||||||

"MTNMANN" <mtnmann@aol.com> wrote in message
news:20021129010534.28816.00000334@mb-fe.aol.com...
> If you have a Fluke 79 Series 2, Multimeter schematic you would share I
would
> appreciate it.
>
> E-mail me at: mtnmann@aol.com
>
> John Hudick
> W6XZ

6165. Re: Third party CTCSS Sources

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 16:40:07 UTC
From: Jim Pennell <NoSpam@killspam.com>
Message-ID: <asapla$4jt$1@slb4.atl.mindspring.net>
Source record: 36676
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Generally, adding a third party CTCSS board is not difficult. They usually have enough drive so you can use a fairly high value resistor and connect it to the microphone input.

There are a couple of problems....

One problem is, it is not easy to change the PL frequency when you install the CTCSS board inside the radio. You may want to mount it in an external box with a couple of connectors so you can connect the microphone to the box and then a second cable from the box to the 2 meter rig. This way, you have the CTCSS board where you can get to it to chenge the PL frequency. Maybe even set up a selector switch of some sort for the PL frequencies you want.

The other possible problem is a possibility that the very low frequency PL tone might disturb the radio. A unit I modified once injected the audio into the phase lock loop and that was how they FM'd the signal. Trouble was, the PL tone was in the phase lock loop bandwidth. Well..... That's a problem.

Anyway, a CTCSS board is fairly cheap, and it will most likely work for you but be prepared for the possibility. It depends on how the radio was designed.

Jim Pennell
N6BIU

6166. FS: Hallicrafters type kobs

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 16:41:57 UTC
From: Heytubeguy <heytubeguy@worldnet.att.net>
Message-ID: <pT5G9.37512$hK4.3301755@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36677

2 1/4" dia, three spoked, open between spokes-similar to Hallicrafters or
may be the same.
on ebay under 'doughnut knobs' or seller 'heytubeguy'

73

6167. Re: Third party CTCSS Sources

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 17:22:33 UTC
From: Uncle Peter <radioconnectionNO@cox.netSPAM>
Message-ID: <tt6G9.24442$oa.1060319@news1.east.cox.net>
Source record: 36678
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

"Norman Franklin" <normanf@pacbell.net> wrote in message
news:3DE87363.CC12C0F6@pacbell.net...
> Hi,
> This question may have already been asked but I could not find it on
> a
> search of Google.
> How easy or hard is it to install a CTCSS encoder from one of the
> third
> party vendors in a rig? In my case I have an older Kenwood 2 meter unit
>
> that I would like to add an encoder to. The TU-3 that is the Kenwood
> module is no longer available. I've seen adds for other encoders but am
>
> not sure this is a good idea.
> Any input on this topic would be greatly appreciated. Thanks in
> advance
>
> Norman KG6NMT

Absolutely no problem, since the radio is designed for a PL board.

Do not feed the PL into the mic input, most FM rigs tailor the audio
response, the PL should be feed as close to the modulator as possible.
You'll need to determine which pin for the TU3 is the PL tone input.

The biggest problem you will have is setting the PL deviation to
600 or 700 Hz. If you don't have access to a service monitor, the
easiest way is to use a setting just above the minimum setting that
will reliably key the repeater.

Peter
>

6168. FS: MFJ-9040 CW 40M Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 17:33:42 UTC
From: n8qxb <n8qxb@earthlink.net>
Message-ID: <pan.2002.11.30.17.37.36.747904@earthlink.net>
Source record: 36679
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.amateur.misc,alt.radio.amateur

FS: MFJ-9040 CW 40M Transceiver
Price: $100.00

If interested please e-mail
n8qxb@earthlink.net

6169. FS: MFJ-971 QRP Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 17:37:06 UTC
From: n8qxb <n8qxb@earthlink.net>
Message-ID: <pan.2002.11.30.17.42.04.616961@earthlink.net>
Source record: 36680
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.radio.amateur,rec.radio.amateur.misc

FS: MFJ-971 QRP Antenna Tuner
Price: $50.00

If interested, please e-mail
n8qxb@earthlink.net

6170. Kenwood TM-241A 2m Transceiver FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 18:25:23 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <BA0E4294.206C2%pilot.marc@verizon.net>
Source record: 36681

Kenwood TM-241A 2m Transceiver FS

A very nice and easy to use 2 meter radio. Includes mike and manual.
$100

6171. B&W 425 KW Low Pass Filter FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 18:29:57 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <BA0E43A3.206D4%pilot.marc@verizon.net>
Source record: 36682

B&W 425 KW Low Pass Filter FS

Heavy duty low pass filter for sale. In good condition. $35

6172. ICOM IC-2000H manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 18:35:33 UTC
From: Bernard B&#65533;lisle <belisleb@webnet.qc.ca>
Message-ID: <6B7G9.10684$i%.1945327@localhost>
Source record: 36683

I bought recently an Icom IC-2000H radio with the microphone from a widow. The radio is brand new but does not have any manual that came with it. Is there somebody in the group that could scan it and sent it by internet. I searched on the Icom website and had not been able to find it there for free. If you can scan it and send it directly to my personal address, (belisleb@webnet.qc.ca) I would appreciate it very much. Either in English or French would be OK.
Thank you very much
Bernard Belisle

--
www.electrovent.com

6173. Yaesu Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 18:46:36 UTC
From: Geoff Brown <"Geoff Brown"@goawayspam.com>
Message-ID: <asb12c$eg8$1@venus.btinternet.com>
Source record: 36684

full list of Yaesu manuals on CD now available, some even in colour!

www.yaesumanuals.com
Yaesu manuals on CD
www.amateurmanuals.co,uk
Yaesu Manuals and Spares

6174. Programming s/w for Motorola Radius R-100 Repeater?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 19:11:24 UTC
From: LB <"no mail">
Message-ID: <asb307$5v4$2@slb5.atl.mindspring.net>
Source record: 36685

Does anyone have the s/w for programming this repeater?

-LB

6175. ICOM IC-745 HF Transceiver & FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 19:59:20 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <BA0E5898.2070A%pilot.marc@verizon.net>
Source record: 36686

ICOM IC-745 HF Transceiver FS

ICOM IC-745 ham and general coverage transceiver in excellent condition.
Includes hand mike, power cable and manual.
$425

6176. ICOM PS-15 power supply FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 20:03:26 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <BA0E598C.20713%pilot.marc@verizon.net>
Source record: 36687

ICOM PS-15 power supply for sale.
In excellent condition. Will power all past and current ICOM HF rigs.
$100

6177. WTB:Alinco 130T, 140T or 150T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 21:32:01 UTC
From: Patrick Wilson <emailpw@mindspring.com>
Message-ID: <asbapk$104$1@slb6.atl.mindspring.net>
Source record: 36688
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I would like to find an inexpensive two meter that hears A/C band as well.
Send email with specifics if you have one lying around that you would like
to sell.

Thanks and 7 3,

w4pw

6178. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 22:09:40 UTC
From: cheesecutter@webhideout.com
Message-ID: <fef386d5.0211301409.517eb6f2@posting.google.com>
Source record: 36689
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

David Stinson <arc5@ix.netcom.com> wrote in message
news:<3DE6BA2A.882FF160@ix.netcom.com>...
> Have you taken the package and copies of the emails to
> the local post master at the post office?
> Mail fraud is a felony and is taken very seriously.
> D.S.

yeh dave they take it real seriously ....kind of like mail delivery........

6179. Re: WARNING!! Your CB transceiver is not safe using certian amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 23:25:37 UTC
From: Stevo <mrstevo99@hotmail.com>
Message-ID: <gjmG9.76121$l4.62204@fe04>
Source record: 36610
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Ed Cregger wrote:

> Where can I buy a few of these amps? I want to give a few to some of
> the local PITA CB'ers in the area. Merry Christmas. Poof! <G>
>
> Ed Cregger
>
>
> "General Johnson Jameson" <area52@zecretbase.com> wrote in message
> news:<R%Dt9.597$oP5.263834668@news.inreach.com>...
>> A group of hams who are fed up with the FCC's efforts to stop the spread
>> of illegal amplifier use are reported to be buying linear amplifiers and
>> installing trojan horse mods that can burn out the receive section of
>> transceivers operating out of band.
> (snip)

It's an urban legend.

Stevo

6180. FA: Electronics, Physics, UNIX Books

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 23:27:54 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <_PbG9.25353$oa.1129152@news1.east.cox.net>
Source record: 36690
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment

Practical Digital Design Using ICs 1973509731
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=29375&item=1973509731

Circuits, Electronics, and Signal Analysis 1973510462

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=29375&item=1973510462

Network Design Essentials 1973511397
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=1114&item=1973511397

Experimental Stress Analysis 1973511931
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=1112&item=1973511931

UNIX System V Print Service Administration 1973512608
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=378&item=1973512608

thanks for looking!

6181. FA: More Panel Meters!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 23:38:00 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <sZbG9.25380$oa.1130741@news1.east.cox.net>
Source record: 36691
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment

0-1.2 Kiloamp DC Panel Meter 1922332186
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1922332186

0-500 AC Amps Panel Meter 1922332561
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1922332561

0-400 AC Amps Panel Meter 1922332863
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1922332863

Thanks for looking..

6182. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-11-30 23:56:55 UTC
From: Tom <jc@nospam.com>
Message-ID: <nujiuu8ll6m77uc6quegpu0cgj1tpga9bb@4ax.com>
Source record: 36692
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

On Thu, 28 Nov 2002 10:33:47 -0500, Chuck
<k8cpa*nospam*@arrl.net*nospam*> wrote:

>REAL Ham's Use CW!
>http://mywebpages.comcast.net/k8cpa/

Shut up CPA and get a job, freak.

6183. Heath HW-99 for sale -

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 00:49:15 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <f0dG9.7972$yy.1073627@newsread1.prod.itd.earthlink.net>
Source record: 36694

This iis the Heath HW-99, 50 watt OUTPUT CW transceiver..
80/40/15/10, as it came from factory.
50 watts output, cw narrow filtering, variable level from front panel, built in AC supply! All solid state!!
No modifications, with copy of manual, $145 shipped.
Best regards, Frank
VOICE: 630-924-1600
HOME: 630-653-9090

6184. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 00:49:20 UTC
From: Chuck <k8cpa*NOSPAM*@arrl.net>
Message-ID: <7smiuu8bpp2fl97bioposvcdcccj1n9o4b@4ax.com>
Source record: 36693
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

On Sat, 30 Nov 2002 23:56:55 GMT, Tom <jc@nospam.com> was blabbling:

...On Thu, 28 Nov 2002 10:33:47 -0500, Chuck
...<k8cpa*nospam*@arrl.net*nospam*> wrote:
...
...
...>REAL Ham's Use CW!
...>http://mywebpages.comcast.net/k8cpa/
...
...
...Shut up CPA and get a job, freak.

Tell you what dickhead, you post in here with your REAL NAME and
CALLSIGN.... and I'll go take a job at burger king monday!

(sarcasm of course...)

that's prolly one of those limp wristed wanna be's from 3.865 night
crew or from 3.898... like W8GG or WQ4E...either way kiss my arse...

73
-Chuck K8CPA
REAL Ham's use 160, 75 and 40 meters!
REAL Ham's Use CW!
http://mywebpages.comcast.net/k8cpa/

6185. FS ICOM 821 SATELLITE ALL MODE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 01:34:17 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <tGdG9.20271$ry.174411@twister.rdc-kc.rr.com>
Source record: 36695

I have a nice looking and working icom 821 satellite all mode forsale
One light needs to be replaced.
All other lights work fine.
2 antenna jacks vhf-so239 uhf-N
Comes with original box manual mic and power cored.
$675 + shipping u.s only ups insured.
E-mail for picture of the radio
I also have a comet duplexer that works with this radio its 6 months old $40
with the radio or $50 shipped with out the radio.

6186. FS Adi at-600 dual band ht

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 01:38:54 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <OKdG9.20272$ry.174675@twister.rdc-kc.rr.com>
Source record: 36696

This ht looks and works great.
2 meter and 440
2 volume 2 sql controls
Comes with rubber duck charger 5 watt battery manual in pdf 3.09MB
$150 shipped u.s only ups insured.
E-mail for picture of the radio

6187. Radio Shack HTX-10 grounding question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 02:02:45 UTC
From: born2bdcst@cs.com
Message-ID: <20021130210245.24268.00009951@mb-mw.news.cs.com>
Source record: 36697

Yup, I'm feeling a bit dumb asking this question, but I'm stumped. I'm rigging a dipole for my Radio Shack HTX-10 10-meter rig, I've already got a 6' copper ground rod driven and have stripped the copper weave out of some coax for a connection. Problem is, where the heck do you attach the ground? Nowhere on the rig or the DC power supply do I see a ground connection, nor does the owners manual refer to any grounding. Do I do without?
Please be merciful. I'm a novice.

Keith
KC0NNB

6188. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 02:26:55 UTC
From: Krell <krell1215@yahoo.com>
Message-ID: <asbrtv085b@enews4.newsguy.com>
Source record: 36598
Cross-posted to: rec.radio.cb,rec.radio.amateur.misc,rec.radio.amateur.equipment

"Tom" <jc@nospam.com> wrote in message
news:nujiuu8ll6m77uc6quegpu0cgj1tpga9bb@4ax.com...
> On Thu, 28 Nov 2002 10:33:47 -0500, Chuck
> <k8cpa*nospam*@arrl.net*nospam*> wrote:
>
>
> >REAL Ham's Use CW!
> >http://mywebpages.comcast.net/k8cpa/
>
>
> Shut up CPA and get a job, freak.

Well, if he's a CPA, he shouldn't have any problem finding a job. I'm sure
there's some CEO willing to pay top dollar for CPAs with poor sight.

6189. WTB: GONSET BLUE KNOBS FOR COMM 3 AND G-28/50

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 02:59:02 UTC
From: k6stu@aol.com
Message-ID: <20021130215902.25037.00009089@mb-mp.aol.com>
Source record: 36599

wtb: blue gonset knobs for Comm 3 and
G-28/50
Thanks
Mike

6190. WTB: ICOM PS-20 POWER SUPPLY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 03:00:08 UTC
From: k6stu@aol.com
Message-ID: <20021130220008.25037.00009090@mb-mp.aol.com>
Source record: 36600

WTB: PS 20 POWERSUPPLY.
THANKS.
MIKE

6191. WTB GONSET 6 METER AMP WITH SPARE 826 TUBES.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 03:01:57 UTC
From: k6stu@aol.com
Message-ID: <20021130220157.25037.00009092@mb-mp.aol.com>
Source record: 36601

DOES ANYONE HAVE A GONSET 6 METER AMP FOR SALE
MIKE

6192. WTB: Yaesu YV-110C or YV-110CN

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 03:30:15 UTC
From: Bibby <bibby@attbi.com>
Message-ID: <bnfG9.185408$WL3.67746@rwcrnsc54>
Source record: 36602

Please let me know if you have one for sale.

Malcolm.

6193. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 04:26:54 UTC
From: "John S. Dyson" <dyson@iquest.net>
Message-ID: <45gG9.1089$pc.194654@news.iquest.net>
Source record: 36603
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

"Bill M" <""exray\"@n-o- .caribe.net> wrote in message
news:uuhdpqcggrqq19@corp.supernews.com...
> hamish@cloud.net.au wrote:
> > In rec.radio.amateur.dx Ed Juge/NM <ed@juge.org> wrote:
> >
> >>HotMail is a great one to talk! From my location, it appears to be the
> >>origin of a significant percentage of the world's spam! And complaints to
> >>their webmaster go unanswered. What a joke!
> >
> >
> > That's a bit misleading. A lot of spam gets sent with faked hotmail.com
> > addresses, but the spam often doesn't going anywhere near a hotmail.com
> > server. There's nothing MS can do about that.
> >
> > Hamish
>
> And thats why spammers use a fake hotmail.com address and hotmail.com
> winds up in everybody's filter list.
> There's a very finite number of spammers in the world...far fewer than
> one would think when your mailbox is full of crap email everyday. MS,
> if anybody, has the resources to put a big dent in the numbers.
>
One suggestion: we should note that the improperly managed SMTP relays are
extremely irresponsible. This is a prominent mechanism that enables practically
anonymous spam, and it is incredible that so many of those who connect directly
to the internet (unfiltered) are so very irresponsible. I consider my
internet connection equivalent (in a sense) to maintaining a lawn. It
is important to keep the software up to date, and when new weeds
are found (bugs), then it is important to remove them.

I have numerous blocks on numerous IP address ranges, along with aggressive
blocking of domains (whether or not they are bogus.) On my system
that used to get lots of spam, now I only get 1-2 spams every couple
of days. When I detect the spam, and refer to my sendmail logs, I
enter the appropriate information into the block lists. Many/most of
the domain names for email spam are bogus, but the relay source is
most often not bogus. Those who allow such nonsense on their
machines are equally as guilty, but for negligence as the creeps who
spam everyone.

This is a little more tricky for ISPs and more general services, because
I am more willing to block groups of addresses than they might be. Also,
my various blocks include deterrents that make snooping a little less
comfortable than normal services might be willing to employ.

My own practices include checking my system logs quite regularly, and also have a configuration that is adequately different that things like root kits would fail. I'd much rather my systems fail (until the nonsense and exploits are removed) instead of continuing a fail-soft operation that ends up being an obnoxious and irresponsible net-citizen.

john

6194. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 04:52:05 UTC
From: cheesecutter@webhideout.com
Message-ID: <fef386d5.0211302052.1d246b98@posting.google.com>
Source record: 36604
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

Tom <jc@nospam.com> wrote in message news:<nujiuu8ll6m77uc6quegpu0cgj1tpga9bb@4ax.com>...
> On Thu, 28 Nov 2002 10:33:47 -0500, Chuck
> <k8cpa*nospam*@arrl.net*nospam*> wrote:
>
>
> >REAL Ham's Use CW!
> >http://mywebpages.comcast.net/k8cpa/
>
>
> Shut up CPA and get a job, freak.

what would he do???? perhaps a under the table waiter at some homo
bar.....now that would be a good job for chuckie....

6195. Re: Radio Shack HTX-10 grounding question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 04:56:51 UTC
From: DBN <dnicholson@mcmsys.com>
Message-ID: <asc8r6$dp8$1@news.mcmsys.com>
Source record: 36605

That's easy. use one of the screws that hold the case shut or use one of the mobile mount screws. Just put a spade lug on ur ground wire and away you go.

Dan

"Born2bdcst" <born2bdcst@cs.com> wrote in message news:20021130210245.24268.00009951@mb-mw.news.cs.com...
>
> Yup, I'm feeling a bit dumb asking this question, but I'm stumped. I'm
> rigging a dipole for my Radio Shack HTX-10 10-meter rig, I've already got a 6'
> copper ground rod driven and have stripped the copper weave out of some coax
> for a connection. Problem is, where the heck do you attach the ground?
> Nowhere on the rig or the DC power supply do I see a ground connection, nor
> does the owners manual refer to any grounding. Do I do without?
> Please be merciful. I'm a novice.
>
> Keith
> KC0NNB
>
>

6196. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 05:02:50 UTC
From: Bill M <"exray\\@n-o- .caribe.net>">
Message-ID: <uuj5uvittg5lfb@corp.supernews.com>
Source record: 36606
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

John S. Dyson wrote:
> "Bill M" <""exray\"@n-o- .caribe.net> wrote in message
news:uuhdpqcggrqq19@corp.supernews.com...
>
>>And thats why spammers use a fake hotmail.com address and hotmail.com
>>winds up in everybody's filter list.
>>There's a very finite number of spammers in the world...far fewer than
>>one would think when your mailbox is full of crap email everyday. MS,
>>if anybody, has the resources to put a big dent in the numbers.
>>
>
> One suggestion: we should note that the improperly managed SMTP relays are
> extremely irresponsible.

Bingo. And thats probably why arrl.org got pegged.
Any bozo that knows how to use Telnet can hijack any number of unwitting
servers worldwide for a one-time flood of spam. Most server owners wise
up very quickly and can prevent this...but some don't.
A year or two ago the vogue was to cry about Korean spammers, etc but in
2002 the blame should be placed on YOUR indivdual ISP for not having
adequate filtering. As long as there are ISPs operating on the floor of
a cheap apartment in Manila, there will be a conduit for spam.
Attacking the source is futile....the delivery mechanism should be the
subject of attention.
Many ISPs and newsgroup servers are well on the ball these days at
implementing filtering. If you get too much spam they are the entity
which you should complain to. And then there is AOL.
-Bill M

6197. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 05:16:20 UTC
From: "John S. Dyson" <dyson@iquest.net>
Message-ID: <sPgG9.1094$pc.194872@news.iquest.net>
Source record: 36607
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

"Bill M" <""exray\"@n-o- .caribe.net> wrote in message
news:uuj5uvittg5lfb@corp.supernews.com...
> John S. Dyson wrote:
> > "Bill M" <""exray\"@n-o- .caribe.net> wrote in message
news:uuhdpqcggrqq19@corp.supernews.com...
> >
> >>And thats why spammers use a fake hotmail.com address and hotmail.com
> >>winds up in everybody's filter list.
> >>There's a very finite number of spammers in the world...far fewer than
> >>one would think when your mailbox is full of crap email everyday. MS,
> >>if anybody, has the resources to put a big dent in the numbers.
> >>
> >
> > One suggestion: we should note that the improperly managed SMTP relays are
> > extremely irresponsible.
>
> Bingo. And thats probably why arrl.org got pegged.
> Any bozo that knows how to use Telnet can hijack any number of unwitting
> servers worldwide for a one-time flood of spam. Most server owners wise
> up very quickly and can prevent this...but some don't.
> A year or two ago the vogue was to cry about Korean spammers, etc but in
> 2002 the blame should be placed on YOUR indivdual ISP for not having
> adequate filtering.
>
I generally agree with your response (and it is important to be vigilent.) However,
there are alot of people like me who essentially provide their own ISP to themselves,
and the connection to the internet does entail significant responsibility. If
I hadn't been an internet host since about 8yrs ago, and experienced in the
care and feeding, and I am the only real user behind the firewall (I have some
aliases for family members, however), then maintaining the connection
would be less pleasant.

At times, I have considered dropping my internet host, and just doing it the
way that most people do. However, as soon as you connect with variable
IP addresses, and connect through a captive service, then the ISPs will
sometimes do alot of filtering, thereby disabiling potential experiments.

If I wasn't doing OS development (from time to time), or work on distributed
computing issues, I'd most likely reassign my domain name to a service that
just provides email :-).

As it is, I don't normally divulge my personal domain anymore, simply to keep
my life simple. My normal public email is provided through my ISP. However,
my exposure of my private email address in the past (after starting to keep it

quiet a few years ago), still has the effect of receiving nonsense spam. As it is, my ISP that does do some spam filtering, tends to be a little too conservative, and still lets spam though, but also flags the potential spam.

The biggest mistake that I had made, and the mistake was indeed exploited, was that I had left the UNIX 'finger' command open to the world. This was a bad thing, but an interesting side-effect of version skews in early versions of FreeBSD that I was working on was that the utmp file format had changed, and the login names returned by finger were bogus :-). I still get email attempts to those bogus names, and that was over 3-4yrs ago when that problem was fixed.

There are also other approaches for personal anti-spam, including the use of bogus email addresses (like adding something obvious to remove), but accept both the bogus name and the real name. If someone sends email to the bogus address, it replys with the formula for correcting the address (or might even reply with an instruction to simply reply, and the correct address would get the message.) Most spammers tend to bounce the messages to a reply anyway, but that wouldn't be 100% (some spammers might actually read and reply, and then your real email is on a list.) :-(. This just might not work, but seemed like a logical follow on to the situation that I noted above.

John

6198. Re: Radio Shack HTX-10 grounding question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 05:39:45 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uuj86egf3rmaaa@corp.supernews.com>
Source record: 36608

"Born2bdcst" <born2bdcst@cs.com> wrote in message
news:20021130210245.24268.00009951@mb-mw.news.cs.com...
>
> Yup, I'm feeling a bit dumb asking this question, but I'm stumped.
I'm
> rigging a dipole for my Radio Shack HTX-10 10-meter rig, I've already got
a 6'
> copper ground rod driven and have stripped the copper weave out of some
coax
> for a connection. Problem is, where the heck do you attach the ground?
> Nowhere on the rig or the DC power supply do I see a ground connection,
nor
> does the owners manual refer to any grounding. Do I do without?
> Please be merciful. I'm a novice.
>
> Keith
> KC0NNB

Keith
If nothing else run the ground wire to the PL259
connector on the end of your antenna coax! You
can make the connection by clamping the wire
under an automotive heater hose clamp that should
do for the ground. If your lucky enough to have a
mounting bracket the screw "normally" grounds to
the frame of the radio but on a Rat Shack who
knows.

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

6199. Batlab Forum Information Update:

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 09:33:11 UTC
From: msisco9939@aol.com
Message-ID: <20021201043311.29367.00000155@mb-fb.aol.com>
Source record: 36609

Hi:

Batlab Forum Information Update:

No need to email the
Moderators or Administrators.

For those Bat memebers that use the
Batlab Discussion Forum, all the necessary
persons have been notified.

With the long Holiday Weekend, it just
was unfortunite that the system developed
a problem while persons are on vacation.

It will return !!

Monty

6200. Re: ICOM PS-20 POWER SUPPLY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 14:10:41 UTC
From: Brian Griffey <briangriffey@worldnet.att.net>
Message-ID: <BLoG9.38440$hK4.3406756@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36611

I suggest http://www.astroncorp.com/

--
||||||||||||||||||||||||||||||||||||||||
Brian Griffey

View the SkyWave Amplifier brochure at:
http://home.att.net/~briangriffey/SkyWave2879AB.pdf
||||||||||||||||||||||||||||||||||||||||

"K6STU" <k6stu@aol.com> wrote in message
news:20021130220008.25037.00009090@mb-mp.aol.com...
> WTB: PS 20 POWERSUPPLY.
> THANKS.
> MIKE

6201. Miracle Antenna ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 14:23:32 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <EXoG9.10704$ta5.1259898@newsread2.prod.itd.earthlink.net>
Source record: 36612

Hi all.
I am looking for Miracle Antenna company (The people that make the Miracle Antenna for the 817.)
Anyone know of a website for them?
Frank KG9H

6202. Re: Miracle Antenna ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 14:29:56 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <E1pG9.42891$kz4.2164940@news2.west.cox.net>
Source record: 36613

Using google http://www.google.com/
From K6PBT's PCDealer Directory
http://www.cestro.com/pcdealer/pcdl02a.shtml

Miracle Antenna company
http://www.miracleantenna.com/

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Frank Krozel" <frank@electronicinstrument.com> wrote in message
news:EXoG9.10704$ta5.1259898@newsread2.prod.itd.earthlink.net...
> Hi all.
> I am looking for Miracle Antenna company (The people that make the Miracle
> Antenna for the 817.)
> Anyone know of a website for them?
> Frank KG9H
>
>

6203. Icon 756 Pro II vs. Yaesu FT-990

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 15:11:55 UTC
From: jdy18@aol.com
Message-ID: <20021201101155.01576.00000241@mb-bk.aol.com>
Source record: 36614

My trusty FT-900 will be 10-years old soon. It still works great, but I have been thinking about a new rig, esp. the Icon 756 Pro II. I'm wondering if anyone is familiar with both rigs and can tell me what I would be gaining with the Icon and whether it's worth the $$$ and the effort.

73 de Jay, W2KD

Please respond directly to my e-mail address: jdy18@aol.com

6204. Re: Icon 756 Pro II vs. Yaesu FT-990

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 15:30:16 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <cWpG9.42903$kz4.2176175@news2.west.cox.net>
Source record: 36615

For User Reviews see eham at URL:
http://www.eham.net/reviews/products/14

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"JDY18" <jdy18@aol.com> wrote in message
news:20021201101155.01576.00000241@mb-bk.aol.com...
> My trusty FT-900 will be 10-years old soon. It still works great, but I
have
> been thinking about a new rig, esp. the Icon 756 Pro II. I'm wondering if
> anyone is familiar with both rigs and can tell me what I would be gaining
with
> the Icon and whether it's worth the $$$ and the effort.
>
> 73 de Jay, W2KD
>
> Please respond directly to my e-mail address: jdy18@aol.com

6205. Re: Icon 756 Pro II vs. Yaesu FT-990

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 16:10:29 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uukct2fh76c281@corp.supernews.com>
Source record: 36616

Stop in on my web site for a set of reviews on several radios, etc.
www.qsl.net/kk5dr

73 de Matt KK5DR

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"JDY18" <jdy18@aol.com> wrote in message
news:20021201101155.01576.00000241@mb-bk.aol.com...
> My trusty FT-900 will be 10-years old soon. It still works great, but I
have
> been thinking about a new rig, esp. the Icon 756 Pro II. I'm wondering if
> anyone is familiar with both rigs and can tell me what I would be gaining
with
> the Icon and whether it's worth the $$$ and the effort.
>
> 73 de Jay, W2KD
>
> Please respond directly to my e-mail address: jdy18@aol.com

6206. HAMCALL PLATES

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 16:59:53 UTC
From: Al Link <K4ICL@Charter.net>
Message-ID: <uukg0vf5curk68@corp.supernews.com>
Source record: 36617
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

HAMCALL PLATES. QUICK DELIVERY. REASONABLE PRICE

www.ParisMtnSignCo.com/ham.htm

Thanks for reading.

Al
K4ICL

~~~~~
~~~~~

6207. Re: Icon 756 Pro II vs. Yaesu FT-990

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 17:07:21 UTC
From: Ed Juge/NM <ed@juge.org>
Message-ID: <QprG9.21009$NV.442596@news.direcpc.com>
Source record: 36618

Wow... that's quite an order and would require a very long reply. I owned a 900 for ten years, though used it only mobile. I also have a PRO (not II).

My feeling is the 900 was a good, not great, radio... at least for mobile use. The noise blanker was useless compared to a lot of others.

The PRO is a superb radio and the II is improved, though not enough to entice me to replace the original. The DSP filters are awesome and will let you separate signals you couldn't possibly do on the 900. The noise blanker is somewhat effective but nowhere near as good as, say, the Yaesu FT-100D's blanker. The DSP noise reduction system is somewhat effective and quite useful, though can't hold a candle to an outboard unit like the ClearSpeech. Add a CS to the PRO and you have a system that is about as near ideal as it gets.

If there was any disappointment for me with the PRO, it was twofold... The anti-noise tools were not what I had hoped they would be, but then I've never owned an Icom that was nearly as good in this department as the Kenwoods, Yaesus and Ten-Tecs I've had. Second, I was dismayed at how quickly the value of my radio dropped from $2,995 to $1,500 or so. It depreciated faster than any radio I can recall owning.

All that said, my overall evaluation would be that there is not much comparison between the two radios. The PRO is the hands-down winner in my book. It is capable of copying a few signals, under difficult conditions, that my old Yaesu FT-1000D could not copy, and that says a LOT!!

Hope it helps... Ed, W5EJ

"JDY18" <jdy18@aol.com> wrote in message
news:20021201101155.01576.00000241@mb-bk.aol.com...
> My trusty FT-900 will be 10-years old soon. It still works great, but I
have
> been thinking about a new rig, esp. the Icon 756 Pro II. I'm wondering if
> anyone is familiar with both rigs and can tell me what I would be gaining
with
> the Icon and whether it's worth the $$$ and the effort.
>
> 73 de Jay, W2KD
>
> Please respond directly to my e-mail address: jdy18@aol.com

6208. Re: Fluke 79 Series 2 Schematic Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 17:40:37 UTC
From: mtnmann@aol.com
Message-ID: <20021201124037.17949.00000178@mb-ff.aol.com>
Source record: 36619

That's the problem. They want $68 plus S&H for the serice manual.

mtnmann

6209. FA: Excellent ASTATIC D-104 HEAD at a big $10.50, Ends Tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 18:21:05 UTC
From: rlucch2098@aol.com
Message-ID: <20021201132105.18508.00000371@mb-fp.aol.com>
Source record: 36620

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744085

6210. FA:HAMS COLLECT CB's Also:-) Lafayette Comstat 19 & ROBERTS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 18:24:19 UTC
From: rlucch2098@aol.com
Message-ID: <20021201132419.18508.00000372@mb-fp.aol.com>
Source record: 36621

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
Robets @$20
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744096
Lafayette Comstat 19
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744114

6211. FA: WRL GLOBE 65A Transmitter ends this evening!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 18:26:49 UTC
From: rlucch2098@aol.com
Message-ID: <20021201132649.18508.00000375@mb-fp.aol.com>
Source record: 36622

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744106

6212. fa> SEVEN(7) ANTIQUE 6-pin PLUG-IN COILS, Last call @$20

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 18:28:34 UTC
From: rlucch2098@aol.com
Message-ID: <20021201132834.18508.00000376@mb-fp.aol.com>
Source record: 36623

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1940744105

6213. Need 100-150pf @ 450volt skinny caps..Buy/Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 18:39:11 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DEA574F.79893B14@qth.com>
Source record: 36624
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Body handling: Binary attachment payload not displayed: radioranch.vcf

I will swap a set of larger caps , (in size and pf) I have several types, for some skinny ones (1"dia. no longer than 5") Need to be 80 pf or better...These are for an NCL 2000, i have for trade larger sets for SB 220 , L4B, and the like. Or will buy out right for reasonable priceing...need 8! Let me know if you can help...73 and thanks.... Murray

[One or more binary attachments are retained only in the source text.]

6214. FS Bird Elements

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 18:43:39 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <vLsG9.11004$ta5.1292050@newsread2.prod.itd.earthlink.net>
Source record: 36625

I have for sale 3 Bird elements

Bird 250H $45.00

Bird 100H $65.00

Bird 100C $45.00

Thank You & 73,

Leo KJ6HI

Ph/Fax (310) 670-6969

6215. FS Kenwood All Mode Transceivers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 18:48:52 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <oQsG9.11020$ta5.1296272@newsread2.prod.itd.earthlink.net>
Source record: 36626

I have for sale TWO nice Kenwood All Mode Transceivers....

Kenwood TM-255A 144 MHz all mode transceiver in original box "LIKE NEW",
turned on once and put back in the box....$450.00

Kenwood TS-790A 144/440/1200 MHZ all mode transeiver very good condition,
and it does have the 1200 MHz module, comes with original manual, Kenwood
MC-43S hand microphone, and DC cable.....$995.00

Thank You & 73,

Leo KJ6HI

Ph/Fax (310) 670-6969

6216. FS Yaesu Stuff

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 18:53:11 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <rUsG9.11038$ta5.1296881@newsread2.prod.itd.earthlink.net>
Source record: 36627

I have a list of some Yaesu goodies, hope you like them.................

Yaesu SP-102P Phone Patch/Speaker.....$70.00

Yaesu "Brand New In The Box" MR-7 Rack for the FT-707....$29.00

Yaesu "Brand New In The Box" FRB-707 Amp/Relay.........$29.00

Yaesu FV-101Z FT-101ZD Matching External VFO.........$69.00

Yaesu FF-501 TVI Filter.............$19.00

(2) Yaesu Landliner Speaker/Phone Patch........$45.00 each

Thank You & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

6217. FS Icom Stuff

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:04:36 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <83tG9.11066$ta5.1298576@newsread2.prod.itd.earthlink.net>
Source record: 36628

I have a few NICE Icom radios for sale, and they are in EXCELLENT condition.....

Icom 207 H 144/440 MHz mobile transceiver with original box "LIKE NEW", turned on once and put back in the box $190.00

Icom V68 handheld transceiver with original box "LIKE NEW "....$89.00

Thank You & 73,

Leo KJ6HI

Ph/Fax (310) 670-6969

6218. WTB: Timewave DSP-599zx filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:06:40 UTC
From: jdy18@aol.com
Message-ID: <20021201140640.24099.00007939@mb-mm.aol.com>
Source record: 36629

Please respond direct to my e-mail address with details, price, etc.

73 de Jay, W2KD

jdy18@aol.com

6219. FS Radio Shack HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:07:29 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <R5tG9.11074$ta5.1298995@newsread2.prod.itd.earthlink.net>
Source record: 36630

I have a Radio Shack handheld for sale...

Radio Shack HTX-202 144 MHz handheld in the original box "LIKE NEW", turned on once and put back in the box...$75.00

73, Leo

PH/FAX (310) 670-6969

6220. FS Collins 312B-4

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:09:51 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <38tG9.11080$ta5.1299477@newsread2.prod.itd.earthlink.net>
Source record: 36631

I have for sale a Collins 312B-4 "winged emblem" in good condition.....$200.00

73,

Leo KJ6HI

PH/FAX (310) 670-6969

6221. FS MFJ TNC's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:14:41 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <BctG9.11090$ta5.1300038@newsread2.prod.itd.earthlink.net>
Source record: 36632

I have the MFJ-1278 with original box, and manual

MFJ - 1278 TNC, Multi-Mode CW,SSTV,FAX,RTTY,AMTOR,ASCII, NAVTEX, CONTEST
MEMORY KEYER.....$79.00

MFJ - PK-88 TNC $30.00

73,

Leo KJ6HI

PH/FAX (310) 670-6969

6222. Radios For Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:16:18 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3DE90E56.2080405@dirtball.com>
Source record: 36633

Hello All
I have a FT 920 with AM filter and MD 100 mike with the MFJ Versa Tuner V that I will Trade for a Yaesu FT 990. I also have the technical supplment for the FT 920. Anyone interested I am in the Atlanta area. I will meet with in a 70 mile radius of Athens GA. My email is oris@dirtball.com. I am in the Atlanta area. I will meet with in a 70 mile radius of Athens GA.
I Also Have a FT 1000MP that needs work. The frequency display blinks. I was told that there is a problem in the Phase Lock Loop curcuit. Milton Lord at http://www.n4da.com I will trade for a FT 990 Or simlar HF rig. I also have a working Icom AT 500 antenna tuner that I will trade for a Kenwood TS 50 or any small 100 watt continuos coverage HF rig. I need a moble rig. I also Have a Henry radio 2KD-5 Amplifier (pair of Emac 3-500, New Power supply Capacitors, 100 in gets you 1250 out) that I will trade for a FT 990 or FT 1000.
I also Have a Pentium III 500 Mhz computer 40 X cd rom Turtle beach CD burner 128 K of ram sound card Network card 1 gig hard drive keyboard and mouse that I will trade for a HF rig.
Anyone intereAnyone interested I am in the Atlanta area. I will meet with in a 70 mile radius of Athens GA. My email is oris@dirtball.com. I am in the Atlanta area. I will meet with in a 70 mile radius of Athens GA.
Thanks for Reading and Happy Holidays
Oris
N4CND

6223. FS Heathkit SB-614 Scope

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:19:45 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <lhtG9.11106$ta5.1300883@newsread2.prod.itd.earthlink.net>
Source record: 36634

I have foe sale a Heathkit SB-614 Scope in very good condition.

Heathkit SB-614 Scope.....$70.00

Thanks & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

6224. FS Mirage 2 meter amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:22:18 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <KjtG9.11114$ta5.1301238@newsread2.prod.itd.earthlink.net>
Source record: 36635

I have a nice Mirage B-108 2 meter amp for sale, it's in very good condition
and puts out 80 watts, had it in-line 2 weeks ago

Mirage B-108 2 Meter Amplifier 10 watts in 80 watts out.....$60.00

Thanks & 73,

Leo KJ6HI

PH/FAX (310) 670-6969

6225. FS Keyers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:27:45 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <RotG9.11121$ta5.1302134@newsread2.prod.itd.earthlink.net>
Source record: 36636

Here are some keyers for sale

Bencher Keyer BY-2.....$60.00
"It sell NEW for $125.00"

Ham Key $40.00

Nye Viking Straight Key....$35.00

AEA MorseMatic....$49.00

Thank You & 73,

Leo KJ6HI

Ph/Fax (310) 670-6969

6226. Re: Excellent ASTATIC D-104 HEAD at a big $10.50, Ends Tonight!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:28:39 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3dea62bf$1@news.netacc.net>
Source record: 36637

"RLucch2098" <rlucch2098@aol.com> wrote in message
news:20021201132105.18508.00000371@mb-fp.aol.com...
> Many nice, clear pictures!
> Please add>>http in front of the URL(address) Please because AOL gives me
a
> hard time if I use Hot-Links(duh), Sorry!

Which raises the age old question..... Why the heck does anyone use AOL for their internet provider??? Cant think of any added "member only" content they provide that warrants the extra dollars for an inferior service.

Steve

6227. Re: Need 100-150pf @ 450volt skinny caps..Buy/Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:44:00 UTC
From: Bill M <"exray\\@n-o- .caribe.net>">
Message-ID: <uukpj3r164l04b@corp.supernews.com>
Source record: 36638
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Murray Neece wrote:
> I will swap a set of larger caps , (in size and pf) I have several
> types, for some skinny ones (1"dia. no longer than 5") Need to be 80
> pf or better...These are for an NCL 2000, i have for trade larger sets
> for SB 220 , L4B, and the like. Or will buy out right for reasonable
> priceing...need 8! Let me know if you can help...73 and thanks....
> Murray

You must mean mf?

-Bill

6228. Re: Miracle Antenna ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 19:51:18 UTC
From: Jim Vecchiola <jimkr2t@magpage.com>
Message-ID: <asdp7mbkp0@216.155.62.237>
Source record: 36639

QST says www.miracleantenna.com

That's easy!

73, KR2T

Frank Krozel wrote:
>
> Hi all.
> I am looking for Miracle Antenna company (The people that make the Miracle
> Antenna for the 817.)
> Anyone know of a website for them?
> Frank KG9H

6229. Re: Icon 756 Pro II vs. Yaesu FT-990

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 20:18:43 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uukrl8ehp2vif0@corp.supernews.com>
Source record: 36640

> I was dismayed at how quickly the value of my radio dropped
> from $2,995 to $1,500 or so.

Welcome to the club :-) I expect that was because they released the PRO-II so soon. If I had only waited two more months I coulda had a PRO-II. I surely hope the PRO-II will hold their value better (which it probably will unless Icom releases a PRO-III next month).

6230. Re: Icon 756 Pro II vs. Yaesu FT-990

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 21:34:19 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uukvs6p2sfilf7@corp.supernews.com>
Source record: 36642

"Value" only means something if you plan to sell your radios every time a new radio comes out.
As for me, I plan to keep my PRO II & PRO till neither one will work and can't be repaired. Then I'll buy whatever new radio ICOM has come out with at that time.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Bob Lewis (AA4PB)" <rlewis@staffnet.com> wrote in message news:uukrl8ehp2vif0@corp.supernews.com...
> > I was dismayed at how quickly the value of my radio dropped
> > from $2,995 to $1,500 or so.
>
> Welcome to the club :-) I expect that was because they released the
> PRO-II so soon. If I had only waited two more months I coulda had a
> PRO-II. I surely hope the PRO-II will hold their value better (which
> it probably will unless Icom releases a PRO-III next month).
>
>

6231. Search handling info for IC229H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 21:36:08 UTC
From: RLannert@T-Online.de
Message-ID: <93d7be03.0212011336.b08f30f@posting.google.com>
Source record: 36643

Hello,
Ii¿½ve bought an IC 229H with HM56A Mic. (DTMF).
But i canï¿½t contact my home relais with the 1750 Hz tone.
I want to have some thimgs changed:
1. Mic gain
2. The 1750 Hz tone
3. Send / Rec. Freq. + 600Hz i think.
Please send the combinations for these changes.
RLannert@T-online.de
Thanks Reinhold

6232. Meon Transverter (6m)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 21:44:57 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <_qvG9.9609$XN5.1267993@wards>
Source record: 36502

Has anyone got circuits and PCB layouts for the Meon (or similar) 6m transverter.

I would like to build something to go on the back of my 2m rig (or HF).

Thanks in advance.

Neil.

6233. Re: Third party CTCSS Sources

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 21:45:41 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <asdvu701m44@enews2.newsguy.com>
Source record: 36646
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

DO NOT attempt to insert the tone at the mic audio input. If the radio is properly engineered, there will be a high pass filter in the mic circuit that will roll off freq's below 300 Hz. You might be able to get enough tone thru the mic input to bring up the repeater, but you will have a number of problems if you go this route. Comm Spec has application notes on their site for most of the popular radios. Download the one you need and follow their instructions. Good luck, and 73

Kevin, K9HX
"Jim Pennell" <NoSpam@killspam.com> wrote in message
news:asapla$4jt$1@slb4.atl.mindspring.net...
> Generally, adding a third party CTCSS board is not difficult. They
> usually have enough drive so you can use a fairly high value resistor and
> connect it to the microphone input.
>
> There are a couple of problems....
>
> One problem is, it is not easy to change the PL frequency when you
> install the CTCSS board inside the radio. You may want to mount it in an
> external box with a couple of connectors so you can connect the microphone
> to the box and then a second cable from the box to the 2 meter rig.
This
> way, you have the CTCSS board where you can get to it to chenge the PL
> frequency. Maybe even set up a selector switch of some sort for the PL
> frequencies you want.
>
> The other possible problem is a possibility that the very low frequency
> PL tone might disturb the radio. A unit I modified once injected the
> audio into the phase lock loop and that was how they FM'd the signal.
> Trouble was, the PL tone was in the phase lock loop bandwidth. Well.....
> That's a problem.
>
> Anyway, a CTCSS board is fairly cheap, and it will most likely work for
> you but be prepared for the possibility. It depends on how the radio was
> designed.
>
>
> Jim Pennell
> N6BIU
>
>

6234. WTB: KENWOOD DSP-100.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 21:54:27 UTC
From: Terry <g0vhs@hotmailNOCRAP.com>
Message-ID: <3dea8526_1@mk-nntp-1.news.uk.worldonline.com>
Source record: 36645

I am still looking for one of the above to go with the 850. Must be mint
with cables etc.
Cash waiting. UK preferred.
Regards,
Terry G0VHS

6235. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 22:08:25 UTC
From: Burt <k1oik@attbi.com>
Message-ID: <tLvG9.197018$NH2.12586@sccrnsc01>
Source record: 36647
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

"Chuck" <k8cpa*nospam*@arrl.net*nospam*> wrote in message
news:l4dcuuo8nkn6qas6lo01s94101irp2blcm@4ax.com...
> THERE'S TALK ON
> CHARLIE'S 75 METER HANG OUT, OF A GANG OF GUYS COMING TO YOUR HOUSE TO
> EVEN THE SCORE. IF I WERE YOU, I'D BE MAKING SOME PHONE CALLS.
>

There is talk!!!!
That's all hams do is talk.
He is safe from ANY ham.

Burt

6236. Astron Power Supply For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 22:09:04 UTC
From: Burt <k1oik@attbi.com>
Message-ID: <4MvG9.197021$NH2.12825@sccrnsc01>
Source record: 36498

Astron Power Supply For Sale

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942636432&ssPageName=ADME:B:LC:US:1

6237. Re: Astron Power Supply For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 22:19:04 UTC
From: jack <jack@aol.com>
Message-ID: <pm2luuktkdo7q1qpdfti29gvugq3l557gk@4ax.com>
Source record: 36499

Use FA: loser

On Sun, 01 Dec 2002 22:09:04 GMT, "Burt" <k1oik@attbi.com> wrote:

>Astron Power Supply For Sale
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942636432&ssPageName=ADM
>E:B:LC:US:1
>

6238. Re: Need 100-150pf @ 450volt skinny caps..Buy/Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 22:27:51 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DEA8CE7.4649DC66@qth.com>
Source record: 36500
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Body handling: Binary attachment payload not displayed: radioranch.vcf

Yes MF sorry OM I have CRS and better QSY!! hihi thanks for bringing to everyones attention , I been besieged with people doing nothing about them, must be 'cause I got up to early in AM to get on SSB for traders net when I shouldbe QRT...73 K5MDM " Sometimes I wake up in a new world everday" Its hard on my new career but fun sometimes...M

Bill M wrote:

> Murray Neece wrote:
> > I will swap a set of larger caps , (in size and pf) I have several
> > types, for some skinny ones (1"dia. no longer than 5") Need to be 80
> > pf or better...These are for an NCL 2000, i have for trade larger sets
> > for SB 220 , L4B, and the like. Or will buy out right for reasonable
> > priceing...need 8! Let me know if you can help...73 and thanks....
> > Murray
>
> You must mean mf?
>
> -Bill

[One or more binary attachments are retained only in the source text.]

6239. MFJ-1910 fiberglass mast?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 22:30:30 UTC
From: vhfradiobuff@yahoo.com
Message-ID: <1996cb6d.0212011430.577ddfae@posting.google.com>
Source record: 36501

Has anyone here tried this new MFJ-1910 collapsable fiberglass antenna mast? I was thinking of picking one up.

Anyone else got any good sources of fiberglass antenna masts? I really only need one about 20 feet tall.

6240. Re: Effect of MARS/CAP mod on power?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 23:11:02 UTC
From: "William H. O'Hara, III" <whoohara@yahoo.com>
Message-ID: <Xns92D7B8F01A303AlphaCentauriAAAHAWK@65.100.3.61>
Source record: 36503

Bruce Lane <SpammersAreVermin@dev.nul> wrote in
news:MPG.1850b623d6255b2a989a6e@news.drizzle.com:

> Cost is not the only factor here. You most certainly get exactly
> what you pay for in the electronics realm. Personally, I would not trust
> a $79.00 radio to be a good lifeline, especially when there's nothing
> else around to back it up.

The radio's list price is over $200 dollars. The radio
just recently received a new sale price. The radio is
one of the best monobander 2 meter performers. I believe
that it is the only 2 meter radio that meets the NTIA's
specs for current CAP radio service.

$79 is probably do to the Japanese economic situation.
I think that the economy's deflationary aspects will lead
them to sell higher priced inventory as soon as possible.
The longer that they hold onto something, the worse the
loss will be in real economic terms.

I bought yet another one. The FT1500 is also a great
buy IMHO.

Bill
KB1IUB

6241. FS: Alinco DX-77T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-01 23:18:58 UTC
From: KI8HU <nospamki8hu@adelphia.net>
Message-ID: <CNwG9.5066$ov6.2533511@news2.news.adelphia.net>
Source record: 36504

Alinco DX-77T in great shape. Low air time. Comes in original box. $400.00 firm shipped in the lower 48. Feel free to email me with any questions. Remove nospam from address. 73's.

Gary
KI8HU
nospamki8hu@adelphia.net

6242. Re: ICOM IC-2000H manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 00:01:19 UTC
From: W4PHM <W4PHM@ARRL.NET>
Message-ID: <asdtcg$b6d$1@slb4.atl.mindspring.net>
Source record: 36641

I have one in english and could have it professionally photocopied for about
$10.00 U.S.

If you want me to do that I will photocopy it for you and send it along with
no profit just at what it costs me to reproduce it. I have one of these
rigs
and they are quite robust. Let me know how you want me to proceed.

Best 73

Patrick
W4PHM

W4PHM@ARRL.NET

"Bernard B&#65533;lisle" <belisleb@webnet.qc.ca> wrote in message
news:6B7G9.10684$i%.1945327@localhost...
> I bought recently an Icom IC-2000H radio with the microphone from a widow.
> The radio is brand new but does not have any manual that came with it. Is
> there somebody in the group that could scan it and sent it by internet. I
> searched on the Icom website and had not been able to find it there for
> free. If you can scan it and send it directly to my personal address,
> (belisleb@webnet.qc.ca) I would appreciate it very much. Either in
English
> or French would be OK.
> Thank you very much
> Bernard Belisle
>
> --
> www.electrovent.com
>
>

6243. Re: Third party CTCSS Sources

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 00:14:13 UTC
From: Jim Pennell <NoSpam@killspam.com>
Message-ID: <ase8kn$204$1@slb6.atl.mindspring.net>
Source record: 36505
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

----- Original Message -----
"Kevin" <kberlen@ticz.com> Wrote:

> DO NOT attempt to insert the tone at the mic audio input.
> If the radio is properly engineered, there will be a high
> pass filter in the mic circuit that will roll off freq's
> below 300 Hz. You might be able to get enough tone
> thru the mic input to bring up the repeater, but you will
> have a number of problems if you go this route. Comm Spec
> has application notes on their site for most of the popular
> radios. Download the one you need and follow their
> instructions. Good luck, and 73
>
> Kevin, K9HX

Actually, Kevin is right. I had a schematic for the rig I was fooling
with and I knew that it did NOT have much audio shaping but most radios do
and that has to be allowed for when hooking up a CTCSS board.

I tend to turn my brain off on weekends... Ah well, at least there are
people here to catch my errors.

Jim Pennell
N6BIU

6244. FA not FS Re: Astron Power Supply For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 00:20:34 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <mHxG9.74331$GR5.14977@rwcrnsc51.ops.asp.att.net>
Source record: 36506

FA not FS

6245. Re: FA not FS Re: Astron Power Supply For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 00:23:15 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <ase7kg$9g5$1@news1.kornet.net>
Source record: 36507

He has a BIN price, so technically, it's for sale.. for the moment.

"Bill & Suzie Whatley" <spud286@attbi.com> wrote in message
news:mHxG9.74331$GR5.14977@rwcrnsc51.ops.asp.att.net...
> FA not FS
>
>

6246. Re: ICOM IC-2000H manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 00:35:59 UTC
From: W4PHM <W4PHM@ARRL.NET>
Message-ID: <asdvdp$9pe$1@slb6.atl.mindspring.net>
Source record: 36644

Oh by the way, you may actually be able to find a manual in .pdf format on the web at WWW.mods.dk

Try that one.

73

Patrick

"W4PHM" <W4PHM@ARRL.NET> wrote in message news:asdtcg$b6d$1@slb4.atl.mindspring.net...
> I have one in english and could have it professionally photocopied for about
> $10.00 U.S.
>
> If you want me to do that I will photocopy it for you and send it along with
> no profit just at what it costs me to reproduce it. I have one of these
> rigs
> and they are quite robust. Let me know how you want me to proceed.
>
> Best 73
>
> Patrick
> W4PHM
>
> W4PHM@ARRL.NET
>
>
> "Bernard B�lisle" <belisleb@webnet.qc.ca> wrote in message
> news:6B7G9.10684$i%.1945327@localhost...
> > I bought recently an Icom IC-2000H radio with the microphone from a widow.
> > The radio is brand new but does not have any manual that came with it. Is
> > there somebody in the group that could scan it and sent it by internet. I
> > searched on the Icom website and had not been able to find it there for
> > free. If you can scan it and send it directly to my personal address,
> > (belisleb@webnet.qc.ca) I would appreciate it very much. Either in
> English
> > or French would be OK.
> > Thank you very much
> > Bernard Belisle
> >

> > --
> > www.electrovent.com
> >
> >
>
>

6247. Re: Third party CTCSS Sources

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 00:38:27 UTC
From: budgie@nowhere.cantech.net.au
Message-ID: <3deaaa44.1561559@news.cantech.net.au>
Source record: 36508
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

On Sun, 1 Dec 2002 16:45:41 -0500, "Kevin" <kberlen@ticz.com> wrote:

>DO NOT attempt to insert the tone at the mic audio input. If the radio is
>properly engineered, there will be a high pass filter in the mic circuit
>that will roll off freq's below 300 Hz. You might be able to get enough tone
>thru the mic input to bring up the repeater, but you will have a number of
>problems if you go this route.

Absolutely correct advice. Two problems in particular become evident
feeding CTCSS in thru the mic processing chain:
(a) dev limiting will strip the CTCSS off completely, so you will
experience serious "talk-off" problems originating in your Tx.
(If you don't believe me, try it and watch it on a comms monitor).
(b) the dev you get (below limiting) will be a function of frequency,
as a result of the rolloff slope of the high-pass or band-pass filter
in the mic amp.

MOST transceivers have a proper CTCSS insertion point, which is
generally evident from examining the cct diagram. Note also that
tone-sequential calling tones ("Selcall") should be inserted through a
different point to CTCSS, and if there isn't a dedicated point for
this you will need to feed these down the mic chain.

>Comm Spec has application notes on their site
>for most of the popular radios. Download the one you need and follow their
>instructions. Good luck, and 73
>
>Kevin, K9HX
>"Jim Pennell" <NoSpam@killspam.com> wrote in message
>news:asapla$4jt$1@slb4.atl.mindspring.net...
>> Generally, adding a third party CTCSS board is not difficult. They
>> usually have enough drive so you can use a fairly high value resistor and
>> connect it to the microphone input.
>>
>> There are a couple of problems....
>>
>> One problem is, it is not easy to change the PL frequency when you
>> install the CTCSS board inside the radio. You may want to mount it in an
>> external box with a couple of connectors so you can connect the microphone
>> to the box and then a second cable from the box to the 2 meter rig.
>This
>> way, you have the CTCSS board where you can get to it to chenge the PL
>> frequency. Maybe even set up a selector switch of some sort for the PL
>> frequencies you want.

>>
>> The other possible problem is a possibility that the very low frequency
>> PL tone might disturb the radio. A unit I modified once injected the
>> audio into the phase lock loop and that was how they FM'd the signal.
>> Trouble was, the PL tone was in the phase lock loop bandwidth. Well.....
>> That's a problem.
>>
>> Anyway, a CTCSS board is fairly cheap, and it will most likely work for
>> you but be prepared for the possibility. It depends on how the radio was
>> designed.
>>
>>
>> Jim Pennell
>> N6BIU
>>
>>
>
>

6248. FS: sma-to-bnc custom fit antenna adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 01:22:02 UTC
From: gulyas@earthlink.net
Message-ID: <12235960.0212011722.3b79c3b8@posting.google.com>
Source record: 36509
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

Do you have a need for a high-quality SMA-to-BNC antenna adapter that
is custom made to fit and protect your H.T. or scanner radio?

Adapter allows you to:
Quickly change antennas to base, mobile or different style use.
Use the more popular and wider selection available of BNC antennas.
Prevent chassis connector wear or from coming loose due to antenna
changes.

Adapter features:
Gold plated contacts with a teflon insulator.
A low profile design with a rubber covering for a factory antenna look.
The rubber base seals to the top of the radio with no spacers needed
for moisture and dirt protection.
The base also provides an excellent support for any length of antenna
or application.
No need to remove adapter once installed to make a quick and safe
antenna change.

Sizes to fit radio models:
Yaesu: VX-5R, VX-7R, VX-1R, FT-50-R, VX-10, VX-150, VX-110,
VXA-100, VXA-120
Icom: IC-T90, IC-T8A, IC-T81A, IC-Q7A, IC-R2
Kenwood: TH-D7, TH-G71, TH-F6A, TH-F7A
Alinco: DJ-V5, DJ-X3, DJ-S40
Standard: C508A, C510A
Radio Shack: HTX-420, HTX-400, HTX-245, HTX-200
Aor: AR-16

Previewed in the May 2000 Issue of CQ Magazine, and the Nov. 2000
Issue of QST Magazine.

$11.95 + $1.50 S+H(One to unlimited)
(Check or money order only in U.S.Funds)
(Specify-radio-model)

STEPHEN G.GULYAS
706 LALOR ST.
TRENTON, N.J. 08610
U.S.A.

A photo of the adapter is available upon request.

I welcome any questions or comments at my email:
gulyas@earthlink.net

Thanks for looking at my posting.
S.G.G. KC2BHO 73's

6249. Re: FA not FS Re: Astron Power Supply For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 01:31:21 UTC
From: Ken Bessler <kg0wx@yahoo.com>
Message-ID: <JJyG9.35320$0b.28@news2.central.cox.net>
Source record: 36510

"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:ase7kg$9g5$1@news1.kornet.net...
> He has a BIN price, so technically, it's for sale.. for the moment.
>
>
> "Bill & Suzie Whatley" <spud286@attbi.com> wrote in message
> news:mHxG9.74331$GR5.14977@rwcrnsc51.ops.asp.att.net...
> > FA not FS
> >
> >
>

Baloney. Accepted practice on the usenet (read the faq) is that if
it is being offered on ebay and/or any site where you can go and
bid on it then it should be posted with the beggining of the subject
header should start as "FA:"

Simple.

I know, I know - it's got that stupid "buy it now" deal going - despite
this, you can go and bid on it therefore it is an AUCTION. Duh.

Ken

6250. Sale: Kenwood Dual Band 144/440 MHz Radio TM-731A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 01:34:55 UTC
From: Burt <k1oik@attbi.com>
Message-ID: <3NyG9.74916$GR5.15370@rwcrnsc51.ops.asp.att.net>
Source record: 36511

Sale: Kenwood Dual Band 144/440 MHz Radio TM-731A
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1942628673

6251. For sale: Sencore TC 142 Mighty Mite Tube Tester

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 01:35:26 UTC
From: Burt <k1oik@attbi.com>
Message-ID: <yNyG9.74922$GR5.15363@rwcrnsc51.ops.asp.att.net>
Source record: 36512

For sale: Sencore TC 142 Mighty Mite Tube Tester
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=25422&item=1922547660

6252. Re: For sale: Sencore TC 142 Mighty Mite Tube Tester

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 01:53:02 UTC
From: Alfred Carlson <wa7uhr@gte.net>
Message-ID: <3DEABD13.427B31DB@gte.net>
Source record: 36513

It is a handy tube tester but, without original meter and FA makes it a dumper and flush on this BA site. de Fred...

Burt wrote:

> For sale: Sencore TC 142 Mighty Mite Tube Tester
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=25422&item=1922547660

6253. Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 02:14:53 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uulgg3nrvvjdf5@corp.supernews.com>
Source record: 36514

Here's the link to a $179 list price antenna tuner you can
buy right now on Ebay with a Buy It Now price of $200.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942339112

Makes you just want to rush right over and place a bid don't it?
:^0

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

6254. FS: TenTec Jupiter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 02:27:03 UTC
From: sholisky@tpt.org
Message-ID: <53f4f538.0212011827.1bb92497@posting.google.com>
Source record: 36515

TenTec Jupiter - Mint shape,No dings, etc. Kept under plastic. 100% operational, computer interface cable, mic, manual, power cord, box. Asking $825. Phone 651 653-5894 Tnx - Scott

6255. The circuit of the generator of radionoise ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 02:28:58 UTC
From: Igor <pcholken@a-teleport.com>
Message-ID: <asejs3$30e3$1@pandora.alkar.net>
Source record: 36516

The circuit of the generator of radionoise is necessary.

Igor.

6256. Re: Sale: Kenwood Dual Band 144/440 MHz Radio TM-731A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 03:40:53 UTC
From: jack <jack@aol.com>
Message-ID: <ailluu0avodauhvejnes99tfhvllj7uk5f@4ax.com>
Source record: 36517

USE FA: are you braindead???

On Mon, 02 Dec 2002 01:34:55 GMT, "Burt" <k1oik@attbi.com> wrote:

>Sale: Kenwood Dual Band 144/440 MHz Radio TM-731A
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1942628673
>

6257. Re: For sale: Sencore TC 142 Mighty Mite Tube Tester

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 03:41:35 UTC
From: jack <jack@aol.com>
Message-ID: <3klluu4mhgthriehi0242ndcmmfvqnrpad@4ax.com>
Source record: 36518

USE FA:

On Mon, 02 Dec 2002 01:35:26 GMT, "Burt" <k1oik@attbi.com> wrote:

>For sale: Sencore TC 142 Mighty Mite Tube Tester
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=25422&item=1922547660
>

6258. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 03:43:19 UTC
From: Steven L Umbach <n9rou@attbi.com>
Message-ID: <rFAG9.75853$GR5.15128@rwcrnsc51.ops.asp.att.net>
Source record: 36519

Actually I do love Ebay! It is the most efficient mechanism their is for bringing together buyers and sellers. Like anything else you need to do your research before you buy. I have been EXTREMELY happy as a buyer and a seller. ---- Steve KK9ZZ

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=168&item=2060831384
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=3762&item=2075783198

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:uulgg3nrvvjdf5@corp.supernews.com...
> Here's the link to a $179 list price antenna tuner you can
> buy right now on Ebay with a Buy It Now price of $200.
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942339112
>
> Makes you just want to rush right over and place a bid don't it?
> :^0
>
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

6259. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 03:46:17 UTC
From: cheesecutter@webhideout.com
Message-ID: <fef386d5.0212011946.56c2ed1e@posting.google.com>
Source record: 36520
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

Chuck <k8cpa*NOSPAM*@arrl.net> wrote in message
news:<7smiuu8bpp2fl97bioposvcdcccj1n9o4b@4ax.com>...
> On Sat, 30 Nov 2002 23:56:55 GMT, Tom <jc@nospam.com> was blabbling:
>
> ...On Thu, 28 Nov 2002 10:33:47 -0500, Chuck
> ...<k8cpa*nospam*@arrl.net*nospam*> wrote:
> ...
> ...
> ...>REAL Ham's Use CW!
> ...>http://mywebpages.comcast.net/k8cpa/
> ...
> ...
> ...Shut up CPA and get a job, freak.
>
> Tell you what dickhead, you post in here with your REAL NAME and
> CALLSIGN.... and I'll go take a job at burger king monday!
>
> (sarcasm of course...)
>
> that's prolly one of those limp wristed wanna be's from 3.865 night
> crew or from 3.898... like W8GG or WQ4E...either way kiss my arse...
>
>
>
>
>
> 73
> -Chuck K8CPA
> REAL Ham's use 160, 75 and 40 meters!
> REAL Ham's Use CW!
> http://mywebpages.comcast.net/k8cpa/

chuckie.......you are not qualified to work at burger king
mudduck......try again........

6260. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 05:00:10 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uulq60ie7l75da@corp.supernews.com>
Source record: 36521

"Steven L Umbach" <n9rou@attbi.com> wrote in message
news:rFAG9.75853$GR5.15128@rwcrnsc51.ops.asp.att.net...
> Actually I do love Ebay! It is the most efficient mechanism their is for
> bringing together buyers and sellers. Like anything else you need to do
your
> research before you buy. I have been EXTREMELY happy as a buyer and a
> seller. ---- Steve KK9ZZ
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=168&item=2060831384
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=3762&item=2075783198
>

Steve
I buy and sell on Ebay also, (that's how I found the tuner) but I'm still
amazed at the prices that people ask (& pay) for the stuff on Ebay.
As far as I'm concerned Ebay is a sellers market, but sometimes as
a buyer you can find a good deal there.

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

6261. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 05:01:22 UTC
From: Balls Mahoney <rcranus@hotmail.coms>
Message-ID: <bl2dnW6ZAMrYdHegXTWc3w@comcast.com>
Source record: 36522
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

"chessecutter" <cheesecutter@webhideout.com> wrote in message

: chuckie.......you are not qualified to work at burger king
: mudduck......try again........

I heard you today mr jones.

6262. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 10:49:05 UTC
From: Idontwantspam@net
Message-ID: <3deb39b0.1187988@news.bellatlantic.net>
Source record: 36523

On Mon, 2 Dec 2002 00:00:10 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:

>
>"Steven L Umbach" <n9rou@attbi.com> wrote in message
>news:rFAG9.75853$GR5.15128@rwcrnsc51.ops.asp.att.net...
>> Actually I do love Ebay! It is the most efficient mechanism their is for
>> bringing together buyers and sellers. Like anything else you need to do
>your
>> research before you buy. I have been EXTREMELY happy as a buyer and a
>> seller. ---- Steve KK9ZZ
>>
>Steve
>I buy and sell on Ebay also, (that's how I found the tuner) but I'm still
>amazed at the prices that people ask (& pay) for the stuff on Ebay.
>As far as I'm concerned Ebay is a sellers market, but sometimes as
>a buyer you can find a good deal there.
>
I think the best way to be a buyer, in any auction, is to predetermine
the highest amount you would pay for that particular item, and avoid
getting caught up in the emotional "I have to win" mentality. If
someone else wants to pay more than you think the item is worth, let
them.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6263. FS: Sinclair P-201g 4 cavity Duplexer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 11:05:37 UTC
From: N5ASA <n5asa@colla.com>
Message-ID: <asfem8019js@enews2.newsguy.com>
Source record: 36524

Hi,
hr is (1) Set of Sinclair P-201g 4 cavity Duplexer w/ Cabinet That I am selling. 24" tall cans X 6 3/4" Dia. with all the Cabes ready to go...just tune to your Freq. Pics of F-201G Sinclair Duplexers.....All Aphenol Connectors & Good RG214 Cable.

P-201 GR

The P-201G bandpass duplexer combines Sinclair's high Q bandpass cavities into a unit of superior performance in the 132-174 MHz range.
These Duplexers are easily field-tunable and feature rotatable lops for selectivity settings other than the performance detailed below for 0.5 dB per-cavity loss. In addition, vernier tuning is provided for fine frequency adjustments. Because of carefully designed temperature compensation, frequency drift over the operating temperature ranges extremely small, typically 0.5 ppm/�C.
These duplexers are available in rack-mounted or cabinet configurations.

For Specifications go to this site.

<http://www.wiscointl.com/sinclair/BaseStation/p201gr.htm>

$550 w\Cabinet
$500 wo\ Cabinet

Will Meet with buyer 1/2 way from Baskin, La.71219
upto 150 miles.

73 Larry
N5ASA

Questions: & more Pics

n5asa@arrl.net

6264. FS: TC-70-1 ATV Transceiver 1 watt & 30 watt Alinco Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 11:20:56 UTC
From: N5ASA <n5asa@colla.com>
Message-ID: <asffj001bbf@enews2.newsguy.com>
Source record: 36525

Hi,
Hope everyone had a Great Turkey day!
I have Hr A TC-70-1 ATV Transceiver 1 watt & 30 watt Alinco Amplifier...
No Activity in my area? so need to sell or Trade for ?

sell $300.00 Shipped
in lower 48

73 Larry
N5ASA

n5asa@arrl.net

Click here to see the Pic of unit..
http://www.qrz.com/cgi-bin/ikonboard.cgi?s=3deb32b56243ffff;act=ST;f=1;t=243

6265. FS: TNC AEA PK-232mbx w\box & Manuals Like New

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 11:33:13 UTC
From: N5ASA <n5asa@colla.com>
Message-ID: <asfga301cne@enews2.newsguy.com>
Source record: 36526

Hi,
Happy Holidays

I have FS a TNC AEA PK-232mbx w\box & Manuals Like New.
Will Take $125 or Trade for ?

tnx Larry
N5ASA

n5asa@arrl.net

See pic here:.....

http://www.qrz.com/cgi-bin/ikonboard.cgi?s=3deb32b56243ffff;act=ST;f=1;t=243
47

6266. WTB: POLYCOMM MICROPHONE AND AC POWER CORD.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 12:40:53 UTC
From: k6stu@aol.com
Message-ID: <20021202074053.00464.00000168@mb-fl.aol.com>
Source record: 36527

I HAVE A 2 METER POLYCOMM THAT IS IN NEED OF A MICROPHONE AND A AC POWER CORD
DOES ANYONE HAVE EITHER FOR SALE????
MIKE

6267. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 12:58:42 UTC
From: Steven L Umbach <n9rou@attbi.com>
Message-ID: <6OIG9.205704$P31.80893@rwcrnsc53>
Source record: 36528

I here ya! I also am amazed at the Yaesu 2600M 2 meter mobiles being sold there for $159 when HRO is selling new ones shipped for $115! --- Steve

"KB9TMP" <kb9tmp@juno.com> wrote in message news:uulq60ie7l75da@corp.supernews.com...
>
> "Steven L Umbach" <n9rou@attbi.com> wrote in message
> news:rFAG9.75853$GR5.15128@rwcrnsc51.ops.asp.att.net...
> > Actually I do love Ebay! It is the most efficient mechanism their is for
> > bringing together buyers and sellers. Like anything else you need to do
> your
> > research before you buy. I have been EXTREMELY happy as a buyer and a
> > seller. ---- Steve KK9ZZ
> >
> >
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=168&item=2060831384
> >
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=3762&item=2075783198
> >
>
> Steve
> I buy and sell on Ebay also, (that's how I found the tuner) but I'm still
> amazed at the prices that people ask (& pay) for the stuff on Ebay.
> As far as I'm concerned Ebay is a sellers market, but sometimes as
> a buyer you can find a good deal there.
>
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

6268. Re: ICOM IC-2000H manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 13:00:51 UTC
From: Bernard B&#65533;lisle <belisleb@webnet.qc.ca>
Message-ID: <RTIG9.10748$i%.1969646@localhost>
Source record: 36529

Sir,
I found the manual for the IC-2100H but not for the IC-2000H. Do you
know if there is a big difference between the two models except of the
cosmetics??
Bernard

W4PHM <W4PHM@ARRL.NET> a &#65533;crit dans le message :
asdvdp$9pe$1@slb6.atl.mindspring.net...
> Oh by the way, you may actually be able to find a manual in .pdf
> format on the web at WWW.mods.dk
>
> Try that one.
>
> 73
>
> Patrick
>
> "W4PHM" <W4PHM@ARRL.NET> wrote in message
> news:asdtcg$b6d$1@slb4.atl.mindspring.net...
> > I have one in english and could have it professionally photocopied for
> about
> > $10.00 U.S.
> >
> > If you want me to do that I will photocopy it for you and send it along
> with
> > no profit just at what it costs me to reproduce it. I have one of
these
> > rigs
> > and they are quite robust. Let me know how you want me to proceed.
> >
> > Best 73
> >
> > Patrick
> > W4PHM
> >
> > W4PHM@ARRL.NET
> >
> >
> > "Bernard B&#65533;lisle" <belisleb@webnet.qc.ca> wrote in message
> > news:6B7G9.10684$i%.1945327@localhost...
> > > I bought recently an Icom IC-2000H radio with the microphone from a
> widow.
> > > The radio is brand new but does not have any manual that came with it.
> Is

> > > there somebody in the group that could scan it and sent it by
internet.
> I
> > > searched on the Icom website and had not been able to find it there
for
> > > free. If you can scan it and send it directly to my personal address,
> > > (belisleb@webnet.qc.ca) I would appreciate it very much. Either in
> > English
> > > or French would be OK.
> > > Thank you very much
> > > Bernard Belisle
> > >
> > > --
> > > www.electrovent.com
> > >
> > >
> >
> >
>
>

6269. Programming Standard GX1500 Radio?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 14:48:43 UTC
From: LB <"no mail">
Message-ID: <asfs3qkfp1@slb1.atl.mindspring.net>
Source record: 36530

Is anyone here familiar with programming this radio?

I built an interface which seems to be correct. Designed for Yeasu VX-1R. Supposed to work.

I have the software but it does not seem to work. Cannot read stored data.

Don't know why?

-LB
W1DOY

6270. Re: WTD: Metrotek CB radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 15:33:18 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <23LG9.35210$vM1.2689895@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36531
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.cb

I remember that Colt23; that one had a tunable dual-conversion receiver. It was a good one.

6271. Re: The circuit of the generator of radionoise ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 15:39:29 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <R8LG9.35217$vM1.2690141@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36532

I've got one that will put out 0dBm of noise from 100kHz to 1.3GHz. Usable output to 3GHz, but the response becomes rough. Basically, it is the ARRL circuit, with 90dB of gain following the noise diode. E-mail me directly. If anybody else needs the circuit, I will supply that information.

Pete

6272. FT-817 CT-39 accessory ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 15:41:30 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <KaLG9.461$hM3.74703@newsread2.prod.itd.earthlink.net>
Source record: 36533

Anyone know what this looks like.
In other words, is this a DB-9 to FT-817 data in?

--
Best regards, Frank

6273. FOR SALE: E. F. Johnson Thunderbolt

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 15:55:51 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <cf0nuucovorbs79corr0pnj9a08jl2168e@4ax.com>
Source record: 36534
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

E. F. Johnson Thunderbolt linear amplifier in very good
condition.

Inside is immaculate, clean shiny almost like new.
Has full output from a good pair of 4-400A tubes.
Outside is extra nice with a couple of minor scratches that
will clean up easily. Otherwise immaculate.
Inside looks almost like new above and below deck.
This amp sparkles. Front panel has one small sticker that
can easily remove.
Needs 220V AC and comes w/good power cord. Also has original accessory
cord
with special connector.

$895.00 plus insured shipping
Includes heavy duty packaging w/woodbase.

E-mail me for pictures or to arrange purchase

6274. NEEDED RF Module for the IC-2000H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 16:06:14 UTC
From: Fuzzy Buzzard <"Fuzzy Buzzard"@Windows.xp>
Message-ID: <AyLG9.21492$NV.450802@news.direcpc.com>
Source record: 36535

I need a RF Module for the IC-2000H. My Amp blew and took the Radio with it. :<(
Its a SC1091 or replacement is a SAV 17. Anyone got a spare laying around collecting dust?
Fuz

NOTICE TO BULK E-MAILERS:
Pursuant to US Code, Title 47, Chapter 5, Subchapter II, p.227,
any and all unsolicited commercial E-mail sent to this address is
subject to a download and archival fee in the amount of $100.00 US.

Anyone who sends unsolicited commercial e-mail to this account
will be charged a $50.00 proofreading fee. Consider this official
notification. Failure to abide by this will result in legal action.

6275. Repeater Help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 16:09:20 UTC
From: John Smith <someone@microsoft.com>
Message-ID: <3deb8561_3@news.newsgroups.com>
Source record: 36536

I am a volunteer for a local Ski Patrol. We are using mostly Motorola handheld FM radio's in the 155mhz range (about 100 of them). We have a base station at the top of the mountain and at the bottom. This year we have added CTCSS and now can screen out all of the annoying other rescue squads that used to dominate us (at the top of the mountain). However, we STILL have not solved our poor coverage problem. Specifically, we have dead zones all over the mountain where we cannot communicate handheld to handheld or handheld to the top or bottom. Sometimes, we can't communicate well even from the top to the bottom. In addition, we have a "back side" of the mountain, where we can only communicate from the backside to the top, and where we would like to be able to talk to the base (at the very bottom).

My question is, would a repeater help this situation the most? Or maybe better (higher) antenna's? Would it be possible (practical) to have a repeater at the top AND at the bottom? Would something like the Vertex VXR1000 connected to our base statations (which are really just mobils with transformers) be of any practical use?

I would appreciate any advice, especially on how to do this on a shoe-string (we are a volunteer organization).

Thanks,

Mark Rees

markrees@mindspring.com

----------== Posted via Newsfeed.Com - Uncensored Usenet News ==----------
http://www.newsfeed.com The #1 Newsgroup Service in the World!
-----= Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers =-----

6276. REDUCED EVEN MORE: COLLINS MM-1 MICROPHONE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 16:49:41 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <ck3nuu0tii7fuioi0eb6gu3fa5mat22e5k@4ax.com>
Source record: 36537
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE:

Collins MM-1 microphone, winged emblem. Great shape.

Ideal match for the Collins S-line, and KWM-2A etc., but will work nicely with other Collins gear.

"Designed to fit your hand comfortably. Engineered for max voice response, die- cast case finished in brushed satin chrome. A five-foot length of Koiled Kord with mike plug is supplied."

The MM-1 has a frequency response from 200-10,000 cycles per second and has an output level of -48 db.

Excellent condition with the original Collins style 0.206" plug.

Now reduced to just $115.00 plus shipping

E-mail me to arrange purchase.

6277. Re: Repeater Help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 17:24:07 UTC
From: Idontwantspam@net
Message-ID: <3deb92e9.24007961@news.bellatlantic.net>
Source record: 36538

On Mon, 2 Dec 2002 11:09:20 -0500, "John Smith"
<someone@microsoft.com> wrote:

>I am a volunteer for a local Ski Patrol. We are using mostly Motorola
>handheld FM radio's in the 155mhz range (about 100 of them). We have a base

>My question is, would a repeater help this situation the most? Or maybe
>better (higher) antenna's? Would it be possible (practical) to have a
>repeater at the top AND at the bottom? Would something like the Vertex
>VXR1000 connected to our base statations (which are really just mobils with
>transformers) be of any practical use?
>
>I would appreciate any advice, especially on how to do this on a shoe-string
>(we are a volunteer organization).
>
If you were starting from scratch, a repeater might make sense, but
none of your installed base of handhelds would be able to work on
split frequencies. The ideal situation would be to have a split
frequency repeater on a hill facing your ski area.

The VXR1000 seems more appropriate when a person with a handheld goes
to remote location in a vehicle with a mobile unit. It interfaces
between their handheld to make the vehicle's mobile rig a repeater
back to base. I don't think that will do what you want.

Your cheapest route would be to upgrade your base stations, as there
are only two, rather than your 100 handhelds.

The best way to do this is to upgrade antennas, and raise them as high
as possible. Use quality coax, and use an SWR meter to see that the
system works well.

VHF works line-of-sight, plus a little. Depending on your layout,
having the antenna for the bottom station a bit further away from the
base of the mountain might help. Site to site for handhelds won't
improve, but the dispatcher can relay messages as long as the base
station can hear everyone.

Ask a local ham radio club for advice, as someone onsite will see
details not clear here.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6278. Re: FS: sma-to-bnc custom fit antenna adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 19:29:10 UTC
From: wizard2000@tiscali.co.uk
Message-ID: <af87e9cc.0212021129.1e571106@posting.google.com>
Source record: 36539
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

Why should we pay $11.95 when they only cost $3.50 new. I can buy them
here in the UK from Maplins mail-order for ï¿½2.25 UK Pounds post free.
I could even ship one to someone in the states and it still wouldn't
cost anything like the $13.45 inc shipping you are asking.
Wizard

gulyas@earthlink.net (Stephen G. Gulyas) wrote in message
news:<12235960.0212011722.3b79c3b8@posting.google.com>...
> Do you have a need for a high-quality SMA-to-BNC antenna adapter that
> is custom made to fit and protect your H.T. or scanner radio?
>
> Adapter allows you to:
> Quickly change antennas to base, mobile or different style use.
> Use the more popular and wider selection available of BNC antennas.
> Prevent chassis connector wear or from coming loose due to antenna
> changes.
>
> Adapter features:
> Gold plated contacts with a teflon insulator.
> A low profile design with a rubber covering for a factory antenna look.
> The rubber base seals to the top of the radio with no spacers needed
> for moisture and dirt protection.
> The base also provides an excellent support for any length of antenna
> or application.
> No need to remove adapter once installed to make a quick and safe
> antenna change.
>
> Sizes to fit radio models:
> Yaesu: VX-5R, VX-7R, VX-1R, FT-50-R, VX-10, VX-150, VX-110,
> VXA-100, VXA-120
> Icom: IC-T90, IC-T8A, IC-T81A, IC-Q7A, IC-R2
> Kenwood: TH-D7, TH-G71, TH-F6A, TH-F7A
> Alinco: DJ-V5, DJ-X3, DJ-S40
> Standard: C508A, C510A
> Radio Shack: HTX-420, HTX-400, HTX-245, HTX-200
> Aor: AR-16
>
> Previewed in the May 2000 Issue of CQ Magazine, and the Nov. 2000
> Issue of QST Magazine.
>
> $11.95 + $1.50 S+H(One to unlimited)
> (Check or money order only in U.S.Funds)
> (Specify-radio-model)

>
> STEPHEN G.GULYAS
> 706 LALOR ST.
> TRENTON, N.J. 08610
> U.S.A.
>
> A photo of the adapter is available upon request.
>
> I welcome any questions or comments at my email:
> gulyas@earthlink.net
>
> Thanks for looking at my posting.
> S.G.G. KC2BHO 73's

6279. Re: FS: sma-to-bnc custom fit antenna adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 20:21:24 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <asgdqvaab1@news1.kornet.net>
Source record: 36540
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

These are custom units designed to fit the radio, with rubber gaskets that form to the radio to help stabilize the antenna and keep the connector on the radio from becoming broken.

"Wizard2000" <wizard2000@tiscali.co.uk> wrote in message
news:af87e9cc.0212021129.1e571106@posting.google.com...
> Why should we pay $11.95 when they only cost $3.50 new. I can buy them
> here in the UK from Maplins mail-order for £2.25 UK Pounds post free.
> I could even ship one to someone in the states and it still wouldn't
> cost anything like the $13.45 inc shipping you are asking.
> Wizard
>
>
>
>
>
>
> gulyas@earthlink.net (Stephen G. Gulyas) wrote in message
news:<12235960.0212011722.3b79c3b8@posting.google.com>...
> > Do you have a need for a high-quality SMA-to-BNC antenna adapter that
> > is custom made to fit and protect your H.T. or scanner radio?
> >
> > Adapter allows you to:
> > Quickly change antennas to base, mobile or different style use.
> > Use the more popular and wider selection available of BNC antennas.
> > Prevent chassis connector wear or from coming loose due to antenna
> > changes.
> >
> > Adapter features:
> > Gold plated contacts with a teflon insulator.
> > A low profile design with a rubber covering for a factory antenna look.
> > The rubber base seals to the top of the radio with no spacers needed
> > for moisture and dirt protection.
> > The base also provides an excellent support for any length of antenna
> > or application.
> > No need to remove adapter once installed to make a quick and safe
> > antenna change.
> >
> > Sizes to fit radio models:
> > Yaesu: VX-5R, VX-7R, VX-1R, FT-50-R, VX-10, VX-150, VX-110,
> > VXA-100, VXA-120
> > Icom: IC-T90, IC-T8A, IC-T81A, IC-Q7A, IC-R2
> > Kenwood: TH-D7, TH-G71, TH-F6A, TH-F7A

> > Alinco: DJ-V5, DJ-X3, DJ-S40
> > Standard: C508A, C510A
> > Radio Shack: HTX-420, HTX-400, HTX-245, HTX-200
> > Aor: AR-16
> >
> > Previewed in the May 2000 Issue of CQ Magazine, and the Nov. 2000
> > Issue of QST Magazine.
> >
> > $11.95 + $1.50 S+H(One to unlimited)
> > (Check or money order only in U.S.Funds)
> > (Specify-radio-model)
> >
> > STEPHEN G.GULYAS
> > 706 LALOR ST.
> > TRENTON, N.J. 08610
> > U.S.A.
> >
> > A photo of the adapter is available upon request.
> >
> > I welcome any questions or comments at my email:
> > gulyas@earthlink.net
> >
> > Thanks for looking at my posting.
> > S.G.G. KC2BHO 73's

6280. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-02 22:48:43 UTC
From: Pappy@USA.net
Message-ID: <3DEBE34B.44970574@USA.net>
Source record: 36541
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

Come on guys, grow up. Chuck was advising us of a thief among us.

If you don't like it or take him serious just back off and be nice.

6281. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 00:01:16 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uuo0cbck10rj4a@corp.supernews.com>
Source record: 36542

P.T. Barnum was right!

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"KB9TMP" <kb9tmp@juno.com> wrote in message
news:uulgg3nrvvjdf5@corp.supernews.com...
> Here's the link to a $179 list price antenna tuner you can
> buy right now on Ebay with a Buy It Now price of $200.
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942339112
>
> Makes you just want to rush right over and place a bid don't it?
> :^0
>
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

6282. Re: FS: sma-to-bnc custom fit antenna adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 01:15:49 UTC
From: Dan <n7slc@yahoo.com>
Message-ID: <ash0kblgj1@terabinaries.xmission.com>
Source record: 36543
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

"Wizard2000" <wizard2000@tiscali.co.uk> wrote in message
news:af87e9cc.0212021129.1e571106@posting.google.com...
> Why should we pay $11.95 when they only cost $3.50 new. I can buy them
> here in the UK from Maplins mail-order for ?2.25 UK Pounds post free.
> I could even ship one to someone in the states and it still wouldn't
> cost anything like the $13.45 inc shipping you are asking.
> Wizard

Are we going start THIS again?

Ever heard the saying: "You get what you pay for"? Well it's true when it comes to Stephen's connectors.

Dan

6283. Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 01:21:10 UTC
From: PC <cjyjtj@attbi.com>
Message-ID: <aGTG9.87824$GR5.18922@rwcrnsc51.ops.asp.att.net>
Source record: 36544

I would like to buy a microphone for a Heathkit HW 101. I'm not sure of which mic to use. Could someone help me?

6284. Re: Repeater Help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 01:24:36 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <1m1ouu8sufuqjbjn88a23qrs65a44qlbec@4ax.com>
Source record: 36545

On Mon, 2 Dec 2002 11:09:20 -0500, "John Smith"
<someone@microsoft.com> wrote:

>I am a volunteer for a local Ski Patrol. We are using mostly Motorola
>handheld FM radio's in the 155mhz range (about 100 of them). We have a base
>station at the top of the mountain and at the bottom. This year we have
>added CTCSS and now can screen out all of the annoying other rescue squads
>that used to dominate us (at the top of the mountain). However, we STILL
>have not solved our poor coverage problem. Specifically, we have dead zones
>all over the mountain where we cannot communicate handheld to handheld or
>handheld to the top or bottom. Sometimes, we can't communicate well even
>from the top to the bottom. In addition, we have a "back side" of the
>mountain, where we can only communicate from the backside to the top, and
>where we would like to be able to talk to the base (at the very bottom).
>
>My question is, would a repeater help this situation the most? Or maybe
>better (higher) antenna's? Would it be possible (practical) to have a
>repeater at the top AND at the bottom? Would something like the Vertex
>VXR1000 connected to our base statations (which are really just mobils with
>transformers) be of any practical use?
>
>I would appreciate any advice, especially on how to do this on a shoe-string
>(we are a volunteer organization).
>
>Thanks,
>
>Mark Rees

A repeater may not be legal for the radio service you are using. For
several years repeaters in the VHF business band were not legal for
private businesses. Not sure how the Part 90 rules read now. For the
antenna, on top of the mountain you may need to have an antenna that
has some electrical down tilt. Generally most of the signal radiates
directly away from the antenna and you are trying to communicate
downhill. I would suspect much of the signal is wasted just hitting
the next mountain. For the bottom of the hill maybe a open dipole
array where you can actually steer the signals.

You would be best served to contact a commercial two way radio sales
and service who offer engineering for best coverage.

Gary K8IX

6285. Re: Will Icom PS-55 Power a 706?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 01:35:38 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uuo5t7ho1k97a5@corp.supernews.com>
Source record: 36450

Why wouldn't it? It ran the IC-735 didn't it?
Hook it up and use it.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"M.M." <junquemaile@cox.net> wrote in message
news:Xns92D8C36E8BAE4nobodynowhere@68.6.19.6...
> Subject asks my question. I have a shiny new Icom IC-706 and a dusty but
> functional PS-55 that worked fine with my 735. Anyone know if it'd power
> the 706 OK? The voltage/current ratings seem to be OK and the power
> connector matches. I guess I'm concerned about the power switch and
whether
> it can handle the AC current at power on. The newer PS's are switchers
> where the PS-55 is a good old linear supply with a big transformer.
>
> So whatcha think???
>
> Thanks... Mark AA7TA

6286. Re: Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 01:43:16 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <ash27d$ku5$1@slb6.atl.mindspring.net>
Source record: 36546

You will need a Hi-Impedeance microphone for starters.

A Astatic D-104 will probably work, but will likely be high pitched. If
you can find one a Shure 444d would do fine on it.

Dan/W4NTI

"PC" <cjyjtj@attbi.com> wrote in message
news:aGTG9.87824$GR5.18922@rwcrnsc51.ops.asp.att.net...
> I would like to buy a microphone for a Heathkit HW 101. I'm not sure of
> which mic to use. Could someone help me?
>
>

6287. WTB: Yaesu YF-110C Filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 01:44:31 UTC
From: Bibby <bibby@attbi.com>
Message-ID: <30UG9.210425$%m4.75061@rwcrnsc52.ops.asp.att.net>
Source record: 36547

If you have one for sale, please let me know.

Malcolm

6288. Will Icom PS-55 Power a 706?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 02:11:51 UTC
From: "M.M." <junquemaile@cox.net>
Message-ID: <Xns92D8C36E8BAE4nobodynowhere@68.6.19.6>
Source record: 36449

Subject asks my question. I have a shiny new Icom IC-706 and a dusty but functional PS-55 that worked fine with my 735. Anyone know if it'd power the 706 OK? The voltage/current ratings seem to be OK and the power connector matches. I guess I'm concerned about the power switch and whether it can handle the AC current at power on. The newer PS's are switchers where the PS-55 is a good old linear supply with a big transformer.

So whatcha think???

Thanks... Mark AA7TA

6289. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 02:41:25 UTC
From: Carleton Ingerson <n1dxm@prexar.com>
Message-ID: <0b6ouuojv8s8bgglghnn99brcra2vl7575@4ax.com>
Source record: 36451

So why is it the fault of EBAY???? Noone forces anyone to overbid on
anything. I buy regularly from EBAY and have yet to overbid on
anything....."Let the Sucker Beware"

On Tue, 03 Dec 2002 03:48:19 GMT, "Tony" <as8383@netzero.net> wrote:

>Hey if it was called "SUCKA-BAY.COM" it would not be quite as popular (only
>a little less knowing some people!ahahahaha).
>
>
>
>
>"M.E." <bogus@nospam.com> wrote in message
>news:uuo0cbck10rj4a@corp.supernews.com...
>> P.T. Barnum was right!
>>
>> --
>> Respond to my "real" e-mail;
>> kk5dr@ev1.net
>> "KB9TMP" <kb9tmp@juno.com> wrote in message
>> news:uulgg3nrvvjdf5@corp.supernews.com...
>> > Here's the link to a $179 list price antenna tuner you can
>> > buy right now on Ebay with a Buy It Nowï¿½ price of $200.
>> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942339112
>> >
>> > Makes you just want to rush right over and place a bid don't it?
>> > :^0
>> >
>> > --
>> > '73' From KB9TMP
>> > "The secret of life is honesty and fair dealing,
>> > if you can fake that, you've got it made."
>> > -Groucho Marx
>> >
>> >
>> >
>>
>>
>

6290. Re: WTB: POLYCOMM MICROPHONE AND AC POWER CORD.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 03:18:17 UTC
From: jr <jerham@pobox.com>
Message-ID: <3DEC2312.4A5183D2@pobox.com>
Source record: 36452

I may have a mike, I'll look

K6STU wrote:
>
> I HAVE A 2 METER POLYCOMM THAT IS IN NEED OF A MICROPHONE AND A AC POWER CORD
> DOES ANYONE HAVE EITHER FOR SALE????
> MIKE

6291. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 03:48:19 UTC
From: Tony <as8383@netzero.net>
Message-ID: <7QVG9.111928$8D.2736733@twister.austin.rr.com>
Source record: 36448

Hey if it was called "SUCKA-BAY.COM" it would not be quite as popular (only a little less knowing some people!ahahahaha).

"M.E." <bogus@nospam.com> wrote in message
news:uuo0cbck10rj4a@corp.supernews.com...
> P.T. Barnum was right!
>
> --
> Respond to my "real" e-mail;
> kk5dr@ev1.net
> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:uulgg3nrvvjdf5@corp.supernews.com...
> > Here's the link to a $179 list price antenna tuner you can
> > buy right now on Ebay with a Buy It Now price of $200.
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942339112
> >
> > Makes you just want to rush right over and place a bid don't it?
> > :^0
> >
> > --
> > '73' From KB9TMP
> > "The secret of life is honesty and fair dealing,
> > if you can fake that, you've got it made."
> > -Groucho Marx
> >
> >
> >
>
>

6292. Testing Maxtrac Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 03:54:31 UTC
From: ruddager99@hotmail.com
Message-ID: <5628784d.0212021954.160fdccb@posting.google.com>
Source record: 36453

Hi, a buddy just picked up a couple of the older Motorola Maxtrac 800 2-way radios. He has the mic, radio, and antenna. No wiring harnesses. Is there anyway to test these easily to see if they even work? Speakers aren't a problem but what's the safest/easiest way to power them?

Thanks!!!

6293. FS: Alinco DR-140 Yaesu VX5

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 04:23:24 UTC
From: punkear@aol.com
Message-ID: <20021202232324.29900.00000459@mb-fe.aol.com>
Source record: 36454

Alinco DR-140 is a straight forward no frills mobile 2 meter rig with electronic squelch. Have original box and manual. Unit is about 1.5 yrs old with minimal useage. On a scale of 1-10 this unit is an 7-8. Rx: 118.00-135.995 AM 136.00-173.995 RX MARS mod performed. $75

Yaesu VX5 Have original box and manual. Have original box and manual. Unit is about 2 yrs old with minimal usages. On a scale of 1-10 this unit is an 8. Have extra battery, wall charger, vinyl case, MH-34 speaker/mic, E-DC-5B Cigarette Lighter plug-in. $200.00

Email for additional information/contact information

Punkear@aol.com
KE0XS
Brad

6294. AL-80B and IC-756PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 04:40:17 UTC
From: Jim/KA6J <KA6J@homerattbi.com>
Message-ID: <RAWG9.213264$QZ.33895@sccrnsc02>
Source record: 36455

Anyone using an Ameitron AL-80B with the Icom '756PRO (not PRO II)?

I am considering the purchase of the 80B, and I am concerned about an external keying rely and the input SWR.

The Icom manual states the keying relay will handle 2.0 amp at 16vDC. The amp requires 100ma at 12vDC. The rig should handle the load??

Also, prior amplifiers tried with the 756 had over a 2:1 SWR at the input on the higher HF bands. The 80B claims tuned inputs that are adjustable....I hope the slugs have sufficient value to tune the input to a solid state rig like the 756pro.

Appreciate any comments......

Jim
KA6J
Fresno

remove homer to reply

6295. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 05:19:47 UTC
From: cheesecutter@webhideout.com
Message-ID: <fef386d5.0212022119.607b9f49@posting.google.com>
Source record: 36456
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

Pappy@USA.net wrote in message news:<3DEBE34B.44970574@USA.net>...
> Come on guys, grow up. Chuck was advising us of a thief among us.
>
> If you don't like it or take him serious just back off and be nice.

hey amigo.....let me tell ya something....nobody but nobody but
nobody drops the maul like the wrecking ball.....and oh
yes.....he is our chuckie and we can talk shit to him if we want
.....thank you very much.....

6296. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 05:21:46 UTC
From: cheesecutter@webhideout.com
Message-ID: <fef386d5.0212022121.65729776@posting.google.com>
Source record: 36457
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

"Balls Mahoney" <rcranus@hotmail.coms> wrote in message
news:<bl2dnW6ZAMrYdHegXTWc3w@comcast.com>...
> "chessecutter" <cheesecutter@webhideout.com> wrote in message
>
> : chuckie.......you are not qualified to work at burger king
> : mudduck......try again........
>
> I heard you today mr jones.

hmmmm........turkey ....ahhhhhhhh , i mean balls
.............don't tell anyone that i can drop the maul like there is
no tomorrow.......now if that boy down south don't quit talkin stuff,
i is a goin to drop his drawers and drives him home...........

6297. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 05:24:10 UTC
From: cheesecutter@webhideout.com
Message-ID: <fef386d5.0212022124.289b63ee@posting.google.com>
Source record: 36458
Cross-posted to: rec.radio.cb,rec.radio.amateur.misc,rec.radio.amateur.equipment

"Krell" <krell1215@yahoo.com> wrote in message news:<asbrtv085b@enews4.newsguy.com>...
> "Tom" <jc@nospam.com> wrote in message
> news:nujiuu8ll6m77uc6quegpu0cgj1tpga9bb@4ax.com...
> > On Thu, 28 Nov 2002 10:33:47 -0500, Chuck
> > <k8cpa*nospam*@arrl.net*nospam*> wrote:
> >
> >
> > >REAL Ham's Use CW!
> > >http://mywebpages.comcast.net/k8cpa/
> >
> >
> > Shut up CPA and get a job, freak.
>
> Well, if he's a CPA, he shouldn't have any problem finding a job. I'm sure
> there's some CEO willing to pay top dollar for CPAs with poor sight.

yeh chuckie is a cpa alright.....how about 'car parking
attendant'.....hey he might just measure up for that job unless he
runs out of prozac and starts chasing peeps around with his trusty
baseball bat.....hello come in.....

6298. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 05:26:32 UTC
From: Balls Mahoney <rcranus@hotmail.coms>
Message-ID: <QpqdnYwlEZw23XGgXTWcpw@comcast.com>
Source record: 36459
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

"chessecutter" <cheesecutter@webhideout.com> wrote in message

: hmmmm........turkey ....ahhhhhhhh , i mean balls
: ....don't tell anyone that i can drop the maul like there is
: no tomorrow.......now if that boy down south don't quit talkin stuff,
: i is a goin to drop his drawers and drives him home...........

Are you talking about that new school Nebo?

6299. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 05:35:36 UTC
From: Secret Report <itsa@secret.com>
Message-ID: <3DEC42A8.A974C733@secret.com>
Source record: 36460
Cross-posted to: rec.radio.cb,rec.radio.amateur.misc,rec.radio.amateur.equipment

chessecutter wrote:
>
> > Well, if he's a CPA, he shouldn't have any problem finding a job. I'm sure
> > there's some CEO willing to pay top dollar for CPAs with poor sight.
>
> yeh chuckie is a cpa alright.....how about 'car parking
> attendant'.....hey he might just measure up for that job unless he
> runs out of prozac and starts chasing peeps around with his trusty
> baseball bat......hello come in.....

Man, I don't know if I'd like his sweaty hands on my steering wheel,
for one, and I don't think my seat slides back far enough for him.

6300. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 05:57:50 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uuohuakqbpcf97@corp.supernews.com>
Source record: 36461

"Carleton Ingerson" <n1dxm@prexar.com> wrote in message
news:0b6ouuojv8s8bgglghnn99brcra2vl7575@4ax.com...
> So why is it the fault of EBAY???? Noone forces anyone to overbid on
> anything.

I don't blame Ebay but on the other hand,
they do make money every time it happens
so why would THEY want to change it?

>I buy regularly from EBAY and have yet to overbid on
> anything....."Let the Sucker Beware"
>

I use Ebay a lot also, but I darn sure don't
let my spending go to high for anything.
I've lost several auctions by just $5 or less.

--
'73' From KB9TMP
"A child of five would understand this.
Send someone to fetch a child of five."
-Groucho Marx

6301. Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 06:01:23 UTC
From: I Smac <Smac61yourpanties@hotmail.com>
Message-ID: <OVidna0Ldu0w1XGgXTWc3Q@comcast.com>
Source record: 36462
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Wattmeter reads 150W forward. 50W reflected.

Power OUT OF TRANSMITTER = ???

a) 100W
b) 150W
c) other

6302. Re: AL-80B and IC-756PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 08:11:06 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <rzZG9.23040$EY.14494@fe01>
Source record: 36463

"Jim/KA6J" <KA6J@homerattbi.com> wrote in message
news:RAWG9.213264$QZ.33895@sccrnsc02...
> Anyone using an Ameitron AL-80B with the Icom '756PRO (not PRO II)?
>
> I am considering the purchase of the 80B, and I am concerned about an
> external keying rely and the input SWR.
>
> The Icom manual states the keying relay will handle 2.0 amp at 16vDC.
The
> amp requires 100ma at 12vDC. The rig should handle the load??
>
> Also, prior amplifiers tried with the 756 had over a 2:1 SWR at the input
on
> the higher HF bands. The 80B claims tuned inputs that are adjustable....I
> hope the slugs have sufficient value to tune the input to a solid state
rig
> like the 756pro.
>
> Appreciate any comments......
>
>
> Jim
> KA6J
> Fresno
>

I use an AL-811H with my 756 Pro, directly hooked to the rig's amp keying
circuit. No problems. Also, the 811H also has tuned inputs, and I get 1.4:1
or lower between the rig and the amp on any band.

73 de W6DKN

6303. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 08:47:40 UTC
From: Roy Lewallen <w7el@eznec.com>
Message-ID: <uuortgmubepsfc@corp.supernews.com>
Source record: 36464
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

a.

Roy Lewallen, W7EL

I Smac wrote:
> Wattmeter reads 150W forward. 50W reflected.
>
> Power OUT OF TRANSMITTER = ???
>
> a) 100W
> b) 150W
> c) other
>
>
>
>

6304. Noisy Kenwood R1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 11:11:09 UTC
From: Serial # 19781010 <zsl103@icon.co.za>
Message-ID: <hj3puuo3v1ihf5pn9jiro6nnigssk2138i@4ax.com>
Source record: 36465

Hi all,

I have a Kenwood R1000 (Secondhand) connected to a home built 40m inv V antenna. This used to work great, till Las Sunday afternoon.

I also installed a separate 20m inverted V on a separate feedline on Sunday and since then the receiver has been noisy. I get background static o S6/S7 peaking to S9.

This is on both antennas, I have since taken down the 20m and stripped the 40m, re soldered all the joins etc. To no avail.

I think the noisy is received, since if I turn the RF Modulator, it modulates the incoming signal (What I can hear of it) as well as the noise.

If I unplug the aerial and turn up the volume, I get a similar noise, but the RF Modulator has no effect on it, so I imagine this noise originates in the receiver.

Finally the question, what is this noise, what do I do abou it?

Any ideas?

Thanks

Sander Wissing
ZSL103

6305. Re: Yaesu YF-110C Filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 12:07:40 UTC
From: Ken Bessler <kg0wx@yahoo.com>
Message-ID: <g81H9.41556$0b.13007@news2.central.cox.net>
Source record: 36466

"Bibby" <bibby@attbi.com> wrote in message
news:30UG9.210425$%m4.75061@rwcrnsc52.ops.asp.att.net...
> If you have one for sale, please let me know.
>
> Malcolm
>
>

I wonder if my Yaesu YF-122c filter would do? It's 500 hz CW and my price can't be beat - $99.95 shipped

Ken KG0WX

6306. FS: Globe HG-303 Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 12:40:26 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <3h9puugr7muntse89tf7lb8a85imur0hvb@4ax.com>
Source record: 36467
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

For sale - rather rare Globe HG-303 novice transmitter. Mint
condition.

6146 final for 75 watts on 80, 40, 20, 15 and 10m bands. CW only.
Has metering for plate and grid current.
Standby-Operate-Tune switching etc.

Comes in the original box with manual.

Looks just like new and operating fine with full output.

Picture at:

http://home.cfl.rr.com/happysurfer/imag/globe_hg303.jpg

Will sell for $135.00 plus shipping

6307. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 12:43:09 UTC
From: Sidevalve <Sabbatai_zvi@hotmail.com>
Message-ID: <9m9puu01j94jq545hnmm36e9vqb0agtjur@4ax.com>
Source record: 36469
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

On Sat, 30 Nov 2002 19:49:20 -0500, Chuck <k8cpa*NOSPAM*@arrl.net> was
like:

>73
>-Chuck K8CPA
>REAL Ham's use 160, 75 and 40 meters!
>REAL Ham's Use CW!

REAL Hams know how to use apostrophes properly.

6308. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 12:45:16 UTC
From: K1OIK OINK <oink.burt@msn.com>
Message-ID: <9o9puu881s7eb2phs63fgta7jvcdg3fflc@4ax.com>
Source record: 36468
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

"Dirty Burd a.k.a. Burtie Turd" <k1oik@attbi.com> wrote:

>"Chuck" <k8cpa*nospam*@arrl.net*nospam*> wrote in message
>news:l4dcuuo8nkn6qas6lo01s94101irp2blcm@4ax.com...
>> THERE'S TALK ON
>> CHARLIE'S 75 METER HANG OUT, OF A GANG OF GUYS COMING TO YOUR HOUSE TO
>> EVEN THE SCORE. IF I WERE YOU, I'D BE MAKING SOME PHONE CALLS.
>>
>
>There is talk!!!!
>That's all hams do is talk.
>He is safe from ANY ham.
>
>Burt

HA HA HA HA HA!

Burtie is back!

What a TURD!

6309. Re: AL-80B and IC-756PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 13:19:21 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uupf4nb6g5j7da@corp.supernews.com>
Source record: 36476

No, that is NOT "2.0A" @ 16vdc, it IS "0.2 A" @ 16Vdc 200Ma.

What band are you trying to use the amp on, with that kind of SWR ?
The ATU on the 756 should handle it anyway.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Jim/KA6J" <KA6J@homerattbi.com> wrote in message
news:RAWG9.213264$QZ.33895@sccrnsc02...
> Anyone using an Ameitron AL-80B with the Icom '756PRO (not PRO II)?
>
> I am considering the purchase of the 80B, and I am concerned about an
> external keying rely and the input SWR.
>
> The Icom manual states the keying relay will handle 2.0 amp at 16vDC. The
> amp requires 100ma at 12vDC. The rig should handle the load??
>
> Also, prior amplifiers tried with the 756 had over a 2:1 SWR at the input
on
> the higher HF bands. The 80B claims tuned inputs that are adjustable....I
> hope the slugs have sufficient value to tune the input to a solid state
rig
> like the 756pro.
>
> Appreciate any comments......
>
>
> Jim
> KA6J
> Fresno
>
> **remove homer to reply**
>
>

6310. Re: FS: sma-to-bnc custom fit antenna adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 13:34:48 UTC
From: DougSlug <w2dug@arrl.net>
Message-ID: <Yp2H9.96338$Kk2.36107@news4.srv.hcvlny.cv.net>
Source record: 36471
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

You shouldn't because you don't recognize that there might be better parts out there than the stock $3.50 ones, and consequently you will need to learn by breaking your radio's SMA connector.

Everyone else should buy them because they are a quality product, and offer better stability and appearance than the stock adapters.

I have several of them. One of them had a problem (faulty connector from his supplier) and Stephen replaced it without hesitation.

- Doug

"Wizard2000" <wizard2000@tiscali.co.uk> wrote in message
news:af87e9cc.0212021129.1e571106@posting.google.com...
> Why should we pay $11.95 when they only cost $3.50 new. I can buy them
> here in the UK from Maplins mail-order for £2.25 UK Pounds post free.
> I could even ship one to someone in the states and it still wouldn't
> cost anything like the $13.45 inc shipping you are asking.
> Wizard
>
>
>
>
>
>
> gulyas@earthlink.net (Stephen G. Gulyas) wrote in message
news:<12235960.0212011722.3b79c3b8@posting.google.com>...
> > Do you have a need for a high-quality SMA-to-BNC antenna adapter that
> > is custom made to fit and protect your H.T. or scanner radio?
> >
> > Adapter allows you to:
> > Quickly change antennas to base, mobile or different style use.
> > Use the more popular and wider selection available of BNC antennas.
> > Prevent chassis connector wear or from coming loose due to antenna
> > changes.
> >
> > Adapter features:
> > Gold plated contacts with a teflon insulator.
> > A low profile design with a rubber covering for a factory antenna look.
> > The rubber base seals to the top of the radio with no spacers needed
> > for moisture and dirt protection.
> > The base also provides an excellent support for any length of antenna
> > or application.
> > No need to remove adapter once installed to make a quick and safe

> > antenna change.
> >
> > Sizes to fit radio models:
> > Yaesu: VX-5R, VX-7R, VX-1R, FT-50-R, VX-10, VX-150, VX-110,
> > VXA-100, VXA-120
> > Icom: IC-T90, IC-T8A, IC-T81A, IC-Q7A, IC-R2
> > Kenwood: TH-D7, TH-G71, TH-F6A, TH-F7A
> > Alinco: DJ-V5, DJ-X3, DJ-S40
> > Standard: C508A, C510A
> > Radio Shack: HTX-420, HTX-400, HTX-245, HTX-200
> > Aor: AR-16
> >
> > Previewed in the May 2000 Issue of CQ Magazine, and the Nov. 2000
> > Issue of QST Magazine.
> >
> > $11.95 + $1.50 S+H(One to unlimited)
> > (Check or money order only in U.S.Funds)
> > (Specify-radio-model)
> >
> > STEPHEN G.GULYAS
> > 706 LALOR ST.
> > TRENTON, N.J. 08610
> > U.S.A.
> >
> > A photo of the adapter is available upon request.
> >
> > I welcome any questions or comments at my email:
> > gulyas@earthlink.net
> >
> > Thanks for looking at my posting.
> > S.G.G. KC2BHO 73's

6311. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 13:39:16 UTC
From: Doz <doz@postmaster.com>
Message-ID: <3decb405$0$4778$fa0fcedb@lovejoy.zen.co.uk>
Source record: 36472
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Answer = a. but not for long at that swr!

"I Smac" <Smac61yourpanties@hotmail.com> wrote in message
news:OVidna0Ldu0w1XGgXTWc3Q@comcast.com...
> Wattmeter reads 150W forward. 50W reflected.
>
> Power OUT OF TRANSMITTER = ???
>
> a) 100W
> b) 150W
> c) other
>
>
>
>

6312. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 13:52:08 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DECB708.1070709@ieee.org>
Source record: 36473
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

I Smac wrote:
> Wattmeter reads 150W forward. 50W reflected.
>
> Power OUT OF TRANSMITTER = ???
>
> a) 100W
> b) 150W
> c) other

Exactly where is the wattmeter located?
Is the 50W reflected flowing back into the transmitter?
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6313. Re: FS: sma-to-bnc custom fit antenna adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 14:05:02 UTC
From: John P Vassel <kc8ske@cybiko.com>
Message-ID: <3decba0e$0$1402$2c3e98f8@news.voyager.net>
Source record: 36474
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

"W4PHM" <W4PHM@ARRL.NET> wrote in
news:asibhj$i1u$1@slb0.atl.mindspring.net:

> I have a stack of them here I got from a ham fest for $2.95 a piece.
>

I highly doubt this would protect your handheld for the rigors of a bnc
antenna being changed on a semi-often basis.
Stephens connector is a good one. Granted, it is the 'cream' of the crop,
and demands a premium.

--
John P Vassel
KC8SKE
R.T.F.D.

6314. FA: Panel Meters for big amps!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 14:13:24 UTC
From: ga_boneyard <ga_boneyard@hotmail.com>
Message-ID: <8_2H9.66605$wc2.3082303@news2.east.cox.net>
Source record: 36475
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,sci.electronics.equipment

0-1.2 Kiloamp DC Panel Meter 1922332186
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1922332186

0-500 AC Amps Panel Meter 1922332561
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1922332561

0-400 AC Amps Panel Meter 1922332863
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4660&item=1922332863

Thanks for looking..

6315. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 15:08:21 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <asihct$q3p$1@slb9.atl.mindspring.net>
Source record: 36477
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

I Smac:

Is this a trick question?

How is the "Wattmeter" connected into the system, what is the load
impedance, and what type of Wattmeter is it?

--
Peter K1PO
Indialantic By-the-Sea, FL

"I Smac" <Smac61yourpanties@hotmail.com> wrote in message
news:OVidna0Ldu0w1XGgXTWc3Q@comcast.com...
> Wattmeter reads 150W forward. 50W reflected.
>
> Power OUT OF TRANSMITTER = ???
>
> a) 100W
> b) 150W
> c) other
>
>
>
>

6316. Re: AL-80B and IC-756PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 15:18:15 UTC
From: Brian Hemmis <K3USC@worldnet.att.net>
Message-ID: <XW3H9.36491$vM1.2823671@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36478

I use the little Ameritron switch box-costs abt 30 bucks-plugs right into
the (any) Icom radio...money well spent-an insurance policy for ur Pro !

"Jim/KA6J" <KA6J@homerattbi.com> wrote in message
news:RAWG9.213264$QZ.33895@sccrnsc02...
> Anyone using an Ameitron AL-80B with the Icom '756PRO (not PRO II)?
>
> I am considering the purchase of the 80B, and I am concerned about an
> external keying rely and the input SWR.
>
> The Icom manual states the keying relay will handle 2.0 amp at 16vDC. The
> amp requires 100ma at 12vDC. The rig should handle the load??
>
> Also, prior amplifiers tried with the 756 had over a 2:1 SWR at the input
on
> the higher HF bands. The 80B claims tuned inputs that are adjustable....I
> hope the slugs have sufficient value to tune the input to a solid state
rig
> like the 756pro.
>
> Appreciate any comments......
>
>
> Jim
> KA6J
> Fresno
>
> **remove homer to reply**
>
>

6317. Re: Will Icom PS-55 Power a 706?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 15:37:53 UTC
From: Reality Check <me@myaddress.net>
Message-ID: <eijpuu4bnq4244cd3ki8dtkgkiov12hctc@4ax.com>
Source record: 36480

On Mon, 2 Dec 2002 19:35:38 -0600, "M.E." <bogus@nospam.com> wrote:

>Why wouldn't it? It ran the IC-735 didn't it?
>Hook it up and use it.

No it will not. Th IC-735 had contacts in the radio power
switch for the 115VAC the IC-706 does not. I don't
believe any of the current crop of Icoms have tht feature.
Check the schematics

6318. tk7 v0.4 open source software for ICOM IC-Q7 available

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 15:41:16 UTC
From: "Bob Parnass, AJ9S" <usenet2@parnass.org>
Message-ID: <3deccefc$0$1457$1dc6e903@news.corecomm.net>
Source record: 36479
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,alt.radio.scanner

tk7 version 0.4 is now available for free download.

tk7 is open source, multi-platform software which configures the
ICOM IC-Q7A wide coverage walkie-talkie. It runs on Linux, MacOS X,
BSD, UNIX, Windows (95 and later), and other operating systems.

Changes in version 0.4 include:

1) Memory bank channels may now be edited within tk7. Channels may
be changed, deleted, inserted, or swapped with adjacent
channels. More comprehensive changes can be made by exporting
the channels to a CSV file, then using a text editor or
spreadsheet program.

2) Added a duplicate frequency check.

3) Fixed a bug so tk7 now recognizes whole number CTCSS frequencies

You can learn about and freely download an experimental version
of tk7 from:

http://parnass.com

Thanks to Vojtech Bubnik for documenting the IC-Q7 memory structure
from Goran Vlaski's IC-Q7 Windows software. Thanks to
BlakkeKatte@yahoo.co.uk for publishing detailed information about
the IC-R2 protocol and file layout on the web. I am indebted
to Debbie Fligor, N9DN, for testing tk7 on MacOS X 10.2.1.

I don't warrant the software, though it will cost you nothing.

6319. Re: FS: sma-to-bnc custom fit antenna adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 16:26:45 UTC
From: W4PHM <W4PHM@ARRL.NET>
Message-ID: <asibhj$i1u$1@slb0.atl.mindspring.net>
Source record: 36470
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

I have a stack of them here I got from a ham fest for $2.95 a piece.

"Wizard2000" <wizard2000@tiscali.co.uk> wrote in message
news:af87e9cc.0212021129.1e571106@posting.google.com...
> Why should we pay $11.95 when they only cost $3.50 new. I can buy them
> here in the UK from Maplins mail-order for £2.25 UK Pounds post free.
> I could even ship one to someone in the states and it still wouldn't
> cost anything like the $13.45 inc shipping you are asking.
> Wizard
>
>
>
>
>
>
> gulyas@earthlink.net (Stephen G. Gulyas) wrote in message
news:<12235960.0212011722.3b79c3b8@posting.google.com>...
> > Do you have a need for a high-quality SMA-to-BNC antenna adapter that
> > is custom made to fit and protect your H.T. or scanner radio?
> >
> > Adapter allows you to:
> > Quickly change antennas to base, mobile or different style use.
> > Use the more popular and wider selection available of BNC antennas.
> > Prevent chassis connector wear or from coming loose due to antenna
> > changes.
> >
> > Adapter features:
> > Gold plated contacts with a teflon insulator.
> > A low profile design with a rubber covering for a factory antenna look.
> > The rubber base seals to the top of the radio with no spacers needed
> > for moisture and dirt protection.
> > The base also provides an excellent support for any length of antenna
> > or application.
> > No need to remove adapter once installed to make a quick and safe
> > antenna change.
> >
> > Sizes to fit radio models:
> > Yaesu: VX-5R, VX-7R, VX-1R, FT-50-R, VX-10, VX-150, VX-110,
> > VXA-100, VXA-120
> > Icom: IC-T90, IC-T8A, IC-T81A, IC-Q7A, IC-R2
> > Kenwood: TH-D7, TH-G71, TH-F6A, TH-F7A
> > Alinco: DJ-V5, DJ-X3, DJ-S40
> > Standard: C508A, C510A

> > Radio Shack: HTX-420, HTX-400, HTX-245, HTX-200
> > Aor: AR-16
> >
> > Previewed in the May 2000 Issue of CQ Magazine, and the Nov. 2000
> > Issue of QST Magazine.
> >
> > $11.95 + $1.50 S+H(One to unlimited)
> > (Check or money order only in U.S.Funds)
> > (Specify-radio-model)
> >
> > STEPHEN G.GULYAS
> > 706 LALOR ST.
> > TRENTON, N.J. 08610
> > U.S.A.
> >
> > A photo of the adapter is available upon request.
> >
> > I welcome any questions or comments at my email:
> > gulyas@earthlink.net
> >
> > Thanks for looking at my posting.
> > S.G.G. KC2BHO 73's

6320. Re: Will Icom PS-55 Power a 706?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 16:38:58 UTC
From: Dick <rhughes33@cableone.net>
Message-ID: <0gnpuucg172s0m0b7j46vqn06mu1p01vtg@4ax.com>
Source record: 36481

Could always put a switch on the PS-55.

On Tue, 03 Dec 2002 15:37:53 GMT, Reality Check <me@myaddress.net>
wrote:

>On Mon, 2 Dec 2002 19:35:38 -0600, "M.E." <bogus@nospam.com> wrote:
>
>>Why wouldn't it? It ran the IC-735 didn't it?
>>Hook it up and use it.
>
>No it will not. Th IC-735 had contacts in the radio power
>switch for the 115VAC the IC-706 does not. I don't
>believe any of the current crop of Icoms have tht feature.
>Check the schematics

6321. Re: Will Icom PS-55 Power a 706?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 17:34:19 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <D+rsPUILIPCJ95HrFkl8Gd0+GVxl@4ax.com>
Source record: 36483

Reality Check <me@myaddress.net> wrote:

>On Mon, 2 Dec 2002 19:35:38 -0600, "M.E." <bogus@nospam.com> wrote:
>
>>Why wouldn't it? It ran the IC-735 didn't it?
>>Hook it up and use it.
>
>No it will not. Th IC-735 had contacts in the radio power
>switch for the 115VAC the IC-706 does not. I don't
>believe any of the current crop of Icoms have tht feature.
>Check the schematics

Not sure what you are talking about. The 735 runs off 12/13 VDC, not 115 volts AC.

Perhaps your question is not stated properly. Surely, the 706, which needs 20 amps max, will run off the same power supply as the 735 does.

Bob
k5qwg

6322. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 17:37:41 UTC
From: I Smac <Smac61yourpanties@hotmail.com>
Message-ID: <hjqdnfbntYpAdnGgXTWcpw@comcast.com>
Source record: 36482
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

> Is this a trick question?

No. I'm getting several answers and I thought I'd float it out here for
debate...

> How is the "Wattmeter" connected into the system, what is the load
> impedance, and what type of Wattmeter is it?
> > Wattmeter reads 150W forward. 50W reflected.

Bird 43, radio>jumper>wattmeter>coax>load, typical 50ohm stuff

> > Power OUT OF TRANSMITTER = ???
> >
> > a) 100W
> > b) 150W
> > c) other

6323. ICOM PS-15 power supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 17:41:15 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <BA122CB9.20E1C%pilot.marc@verizon.net>
Source record: 36484

ICOM PS-15 power supply for sale.
In excellent condition. Will power all past and current ICOM HF rigs.
$100

marc29400@ez2.net

6324. ICOM IC-745 HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 17:41:59 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <BA122CE5.20E1D%pilot.marc@verizon.net>
Source record: 36485

ICOM IC-745 HF Transceiver FS

ICOM IC-745 ham and general coverage transceiver in excellent condition.
Includes hand mike, power cable and manual. $425

6325. B&W 425 KW Low Pass Filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 17:43:25 UTC
From: Marc Robins <pilot.marc@verizon.net>
Message-ID: <BA122D3C.20E1E%pilot.marc@verizon.net>
Source record: 36486

B&W 425 KW Low Pass Filter FS
Heavy duty low pass filter for sale. In good condition.

$35 shipped.

marc29400@ez2.net

6326. FS: Kenwood TS-520 SSB/CW HF Transceiver exc condition

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 19:02:07 UTC
From: groups@nickmatic.com
Message-ID: <e77ffe9e.0212031102.4b06501e@posting.google.com>
Source record: 36487

For Sale on Ebay Item # 1943105130
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943105130

Kenwood TS-520 SSB/CW HF Transceiver in excellent condition.
Serial # 521184

80/40/20/15/10M bands USB, LSB, and CW modes. About 100W output power
or more on all bands.

All solid-state with tube finals. Finals can be powered down when not
transmitting
to save heater life. Built-in cooling fan.

Extremely sensitive receive, really clear. Pulls in weak signals well.

Well-built and rugged radio, one of Kenwood's finest. Often used in
mobile configs.
Can be powered by 120VAC, 240VAC, or 13.8VDC.

Includes 120VAC power cord and Service Manual.

Has VOX, NB, AGC, RIT, Mic control, Carrier control, Standby, WWV
receive, etc, etc.

A few minor scratches on cabinet, but face is in great condition,
all lettering clear and bright.

Installed tubes are working great and includes extra new tubes
2 x 6146A, 1 x 6146B finals (2 required)
1 x 12BY7A driver (1 required)

Great output and receive recently verified but due to age and type of
equipment, sold "as is".
Buyer pays for a well packed shipment.

6327. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 19:20:41 UTC
From: 'Doc <ltdoc@yahoo.com>
Message-ID: <3DED0409.3090609@yahoo.com>
Source record: 36488
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"I Smac",
You want that in 'Bird Watts'?
'Doc

6328. Poor Sensitivity TS 820

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 20:06:49 UTC
From: jack-anita@worldnet.att.net
Message-ID: <3ded0ea2.32453285@netnews.worldnet.att.net>
Source record: 36489

SUBJECT: MY OLD TS820S

Hi, guys,

I have an old TS820S but it has a very poor sensitivity. I have done the procedure indicated in the manual about the adjustment, employing the marker tone, looking fot the maximun position of the S meter, and ajusting the coils in the ant and mix plate.

The resorts were these:

BAND 1.8 3.5 7.0 14.0 21.0 28 28.5 29
29.5

S 4 4 4 2.5 1.5 -------
did&#65533;t heard the tone------

I did all the proceduries indicated in the manual, this is: looking for the maximun S with Drive and Tuning knows using the marker-

Like you see the S indication is going down as frequency is going hight.

Even inside of 7.0 band the situation was like this:

frequency 7.0 7.15 7.3

S 4 3 2.5

Maybe some components are with difficulties.

Could you give me some ideas?

PLEASE, ANSWER TO THIS EMAIL: josecarlosleon@hotmail.com

Very thanks. Jose (CP6/CO3CL)

6329. Drake WH-7 Wattmeter schematics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 20:45:34 UTC
From: frog7@inicia.es
Message-ID: <c91d80b8.0212031245.5607d038@posting.google.com>
Source record: 36490

Hello.
I bought a nice condition Drake WH7 wattmeter, but needs some repairs.
Someone could send me a copy of the schematic? I will pay the expenses.
Many thanks and best regards.

73, Juan Miguel, EA6NP

6330. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 20:51:12 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <4P8H9.41780$hK4.3702014@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36491

It is not so much the prices, but the misrepresentation of the equipment that you can run into. If an item is stated "as is", that's fine, but when the equipment is supposed to be ok, and it isn't, that's not ok. I guess it is like any flea market, but at least you can read the person, when you are dealing in person.

Pete

6331. Re: Will Icom PS-55 Power a 706?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 21:48:59 UTC
From: Reality Check <me@myaddress.net>
Message-ID: <3v8quu05ohrdj5g27ro3mkso7qcm4duij8@4ax.com>
Source record: 36492

On Tue, 03 Dec 2002 11:34:19 -0600, Bob Miller
<bxmillerSpamNot@texas.net> wrote:

>Reality Check <me@myaddress.net> wrote:
>
>>On Mon, 2 Dec 2002 19:35:38 -0600, "M.E." <bogus@nospam.com> wrote:
>>
>>>Why wouldn't it? It ran the IC-735 didn't it?
>>>Hook it up and use it.
>>
>>No it will not. Th IC-735 had contacts in the radio power
>>switch for the 115VAC the IC-706 does not. I don't
>>believe any of the current crop of Icoms have tht feature.
>>Check the schematics
>
>Not sure what you are talking about. The 735 runs off 12/13 VDC, not 115 volts
>AC.

The PS-55 runs on the 115V but the switching is part of the radio
on/off switch. Almost all modern HF rigs use the same 6 pin
plug, four of the pins are for the 13.8VDC on the PS-55 the
other two pins bring the hot side of the115VAC to the radio
and switching is provided by the radio on/off switch. The
706 does not have this type of switch so the only way the
PS-55 will work is to open it up and reroute the 115VAC hot
side and have an external switch. Perhaps this will clear it
up for you.

>
>Perhaps your question is not stated properly. Surely, the e706, which needs 20
>amps max, will run off the same power supply as the 735 does.
>
>Bob
>k5qwg

6332. Re: Will Icom PS-55 Power a 706?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 21:55:40 UTC
From: Dick <rhughes33@cableone.net>
Message-ID: <ms9quu8v1eu9vbokq0hnlfto12r14oubph@4ax.com>
Source record: 36493

The problem apparently is that the PS-55 is like the power supply for
the IC-701 in that the A/C switch for the supply is in the radio and
not in the supply. That's why I recommended just putting a switch in
the PS-55 to take the place of the switch which the 706 does not have.
It's not a matter of whether or not the PS-55 will supply the correct
voltage and current. It will. It's just a matter of how do you turn
the thing on!

Dick - W6CCD

On Tue, 03 Dec 2002 11:34:19 -0600, Bob Miller
<bxmillerSpamNot@texas.net> wrote:

>Reality Check <me@myaddress.net> wrote:
>
>>On Mon, 2 Dec 2002 19:35:38 -0600, "M.E." <bogus@nospam.com> wrote:
>>
>>>Why wouldn't it? It ran the IC-735 didn't it?
>>>Hook it up and use it.
>>
>>No it will not. Th IC-735 had contacts in the radio power
>>switch for the 115VAC the IC-706 does not. I don't
>>believe any of the current crop of Icoms have tht feature.
>>Check the schematics
>
>Not sure what you are talking about. The 735 runs off 12/13 VDC, not 115 volts
>AC.
>
>Perhaps your question is not stated properly. Surely, the 706, which needs 20
>amps max, will run off the same power supply as the 735 does.
>
>Bob
>k5qwg

6333. FA not FS: Kenwood TS-520 SSB/CW HF Transceiver exc condition

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 22:02:07 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <zR9H9.225096$1O2.14619@sccrnsc04>
Source record: 36494

FA not FS.

6334. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 22:02:39 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3ded29d1$1@news.netacc.net>
Source record: 36495

"Pete KE9OA" <n.gianakopoulos@worldnet.att.net> wrote in message
news:4P8H9.41780$hK4.3702014@bgtnsc05-news.ops.worldnet.att.net...
> It is not so much the prices, but the misrepresentation of the equipment
> that you can run into. If an item is stated "as is", that's fine, but
when
> the equipment is supposed to be ok, and it isn't, that's not ok. I guess
it
> is like any flea market, but at least you can read the person, when you
are
> dealing in person.
>
> Pete
>
>

Yep Pete. The feedbacks do not always give you a good feel for the person
but they help a little bit.

I just spent two weeks dealing with a bozo who borrowed his fathers callsign
to give some credability to his ebay ham radio items. He sold items twice
(look at the pictures, same serial number) using two accounts. He claimed
someone else opened the other account and stole his pictures. I even posted
to that effect in this newsgroup. Turned out I was wrong. We bagged him
when Western Union had a photo of him picking up a wire transfer from the
Canary Islands. Wasted lots of time on this turkey to help a friend recover
a lousy $150 but it was worth the satisfaction.

Steve
WB3JVK

6335. Re: Will Icom PS-55 Power a 706?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 22:20:16 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uuqeqtqunj3861@corp.supernews.com>
Source record: 36497

That ciruit in the PS-55 was only to turn it on or off via the power switch
on the IC-735.
The PS can be "manually" switched on or off by the switch on it's front
panel.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Reality Check" <me@myaddress.net> wrote in message
news:eijpuu4bnq4244cd3ki8dtkgkiov12hctc@4ax.com...
> On Mon, 2 Dec 2002 19:35:38 -0600, "M.E." <bogus@nospam.com> wrote:
>
> >Why wouldn't it? It ran the IC-735 didn't it?
> >Hook it up and use it.
>
> No it will not. Th IC-735 had contacts in the radio power
> switch for the 115VAC the IC-706 does not. I don't
> believe any of the current crop of Icoms have tht feature.
> Check the schematics

6336. Re: Will Icom PS-55 Power a 706?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 22:21:14 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <xy3tPb=kNno430CrtnrlSxO4824g@4ax.com>
Source record: 36496

Dick <rhughes33@cableone.net> wrote:

>The problem apparently is that the PS-55 is like the power supply for
>the IC-701 in that the A/C switch for the supply is in the radio and
>not in the supply. That's why I recommended just putting a switch in
>the PS-55 to take the place of the switch which the 706 does not have.
>It's not a matter of whether or not the PS-55 will supply the correct
>voltage and current. It will. It's just a matter of how do you turn
>the thing on!

Okay, well that explains it. My old Icom power supply actually has a proper AC
switch on it, but I guess they all weren't built that way.

Bob
k5qwg

>
>Dick - W6CCD
>
>On Tue, 03 Dec 2002 11:34:19 -0600, Bob Miller
><bxmillerSpamNot@texas.net> wrote:
>
>>Reality Check <me@myaddress.net> wrote:
>>
>>>On Mon, 2 Dec 2002 19:35:38 -0600, "M.E." <bogus@nospam.com> wrote:
>>>
>>>>Why wouldn't it? It ran the IC-735 didn't it?
>>>>Hook it up and use it.
>>>
>>>No it will not. Th IC-735 had contacts in the radio power
>>>switch for the 115VAC the IC-706 does not. I don't
>>>believe any of the current crop of Icoms have tht feature.
>>>Check the schematics
>>
>>Not sure what you are talking about. The 735 runs off 12/13 VDC, not 115 volts
>>AC.
>>
>>Perhaps your question is not stated properly. Surely, the 706, which needs 20
>>amps max, will run off the same power supply as the 735 does.
>>
>>Bob
>>k5qwg

6337. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-03 23:28:36 UTC
From: Chas <wg2a@frontiernet.net>
Message-ID: <uuqfgv7oaj9sc6@corp.supernews.com>
Source record: 36548

To me, ebay is a mixed bag. The misrepresentations are gross though. I am especially wary of buying from any of the numerous non-hams selling there. I love the "I was told it was working 25 years ago when it went into storage!" or the "I turned it on and all the tubes light up, it looks to be all there, so I'm sure it's fine!" Yeah, right! They do next to no research and try to elaborate on how great a piece of gear it is. My all time favorite was " This radio has such great features as: on/off switch..." LOL!! How about the "Rare S-38B"!
Unfortunately I've found out the hard way to be selective concerning the things I bid on. Too many times my passion got in the way of common sense, live and learn.

Chuck WG2A

"Pete KE9OA" <n.gianakopoulos@worldnet.att.net> wrote in message news:4P8H9.41780$hK4.3702014@bgtnsc05-news.ops.worldnet.att.net...
> It is not so much the prices, but the misrepresentation of the equipment
> that you can run into. If an item is stated "as is", that's fine, but when
> the equipment is supposed to be ok, and it isn't, that's not ok. I guess it
> is like any flea market, but at least you can read the person, when you are
> dealing in person.
>
> Pete
>
>

6338. Re: AL-80B and IC-756PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 00:12:29 UTC
From: "Donnie (N4JZH)" <n4jzh@knology.net>
Message-ID: <62iquu0p9m6amg75ld3m078pcbup85qrie@4ax.com>
Source record: 36549

On Tue, 03 Dec 2002 15:18:15 GMT, "Brian Hemmis" <K3USC@worldnet.att.net> wrote:

>I use the little Ameritron switch box-costs abt 30 bucks-plugs right into
>the (any) Icom radio...money well spent-an insurance policy for ur Pro !
>
>"Jim/KA6J" <KA6J@homerattbi.com> wrote in message
>news:RAWG9.213264$QZ.33895@sccrnsc02...
>> Anyone using an Ameitron AL-80B with the Icom '756PRO (not PRO II)?
>>
>> I am considering the purchase of the 80B, and I am concerned about an
>> external keying rely and the input SWR.
>>
>> The Icom manual states the keying relay will handle 2.0 amp at 16vDC. The
>> amp requires 100ma at 12vDC. The rig should handle the load??
>>
>> Also, prior amplifiers tried with the 756 had over a 2:1 SWR at the input
>on
>> the higher HF bands. The 80B claims tuned inputs that are adjustable....I
>> hope the slugs have sufficient value to tune the input to a solid state
>rig
>> like the 756pro.
>>
>> Appreciate any comments......
>>
>>
>> Jim
>> KA6J
>> Fresno
>>
>> **remove homer to reply**
>>
>>
>
Hey Brian,
Happy Holidays
de N4JZH Donnie

''Behold how good and pleasant it is for Brethren to dwell together in unity''
Donnie n4jzh@knology.net

6339. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 00:13:51 UTC
From: Pat <notherealone@fake.com>
Message-ID: <62iquu442lifka8hio06h110omptrllhhv@4ax.com>
Source record: 36550
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

On Mon, 02 Dec 2002 17:48:43 -0500, Pappy@USA.net was blabbling:

...
...Come on guys, grow up. Chuck was advising us of a thief among us.
...
...If you don't like it or take him serious just back off and be nice.

pappy,

these same guys, would be on the rampage if this happened to them....

73

-Chuck

6340. Re: FS: sma-to-bnc custom fit antenna adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 00:34:56 UTC
From: DougSlug <w2dug@arrl.net>
Message-ID: <Q4cH9.105951$Kk2.31191@news4.srv.hcvlny.cv.net>
Source record: 36551
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

Then I guess you're all set. Enjoy.

"W4PHM" <W4PHM@ARRL.NET> wrote in message
news:asibhj$i1u$1@slb0.atl.mindspring.net...
> I have a stack of them here I got from a ham fest for $2.95 a piece.
>
>
> "Wizard2000" <wizard2000@tiscali.co.uk> wrote in message
> news:af87e9cc.0212021129.1e571106@posting.google.com...
> > Why should we pay $11.95 when they only cost $3.50 new. I can buy them
> > here in the UK from Maplins mail-order for £2.25 UK Pounds post free.
> > I could even ship one to someone in the states and it still wouldn't
> > cost anything like the $13.45 inc shipping you are asking.
> > Wizard
> >
> >
> >
> >
> >
> >
> > gulyas@earthlink.net (Stephen G. Gulyas) wrote in message
> news:<12235960.0212011722.3b79c3b8@posting.google.com>...
> > > Do you have a need for a high-quality SMA-to-BNC antenna adapter that
> > > is custom made to fit and protect your H.T. or scanner radio?
> > >
> > > Adapter allows you to:
> > > Quickly change antennas to base, mobile or different style use.
> > > Use the more popular and wider selection available of BNC antennas.
> > > Prevent chassis connector wear or from coming loose due to antenna
> > > changes.
> > >
> > > Adapter features:
> > > Gold plated contacts with a teflon insulator.
> > > A low profile design with a rubber covering for a factory antenna
look.
> > > The rubber base seals to the top of the radio with no spacers needed
> > > for moisture and dirt protection.
> > > The base also provides an excellent support for any length of antenna
> > > or application.
> > > No need to remove adapter once installed to make a quick and safe
> > > antenna change.
> > >
> > > Sizes to fit radio models:

> > > Yaesu: VX-5R, VX-7R, VX-1R, FT-50-R, VX-10, VX-150, VX-110,
> > > VXA-100, VXA-120
> > > Icom: IC-T90, IC-T8A, IC-T81A, IC-Q7A, IC-R2
> > > Kenwood: TH-D7, TH-G71, TH-F6A, TH-F7A
> > > Alinco: DJ-V5, DJ-X3, DJ-S40
> > > Standard: C508A, C510A
> > > Radio Shack: HTX-420, HTX-400, HTX-245, HTX-200
> > > Aor: AR-16
> > >
> > > Previewed in the May 2000 Issue of CQ Magazine, and the Nov. 2000
> > > Issue of QST Magazine.
> > >
> > > $11.95 + $1.50 S+H(One to unlimited)
> > > (Check or money order only in U.S.Funds)
> > > (Specify-radio-model)
> > >
> > > STEPHEN G.GULYAS
> > > 706 LALOR ST.
> > > TRENTON, N.J. 08610
> > > U.S.A.
> > >
> > > A photo of the adapter is available upon request.
> > >
> > > I welcome any questions or comments at my email:
> > > gulyas@earthlink.net
> > >
> > > Thanks for looking at my posting.
> > > S.G.G. KC2BHO 73's
>
>

6341. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 01:00:12 UTC
From: Alfred Carlson <wa7uhr@gte.net>
Message-ID: <3DED53B3.47796B5@gte.net>
Source record: 36552

Start an "Rec.radio amateur swap/equipment E-bay" only news group. This would eliminate confusion and ill feelings. As for me, I have a FA/FS/E-bay filter and it works great. de Fred.

Pete KE9OA wrote:

> It is not so much the prices, but the misrepresentation of the equipment
> that you can run into. If an item is stated "as is", that's fine, but when
> the equipment is supposed to be ok, and it isn't, that's not ok. I guess it
> is like any flea market, but at least you can read the person, when you are
> dealing in person.
>
> Pete

6342. Re: AL-80B and IC-756PRO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 01:02:34 UTC
From: John Siegel <JohnASiegel@worldnet.att.net>
Message-ID: <3DED5427.7153C732@worldnet.att.net>
Source record: 36553

Why should one spend money (or build) an interface box? The original
question already had the answer. The rig is capable of switching a
higher voltage (16 vs 12) and higher current (200 vs 100ma) than the
amplifier requires.
As far as SWR goes, I used at one time the Heathkit equivalent of the
AL80A with a TS430S. That rig was probably more sensitive to high SWR
than the newer units. Worked fine on standard 80-10 bands; not too well
on WARC bands where there is no separate amplifier band switch position.
73
John

"Donnie (N4JZH)" wrote:
>
> On Tue, 03 Dec 2002 15:18:15 GMT, "Brian Hemmis" <K3USC@worldnet.att.net> wrote:
>
> >I use the little Ameritron switch box-costs abt 30 bucks-plugs right into
> >the (any) Icom radio...money well spent-an insurance policy for ur Pro !
> >
> >"Jim/KA6J" <KA6J@homerattbi.com> wrote in message
> >news:RAWG9.213264$QZ.33895@sccrnsc02...
> >> Anyone using an Ameitron AL-80B with the Icom '756PRO (not PRO II)?
> >>
> >> I am considering the purchase of the 80B, and I am concerned about an
> >> external keying rely and the input SWR.
> >>
> >> The Icom manual states the keying relay will handle 2.0 amp at 16vDC. The
> >> amp requires 100ma at 12vDC. The rig should handle the load??
> >>
> >> Also, prior amplifiers tried with the 756 had over a 2:1 SWR at the input
> >on
> >> the higher HF bands. The 80B claims tuned inputs that are adjustable....I
> >> hope the slugs have sufficient value to tune the input to a solid state
> >rig
> >> like the 756pro.
> >>
> >> Appreciate any comments......
> >>
> >>
> >> Jim
> >> KA6J
> >> Fresno
> >>
> >> **remove homer to reply**
> >>

> >>
> >
> Hey Brian,
> Happy Holidays
> de N4JZH Donnie
>
> ''Behold how good and pleasant it is for Brethren to dwell together in unity''
> Donnie n4jzh@knology.net

6343. Re: FS: sma-to-bnc custom fit antenna adapter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 01:35:05 UTC
From: "Donnie (N4JZH)" <n4jzh@knology.net>
Message-ID: <6rmquu4b82h1g5f077ddnt32g1t2mdsjhh@4ax.com>
Source record: 36556
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

```
On Wed, 04 Dec 2002 00:34:56 GMT, "DougSlug" <w2dug@arrl.net> wrote:

>Then I guess you're all set. Enjoy.
>
>
>"W4PHM" <W4PHM@ARRL.NET> wrote in message
>news:asibhj$i1u$1@slb0.atl.mindspring.net...
>> I have a stack of them here I got from a ham fest for $2.95 a piece.
>>
>>
>> "Wizard2000" <wizard2000@tiscali.co.uk> wrote in message
>> news:af87e9cc.0212021129.1e571106@posting.google.com...
>> > Why should we pay $11.95 when they only cost $3.50 new. I can buy them
>> > here in the UK from Maplins mail-order for ï¿½2.25 UK Pounds post free.
>> > I could even ship one to someone in the states and it still wouldn't
>> > cost anything like the $13.45 inc shipping you are asking.
>> > Wizard
>> >
>> >
>> >
>> >
>> >
>> >
>> > gulyas@earthlink.net (Stephen G. Gulyas) wrote in message
>> news:<12235960.0212011722.3b79c3b8@posting.google.com>...
>> > > Do you have a need for a high-quality SMA-to-BNC antenna adapter that
>> > > is custom made to fit and protect your H.T. or scanner radio?
>> > >
>> > > Adapter allows you to:
>> > > Quickly change antennas to base, mobile or different style use.
>> > > Use the more popular and wider selection available of BNC antennas.
>> > > Prevent chassis connector wear or from coming loose due to antenna
>> > > changes.
>> > >
>> > > Adapter features:
>> > > Gold plated contacts with a teflon insulator.
>> > > A low profile design with a rubber covering for a factory antenna
>look.
>> > > The rubber base seals to the top of the radio with no spacers needed
>> > > for moisture and dirt protection.
>> > > The base also provides an excellent support for any length of antenna
>> > > or application.
>> > > No need to remove adapter once installed to make a quick and safe
```

>> > > antenna change.
>> > >
>> > > Sizes to fit radio models:
>> > > Yaesu: VX-5R, VX-7R, VX-1R, FT-50-R, VX-10, VX-150, VX-110,
>> > > VXA-100, VXA-120
>> > > Icom: IC-T90, IC-T8A, IC-T81A, IC-Q7A, IC-R2
>> > > Kenwood: TH-D7, TH-G71, TH-F6A, TH-F7A
>> > > Alinco: DJ-V5, DJ-X3, DJ-S40
>> > > Standard: C508A, C510A
>> > > Radio Shack: HTX-420, HTX-400, HTX-245, HTX-200
>> > > Aor: AR-16
>> > >
>> > > Previewed in the May 2000 Issue of CQ Magazine, and the Nov. 2000
>> > > Issue of QST Magazine.
>> > >
>> > > $11.95 + $1.50 S+H(One to unlimited)
>> > > (Check or money order only in U.S.Funds)
>> > > (Specify-radio-model)
>> > >
>> > > STEPHEN G.GULYAS
>> > > 706 LALOR ST.
>> > > TRENTON, N.J. 08610
>> > > U.S.A.
>> > >
>> > > A photo of the adapter is available upon request.
>> > >
>> > > I welcome any questions or comments at my email:
>> > > gulyas@earthlink.net
>> > >
>> > > Thanks for looking at my posting.
>> > > S.G.G. KC2BHO 73's
>>
>>
>
Bought one from Stephen when he first started selling them, I still beat the hell out of it daily. best money I've ever spent.
F.B. Stephen

''Behold how good and pleasant it is for Brethren to dwell together in unity''
Donnie n4jzh@knology.net

6344. Re: Will Icom PS-55 Power a 706?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 02:13:56 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <fpoquushg95bv0vs22tvgc3pc4t2dvplqs@4ax.com>
Source record: 36557

On Tue, 03 Dec 2002 16:21:14 -0600, Bob Miller
<bxmillerSpamNot@texas.net> wrote:

>Dick <rhughes33@cableone.net> wrote:
>
>>The problem apparently is that the PS-55 is like the power supply for
>>the IC-701 in that the A/C switch for the supply is in the radio and
>>not in the supply. That's why I recommended just putting a switch in
>>the PS-55 to take the place of the switch which the 706 does not have.
>>It's not a matter of whether or not the PS-55 will supply the correct
>>voltage and current. It will. It's just a matter of how do you turn
>>the thing on!
>
>Okay, well that explains it. My old Icom power supply actually has a proper AC
>switch on it, but I guess they all weren't built that way.
>
>Bob
>k5qwg
>
>
>>
>>Dick - W6CCD
>>
>>On Tue, 03 Dec 2002 11:34:19 -0600, Bob Miller
>><bxmillerSpamNot@texas.net> wrote:
>>
>>>Reality Check <me@myaddress.net> wrote:
>>>
>>>>On Mon, 2 Dec 2002 19:35:38 -0600, "M.E." <bogus@nospam.com> wrote:
>>>>
>>>>Why wouldn't it? It ran the IC-735 didn't it?
>>>>Hook it up and use it.
>>>>
>>>>No it will not. Th IC-735 had contacts in the radio power
>>>>switch for the 115VAC the IC-706 does not. I don't
>>>>believe any of the current crop of Icoms have tht feature.
>>>>Check the schematics
>>>
>>>Not sure what you are talking about. The 735 runs off 12/13 VDC, not 115 volts
>>>AC.
>>>
>>>Perhaps your question is not stated properly. Surely, the 706, which needs 20
>>>amps max, will run off the same power supply as the 735 does.
>>>

>>>Bob
>>>k5qwg

Yes the PS-55 will work fine with your IC-706, you will just need to use an external switch to turn it off.

I used to recommend using a switched power strip. If you adventurous adding an AC switch to the PS-55 power supply is not a hard chore. You would just need to disconnect the leads that run out into the power cord. As I remember they were green and blue also much smaller than the RED ad Black DC leads.

The AC switching wires are actually shorted together in the 706. so if the PS-55 is plugged into AC then the moment you connect the DC power cord to the 796 the PS-55 will immediately power up.

Have fun...

Gary K8IZ

6345. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 02:23:35 UTC
From: "Dee D. Flint" <deehays@qix.net>
Message-ID: <HGdH9.5100$4j5.2717480@newssvr28.news.prodigy.com>
Source record: 36554
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"I Smac" <Smac61yourpanties@hotmail.com> wrote in message
news:OVidna0Ldu0w1XGgXTWc3Q@comcast.com...
> Wattmeter reads 150W forward. 50W reflected.
>
> Power OUT OF TRANSMITTER = ???
>
> a) 100W
> b) 150W
> c) other
>

Theoretically it would be 100 watts out BUT the SWR is going to be high enough that most modern transcievers will cut the power back to something substantially less to prevent damage to the transciever.

Dee Flint, N8UZE

6346. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 02:26:21 UTC
From: "Dee D. Flint" <deehays@qix.net>
Message-ID: <hJdH9.5101$4j5.2717824@newssvr28.news.prodigy.com>
Source record: 36555
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Get a copy of the tech manual "Now You're Talking". That will give the theoretically correct answer. As several have stated though, your radio will either cut back or die if you run very long at that rate.

"I Smac" <Smac61yourpanties@hotmail.com> wrote in message news:hjqdnfbntYpAdnGgXTWcpw@comcast.com...
> > Is this a trick question?
>
> No. I'm getting several answers and I thought I'd float it out here for
> debate...
>
> > How is the "Wattmeter" connected into the system, what is the load
> > impedance, and what type of Wattmeter is it?
> > > Wattmeter reads 150W forward. 50W reflected.
>
> Bird 43, radio>jumper>wattmeter>coax>load, typical 50ohm stuff
>
> > > Power OUT OF TRANSMITTER = ???
> > >
> > > a) 100W
> > > b) 150W
> > > c) other
>
>
>

6347. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 02:26:35 UTC
From: cheesecutter@webhideout.com
Message-ID: <fef386d5.0212031826.a77e5da@posting.google.com>
Source record: 36558
Cross-posted to: rec.radio.cb,rec.radio.amateur.misc,rec.radio.amateur.equipment

Secret Report <itsa@secret.com> wrote in message news:<3DEC42A8.A974C733@secret.com>...
> chessecutter wrote:
> >
> > > Well, if he's a CPA, he shouldn't have any problem finding a job. I'm sure
> > > there's some CEO willing to pay top dollar for CPAs with poor sight.
> >
> > yeh chuckie is a cpa alright.....how about 'car parking
> > attendant'.....hey he might just measure up for that job unless he
> > runs out of prozac and starts chasing peeps around with his trusty
> > baseball bat.....hello come in.....
>
> Man, I don't know if I'd like his sweaty hands on my steering wheel,
> for one, and I don't think my seat slides back far enough for him.

oh chuckie's girth is a problem .....but just for the
record.....just take a bleach bottle with you when you see him and
spray his sorry ass with bleach.....that is a known germ killer and
at least you won't get aids from your friendly car parking lot
attendant and his funky ass body fluids.....rogo d????

6348. Re: WARNING WARNING WARNING KC2ETW THIEF WARNING WARNING WARNING!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 02:28:03 UTC
From: cheesecutter@webhideout.com
Message-ID: <fef386d5.0212031828.59a2dd48@posting.google.com>
Source record: 36559
Cross-posted to: rec.radio.cb,rec.radio.amateur.misc,rec.radio.amateur.equipment

"Krell" <krell1215@yahoo.com> wrote in message news:<asbrtv085b@enews4.newsguy.com>...
> "Tom" <jc@nospam.com> wrote in message
> news:nujiuu8ll6m77uc6quegpu0cgj1tpga9bb@4ax.com...
> > On Thu, 28 Nov 2002 10:33:47 -0500, Chuck
> > <k8cpa*nospam*@arrl.net*nospam*> wrote:
> >
> >
> > >REAL Ham's Use CW!
> > >http://mywebpages.comcast.net/k8cpa/
> >
> >
> > Shut up CPA and get a job, freak.
>
> Well, if he's a CPA, he shouldn't have any problem finding a job. I'm sure
> there's some CEO willing to pay top dollar for CPAs with poor sight.

hey krell...have you ever heard chuckie on 75 meters??? is it true
that chuckie has pissed off a number of hams on that freq???? and do
you guys mind if we bust his freekin balls.......?????

6349. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 02:38:02 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <asjo98$cu1$1@news1.kornet.net>
Source record: 36560
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Good answer.

"Dee D. Flint" <deehays@qix.net> wrote in message
news:HGdH9.5100$4j5.2717480@newssvr28.news.prodigy.com...
>
> "I Smac" <Smac61yourpanties@hotmail.com> wrote in message
> news:OVidna0Ldu0w1XGgXTWc3Q@comcast.com...
> > Wattmeter reads 150W forward. 50W reflected.
> >
> > Power OUT OF TRANSMITTER = ???
> >
> > a) 100W
> > b) 150W
> > c) other
> >
>
> Theoretically it would be 100 watts out BUT the SWR is going to be high
> enough that most modern transcievers will cut the power back to something
> substantially less to prevent damage to the transciever.
>
> Dee Flint, N8UZE
>
>

6350. Re: Will Icom PS-55 Power a 706?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 02:56:02 UTC
From: "M.M." <junquemaile@cox.net>
Message-ID: <Xns92D9CAED641F9nobodynowhere@68.6.19.6>
Source record: 36561

Dick wrote:

> The problem apparently is that the PS-55 is like the power supply for
> the IC-701 in that the A/C switch for the supply is in the radio and
> not in the supply. That's why I recommended just putting a switch in
> the PS-55 to take the place of the switch which the 706 does not have.
> It's not a matter of whether or not the PS-55 will supply the correct
> voltage and current. It will. It's just a matter of how do you turn
> the thing on!
>

Yep, that was actually my question. I know the '55 will run the 706, it was a matter of where the power is switched. I assumed, wrongly, it turns out, that all the Icoms were like the 735 that switches both the radio & PS from the radio on/off switch. I know now that it's not the case. Guess I shoulda done more research before asking. With the 735, I had the PS on a shelf under the desk but with the 706 it'd have to be more accessible. I'll probably sell the '55 (anyone interested?) and use my big solar-charged deep-cycle battery with my Astron as a backup.

Anyway, thanks to all who responded.

73... Mark AA7TA

6351. WTB FM unit for yaesu ft840

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 03:00:25 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <ddeH9.40660$ry.387980@twister.rdc-kc.rr.com>
Source record: 36562

I'am looking for a yaesu fm-747 unit for a ft840
E-mail with price and condition.
Thanks

6352. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 03:12:06 UTC
From: Roy Lewallen <w7el@eznec.com>
Message-ID: <uuqsk7h4jcpm05@corp.supernews.com>
Source record: 36563
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

No, not such a good answer.

If the transceiver has cut the power back to substantially less than 100 watts, how did the wattmeter come to read 150 watts forward and 50 reverse? Suppose the transmitter has cut its output power back to, say, 50 watts. The original posting said that the wattmeter reads 150 W forward and 50 reverse, which is 100 watts of real power. So where did the other 50 watts come from? No, if the transmitter has cut its power back, it's cut it back *to* 100 watts, not *from* 100 watts.

If the wattmeter is reading 150 watts forward and 50 reverse, there's 100 watts flowing through the wattmeter, delivering 100 joules per second of energy to whatever's connected to the wattmeter output. Period.

Roy Lewallen, W7EL

Brenda Ann wrote:
> Good answer.
>
> "Dee D. Flint" <deehays@qix.net> wrote in message
> news:HGdH9.5100$4j5.2717480@newssvr28.news.prodigy.com...
>
>>"I Smac" <Smac61yourpanties@hotmail.com> wrote in message
>>news:OVidna0Ldu0w1XGgXTWc3Q@comcast.com...
>>
>>>Wattmeter reads 150W forward. 50W reflected.
>>>
>>>Power OUT OF TRANSMITTER = ???
>>>
>>>a) 100W
>>>b) 150W
>>>c) other
>>>
>>
>>Theoretically it would be 100 watts out BUT the SWR is going to be high
>>enough that most modern transcievers will cut the power back to something
>>substantially less to prevent damage to the transciever.
>>
>>Dee Flint, N8UZE
>>
>>
>
>
>

6353. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 04:28:36 UTC
From: Bill M <"exray\\@n-o- .caribe.net>">
Message-ID: <uur12nijj658e4@corp.supernews.com>
Source record: 36564
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Roy Lewallen wrote:
> No, not such a good answer.
>
> If the transceiver has cut the power back to substantially less than 100
> watts, how did the wattmeter come to read 150 watts forward and 50
> reverse?

Maybe its a 250 watt rig.
-BM

6354. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 05:09:21 UTC
From: I Smac <Smac61yourpanties@hotmail.com>
Message-ID: <kLOdnao1zqtlEHCgXTWcqw@comcast.com>
Source record: 36565
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Roy Lewallen" wrote...
> If the wattmeter is reading 150 watts forward and 50 reverse, there's
> 100 watts flowing through the wattmeter, delivering 100 joules per
> second of energy to whatever's connected to the wattmeter output. Period.

Right, I think people are reading more
into my question than intended.
Whatever the status of the source,
its deflecting the wattmeter to 150W.

Now for another question:
To recap, we have a transmitter>jumper>wattmeter>feedline>load
typical 50ohm ham 2m setup lets say. The wattmeter (bird 43 for example)
reads 150W forward and 50 reflected.

How much power is dissipated by the load?

6355. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 05:17:12 UTC
From: Roy Lewallen <w7el@eznec.com>
Message-ID: <uur3uqbqngp5a2@corp.supernews.com>
Source record: 36566
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

I Smac wrote:
> "Roy Lewallen" wrote...
>
>>If the wattmeter is reading 150 watts forward and 50 reverse, there's
>>100 watts flowing through the wattmeter, delivering 100 joules per
>>second of energy to whatever's connected to the wattmeter output. Period.
>
>
> Right, I think people are reading more
> into my question than intended.
> Whatever the status of the source,
> its deflecting the wattmeter to 150W.
>
> Now for another question:
> To recap, we have a transmitter>jumper>wattmeter>feedline>load
> typical 50ohm ham 2m setup lets say. The wattmeter (bird 43 for example)
> reads 150W forward and 50 reflected.
>
> How much power is dissipated by the load?

100 watts less feedline loss.

Roy Lewallen, W7EL

6356. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 05:20:40 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <484ruuomfi1uh1gc1q0r4bth7qrpvgh2r0@4ax.com>
Source record: 36567
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Wed, 4 Dec 2002 00:09:21 -0500, "I Smac"
<Smac61yourpanties@hotmail.com> wrote:

>"Roy Lewallen" wrote...
>> If the wattmeter is reading 150 watts forward and 50 reverse, there's
>> 100 watts flowing through the wattmeter, delivering 100 joules per
>> second of energy to whatever's connected to the wattmeter output. Period.
>
>Right, I think people are reading more
>into my question than intended.
>Whatever the status of the source,
>its deflecting the wattmeter to 150W.
>
>Now for another question:
>To recap, we have a transmitter>jumper>wattmeter>feedline>load
>typical 50ohm ham 2m setup lets say. The wattmeter (bird 43 for example)
>reads 150W forward and 50 reflected.
>
>How much power is dissipated by the load?
>
>
All of it. (Don't read too much into that!)

6357. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 05:25:37 UTC
From: I Smac <Smac61yourpanties@hotmail.com>
Message-ID: <nfidnQ_AqIhVDHCgXTWc3Q@comcast.com>
Source record: 36568
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"I Smac" wrote...
> Now for another question:
> To recap, we have a transmitter>jumper>wattmeter>feedline>load
> typical 50ohm ham 2m setup lets say. The wattmeter (bird 43 for example)
> reads 150W forward and 50 reflected.
>
> How much power is dissipated by the load?
I forgot to mention the load is the source of the mis-match.

6358. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 05:57:13 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DED9939.7030001@ieee.org>
Source record: 36569
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

I Smac wrote:
> Now for another question:
> To recap, we have a transmitter>jumper>wattmeter>feedline>load
> typical 50ohm ham 2m setup lets say. The wattmeter (bird 43 for example)
> reads 150W forward and 50 reflected.
>
> How much power is dissipated by the load?

100 watts plus or minus 5% of full scale minus the losses in the tuner and coax.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6359. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 06:39:52 UTC
From: Roy Lewallen <w7el@eznec.com>
Message-ID: <uur8pqsrvvtm40@corp.supernews.com>
Source record: 36570
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

I Smac wrote:
> "I Smac" wrote...
>
>>Now for another question:
>>To recap, we have a transmitter>jumper>wattmeter>feedline>load
>>typical 50ohm ham 2m setup lets say. The wattmeter (bird 43 for example)
>>reads 150W forward and 50 reflected.
>>
>>How much power is dissipated by the load?
>
> I forgot to mention the load is the source of the mis-match.

Doesn't matter.

Roy Lewallen, W7EL

6360. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 07:28:22 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <6lbruugqegah8m1r6ovp4pon2mrlpb7fl5@4ax.com>
Source record: 36571
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Wed, 4 Dec 2002 00:25:37 -0500, "I Smac"
<Smac61yourpanties@hotmail.com> wrote:

>
>"I Smac" wrote...
>> Now for another question:
>> To recap, we have a transmitter>jumper>wattmeter>feedline>load
>> typical 50ohm ham 2m setup lets say. The wattmeter (bird 43 for example)
>> reads 150W forward and 50 reflected.
>>
>> How much power is dissipated by the load?
>I forgot to mention the load is the source of the mis-match.
>
All of it (sheesh).

73's
Richard Clark, KB7QHC

6361. FS: Eenhorn Attenuator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 10:22:50 UTC
From: aa3ii@aol.com
Message-ID: <20021204052250.29190.00000099@mb-cb.aol.com>
Source record: 36572

Homebrew Active Attenuator for Fox Hunting.(QST Nov 1992).Built w/ PC board from Far Circuits. $25.00 shipped lower 48.

6362. FS: IC-746 $825.00 Shipped

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 11:42:34 UTC
From: JS <wd1v@amsat.org>
Message-ID: <wd1v-F1EA0D.06423504122002@netnews.attbi.com>
Source record: 36573

ICOM IC-746 S/N 06089 with optional Icom 500 Hz CW filter installed.

Comes with
DC power cable
HM-36 Hand Mic
New Icom 746 Log Book
Manual
Service manual

Cosmetically a "9.5" @ $825.00 and will ship UPS to any USA
location. $800.00 for local pick-up.

73,

John D. Seney, WD1V
Manchester, NH
(617) 686-9882
http://www.qsl.net/wd1v

6363. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 12:26:46 UTC
From: hamish@cloud.net.au
Message-ID: <3dedf486$0$18872$afc38c87@news.optusnet.com.au>
Source record: 36574
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

In rec.radio.amateur.dx Bill M <""exray\"@n-o- .caribe.net> wrote:
> And thats why spammers use a fake hotmail.com address and hotmail.com
> winds up in everybody's filter list.
> There's a very finite number of spammers in the world...far fewer than
> one would think when your mailbox is full of crap email everyday. MS,
> if anybody, has the resources to put a big dent in the numbers.

How do you propose they do that? They can't stop people sending email
from fake hotmail.com addresses.

Hamish
--
Hamish Moffatt VK3SB <hamish@debian.org> <hamish@cloud.net.au>

6364. Re: IMPORTANT: SOME ARRL EMAIL STOPPED

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 13:27:29 UTC
From: Bill M <"exray\\@n-o- .caribe.net>">
Message-ID: <uus0kqbh4ll552@corp.supernews.com>
Source record: 36575
Cross-posted to: rec.radio.amateur.dx,rec.radio.amateur.equipment

hamish@cloud.net.au wrote:
> In rec.radio.amateur.dx Bill M <""exray\"@n-o- .caribe.net> wrote:
>
>>And thats why spammers use a fake hotmail.com address and hotmail.com
>>winds up in everybody's filter list.
>>There's a very finite number of spammers in the world...far fewer than
>>one would think when your mailbox is full of crap email everyday. MS,
>>if anybody, has the resources to put a big dent in the numbers.
>
>
> How do you propose they do that? They can't stop people sending email
> from fake hotmail.com addresses.
>
> Hamish

I would propose that MS and their fleet of lawyers nail a few of the big time abusers and/or provide configuration assistance to the abusive ISPs that allow spamming in the first place that would exclude 'their' name.

I know it won't happen, but thats my proposal.

-Bill

posting under different names that could be configured to exclude hotmail addresses.

6365. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 13:48:58 UTC
From: Luke <luke@nospamming.com>
Message-ID: <3DEE07C8.ECA767A0@nospamming.com>
Source record: 36576

Yup, plus the $ 20.00 shipping fee. !!!!!!!!!

Is it me or has many radio items gone up in asking/bin price for the
holiday ??

73 luke

KB9TMP wrote:

> Here's the link to a $179 list price antenna tuner you can
> buy right now on Ebay with a Buy It Nowï¿½ price of $200.
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942339112
>
> Makes you just want to rush right over and place a bid don't it?
> :^0
>
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx

6366. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 13:53:22 UTC
From: Luke <luke@nospamming.com>
Message-ID: <3DEE08CF.7836E3C0@nospamming.com>
Source record: 36577

Yup, just like the old ham sheets, you got to do your research first.

Learn a lot from watching old and new auctions, learn about the equipment and
what the rigs look like so you can also use this info at the local hamfests.

I've done over 90 deals, always been satisfied, just do business with those that

have high feedback and you should be ok. I've built a nice two radio hf station

by using ebay for selling my old stuff (machine tools etc.) to buy hf rigs.

Just like the swap meets, you can always walk away poor and with junk.

73 luke

Steven wrote:

> Actually I do love Ebay! It is the most efficient mechanism their is for
> bringing together buyers and sellers. Like anything else you need to do your
> research before you buy. I have been EXTREMELY happy as a buyer and a
> seller. ---- Steve KK9ZZ
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=168&item=2060831384
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=3762&item=2075783198
>
> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:uulgg3nrvvjdf5@corp.supernews.com...
> > Here's the link to a $179 list price antenna tuner you can
> > buy right now on Ebay with a Buy It Nowï¿½ price of $200.
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942339112
> >
> > Makes you just want to rush right over and place a bid don't it?
> > :^0
> >
> > --
> > '73' From KB9TMP
> > "The secret of life is honesty and fair dealing,
> > if you can fake that, you've got it made."
> > -Groucho Marx
> >
> >
> >

6367. problem IC2800

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 14:15:55 UTC
From: PA3HGT <pa3hgt@hotmail.com>
Message-ID: <3dee0e0d$0$30071$fb624cd1@news1.zeelandnet.nl>
Source record: 36578

Hello OM,

A friend's Icom IC2800 has a problem with voice TXaudio. TXaudio with packet,SSTV is OK but there is no "voice" when operate with the HM98 or the SM8.
I did reset the rig but the problem stays in the rig.
What's your idea about this ?

73,Hans,PA3HGT

6368. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 14:32:27 UTC
From: Bill Ogden <ogden@us.ibm.com>
Message-ID: <3DEE11FB.C548A30B@us.ibm.com>
Source record: 36579

FWIW, most of my current station came via e-bay and I am quite happy with it. When substantial amounts of money are involved, I have called the seller and talked about the unit. This has been helpful, but maybe I have been lucky.

Given the venue ---- an unregulated, mixed bag of people selling things, sight unseen, with no overseers involved --- I think e-bay works fairly well. If you don't like this setup, then go elsewhere. There is always a risk involved in this type of thing.

Bill
W2WO

6369. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 14:34:48 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <cooH9.37616$vM1.2946606@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36580

I know what you mean. I try to play thing on the up and up. I did bid on one item, and I should have checked the seller's feedback, because there were descriptive terms such as "crook", "thief", etc. I called up the fellow and told him that I didn't feel comfortable buying from him with that kind of feedback, so I just sent him 5 dollars to cover for his listing fee. On another note.....the problem with feedback is that you don't know if a person's friends are leaving it. Now, if a person has at least a hundred hits, that might be a different story.

Pete

6370. Ham Radio and CB Mods

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 14:40:21 UTC
From: Daniel Hicks <w8mmq-NOSPAM@email.com>
Message-ID: <3dee139b$0$1450$272ea4a1@news.execpc.com>
Source record: 36581

Check out W8MMQ Ham radio and CB mods:
http://www.w8mmq.com/mods/
Over 1,200 radio mods, and updated regularly.

And the W8MMQ Amateur Radio Page:
http://www.w8mmq.com/

6371. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 14:43:05 UTC
From: JC <Nospam@biteme.com>
Message-ID: <bd4suukr8tq7tgg7gdm8i253t79p3482k9@4ax.com>
Source record: 36582

On Wed, 04 Dec 2002 09:32:27 -0500, Bill Ogden <ogden@us.ibm.com>
wrote:

>FWIW, most of my current station came via e-bay and I am quite happy with it. When
>substantial amounts of money are involved, I have called the seller and talked about
>the unit. This has been helpful, but maybe I have been lucky.
>
>Given the venue ---- an unregulated, mixed bag of people selling things, sight
>unseen, with no overseers involved --- I think e-bay works fairly well. If you
>don't like this setup, then go elsewhere. There is always a risk involved in this
>type of thing.
>
>Bill
>W2WO

Bill is quite correct, and patience is important. I had some gear I
was interested in and must have placed bids on 15 pieces of the item I
wanted. Eventually, I got a seller that posted a fuzzy, nasty picture
and I won. Got it for about 35% of the going price, and it turned out
to be a very nice unit.

Also, prices do vary with the seasons. If you want it cheap, save
your money for August when everybody is on vacation and fewer people
are on the radio. There is plenty of stuff that moves for big
discounts in the late summer, but prices shoot right back to normal in
September.

Bottom line, between auctions and private sales, I built a complete HF
tri-band station (CW only) that puts out 90 watts and my TOTAL cost is
about $65. Total means key, antenna, feed line, radio, VFO, etc. plus
a few minor repair parts. It took me a few months to get it all
together, but where else can you have this much fun and meet so many
nice people for just $65?

6372. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 15:06:53 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <asl5m6$lf7$1@slb4.atl.mindspring.net>
Source record: 36583
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

I Smac:

[snip]
> > How much power is dissipated by the load?
>
> 100 watts plus or minus 5% of full scale minus the losses in the tuner and
coax.
> --
> cheers, CAM http://www.qsl.net/w5dxp
[snip]

Yep everyone is correct!

100 Watts out of the transmitter, 100 Watts [minus small losses] into the
load, and...

Ba da bum...

that so called "reflected power" must then be just a fiction!

Why the hell do we need "reflected power"

And... in the words of the imortal Jackie Gleason... "away we go!"

--
Peter K1PO
Indialantic By-the-Sea, FL

6373. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 15:38:52 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DEE218C.4080002@ieee.org>
Source record: 36584
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Peter O. Brackett wrote:
> Why the hell do we need "reflected power"

Without reflected energy, I could not achieve a no-tuner match
with my 80m dipole on all HF bands. Without reflected energy,
there would be no SWR circle on a Smith Chart. Without reflected
energy, I would always see 450 ohms looking into my 450 ohm
transmission line. My transmitter doesn't like 450 ohms.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6374. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 16:04:04 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <asl91c$j5h$1@slb6.atl.mindspring.net>
Source record: 36585
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Cecil:

[snip]
> Peter O. Brackett wrote:
> > Why the hell do we need "reflected power"
>
> Without reflected energy, I could not achieve a no-tuner match
> with my 80m dipole on all HF bands. Without reflected energy,
> there would be no SWR circle on a Smith Chart. Without reflected
> energy, I would always see 450 ohms looking into my 450 ohm
> transmission line. My transmitter doesn't like 450 ohms.
> --
> cheers, CAM http://www.qsl.net/w5dxp
[snip]

Heh, heh... now that sounds like a lot of bafflegab to the uninitiated!

It's really pretty simple I think, here's I Smac's setup...

radio>jumper>wattmeter>coax>load
^ ^
100W 100W

100Watts supplied from the radio, 100Watts delivered into the load, and...

Ba da bum...

50Watts of "Reflected Power" held in the wattmeter for later use in case
it's needed
to supply power to the computer calculating the SWR?

What?

--
Peter K1PO
Indialantic By-the-Sea, FL

"OC_CAM's Razor" <Cecil.A.Moore@ieee.org> wrote in message
news:3DEE218C.4080002@ieee.org...
>
>
>
> -----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
> http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
> -----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6375. FS: IC-751 transceiver, AT-150 auto tuner, Shure 444D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 16:09:21 UTC
From: Peter Fournia <w2sky@arrl.net>
Message-ID: <3DEE28B2.17C8B138@arrl.net>
Source record: 36586

This item is an amateur radio station containing the IC-751 HF Transceiver, AT-150 Automatic Antenna Tuner,
Shure 444D Desk Microphone and Computer Audio Interface. All items are in excellent condition and ready for
plug-n-play operation. Priced at 80% of market.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942287105

Peter F,
w2sky@arrl.net
Rochester, NY 585-377-0535

6376. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 18:55:19 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DEE4F97.9030105@ieee.org>
Source record: 36587
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Peter O. Brackett wrote:
> It's really pretty simple I think, here's I Smac's setup...
>
> radio>jumper>wattmeter>coax>load
> ^ ^
> 100W 100W
>
> 100Watts supplied from the radio, 100Watts delivered into the load, and...
>
> Ba da bum...
>
> 50Watts of "Reflected Power" held in the wattmeter for later use in case
> it's needed to supply power to the computer calculating the SWR?

Nope, 50 watts of reflected joules/sec interfering with 150 watts of
forward joules/sec to cause the impedance transformation represented
by an SWR circle of 3.73:1 on the Smith Chart. The reflected energy
is being used for impedance transformation and therefore cannot be
used for any other purpose. How can I break you from trying to use
the same energy for two different purposes? Do you try to use the
same energy for powering your computer as you do for drying your
clothes?

If you calculate the time it takes for the generated wave to reach
the load you can calculate exactly how many joules of energy are stored
in the reflected wave. For instance, if the transmission line is 100
nanoseconds long, there will be 5 microjoules of energy associated with
the 50 joules/sec of reflected power. There will be 15 microjoules of
energy associated with the 150 joules/sec of forward power. If the
system were flat (matched), there would be only 100 microjoules of
energy stored in the transmission line.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6377. Yeasu FT-920 power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 21:17:53 UTC
From: gspubl@tca.net
Message-ID: <3dee6fe6.686620758@news.tamu.edu>
Source record: 36589

My Yeasu Ft-920 seems to work great and I love the radio. However, I can't seem to get more than 85 watts out of it in the high power mode. My power supply checks out plenty heavy duty and the dummyload is okay (I tried it on an antenna too...same thing). I went in and did the factory suggested software power change to up the power to 125 watts, and still, only 85 watts out max. Do I have a PIN diode out or is something wrong with the finals or elseware? Any suggestions?
thanks, Mike.

6378. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 21:29:36 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <asls3v$91e$2@helle.btinternet.com>
Source record: 36588
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Peter wrote -
> that so called "reflected power" must then be just a fiction!
>
> Why the hell do we need "reflected power"

==========

Peter, you must drink the same stuff as I do.

Down with SWR meters! Up with the TLI.

Reg, G4FGQ

6379. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 21:41:41 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <aslsqk$is8$1@venus.btinternet.com>
Source record: 36590
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Cecil, reflections involve time. But you never mention the stuff in your explanations of how and why things work.

Where is the "time" scale on a Smith Chart?

==========
Regards from Reg G4FGQ
For Free Radio Design Software
Go to http://www.g4fgq.com
==========

6380. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 21:48:18 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <aslt4s$sib9h$1@ID-140397.news.dfncis.de>
Source record: 36591
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Peter O. Brackett" <ab4bc@ix.netcom.com> wrote in message
news:asl5m6$lf7$1@slb4.atl.mindspring.net...
> I Smac:
>
> [snip]
> > > How much power is dissipated by the load?
> >
> > 100 watts plus or minus 5% of full scale minus the losses in the tuner
and
> coax.
> > --
> > cheers, CAM http://www.qsl.net/w5dxp
> [snip]
>
> Yep everyone is correct!
>
> 100 Watts out of the transmitter, 100 Watts [minus small losses] into the
> load, and...
>

Not all of that 100W (minus small losses) will be transferred to the load
unless the load is matched to the transmission line impedance and purely
resistive- reactances don't absorb power.

> Ba da bum...
>
> that so called "reflected power" must then be just a fiction!

and the bit that isn't transferred to the load is reflected back down the
line as refelcted power.

Think of an analogy. Light is reflected from a window because the refactive
index air and glass differ. If you could made the glass with the same
refractive index as air you would get no reflection and all the light (less
abit lost in transmission) would pass through the glass.

The refractive indices of the air and glass correspond to the impedances of
the glass and air. The light reflected back is the reflected power.

>
> Why the hell do we need "reflected power"
>

So we can deduce the reflection coeff. and, by suitable calibration of a
meter scale, indicate the VSWR or just SWR.

Now there is a Brit who denies SWR exists but we don't take him seriously.

73

Brian

6381. WANTED: Raytheon / Apelco / Webster

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 22:04:09 UTC
From: k5dh@raytheon.com
Message-ID: <tZuH9.123$Z74.849@dfw-service2.ext.raytheon.com>
Source record: 36592
Cross-posted to: rec.radio.swap,rec.radio.cb,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

As always, I am looking for 1960s and early 1970s
CB radio equipment from Raytheon, Apelco, and
Webster to fill holes in my museum collection.
Here is a list of specific models that I need to
complete the collection:

RAYTHEON:
Tube-type: Raycom
Solid-state: Raycom III, Raycom IV (AM/SSB),
Ray-Tel TWR-11, Ray-Tel TWR-11T
Handheld: Regal Ray-Ette, Super Ray-Ette, MW-2

APELCO:
Solid-state: AR-15, AR-16, 565

WEBSTER:
Solid-state: Bandspanner 550

ALLSTATE (sold by Sears):
Tube-type: 832.62270

AIRLINE (sold by Montgomery Ward)
Tube-type: GAS-587

I would be interested in hearing about any Raytheon,
Apelco, or Webster CB gear that you might have, even
if it's a duplicate (I'm always looking to upgrade
models that I already have). I'm interested in any
"parts rigs" that might be collecting dust also.

In addition to the radios themselves, I am seeking
any kind of related printed matter, including dealer
sales literature, owner's manuals, service manuals,
magazine ads, magazine articles, and so forth.

If you are a vintage CB collector and have any models
in your collection that I need a photo of, I'd like
to work with you on that.

If you ever had any involvement with CB gear from my
target brands, whether it was sales, service, worked
for that branch of the company, or whatever, I'd love
to hear from you as well.

If you have any interest in vintage CB, please visit
the Raytheon/Apelco/Webster CB Radio On-Line Museum:

http://www.qsl.net/k5dh/raytheon.html

DISCLAIMER:
For those hams who are offended that I placed an ad for CB equipment on ham radio newsgroups, I need to point out that the overwhelming majority of radios, printed matter, and historical information that I've collected so far has come from hams, not from CBers! Perhaps that's because so many of today's hams were CBers "back then".

Thanks and 73,
Dean K5DH

6382. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 22:05:48 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3dee79e2$0$20662$39cecf19@nnrp1.twtelecom.net>
Source record: 36593
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
Sold as a group, $600

Kenwood TMV7A 50W 2M/35W 440 FM
DFK3C REMOTE CABLE KIT
PG4S PC INTERFACE CABLE + SOFTWARE $350
Sold as a group,

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Desktop Charger
Sold as a group, $200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 Analog-to-Digital board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have.

I can email pics.
Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

6383. FT-817

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 22:16:57 UTC
From: BD <bodu@pobox.com>
Message-ID: <Y9vH9.11787$5P3.641279@newsfeed.slurp.net>
Source record: 36594
Cross-posted to: dfw.forsale,rec.radio.amateur.equipment,rec.radio.amateur.swap,tx.forsale

I'm posting this for N5BDR, who's isp is currently having probs with usenet
access.
So please email him directly at n5bdr@arrl.net.

Looks brand-new. It's sat in the box unused for nearly 2yrs, except for the
few times I played with it at the start. I just never got around to buying
the needed antennas. Asking $450 + shipping for it and all original parts.
Thanks.
N5BDR

6384. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 22:21:06 UTC
From: Wes Stewart <n7ws@nowhere.com>
Message-ID: <47vsuuk4008k8t0uo3f19q1hhm0dptnav1@4ax.com>
Source record: 36595
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Wed, 4 Dec 2002 21:48:18 -0000, "Brian Reay"
<brian.reay@bigfoot.com> wrote:

| "Peter O. Brackett" <ab4bc@ix.netcom.com> wrote in message
|news:asl5m6$lf7$1@slb4.atl.mindspring.net...
|> I Smac:
|>
|> [snip]
|> > > How much power is dissipated by the load?
|> >
|> > 100 watts plus or minus 5% of full scale minus the losses in the tuner
|and
|> coax.
|> > --
|> > cheers, CAM http://www.qsl.net/w5dxp
|> [snip]
|>
|> Yep everyone is correct!
|>
|> 100 Watts out of the transmitter, 100 Watts [minus small losses] into the
|> load, and...
|>
|
|Not all of that 100W (minus small losses) will be transferred to the load
|unless the load is matched to the transmission line impedance and purely
|resistive- reactances don't absorb power.

You obviously haven't been following along. The reflected power has
already been accounted for. The net forward power is 100 W. All of
it is dissipated in the load.

Furthermore, "matched to the transmission line impedance and purely
resistive" are mutually exclusive when the line has loss.

A slightly reactive load can present a better match to a reactive
transmission line (i.e. one that has loss) than does a load that is a
pure resistance. So, a purely resistive load *is not* the optimum
load for a lossy line.

6385. INFO NEEDED.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 22:25:21 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <lhvH9.45036$ry.433704@twister.rdc-kc.rr.com>
Source record: 36597
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Does any one make a AM filter for the yaesu ft840 other then yaesu?
They want a $120 wich nuts
Thanks for any help

6386. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 22:25:50 UTC
From: Bill M <"exray\\@n-o- .caribe.net>">
Message-ID: <uut067maoanr86@corp.supernews.com>
Source record: 36596
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Reg Edwards wrote:
> Cecil, reflections involve time. But you never mention the stuff in your
> explanations of how and why things work.
>
> Where is the "time" scale on a Smith Chart?
> ---
> ==========
> Regards from Reg G4FGQ

Here's a verbo-visual image that I wonder if it would be correct? If we were to slow things down from say 14 MHz to maybe one hertz or less and could shoot out a single cycle of energy, we would start by seeing the forward needle rise to 100 while the reverse slowly barely lifts from zero. Then we would see the forward needle drop back towards zero (but not all the way unless it was a directional coupler type of circuit) while the reverse crept up to 50. Note particularly that the forward meter hasn't reached zero before the reflected meter starts indicating power....the time delay being simply based on the length of the line. Then the process would be repeated but on the second cycle there would be an increase in the forward indication because the reflected wave is hitting a who-knows-what match at the xmtr output and bounces back in the forward direction.
So logically there is more than the original 100 'watts' reading that was seen on the first cycle. I'll let the math pros have at it because I think this second cycle 'forward' reading gets rather complicated. There is the xmtr out, minus the feedline loss to the load, the amount of reflected voltage due to the mismatch, feedline loss again, then another (possibly unknown) amount of reflected voltage seen at the xmtr output terminal...then its phase relationship with the actual transmitted signal.
The third cycle has all of that plus more...and so on.

The point is that a reading of 150 watts forward and 50 reflected doesn't simply indicate a 'real' output power of 100 watts. It may be pretty close but I suspect there's enough 'if factors' to keep it from being a rule-o-thumb. Based on the same thought, the '50 watts reflected' isn't going to be particularly accurate either after the first cycle.
Maybe there IS a rule-of-thumb that can be applied and possibly it will in fact approach the simplified 150-50=100 once this process has been repeated 14 million+ times in a second.

So yes, time is obviously a factor. Each repeated cycle will increase the voltages read but after a few cycles the voltage addition rules make

it moot since the succesive increases are so small....so its pretty easy to ignore 'time' at 14 Mhz unless one goes back to extract the behaviour of a single cycle or two, in which case, apples are being compared to oranges.

My 2 centavos.

-Bill WX4A/KP4

6387. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 22:31:46 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <aslvoh$2hd$1@knossos.btinternet.com>
Source record: 36398
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Brian, there you go again, unnecessarily complicating and confusing matters.

Regardless of line and load impedances, all power leaving the generator must
be dissipated in load. There is nowhere else for the stuff to go.

==========
Regards from Reg G4FGQ
For Free Radio Design Software
Go to http://www.g4fgq.com
==========

6388. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 23:17:00 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <o53tuuge9uvqltjaj99dcv45bf7d70ket6@4ax.com>
Source record: 36399
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Wed, 4 Dec 2002 21:41:41 +0000 (UTC), "Reg Edwards"
<g4fgq.regp@btinternet.com> wrote:

>Cecil, reflections involve time. But you never mention the stuff in your
>explanations of how and why things work.
>
>Where is the "time" scale on a Smith Chart?
>---

ah Punchinello!

Cecil chooses to employ time to explain things, it is not a necessity
in and of itself.

You certainly have trouble with it being simply Phase which IS heavily
invested in the Smith Chart. Your usual excellent trolling has fallen
in quality this season - too much egg nog? ;-)

73's
Richard Clark, KB7QHC

6389. Re: WANTED: Raytheon / Apelco / Webster

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 23:47:43 UTC
From: DPH <rally2xs@compuserve.com>
Message-ID: <iv4tuu44hppvkkdri22qffco9279abn0vh@4ax.com>
Source record: 36400
Cross-posted to: rec.radio.swap,rec.radio.cb,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

On Wed, 04 Dec 2002 22:04:09 GMT, k5dh@raytheon.com (K5DH) wrote:

>As always, I am looking for 1960s and early 1970s
>CB radio equipment from Raytheon, Apelco, and
>Webster to fill holes in my museum collection.
>Here is a list of specific models that I need to
>complete the collection:
>
>RAYTHEON:
>Tube-type: Raycom
>Solid-state: Raycom III, Raycom IV (AM/SSB),
> Ray-Tel TWR-11, Ray-Tel TWR-11T
>Handheld: Regal Ray-Ette, Super Ray-Ette, MW-2
>
>APELCO:
>Solid-state: AR-15, AR-16, 565
>
>WEBSTER:
>Solid-state: Bandspanner 550
>
>ALLSTATE (sold by Sears):
>Tube-type: 832.62270
>
>AIRLINE (sold by Montgomery Ward)
>Tube-type: GAS-587
>
>I would be interested in hearing about any Raytheon,
>Apelco, or Webster CB gear that you might have, even
>if it's a duplicate (I'm always looking to upgrade
>models that I already have). I'm interested in any
>"parts rigs" that might be collecting dust also.
>
>In addition to the radios themselves, I am seeking
>any kind of related printed matter, including dealer
>sales literature, owner's manuals, service manuals,
>magazine ads, magazine articles, and so forth.
>
>If you are a vintage CB collector and have any models
>in your collection that I need a photo of, I'd like
>to work with you on that.
>
>If you ever had any involvement with CB gear from my
>target brands, whether it was sales, service, worked

>for that branch of the company, or whatever, I'd love
>to hear from you as well.
>
>If you have any interest in vintage CB, please visit
>the Raytheon/Apelco/Webster CB Radio On-Line Museum:
>
> http://www.qsl.net/k5dh/raytheon.html
>
>DISCLAIMER:
>For those hams who are offended that I placed an ad
>for CB equipment on ham radio newsgroups, I need to
>point out that the overwhelming majority of radios,
>printed matter, and historical information that I've
>collected so far has come from hams, not from CBers!
>Perhaps that's because so many of today's hams were
>CBers "back then".
>
>Thanks and 73,
>Dean K5DH

Uh oh... looks like another one of them fellers with his initials in
is call sign...

Dave Head
K8DH

6390. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 23:55:57 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <asm4m7$96d$1@slb9.atl.mindspring.net>
Source record: 36401
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Bill:

You are getting very close to a deep understanding of power matching.

It's interesting that you let the frequency go to very low values like
1.0Hz.

OK... now mext let the frequency continue downward from 1Hz towards zero Hz,
go in log
steps, say 0.1Hz, then 0.01Hz, then 0.001Hz until finally in the limit you
reach 0.0Hz.

Now at DC (0.0Hz) does VSWR mean anything?

Is there any reflected power in the system at DC?

What does conjugate match at DC mean?

Will the SWR meter still work at DC?

If not, then what is the magic frequency [fm = magic frequency] below which
all reflections stop and VSWR becomes meaningless and why?

Food for thought. If a theory/visualization of reflection dynamics is to be
valid, then it must be valid for all regimes, from DC up to the highest
frequencies, otherwise it is invalid.

Think about it...

--
Peter K1PO
Indialantic By-the-Sea, FL

"Bill M" <""exray\"@n-o- .caribe.net> wrote in message
news:uut067maoanr86@corp.supernews.com...
> Reg Edwards wrote:
> > Cecil, reflections involve time. But you never mention the stuff in your
> > explanations of how and why things work.
> >
> > Where is the "time" scale on a Smith Chart?
> > ---
> > ==========
> > Regards from Reg G4FGQ
>
> Here's a verbo-visual image that I wonder if it would be correct? If we
> were to slow things down from say 14 MHz to maybe one hertz or less and
> could shoot out a single cycle of energy, we would start by seeing the

> forward needle rise to 100 while the reverse slowly barely lifts from
> zero. Then we would see the forward needle drop back towards zero (but
> not all the way unless it was a directional coupler type of circuit)
> while the reverse crept up to 50. Note particularly that the forward
> meter hasn't reached zero before the reflected meter starts indicating
> power....the time delay being simply based on the length of the line.
> Then the process would be repeated but on the second cycle there would
> be an increase in the forward indication because the reflected wave is
> hitting a who-knows-what match at the xmtr output and bounces back in
> the forward direction.
> So logically there is more than the original 100 'watts' reading that
> was seen on the first cycle. I'll let the math pros have at it because
> I think this second cycle 'forward' reading gets rather complicated.
> There is the xmtr out, minus the feedline loss to the load, the amount
> of reflected voltage due to the mismatch, feedline loss again, then
> another (possibly unknown) amount of reflected voltage seen at the xmtr
> output terminal...then its phase relationship with the actual
> transmitted signal.
> The third cycle has all of that plus more...and so on.
>
> The point is that a reading of 150 watts forward and 50 reflected
> doesn't simply indicate a 'real' output power of 100 watts. It may be
> pretty close but I suspect there's enough 'if factors' to keep it from
> being a rule-o-thumb. Based on the same thought, the '50 watts
> reflected' isn't going to be particularly accurate either after the
> first cycle.
> Maybe there IS a rule-of-thumb that can be applied and possibly it will
> in fact approach the simplified 150-50=100 once this process has been
> repeated 14 million+ times in a second.
>
> So yes, time is obviously a factor. Each repeated cycle will increase
> the voltages read but after a few cycles the voltage addition rules make
> it moot since the succesive increases are so small....so its pretty easy
> to ignore 'time' at 14 Mhz unless one goes back to extract the behaviour
> of a single cycle or two, in which case, apples are being compared to
> oranges.
>
> My 2 centavos.
>
> -Bill WX4A/KP4
>

6391. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-04 23:57:49 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <asm4pn$ip9$1@slb3.atl.mindspring.net>
Source record: 36402
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Reg:

[snip]
"Reg Edwards" <g4fgq.regp@btinternet.com> wrote in message
news:asls3v$91e$2@helle.btinternet.com...
> Peter wrote -
> > that so called "reflected power" must then be just a fiction!
> >
> > Why the hell do we need "reflected power"
>
> ============================
>
> Peter, you must drink the same stuff as I do.
>
> Down with SWR meters! Up with the TLI.
>
> Reg, G4FGQ
[snip]

Yep, a few pints of "Directors" and a big plate of "bangers and mash" at the
local pub.

I wish I was in Merry Olde England again for the Holidays. Maybe next year.

Happy Holidays,

--
Peter K1PO
Indialantic By-the-Sea, FL

6392. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 00:03:06 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <asm51m$si4rj$1@ID-140397.news.dfncis.de>
Source record: 36403
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Reg Edwards" <g4fgq.regp@btinternet.com> wrote in message
news:aslvoh$2hd$1@knossos.btinternet.com...
>
> Brian, there you go again, unnecessarily complicating and confusing
matters.
>
> Regardless of line and load impedances, all power leaving the generator
must
> be dissipated in load. There is nowhere else for the stuff to go.

Well maybe not in your set up as you claim to have no transmission lines.

However, most people do and all have losses. A 3dB feeder loss means 1/2 the power never even gets to the load, any reflected power is also attenuated by 3dB before being bounced back again by toward the load. That is why you can use a long length of coax as a dummy load- even if it is unterminated- in that case nothing gets dissipated in the load it all does in the line.

Try a worked example: 10W from the tx to a line with 3dB loss to a 25 ohm load (all in a 50 ohm system)

Forward line loss is 5W, 2.5W goes 'into' load, and 2.5W is reflected. Of the 2.5W reflected 1.25W is lost in the line on the return journey.

Even ignoring any more reflections (at the tx back to the load) the line is dissipating 6.25W and the load 2.5W and there is only 1.25W to 'share' on future trips. That power seems to have found somewhere else to go other than the load.

Out of curiosity, which type of generator (perfect or Thevinin) do you assume in your 'analysis' ? I suspect that is where you are going wrong.

Reg, you call the SWR meter a TLI if you want but you do the hobby (esp. newcomers) no favours by your ill thought out ideas.

73

Brian

6393. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 00:07:47 UTC
From: Bill M <"exray\\@n-o- .caribe.net>">
Message-ID: <uut65dh39g4925@corp.supernews.com>
Source record: 36404
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Peter O. Brackett wrote:
> Bill:
>
> You are getting very close to a deep understanding of power matching.
>
> It's interesting that you let the frequency go to very low values like
> 1.0Hz.
>
> OK... now mext let the frequency continue downward from 1Hz towards zero Hz,
> go in log
> steps, say 0.1Hz, then 0.01Hz, then 0.001Hz until finally in the limit you
> reach 0.0Hz.
>
> Now at DC (0.0Hz) does VSWR mean anything?
>
> Is there any reflected power in the system at DC?
>
> What does conjugate match at DC mean?
>
> Will the SWR meter still work at DC?
>
> If not, then what is the magic frequency [fm = magic frequency] below which
> all reflections stop and VSWR becomes meaningless and why?
>
> Food for thought. If a theory/visualization of reflection dynamics is to be
> valid, then it must be valid for all regimes, from DC up to the highest
> frequencies, otherwise it is invalid.
>
> Think about it...
>
> --
> Peter K1PO
> Indialantic By-the-Sea, FL

The way I see it, AC is AC no matter how you slice it. It won't ever be
DC. There is a distinct dividing line between the two even if you get
down into the cycles-per-century scale.
Of course then again, the 'time' context matters in such a case to
distinguish the two. Same as it does in visualizing SWR.

-BM

6394. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 00:10:38 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <asm5fp$t2tg6$1@ID-140397.news.dfncis.de>
Source record: 36405
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Peter O. Brackett" <ab4bc@ix.netcom.com> wrote in message
news:asm4pn$ip9$1@slb3.atl.mindspring.net...
>
> Yep, a few pints of "Directors" and a big plate of "bangers and mash" at
the
> local pub.
>
You have sadly missed out on good beer if you remember "Directors" - yuk.

You need to head north, to the land of the Geordie, and try Newcastle
Exhibition and Newcastle Brown Ale.

> I wish I was in Merry Olde England again for the Holidays. Maybe next
year.
>

Well I hope you have a good Xmas where ever you find yourself.

I'm sorry we sent Ann Robinson and 'Bass' over there, nothing to do with me,
but I heard it was revenge for not inviting us to the Boston Tea Party ;-)

73

Brian
G8OSN
www.g8osn.org.uk

6395. Re: Poor Sensitivity TS 820

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 00:16:49 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0212041616.7ce8c0fd@posting.google.com>
Source record: 36406

jack-anita@worldnet.att.net wrote in message
news:<3ded0ea2.32453285@netnews.worldnet.att.net>...
> SUBJECT: MY OLD TS820S
>
> Hi, guys,
>
> I have an old TS820S but it has a very poor sensitivity. I have done
> the procedure indicated in the manual about the adjustment, employing
> the marker tone, looking fot the maximun position of the S meter, and
> ajusting the coils in the ant and mix plate.
>
> The resorts were these:
>
> BAND 1.8 3.5 7.0 14.0 21.0 28 28.5 29
> 29.5
>
> S 4 4 4 2.5 1.5 -------
> didï¿½t heard the tone------
>
> I did all the proceduries indicated in the manual, this is: looking
> for the maximun S with Drive and Tuning knows using the marker-
>
> Like you see the S indication is going down as frequency is going
> hight.

That is fairly normal as far as band to band. 10m will usually give
less indication than a lower band.
>
> Even inside of 7.0 band the situation was like this:
>
> frequency 7.0 7.15 7.3
>
> S 4 3 2.5

Looks normal to me. The radio should be peaked for the middle of the
ham band.
That seems to be the case on yours.
>
>
> Maybe some components are with difficulties.

Maybe, but I'd do a total full alignment on the whole radio first. Did
your tweaking improve the sensitivity? If you hear a noise increase
when you peak the "drive" , you should have enough sensitivity.

MK

http://web.wt.net/~nm5k/

6396. Re: IC-751 transceiver, AT-150 auto tuner, Shure 444D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 00:18:21 UTC
From: Dave Edwards <kd2e@comcast.net>
Message-ID: <LBGdnQZZQuPQBnOgXTWcqg@comcast.com>
Source record: 36407

You mean FA ...And how is it priced at 80% of market when its on EBAY??

"Peter Fournia" <w2sky@arrl.net> wrote in message
news:3DEE28B2.17C8B138@arrl.net...
> This item is an amateur radio station containing the IC-751 HF
Transceiver, AT-150 Automatic Antenna Tuner,
> Shure 444D Desk Microphone and Computer Audio Interface. All items are in
excellent condition and ready for
> plug-n-play operation. Priced at 80% of market.
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942287105
>
> Peter F,
> w2sky@arrl.net
> Rochester, NY 585-377-0535
>

6397. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 00:22:49 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <asm68j$f3j$1@slb0.atl.mindspring.net>
Source record: 36408
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Brian:

Hey we like Anne she's kinda cute!

Best Regards,

--
Peter K1PO
Indialantic By-the-Sea, FL

"Brian Reay" <brian.reay@bigfoot.com> wrote in message
news:asm5fp$t2tg6$1@ID-140397.news.dfncis.de...
> "Peter O. Brackett" <ab4bc@ix.netcom.com> wrote in message
> news:asm4pn$ip9$1@slb3.atl.mindspring.net...
> >
> > Yep, a few pints of "Directors" and a big plate of "bangers and mash" at
> the
> > local pub.
> >
> You have sadly missed out on good beer if you remember "Directors" - yuk.
>
> You need to head north, to the land of the Geordie, and try Newcastle
> Exhibition and Newcastle Brown Ale.
>
> > I wish I was in Merry Olde England again for the Holidays. Maybe next
> year.
> >
>
> Well I hope you have a good Xmas where ever you find yourself.
>
> I'm sorry we sent Ann Robinson and 'Bass' over there, nothing to do with
me,
> but I heard it was revenge for not inviting us to the Boston Tea Party ;-)
>
> 73
>
> Brian
> G8OSN
> www.g8osn.org.uk
>
>

6398. FS: Astron Power Supplies

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 00:31:24 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <h47tuuscidndnp7v6m72dhtc73p1fhm846@4ax.com>
Source record: 36409

I have 3 Astron power supplys for sale in excellent condition. Astron RS-12A $40, Astron RS-35A $100, Astron VS-35M with meters $120....All 3 supplys do not include shipping....Any questions email or call (508) 821-2993 WZ1U Steve / Lakeville, Ma.

6399. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 00:37:00 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <asm736$ti3$1@slb9.atl.mindspring.net>
Source record: 36410
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Brian:

[snip]
> Reg, you call the SWR meter a TLI if you want but you do the hobby (esp.
> newcomers) no favours by your ill thought out ideas.
>
> 73
>
> Brian
[snip]

Take care Brian, Reg actually knows how SWR meters work, he as an excellent program on his site explains the internal circuit and workings of those venerable
and mis-named devices and he has a free program on his site that will help you to
design your own TLI/VSWR meter. Check it out.

It's all really very simple here's the full details in the one neat mathematical equation emulated by
most every so-called "[V]SWR meter ~ B = V - RI:

V is the "actual voltage" across the load impedance Z.
I is the "actual current" passing through the load impedance Z.

Z = V/I ~ The unknown impedance, |V/I| is the magnitude of Z, and theta = arctan(Im[Z]/Re[Z]) is the phase angle of Z.
R ~ The "arbitrary" reference impedance. Most use R = 50 Ohms resistive, but it could be anything depending upon
what you wanted to do with your meter.

A = V + RI ~ The ficticious forward voltage, calculated by the "internal" analog computer in the VSWR meter.
B = V - RI ~ The ficticious reflected voltage, calculated by the "internal" analog computer in the VSWR meter.

P = V*I cos(theta) is the "actual real power" dissipated in the real part of the load impedance Z.

When V = RI then the TLI indicates that B = 0 and the load is "matched".

What could be simpler. The TLI a concept whose time has come.

No reflected power needed!

--
Peter K1PO

Indialantic By-the-Sea, FL

6400. Re: Yeasu FT-920 power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 00:37:50 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uutb8rno696hcb@corp.supernews.com>
Source record: 36413

More likely, it is your meter, unable to read the true PEP.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
<gspubl@tca.net> wrote in message news:3dee6fe6.686620758@news.tamu.edu...
> My Yeasu Ft-920 seems to work great and I love the radio. However, I
> can't seem to get more than 85 watts out of it in the high power mode.
> My power supply checks out plenty heavy duty and the dummyload is okay
> (I tried it on an antenna too...same thing). I went in and did the
> factory suggested software power change to up the power to 125 watts,
> and still, only 85 watts out max. Do I have a PIN diode out or is
> something wrong with the finals or elseware? Any suggestions?
> thanks, Mike.

6401. Sale: Kenwood Dual Band 144/440 MHz Radio TM-731A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 00:38:53 UTC
From: Burt <k1oik@attbi.com>
Message-ID: <xexH9.236865$%m4.84140@rwcrnsc52.ops.asp.att.net>
Source record: 36411

Sale: Kenwood Dual Band 144/440 MHz Radio TM-731A
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1942628673

6402. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 01:15:45 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <asm99u$sqic8$1@ID-140397.news.dfncis.de>
Source record: 36412
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Peter O. Brackett" <ab4bc@ix.netcom.com> wrote in message
news:asm736$ti3$1@slb9.atl.mindspring.net...
>
> Take care Brian, Reg actually knows how SWR meters work, he as an
excellent
> program on his site explains the internal circuit and workings of those
> venerable
> and mis-named devices and he has a free program on his site that will help
> you to
> design your own TLI/VSWR meter. Check it out.
>

Oh I'm aware of Reg's work.

Problem is that the theory isn't exactly new and I get irked when someone rehashes an old idea and just ends up confusing things. Reg used to post in one of the uk groups but stopped when his 'new' theories were 'uncovered'.

We have enough problems with people knocking our new licensees (the Foundation Licensees, like the old US Novice) the last thing you need is someone confusing the technical stuff they are learning!

73

Brian

6403. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 02:22:28 UTC
From: Luke <luke@nospam.com>
Message-ID: <3DEEB861.EC347307@nospam.com>
Source record: 36414

Prices also seem to drop a lot around Tax time !

Got my best deals at tax prep time and also during holiday, july 4 and Memorial
day too.

don't narrow down the searches on ebay just to ham radio, search them all,
lots of nice tech equipment cheaper from the mro or industiral sections.

73 luke

JC wrote:

> On Wed, 04 Dec 2002 09:32:27 -0500, Bill Ogden <ogden@us.ibm.com>
> wrote:
>
> >FWIW, most of my current station came via e-bay and I am quite happy with it. When
> >substantial amounts of money are involved, I have called the seller and talked about
> >the unit. This has been helpful, but maybe I have been lucky.
> >
> >Given the venue ---- an unregulated, mixed bag of people selling things, sight
> >unseen, with no overseers involved --- I think e-bay works fairly well. If you
> >don't like this setup, then go elsewhere. There is always a risk involved in this
> >type of thing.
> >
> >Bill
> >W2WO
>
> Bill is quite correct, and patience is important. I had some gear I
> was interested in and must have placed bids on 15 pieces of the item I
> wanted. Eventually, I got a seller that posted a fuzzy, nasty picture
> and I won. Got it for about 35% of the going price, and it turned out
> to be a very nice unit.
>
> Also, prices do vary with the seasons. If you want it cheap, save
> your money for August when everybody is on vacation and fewer people
> are on the radio. There is plenty of stuff that moves for big
> discounts in the late summer, but prices shoot right back to normal in
> September.
>
> Bottom line, between auctions and private sales, I built a complete HF
> tri-band station (CW only) that puts out 90 watts and my TOTAL cost is
> about $65. Total means key, antenna, feed line, radio, VFO, etc. plus
> a few minor repair parts. It took me a few months to get it all
> together, but where else can you have this much fun and meet so many
> nice people for just $65?

6404. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 02:25:12 UTC
From: Luke <luke@nospam.com>
Message-ID: <3DEEB906.DFF1784C@nospam.com>
Source record: 36415

Ebay will refund the seller the fee if both seller and buyer mutually agree to end the deal.

I had a fine ham ask to back out of the deal, the rig he bought had the cw filter
already inside it when he opened it up, not a problem, his feedback was twice as high as mine.

regards luke

Pete KE9OA wrote:

> I know what you mean. I try to play thing on the up and up. I did bid on
> one item, and I should have checked the seller's feedback, because there
> were descriptive terms such as "crook", "thief", etc. I called up the
> fellow and told him that I didn't feel comfortable buying from him with that
> kind of feedback, so I just sent him 5 dollars to cover for his listing fee.
> On another note.....the problem with feedback is that you don't
> know if a person's friends are leaving it. Now, if a person has at least a
> hundred hits, that might be a different story.
>
> Pete

6405. Re: INFO NEEDED.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 02:28:40 UTC
From: Luke <luke@nospam.com>
Message-ID: <3DEEB9D5.747B009D@nospam.com>
Source record: 36416
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Have you tried inrad ?

http://www.qth.com/inrad/

73 luke

Magnum45 wrote:

> Does any one make a AM filter for the yaesu ft840 other then yaesu?
> They want a $120 wich nuts
> Thanks for any help

6406. FS: Kantronics KPC-2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 02:35:46 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <qdetuu8029kqnl8u3ct7nmrc3hm4u65uuu@4ax.com>
Source record: 36417

I have for sale a Kantronics KPC-2 packet communicator II...It has 3.0 firmware and comes with the cable and operations manual...I do not have a 12volt supply for it..Its in excellent condition and will take $30 plus shipping....Email or call if you have any questions...WZ1U Steve / Lakeville, Ma.

6407. WTB: Yaesu FT-2500M mobile bracket

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 03:19:01 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <5ugtuuo0pu211l9e7nupaetpn4lfcs9nij@4ax.com>
Source record: 36418

I need the mobile bracket for a Yaesu FT-2500M 2 meter rig....If you have one that you do not need please let me know...WZ1U Steve

6408. FA: Rare Heathkit SB-313 Receiver - No Reserve !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 04:04:21 UTC
From: p34901@hotmail.com
Message-ID: <694df9e0.0212042004.534d9e6c@posting.google.com>
Source record: 36419

FA: Rare Heathkit SB-313 Receiver - No Reserve !

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943478034

6409. FS: TenTec REMOTE VFO model 243, only $90ppd !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 04:47:59 UTC
From: rlucch2098@aol.com
Message-ID: <20021204234759.19536.00000673@mb-ba.aol.com>
Source record: 36420

Hi Guys;
I have for Sale:
Really nice TenTec 243 VFO for $90.00ppd Conus.
Here are some pictures, just add http:// in front of the URL's>>
//www.myradioroom.com/ttvfo1.jpg
//www.myradioroom.com/ttvfo2.jpg
Thanks & 73,
Rich WA2RQY(1961)
WEB-PAGE http://members.aol.com/rlucch2098/index.html

6410. portable speaker advise needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 05:01:48 UTC
From: elfa <elfa_member@newsguy.com>
Message-ID: <asmmjs01bfc@drn.newsguy.com>
Source record: 36422

I'm looking for a set of portable battery powered speakers
that turn on when the radio is turned on.

I already have a set of Sony APM-090's that fill the bill
but Sony doesn't make them anymore. I just want to turn the
radios ON/OFF without have to do the same with the speakers.

Anyone know of anything?

elfa

6411. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 05:07:56 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DEEDF2C.4070406@ieee.org>
Source record: 36421
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Reg Edwards wrote:
> Cecil, reflections involve time. But you never mention the stuff in your
> explanations of how and why things work.
>
> Where is the "time" scale on a Smith Chart?

Same place the time scale is on an RMS Simpson meter.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6412. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 05:34:08 UTC
From: Wes Stewart <n7ws@nowhere.com>
Message-ID: <ssotuukndiaccl64go0d9nr4ofcnklocjs@4ax.com>
Source record: 36423
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Thu, 5 Dec 2002 01:15:45 -0000, "Brian Reay"
<brian.reay@bigfoot.com> wrote:

| "Peter O. Brackett" <ab4bc@ix.netcom.com> wrote in message
|news:asm736$ti3$1@slb9.atl.mindspring.net...
| >
|> Take care Brian, Reg actually knows how SWR meters work, he as an
|excellent
|> program on his site explains the internal circuit and workings of those
|> venerable
|> and mis-named devices and he has a free program on his site that will help
|> you to
|> design your own TLI/VSWR meter. Check it out.
|>
|
|Oh I'm aware of Reg's work.
|
|Problem is that the theory isn't exactly new and I get irked when someone
|rehashes an old idea and just ends up confusing things. Reg used to post in
|one of the uk groups but stopped when his 'new' theories were 'uncovered'.
|
|We have enough problems with people knocking our new licensees (the
|Foundation Licensees, like the old US Novice) the last thing you need is
|someone confusing the technical stuff they are learning!

No fooling. Particularly when that someone is claiming that a 25 ohm
load in a 50 ohm system is reflecting half of the incident power.
(That someone is you by the way...)

"Try a worked example: 10W from the tx to a line with 3dB loss to a 25
ohm load (all in a 50 ohm system)

Forward line loss is 5W, 2.5W goes 'into' load, and 2.5W is
reflected."

Tsk tsk. Now tell Reg you're sorry.

6413. FA 3-1000Z AMP FA

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 08:04:13 UTC
From: kf4toh@aol.com
Message-ID: <20021205030413.07207.00005764@mb-ml.aol.com>
Source record: 36424

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943515894

6414. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 09:34:07 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0212050134.4a46f06@posting.google.com>
Source record: 36425
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Brian Reay" <brian.reay@bigfoot.com> wrote in message
news:<asm5fp$t2tg6$1@ID-140397.news.dfncis.de>...
> "Peter O. Brackett" <ab4bc@ix.netcom.com> wrote in message
> news:asm4pn$ip9$1@slb3.atl.mindspring.net...
> >
> > Yep, a few pints of "Directors" and a big plate of "bangers and mash" at
> the
> > local pub.
> >
> You have sadly missed out on good beer if you remember "Directors" - yuk.
>
> You need to head north, to the land of the Geordie, and try Newcastle
> Exhibition and Newcastle Brown Ale.
>
> > I wish I was in Merry Olde England again for the Holidays. Maybe next
> year.
> >
>
> Well I hope you have a good Xmas where ever you find yourself.
>
> I'm sorry we sent Ann Robinson and 'Bass' over there, nothing to do with me,
> but I heard it was revenge for not inviting us to the Boston Tea Party ;-)

The best imported english beer that I have drank in Texas, was
Whitbread. Funny name, but pretty tasty beer.. Yep, Bass is pretty
ho-hum...I don't drink much anymore really. I used to like heineken
dark until they changed the recipe and pretty much ruined it. I guess
that was like 15?? years ago or so when they did that...Most american
lager beer tastes like chemical backwash, although many of the new
small U.S. "microbreweries" are catching up to EU standards pretty
fast. MK

6415. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 10:31:08 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <asn9r6$tdabm$1@ID-140397.news.dfncis.de>
Source record: 36426
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Wes Stewart" <n7ws@nowhere.com> wrote in message
news:ssotuukndiaccl64go0d9nr4ofcnklocjs@4ax.com...
>
> No fooling. Particularly when that someone is claiming that a 25 ohm
> load in a 50 ohm system is reflecting half of the incident power.
> (That someone is you by the way...)
>
Don't you have reactance in the US?

I thought it was the land of plenty.

Can you selectively get rid of it so easily or is it all or nothing?

;-)

73

Brian

6416. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 12:44:50 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uuuiibt3459o59@corp.supernews.com>
Source record: 36427
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

> "Try a worked example: 10W from the tx to a line with 3dB loss to a
25
> ohm load (all in a 50 ohm system)
>
Try a worked example: 10W from the tx to a line with 0dB loss to a 25
ohm load (all in a 50 ohm system).

5W gets reflected.

6417. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 14:26:17 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <asnnk4$sg9cn$1@ID-140397.news.dfncis.de>
Source record: 36428
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Wes Stewart" <n7ws@nowhere.com> wrote in message
news:ssotuukndiaccl64go0d9nr4ofcnklocjs@4ax.com...
> "Try a worked example: 10W from the tx to a line with 3dB loss to a 25
> ohm load (all in a 50 ohm system)
>
> Forward line loss is 5W, 2.5W goes 'into' load, and 2.5W is
> reflected."
>

Let me run it past you again- it wasn't 110% clear:

10W into line.
5W lost in line (lost =converted to heat)
of the OTHER 5 W (that gets to the load), 2.5 goes 'into' load, and 2.5W
is reflected.

Of that reflected 2.5W, 1.25 is lost and 1.25W will get back to tx output.
Now, do you know what happens next?

Incidentally, the SWR meter at the tx end would read about 1.1 due to the
line losses. Which is why you need to use the SWR meter with caution.

The example was chosen to illustrate that the power CAN 'go' elsewhere than
the load- in this case mostly into heating the coax.- not to justify the use
of the SWR meter.

73

Brian

6418. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 14:30:26 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <asnnrs$t3bma$1@ID-140397.news.dfncis.de>
Source record: 36429
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Peter O. Brackett" <ab4bc@ix.netcom.com> wrote in message
news:asm68j$f3j$1@slb0.atl.mindspring.net...
> Brian:
>
> Hey we like Anne she's kinda cute!
>
I'm told there are websites for people who think like that but you need an
Adult Check and bad taste ;-) to visit them.

We have Anne Widdecombe as well- again are websites I am sure.

How about my mother-in-law as well?

73

Brian

6419. FT Motorola S-1056-C Test set

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 14:37:31 UTC
From: John & Vera <jlanz@peoplepc.com>
Message-ID: <uuup3sn6s1j197@corp.supernews.com>
Source record: 36430
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

I Have a Motorola S-1056-C Test set with Tone Gen it comes with the round cable and TEK37A Cable. The test set is in good condition. I am looking to trade for a Motorola RIB box and programming cable for a MTX-9000. Anybody interested contact me direct jlanz@peoplepc.com , If no takers it goes in the scrap heap.

Thanks
John

6420. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 14:43:54 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <asnol4$t29ea$1@ID-140397.news.dfncis.de>
Source record: 36431
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Mark Keith" <nm5k@wt.net> wrote in message
news:25eb70d7.0212050134.4a46f06@posting.google.com...
>
> The best imported english beer that I have drank in Texas, was
> Whitbread.

Funny taste in beer you have ;-)

When I last visited Ft Worth I was taken to a very nice country / golf club some miles of town (NE I think). They served Newcastle Brown Ale, but they served it cold. The barman was most insulted when I asked for a less chilled bottle. Even when my host explained that Geordies (as people from that part of England are known) are weaned on it and so knew how it should be drunk, he still thought I was most odd.

>Funny name, but pretty tasty beer.. Yep, Bass is pretty
> ho-hum...I don't drink much anymore really. I used to like heineken
> dark until they changed the recipe and pretty much ruined it.

Well if you like Heineken then you will drink most things ;-)

>I guess
> that was like 15?? years ago or so when they did that...Most american
> lager beer tastes like chemical backwash, although many of the new
> small U.S. "microbreweries" are catching up to EU standards pretty
> fast. MK

I quite like US beer- draught Mic esp. 'Bud' is a bit syrupy for my taste.

It is odd that many people un Europe rave about German and Belgium beer (which I like) but knock US beer and, to me, they are much the same.

Either way, there is more to the US than beer- wonderful country and people I can't wait to visit again.

73

Brian
G8OSN

6421. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 15:01:19 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uuuqi8j9ucuc55@corp.supernews.com>
Source record: 36432
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

> Of that reflected 2.5W, 1.25 is lost and 1.25W will get back to tx
output.
> Now, do you know what happens next?
>
Assuming that the transmitter is properly matched to the load
impedance it is looking into (via a matchbox perhaps), the 1.25W gets
reflected back towards the load. My question is what happens if the
transmitter is not properly matched to the load impedance?

That's why transmission losses increase with SWR, the power is
subjected to the same loss multiple times as it travels up and down
the feedline. With the "typical" HF installation however the feed line
loss is not high enough for the SWR to make any significant difference
in total power transferred to the load. Many people mistakenly think
that 50% reflected power means only half the transmitter power gets
radiated by the load - the result being that we often worry way too
much about SWR.

6422. New software for Jupiter and Pegasus

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 15:19:57 UTC
From: rich@callsignsoftware.com
Message-ID: <5fa02239.0212050719.637b8b24@posting.google.com>
Source record: 36433

For those operators running a Ten Tec Pegasus or Ten Tec Jupiter (or those considering buying one of these DSP marvels, I encourage you to check out the new Callsign Software website located at http://www.callsignsoftware.com.

This is all new technology and definitly worth a look.

73 and Happy Holidays,

Rich

6423. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 16:16:10 UTC
From: Wes Stewart <n7ws@#arrl.net>
Message-ID: <j8suuu0867kmrvk47rkr4t4uns42iop1o9@4ax.com>
Source record: 36434
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Thu, 5 Dec 2002 10:31:08 -0000, "Brian Reay"
<brian.reay@bigfoot.com> wrote:

| "Wes Stewart" <n7ws@nowhere.com> wrote in message
|news:ssotuukndiaccl64go0d9nr4ofcnklocjs@4ax.com...
| >
|> No fooling. Particularly when that someone is claiming that a 25 ohm
|> load in a 50 ohm system is reflecting half of the incident power.
|> (That someone is you by the way...)
|>
|Don't you have reactance in the US?

Yes, but where is it in the example you pose?

You said:

|(Quote) Try a worked example: 10W from the tx to a line with
|3dB loss to a 25 ohm load (all in a 50 ohm system)

|Forward line loss is 5W, 2.5W goes 'into' load, and 2.5W is
|reflected. Of the 2.5W reflected 1.25W is lost in the line
|on the return journey. (End quote)

I don't see any mention of reactive loads in your proposition.

Let's forget the line loss for the moment and deal with the 5W you
claim are incident on the load:

A 25 ohm load in a 50 ohm system has a vswr of 2:1, reflection
coefficient of 0.333, or return loss of 9.5 dB.

This latter number says that only 11% (.55 W) of the incident power is
reflected, not the 50% (2.5W) that you claim.
|
|I thought it was the land of plenty.

It is, and plenty of people are trying to sneak in illegally to
partake of the goodies. Most of brown-skinned ones in my area are
partial to Bud Lite which is one more reason to round them up and send
them home.
|
|Can you selectively get rid of it so easily or is it all or nothing?

I've found that inserting a reactance of equal magnitude but opposite
sign gets rid of it every time. <g>

6424. FS: Active Attenuator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 16:35:23 UTC
From: aa3ii@aol.com
Message-ID: <20021205113523.27595.00004993@mb-mr.aol.com>
Source record: 36436

Active Attenuator for Fox Hunting.(QST Nov 1992).Built w/ PC board
from Far Circuits. $25.00 shipped lower 48.

6425. Unbuilt Heathkits

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 16:36:33 UTC
From: Ford Peterson <ford@cmgate.com>
Message-ID: <uuuvre3qgihscf@corp.supernews.com>
Source record: 36435

I have just posted 4 unbuilt Heathkits on Ebay. A couple of these are rare gems. Go to Ebay and search "Unbuilt Heathkit" look for the following items

IT-3120 FET/Transistor Tester

IB-28 Impedance Bridge

IG-42 Lab Type Signal Generator

IT-12 Visual-Aural Signal Tracer

These were all purchased in the late 70s and have never been unpacked.

Bid High and bid often... Good luck.

6426. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 17:06:31 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <aso10i$t31v3$1@ID-140397.news.dfncis.de>
Source record: 36437
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Wes Stewart" <n7ws@#arrl.net> wrote in message
news:j8suuu0867kmrvk47rkr4t4uns42iop1o9@4ax.com...
>
> Let's forget the line loss for the moment and deal with the 5W you
> claim are incident on the load:
>

The line loss was the bit I was trying to demostrate- maybe if you check the
thread.

> |I thought it was the land of plenty.
>
> It is, and plenty of people are trying to sneak in illegally to
> partake of the goodies. Most of brown-skinned ones in my area are
> partial to Bud Lite which is one more reason to round them up and send
> them home.
> |

I don't much care what the colour of someone's skin is but drinking Bud lite
IS too much. I think you are way too generous. Hang em high.

> |Can you selectively get rid of it so easily or is it all or nothing?
>
> I've found that inserting a reactance of equal magnitude but opposite
> sign gets rid of it every time. <g>
>

Glad to see that still works in the former colonies- I was worried you may
have changed it ;-)

73

Brian

6427. Re: Yeasu FT-920 power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:12:23 UTC
From: HB9DTX <hb9dtx@darryl.ch>
Message-ID: <3def97b5$0$321$5402220f@news.sunrise.ch>
Source record: 36439

I had the same problem on the IC-910 VHF/UHF transceiver from ICOM.
It came out that the losses in the power supply cable made a small voltage
drop that killed a fraction f the total output power. When I used a shorter
cable it worked fine.
73
Yves / HB9DTX
gspubl@tca.net a �crit dans le message <3dee6fe6.686620758@news.tamu.edu>...
>My Yeasu Ft-920 seems to work great and I love the radio. However, I
>can't seem to get more than 85 watts out of it in the high power mode.
>My power supply checks out plenty heavy duty and the dummyload is okay
>(I tried it on an antenna too...same thing). I went in and did the
>factory suggested software power change to up the power to 125 watts,
>and still, only 85 watts out max. Do I have a PIN diode out or is
>something wrong with the finals or elseware? Any suggestions?
>thanks, Mike.

6428. Re: Yeasu FT-920 power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:14:53 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0212051014.4e1cd662@posting.google.com>
Source record: 36438

gspubl@tca.net wrote in message news:<3dee6fe6.686620758@news.tamu.edu>...
> My Yeasu Ft-920 seems to work great and I love the radio. However, I
> can't seem to get more than 85 watts out of it in the high power mode.
> My power supply checks out plenty heavy duty and the dummyload is okay
> (I tried it on an antenna too...same thing). I went in and did the
> factory suggested software power change to up the power to 125 watts,
> and still, only 85 watts out max. Do I have a PIN diode out or is
> something wrong with the finals or elseware? Any suggestions?
> thanks, Mike.

What is the power supply voltage? It's probably a bit lower than
"normal", or your regulation may be lacking a bit, and the voltage is
dropping under load.
Also, as one said, in SSB you need a peak reading meter to see full
output. And the meter must be a "true" peak reading meter, not a
psuedo passive peak reading meter. A passive peak reader usually reads
only about 80% of the true output. But any meter should be accurate on
a CW carrier. Myself, I don't think it's really worth worrying about
too much. It doesn't sound like anything is wrong with the radio.
Also, it's unlikely anyone could really tell much difference between
85w and 125w on the air. Less than 1/2 s units difference if you
assign an S unit to equal 6 db. MK

6429. FA: ICOM IC-745 ALL-BAND w/SW RECEIVE+BUILT-IN AC+NICE 1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:15:59 UTC
From: rlucch2098@aol.com
Message-ID: <20021205131559.01394.00008793@mb-mu.aol.com>
Source record: 36441

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154951

6430. FA: ICOM IC-745 ALL-BAND w/SW RECEIVE+BUILT-IN AC+NICE 1

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:16:01 UTC
From: rlucch2098@aol.com
Message-ID: <20021205131601.01394.00008794@mb-mu.aol.com>
Source record: 36440

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154951

6431. FA=HALLICRAFTERS CB-12 MOBILE CB RADIO>RARE & a Big $11

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:17:39 UTC
From: rlucch2098@aol.com
Message-ID: <20021205131739.01394.00008796@mb-mu.aol.com>
Source record: 36442

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154946

6432. FA Rare SWAN 117B HI-VOLTAGE POWER SUPPLY>Swan 400

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:19:04 UTC
From: rlucch2098@aol.com
Message-ID: <20021205131904.01394.00008799@mb-mu.aol.com>
Source record: 36443

Many nice, clear pictures!
A real big $54 :-(
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154942

6433. FA: Hams Collect Cameras =YASHICA ELECTRO 35 TELE-WIDE LENS SET

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:21:35 UTC
From: rlucch2098@aol.com
Message-ID: <20021205132135.01394.00008803@mb-mu.aol.com>
Source record: 36444

Many nice, clear pictures!
A real big $45 :-(
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154939

6434. fa>EARLY TRIPLETT model 600 type 2 VOM w/BOOK No Bids@9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:23:15 UTC
From: rlucch2098@aol.com
Message-ID: <20021205132315.01394.00008805@mb-mu.aol.com>
Source record: 36445

many nice, clear pictures!
A real big $10 :-(
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154937

6435. fa-ADVANCE COAXIAL ANTENNA RELAY, 110VAC @$21

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:24:35 UTC
From: rlucch2098@aol.com
Message-ID: <20021205132435.01394.00008807@mb-mu.aol.com>
Source record: 36446

many nice, clear pictures!
A real big $21 :-(
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154932

6436. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:25:32 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DEF9A1C.4060401@ieee.org>
Source record: 36447
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Wes Stewart wrote:
> A 25 ohm load in a 50 ohm system has a vswr of 2:1, reflection
> coefficient of 0.333, or return loss of 9.5 dB.

25 ohms at 65 degrees would just about do it. :-)
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6437. Fa::MFJ-1030BX RECEIVER PRE-AMP, 10-30MHZ No Bids @$9.99

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:26:04 UTC
From: rlucch2098@aol.com
Message-ID: <20021205132604.01394.00008810@mb-mu.aol.com>
Source record: 36348

many nice, clear pictures!
A real big $10 :-(
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154926

6438. fA- WILLIAM NYE "MASTER-KEY" MORSE CODE KEY,2-CHEEP:-(

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:28:18 UTC
From: rlucch2098@aol.com
Message-ID: <20021205132818.01394.00008811@mb-mu.aol.com>
Source record: 36349

many nice, clear pictures!
A real big $18 :-(
This is a $72 key!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154918

6439. FA>>->BENCHER BY-1 IAMBIC KEYER PADDLES, Less then 1/2$

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:30:01 UTC
From: rlucch2098@aol.com
Message-ID: <20021205133001.01394.00008814@mb-mu.aol.com>
Source record: 36350

many nice, clear pictures!
A real big $39 :-(
This is a $99 key!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154912

6440. FA-ASTATIC T-UG8 POWER MICROPHONE PTT STAND @$11?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:31:35 UTC
From: rlucch2098@aol.com
Message-ID: <20021205133135.01394.00008817@mb-mu.aol.com>
Source record: 36351

many nice, clear pictures!
A real big $11 :-(
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154909

6441. FA- RCA 6V6 tubes NOS, 2 metal, 2 glass, cheep !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 18:34:21 UTC
From: rlucch2098@aol.com
Message-ID: <20021205133421.01394.00008820@mb-mu.aol.com>
Source record: 36352

many nice, clear pictures!
A real big $10 per pair :-(
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154905
second pair>>
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154899

6442. Re: WANTED: Raytheon / Apelco / Webster

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 20:11:19 UTC
From: lbrty4us@aol.com
Message-ID: <205ef942.0212051211.2f8bf4d@posting.google.com>
Source record: 36353
Cross-posted to: rec.radio.swap,rec.radio.cb,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

AHH, what you need, is my never-used, never-installed and still-new
1972 Raytheon DE-732 (I think) depth sounder, complete with unused
original transom-mount transducer & cable - the original and popular
neon flasher in the round case.

k5dh@raytheon.com (K5DH) wrote in message
news:<tZuH9.123$Z74.849@dfw-service2.ext.raytheon.com>...
> As always, I am looking for 1960s and early 1970s
> CB radio equipment from Raytheon, Apelco, and
> Webster to fill holes in my museum collection.
> Here is a list of specific models that I need to
> complete the collection:
>
> RAYTHEON:
> Tube-type: Raycom
> Solid-state: Raycom III, Raycom IV (AM/SSB),
> Ray-Tel TWR-11, Ray-Tel TWR-11T
> Handheld: Regal Ray-Ette, Super Ray-Ette, MW-2
>
> APELCO:
> Solid-state: AR-15, AR-16, 565
>
> WEBSTER:
> Solid-state: Bandspanner 550
>
> ALLSTATE (sold by Sears):
> Tube-type: 832.62270
>
> AIRLINE (sold by Montgomery Ward)
> Tube-type: GAS-587
>
> I would be interested in hearing about any Raytheon,
> Apelco, or Webster CB gear that you might have, even
> if it's a duplicate (I'm always looking to upgrade
> models that I already have). I'm interested in any
> "parts rigs" that might be collecting dust also.
>
> In addition to the radios themselves, I am seeking
> any kind of related printed matter, including dealer
> sales literature, owner's manuals, service manuals,
> magazine ads, magazine articles, and so forth.
>
> If you are a vintage CB collector and have any models

> in your collection that I need a photo of, I'd like
> to work with you on that.
>
> If you ever had any involvement with CB gear from my
> target brands, whether it was sales, service, worked
> for that branch of the company, or whatever, I'd love
> to hear from you as well.
>
> If you have any interest in vintage CB, please visit
> the Raytheon/Apelco/Webster CB Radio On-Line Museum:
>
> http://www.qsl.net/k5dh/raytheon.html
>
> DISCLAIMER:
> For those hams who are offended that I placed an ad
> for CB equipment on ham radio newsgroups, I need to
> point out that the overwhelming majority of radios,
> printed matter, and historical information that I've
> collected so far has come from hams, not from CBers!
> Perhaps that's because so many of today's hams were
> CBers "back then".
>
> Thanks and 73,
> Dean K5DH

6443. Wanted: TM-702A Service Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 20:41:31 UTC
From: Jeff <jeff_164@hotmail.com>
Message-ID: <2SOH9.34593$_h6.486623@news.xtra.co.nz>
Source record: 36354
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,rec.radio.amateur.equipment

Hi,
I'm looking for a copy of a Service Manual for a Kenwood TM-702a.
Any suggestions would be much appreciated.
regards,
JEFF
ZL3TNV
mail jeff_164@hotmail.com (remove "mail" before actual address)

6444. FS: Azden PCS-6000H 2 meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 21:15:48 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <p1gvuusiv8olq03bulh3fguvpu96r05l0b@4ax.com>
Source record: 36355

I have for sale in excellent condition an Azden PCS-6000H 2 meter mobile rig...It comes with the original manual and has the touch tone keypad microphone and dc cable. I do not have the mobile bracket for it...The power output is 10 watts low and 45 watts high. It receives from 118.000 to 173.995 MHz aircraft AM to FM and transmits 140.100 to 149.995MHz. Modifiable to all MARS and CAP frequencies....It holds 20 memory channels. and has a built-in PL tone board.....I will take $75 plus shipping and can be reached at (508) 821-2993 or email.
WZ1U Steve / Lakeville, Ma.

6445. Re: IC-751 transceiver, AT-150 auto tuner, Shure 444D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 21:37:17 UTC
From: Peter Fournia <w2sky@arrl.net>
Message-ID: <3DEFC70E.9E258034@arrl.net>
Source record: 36357

Dave,
I mean for sale. I thought FS meant for sale. What does FA mean? For Auction? If so than please read FA.

I set my reserve price on eBay to 80% of what similar items are running for on other web sites.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942287105
Peter F.

Dave Edwards wrote:

> You mean FA ...And how is it priced at 80% of market when its on EBAY??
>
>

6446. Kenwood TS 440 AT problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 21:39:45 UTC
From: Lou <tech@dp.net>
Message-ID: <asoi9uefd1@news.dp.net>
Source record: 36356

To those of you who may have some insight....I have a Kenwood TS 440AT... in decent shape, not abused. Actually, rarely used! Once before the VFO dial got a bit sticky or was "dragging" within it's pit when turning. I corrected it then but can't recall how. A lube I think! Someone sent me the info back then when I was collecting all types of repair tips, and the damned disk won't open now for me to read it.

About a couple weeks ago, it started to "drag" again.. Now, when you turn the dial - it drags, but the frequency doesn't change..... Any ideas on cure? All is appreciated. Thanks!

Please reply directly....I don't always get the newsgroups or get to read them.

E: MAIL: TECH@DP.NET

6447. Kenwood TS-440S AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 22:05:10 UTC
From: 1ARTBee <rbouder@dejazzd.com>
Message-ID: <qmivuuolk2m60fq21veerdjtgees26nqeg@4ax.com>
Source record: 36359

Kenwood TS-440S AT HF Transceiver - "LOADED"!
10 thru 160 meters with WARC bands
100 watts with built in Antenna Tuner
YK88SN and YK88C filters installed (SSB and CW)
VS1 Voice Synthesizer - voice readout of freq .
SP-430 External Speaker in original box
MB-430 Mobile Mounting bracket in original box
MC-50 Desk Microphone
Hand microphone and the 13.8 Power Cord

Original operation manual
Original - double boxes for Transceiver
Original boxes for filters and synthesizer
All instructions and documentation
Service manual included for HF rig - speaker -filters etc.

$550 - USA sale and U-ship

KA3CNT@ARRL.NET

6448. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 22:06:24 UTC
From: Wes Stewart <n7ws@#arrl.net>
Message-ID: <m9gvuuciuhlhd8q0bdnjdi1rvtdf6r11h3@4ax.com>
Source record: 36358
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Thu, 5 Dec 2002 14:26:17 -0000, "Brian Reay"
<brian.reay@bigfoot.com> wrote:

[snipped the carefully trimmed quote from my message that made it
appear that I stated untruths that were actually Brian's]

|Let me run it past you again- it wasn't 110% clear:

That's for damn sure, you are totally confused.

One more (hopefully the last) time. A 25-ohm load in a 50-ohm system
is a 2:1 VSWR. A 2:1 VSWR equals 9.5 dB return loss or 0.51 dB
mismatch loss. That means the reflected power at the load is 11% of
the incident power. It is *not* 50% of the incident power.

Eighty-nine percent (4.46 W) of the incident power is dissipated in
the load on the first trip. If you want to account for the 25% of the
11% reflected power that makes it back from the generator on the
second trip, be my guest. After all is said and done, 4.6 W is
gobbled up in the load.

|
|10W into line.
|5W lost in line (lost =converted to heat)
|of the OTHER 5 W (that gets to the load), 2.5 goes 'into' load, and 2.5W
|is reflected.

B.S.

|
|Of that reflected 2.5W, 1.25 is lost and 1.25W will get back to tx output.
|Now, do you know what happens next?

I do, but obviously you do not.

|
|Incidentally, the SWR meter at the tx end would read about 1.1 due to the
|line losses. Which is why you need to use the SWR meter with caution.

No, it will read 1.4:1. Which happens to equal 15.5 dB return loss
which is the 9.5 return loss of the load and two times the line
attenuation.

6449. FA:Re: Unbuilt Heathkits

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 22:08:19 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <n7QH9.242466$NH2.16813@sccrnsc01>
Source record: 36360

FA

6450. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 22:08:31 UTC
From: Wes Stewart <n7ws@#arrl.net>
Message-ID: <1gjvuu0r0s8uqa3p98sdu8q0m8uvteod1n@4ax.com>
Source record: 36361
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Thu, 5 Dec 2002 17:06:31 -0000, "Brian Reay"
<brian.reay@bigfoot.com> wrote:

| "Wes Stewart" <n7ws@#arrl.net> wrote in message
|news:j8suuu0867kmrvk47rkr4t4uns42iop1o9@4ax.com...
| >
|> Let's forget the line loss for the moment and deal with the 5W you
|> claim are incident on the load:
|>
|
|The line loss was the bit I was trying to demostrate- maybe if you check the
|thread.

Oh I have. It was you that first introducted the 3 dB line loss.

6451. Re: IC-751 transceiver, AT-150 auto tuner, Shure 444D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 23:38:28 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <8uLvPaaknOqIN9vEW8tUbavqpX9q@4ax.com>
Source record: 36362

Peter Fournia <w2sky@arrl.net> wrote:

>Dave,
>I mean for sale. I thought FS meant for sale. What does FA mean? For Auction? If so than please read FA.

Are you saying something can be "for sale" and "for auction" at the same time?

See the dicionary.

Bob
k5qwg

>
>I set my reserve price on eBay to 80% of what similar items are running for on other web sites.
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942287105
>Peter F.
>
>Dave Edwards wrote:
>
>> You mean FA ...And how is it priced at 80% of market when its on EBAY??
>>
>>

6452. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-05 23:58:59 UTC
From: Brian Reay <brian.reay@bigfoot.com>
Message-ID: <asop60$tl8q6$1@ID-140397.news.dfncis.de>
Source record: 36363
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Wes Stewart" <n7ws@#arrl.net> wrote in message
news:1gjvuu0r0s8uqa3p98sdu8q0m8uvteod1n@4ax.com...
> On Thu, 5 Dec 2002 17:06:31 -0000, "Brian Reay"
> <brian.reay@bigfoot.com> wrote:
>
> | "Wes Stewart" <n7ws@#arrl.net> wrote in message
> |news:j8suuu0867kmrvk47rkr4t4uns42iop1o9@4ax.com...
> | >
> |> Let's forget the line loss for the moment and deal with the 5W you
> |> claim are incident on the load:
> |>
> |
> |The line loss was the bit I was trying to demostrate- maybe if you check
the
> |thread.
>
> Oh I have. It was you that first introducted the 3 dB line loss.
>

Aghh! Yes, I know. To indicate that the power could be dissipated in other
places than the load- ie in the line. Which is why I didn't what to ignore
it. I usually find that ignoring something you are trying to demonstrate is
an unproductive approach.

I think you are arguing for arguing sake.

73

Brian

6453. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 01:48:06 UTC
From: Wes Stewart <n7ws@#arrl.net>
Message-ID: <kjvvuu4cbgur0lsksoob312bintgek353s@4ax.com>
Source record: 36364
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

```
On Thu, 5 Dec 2002 23:58:59 -0000, "Brian Reay"
<brian.reay@bigfoot.com> wrote:

| "Wes Stewart" <n7ws@#arrl.net> wrote in message
|news:1gjvuu0r0s8uqa3p98sdu8q0m8uvteod1n@4ax.com...
|> On Thu, 5 Dec 2002 17:06:31 -0000, "Brian Reay"
|> <brian.reay@bigfoot.com> wrote:
|>
|> | "Wes Stewart" <n7ws@#arrl.net> wrote in message
|> |news:j8suuu0867kmrvk47rkr4t4uns42iop1o9@4ax.com...
|> | >
|> |> Let's forget the line loss for the moment and deal with the 5W you
|> |> claim are incident on the load:
|> |>
|> |
|> |The line loss was the bit I was trying to demostrate- maybe if you check
|the
|> |thread.
|>
|> Oh I have. It was you that first introducted the 3 dB line loss.
|>
|
|Aghh! Yes, I know. To indicate that the power could be dissipated in other
|places than the load- ie in the line. Which is why I didn't what to ignore
|it. I usually find that ignoring something you are trying to demonstrate is
|an unproductive approach.

But all you have done is inject another factor before you have grasped
the point made by all of the other correspondents, who actually
understand the original proposition.

I dare say almost all of the regular participants in this group
(r.r.a.a.) are completely aware of the effects of line loss and don't
need a lecture from you about it.
|
|
| I think you are arguing for arguing sake.

Quite the contrary. I am trying to get you to see and/or admit your
mistakes. It was you that stated, "...the last thing you need is
someone confusing the technical stuff they are learning!"

Here, for once, we are in total agreement.
```

Now, let me pose a simple question for you that requires no more than a yes or no answer:

In a 50 ohm system does a 25 +j0 load reflect 50% of the power incident on that load?

[ ] Yes

[ ] No

When we get this cleared up, we can move forward.

6454. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 02:10:47 UTC
From: I Smac <Smac61yourpanties@hotmail.com>
Message-ID: <trecnUpWO7CFmm2gXTWcow@comcast.com>
Source record: 36365
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Thanks everyone for taking the time to answer my question(s)
I wonder if anyone could point out the error in my thinking,
and hence the reason for my original post.

I will lessen the severity of the example to help focus my question:

I have a VHF FM radio deflecting a Bird wattmeter to 100W forward
and I observe 10W reflected. (radio>jumper>meter>feedline>load)

Coax losses aside, If 90W is produced by the source and 90W is dissipated
by the load, where does the 10W come from?

I'm having a problem with conservation of energy, and obviously
must be missing something.

Thanks,
Smac

6455. Re: Radio Shack HTX-10 grounding question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 03:45:06 UTC
From: ik7565@erols.com
Message-ID: <3DF01D42.A32E38B5@erols.com>
Source record: 36366

I live on the 5th floor of a condo and never grounded my HTX-10. Ran it
off a 17Ah gel cell to a 10m hamstick on the balcony. Worked all kinds
of juicy DX. Doing the same with a IC-706mk2g now. YMMV.

73 de Ian
N8IK

Born2bdcst wrote:
>
> Yup, I'm feeling a bit dumb asking this question, but I'm stumped. I'm
> rigging a dipole for my Radio Shack HTX-10 10-meter rig, I've already got a 6'
> copper ground rod driven and have stripped the copper weave out of some coax
> for a connection. Problem is, where the heck do you attach the ground?
> Nowhere on the rig or the DC power supply do I see a ground connection, nor
> does the owners manual refer to any grounding. Do I do without?
> Please be merciful. I'm a novice.
>
> Keith
> KC0NNB

6456. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 03:49:33 UTC
From: Roy Lewallen <w7el@eznec.com>
Message-ID: <uv07iaau55271d@corp.supernews.com>
Source record: 36368
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

The 10 W was put into the line in the first few nanoseconds after you applied power. Let's take the extreme and easily analyzed case of a lossless half wavelength 50 ohm line that's open at the far end. You turn on your transmitter, and it doesn't immediately know that the line is open at the far end. It merrily dumps 100 watts into the line, which it can't tell from a 50 ohm resistor. On the line are 100 watts forward and zero reverse power. The voltage and current waves arrive at the far end and reflect, arriving back at the input after a round trip. There, they encounter the signal still being applied from the source, resulting a complete re-reflection at the input end of the line. At that moment, the apparent impedance seen by the source jumps from 50 ohms to infinity. (What it sees looks like another source producing exactly the same voltage as it is, so current flow from the source ceases.) The source quits putting any power into the line since it's now looking into an apparent open circuit, but the re-reflection provides exactly the same voltage and current for the forward wave that were formerly provided by the source. So the forward wave, initially generated by the source, is now being furnished entirely by the re-reflected reverse wave. On the line, you've got 100 watts forward and 100 watts reverse, forever (remembering that our line is lossless). If the line were 100 ns long (one way), the transmitter would have had to provide 100 watts for 200 ns, a total of 20 microjoules of energy, until the reflection got back after initially applying power. That's where the energy on the line came from. Any time after the line is charged (that is, after the initial reflection hits the source), we can disconnect the source without any effect on what's happening on the line. The 20 microjoules of energy is bouncing back and forth on the line, and a magical lossless directional wattmeter inserted anywhere along the line will read 100 watts forward and 100 watts reverse. If you put a 50 ohm load on one end of the line, you'd get 100 watts into the load for 200 ns as the line discharges. (That, incidentally, is exactly the way they used to make radar pulses, although it was DC rather than RF applied to the line. A thyratron was used as the switch to charge a line -- usually a lumped element substitute --, which was then discharged into a magnetron. The reflected wave turned the thyratron off.) If you put any other load with finite resistance on the end of the line, you'd still get 20 uJ out, but at a different rate (that is, less power for a longer time).

Roy Lewallen, W7EL

I Smac wrote:
> Thanks everyone for taking the time to answer my question(s)
> I wonder if anyone could point out the error in my thinking,
> and hence the reason for my original post.

>
> I will lessen the severity of the example to help focus my question:
>
> I have a VHF FM radio deflecting a Bird wattmeter to 100W forward
> and I observe 10W reflected. (radio>jumper>meter>feedline>load)
>
> Coax losses aside, If 90W is produced by the source and 90W is dissipated
> by the load, where does the 10W come from?
>
> I'm having a problem with conservation of energy, and obviously
> must be missing something.
>
> Thanks,
> Smac
>
>
>

6457. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 04:13:18 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF023DE.3010807@ieee.org>
Source record: 36369
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

I Smac wrote:
> Thanks everyone for taking the time to answer my question(s)
> I wonder if anyone could point out the error in my thinking,
> and hence the reason for my original post.
>
> I will lessen the severity of the example to help focus my question:
>
> I have a VHF FM radio deflecting a Bird wattmeter to 100W forward
> and I observe 10W reflected. (radio>jumper>meter>feedline>load)
>
> Coax losses aside, If 90W is produced by the source and 90W is dissipated
> by the load, where does the 10W come from?
>
> I'm having a problem with conservation of energy, and obviously
> must be missing something.

Your SWR is 1.9:1. Your load is accepting 90% of the incident power
and reflecting 10% of the incident power. The 10W is energy generated
by the source but not accepted by the load, i.e. the generator has
generated more power than has been accepted by the load. Those conditions
happen during the transient buildup to steady state.

If you want to visualize what happens, consider a one second long lossless
transmission line. After one second, the T-line contains 90 joules. After
two seconds, the T-line contains 99 joules, ... after 'n' seconds, the T-line
contains 110 joules at steady-state.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6458. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 04:18:58 UTC
From: Bill M <"exray\\@n-o- .caribe.net>">
Message-ID: <uv098jjc72g0f6@corp.supernews.com>
Source record: 36370
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Dee D. Flint wrote:

> Your radio is actually producing the 100 watts measured as "forward power."
> The 10 watts "reflected power" is going back into the radio.
>
> Dee Flint, N8UZE

Its most likely not going 'into' the radio but instead being
re-reflected again in the forward direction...or a least a substantial
portion of it.

-Bill

6459. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 04:22:57 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF02621.2080102@ieee.org>
Source record: 36371
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Dee D. Flint wrote:
> Your radio is actually producing the 100 watts measured as "forward power."
> The 10 watts "reflected power" is going back into the radio. Thus only 90
> watts (i.e. 100-10) is being delivered to the feedline. Depending on the
> feedline loss, something less than this will be delivered to the load.
>
> This is too much reflected power and you can potentially damage your radio.

The SWR is only 1.9:1 and can be considered a reasonable match. My IC-756PRO
doesn't start folding back until the reflected power reaches about 15W.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6460. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 04:35:44 UTC
From: I Smac <Smac61yourpanties@hotmail.com>
Message-ID: <3gednbJtVcGMtG2gXTWcoQ@comcast.com>
Source record: 36372
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"OC_CAM's Razor" wrote...
> Your SWR is 1.9:1. Your load is accepting 90% of the incident power
> and reflecting 10% of the incident power. The 10W is energy generated
> by the source but not accepted by the load, i.e. the generator has
> generated more power than has been accepted by the load. Those conditions
> happen during the transient buildup to steady state.

So your saying that my radio produces 100W
and my load dissipates 90W ?

Smac

6461. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 04:42:40 UTC
From: "Dee D. Flint" <deehays@qix.net>
Message-ID: <4VVH9.6105$4j5.2999143@newssvr28.news.prodigy.com>
Source record: 36367
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"I Smac" <Smac61yourpanties@hotmail.com> wrote in message
news:trecnUpWO7CFmm2gXTWcow@comcast.com...
> Thanks everyone for taking the time to answer my question(s)
> I wonder if anyone could point out the error in my thinking,
> and hence the reason for my original post.
>
> I will lessen the severity of the example to help focus my question:
>
> I have a VHF FM radio deflecting a Bird wattmeter to 100W forward
> and I observe 10W reflected. (radio>jumper>meter>feedline>load)
>
> Coax losses aside, If 90W is produced by the source and 90W is dissipated
> by the load, where does the 10W come from?
>
> I'm having a problem with conservation of energy, and obviously
> must be missing something.
>
> Thanks,
> Smac

Your radio is actually producing the 100 watts measured as "forward power." The 10 watts "reflected power" is going back into the radio. Thus only 90 watts (i.e. 100-10) is being delivered to the feedline. Depending on the feedline loss, something less than this will be delivered to the load.

This is too much reflected power and you can potentially damage your radio. You need to match the impedance of the feedline+load to the impedance of your radio. Perhaps your antenna is too long or too short but either way you need to fix this.

Dee Flint, N8UZE

6462. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 05:34:00 UTC
From: Roy Lewallen <w7el@eznec.com>
Message-ID: <uv0dm5ncqpki4b@corp.supernews.com>
Source record: 36373
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

No, it's not going back into the radio. It's bouncing back and forth in the line. My favorite example is a 141.4 volt RMS voltage source connected to an open circuited half wavelength line through a 50 ohm resistor. Within a few nanoseconds of turning the source on, there's 100 watts forward power and 100 watts reverse power in the line, the 50 ohm resistor dissipates nothing, and the current into and out of the source are zero; it neither furnishes nor dissipates power.

It's not reverse power that can damage a rig. What causes damage is operating into an impedance it's not designed for.

Roy Lewallen, W7EL

Dee D. Flint wrote:
>
> Your radio is actually producing the 100 watts measured as "forward power."
> The 10 watts "reflected power" is going back into the radio. Thus only 90
> watts (i.e. 100-10) is being delivered to the feedline. Depending on the
> feedline loss, something less than this will be delivered to the load.
>
> This is too much reflected power and you can potentially damage your radio.
> You need to match the impedance of the feedline+load to the impedance of
> your radio. Perhaps your antenna is too long or too short but either way
> you need to fix this.
>
> Dee Flint, N8UZE
>
>

6463. Re: Wanted: TM-702A Service Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 12:31:29 UTC
From: Atlas <nospam.shf@pandora.be>
Message-ID: <BM0I9.15862$7g4.3281703056@hebe.telenet-ops.be>
Source record: 36374
Cross-posted to: alt.ham-radio.vhf-uhf,aus.radio.amateur.misc,rec.radio.amateur.equipment

What part of the manual do you want?I can scan it and e-mail it to you.
Or what is the problem with the tranceiver?

6464. HOW-TO: MRP40 unlimited trial period.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 12:37:29 UTC
From: Ham <ham@arrl.org>
Message-ID: <3df09569$1@post.newsfeed.com>
Source record: 36375

*** post for FREE via your newsreader at post.newsfeed.com ***

Hi there !

THIS IS NOT A CRACK or SERIAL - but works "as effective as"......
(this works with an expired, extended or a freshly intalled version)

If you can't find some of the files mentioned here go ahead with the next
step......

Instructions for extending the MRP40 trial time:
---

1. First some preparatory steps:

- Go to your windows directory (e.g. C:/WINDOWS/ or C:/WINNT/)

- Delete the file netdet.ini (in this file your installation date is
stored)

- open the file win.ini and delete ALL the [MRP40] section entries

- if your version is expired look for a "hidden" (File attribute) 0-byte
sized file with a filenname equivalent to your MRP40 serial number. (you see
the serial number on the lower left corner on the start-up screen) -
Delete it !!!

2. Generate the new "Key file" that will allow a very long trial period:

- Set your system time to an advanced date (e.g. 5 years ahead)

- Start MRP40.EXE

- Your MRP40 will be expired (because of the very advanced date)

- Press "register" and type the key "extend" and type any User name - then
exit MRP40...

- restart MSP40 now.....you have 15 days trial (still at advanced date) -
exit now MRP40

- Congratulations ! Now you have "theoreticaly" a key file that will expire
in e.g. 5 years !!!

3. To make use of this "advanced" key file you still need to do this final
steps:

- Go to your windows directory (e.g. C:/WINDOWS/ or C:/WINNT/)

- Delete the file netdet.ini

- open the file win.ini and delete ALL the [MRP40] entries

- Go to your MRP40 directory (e.g. C:/PROGRAMS/MRP40/)

- delete the "hidden" (File attribute) 0-byte sized file called data.dat

- Set system time back to your actual date

READY !!!!!!

After completing the steps above and you start MRP40 Morse Decoder, you will have an expiry date in 5 years + 15 days (1841 days) ;-)

This works well with the current version 4.044 - but this "workarround" maybe blocked in future versions.

Good luck,

73 !

-----= Posted via Newsfeed.Com, Uncensored Usenet News =-----
http://www.newsfeed.com - The #1 Newsgroup Service in the World!
------== 100,000 Groups! - 19 Servers! - Unlimited Download! =-----

6465. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 13:23:18 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF0A4C6.4010206@ieee.org>
Source record: 36376
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

I Smac wrote:
> "OC_CAM's Razor" wrote...
>
>>Your SWR is 1.9:1. Your load is accepting 90% of the incident power
>>and reflecting 10% of the incident power. The 10W is energy generated
>>by the source but not accepted by the load, i.e. the generator has
>>generated more power than has been accepted by the load. Those conditions
>>happen during the transient buildup to steady state.
>
> So your saying that my radio produces 100W
> and my load dissipates 90W ?

No, during the transient buildup to steady-state, not all the power
produced by your transmitter makes it to the load. Standing waves
require a certain magnitude of extra energy. That amount of energy
is not available for any other purpose since it is being "used" to
achieve the steady-state standing wave status. Once steady-state has
been reached, the transmitter continues to output 90 watts, the load
continues to accept 90 watts, and a certain magnitude of energy is
"stored" in the transmission line. The higher the SWR, the greater
is the magnitude of energy needed to support the standing waves.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6466. WANTED: Test equipment manuals (Fluke, Leader)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 13:36:31 UTC
From: k5dh@raytheon.com
Message-ID: <zJ1I9.134$Z74.358@dfw-service2.ext.raytheon.com>
Source record: 36377
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Looking for these manuals:

Fluke 8010M (DMM), 77 (DMM), 1900A (counter)
Leader LSG-17 (RF sig gen)

73,
Dean K5DH

6467. Re: Yeasu FT-920 power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 15:06:18 UTC
From: n4bk@hiwaay.net
Message-ID: <3DF0BCEA.904069EA@hiwaay.net>
Source record: 36378

gspubl@tca.net wrote:

> My Yeasu Ft-920 seems to work great and I love the radio. However, I
> can't seem to get more than 85 watts out of it in the high power mode.
> My power supply checks out plenty heavy duty and the dummyload is okay
> (I tried it on an antenna too...same thing). I went in and did the
> factory suggested software power change to up the power to 125 watts,
> and still, only 85 watts out max. Do I have a PIN diode out or is
> something wrong with the finals or elseware? Any suggestions?
> thanks, Mike.

When I was working as a repair tech on Yaesu Radios I saw this problem once and after a couple of hours of frustration I traced it to the supply board in the radio. There is a one turn coil used as a shunt for reading current and one end of it had a cold solder joint that under load would cause a small drop. Might not be your trouble but it is something to look at if all else fails. Bob N4BK W4RT Electronics.

6468. CAT/Logger for FT990

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 15:27:01 UTC
From: cprstn54zz@att.net
Message-ID: <3df0c130.67939921@news-server.optonline.net>
Source record: 36379

Is anyone using a logging program that they know properly controls and
reads the Yaesu FT990 via FIF232C, with reasonable functionality?

Most publishers say their software does the job but when you try it,
you encounter all kinds of bugs.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

6469. The real deal on K8CPA, BKA "Chukkee Sukkee"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 15:28:55 UTC
From: chukkeedacriminal@yahoo.com
Message-ID: <7684f123.0212060728.e50be19@posting.google.com>
Source record: 36380
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

First things first...
Happy Holidays to Keyclowns and Anti-Keyclowns alike.

There was a hamfest in the Detroit area which a few of us
Anti-Keyclowns attended last Sunday. Who did we see, with about a 3
day beard, homeless shelter type clothes and a glazed expression on
his goofy face????? None other than Chukkee Sukkee herself!

Chukkee was so goofed up in the head he didn't even recognize us
Anti-Boys, although he had met one of us under very bad <for him>
circumstances in September. He called one of us "Mike", a name which
none of us carry, and mumbled incoherently at our table of antique
radios, variacs, antennas, modern transceivers, etc...and departed the
scene hastily.

Chukkee Sukkee can say things like "puff a root, dickhead", etc. , but
has absolutely no power or credibility. This lying toad of a human
being has said the following things on the NG's, all proven false:

1. He works for Jeff Roush racing
2. He has a concealed weapon permit<he ADMITTED THIS WAS A LIE IN
SEPTEMBER>
3. He is affiliated with a gang called the Latin Counts
4. He is affilaited with a bike gang called the Iron Coffins
5. He owns a .45 caliber pistol
6. He owns a 9 MM pistol
7. He has faced down police officers over his pistol. <he calls police
officers "pigs" in his posts>
8. When accused of selling illegal radio equipment Chukkee Sukkee
vehemently denied doing so. That is, until an enterprising amateur
looked up his advertising for sale of illegal amplifiers on
various
amateur radio and CB forums. This documentation drove him back
into the woodwork a while.

Chukkee Sukkee says these things to make himself appear to be some
sort of a formidable human being. When confronted in person he wilts
like a dandelion hit with weed killer. For example, Chukkee Sukkee
threatened in rec.radio.cb to shoot people with a 9mm pistol at the
Findlay, Ohio hamfest in September, 2002. The persons he threatened
walked up to his table and asked him if he wanted "to settle the hash
now", and he could not have been faster to stretch out a hand to shake
if he had a spring loaded elbow.

In late 1999, he lost an ISP because he threatened another amateur with raping his wife and daughter, killing his dog, and doing a drive by shooting on his home. The local police and the Toledo office of the FBI became interested in Chukkee Sukkee recently because of his long record of violent threats to people in newsgroups. The Lincoln Park, MI Police dept. paid Chukkee Sukkee a visit in September, 2002 because of these threats. After the cops were done with him, Chukkee Sukkee whined like the cowardly person he is, and posted to rec.radio.cb a long and lying denial of making any violent threats, and specifically admitted he had never owned a hangun or had a CCW permit. This admission ran counter to the fact that he had stated many times he owned either a .45 caliber or a 9 MM pistol, and had a CCW permit. This exposed the lies, of course.

There is now an outstanding warrant for Chukkee Sukkee's arrest in Lucas county, Ohio for meancing as a result of his violent threats. The Anti-Keyclowns have a copy of the police report in our posession. This will be made available to anyone who wants it, as it is public information. Email us for details.

Chukkee Sukkee should be considered a fat mouthed idiot, and very desperate to belong to some group or organization. He has been rejected by most rational persons, and will continue to be until he moves somewhere that has a population that has never been exposed to his moronic actions. <the planet Neptune, maybe?>

In summary, we have among us a lying idiot who has obvious psychological issues. He is prone to violent threats against people, even women, children and pets. When confronted, though, he shows a spineless, yellow, cowardly nature.

If Chukkee Sukkee is smart he will stay in Michigan. If he gets confronted by any LEO in Ohio he may be on a road he does not wish to travel. Chukkee Sukkee makes a big blatting issue of the fact that he was at the Toledo hamfest last year and that his truck and his carcass emerged unscathed. Fact is, no one threatened either. It is Chukkee Sukkes's mentality, however, that most intriguingly emerged in the dust up over this situation last March... Why would anyone be concerned about their auto being damaged unless: A> They are in the habit of damaging autos and have that mid set, or B> They are guilty of doing something bad and expect retribution?

Laugh if you will folks, but Chukkee Sukkee is a sick puppy.

6470. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 15:37:39 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <asqg82$r97$1@knossos.btinternet.com>
Source record: 36381
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Dear Brian,

Regardless of line and load impedances and what the swr meter may be reading, if the line is sensibly lossless then all the power output from the transmitter must be dissipated in the load. Where else is the power to go?

How can a professional possibly disagree with such a simple and obvious statement?

Reg, G4FGQ

6471. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 16:05:55 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <asqhsq$5cd$1@slb6.atl.mindspring.net>
Source record: 36382
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Cecil:

[snip]
> achieve the steady-state standing wave status. Once steady-state has
> been reached, the transmitter continues to output 90 watts, the load
> continues to accept 90 watts, and a certain magnitude of energy is
> "stored" in the transmission line. The higher the SWR, the greater
> is the magnitude of energy needed to support the standing waves.
> --
> cheers, CAM http://www.qsl.net/w5dxp
[snip]

By George, I think you've got it!

What? No more *reflected power* sloshing back and forth longitudinally
along the line between the ends, just pure *stored energy* sloshing back
and forth transversally *across* the line between the distributed
capacitance
and inductance of the line, like in a tank circuit.

Neat, now we can do away with all of that re-reflection of power gobbledy
gook.

--
Peter K1PO
Indialantic By-the-Sea, FL

6472. Re: portable speaker advise needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 16:43:07 UTC
From: Richard G Amirault <amirault@shell01.TheWorld.com>
Message-ID: <H6pIFw.Kt1@world.std.com>
Source record: 36383

elfa <elfa_member@newsguy.com> wrote:
: I'm looking for a set of portable battery powered speakers
: that turn on when the radio is turned on.

What radio? Ham or broadcast?

: I already have a set of Sony APM-090's that fill the bill
: but Sony doesn't make them anymore. I just want to turn the
: radios ON/OFF without have to do the same with the speakers.

6473. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 19:57:22 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF10122.2040504@ieee.org>
Source record: 36385
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Peter O. Brackett wrote:
> What? No more *reflected power* sloshing back and forth longitudinally
> *along* the line between the ends, just pure *stored energy* sloshing back
> and forth transversally *across* the line between the distributed
> capacitance and inductance of the line, like in a tank circuit.

Peter, you've got the energy in the wave confused with the carriers of the wave. Do water molecules move along with the ocean waves? No, but the energy in the ocean wave rides the water molecules sometimes from coast to coast. The water doesn't slosh back and forth but the waves travel back and forth. The water travels primarily up and down. Have you never overlooked a beach where the big waves were coming in and the small waves were going out transparent to each other? In a length of transmission line with constant Z0, the forward wave is transparent to the reflected wave.

It is impossible for forward and reflected waves to affect each other unless they encounter an impedance discontinuity where reflections and/or interference occurs. The energy in the wave crashing on the beach is being carried by water molecules that were there close to the beach all the time. Something just gave those molecules enough energy to retreat from your ankle level and then crash on your head.

If you are saying the electron carriers don't slosh back and forth, I would tend to agree with you. Electrons certainly travel much, much slower than the speed of light wave energy being carried by the electrons.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6474. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 20:08:07 UTC
From: Steven L Umbach <sumbach@ameritech.net>
Message-ID: <Hs7I9.5536$Kw6.3641857@newssrv26.news.prodigy.com>
Source record: 36384

I see AES is doing Ebay too now!!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942282595

"Steven L Umbach" <n9rou@attbi.com> wrote in message
news:6OIG9.205704$P31.80893@rwcrnsc53...
> I here ya! I also am amazed at the Yaesu 2600M 2 meter mobiles being sold
> there for $159 when HRO is selling new ones shipped for $115! ---
Steve
>
> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:uulq60ie7l75da@corp.supernews.com...
> >
> > "Steven L Umbach" <n9rou@attbi.com> wrote in message
> > news:rFAG9.75853$GR5.15128@rwcrnsc51.ops.asp.att.net...
> > > Actually I do love Ebay! It is the most efficient mechanism their is
for
> > > bringing together buyers and sellers. Like anything else you need to
do
> > your
> > > research before you buy. I have been EXTREMELY happy as a buyer and a
> > > seller. ---- Steve KK9ZZ
> > >
> > >
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=168&item=2060831384
> > >
> >
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=3762&item=2075783198
> > >
> >
> > Steve
> > I buy and sell on Ebay also, (that's how I found the tuner) but I'm
still
> > amazed at the prices that people ask (& pay) for the stuff on Ebay.
> > As far as I'm concerned Ebay is a sellers market, but sometimes as
> > a buyer you can find a good deal there.
> >
> > --
> > '73' From KB9TMP
> > "The secret of life is honesty and fair dealing,
> > if you can fake that, you've got it made."
> > -Groucho Marx
> >
> >

> >
>
>

6475. FS ICOM 821 DUAL BAND SATELLITE ALL MODE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 20:52:50 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <C68I9.53571$ry.558246@twister.rdc-kc.rr.com>
Source record: 36386
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a nice looking and working icom 821 dual band satellite all mode
forsale.
One light needs to be replaced all other work fine.
Comes with original box manual mic and power cord also has the ut84 tone
board installed.
From a non smoker's home.
$650 + shipping u.s only
I also have a comet duplexer for $ 40 with radio or $50 shipped with out.
E-mail for picture of the radio.

6476. FS Adi at-600 dual band ht.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 20:58:05 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <xb8I9.53591$ry.557839@twister.rdc-kc.rr.com>
Source record: 36387
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This ht looks and works fine
2 meter and 440 at same time.
Come wtih 1 5 watt battery 1 charger 1 rubber duck and manual in pdf 3.09MB.
$130 + shipping u.s only
E-mail for picture of the ht.

6477. Re: The real deal on K8CPA, BKA "Chukkee Sukkee"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 21:14:13 UTC
From: Pat <notherealone@fake.com>
Message-ID: <4n42vuctm9jp2i4gto68k11fjk05qbcbs3@4ax.com>
Source record: 36388
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

Please, post this in this NG!

I DARE YOU!

Cause, you know it's a LIE!

HA!

signed,

K8CPA

-Chuck

On 6 Dec 2002 07:28:55 -0800, chukkeedacriminal@yahoo.com (The truth
about ChukkeeSukkee) was blabbling:

...First things first...
...Happy Holidays to Keyclowns and Anti-Keyclowns alike.
...
...
...There was a hamfest in the Detroit area which a few of us
...Anti-Keyclowns attended last Sunday. Who did we see, with about a 3
...day beard, homeless shelter type clothes and a glazed expression on
...his goofy face????? None other than Chukkee Sukkee herself!
...
...Chukkee was so goofed up in the head he didn't even recognize us
...Anti-Boys, although he had met one of us under very bad <for him>
...circumstances in September. He called one of us "Mike", a name
which
...none of us carry, and mumbled incoherently at our table of antique
...radios, variacs, antennas, modern transceivers, etc...and departed
the
...scene hastily.
...
...Chukkee Sukkee can say things like "puff a root, dickhead", etc. ,
but
...has absolutely no power or credibility. This lying toad of a human
...being has said the following things on the NG's, all proven false:
...
...1. He works for Jeff Roush racing
...2. He has a concealed weapon permit<he ADMITTED THIS WAS A LIE IN
...SEPTEMBER>
...3. He is affiliated with a gang called the Latin Counts
...4. He is affilaited with a bike gang called the Iron Coffins
...5. He owns a .45 caliber pistol

...6. He owns a 9 MM pistol
...7. He has faced down police officers over his pistol. <he calls
police
... officers "pigs" in his posts>
...8. When accused of selling illegal radio equipment Chukkee Sukkee
... vehemently denied doing so. That is, until an enterprising
amateur
... looked up his advertising for sale of illegal amplifiers on
...various
... amateur radio and CB forums. This documentation drove him back
... into the woodwork a while.
...
...Chukkee Sukkee says these things to make himself appear to be some
...sort of a formidable human being. When confronted in person he
wilts
...like a dandelion hit with weed killer. For example, Chukkee Sukkee
...threatened in rec.radio.cb to shoot people with a 9mm pistol at the
...Findlay, Ohio hamfest in September, 2002. The persons he threatened
...walked up to his table and asked him if he wanted "to settle the
hash
...now", and he could not have been faster to stretch out a hand to
shake
...if he had a spring loaded elbow.
...
...In late 1999, he lost an ISP because he threatened another amateur
...with raping his wife and daughter, killing his dog, and doing a
drive
...by shooting on his home. The local police and the Toledo office of
the
...FBI became interested in Chukkee Sukkee recently because of his
long
...record of violent threats to people in newsgroups. The Lincoln
Park,
...MI Police dept. paid Chukkee Sukkee a visit in September, 2002
because
...of these threats. After the cops were done with him, Chukkee Sukkee
...whined like the cowardly person he is, and posted to rec.radio.cb a
...long and lying denial of making any violent threats, and
specifically
...admitted he had never owned a hangun or had a CCW permit. This
...admission ran counter to the fact that he had stated many times he
...owned either a .45 caliber or a 9 MM pistol, and had a CCW permit.
...This exposed the lies, of course.
...
...There is now an outstanding warrant for Chukkee Sukkee's arrest in
...Lucas county, Ohio for meancing as a result of his violent threats.
...The Anti-Keyclowns have a copy of the police report in our
posession.
...This will be made available to anyone who wants it, as it is public
...information. Email us for details.

...
...Chukkee Sukkee should be considered a fat mouthed idiot, and very
...desperate to belong to some group or organization. He has been
...rejected by most rational persons, and will continue to be until he
...moves somewhere that has a population that has never been exposed
to
...his moronic actions. <the planet Neptune, maybe?>
...
...In summary, we have among us a lying idiot who has obvious
...psychological issues. He is prone to violent threats against
people,
...even women, children and pets. When confronted, though, he shows a
...spineless, yellow, cowardly nature.
...
...If Chukkee Sukkee is smart he will stay in Michigan. If he gets
...confronted by any LEO in Ohio he may be on a road he does not wish
to
...travel. Chukkee Sukkee makes a big blatting issue of the fact that
he
...was at the Toledo hamfest last year and that his truck and his
carcass
...emerged unscathed. Fact is, no one threatened either. It is Chukkee
...Sukkes's mentality, however, that most intriguingly emerged in the
...dust up over this situation last March... Why would anyone be
...concerned about their auto being damaged unless: A> They are in the
...habit of damaging autos and have that mid set, or B> They are
guilty
...of doing something bad and expect retribution?
...
...Laugh if you will folks, but Chukkee Sukkee is a sick puppy.

6478. FS: Garmin Rino 120

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 21:22:54 UTC
From: Garr <garr_1099@hotmail.com>
Message-ID: <3df1152f$1@rpc1284.daytonoh.ncr.com>
Source record: 36389
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

New in the box Garmin Rino 120. These are very hard to find. New unopened box. FRS/GMRS Radio with GPS and APRS like functions.

$250.00 shipped and insured. USPS Money Orders only.

Email if interested

6479. Re: The real deal on N8WWM, AKA "The White Weenie Washer"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 21:43:38 UTC
From: Pat <notherealone@fake.com>
Message-ID: <d452vucm6e7ddm306nqfaan7km4rq7ogoo@4ax.com>
Source record: 36390
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

On 6 Dec 2002 07:28:55 -0800, chukkeedacriminal@yahoo.com (The truth
about ChukkeeSukkee) was blabbling:

...First things first...
...Happy Holidays to Keyclowns and Anti-Keyclowns alike.
...
...

You too Dougie

...There was a hamfest in the Detroit area which a few of us
...Anti-Keyclowns attended last Sunday. Who did we see, with about a 3
...day beard, homeless shelter type clothes and a glazed expression on
...his goofy face????? None other than Chukkee Sukkee herself!
...

Goofy face??? you ain't miss america either dude! yes, I have a
beard.. at least I can grow one...Homeless shelter???HAHAHA...what an
idiot.

...Chukkee was so goofed up in the head he didn't even recognize us
...Anti-Boys, although he had met one of us under very bad <for him>
...circumstances in September. He called one of us "Mike", a name
which
...none of us carry, and mumbled incoherently at our table of antique
...radios, variacs, antennas, modern transceivers, etc...and departed
the
...scene hastily.
...

I walked around twice....was looking for the guy I came with James
Keller W8WW....(whom I have a feeling might have authored this...)

and I might have called you Mike...sheesh...cut a guy some slack...

and for the record....you didn't do jack shit, Dougie...and you
fucking know it....

...Chukkee Sukkee can say things like "puff a root, dickhead", etc. ,
but
...has absolutely no power or credibility. This lying toad of a human
...being has said the following things on the NG's, all proven false:
...
...1. He works for Jeff Roush racing

Jeff Roush....???? I never said that...I worked for Jack Rouch...as in
Rouch Industries Inc. . a job I HATED...Because of the fucking MORONIC
management...you know Morons....like your dumb fucking ass?

...2. He has a concealed weapon permit<he ADMITTED THIS WAS A LIE IN
...SEPTEMBER>

I never admitted anything...

I know what I got, and who said it's registered?

...3. He is affiliated with a gang called the Latin Counts

Again, dougie...you TWIST the truth! I never said I was " affiliated"
with them! I said I know a few of them....and a few owe me a few
favors..

Can't you do anything more original????

...4. He is affilaited with a bike gang called the Iron Coffins

Again, dougie...you TWIST the truth! I never said I was " affiliated"
with them! I said I know a few of them....and a few owe me a few
favors.....

...5. He owns a .45 caliber pistol

Like I said...you don't know what I got...

...6. He owns a 9 MM pistol

see above.....

...7. He has faced down police officers over his pistol. <he calls
police
... officers "pigs" in his posts>

again.....you twist and make up shit....I never said this....period.

...8. When accused of selling illegal radio equipment Chukkee Sukkee
... vehemently denied doing so. That is, until an enterprising
amateur
... looked up his advertising for sale of illegal amplifiers on
...various
... amateur radio and CB forums. This documentation drove him back
... into the woodwork a while.
...

I never DENIED selling them in the past....I don't sell them now....

...Chukkee Sukkee says these things to make himself appear to be some
...sort of a formidable human being. When confronted in person he
wilts
...like a dandelion hit with weed killer. For example, Chukkee Sukkee
...threatened in rec.radio.cb to shoot people with a 9mm pistol at the
...Findlay, Ohio hamfest in September, 2002. The persons he threatened
...walked up to his table and asked him if he wanted "to settle the

hash
...now", and he could not have been faster to stretch out a hand to
shake
...if he had a spring loaded elbow.
...

Now this REALLY FUNNY!

Douglas Adair.....YOU NEVER EVEN FUCKING SPOKE A WORD TO ME...UNTIL I
MENTIONED THE THING TO KEITH KC8TCQ....YOU'RE SUCH A FUCKING LYING
ASS'ED BASTARD!

YOU AIN'T SHIT!

...In late 1999, he lost an ISP because he threatened another amateur
...with raping his wife and daughter, killing his dog, and doing a
drive
...by shooting on his home. The local police and the Toledo office of
the
...FBI became interested in Chukkee Sukkee recently because of his
long
...record of violent threats to people in newsgroups. The Lincoln
Park,
...MI Police dept. paid Chukkee Sukkee a visit in September, 2002
because
...of these threats. After the cops were done with him, Chukkee Sukkee
...whined like the cowardly person he is, and posted to rec.radio.cb a
...long and lying denial of making any violent threats, and
specifically
...admitted he had never owned a hangun or had a CCW permit. This
...admission ran counter to the fact that he had stated many times he
...owned either a .45 caliber or a 9 MM pistol, and had a CCW permit.
...This exposed the lies, of course.
...

AFTER THE COPS WERE DONE WITH ME?!?!?!?
BAAAAAAAAAAAAAAAAAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHHAHAH!

NOT!

AGAIN! MORE BULLSHIT LIES!!!!!! ONE DETECTIVE COMES HERE...AND I
TALKED TO HIM....

SHEESH! DOUG YOUR LACKING ORIGINALITY...

...There is now an outstanding warrant for Chukkee Sukkee's arrest in
...Lucas county, Ohio for meancing as a result of his violent threats.
...The Anti-Keyclowns have a copy of the police report in our
posession.
...This will be made available to anyone who wants it, as it is public
...information. Email us for details.
...

I WANT TO SEE IT FOR MYSELF!!!!

...Chukkee Sukkee should be considered a fat mouthed idiot, and very
...desperate to belong to some group or organization. He has been
...rejected by most rational persons, and will continue to be until he
...moves somewhere that has a population that has never been exposed
to
...his moronic actions. <the planet Neptune, maybe?>
...

YEAH, FUCK YOU DOUGIE....MAYBE I'LL COME DOWN THERE THIS WEEKEND.

AND WE'LL "TALK"

...In summary, we have among us a lying idiot who has obvious
...psychological issues. He is prone to violent threats against
people,
...even women, children and pets. When confronted, though, he shows a
...spineless, yellow, cowardly nature.
...

YOU'RE A ONE TO TALK!

...If Chukkee Sukkee is smart he will stay in Michigan. If he gets
...confronted by any LEO in Ohio he may be on a road he does not wish
to
...travel. Chukkee Sukkee makes a big blatting issue of the fact that
he
...was at the Toledo hamfest last year and that his truck and his
carcass
...emerged unscathed. Fact is, no one threatened either. It is Chukkee
...Sukkes's mentality, however, that most intriguingly emerged in the
...dust up over this situation last March... Why would anyone be
...concerned about their auto being damaged unless: A> They are in the
...habit of damaging autos and have that mid set, or B> They are
guilty
...of doing something bad and expect retribution?
...

MORE BULLSHIT TO COVER THE FACT THAT YOU'RE AN IDIOT DOUG...

...Laugh if you will folks, but Chukkee Sukkee is a sick puppy.

SO IS DOUGIE AND A NO-CODE, 2 FUCKING METER PENCIL-NECKED GEEK!!!!
WITH NO CLASS, NO LIFE AND NO FUCKING JOB....AND HAS TO BUILD 2 METER
ANTENNAS FOR A LIVING...

TELL ME DOUG, WHY DID YOU CLOSE THE RENTAL SHIP IN COLDWATER? PROLLY
BECAUSE YOU WERE SELLING DRUGS OUT THE BACK DOOR AND COLDWATER SHUT
YOU DOWN! YOU SEE, i HAVE FAMILY THERE AND i HEARD ALL ABOUT
IT!!

AND THEN YOU COWARDLY RAN TO CHICAGO!

LATER DOUG...

P.S.....the shit never stops

6480. Re: The real deal on K8CPA, BKA "Chukkee Sukkee"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 21:47:57 UTC
From: jack <jack@aol.com>
Message-ID: <ln62vusa0k76smbfom7hgolrdpph5o0a14@4ax.com>
Source record: 36391
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

Take this BULLSHIT elsewhere

On Fri, 06 Dec 2002 16:14:13 -0500, Pat <notherealone@fake.com> wrote:

>Please, post this in this NG!
>
>I DARE YOU!
>
>Cause, you know it's a LIE!
>
>HA!
>
>signed,
>
>K8CPA
>
>-Chuck
>
>
>
>
>On 6 Dec 2002 07:28:55 -0800, chukkeedacriminal@yahoo.com (The truth
>about ChukkeeSukkee) was blabbling:
>
>...First things first...
>...Happy Holidays to Keyclowns and Anti-Keyclowns alike.
>...
>...
>...There was a hamfest in the Detroit area which a few of us
>...Anti-Keyclowns attended last Sunday. Who did we see, with about a 3
>...day beard, homeless shelter type clothes and a glazed expression on
>...his goofy face????? None other than Chukkee Sukkee herself!
>...
>...Chukkee was so goofed up in the head he didn't even recognize us
>...Anti-Boys, although he had met one of us under very bad <for him>
>...circumstances in September. He called one of us "Mike", a name
>which
>...none of us carry, and mumbled incoherently at our table of antique
>...radios, variacs, antennas, modern transceivers, etc...and departed
>the
>...scene hastily.
>...
>...Chukkee Sukkee can say things like "puff a root, dickhead", etc. ,
>but

>...has absolutely no power or credibility. This lying toad of a human
>...being has said the following things on the NG's, all proven false:
>...
>...1. He works for Jeff Roush racing
>...2. He has a concealed weapon permit<he ADMITTED THIS WAS A LIE IN
>...SEPTEMBER>
>...3. He is affiliated with a gang called the Latin Counts
>...4. He is affilaited with a bike gang called the Iron Coffins
>...5. He owns a .45 caliber pistol
>...6. He owns a 9 MM pistol
>...7. He has faced down police officers over his pistol. <he calls
>police
>... officers "pigs" in his posts>
>...8. When accused of selling illegal radio equipment Chukkee Sukkee
>... vehemently denied doing so. That is, until an enterprising
>amateur
>... looked up his advertising for sale of illegal amplifiers on
>...various
>... amateur radio and CB forums. This documentation drove him back
>... into the woodwork a while.
>...
>...Chukkee Sukkee says these things to make himself appear to be some
>...sort of a formidable human being. When confronted in person he
>wilts
>...like a dandelion hit with weed killer. For example, Chukkee Sukkee
>...threatened in rec.radio.cb to shoot people with a 9mm pistol at the
>...Findlay, Ohio hamfest in September, 2002. The persons he threatened
>...walked up to his table and asked him if he wanted "to settle the
>hash
>...now", and he could not have been faster to stretch out a hand to
>shake
>...if he had a spring loaded elbow.
>...
>...In late 1999, he lost an ISP because he threatened another amateur
>...with raping his wife and daughter, killing his dog, and doing a
>drive
>...by shooting on his home. The local police and the Toledo office of
>the
>...FBI became interested in Chukkee Sukkee recently because of his
>long
>...record of violent threats to people in newsgroups. The Lincoln
>Park,
>...MI Police dept. paid Chukkee Sukkee a visit in September, 2002
>because
>...of these threats. After the cops were done with him, Chukkee Sukkee
>...whined like the cowardly person he is, and posted to rec.radio.cb a
>...long and lying denial of making any violent threats, and
>specifically
>...admitted he had never owned a hangun or had a CCW permit. This
>...admission ran counter to the fact that he had stated many times he

>...owned either a .45 caliber or a 9 MM pistol, and had a CCW permit.
>...This exposed the lies, of course.
>...
>...There is now an outstanding warrant for Chukkee Sukkee's arrest in
>...Lucas county, Ohio for meancing as a result of his violent threats.
>...The Anti-Keyclowns have a copy of the police report in our
>posession.
>...This will be made available to anyone who wants it, as it is public
>...information. Email us for details.
>...
>...Chukkee Sukkee should be considered a fat mouthed idiot, and very
>...desperate to belong to some group or organization. He has been
>...rejected by most rational persons, and will continue to be until he
>...moves somewhere that has a population that has never been exposed
>to
>...his moronic actions. <the planet Neptune, maybe?>
>...
>...In summary, we have among us a lying idiot who has obvious
>...psychological issues. He is prone to violent threats against
>people,
>...even women, children and pets. When confronted, though, he shows a
>...spineless, yellow, cowardly nature.
>...
>...If Chukkee Sukkee is smart he will stay in Michigan. If he gets
>...confronted by any LEO in Ohio he may be on a road he does not wish
>to
>...travel. Chukkee Sukkee makes a big blatting issue of the fact that
>he
>...was at the Toledo hamfest last year and that his truck and his
>carcass
>...emerged unscathed. Fact is, no one threatened either. It is Chukkee
>...Sukkes's mentality, however, that most intriguingly emerged in the
>...dust up over this situation last March... Why would anyone be
>...concerned about their auto being damaged unless: A> They are in the
>...habit of damaging autos and have that mid set, or B> They are
>guilty
>...of doing something bad and expect retribution?
>...
>...Laugh if you will folks, but Chukkee Sukkee is a sick puppy.

6481. QRP RADIO - Spy Set Radio set for Sale on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 22:06:00 UTC
From: monotika@yahoo.gr
Message-ID: <a638f16b.0212061406.2dfc8e2c@posting.google.com>
Source record: 36392
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.homebrew

Spy radio set QRP radio set , qrp rig !
Item number: 1943862553

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=1943862553

6482. Re: Garmin Rino 120

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 22:17:32 UTC
From: Dick B <grburke@adelphia.net>
Message-ID: <0m9I9.50031$kO5.5648656@news1.news.adelphia.net>
Source record: 36393
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

Garmin Rino just $179.99 - Rino 110 and Rino 120. These GPS devices
integrate radio functionality to provide two-way communications up to two
miles using FRS channels and up to five miles using GMRS channels.
newpointgear.com
"Garr" <garr_1099@hotmail.com> wrote in message
news:3df1152f$1@rpc1284.daytonoh.ncr.com...
> New in the box Garmin Rino 120. These are very hard to find. New
unopened
> box. FRS/GMRS Radio with GPS and APRS like functions.
>
> $250.00 shipped and insured. USPS Money Orders only.
>
> Email if interested
>
>

6483. Re: Garmin Rino 120

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 22:17:49 UTC
From: Dick B <grburke@adelphia.net>
Message-ID: <hm9I9.50032$kO5.5648736@news1.news.adelphia.net>
Source record: 36394
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

Garmin Rino just $179.99 - Rino 110 and Rino 120. These GPS devices integrate radio functionality to provide two-way communications up to two miles using FRS channels and up to five miles using GMRS channels. newpointgear.com

"Garr" <garr_1099@hotmail.com> wrote in message news:3df1152f$1@rpc1284.daytonoh.ncr.com...
> New in the box Garmin Rino 120. These are very hard to find. New unopened
> box. FRS/GMRS Radio with GPS and APRS like functions.
>
> $250.00 shipped and insured. USPS Money Orders only.
>
> Email if interested
>
>

6484. Re: Garmin Rino 120

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 22:19:39 UTC
From: Dick B <grburke@adelphia.net>
Message-ID: <%n9I9.50035$kO5.5648948@news1.news.adelphia.net>
Source record: 36395
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

Thats not much of a deal for something that is supposed to be hard to
find.Hmmmm
"Garr" <garr_1099@hotmail.com> wrote in message
news:3df1152f$1@rpc1284.daytonoh.ncr.com...
> New in the box Garmin Rino 120. These are very hard to find. New
unopened
> box. FRS/GMRS Radio with GPS and APRS like functions.
>
> $250.00 shipped and insured. USPS Money Orders only.
>
> Email if interested
>
>

6485. Re: HOW-TO: MRP40 unlimited trial period.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 22:27:45 UTC
From: cprstn54zz@att.net
Message-ID: <3df123e4.93207734@news-server.optonline.net>
Source record: 36396

On Fri, 6 Dec 2002 13:37:29 +0100, "Ham" <ham@arrl.org> wrote:
>*** post for FREE via your newsreader at post.newsfeed.com ***
>Hi there !
>THIS IS NOT A CRACK or SERIAL - but works "as effective as"......
>(this works with an expired, extended or a freshly intalled version)

Please keep this bad stuff to yourself. Not only is it illegal but
also the guy worked hard on his program, he did a good job and isn't
charging an arm and leg.

Ken KC2JDY

Ken
(to reply via email
remove "zz" from address)

6486. Kenwood TM2550A with DTMF mic and tone encoder/decoder on eBay for $56

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 22:58:34 UTC
From: Joe Mehaffey <joe@mehaffey.us>
Message-ID: <3DF12B9A.57D3D5CC@mehaffey.us>
Source record: 36397

I have a Kenwood TM-2550A on eBay for sale. This is part of the estate
of W3BZ and is in good condition with manual and DTMF mic and power
cable. Please take a look at:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942671103

This is a 50watt output 2 meter FM transceiver.

Thanks
Joe Mehaffey
--
Got a Question about GPS technology? Looking for a GPS FAQ site?
See: http://joe.mehaffey.com

6487. ICOM PS-20 power supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 23:21:29 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <asrbbg0rga@enews2.newsguy.com>
Source record: 36248

Several days ago someone posted a WTB: ICOM PS-20 power supply. I can't find the post to reply to it but I have a PS-20 in perfect working condition, appearance is above average -- it's for sale if you need it.

--

Regards,
Joe S.

6488. Chukkee Sukkee and douggie's kid - Tove compleet.mpg (000/110)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-06 23:53:21 UTC
From: -~- <cvb@qwe.gov>
Message-ID: <f0e2vukgt0k4i906kqeptdlulh88h02ujv@4ax.com>
Source record: 36249
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

found somewhere

6489. Re: ICOM PS-20 power supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 00:00:38 UTC
From: "Alex J." <alexjent@citlink.net>
Message-ID: <uv2eh5deau0g63@corp.supernews.com>
Source record: 36250

Hey Joe....where are you and how much??

Alex

"Joe S." <joe@schlatter.org> wrote in message
news:asrbbg0rga@enews2.newsguy.com...
> Several days ago someone posted a WTB: ICOM PS-20 power supply. I can't
> find the post to reply to it but I have a PS-20 in perfect working
> condition, appearance is above average -- it's for sale if you need it.
>
> --
>
> ------
> Regards,
> Joe S.
>
>
>
>

6490. Kenwood TS-440 ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 00:17:31 UTC
From: Lou <tech@dp.net>
Message-ID: <asrqmcflk1@news.dp.net>
Source record: 36255

Question.....what types of lubricant are safe to use in the dial mechanism of the Kenwood TS-440 and the like. Mine is frozen solid. I had to fix this once before, but it's been a long time - about 6 years or so.
I can't recall what I used because I lost the note on that particular solution. Are any better than another in action or longevity? Please reply directly as sometimes my newsgroups don't work.... Thanks... Lou/Tech@DP.NET

6491. Re: Yeasu FT-920 power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 00:48:37 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0212061648.6f14e6c4@posting.google.com>
Source record: 36251

"HB9DTX" <hb9dtx@darryl.ch> wrote in message
news:<3def97b5$0$321$5402220f@news.sunrise.ch>...
> I had the same problem on the IC-910 VHF/UHF transceiver from ICOM.
> It came out that the losses in the power supply cable made a small voltage
> drop that killed a fraction f the total output power. When I used a shorter
> cable it worked fine.
> 73
> Yves / HB9DTX

I get that on all my 12v rig eventually due to slight corrosion, dirt,
etc, on the connectors, fuses, fuse holders, battery connectors, etc.
I have to clean them all every once in a while. Usually gain 10-15
watts every time I do it. The last time was a couple of weeks ago.
Even wiggling the power connector on the rig helps as it rubs and
refreshes the connection a bit. Voltage drops are a real problem on
high current 12v dc rigs. Thats why I use overkill fat jumper cable
wire, anderson power connectors, etc, to reduce the problem. But if
all that doesn't help, the ex-yaesu tech's idea about the solder joint
might pan out..Also every time I go into a radio, I tighten all the
grounding screws on the circuit boards. Icoms are notorious for these
loosening up with vibration.
Probably other rigs too... MK

6492. Re: CAT/Logger for FT990

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 01:38:58 UTC
From: Rich Vitello <w1rv@abcde.com>
Message-ID: <asrj10$eg0$1@bob.news.rcn.net>
Source record: 36252

PDA's LOGic works quite well with my FT1000D & FT900 check it out at;

http://www.hosenose.com/

Rich V - W1RV

"Ken" <cprstn54zz@att.net> wrote in message
news:3df0c130.67939921@news-server.optonline.net...
> Is anyone using a logging program that they know properly controls and
> reads the Yaesu FT990 via FIF232C, with reasonable functionality?
>
> Most publishers say their software does the job but when you try it,
> you encounter all kinds of bugs.
>
> Ken KC2JDY
>
>
> Ken
> (to reply via email
> remove "zz" from address)

6493. Re: Yeasu FT-920 power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 01:50:38 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uv2kt6as48m9f1@corp.supernews.com>
Source record: 36253

I use Caig labs R-5 on all DC power connections, reduces contact resistance,
and inhibits corrosion. Pro-Gold, does much the same, also good for audio
cable conncetions too.
Take a look: http://www.caig.com

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Mark Keith" <nm5k@wt.net> wrote in message
news:25eb70d7.0212061648.6f14e6c4@posting.google.com...
> "HB9DTX" <hb9dtx@darryl.ch> wrote in message
news:<3def97b5$0$321$5402220f@news.sunrise.ch>...
> > I had the same problem on the IC-910 VHF/UHF transceiver from ICOM.
> > It came out that the losses in the power supply cable made a small
voltage
> > drop that killed a fraction f the total output power. When I used a
shorter
> > cable it worked fine.
> > 73
> > Yves / HB9DTX
>
> I get that on all my 12v rig eventually due to slight corrosion, dirt,
> etc, on the connectors, fuses, fuse holders, battery connectors, etc.
> I have to clean them all every once in a while. Usually gain 10-15
> watts every time I do it. The last time was a couple of weeks ago.
> Even wiggling the power connector on the rig helps as it rubs and
> refreshes the connection a bit. Voltage drops are a real problem on
> high current 12v dc rigs. Thats why I use overkill fat jumper cable
> wire, anderson power connectors, etc, to reduce the problem. But if
> all that doesn't help, the ex-yaesu tech's idea about the solder joint
> might pan out..Also every time I go into a radio, I tighten all the
> grounding screws on the circuit boards. Icoms are notorious for these
> loosening up with vibration.
> Probably other rigs too... MK

6494. Trade 2 New DX-402's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 02:39:53 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <ZbdI9.78006$%p6.7177481@twister.neo.rr.com>
Source record: 36254
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

I have two brand new Radio Shack DX-402's for trade. Maybe a DX-398 in like cond. or ???
DeWayne KE9K

6495. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 04:07:17 UTC
From: Roy Lewallen <w7el@eznec.com>
Message-ID: <uv30ga4fn6f2af@corp.supernews.com>
Source record: 36259
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

No, after the initial few nanoseconds, his radio produces 90 watts and
the load receives 90 watts.

Roy Lewallen, W7EL

Dee D. Flint wrote:
> "I Smac" <Smac61yourpanties@hotmail.com> wrote in message
> news:3gednbJtVcGMtG2gXTWcoQ@comcast.com...
>
>>"OC_CAM's Razor" wrote...
>>
>>>Your SWR is 1.9:1. Your load is accepting 90% of the incident power
>>>and reflecting 10% of the incident power. The 10W is energy generated
>>>by the source but not accepted by the load, i.e. the generator has
>>>generated more power than has been accepted by the load. Those
>>
> conditions
>
>>>happen during the transient buildup to steady state.
>>
>>So your saying that my radio produces 100W
>>and my load dissipates 90W ?
>>
>>Smac
>
>
> Not quite. Your radio produces 100W but your load receives 90W.
>
> Dee Flint, N8UZE
>
>

6496. Re: Kenwood TS-440 ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 04:20:50 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uv2tmplfru9c92@corp.supernews.com>
Source record: 36256

Teflon based light oil works fine, use sparingly.
Radio Shack sells a applicator with Teflon oil.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Lou" <tech@dp.net> wrote in message news:asrqmcflk1@news.dp.net...
> Question.....what types of lubricant are safe to use in the dial
> mechanism of the Kenwood TS-440 and the like. Mine is frozen solid. I had
to
> fix this once before, but it's been a long time - about 6 years or so.
> I can't recall what I used because I lost the note on that particular
> solution. Are any better than another in action or longevity? Please reply
> directly as sometimes my newsgroups don't work.... Thanks...
Lou/Tech@DP.NET
>
>
>
>

6497. FA: Motorola VHF linear amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 04:37:37 UTC
From: Tom Sevart <n2uhcNOSPAM@yahoo.com>
Message-ID: <asrtrd$tviu8$2@ID-52518.news.dfncis.de>
Source record: 36257
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=1502&item=1943865024

6498. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 05:48:37 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <ass0i1$70f$1@news1.kornet.net>
Source record: 36260
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

For those that don't seem to understand the concept...

Load = anything that is attached to your TX. Your antenna is (or should be) the PRIMARY load, but also a part of the total load are the coax (losses and VSWR), ground system, connectors, etc. All of these actually represent a fairly complex series/parallel load to the output of the TX.

"Roy Lewallen" <w7el@eznec.com> wrote in message
news:uv30ga4fn6f2af@corp.supernews.com...
> No, after the initial few nanoseconds, his radio produces 90 watts and
> the load receives 90 watts.
>
> Roy Lewallen, W7EL
>
> Dee D. Flint wrote:
> > "I Smac" <Smac61yourpanties@hotmail.com> wrote in message
> > news:3gednbJtVcGMtG2gXTWcoQ@comcast.com...
> > >
> >>"OC_CAM's Razor" wrote...
> >>
> >>>Your SWR is 1.9:1. Your load is accepting 90% of the incident power
> >>>and reflecting 10% of the incident power. The 10W is energy generated
> >>>by the source but not accepted by the load, i.e. the generator has
> >>>generated more power than has been accepted by the load. Those
> >>
> > > conditions
> > >
> >>>happen during the transient buildup to steady state.
> >>
> >>So your saying that my radio produces 100W
> >>and my load dissipates 90W ?
> >>
> >>Smac
> > >
> > >
> > > Not quite. Your radio produces 100W but your load receives 90W.
> > >
> > > Dee Flint, N8UZE
> > >
> > >
>

6499. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 05:53:25 UTC
From: "Dee D. Flint" <deehays@qix.net>
Message-ID: <p1gl9.6551$4j5.3150774@newssvr28.news.prodigy.com>
Source record: 36258
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"I Smac" <Smac61yourpanties@hotmail.com> wrote in message
news:3gednbJtVcGMtG2gXTWcoQ@comcast.com...
>
> "OC_CAM's Razor" wrote...
> > Your SWR is 1.9:1. Your load is accepting 90% of the incident power
> > and reflecting 10% of the incident power. The 10W is energy generated
> > by the source but not accepted by the load, i.e. the generator has
> > generated more power than has been accepted by the load. Those
conditions
> > happen during the transient buildup to steady state.
>
> So your saying that my radio produces 100W
> and my load dissipates 90W ?
>
> Smac

Not quite. Your radio produces 100W but your load receives 90W.

Dee Flint, N8UZE

6500. Re: Foward power question ARRRRGH

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 06:28:18 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF19502.8080700@ieee.org>
Source record: 36261
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Dee D. Flint wrote:
> "I Smac" <Smac61yourpanties@hotmail.com> wrote in message
>>So your saying that my radio produces 100W
>>and my load dissipates 90W ?
>
> Not quite. Your radio produces 100W but your load receives 90W.

Under steady-state conditions with a lossless transmission line,
generated power = power to the load = forward power - reflected power.
90W = 90W = 100W - 10W
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6501. [VD ALL] Collectors! WW3 DL UK FR US many TX/RX accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 08:25:19 UTC
From: GAYOT Pascal <pascal.gayot@atosorigin.com>
Message-ID: <3df1b10b$0$13841$79c14f64@nan-newsreader-01.noos.net>
Source record: 36262
Cross-posted to: fr.rec.radio.amateur,nl.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

[VD ALL] for Collectors! WW3 DL UK FR US many TX/RX and access.
BC191 complete set!
sp600, hro, r1155, AN/ART13 et bien d'autres..
[VD ALL] pour Collectionneurs! WW3 DL UK FR US plein de TX/RX accessoires
parfois des "sets" complets: bc191! sp600, hro, r1155, AN/ART13 et bien
d'autres

www.fadou.com/__broqu.htm

6502. WTB IC R7000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 08:48:31 UTC
From: West <westley@gte.net>
Message-ID: <zBil9.5509$903.2299@nwrddc02.gnilink.net>
Source record: 36263

Wanted Icom R7000 General Coverage Receiver.
Cordially,
west

6503. Re: Motorola VHF linear amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 10:37:42 UTC
From: "Thomas C. Sefranek" <WA1RHP@ARRL.net>
Message-ID: <WbkI9.2$zS2.60@newsread2.prod.itd.earthlink.net>
Source record: 36264
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This amplifier is NOT a "Linear" amplifier, it is only good for CW and FM.

Tom Sevart <n2uhcNOSPAM@yahoo.com> wrote in message
news:asrtrd$tviu8$2@ID-52518.news.dfncis.de...
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=1502&item=1943865024
>
>
>

6504. Re: Yeasu FT-920 power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 11:30:04 UTC
From: W4PHM <W4PHM@ARRL.NET>
Message-ID: <asslst$r7f$1@slb9.atl.mindspring.net>
Source record: 36266

Good call man, never thought of that

"Mark Keith" <nm5k@wt.net> wrote in message
news:25eb70d7.0212061648.6f14e6c4@posting.google.com...
> "HB9DTX" <hb9dtx@darryl.ch> wrote in message
news:<3def97b5$0$321$5402220f@news.sunrise.ch>...
> > I had the same problem on the IC-910 VHF/UHF transceiver from ICOM.
> > It came out that the losses in the power supply cable made a small
voltage
> > drop that killed a fraction f the total output power. When I used a
shorter
> > cable it worked fine.
> > 73
> > Yves / HB9DTX
>
> I get that on all my 12v rig eventually due to slight corrosion, dirt,
> etc, on the connectors, fuses, fuse holders, battery connectors, etc.
> I have to clean them all every once in a while. Usually gain 10-15
> watts every time I do it. The last time was a couple of weeks ago.
> Even wiggling the power connector on the rig helps as it rubs and
> refreshes the connection a bit. Voltage drops are a real problem on
> high current 12v dc rigs. Thats why I use overkill fat jumper cable
> wire, anderson power connectors, etc, to reduce the problem. But if
> all that doesn't help, the ex-yaesu tech's idea about the solder joint
> might pan out..Also every time I go into a radio, I tighten all the
> grounding screws on the circuit boards. Icoms are notorious for these
> loosening up with vibration.
> Probably other rigs too... MK

6505. Re: The real deal on K8CPA, BKA "Chukkee Sukkee"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 11:44:03 UTC
From: JohnB <john.g8ozh@freeuk.co.uk>
Message-ID: <1039261367.4392.0@dyke.uk.clara.net>
Source record: 36265
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

there goes the heighbourhood.....

JohnB

"Pat" <notherealone@fake.com> wrote in message
news:4n42vuctm9jp2i4gto68k11fjk05qbcbs3@4ax.com...
> Please, post this in this NG!
>
> I DARE YOU!
>
> Cause, you know it's a LIE!
>
> HA!
>
> signed,
>
> K8CPA
>
> -Chuck
>
>
>
>
> On 6 Dec 2002 07:28:55 -0800, chukkeedacriminal@yahoo.com (The truth
> about ChukkeeSukkee) was blabbling:
>
> ...First things first...
> ...Happy Holidays to Keyclowns and Anti-Keyclowns alike.
> ...
> ...
> ...There was a hamfest in the Detroit area which a few of us
> ...Anti-Keyclowns attended last Sunday. Who did we see, with about a 3
> ...day beard, homeless shelter type clothes and a glazed expression on
> ...his goofy face????? None other than Chukkee Sukkee herself!
> ...
> ...Chukkee was so goofed up in the head he didn't even recognize us
> ...Anti-Boys, although he had met one of us under very bad <for him>
> ...circumstances in September. He called one of us "Mike", a name
> which
> ...none of us carry, and mumbled incoherently at our table of antique
> ...radios, variacs, antennas, modern transceivers, etc...and departed
> the
> ...scene hastily.
> ...

> ...Chukkee Sukkee can say things like "puff a root, dickhead", etc. ,
> but
> ...has absolutely no power or credibility. This lying toad of a human
> ...being has said the following things on the NG's, all proven false:
> ...
> ...1. He works for Jeff Roush racing
> ...2. He has a concealed weapon permit<he ADMITTED THIS WAS A LIE IN
> ...SEPTEMBER>
> ...3. He is affiliated with a gang called the Latin Counts
> ...4. He is affilaited with a bike gang called the Iron Coffins
> ...5. He owns a .45 caliber pistol
> ...6. He owns a 9 MM pistol
> ...7. He has faced down police officers over his pistol. <he calls
> police
> ... officers "pigs" in his posts>
> ...8. When accused of selling illegal radio equipment Chukkee Sukkee
> ... vehemently denied doing so. That is, until an enterprising
> amateur
> ... looked up his advertising for sale of illegal amplifiers on
> ...various
> ... amateur radio and CB forums. This documentation drove him back
> ... into the woodwork a while.
> ...
> ...Chukkee Sukkee says these things to make himself appear to be some
> ...sort of a formidable human being. When confronted in person he
> wilts
> ...like a dandelion hit with weed killer. For example, Chukkee Sukkee
> ...threatened in rec.radio.cb to shoot people with a 9mm pistol at the
> ...Findlay, Ohio hamfest in September, 2002. The persons he threatened
> ...walked up to his table and asked him if he wanted "to settle the
> hash
> ...now", and he could not have been faster to stretch out a hand to
> shake
> ...if he had a spring loaded elbow.
> ...
> ...In late 1999, he lost an ISP because he threatened another amateur
> ...with raping his wife and daughter, killing his dog, and doing a
> drive
> ...by shooting on his home. The local police and the Toledo office of
> the
> ...FBI became interested in Chukkee Sukkee recently because of his
> long
> ...record of violent threats to people in newsgroups. The Lincoln
> Park,
> ...MI Police dept. paid Chukkee Sukkee a visit in September, 2002
> because
> ...of these threats. After the cops were done with him, Chukkee Sukkee
> ...whined like the cowardly person he is, and posted to rec.radio.cb a
> ...long and lying denial of making any violent threats, and
> specifically

> ...admitted he had never owned a hangun or had a CCW permit. This
> ...admission ran counter to the fact that he had stated many times he
> ...owned either a .45 caliber or a 9 MM pistol, and had a CCW permit.
> ...This exposed the lies, of course.
> ...
> ...There is now an outstanding warrant for Chukkee Sukkee's arrest in
> ...Lucas county, Ohio for meancing as a result of his violent threats.
> ...The Anti-Keyclowns have a copy of the police report in our
> posession.
> ...This will be made available to anyone who wants it, as it is public
> ...information. Email us for details.
> ...
> ...Chukkee Sukkee should be considered a fat mouthed idiot, and very
> ...desperate to belong to some group or organization. He has been
> ...rejected by most rational persons, and will continue to be until he
> ...moves somewhere that has a population that has never been exposed
> to
> ...his moronic actions. <the planet Neptune, maybe?>
> ...
> ...In summary, we have among us a lying idiot who has obvious
> ...psychological issues. He is prone to violent threats against
> people,
> ...even women, children and pets. When confronted, though, he shows a
> ...spineless, yellow, cowardly nature.
> ...
> ...If Chukkee Sukkee is smart he will stay in Michigan. If he gets
> ...confronted by any LEO in Ohio he may be on a road he does not wish
> to
> ...travel. Chukkee Sukkee makes a big blatting issue of the fact that
> he
> ...was at the Toledo hamfest last year and that his truck and his
> carcass
> ...emerged unscathed. Fact is, no one threatened either. It is Chukkee
> ...Sukkes's mentality, however, that most intriguingly emerged in the
> ...dust up over this situation last March... Why would anyone be
> ...concerned about their auto being damaged unless: A> They are in the
> ...habit of damaging autos and have that mid set, or B> They are
> guilty
> ...of doing something bad and expect retribution?
> ...
> ...Laugh if you will folks, but Chukkee Sukkee is a sick puppy.
>

6506. Re: Don't Ya Love Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 13:18:57 UTC
From: Brian Griffey <briangriffey@worldnet.att.net>
Message-ID: <5zmI9.47398$hK4.4164562@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36267

lol...

--
||||||||||||||||||||||||||||||||||||||||
Brian Griffey
http://home.att.net/~briangriffey/Index.html
||||||||||||||||||||||||||||||||||||||||

"M.E." <bogus@nospam.com> wrote in message
news:uuo0cbck10rj4a@corp.supernews.com...
> P.T. Barnum was right!

6507. Ten-Tec Delta 1 Info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 14:07:10 UTC
From: Dave <g3vfp@blueyonder.co.uk>
Message-ID: <rgnI9.9768$xi2.3163@news-binary.blueyonder.co.uk>
Source record: 36268

Hi guys.

Can anyone give me the connection information on the Ten Tec Delta1 with relation to auxillary sockets, mic and speaker connections. I am looking to interface my pc soundcard to this rig, and have no detail on any of it's connectors.

Thanks in advance of any help

Regards,

Dave G3VFP

www.g3vfp.org

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.426 / Virus Database: 239 - Release Date: 02/12/2002

6508. PLEASE DON'T DONATE TO RADIO CLUB OF JHS 22>> SCAM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 14:53:40 UTC
From: falster762@aol.com
Message-ID: <20021207095340.03136.00003381@mb-md.aol.com>
Source record: 36269

Dear Fello Hams;
If you must donate to a cause, pick another because this fellow has never ever made any disclosure to where the donations are going, cash, gear or otherwise in over 22-24 years of doing this scam.
I was promised a disclosure but never received any, hmmmm!
It goes into his pocket and anyone who thinks different should really investigate him with the NYC school system, IRS or Not for profit Government bureau.
Fellow Hams DO need your gifts but make sure that someone actually does benefit from it and does go to pay off car leases, collage tuitions and other ventures.
Be Smart, Ask for a disclosure first!
Let JKJ sell his copyrighted manuals and see how long he lasts(another illegal venture of his)!!
Happy Holidays!
Brian

6509. FS: Electro-Voice mic and Telex headphones

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 14:55:10 UTC
From: fredez2@airmail.net
Message-ID: <13F3AD37BFF17AF7.9298F55EC282AB32.857A0C95218CBD4A@lp.airnews.net>
Source record: 36270
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale an Electro-Voice model 205C, differential noise-cancelling mic. It was made for aircraft use. I also have a Telex model A 610 headphone, 600 ohm, also made for aircraft use. Asking $20 each. If interested please phone me at 972-231-7511 or via email. Thanks...Fred, W5HTR.

6510. FT 920 MFJ Versa Tunner 5 4 trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 15:01:15 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3DF208AC.6030608@dirtball.com>
Source record: 36271

Hello
I have a FT 920 with the AM filter and FM board. The FT 920 is 100 watts HF + 6 Meters. It has a Auto tunner and the MC 100 Desk Mic. I also Have the 3 KW Roller Inductor Antenna Tuner. They are in good shape I will trade both for a FT 990 or a FT 1000.. I have been using the FT 920 as a backup rig.
If you have a FT 1000D I will add a Henry Radio 2KD-5 Amplifier to the deal. 100 watts in gets you about 1000 watts out. It has new caps and a pair of Emac 3-500. It is wired for Single Phase 240. The same voltage that runs your dryer and electric range. I am will to travel 100 miles from Athens GA. Drop me a email so we can work out the deal.
oris@dirtball.com
Happy Holidays
73 and thanks for reading
Oris
N4CND
http://www.dirtball.com

6511. Re: IC-751 transceiver, AT-150 auto tuner, Shure 444D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 16:17:37 UTC
From: Peter Fournia <w2sky@arrl.net>
Message-ID: <3DF21F26.7D67D538@arrl.net>
Source record: 36272

This is a very nice package that I am selling via auction at eBay.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942287105
If it does not sell at a fair price with this attempt then I will be selling the items separately using local hamfests, auctions, newsletters, ads, bulletin boards...etc. I wanted to offer the items together before splitting them.

Some people volunteered price expectations for the IC-751 alone in response to my post at: rec.radio.swap dated Dec. 4. Sorry about the FA - FS confusion. I'll use "FA" for auctions in the future.
Peter F.

Bob Miller wrote:

>
> Are you saying something can be "for sale" and "for auction" at the same time?
>
> See the dicionary.
>
> Bob
> k5qwg
>

6512. ICOM PS-20 power supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 18:58:53 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <astjr50ie4@enews1.newsguy.com>
Source record: 36277

I posted a query looking for the individual who wanted an ICOM PS-20 power supply. He has contacted me and the PS is sold.

--

Regards,
Joe S.

6513. Dust Covers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 19:07:11 UTC
From: "L. E. Dietrich" <ldietric@optonline.net>
Message-ID: <zFrI9.7119$CU3.7051@news4.srv.hcvlny.cv.net>
Source record: 36273
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

All,

Looking to pick up some dust covers for my rigs...any manufacturers come to mind?

Lou n2tu@optonline.net

6514. FA: UHF transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 19:16:23 UTC
From: aokd5fxt@aol.com
Message-ID: <20021207141623.06667.00000204@mb-fu.aol.com>
Source record: 36274

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1943311340

No Reserve

6515. FS: Heathkit SB-221 HF amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 19:30:02 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <9ji4vu8h63od75spjmfuf9041efa14jhnj@4ax.com>
Source record: 36275

I have for sale a Heathkit SB-221 HF amplifier 80 to 15 meters . The front face is excellent and the cabinet is in good condition no dents and some paint peeling off. Unable to test it out fully, meters light up and fan comes on, but the tube filaments do not light up....Its wired for 110 and meter shows 2800 to 2900 volts. The 3-500Z tubes are Eimac and I do not have a manual for it......I would prefer a pick up and probaly can be an easy fix....I will take $300 and can be reached at (508) 821-2993 or email.....WZ1U Steve Lakeville, Ma.

6516. AEA CK-2 keyer help

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 19:31:33 UTC
From: Mike Hansow <ka7cse@att.net>
Message-ID: <p0sI9.47884$hK4.4207088@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36276

Does anybody out there happen to have a manual for an AEA CK-2 Contester keyer that they would be willing to share some information with me. I need some help figuring out how to change some settings on mine. Thanks....

--
Mike Hansow, KA7CSE
Renton, Washington

6517. Re: Dust Covers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 21:15:42 UTC
From: Glenn Miller <aa5pk@hotmail.com>
Message-ID: <2ytI9.48046$hK4.4218656@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36278
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

"L. E. Dietrich" <ldietric@optonline.net> wrote in message
news:zFrI9.7119$CU3.7051@news4.srv.hcvlny.cv.net...
> Looking to pick up some dust covers for my rigs...any manufacturers come
to
> mind?

http://www.surplussales.com/DustCovers.html

Glenn AA5PK

6518. 2 Metre Module

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 21:25:36 UTC
From: Graham Lodge <grahamlodge@xtra.co.nz>
Message-ID: <cHtI9.41015$_h6.560171@news.xtra.co.nz>
Source record: 36279

Has anyone got a 2 metre module for the Yaesu 767GX TX for sale

Graham Lodge
grahamlodge@xtra.co.nz

6519. Re: PLEASE DON'T DONATE TO RADIO CLUB OF JHS 22>> SCAM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 21:31:30 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnav4q5h.v6u.nobody@animas.frontier.net>
Source record: 36280

On 07 Dec 2002 14:53:40 GMT, Falster762 hath writ:

<repetitious rant snipped>

PLONK

6520. ON TV LAND TONIGHT, Sat, Dec 7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 22:07:12 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DF271FA.81AEF007@optonline.net>
Source record: 36281
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap,rec.radio.swap,alt.ham-radio.vhf-uhf

Hi all,
Tonight, Saturday Dec 7th on TV Land...
9:30pm EST
The Munsters...
Herman gets on Ham Radio...

6521. Re: Ten-Tec Delta 1 Info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 22:41:17 UTC
From: Captain Liberty <Barrister54@socal.rr.com>
Message-ID: <hOuI9.106009$%k2.26919536@twister.socal.rr.com>
Source record: 36282

"Dave" <g3vfp@blueyonder.co.uk> wrote in message
news:rgnI9.9768$xi2.3163@news-binary.blueyonder.co.uk...
> Hi guys.
>
> Can anyone give me the connection information on the Ten Tec Delta1 with
> relation to auxillary sockets, mic and speaker connections. I am looking
to
> interface my pc soundcard to this rig, and have no detail on any of it's
> connectors.
>
> Thanks in advance of any help
>
> Regards,
>
> Dave G3VFP

Dave, why not email Ten Tech? They have an outstanding reputation for
responding to queries of this sort.

73 de Roger, W6VZV

6522. Re: ON TV LAND TONIGHT, Sat, Dec 7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 23:17:08 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <astvhfhii1@slb4.atl.mindspring.net>
Source record: 36283
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap,rec.radio.swap,alt.ham-radio.vhf-uhf

Great example.

Dan/W4NTI

"Mark Russo" <mrrusso@optonline.net> wrote in message
news:3DF271FA.81AEF007@optonline.net...
> Hi all,
> Tonight, Saturday Dec 7th on TV Land...
> 9:30pm EST
> The Munsters...
> Herman gets on Ham Radio...
>

6523. Re: ON TV LAND TONIGHT, Sat, Dec 7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 23:19:59 UTC
From: dj <dalej2@mac.remove.this.com>
Message-ID: <dalej2-47EEDC.17194307122002@apollo-ge0.rdc-kc.rr.com>
Source record: 36284
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap,rec.radio.swap,alt.ham-radio.vhf-uhf

In article <3DF271FA.81AEF007@optonline.net>,
Mark Russo <mrrusso@optonline.net> wrote:

> Hi all,
> Tonight, Saturday Dec 7th on TV Land...
> 9:30pm EST
> The Munsters...
> Herman gets on Ham Radio...
>

Can't wait. On the sixty first anniversary of Pearl Harbor.

6524. Re: Ten-Tec Delta 1 Info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 23:24:52 UTC
From: Dave <g3vfp@blueyonder.co.uk>
Message-ID: <hrvI9.1532$4k1.7@news-binary.blueyonder.co.uk>
Source record: 36285

Hi Roger

I would but time is of the essence as I have to ship a unit next week to interface to the rig, and can't wait for prelonged verbal dialogue with the manufacturers. It's a pity they aren't more like Kenwood whom produce a great booklet outlining the connectors for all their radios.

Certainly Roger it would be easier for someone with a Ten Tec Delta II 560 I think it is rather than a Delta 1, to just type in a reply. That's what I have done for others in the past.

Cheers,

Dave G3VFP

"Captain Liberty" <Barrister54@socal.rr.com> wrote in message
news:hOuI9.106009$%k2.26919536@twister.socal.rr.com...
>
> "Dave" <g3vfp@blueyonder.co.uk> wrote in message
> news:rgnI9.9768$xi2.3163@news-binary.blueyonder.co.uk...
> > Hi guys.
> >
> > Can anyone give me the connection information on the Ten Tec Delta1 with
> > relation to auxillary sockets, mic and speaker connections. I am looking
> to
> > interface my pc soundcard to this rig, and have no detail on any of it's
> > connectors.
> >
> > Thanks in advance of any help
> >
> > Regards,
> >
> > Dave G3VFP
>
> Dave, why not email Ten Tech? They have an outstanding reputation for
> responding to queries of this sort.
>
> 73 de Roger, W6VZV
>
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.426 / Virus Database: 239 - Release Date: 02/12/2002

6525. Re: Dust Covers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-07 23:36:46 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <asu0k8017fq@enews1.newsguy.com>
Source record: 36286

Does your wife, girl friend, or person with similar relationship sew? I have three complete ICOM stations; each station consists of PS-55 power supply/AT-150 antenna tuner/SP-3 external speaker/IC-735. The power supply, tuner, and speaker are all same size, transceiver is larger. I had one set of vinyl dust covers that I purchased years ago, somewhere.

Asked my wife if she could sew up dust covers, same size, made of fabric. She looked at the vinyl covers, took a few measurements and said "No problem." I told her any color except pink. She did it -- took a whole day -- and now my equipment is all covered with some very nice woodland camouflage (!!!) dust covers.

--

Regards,
Joe S.

"L. E. Dietrich" <ldietric@optonline.net> wrote in message news:zFrI9.7119$CU3.7051@news4.srv.hcvlny.cv.net...
> All,
>
> Looking to pick up some dust covers for my rigs...any manufacturers come to
> mind?
>
> Lou n2tu@optonline.net
>
>

6526. Re: ON TV LAND TONIGHT, Sat, Dec 7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 00:10:55 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <asu2mbgea1@slb2.atl.mindspring.net>
Source record: 36287
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap,rec.radio.swap,alt.ham-radio.vhf-uhf

Really....has anyone else noticed the 'lack of interest' about Pearl Harbor?
Guess were all afraid of ticking off the Japs.

Dan/W4NTI

"dj" <dalej2@mac.remove.this.com> wrote in message
news:dalej2-47EEDC.17194307122002@apollo-ge0.rdc-kc.rr.com...
> In article <3DF271FA.81AEF007@optonline.net>,
> Mark Russo <mrrusso@optonline.net> wrote:
>
> > Hi all,
> > Tonight, Saturday Dec 7th on TV Land...
> > 9:30pm EST
> > The Munsters...
> > Herman gets on Ham Radio...
> >
>
> Can't wait. On the sixty first anniversary of Pearl Harbor.

6527. Re: ON TV LAND TONIGHT, Sat, Dec 7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 03:14:50 UTC
From: Dan Conti <dconti@nj.rr.com>
Message-ID: <KOyI9.229894$Up6.41134190@twister.nyc.rr.com>
Source record: 36288
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap,rec.radio.swap,alt.ham-radio.vhf-uhf

Why is this post on a SWAP or SALE group?

"Mark Russo" <mrrusso@optonline.net> wrote in message
news:3DF271FA.81AEF007@optonline.net...
> Hi all,
> Tonight, Saturday Dec 7th on TV Land...
> 9:30pm EST
> The Munsters...
> Herman gets on Ham Radio...
>

6528. For Sale: Optoelectronics Optocom Receiver (firmware 1.5/Bitbanger)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 04:17:09 UTC
From: kc1ua@scancapecod.net
Message-ID: <9b093b3c.0212072017.16801ee4@posting.google.com>
Source record: 36289
Cross-posted to: rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.swap

I have for sale an Optoelectronics Optocom receiver. Specific details of the Optocom can be found at:

http://www.optoelectronics.com/optocom

This Optocom contains the latest firmware, version 1.5. It also has the Bitbanger addition. Unit is in excellent condition and has been used exclusively in an indoor environment.

Includes AC90 power adapter, telescoping whip antenna, serial cable, Trakkstar software disc and license, instruction manual, and Optoelectronics Utility disc.

Asking $400.00 shipped UPS ground US only. Payment via Paypal or PREPAID WITH US POSTAL MONEY ORDER ONLY!

Reason for selling: I have two of them, and this one is seeing very little use. Liquidating for purchase of other equipment.

Please E-Mail me at kc1ua@scancapecod.net if interested. Thanks for reading.

Scott
Scan Cape Cod/Scan Massachusetts
http://www.scanmassachusetts.net

6529. Kenwood R-2000 web page up and running!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 05:52:08 UTC
From: will7370@yahoo.com
Message-ID: <e88e9b5a.0212072152.783bc0d2@posting.google.com>
Source record: 36290

Find it here:

http://www.qsl.net/kc7bum/

Comments, corrections, suggestions or additions are eagerly solicited.

Robert Williams KC7BUM
Portland, Oregon USA

6530. FREE--ALPHA 78 FACE & COVER--FREE !!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 06:04:26 UTC
From: rong@computer.net
Message-ID: <3df2e074.1172914@news.computer.net>
Source record: 36291
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi all,

I just put on a new face & top cover on my old Alpha 78. I thought I was going to have problems but everything went very smooth. I was advised by Glen at Crosslink that I might have to loosen the 2 meters to align them with the new face, but the face went right on like it was made for my unit. The new face & cover are high quality units with very nice paint & lettering just as you would expect from Crosslink (ALPHA).

Now I have a sticky face & cover to get rid of. I really do not want to throw them away, as I'm sure that SOMEONE out there can make use of them. There is a rumor that if you soak them in water overnight, the stickiness goes away, but I cannot confirm that.

Except for the stickiness, the face is in great shape with the exception of the top left screw hole--somebody had bad aim with their screwdriver and put a few scratch marks there. The cover has numerous scrapes and smudges, but there are no dents or deep scratches.

Now the best part---THEY ARE YOURS FOR FREE---All you have to do is pay me for the shipping which should run under $20, saving yourself almost $200 compared to buying new ones. E-mail or call me at 914 769 3114 M-F 7AM-5PM EST, or all weekend at 845 526 3221 .
****
Ron Goldstein.....KA2IIA
STAY YOUNG---DRIVE A VINTAGE 427 CORVETTE.
KEEP YOUR MIND ACTIVE---BECOME AN AMATEUR RADIO OPERATOR.

REMEMBER, THERE ARE NO STRANGERS IN AMATEUR RADIO, ONLY FRIENDS THAT WE HAVE NOT YET MET.
rong@computer.net******ka2iia@arrl.net

6531. Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 06:40:08 UTC
From: JEEPMON <JEEPMON@HOTMAIL.COM>
Message-ID: <cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net>
Source record: 36292
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

How would you rate and place in order from best to worse (mostly in terms of receiver abilities) these radio for 6 METER WORK ONLY!!!

Alinco DX-70T
JRC JST-245
Icom IC-575
Icom IC-746
Icom IC-746 PRO
Icom IC-756
Icom IC-756 PRO
Icom IC-756 PRO II
Kenwood TS-2000
Yaesu FT-847
Yaesu FT-920

6532. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 09:22:39 UTC
From: Geoff Brown <"Geoff Brown"@goawayspam.com>
Message-ID: <asv30vddm1@helle.btinternet.com>
Source record: 36293
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

You missed the best one! FT650! # 1

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net...
> How would you rate and place in order from best to worse (mostly in terms
of
> receiver abilities) these radio for 6 METER WORK ONLY!!!

6533. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 09:32:32 UTC
From: "Brine Reay"
Message-ID: <3df31999_3@mk-nntp-1.news.uk.worldonline.com>
Source record: 36295
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Why would anyone in this NG be interested in
a CB survey? The best rig for 6 METER WORK ONLY is
the one you manufacture for yourself.

JEEPMON <JEEPMON@HOTMAIL.COM> wrote in message
news:cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net...
> How would you rate and place in order from best to worse (mostly in terms
of
> receiver abilities) these radio for 6 METER WORK ONLY!!!
>
> Alinco DX-70T
> JRC JST-245
> Icom IC-575
> Icom IC-746
> Icom IC-746 PRO
> Icom IC-756
> Icom IC-756 PRO
> Icom IC-756 PRO II
> Kenwood TS-2000
> Yaesu FT-847
> Yaesu FT-920
>
>

6534. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 09:35:02 UTC
From: F8BOE Olivier <f8boeNOSPAM@free.fr>
Message-ID: <3df31257$0$20673$626a54ce@news.free.fr>
Source record: 36294
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Hi!

You missed the TS 60 too.

"JEEPMON" <JEEPMON@HOTMAIL.COM> a crit dans le message de news:
cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net...
> How would you rate and place in order from best to worse (mostly in terms
of
> receiver abilities) these radio for 6 METER WORK ONLY!!!
>
> Alinco DX-70T
> JRC JST-245
> Icom IC-575
> Icom IC-746
> Icom IC-746 PRO
> Icom IC-756
> Icom IC-756 PRO
> Icom IC-756 PRO II
> Kenwood TS-2000
> Yaesu FT-847
> Yaesu FT-920
>
>

6535. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 11:11:06 UTC
From: RVMJ <RVMJ@Safety-&-Arming.Clara.co.uk>
Message-ID: <25a6vu4rud0j2jqrrf6p2flp4ietnjshlo@4ax.com>
Source record: 36296
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

"Brine Reay" <@> wrote:

>Why would anyone in this NG be interested in
>a CB survey? The best rig for 6 METER WORK ONLY is
>the one you manufacture for yourself.

Just a point, but have you solved the problem with your FT707 yet?

--
from
RVMJ
Remove Safety-&-Arming before e-mailing

6536. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 11:16:50 UTC
From: citizensband <citizensband@ntlworld.com>
Message-ID: <BVFI9.2253$iz3.263560@newsfep2-win.server.ntli.net>
Source record: 36297
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

"RVMJ" <RVMJ@Safety-&-Arming.Clara.co.uk> wrote in message
news:25a6vu4rud0j2jqrrf6p2flp4ietnjshlo@4ax.com...
> "Brine Reay" <@> wrote:
>
> >Why would anyone in this NG be interested in
> >a CB survey? The best rig for 6 METER WORK ONLY is
> >the one you manufacture for yourself.
>
> Just a point, but have you solved the problem with your FT707 yet?
>
> --
Nah, IIRC the wheel fell off his ISP or was it his newsreader...something
like that.

This meant nobody could tell him how to fix it. Don't worry though, he's
using the Cb in his Land Rover instead :-(

Regards
tox

6537. Re: [VD ALL] Collectors! WW3 DL UK FR US many TX/RX accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 12:27:06 UTC
From: "f.meijer@nospamhccnet.nl" <f.meijer@hccnet.nl>
Message-ID: <asvdvc$ih9$1@news.hccnet.nl>
Source record: 36199
Cross-posted to: fr.rec.radio.amateur,nl.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

Hi there,
Since when is there a WW3?
fr@nz
Bonjour mr optimist,
C'est le future peut-etre, mais il-n'y-a pas encore un WW3.
fr@nz
"GAYOT Pascal" <pascal.gayot@atosorigin.com> schreef in bericht
news:3df1b10b$0$13841$79c14f64@nan-newsreader-01.noos.net...
> [VD ALL] for Collectors! WW3 DL UK FR US many TX/RX and access.
> BC191 complete set!
> sp600, hro, r1155, AN/ART13 et bien d'autres..
> [VD ALL] pour Collectionneurs! WW3 DL UK FR US plein de TX/RX accessoires
> parfois des "sets" complets: bc191! sp600, hro, r1155, AN/ART13 et bien
> d'autres
>
> www.fadou.com/__broqu.htm
>
>
>

6538. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 12:33:30 UTC
From: Richard <translations@qdnet.pl>
Message-ID: <asve6j$7g6$1@news.tpi.pl>
Source record: 36198
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Checkout uk six meter org uk group - they have they lilsted and compared

Richard
ex G6GGE

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net...
> How would you rate and place in order from best to worse (mostly in terms
of
> receiver abilities) these radio for 6 METER WORK ONLY!!!
>
> Alinco DX-70T
> JRC JST-245
> Icom IC-575
> Icom IC-746
> Icom IC-746 PRO
> Icom IC-756
> Icom IC-756 PRO
> Icom IC-756 PRO II
> Kenwood TS-2000
> Yaesu FT-847
> Yaesu FT-920
>
>

6539. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 14:03:46 UTC
From: Ricky <richard.edwards-longhurst@ntlworld.com>
Message-ID: <9fII9.1106$Vq1.48439@newsfep1-gui.server.ntli.net>
Source record: 36200
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

The FT650 is the best par excellence!!
Shame they don't make 'em anymore. Wish i'd never flogged mine :-(would
love another one.

Ricky

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net...
> How would you rate and place in order from best to worse (mostly in terms
of
> receiver abilities) these radio for 6 METER WORK ONLY!!!
>
> Alinco DX-70T
> JRC JST-245
> Icom IC-575
> Icom IC-746
> Icom IC-746 PRO
> Icom IC-756
> Icom IC-756 PRO
> Icom IC-756 PRO II
> Kenwood TS-2000
> Yaesu FT-847
> Yaesu FT-920
>
>

6540. Yaesu FT-817 QRP FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 14:51:02 UTC
From: tim english <te@usol.com>
Message-ID: <62n6vu0mb808fciikqorfgecd4si41o0hu@4ax.com>
Source record: 36201

Brand spanking new Yaesu FT-817 QRP rig. 1 week old, used for 1 hour. Buttons are too small for my fingers. Has just about every feature you can imagine. 4 power levels of .5, 1, 2.5 and 5 watts. Covers 160 meters through 432Mhz, all modes. Comes complete and MINT in box with all paperwork, Yaesu world map, shoulder strap, antennas for 144 and 432, power cord, hand mic (never out of bag) and alkaline battery holder. $525 and I'll pay priority insured shipping to your door. Satisfaction guaranteed !
--
Tim, K8TJ
(ex-WB8OGM)
http://mywebpages.comcast.net/tje16/817.jpg

6541. am3349/grc106 amp

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 14:58:12 UTC
From: steve carey <scarey@tctc.com>
Message-ID: <86JI9.46597$Hs2.6214279@kent.svc.tds.net>
Source record: 36202

I'M HAVING TROUBLE WITH THE AM3349/GRC106 AMP THE TUNE METER DEFLECTS COMPLETELY TO LEFT NO MATTER WHERE THE ANTENNA TUNE CAP IS WITH ANTENNA OR DUMMY LOAD CAN ANY BODY HELP WITH THE PROBLEM THANKS STEVE

6542. Parting out Collins 32V-2

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 15:18:12 UTC
From: jonweiner@aol.com
Message-ID: <20021208101812.10408.00008497@mb-mv.aol.com>
Source record: 36203

I am parting out a Collins 32V-2 transmitter. Let me know your needs. Cabinet & LV transformer already sold.

Jon

6543. Re: ON TV LAND TONIGHT, Sat, Dec 7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 15:44:24 UTC
From: DougSlug <w2dug@arrl.net>
Message-ID: <sNJI9.14177$CU3.10587@news4.srv.hcvlny.cv.net>
Source record: 36204
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap,rec.radio.swap,alt.ham-radio.vhf-uhf

Because of inappropriate cross-posting. Obviously someone thought it was important enough to disregard common netiquette. Thing is, it's only freakin' FICTION...not real ham radio.

"Dan Conti" <dconti@nj.rr.com> wrote in message
news:KOyI9.229894$Up6.41134190@twister.nyc.rr.com...
> Why is this post on a SWAP or SALE group?
>
> "Mark Russo" <mrrusso@optonline.net> wrote in message
> news:3DF271FA.81AEF007@optonline.net...
> > Hi all,
> > Tonight, Saturday Dec 7th on TV Land...
> > 9:30pm EST
> > The Munsters...
> > Herman gets on Ham Radio...
> >
>
>

6544. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 16:35:21 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3df3726e$0$20660$39cecf19@nnrp1.twtelecom.net>
Source record: 36206
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
$600

Kenwood TMV7A 50W 2M/35W 440 FM
DFK3C REMOTE CABLE KIT
PG4S PC INTERFACE CABLE + SOFTWARE
$325

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Charger
$200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 AD board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have. I can email pics.

Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

6545. Trade For DX-398

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 16:36:12 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <0yKI9.85659$%p6.8460074@twister.neo.rr.com>
Source record: 36205
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

I'm looking to trade for a MINT DX-398. I have a Sangean ATS-818 in excellent cond., box, manual, and PS. Also a brand new DX-402. Will trade both for a DX-398 in perfect cond. Satisfaction guaranteed.
DeWayne KE9K

6546. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 16:48:22 UTC
From: af65_69@yahoo.com
Message-ID: <34de2051.0212080848.1529d062@posting.google.com>
Source record: 36207
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

You also forgot the TenTec 526 transceiver.

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:<cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net>...
> How would you rate and place in order from best to worse (mostly in terms of
> receiver abilities) these radio for 6 METER WORK ONLY!!!
>
> Alinco DX-70T
> JRC JST-245
> Icom IC-575
> Icom IC-746
> Icom IC-746 PRO
> Icom IC-756
> Icom IC-756 PRO
> Icom IC-756 PRO II
> Kenwood TS-2000
> Yaesu FT-847
> Yaesu FT-920

6547. FA: ASTATIC T-UG8 POWER MIKE STAND @ a big $19, Last call!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 17:08:40 UTC
From: rlucch2098@aol.com
Message-ID: <20021208120840.02659.00000103@mb-cg.aol.com>
Source record: 36208

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154909

6548. FA: WILLIAM NYE "MASTER" MORSE CODE KEY>Cheep, Tonite!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 17:10:07 UTC
From: rlucch2098@aol.com
Message-ID: <20021208121007.02659.00000104@mb-cg.aol.com>
Source record: 36209

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154918

6549. Fa= ICOM IC-745 ALL-BAND w/SW RECEIVE+BUILT-IN AC=ends soon

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 17:16:03 UTC
From: rlucch2098@aol.com
Message-ID: <20021208121603.02659.00000111@mb-cg.aol.com>
Source record: 36210

Many nice, clear pictures!
Reserve is at $415
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1942154951

6550. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 17:25:43 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <zn=zPXIV=tb83xkyFDXkKbXL6fOW@4ax.com>
Source record: 36211

af65_69@yahoo.com (JaySeeBee) wrote:

>You also forgot the TenTec 526 transceiver.

Not to mention the Yaesu Mk V with the fancy 6 meter transverter.

Jeepy -- all of these rigs have been reviewed by QST and the reviews are
available at the arrl.org site. Why don't you tell us which one works best?

Bob
k5qwg
>
>
>"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:<cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net>...
>> How would you rate and place in order from best to worse (mostly in terms of
>> receiver abilities) these radio for 6 METER WORK ONLY!!!
>>
>> Alinco DX-70T
>> JRC JST-245
>> Icom IC-575
>> Icom IC-746
>> Icom IC-746 PRO
>> Icom IC-756
>> Icom IC-756 PRO
>> Icom IC-756 PRO II
>> Kenwood TS-2000
>> Yaesu FT-847
>> Yaesu FT-920

6551. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 18:01:30 UTC
From: Brian Howie <brian@nospam.demon.co.uk>
Message-ID: <PfV3kFB6j489EwMH@b-howie.demon.co.uk>
Source record: 36212
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

In message <cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net>, JEEPMON <JEEPMON@HOTMAIL.COM> writes
>How would you rate and place in order from best to worse (mostly in terms of
>receiver abilities) these radio for 6 METER WORK ONLY!!!
>
>Alinco DX-70T
>JRC JST-245
>Icom IC-575
>Icom IC-746
>Icom IC-746 PRO
>Icom IC-756
>Icom IC-756 PRO
>Icom IC-756 PRO II
>Kenwood TS-2000
>Yaesu FT-847
>Yaesu FT-920

Unless they are really carp, they are all the same, you are antenna noise limited on 6m .

HTH

Brian GM4DIJ

--
Brian Howie

6552. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 18:21:25 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <F4MI9.17800$r4.936287@news1.west.cox.net>
Source record: 36213

Also add Kewood TS-60

See 6M reviews at eham reviews URL:
http://www.eham.net/reviews/products/38
AND
http://www.eham.net/reviews/products/14

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Bob Miller" <bxmillerSpamNot@texas.net> wrote in message
news:zn=zPXIV=tb83xkyFDXkKbXL6fOW@4ax.com...
> af65_69@yahoo.com (JaySeeBee) wrote:
>
> >You also forgot the TenTec 526 transceiver.
>
> Not to mention the Yaesu Mk V with the fancy 6 meter transverter.
>
> Jeepy -- all of these rigs have been reviewed by QST and the reviews are
> available at the arrl.org site. Why don't you tell us which one works
best?
>
> Bob
> k5qwg
> >
> >
> >"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:<cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net>...
> >> How would you rate and place in order from best to worse (mostly in
terms of
> >> receiver abilities) these radio for 6 METER WORK ONLY!!!
> >>
> >> Alinco DX-70T
> >> JRC JST-245
> >> Icom IC-575
> >> Icom IC-746
> >> Icom IC-746 PRO
> >> Icom IC-756
> >> Icom IC-756 PRO
> >> Icom IC-756 PRO II
> >> Kenwood TS-2000
> >> Yaesu FT-847
> >> Yaesu FT-920
>

6553. Brand New IC746 w/SM-20 Desk Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 19:22:08 UTC
From: trout <trout@nycap.rr.com>
Message-ID: <5fh7vug8trg5cacgv44nrm2t5um9pf75ol@4ax.com>
Source record: 36214

New in the box:

IC746 Transceiver
SM-20 Mic

Man passed away before he could
use it. Being sold by his widow.

$1,000 plus $25 shipping.

Postal money orders gets immediate shipping.
Check needs to first clear.

No negotiating. Firm price.

Face plate still has the plastic on it.
All manuals still sealed.
High serial number.

Purchased 9-2002

6554. ic 706

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 19:25:23 UTC
From: ke3jp@svol.net
Message-ID: <7170ec30.0212081125.93cc66a@posting.google.com>
Source record: 36215

looking for a front panel for a icom ic 706 can anyone help me thanks
mike ke3jp@svol.net

6555. FS: NEW batt, Mic, Earbud

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 19:41:58 UTC
From: "R. Belcher" <randy.belcher@verizon.net>
Message-ID: <agNI9.15146$903.9810@nwrddc02.gnilink.net>
Source record: 36216
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hey all, have some brand new aftermarket items for sale as follows:

4 GP300 Lapel Mic: $20ea.

2 Earbud w/collar mic for ear canal: $14ea

2 Earbud w/collar mic for over ear hanger: $15ea

2 GP68 Battery: $24ea

5 GP300 batt w/clip: $22ea.

4 SP50 tall battery: $23ea

All batteries are hi-cap (1100mAh or better) using Sanyo cells, all datecodes are 11/02 so they're only a few weeks old, guaranteed fresh! Accessories use GP300 radio connector so they will fit many models and brands.
All prices excluding freight, pix available and prefer to sell each lot complete (or entire lot with free CONUS shipping.)
Let me know if interested and thanks!
Woody

6556. OCXO

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 20:36:53 UTC
From: jsideburns@yahoo.ca
Message-ID: <a701e809.0212081236.74ab5ddd@posting.google.com>
Source record: 36217

Hello can anyone tell me a website where I might be able to purchase a oven controlled crystal oscillator for about $200, at 10 MHz.

THANKS

6557. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 21:06:57 UTC
From: Bob Johnstone <Bob@gm1ygv.demon.co.uk>
Message-ID: <d0eAlLAxR789Ew83@gm1ygv.demon.co.uk>
Source record: 36219
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

In article <cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net>, JEEPMON
<JEEPMON@HOTMAIL.COM> writes
>How would you rate and place in order from best to worse (mostly in terms of
>receiver abilities) these radio for 6 METER WORK ONLY!!!
>
>Alinco DX-70T
>JRC JST-245
>Icom IC-575
>Icom IC-746
>Icom IC-746 PRO
>Icom IC-756
>Icom IC-756 PRO
>Icom IC-756 PRO II
>Kenwood TS-2000
>Yaesu FT-847
>Yaesu FT-920
>
>
None of them. Reason being none of them have six meters.

Regards
--
Bob Johnstone

6558. Re: Ten-Tec Delta 1 Info

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 22:06:00 UTC
From: Captain Liberty <Barrister54@socal.rr.com>
Message-ID: <cnPI9.102772$2z1.29462751@twister.socal.rr.com>
Source record: 36218

"Dave" <g3vfp@blueyonder.co.uk> wrote in message
news:hrvI9.1532$4k1.7@news-binary.blueyonder.co.uk...
> Hi Roger
>
> I would but time is of the essence as I have to ship a unit next week to
> interface to the rig, and can't wait for prelonged verbal dialogue with
the
> manufacturers. It's a pity they aren't more like Kenwood whom produce a
> great booklet outlining the connectors for all their radios.
>
> Certainly Roger it would be easier for someone with a Ten Tec Delta II 560
I
> think it is rather than a Delta 1, to just type in a reply. That's what I
> have done for others in the past.
>
> Cheers,
>

Hope it works for you.

73

--

Roger J. Buffington, W6VZV
340 Sea Ray Sundancer "Bounty"

6559. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-08 23:56:10 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DF3DC1A.35EEAFC7@qth.com>
Source record: 36220
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur
Body handling: Binary attachment payload not displayed: radioranch.vcf

What planet are you from? They all have 6 meters...For the money, I like the 746 and 756....among those you listed 575 is not real competitive any more...Should be able to get a nice 746 or 756 (original style) for under 1000, probably 900 and some shipping..The JST is good to but lacks the dsp and is too much money...both pros maybe a little better but too much money for the difference...FT 847 so so on 6, TS 2000 probaby great but i dont know and doubt the difference would be worth it on 6 meters, 920 soso on 6 meters...thats my opinion, I obviously prefer the Icom, using a 746 pro and dont know any yaesu or kenwood that will beat it...many are close!! 73 Murray K5MDM

Bob Johnstone wrote:

> In article <cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net>, JEEPMON
> <JEEPMON@HOTMAIL.COM> writes
> >How would you rate and place in order from best to worse (mostly in terms of
> >receiver abilities) these radio for 6 METER WORK ONLY!!!
> >
> >Alinco DX-70T
> >JRC JST-245
> >Icom IC-575
> >Icom IC-746
> >Icom IC-746 PRO
> >Icom IC-756
> >Icom IC-756 PRO
> >Icom IC-756 PRO II
> >Kenwood TS-2000
> >Yaesu FT-847
> >Yaesu FT-920
> >
> >
> None of them. Reason being none of them have six meters.
>
> Regards
> --
> Bob Johnstone

[One or more binary attachments are retained only in the source text.]

6560. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 00:01:08 UTC
From: Stu <samalex@eidosnet.co.uk>
Message-ID: <at0mg4brs1@helle.btinternet.com>
Source record: 36221
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

think he means meters as in s meter power meter etc

6561. 9600 baud on the TS-60?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 00:15:49 UTC
From: N8XYN <n8xyn@worldnet.att.net>
Message-ID: <VgRI9.44312$vM1.3536292@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36222

Anyone know how to achieve this?

6562. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 00:22:49 UTC
From: Bob Johnstone <Bob@gm1ygv.demon.co.uk>
Message-ID: <FxUWEJAZJ+89Ewvy@gm1ygv.demon.co.uk>
Source record: 36223
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

In article <3DF3DC1A.35EEAFC7@qth.com>, Murray Neece
<radioranch@qth.com> writes
>What planet are you from? They all have 6 meters...For the money, I like the 746
>and 756....among those you listed 575 is not real competitive any more...Should
>be able to get a nice 746 or 756 (original style) for under 1000, probably 900
>and some shipping..The JST is good to but lacks the dsp and is too much
>money...both pros maybe a little better but too much money for the
>difference...FT 847 so so on 6, TS 2000 probaby great but i dont know and doubt
>the difference would be worth it on 6 meters, 920 soso on 6 meters...thats my
>opinion, I obviously prefer the Icom, using a 746 pro and dont know any yaesu or
>kenwood that will beat it...many are close!! 73 Murray K5MDM
>
>Bob Johnstone wrote:
>
>> In article <cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net>, JEEPMON
>> <JEEPMON@HOTMAIL.COM> writes
>> >How would you rate and place in order from best to worse (mostly in terms of
>> >receiver abilities) these radio for 6 METER WORK ONLY!!!
>> >
>> >Alinco DX-70T
>> >JRC JST-245
>> >Icom IC-575
>> >Icom IC-746
>> >Icom IC-746 PRO
>> >Icom IC-756
>> >Icom IC-756 PRO
>> >Icom IC-756 PRO II
>> >Kenwood TS-2000
>> >Yaesu FT-847
>> >Yaesu FT-920
>> >
>> >
>> None of them. Reason being none of them have six meters.
>>
I seldom notice top posters. However, a METER is a measuring device. A
Metre is a unit of measurement, as in Kilometre, Metre, Centimetre,
Millimetre. Check the history of where and when it was derived from, you
will find I am correct.

Regards
--
Bob Johnstone

6563. Re: FT Motorola S-1056-C Test set

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 01:14:24 UTC
From: John & Vera <jlanz@peoplepc.com>
Message-ID: <uv7ri5n1b5t857@corp.supernews.com>
Source record: 36224
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

No takers by the morning it goes to the dump.

John
"John & Vera" <jlanz@peoplepc.com> wrote in message
news:uuup3sn6s1j197@corp.supernews.com...
> I Have a Motorola S-1056-C Test set with Tone Gen it comes with the round
> cable and TEK37A Cable. The test set is in good condition. I am looking to
> trade for a Motorola RIB box and programming cable for a MTX-9000.
Anybody
> interested contact me direct jlanz@peoplepc.com , If no takers it goes in
> the scrap heap.
>
>
>
> Thanks
> John
>
>

6564. FA:Motorola Saber Public Safety MIC - NEW

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 01:20:59 UTC
From: msdbm@aol.com
Message-ID: <20021208202059.07780.00010193@mb-mn.aol.com>
Source record: 36225

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943476547

6565. FA:Motorola UHF Stubby Public Safety Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 01:22:05 UTC
From: msdbm@aol.com
Message-ID: <20021208202205.07780.00010194@mb-mn.aol.com>
Source record: 36226

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943478676

6566. FS: Antique AERO COIL SET

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 01:36:37 UTC
From: Heytubeguy <heytubeguy@worldnet.att.net>
Message-ID: <FsSI9.44422$vM1.3547339@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36227

1920'S Aero coil set in super condition/original box too. See on ebay under seller search for <heytubeguy>
You may never see one of these agn.

6567. Tones on an FT-225RD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 03:10:48 UTC
From: dss117@aol.com
Message-ID: <20021208221048.01467.00000188@mb-cr.aol.com>
Source record: 36228

I have a Yaesu FT-225RD 2 meter base. It does not have an internal tone unit to access the repeaters. I hope to add one. Has anyone done this with this rig? Where does the tone unit conect to the rig?
Any help would be great!

6568. Re: ON TV LAND TONIGHT, Sat, Dec 7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 03:27:43 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DF40E99.CC0253BD@optonline.net>
Source record: 36229
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap,rec.radio.swap,alt.ham-radio.vhf-uhf

with a million people looking here I just figured it would be faster and
cheaper
than putting stamps on an envelope and snail mailing the entire ham
community.
And besides, if somebody recorded it they could sell it here, after all,
that show was about ham radio, silly as it was.

Dan Conti wrote:

> Why is this post on a SWAP or SALE group?
>
> "Mark Russo" <mrrusso@optonline.net> wrote in message
> news:3DF271FA.81AEF007@optonline.net...
> > Hi all,
> > Tonight, Saturday Dec 7th on TV Land...
> > 9:30pm EST
> > The Munsters...
> > Herman gets on Ham Radio...
> >

6569. Re: ON TV LAND TONIGHT, Sat, Dec 7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 03:30:12 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DF40F2F.E106E497@optonline.net>
Source record: 36231
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap,rec.radio.swap,alt.ham-radio.vhf-uhf

Seems like some hams out there have no sense of humor.
Lighten up, it's ONLY a hobby

DougSlug wrote:

> Because of inappropriate cross-posting. Obviously someone thought it was
> important enough to disregard common netiquette. Thing is, it's only
> freakin' FICTION...not real ham radio.
>

6570. TS 520 Help Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 03:33:45 UTC
From: radiogib@bellsouth.net
Message-ID: <6a8bf53e.0212081933.2cc95caa@posting.google.com>
Source record: 36230

Hi,

I've a friend who has one of the original 520's with a power output problem. It seems that on transmit, it emits a full scale SLAM of the meter on plate voltage, and no power output. OK for the sake of keeping this story short, does anyone know the transmitter alignment proceedures for this rig including side controls for bias and ac voltage? I believe this unit was set way out of alignment (not by me) and needs just some TLC to get it going again. I've tried another set of finals (used but supposedly good 6146B's) yet according to the set's owner, the rig's doing the same thing. Isn't Ham Radio fun? Thanks for anyone's help in this matter. If you can, please EMAIL me with any possible solutions. garyb@citicom.com

Thanks, and 73 de,

Gary/WB4YQR

6571. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 04:20:15 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <UBj0PQZICfvWHv2Tcg9rObOTAjOB@4ax.com>
Source record: 36232

Bob Johnstone <Bob@gm1ygv.demon.co.uk> wrote:

>In article <3DF3DC1A.35EEAFC7@qth.com>, Murray Neece
><radioranch@qth.com> writes
>>What planet are you from? They all have 6 meters...For the money, I like the 746
>>and 756....among those you listed 575 is not real competitive any more...Should
>>be able to get a nice 746 or 756 (original style) for under 1000, probably 900
>>and some shipping..The JST is good to but lacks the dsp and is too much
>>money...both pros maybe a little better but too much money for the
>>difference...FT 847 so so on 6, TS 2000 probaby great but i dont know and doubt
>>the difference would be worth it on 6 meters, 920 soso on 6 meters...thats my
>>opinion, I obviously prefer the Icom, using a 746 pro and dont know any yaesu or
>>kenwood that will beat it...many are close!! 73 Murray K5MDM
>>
>>Bob Johnstone wrote:
>>
>>> In article <cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net>, JEEPMON
>>> <JEEPMON@HOTMAIL.COM> writes
>>> >How would you rate and place in order from best to worse (mostly in terms of
>>> >receiver abilities) these radio for 6 METER WORK ONLY!!!
>>> >
>>> >Alinco DX-70T
>>> >JRC JST-245
>>> >Icom IC-575
>>> >Icom IC-746
>>> >Icom IC-746 PRO
>>> >Icom IC-756
>>> >Icom IC-756 PRO
>>> >Icom IC-756 PRO II
>>> >Kenwood TS-2000
>>> >Yaesu FT-847
>>> >Yaesu FT-920
>>> >
>>> >
>>> None of them. Reason being none of them have six meters.
>>>
>I seldom notice top posters. However, a METER is a measuring device. A
>Metre is a unit of measurement, as in Kilometre, Metre, Centimetre,
>Millimetre. Check the history of where and when it was derived from, you
>will find I am correct.

Well, that's fine, but where I come from, the dictionary shows metric
measurements ending in the word, "meter", not metre. 'Course, I be in Texas.
Obviously, you ain't.

Bob
k5qwg

>
>Regards

6572. RS HTX202 146.76 'birdie' partial fix

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 04:33:09 UTC
From: Jim Shorney <jshorney@inetnebr.spamblock.com>
Message-ID: <3DF41D05.503EF9F9@inetnebr.spamblock.com>
Source record: 36233
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Some years ago I came up with a partial fix for the much-discussed 146.76 birdie in the Radio Shack HTX-202. The cause is well documented, but apparenty my mod never made it into the system anywhere. It began when I noticed the signal strength of the birdie was reduced by pressing the 'Lamp' button on the side of the radio. As others have found, I then determined that the signal was radiating from the keypad circuits. The solution was to install a .002 uF chip capacitor directly across the terminals of the lamp pushbutton (other values should work, this is just what I happened to have on hand). While this did not completely eliminate the offending signal, it greatly attenuated it.

Here is the procedure:

1) Remove the four screws from the battery plate, and carefully remove the battery plate and spring.

2) Remove the four screws securing the back of the radio to the front.

3) Carefully pull the front away from the back, taking care not to damage the mylar ribbon cable between the radio halves on the right side of the radio.

4) Lay the radio on your bench and remove the two small screws securing the switch circuit board on the side of the radio.

5) Pull the switch PCB away from the side of the radio, taking care not to damage it's mylar ribbon cable.

6) Pull the rubber switch cover away from the circuit board. You will now have access to the switches.

7) Carefully solder your chip cap across the two terminals on the left-hand side of the Lamp switch (marked LIG on the PCB).

8) Re-assemble the radio and enjoy!

It is possible that other placements for bypass caps will result in more improvement; I was happy with my results, so I never persued it any further. YMMV. Standard dislcaimers apply.

Email comments directly (remove the spamblock), as I don't read this group much.

73,

Jim, NU0C

P.S.: A correction: the 'Zener' in the power/battery circuit that causes heat problems isn't a Zener, it is a Schottkey rectifier diode according to the Tandy service manual.

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6573. FS: MFJ-9406 Six Meter SSB/CW Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 05:06:21 UTC
From: wa8mea@hotmail.com
Message-ID: <8a260fb2.0212082106.b3c47bf@posting.google.com>
Source record: 36234
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace

For Sale: MINT MFJ-9406 six meter transceiver. This rig is a blast! Hate to unload it, but I've got a new FT-847 with 6 meters. GREAT transmit audio! Worked locally and lots of DX using only a three element yagi. CW module installed. Comes with manual, original box, stock hand mic and DC cord. $169 and I will pay for shipping and insurance. If you're short on cash, we can run the transaction through my little Ham/SWL business using your "plastic". First e-mail or phone call gets it. 73 from Bill - WA8MEA, 1.517.563.2613 - http://qth.com/dwm

6574. Re: TS 520 Help Needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 05:45:13 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <at193k$dg7$1@news1.kornet.net>
Source record: 36235

Sounds like something is open in the plate/screen/cathode circuit of the finals. Look for open choke coils or screen resistor. I used to have a 520, but sold it, and the schematics with it, so I can't troubleshoot further for you.

"Gary Bernstein" <radiogib@bellsouth.net> wrote in message news:6a8bf53e.0212081933.2cc95caa@posting.google.com...
> Hi,
>
> I've a friend who has one of the original 520's with a power output
> problem. It seems that on transmit, it emits a full scale SLAM of the
> meter on plate voltage, and no power output. OK for the sake of
> keeping this story short, does anyone know the transmitter alignment
> proceedures for this rig including side controls for bias and ac
> voltage? I believe this unit was set way out of alignment (not by me)
> and needs just some TLC to get it going again. I've tried another set
> of finals (used but supposedly good 6146B's) yet according to the
> set's owner, the rig's doing the same thing. Isn't Ham Radio fun?
> Thanks for anyone's help in this matter. If you can, please EMAIL me
> with any possible solutions. garyb@citicom.com
>
>
> Thanks, and 73 de,
>
> Gary/WB4YQR

6575. CTCSS tone setting on the TR-7800

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 06:31:05 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <at1db9mou1@news.hawaii.edu>
Source record: 36236

Hi Gang,

Someone gave me a Kenwood TR-7800 sans the manual. Anyone know how to set the CTCSS tone freq'y? There's a push on/ push off switch on the front panel marked "Tone" so I assume that's for the PL tone. I checked under the top and bottom covers for a dip switch thinking that's how the freq'y would be set, but no joy. So the tone freq'y must somehow be set from the front panel keypad.

Thanks in advance, and Merry Christ-Mass to everyone!

73, Jeff KH6O

--
Operations Specialist Mathematics Lecturer
U.S. Coast Guard Kapiolani College
Dept. of Homeland Security University of Hawaii System

6576. FS: Collector Quality Ten-Tec Omni V

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 11:42:34 UTC
From: JS <wd1v@amsat.org>
Message-ID: <wd1v-E58170.06423509122002@netnews.attbi.com>
Source record: 36238

Final Call before going to eBay December 15th, 2002

Absolutely mint Ten Tec Omni V with all filters, operator
manual, DC power cable. No mods - absolutely perfect.

http://www.qsl.net/wd1v/PixGallery/pictures/hamomniv.jpg
(representative picture from eBay when purchased abt 6 months ago)

$825.00 shipped UPS insured to any USA address.
Certified Cashiers Check or Money Order.

72/73
John Seney, WD1V [FN42]
QRP ARCI 10345 K2 #1388
FIST #5014 CC: 1151
http://www.qsl.net/wd1v
wd1v@amsat.org

6577. manuals needed: Standard CCR708A & Grundig YB400PE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 11:44:24 UTC
From: John Wilson <n8mkr@neo.rr.com>
Message-ID: <sm%l9.86326$%p6.9033375@twister.neo.rr.com>
Source record: 36237

I recently inherited these two receivers from an old friend and silent key, but neither had owners manuals. Can anyone help me out with nice photocopies or scans? I would be happy to cover the cost of copies and postage.

Thanx,
John
n8mkr@neo.rr.com
Akron, Ohio

6578. GMRS in France ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 12:41:25 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3DF48F75.396B3CD9@qth.com>
Source record: 36239
Body handling: Binary attachment payload not displayed: radioranch.vcf

Anyone know if these little 5 watt rigs are legal over there...need some family communications and thought these might work...Other ideas? Cant use ham gear, only one ham in the bunch.... Thanks Murray K5MDM

[One or more binary attachments are retained only in the source text.]

6579. Re: Garmin Rino 120

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 12:56:01 UTC
From: Garr <garr_1099@hotmail.com>
Message-ID: <3df492e2$1@rpc1284.daytonoh.ncr.com>
Source record: 36240
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

Well Dick if you knew your stuff you would know that the Rino 120 is not 179.00 anywhere. That is for the 110. The 120 is $250 most places and without the NIMH charger and battery I am providing.

"Dick B" <grburke@adelphia.net> wrote in message news:%n9I9.50035$kO5.5648948@news1.news.adelphia.net...
> Thats not much of a deal for something that is supposed to be hard to
> find.Hmmmm
> "Garr" <garr_1099@hotmail.com> wrote in message
> news:3df1152f$1@rpc1284.daytonoh.ncr.com...
> > New in the box Garmin Rino 120. These are very hard to find. New
> unopened
> > box. FRS/GMRS Radio with GPS and APRS like functions.
> >
> > $250.00 shipped and insured. USPS Money Orders only.
> >
> > Email if interested
> >
> >
>
>

6580. Re: Garmin Rino 120

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 12:58:53 UTC
From: Garr <garr_1099@hotmail.com>
Message-ID: <3df4938d$1@rpc1284.daytonoh.ncr.com>
Source record: 36241
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

And I went to your site newpointgear.com. They 120 is $259.99 on sale for $237.99 with no NIMH battery and charger. Quit posting crap.

"Dick B" <grburke@adelphia.net> wrote in message news:%n9I9.50035$kO5.5648948@news1.news.adelphia.net...
> Thats not much of a deal for something that is supposed to be hard to
> find.Hmmmm
> "Garr" <garr_1099@hotmail.com> wrote in message
> news:3df1152f$1@rpc1284.daytonoh.ncr.com...
> > New in the box Garmin Rino 120. These are very hard to find. New
> unopened
> > box. FRS/GMRS Radio with GPS and APRS like functions.
> >
> > $250.00 shipped and insured. USPS Money Orders only.
> >
> > Email if interested
> >
> >
>
>

6581. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 13:06:58 UTC
From: murphys@comcast.net
Message-ID: <fb5e668b.0212090506.15cb8248@posting.google.com>
Source record: 36242
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

"Reg Edwards" <g4fgq.regp@btinternet.com> wrote in message
news:<asqg82$r97$1@knossos.btinternet.com>...
> Dear Brian,
>
> Regardless of line and load impedances and what the swr meter may be
> reading, if the line is sensibly lossless then all the power output from the
> transmitter must be dissipated in the load. Where else is the power to go?
>
> How can a professional possibly disagree with such a simple and obvious
> statement?
> ---
> Reg, G4FGQ

Hi

What's confusing me is that I was always under the impression that
maximum power can only be transferred if the Zout from one stage was
equal to the Zin of the next. That being the case, then how could all
of the output power be transferred to the load in a mismatched
condition? What am I missing? Isn't reflected power just that, power
not absorbed by the load being reflected back to the source? Isn't
this what damages circuitry?

Unless I'm totally missing something, I have to answer the original
question this way:

The forward power measurement would be: TX power + Reflected power,
and the load would dissipate TX power - Reflected power, the reflected
power would be dissipated in the source or along the transmission
line, if it were imperfect.

Isn't this the case?

73, Steve

6582. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 13:16:52 UTC
From: W6DKN <w6dkn-nospam-@qsl.net>
Message-ID: <XB0J9.5653$K5.1865@fe01>
Source record: 36243
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net...
> How would you rate and place in order from best to worse (mostly in terms
of
> receiver abilities) these radio for 6 METER WORK ONLY!!!
>
<<< SNIP >>>

I've personally owned an Icom 706, Yaesu FT-100, Yaesu FT-920, Kenwood TS-60, Kenwood TS-850 with a DownEast Microwave 6 meter transverter, and (currently) an Icom 756 Pro. With a good directional antenna (much more important than the particular rig you use - I prefer a quad for low noise) any rig you have will work well- *if* the band is open. If not, none of them work very well... :>)

73 de W6DKN

6583. Large RF amplifier project

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 13:17:28 UTC
From: m38 <m38@cox-internet.com>
Message-ID: <uvafe6cnrr0f0a@corp.supernews.com>
Source record: 36316

I have all the major components to build the ultimate BIG power HF amp. If you are in to amp building, you'll appreciate the parts I have here. It took a long time to collect it all.

RF deck....
4CX-5000A tube. Used but guaranteed good.
Eimac socket for the 4CX-5000A.
Filament transformer for the tube: 7.5 volts at 75 amps CCS.
C1 in the pi tank circuit: 0-460pf @ 35kv
L1 in the pi tank: new roller inductor from the Collins 208U 10kw HF amplifier (7500V).
C2 in the pi tank: 7-1000pf @ 5kv.

Power supply;
Plate transformer: 5600 VAC CT, at 1.1 amps CCS (very heavy, could probably handle twice the current).
Choke: Heavy duty swinging choke, 2-6 hy, 16kv breakdown.
Diodes for bridge, 4, solid state, 6KV at 3 amps.
Filter capacitors, (qty 2) 100 mfd @ 4000 volts (put in series gives you 50 mfd @ 8kv).
750 volt screen supply already installed in cabinet.

If interested in entire collection, I'll sell it all for $1100 or trade for a transceiver or another amp. If you have something I want of more value, I have cash to even things up. Mike, (979) 693-1461 eves and weekends.

6584. F.s Palomar Loop Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 13:32:59 UTC
From: lou de beer <lou.de.beer@general.com>
Message-ID: <uv96nsdcdotu07@corp.supernews.com>
Source record: 36244

Palomr engieers loop antenna in very nice conition.....$65.00...E mail for picture

6585. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 14:07:44 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uv98tv2bc0198a@corp.supernews.com>
Source record: 36245
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

If the transmitter is matched to the load presented to it at the tx end of the coax, all of the power reflected by the mismatched antenna will be re-reflected back towards the antenna when it reaches the Tx. All of the Tx power will eventually either be radiated by the antenna or disipated by the feed line loss. If the feedline loss is fairly low to begin with (as in a typical HF installation) then very little total power will be lost in the feed line - the vast majority of it will eventually be radiated by the antenna.

6586. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 14:16:10 UTC
From: "Bob Lewis (AA4PB)" <rlewis@staffnet.com>
Message-ID: <uv99dpdbvdp1b3@corp.supernews.com>
Source record: 36246
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

If the transmitter output circuitry is not properly matched to the load presented to it by the tx end of the feed line then all of the power generated by the tx will not couple into the feedline (and thus not be shown as forward power on the meter). This may cause excessive disipation in the final tx stage and may be what some are contributing to "power being reflected back into the transmitter" and causing damage. Most modern solid state output circuits now have a fold-back circuit to reduce the generated power and protect the output stage when the load is not correct. The old tube circuits had tune and load controls to permit the operator to match the output to a variety of load impedances.

6587. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 16:04:47 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF4BF1F.80909@ieee.org>
Source record: 36247
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Steve N8NM wrote:
> What's confusing me is that I was always under the impression that
> maximum power can only be transferred if the Zout from one stage was
> equal to the Zin of the next. That being the case, then how could all
> of the output power be transferred to the load in a mismatched
> condition? What am I missing?

What you are missing is that all the output power is transferred to the
load but the maximum available output power is not transferred to the load.
The "output power" is defined as whatever power is being output under
any conditions. The "maximum available output power" is the power output
under matched conditions. There's a big difference.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6588. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 16:07:46 UTC
From: Roy Lewallen <w7el@eznec.com>
Message-ID: <uv9fv0qp6p5fb1@corp.supernews.com>
Source record: 36298
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

The rule you quote about matching is true only under a particular set of conditions. Unfortunately, it's often quoted as being a universal Truth, which it's not.

IF you have a source with a fixed impedance, AND adjust nothing but the load impedance, then the maximum load power dissipation will occur when the load impedance is the complex conjugate of the source impedance. If the source and load are purely resistive, this means that the load impedance equals the source impedance.

So let's look at a particular case: A 141.4 volt RMS voltage source in series with a 50 ohm resistor, connected to a load resistor whose value we can vary. We'll find that, sure enough, the maximum dissipation occurs when the load resistor is 50 ohms. Its dissipation will be 100 watts. The voltage source has to produce 200 watts, since another 100 is dissipated in the source resistor. If we consider the efficiency as the ratio of the power in the load to the power produced by the voltage source, it's 50% when matched. Note, though, that although this is a good circuit for explaining what's happening, it's not necessarily a good model of a transmitter. Many transmitters exceed 50% efficiency when producing their maximum power, and may or may not be matched under this condition.

Now, between the source (that is, voltage source + source resistor) and the 50 ohm load let's connect a half wavelength of lossless 450 ohm transmission line. The line's SWR is 9:1. The forward power on the line is 278 watts, and the reverse power is 178 watts. What's the power dissipated by the load? It's 100 watts, just as before. And the voltage source is still producing 200 watts, and the source resistor is dissipating 100 watts. This is a simple voltage divider circuit you can completely analyze in a couple of minutes. The forward and reverse power on the line are of no consequence at all -- all that counts is the impedance *seen by the source*. In this case, it's 50 ohms. For that matter, we can make the transmission line impedance anything we'd like, and get any amount of reverse power we'd like, from zero (when the line impedance is 50 ohms) to anything. Yet the voltage source, source resistor, and load resistor dissipations will remain unchanged.

But suppose we change the load to 450 ohms, leaving the line impedance at 450 ohms. The power in the load is now only 36 watts, the line's reverse power is zero, and the source resistor dissipation is 4 watts, and the voltage source is producing 40 watts. Hmm. The efficiency is now 90%! So the condition for maximum power transfer isn't the same condition as for maximum efficiency. Anyway, next put a tuner at the

source end of the line to transform the 450 ohms looking into the line, to 50 ohms. The load (and source resistor) dissipation will increase to 100 watts. On the line, the forward power is 100 watts and the reverse power is zero. Now move the tuner to the output end of the line, leaving the adjustment the same. You'll find that the load power is still 100 watts, the source resistor power still 100 watts, and the voltage source is still producing 200 watts. But the line's forward power is now 278 watts and reverse power 178 watts. You see, the only thing that's important is the impedance *seen by the source*. Reverse power has nothing to do with source or load dissipation.

One last thing to think about. Instead of fixing the source impedance at 50 ohms and varying the load impedance, try fixing the load impedance and varying the source impedance while leaving the voltage of the voltage source unchanged. What value of source impedance will produce the maximum power in the load? Hint: It's not 50 ohms.

Roy Lewallen, W7EL

Steve N8NM wrote:
> Hi
>
> What's confusing me is that I was always under the impression that
> maximum power can only be transferred if the Zout from one stage was
> equal to the Zin of the next. That being the case, then how could all
> of the output power be transferred to the load in a mismatched
> condition? What am I missing? Isn't reflected power just that, power
> not absorbed by the load being reflected back to the source? Isn't
> this what damages circuitry?
>
> Unless I'm totally missing something, I have to answer the original
> question this way:
>
> The forward power measurement would be: TX power + Reflected power,
> and the load would dissipate TX power - Reflected power, the reflected
> power would be dissipated in the source or along the transmission
> line, if it were imperfect.
>
> Isn't this the case?
>
> 73, Steve

6589. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 16:25:13 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF4C3E9.9060100@ieee.org>
Source record: 36299
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Roy Lewallen wrote:
> One last thing to think about. Instead of fixing the source impedance at
> 50 ohms and varying the load impedance, try fixing the load impedance
> and varying the source impedance while leaving the voltage of the
> voltage source unchanged. What value of source impedance will produce
> the maximum power in the load? Hint: It's not 50 ohms.

Could it be zero ohms? :-) That's what the power companies do - go
for maximum efficiency instead of maximum power transfer. Way back
when, someone proved that power companies would probably never
exist because they would burn themselves up trying to achieve
maximum power transfer.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6590. Range of Motorola T6222

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 16:57:28 UTC
From: Kris <kkomarica@inet.hr>
Message-ID: <at2i1f$u0$1@garrison.globalnet.hr>
Source record: 36300

I don't know if it's the wright group but could someone tell me the range of
that divice in open and in the city.
Thanks

6591. Headphones

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 17:19:12 UTC
From: Bill Mahaffey <ka6dvn@cox.net>
Message-ID: <0001HW.BA1A10CA000D7380F0284600@news.west.cox.net>
Source record: 36301

Just getting active again after being qrt for about 10 years.
My headphones disintegrated. I didn't know they could do that!

Since I have been out of the loop for a bit, do you have
any recommendations on headphones?
(cw use mostly.)

Thanks,
Bill Mahaffey
KA6DVN

6592. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 17:24:50 UTC
From: Roy Lewallen <w7el@eznec.com>
Message-ID: <uv9kfecoep254d@corp.supernews.com>
Source record: 36302
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

If you fix the load resistance at 50 ohms and vary the source
resistance, zero ohms provides both the best efficiency (100%) and the
maximum power dissipation in the load.

If the load is complex, Rl + jXl, the maximum load power will occur with
a source impedance of 0 - jXl. Maximum efficiency (100%) will occur with
a source resistance of zero, with any reactance.

Roy Lewallen, W7EL

OC_CAM's Razor wrote:
> Roy Lewallen wrote:
>
>> One last thing to think about. Instead of fixing the source impedance
>> at 50 ohms and varying the load impedance, try fixing the load
>> impedance and varying the source impedance while leaving the voltage
>> of the voltage source unchanged. What value of source impedance will
>> produce the maximum power in the load? Hint: It's not 50 ohms.
>
>
> Could it be zero ohms? :-) That's what the power companies do - go
> for maximum efficiency instead of maximum power transfer. Way back
> when, someone proved that power companies would probably never
> exist because they would burn themselves up trying to achieve
> maximum power transfer.

6593. CQ magazine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 17:39:24 UTC
From: Bill Grimwood <bill@grimwood.net>
Message-ID: <uv9onp9t7s0ud6@corp.supernews.com>
Source record: 36307

Has anyone received the December issue of CQ?

Mine has yet to come.

BG

K1WEG

6594. Re: GMRS in France ??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 17:54:27 UTC
From: F8BOE Olivier <f8boeNOSPAM@free.fr>
Message-ID: <3df4d8e5$0$11855$626a54ce@news.free.fr>
Source record: 36303

Hi Murray!

The only legal free communication rigs are the PMR 446 with 500mW output on 8 channels in the 446 MHz range and the LPD with 10mW output on 69 channels between 433.025 and 434.790 MHz.
Otherwise you can use The CB rigs 4 W PEP AM (1W keydown) 4 W PEP SSB and 4W FM on 40 channels from 26.965 to 27.405 MHz (the same as in the US I suppose).

73 de F8BOE Olivier ...-.-

6595. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 18:02:21 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <at2lrc$n6n$2@knossos.btinternet.com>
Source record: 36304
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

It is the notion of reflected power itself which causes the confusion. Best to erase it from the imagination and return to square one. All can be clarified without resorting to black magic. KISS. There's no point in trying to solve problems which didn't exist before reflected power entered the vocabulary.

Here's another trap to avoid. If the generator impedance is Zg = R+jX and load impedance XL is also R+jX, ie., generator impedance is equal to load impedance, then maximum available power is NOT transferred.

It is essential not to use Z when only R is meant. That bad habit, which almost everybody in ham radio suffers from, causes much confusion, is the hidden root of many arguments and has lost friends.

Reg, G4FGQ

6596. Re: Headphones

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 18:14:47 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <r45J9.29734$r4.1576490@news1.west.cox.net>
Source record: 36305

Lots to choose from See URL:
http://ac6v.com/opaccess.htm#H

For reviews -- see eHam reviews URL:
http://www.eham.net/reviews/products/9

If your hearing is good -- communication phones are recommended - Heil,
Kenwood, Icom, JRC, etc
If your hearing is rolled off in the high range -- many use Hi-Fi phones
MFJ makes a Speech Intelligibility Enhancer MFJ-616 for those with severe
hearing loss -- URL:
http://www.mfjenterprises.com/products.php?prodid=MFJ-616

Ya can't hear the weak ones with a speaker -- Cans Are!
--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Bill Mahaffey" <ka6dvn@cox.net> wrote in message
news:0001HW.BA1A10CA000D7380F0284600@news.west.cox.net...
> Just getting active again after being qrt for about 10 years.
> My headphones disintegrated. I didn't know they could do that!
>
> Since I have been out of the loop for a bit, do you have
> any recommendations on headphones?
> (cw use mostly.)
>
> Thanks,
> Bill Mahaffey
> KA6DVN
>

6597. Mint Icom 746 For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 18:31:50 UTC
From: Josh Fiden <josh@voodoolab.com>
Message-ID: <3DF4E19D.3A517E79@arrl.nospam>
Source record: 36306
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

Hi,

I have a mint condition Icom 746 for sale. It is in the original box (also perfect condition!) with all included accessories, manual and schematics. The HM-36 microphone, spare fuses and keyer plug are still in the original plastic. Also included is the Icom FL-52A CW filter (HRO price $179.95) which is installed in the radio. Everything works perfectly, of course. I purchased this new last year, but never use it as I have other rigs. $1,000 double boxed and shipped conus.

Thanks & 73,

Josh AD6XI

Please replace .nospam with .net in my email address.

6598. FS: Heathkit HW-100 WITH HP-23 Power Supply:

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 19:10:19 UTC
From: wa8mea@hotmail.com
Message-ID: <8a260fb2.0212091110.653017f0@posting.google.com>
Source record: 36308
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace

For Sale: A VERY nice Heathkit HW-100. Works great, looks great. Comes with HP-23 power supply, two hand mics (one is the original Heath mic, the other a Turner mic that looks just like the Heath mic.), a NEW W7FG Vintage Manual, spare 6146's and 6CL6 driver. No dents, no rust, original paint, original knobs. Great rig for a Heathkit collector, to have as a spare rig, or even an inexpensive first rig. $295 for ALL this, and I will pay for the shipping and insurance. If you're short on cash for the holidays, we can run the transaction through my little Ham/SWL business using your "plastic". First e-mail or phone call gets it. 73 de Bill Lauterbach -...- WA8MEA -...- wa8mea@hotmail.com -...- 1.517.563.2613 -...- DWM Communications -...- Home of the "World Famous" *YO-YO-TENNA*! -...- http://qth.com/dwm

6599. Re: Headphones

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 19:21:43 UTC
From: Wes Stewart <n7ws@#arrl.net>
Message-ID: <6fq9vusdqceh2lfk07eg0a580crpuktdnf@4ax.com>
Source record: 36309

On Mon, 09 Dec 2002 17:19:12 GMT, Bill Mahaffey <ka6dvn@cox.net>
wrote:

|Just getting active again after being qrt for about 10 years.
|My headphones disintegrated. I didn't know they could do that!

Yes.
|
|Since I have been out of the loop for a bit, do you have
|any recommendations on headphones?
|(cw use mostly.)

Not necessarily by brand, but I would suggest a set of "hi-fi" phones
that are full frequency response and comfortable to wear. (I have an
old set of Realistic Nova 40s that aren't bad. I've also used Koss.)

The "communications" types are crap. I once bought a brand "H"
headphone/mike combination and listened for five minutes, boxed it up
and returned it for credit.

Audio distortion will wear you out over long listening periods and
actually mask weak signals. When I work phone, I use a David Clark
headset/mike combo. The audio on CW is not nearly as crisp and since
they are noise-reducing aircraft equipment, they really clamp your
head. I would not recommend them for listening to CW.

Wes N7WS

6600. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 21:14:20 UTC
From: "Peter O. Brackett" <ab4bc@ix.netcom.com>
Message-ID: <at3132$b2r$1@slb9.atl.mindspring.net>
Source record: 36310
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Roy:

[snip]
"Roy Lewallen" <w7el@eznec.com> wrote in message
news:uv9kfecoep254d@corp.supernews.com...
> If you fix the load resistance at 50 ohms and vary the source
> resistance, zero ohms provides both the best efficiency (100%) and the
> maximum power dissipation in the load.
>
> If the load is complex, Rl + jXl, the maximum load power will occur with
> a source impedance of 0 - jXl. Maximum efficiency (100%) will occur with
> a source resistance of zero, with any reactance.
>
> Roy Lewallen, W7EL
[snip]

Well... ahem, not exactly. I know it's not applicable to the typical
amateur radio HF transmitter,
but...

For the resistive case, reducing the source resistance to zero only
maximizes the load dissipation
when the source resistance is limited to positive values. In fact, the
maximum power dissipation
in the 50 Ohm load will be infinite and would occur when the variable source
resistance is adjusted
to be -50 Ohms [negative 50 Ohms], and in practice, this is just before "the
melt-down".

That said, there are indeed examples of real practical systems where
negative values of source
resistance are used and in these cases such use further increases power
transfer.

--
Peter K1PO
Indialantic By-the-Sea, FL

6601. Re: Headphones

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 21:48:14 UTC
From: Bill Mahaffey <ka6dvn@cox.net>
Message-ID: <0001HW.BA1A4FD8001C3ACEF0284600@news.west.cox.net>
Source record: 36311

On Mon, 9 Dec 2002 11:21:43 -0800, Wes Stewart wrote
(in message <6fq9vusdqceh2lfk07eg0a580crpuktdnf@4ax.com>):

> On Mon, 09 Dec 2002 17:19:12 GMT, Bill Mahaffey <ka6dvn@cox.net>
> wrote:
>
>> Just getting active again after being qrt for about 10 years.
>> My headphones disintegrated. I didn't know they could do that!
>
> Yes.
>>
>> Since I have been out of the loop for a bit, do you have
>> any recommendations on headphones?
>> (cw use mostly.)
>
> Not necessarily by brand, but I would suggest a set of "hi-fi" phones
> that are full frequency response and comfortable to wear. (I have an
> old set of Realistic Nova 40s that aren't bad. I've also used Koss.)
>
> The "communications" types are crap. I once bought a brand "H"
> headphone/mike combination and listened for five minutes, boxed it up
> and returned it for credit.
>
> Audio distortion will wear you out over long listening periods and
> actually mask weak signals. When I work phone, I use a David Clark
> headset/mike combo. The audio on CW is not nearly as crisp and since
> they are noise-reducing aircraft equipment, they really clamp your
> head. I would not recommend them for listening to CW.
>
> Wes N7WS
>

Thanks for the responses guys.
I see that the choices are a"bit" more then
when I bought my last ones about 1980...

I was looking at a headset/mic combo, but will
choose otherwise thanks to your comments.

I like those rating pages! Perhaps a gold mine there
as I have many purchases ahead of me.

Thanks again,

Bill Mahaffey
KA6DVN

Escondido

6602. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 22:28:45 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3df516bd$0$20658$39cecf19@nnrp1.twtelecom.net>
Source record: 36312
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
$600

Kenwood TMV7A 50W 2M/35W 440 FM
DFK3C REMOTE CABLE KIT
PG4S PC INTERFACE CABLE + SOFTWARE
$325

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Charger
$200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 AD board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have. I can email pics.

Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

6603. Re: CQ magazine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 22:54:09 UTC
From: Sparks W4EAS <sparksw4eas@mindspring.com>
Message-ID: <3DF51F11.6E69@mindspring.com>
Source record: 36313

Mine came in today in Florida Sparks W4EAS

6604. Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-09 23:04:38 UTC
From: Caveat <caveat@poster.com>
Message-ID: <k37avu8ublppkgolk6otr9vrqqlml8fndt@4ax.com>
Source record: 36314

If you want to buy antenna equipment and accessories, you might want to reconsider dealing with The Radio Works. My recent experiences with them indicate that they have a problem or two in running their business in anything that resembles a competent way.

A couple of weeks ago I placed a phone order with them for $132 and gave them my Visa check card number. they called me back the next day saying that the charge was declined. Since I had more than enough in that account to cover the charge, I called Visa. They reported that Radio Works had attempted to charge $1320 to my account.

So I called RW back and told them that they had made a mistake in the keypad charge entry, only to be informed that the charge had gone through! Then a while later they called me back to say that they had entered the wrong account number on the charge that had gone through, and that my order was still awaiting payment.

So I said that I was tired of their errors with the keypad, and would send them a check. I was assured, by "Brad" that the order under my name was ready to go on his desk as soon as they received my check, and that it wasn't necessary to relist all the items ordered. So I mailed them a check.

Today, I received my check back from them with a note saying that I should resubmit the check with a list of the items I wanted.
Back to square one.

I give up. It is just too painful to try to do business with some people... (YMMV)

Caveat

6605. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 00:27:43 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnavad7u.ql9.nobody@animas.frontier.net>
Source record: 36315

On Mon, 09 Dec 2002 23:04:38 GMT, Caveat hath writ:
>
<all too typical retail experience snipped>
>
> I give up. It is just too painful to try to do business with some
> people... (YMMV)

Customers seem to be A Real Inconvenience for far too many businesses.

Sign spotted at a business recently:

" New, convenient customer hours: "
" 1 P.M. to 3 P.M. "

Now I many not be the sharpest crayon in the box, but I
think I know just exactly who this is " *convenient* " for!!

sigh...

Jonesy
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

6606. Re: CQ magazine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 01:24:59 UTC
From: DBN <dnicholson@mcmsys.com>
Message-ID: <at3jsq$h4h$1@news.mcmsys.com>
Source record: 36317

Got mine last week..

"Bill Grimwood" <bill@grimwood.net> wrote in message
news:uv9onp9t7s0ud6@corp.supernews.com...
> Has anyone received the December issue of CQ?
>
> Mine has yet to come.
>
> BG
>
> K1WEG
>
>

6607. Re: CQ magazine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 01:38:08 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnavahbv.sfe.nobody@animas.frontier.net>
Source record: 36318

```
< top poster snipped >
>
> "Bill Grimwood" <bill@grimwood.net> wrote in message
> news:uv9onp9t7s0ud6@corp.supernews.com...
>> Has anyone received the December issue of CQ?
>>
>> Mine has yet to come.

Forget ye not, that it's Christmas Card Season.....

Jonesy
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK
```

6608. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 01:41:29 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3DF54647.1050008@tampabay.rr.com>
Source record: 36319

i agree
customer service has died
i have attempted to order pizza from pizza hut 4 times in the past month
and each time they either messed up the order or took an hour to hour
and half to deliver the order and keep in mind i live less than 2 miles
from the pizza joint
when i called down there all i get are excueses and so on
so needless to say i now deal with anyone other than pizza hut

Allodoxaphobia wrote:
> On Mon, 09 Dec 2002 23:04:38 GMT, Caveat hath writ:
>
> <all too typical retail experience snipped>
>
>>I give up. It is just too painful to try to do business with some
>>people... (YMMV)
>
>
> Customers seem to be A Real Inconvenience for far too many businesses.
>
>
> Sign spotted at a business recently:
>
> " New, convenient customer hours: "
> " 1 P.M. to 3 P.M. "
>
> Now I many not be the sharpest crayon in the box, but I
> think I know just exactly who this is " *convenient* " for!!
>
> sigh...
>
> Jonesy

6609. Re: CQ magazine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 02:08:33 UTC
From: Idontwantspam@net
Message-ID: <3df54985.73940360@news.bellatlantic.net>
Source record: 36320

On 10 Dec 2002 01:38:08 GMT, Allodoxaphobia <nobody@jonz.net> wrote:

> < top poster snipped >
>>
>> "Bill Grimwood" <bill@grimwood.net> wrote in message
>> news:uv9onp9t7s0ud6@corp.supernews.com...
>>> Has anyone received the December issue of CQ?
>>>
>>> Mine has yet to come.
>
>Forget ye not, that it's Christmas Card Season.....
>
Between catalogs, fundraising appeals, greeting cards, and people
getting mail order packages, the Postal Service and all the delivery
services are working all out right now.

Also, after the premium services, first class mail gets top priority
throughout the system. Magazines go via second or third class (don't
remember which).

Also, anyone sending out a mass mailing to 100,000 people or whatever
probably staggers the printing and mailing over a few days.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6610. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 02:40:14 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <at3ikm$hr3$1@news1.kornet.net>
Source record: 36321

There is apparently one benefit to living in Korea. It may have some problems, but they are still very customer oriented.. When you order food delivery here, it's very prompt. They deliver food in real dishes direct to your door, piping hot, and when you have had time to eat the meal, someone comes back and collects the dishes. I always do them the courtesy of washing the dishes for them, but they do not expect this. Nor do they expect a tip. (I give them one anyway). Even in restaurants here, tips are not expected, and, in some cases, actually frowned upon. People here still feel that service is a noble calling.

The same goes for other types of businesses. Furniture, televisions, etc. are delivered to your home and set up for you. If what you bought requires assembly, they assemble it for you. Repair persons do not charge extra to come to your home to repair your TV/washer/stove/what-have-you. They charge you only for the actual time and parts used in the repairs. Maybe if customer service were still this way in the US, folks wouldn't be going outside the country to buy things.

Just my -W-246 for the day.
"Dennis Kaylor" <k4oxg@tampabay.rr.com> wrote in message
news:3DF54647.1050008@tampabay.rr.com...
> i agree
> customer service has died
> i have attempted to order pizza from pizza hut 4 times in the past month
> and each time they either messed up the order or took an hour to hour
> and half to deliver the order and keep in mind i live less than 2 miles
> from the pizza joint
> when i called down there all i get are excueses and so on
> so needless to say i now deal with anyone other than pizza hut
>
> Allodoxaphobia wrote:
> > On Mon, 09 Dec 2002 23:04:38 GMT, Caveat hath writ:
> >
> > <all too typical retail experience snipped>
> >
> >>I give up. It is just too painful to try to do business with some
> >>people... (YMMV)
> >
> >
> > Customers seem to be A Real Inconvenience for far too many businesses.
> >
> >
> > Sign spotted at a business recently:
> >
> > " New, convenient customer hours: "

> > " 1 P.M. to 3 P.M. "
> >
> > Now I many not be the sharpest crayon in the box, but I
> > think I know just exactly who this is " *convenient* " for!!
> >
> > sigh...
> >
> > Jonesy
>

6611. FS: AEA PK-900 Multi-mode TNC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 02:59:09 UTC
From: WA5VHU <wa5vhu@attbi.com>
Message-ID: <1McJ9.184242$GR5.59352@rwcrnsc51.ops.asp.att.net>
Source record: 36322

This dual port multi-mode TNC is capable of many modes of operation plus it can be upgraded by hardware from Timewave plus software for even better performance and new modes. This unit is in good cosmetic and functional condition, as can be seen in the pictures at http://www.qsl.net/k5vx/ . It is a single owner unit that has been hardly used, very well cared for, kept in a non-smoking environment and has never needed any repair. Includes the manual and cables. Asking $180.00 which includes ground shipping CONUS. Contact Jonathan at k5vx_AT_arrl.net or 972 685 5169. Thanks & 73!

6612. FS: JPS NIR-10 DSP Unit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 02:59:33 UTC
From: WA5VHU <wa5vhu@attbi.com>
Message-ID: <pMcJ9.305804$%m4.102361@rwcrnsc52.ops.asp.att.net>
Source record: 36323

This is a band pass and noise reduction DSP filter that works very well on CW, SSB and other voice modes, plus RITTY and SSTV. The unit has band pass and auto notch filters for getting rid of the jammers! This unit is in very good cosmetic and functional condition, as can be seen in the pictures at http://www.qsl.net/k5vx/ . It is a single owner unit that has been hardly used, very well cared for, kept in a non-smoking environment and has never needed any repair. Includes the manual and AC power supply. Asking $65.00 which includes ground shipping CONUS. Contact Jonathan at k5vx_AT_arrl.net or 972 685 5169. Thanks & 73!

6613. FS: Yaesu FT-2200 VHF FM Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 02:59:49 UTC
From: WA5VHU <wa5vhu@attbi.com>
Message-ID: <FMcJ9.305808$%m4.102319@rwcrnsc52.ops.asp.att.net>
Source record: 36324

This is a full featured 50 Watt 2 Meter FM mobile transceiver that includes 49 tunable memories, odd splits, programmable scanning, CTCSS encoder, DTMF paging capability plus many more features. This radio is in excellent cosmetic and functional condition with no noticeable scratches and can be seen in the pictures at http://www.qsl.net/k5vx/ . This is a single owner radio that has been hardly used, very well cared for, kept in a non-smoking environment and has never needed any repair. Supplied with mobile mounting bracket, touchtone microphone and copy of the manual. Asking $145 which includes ground shipping (CONUS). Contact Jonathan at k5vx_AT_arrl.net or 972 685 5169. Thanks & 73!

6614. FS: SCS Pactor II Controller

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 03:00:19 UTC
From: WA5VHU <wa5vhu@attbi.com>
Message-ID: <7NcJ9.306963$P31.117490@rwcrnsc53>
Source record: 36325

FS: SCS Pactor II Controller

This is the famous SCS Pactor II Controller that supports 1200/2400 baud AFSK, 9600 baud FSK, HF modes such as Pactor 1 & 2, Amtor, CW, RTTY, SSTV, various forms of FAX, plus PSK31, and this unit is the most sought-after box for Winlink! This package includes the hard to find SCS Remote Control Unit. The controller and remote control units are single owner units that have been very well cared for and are in mint condition electrically and cosmetically. Hardly used, they have been kept in a non-smoking environment. They work great and have never needed any repair. See the pictures, which can be viewed at http://www.qsl.net/k5vx/ . Includes a soft copy of the very thorough manual, plus cables and software. Asking $600 which includes ground shipping (CONUS). Contact Jonathan at k5vx_AT_arrl.net or 972 685 5169. Thanks & 73!

6615. FS: Yaesu FT-990 HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 03:00:37 UTC
From: WA5VHU <wa5vhu@attbi.com>
Message-ID: <pNcJ9.306895$WL3.99816@rwcrnsc54>
Source record: 36326

This is the Yaesu FT-990 HF Transceiver that rates a 5 out 5 on the eham.net reviews! See http://www.eham.net/reviews/detail/402 for details. This is a single owner radio that has been very well cared for, hardly used and kept in a non-smoking environment. The radio works great and has never needed any repair. It is in very good physical condition with a few minor scuff marks around the corners that are so small they don't even show up in the pictures, which can be viewed at http://www.qsl.net/k5vx/ . Included are the 500 Hz and 2400 Hz filters, built-in AC power supply and antenna tuner, Yaesu hand microphone, plus the Yaesu FIF-232C CAT to EIA-232 adapter and cable for computer control, and the manual. Asking $925.00 which includes ground shipping (CONUS). Contact Jonathan at k5vx_AT_arrl.net or 972 685 5169. Thanks & 73!

6616. Boat anchors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 03:38:10 UTC
From: John Koch <jakoch@centurytel.net>
Message-ID: <gaoavucrj9nskvd1k8uo28prb9p7mgvcu9@4ax.com>
Source record: 36327

OK, I am not a newbie to amateur radio. Been working the radio for about 10 years but havn't did a lot of research into it. Just did what my dad did. Lately I have been seeing a lot of references to boat anchors. What is this relation to ham radio and boat anchors.

I am just curious.

N5RVN

6617. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 03:38:18 UTC
From: Ronald Oberloh <wa0kds@yahoo.com>
Message-ID: <3DF561AB.F009B65D@yahoo.com>
Source record: 36328

Your problem here was not sending them a list with the check the first time. Nowdays one has to outguess everyone and I am as guilty as the next.

Caveat wrote:

> If you want to buy antenna equipment and accessories, you might want
> to reconsider dealing with The Radio Works. My recent experiences with
> them indicate that they have a problem or two in running their
> business in anything that resembles a competent way.
>
> A couple of weeks ago I placed a phone order with them for $132 and
> gave them my Visa check card number. they called me back the next day
> saying that the charge was declined. Since I had more than enough in
> that account to cover the charge, I called Visa. They reported that
> Radio Works had attempted to charge $1320 to my account.
>
> So I called RW back and told them that they had made a mistake in the
> keypad charge entry, only to be informed that the charge had gone
> through! Then a while later they called me back to say that they had
> entered the wrong account number on the charge that had gone through,
> and that my order was still awaiting payment.
>
> So I said that I was tired of their errors with the keypad, and would
> send them a check. I was assured, by "Brad" that the order under my
> name was ready to go on his desk as soon as they received my check,
> and that it wasn't necessary to relist all the items ordered. So I
> mailed them a check.
>
> Today, I received my check back from them with a note saying that I
> should resubmit the check with a list of the items I wanted.
> Back to square one.
>
> I give up. It is just too painful to try to do business with some
> people... (YMMV)
>
> Caveat
>
>

6618. Re: Boat anchors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 03:53:46 UTC
From: James Nipper <jnipper@nospam.fdn.com>
Message-ID: <wxdJ9.52887$842.18985@news1.fdn.com>
Source record: 36330

hee hee hee heeee

Boat anchors only refers to old, useless, worthless equipment, that is said it be useful only as a boat anchor!!

For example-- old, old, military surplus gear, weighing 150 lbs.... no market value, good only for a boat anchor.

Get it ??

73 de Jim K4PYT

6619. 3-1000Z AMP FA.....FT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 03:54:12 UTC
From: kf4toh@aol.com
Message-ID: <20021209225412.25513.00000320@mb-ci.aol.com>
Source record: 36329

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943515894

COMES WITH 4 EIMAC TUBES

WOULD TRADE FOR QRO 2500DX ALPHA 86 OR COMMANDER 2500

THANKS JOE KF4TOH

6620. Recommendation for setting up and using multiple rigs?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 06:22:44 UTC
From: Robert Fanfant <fanfant1@attbi.com>
Message-ID: <UKfJ9.186074$GR5.61983@rwcrnsc51.ops.asp.att.net>
Source record: 36331

I've have 3 HF rigs that I'd like to use more often but I just hate having to unplug every connection to make that happen. So I just end up using 1 rig most of the time.

Looking for input from others running multiple rigs.

What hardware recommendations do you use that lets you quickly switch among the different rigs? I'd like to share the rigs (2 ICOM & 1 K2)with the following devices: amp(needs ALC/RELAY), external speaker, Timewave 599 DSP, CW paddle, ICOM microphone, computer for logging, coax antenna.

Thoughts?

-rob

6621. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 06:29:51 UTC
From: Lou <tech@dp.net>
Message-ID: <at4312$112c$1@news.dp.net>
Source record: 36332

> "Dennis Kaylor" <k4oxg@tampabay.rr.com> wrote in message
> news:3DF54647.1050008@tampabay.rr.com...
> > i agree
> > customer service has died
> > i have attempted to order pizza from pizza hut 4 times in the past month
> > and each time they either messed up the order or took an hour to hour
> > and half to deliver the order and keep in mind i live less than 2 miles
> > from the pizza joint

Hell, I was IN a Pizza Hut one evening... A couple of my friends and I decided to have a chat there and catch a meal. It took 3 minutes to seat us, over 45 to deliver our meal after ordered. It doesn't take that long to make a damned pizza. And they weren't that busy. Yes we could have left.. But we were hungry and we kept figuring a couple more minutes it will be done. Not to mention time does pass when BSing. Needless to say we never went back. As of about 2 months ago or so, they closed that one up for business. I can only wonder why.... OH WELL! Ya snooze, ya lose. Tech@DP.NET

6622. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 08:42:46 UTC
From: Mie <mie@taalla.com>
Message-ID: <at49e7$jt9$1@phys-news1.kolumbus.fi>
Source record: 36333
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

"Bob Johnstone" <Bob@gm1ygv.demon.co.uk> wrote in
news:FxUWEJAZJ+89Ewvy@gm1ygv.demon.co.uk...
> In article <3DF3DC1A.35EEAFC7@qth.com>, Murray Neece
> <radioranch@qth.com> writes
> >What planet are you from? They all have 6 meters...For the money, I like
the 746
> >and 756....among those you listed 575 is not real competitive any
more...Should
> >be able to get a nice 746 or 756 (original style) for under 1000,
probably 900
> >and some shipping..The JST is good to but lacks the dsp and is too much
> >money...both pros maybe a little better but too much money for the
> >difference...FT 847 so so on 6, TS 2000 probaby great but i dont know and
doubt
> >the difference would be worth it on 6 meters, 920 soso on 6
meters...thats my
> >opinion, I obviously prefer the Icom, using a 746 pro and dont know any
yaesu or
> >kenwood that will beat it...many are close!! 73 Murray K5MDM
> >
> >Bob Johnstone wrote:
> >
> >> In article <cPBI9.159690$GR5.48760@rwcrnsc51.ops.asp.att.net>, JEEPMON
> >> <JEEPMON@HOTMAIL.COM> writes
> >> >How would you rate and place in order from best to worse (mostly in
terms of
> >> >receiver abilities) these radio for 6 METER WORK ONLY!!!
> >> >
> >> >Alinco DX-70T
> >> >JRC JST-245
> >> >Icom IC-575
> >> >Icom IC-746
> >> >Icom IC-746 PRO
> >> >Icom IC-756
> >> >Icom IC-756 PRO
> >> >Icom IC-756 PRO II
> >> >Kenwood TS-2000
> >> >Yaesu FT-847
> >> >Yaesu FT-920
> >> >
> >> >
> >> None of them. Reason being none of them have six meters.
> >>

> I seldom notice top posters. However, a METER is a measuring device. A
> Metre is a unit of measurement, as in Kilometre, Metre, Centimetre,
> Millimetre. Check the history of where and when it was derived from, you
> will find I am correct.
>
> Regards
> --
> Bob Johnstone

Meter, metre... WTF? How are we bloody foreigners supposed to understand anything anymore? ;-))

About the rigs: I've used the IC746 on six and two meters, and it's a pretty good rig - of course not as good as a single-band two or six m rig. It's especially deaf on two, but manages okay on six plus it has one hundred watts output, so we can save some money not having to buy a linear.

Beast regards, Kari, oh8mfh at kp34ug

6623. FS: CD-ROM: 240+ Military Radio Manuals for $5.00

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 09:11:55 UTC
From: Mike <mdavids@erols.com>
Message-ID: <3DF5AFDB.11F0@erols.com>
Source record: 36334

I have a pile of CD-ROMs on military radio gear, mostly modern equipment from the 1970s and newer. Over 240 manuals on this disk (I think its 241 to be exact). All files are scanned into Adobe .pdf format, and comes with a viewer on the disk. These CD-ROMS are great for the radio enthusiast, or for users of military radio equipment. I can sell the disks for $5.00 plus $2.50 shipping anywhere in USA. International shipments are more. I can Email you a listing of the manuals and the models covered by Emailing me at mdavids@erols.com. Thanks for your time!

Mike
mdavids@erols.com

6624. FS: Last Call - Icom 746 - Cheapest Price

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 10:58:14 UTC
From: JS <wd1v@amsat.org>
Message-ID: <wd1v-C0BE7F.05581410122002@netnews.attbi.com>
Source record: 36335

Last Call - going to eBay Sunday, December 15th.

ICOM IC-746 S/N 06089 with optional Icom 500 Hz CW filter installed.

Comes with
DC power cable
HM-36 Hand Mic
New Icom 746 Log Book
Manual
Service manual

Cosmetically a "9.5" @ $825.00 and will ship UPS to any USA
location. $800.00 for local pick-up.

73,

John D. Seney, WD1V
Manchester, NH
(617) 686-9882
http://www.qsl.net/wd1v
wd1v@amsat.org

6625. FS: Kenwood 2KW Linear AMP TL-922A (Maryland)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 12:10:29 UTC
From: policydad@yahoo.com
Message-ID: <3DF5D9B5.A6CC5438@yahoo.com>
Source record: 36339

Clean. $650 OBO, U-Pick up Maryland/DC suburb. Also MFJ 3KW Tuner.
Both $700. Call 301-441-9245.

6626. TB6EM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 12:10:43 UTC
From: ljl160@aol.com
Message-ID: <20021210071043.07469.00006364@mb-ml.aol.com>
Source record: 36338

Have a TB6EM with all good traps and it is the entire antenna but missing the balun box. The boom needs a splice right at the reflector end (minor). Willing to sell and ship the whole antenna or willing to break it up. Thanks for the read and e mail me if you want parts or entire setup. No reasonable offer refused. 73s Lew KlNDV

I took it down at an estate in operational condition.

6627. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 13:30:02 UTC
From: derswede@aol.comspam.com
Message-ID: <20021210083002.24682.00000530@mb-ch.aol.com>
Source record: 36340

>> >What planet are you from? They all have 6 meters...For the money, I like
>the 746
>> >and 756....among those you listed 575 is not real competitive any
>more...Should
>> >be able to get a nice 746 or 756 (original style) for under 1000,

And don't forget the older Yaesu FT736R with a 6M module. The only problem is that you will need an external amp to go QRO. Very sensitive receiver, IMHO.

A

6628. Re: HOW-TO: MRP40 unlimited trial period.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 13:45:59 UTC
From: cprstn54zz@att.net
Message-ID: <3df5ef8e.92218312@news-server.optonline.net>
Source record: 36341

On Tue, 10 Dec 2002 06:42:43 -0800, Vito <vito@crosslink.net> wrote:
>I agree doing stuff like this is morally wrong but is it really illegal?
>Please cite if you can do so easily - ie don't go to a lot of trouble.

Under US law if a publication is protected by a copyright, no one has
the right to use the item without a license.

Ken
(to reply via email
remove "zz" from address)

6629. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 14:26:52 UTC
From: Rudi <wiedemann@attbi.com>
Message-ID: <MQmJ9.306753$QZ.46006@sccrnsc02>
Source record: 36342

That's nice. What's next, expecting the customer to come to the store, pull
their own item from stock and ring it up themselves?

AND THEY'LL CALL THIS A NEW LEVEL OF CUSTOMER SERVICE!

Maybe they'll want you to manufacture your own products next?

"Ronald Oberloh" <wa0kds@yahoo.com> wrote in message
news:3DF561AB.F009B65D@yahoo.com...
> Your problem here was not sending them a list with the check the first
> time. Nowdays one has to outguess everyone and I am as guilty as the
> next.
>
>
>
> Caveat wrote:
>
> > If you want to buy antenna equipment and accessories, you might want
> > to reconsider dealing with The Radio Works. My recent experiences with
> > them indicate that they have a problem or two in running their
> > business in anything that resembles a competent way.
> >
> > A couple of weeks ago I placed a phone order with them for $132 and
> > gave them my Visa check card number. they called me back the next day
> > saying that the charge was declined. Since I had more than enough in
> > that account to cover the charge, I called Visa. They reported that
> > Radio Works had attempted to charge $1320 to my account.
> >
> > So I called RW back and told them that they had made a mistake in the
> > keypad charge entry, only to be informed that the charge had gone
> > through! Then a while later they called me back to say that they had
> > entered the wrong account number on the charge that had gone through,
> > and that my order was still awaiting payment.
> >
> > So I said that I was tired of their errors with the keypad, and would
> > send them a check. I was assured, by "Brad" that the order under my
> > name was ready to go on his desk as soon as they received my check,
> > and that it wasn't necessary to relist all the items ordered. So I
> > mailed them a check.
> >
> > Today, I received my check back from them with a note saying that I
> > should resubmit the check with a list of the items I wanted.
> > Back to square one.
> >
> > I give up. It is just too painful to try to do business with some

> > people... (YMMV)
> >
> > Caveat
> >
> >
>

6630. FS Yaesu FT-897 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 14:38:59 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <70nJ9.511$eQ3.75496@newsread1.prod.itd.earthlink.net>
Source record: 36343

I have an as new Yaesu FT-897 HF/VHF/UHF Transceiver for sale. This radio is spotless, works perfectly, and has less than 10 hours use. I have an FT-817 and just don't need both transceivers. I have the original box, manual, papers, Yaesu Map and all that came with the radio. Price is $925 plus shipping from 79602. Thanks, Charlie Hugg, K5MBX

6631. Re: HOW-TO: MRP40 unlimited trial period.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 14:42:43 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3DF5FD63.94469B89@crosslink.net>
Source record: 36336

Ken wrote:
>
> Please keep this bad stuff to yourself. Not only is it illegal but
> also the guy worked hard on his program, he did a good job and isn't
> charging an arm and leg.
>
I agree doing stuff like this is morally wrong but is it really illegal?
Please cite if you can do so easily - ie don't go to a lot of trouble.
TIA and 73
K3DWW

6632. Re: PLEASE DON'T DONATE TO RADIO CLUB OF JHS 22>> SCAM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 14:54:12 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3DF60014.82E6BAF9@crosslink.net>
Source record: 36337

Falster762 wrote:
>
> Dear Fello Hams;
> If you must donate to a cause, pick another b....

Give it to your local church and tell them to sell it on eBay.
Seriously. You'll get a valid tax deduction, the church makes out, and
some ham may get a bargain. Nope, I don't attend any church, nor know a
thing about RCofJHS22.
73
K3DWW

6633. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 14:54:31 UTC
From: Richard Fry <rfry@adams.net>
Message-ID: <senJ9.32428$5P3.2403435@newsfeed.slurp.net>
Source record: 36344
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

RE: Post below

A very good directional coupler, correctly adjusted, can have upwards of 60dB directivity. If it is designed to correctly sample both the electric and magnetic fields in the transmission line on which it is mounted, its output sample will not change with the location of the coupler along the line, for a given forward power in the line.

Using such a coupler on a transmission line conducting X watts of power into a perfectly matched load Z will show a 60dB difference in output voltage when looking at the forward and reflected energy (by rotating the coupler 180 degrees and refitting it to the line).

Now remove the termination from the line. The coupler shows the same level of forward signal as it did before, but the reflected sample is equal to it. I have confirmed this for myself while doing RF pulse measurements of TV broadcast antennas.

Now, if reflected power is imaginary -- how is this reality explained?

Richard Fry

"Reg Edwards" <g4fgq.regp@btinternet.com> wrote in message news:at2lrc$n6n$2@knossos.btinternet.com...
> It is the notion of reflected power itself which causes the confusion. Best
> to erase it from the imagination and return to square one. All can be
> clarified without resorting to black magic. KISS. There's no point in
> trying to solve problems which didn't exist before reflected power entered
> the vocabulary.

6634. Re: Boat anchors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 15:40:06 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <qVnJ9.33776$r4.2160170@news1.west.cox.net>
Source record: 36345

Boatanchor is a jargon term for old Radio equipment. In the old days (before solid state) vacuum tubes required very heavy transformers and parts with metal chassis and cabinets -- so some weighed in at 100 pounds plus. Especially the Military Surplus gear that Hams converted to Amateur Radio work. But commercial gear of the day manufactured for Hams was also very heavy and bulky.

The origin of the term boatanchor has been lost in the mists of history -- but here are a coupla guesses.

ORIGINS OF BOATANCHOR

THREE VERSIONS -- Opinions From The Internet.

Version I -- During World War II, Military Radio Techs used the term BoatAnchor as they
struggled with the huge, heavy, electronic equipments of the day -- full of transformers, tubes etc.
Also the US Navy frequently marked electronic gear with an anchor. After the war -- tons of
the equipment appeared on the surplus market and was dubbed BoatAnchors due to the reasons
above - one or both.

Version II -- After WWII a national magazine editor answered a query "As what to do with an
outdated heavy, large, surplus electronic instrument?" and answered "Tie a line to it and use it
as a BoatAnchor"

Version III To all those who expressed interest in the CQ magazine reference to boatanchors,
I found it after only an hour or two of skimming. And I also found that some of my recollections
were a bit hazy after all those years.

The original letter to the editor (not to the "Surplus Editor" as I incorrectly recalled) appeared on
page 16 of the October 1956 issue of CQ and was as follows:

Gentlemen:

I recently acquired a "Signal Corps Wireless Set. No. 19 MK II Transceiver." Are there
schematics or conversion data for this rig? Any info will be appreciated.

David J. Wilke W3LSG Pottstown, Pennsylvania

The editor replied:

The only conversion we seem to have on the files here at CQ calls for 100 feet of 1" Manila line,
one end of which is to be tied securely around the MK II Transceiver. This then converts the unit
into a fine anchor for a small boat. If any readers have better conversions we will be glad to
hearabout them.

Ed.

This letter apparently generated a lot of interest and in the February 1957 issue of CQ there
was a follow-up from CQ's editor, another letter from W3LSG and several pictures. If I find
the time I will scan them and post links to them here.

The expression "boatanchor" may have originated earlier than 1956, as Doug Hensley pointed
out. I found no earlier references in amateur radio than these CQ's, but there may be some.
However, there was no reason to call amateur gear of that era "boatanchors" since almost
all of it fit thatdescription. It wasn't till later when smaller, lighter gear became popular that there
was reason to categorize some gear as boatanchors. And it is also interesting to me that a word
originally used to denote something of little value, useful only to anchor a small boat, has taken
on a more affectionate meaning. We love our "boatanchors".

From Roger K6XQ

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com

"John Koch" <jakoch@centurytel.net> wrote in message
news:gaoavucrj9nskvd1k8uo28prb9p7mgvcu9@4ax.com...
> OK, I am not a newbie to amateur radio. Been working the radio for
> about 10 years but havn't did a lot of research into it. Just did
> what my dad did. Lately I have been seeing a lot of references to
> boat anchors. What is this relation to ham radio and boat anchors.
>
> I am just curious.
>
> N5RVN

6635. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 16:01:24 UTC
From: Lou <tech@dp.net>
Message-ID: <at54h8$1bkv$1@news.dp.net>
Source record: 36346

"Rudi" <wiedemann@attbi.com> wrote in message
news:MQmJ9.306753$QZ.46006@sccrnsc02...
> That's nice. What's next, expecting the customer to come to the store,
pull
> their own item from stock and ring it up themselves?
>
> AND THEY'LL CALL THIS A NEW LEVEL OF CUSTOMER SERVICE!
>
News Flash!!!!! At least on our local news, they recently reported of a
store contemplating doing just that!!!!!! My question is, is how many will
"forget" to scan or ring up a few items. Somehow, this is going to be a bad
idea from the get go unless they can tag "everything" with a code to set off
an alarm that would be disabled by the scanner or register thereby having to
be scanned or registered. Tech@DP.NET

6636. Re: Boat anchors

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 16:17:26 UTC
From: "Dan, danl, danny boy, Redbeard, actually Greybeard now" <danl@execpc.com>
Message-ID: <3df61356$0$1431$272ea4a1@news.execpc.com>
Source record: 36347

On Mon, 9 Dec 2002 22:53:46 -0500, "James Nipper"
<jnipper@nospam.fdn.com> sent into the ether:

>hee hee hee heeee
>
>Boat anchors only refers to old, useless, worthless equipment, that is said
>it be useful only as a boat anchor!!
I hope you are joking.
>
>
>For example-- old, old, military surplus gear, weighing 150 lbs.... no
>market value, good only for a boat anchor.
Hardly a description worth typing.
>
>
>Get it ??
Nope.
>
>
>
>
>73 de Jim K4PYT
>
Boatanchors. The best description of a boatanchor is: Older radios,
transmitters, receivers and related equipment, that uses tubes, weigh
more than you want them to, usually from 80 to400 pounds. Thus the
nickname boatanchors. If you want to see how much boatanchors are
worth on the market today there are 2 good places to visit.
1, rec.radios.amateur.boatanchors
2, As much as I hate it, E-bay. When going to e-bay use Johnson, B&W,
Heathkit, Hallicrafters, Globe or Collins as search words.

Far from being useless and worthless, boatanchor equipment shows the
history of amateur radio. Anyone that claims they are worth nothing
or next to nothing is either ill informed or trying to cheat you out
of what may be very valuable equipment! Boat anchor prices, as you
will see if you check, range from $50.00 to well over $5,000.00
depending on the manufacturer and condition.

There is much to be said for sitting in front of equipment you could
not afford as a kid and watching the tubes glow and hearing the relays
clack upon keyup. Yes, it can be called nostalgia. They are fun to
restore and operate, although I don't think anyone likes to carry them
around as the shack on a belt crowd does with their equipment.

If you are really interested in finding out about boatanchors check out the 2 source and ask questions. If you are fairly close to one of us boatanchor owners you may get invited over to view and maybe operate some of the old equipment :<}

Owner of,
1- Johnson Desk Kilowatt
1- Johnson Ranger I
1- Heathkit Mowhawk
1- Globe Champion and several sets of AX9909s
1- Collins R390A
3- Barker & Williamson 5100b + sideband adapter
Assorted parts radios, tuners and equipment.
Amateur radio - What a hobby!
Remove left x for direct reply

6637. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 17:24:16 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailNOSPAMORAMA.com>
Message-ID: <pKrJ9.68103$bq3.41732@news.bellsouth.net>
Source record: 36151

About 20 years ago, when living in Memphis, TN. I was with friends at a Shoney's (like a Big Boy) restaurant. It took so long, one of the party went to the phone, ordered a pizza. The pizza was delivered to the restaurant and eaten by us. The manager came over and asked what was going on. He was told that we had waited for an hour to even be waited on, and we were hungry.

--
73,
Chuck
KE4ETH
USA-NA
Remove the obvious from Email.

"Lou" <tech@dp.net> wrote in message news:at4312$112c$1@news.dp.net...
> > "Dennis Kaylor" <k4oxg@tampabay.rr.com> wrote in message
> > news:3DF54647.1050008@tampabay.rr.com...
> > > i agree
> > > customer service has died
> > > i have attempted to order pizza from pizza hut 4 times in the past
month
> > > and each time they either messed up the order or took an hour to hour
> > > and half to deliver the order and keep in mind i live less than 2
miles
> > > from the pizza joint
>
> Hell, I was IN a Pizza Hut one evening... A couple of my friends and I
> decided to have a chat there and catch a meal. It took 3 minutes to seat
us,
> over 45 to deliver our meal after ordered. It doesn't take that long to
make
> a damned pizza. And they weren't that busy. Yes we could have left.. But
we
> were hungry and we kept figuring a couple more minutes it will be done.
Not
> to mention time does pass when BSing. Needless to say we never went back.
As
> of about 2 months ago or so, they closed that one up for business. I can
> only wonder why.... OH WELL! Ya snooze, ya lose. Tech@DP.NET
>
>

6638. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 18:04:45 UTC
From: Idontwantspam@net
Message-ID: <3df62b1f.14840589@news.bellatlantic.net>
Source record: 36148

On Tue, 10 Dec 2002 11:01:24 -0500, "Lou" <tech@dp.net> wrote:

>"Rudi" <wiedemann@attbi.com> wrote in message
>news:MQmJ9.306753$QZ.46006@sccrnsc02...
>> That's nice. What's next, expecting the customer to come to the store,
>pull
>> their own item from stock and ring it up themselves?
>>
>> AND THEY'LL CALL THIS A NEW LEVEL OF CUSTOMER SERVICE!
>>
>News Flash!!!!! At least on our local news, they recently reported of a
>store contemplating doing just that!!!!!! My question is, is how many will
>"forget" to scan or ring up a few items. Somehow, this is going to be a bad
>idea from the get go unless they can tag "everything" with a code to set off
>an alarm that would be disabled by the scanner or register thereby having to
>be scanned or registered. Tech@DP.NET
>
Some local supermarkets have offered selfserve checkouts for a couple
of years now. Besides having a staff person in the area of these
checkouts, you also have to place each item on the conveyor belt after
scanning, which verifies the weight. I would guess they have a hidden
video setup as well.

Home Depot recently introduced the self serve espress checkouts.
Certain items, and more than a certain quantity of items, still need
to go through the regular checkouts. They sometimes spot check your
receipt against what you have in the cart on the way out.

It is possible to slip something by this system, but just as easy to
get caught as "low tech" shoplifting.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6639. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 18:15:41 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <uvcbq8sql52d9d@corp.supernews.com>
Source record: 36149

"Rudi" <wiedemann@attbi.com> wrote in message
news:MQmJ9.306753$QZ.46006@sccrnsc02...
> That's nice. What's next, expecting the customer to come to the store,
pull
> their own item from stock and ring it up themselves?
>
> AND THEY'LL CALL THIS A NEW LEVEL OF CUSTOMER SERVICE!
>
> Maybe they'll want you to manufacture your own products next?
>
>

Going back to the pizza example from an other post, we just
got a new pizza joint in town. I called up there the other night
and ask what their specials were. They told me and ask if I knew
how they operated their business. When I told them no, they said
what they do is assemble the pizza for you and you come and pick
it up and take it home and cook it yourself. If you want them to
cook it that's an extra $2 per pizza. I told them ok and I'd find out
what everyone wanted and call them back, yaknow I never did
find out what my family wanted on their pizzas.

And I don't think I ever will either!

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

6640. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 19:54:20 UTC
From: Caveat <caveat@poster.com>
Message-ID: <cogcvuc0dfi5eahmknjksbo494t9bk3u55@4ax.com>
Source record: 36150

On 10 Dec 2002 03:38:18 GMT, Ronald Oberloh <wa0kds@yahoo.com> wrote:

>Your problem here was not sending them a list with the check the first
>time. Nowdays one has to outguess everyone and I am as guilty as the
>next.
>

That would have been more difficult than it sounds because I could not now replicate what the order eventually ended up being. And even if I did have such a list, I sure as hell wouldn't now send it to them now because of the high likelihood of continuing screw-ups.

Bear in mind that this was a telephone order for lots of little parts. The original conversation with the order taker included:

"Gee, we're out of those; how about this instead?"

"OK"

"What do you have that will do this other function?"

"I suggest 6 of these items..."

"OK"

(etc.)

I didn't write all this stuff down as the order was being taken because I had a phone in one hand and a QST ad in the other. I sorta figured that they had the order and would handle it competently.

Silly me...

Caveat

6641. Re: CQ magazine

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 20:30:49 UTC
From: iwouldntknow <iwouldntknow@iwouldntknow.nospam.no>
Message-ID: <pljcvugcuepcds3rn564ife3fthnnq12eg@4ax.com>
Source record: 36152

Mine came 10 days ago in PA0

On Mon, 9 Dec 2002 11:39:24 -0600, "Bill Grimwood" <bill@grimwood.net> wrote:

>Has anyone received the December issue of CQ?
>
>Mine has yet to come.
>
>BG
>
>K1WEG
>

6642. WANTED: SERVICE MANUAL TS-120

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 20:55:05 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DF654A9.7A048C7A@erols.com>
Source record: 36153

Looking for a service manual for the TS-120. Reproduced copy fine
or will borrow to reproduce. Please contact, Joe, KD3VR, at
bmejoe@earthlink.net or 301-577-3749 (Maryland, near WashDC.) Thanks.

6643. FT 857

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 21:09:16 UTC
From: "Hanno, DG8JZ" <hanno@dg8jz.de>
Message-ID: <at5lah$b9o$06$1@news.t-online.com>
Source record: 36155

Hi friends,
I am looking for further informations about the new FT 857. I only got a picture, but no more specs. Please send a mail if you know a source for more details. You can see the pic at : http://www.yaesu-museum.de/ft-857.html

vy 73
Hanno, DG8JZ

6644. FA:Motorola Saber Public Safety Remote MIC - NEW

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 21:11:21 UTC
From: msdbm@aol.com
Message-ID: <20021210161121.07761.00010966@mb-mn.aol.com>
Source record: 36154

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943476547

6645. FA:Motorola UHF Stubby Public Safety Antenna 440-470 mhz

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 21:13:01 UTC
From: msdbm@aol.com
Message-ID: <20021210161301.07761.00010969@mb-mn.aol.com>
Source record: 36156

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943478676

6646. FA:Motorola Radius P10 VHF Exc Cond (2)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 21:15:34 UTC
From: msdbm@aol.com
Message-ID: <20021210161534.07761.00010971@mb-mn.aol.com>
Source record: 36157

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943551353

and

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943577761

6647. SMC 2520 Band 3 PMR

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 21:59:30 UTC
From: Paul M0EME <paul@m0eme.freeserve.co.uk>
Message-ID: <at5o4bgun1@newsg1.svr.pol.co.uk>
Source record: 36158

Can the SMC2520 band3 PMR radio be used for ham use??
--
Scanned for Virus with Norton 2002 antivirus
Email - paul@m0eme.freeserve.co.uk
Http - www.m0eme.freeserve.co.uk
ICQ - 70602047
Amsat
Rsgb

6648. FS:RADIO 'STUFF' ON EBAY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 22:01:05 UTC
From: Heytubeguy <heytubeguy@worldnet.att.net>
Message-ID: <ButJ9.47021$vM1.3783337@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36159

EIMAC SK-416 CHIMNEY
GATES RIGHT ANGLE DR
CARDWELL 2000 PF CONDENSER
BUD RF COKE
BAILEY XTALS

see seller heytubeguy if interested
Joe

6649. Re: FS:RADIO 'STUFF' ON EBAY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 22:49:48 UTC
From: jack <jack@aol.com>
Message-ID: <6trcvuc6r8mcsoio5fmdgeo8umijf68sk5@4ax.com>
Source record: 36160

USE FA

On Tue, 10 Dec 2002 22:01:05 GMT, "Heytubeguy"
<heytubeguy@worldnet.att.net> wrote:

>EIMAC SK-416 CHIMNEY
>GATES RIGHT ANGLE DR
>CARDWELL 2000 PF CONDENSER
>BUD RF COKE
>BAILEY XTALS
>
>see seller heytubeguy if interested
>Joe
>

6650. FT 920 For Trade and More

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 22:51:37 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3DF66EA7.2040807@dirtball.com>
Source record: 36161

Hello
I have a FT 920 with the AM filter and FM board. The FT 920 is 100
watts HF + 6 Meters. It has a Auto tuner and the MC 100 Desk Mic. I
also Have the 3 KW Roller Inductor Antenna Tuner. They are in good shape
I will trade both for a FT 990 or a FT 1000.. I have been using the FT 920 as a backup rig.
If you have a FT 1000D I will add a Henry Radio 2KD-5 Amplifier to
the deal. 100 watts in gets you about 1000 watts out. I will trade this 2KD 5 Henry amp for a FT 990 or a FT 1000. It has new caps
and a pair of Emac 3-500. It is wired for Single Phase 240. The same
voltage that runs your dryer and electric range.
I also have a Icom AT 500 auto tuner. This tuner will handle 500 watts. It works fine and I have no use for ICOM equipment. My station is all Yaesu at this time. I will trade this tuner for a Kenwood TS 50, or other small HF Gen. coverage rig, or a good Short wave receiver. I also have a Pentium III 500 Mhz computer for trade. It has 128Mb ram, CD burner 52X CD rom S3 Virge video card, 1Gb hard drive, 10/100 Mb network card, Motorola SM 56 modem, Yamaha sound card in a ATX tower. Of corse keyboard and mouse included. I will trade this computer for 350 bucs plus shiping or a good HF moblie rig.
I am will to travel 100 miles from Athens GA. Drop me a email so we can work out the deal.
oris@dirtball.com
Happy Holidays
73 and thanks for reading
Oris
N4CND
http://www.dirtball.com

6651. Re: Recommendation for setting up and using multiple rigs?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 23:01:27 UTC
From: nx7u@arrl.net
Message-ID: <3df6721a.866864@news.west.cox.net>
Source record: 36162

Ya know, there's a cute device that just started getting ad print in
QST to do just that.
It's "Multi-Switcher" model NCS-3240 by New Communications Solutions
in GA. http://www.ncsradio.com
No affiliation and no experience with the product, but it's exactly
what you're looking for! (except for the antenna part)

On Tue, 10 Dec 2002 06:22:44 GMT, "Robert Fanfant"
<fanfant1@attbi.com> wrote:

>I've have 3 HF rigs that I'd like to use more often but I just hate having
>to unplug every connection to make that happen. So I just end up using 1 rig
>most of the time.
>
>Looking for input from others running multiple rigs.
>
>What hardware recommendations do you use that lets you quickly switch among
>the different rigs? I'd like to share the rigs (2 ICOM & 1 K2)with the
>following devices: amp(needs ALC/RELAY), external speaker, Timewave 599 DSP,
>CW paddle, ICOM microphone, computer for logging, coax antenna.
>
>Thoughts?
>
>-rob
>
>

6652. Ham Tower....where is the best place to find a buyer for an item like this?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-10 23:30:42 UTC
From: joevintage@metacrawler.com
Message-ID: <b13f3728.0212101530.2f9ee96a@posting.google.com>
Source record: 36163

The reason I am posting this thread is because I have a tower I was considering selling and I thought you all may be experts in the field.

A brief description of it would be a 70' tubular, tilt teloscopic and ROTATABLE unit ! It rotates in it's base on brass bearings, and has a guy ring assembly that would allow it to be guyed and still rotate at the guy ring !! Not that you would ever need to guy it, because it is literally orders of magnitude stronger than any tower of its type...mil spec and engineered to take a blast. A true "emergency ready" unit since it can be raised, lowered and rotated without power BY HAND if need be !

The rotate feature can be bypassed and the unit locked in place at it's base with the turn of a socket as can the guy ring be fixed solid if need be.

It has a BRADEN 25,000 pound winch (may be a 50,000 lb.) on a worm drive assembly powered by a GE electric motor for raising and lowering. Industrial motor reverse electric bus box and all related components are available. It has 2 bases if you should ever need to move it, and hundreds of other features that are just mind boggling including aircraft countersunk capscrew fasteners in its construction.

The cost to duplicate this thing would be huge....raw materials alone would exceed $10,000 bucks.

I was wondering if you may know of a way to market this thing, or know of someone who may be interested in it themselves.

I am in St. Louis....I also have a Mosely tri bander I would consider letting go too. I do need a fair amount for the thing due to the sheer nature of the item, and the fact that there will never be another like it available unless it is custom built.

Thanks in advance for the replies and for your time folks, and let me hear something !!

6653. Frankie lee willian sanborn

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 01:46:56 UTC
From: wt1078@cs.com
Message-ID: <20021210204656.21299.00000049@mb-cu.news.cs.com>
Source record: 36164

looking for anyone that has had fraud with

Frankie lee willian sanborn
424 nick street
newark delaware 19702

302-836-7998

about radio eq. not receiving it ?????

email me wt1078@charter.net

dennis kb7wfv

6654. F/S Pro-2030 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 02:42:28 UTC
From: Bob <k4rjl@arrl.net>
Message-ID: <3DF6A61E.22BEEF3F@arrl.net>
Source record: 36165
Cross-posted to: rec.radio.amateur.equipment,rec.ham-radio.swap

Radio Shack Pro-2030 Direct entry 80 channel scanner.
Comes with power supply, antenna and copy of manual.
$80.00 shipped CONUS. PayPal or US Postal Money Order

6655. FA not FS Re: FS:RADIO 'STUFF' ON EBAY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 02:50:50 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <eKxJ9.193235$GR5.65108@rwcrnsc51.ops.asp.att.net>
Source record: 36166

FA not FS

6656. SWR Bridge component values-Henry 2K4

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 03:02:21 UTC
From: Crazy George <munschNO@attglobal.net.SPAM>
Message-ID: <3df6b0dc_2@news1.prserv.net>
Source record: 36167
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair

The used 2K4 I bought suffered some kind of disaster inside the little aluminum box containing the bridge. Someone probably tried to put a kilowatt into an open circuit. The inside of the box is blackened, and spotted with fine particles of molten metal. As a repair, some previous owner simply removed most of what was in there, leaving the toroid around the center conductor, and the two .01 caps on the RCA jacks. I have a corrected copy of the schematic, and would like to obtain a few pieces of additional data before I tackle rebuilding it.

The drawing (SWR Bridge, December 1970, By: WCK) shows a unterminated winding (L80) grounded on one end, and apparently wrapped around the center conductor. There was a short piece of magnet wire still stuck inside the insulator in the center of the toroid, and I suspect this must have been a simple Faraday shield. How many turns, and what spacing was it? And, how many turns in the main coupling winding around the toroid (L81)? I count 64 remaining on this one, which may be close to the original number.

Second, some component values. The trimmers (C80 & 87) connected to the center conductor were probably in the range of 7 pf. Is that correct?

Are the RF chokes (incorrectly shown as C82 & 84) 0.5 or 1 mH, or something else?

The SWR bridge shown in many ARRL Antenna Handbooks looks very similar to what is shown on the Henry schematic, so I am using it for some guidance. Has anyone else compared the two?

All constructive comments appreciated, and yes, Reg, I know measuring SWR doesn't tell you much. I just want it for a relative output indicator.

--
Crazy George
Remove NO and SPAM from return address: to make: munsch at attglobal dot net

6657. Re: FA not FS Re: FS:RADIO 'STUFF' ON EBAY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 03:13:43 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3df6ad2e$1@news.netacc.net>
Source record: 36168

"Bill & Suzie Whatley" <spud286@attbi.com> wrote in message
news:eKxJ9.193235

> FA not FS
>

Duh... what part of EBay did you not understand???

An auction is a sale. When he says it is FS on EBay, he has told you it is
an auction.

Steve

6658. Re: FA not FS Re: FS:RADIO 'STUFF' ON EBAY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 03:47:04 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <YyyJ9.54606$hK4.4669633@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36169

One can set their newsreader to ignore all that FA stuff
(if I want to know what is available on eBay, I GO THERE).

But when some folks ignore the simple and polite way
of posting links to their auctions here, I find it a bit
annoying, and will in fact make a point of never bidding
on anything they list on eBay.

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
news:3df6ad2e$1@news.netacc.net...
>
> "Bill & Suzie Whatley" <spud286@attbi.com> wrote in message
> news:eKxJ9.193235
>
> > FA not FS
> >
>
>
> Duh... what part of EBay did you not understand???
>
>
> An auction is a sale. When he says it is FS on EBay, he has told you it is
> an auction.
>
>
>
> Steve
>
>

6659. Re: FA not FS Re: FS:RADIO 'STUFF' ON EBAY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 04:28:39 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3df6bebe$1@news.netacc.net>
Source record: 36170

"Hank Oredson" <horedson@att.net> wrote in message
news:YyyJ9.54606$hK4.4669633@bgtnsc05-news.ops.worldnet.att.net...
> One can set their newsreader to ignore all that FA stuff
> (if I want to know what is available on eBay, I GO THERE).
>
> But when some folks ignore the simple and polite way
> of posting links to their auctions here, I find it a bit
> annoying, and will in fact make a point of never bidding
> on anything they list on eBay.
>
> --
>
> ... Hank
>

Hmm, you can't filter on the keyword EBay, E-Bay, ebay, etc etc??? Have not met the net god that determined that only a standard phrase can be used to indicate an auction. Or do I get to pick one??? OK from now on, all you auction types put *t$&$%s in your header so I can filter you :-)

Steve

6660. Frankie lee willian sanborn looking for info about fraud

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 09:01:44 UTC
From: dennis <wt1078@charter.net>
Message-ID: <uve0c48vd2t33f@corp.supernews.com>
Source record: 36171

Frankie lee willian sanborn
424 nick street
newark delaware 19702

302-836-7998
all about radio sending and no radio?????

dennis kb7wfv wt1078@charter.net

6661. Re: SWR Bridge component values-Henry 2K4

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 12:31:32 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <at7b73$l1k$1@helle.btinternet.com>
Source record: 36172
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair

"Crazy George"

> All constructive comments appreciated, and yes, Reg, I know measuring SWR
> doesn't tell you much. I just want it for a relative output indicator.
>
============================

George, why not use a pea lamp ?

For design of the so-called SWR meter, download (yes, right first time)
program SWRMETER.

==========================
Regards from Reg G4FGQ
For Free Radio Design Software
Go to http://www.g4fgq.com
==========================

6662. Boatanchor Clearout, Collins etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 13:20:13 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <9TGJ9.70623$bq3.32526@news.bellsouth.net>
Source record: 36173
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I am listing nearly 100 items, most of them rare and highly desirable
Please feel free to look
I have everything from Keys, Collins, National, Hammerlund, Hallicrafters
and so many more very nice items.
This is my idea of having a good clear out.
http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=radio-mar
t&include=0&since=-1&sort=3&rows=25

6663. Re: Boatanchor Clearout, Collins etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 14:43:16 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <U4IJ9.71222$bq3.50987@news.bellsouth.net>
Source record: 36174
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Link should read
http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=radio-mar
t&include=0&since=-1&sort=3&rows=25

6664. re.Boatanchor clearout, Link should read

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 14:44:25 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <Y5IJ9.71226$bq3.18671@news.bellsouth.net>
Source record: 36175
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=radio-mart&include=0&since=-1&sort=3&rows=25

6665. Re: re.Boatanchor clearout, Link should read

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 15:40:30 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <rWIJ9.71443$bq3.34137@news.bellsouth.net>
Source record: 36176
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

For some reason the complete text is not showing as a link
It is the whole text INCLUDING what is not underlined
Sorry for the hassle
I have linked one item and see sellers other suctions for a list.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1944666285

6666. Re: Boatanchor Clearout, Collins etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 15:40:44 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <FWIJ9.71445$bq3.53249@news.bellsouth.net>
Source record: 36177
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

For some reason the complete text is not showing as a link
It is the whole text INCLUDING what is not underlined
Sorry for the hassle
I have linked one item and see sellers other suctions for a list.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1944666285

6667. Re: Boatanchor Clearout, Collins etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 16:04:55 UTC
From: Bill M <"\\exray\"\"\"@n-o- .caribe.net>">
Message-ID: <uveof6mjl27565@corp.supernews.com>
Source record: 36178
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Martyn wrote:
> For some reason the complete text is not showing as a link
> It is the whole text INCLUDING what is not underlined
> Sorry for the hassle
> I have linked one item and see sellers other suctions for a list.
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1944666285
>
>
>

You did the best thing by trimming off all the superfluous crap. But if
you ever need to post a llllooonnnggg URL just use > and < at beginning
and end and most readers won't chop it up.
-BM

6668. Re: FA not FS Re: FS:RADIO 'STUFF' ON EBAY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 17:50:57 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <5WKJ9.48358$vM1.3886308@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36179

"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
news:3df6bebe$1@news.netacc.net...
>
> "Hank Oredson" <horedson@att.net> wrote in message
> news:YyyJ9.54606$hK4.4669633@bgtnsc05-news.ops.worldnet.att.net...
> > One can set their newsreader to ignore all that FA stuff
> > (if I want to know what is available on eBay, I GO THERE).
> >
> > But when some folks ignore the simple and polite way
> > of posting links to their auctions here, I find it a bit
> > annoying, and will in fact make a point of never bidding
> > on anything they list on eBay.
> >
> > --
> >
> > ... Hank
> >
>
> Hmm, you can't filter on the keyword EBay, E-Bay, ebay, etc etc??? Have
> not met the net god that determined that only a standard phrase can be used
> to indicate an auction. Or do I get to pick one??? OK from now on, all
> you auction types put *t$&$%s in your header so I can filter you :-)

If that were the standard way of indicating something for auction,
then I would filter on it. The standard way is to use FS: or FA:.

If you were unaware of that standard, your ignorance has now been corrected :-)
Say "Thank you".

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

6669. antenna guru help please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 19:30:13 UTC
From: tore stabell kulo <stabern@chello.no>
Message-ID: <BmMJ9.359$3G4.1393@amstwist00>
Source record: 36180

Hi, gurus.
We want to build a 2m vertical, and wonder what the best choose would be. We are now looking at this one:

http://hamgate1.sunyerie.edu/races/antenna/5-8thx2j.jpg
http://medlem.spray.se/sm6eat/jpole2.htm
What do you think, anyone with experience with it?

Regards,
LA7FKA & LA5MDA, Norway

6670. For Sale: Radio Shack PRO-92A Scanner $120 shipped.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 19:56:08 UTC
From: kc1ua@scancapecod.net
Message-ID: <9b093b3c.0212111156.48ce387@posting.google.com>
Source record: 36181
Cross-posted to: rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.swap

I have for sale a Radio Shack PRO-92A (firmware 3.25) portable scanner. With original box, antenna, both battery holders, manual, AC adapter, and glove leather case (plastic cut out for easier viewing and access to keys). Scanner is in very good condition. Some blemishes on the BACK of the scanner from use prior to obtaining case. Display and front are in very good shape.
Price: $120 shipped via U.S, Postal Service Priority Mail U.S. only ON RECEIPT OF US POSTAL MONEY ORDER ONLY. ANY OTHER TYPE OF MONEY ORDER WILL BE RETURNED! PayPal also accepted; if using credit card for PayPal total will be $125 shipped to cover Paypal's credit card charge to me.

Thanks for reading. Please e-mail me if interested.

Scott
Scan Cape Cod/Scan Massachusetts
http://www.scanmassachusetts.net

6671. For Sale: Radio Shack DX-398 Shortwave Receiver $120 shipped.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 19:57:28 UTC
From: kc1ua@scancapecod.net
Message-ID: <9b093b3c.0212111157.2bf64ae@posting.google.com>
Source record: 36182
Cross-posted to: rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale a Radio Shack DX-398 Shortwave Receiver with original box, carry case, and manual. This radio is in mint condition and has only been turned on about four times. I thought I would have use for it but have not. This receiver has full shortwave coverage and includes separate upper and lower sidebands, as well as FM Stereo (through headphones not included).
Asking $120.00 shipped USPS Priority Mail U.S. only on receipt of U.S. POSTAL MONEY ORDER ONLY! Paypal is also accepted, please add $5 if using credit card for total of $125.00 to cover my PayPal credit card charge.

Thanks for reading. Please reply via e-mail if interested.

Scott/KC1UA
Scan Cape Cod/Scan Massachusetts
http://www.scanmassachusetts.net

6672. Re: WTB IC R7000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 20:01:57 UTC
From: Bill Grimwood <bill@grimwood.net>
Message-ID: <uvf9rakimrab1e@corp.supernews.com>
Source record: 36184

I have one, please reply privately.

bill@grimwood.net

"West" <westley@gte.net> wrote in message
news:zBiI9.5509$903.2299@nwrddc02.gnilink.net...
> Wanted Icom R7000 General Coverage Receiver.
> Cordially,
> west
>
>

6673. Re: antenna guru help please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 20:49:52 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <QyNJ9.490$4k6.61363@wards>
Source record: 36183

Quick and simple is the 'SLIM JIM'. It is made from 300 Ohm feeder. I have build several for portable operation over the years.

The design appeared in a publication called 'Out of thin air'.

The total cost was about GBP2 - that was for the plastic tube to house the aerial in.

Neil G1TZC / M3TZC

tore stabell kulo <stabern@chello.no> wrote in message news:BmMJ9.359$3G4.1393@amstwist00...
> Hi, gurus.
> We want to build a 2m vertical, and wonder what the best choose would be. We
> are now looking at this one:
>
> http://hamgate1.sunyerie.edu/races/antenna/5-8thx2j.jpg
> http://medlem.spray.se/sm6eat/jpole2.htm
> What do you think, anyone with experience with it?
>
> Regards,
> LA7FKA & LA5MDA, Norway
>
>

6674. Re: HOW-TO: MRP40 unlimited trial period.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 21:13:21 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <vTNJ9.461$h43.76575@stones>
Source record: 36185

And don't forget.... the VSWR will change depending on where you are in the band. Make a measurement just inside one end of the band then somewhere in the middle then near the other and and look at the results.

Neil
G1TZC/M3TZC

Ken <cprstn54zz@att.net> wrote in message news:3df5ef8e.92218312@news-server.optonline.net...
> On Tue, 10 Dec 2002 06:42:43 -0800, Vito <vito@crosslink.net> wrote:
> >I agree doing stuff like this is morally wrong but is it really illegal?
> >Please cite if you can do so easily - ie don't go to a lot of trouble.
>
> Under US law if a publication is protected by a copyright, no one has
> the right to use the item without a license.
>
>
> Ken
> (to reply via email
> remove "zz" from address)

6675. Re: SWR Bridge component values-Henry 2K4

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 21:55:29 UTC
From: barry@psyber.com
Message-ID: <kvOJ9.236$dwA4.22675692@news2.randori.com>
Source record: 36186
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair

You might try getting a copy of QST magazine and seeing if the classifieds have schematics for your linear. I've seen many "legacy" documents advertised there.

Great amp. by the way.

barry

6676. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 22:37:09 UTC
From: murphys@comcast.net
Message-ID: <fb5e668b.0212111437.1631eb78@posting.google.com>
Source record: 36187
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

OK, let me see if I understand now...

Using the I Smac hypothetical:

Initially, the 100 watt transmitter attempts to deliver it's full output to the load, since it has no clue that the load is not matched to the source. When the energy hits the mismatch, a portion of it, 10 watts, is reflected back to the source, 180 degrees out of phase. This signal, being out of phase with the source, opposes 10 watts worth of source energy from subsequent waves, so the source only puts out 90 watts once the reflected waves reach it. Further, once the reflected wave reaches the source, it is re-reflected back toward the load after undergoing another phase inversion, so, the wattmeter will now read 100 watts forward, since the re-reflected signal is now 360 degrees out of phase... Meanwhile, the source is only supplying 90 watts and the load is dissipating 90 watts, so 10 watts is "standing" in the line... If I'm correct, that would be the "standing wave".....?

6677. Re: Boatanchor Clearout, Collins etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 22:51:41 UTC
From: jack <jack@aol.com>
Message-ID: <7bgfvusukthj9mu4q3d507rqln18eq58s0@4ax.com>
Source record: 36188
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

USE FA. we are tired of telling you idiots

On Wed, 11 Dec 2002 08:20:13 -0500, "Martyn" <martyna@bellsouth.net>
wrote:

>I am listing nearly 100 items, most of them rare and highly desirable
>Please feel free to look
>I have everything from Keys, Collins, National, Hammerlund, Hallicrafters
>and so many more very nice items.
>This is my idea of having a good clear out.
>http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=radio-mar
>t&include=0&since=-1&sort=3&rows=25
>
>

6678. Re: re.Boatanchor clearout, Link should read

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-11 22:52:32 UTC
From: jack <jack@aol.com>
Message-ID: <begfvu41m377q682n2s5sh2d59o7ai1dhd@4ax.com>
Source record: 36189
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Who cares use FA idiot

On Wed, 11 Dec 2002 10:40:30 -0500, "Martyn" <martyna@bellsouth.net>
wrote:

>For some reason the complete text is not showing as a link
>It is the whole text INCLUDING what is not underlined
>Sorry for the hassle
>I have linked one item and see sellers other suctions for a list.
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1944666285
>
>

6679. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 00:31:21 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF7D8D9.6030002@ieee.org>
Source record: 36190
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Steve N8NM wrote:
> OK, let me see if I understand now...
>
> Using the I Smac hypothetical:
>
> Initially, the 100 watt transmitter attempts to deliver it's full
> output to the load, since it has no clue that the load is not matched
> to the source. When the energy hits the mismatch, a portion of it, 10
> watts, is reflected back to the source, 180 degrees out of phase.

Be very careful there. Energy is a scalar and doesn't have phase.
Energy is a scalar as is water. What's the phase of water flow?

The voltage and current from the source are in phase. The reflected
voltage and current are 180 degrees out of phase. If the voltages
add, the currents subtract and vice versa.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6680. Re: re.Boatanchor clearout, Link should read

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 01:27:48 UTC
From: jeff <w5omr-anti-spam@w5omr.antispam.shacknet.nu>
Message-ID: <oCRJ9.137138$Gc.4578226@twister.austin.rr.com>
Source record: 36191
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

chill out, Jack.

--
Regards,
-Geoff
"jack" <jack@aol.com> wrote in message
news:begfvu41m377q682n2s5sh2d59o7ai1dhd@4ax.com...
> Who cares use FA idiot
>
>
> On Wed, 11 Dec 2002 10:40:30 -0500, "Martyn" <martyna@bellsouth.net>
> wrote:
>
> >For some reason the complete text is not showing as a link
> >It is the whole text INCLUDING what is not underlined
> >Sorry for the hassle
> >I have linked one item and see sellers other suctions for a list.
> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1944666285
> >
> >
>

6681. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 01:52:05 UTC
From: Roy Lewallen <w7el@eznec.com>
Message-ID: <uvfquidmf82m6a@corp.supernews.com>
Source record: 36192
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Be even more careful. Power is a function of time. In a steady-state sinusoidal system, its waveshape is that of a sine wave plus a DC term, with the sine wave frequency being twice the frequency of the voltage or current. Energy is the time integral of this quantity, so it's also a function of time. The energy waveform will be another sine wave of the same frequency as the power waveform but shifted 90 degrees, superimposed on a ramp.

The DC value of the power waveform is the average power. If the voltage and current are in phase, the entire power waveform is greater than zero, indicating that power is flowing only in one direction for the entire cycle, although its magnitude is going up and down sinusoidally, two cycles for every voltage or current cycle. If the voltage and current are 90 degrees out of phase, the power waveform will be centered around zero watts, meaning that power is flowing in one direction for half the time, and back the other way for the other half, resulting in no net power flow. The average in that case is zero, and the slope of the energy waveform ramp will be zero. That is, energy will flow back and forth in equal amounts each half cycle just like the power, but 90 degrees out of phase with it.

This is high school trigonometry, not rocket science, from a simple multiplication of v(t) times i(t), where both are sinusoids of the same frequency. (The integration for the energy waveform does require high school or freshman college calculus, or a little time spent with some graph paper.)

But this doen't make power and energy phasors, because phasors assume a particular frequency (that of the voltage and current), and the sinusoids involved with power and energy aren't at that frequency. But you could, if you had any reason to do so (and I can't think of one right off the bat), describe power completely as a DC term plus a sine wave of a particular amplitude and phase. But these waveforms are neither scalar nor phasor quantities as those terms are used in AC phasor analysis, and can't be mixed in with scalar and phasor quantities for analysis. (Unless, of course, you need to "prove" something that isn't so, in which case it's often useful -- essential, even -- to mix incompatible quantities and perform invalid operations.)

People often mean "average power" when they say "power", and you sometimes even see power "defined" as V*I*cos(theta), where theta is the phase angle between V and I. It's not. That's the *average* power. Power is v(t) times i(t), period. Average power is the DC term you get from the multiplication(*), and it's a constant in a steady state system. But

when you start talking about energy sloshing around in a transmission line, you have to deal with how energy and power vary with time. And you can bet your family joules that they do.

Roy Lewallen, W7EL

(*) The definition of average for any repetitive waveform is 1/T * Integral from t to t+T of W(t) dt, where W(t) is the waveform and T is the period. For power, W(t) = v(t)*i(t). This holds for any repetitive waveform of any shape. But for sinusoids, when you multiply v(t) and i(t) you get two terms, one a constant (DC) and the other a sine wave (of twice the V and I frequency). The average value of a zero-centered sine wave is zero, leaving the DC term as the average value by inspection. You'll get exactly the same result if you calculate it from the definition of average.

OC_CAM's Razor wrote:
> Steve N8NM wrote:
>
>> OK, let me see if I understand now...
>>
>> Using the I Smac hypothetical:
>>
>> Initially, the 100 watt transmitter attempts to deliver it's full
>> output to the load, since it has no clue that the load is not matched
>> to the source. When the energy hits the mismatch, a portion of it, 10
>> watts, is reflected back to the source, 180 degrees out of phase.
>
>
> Be very careful there. Energy is a scalar and doesn't have phase.
> Energy is a scalar as is water. What's the phase of water flow?
>
> The voltage and current from the source are in phase. The reflected
> voltage and current are 180 degrees out of phase. If the voltages
> add, the currents subtract and vice versa.

6682. FS: Kenwood TS570SD/G HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 01:53:59 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <X_RJ9.1309$MV5.132734@newsread2.prod.itd.earthlink.net>
Source record: 36193
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood TS570SD/G HF/6M transceiver w/2.4KHz SSB filter, 400HZ International CW filter, PS31 Matching Speaker, PS 40 Switching Power Supply for sale. (90M serial #)
Modified by the Kenwood factory for Six Meter operation in July 1998 at a cost of $130.00.
Radio comes with all manuals, hand mike, power cord.
This radio has low hours and is in excellent shape. Never mobile or field operated.

Radio will be shipped in the original Kenwood box. Power supply and speaker shipped individually. (Double boxed for maximum protection)

Asking $800.00 for the complete package. Buyer pays packing, shipping, and insurance costs.

Rich, W6VX in Sherman Oaks CA (Los Angeles area)

w6vx@arrl.net

6683. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 02:35:33 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <agrfvu4nm0u8rb71shrgh0g4hkfjm0tv1l@4ax.com>
Source record: 36194
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On 11 Dec 2002 14:37:09 -0800, murphys@comcast.net (Steve N8NM) wrote:

> When the energy hits the mismatch, a portion of it, 10
>watts, is reflected back to the source, 180 degrees out of phase.
>This signal, being out of phase with the source, opposes 10 watts
>worth of source energy from subsequent waves

Hi Steve,

Odd this simple fact was overlooked by all - even with all the "take care" being taken.

The reflection at the plane of discontinuity enforces a phase shift, BUT that phase shift is not what appears at the source because the transmission line then imposes its own phase transform equal to the number of degrees long (electrical length) that the line is from the plane of reflection back to the plane of measurement (the source).

This has been a point our other Steve (VE9SRB) has been repeating to no end in terms of adding currents and voltages, not power. Powers add only at the most specific of conditions (yours is not one of those occasions).

> Further, once the
>reflected wave reaches the source, it is re-reflected back toward the
>load after undergoing another phase inversion
This is sheer speculation (that the source is not matched) and again ignores the line's contribution of reflected power back to the source, now a complex load (if not matched to the line). Even IF the source is mismatched, I dare say few here are competent to determine its actual value (although I've seen considerable speculation to force fit the arguments presented in too many threads through the years).

When both ends are mismatched (your and other's assumption) and the line length is not known, there is no way to accurately measure how much power is being developed in the system. This is known to Metrologists as Mismatch Uncertainty and equals ï¿½25% of the actual power for the simple expectation you portray (which, of course, is easily twice the power you think is in the reflected component).

Thought experiments of an unmatched source supporting complex power scenarios through unspecified transmission line lengths to another, remote mismatch are dead on arrival.

73's
Richard Clark, KB7QHC

6684. Re: HOW-TO: MRP40 unlimited trial period.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 02:41:50 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailNOSPAMORAMA.com>
Message-ID: <yK_J9.27798$X%3.26749@news.bellsouth.net>
Source record: 36102

OK, excuse the question. But what is MRP40?

TIA

--
73,
Chuck
KE4ETH
USA-NA
Remove the obvious from Email.

"Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com> wrote in message
news:vTNJ9.461$h43.76575@stones...
> And don't forget.... the VSWR will change depending on where you are in
the
> band. Make a measurement just inside one end of the band then somewhere in
> the middle then near the other and and look at the results.
>
> Neil
> G1TZC/M3TZC
>
> Ken <cprstn54zz@att.net> wrote in message
> news:3df5ef8e.92218312@news-server.optonline.net...
> > On Tue, 10 Dec 2002 06:42:43 -0800, Vito <vito@crosslink.net> wrote:
> > >I agree doing stuff like this is morally wrong but is it really
illegal?
> > >Please cite if you can do so easily - ie don't go to a lot of trouble.
> >
> > Under US law if a publication is protected by a copyright, no one has
> > the right to use the item without a license.
> >
> >
> > Ken
> > (to reply via email
> > remove "zz" from address)
>
>

6685. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 03:46:13 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF80685.9060105@ieee.org>
Source record: 36195
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Roy Lewallen wrote:
> Be even more careful. Power is a function of time. In a steady-state
> sinusoidal system, its waveshape is that of a sine wave plus a DC term,
> with the sine wave frequency being twice the frequency of the voltage or
> current. Energy is the time integral of this quantity, so it's also a
> function of time. The energy waveform will be another sine wave of the
> same frequency as the power waveform but shifted 90 degrees,
> superimposed on a ramp.

Everything that Steve and I have been discussing involves average power.

> The DC value of the power waveform is the average power. If the voltage
> and current are in phase, the entire power waveform is greater than
> zero, indicating that power is flowing only in one direction for the
> entire cycle, although its magnitude is going up and down sinusoidally,
> two cycles for every voltage or current cycle. If the voltage and
> current are 90 degrees out of phase, the power waveform will be centered
> around zero watts, meaning that power is flowing in one direction for
> half the time, and back the other way for the other half, resulting in
> no net power flow. The average in that case is zero, and the slope of
> the energy waveform ramp will be zero. That is, energy will flow back
> and forth in equal amounts each half cycle just like the power, but 90
> degrees out of phase with it.

We don't have to worry about that in transmission lines. Forward power
has the voltage and current in phase and reflected power has the voltage
and current 180 degrees out of phase so V*I = power (no vars) because
cos(angle) is always +1 or -1 depending upon whether it is forward or
reflected power. Forward waves and reflected waves are transparent to
each other and pass unmolested until they both encounter an impedance
discontinuity where their wave components can cause interference.

> But this doen't make power and energy phasors, because phasors assume a
> particular frequency (that of the voltage and current), and the
> sinusoids involved with power and energy aren't at that frequency. But
> you could, if you had any reason to do so (and I can't think of one
> right off the bat), describe power completely as a DC term plus a sine
> wave of a particular amplitude and phase. But these waveforms are
> neither scalar nor phasor quantities as those terms are used in AC
> phasor analysis, and can't be mixed in with scalar and phasor quantities
> for analysis. (Unless, of course, you need to "prove" something that
> isn't so, in which case it's often useful -- essential, even -- to mix
> incompatible quantities and perform invalid operations.)

My point exactly, Roy. Do you agree that a forward wave of 61.24V at 1.225A has an associated average power of V*I=75 joules/sec? Do you agree that a forward wave of 20.41V at 0.408A has an associated average power of V*I=8.33 joules/sec? Do you agree with Steve that these two (and only two) waves can be added to get 81.65V at 1.63A with an associated power of V*I=133.33 joules/sec? Do you agree that 75 joules/sec + 8.33 joules/sec = 133.33 joules/sec?

> People often mean "average power" when they say "power", and you
> sometimes even see power "defined" as V*I*cos(theta), where theta is the
> phase angle between V and I. It's not. That's the *average* power. Power
> is v(t) times i(t), period. Average power is the DC term you get from
> the multiplication(*), and it's a constant in a steady state system. But
> when you start talking about energy sloshing around in a transmission
> line, you have to deal with how energy and power vary with time. And you
> can bet your family joules that they do.

Steve says the average power contained in a wave in a transmission line is V*I = V^2/Z0 = I^2*Z0. I am basing my discussion of power on his equation. It is obviously average power.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6686. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 05:23:09 UTC
From: Roy Lewallen <w7el@eznec.com>
Message-ID: <uvg7af98urkf8b@corp.supernews.com>
Source record: 36196
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

OC_CAM's Razor wrote:
> Roy Lewallen wrote:
>
>> Be even more careful. Power is a function of time. In a steady-state
>> sinusoidal system, its waveshape is that of a sine wave plus a DC
>> term, with the sine wave frequency being twice the frequency of the
>> voltage or current. Energy is the time integral of this quantity, so
>> it's also a function of time. The energy waveform will be another sine
>> wave of the same frequency as the power waveform but shifted 90
>> degrees, superimposed on a ramp.
>
>
> Everything that Steve and I have been discussing involves average power.
>
>> The DC value of the power waveform is the average power. If the
>> voltage and current are in phase, the entire power waveform is greater
>> than zero, indicating that power is flowing only in one direction for
>> the entire cycle, although its magnitude is going up and down
>> sinusoidally, two cycles for every voltage or current cycle. If the
>> voltage and current are 90 degrees out of phase, the power waveform
>> will be centered around zero watts, meaning that power is flowing in
>> one direction for half the time, and back the other way for the other
>> half, resulting in no net power flow. The average in that case is
>> zero, and the slope of the energy waveform ramp will be zero. That is,
>> energy will flow back and forth in equal amounts each half cycle just
>> like the power, but 90 degrees out of phase with it.
>
>
> We don't have to worry about that in transmission lines. Forward power
> has the voltage and current in phase and reflected power has the voltage
> and current 180 degrees out of phase so V*I = power (no vars) because
> cos(angle) is always +1 or -1 depending upon whether it is forward or
> reflected power. Forward waves and reflected waves are transparent to
> each other and pass unmolested until they both encounter an impedance
> discontinuity where their wave components can cause interference.

No, when V and I are in phase, the power is V * I * (1 + sin(omega *
t)). The *average* power is V * I. (where V and I are RMS values)

>> But this doen't make power and energy phasors, because phasors assume
>> a particular frequency (that of the voltage and current), and the
>> sinusoids involved with power and energy aren't at that frequency. But
>> you could, if you had any reason to do so (and I can't think of one
>> right off the bat), describe power completely as a DC term plus a sine

>> wave of a particular amplitude and phase. But these waveforms are
>> neither scalar nor phasor quantities as those terms are used in AC
>> phasor analysis, and can't be mixed in with scalar and phasor
>> quantities for analysis. (Unless, of course, you need to "prove"
>> something that isn't so, in which case it's often useful -- essential,
>> even -- to mix incompatible quantities and perform invalid operations.)
>
>
> My point exactly, Roy. Do you agree that a forward wave of 61.24V at 1.225A
> has an associated average power of V*I=75 joules/sec? Do you agree that a
> forward wave of 20.41V at 0.408A has an associated average power of
> V*I=8.33
> joules/sec?

Sure.

Do you agree with Steve that these two (and only two) waves
> can be added to get 81.65V at 1.63A with an associated power of V*I=133.33
> joules/sec? Do you agree that 75 joules/sec + 8.33 joules/sec = 133.33
> joules/sec?

Maybe. Depends. If I have two one volt voltage sources and a one ohm
resistor all in series, I can turn on one source and get 1 volt at 1 amp
for one watt in the resistor. I can turn that source off and turn the
other source on and get one watt in the resistor. Then I can turn both
on and get two volts and two amps for 4 watts in the resistor. So I've
added two "one watt" sources to get 4 watts. Pretty cool, huh?

>. . .

Roy Lewallen, W7EL

6687. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 06:20:24 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF82AA8.2030500@ieee.org>
Source record: 36197
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Roy Lewallen wrote:

> OC_CAM's Razor wrote:
>> Do you agree with Steve that these two (and only two) waves
>> can be added to get 81.65V at 1.63A with an associated power of
>> V*I=133.33
>> joules/sec? Do you agree that 75 joules/sec + 8.33 joules/sec = 133.33
>> joules/sec?
>
> Maybe. Depends. If I have two one volt voltage sources and a one ohm
> resistor all in series, I can turn on one source and get 1 volt at 1 amp
> for one watt in the resistor. I can turn that source off and turn the
> other source on and get one watt in the resistor. Then I can turn both
> on and get two volts and two amps for 4 watts in the resistor. So I've
> added two "one watt" sources to get 4 watts. Pretty cool, huh?

Fortunately, your sources are capable of variable power outputs. Unfortunately,
a wave in a transmission line with a fixed voltage, a fixed current, and
a fixed ratio (V/I=Z0) doesn't have the luxury of varying its associated power.
V*I is all the power there is. There ain't no more (and no less). Conservation
of energy rules. A battery adjusts its current to its load. An EM wave in a
transmission line cannot do that. The energy, along with Z0, dictates the
magnitude of the voltage and current. The energy cannot increase without
another energy source. A 75W wave cannot add to an 8.33W wave to get a
133.33W wave. An additional wave, in this case in the form of constructive
interference, must exist to supply the additional 50W. It's all explained
on my web page at: http://www.qsl.net/w5dxp/waves2.htm
I can see how someone who hasn't read Dr. Best's article would be at a
disadvantage in understanding the subject matter.

Steve's two and only two waves are constant power, constant voltage, and
constant current (all averages). He says that's all there is, two and only
two waves. His two and only two powers add up to more power than is available
in those two and only two waves.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6688. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 07:45:52 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <9fegvusrpfmj02vs7liumulnasmvaqpuqi@4ax.com>
Source record: 36098
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Wed, 11 Dec 2002 21:46:13 -0600, OC_CAM's Razor
<Cecil.A.Moore@ieee.org> wrote:

>Forward waves and reflected waves are transparent to
>each other and pass unmolested until they both encounter an impedance
>discontinuity where their wave components can cause interference.

Hi Cecil,

By forward waves and reflected waves, I presume you mean two
independent waves from independent sources.

This is certainly the tenor of past discussion.

By transparent I presume you mean to express that the two waves
are insensible to each other as are the two independent sources.

No one would expect anything other in a linear medium.

By impedance discontinuity, I presume you to mean a change in the
V/I as a function of medium change.

For waves in a transmission line, splicing a 75 Ohm cable to a 50 Ohm
cable should do the trick. For waves in the ï¿½ther, penetrating into
soil, water, trees, what-have-you is all around us.

By interference, I presume you to mean to express that the two
waves are capable of mixing and producing new frequency products.

No way. Or:

By interference, I presume you to mean to express that the two
waves are sensible to each other and no longer independent.

Just what this interpretation actually means escapes me (if I allow
myself to neglect all the other extraneous business you find necessary
to create the interference).

If I see the projection of the sun through a double slit against a
screen, I will see light and dark bars due to "interference." There
is absolutely nothing here that requires an impedance discontinuity.
There is no causal effect enforced on either of the two slits, one on
the other (they remain independent sources). The two waves are wholly
independent of each other before they fall on the screen, and after
they reflect (there is no magic zero time at the screen to change
anything going on here).

So, just what kind of "interference" were you thinking of?

73's
Richard Clark, KB7QHC

6689. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 07:58:58 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <e8ggvu4ahlq2lrpmqu6j3lo8kf6qb9gul8@4ax.com>
Source record: 36099
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Thu, 12 Dec 2002 00:20:24 -0600, OC_CAM's Razor
<Cecil.A.Moore@ieee.org> wrote:

>Fortunately, your sources are capable of variable power outputs. Unfortunately,
>a wave in a transmission line with a fixed voltage, a fixed current, and
>a fixed ratio (V/I=Z0) doesn't have the luxury of varying its associated power.

Hi Cecil,

Odd how you can fault Roy for his sources' variability and then deny
them their variability through a transmission line. What you describe
(the inability) is simply a function of time before the Steady State
is settled in (shorten your transmission lines if the time haunts
you). You could have as easily said the batteries were incapable for
their first few microseconds too.

73's
Richard Clark, KB7QHC

6690. FS: Alinco Shack

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 11:53:48 UTC
From: aa3ii@aol.com
Message-ID: <20021212065348.16036.00000001@mb-mj.aol.com>
Source record: 36100

For Sale as a pkg:

Alinco DX-70TH Transceiver, Alinco EDX-2 Auto Tuner, MFJ 815B SWR/Power Meter and Bencher RJ-1 Straight Key...$725.00 Firm.
Also 50+ ft Random Wire Antenna, $2.00 (Lamp cord, negotiable).

6691. Re: antenna guru help please

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 12:06:11 UTC
From: Bjorn Henrik Vangstein <no.sp@m.no>
Message-ID: <CW_J9.239$Rc7.5830@news2.e.nsc.no>
Source record: 36101

Neil,
Thanks for the tip. But the 300 Ohm feeder is very hard to get.

Regards,
LA7FKA&LA5MDA
Oslo

"Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com> skrev i melding
news:QyNJ9.490$4k6.61363@wards...
> Quick and simple is the 'SLIM JIM'. It is made from 300 Ohm feeder. I have
> build several for portable operation over the years.
>
> The design appeared in a publication called 'Out of thin air'.
>
> The total cost was about GBP2 - that was for the plastic tube to house the
> aerial in.
>
> Neil G1TZC / M3TZC
>
> tore stabell kulo <stabern@chello.no> wrote in message
> news:BmMJ9.359$3G4.1393@amstwist00...
> > Hi, gurus.
> > We want to build a 2m vertical, and wonder what the best choose would
be.
> We
> > are now looking at this one:
> >
> > http://hamgate1.sunyerie.edu/races/antenna/5-8thx2j.jpg
> > http://medlem.spray.se/sm6eat/jpole2.htm
> > What do you think, anyone with experience with it?
> >
> > Regards,
> > LA7FKA & LA5MDA, Norway
> >
> >
>
>

6692. FS: Deluxe MFJ Keyer Just $35.00 Shipped

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 12:19:26 UTC
From: JS <wd1v@amsat.org>
Message-ID: <wd1v-41CE40.07192512122002@netnews.attbi.com>
Source record: 36103

* MFJ Model 407C Deluxe Keyer with AC supply. A 5 - 9 volt
battery will also work for portable operations. Grid block
or direct keying. Works perfectly. $35.00 and will ship UPS
to any USA location.

73,

John Seney, WD1V
Manchester, NH
wd1v@amsat.org
http://www.qsl.net/wd1v
603 627-6303

6693. FS: MFJ 986 Differential-T 3 KW Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 13:21:36 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <A30K9.1797$j_4.214840@newsread1.prod.itd.earthlink.net>
Source record: 36104
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

3KW tuner. Continuous tuning 1.8-30MHz. Peak power/SWR illuminated cross-needle meter. 9/10 condition. Slight scratch on top of case. Picture available for serious buyer. Asking $200.00 plus packing/shipping from Los Angeles.

6694. Re: HOW-TO: MRP40 unlimited trial period.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 13:49:24 UTC
From: derswede@aol.comspam.com
Message-ID: <20021212084924.10405.00000003@mb-ba.aol.com>
Source record: 36105

>OK, excuse the question. But what is MRP40?

Google search came up with this as first hit:

http://www.polar-electric.com/Morse/MRP40-EN/index.html

Cheers;
A

6695. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 16:01:32 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF8B2DC.1070007@ieee.org>
Source record: 36106
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Richard Clark wrote:
> OC_CAM's Razor <Cecil.A.Moore@ieee.org> wrote:
>>Forward waves and reflected waves are transparent to
>>each other and pass unmolested until they both encounter an impedance
>>discontinuity where their wave components can cause interference.
>
> By forward waves and reflected waves, I presume you mean two
> independent waves from independent sources.

Nope, they are from the one and only source in the system and are coherent.

> By interference, I presume you to mean to express that the two
> waves are sensible to each other and no longer independent.
>
> Just what this interpretation actually means escapes me (if I allow
> myself to neglect all the other extraneous business you find necessary
> to create the interference).

Being "sensible" to each other is what allows destructive interference
between components of two different coherent waves traveling in the same
direction.

The basic question is: What happens to the energy in two waves that
engage in destructive interference such that the total voltage goes
to zero and the total current goes to zero? In the example presented,
the energy traveling toward the source obviously goes to zero along
with the voltage and current. But since energy cannot be destroyed,
where does that energy go?

> If I see the projection of the sun through a double slit against a
> screen, I will see light and dark bars due to "interference." There
> is absolutely nothing here that requires an impedance discontinuity.

There are certainly other kinds of interference rather than two out-of-
phase waves traveling in the same direction in a transmision line. What
is your point?

> There is no causal effect enforced on either of the two slits, one on
> the other (they remain independent sources). The two waves are wholly
> independent of each other before they fall on the screen, and after
> they reflect (there is no magic zero time at the screen to change
> anything going on here).

This is obviously not the kind of interference being discussed here.
The kind of interference being discussed here results in the loss
of identity of the two superposed waves thus creating a new wave. We

are talking in particular about destructive interference of two coherent reflected waves traveling in the same direction, the same thing that happens with non-glare picture glass.

> So, just what kind of "interference" were you thinking of?

The interference established by two coherent waves traveling in the same direction in a transmission line. Please reference: http://www.qsl.net/w5dxp/light.gif
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6696. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 16:07:35 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF8B447.6070108@ieee.org>
Source record: 36108
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Richard Clark wrote:
> OC_CAM's Razor <Cecil.A.Moore@ieee.org> wrote:
>
>
>>Fortunately, your sources are capable of variable power outputs. Unfortunately,
>>a wave in a transmission line with a fixed voltage, a fixed current, and
>>a fixed ratio (V/I=Z0) doesn't have the luxury of varying its associated power.
>
> Odd how you can fault Roy for his sources' variability and then deny
> them their variability through a transmission line. What you describe
> (the inability) is simply a function of time before the Steady State
> is settled in (shorten your transmission lines if the time haunts
> you). You could have as easily said the batteries were incapable for
> their first few microseconds too.

In Dr. Best's analysis, his two sources are coherent waves, not transmitters
and not batteries. Dr. Best's asserts that the power in his source waves is
fixed at V^2/Z0 = I^2*Z0 = V*I? Do you agree with Dr. Best?
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6697. Re: HOW-TO: MRP40 unlimited trial period.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 16:09:27 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailNOSPAMORAMA.com>
Message-ID: <ug2K9.28432$X%3.16287@news.bellsouth.net>
Source record: 36107

Thanks, Must have been tired. Never even thought of Google.

--
73,
Chuck
KE4ETH
USA-NA
Remove the obvious from Email.

"AA" <derswede@aol.comspam.com> wrote in message
news:20021212084924.10405.00000003@mb-ba.aol.com...
> >OK, excuse the question. But what is MRP40?
>
> Google search came up with this as first hit:
>
> http://www.polar-electric.com/Morse/MRP40-EN/index.html
>
> Cheers;
> A

6698. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 16:09:44 UTC
From: gary <gary11230@nospam.com>
Message-ID: <3DF8B4C5.133D38ED@nospam.com>
Source record: 36109

I used carry out for two pizza from the local hut, always check inside but since
I was there to order and thought it was ok did not look inside the box.

anyway, get home and no toppings on pizza ! call manager and young lady there
tells me that sometimes the toppings fall off the pizza during transit to the customer
house.

I told her that was strange, no toppings were in the pizza box !

Told her that as a penalty for poor service I would use her competitors for the
next year for all my pizza orders. She was shocked and had nothing else to say.

Dennis wrote:

> i agree
> customer service has died
> i have attempted to order pizza from pizza hut 4 times in the past month
> and each time they either messed up the order or took an hour to hour
> and half to deliver the order and keep in mind i live less than 2 miles
> from the pizza joint
> when i called down there all i get are excueses and so on
> so needless to say i now deal with anyone other than pizza hut
>
> Allodoxaphobia wrote:
> > On Mon, 09 Dec 2002 23:04:38 GMT, Caveat hath writ:
> >
> > <all too typical retail experience snipped>
> >
> >>I give up. It is just too painful to try to do business with some
> >>people... (YMMV)
> >
> >
> > Customers seem to be A Real Inconvenience for far too many businesses.
> >
> >
> > Sign spotted at a business recently:
> >
> > " New, convenient customer hours: "
> > " 1 P.M. to 3 P.M. "
> >
> > Now I many not be the sharpest crayon in the box, but I

> > think I know just exactly who this is " *convenient* " for!!
> >
> > sigh...
> >
> > Jonesy

6699. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 16:14:36 UTC
From: gary <gary11230@nospam.com>
Message-ID: <3DF8B5EB.576AEF66@nospam.com>
Source record: 36110

Please check with your bank, most of the time these Check cards do not
give
the consumer the same protection as a credit card.

Case in point, it can take days to get a debit reversed and the funds put
back into
the check account or as in your case, the wrong amount was keyed in and
could have resulted in your account going overdrawn or bills not getting
paid on time.
many have overdraft protection and this would cover you but you may not
know the wrong amount was taken from the check account until days later.

Caveat wrote:

> If you want to buy antenna equipment and accessories, you might want
> to reconsider dealing with The Radio Works. My recent experiences with
> them indicate that they have a problem or two in running their
> business in anything that resembles a competent way.
>
> A couple of weeks ago I placed a phone order with them for $132 and
> gave them my Visa check card number. they called me back the next day
> saying that the charge was declined. Since I had more than enough in
> that account to cover the charge, I called Visa. They reported that
> Radio Works had attempted to charge $1320 to my account.
>
> So I called RW back and told them that they had made a mistake in the
> keypad charge entry, only to be informed that the charge had gone
> through! Then a while later they called me back to say that they had
> entered the wrong account number on the charge that had gone through,
> and that my order was still awaiting payment.
>
> So I said that I was tired of their errors with the keypad, and would
> send them a check. I was assured, by "Brad" that the order under my
> name was ready to go on his desk as soon as they received my check,
> and that it wasn't necessary to relist all the items ordered. So I
> mailed them a check.
>
> Today, I received my check back from them with a note saying that I
> should resubmit the check with a list of the items I wanted.
> Back to square one.
>
> I give up. It is just too painful to try to do business with some
> people... (YMMV)
>
> Caveat

>
>

6700. FA:TPL brand MODEL 502B VHF-FM RF AMP 1-in-45out @$9.99DUH!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 16:59:19 UTC
From: rlucch2098@aol.com
Message-ID: <20021212115919.22407.00000003@mb-md.aol.com>
Source record: 36111

Many nice, clear pictures!
Cheep enough? $9.99
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1944367839

6701. FA: US NAVY SOUND POWERED "DECK-TALKERS" WWII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:01:56 UTC
From: rlucch2098@aol.com
Message-ID: <20021212120156.22407.00000004@mb-md.aol.com>
Source record: 36112

Many nice, clear pictures!
Cheep enough? $14.99
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1944365629

6702. FA: JAMES MILLEN 90811 HF RF AMPLIFIER>Rare w/2 sets coils-boxes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:03:49 UTC
From: rlucch2098@aol.com
Message-ID: <20021212120349.22407.00000007@mb-md.aol.com>
Source record: 36113

Many nice, clear pictures!
Cheep enough? $37.99
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726794

6703. FA--LAFAYETTE 99-5012 TUBE TESTER w/CASE& Books,LIKE-NEW

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:05:36 UTC
From: rlucch2098@aol.com
Message-ID: <20021212120536.22407.00000008@mb-md.aol.com>
Source record: 36114

Many nice, clear pictures!
Cheep enough? $27.99
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726781

6704. fa>US NAVY R-27/ARC-5 RECEIVER, WWII 1945>>Cheep!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:07:22 UTC
From: rlucch2098@aol.com
Message-ID: <20021212120722.22407.00000010@mb-md.aol.com>
Source record: 36115

Many nice, clear pictures!
Cheep enough? $30
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726770

6705. Fa= KATSUMI MC-701 IC FET MIC COMPRESSOR>only 1 in USA

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:08:51 UTC
From: rlucch2098@aol.com
Message-ID: <20021212120851.22407.00000012@mb-md.aol.com>
Source record: 36116

Many nice, clear pictures!
Cheep enough? $20
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726766

6706. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:10:18 UTC
From: Idontwantspam@net
Message-ID: <3df8c185.1016641@news.bellatlantic.net>
Source record: 36117

On Thu, 12 Dec 2002 16:09:44 GMT, gary <gary11230@nospam.com> wrote:

>I used carry out for two pizza from the local hut, always check inside but
>since
>I was there to order and thought it was ok did not look inside the box.
>
>anyway, get home and no toppings on pizza ! call manager and young lady
>there
>tells me that sometimes the toppings fall off the pizza during transit to
>the customer
>house.
>
>I told her that was strange, no toppings were in the pizza box !
>
>Told her that as a penalty for poor service I would use her competitors for
>the
>next year for all my pizza orders. She was shocked and had nothing else to
>say.
>
That is probably their wise ass reaction to a belief that customers
are trying to scam them out of free toppings. Kind of an adversarial
way to deal with your customers (the customer is always WRONG or a
crook). You could pursue this with the actual store manager (you
probably spoke with an assistant) or a regional manager. No excuse for
that type of treatment.

Oddly enough, when you paid them, all of the money got from your hand
to the register.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6707. fa. LAFAYETTE 99-33094 ANTENNA IMPEDENCE METER-Don't Miss!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:10:36 UTC
From: rlucch2098@aol.com
Message-ID: <20021212121036.22407.00000014@mb-md.aol.com>
Source record: 36118

Many nice, clear pictures!
Cheep enough? $14 LOOKS NEW!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726757

6708. Fa YAESU E-DC-5B DC ADAPTER w/NOISE FILTER>H/T @$10

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:12:06 UTC
From: rlucch2098@aol.com
Message-ID: <20021212121206.22407.00000016@mb-md.aol.com>
Source record: 36119

Many nice, clear pictures!
Cheep enough? $10 LOOKS NEW!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726747

6709. FA"" OLDER KENWOOD HAND MICROPHONE, EXC @$12

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:13:30 UTC
From: rlucch2098@aol.com
Message-ID: <20021212121330.22407.00000019@mb-md.aol.com>
Source record: 36120

Many nice, clear pictures!
Cheep enough? $12 LOOKS NEW!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726742

6710. FA HEATHKIT IM-11 TYPE TYPE VTVM> Still Handy @big $13

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:14:56 UTC
From: rlucch2098@aol.com
Message-ID: <20021212121456.22407.00000020@mb-md.aol.com>
Source record: 36121

Many nice, clear pictures!
Cheep enough? $13 LOOKS NEW!
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726736

6711. Fa> RCA TUBE RF SIGNAL GENERATOR A big $9.99 :-(

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:16:35 UTC
From: rlucch2098@aol.com
Message-ID: <20021212121635.22407.00000023@mb-md.aol.com>
Source record: 36122

Many nice, clear pictures!
Cheep enough? $10
Please add>>http in front of the URL(address) Please because AOL gives me a hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726729

6712. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:24:48 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <0chhvuok5vt37fqoinofbg01569qpnstl7@4ax.com>
Source record: 36123
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Thu, 12 Dec 2002 10:01:32 -0600, OC_CAM's Razor
<Cecil.A.Moore@ieee.org> wrote:

>Richard Clark wrote:
>> OC_CAM's Razor <Cecil.A.Moore@ieee.org> wrote:
>>>Forward waves and reflected waves are transparent to
>>>each other and pass unmolested until they both encounter an impedance
>>>discontinuity where their wave components can cause interference.
>>
>> By forward waves and reflected waves, I presume you mean two
>> independent waves from independent sources.
>
>Nope, they are from the one and only source in the system and are coherent.

This may be a common condition, however it matches none of your other
discussion.

>
>> By interference, I presume you to mean to express that the two
>> waves are sensible to each other and no longer independent.
>>
>> Just what this interpretation actually means escapes me (if I allow
>> myself to neglect all the other extraneous business you find necessary
>> to create the interference).
>
>Being "sensible" to each other is what allows destructive interference
>between components of two different coherent waves traveling in the same
>direction.

You certainly missed the curve on that one. As I said, I would only
consider it if I were to ignore all the other business that is wholly
unnecessary to this "interference."

>
>> If I see the projection of the sun through a double slit against a
>> screen, I will see light and dark bars due to "interference." There
>> is absolutely nothing here that requires an impedance discontinuity.
>
>There are certainly other kinds of interference rather than two out-of-
>phase waves traveling in the same direction in a transmision line. What
>is your point?

Certain kinds? Do I have to ask you what kinds? It is all too tiring
to have to engage in 6 or 7 rounds to complete one simple answer.
Again you had a choice to talk around it or simply name ONE.

>
>> There is no causal effect enforced on either of the two slits, one on
>> the other (they remain independent sources). The two waves are wholly
>> independent of each other before they fall on the screen, and after
>> they reflect (there is no magic zero time at the screen to change
>> anything going on here).
>
>This is obviously not the kind of interference being discussed here.
>The kind of interference being discussed here results in the loss
>of identity of the two superposed waves thus creating a new wave. We
>are talking in particular about destructive interference of two coherent
>reflected waves traveling in the same direction, the same thing that
>happens with non-glare picture glass.

Interference of two waves are not being discussed? Well, then there
is no point in further discussion.

73's
Richard Clark, KB7QHC

6713. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:34:08 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <88hhvug14ileu3jvbegen9g6a54ocsttru@4ax.com>
Source record: 36124
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Thu, 12 Dec 2002 10:07:35 -0600, OC_CAM's Razor
<Cecil.A.Moore@ieee.org> wrote:

>Richard Clark wrote:
>> OC_CAM's Razor <Cecil.A.Moore@ieee.org> wrote:
>>
>>
>>>Fortunately, your sources are capable of variable power outputs. Unfortunately,
>>>a wave in a transmission line with a fixed voltage, a fixed current, and
>>>a fixed ratio (V/I=Z0) doesn't have the luxury of varying its associated power.
>>
>> Odd how you can fault Roy for his sources' variability and then deny
>> them their variability through a transmission line. What you describe
>> (the inability) is simply a function of time before the Steady State
>> is settled in (shorten your transmission lines if the time haunts
>> you). You could have as easily said the batteries were incapable for
>> their first few microseconds too.
>
>In Dr. Best's analysis, his two sources are coherent waves, not transmitters
>and not batteries. Dr. Best's asserts that the power in his source waves is
>fixed at V^2/Z0 = I^2*Z0 = V*I? Do you agree with Dr. Best?

Hi Cecil,

I don't see how that answers your choice to limit Roy's sources in
transmission lines. That is two for two where you simply ignore the
question and steamroller your agenda. No dialog in that.

73's
Richard Clark, KB7QHC

6714. Re: Radio Works Ordering Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 17:35:25 UTC
From: Caveat <caveat@poster.com>
Message-ID: <vfhhvu403qlamnt64g4sh97anra95plvsn@4ax.com>
Source record: 36125

On Thu, 12 Dec 2002 16:14:36 GMT, gary <gary11230@nospam.com> wrote:

>Please check with your bank, most of the time these Check cards do not
>give the consumer the same protection as a credit card.
>

Yes, I'm aware of that, but others here may not be. Good point to make. Normally I use either my Amex or Discover credit cards (almost always with the single-use CC number option), but Radio Works doesn't accept those two cards.

I had a special check/debit card account set up at the credit union last year to handle these odd situations, and I control the amount of money in that account (normally no more than $25) so that ISPs and the like can't overcharge the account. Simple electronic transfers from home between my savings and checking accounts make this possible.

Plus, the credit union has agreed to waive overdrawn charges in cases where someone improperly tries to do overcharge. In this case the huge charge attempt was simply declined by Visa. Without that precaution, Radio Works would now have a lot of my money...

6715. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 18:36:06 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF8D716.7060901@ieee.org>
Source record: 36126
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Richard Clark wrote:
> OC_CAM's Razor <Cecil.A.Moore@ieee.org> wrote:
> This may be a common condition, however it matches none of your other
> discussion.

If that's a problem, let me correct it. Please reference

http://www.qsl.net/w5dxp/fig2.gif

The transmitter source is somewhere out to the left, out of the
picture. The load is somewhere out to the right, out of the
picture. The energy inputs into the illustrated system are the
Pfwd1 and Pref2 coherent waves. The energy output from the system
is the Pfwd2 wave. This is what has been being discussed. So to
alleviate any confusion, I will differentiate between the "transmitter
source" and the "source wave(s)" from now on. I thought it was self-
evident up until now.

> You certainly missed the curve on that one. As I said, I would only
> consider it if I were to ignore all the other business that is wholly
> unnecessary to this "interference."

Please consider anything you want but please use Occam's Razor to
distill this discussion down to something managable. That is what
I am trying to do. Introduction of an infinite number of irrelevant
concepts is a well known diversionary tactic. Why on earth would
you not "ignore all the other business that is wholly unnecessary"?
What does the price of eggs in China have to do with this discussion?

> Certain kinds? Do I have to ask you what kinds? It is all too tiring
> to have to engage in 6 or 7 rounds to complete one simple answer.
> Again you had a choice to talk around it or simply name ONE.

I did name one, Richard. The particular kind of interference that I
am talking about is the interference between two coherent waves traveling
in the same direction in a transmission line. Any other kind of interference
is irrelevant to the discussion and I hope you agree we should avoid
irrelevant diversions.

> Interference of two waves are not being discussed? Well, then there
> is no point in further discussion.

Hmmmmm, exactly what Dr. Best says as we get closer to a truth that he
doesn't care for.

Why must you introduce reams of irrelevant material. Are you interested
in getting to the truth or interested in diversions? Would you please
answer the question that Steve has refused to answer?

In a transmission line containing a match point and reflections,
the reflected energy:
1. Flows into the transmitter
2. Stands still
3. Disappears from the system
4. Flows toward the load
5. Other, please explain _____
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6716. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 18:42:02 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF8D87A.7030600@ieee.org>
Source record: 36127
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Richard Clark wrote:
> OC_CAM's Razor <Cecil.A.Moore@ieee.org> wrote:
>>In Dr. Best's analysis, his two sources are coherent waves, not transmitters
>>and not batteries. Dr. Best's asserts that the power in his source waves is
>>fixed at V^2/Z0 = I^2*Z0 = V*I? Do you agree with Dr. Best?
>
> I don't see how that answers your choice to limit Roy's sources in
> transmission lines.

This discussion is limited to "source waves", Richard. Any deviation
from that topic is just another logical diversion. One wonders why
logical diversions are needed.

If you have forgotten, the topic is how Dr. Best takes two and only two
source waves and combines them to obtain more than the sum of the energy
in those two waves. Batteries and transmitter sources are irrelevant to
the discussion.

> That is two for two where you simply ignore the
> question and steamroller your agenda. No dialog in that.

The topic is NOT batteries or transmitter sources. The topic is source
waves. You seem afraid to discuss this topic. One wonders why.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6717. wtb drake r8b,icom r71a,kenwood r5000,jrc 545

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 19:12:41 UTC
From: lemwnash@aol.com
Message-ID: <20021212141241.21044.00000053@mb-fh.aol.com>
Source record: 36128

must be mint

6718. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 19:18:36 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <hlmhvuou80157uvpjn34d7266s6ec19fqn@4ax.com>
Source record: 36129
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Thu, 12 Dec 2002 12:36:06 -0600, OC_CAM's Razor
<Cecil.A.Moore@ieee.org> wrote:

>
>> You certainly missed the curve on that one. As I said, I would only
>> consider it if I were to ignore all the other business that is wholly
>> unnecessary to this "interference."
>
>Please consider anything you want but please use Occam's Razor

Hi Cecil,

That was explicit in my statement. You fail Occam's Razor with an
answer such as:
>> Certain kinds? Do I have to ask you what kinds? It is all too tiring
>> to have to engage in 6 or 7 rounds to complete one simple answer.
>> Again you had a choice to talk around it or simply name ONE.
>
>I did name one, Richard. The particular kind of interference that I
>am talking about is the interference between two coherent waves traveling
>in the same direction in a transmission line.

Particular kind? Substitution of your Particular for my Certain is
meaningless. You do nothing more than repeat an assertion and
introduce yet more argument (called steamrollering). Your rambling
requires me to buy into the incredible complexity and inspecifics you
have built into this. Like I said, I have no interest in pursuing
this 6 or 7 rounds. You have not distinguished between your
"Particular kind" of interference and these supposed others. Failing
that, there is no point in addressing even more complexity.

73's
Richard Clark, KB7QHC

6719. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 19:47:16 UTC
From: aa3ii@aol.com
Message-ID: <20021212144716.11671.00000006@mb-fy.aol.com>
Source record: 36130

>Check the history of where and when it was derived from, you
>will find I am correct.

Tell us the history of the word "metre. Is it either French, or British (affectatious)? Lot of affectation in the Brit language. How do you pronounce Cirencester and Worcestershire? Could be misleading to people who don't speak British. In Texas they speak Texan and American. Never heard british or English when I was there.

6720. Re: Boatanchor Clearout, Collins etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 20:34:14 UTC
From: George <Gheisman@valleynet.net>
Message-ID: <3df8f2ba$1_2@news.meganetnews.com>
Source record: 36131
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

WOW! What fun reading his negative feedbacks! Quite a hoot (no, I was never one of the sorry souls who bought his 'mint/pristine/very smart (what exactly does THAT mean, Marty?' stuff.

Just take a few moments and read his negatives. "Yeah so what I overcharged you on packing and shipped it barely alive on something that I overly stated in my ad as being mint and all there - you should have emailed before leaving feedback" is the thrust of most of them.

Folks like this are what give honest Ebayers a bad name!

Caveat Emptor.

George

"Martyn" <martyna@bellsouth.net> wrote in message
news:9TGJ9.70623$bq3.32526@news.bellsouth.net...
> I am listing nearly 100 items, most of them rare and highly desirable
> Please feel free to look
> I have everything from Keys, Collins, National, Hammerlund, Hallicrafters
> and so many more very nice items.
> This is my idea of having a good clear out.
>
http://cgi6.ebay.com/ws/eBayISAPI.dll?ViewSellersOtherItems&userid=radio-mar
> t&include=0&since=-1&sort=3&rows=25
>
>
>

6721. Re: VX-7R Black version -- differences other than cosmetic?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 20:59:48 UTC
From: alemery849@cs.com
Message-ID: <d7d0071f.0212121259.21225a68@posting.google.com>
Source record: 36132

According to Ham Radio Outlet (www.hamradio.com) and Yaesu, that is
the only difference.

Al

axinar@one.net (Axinar) wrote in message
news:<c45d35a2.0211111622.2fffb6c8@posting.google.com>...
> Hi there ...
>
> Say ... have any of you had a chance to handle the Black version of the
> VX-7R? Are there any differences besides the cosmetic ones?
>
> Thanks!
>
> Ax

6722. FRS question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 21:30:33 UTC
From: Qarf <234@234.234>
Message-ID: <dd7K9.844$io.38887@iad-read.news.verio.net>
Source record: 36133

I'm considering getting a couple of FRS units (cheaper than another cell phone) to facilitate transportation/communications issues with my daughter. My wife & I are both hams, but my daughter isn't (and even if she were, two of the cheapo FRS units are cheaper than a 2m HT).

Are any of the FRS units any good? Any brands/models to stay away from? CostCo has two different pairs of Motorolas, cheap ones for $40, and not-as-cheap ones for $100.

The 500mw units claim to have a range of 2 miles, while the stronger units claim a range of 5 miles. Obviously, a lot depends upon terrain, buildings & QRM, but does anybody here have any experience with these things? If I were parked in front of a large high school, for example, and my daughter were inside, would a pair of the 500mw units be up to the challenge?

TIA for any info...

--
Herb Tyson (NW4D)
See the reverse side of this message for additional information
http://www.herbtyson.com

6723. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 21:43:20 UTC
From: Rich Griffiths <richgrif@one.net>
Message-ID: <3DF902F8.EDDC617B@one.net>
Source record: 36134
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Consult http://physics.nist.gov/cuu/Units/units.html and find out how
wrong you are.

... Rich

Bob Johnstone wrote:
> >>
> I seldom notice top posters. However, a METER is a measuring device. A
> Metre is a unit of measurement, as in Kilometre, Metre, Centimetre,
> Millimetre. Check the history of where and when it was derived from, you
> will find I am correct.
>
> Regards
> --
> Bob Johnstone

6724. Re: FRS question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 21:47:03 UTC
From: kf4toh@aol.com
Message-ID: <20021212164703.21382.00000014@mb-fh.aol.com>
Source record: 36135

sir
i have 2 of the Motorolas
the T 5200 500MW UNITS

6725. Re: FRS question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 21:50:47 UTC
From: kf4toh@aol.com
Message-ID: <20021212165047.21382.00000015@mb-fh.aol.com>
Source record: 36136

i have the Motorola t 5200 500mw units
and really like them
2 miles on good batterys is about right
i pick them up used for $40 for the pair
for what you said you want them for
id say they would work great
joe

6726. FT 920 with MD 100 mic and More For trade!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 22:10:16 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3DF908FE.8070708@dirtball.com>
Source record: 36138
Cross-posted to: rec.radio.swap,rec.radio.amateur.misc,rec.radio.cb,rec.radio.amateur.equipment

Hello
I have a FT 920 with the AM filter and FM board. The FT 920 is 100
watts HF + 6 Meters. It has a Auto tuner and the MC 100 Desk Mic. I
also Have the 3 KW Roller Inductor Antenna Tuner. They are in good shape
I will trade both for a FT 990 or a FT 1000.. I have been using the FT 920 as a backup rig.
If you have a FT 1000D I will add a Henry Radio 2KD-5 Amplifier to
the deal. 100 watts in gets you about 1000 watts out. I will trade this 2KD 5 Henry amp for a FT 990 or a FT 1000. It has new caps
and a pair of Emac 3-500. It is wired for Single Phase 240. The same
voltage that runs your dryer and electric range.
I also have a Icom AT 500 auto tuner. This tuner will handle 500 watts. It works fine and I have no use for ICOM equipment. My station is all Yaesu at this time. I will trade this tuner for a Kenwood TS 50, or other small HF Gen. coverage rig, or a good Short wave receiver. I also have a Pentium III 500 Mhz computer for trade. It has 128Mb ram, CD burner 52X CD rom S3 Virge video card, 1Gb hard drive, 10/100 Mb network card, Motorola SM 56 modem, Yamaha sound card in a ATX tower. Of corse keyboard and mouse included. I will trade this computer for 350 bucs plus shiping or a good HF moblie rig.
I am will to travel 100 miles from Athens GA. Drop me a email so we can work out the deal.
oris@dirtball.com
Happy Holidays
73 and thanks for reading
Oris
N4CND
http://www.dirtball.com

6727. Re: FRS question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 22:14:05 UTC
From: Beans <beans@gate.net>
Message-ID: <3DF90A2D.35E0D02D@gate.net>
Source record: 36137

Qarf wrote:

>
>
> Are any of the FRS units any good? Any brands/models to stay away from?
> CostCo has two different pairs of Motorolas, cheap ones for $40, and
> not-as-cheap ones for $100.
>

I think Cobra and Kenwood are the best. Motorolas were sometimes incompatible
with non motorolas.

>
> The 500mw units claim to have a range of 2 miles, while the stronger units
> claim a range of 5 miles

FRS is 5mw. Anything stronger is GMRS which requires the license.

> . Obviously, a lot depends upon terrain, buildings &
> QRM, but does anybody here have any experience with these things? If I were
> parked in front of a large high school, for example, and my daughter were
> inside, would a pair of the 500mw units be up to the challenge?
>

Maybe. If she were deep in the bowels of the school, it probably would be
difficult. Outside they work much better. Malls are a crapshoot. Car to car is
okay over short distances. I have used mine very successfully when I picked up
the inlaws at a cruise ship-my wife walked around looking for them(outside) and
I parked the car and looked in the other direction. Buildings are a definite
problem. It's tough at Disneyworld if someone is inside. It just depends on the
construction. They are great if you need to be in contact around the yard, or
shopping downtown, or out at the barn. JMO.

Jeff

>
> TIA for any info...
>
> --
> Herb Tyson (NW4D)
> *See the reverse side of this message for additional information*
> http://www.herbtyson.com

6728. Re: FRS question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 22:27:26 UTC
From: James Nipper <jnipper@nospam.fdn.com>
Message-ID: <o18K9.53057$842.18902@news1.fdn.com>
Source record: 36139

someone said.....

FRS is 5mw. Anything stronger is GMRS which requires the license.

This is not correct. FRS has a max power of 500mw, which is 1/2 watt.
Many of the very cheap units only run 50mw, which is 1/20th of a watt.
The power rating makes a big difference. I would not buy any model that
did not have at least the max power (500 milliwatts).

I have the Cobra Microtalks. They are more expensive, but have many
features, including paging, tone encoding, weather band reception, etc etc.

73 de Jim K4PYT jnipper@fdn.com

6729. Re: FRS question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 22:54:26 UTC
From: Idontwantspam@net
Message-ID: <3df91185.21496720@news.bellatlantic.net>
Source record: 36140

On Thu, 12 Dec 2002 16:30:33 -0500, "Qarf" <234@234.234> wrote:

>I'm considering getting a couple of FRS units (cheaper than another cell
>phone) to facilitate transportation/communications issues with my daughter.
>My wife & I are both hams, but my daughter isn't (and even if she were, two
>of the cheapo FRS units are cheaper than a 2m HT).
>
>Are any of the FRS units any good? Any brands/models to stay away from?
>CostCo has two different pairs of Motorolas, cheap ones for $40, and
>not-as-cheap ones for $100.
>
>The 500mw units claim to have a range of 2 miles, while the stronger units
>claim a range of 5 miles. Obviously, a lot depends upon terrain, buildings &
>QRM, but does anybody here have any experience with these things? If I were
>parked in front of a large high school, for example, and my daughter were
>inside, would a pair of the 500mw units be up to the challenge?
>
>TIA for any info...
>
The 1/2 watt ones are FRS, and the two mile range can be somewhat
optimistic in the real world with trees, hills, buildings etc. 1/2 to
1 mile is more realistic. Think line of sight, and remember that metal
building frames can really degrade the distance. They are very
practical for ski area/mall/amusement park types of uses, or for
keeping a group together.

The 2 watts ones are GMRS, and again figure the real world range a
good bit shorter, maybe two miles. These require a no-test license
from the FCC, IIRC $85 per household for ten years. The manufacturers
mention this in the tiniest print possible.

Of the 14 FRS frequencies, and the 15 GMRS ones, 7 overlap.

Keep in mind that many others use these, so the use of the tones is
helpful to reduce hearing others.

Rechargable batteries and a locking keypad are very useful features.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6730. Re: FRS question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 23:05:31 UTC
From: "Alex J." <alexjent@citlink.net>
Message-ID: <uvi5hlrolm0la1@corp.supernews.com>
Source record: 36141

You have gotten several responses to choose from but no one has mentioned the charger.

I have found that anything that has to remove the batteries to charge is doomed to failure for lack of charging. I bought a pair of Audiovox units a couple years ago for use around the property(2.5 acres). The main reason I chose them was that the package came with a drop in charger. I haven't regretted it! Just pick them up out of the charger and you're ready to go...for sure your kids are not going to go thru removing batteries, charging, replacing batteries...Too much hassle, Dad!

Do yourself a favor...get something with a drop in charger.

Alex

"Qarf" <234@234.234> wrote in message
news:dd7K9.844$io.38887@iad-read.news.verio.net...
> I'm considering getting a couple of FRS units (cheaper than another cell
> phone) to facilitate transportation/communications issues with my
daughter.
> My wife & I are both hams, but my daughter isn't (and even if she were,
two
> of the cheapo FRS units are cheaper than a 2m HT).
>
> Are any of the FRS units any good? Any brands/models to stay away from?
> CostCo has two different pairs of Motorolas, cheap ones for $40, and
> not-as-cheap ones for $100.
>
> The 500mw units claim to have a range of 2 miles, while the stronger units
> claim a range of 5 miles. Obviously, a lot depends upon terrain, buildings
&
> QRM, but does anybody here have any experience with these things? If I
were
> parked in front of a large high school, for example, and my daughter were
> inside, would a pair of the 500mw units be up to the challenge?
>
> TIA for any info...
>
> --
> Herb Tyson (NW4D)
> *See the reverse side of this message for additional information*
> http://www.herbtyson.com
>

6731. Ideas on Kenwood TS-830S Bandswitch?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-12 23:10:32 UTC
From: Gary Brown <gbrown@nc.rr.com>
Message-ID: <IH8K9.15746$Fq3.979658@twister.southeast.rr.com>
Source record: 36142

Great radio, with one minor problem. The digital display goes out when switch detents for each band. It takes a little tweaking and the display comes on fine. I was just curious what spray cleaners if any would work and what particular wafer or section of the switch is the likely culprit.

Actually, the root cause probably is the detented position has grown a bit sloppy, with the resultant "wink" in each of the detented positions. So it may be a mechanical problem and someone in the newsgroup can save me some problem rediscovery to remove the "slop."

73,
Gary
K4GPB

6732. Re: FRS question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 00:18:30 UTC
From: Beans <beans@gate.net>
Message-ID: <3DF92756.BD5CF83B@gate.net>
Source record: 36143

James Nipper wrote:

> someone said........
>
> FRS is 5mw. Anything stronger is GMRS which requires the license.
>
> -------------------------
>
> This is not correct.

That was me. I meant 500 mw. I also have the Cobra microtalks. I like them a lot for what they do.

Jeff

6733. Re: Ideas on Kenwood TS-830S Bandswitch?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 00:20:13 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <uvi9rlg21edre8@corp.supernews.com>
Source record: 36144

Wet the switch contacts with ProGold, it fixed mine.
www.caig.com

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Gary Brown" <gbrown@nc.rr.com> wrote in message
news:IH8K9.15746$Fq3.979658@twister.southeast.rr.com...
> Great radio, with one minor problem. The digital display goes out when
> switch detents for each band. It takes a little tweaking and the display
> comes on fine. I was just curious what spray cleaners if any would work
and
> what particular wafer or section of the switch is the likely culprit.
>
> Actually, the root cause probably is the detented position has grown a bit
> sloppy, with the resultant "wink" in each of the detented positions. So it
> may be a mechanical problem and someone in the newsgroup can save me some
> problem rediscovery to remove the "slop."
>
> 73,
> Gary
> K4GPB
>
>
>

6734. SCHUMANN RESONANCE VLF/ULF MAGNETIC WAVE STUFF???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 00:26:38 UTC
From: JEEPMON <JEEPMON@HOTMAIL.COM>
Message-ID: <1P9K9.339234$WL3.107378@rwcrnsc54>
Source record: 36145
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,uk.radio.amateur

HAS ANYONE HEARD OF THIS? IT MENTIONS THE IONOSPHERE AND ELECTROMAGNETIC WAVES AND SOLAR CYCLES AND ELF/VLF ACTIVITY?

http://www.2012.com.au/SchumannResonance.html

LOL

6735. Re: FT 920 with MD 100 mic and More For trade!!!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 00:27:24 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <atb9gp$b8k$1@slb0.atl.mindspring.net>
Source record: 36146
Cross-posted to: rec.radio.swap,rec.radio.amateur.misc,rec.radio.cb,rec.radio.amateur.equipment

Aint this the radio that spattered all over the band Oris?

Dan/W4NTI

"Oris" <orisnospam@dirtball.com> wrote in message
news:3DF908FE.8070708@dirtball.com...
> Hello
> I have a FT 920 with the AM filter and FM board. The FT 920 is 100
> watts HF + 6 Meters. It has a Auto tuner and the MC 100 Desk Mic. I
> also Have the 3 KW Roller Inductor Antenna Tuner. They are in good shape
> I will trade both for a FT 990 or a FT 1000.. I have been using the FT
920 as a backup rig.
> If you have a FT 1000D I will add a Henry Radio 2KD-5 Amplifier to
> the deal. 100 watts in gets you about 1000 watts out. I will trade this
2KD 5 Henry amp for a FT 990 or a FT 1000. It has new caps
> and a pair of Emac 3-500. It is wired for Single Phase 240. The same
> voltage that runs your dryer and electric range.
> I also have a Icom AT 500 auto tuner. This tuner will handle 500
watts. It works fine and I have no use for ICOM equipment. My station is all
Yaesu at this time. I will trade this tuner for a Kenwood TS 50, or other
small HF Gen. coverage rig, or a good Short wave receiver. I also have a
Pentium III 500 Mhz computer for trade. It has 128Mb ram, CD burner 52X CD
rom S3 Virge video card, 1Gb hard drive, 10/100 Mb network card, Motorola SM
56 modem, Yamaha sound card in a ATX tower. Of corse keyboard and mouse
included. I will trade this computer for 350 bucs plus shiping or a good HF
moblie rig.
> I am will to travel 100 miles from Athens GA. Drop me a email so we
can work out the deal.
> oris@dirtball.com
> Happy Holidays
> 73 and thanks for reading
> Oris
> N4CND
> http://www.dirtball.com
>

6736. Re: SCHUMANN RESONANCE VLF/ULF MAGNETIC WAVE STUFF???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 00:46:22 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <o7bivuk01q5rvdi55l9j15ddgfmm459in2@4ax.com>
Source record: 36147
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,uk.radio.amateur

On Fri, 13 Dec 2002 00:26:38 GMT, "JEEPMON" <JEEPMON@HOTMAIL.COM>
wrote:

>HAS ANYONE HEARD OF THIS? IT MENTIONS THE IONOSPHERE AND ELECTROMAGNETIC
>WAVES AND SOLAR CYCLES AND ELF/VLF ACTIVITY?
>
>http://www.2012.com.au/SchumannResonance.html
>
Hi OM,

> scientific proof of the Earth passing through the Photon Belt
Um, I think this occurs for half of earth half of every day.

I can't imagine how this gets better, but it does help quick analysis
and saves time when the presenter offers to take his cyanide tablet
before stepping up to the podium. Hopefully it is after any fractal
antenna lecturers who have their own prescription working through
their system. [These guys are long on wind and short on results.]

73's
Richard Clark, KB7QHC

GAD, I had to look down the page to see the astrological implications.
Consult a Boston Astrologer who also does fractal work to form a
double suicide pact.

6737. Re: SCHUMANN RESONANCE VLF/ULF MAGNETIC WAVE STUFF???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 01:13:58 UTC
From: Jake Donovan <jakedonovan_nospam@cox.net>
Message-ID: <qvaK9.8925$0b.271198@news2.east.cox.net>
Source record: 35998
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,uk.radio.amateur

Yes,

Interesting thing- It reverberates between the Van Allen Belt and the
Ionisphere at 10Hz

10Hz is also the freq your Brain's Alpha Waves measure out at.

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:1P9K9.339234$WL3.107378@rwcrnsc54...
> HAS ANYONE HEARD OF THIS? IT MENTIONS THE IONOSPHERE AND ELECTROMAGNETIC
> WAVES AND SOLAR CYCLES AND ELF/VLF ACTIVITY?
>
> http://www.2012.com.au/SchumannResonance.html
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
> LOL
>
>

6738. AES and HRO Selling Yaesu 2600s for $109.95

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 01:28:21 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DF937B5.25BF7658@erols.com>
Source record: 35999

Yup, that's right. Lowest price so far and HRO does not charge for shipping. A 60 watt 2 meter rig at a throw-away price. Go for it. Treat yourself to a new rig.
73 Murray, K3BEQ

6739. Re: SWR Bridge component values-Henry 2K4

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 02:03:02 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <6neivugtpjn8vu44pbo8852suj8s907dtl@4ax.com>
Source record: 36000
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair

On Tue, 10 Dec 2002 21:02:21 -0600, "Crazy George"
<munschNO@attglobal.net.SPAM> wrote:

>The used 2K4 I bought suffered some kind of disaster inside the little
>aluminum box containing the bridge. Someone probably tried to put a
>kilowatt into an open circuit. The inside of the box is blackened, and
>spotted with fine particles of molten metal. As a repair, some previous
>owner simply removed most of what was in there, leaving the toroid around
>the center conductor, and the two .01 caps on the RCA jacks. I have a
>corrected copy of the schematic, and would like to obtain a few pieces of
>additional data before I tackle rebuilding it.

I presume those caps bridge the connectors and offer part of the
low-pass output.

>
>The drawing (SWR Bridge, December 1970, By: WCK) shows a unterminated
>winding (L80) grounded on one end, and apparently wrapped around the center
>conductor.

Sounds like a candidate for failure if you attempt to follow through
on that thought.

>There was a short piece of magnet wire still stuck inside the
>insulator in the center of the toroid, and I suspect this must have been a
>simple Faraday shield.

A piece of wire would be hard pressed to serve that function. Stuck
in the insulator? Descriptive, but not very informing.

>How many turns, and what spacing was it? And, how
>many turns in the main coupling winding around the toroid (L81)? I count 64
>remaining on this one, which may be close to the original number.

Well, at least that offers some place to start. It also suggests a
good amount of isolation, but simultaneously brings the prospects of
becoming tuned at an inappropriate frequency through stray
capacitance, perhaps this is justifies your assumption of there being
a faraday shield.

>
>Second, some component values. The trimmers (C80 & 87) connected to the
>center conductor were probably in the range of 7 pf. Is that correct?

Seems reasonable, but I doubt both are the same value as they form a
divider that will offer roughly the same ratio as the two resistors or

other coupling ratio this circuit uses.

>
>Are the RF chokes (incorrectly shown as C82 & 84) 0.5 or 1 mH, or something
>else?

Again, this and the 0.01 caps serve to filter the products of both
rectified outputs in the design.

>
>The SWR bridge shown in many ARRL Antenna Handbooks looks very similar to
>what is shown on the Henry schematic, so I am using it for some guidance.
>Has anyone else compared the two?
>
>All constructive comments appreciated, and yes, Reg, I know measuring SWR
>doesn't tell you much. I just want it for a relative output indicator.

Hi George,

Seems like the handbook would offer enough clues (I can't see either
your schematic nor the one you cite from the handbook). There must be
about a dozen passive components here: one transformer with three
(some are two) connections, two caps coupling from it, two resistors
terminating the secondary, two diodes, two diode loads (probably
variable to calibrate forward and reverse scales and perhaps more
resistors simply to limit range of adjustment), two chokes and two
caps to filter the metering current derived from the loads. There are
variations to this design that all go towards the same goal and their
size and connections vary accordingly, but generally show a symmetry.

The only mystery that remains is the winding ratio, 1:64, and the
shielding. The ratio seems OK. If you add a shield, it can only be
terminated at one end, otherwise you short out the induced signal (and
would probably blow the wire like a fuse). Skip the shield and test
the ratio by building the Handbook circuit. If the forward to back is
out of whack, the turns ratio is off, or the capacitive divider is.
Choose one and vary it (the ratio of the caps or the turns). Examine
the two caps or their values in the schematics and determine what
range of ratios they would support.

73's
Richard Clark, KB7QHC

6740. Re: AES and HRO Selling Yaesu 2600s for $109.95

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 03:52:49 UTC
From: Andy KC2SSB <vhfradiobuff@yahoo.com>
Message-ID: <08mivuoudoo47mm1vakm3p4ljfoube88t7@4ax.com>
Source record: 36001

On Thu, 12 Dec 2002 20:28:21 -0500, Murray Green <mgreen@erols.com>
wrote:

>Yup, that's right. Lowest price so far and HRO does not charge for
>shipping. A 60 watt 2 meter rig at a throw-away price. Go for it.
>Treat yourself to a new rig.
>73 Murray, K3BEQ

That's because they can't seem to ship it to the right address. Out of
the last two items they sent me, both times it was shipped to my OLD
address, which I moved from in April, even though I clearly entered my
CURRENT address in the order form online.

The first time, they resent the item to the right address and asked
UPS to recover the misdelivered one. The second time I told them to
cancel the order.

The only way I buy anything from HRO anymore is if I know someone
going there, so I can ask them to pick it up for me. I'll stick with
AES.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

6741. Kenwood 430S problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 03:56:10 UTC
From: Heck <heck@zoominternet.net>
Message-ID: <3df95a96$1_2@corp.newsgroups.com>
Source record: 36002

Hello,
I just installed the YK-88A AM filter that I purchased on e-bay.
It seems to work good on AM...good audio and good signals...but now after installing it, I am
having a problem on side band...no signal strength deflection on the meter.
I can hear a signal here and there...very weak.
On AM and CW modes things seem to be normal.

I was wondering if anyone else has run into this problem after installing the YK-88A filter . Or if this is a problem I caused somehow. I rechecked my work several times to be sure I did it right.

Would appreciate any comments.

Thanks, Ed WB3LKO

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6742. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 04:17:09 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF95F45.1080707@ieee.org>
Source record: 36003
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Richard Clark wrote:
> You have not distinguished between your
> "Particular kind" of interference and these supposed others.

You don't see any difference between waves that emerge from
interference identical to the way they were before the
interference and waves that don't emerge at all because they
are canceled by the interference????

Hint: One set of waves doesn't get canceled and one set does.
I'm not interested in diversionary detours into discussions
of waves that don't cancel. This discussion is about waves
that cancel.

> Failing that, there is no point in addressing even more
> complexity.

Seems to me you are the one trying to make the subject so
complex that nobody can understand it. One wonders why.
Nothing can be more simple than my simple example at:
http://www.qsl.net/w5dxp/fig2.gif Why are you so afraid
to discuss that simple example?
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6743. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 04:20:34 UTC
From: Steve Andrew <sjandrew@bigpond.net.au>
Message-ID: <medK9.7025$TC4.24896@news-server.bigpond.net.au>
Source record: 36004
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Rich Griffiths wrote:
> Consult http://physics.nist.gov/cuu/Units/units.html and find out how
> wrong you are.
>
> ... Rich

Rich

The above URL is an American site, sorry to p**s on your fireworks, but check the following...

Extract from www.straightdope.com/mailbag/mmetric.html

"After a six-year survey ending in 1795, this unit was determined to be 39.37008 inches in length. The name "metre" was chosen for this unit based on metron, the Greek word for "measure." Yes, my fellow Americans, the correct, official, internationally-approved spelling is "metre," not "meter." Technically speaking, a "meter" is not a unit of measurement but a device that measures stuff, like a parking meter. But seeing as how "meter" is pretty much the way all of us Americans spell it, that's the way I'm spelling it from here on in."

Consult www.nsc.gov.au/PDF_WORD/Info/L06.pdf for further (non American) information.

Steve

> Bob Johnstone wrote:
>>>>
>> I seldom notice top posters. However, a METER is a measuring device.
>> A Metre is a unit of measurement, as in Kilometre, Metre, Centimetre,
>> Millimetre. Check the history of where and when it was derived from,
>> you will find I am correct.
>>
>> Regards
>> --
>> Bob Johnstone

6744. Re: AES and HRO Selling Yaesu 2600s for $109.95

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 05:38:39 UTC
From: Dick <rhughes33@cableone.net>
Message-ID: <28sivucjmm5i11ssfkn907g1392kqkui7e@4ax.com>
Source record: 36005

Order from HRO Phoenix. I have never had any problems with them. And HRO shipping is free over $100. AES shipping isn't free until $1,500, but they are a dollar cheaper than HRO under $100. I buy from both HRO Phoenix and AES Las Vegas, and find them both to be very good dealers.

Dick

On Thu, 12 Dec 2002 22:52:49 -0500, Andy KC2SSB
<vhfradiobuff@yahoo.com> wrote:

>On Thu, 12 Dec 2002 20:28:21 -0500, Murray Green <mgreen@erols.com>
>wrote:
>
>>Yup, that's right. Lowest price so far and HRO does not charge for
>>shipping. A 60 watt 2 meter rig at a throw-away price. Go for it.
>>Treat yourself to a new rig.
>>73 Murray, K3BEQ
>
>That's because they can't seem to ship it to the right address. Out of
>the last two items they sent me, both times it was shipped to my OLD
>address, which I moved from in April, even though I clearly entered my
>CURRENT address in the order form online.
>
>The first time, they resent the item to the right address and asked
>UPS to recover the misdelivered one. The second time I told them to
>cancel the order.
>
>The only way I buy anything from HRO anymore is if I know someone
>going there, so I can ask them to pick it up for me. I'll stick with
>AES.
>=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
>73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
>Beachwood, NJ USA Grid FM29vw
>http://vhfradiobuff.tripod.com

6745. Re: The real deal on N8WWM, AKA "The White Weenie Washer"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 08:14:43 UTC
From: rugerp85 <remove>
Message-ID: <ql5jvuga4oalthtaoklb8ggjkci2ta96lv@4ax.com>
Source record: 36006
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

he he ..... LOL

On Fri, 06 Dec 2002 16:43:38 -0500, Pat <notherealone@fake.com> wrote:

>On 6 Dec 2002 07:28:55 -0800, chukkeedacriminal@yahoo.com (The truth
>about ChukkeeSukkee) was blabbling:
>
>...First things first...
>...Happy Holidays to Keyclowns and Anti-Keyclowns alike.
>...
>...
>
>You too Dougie
>
>
>...There was a hamfest in the Detroit area which a few of us
>...Anti-Keyclowns attended last Sunday. Who did we see, with about a 3
>...day beard, homeless shelter type clothes and a glazed expression on
>...his goofy face????? None other than Chukkee Sukkee herself!
>...
>
>Goofy face??? you ain't miss america either dude! yes, I have a
>beard.. at least I can grow one...Homeless shelter???HAHAHA...what an
>idiot.
>
>
>...Chukkee was so goofed up in the head he didn't even recognize us
>...Anti-Boys, although he had met one of us under very bad <for him>
>...circumstances in September. He called one of us "Mike", a name
>which
>...none of us carry, and mumbled incoherently at our table of antique
>...radios, variacs, antennas, modern transceivers, etc...and departed
>the
>...scene hastily.
>...
>
>I walked around twice....was looking for the guy I came with James
>Keller W8WW....(whom I have a feeling might have authored this...)
>
>and I might have called you Mike...sheesh...cut a guy some slack...
>
>and for the record....you didn't do jack shit, Dougie...and you
>fucking know it....
>

>
>
>...Chukkee Sukkee can say things like "puff a root, dickhead", etc. ,
>but
>...has absolutely no power or credibility. This lying toad of a human
>...being has said the following things on the NG's, all proven false:
>...
>...1. He works for Jeff Roush racing
>
>Jeff Roush....???? I never said that...I worked for Jack Rouch...as in
>Rouch Industries Inc. . a job I HATED...Because of the fucking MORONIC
>management...you know Morons....like your dumb fucking ass?
>
>
>
>...2. He has a concealed weapon permit<he ADMITTED THIS WAS A LIE IN
>...SEPTEMBER>
>
>I never admitted anything...
>
>I know what I got, and who said it's registered?
>
>
>
>...3. He is affiliated with a gang called the Latin Counts
>
>Again, dougie...you TWIST the truth! I never said I was " affiliated"
>with them! I said I know a few of them....and a few owe me a few
>favors..
>
>Can't you do anything more original????
>
>
>
>...4. He is affilaited with a bike gang called the Iron Coffins
>
>
>Again, dougie...you TWIST the truth! I never said I was " affiliated"
>with them! I said I know a few of them....and a few owe me a few
>favors.....
>
>
>
>
>...5. He owns a .45 caliber pistol
>
>Like I said...you don't know what I got...
>
>
>

>...6. He owns a 9 MM pistol
>
>see above.....
>
>
>
>...7. He has faced down police officers over his pistol. <he calls
>police
>... officers "pigs" in his posts>
>
>again.....you twist and make up shit....I never said this....period.
>
>
>
>
>
>...8. When accused of selling illegal radio equipment Chukkee Sukkee
>... vehemently denied doing so. That is, until an enterprising
>amateur
>... looked up his advertising for sale of illegal amplifiers on
>...various
>... amateur radio and CB forums. This documentation drove him back
>... into the woodwork a while.
>...
>
>
>
>I never DENIED selling them in the past....I don't sell them now....
>
>
>...Chukkee Sukkee says these things to make himself appear to be some
>...sort of a formidable human being. When confronted in person he
>wilts
>...like a dandelion hit with weed killer. For example, Chukkee Sukkee
>...threatened in rec.radio.cb to shoot people with a 9mm pistol at the
>...Findlay, Ohio hamfest in September, 2002. The persons he threatened
>...walked up to his table and asked him if he wanted "to settle the
>hash
>...now", and he could not have been faster to stretch out a hand to
>shake
>...if he had a spring loaded elbow.
>...
>
>
>
>Now this REALLY FUNNY!
>
>Douglas Adair.....YOU NEVER EVEN FUCKING SPOKE A WORD TO ME...UNTIL I
>MENTIONED THE THING TO KEITH KC8TCQ....YOU'RE SUCH A FUCKING LYING
>ASS'ED BASTARD!

>
>
>YOU AIN'T SHIT!
>
>
>
>...In late 1999, he lost an ISP because he threatened another amateur
>...with raping his wife and daughter, killing his dog, and doing a
>drive
>...by shooting on his home. The local police and the Toledo office of
>the
>...FBI became interested in Chukkee Sukkee recently because of his
>long
>...record of violent threats to people in newsgroups. The Lincoln
>Park,
>...MI Police dept. paid Chukkee Sukkee a visit in September, 2002
>because
>...of these threats. After the cops were done with him, Chukkee Sukkee
>...whined like the cowardly person he is, and posted to rec.radio.cb a
>...long and lying denial of making any violent threats, and
>specifically
>...admitted he had never owned a hangun or had a CCW permit. This
>...admission ran counter to the fact that he had stated many times he
>...owned either a .45 caliber or a 9 MM pistol, and had a CCW permit.
>...This exposed the lies, of course.
>...
>
>
>
>AFTER THE COPS WERE DONE WITH ME?!?!?!?
>BAAAAAAAAAAAAAAAAAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHAHHAHAH!
>
>
>NOT!
>
>
>AGAIN! MORE BULLSHIT LIES!!!!!! ONE DETECTIVE COMES HERE...AND I
>TALKED TO HIM....
>
>SHEESH! DOUG YOUR LACKING ORIGINALITY...
>
>
>...There is now an outstanding warrant for Chukkee Sukkee's arrest in
>...Lucas county, Ohio for meancing as a result of his violent threats.
>...The Anti-Keyclowns have a copy of the police report in our
>posession.
>...This will be made available to anyone who wants it, as it is public
>...information. Email us for details.
>...
>

>
>I WANT TO SEE IT FOR MYSELF!!!!
>
>
>...Chukkee Sukkee should be considered a fat mouthed idiot, and very
>...desperate to belong to some group or organization. He has been
>...rejected by most rational persons, and will continue to be until he
>...moves somewhere that has a population that has never been exposed
>to
>...his moronic actions. <the planet Neptune, maybe?>
>...
>
>
>YEAH, FUCK YOU DOUGIE....MAYBE I'LL COME DOWN THERE THIS WEEKEND.
>
>AND WE'LL "TALK"
>
>
>...In summary, we have among us a lying idiot who has obvious
>...psychological issues. He is prone to violent threats against
>people,
>...even women, children and pets. When confronted, though, he shows a
>...spineless, yellow, cowardly nature.
>...
>
>YOU'RE A ONE TO TALK!
>
>
>...If Chukkee Sukkee is smart he will stay in Michigan. If he gets
>...confronted by any LEO in Ohio he may be on a road he does not wish
>to
>...travel. Chukkee Sukkee makes a big blatting issue of the fact that
>he
>...was at the Toledo hamfest last year and that his truck and his
>carcass
>...emerged unscathed. Fact is, no one threatened either. It is Chukkee
>...Sukkes's mentality, however, that most intriguingly emerged in the
>...dust up over this situation last March... Why would anyone be
>...concerned about their auto being damaged unless: A> They are in the
>...habit of damaging autos and have that mid set, or B> They are
>guilty
>...of doing something bad and expect retribution?
>...
>
>
>MORE BULLSHIT TO COVER THE FACT THAT YOU'RE AN IDIOT DOUG...
>
>
>...Laugh if you will folks, but Chukkee Sukkee is a sick puppy.
>

>
>SO IS DOUGIE AND A NO-CODE, 2 FUCKING METER PENCIL-NECKED GEEK!!!!
>WITH NO CLASS, NO LIFE AND NO FUCKING JOB....AND HAS TO BUILD 2 METER
>ANTENNAS FOR A LIVING...
>
>
>TELL ME DOUG, WHY DID YOU CLOSE THE RENTAL SHIP IN COLDWATER? PROLLY
>BECAUSE YOU WERE SELLING DRUGS OUT THE BACK DOOR AND COLDWATER SHUT
>YOU DOWN! YOU SEE, i HAVE FAMILY THERE AND i HEARD ALL ABOUT
>IT!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
>
>AND THEN YOU COWARDLY RAN TO CHICAGO!
>
>LATER DOUG...
>
>P.S.....the shit never stops
>
>

6746. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 08:21:25 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <fi4jvu8q14r26g7q3nt6dvk63hrlhtorqv@4ax.com>
Source record: 36007
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Thu, 12 Dec 2002 22:17:09 -0600, OC_CAM's Razor
<Cecil.A.Moore@ieee.org> wrote:

>Richard Clark wrote:
>> You have not distinguished between your
>> "Particular kind" of interference and these supposed others.
>
>You don't see any difference between waves that emerge from
>interference identical to the way they were before the
>interference and waves that don't emerge at all because they
>are canceled by the interference????

Hi Cecil,

This is not an answer for specifics on your "Particular kind" of
interference and nor does it explain what makes it different from what
you percieve to be other kinds.

> waves that emerge ... identical to the way they were before
> waves that don't emerge at all
>Hint: One set of waves doesn't get canceled and one set does.
makes no sense at all. The statement violates the conservation of
energy (where did the canceled energy go?). You have less energy at
the end than you do at the begining and you haven't explained where
the balance is.

Show me the balance and how it correlates to this "Particular kind" of
interference.

73's
Richard Clark, KB7QHC

6747. FT1000 Info Help repair

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 09:56:43 UTC
From: volcan <volcanQUITAESTO@arrakis.es>
Message-ID: <3df9ae88$1_4@news.arrakis.es>
Source record: 36008

Thank in advance, my FT1000 has very very poor sensitive receiver 160 and 40 mts
and little beat intermodulations broadcasting on these band.the others bands is Ok. any Ham says it's FT1000 typical bugs, if RF remanent from Lineal Amp, overload the receiver or also fast QSK on these band. any pin diodes rupted cause !!....

It's possible??..... What diodes..? where are they..? can i easy repair it, please can you help me info schematics etc, has welcomed.

Merry Cristhmas and very Happy New Year

73 de Tomas EA8JF info to:>>>> ea8jf@arrakis.es

Canary Islands

6748. Ten Tec Triton 540 tuning question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 10:55:37 UTC
From: gil <gilpi@mindspring.com>
Message-ID: <atcdmo$d9c$1@slb6.atl.mindspring.net>
Source record: 36009

Just got a nice Triton IV 540 works well but the tuning seems to be a bit on the "loose" side and towards the end of the scale actually feels like it slips. Is there a way to get a more "positive" feel to the tuning? Maybe tightening the tuning cord a bit?
I also read about "greasing the PTO" ?

Really like this rig and maybe one of you Ten Tec veterans can guide me in the right direction.

Thanks for the read

Merry Christmas

Gil

6749. Re: SCHUMANN RESONANCE VLF/ULF MAGNETIC WAVE STUFF???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 11:55:38 UTC
From: "M. J. Powell" <mike@pickmere.demon.co.uk>
Message-ID: <hloDwNQ6qc+9Ew7I@pickmere.demon.co.uk>
Source record: 36011
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,uk.radio.amateur

In message <1P9K9.339234$WL3.107378@rwcrnsc54>, JEEPMON
<JEEPMON@HOTMAIL.COM> writes
>HAS ANYONE HEARD OF THIS? IT MENTIONS THE IONOSPHERE AND ELECTROMAGNETIC
>WAVES AND SOLAR CYCLES AND ELF/VLF ACTIVITY?

Yes, I've heard of it.

Mike
--
M.J.Powell

6750. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 12:01:34 UTC
From: Andy Cowley <andy.cowley@uwe.ac.uk>
Message-ID: <3DF9CC21.B0400627@uwe.ac.uk>
Source record: 36010
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Rich Griffiths wrote:
>
> Consult http://physics.nist.gov/cuu/Units/units.html and find out how
> wrong you are.
>

Rich,

All that proves is that Americans can't spell, officially. Can you
find a reputable European site that gets the spelling wrong? The Systeme
International d'Unites definitely gives the spelling 'metre'. It
is you and that NIST site that are wrong. Stick to feet and inches or
embrace the European spelling. The metre was defined here and the
responsible standards authority spell it 'metre'

Check
http://www.npl.co.uk/npl/reference/background_info.html
if you still feel that there is a unit of length called
the 'meter' in Europe. This is a .UK group!
Or try a google search on "metre spelling SI unit"

The U.S. has the same problem with litres.

'Look, mommy, every one of the soldiers is
out of step except Uncle Sam!"

vy 73

Andy, M3ABC

6751. Re: SCHUMANN RESONANCE VLF/ULF MAGNETIC WAVE STUFF???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 12:24:21 UTC
From: Andy Cowley <andy.cowley@uwe.ac.uk>
Message-ID: <3DF9D179.15F39D1@uwe.ac.uk>
Source record: 36012
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,uk.radio.amateur

JEEPMON wrote:
>
> HAS ANYONE HEARD OF THIS? IT MENTIONS THE IONOSPHERE AND ELECTROMAGNETIC
> WAVES AND SOLAR CYCLES AND ELF/VLF ACTIVITY?
>
> http://www.2012.com.au/SchumannResonance.html
>
> LOL

Believers in elves may be interested. Hokum.

vy 73

Andy, M3ABC

6752. Re: SCHUMANN RESONANCE VLF/ULF MAGNETIC WAVE STUFF???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 13:22:09 UTC
From: David Robbins <k1ttt@arrl.net>
Message-ID: <5cWcncH76bM3QmSgXTWc2Q@crocker.com>
Source record: 36013
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,uk.radio.amateur

"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:1P9K9.339234$WL3.107378@rwcrnsc54...
> HAS ANYONE HEARD OF THIS? IT MENTIONS THE IONOSPHERE AND ELECTROMAGNETIC
> WAVES AND SOLAR CYCLES AND ELF/VLF ACTIVITY?
>
> http://www.2012.com.au/SchumannResonance.html
>

great stuff. if you really want to know about schumann resonance and
related elf/vlf activity try these rather more scientific sites...
http://www.oulu.fi/~spaceweb/textbook/schumann.html
http://quake.geo.berkeley.edu/ncedc/em.intro.html
http://www-star.stanford.edu/~scr/Research.html
http://www-star.stanford.edu/~vlf/

it is amazing how much is attributed to the schumann resonance phenomenon if
you search on google, seems like everything from the end of the earth to
links to telekenesis and the driving force of all life is attributed to it.

6753. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 13:51:44 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DF9E5F0.1000300@ieee.org>
Source record: 36014
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Richard Clark wrote:
> This is not an answer for specifics on your "Particular kind" of
> interference and nor does it explain what makes it different from what
> you percieve to be other kinds.

I can't say it any plainer, Richard. Perhaps my vocabulary is
failing me. There exists interference where the two waves flow
through each other unmolested. This happens when there is
no change in characteristic impedance of the medium, e.g. forward
and reflected waves meeting in a 50 ohm transmission line. There
exists interference where the two waves undergo destructive
interference such that their separate identies are lost.

> makes no sense at all. The statement violates the conservation of
> energy (where did the canceled energy go?).

In a transmission line, the energy reverses direction, i.e. it is
reflected. Waves can be canceled but the energy in the wave cannot
be canceled even though Dr. Best says it can.

> Show me the balance and how it correlates to this "Particular kind" of
> interference.

Discuss the simple example at http://www.qsl.net/w5dxp/fig2.gif and
all will become clear to you.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6754. Re: Boatanchor Clearout, Collins etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 14:18:17 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <wLlK9.4971$i83.3650@news.bellsouth.net>
Source record: 36015
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

With over 800 successful and satisfied customers George, I think you grossly exadurate, 15 neg feedbacks are from tit for tat buyers who would or could not pay so when I left them negative feedback they just did the same
It is imposable to please everyone but I go out of my way to try, unlike some.
So George I guess your only jealous at the 89 items I am selling this week and the 100's of collectable radios I will be parting with in the new year.
By the way, just added you to my blocked bidders list
So best 73s
Martyn

6755. WTB 6m beam - opinions, pse?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 14:29:17 UTC
From: Richard J <no_spam@please.com>
Message-ID: <atcqsgqbs1@news.lth.se>
Source record: 36016

Hi group..

On my way to finding a new 50MHz beam antenna, there are soo many choices - I will need some help with opinions.

So far I've had a 5el NBS yagi from M E T in UK (shud have been marketed as "indoor use only", R I P after 2 years), and a Tonna 5 el (still up after 10 years).

I live in a high-wind coastal location, and do NOT have the budget to buy a new M2.

Looking for a 6 el yagi or a quad with equal performance.

Issues: Wind load, ice load, if purchased new it MUST be from inside EU (VAT, customs fees apply if from US).
My budget is limited to, say, 250USD=250Eu. Performance has to be a lot better than the Tonna 5 el :-)

I'd like to hear from you guys, re the following:

a) Any good/bad/hands-on experience stuff abt ZX-yagis, Trident yagis and DX Systems yagis (all inside budget, all available in EU) that u might have
b) alternatives that I missed, such as quads or other yagi brands. Tips appreciated - just don't say M2, I simply cannot consider it, and saving up for one is not an option, as I need the beam now. :-)

Can you help? Thanks for your time!

Cheers /Rick, SM7SCJ

6756. Re: Boatanchor Clearout, Collins etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 14:31:34 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3DF9EF46.77BF3BAA@ix.netcom.com>
Source record: 36017
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Before you make judgements about someone's negative feedback,
be sure to read the feedback of the guy writing the negative.
There are whiners, cronic grippers, anal retentives and just
plain crazy people out there.
D.S.

6757. circuit/handbook for kenwood mc-85

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 14:50:31 UTC
From: G0OSE <Private@nosey.com>
Message-ID: <_smK9.1301$X56.67975@newsfep1-gui.server.ntli.net>
Source record: 36018

Can any one help with the mic lead connections for the above microphone
please email .
G0ose

6758. Re: SCHUMANN RESONANCE VLF/ULF MAGNETIC WAVE STUFF???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 14:56:38 UTC
From: Crazy George <munschNO@attglobal.net.SPAM>
Message-ID: <3df9fe9f_1@news1.prserv.net>
Source record: 36020
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,uk.radio.amateur

Tasmania???? Now there's a hotbed of scientific research.

--
Crazy George
Remove NO and SPAM from return address
"JEEPMON" <JEEPMON@HOTMAIL.COM> wrote in message
news:1P9K9.339234$WL3.107378@rwcrnsc54...
> HAS ANYONE HEARD OF THIS? IT MENTIONS THE IONOSPHERE AND ELECTROMAGNETIC
> WAVES AND SOLAR CYCLES AND ELF/VLF ACTIVITY?
>
> http://www.2012.com.au/SchumannResonance.html
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
> LOL
>
>

6759. Re: AES and HRO Selling Yaesu 2600s for $109.95

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 15:14:09 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DF9F941.E0FD2FCF@erols.com>
Source record: 36019

***The low price is "because they can't seem to ship it to (your) the
right address"? I don't mean this to be unkindly, but that is pretty
illogical thinking. I hope your comments were in jest, at least about
the price. Oh well.
73 Murray, K3BEQ

Andy KC2SSB wrote:
>
> On Thu, 12 Dec 2002 20:28:21 -0500, Murray Green <mgreen@erols.com>
> wrote:
>
> >Yup, that's right. Lowest price so far and HRO does not charge for
> >shipping. A 60 watt 2 meter rig at a throw-away price. Go for it.
> >Treat yourself to a new rig.
> >73 Murray, K3BEQ
>
> That's because they can't seem to ship it to the right address. Out of
> the last two items they sent me, both times it was shipped to my OLD
> address, which I moved from in April, even though I clearly entered my
> CURRENT address in the order form online.
>
> The first time, they resent the item to the right address and asked
> UPS to recover the misdelivered one. The second time I told them to
> cancel the order.
>
> The only way I buy anything from HRO anymore is if I know someone
> going there, so I can ask them to pick it up for me. I'll stick with
> AES.
> =-
> 73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
> Beachwood, NJ USA Grid FM29vw
> http://vhfradiobuff.tripod.com

6760. Harris RF-102A HEAVY duty linear.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 15:51:29 UTC
From: m38 <m38@cox-internet.com>
Message-ID: <uvl9ui2rl2mh1b@corp.supernews.com>
Source record: 36049

FS: Harris RF-102A very heavy duty HF linear amplifier. 2-30 mhz continuous. Uses a single 3-1000 tube. This amplifier is very well (commercial) built and will put out well over the maximum legal limit. I have been using it with my Yaesu FT-920 and it really puts out the power. $1000 or trades considered. Includes manual. This thing is a brute if you want brute power. I traded one off 3 weeks ago and after I sell this one I'll have one left for myself. They are great and extremely reliable.

6761. Re: AES and HRO Selling Yaesu 2600s for $109.95

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 16:21:11 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <wQj6PeXaSspoMfAif==1mOywwMHJ@4ax.com>
Source record: 36021

Murray Green <mgreen@erols.com> wrote:

>
>Yup, that's right. Lowest price so far and HRO does not charge for
>shipping. A 60 watt 2 meter rig at a throw-away price. Go for it.
>Treat yourself to a new rig.
>73 Murray, K3BEQ

AES normally charges $159 for a 2600M.

Hmm, any known problems with these rigs?

Bob
k5qwg

6762. Re: SCHUMANN RESONANCE VLF/ULF MAGNETIC WAVE STUFF???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 16:43:50 UTC
From: nordland37@hotmail.com
Message-ID: <3dfa0e21.2107934@news.freeserve.net>
Source record: 36022
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,uk.radio.amateur

On Fri, 13 Dec 2002 00:46:22 GMT, Richard Clark <kb7qhc@attbi.com> wrote:

>GAD, I had to look down the page to see the astrological implications.
>Consult a Boston Astrologer who also does fractal work to form a
>double suicide pact.

Would you kindly point George W. Bush in the direction of
that astrologer?

--

_____
Posted by J.
West Bank
Tweeksbury

* Season's Greeting to all our Readers *

6763. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 17:50:36 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <en6kvukl2cfvq76u67r47gh1i2r9bkrp2i@4ax.com>
Source record: 36023
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Fri, 13 Dec 2002 07:51:44 -0600, OC_CAM's Razor
<Cecil.A.Moore@ieee.org> wrote:

>> Show me the balance and how it correlates to this "Particular kind" of
>> interference.
>
>Discuss the simple example at http://www.qsl.net/w5dxp/fig2.gif and
>all will become clear to you.

Hi Cecil,

This has run on too long without an answer except for the perennial
unveiling of the steamroller.

Blame it on poor language if you will, but even that defense fails to
strip away the unnecessary complexity that attends your discussion.
Occam's Razor insists that the simpler understanding we have of
interference does not require this additional baggage. As this added
complexity appears to be necessary for your logic, I see no purpose in
pursuing baroque theories that only you seem to be able to understand.

Name one other correspondent here on this board (or better yet, let
them identify themself) that can serve as a surrogate to your
discussion and let me see if I can get an answer to
>If I see the projection of the sun through a double slit against a
>screen, I will see light and dark bars due to "interference." There
>is absolutely nothing here that requires an impedance discontinuity.
>There is no causal effect enforced on either of the two slits, one on
>the other (they remain independent sources). The two waves are wholly
>independent of each other before they fall on the screen, and after
>they reflect (there is no magic zero time at the screen to change
>anything going on here).
>
>So, just what kind of "interference" were you thinking of?
from that source.

73's
Richard Clark, KB7QHC

6764. Drake Manuals in PDF form

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 19:20:07 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <HpqK9.59993$hK4.4984752@bgtnsc05-news.ops.worldnet.att.net>
Source record: 36024

Hello folks,
I have manuals for Drake equipment in PDF form. These
would be for the 1A, 2B, 2C, R4A, R4B,R4C,
SPR-4, SW4 FS4, R7, R8, TR3, TR4, TR4C, T4X, TR6,TR7, UV3, MN2000, and other
tuners. Also, I have the '7 series owners and service manuals, along with
manuals for the RR-1, MSR-2, etc.
Price, including shipping in the USA will be $20.00 for each manual. In
cases such as with the TR7, I will include both the Owners Manual and the
Service manual for that price. With overseas customers, we will need to
discuss shipping first.
Any interested parties can e-mail me directly.

Pete Gianakopoulos
Mount Prospect, Illinois
USA

6765. FT-897 memorory management software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 19:39:39 UTC
From: Bob <bob>
Message-ID: <3dfa371b$0$223$cc9e4d1f@news.dial.pipex.com>
Source record: 36025

FT-897 memory management software:

FTBasic now supports management of the 200 memories in the FT-897.

A 21 day free trial can be obtained here:

http://www.g4hfq.co.uk

6766. Re: The real deal on N8WWM, AKA "The White Weenie Washer"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 19:48:48 UTC
From: radiofuns <fartradio@yahoo.com>
Message-ID: <3dfa3a8d@snipnews.snip.net>
Source record: 36026
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb

"rugerp85 @adelphia.net" <remove> wrote in message
news:ql5jvuga4oalthtaoklb8ggjkci2ta96lv@4ax.com...

> he he ..... LOL

I could not agree more. These bozos need
to move in an set up shop alongside 3.865

6767. Re: Ideas on Kenwood TS-830S Bandswitch?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 20:59:54 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0212131259.775d4363@posting.google.com>
Source record: 36027

"Gary Brown" <gbrown@nc.rr.com> wrote in message
news:<IH8K9.15746$Fq3.979658@twister.southeast.rr.com>...
> Great radio, with one minor problem. The digital display goes out when
> switch detents for each band. It takes a little tweaking and the display
> comes on fine. I was just curious what spray cleaners if any would work and
> what particular wafer or section of the switch is the likely culprit.
>
> Actually, the root cause probably is the detented position has grown a bit
> sloppy, with the resultant "wink" in each of the detented positions. So it
> may be a mechanical problem and someone in the newsgroup can save me some
> problem rediscovery to remove the "slop."
>
> 73,
> Gary
> K4GPB

The cutoff in between positions is normal. Same as in the "blank" 6
oclock position. But the wiggling needed to get a good contact once
seated is not normal. That can either be dirty wafer switches, or the
plastic coupler on the shaft is getting a crack, and getting loose.
Mine has a very small crack in it that I've never fixed yet. It works
fine, but it puts extra stress on the plastic coupler if I turn
counter clockwise. So to avoid extra stress, I always turn clockwise
only. Any good cleaner should work. IE: tuner cleaner, pro gold, etc,
etc. MK

6768. New Yahoo group for new Yaesu rig - FT-857

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 21:04:43 UTC
From: Ken Bessler <kg0wx@yahoo.com>
Message-ID: <LXrK9.37320$Y86.26268@news2.central.cox.net>
Source record: 36028
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Come join the discussion! Photos, docs, links and a user
manual are all online with this group. Click on the link
below to access the new Yahoo group:

http://groups.yahoo.com/group/FT-857

Thanks for looking

Ken KG0WX

6769. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 21:16:07 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DFA4E17.4080007@ieee.org>
Source record: 36029
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Richard Clark wrote:
> Blame it on poor language if you will, but even that defense fails to
> strip away the unnecessary complexity that attends your discussion.
> Occam's Razor insists that the simpler understanding we have of
> interference does not require this additional baggage. As this added
> complexity appears to be necessary for your logic, I see no purpose in
> pursuing baroque theories that only you seem to be able to understand.

There is no added complexity, Richard, which tells me that you may
be ignorant of the details. See below.

> Name one other correspondent here on this board (or better yet, let
> them identify themself) that can serve as a surrogate to your
> discussion and let me see if I can get an answer to
>
>>If I see the projection of the sun through a double slit against a
>>screen, I will see light and dark bars due to "interference." There
>>is absolutely nothing here that requires an impedance discontinuity.
>>There is no causal effect enforced on either of the two slits, one on
>>the other (they remain independent sources). The two waves are wholly
>>independent of each other before they fall on the screen, and after
>>they reflect (there is no magic zero time at the screen to change
>>anything going on here).

Wave cancellation requires an impedance discontinuity, Richard. Your
two slit example is an irrelevant diversion. Here is an example of
wave cancellation: Two coherent waves traveling in the same direction
have been created at an impedance discontinuity. They are reflected
energy waves 1 and 2:

Wave1: 100V at 0 degrees with 2A at 180 degrees

Wave2: 100V at 180 degrees with 2A at 0 degrees

What happens when you add those two waves?
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6770. Re: AES and HRO Selling Yaesu 2600s for $109.95

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 21:23:27 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DFA4FCF.2DA23081@erols.com>
Source record: 36030

***Nothing but excellent reports about the 2600 and it's predecessor.
73, Murray, K3BEQ

Bob Miller wrote:
>
> Murray Green <mgreen@erols.com> wrote:
>
> >
> >Yup, that's right. Lowest price so far and HRO does not charge for
> >shipping. A 60 watt 2 meter rig at a throw-away price. Go for it.
> >Treat yourself to a new rig.
> >73 Murray, K3BEQ
>
> AES normally charges $159 for a 2600M.
>
> Hmm, any known problems with these rigs?
>
> Bob
> k5qwg

6771. Re: AES and HRO Selling Yaesu 2600s for $109.95

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 21:27:13 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DFA50B1.CA76F412@erols.com>
Source record: 36031

Addendum: AES is selling them for the same $109.95 price but wants
shipping charges.
73, Murray, K3BEQ

Bob Miller wrote:
>
> Murray Green <mgreen@erols.com> wrote:
>
> >
> > >Yup, that's right. Lowest price so far and HRO does not charge for
> > >shipping. A 60 watt 2 meter rig at a throw-away price. Go for it.
> > >Treat yourself to a new rig.
> > >73 Murray, K3BEQ
>
> AES normally charges $159 for a 2600M.
>
> Hmm, any known problems with these rigs?
>
> Bob
> k5qwg

6772. Re: FT1000 Info Help repair

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 21:37:33 UTC
From: Ron H <blah@attbi.com>
Message-ID: <xqsK9.140101$pN3.10162@sccrnsc03>
Source record: 36032

Go to http://mailman.qth.net/mailman/listinfo/1000mp
and check out the 1000MP mailing list.... Re-post your question there I am
sure there will be several good opinions.....

Ron H.

6773. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 21:48:08 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <b8gkvuc3ev9cfkfratd26b624ermgnbrti@4ax.com>
Source record: 36033
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Hi Cecil,

With no surrogate either offered by you, or having stepped up in
several hours to offer an explanation that conforms to your
understanding - a closing synopsis:

We began with several premises:
>>>We don't have to worry about that in transmission lines.
So that we are on the same page, all waves are CONFINED to a
transmission line.
>>>that's all there is, two and only two waves
Ditto on being on the same page. TWO waves are CONFINED to the same
transmission line.
>>>they are from the one and only source in the system and are coherent.
Ditto on being on the same page. TWO waves are CONFINED to the same
transmission line driven by ONE SOURCE and they are COHERENT (even if
one is inverted with respect to the other).

That is sufficiently simple to not warrant a call on Occam's Razor
(barring someone's dispute). Then we enter into a nebulous region:

>>>they both encounter an impedance discontinuity
which is fine, but how did we get the two waves, from a single source,
BEFORE this discontinuity? Either something has not been revealed, or
this statement is in error.

This drives more complexity into the discussion with the odd notion
that:
>>>Being "sensible" to each other is what allows destructive interference
>>>between components of two different coherent waves traveling in the same
>>>direction.
Components? This dilutes the original TWO wave understanding (and
does not respond to where the second of the two came from, a problem
that is beginning to compound into even more complex explanations).
However, that is trivial in comparison to the basic mis-application
found in this quote above that denies the same operation of
interference in BOTH directions which is a fundamental property of TWO
COHERENT waves in a CONFINED line irrespective of all other
embellishments offered or to be added in the future.

The problems of this logic you offer is now doubly compounded and we
suddenly find a novel proposal for a "Particular" style of
interference that requires yet more explanation:

On Thu, 12 Dec 2002 22:17:09 -0600, OC_CAM's Razor
<Cecil.A.Moore@ieee.org> wrote:

> waves that emerge ... identical to the way they were before
> waves that don't emerge at all
>Hint: One set of waves doesn't get canceled and one set does.
makes no sense at all. The statement violates the conservation of
energy (where did the canceled energy go?). This compounds error to
the third degree. You have less energy at the end than you do at the
beginning and you till haven't explained where the balance is. You
haven't explained how two waves that exist in a closed system with
only one source; that are coherent (allowing for one wave's inversion
where appropriate); and that DO combine destructively in only one
direction and that DO NOT combine at all in the other (not even
constructively!) can exist as a physical reality. There is nothing in
physics that supports this odd relationship.

My stripped down discussion of classic interference:
>
>If I see the projection of the sun through a double slit against a
>screen, I will see light and dark bars due to "interference." There
>is absolutely nothing here that requires an impedance discontinuity.
>There is no causal effect enforced on either of the two slits, one on
>the other (they remain independent sources). The two waves are wholly
>independent of each other before they fall on the screen, and after
>they reflect (there is no magic zero time at the screen to change
>anything going on here).
was met by the steamroller and obvious indifference to the contrast
your argument makes with classical physics. This simple observational
evidence (Occam at his best) encompassed all the baggage of your
unnecessary embellishments and complexity of a crafted solution to
show they were false assertions across the board.

73's
Richard Clark, KB7QHC

6774. WTB YAESU PARTS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 22:23:10 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <i5tK9.72050$Xr6.967736@twister.rdc-kc.rr.com>
Source record: 36034
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I'am looking for a yaesu AM filter model yf112a 6khz filter.
And FM-747 Fm unit for the yaesu ft840.
Please e-mail me with price and condition.
Thanks

6775. WANT Active Dual SWR Power Meter or schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 22:28:45 UTC
From: "frazier@flex.com" <frazier@flex.com>
Message-ID: <3DFA5F1D.69FA154F@flex.com>
Source record: 36035
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.antenna,alt.radio.amateur

I've got a SignalCrafter model 30 SWR Power meter and would like to find another in working condition, or another SWR/Power meter with similar features.

The SignalCrafter Model 30 has two meters. The lefthand one displays Power in three ranges, 20W, 200W, and 2000W. The righthand meter displays SWR, and under the SWR scale is something they called reflection coefficient. It also provides the ability to switch between three antennas and a dummy load. I don't care about the switching for antennas, as I only use mine for a SWR/Power meter, and use a different custom switching array for my antenna switches.

The SignalCrafter Model 30 was made in the early 80's and is an ACTIVE SWR meter. There is no "set" knob or need to mess around with anything other than the switches that select the power level. It's operation is very similar to the dual panel meters that are built into the JW Miller AT2500 Antenna Tuner of similar vintage.

Does anyone know of the availability of a SignalCrafter Model 30 or similar unit, or have a schematic that could be used to modify (add circuitry) to the existing cross needle swr meters in my MFJ Differential T Tuners? I really dislike the cross needle meters that require you to interpret the swr by reading a red line where the needles cross. I can pretty easily make a new dial scale if I can get a schematic to build the active circuitry to drive the meters.

Thanks
-- Rick AH7H

6776. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 22:59:39 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DFA665B.5010903@ieee.org>
Source record: 36036
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Richard Clark wrote:
> which is fine, but how did we get the two waves, from a single source,
> BEFORE this discontinuity? Either something has not been revealed, or
> this statement is in error.

You are mixing gasoline and water. The two separate topics are:

1. What happens to two and only two coherent waves traveling in same
direction in a transmission line. There's no impedance discontinuity
to worry about.

2. What happens when two coherent waves, traveling in opposite
directions, encounter the same lossless impedance discontinuity.

Pick one and let's discuss it. Then we can discuss the other.

> Components? This dilutes the original TWO wave understanding (and
> does not respond to where the second of the two came from, a problem
> that is beginning to compound into even more complex explanations).

Again, you are mixing two completely different topics. We can discuss
each separately but we cannot discuss both in the same breath.

> However, that is trivial in comparison to the basic mis-application
> found in this quote above that denies the same operation of
> interference in BOTH directions which is a fundamental property of TWO
> COHERENT waves in a CONFINED line irrespective of all other
> embellishments offered or to be added in the future.

I have NEVER denied interference in both directions. Waves traveling in
opposite directions don't cancel. Waves traveling in the same direction
can cancel. What is it about "don't cancel" Vs "can cancel" that you don't
understand?

> The statement violates the conservation of
> energy (where did the canceled energy go?).

You don't understand. When I say the wave is canceled, I mean that the
voltage and current goes to zero. But energy CANNOT be canceled. The
cancellation of two coherent waves traveling in the same direction in
a transmission line causes an energy reflection in the opposite
direction, i.e. destructive interference causes a reflected wave of
constructive interference in the opposite direction.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6777. Need mods for STANDARD c178a

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 23:27:36 UTC
From: Win XP user <cdel2000@hotmail.com>
Message-ID: <atdqdgenk1@usenet.otenet.gr>
Source record: 36037

Can any one send me modification for wide band transmision for the Standard
C178A .
please email .

73 SV7BVZ

6778. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-13 23:29:53 UTC
From: Richard Clark <kb7qhc@attbi.com>
Message-ID: <9qqkvucrvipo80re0p1euomg9c07edeikl@4ax.com>
Source record: 36038
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

On Fri, 13 Dec 2002 16:59:39 -0600, OC_CAM's Razor
<Cecil.A.Moore@ieee.org> wrote:

>Richard Clark wrote:
>> which is fine, but how did we get the two waves, from a single source,
>> BEFORE this discontinuity? Either something has not been revealed, or
>> this statement is in error.
>
>You are mixing gasoline and water. The two separate topics are:
>
>1. What happens to two and only two coherent waves traveling in same
>direction in a transmission line. There's no impedance discontinuity
>to worry about.
>
>2. What happens when two coherent waves, traveling in opposite
>directions, encounter the same lossless impedance discontinuity.
>
We have TWO separate topics? This is becoming more bizarre and
neither topic responds to the question quoted above. And this was the
trivial error.

Cecil, you have already admitted that this may be a failure of
your/our communications and as you have yet to offer a substitute for
yourself that is equally versed in your view - I am stepping out as
your layers of complexity are becoming absolutely Byzantine.

Write again, later, when you find a collaborator who understands you.

73's
Richard Clark, KB7QHC

6779. WTB "Memorizer VFO" for Yaesu FT 707

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 00:16:40 UTC
From: ebruchac@aol.comnojunk
Message-ID: <20021213191640.15377.00000026@mb-ci.aol.com>
Source record: 36039

WTB "Memorizer VFO" for Yaesu FT 707
Pls email w/best price, if you have one for sale;
73,
Ed N4ZUM

Remove the,"nojunk" to email.

"A Picture is Worth a Thousand Words...but uses a thousand times more memory."

6780. Re: Ideas on Kenwood TS-830S Bandswitch?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 00:20:13 UTC
From: Gary Brown <gbrown@nc.rr.com>
Message-ID: <1PuK9.18605$Fq3.1138258@twister.southeast.rr.com>
Source record: 36040

Thanks for the tips here and in my mail. It looks like I might try some of the pricey cleaner in the smallest size I can find!

73,
Gary
K4GPB

6781. Re: Boatanchor Clearout, Collins etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 01:01:04 UTC
From: George <Gheisman@valleynet.net>
Message-ID: <3dfa82c3$1_6@news.meganetnews.com>
Source record: 36041
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I'm seldom jealous of crooks.

"Martyn" <martyna@bellsouth.net> wrote in message
news:wLlK9.4971$i83.3650@news.bellsouth.net...
> With over 800 successful and satisfied customers George, I think you
grossly
> exadurate, 15 neg feedbacks are from tit for tat buyers who would or could
> not pay so when I left them negative feedback they just did the same
> It is imposable to please everyone but I go out of my way to try, unlike
> some.
> So George I guess your only jealous at the 89 items I am selling this week
> and the 100's of collectable radios I will be parting with in the new
year.
> By the way, just added you to my blocked bidders list
> So best 73s
> Martyn
>
>
>

6782. Re: SCHUMANN RESONANCE VLF/ULF MAGNETIC WAVE STUFF???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 01:06:41 UTC
From: Dave <davenpat@btopenworld.com>
Message-ID: <ate070$rl0$3@sparta.btinternet.com>
Source record: 36042
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,uk.radio.amateur

"J." <nordland37@hotmail.com> wrote in message
news:3dfa0e21.2107934@news.freeserve.net...
> On Fri, 13 Dec 2002 00:46:22 GMT, Richard Clark <kb7qhc@attbi.com> wrote:
>
> >GAD, I had to look down the page to see the astrological implications.
> >Consult a Boston Astrologer who also does fractal work to form a
> >double suicide pact.
>
> Would you kindly point George W. Bush in the direction of
> that astrologer?

Or indeed, any other.

Then we might enjoy the white Christmas that we normally expect.

DE G6 KHP

Dave

6783. Re: Boatanchor Clearout, Collins etc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 01:20:48 UTC
From: Alfred Carlson <wa7uhr@gte.net>
Message-ID: <3DFA8724.4519ED87@gte.net>
Source record: 36043
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I am never jealous of anyone but maybe envious at times.

George wrote:

> I'm seldom jealous of crooks.
>
> "Martyn" <martyna@bellsouth.net> wrote in message
> news:wLlK9.4971$i83.3650@news.bellsouth.net...
> > With over 800 successful and satisfied customers George, I think you
> grossly
> > exadurate, 15 neg feedbacks are from tit for tat buyers who would or could
> > not pay so when I left them negative feedback they just did the same
> > It is imposable to please everyone but I go out of my way to try, unlike
> > some.
> > So George I guess your only jealous at the 89 items I am selling this week
> > and the 100's of collectable radios I will be parting with in the new
> year.
> > By the way, just added you to my blocked bidders list
> > So best 73s
> > Martyn
> >
> >
> >

6784. Real deal on RugerP85, AKA "The any color at all Weenie Washer"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 01:41:52 UTC
From: rugerzapeashooter@yahoo.com
Message-ID: <cfe28a2b.0212131741.48859b8f@posting.google.com>
Source record: 36044
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

On Mon, 9 Dec 2002 01:40:01 -0500 (Eastern Standard Time) "skyhawk",
after having his auction ratted out, <sky444@abs.adelphia.net> whined
like the impotent sissy boy he is...:

yea whatever dipshit....you just money away from my kids
Christmas,,,,,the only reason I was selling this as a package and
cheap I might add so it would sell fast and I could have that cash for
Christmas.....Happy Now asshole.....let me guess now your gonna call
the FBI....we went from Narcing on eBay to Adelphia......wow aren't
you just to special.....please refrain from sending me anymore
email as you are doing nothing but pissing me off more and
more.....and you might think that's funny but you know what it
really isn't....now I'm gonna have to figure out how to sell that
somewhere else quickly to get my damn money for Christmas for my kids
stuff.....this is how the not so rich live....pretty isn't
it...someone like you comes along playing God and they fuck it all
up.....thank you so much ,it really is appreciated

My usual type of totally accurate and completely moral reply"

Hey,
Have fun yourself. You can tell anyone and everyone...They already
know...Anti-Boys been rattin out scumbags like you a long time.
You were just another notch on my holster. As far as being an asshole
goes, I consider it a compliment to see you call me that. If a
criminal hates me I am likely doing something right.

You are really stupid. You think I CARE if you TELL ABOUT ME? On the
contrary. If I did I would not have emailed you to letya know.

Do your worst, buttlick...

I think I will report your illegal business transaction to adelphia.
Since you like to call names so much you can go there and call them
names after your access gets pulled.

You are an impotent shitball and a little boy in a man's world. Take a
hike, sonny.

6785. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 01:48:00 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DFA8DD0.9020006@ieee.org>
Source record: 36045
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Richard Clark wrote:
> We have TWO separate topics? This is becoming more bizarre and
> neither topic responds to the question quoted above. And this was the
> trivial error.

If you would only discuss the simple matched example at
http://www.qsl.net/w5dxp/fig2.gif
all of your questions would be answered.

According to Dr. Best, we get the two and only two waves AFTER the
discontinuity. Have you read Dr. Best's QEX article? Have you read
my web pages?

> Cecil, you have already admitted that this may be a failure of
> your/our communications and as you have yet to offer a substitute for
> yourself that is equally versed in your view - I am stepping out as
> your layers of complexity are becoming absolutely Byzantine.
> Write again, later, when you find a collaborator who understands you.

You would understand it, Richard, if you would stop the diversions
and simply discuss the example I present on my web page.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
-----== Over 80,000 Newsgroups - 16 Different Servers! =-----

6786. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 02:23:42 UTC
From: Geminid meteor <nobody@jonz.net>
Message-ID: <slrnavl5hd.g3l.nobody@animas.frontier.net>
Source record: 36046
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

On Thu, 12 Dec 2002 16:43:20 -0500, Rich Griffiths hath writ:
> Consult http://physics.nist.gov/cuu/Units/units.html and find out how
> wrong you are.
>
> Bob Johnstone wrote:
>> >>
>> I seldom notice top posters. However, a METER is a measuring device. A

Nothing at that web site about the rudeness of top-posting.

6787. Re: FRS question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 02:32:46 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnavl62d.g3l.nobody@animas.frontier.net>
Source record: 36047

On Thu, 12 Dec 2002 16:30:33 -0500, Qarf hath writ:
> I'm considering getting a couple of FRS units

http://www.overstock.com/cgi-bin/d2.cgi?PAGE=PROFRAME&PROD_ID=143558

6788. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 03:11:02 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <gKD6PRVJ7q8ci2QxFwsgS0dFfcO0@4ax.com>
Source record: 36048

Andy Cowley <andy.cowley@uwe.ac.uk> wrote:

>Rich Griffiths wrote:
>>
>> Consult http://physics.nist.gov/cuu/Units/units.html and find out how
>> wrong you are.
>>
>
>Rich,
>
>All that proves is that Americans can't spell, officially. Can you
>find a reputable European site that gets the spelling wrong? The Systeme
>International d'Unites definitely gives the spelling 'metre'. It
>is you and that NIST site that are wrong. Stick to feet and inches or
>embrace the European spelling. The metre was defined here and the
>responsible standards authority spell it 'metre'

Well, I don't use "metre" for the same reason I never go to the "theatre".

British spelling is fine for Brits -- there's other countries in the world, you know, with different spellings -- hell, even different languages.

Bob
k5qwg
>
>Check
>http://www.npl.co.uk/npl/reference/background_info.html
>if you still feel that there is a unit of length called
>the 'meter' in Europe. This is a .UK group!
>Or try a google search on "metre spelling SI unit"
>
>The U.S. has the same problem with litres.
>
>'Look, mommy, every one of the soldiers is
>out of step except Uncle Sam!"
>
>vy 73
>
>Andy, M3ABC

6789. Re: WANT Active Dual SWR Power Meter or schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 05:49:54 UTC
From: 'Doc <w5lz@cwis.net>
Message-ID: <3DFAC682.35EE27C1@cwis.net>
Source record: 36050
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.antenna,alt.radio.amateur

Rick,
Try an Autek Research 'WM-1'. Sounds like the same thing
except for the switching...
'Doc

6790. Re: Ideas on Kenwood TS-830S Bandswitch?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 07:15:09 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0212132315.7bee0c49@posting.google.com>
Source record: 36051

"Gary Brown" <gbrown@nc.rr.com> wrote in message
news:<1PuK9.18605$Fq3.1138258@twister.southeast.rr.com>...
> Thanks for the tips here and in my mail. It looks like I might try some of
> the pricey cleaner in the smallest size I can find!
>
> 73,
> Gary
> K4GPB

I was just thinking of something else...If you do have a loose plastic coupler, that is usually the RF switches up near the final section that get out of whack. Most likely would not effect the readout. What happens is you get "loose" connections to where your output fluctuates or drops out when you wiggle the knob. The couplers crack because of the way they were overtightened at the factory usually. MK

6791. Trade DX 402 For Select-A-Tenna

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 08:23:27 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <3UBK9.111108$%p6.11441425@twister.neo.rr.com>
Source record: 36052
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Have a brand new RS DX 402 sw receiver to trade for a LIKE NEW
Select-A-Tenna 541-M.
DeWayne KE9K

6792. Re: circuit/handbook for kenwood mc-85

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 09:45:10 UTC
From: Hans Otto Niesen <oz2hns@qrz.dk>
Message-ID: <Usenet.tgfseaaf@localhost>
Source record: 36053

G0OSE wrote:
>
> Can any one help with the mic lead connections for the above microphone
> please email .
> G0ose

Hallo

Hallo there I have what you are logging fore,
But it looks like your email is wrong.

I can not send a mail to you.

--
--
73 gs de OZ2HNS / Hans Otto
hogit@nielsen.tdcadsl.dk
http://oz2hns.qrz.dk/
Medl. af EDR,ARRL og DARC

6793. FS: IC-751 transceiver, Shure 444D, Audio Interface

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 12:58:51 UTC
From: Peter Fournia <w2sky@arrl.net>
Message-ID: <3DFB2B19.FB617AAF@arrl.net>
Source record: 36055

This is an ICOM IC-751 HF Transceiver with Shure 444D Desk Microphone and Computer Audio Interface. All items are in very good to excellent condition and ready for plug-n-play operation.

This had been on eBay with an automatic antenna tuner. The antenna tuner has sold. I am selling this package w/o the antenna tuner and will list it on eBay very soon if not sold. See my website for details.
http://home.rochester.rr.com/pfournia/IC751/IC-751.htm

Thank you,
Peter Fournia, W2SKY

6794. Looking for mw1rog, George

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 13:12:45 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <atf967$mv5$1@news1.kornet.net>
Source record: 36054
Cross-posted to: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.swap

George, please contact me, your e-mail is bouncing.

Brenda Ann

6795. Re: Ideas on Kenwood TS-830S Bandswitch?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 14:17:34 UTC
From: "Edward L. Dowdy" <ellhatespamdowdy@ctscomp.com>
Message-ID: <24HK9.351466$WL3.108602@rwcrnsc54>
Source record: 36056

Pacific Coast Parts has the couplers. They're $9.50 each plus $8.50 to ship. I forget the part number. The name of the part is "universal coupler". They're over priced and shipping is outrageous. But when you need one, you need one. Nobody else has them. Unless you can find someone to fabricate them.

73,
Ed KA9EES

6796. FT 920 MD 100 mic and Versa Tuner 5 4 Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 14:41:24 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3DFB42D0.7070409@dirtball.com>
Source record: 36057
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Hello
I have a FT 920 with the AM filter and FM board. The FT 920 is 100
watts HF + 6 Meters.
It has a Auto tuner and the MC 100 Desk Mic. In the deal you will get
the technical supplement too (AKA Service manual), as well as the owners
manual . I also Have the 3 KW Roller Inductor Antenna Tuner. They are in
good shape I will trade both for a FT 990 or a FT 1000.. I have been
using the FT 920 as a backup rig. Drop me a line so we can work out a deal.
oris@dirtball.com
Happy Holidays
73 and thanks for reading
Oris
N4CND
http://www.dirtball.com

6797. WTB: Drake R8 series VHF converter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 15:14:11 UTC
From: maritimus49@aol.com
Message-ID: <20021214101411.23480.00000042@mb-mw.aol.com>
Source record: 36058

I am looking for a Drake R8 series VHF converter. It should be in excellent or better condition. Please contact me with asking price. Thanks.

73,
Bruce K6RQR

6798. FS: Azden PCS-5000 Instruction manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 15:27:24 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <eqimvukndunmo70tbqqg3np17mmdvk5sm1@4ax.com>
Source record: 36059

I have for sale an Azden PCS-5000 2 meter FM transceiver instruction manual...Its in excellent condition and looks new.....I will take $10 plus shipping.....I can be reached at (508) 821-2993 or email.....
WZ1U Steve / Lakeville, Ma.

6799. FS: Azden PCS-5000 service manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 15:30:11 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <n3jmvugpq5v635c1lnla8rgq75kpbgdjnb@4ax.com>
Source record: 36060

I have for sale an Azden PCS-5000 2 meter FM transceiver original service manual...Its in excellent condition and looks new.....I will take $20 plus shipping.....I can be reached at (508) 821-2993 or email......WZ1U Steve / Lakeville, Ma.

6800. FS: MFJ Multiple DC power outlets

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 15:45:08 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <gvjmvush24uveqtmm6panajg7975ure1rh@4ax.com>
Source record: 36061

I have for sale in excellent condition an MFJ multiple DC power outlets model MFJ-1112......Its has 6 outlets to run 6 rigs......I will take $15 plus shipping.....I can be reached at (508) 821-2993 or email.......WZ1U Steve / Lakeville, Ma.

6801. FS AS NEW YAESU FT-897 HF/VHF/UHF Portable Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 16:01:15 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <fBIK9.606$qA3.94831@newsread1.prod.itd.earthlink.net>
Source record: 36062

I have an as new Yaesu FT-897 HF/VHF/UHF PortableTransceiver for sale. This radio is
Yaesu's latest edition. It is spotless, works perfectly, and has less than 10 hours use. I have an FT-817
and just don't need both transceivers. I have the original box, manual, power cable, papers, Yaesu Map and all
that came with the radio. Price is $885 plus $15 for shipping in lower 48.
Thanks, Charlie Hugg, K5MBX

6802. Re: SCHUMANN RESONANCE VLF/ULF MAGNETIC WAVE STUFF???

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 17:02:53 UTC
From: redmondj <redmondj@concentric.net>
Message-ID: <3DFB64FA.6040608@concentric.net>
Source record: 36063
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,uk.radio.amateur

The ionospheric D-region reflects VLF signals as does the earth's surface. These two reflectors make a spherical cavity with the first resonance at about 8 Hz. A very good antenna system and VLF spectrum analyzer will show a slight peak in the background noise at this frequency. There is nothing mysterious about the Schumann Resonance.

73, K6RFK

JEEPMON wrote:

>HAS ANYONE HEARD OF THIS? IT MENTIONS THE IONOSPHERE AND ELECTROMAGNETIC
>WAVES AND SOLAR CYCLES AND ELF/VLF ACTIVITY?
>
>http://www.2012.com.au/SchumannResonance.html
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>LOL
>
>

6803. Re: New Ham Only Classified Ads Site

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 18:45:21 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns92E46DB058B43Frog207Junocom@148.78.248.76>
Source record: 36064

> http://cybertechworld.com/ham.htm

Very nicely done, however, I prefer to just browse the newsgroup rec.radio.swap for items for sale. No advertisements, etc. There are already way too many web sites for ham equipment adds. Just my opinion, no flames intended.

Ed

6804. Re: AES and HRO Selling Yaesu 2600s for $109.95

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 19:25:23 UTC
From: Andy KC2SSB <nospam@nospam.com>
Message-ID: <891nvu0q1d2tm4k6kb2nf7ic6dshthr1ie@4ax.com>
Source record: 36065

On Thu, 12 Dec 2002 22:38:39 -0700, Dick <rhughes33@cableone.net>
wrote:

>Order from HRO Phoenix. I have never had any problems with them. And
>HRO shipping is free over $100. AES shipping isn't free until $1,500,
>but they are a dollar cheaper than HRO under $100. I buy from both
>HRO Phoenix and AES Las Vegas, and find them both to be very good
>dealers.

Internet orders go to one place for HRO. Also, HRO won't ship to PO
Boxes, whereas AES will. I don't like boxes being left in front of my
house.
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
73! de Andy KC2SSB (ex: KF4KHC/HL9HCT)
Beachwood, NJ USA Grid FM29vw
http://vhfradiobuff.tripod.com

6805. WTB W9GR DSP Audio Filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 19:51:59 UTC
From: gil <gilpi@mindspring.com>
Message-ID: <atg1f9$6se$1@slb0.atl.mindspring.net>
Source record: 36066

In good cond.

Email me with price

Tnx, Gil

6806. Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 20:19:55 UTC
From: wally pontoons <yoofoodo@aol.com>
Message-ID: <3dfb925e@snipnews.snip.net>
Source record: 36067
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ever wonder JUST WHY those manuals that
come with your new Yaesu or Kenwood are
so freakin BOTCHED UP in their presentation?

Ever wonder why Japanese products are
(in general) so kooky and quirky in their
"logical" operation and functionality ?

Well my fellow Americans, wonder no more !

This site explains it all for you, and has some
damm funny bits of classic Japanese "Engrish"
that will have you peen you pants with laughter!

ENJOY!

Click: http://www.engrish.com/

Also the FAQ: http://www.engrish.com/engrishfaq/ <--- (a MUST READ)

6807. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 20:30:34 UTC
From: BH <radiobillx@xgbronline.com>
Message-ID: <3DFB94EA.7070100@xgbronline.com>
Source record: 36073
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.equipment

Tim R. wrote:
> I have an old clock instruction manual in 'Engrish'. It's difficult to
> understand but I got a real kick out of its abuse of the English language.
> Some time I'll scan and post it.

Reminds me of the Japanese fellow who went to the eye doctor. The
doctor examines his eyes and says, "I see you have a cataract. "Ah
no", he replied, "I drive Rincoln Continental".

6808. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 20:38:26 UTC
From: "Tim R." <tim87529@nospam.cswebmail.com>
Message-ID: <6FMK9.53166$vM1.4259705@bgtnsc04-news.ops.worldnet.att.net>
Source record: 36068
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I have an old clock instruction manual in 'Engrish'. It's difficult to
understand but I got a real kick out of its abuse of the English language.
Some time I'll scan and post it.

"wally pontoons" <yoofoodo@aol.com> wrote in message
news:3dfb925e@snipnews.snip.net...
> Ever wonder JUST WHY those manuals that
> come with your new Yaesu or Kenwood are
> so freakin BOTCHED UP in their presentation?
>
> Ever wonder why Japanese products are
> (in general) so kooky and quirky in their
> "logical" operation and functionality ?
>
> Well my fellow Americans, wonder no more !
>
> This site explains it all for you, and has some
> damm funny bits of classic Japanese "Engrish"
> that will have you peen you pants with laughter!
>
> ENJOY!
>
> Click: http://www.engrish.com/
>
> Also the FAQ: http://www.engrish.com/engrishfaq/ <--- (a MUST READ)
>
>

6809. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 21:04:03 UTC
From: Joe Bento <joseph@nospam.kirtland.com>
Message-ID: <p37nvuoofv7gbk9cef1eefhd6av31aiqp6@4ax.com>
Source record: 36069
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Sat, 14 Dec 2002 15:19:55 -0500, "wally pontoons"
<yoofoodo@aol.com> wrote:

>
>Click: http://www.engrish.com/
>
>Also the FAQ: http://www.engrish.com/engrishfaq/ <--- (a MUST READ)
>

There's a lot of funny things like this around. Like the sign in a
Tokyo (I believe) hotel that says, "Please feel free to take advantage
of the chambermaid."

Joe

Remove the "nospam" to send e-mail
joseph@nospam.kirtland.com

6810. FS: TS-940 Complete Final PA Unit with fan Assy.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 21:38:12 UTC
From: Michael Brandt <MBRANDT1@mn.rr.com>
Message-ID: <KuNK9.8063$_b.199580@twister.kc.rr.com>
Source record: 36070

Complete working Final PA Unit out of Kenwood TS-940 includes
fan assembly $200 USD w/fan...$175 USD wo/fan
Finals alone sell for more from Kenwood. Last heard the Fan Motor
alone was about $85 or so from KW. Well worth the investment!
Buy this to replace your defective final unit or to keep as a spare just
in case. Contact mbrandt1@mn.rr.com or call me at 612-588-3468
anytime. Have other 940 parts also. I may have what you need!

Mike Brandt (KA0PWW)
Minneapolis, MN

6811. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 21:43:13 UTC
From: Ruud Poeze <radiocaroline@wxs.nl>
Message-ID: <3DFBA5F1.325EF95E@wxs.nl>
Source record: 36071
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

wally pontoons schreef:
>
> Ever wonder JUST WHY those manuals that
> come with your new Yaesu or Kenwood are
> so freakin BOTCHED UP in their presentation?
>
> Ever wonder why Japanese products are
> (in general) so kooky and quirky in their
> "logical" operation and functionality ?
>
> Well my fellow Americans, wonder no more !
>
> This site explains it all for you, and has some
> damm funny bits of classic Japanese "Engrish"
> that will have you peen you pants with laughter!
>
> ENJOY!
>
> Click: http://www.engrish.com/
>
> Also the FAQ: http://www.engrish.com/engrishfaq/ <--- (a MUST READ)

The manual of our first Sony Color TV also came in Dutch.
Never had such a good laugh.
Even orse than the English version.
Still wonder why such large manufacturers save on a few bucks to have
their manuals corrected by a "local".
Ruud

6812. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 22:29:01 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <uvnc51bk0t2fdb@corp.supernews.com>
Source record: 36072
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

As a technical writer who desperately needs a job, I, too, have long been angry with the Japanese for their miserable documentation. * (The manuals with German products can be even worse, believe it or not.) I have repeatedly asked Sony to hire me to oversee English-language documentation, but have been repeatedly rebuffed.

In the early years of the Japanese consumer-electronics invasion, manuals were of much-higher quality. Whether this was because writing jobs were farmed out to the limited number of Japanese who spoke idiomatic English, or because the manuals were written/edited by the importer, I don't know. But I do remember buying a Nikon Photomic FTn body in 1970, with a manual written in clear, simple English -- probably by someone at EPOI. It was the first and last really good "Japanese" manual I ever saw / have seen. **

I once asked Ken what's-his-name at Denon about the problem. He told me Denon would send the manuals to him for review only a few weeks before shipping the product -- and would invariably ignore his corrections and suggestions.

There are several reasons why the manuals for Japanese and German products are so poor.

1. The most-fundamental is that the writers DON'T KNOW what constitutes a good manual! The Japanese are notorious for "tree" manuals -- where all the details are explained in excruciating (and sometimes pointless) detail -- without presenting the "forest" -- an overview of what's going on.

In general, the best way to explain anything is to start with the "general" and work down to the "particular." The Japanese don't understand this.

2. The Japanese worry about "losing face." They refuse to acknowledge they don't know how to write good manuals in good English. Accepting corrections or enhancements from foreigners is an even worse loss of face.

3. There is such a overwhelming flood of new products that there's no time to do good manuals -- even if they wanted to.

4. They don't understand that good documentation helps your company's image and, in the long run, reduces the money spent on customer support.

* About 10 years ago Mitsubishi tried to produce "good" English-language docs for their VCRs. The resulting manual was nearly 100 pages and hopelessly "overwritten." Whoever wrote it never read Thoreau.

** The manuals for my Yaesu amateur-radio equipment are written by the importer. There's room for improvement, but they're not at all bad. I hate to think what

they'd be like if the Japanese had written them.

6813. Electronic Books

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 23:16:36 UTC
From: johnyk78@aol.com
Message-ID: <20021214181636.18639.00000038@mb-cq.aol.com>
Source record: 36074

THIS IS A PARTIAL LISTING OF BOOKS THAT CAME IN
WILB O O K.S
DIGITAL LOGIC HANDBOOK $5
VHF HANDBOOK ORR AND JOHNSON...$8
RCA RECEIVING TUBE MANUAL.........$10 HANDBOOK
ENGINEERING MINI NOTEBOOK.........$3
SAMS TTL COOKBOOK (LANCASTER).....$10
PACKET RADIO HANDBOOK 2ND ED......$5
GATEWAY TO PACKET RADIO...........$8
PACKET OPERATING MANUAL PK64......$10
HANDLING SOLID STATE DEVCICES W E $10
RCA TRANSISTOR SERVICEING GUIDE...$
RIDER MAGNETIC AMPLIFIERS AND USE..$5
MODERN VCR SVC AND REPAIR..........$10
THE TRANSISTOR RADIO HANDBOOK......$10
RADIO ENGINEERS RADIO REFERENCE DATA $20
CUBICAL QUAD ANTENNAS AAT 2ND ED....$8
RCA TRANSISTOR MANUAL..............$5
DIGITAL LOGIC CKTS(SAL LIBES).........$5
ALLIED ELECTRONICS DATA HANDBOOK......$5
SAMS TUBE SUBSTITUTION BOOK $8
COLOR TV TROUBLESHOOTING GUIDE.........410
ARCHERS BUILDING POWER SUPPLIES.......$10
L HAVE A FOLLOW UP LATER 73 JOHNYK78

6814. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 23:17:10 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3DFBBBF6.CBF63B13@ix.netcom.com>
Source record: 36081
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

William Sommerwerck wrote:

> As a technical writer who desperately needs a job, I, too, have long been angry
> with the Japanese for their miserable documentation. * (The manuals with German
> products can be even worse, believe it or not.) I have repeatedly asked Sony to
> hire me to oversee English-language documentation, but have been repeatedly
> rebuffed.
>
> In the early years of the Japanese consumer-electronics invasion, manuals were
> of much-higher quality. Whether this was because writing jobs were farmed out to
> the limited number of Japanese who spoke idiomatic English, or because the
> manuals were written/edited by the importer, I don't know. But I do remember
> buying a Nikon Photomic FTn body in 1970, with a manual written in clear, simple
> English -- probably by someone at EPOI. It was the first and last really good
> "Japanese" manual I ever saw / have seen. **
>
> I once asked Ken what's-his-name at Denon about the problem. He told me Denon
> would send the manuals to him for review only a few weeks before shipping the
> product -- and would invariably ignore his corrections and suggestions.
>
> There are several reasons why the manuals for Japanese and German products are
> so poor.
>
> 1. The most-fundamental is that the writers DON'T KNOW what constitutes a good
> manual! The Japanese are notorious for "tree" manuals -- where all the details
> are explained in excruciating (and sometimes pointless) detail -- without
> presenting the "forest" -- an overview of what's going on.
>
> In general, the best way to explain anything is to start with the "general" and
> work down to the "particular." The Japanese don't understand this.
>
> 2. The Japanese worry about "losing face." They refuse to acknowledge they don't
> know how to write good manuals in good English. Accepting corrections or
> enhancements from foreigners is an even worse loss of face.

I've heard that the Japanese school system is "broken" when it comes to
teaching English. That the textbooks have basic flaws and teachers trained
with these flaws. And that this produces students that are reasonably
consistent in producing similar screwed up English when they write
about the same things. And that nobody in the Japanese education
system wants to "lose face" by owning up to this.

A friend owns an advertising company, and he and his people need to
fix and filter the copy from his Japanese clients. But his clients have
already made the first step in realizing that they need help with that.
The ones that don't produce ads that make little sense to Americans.
American companies screw up in this as well, did you know that
the name of the Chevy Nova car means "no go" in Spanish. Thus bad
sales results in Latin America.

> 4. They don't understand that good documentation helps your company's image and,
> in the long run, reduces the money spent on customer support.

Good design of a consumer product would result in a product that can
be figured out without having to read a manual. Or at least good on screen
comments to walk the user thru the process of programming the VCR.
Including error messages saying "The programmed amount of time is
not gonna fit on the tape at 2 hour speed, should I 1) record the first
2 hours of the program, 2) change the record speed on the tape, or
3) have you change the program length?

6815. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 23:24:46 UTC
From: Bob Stein <w6nbi@earthlink.net>
Message-ID: <3DFBBD90.3030602@earthlink.net>
Source record: 36075
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

wally pontoons wrote:
> Ever wonder JUST WHY those manuals that
> come with your new Yaesu or Kenwood are
> so freakin BOTCHED UP in their presentation?
>
> Ever wonder why Japanese products are
> (in general) so kooky and quirky in their
> "logical" operation and functionality ?
>
> Well my fellow Americans, wonder no more !
>
> This site explains it all for you, and has some
> damm funny bits of classic Japanese "Engrish"
> that will have you peen you pants with laughter!
>
> ENJOY!
>
> Click: http://www.engrish.com/
>
> Also the FAQ: http://www.engrish.com/engrishfaq/ <--- (a MUST READ)
>
>

My 2 cents, for what it is worth.

When traveling in Japan, I found that very few Japanese could speak English, even though it was a required second language in their schools. Our tour guide, who had been a middle-school teacher, explained this by saying that the schools teach reading and translating, but virtually no conversational English.

Compare this to the Chinese system, where all the young students strive to perfect their English. On the Bund in Shanghai, I was surrounded by young people who just wanted the opportunity of speaking English with a Westerner.

To get back to the manuals question, let me begin by saying that I spent 40 years in the technical writing business. Too often, an acceptable manual written in a foreign language is converted to English by a *translator*. (You will note my emphasis.) To translate anything technical into another language requires a technical writer or editor who is *fluent* in both languages and familiar with the discipline involved. Otherwise you get "Engrish."

Bob, W6NBI

6816. FS: NEW Icom CK11 Remote Cable Kit for IC435 Mobile Xcvrs

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 23:47:21 UTC
From: mnowlen@comcast.net
Message-ID: <3dfbc307.249728470@news.va.comcast.giganews.com>
Source record: 36076
Cross-posted to: rec.radio.swap,rec.radio.lmr-commercial,rec.radio.amateur.equipment,rec.radio.amateur.swap

New Icom CK-11 remote cable kit complete with mounting and hardware in original box for Icom IC 435 Series Commercial Mobile Transceivers

$35 + shipping

mnowlen@comcast.net

6817. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-14 23:56:54 UTC
From: Ed Ellers <ed_ellers@msn.com>
Message-ID: <atggfr$141mc1$1@ID-39509.news.dfncis.de>
Source record: 36077
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

William Sommerwerck <williams@nwlink.com> wrote:

"In the early years of the Japanese consumer-electronics invasion, manuals were of much-higher quality. Whether this was because writing jobs were farmed out to the limited number of Japanese who spoke idiomatic English, or because the manuals were written/edited by the importer, I don't know. But I do remember buying a Nikon Photomic FTn body in 1970, with a manual written in clear, simple English -- probably by someone at EPOI. It was the first and last really good "Japanese" manual I ever saw / have seen."

When Sony introduced their CV-format 1/2" video recorders in the 1960s, Sony of America did its own instruction books for them -- complete with photos -- and the difference between those and an instruction book from the 1980s (or later) is like night and day.

6818. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 00:31:29 UTC
From: Buck Frobisher <farside114@hotmail.com>
Message-ID: <A3QK9.8460$281.1824462@news20.bellglobal.com>
Source record: 36078
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I think I've posted this here before, but here it goes again. When I worked in sales in a store that also held an importer's repair service in the late '60s-early '70s, one piece of equipment we had still sticks in my mind.

A VOM with "HIOKI ERECTRIC COMPANY" carefully reverse silk-screened on a brass plate on the front.

Wish I'd have bought it.

--
"Stay calm. Be brave. Wait for the signs."

regards,

Frank Johansen
Aurora, Ontario

6819. FS: CT-17 "like" cable for Icom

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 01:05:27 UTC
From: Rick and Theresa <n6cy@earthlink.net>
Message-ID: <rzQK9.1602$jN4.174140@newsread2.prod.itd.earthlink.net>
Source record: 36080

I have a home brew CT-17 "like" level converter cable that will let your Icom radio talk to the PC and vice versa. Requires icom compatible software. Plenty out there. Been in use at the club station for couple years with no problem on the IC-736. Not needed any more. No DOA or money back (less shipping).

1/8 inch mono plug on one end (for the rig's data jack) and DB-25 connector on the other end (for computer serial port).

Asking $10 plus shipping. Great xmas accessory buy.

Rick N6CY
San Diego 92129

6820. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 01:47:30 UTC
From: Andy <acorbin@infi.net>
Message-ID: <3DFBDF32.2030304@infi.net>
Source record: 36082
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

wally pontoons wrote:
> Ever wonder JUST WHY those manuals that
> come with your new Yaesu or Kenwood are
> so freakin BOTCHED UP in their presentation?
>
>
I have the packaging for a Comet "Twin Cabity Duprexer".

6821. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 02:11:35 UTC
From: Philip Nasadowski <nasadowsk@usermale.com>
Message-ID: <nasadowsk-7F375E.21113514122002@241.in-addr.mrf.va.news.rcn.net>
Source record: 36083
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <uvnc51bk0t2fdb@corp.supernews.com>,
"William Sommerwerck" <williams@nwlink.com> wrote:

> But I do remember buying a Nikon Photomic FTn body in 1970, with a
> manual written in clear, simple English -- probably by someone at EPOI.
> It was the first and last really good "Japanese" manual I ever saw /
> have seen. **

I have the manual to my dad's F2S somewhere around here. Well written,
but a bit overentusiastic - "Hold the camera. Feel it's strength and
promise." "Nikon also makes binoculars - they're made from the same
excellent optics as your camera lens" But overall a great manual -
"Even if you're a professional, it's always good to review some
'basics', as yuou might have forgetten them over time"

I remember reading a Panasonic VCR manul that sugessted 'editing' a tape
by recording a dead TV channel over the parts you wanted to 'edit' out.
I somehow seem to think that by 'editing', they meant erasing the dirty
parts of the recording. Or they thought we were a nation of Nixons...

--
To email me, change 'usermale' to 'usermail'

6822. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 02:50:40 UTC
From: Lou <tech@dp.net>
Message-ID: <atgsdi$8ig$1@news.dp.net>
Source record: 36084
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Bob Stein" <w6nbi@earthlink.net> wrote in message
news:3DFBBD90.3030602@earthlink.net...
> wally pontoons wrote:
> > Ever wonder JUST WHY those manuals that
> > come with your new Yaesu or Kenwood are
> > so freakin BOTCHED UP in their presentation?
> >
> > Ever wonder why Japanese products are
> > (in general) so kooky and quirky in their
> > "logical" operation and functionality ?
> >
> > Well my fellow Americans, wonder no more !
> >
> > This site explains it all for you, and has some
> > damm funny bits of classic Japanese "Engrish"
> > that will have you peen you pants with laughter!
> >
> > ENJOY!
> >
> > Click: http://www.engrish.com/
> >
> > Also the FAQ: http://www.engrish.com/engrishfaq/ <--- (a MUST READ)
> >
> >
>
> My 2 cents, for what it is worth.
>
> When traveling in Japan, I found that very few Japanese could speak
> English, even though it was a required second language in their
> schools. Our tour guide, who had been a middle-school teacher,
> explained this by saying that the schools teach reading and
> translating, but virtually no conversational English.
>
> Compare this to the Chinese system, where all the young students
> strive to perfect their English. On the Bund in Shanghai, I was
> surrounded by young people who just wanted the opportunity of speaking
> English with a Westerner.
>
> To get back to the manuals question, let me begin by saying that I
> spent 40 years in the technical writing business. Too often, an
> acceptable manual written in a foreign language is converted to
> English by a *translator*. (You will note my emphasis.) To translate

> anything technical into another language requires a technical writer
> or editor who is *fluent* in both languages and familiar with the
> discipline involved. Otherwise you get "Engrish."
>
> Bob, W6NBI
>

Ah, so (ahso?) that explains why some {most} of those manuals are written ass backwards! I never could make sense out of their manuals or their "language".

Actually, a friend of mine was living in Japan a few years ago. Yaesu's manual writer was retiring and suggested he - my friend - apply for the job. He did. He got it. He told me they use a computer program with most of the lay out already in format... it was only a matter of plugging in steps and so on. I'm not sure if he still works for them or not, as I have found out he is no longer in Japan, but on the west coast. But I did quiz him one day about why those manuals are so damned goofy.....When I get a new rig, I look to see what the buttons do and throw the manual in a corner. I waste more time doing it by the manual. I hate the way they bounce you back and forth in the pages like a ping pong ball to figure out a command or two.

Lou/Tech@DP.NET

6823. FA: Real Nice RCA TUBE RF SIGNAL GENERATOR cheep<24hrs!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 03:18:05 UTC
From: rlucch2098@aol.com
Message-ID: <20021214221805.03278.00000113@mb-mq.aol.com>
Source record: 36086

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726729

6824. FA: HEATHKIT IM-11 TYPE TYPE VTVM Got to see@$15<24 hrs left!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 03:20:06 UTC
From: rlucch2098@aol.com
Message-ID: <20021214222006.03278.00000114@mb-mq.aol.com>
Source record: 36087

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726736

6825. FA: OLDER KENWOOD HAND MICROPHONE don't miss it@$12

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 03:21:44 UTC
From: rlucch2098@aol.com
Message-ID: <20021214222144.03278.00000119@mb-mq.aol.com>
Source record: 36088

Many nice, clear pictures!
Please add>>http in front of the URL(address) Please because AOL gives me a
hard time if I use Hot-Links(duh), Sorry!
://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1943726742

6826. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 03:28:27 UTC
From: "Michael A. Terrell" <terrell@mfi.net>
Message-ID: <3DFBF6DB.C36F8516@mfi.net>
Source record: 36089
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Carter Grabarczyk wrote:
>
> Reminds me of the first new transistor radio I ever bought back in the
> early 60s... "Please to turn dial until wave is properly caught up".
>
> 73/Carter/K8VT
>
> wally pontoons wrote:
> >
> > Ever wonder JUST WHY those manuals that
> > come with your new Yaesu or Kenwood are
> > so freakin BOTCHED UP in their presentation?

An old Panasonic cassette deck service manual describing their new
"Relay Logic Controls" stated: Check reray one. If not reray one check
reray two.

If not reray one WHAT? :) I told the boss and he told not to make fun
of the japanese, that they don't really talk that way. I had to go get
the manual and show him before he would listen. Then he sat there
scratching his head trying to figure out what they meant.
--

Michael A. Terrell
Central Florida

6827. WTD:Motorola SM50 Ham Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 04:03:20 UTC
From: FM <radiovintage@hotmail.com>
Message-ID: <caTK9.1797$jN4.195510@newsread2.prod.itd.earthlink.net>
Source record: 36090
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

I picked up a Motorola SM50 UHF rig today at a police surplus auction and wondered if there is a ham version of the software available for programming this to use in the 440 band.

6828. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 04:06:05 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <3DFBF216.23571D63@ameritech.net>
Source record: 36085
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Reminds me of the first new transistor radio I ever bought back in the
early 60s... "Please to turn dial until wave is properly caught up".

73/Carter/K8VT

wally pontoons wrote:
>
> Ever wonder JUST WHY those manuals that
> come with your new Yaesu or Kenwood are
> so freakin BOTCHED UP in their presentation?

6829. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 04:39:15 UTC
From: Lou <tech@dp.net>
Message-ID: <ath2u9$95r$1@news.dp.net>
Source record: 36091
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Well, you can't come down too hard on the Japanese..At least they are trying. WE are the ones failing.
Our language is starting to suck more each day with some of the newer words or expressions coming about. And my pet peeve is, it seems "most" everyone can learn our language EXCEPT those who speak Spanish.. WHY is OUR country catering to them...You live here, you damned well ought to be able to speak and read HERE. If I went to their country, I would have to learn Spanish. I see our Social Security, Welfare and other agencies catering to them... If I'm not mistaken the last time I called the Social Security office I was met with Spanish "FIRST"...WHAT THE HELL? THIS IS AMERICA - an ENGLISH speaking country..... If the Germans, Chinese, Japanese, Russians and so on can speak English - broken as some of it may be, why the hell can't these people? Is it something in their system that prevents it:? Best part is, "WE" are allowing it to happen. Or it 's being shoved up our ass, one of the two.

In my earlier post, I did make a crack about the Japanese manuals being backward,.but then again if my memory serves me correct, they do read and write right to left. So, aside from me being a smart ass, I was not totally wrong (if my memory is correct) in how they do communicate in writing.....

--
Lou/Tech@DP.NET

6830. OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 05:13:29 UTC
From: Dave W <noapamspsffan@earthlink.net>
Message-ID: <3DFC1030.7080602@earthlink.net>
Source record: 36092
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

To comment on the recent posts. I have a Japanese friend, who is here trying to get into UCLA's film preservation graduate program. He sent me his application essay for comments and corrections.

It was and is a well written and interesting essay about the differences between Japanese American culture verses other Asian American cultures, based on his observations as well as the research of the World War II internment.

He was somewhat surprised that I did not change all that much, and frankly, so was I. His written English is quite a bit better than his spoken English. Part of the problem is with simple articulation. He's much easier to understand in person than on the telephone, for example.

Most of my corrections involved verb usage and substitution of nouns that I thought were more precise for the context. And of course, as Truman Capote said in "Murder by Death", PRONOUNS! In a few instances, I rearranged sentences, but for the most part, I tried to refrain from that in order to preserve his words whenever possible.

A few things struck me. One was that the errors tended to be consistent. Another was that while he would often use a word that technically appeared correct, there was another word that would work better. Perhaps it is just the case that English has five words for the same thing sometimes, and the subtle differences between them in actual usage is very much an acquired thing.

This was an essay, not a technical instruction manual. It was about the equivalent of 3 typed pages, single spaced. It took me about an hour to do my "magic". Of course, part of my job is writing letter to clients about somewhat sophisticated financial instruments, and me and my boss often edit each other's work, so I am used to the task.

Still, I wonder, considering my lowly salary, how much could it cost for Sony or Nikon to run their manual by a technically competent native English speaker for editing? I'd do it for them. $500 a pop.

Regards,

DAve

6831. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 05:23:17 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFC11CB.4090407@netscape.net>
Source record: 36093
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Lou wrote:
> Well, you can't come down too hard on the Japanese..At least they are
> trying. WE are the ones failing.
> Our language is starting to suck more each day with some of the newer words
> or expressions coming about. And my pet peeve is, it seems "most" everyone
> can learn our language EXCEPT those who speak Spanish.. WHY is OUR country
> catering to them...You live here, you damned well ought to be able to speak
> and read HERE. If I went to their country, I would have to learn Spanish. I
> see our Social Security, Welfare and other agencies catering to them... If
> I'm not mistaken the last time I called the Social Security office I was met
> with Spanish "FIRST"...WHAT THE HELL? THIS IS AMERICA - an ENGLISH speaking
> country..... If the Germans, Chinese, Japanese, Russians and so on can
> speak English - broken as some of it may be, why the hell can't these
> people? Is it something in their system that prevents it:? Best part is,
> "WE" are allowing it to happen. Or it 's being shoved up our ass, one of the
> two.

Hi, Lou,

I wondered about that also, while living in California for a number of years. One day I went on a rant very similar to yours, and my boss at the time (and *NOT* a Hispanic American) pointed out that California originally belonged to Mexico, and was annexed by the US - and that therefore, Spanish was California's first language.

We have a similar situation here in Canada, and it's not unusual to hear tirades very similar to yours. However, there again it was merely due to the accident of history that the English-speaking army conquered the French-speaking army at the Plains of Abraham. I'm glad that the Quebecois had the strength and sheer stubborness to insist on equal treatment of their language and culture -- even at the "expense" of "having to put up with" French-language text on our cereal boxes. Canada is a better place for it. I think that the United States of America gains from the Hispanic, African, and European influences also.

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

6832. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 05:40:18 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3dfc15c1@news.netacc.net>
Source record: 36094
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Sometimes you get a dictionary translation. From the directions for assembling a stand for the Yamaha DX-7 synthesizer: "Fuck the left assembly to the base"

Guess the dictionary had slang equivalents for the word "screw"

Steve

6833. Re: WTD:Motorola SM50 Ham Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 05:46:04 UTC
From: Bruce Lane <SpammersAreVermin@dev.null>
Message-ID: <MPG.1865b6f653b8f703989a92@news.drizzle.com>
Source record: 36095
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

In article <caTK9.1797$jN4.195510@newsread2.prod.itd.earthlink.net>,
radiovintage@hotmail.com says...

> I picked up a Motorola SM50 UHF rig today at a police surplus auction and
> wondered if there is a ham version of the software available for programming
> this to use in the 440 band.

If the unit's bandspread will allow it to tune there without
degradation, then I may be able to program it for you (need to check and
see if I have the right cable).

You -really- don't want to go chasing copies of Motorola RSS
without buying it. Their licensing agreement is positively Draconian (I
know... I had to sign it to get my stuff started!), and their legal
eagles can and will make an example of anyone who they think is
trafficking in pirated RSS.

Anyway... http://www.bluefeathertech.com/rf.html -- Let me know via
E-mail if you want me to try programming that beastie.

Keep the peace(es).

--
Bruce Lane, Owner and Head Hardware Heavy,
Blue Feather Technologies -- http://www.bluefeathertech.com
Amateur Radio: KC7GR (Formerly WD6EOS) since 12-77.
kyrrin (a/t) bluefeathertech dot-com (Reassemble to use)
"I'll get a life when someone demonstrates to me it would be superior to
what I have now..." (Taki Kogoma)

6834. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 06:02:49 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3DFC1B09.9694420D@ix.netcom.com>
Source record: 36096
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Dave W wrote:

>
> Most of my corrections involved verb usage and substitution of nouns
> that I thought were more precise for the context. And of course, as
> Truman Capote said in "Murder by Death", PRONOUNS!

Seems that in the Chinese language, the English pronouns "he"
and "she" map to the same Chinese word. Which can make for
some funny errors. A Chinese friend was telling me about his
girlfriend: "My girlfriend, he likes to dance...". "he"? I knew that
he wasn't gay or something like that, I recognized it as a translation
error.

>
>
> A few things struck me. One was that the errors tended to be consistent.
> Another was that while he would often use a word that technically
> appeared correct, there was another word that would work better. Perhaps
> it is just the case that English has five words for the same thing
> sometimes, and the subtle differences between them in actual usage is
> very much an acquired thing.

I have heard that English has a very large vocabulary compare to most
other languages. Many words have been pirated from other languages.
Some Chinese guys I have worked with said that that large vocabulary
drove them nuts learning English. But each word has its own precise
and "flavor" and nuance. The SAT test uses an analogy format to
test your knowledge of this (but I've heard they recently dropped that).

6835. need pi section harmonic filter software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 06:04:04 UTC
From: Jim <jbasi@cfw.com>
Message-ID: <aoQK9.12421$K5.4821@fe01>
Source record: 36079

I need to design low pass filters to filter unwanted harmonics in very low power tranmitters. The type of simple passive filter I have in mind is 2 capacitors and one inductor. I would suspect there might be a simple program somewhere but I cant find one.

Can anyone help?

Jim
jbasi@cfw.com

6836. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 06:05:45 UTC
From: Joe Bento <joseph@nospam.kirtland.com>
Message-ID: <dn6ovu8ccptn1ioq6l2hsacmr1a1e1eera@4ax.com>
Source record: 36097
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Sun, 15 Dec 2002 05:23:17 GMT, Fred Nachbaur
<fnachbaur@netscape.net> wrote:

>
>We have a similar situation here in Canada, and it's not unusual to hear
>tirades very similar to yours. However, there again it was merely due to
>the accident of history that the English-speaking army conquered the
>French-speaking army at the Plains of Abraham. I'm glad that the
>Quebecois had the strength and sheer stubborness to insist on equal
>treatment of their language and culture -- even at the "expense" of
>"having to put up with" French-language text on our cereal boxes. Canada
>is a better place for it. I think that the United States of America
>gains from the Hispanic, African, and European influences also.

As much Spanish language influence we have in the United States, I
find it interesting that most products designed for the North American
market have instruction manuals in English and French. To my
knowledge, Canada is primarily an English speaking country with the
exception of Quebec. Yet the instruction manuals for my TV, VCR, DVD
player, etc are bi-lingual in English and French with nary a word in
Spanish.

Joe

Remove the "nospam" to send e-mail
joseph@nospam.kirtland.com

6837. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 06:06:41 UTC
From: Joe Bento <joseph@nospam.kirtland.com>
Message-ID: <uu6ovu40lo85vk16vhl1l5qkaload8dg1b@4ax.com>
Source record: 35948
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Sun, 15 Dec 2002 00:40:18 -0500, "Stephen C. Robbins"
<srobbinsNoSPaMDUDES@netacc.net> wrote:

>Sometimes you get a dictionary translation. From the directions for
>assembling a stand for the Yamaha DX-7 synthesizer: "Fuck the left
>assembly to the base"
>
>Guess the dictionary had slang equivalents for the word "screw"
>

George Carlin would love it!

Joe

Remove the "nospam" to send e-mail
joseph@nospam.kirtland.com

6838. Frankie lee willian sanborn------FRAUD----------

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 06:13:53 UTC
From: dennis <wt1078@charter.net>
Message-ID: <uvo798a1aks11f@corp.supernews.com>
Source record: 35949

Frankie lee willian sanborn
424 nick street
newark delaware 19702

302-836-7998
all about radio sending and no radio?????

dennis kb7wfv wt1078@charter.net

6839. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 06:25:31 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFC2061.6010706@netscape.net>
Source record: 35950
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Joe Bento wrote:
> On Sun, 15 Dec 2002 05:23:17 GMT, Fred Nachbaur
> <fnachbaur@netscape.net> wrote:
>
>
>
>>We have a similar situation here in Canada, and it's not unusual to hear
>>tirades very similar to yours. However, there again it was merely due to
>>the accident of history that the English-speaking army conquered the
>>French-speaking army at the Plains of Abraham. I'm glad that the
>>Quebecois had the strength and sheer stubborness to insist on equal
>>treatment of their language and culture -- even at the "expense" of
>>"having to put up with" French-language text on our cereal boxes. Canada
>>is a better place for it. I think that the United States of America
>>gains from the Hispanic, African, and European influences also.
>
>
>
> As much Spanish language influence we have in the United States, I
> find it interesting that most products designed for the North American
> market have instruction manuals in English and French. To my
> knowledge, Canada is primarily an English speaking country with the
> exception of Quebec. Yet the instruction manuals for my TV, VCR, DVD
> player, etc are bi-lingual in English and French with nary a word in
> Spanish.
>
> Joe

Hm.. curiouser and curiouser. But, come to think of it, it's probably
because bilingual instruction manuals are legislated in Canada. It
follows that it's cheaper to supply the same manuals to the USA, saving
the cost of a separate English-only manual.

I remember a time not-all-that-long-ago when manuals were routinely
supplied with English, French, German, Italian and Spanish sections,
sometimes additionally with Hebrew, Arabic and Greek.

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |

```
| http://www.dogstar.dantimax.dk |
+----------------------------------------+
```

6840. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 07:14:32 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3DFC2BD8.10707@NOSPAMutoronto.ca>
Source record: 35951
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Fred Nachbaur wrote:
> I'm glad that the
> Quebecois had the strength and sheer stubborness to insist on equal
> treatment of their language and culture -- even at the "expense" of
> "having to put up with" French-language text on our cereal boxes.

Not even the francophones I know care much about that -- what they seem to want is their heritage and language protected at home and that sentiment is more consistent with a unilingual (sp?) policy, i.e. no English in French speaking communities (esp. Quebec); they fear that as more immigrants arrive in their communities, the immigrants will not adopt the French language and assilimate into the French heritage. Whether or not one can buy stamps in Alberta speaking only French seems irrelevant.

--
Michael Moore

6841. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 07:28:27 UTC
From: Bruno <bhaineault@hotmail.com>
Message-ID: <Xns92E4EF0CA8FD1bhaineaulthotmailcom@68.6.19.6>
Source record: 35952
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Bob Stein <w6nbi@earthlink.net> wrote in
news:3DFBBD90.3030602@earthlink.net:

- - - extract - - -
> To get back to the manuals question, let me begin by saying that
> I spent 40 years in the technical writing business. Too often,
> an acceptable manual written in a foreign language is converted
> to English by a *translator*. (You will note my emphasis.) To
> translate anything technical into another language requires a
> technical writer or editor who is *fluent* in both languages and
> familiar with the discipline involved. Otherwise you get
> "Engrish."
>
> Bob, W6NBI

Bob, I totally agree with you on this.

I occasionally "translate" technical manuals from English to French
and vice-versa. My advantage is that I am fully familiar with the
discipline (HF communication systems and equipment). We used to farm-
out some of these and the results were simply horrible.

--
Bruno,
Oceanside, California

6842. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 08:28:51 UTC
From: Santa <HoHoHo@shaw.ca>
Message-ID: <73XK9.43034$sj3.937777@news0.telusplanet.net>
Source record: 35953
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

it is mandatory to have everything bi-lingual here :(even ouy booze has to
have english and french on it.

Dev

"Joe Bento" <joseph@nospam.kirtland.com> wrote in message
news:dn6ovu8ccptn1ioq6l2hsacmr1a1e1eera@4ax.com...
> On Sun, 15 Dec 2002 05:23:17 GMT, Fred Nachbaur
> <fnachbaur@netscape.net> wrote:
>
>
> >
> >We have a similar situation here in Canada, and it's not unusual to hear
> >tirades very similar to yours. However, there again it was merely due to
> >the accident of history that the English-speaking army conquered the
> >French-speaking army at the Plains of Abraham. I'm glad that the
> >Quebecois had the strength and sheer stubborness to insist on equal
> >treatment of their language and culture -- even at the "expense" of
> >"having to put up with" French-language text on our cereal boxes. Canada
> >is a better place for it. I think that the United States of America
> >gains from the Hispanic, African, and European influences also.
>
>
> As much Spanish language influence we have in the United States, I
> find it interesting that most products designed for the North American
> market have instruction manuals in English and French. To my
> knowledge, Canada is primarily an English speaking country with the
> exception of Quebec. Yet the instruction manuals for my TV, VCR, DVD
> player, etc are bi-lingual in English and French with nary a word in
> Spanish.
>
> Joe
>
> Remove the "nospam" to send e-mail
> joseph@nospam.kirtland.com
>

6843. Re: Range of Motorola T6222

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 10:07:21 UTC
From: Peter Lim <peterlm@pc.jaring.my>
Message-ID: <athjmb$o7t$1@news4.jaring.my>
Source record: 35954

Used to own a pair of T6222 which I had sold off a month back.

Line of sight was 3.5km or more than 2 miles but down to about 1km when both units are under the roof.

Peter

"Kris" <kkomarica@inet.hr> wrote in message news:at2i1f$u0$1@garrison.globalnet.hr...
> I don't know if it's the wright group but could someone tell me the range of
> that divice in open and in the city.
> Thanks
>
>

6844. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 12:27:07 UTC
From: OC_CAM's Razor <Cecil.A.Moore@ieee.org>
Message-ID: <3DFC751B.3090708@ieee.org>
Source record: 35955
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Richard Clark wrote:
> We have TWO separate topics?

Yes, we do, Richard. The two topics are:

1. Wave interference between two coherent waves traveling in opposite directions in a transmission line, i.e. between a forward wave and a reflected wave.

2. Wave interference between two coherent waves traveling in the same direction in a transmission line, i.e. between two forward waves or two reflected waves.

Wave interference between a forward wave and a reflected wave is relatively easy to understand. When the voltages add, the currents subtract, and vice versa. That means when we have destructive interference between the two voltages, we have a corresponding constructive interference between the two currents. When we have constructive interference between the two voltages, we have a corresponding destructive interference between the two currents. The opposite direction of movement between total voltage and total current automatically keeps the energy equation balanced.

The difficulty that you and others seem to be having is in understanding what happens between two waves traveling in the same direction in a transmission line. The voltages have the same phase and the currents have the same phase so vectorially adding them results in an overall increase or decrease in energy in the resultant wave (except when the two waves are orthogonal to each other).

An increase in energy when two waves are vectorially added must be accompanied by a decrease in energy elsewhere. A decrease in energy when two waves are vectorially added must be accompanied by an increase in energy elsewhere. The conservation of energy principle will not allow anything else to happen.

If the angle between two phasor voltages/currents is less than 90 degrees, their vectorial addition will result in constructive interference. That constructive interference must be accompanied by an equal magnitude of destructive interference. In a transmission line system with an impedance discontinuity, if constructive interference occurs on one side of the discontinuity, an equal magnitude of destructive interference must occur on the other side of the discontinuity.

If the angle between two phasor voltages/currents is 90-180 degrees, their vectorial addition will result in destructive interference which must be accompanied by an equal magnitude of constructive interference on the other side of the impedance discontinuity.

> Write again, later, when you find a collaborator who understands you.

I'm working on that, Richard.
--
cheers, CAM http://www.qsl.net/w5dxp

-----= Posted via Newsfeeds.Com, Uncensored Usenet News =-----
http://www.newsfeeds.com - The #1 Newsgroup Service in the World!
------== Over 80,000 Newsgroups - 16 Different Servers! =-----

6845. ICOM IC-211 PLL BOARD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 12:29:47 UTC
From: Carleton Ingerson <n1dxm@prexar.com>
Message-ID: <r9tovu0gqhbspknidota4ct9eicf9ppi0n@4ax.com>
Source record: 35956

Quite some time ago, I posted a message looking for a PLL Board for my ICOM IC-211 VHF ALL MODE. I didn't find a board but someone referred me to an outfit in PA I think that worked on these boards. Can anyone on here tell me just who that might be??

Thanks

Carl N1DXM

6846. Adonis FX-10 mobile mic any good?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 12:31:57 UTC
From: blag@bob.com
Message-ID: <98sovukld3gqhep8ckrijj0kfqqu3k5q5i@4ax.com>
Source record: 35957
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Anyone using/used one of these before or maybe heard one in use
(especially if it was with an Icom 706G) that could comment on the
audio quality? They seem to have been around for ages but I can't find
any reviews or comments about them online. TIA.

Paul

6847. I need info on Azden mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 12:50:43 UTC
From: n9rk@aol.com
Message-ID: <20021215075043.28412.00000208@mb-fo.aol.com>
Source record: 35958

I have an Azden PCS-5000 2m mobile but no manual for it. I can not figure out how to set the tone on it. Does someone out there know how? If so, please email me at: N9RK@attbi.com. Also, I would like the manual for it too....if someone has one and can make me a copy I would appreciate it!!
73,
Renee N9RK

6848. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 13:25:36 UTC
From: fpkearn_twelve@rondomondo.eircom.tv.ie.au
Message-ID: <3dfc82b3.4734029@news.eircom.net>
Source record: 35960
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Andy Cowley <andy.cowley@uwe.ac.uk> wrote:

> The U.S. has the same problem with litres.
>

they have the same problem with GALLONS (big smile)

6849. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 14:03:25 UTC
From: aa3ii@aol.com
Message-ID: <20021215090325.02668.00000015@mb-da.aol.com>
Source record: 35961

>Or it 's being shoved up our ass, one of the
>two.

No, its' the Clinton "IN YOUR FACE" policy of Race Relations. Ask
whats-her-name.

6850. Re: ICOM IC-211 PLL BOARD

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 14:12:25 UTC
From: dinoal7lz@aol.com
Message-ID: <20021215091225.14068.00000069@mb-cg.aol.com>
Source record: 35962

Carl---not sure of the place in PA but can highly recommend Scot Malcom out in WA who works on the older Icom stuff. He's fixed my IC-211 twice, in particular the PLL board.

You can contact Scott at "mts@plix.com" and he's got a web site at:

http://www.angelfire.com/biz2/mts/

Quick turn around and reasonable rates.

73 - Dino KLï¿½S/4

6851. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 14:16:55 UTC
From: "Dee D. Flint" <deehays@qix.net>
Message-ID: <r90L9.8270$4j5.4366775@newssvr28.news.prodigy.com>
Source record: 35959
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Fred Nachbaur" <fnachbaur@netscape.net> wrote in message
news:3DFC11CB.4090407@netscape.net...
>
>
> Hi, Lou,
>
> I wondered about that also, while living in California for a number of
> years. One day I went on a rant very similar to yours, and my boss at
> the time (and *NOT* a Hispanic American) pointed out that California
> originally belonged to Mexico, and was annexed by the US - and that
> therefore, Spanish was California's first language.
>
> We have a similar situation here in Canada, and it's not unusual to hear
> tirades very similar to yours. However, there again it was merely due to
> the accident of history that the English-speaking army conquered the
> French-speaking army at the Plains of Abraham. I'm glad that the
> Quebecois had the strength and sheer stubborness to insist on equal
> treatment of their language and culture -- even at the "expense" of
> "having to put up with" French-language text on our cereal boxes. Canada
> is a better place for it. I think that the United States of America
> gains from the Hispanic, African, and European influences also.
>
> Cheers,
> Fred

But by not learning and becoming proficient in the language that dominates the rest of the country, the people cut themselves off from the options that are accessible to the rest of the population. While being bi-lingual would be a great asset, the high paying jobs in this country require you to be proficient in English as that is the language in which you will need to conduct business negotiations. It is the language that the lawyer will need when he presents his case in court. Even in "ordinary" positions, it is essential. Receptionists even in areas that are dominated by Spanish in the US need to be good at English.

Thus is essential that people in the US learn and use English well. Otherwise they are limited in opportunities by language. The country does them no service by having them in elementary schools, etc that use Spanish for teaching.

The United States has benefited immensely from its melting pot culture. People can preserve their culture and languages in their homes and communities but also need to participate fully in the overall culture and

language to benefit from the immense diversity and opportunities of this country.

6852. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 15:06:53 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <uvp6jvkkttd558@corp.supernews.com>
Source record: 35963
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Lou wrote...

> Well, you can't come down too hard on the Japanese.
> At least they are trying.

Oh, BULL-loney. The Japanese aren't trying even remotely.

If the Japanese were serious about providing good documentation, they would turn over the work to their importers, or at least let the importers edit the material they've written. They don't.

6853. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 15:11:01 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <uvp6ro739sc9ac@corp.supernews.com>
Source record: 35964
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Fred Nachbaur wrote...

> I remember a time not-all-that-long-ago when manuals were routinely
> supplied with English, French, German, Italian and Spanish sections,
> sometimes additionally with Hebrew, Arabic and Greek.

The only manuals I've ever seen that "routinely" included instructions in multiple languages are those from Polaroid. The manual for the Macro 5 SLR is in English, French, German, Italian, Spanish, Japanese, and Russian. And that's _not_ very many languages for Polaroid -- some manuals include Arabic and Chinese.

6854. FS: Yaesu FT-1500M 2 meter transceiver, Perfect

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 15:16:38 UTC
From: maritimus49@aol.com
Message-ID: <20021215101638.29226.00000050@mb-fj.aol.com>
Source record: 35965

I have for sale the Yaesu FT-1500M transceiver in like new condition and works perfectly. 50 watts out, very sensitive receiver, scanning, etc, etc. Comes with original mike, mounting bracket and hardware, manual and box. Will be carefully double-boxed. I would like to get $100 plus shipping. Have the chance to get an Icom 706G so I won't be needing this excellent rig. Thanks for looking.

6855. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 15:17:17 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <uvp77fdtb7sv29@corp.supernews.com>
Source record: 35966
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Robert Casey wrote...

> I have heard that English has a very large vocabulary compare to most
> other languages. Many words have been pirated from other languages.
> Some Chinese guys I have worked with said that that large vocabulary
> drove them nuts learning English. But each word has its own precise
> and "flavor" and nuance. The SAT test uses an analogy format to
> test your knowledge of this (but I've heard they recently dropped that).

When I took the SATs over 37 years ago, I wondered why I got "only" a 750 on the English part. The reason, of course, was the analogies.

I have a superb vocabulary and understanding of the subtle differences in meanings among words, but the analogies drove me crazy. They require making subtle distinctions in a very short time. I don't think they reveal much about anyone's vocabulary or ability to think.

6856. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 15:53:34 UTC
From: Terry <tsanford@nf.sympatico.ca>
Message-ID: <3DFCA57E.73E6A6CE@nf.sympatico.ca>
Source record: 35967
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Robert Casey wrote: In part

> I've heard that the Japanese school system is "broken" when it comes to
> teaching English. That the textbooks have basic flaws and teachers trained
> with these flaws. And that this produces students that are reasonably
> consistent in producing similar screwed up English when they write
> about the same things. And that nobody in the Japanese education
> system wants to "lose face" by owning up to this.

I know this is all in good humour; eh?
But at this point, as a Canadian cousin, and since we are making
fun of 'Japanese English', I have to comment as follows.

1) If so; why do we buy so much Japanese electronic equipment?
Because it works well? Maybe?
I don't think we can plead 'slave labour rates'. Japanese
salaries/wages and living standards have been, at least until
recently, some of the highest in the world!

Have to agree that US technical documentation such as that
provided for equipment surplus, available publicly after W.W.II,
was/is among the best in the world. Usually well written and more
than likely well illustrated; in one language only, ENGLISH!
And despite the tremendous co-operation and help between the
Allies of those times there were jokes about it.
For example British Techs. had to be warned NOT to say something
was 'US' i.e. Unserviceable (or something less polite in
colloquial use!) and, in the interest of co-operation to use some
other more tactful terminology!

These days North American products, with exception of some
produced in Canada with French language on an equal basis, not
usually accompanied 'at all' by brochures/technical info. in
other languages! So we'd better be careful before pointing any
fingers?
BTW one can visualize a Japanese comment such as; "They don't
understand our technical manuals but they still buy our products.
Big time! Must be doing something right?".

2) Educationally similar criticism might be made of our 'North
American' school system in regard to subjects such as world
history, world geography and lack of knowledge of other countries
and cultures! In other countries it is sometimes perceived as a
sort of "If it ain't Amurican it don't matter", attitude. (The

poor grammar and spelling is deliberate btw!).
On other hand I have friends in Europe, which is very small, who do not realize that North America is 4800 miles wide; and think that you can hop over from say Boston on the east coast to Vancouver on the west in a few hours drive! they also confuse Canada with the United States!

3) Japanese make good motor vehicles too. Although my last (new) Toyota partially made/assembled in USA was not as good as my other Toyotas made in Japan itself. We now drive Nissans. I can't recall what percentage of the North American car market is now made by Japanese based companies? It is high in spite of tariffs and trade barriers! Documentation is OK. Some good maintenance and repair documentation for our Japanese vehicles has been available, in English, from Britain!

And just to put the shoe on the sole of the other foot; ever see an unpractised 'westerner' (say myself) try to use chopsticks? Pathetic! Please may I have a fork?

Cheers. Terry. Newfoundland, Eastern Canada; settled by the Vikings at 'Lanse Aux Meduse' around 900AD!

Also a few miles from where Marconi (An Italian btw) received the first Transatlantic wireless telegraph signal from Cornwall, England in 1901.

6857. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 16:42:56 UTC
From: Terry <tsanford@nf.sympatico.ca>
Message-ID: <3DFCB110.1C828EA4@nf.sympatico.ca>
Source record: 35969
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Bob Stein wrote:
>
> To get back to the manuals question, let me begin by saying that I
> spent 40 years in the technical writing business. Too often, an
> acceptable manual written in a foreign language is converted to
> English by a *translator*. (You will note my emphasis.) To translate
> anything technical into another language requires a technical writer
> or editor who is *fluent* in both languages and familiar with the
> discipline involved. Otherwise you get "Engrish."

Bob: Excellent explanation IMHO. And I recall a story (apocryphal
maybe?) about attempts to translate a Russian technical treatise
about a hydro electric project, into English using a computer.
Right in the middle of the text appeared the words "Water sheep".
Puzzled they ran it through the computer again. Same result!
So they got hold of a technical expert (like yourself) who really
could understand Russian. "Oh that's simple" it was explained.
The translation is really "Hydraulic ram". Yep. Makes a lot more
sense doesn't it?
Now don't go 'crackers' laughing at this. Terry.
PS. BTW Bob, I tend to use the 'English' rather than the
'American English' speller-check on this computer. You should see
some of words it doesn't like!

6858. Kenwood TS-2000 Secret Menu's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 16:53:05 UTC
From: Mark Krubsack <mkrubsack@yahoo.com>
Message-ID: <5pcpvuc4q0eabobdrttfavfee4fsbuc5eg@4ax.com>
Source record: 35968

I have a TS-2000 and wonder if there are any hidden menus/options for this radio? If there are, please post/email the key combinations to access them.

(P.S.-- Any for the TS-570D(G)?)

Thanks!

Mark, KE6OI
ke6oi@arrl.net

6859. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 16:57:05 UTC
From: Terry <tsanford@nf.sympatico.ca>
Message-ID: <3DFCB461.1AAD5A8C@nf.sympatico.ca>
Source record: 35971
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Lou wrote:
>
> WHAT THE HELL? THIS IS AMERICA - an ENGLISH speaking
> country......

Hi Lou: (You are probably named after the kings of France? e.g.
Louis 14th.)
Alternatively an English/Welsh version of your name could be
"Lewis" or "Lew".
In Spanish; "Luis"?

Quote: {WHAT THE HELL? THIS IS AMERICA - an ENGLISH speaking
country......} ?????

Some people would dispute that! :-)
However the beauty and flexibility of the 'English language' has
been it's ability to adapt, change, and take in new words from
other languages and cultures! And it survives as, at the moment
anyway, lucky for us Anglophiles, the predominant business
language of the world. 'American English' is one version; a very
important one.
If we heard the 'English' of Shakespeare or Chaucer as originally
written we would not understand it.
More recently; for example the word "Bungalow" is from India.
Other words, such as "Quota", "Forum", "Constitution", "Voter",
"Senate", "President", etc. are derived from Latin, Greek etc.
French words very little changed have entered the language; quite
apart from the newly invented ones of the electronics and
computer eras.
We might as well get used to it! Welcome to the rest of this
multicultural world!

Bonne Chance. (Good Luck).
PS. "Bonne Chance" is also the name of a hostelry in New Orleans,
btw.

6860. Re: Kenwood TS-2000 Secret Menu's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 17:02:00 UTC
From: Ralf Ballis <rballis@consult.m.uunet.de>
Message-ID: <20021215.17020000@viviana.santiagosoft.de>
Source record: 35972

For both take a look at: http://www.mods.dk/

73 de Ralf, DC2MRB

>>>>>>>>>>>>>>>>> Ursprüngliche Nachricht <<<<<<<<<<<<<<<<<

Am 15.12.02, 17:53:05, schrieb Mark Krubsack <mkrubsack@yahoo.com> zum
Thema Kenwood TS-2000 Secret Menu's:

> I have a TS-2000 and wonder if there are any hidden menus/options for
> this radio? If there are, please post/email the key combinations to
> access them.

> (P.S.-- Any for the TS-570D(G)?)

> Thanks!

> Mark, KE6OI
> ke6oi@arrl.net

6861. Kenwood TM2550A with TU-7 PL Tone encoder/decoder and DTMF Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 17:02:11 UTC
From: Joe Mehaffey <joe@mehaffey.us>
Message-ID: <3DFCB593.F3F6856E@mehaffey.us>
Source record: 35970
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have the above 50 watt TM2550A two meter Kenwood FM transceiver for
sale on eBay. Unit includes power cable, manual, DTMF microphone and
has installed TU-7 PL tone encoder decoder.
Starting price is $50.

See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797

Thanks
Joe Mehaffey
--
Got a Question about GPS technology? Looking for a GPS FAQ site?
See: http://joe.mehaffey.com

6862. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 17:07:51 UTC
From: Terry <tsanford@nf.sympatico.ca>
Message-ID: <3DFCB6E7.C2A08292@nf.sympatico.ca>
Source record: 35973
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Robert Casey wrote:
>
> I have heard that English has a very large vocabulary compare to most
> other languages. Many words have been pirated from other languages.
> Some Chinese guys I have worked with said that that large vocabulary
> drove them nuts learning English. But each word has its own precise
> and "flavor" and nuance. The SAT test uses an analogy format to
> test your knowledge of this (but I've heard they recently dropped that).

Which is why cultural background can have such an influence on
results. Imagine trying to explain 'reaping' or 'making hay'
(literally) to a person of the Innu (Esquimaux/Eskimo)
culture/background who has never seen grass or a cornfield. Or
the concept of a snow machine to someone in the Sahara desert,
say, who has never encountered snow! The Innu have as many words
for different types of snow as we have for different types of
cheese!
Imagine trying to explain 'radio antenna', 'transistor',
'battery' etc., to someone living in the Amazon jungle.
Another example: Some words/expressions are culturally taboo.
The term 'Knocking up' has entirely different meanings between
North America and Britain, for example.
In Britain it refers to waking people up on a workday morning by
knocking on the bedroom window! The other (North American) usage
will leave to reader's imagination.
But thank goodness we are NOT all the same. Even those of us who
all think we speak 'correct' English!
Have fun chaps! Terry.

6863. Kamtronics KAMPlus Manuals Need

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 17:28:48 UTC
From: Luka <9a7z@qsl.net>
Message-ID: <atie6p$6he1$1@as201.hinet.hr>
Source record: 35974

DR OM
I n&#65533;e user manual for KAMPlus modem.
Looking forward for your reply.
73's
Luka 9A7Z

6864. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 17:30:56 UTC
From: Philip Nasadowski <nasadowsk@usermale.com>
Message-ID: <nasadowsk-A63044.12305615122002@241.in-addr.mrf.va.news.rcn.net>
Source record: 35975
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <uvp6ro739sc9ac@corp.supernews.com>,
"William Sommerwerck" <williams@nwlink.com> wrote:

> The only manuals I've ever seen that "routinely" included instructions in
> multiple languages are those from Polaroid. The manual for the Macro 5 SLR is
> in
> English, French, German, Italian, Spanish, Japanese, and Russian. And that's
> _not_ very many languages for Polaroid -- some manuals include Arabic and
> Chinese.

Service announcements on the NYC subway can easily be nine languages,
depending on the line. Also, advertising can run through a few. I've
even seen cyrillic billboards in parts of NYC.

The #7 subway line has something like 120 ethinc groups along it's
route. It's supposedly the most diverse part of the world...

Many people in the NYC area are bilingual, or even trilingual. I work
right next to the NYC border and there's at least 4 different languages
spoken in our shop.

--
To email me, change 'usermale' to 'usermail'

6865. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 17:40:31 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3DFCBE8E.6080400@optonline.net>
Source record: 35976
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Well, the pronunciation is the same, although there are separate written forms for "he", "she" (but I got the impression that it is of recent origin), "it" (inanimate object), "it" (animal), and deity.

-=-
Alan

Robert Casey wrote:

> Seems that in the Chinese language, the English pronouns "he"
> and "she" map to the same Chinese word. Which can make for
> some funny errors. A Chinese friend was telling me about his
> girlfriend: "My girlfriend, he likes to dance...". "he"? I knew that
> he wasn't gay or something like that, I recognized it as a translation
> error.

6866. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 18:00:14 UTC
From: Thinker <think@spamy.com>
Message-ID: <Oq3L9.2580$cX3.2217122@newshog.newsread.com>
Source record: 35977
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Fred Nachbaur" <fnachbaur@netscape.net> wrote in message
news:3DFC11CB.4090407@netscape.net...
>
>
> Lou wrote:
> > Well, you can't come down too hard on the Japanese..At least they are
> > trying. WE are the ones failing.
> > Our language is starting to suck more each day with some of the newer
words
> > or expressions coming about. And my pet peeve is, it seems "most"
everyone
> > can learn our language EXCEPT those who speak Spanish.. WHY is OUR
country
> > catering to them...You live here, you damned well ought to be able to
speak
> > and read HERE. If I went to their country, I would have to learn
Spanish. I
> > see our Social Security, Welfare and other agencies catering to them...
If
> > I'm not mistaken the last time I called the Social Security office I was
met
> > with Spanish "FIRST"...WHAT THE HELL? THIS IS AMERICA - an ENGLISH
speaking
> > country..... If the Germans, Chinese, Japanese, Russians and so on can
> > speak English - broken as some of it may be, why the hell can't these
> > people? Is it something in their system that prevents it:? Best part is,
> > "WE" are allowing it to happen. Or it 's being shoved up our ass, one of
the
> > two.
>
> Hi, Lou,
>
> I wondered about that also, while living in California for a number of
> years. One day I went on a rant very similar to yours, and my boss at
> the time (and *NOT* a Hispanic American) pointed out that California
> originally belonged to Mexico, and was annexed by the US - and that
> therefore, Spanish was California's first language.
>
> We have a similar situation here in Canada, and it's not unusual to hear
> tirades very similar to yours. However, there again it was merely due to
> the accident of history that the English-speaking army conquered the
> French-speaking army at the Plains of Abraham. I'm glad that the

> Quebecois had the strength and sheer stubborness to insist on equal
> treatment of their language and culture

What is your opinion of the Quebec language laws that make it a crime to speak English in the workplace, Illegal to have an English language sign in the window of your business, and illegal to have an English language internet site even if all the business done by your company is in English. Unless a person can prove that their parents had English as their mother tongue their children must be educated in a French school.
French in Quebec is much more than the language on your cereal box. Being an English speaking person in Quebec is almost a criminal offence.

-- even at the "expense" of
> "having to put up with" French-language text on our cereal boxes. Canada
> is a better place for it. I think that the United States of America
> gains from the Hispanic, African, and European influences also.
>
> Cheers,
> Fred
> --
> +---+
> | Music: http://www3.telus.net/dogstarmusic/ |
> | Projects, Vacuum Tubes & other stuff: |
> | http://www.dogstar.dantimax.dk |
> +---+
>

6867. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 18:11:34 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3DFCC5D7.9030502@optonline.net>
Source record: 35979
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I recall a letter in one of the L.A. newspapers many years ago from a Japanese-American who had come here as a child speaking only Japanese. He strongly protested the concept of bilingual education if it meant that one could graduate from high school without a decent knowledge of written and spoken English.

My wife came to the US from the Netherlands when she was 9 years old, which was still early enough to acquire a perfect English ("American English," anyway) accent, although some odd Dutch idioms translated word-for-word into English pop out sometimes. There was no "bilingual education," but there was a Dutch-speaking teacher around who was able to help her.

I am a great supporter of bilingual education in the form of "immersion programs," no matter what specific language is used. We know one man whose daughter (Anglo) was in a Spanish immersion program in Oregon and had all her science and math taught in Spanish all through high school. Our school district is now proposing a similar move (language not yet decided -- depends on who is available), but there is much opposition despite the rich variety of languages spoken here (Long Island, NY). I say that it should have been done long ago, and I don't care whether the second language is French, Spanish, Chinese, Japanese, Korean, Hebrew, Greek, Hindi, Swahili, or....

Q. What do you call a person who speaks three languages?
A. Trilingual.

Q. What do you call a person who speaks two languages?
A. Bilingual.

Q. What do you call a person who speaks only one language?
A. American. ("British" is another acceptable answer.)

-=-
Alan, AB2OS

Dee D. Flint wrote:

> But by not learning and becoming proficient in the language that dominates
> the rest of the country, the people cut themselves off from the options that
> are accessible to the rest of the population. While being bi-lingual would
> be a great asset, the high paying jobs in this country require you to be
> proficient in English as that is the language in which you will need to
> conduct business negotiations. It is the language that the lawyer will need
> when he presents his case in court. Even in "ordinary" positions, it is

> essential. Receptionists even in areas that are dominated by Spanish in the
> US need to be good at English.
>
> Thus is essential that people in the US learn and use English well.
> Otherwise they are limited in opportunities by language. The country does
> them no service by having them in elementary schools, etc that use Spanish
> for teaching.
>
> The United States has benefited immensely from its melting pot culture.
> People can preserve their culture and languages in their homes and
> communities but also need to participate fully in the overall culture and
> language to benefit from the immense diversity and opportunities of this
> country.

6868. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 18:11:36 UTC
From: Ken H <khildbrdt4000@yahoo.com>
Message-ID: <3dfcc5c8@snipnews.snip.net>
Source record: 35978
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"William Sommerwerck" <williams@nwlink.com> wrote in message
news:uvp6jvkkttd558@corp.supernews.com...
> Lou wrote...
>
> > Well, you can't come down too hard on the Japanese.
> > At least they are trying.
>
>
> Oh, BULL-loney. The Japanese aren't trying even remotely.
>
> If the Japanese were serious about providing good documentation, they
would turn
> over the work to their importers, or at least let the importers edit the
> material they've written. They don't.

There is alot of truth to this. Our firm did a stint for Subaru as a
Consultant
once. Cost them big $$$ for our servicers. They took the reports
and suggestions (three volumes worth, each the thickness of a Manhattan
telephone directory..) and sent them off to Japan. That was the last
we saw of them. They paid us but it's tad frustrating to think that a Year's
worth
of work is sitting collecting dust on some shelf at Subaru (Fuji Heavy
Industries) HQ in Tokyo. (I just hope they don't "reverse-Jinglish" it -
mabey
that's why it's taking so long? - grin)

6869. Ham Gear for trade!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 18:14:03 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3DFCC633.6040703@dirtball.com>
Source record: 35980
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.cb,rec.radio.amateur.equipment

Hello
I have a FT 920 with the AM filter and FM board. The FT 920 is 100
watts HF + 6 Meters.
It has a Auto tuner and the MC 100 Desk Mic. In the deal you will get
the technical supplement too (AKA Service manual), as well as the owners
manual . I also Have the 3 KW Roller Inductor Antenna Tuner. They are in
good shape I will trade both for a FT 990 or a FT 1000.. I have been
using the FT 920 as a backup rig. Drop me a line so we can work out a deal.
oris@dirtball.com
I have a Icom ICR71A Shortwave receiver that I will trade for a working
Viking Valant and SX 300 or Hamuland HQ 110. I'm looking for a good AM Han station
with at least 200 watts out. I hope to find something to work with my Audio rack.
I also have a Henry Amp 2 KD 5 Desktop,(It needs a new Plate amp meter) two 3-500s 100 in
will give you 1250 out, New Caps,
that I will trade for a Globe King or full legal output Ham band AM transmitter.
this is a pickup trade only. I will be willing to travel 100 miles from Athens GA.
Happy Holidays
73 and thanks for reading
Oris
N4CND
http://www.dirtball.com

6870. FS Kenwood TS-870 Accessories, SP-31 and PS-52

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 18:16:44 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <gG3L9.2573$jN4.290245@newsread2.prod.itd.earthlink.net>
Source record: 35981

I have a very nice Kenwood PS-52 power supply that matches the 870 and a Kenwood SP-31 Speaker for the 870 for sale. They both come with the original shipping cartons and are is great shape and work fine.
I am asking $75 for the speaker and $175 for the power supply.
Thanks, Charlie Hugg, K5MBX

6871. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 18:19:02 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFCC797.7050306@netscape.net>
Source record: 35982
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Thinker wrote:
>[...]
>>Fred Nachbaur wrote:
>>
>>Hi, Lou,
>>
>>I wondered about that also, while living in California for a number of
>>years. One day I went on a rant very similar to yours, and my boss at
>>the time (and *NOT* a Hispanic American) pointed out that California
>>originally belonged to Mexico, and was annexed by the US - and that
>>therefore, Spanish was California's first language.
>>
>>We have a similar situation here in Canada, and it's not unusual to hear
>>tirades very similar to yours. However, there again it was merely due to
>>the accident of history that the English-speaking army conquered the
>>French-speaking army at the Plains of Abraham. I'm glad that the
>>Quebecois had the strength and sheer stubborness to insist on equal
>>treatment of their language and culture
>
>
>
> What is your opinion of the Quebec language laws that make it a crime to
> speak English in the workplace, Illegal to have an English language sign in
> the window of your business, and illegal to have an English language
> internet site even if all the business done by your company is in English.
> Unless a person can prove that their parents had English as their mother
> tongue their children must be educated in a French school.
> French in Quebec is much more than the language on your cereal box. Being an
> English speaking person in Quebec is almost a criminal offence.

In my opinion that's ludicrous, of course. Even thinking francophones
are appalled by such reactionary policies.

I spent a summer working in Ottawa a number of years ago. On several
occasions I made little day trips into Quebec. The hostility would
sometimes be palpable when I'd ask for something in English at a
convenience store -- until I explained in my broken French that I was
just a dumb westerner, or pointed to my BC license plates. Then all was
well, we'd share a laugh, and magically my new-found Quebecois friend
would demonstrate a workable command of English.

The point of the story is that in situations where there has been a
long-standing conflict, everything is perceived in terms of that

conflict, and anyone walking into a francophone convenience store and speaks English "must be" a jerk by definition. But when the realization hits that this is an outsider to the conflict, suddenly the conflict loses its hold on the situation.

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

6872. FT290R - Slight Fault

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 18:55:20 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <sf4L9.1534$4k6.191024@wards>
Source record: 35983

Hi All,

I have got a slight fault on the FT290R, in that the radio operates fine BUT tunes in 1K / 0.1K steps even on FM.

The unit has been modified to give selectable bands 143.5 to 148.5, 144 to 146 etc..., but worked fine for ages after the mod.

As I say it is more of a pain than anything, as the radio works fine.

6873. Re: Ham Gear for trade!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 19:05:05 UTC
From: Tom <jc@nospam.com>
Message-ID: <egkpvuk9e4268bccelkjg0jscsc44acgd4@4ax.com>
Source record: 35984
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.cb,rec.radio.amateur.equipment

On Sun, 15 Dec 2002 18:14:03 GMT, Oris <orisnospam@dirtball.com>
wrote:

>Hello
> I have a FT 920 with the AM filter and FM board. The FT 920 is 100
>watts HF + 6 Meters.
>It has a Auto tuner and the MC 100 Desk Mic. In the deal you will get
>the technical supplement too (AKA Service manual), as well as the owners
>manual . I also Have the 3 KW Roller Inductor Antenna Tuner. They are in
>good shape I will trade both for a FT 990 or a FT 1000.. I have been
>using the FT 920 as a backup rig. Drop me a line so we can work out a deal.
>oris@dirtball.com
> I have a Icom ICR71A Shortwave receiver that I will trade for a working
>Viking Valant and SX 300 or Hamuland HQ 110. I'm looking for a good AM Han station
>with at least 200 watts out. I hope to find something to work with my Audio rack.
> I also have a Henry Amp 2 KD 5 Desktop,(It needs a new Plate amp meter) two 3-500s 100
in will give you 1250 out, New Caps,
>that I will trade for a Globe King or full legal output Ham band AM transmitter.
>this is a pickup trade only. I will be willing to travel 100 miles from Athens GA.
> Happy Holidays
> 73 and thanks for reading
> Oris
> N4CND
>http://www.dirtball.com

Whoreass sounds like a bitch on the radio.

6874. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 19:06:15 UTC
From: Idontwantspam@net
Message-ID: <3dfcd15e.22883444@news.bellatlantic.net>
Source record: 35985
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Sun, 15 Dec 2002 12:30:56 -0500, Philip Nasadowski
<nasadowsk@usermale.com> wrote:

>Many people in the NYC area are bilingual, or even trilingual. I work
>right next to the NYC border and there's at least 4 different languages
>spoken in our shop.
>
Yes, several years ago, visiting my grandparents in their apartment
near Brighton Beach in Brooklyn, we were talking with one of their
neighbors.

She mentioned that besides English, she could speak at least somewhat
in Italian (her heritage), Spanish, and Yiddish, and figured she could
get by in most parts of the city.

In a diverse environment, it's not a bad idea to learn a few basics in
the other languages. You don't have to able to write poetry in the
other language, just be able to order a meal.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6875. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 19:30:16 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3DFCD848.2080800@mailcity.net>
Source record: 35988
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

William Sommerwerck wrote:

>
> When I took the SATs over 37 years ago, I wondered why I got "only" a 750 on the
> English part. The reason, of course, was the analogies.
>
> I have a superb vocabulary and understanding of the subtle differences in
> meanings among words, but the analogies drove me crazy. They require making
> subtle distinctions in a very short time. I don't think they reveal much about
> anyone's vocabulary or ability to think.

Yada, yada, yada, we've all heard before how brilliant you are.

>

6876. Re: Frankie lee willian sanborn------FRAUD----------

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 20:19:21 UTC
From: "Sigh..." <nobody@frontier.net>
Message-ID: <slrnavpou8.ohh.nobody@animas.frontier.net>
Source record: 35986

On Sat, 14 Dec 2002 22:13:53 -0800, dennis hath writ:
> Frankie lee willian sanborn
> 424 nick street
> newark delaware 19702
>
> 302-836-7998
> all about radio sending and no radio?????
>
> dennis kb7wfv wt1078@charter.net

Just when I think U.S. public "education" has finally reached it's
nadir, I come upon something like this that sets the bar even lower.

6877. FS: ICOM IC-U400 Mobile UHF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 21:27:19 UTC
From: p34901@hotmail.com
Message-ID: <694df9e0.0212151327.1cef1d65@posting.google.com>
Source record: 35987

I have two brand new ICOM IC-U400 mobile prgrammable transceivers.
These radios are commercial UHF FM for business band (450-470 mHz 16
channel)- 35 Watts brand new in box with all accessories. Asking $325
for both + shipping

6878. FS Decibel Products 440 Duplexer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 22:34:29 UTC
From: n5suu@yahoo.com
Message-ID: <d8eff2ff.0212151434.3f889bb@posting.google.com>
Source record: 35989
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment

From Estate sale; Cavity model number DB4022 Band Pass / Band Reject
Cavity, 450-512 MHz, it has two receive cavities and one transmit
cavity mounted in an outdoor cabinet.
Duplexer was used with a 300 watt 440 repeater.
I was told the duplexer is rated for 500 watts.
Decibel Products information from their site.
http://www.decibelproducts.com/engineering/eng_filters.htm

http://dbmail.decibelproducts.com/IS_PDF/095091-000.pdf

Asking $175.00
Pickup only Fort Worth, TX

6879. Re: Kenwood TM2550A with TU-7 PL Tone encoder/decoder and DTMF Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 22:46:06 UTC
From: daustin@chartermi.net
Message-ID: <2b70ad34.0212151446.34fa33a5@posting.google.com>
Source record: 35990
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Joe Mehaffey <joe@mehaffey.us> wrote in message news:<3DFCB593.F3F6856E@mehaffey.us>...
> I have the above 50 watt TM2550A two meter Kenwood FM transceiver for
> sale on eBay. Unit includes power cable, manual, DTMF microphone and
> has installed TU-7 PL tone encoder decoder.
> Starting price is $50.
>
> See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
>
> Thanks
> Joe Mehaffey
What a brain dead or blonde .How can it be for sale if its for auction
.If i wanted to buy it i would want to buy it,not bid on it.wouldn't
buy anyways from a braindead that posts it everywhere but where its
posted originaly.Didn't know these News groups advertisers for
auctions.

6880. FS : Kenwood TH-78A Dual Band HT with accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 22:56:44 UTC
From: Kevin <yupidood@adelphia.net>
Message-ID: <MM7L9.28378$VA5.2998479@news1.news.adelphia.net>
Source record: 35991
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Hi ,

I have a very nice Kenwood TH-78A handheld transceiver with accessories to sell . I have a Kenwood PB-13 NiCad , Kenwood Spkr/Mic , Kenwood Headset Vox Boom/Mic , 2 BT-8 Alkaline Battery holders etc.

Asking $200.00 plus shipping CONUS , payment by US Postal money order .

Kevin

6881. Re: Kenwood TM2550A with TU-7 PL Tone encoder/decoder and DTMF Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-15 23:05:16 UTC
From: pj <pjdong@aol.com>
Message-ID: <im2qvukv8uufho4hq285hi3aouqtelv9ue@4ax.com>
Source record: 35992
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

USE FA MORON!!!!

On 15 Dec 2002 14:46:06 -0800, daustin@chartermi.net wrote:

>Joe Mehaffey <joe@mehaffey.us> wrote in message news:<3DFCB593.F3F6856E@mehaffey.us>...
>> I have the above 50 watt TM2550A two meter Kenwood FM transceiver for
>> sale on eBay. Unit includes power cable, manual, DTMF microphone and
>> has installed TU-7 PL tone encoder decoder.
>> Starting price is $50.
>>
>> See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
>>
>> Thanks
>> Joe Mehaffey
>What a brain dead or blonde .How can it be for sale if its for auction
>.If i wanted to buy it i would want to buy it,not bid on it.wouldn't
>buy anyways from a braindead that posts it everywhere but where its
>posted originaly.Didn't know these News groups advertisers for
>auctions.

6882. FS: Kenwood TS850SAT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 01:17:00 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <gQ9L9.3045$jN4.346987@newsread2.prod.itd.earthlink.net>
Source record: 35993
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Very clean Kenwood TS850SAT. Matching PS52 power supply included. Mike, manual, power cord included.

Asking $850.00 plus professional boxing/shipping.

73 de Rich, W6VX

w6vx@arrl.net

6883. FS: Kenwood AT230 Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 01:33:21 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <B3aL9.3071$jN4.349327@newsread2.prod.itd.earthlink.net>
Source record: 35994
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Very clean and in good working order. Picture on request.

Asking $100.00 plus shipping.

Rich W6VX

W6VX@ARRL.net

6884. Re: Kenwood TM2550A with TU-7 PL Tone encoder/decoder and DTMF Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 01:50:51 UTC
From: Bill <wdecker1@rochester.rr.com>
Message-ID: <%jaL9.56265$HA2.16099085@twister.nyroc.rr.com>
Source record: 35995
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

>What a brain dead or blonde .How can it be for sale if its for auction

Did you see the words "for sale", "FS" or anything else on the ad?

>.If i wanted to buy it i would want to buy it,not bid on it.

You obviously had some interest or you wouldn't have opened the post.
Warning: There are a LOT of buttons on a 2550, y'know!

>wouldn't
>buy anyways from a braindead that posts it everywhere but where its
>posted originaly.Didn't know these News groups advertisers for
>auctions.

Generally it has become accepted practice on Rec.Swap NG's for auction ads to be listed with an "FA" in the header so that those who don't want to look there won't, and those who can actually figure out how to set up a filter can avoid them altogether. Of course, based solely upon your grammar, punctuation and spelling, that may be expecting a little much in your case. This guy probably didn't know about the "FA" understanding, but does now. There are, however, a lot more tactful, polite, and civil ways to inform him of the error than the way you showed your ass.

6885. Re: Kenwood TM2550A with TU-7 PL Tone encoder/decoder and DTMF Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 02:01:33 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DFD34EC.59D62ED8@optonline.net>
Source record: 35996
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Seems the post did not say FA or FS.
GIVE IT A REST ALREADY, what a bunch of
old wash women!!!!!!!!
Go find something productive to do.

And lose the male chauvinism, this is 2002

What a brain dead or blonde .How can it be for sale if its for auction
.If i wanted to buy it i would want to buy it,not bid on it.wouldn't
buy anyways from a braindead that posts it everywhere but where its
posted originaly.Didn't know these News groups advertisers for
auctions.
daustin@chartermi.net wrote:

> Joe Mehaffey <joe@mehaffey.us> wrote in message news:<3DFCB593.F3F6856E@mehaffey.us>...
> > I have the above 50 watt TM2550A two meter Kenwood FM transceiver for
> > sale on eBay. Unit includes power cable, manual, DTMF microphone and
> > has installed TU-7 PL tone encoder decoder.
> > Starting price is $50.
> >
> > See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
> >
> > Thanks
> > Joe Mehaffey
>

6886. Re: Kenwood TM2550A with TU-7 PL Tone encoder/decoder and DTMF Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 02:02:23 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DFD351F.726A5814@optonline.net>
Source record: 35997
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

another old wash woman with nothing better to do

pj wrote:

> USE FA MORON!!!!
>
> On 15 Dec 2002 14:46:06 -0800, daustin@chartermi.net wrote:
>
> >Joe Mehaffey <joe@mehaffey.us> wrote in message news:<3DFCB593.F3F6856E@mehaffey.us>...
> >> I have the above 50 watt TM2550A two meter Kenwood FM transceiver for
> >> sale on eBay. Unit includes power cable, manual, DTMF microphone and
> >> has installed TU-7 PL tone encoder decoder.
> >> Starting price is $50.
> >>
> >> See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
> >>
> >> Thanks
> >> Joe Mehaffey
> >What a brain dead or blonde .How can it be for sale if its for auction
> >.If i wanted to buy it i would want to buy it,not bid on it.wouldn't
> >buy anyways from a braindead that posts it everywhere but where its
> >posted originaly.Didn't know these News groups advertisers for
> >auctions.

6887. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 02:55:55 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3DFD40BB.3090103@NOSPAMutoronto.ca>
Source record: 35898
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Fred Nachbaur wrote:
> In my opinion that's ludicrous, of course. Even thinking francophones
> are appalled by such reactionary policies.
>
> I spent a summer working in Ottawa a number of years ago. On several
> occasions I made little day trips into Quebec. The hostility would
> sometimes be palpable when I'd ask for something in English at a
> convenience store -- until I explained in my broken French that I was
> just a dumb westerner, or pointed to my BC license plates. Then all was
> well, we'd share a laugh, and magically my new-found Quebecois friend
> would demonstrate a workable command of English.
>
> The point of the story is that in situations where there has been a
> long-standing conflict, everything is perceived in terms of that
> conflict, and anyone walking into a francophone convenience store and
> speaks English "must be" a jerk by definition. But when the realization
> hits that this is an outsider to the conflict, suddenly the conflict
> loses its hold on the situation.

No disrepect, but if you had said you were from Ontario, you would not
have been sharing a laugh. And there's nothing about Ontario that makes
it any different than BC, except it's closer to the Quebec border.

--
Michael Moore

6888. Re: Kenwood TM2550A with TU-7 PL Tone encoder/decoder and DTMF Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 03:40:55 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DFD4C38.1EF9DB54@optonline.net>
Source record: 35899
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

BRAVO!!!!

Bill wrote:

> >What a brain dead or blonde .How can it be for sale if its for auction
>
> Did you see the words "for sale", "FS" or anything else on the ad?
>
> >.If i wanted to buy it i would want to buy it,not bid on it.
>
> You obviously had some interest or you wouldn't have opened the post.
> Warning: There are a LOT of buttons on a 2550, y'know!
>
> >wouldn't
> >buy anyways from a braindead that posts it everywhere but where its
> >posted originaly.Didn't know these News groups advertisers for
> >auctions.
>
> Generally it has become accepted practice on Rec.Swap NG's for auction ads
> to be listed with an "FA" in the header so that those who don't want to look
> there won't, and those who can actually figure out how to set up a filter
> can avoid them altogether. Of course, based solely upon your grammar,
> punctuation and spelling, that may be expecting a little much in your case.
> This guy probably didn't know about the "FA" understanding, but does now.
> There are, however, a lot more tactful, polite, and civil ways to inform him
> of the error than the way you showed your ass.

6889. Re: very late Heathkit receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 03:52:14 UTC
From: BDK <kingrat@buckeye-express.com>
Message-ID: <MPG.186717f4ea5a75f798968d@news.buckeye-express.com>
Source record: 35900
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

In article <noone-15120219414440001@1cust92.tnt1.port-
angeles.wa.da.uu.net>, noone@nowhere.com says...
> The last, or near the last, line of Heathkit ham equipment had matching
> transmitter and receiver both with red LED frequency displays. What was
> the model/series number of these? Did Heath ever make a general coverage
> receiver in that line?
>
> Thank you,
>
>

I don't remember the model number, but the last Heathkit GC reciever was
a total dog, a really sad POS.

BDK

6890. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 04:15:15 UTC
From: sven@gordsven.com
Message-ID: <slrnavqkto.c31.sven@gordsven.com>
Source record: 35901
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <Oq3L9.2580$cX3.2217122@newshog.newsread.com>, Thinker wrote:
> What is your opinion of the Quebec language laws that make it a crime to
> speak English in the workplace, Illegal to have an English language sign in

I think that the illegal English sign thing is just if the sign is English
only (no French). In Montreal I saw English/French signs on buildings.

Syl, what's the real deal?

--
Sven

6891. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 04:24:50 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3DFD5593.3010507@optonline.net>
Source record: 35902
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Our son is studying French ("standard" French, not Quebec French) in
school (Grade 8) so we thought of taking part of our last summer
vacation in Quebec and give him an opportunity (and me -- but it's been
a looooong time) to practice -- until we ran into a native French
speaker (of "standard" French), who told us that the speakers of Quebec
French hate speakers of standard French almost as much as they hate
speakers of English. So we settled for a vacation in New England instead.

-=-
Alan

Fred Nachbaur wrote:

> I spent a summer working in Ottawa a number of years ago. On several
> occasions I made little day trips into Quebec. The hostility would
> sometimes be palpable when I'd ask for something in English at a
> convenience store -- until I explained in my broken French that I was
> just a dumb westerner, or pointed to my BC license plates. Then all was
> well, we'd share a laugh, and magically my new-found Quebecois friend
> would demonstrate a workable command of English.
>
> The point of the story is that in situations where there has been a
> long-standing conflict, everything is perceived in terms of that
> conflict, and anyone walking into a francophone convenience store and
> speaks English "must be" a jerk by definition. But when the realization
> hits that this is an outsider to the conflict, suddenly the conflict
> loses its hold on the situation.

6892. Re: very late Heathkit receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 04:41:18 UTC
From: Dick <rhughes33@cableone.net>
Message-ID: <49mqvus278guq1nnf9imftp91gljq2tip7@4ax.com>
Source record: 35903

The only one I can find with a digital readout was the SW-7800. I
believe it was the last general coverage receiver produced by
Heathkit.

Dick

On Sun, 15 Dec 2002 22:52:14 -0500, BDK <kingrat@buckeye-express.com>
wrote:

>In article <noone-1512021941440001@1cust92.tnt1.port-
>angeles.wa.da.uu.net>, noone@nowhere.com says...
>> The last, or near the last, line of Heathkit ham equipment had matching
>> transmitter and receiver both with red LED frequency displays. What was
>> the model/series number of these? Did Heath ever make a general coverage
>> receiver in that line?
>>
>> Thank you,
>>
>>
>
>
>I don't remember the model number, but the last Heathkit GC reciever was
>a total dog, a really sad POS.
>
>BDK

6893. Re: Frankie lee willian sanborn------FRAUD----------

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 05:50:04 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <gQdL9.55578$vM1.4447717@bgtnsc04-news.ops.worldnet.att.net>
Source record: 35904

"Sigh..." <nobody@frontier.net> wrote in message
news:slrnavpou8.ohh.nobody@animas.frontier.net...
> On Sat, 14 Dec 2002 22:13:53 -0800, dennis hath writ:
> > Frankie lee willian sanborn
> > 424 nick street
> > newark delaware 19702
> >
> > 302-836-7998
> > all about radio sending and no radio?????
> >
> > dennis kb7wfv wt1078@charter.net
>
> Just when I think U.S. public "education" has finally reached it's
> nadir, I come upon something like this that sets the bar even lower.

Ayup, cain't hardly limbo under this one!

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

6894. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 08:32:11 UTC
From: Santa <HoHoHo@shaw.ca>
Message-ID: <fcgL9.41506$q52.1730097@news2.telusplanet.net>
Source record: 35905
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

lol. I think I will stay in BC. I went thru alta or sask recently and seen the signs on the road in both languages. not sure where though. Maybe it was banff. lol. I guess I talk a lil too much western here. hehe.

Dev

"Sven Franklyn Weil" <sven@gordsven.com> wrote in message news:slrnavqkto.c31.sven@gordsven.com...
> In article <Oq3L9.2580$cX3.2217122@newshog.newsread.com>, Thinker wrote:
> > What is your opinion of the Quebec language laws that make it a crime to
> > speak English in the workplace, Illegal to have an English language sign in
>
> I think that the illegal English sign thing is just if the sign is English
> only (no French). In Montreal I saw English/French signs on buildings.
>
> Syl, what's the real deal?
>
> --
> Sven

6895. Re: FS: ICOM IC-U400 Mobile UHF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 09:35:17 UTC
From: p34901@hotmail.com
Message-ID: <694df9e0.0212160135.28a0eae4@posting.google.com>
Source record: 35906

These Radios also come with EX-494 Programmer kit. These Radios can be programmed to include Amateur band.

6896. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 09:52:48 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <5Ac9cYCwJa$9Ewzi@artslink.co.za>
Source record: 35907
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Joe Bento <joseph@nospam.kirtland.com> wrote:

>As much Spanish language influence we have in the United States, I
>find it interesting that most products designed for the North American
>market have instruction manuals in English and French. To my
>knowledge, Canada is primarily an English speaking country with the
>exception of Quebec. Yet the instruction manuals for my TV, VCR, DVD
>player, etc are bi-lingual in English and French with nary a word in
>Spanish.

It's because Canada is officially bilingual, no matter what the
demographics say in practice. It is illegal to sell stuff without
bilingual labelling. It's cheaper for manufacturers to make one
set of docs, in compliance with necessary law, than two just to
make things practically better for their customers. The only way
for the spanish to be catered for is for the US to be officially
bilingual. (I wouldn't hold my breath).

--
Ken Tough

6897. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 09:55:36 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <yAm$8iCYMa$9EwTA@artslink.co.za>
Source record: 35909
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Apparently Santa <HoHoHo@shaw.ca> wrote:

>it is mandatory to have everything bi-lingual here :(even ouy booze has to
>have english and french on it.
>
>Dev

Never mind that, even the STOP (Arret) signs are in two languages.
They don't even bother with Arret in France.

--
Ken Tough

6898. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 10:00:48 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <uAk4cmCQRa$9Ewwm@artslink.co.za>
Source record: 35908
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Bob Stein <w6nbi@earthlink.net> wrote:

>When traveling in Japan, I found that very few Japanese could speak
>English, even though it was a required second language in their
>schools. Our tour guide, who had been a middle-school teacher,
>explained this by saying that the schools teach reading and
>translating, but virtually no conversational English.
>
>Compare this to the Chinese system, where all the young students
>strive to perfect their English. On the Bund in Shanghai, I was
>surrounded by young people who just wanted the opportunity of speaking
>English with a Westerner.

But then again, Japanese manuals are a treat compared to
the "poetic" chinese ones. ["Bringing parts into proximity
unknowingly is crouching hazard!"]

--
Ken Tough

6899. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 10:04:02 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <ogE5UqCSUa$9EwTG@artslink.co.za>
Source record: 35910
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Robert Casey <wa2ise@ix.netcom.com> wrote:

>Seems that in the Chinese language, the English pronouns "he"
>and "she" map to the same Chinese word. Which can make for
>some funny errors. A Chinese friend was telling me about his
>girlfriend: "My girlfriend, he likes to dance...". "he"? I knew that
>he wasn't gay or something like that, I recognized it as a translation
>error.

Similar to the problem in many latin languages, where the
adjectives like "his" or "her" agree in gender with the
noun, not with the possessor. So common slips might be
to say something like "his shoes" referring to a woman.

--
Ken Tough

6900. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 10:15:55 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <lwW6wyCbfa$9Ewz6@artslink.co.za>
Source record: 35911
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Sven Franklyn Weil <sven@gordsven.com> wrote:

>I think that the illegal English sign thing is just if the sign is English
>only (no French). In Montreal I saw English/French signs on buildings.

The legislation (I recall it as being Bill 101?) is actually that
signs displayed in English must also have a french equivalent, and
the english may not have larger font or brighter colours.

--
Ken Tough

6901. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 10:16:37 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <bQx1I3CFga$9EwX$@artslink.co.za>
Source record: 35912
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

William Sommerwerck <williams@nwlink.com> wrote:

>The only manuals I've ever seen that "routinely" included instructions in
>multiple languages are those from Polaroid. The manual for the Macro 5 SLR is
>in
>English, French, German, Italian, Spanish, Japanese, and Russian. And that's
>_not_ very many languages for Polaroid -- some manuals include Arabic and
>Chinese.

The washing-machine we recently got (in S.Africa) had about 18
languages in it. [granted it was pretty thick]. I'm not sure
if any of those was afrikaans, never mind the other -9- [there
are 11] official languages of this country.

--
Ken Tough
S.Africa

6902. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 10:18:01 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <ZQW146CZha$9Ew23@artslink.co.za>
Source record: 35913
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Robert Casey <wa2ise@ix.netcom.com> wrote:

>I have heard that English has a very large vocabulary compare to most
>other languages. Many words have been pirated from other languages.
>Some Chinese guys I have worked with said that that large vocabulary
>drove them nuts learning English. But each word has its own precise
>and "flavor" and nuance.

It's very true. You can see the roots of this in things like
Dutch [and Afrikaans] which I find have far fewer words with
the fine distinctions, and that most words have obvious roots
in simpler combinations ["shell-frog" is a turtle?].

It's not that English has pirated the other languages, but that
it evolved (very recently, i.e. last 500 yrs) from a lot of inputs
thanks to all the invaders. (Roman, Norse, Saxons, Normans each
giving their input). Consider that the coarse, "animal" terms are
Saxon while the fine, "cuisine" terms are (conqueror, "lingua
franca") Norman, for example.. (cow vs beef). It's all a matter
of development and how many ingredients went into the soup pot.
Anyway, I think it's far more exciting to have a surfeit of words
than an excess of rules. [e.g. 16 verb tenses in Finnish?]

--
Ken Tough

6903. Re: Best 6 meter rig?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 11:58:44 UTC
From: Andy Cowley <andy.cowley@uwe.ac.uk>
Message-ID: <3DFDBFF6.98F147E6@uwe.ac.uk>
Source record: 35915
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

pk wrote:
>
> Andy Cowley <andy.cowley@uwe.ac.uk> wrote:
>
> > The U.S. has the same problem with litres.
> >
>
> they have the same problem with GALLONS (big smile)

No, that was a different problem. They are still
using the Queen Anne wine gallon - 5 bottles instead
of our 6. They can spell it however.

vy 73

Andy, M3ABC

6904. Re: Kenwood TM2550A with TU-7 PL Tone encoder/decoder and DTMF Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 12:01:28 UTC
From: Just another Joe <NoSpamSam@NoSpam.com>
Message-ID: <uvrg4s5586ak09@corp.supernews.com>
Source record: 35914
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Seems to me, it shouldn't be too much trouble for anyone to clearly indicate in the subject line what the post is about. If it's for sale, auction, trade, need help or whatever it should say so in the subject. That's what subject lines are for! Then everyone read what they want and ignore all else. Anything else is akin to trolling... Seems to me.

"Mark Russo" <mrrusso@optonline.net> wrote in message
news:3DFD34EC.59D62ED8@optonline.net...
Seems the post did not say FA or FS.
GIVE IT A REST ALREADY, what a bunch of
old wash women!!!!!!!!
Go find something productive to do.
And lose the male chauvinism, this is 2002

What a brain dead or blonde .How can it be for sale if its for auction
.If i wanted to buy it i would want to buy it,not bid on it.wouldn't
buy anyways from a braindead that posts it everywhere but where its
posted originaly.Didn't know these News groups advertisers for
auctions.
daustin@chartermi.net wrote:

Joe Mehaffey <joe@mehaffey.us> wrote in message news:<3DFCB593.F3F6856E@mehaffey.us>...
> I have the above 50 watt TM2550A two meter Kenwood FM transceiver for
> sale on eBay. Unit includes power cable, manual, DTMF microphone and
> has installed TU-7 PL tone encoder decoder.
> Starting price is $50.
>
> See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
>
> Thanks
> Joe Mehaffey

6905. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 13:10:55 UTC
From: John Doty <jpd@w-d.org>
Message-ID: <1f6cnWhUI_LiwGOgXTWcpg@speakeasy.net>
Source record: 35850
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <uvs6rfd4e5rde7@corp.supernews.com>, "William Sommerwerck"
<williams@nwlink.com> wrote:

> Some "primitive" peoples do not have a concept of the future. Future
> conditional would _really_ drive them crazy...

Japanese lacks a future tense, but has no particular difficulty
conceptualizing the future. You just throw in a postpositional phrase
describing the time frame, and then the verb is interpreted relative to
that frame rather than the present.

--
| John Doty "You can't confuse me, that's my job."
| Home: jpd@w-d.org
| Work: jpd@space.mit.edu

6906. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 13:15:19 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <uvrkeo9t55vld0@corp.supernews.com>
Source record: 35916
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ken Tough wrote...

> Similar to the problem in many latin languages, where
> the adjectives like "his" or "her" agree in gender with the
> noun, not with the possessor. So common slips might be
> to say something like "his shoes" referring to a woman.

"His" and "her" do not have gender in Spanish.

6907. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 13:17:03 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <uvrki09i32u13@corp.supernews.com>
Source record: 35917
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ken Tough wrote...

> Anyway, I think it's far more exciting to have a surfeit of words
> than an excess of rules. [e.g. 16 verb tenses in Finnish?]

English has a large number of verb tenses, which allows very fine distinctions -- "Had the airplane arrived on time, I would have been on my way to California at this time."

6908. Info needed.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 13:43:34 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <aMkL9.100425$ry.1244992@twister.rdc-kc.rr.com>
Source record: 35918

Hi
Has any one put the yf112a AM filter in the ft840?
Does it help that much with tx and rx?
Does it take some of the bassy sound away?
Thanks

6909. Re: very late Heathkit receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 14:05:31 UTC
From: Dale Parfitt <parinc@verizon.net>
Message-ID: <3DFDDA5C.2789A7E2@verizon.net>
Source record: 35919
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

John Rethorst wrote:

> The last, or near the last, line of Heathkit ham equipment had matching
> transmitter and receiver both with red LED frequency displays. What was
> the model/series number of these? Did Heath ever make a general coverage
> receiver in that line?
>
> Thank you,
>
> --
> John Rethorst

The HR1680 (RX) and HTX-1681 had red analog dials- although last month's QST reported the RX had digital display- I can find no confirmation of this. The RX was 100% solid state. Ever since the QST article, EBay prices for this pair have shot up noticeably.

Dale W4OP

6910. Re: very late Heathkit receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 14:17:46 UTC
From: Dick <rhughes33@cableone.net>
Message-ID: <42orvu8nsf30jq4g03g2ksv1b6ko99st1e@4ax.com>
Source record: 35920

Here's a picture of the HR-1680.
http://www.rigpix.com/heathkit/hr1680.htm
Definitely an analog dial, not digital.

Dick - W6CCD

On Mon, 16 Dec 2002 14:05:31 GMT, Dale Parfitt <parinc@verizon.net>
wrote:

>
>
>John Rethorst wrote:
>
>> The last, or near the last, line of Heathkit ham equipment had matching
>> transmitter and receiver both with red LED frequency displays. What was
>> the model/series number of these? Did Heath ever make a general coverage
>> receiver in that line?
>>
>> Thank you,
>>
>> --
>> John Rethorst
>
>The HR1680 (RX) and HTX-1681 had red analog dials- although last month's QST
>reported the RX had digital display- I can find no confirmation of this. The
>RX was 100% solid state. Ever since the QST article, EBay prices for this
>pair have shot up noticeably.
>
>Dale W4OP

6911. FS: Henry 2KD Classic Linear Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 15:19:00 UTC
From: jonweiner@aol.com
Message-ID: <20021216101900.18139.00000113@mb-fc.aol.com>
Source record: 35921

Nice condition Henry model 2KD Classic desk top 2000 Watt P.E.P. linear. Uses pair of 3-500Z's. Has 10 meter modification. Covers all bands, including WARC bands, from 3.5 thru 30 mHz. In very good condition, with no dents or dings. Recently removed from service, and could use a bit of cleaning. Complete with copy of the original instruction manual. Pick up at Greer, SC preferred, but will ship. Photos available. Price $450.

6912. FS Yaesu FT-817/FT-897 Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 15:43:58 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <2xmL9.13$G4.5040@newsread2.prod.itd.earthlink.net>
Source record: 35922

I have the following Yaesu FT-817/FT-897 Accessories for sale. They are all new in the box, never used at all:
1. Yaesu FNB-72 9.6 Volt 1000 mah Nicad Battery Pack. Cost $60.99 My Price $45:
2. Yaesu CT-62 CAT Interface Cable for FT-817 or FT-897 Cost $29.99 My Price $19.99;
3. Yaesu CT-39 Packet Interface Cable for FT-817 or FT-897 Cost $9.99 My Price $5.99;
4. Heil ADM-Y817 Conversion Cable for the FT-817 or FT-897 Cost $25.99 My Price $19.99.
Prices do not include shipping. Thanks, Charlie Hugg, K5MBX

6913. Re: Kenwood TM2550A with TU-7 PL Tone encoder/decoder and DTMF Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 16:02:34 UTC
From: Bill Turner <w7ti@dslextreme.com>
Message-ID: <54urvu80iip15hblhtafjr6948vipgo4n6@4ax.com>
Source record: 35923
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

On 15 Dec 2002 14:46:06 -0800, daustin@chartermi.net wrote:

>How can it be for sale if its for auction

Easy. An auction is just one kind of sale. Think about what a
sale is: a transfer of property in exchange for money. Lots of
ways to accomplish that.

Back to school, daustin.

Bill, W7TI

6914. FS B&W 550A 5 Position Antenna Switch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 16:08:27 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <%TmL9.41$nj1.816@newsread1.prod.itd.earthlink.net>
Source record: 35924

I have for sale a nice B&W 550A 5 Position Antenna Switch. Works but needs a good cleaning. Price is $23.50 shipped. Thanks, Charlie Hugg, K5MBX

6915. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 16:20:08 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFDFD39.5080703@netscape.net>
Source record: 35925
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

William Sommerwerck wrote:
> Ken Tough wrote...
>
>
>>Anyway, I think it's far more exciting to have a surfeit of words
>>than an excess of rules. [e.g. 16 verb tenses in Finnish?]
>
>
> English has a large number of verb tenses, which allows very fine
> distinctions -- "Had the airplane arrived on time, I would have been on my way
> to California at this time."

I'm surprised you didn't throw a future conditional into that one...
"... I shall have been in California". ;-)

(Not sure if I could even still rattle them off. Future conditional was
just so weird I remembered it all these years.)

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

6916. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 16:21:28 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFDFD89.7040706@netscape.net>
Source record: 35926
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ken Tough wrote:
> Bob Stein <w6nbi@earthlink.net> wrote:
>
>
>>When traveling in Japan, I found that very few Japanese could speak
>>English, even though it was a required second language in their
>>schools. Our tour guide, who had been a middle-school teacher,
>>explained this by saying that the schools teach reading and
>>translating, but virtually no conversational English.
>>
>>Compare this to the Chinese system, where all the young students
>>strive to perfect their English. On the Bund in Shanghai, I was
>>surrounded by young people who just wanted the opportunity of speaking
>>English with a Westerner.
>
>
> But then again, Japanese manuals are a treat compared to
> the "poetic" chinese ones. ["Bringing parts into proximity
> unknowingly is crouching hazard!"]

Oh, not me. I love those Chinese ones! (Except when I'm actually trying
to figure out how to program the VCR. Then I put the manual on the
poetry shelf and start pushing buttons.)

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

6917. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 16:39:29 UTC
From: Joe Bento <joseph-nospam-@kirtland.com>
Message-ID: <o00svu4i5652p2bgddvqpdcbi7bjj05gs9@4ax.com>
Source record: 35927
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Mon, 16 Dec 2002 12:15:55 +0200, Ken Tough <ken@objectech.co.uk>
wrote:

>Sven Franklyn Weil <sven@gordsven.com> wrote:
>
>>I think that the illegal English sign thing is just if the sign is English
>>only (no French). In Montreal I saw English/French signs on buildings.
>
>The legislation (I recall it as being Bill 101?) is actually that
>signs displayed in English must also have a french equivalent, and
>the english may not have larger font or brighter colours.

How does one say McDonald's or Pizza Hut, or Radio Shack in French?

The tunnel connecting Britain and France across the English Channel
was in controversy not long ago from what I remember. Seems on the
French side, signs said, "Le Tube." This was apparently looked upon
as bastardized English rather than French.

I do admire the French for being so protective of their language and
culture. To do so here in the United States we would be labled as
racist. Then again, the United States doesn't exactly have a dominant
culture.

Joe

Remove the -nospam- to send e-mail
joseph-nospam-@kirtland.com

6918. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 17:01:14 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFE06DC.8020103@netscape.net>
Source record: 35928
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Joe Bento wrote:
> On Mon, 16 Dec 2002 12:15:55 +0200, Ken Tough <ken@objectech.co.uk>
> wrote:
>
>
>>Sven Franklyn Weil <sven@gordsven.com> wrote:
>>
>>
>>>I think that the illegal English sign thing is just if the sign is English
>>>only (no French). In Montreal I saw English/French signs on buildings.
>>
>>The legislation (I recall it as being Bill 101?) is actually that
>>signs displayed in English must also have a french equivalent, and
>>the english may not have larger font or brighter colours.
>
>
> How does one say McDonald's or Pizza Hut, or Radio Shack in French?

Those would remain the same, since they're trademarks. However, if you
were to try to advertise "Order a pizza straight from the comfort of
your radio shack" (meaning your shop) you'd have to call it "chalet de
radio" or something to that effect. ;-)

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

6919. ICOM IC-U400 Mobile UHF Transceiver - New in Box !

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 17:31:10 UTC
From: p34901@hotmail.com
Message-ID: <694df9e0.0212160931.7cceee1@posting.google.com>
Source record: 35929

ICOM IC-U400 Mobile UHF Transceiver - Commercial grade

I have two brand new (never been used) ICOM IC-U400 mobile prgrammable transceivers in original boxes. These radios are commercial UHF FM for business band (450-480 mHz 16 channel but can be easily modified/reprogrammed to include Amateur band, scan, split freq. for repeater operation, priority, PL Encode/Decode)- 35 Watts brand new in box with all accessories (external speaker, hand-mic, mobile bracket, DC power cable, etc). I am also including the EX-494 Programmer kit so you can program any UHF frequency. This is a nice sturdy trasceiver built to meet higher specifications than typical Ham gear. You will notice that it is almost intermod-free anywhere.

Asking $325 + shipping for both radios and EX-494 Programmer Kit.
Or I will sell $150 + shipping for each IC-U400 (I can program the frequencies you want since I have EX-494)

6920. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 17:56:01 UTC
From: Santa <HoHoHo@shaw.ca>
Message-ID: <RsoL9.60372$JZ.1460625@news1.telusplanet.net>
Source record: 35930
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

here in town we haveonly english signs and only english bilboards. But all
depends where. Kamloops have alot of native languages for STOP on the sign.

"Ken Tough" <ken@objectech.co.uk> wrote in message
news:yAm$8iCYMa$9EwTA@artslink.co.za...
> Apparently Santa <HoHoHo@shaw.ca> wrote:
>
> >it is mandatory to have everything bi-lingual here :(even ouy booze has
to
> >have english and french on it.
> >
> >Dev
>
> Never mind that, even the STOP (Arret) signs are in two languages.
> They don't even bother with Arret in France.
>
> --
> Ken Tough

6921. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 18:29:16 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <uvs6rfd4e5rde7@corp.supernews.com>
Source record: 35931
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Some "primitive" peoples do not have a concept of the future. Future conditional would _really_ drive them crazy...

Don't get me started on pluperfect...

Fred Nachbaur wrote...

> I'm surprised you didn't throw a future conditional into that one...
> "... I shall have been in California". ;-)

> (Not sure if I could even still rattle them off. Future conditional was
> was just so weird I remembered it all these years.)

6922. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 18:31:48 UTC
From: Terry <tsanford@nf.sympatico.ca>
Message-ID: <3DFE1C14.E073D276@nf.sympatico.ca>
Source record: 35932
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ken Tough wrote: Apropos Quebec etc.?
>
> Never mind that, even the STOP (Arret) signs are in two languages.
> They don't even bother with Arret in France.

Those signs, in the UK, back in the 1940s and 50s, used to be
labelled "HALT".
Again only four letters to convey the intent.
Much more commanding I thought than a wishy-washy sort of "please
'STOP' here"!
Wonder what they say today?
And in France they don't seem to be so preoccupied with
protecting 'La langue'!
So you get 'Le Rost Bif' and 'Le footbal' etc. Meanwhile we enjoy
'Crepes' and 'Pie a la mode' etc.
Cross cultural stuff like that!
BTW I never knew why British castle gates were protected by a
'Port Cullis'; until I saw a sign in French Canada warning about
sliding doors 'Porte Coullissant'. (Don't trust my spelling btw
in either language!).

6923. Trade a Heil CC-1 Mic Cable for Kenwoods for a CC- 1 that will work on my Yaesu 1000D.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 19:05:37 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <5upL9.120$c52.15042@newsread1.prod.itd.earthlink.net>
Source record: 35933

I would like to trade a Heil CC-1 Mic Cable for Kenwoods for a CC- 1 that will work on my Yaesu 1000D.
This is the cable/adaptor that works with the Goldline and HM series Heil mics.
Thanks,
Charlie Hugg, K5MBX

6924. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 19:26:22 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFE28E0.2020401@netscape.net>
Source record: 35934
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Terry wrote:
> [...]
> So you get 'Le Rost Bif' and 'Le footbal' etc. Meanwhile we enjoy
> 'Crepes' and 'Pie a la mode' etc.
> Cross cultural stuff like that!
> [...]

My favourite is the one that crossed the channel twice - "boeuf" became
"beef" going one way, then returned as "beefsteak" becoming "biftek."

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

6925. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 19:27:04 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailNOSPAMORAMA.com>
Message-ID: <b1tL9.21739$8d6.20459@news.bellsouth.net>
Source record: 35851
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

pluperfect ??????

--
73,
Chuck
KE4ETH
USA-NA
Remove the obvious from Email.

"William Sommerwerck" <williams@nwlink.com> wrote in message
news:uvs6rfd4e5rde7@corp.supernews.com...
> Some "primitive" peoples do not have a concept of the future. Future
conditional
> would _really_ drive them crazy...
>
> Don't get me started on pluperfect...
>
>
> Fred Nachbaur wrote...
>
> > I'm surprised you didn't throw a future conditional into that one...
> > "... I shall have been in California". ;-)
>
> > (Not sure if I could even still rattle them off. Future conditional was
> > was just so weird I remembered it all these years.)
>

6926. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 19:29:43 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFE29A8.5010701@netscape.net>
Source record: 35938
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Too late, I had contemplated bringing that up. :-p

Cheers,
Fred

William Sommerwerck wrote:
> Some "primitive" peoples do not have a concept of the future. Future conditional
> would _really_ drive them crazy...
>
> Don't get me started on pluperfect...
>
>
> Fred Nachbaur wrote...
>
>
>>I'm surprised you didn't throw a future conditional into that one...
>>"... I shall have been in California". ;-)
>
>
>>(Not sure if I could even still rattle them off. Future conditional was
>>was just so weird I remembered it all these years.)
>
>

--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

6927. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 19:32:23 UTC
From: "Clifton T. Sharp Jr." <clifto@clifto.com>
Message-ID: <3DFE2A47.68D4F71E@clifto.com>
Source record: 35935
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Alan Beagley wrote:
> My wife came to the US from the Netherlands when she was 9 years old,
> which was still early enough to acquire a perfect English ("American
> English," anyway) accent, although some odd Dutch idioms translated
> word-for-word into English pop out sometimes. There was no "bilingual
> education," but there was a Dutch-speaking teacher around who was able
> to help her.

One of my wife's oldest friends is a lady who came from Italy at third-
grade age. This lady claims not to speak Italian (though her parents
speak no English, and she visits them frequently). I can't resist playing
tricks on her; I'll start a conversation, and at some point I'll say
something in Italian, she'll answer in perfect Italian without a thought,
and when my wife and I point out that she did so she'll deny it, believing
firmly that she spoke nothing but English.

--
It is better to light just one little candle than to curse the darkness.
If everyone lit just one little candle, the EPA would outlaw candles.

6928. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 19:37:18 UTC
From: Mike Coslo <mjc5@psu.edu>
Message-ID: <3DFE2B6E.5080302@psu.edu>
Source record: 35937
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Fred Nachbaur wrote:

> I wondered about that also, while living in California for a number of
> years. One day I went on a rant very similar to yours, and my boss at
> the time (and *NOT* a Hispanic American) pointed out that California
> originally belonged to Mexico, and was annexed by the US - and that
> therefore, Spanish was California's first language.

So the native americans who lived in California spoke Spanish? I don't think so.

> We have a similar situation here in Canada, and it's not unusual to hear
> tirades very similar to yours. However, there again it was merely due to
> the accident of history that the English-speaking army conquered the
> French-speaking army at the Plains of Abraham. I'm glad that the
> Quebecois had the strength and sheer stubborness to insist on equal
> treatment of their language and culture -- even at the "expense" of
> "having to put up with" French-language text on our cereal boxes. Canada
> is a better place for it. I think that the United States of America
> gains from the Hispanic, African, and European influences also.

One question. On a recent trip to Ottawa, I noticed of course the bilingual treatment of most everything. I though "Okay, there you have it". But then one day we made a side trip to Hull, right across the river. The English dissapeared at the border, and French language was the only thing we saw after that. What is with that? Does the bilingual treatment only go one way?

If I lived in an area that the main language was (whatever) you can be darn sure I would learn the language. My kids would know the language too.

- Mike -

6929. FS: Yaesu FT 707 HF + WARC xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 19:37:37 UTC
From: Tim Carey <velopista@earthlink.net>
Message-ID: <5YpL9.204$1a1.22061@newsread2.prod.itd.earthlink.net>
Source record: 35936

Very clean, nice performing FT 707 HF xcvr (includes WARC bands) 100W. all
solid state and smaller than a TS430 etc
Mic and manual and radio for $250 plus shipping from N Ca.
Thanks,
Happy Holidays!
Tim NI6L

6930. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 20:09:11 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <HpqL9.273$jH5.45611065@newssvr14.news.prodigy.com>
Source record: 35939
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"William Sommerwerck" <williams@nwlink.com> wrote in message
news:uvrkeo9t55vld0@corp.supernews.com...
> Ken Tough wrote...
>
> > Similar to the problem in many latin languages, where
> > the adjectives like "his" or "her" agree in gender with the
> > noun, not with the possessor. So common slips might be
> > to say something like "his shoes" referring to a woman.
>
> "His" and "her" do not have gender in Spanish.

His: de él
Hers: de ella

Where it has no gender is in "suyo"or "su" as in "su sombrero" or "el
sombrero suyo."

6931. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 20:10:26 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <SqqL9.274$RL5.45848785@newssvr14.news.prodigy.com>
Source record: 35940
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Ken Tough" <ken@objectech.co.uk> wrote in message
news:5Ac9cYCwJa$9Ewzi@artslink.co.za...
> Joe Bento <joseph@nospam.kirtland.com> wrote:
>
> >As much Spanish language influence we have in the United States, I
> >find it interesting that most products designed for the North American
> >market have instruction manuals in English and French. To my
> >knowledge, Canada is primarily an English speaking country with the
> >exception of Quebec. Yet the instruction manuals for my TV, VCR, DVD
> >player, etc are bi-lingual in English and French with nary a word in
> >Spanish.
>
> It's because Canada is officially bilingual, no matter what the
> demographics say in practice. It is illegal to sell stuff without
> bilingual labelling. It's cheaper for manufacturers to make one
> set of docs, in compliance with necessary law, than two just to
> make things practically better for their customers. The only way
> for the spanish to be catered for is for the US to be officially
> bilingual. (I wouldn't hold my breath).

Very difficult. The US has no official language, by design to protect
freedom of speech.

6932. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 20:10:32 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFE333A.7020301@netscape.net>
Source record: 35941
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Mike Coslo wrote:
>
>
> Fred Nachbaur wrote:
>
>> I wondered about that also, while living in California for a number of
>> years. One day I went on a rant very similar to yours, and my boss at
>> the time (and *NOT* a Hispanic American) pointed out that California
>> originally belonged to Mexico, and was annexed by the US - and that
>> therefore, Spanish was California's first language.
>
>
> So the native americans who lived in California spoke Spanish? I
> don't think so.

You're right, of course. I guess it depends when you start counting.
California had of course been invaded... er.. "colonized" by the Spanish
long before the Anglos appeared, thus the Spanish language was by that
time already well entrenched.

>> [...]
>
>
> One question. On a recent trip to Ottawa, I noticed of course the
> bilingual treatment of most everything. I though "Okay, there you have
> it". But then one day we made a side trip to Hull, right across the
> river. The English dissapeared at the border, and French language was
> the only thing we saw after that. What is with that? Does the bilingual
> treatment only go one way?

It does in Hull. ;-)

I suspect that this is one of those knee-jerk reaction things. Ottawa
being the seat of government of a predominantly English country, in a
heavily English-speaking province, I guess the Hullians (Hullites?
Hullois?) feel they have to make a point.

> If I lived in an area that the main language was (whatever) you can
> be darn sure I would learn the language. My kids would know the language
> too.

Yuppers. Same here.

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

6933. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 20:45:26 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <uvseqq7lfqp65a@corp.supernews.com>
Source record: 35942
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Yes, but the gender agreement is with the person, not the object.

David Eduardo wrote...

> "William Sommerwerck" wrote...

>> Ken Tough wrote...

>>> Similar to the problem in many latin languages, where
>>> the adjectives like "his" or "her" agree in gender with the
>>> noun, not with the possessor. So common slips might be
>>> to say something like "his shoes" referring to a woman.

>> "His" and "her" do not have gender in Spanish.

> His: de ï¿½l
> Hers: de ella

> Where it has no gender is in "suyo"or "su" as in "su sombrero" or
> "el sombrero suyo."

6934. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 20:49:14 UTC
From: sven@gordsven.com
Message-ID: <slrnavsf5g.vc8.sven@gordsven.com>
Source record: 35943
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <HpqL9.273$jH5.45611065@newssvr14.news.prodigy.com>, David Eduardo wrote:

> Where it has no gender is in "suyo"or "su" as in "su sombrero" or "el
> sombrero suyo."

Actually in that case, the the gender is determined by the object in question, not the person it belongs to: for example "la cartera" (the purse) is "La cartera suya" but it's gender neutral when you say "su cartera"

Both mean "your purse"

--
Sven

6935. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 21:22:50 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <9eac7tDqQk$9EwyF@artslink.co.za>
Source record: 35944
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

William Sommerwerck <williams@nwlink.com> wrote:

>Ken Tough wrote...
>> Anyway, I think it's far more exciting to have a surfeit of words
>> than an excess of rules. [e.g. 16 verb tenses in Finnish?]

>English has a large number of verb tenses, which allows very fine
>distinctions -- "Had the airplane arrived on time, I would have been on my way
>to California at this time."

Yes, now phrase that in the imperfect subjunctive...

(Actually, I meant the 16 noun cases in Finnish, but same sort
of idea.)
--
Ken Tough

6936. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 21:24:25 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <4uCd3zDJSk$9Ewxv@artslink.co.za>
Source record: 35945
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Apparently William Sommerwerck <williams@nwlink.com> wrote:

>Ken Tough wrote...
>> Similar to the problem in many latin languages, where
>> the adjectives like "his" or "her" agree in gender with the
>> noun, not with the possessor. So common slips might be
>> to say something like "his shoes" referring to a woman.

>"His" and "her" do not have gender in Spanish.

What's the difference between suyo and suya then? I expect
you misunderstand me.

--
Ken Tough

6937. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 21:30:21 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFE45EF.9020401@netscape.net>
Source record: 35946
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ken Tough wrote:
> William Sommerwerck <williams@nwlink.com> wrote:
>
>
>>Ken Tough wrote...
>>
>>>Anyway, I think it's far more exciting to have a surfeit of words
>>>than an excess of rules. [e.g. 16 verb tenses in Finnish?]
>>
>
>>English has a large number of verb tenses, which allows very fine
>>distinctions -- "Had the airplane arrived on time, I would have been on my way
>>to California at this time."
>
>
> Yes, now phrase that in the imperfect subjunctive...

You've got me there. Answer please? ;-)

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

6938. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 21:37:22 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <aJrL9.2025$4k6.231446@wards>
Source record: 35947
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ah, but when us Brits rule the world (again!!) we can teach you all to speak

PROPA INGLISH, LIKE WOT I DOES!!!

Of course you have the Welsh situation here where, for some strange reason,
English people go to Wales on holiday and wonder why the locals are speaking
Welsh (oh yes and when the English go to France on the shopping day trips,
why the French shop assistants are not speaking english.

Still when the revolution comes.... we will all speak..... ENGRISH!!!

Neil

G1TZC / M3TZC

Fred Nachbaur <fnachbaur@netscape.net> wrote in message
news:3DFC11CB.4090407@netscape.net...
>
>
> Lou wrote:
> > Well, you can't come down too hard on the Japanese..At least they are
> > trying. WE are the ones failing.
> > Our language is starting to suck more each day with some of the newer
words
> > or expressions coming about. And my pet peeve is, it seems "most"
everyone
> > can learn our language EXCEPT those who speak Spanish.. WHY is OUR
country
> > catering to them...You live here, you damned well ought to be able to
speak
> > and read HERE. If I went to their country, I would have to learn
Spanish. I
> > see our Social Security, Welfare and other agencies catering to them...
If
> > I'm not mistaken the last time I called the Social Security office I was
met
> > with Spanish "FIRST"...WHAT THE HELL? THIS IS AMERICA - an ENGLISH
speaking
> > country..... If the Germans, Chinese, Japanese, Russians and so on can
> > speak English - broken as some of it may be, why the hell can't these
> > people? Is it something in their system that prevents it:? Best part is,
> > "WE" are allowing it to happen. Or it 's being shoved up our ass, one of
the
> > two.

>
> Hi, Lou,
>
> I wondered about that also, while living in California for a number of
> years. One day I went on a rant very similar to yours, and my boss at
> the time (and *NOT* a Hispanic American) pointed out that California
> originally belonged to Mexico, and was annexed by the US - and that
> therefore, Spanish was California's first language.
>
> We have a similar situation here in Canada, and it's not unusual to hear
> tirades very similar to yours. However, there again it was merely due to
> the accident of history that the English-speaking army conquered the
> French-speaking army at the Plains of Abraham. I'm glad that the
> Quebecois had the strength and sheer stubborness to insist on equal
> treatment of their language and culture -- even at the "expense" of
> "having to put up with" French-language text on our cereal boxes. Canada
> is a better place for it. I think that the United States of America
> gains from the Hispanic, African, and European influences also.
>
> Cheers,
> Fred
> --
> +---+
> | Music: http://www3.telus.net/dogstarmusic/ |
> | Projects, Vacuum Tubes & other stuff: |
> | http://www.dogstar.dantimax.dk |
> +---+
>

6939. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 21:43:33 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFE4907.9010705@netscape.net>
Source record: 35848
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

```
Neil (G1TZC / M3TZC) wrote:
> Ah, but when us Brits rule the world (again!!) we can teach you all to speak
>
> PROPA INGLISH, LIKE WOT I DOES!!!
>
> Of course you have the Welsh situation here where, for some strange reason,
> English people go to Wales on holiday and wonder why the locals are speaking
> Welsh (oh yes and when the English go to France on the shopping day trips,
> why the French shop assistants are not speaking english.
>
> Still when the revolution comes.... we will all speak..... ENGRISH!!!
>
> Neil
>
> G1TZC / M3TZC

Haw haw -- round-eye guy hirarious! :)

Cheers,
Fre
--
+-----------------------------------------+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+-----------------------------------------+
```

6940. Re: Kenwood TM2550A with TU-7 PL Tone encoder/decoder and DTMF Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-16 21:50:30 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3DFE4B9A.C5081EED@optonline.net>
Source record: 35849
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi, this is true. Maybe the guy is new to this and did not understand.
There are too many guys that are damn nasty about it when they need not
be.

take care

Just another Joe wrote:

> Seems to me, it shouldn't be too much trouble for anyone to clearly
> indicate in the subject line what the post is about. If it's for
> sale, auction, trade, need help or whatever it should say so in the
> subject. That's what subject lines are for! Then everyone read what
> they want and ignore all else. Anything else is akin to trolling...
> Seems to me.
>
> "Mark Russo" <mrrusso@optonline.net> wrote in message
> news:3DFD34EC.59D62ED8@optonline.net...Seems the post did
> not say FA or FS.
> GIVE IT A REST ALREADY, what a bunch of
> old wash women!!!!!!!!
> Go find something productive to do.
>
> And lose the male chauvinism, this is 2002
> --
>
>
>
> What a brain dead or blonde .How can it be for sale if its
> for auction
> .If i wanted to buy it i would want to buy it,not bid on
> it.wouldn't
> buy anyways from a braindead that posts it everywhere but
> where its
> posted originaly.Didn't know these News groups advertisers
> for
> auctions.
> daustin@chartermi.net wrote:
>
> > Joe Mehaffey <joe@mehaffey.us> wrote in message
> > news:<3DFCB593.F3F6856E@mehaffey.us>...
> > > I have the above 50 watt TM2550A two meter Kenwood FM
> > transceiver for
> > > sale on eBay. Unit includes power cable, manual, DTMF
> > microphone and

> > > has installed TU-7 PL tone encoder decoder.
> > > Starting price is $50.
> > >
> > > See:
> > http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
> >
> > >
> > > Thanks
> > > Joe Mehaffey
>

6941. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 00:03:06 UTC
From: mdmart@netzero.net
Message-ID: <93638721.0212161603.7d00e5c2@posting.google.com>
Source record: 35852
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Terry <tsanford@nf.sympatico.ca> wrote in message
news:<3DFCB6E7.C2A08292@nf.sympatico.ca>...
> Imagine trying to explain 'radio antenna', 'transistor',
> 'battery' etc., to someone living in the Amazon jungle.
> Another example: Some words/expressions are culturally taboo.
> The term 'Knocking up' has entirely different meanings between
> North America and Britain, for example.
> In Britain it refers to waking people up on a workday morning by
> knocking on the bedroom window! The other (North American) usage
> will leave to reader's imagination.
> But thank goodness we are NOT all the same. Even those of us who
> all think we speak 'correct' English!
> Have fun chaps! Terry.

I think the U.S. government advisors in Vietnam in the pre-war days
ran into this problem in trying to communicate technical terms that
didn't exist in the Vietnamese language to their native assistants, so
they got around it by teaching them the English word.
Mike.

6942. Re: Adonis FX-10 mobile mic any good?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 00:51:15 UTC
From: Ian Morrison <ian.g4xyt@ntlworld.com>
Message-ID: <3yuL9.2534$zF4.132063@newsfep1-gui.server.ntli.net>
Source record: 35853
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

cant beat good old fist mike for mobile ,but Addonis compressor mike for
base station are very good.
<blag@bob.com> wrote in message
news:98sovukld3gqhep8ckrijj0kfqqu3k5q5i@4ax.com...
> Anyone using/used one of these before or maybe heard one in use
> (especially if it was with an Icom 706G) that could comment on the
> audio quality? They seem to have been around for ages but I can't find
> any reviews or comments about them online. TIA.
>
> Paul

6943. WTB: Bird dummy load 1KW model 8251

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 00:52:24 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <kqssvu8nd52tnotbvj3th27hofv7jqtka4@4ax.com>
Source record: 35854

Looking to buy a Bird termaline 1KW dummy load model 8251 in excellent condition....If you have one and no longer have a need for it please let me know.....WZ1U Steve

6944. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 00:54:28 UTC
From: Santa <HoHoHo@shaw.ca>
Message-ID: <8BuL9.52742$sj3.1375692@news0.telusplanet.net>
Source record: 35855
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

lol. they say freedom of speech. but they do not allow freedom to listen. No offence. I call freedom of speech as like here. Besides the mandatory french that is on our stuff. we get to listen to what we want.

Dev

"David Eduardo" <amdavid@pacbell.net> wrote in message
news:SqqL9.274$RL5.45848785@newssvr14.news.prodigy.com...
>
> "Ken Tough" <ken@objectech.co.uk> wrote in message
> news:5Ac9cYCwJa$9Ewzi@artslink.co.za...
> > Joe Bento <joseph@nospam.kirtland.com> wrote:
> >
> > >As much Spanish language influence we have in the United States, I
> > >find it interesting that most products designed for the North American
> > >market have instruction manuals in English and French. To my
> > >knowledge, Canada is primarily an English speaking country with the
> > >exception of Quebec. Yet the instruction manuals for my TV, VCR, DVD
> > >player, etc are bi-lingual in English and French with nary a word in
> > >Spanish.
> >
> > It's because Canada is officially bilingual, no matter what the
> > demographics say in practice. It is illegal to sell stuff without
> > bilingual labelling. It's cheaper for manufacturers to make one
> > set of docs, in compliance with necessary law, than two just to
> > make things practically better for their customers. The only way
> > for the spanish to be catered for is for the US to be officially
> > bilingual. (I wouldn't hold my breath).
>
> Very difficult. The US has no official language, by design to protect
> freedom of speech.
>
>

6945. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 01:18:42 UTC
From: Dan Morisseau <dpm3@morisseau.org>
Message-ID: <3DFE7B65.AF185A9A@morisseau.org>
Source record: 35856
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Terry wrote:

>
> And in France they don't seem to be so preoccupied with
> protecting 'La langue'!
> So you get 'Le Rost Bif' and 'Le footbal' etc. Meanwhile we enjoy
> 'Crepes' and 'Pie a la mode' etc.
> Cross cultural stuff like that!

Ummm ... You' betterd check with L'Acadame Francais on that. It may
be used by some, but I'll bet it isn't "approved".

--
Dan Morisseau - N 38ï¿½34'53", W 90ï¿½22'32", 680'
Cardinal Nation: On the sunrise side of Mo-Pac's famous Kirkwood Hill!
"ï¿½Y tu madre tambien!"

6946. WANTED: SERVICE MANUAL KENWOOD TS-530S

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 01:53:47 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <3DFE83AB.A1F58E58@erols.com>
Source record: 35857

A ham friend of mine, K3TEL, Arnold, is looking to borrow or have a
copy made of a service manual for the Kenwood TS-530S.

If you can be of help, please contact him directly at: k3tel@juno.com

Thanks.
73, Murray, K3BEQ

6947. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 02:13:36 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <kLvL9.252393$GR5.85754@rwcrnsc51.ops.asp.att.net>
Source record: 35858
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Ken Tough" <ken@objectech.co.uk> wrote in message
news:ZQW146CZha$9Ew23@artslink.co.za...
> Robert Casey <wa2ise@ix.netcom.com> wrote:
>
> >I have heard that English has a very large vocabulary compare to most
> >other languages. Many words have been pirated from other languages.

"The problem with defending the purity of the English language is that
English is about as pure as a cribhouse whore. We don't just borrow
words; on occasion, English has pursued other languages down alleyways
to beat them unconscious and rifle their pockets for new vocabulary."
--James D. Nicoll

I have seen this posted as someone's .sig, can't recall which group or who
posted it- but I just love it!

Jackie
KC0ODY

6948. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 02:31:34 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <a0wL9.374167$WL3.113586@rwcrnsc54>
Source record: 35859
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"MikeM" <mdmart@netzero.net> wrote in message
news:93638721.0212161603.7d00e5c2@posting.google.com...

> I think the U.S. government advisors in Vietnam in the pre-war days
> ran into this problem in trying to communicate technical terms that
> didn't exist in the Vietnamese language to their native assistants, so
> they got around it by teaching them the English word.

This is quite different from the methods that were used to teach English names of objects in certain Native American languages. A number of tribes came up with their own words for the "modern" objects they became familiar with through contact with European settlers. These objects were often described by using agglutinations of already-familiar words and terms in their own languages.

Oftentimes, this would make for a relatively large phrase to signify something that could described in English by using a small word or phrase. For instance, the Ojibwe word for "blueberry pie", which was something that wasn't familar to these folks in pre-European-settlement days, became this:

Miinibaashkiminasiganibiitooyingwesijiganibakwezhigan

Which, when translated from the Ojibwe, means this: berries smashed together between layers of bread.

Please don't ask me to pronounce it. I'll have terrible flashbacks to a couple of exams that I had to complete by giving spoken word translations of several Ojibwe phrases.

Jackie
KC0ODY

6949. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 02:34:26 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <S2wL9.375153$P31.140364@rwcrnsc53>
Source record: 35860
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Alan Beagley" <abeagley@optonline.net> wrote in message
news:3DFD5593.3010507@optonline.net...

> Our son is studying French ("standard" French, not Quebec French) in
> school (Grade 8) so we thought of taking part of our last summer
> vacation in Quebec and give him an opportunity (and me -- but it's been
> a looooong time) to practice -- until we ran into a native French
> speaker (of "standard" French), who told us that the speakers of Quebec
> French hate speakers of standard French almost as much as they hate
> speakers of English. So we settled for a vacation in New England instead.

LOL... the better part of valor.

Jackie
KC0ODY

6950. FS: EX-494 Frequency Programmer for ICOM Radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 02:36:05 UTC
From: p34901@hotmail.com
Message-ID: <694df9e0.0212161836.5efd1209@posting.google.com>
Source record: 35861

For Sale: EX-494 Frequency Programmer pad for ICOM Radios.
This is a rare programming unit you use to program IC-U400, IC-V100 , etc.
Brand new with Programmer manual - Asking $75 + shipping

6951. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 02:42:29 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3DFE8F11.7010200@optonline.net>
Source record: 35862
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

When I was living in Taiwan and learning Chinese (Mandarin), I bought some of the local computer magazines and started looking up phrases in the dictionary, but when I used some of these terms in talking to my teacher, she often looked quite puzzled. It turned out that she was accustomed to using the English word (e.g., "printer") instead of the Chinese term (which translates literally as "print form machine").

-=-
Alan

MikeM wrote:

> I think the U.S. government advisors in Vietnam in the pre-war days
> ran into this problem in trying to communicate technical terms that
> didn't exist in the Vietnamese language to their native assistants, so
> they got around it by teaching them the English word.

6952. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 02:48:54 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <qgwL9.252584$GR5.85518@rwcrnsc51.ops.asp.att.net>
Source record: 35863
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Joe Bento" <joseph-nospam-@kirtland.com> wrote in message
news:o00svu4i5652p2bgddvqpdcbi7bjj05gs9@4ax.com...

<snip>

> I do admire the French for being so protective of their language and
> culture. To do so here in the United States we would be labled as
> racist. Then again, the United States doesn't exactly have a dominant
> culture.

True. Speaking of different cultures...

...what might be interesting (maybe) to some of you, as long as we are on the off-topic but quite engaging subject of languages, is the fact that American Sign Language (which is also used as the primary communication of the Deaf in Canada) and French Sign Language are intimately linked.

The first teachers in 19th century American schools for the Deaf were from France, namely Abbe Charles de l'Eppe and Laurent Clerc. Much of the sign language in the US (and later Canada) that developed amongst the students who were educated in the American schools for the Deaf was a strong amalgam between their own, native sign usage and French Sign Language. Even today, more than 1/3 of the signs and phrases in American Sign Language are direct offshoots of those from French Sign Language.

If a native ASL user were to go to Britain or Australia, they would find themselves lost- since those nations use an entirely different forms of sign language from ASL (actually, Australian SL is related to British SL- which is entirely different and unrelated to American SL).

Jackie
Language aficionado <--- hey, there's a ripoff term from Espanol! :-)

6953. HT-5B Hallicrafters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 03:13:53 UTC
From: Sparks W4EAS <sparksw4eas@mindspring.com>
Message-ID: <3DFE9671.4C73@mindspring.com>
Source record: 35864

Need a schematic for the Hallicrafters HT-5B preamp used with the BC-610 transmitter. 73 Sparks W4EAS

6954. WANTED: 50 WATT, 2 METER MOBILE W/ CTCSS AND MEMORY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 03:18:35 UTC
From: Douglas Harrington <riws@msn.NOSPAM.com>
Message-ID: <3dfe9322@post.newsfeed.com>
Source record: 35865

*** post for FREE via your newsreader at post.newsfeed.com ***

I am looking for:

*2 meter transciever
*mobile
*50 Watts Max Pwr Output
*CTCSS/PL Tone
*Memory Banks
*With Manual
*Like New

...willing to buy up to $200.00
Do not reply to post, send email to:
riws@msn.com
Thanks, 73!

-----= Posted via Newsfeed.Com, Uncensored Usenet News =-----
http://www.newsfeed.com - The #1 Newsgroup Service in the World!
-----== 100,000 Groups! - 19 Servers! - Unlimited Download! =-----

6955. FS: FOUR(4) HUSTLER RESONATORS>CHEEP W/Pics

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 03:20:25 UTC
From: rlucch2098@aol.com
Message-ID: <20021216222025.26948.00000183@mb-dh.aol.com>
Source record: 35866

Hi All;
I have these 4 Hustler resonators from an estate sale.
I am keepimg some but these are extra.
They are untested but seem complete & used.
There are:
1)- SUPER RM-20-S
2)- RM-20
3)- RM-15
4)- RM10
Price is $40ppd Conus
Pics>>
http://www.myradioroom.com/hustlers1.jpg
http://www.myradioroom.com/hustlers2.jpg
http://www.myradioroom.com/hustlers3.jpg
Thanks for the Read & 73.
Rich WA2RQY

6956. FS: MFJ-5086X Interface Cable assy-New w/Pics Kenwood/Alinco 8-pin radios

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 03:22:00 UTC
From: rlucch2098@aol.com
Message-ID: <20021216222200.26948.00000184@mb-dh.aol.com>
Source record: 35867

Hi All;
MFJ-5086X interface cable assy, still new in the MFJ bag.
For use with most Kenwood & Alinco 8-pin radios.
Price is $20ppd Conus
Pics>>
http://www.myradioroom.com/mfjcable1.jpg
http://www.myradioroom.com/mfjcable2.jpg
Thanks for the Read & 73.
Rich

6957. FS: AST Ascentia 800N Color Lap-Top Computer, Great for PSK-31

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 03:35:51 UTC
From: rlucch2098@aol.com
Message-ID: <20021216223551.26948.00000186@mb-dh.aol.com>
Source record: 35868

Hi All;
I thought I listed this the other day?
Maybe someone deleted it, I wonder why, its very useful on the ham bands!
Anyway, its an AST Ascentia 800N 4/50 CS9 model.
I got it with an AOR scanner but have never used it with the AOR & I don't really need it.
I am not a computer head so please excuse my descriptions :D
It has Windows 95 with 4megs Ram, its a DX2 with 50 mhz speed, has a 9.5" dia color screen & a built in trackball, comes with the charger shown.
I only tested it quickly using the paint program shown in the pictures. The keys seem fine & the trackball is great, no need for a mouse.
Also has a modem built in for the WWW & a 3-1/2" floppy , 250+ or so Meg HD, thats wat it shows.
The price is $75.00ppd.
Here are some pics, its in Great shape>>
http://www.myradioroom.com/ast1.jpg
http://www.myradioroom.com/ast2.jpg
http://www.myradioroom.com/ast3.jpg
Tnx & 73......Rich WA2RQY

6958. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 03:36:12 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3DFE9BAC.AB90D89F@sympatico.ca>
Source record: 35869
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Santa wrote:
>
> lol. they say freedom of speech. but they do not allow freedom to listen. No
> offence. I call freedom of speech as like here. Besides the mandatory french
> that is on our stuff. we get to listen to what we want.
>
> Dev

We do?

I wish someone would tell that to the CRTC! (For you non-Canadians that's the government agency which controls the music our radio stations can play and dictates that if I watch a TV program on a U.S. network which is also on a Canadian one the U.S. one will be replaced with the Canadian one for the duration of the program; so that I cannot be seduced by U.S. advertising.)

Oh yes, and then there is the religious nonsense when something like the memorial service for the victims of the Swissair disaster is ordered not to make any reference to Christ.

But, other than that sort of stuff we can listen to what we want, and if we don't like what we hear a simple call to the CRTC and the offender will be punished - thank God (oops sorry can't use that word) for Short Wave Radio.

Dave

6959. Re: WANTED: 50 WATT, 2 METER MOBILE W/ CTCSS AND MEMORY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 03:40:25 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailNOSPAMORAMA.com>
Message-ID: <2KEL9.32663$6z5.20889@news.bellsouth.net>
Source record: 35890

Kenwood TM-261A. About $150-175 new. Check with HRO or AES.

--
73,
Chuck
KE4ETH
USA-NA
Remove the obvious from Email.

"Douglas Harrington" <riws@msn.NOSPAM.com> wrote in message
news:3dfe9322@post.newsfeed.com...
> *** post for FREE via your newsreader at post.newsfeed.com ***
>
> I am looking for:
>
> *2 meter transciever
> *mobile
> *50 Watts Max Pwr Output
> *CTCSS/PL Tone
> *Memory Banks
> *With Manual
> *Like New
>
> ...willing to buy up to $200.00
> Do not reply to post, send email to:
> riws@msn.com
> Thanks, 73!
>
>
>
>
> -----= Posted via Newsfeed.Com, Uncensored Usenet News =-----
> http://www.newsfeed.com - The #1 Newsgroup Service in the World!
> -----== 100,000 Groups! - 19 Servers! - Unlimited Download! =-----
>

6960. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 04:03:05 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3DFEA1F9.2060800@NOSPAMutoronto.ca>
Source record: 35870
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Dave Holford wrote:
>
> Santa wrote:
>
>>lol. they say freedom of speech. but they do not allow freedom to listen. No
>>offence. I call freedom of speech as like here. Besides the mandatory french
>>that is on our stuff. we get to listen to what we want.
>>
>>Dev
>
>
>
> We do?
>
> I wish someone would tell that to the CRTC! (For you non-Canadians
> that's the government agency which controls the music our radio stations
> can play and dictates that if I watch a TV program on a U.S. network
> which is also on a Canadian one the U.S. one will be replaced with the
> Canadian one for the duration of the program; so that I cannot be
> seduced by U.S. advertising.)

Are you sure? I always thought that the cable companies did
this unilaterally (perhaps receiving payoffs from Canadian
networks).

--
Michael Moore

6961. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 04:05:15 UTC
From: "Scott W. Harvey" <fromrarp@scottharvey.com>
Message-ID: <op7tvukln4mp34atcvgugsoelasdh271bp@4ax.com>
Source record: 35874
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Mon, 16 Dec 2002 12:00:48 +0200, Ken Tough <ken@objectech.co.uk>
wrote:

>But then again, Japanese manuals are a treat compared to
>the "poetic" chinese ones. ["Bringing parts into proximity
>unknowingly is crouching hazard!"]

The 1970s Jap manuals still rule.....

From a Honda motorcycle repair manual:

"You must work diligently to ensure that the gearing assemblies come
together in a harmonious fashion".

Translation: Make sure the gears mesh.

From a TEAC reel-to-reel tape recorder owner's manual:

"Do not attempt to perform a repair function on the subject mechanisms
unless you are technically minded well"

Translation: Don't mess with the innards of this thing unless you know
your s__t.

And just so the Germans don't feel left out....A quote from a beer keg
tap instruction sheet:

"Please make doubly certain that the containing vessel is chilled to a
precision temperature prior to utilizing the tap, and thus we will
have a royal beer!"

Translation (As if one is needed): Make sure your beer is cold!

-Scott

To reply to this message via e-mail, replace "fromrarp" in the e-mail address with "scott"

6962. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 04:10:51 UTC
From: Dave W <noapamspsffan@earthlink.net>
Message-ID: <3DFEA4A6.8010802@earthlink.net>
Source record: 35871
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Never anonymous Bud wrote:

>>Fred Nachbaur wrote:
>>
>>
>>>I wondered about that also, while living in California for a number of
>>>years. One day I went on a rant very similar to yours, and my boss at
>>>the time (and *NOT* a Hispanic American) pointed out that California
>>>originally belonged to Mexico, and was annexed by the US - and that
>>>therefore, Spanish was California's first language.
>>
>> So the native americans who lived in California spoke Spanish? I don't
>>think so.
>
>
> You're right, but there are VERY few of the 'Indians' left who speak anything
> but Spanish or English. There are a few but the children aren't willing to
> learn the 'old' language.
>

Actually, we were taught in school here in Southern California that the
treaty which deeded California to the United States stipulated that
California would have two languages, English and Spanish.

Keep in mind that immigrants, particularly women who did not work
outside the home often did not learn English before the advent of radio.
After radio, there was not much excuse!

Regards,

DAve

6963. Re: WANTED: 50 WATT, 2 METER MOBILE W/ CTCSS AND MEMORY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 04:11:32 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <atm85n02j2v@enews4.newsguy.com>
Source record: 35875

Check out the Yaesu FT2600M at www.aesham.com.
On sale for 109.95 thru Christmas. 73,

Kevin, K9HX

"Douglas Harrington" <riws@msn.NOSPAM.com> wrote in message
news:3dfe9322@post.newsfeed.com...
> *** post for FREE via your newsreader at post.newsfeed.com ***
>
> I am looking for:
>
> *2 meter transciever
> *mobile
> *50 Watts Max Pwr Output
> *CTCSS/PL Tone
> *Memory Banks
> *With Manual
> *Like New
>
> ...willing to buy up to $200.00
> Do not reply to post, send email to:
> riws@msn.com
> Thanks, 73!
>
>
>
>
> -----= Posted via Newsfeed.Com, Uncensored Usenet News =-----
> http://www.newsfeed.com - The #1 Newsgroup Service in the World!
> -----== 100,000 Groups! - 19 Servers! - Unlimited Download! =-----
>

6964. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 04:12:46 UTC
From: "Scott W. Harvey" <fromrarp@scottharvey.com>
Message-ID: <ro8tvucr9ob8pj3g6ddvo8um665flcde7m@4ax.com>
Source record: 35876
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Mon, 16 Dec 2002 15:01:48 -0330, Terry <tsanford@nf.sympatico.ca>
wrote:

>Those signs, in the UK, back in the 1940s and 50s, used to be
>labelled "HALT".
>Again only four letters to convey the intent.
>Much more commanding I thought than a wishy-washy sort of "please
>'STOP' here"!
>Wonder what they say today?

I don't remember what the signs said when I was in Britain in 1977,
but I do remember my mom doing something really stupid while driving
her rented English Ford, and getting stopped by a cop. The cop pulled
in front of her to get her to stop, and the cop car had a top sign on
the roof which alternately said STOP and HALT in big flashing letters.

He let her off with a warning, BTW.

-Scott

To reply to this message via e-mail, replace "fromrarp" in the e-mail address with "scott"

6965. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 04:31:02 UTC
From: Dave W <noapamspsffan@earthlink.net>
Message-ID: <3DFEA95C.4050200@earthlink.net>
Source record: 35872
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

MikeM wrote:
>
>
> I think the U.S. government advisors in Vietnam in the pre-war days
> ran into this problem in trying to communicate technical terms that
> didn't exist in the Vietnamese language to their native assistants, so
> they got around it by teaching them the English word.
> Mike.

As far as Vietnam goes, the government had a list, explained in my slang dictionary, of "counter culture" terms that had come into popular usage during the 1960s. Soldiers returning to the US after having been overseas for a tour of duty were having trouble with the language of the country they grew up in because so many new words, or more properly, new meanings for old words had come into being. The army recognized the problem and made up a list for returning servicemen.

Just listen to how people speak, in normal, informal conversation, on old radio programs or movies and compare it to how language is used today. English, at least, is a living and evolving language.

Regards,

DAve

6966. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 04:35:18 UTC
From: "William H. Bowen" <bill_bowen@attbi.com>
Message-ID: <kd9tvu0kjenm4brdq0mcmfje3tbsro5gf4@4ax.com>
Source record: 35873
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"William Sommerwerck" <williams@nwlink.com> wrote:

>As a technical writer who desperately needs a job, I, too, have long been angry
>with the Japanese for their miserable documentation. * (The manuals with German
>products can be even worse, believe it or not.) I have repeatedly asked Sony to
>hire me to oversee English-language documentation, but have been repeatedly
>rebuffed.

Bill, been there, done that. Worked for 5 1/2 years at Mitsubishi
Consumer Electronics editing user and service manuals from the
"Jenglish" originals to finished English manuals included with the
product. Did same job at JVC from 82-85.

>There are several reasons why the manuals for Japanese and German products are
>so poor.
>
>1. The most-fundamental is that the writers DON'T KNOW what constitutes a good
>manual! The Japanese are notorious for "tree" manuals -- where all the details
>are explained in excruciating (and sometimes pointless) detail -- without
>presenting the "forest" -- an overview of what's going on.

Bill, that is because, at least with Mitsubishi and JVC the manuals
are written by engineers, NOT by technical writers.

>
>In general, the best way to explain anything is to start with the "general" and
>work down to the "particular." The Japanese don't understand this.

See above comment.
>
>2. The Japanese worry about "losing face." They refuse to acknowledge they don't
>know how to write good manuals in good English. Accepting corrections or
>enhancements from foreigners is an even worse loss of face.

Yes, that was a LONG battle to get the Engineering Group in Japan to
accept the idea that a lowely American could actually produce an
English language manual that was better than what the Japanese could
produce, but once we got that hurdle scaled the other overseas
locations (including Canada) started using our English language
manuals as a base for their manuals.
>
>3. There is such a overwhelming flood of new products that there's no time to do
>good manuals -- even if they wanted to.

Yes, this IS a big problem, more so than 10-15 years ago when I worked
for Mitsubishi.

>
>4. They don't understand that good documentation helps your company's image and,
>in the long run, reduces the money spent on customer support.

Another battle that was hard-fought and won (at least while I was
there).
>
>
>* About 10 years ago Mitsubishi tried to produce "good" English-language docs
>for their VCRs. The resulting manual was nearly 100 pages and hopelessly
>"overwritten." Whoever wrote it never read Thoreau.

Ahhhhhh, THANK YOU so very much for vindicating what I told the
Marketing Manager for VCR Products in 1991: THE worst one of the bunch
was the HS-U82 VCR Manual. You could damn build the VCR from the
Instruction Manual!! Hell, the User Manual was bigger than the
Service Manual (which I did). Just for the record, the Marketing Dept.
had those manuals done by an outside MARCOM firm whose name escaped
me.
>
>** The manuals for my Yaesu amateur-radio equipment are written by the importer.
>There's room for improvement, but they're not at all bad. I hate to think what
>they'd be like if the Japanese had written them.

Just thank God the importer did do them!

Regards,
Bill Bowen
bill_bowen@attbi.com
Sacramento, CA

EX-Training/Publications Writer-Illustrator
Engineering Dept.
Mitsubishi Electronics America, Inc.
Cypress, CA

6967. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 04:44:58 UTC
From: sven@gordsven.com
Message-ID: <slrnavtb1g.d0h.sven@gordsven.com>
Source record: 35877
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <tt5tvu4ak80ltu5vca1i66s6k1te50t8hj@4ax.com>, Never anonymous
Bud wrote

> But you also have to consider that the a on the end of the word is feminine,
> an o on the other hand is masculine.

In most cases, yes.

However, to make your mind reel even more, sometimes
the typically "masculine" article "el" is used instead of the more
femenine "la":

Here are two examples: EL agua (the water), EL ala (the wing). To say "la
agua" would be incorrect.

--
Sven (no espeek inglish -- then what was that you just said? :))

6968. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 04:55:38 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <SQi343DK5q$9Ew2y@artslink.co.za>
Source record: 35878
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Joe Bento <joseph-nospam-@kirtland.com> wrote:

>How does one say McDonald's or Pizza Hut, or Radio Shack in French?

Dunno. I expect they don't have Pizza Hut or Radio Shack,
and McDonald's is just a name so not really English. But
anyway, French Canada is far more protective of the language
than France, even through the French have a council for
protecting the language and ensuring things like "ordinateur"
are used instead of "le computer" etc.

[...]
>Then again, the United States doesn't exactly have a dominant culture.

Only in a global sense..

--
Ken Tough

6969. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 05:33:12 UTC
From: Idontwantspam@net
Message-ID: <3dfeb58d.19725924@news.bellatlantic.net>
Source record: 35879
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

>"Alan Beagley" <abeagley@optonline.net> wrote in message
>news:3DFD5593.3010507@optonline.net...
>
>> Our son is studying French ("standard" French, not Quebec French) in
>> school (Grade 8) so we thought of taking part of our last summer
>> vacation in Quebec and give him an opportunity (and me -- but it's been
>> a looooong time) to practice -- until we ran into a native French
>> speaker (of "standard" French), who told us that the speakers of Quebec
>> French hate speakers of standard French almost as much as they hate
>> speakers of English. So we settled for a vacation in New England instead.
>
Hey, since when is vacationing in New England "settling"?

There are many interesting things to do and see in New England,
including a variety of cultures in various parts.

If you want, we could find someone to be rude to you in the language
of your choice.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

6970. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 05:57:27 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <atmcpv$8v7$1@news1.kornet.net>
Source record: 35880
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Or is that devolving??

"Dave W" <noapamspsffan@earthlink.net> wrote in message
news:3DFEA95C.4050200@earthlink.net...
>
>
> MikeM wrote:
> >
> >
> > I think the U.S. government advisors in Vietnam in the pre-war days
> > ran into this problem in trying to communicate technical terms that
> > didn't exist in the Vietnamese language to their native assistants, so
> > they got around it by teaching them the English word.
> > Mike.
>
> As far as Vietnam goes, the government had a list, explained in my slang
> dictionary, of "counter culture" terms that had come into popular usage
> during the 1960s. Soldiers returning to the US after having been
> overseas for a tour of duty were having trouble with the language of the
> country they grew up in because so many new words, or more properly, new
> meanings for old words had come into being. The army recognized the
> problem and made up a list for returning servicemen.
>
> Just listen to how people speak, in normal, informal conversation, on
> old radio programs or movies and compare it to how language is used
> today. English, at least, is a living and evolving language.
>
> Regards,
>
> DAve
>

6971. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 06:02:21 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <ehrkk9Dt3r$9EwkK@artslink.co.za>
Source record: 35883
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Michael Moore <m.moore@NOSPAMutoronto.ca> wrote:

[...]
>No disrepect, but if you had said you were from Ontario, you would not
>have been sharing a laugh. And there's nothing about Ontario that makes
>it any different than BC, except it's closer to the Quebec border.

..and it has about 100 more MPs..

--
Ken Tough

6972. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 06:03:34 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3DFEBE36.ECDE37B5@ix.netcom.com>
Source record: 35881
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Terry wrote:

> Robert Casey wrote:
> >
> > I have heard that English has a very large vocabulary compare to most
> > other languages. Many words have been pirated from other languages.
> > Some Chinese guys I have worked with said that that large vocabulary
> > drove them nuts learning English. But each word has its own precise
> > and "flavor" and nuance. The SAT test uses an analogy format to
> > test your knowledge of this (but I've heard they recently dropped that).
>
> Which is why cultural background can have such an influence on
> results. Imagine trying to explain 'reaping' or 'making hay'
> (literally) to a person of the Innu (Esquimaux/Eskimo)
> culture/background who has never seen grass or a cornfield. Or
> the concept of a snow machine to someone in the Sahara desert,
> say, who has never encountered snow! The Innu have as many words
> for different types of snow as we have for different types of
> cheese!

But they only have ten words for "variable rate mortgage".....

6973. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 06:11:33 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <WnlGFCEVAs$9Ew1y@artslink.co.za>
Source record: 35884
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Joe Bento <joseph@nospam.kirtland.com> wrote:

><srobbinsNoSPaMDUDES@netacc.net> wrote:

>>Sometimes you get a dictionary translation. From the directions for
>>assembling a stand for the Yamaha DX-7 synthesizer: "Fuck the left
>>assembly to the base"

>George Carlin would love it!

Or perhaps they were just translating into "Musician".

--
Ken Tough

6974. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 06:17:56 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3DFEC193.8E29A14E@ix.netcom.com>
Source record: 35882
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Fred Nachbaur wrote:

> I'm surprised you didn't throw a future conditional into that one...
> "... I shall have been in California". ;-)
> (Not sure if I could even still rattle them off. Future conditional was
> just so weird I remembered it all these years.)

In "grammar" school, (60's) we spent tons of time on grammatical trivia.
"Past-future perfect". "Split infinitives" "subjunctive" None of
which I can remember what they were. Also there were terms
for words what have the ending "ing" tacked on. "I am repairing the
antique radio". And "used to" is a kind of tense of verb IIRC.
Like: "I used to replace tubes before checking anything else".
And we made schematic diagrams of sentences. Say
"I repaired the radio" would look like:

```
I | repaired | radio
--------------------------
\ the
```

At the time I was trying to figure out if I could get a job
diagramming sentences when I was grown up, and who would
pay me to do that......

6975. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 06:20:57 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <eniE1HEJJs$9EwU+@artslink.co.za>
Source record: 35886
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Terry <tsanford@nf.sympatico.ca> wrote:

>Ken Tough wrote: Apropos Quebec etc.?
>> Never mind that, even the STOP (Arret) signs are in two languages.
>> They don't even bother with Arret in France.

>Those signs, in the UK, back in the 1940s and 50s, used to be
>labelled "HALT".
>Again only four letters to convey the intent.
>Much more commanding I thought than a wishy-washy sort of "please
>'STOP' here"!

Though "Give Way" seems a bit less so than "Yield" (perhaps
it's appropriate to use a more polite term there). As for
"Way Out" as opposed to "Exit", maybe it helps avoid the
imperative and be more explantory. Or it's just fun.

>BTW I never knew why British castle gates were protected by a
>'Port Cullis'; until I saw a sign in French Canada warning about
>sliding doors 'Porte Coullissant'. (Don't trust my spelling btw
>in either language!).

Trust the french to still live in the 15th century ;-)
I fart in their general direction..

--
Ken Tough

6976. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 06:24:40 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <Y3KFxJEoMs$9Ew0V@artslink.co.za>
Source record: 35885
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Mike Coslo <mjc5@psu.edu> wrote:

> One question. On a recent trip to Ottawa, I noticed of course the
>bilingual treatment of most everything. I though "Okay, there you have
>it". But then one day we made a side trip to Hull, right across the
>river. The English dissapeared at the border, and French language was
>the only thing we saw after that. What is with that? Does the bilingual
>treatment only go one way?

Yes, the constitution (although Quebec has not signed it..hmmm...)
provides for protection of a "distinct society" by having, in effect,
positive discrimination in ways. Obviously it's not all that popular
amongst some.
http://www.canadianembassy.org/government/quebec-en.asp

> If I lived in an area that the main language was (whatever) you can be
>darn sure I would learn the language. My kids would know the language too.

I would love to learn Xhosa, but doubt I can ever get my tongue
around the clicks. I also doubt I'd be bothered to learn to speak
Afrikaans, but I suppose if we were here forever it might be
somewhat practical..

--
Ken Tough
S.Africa

6977. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 06:36:51 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3DFEC602.2FA16E7D@ix.netcom.com>
Source record: 35887
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Michael A. Terrell" wrote:

> Carter Grabarczyk wrote:
> >
> > Reminds me of the first new transistor radio I ever bought back in the
> > early 60s... "Please to turn dial until wave is properly caught up".

A Lafayette portable AM/FM radio from 1969 had a set of instructions
that actually were quite understandable. " Tuning in an AM or FM
station, always tune the radio to point of maximum output and least
noise." This English only needs a bit of polishing to be good English.
Like "When tuning in an AM or FM station, always tune the radio
to a point of maximum clear sound and the least amount of noise."
...Well, better English.... :-)

6978. FS: MFJ Deluxe Keyer - Cheap!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 10:33:15 UTC
From: JS <wd1v@amsat.org>
Message-ID: <wd1v-23B818.05331617122002@netnews.attbi.com>
Source record: 35888

* MFJ Model 407C Deluxe Keyer with AC supply. A 5 - 9 volt
battery will also work for portable operations. Grid block
or direct keying. Works perfectly. $35.00 shipped UPS
to any USA location. Money order or bank checks only.

73,

John Seney, WD1V
Manchester, NH
wd1v@amsat.org
http://www.qsl.net/wd1v

6979. FNB-72 Charged once

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 12:13:28 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <IxEL9.1433$c52.157110@newsread1.prod.itd.earthlink.net>
Source record: 35889

Yaesu FNB-72 9.6 Volt 1000 mah Nicad Battery Pack. Cost $60.99 My Price $45

--
Best regards, Frank
VOICE: 630-924-1600

6980. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 13:51:20 UTC
From: derswede@aol.comspam.com
Message-ID: <20021217085120.18102.00000096@mb-mm.aol.com>
Source record: 35891

>Here are two examples: EL agua (the water), EL ala (the wing). To say "la agua" would be incorrect.

Also, it is la mano, la foto (fotografia...es feminina), etc.
OK, my turn. (ï¿½desculpe, es mi turno!)

Guy (english speaker) in Miami does a bunch of T-shirts for the Pope's visit. Natch, he's going to do many of them in Spanish, as his market includes Little Cuba. Prints them up, has vendors take them to the sites.....shirts became an immediate hit. He wanted them to say, "I saw the Pope."

In Spanish that is: "Yo vi El Papa"

They actually said....

"I saw the potatoe!" "Yo vi La Papa"

A friend has one, new in wrapping. He'll never sell it.

Basta con las idiomas diferentes. Lamentable que no puedo hablar en Chino, Fino, Bangladeshi, etc. porque tengo demaciado problemas con CW!!

Suerte y Buen DX!

Andres

6981. Re: WANTED: 50 WATT, 2 METER MOBILE W/ CTCSS AND MEMORY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 14:17:34 UTC
From: k5dh@raytheon.com
Message-ID: <2mGL9.186$Z74.873@dfw-service2.ext.raytheon.com>
Source record: 35892

I second the suggestion about the Kenwood TM-261A. I own two
of them, and they are excellent performers. They have the best
receiver that I've ever encountered in a broadband-coverage 2m
rig. If you live in an area where intermod from high-powered
pager and commercial FM two-way transmitters is a problem, it
won't be with a '261A. There are cheaper 2m rigs on the market
but you get what you pay for!

73,
Dean K5DH

In article <3dfe9322@post.newsfeed.com>, riws@msn.NOSPAM.com says...
>
>*** post for FREE via your newsreader at post.newsfeed.com ***
>
>I am looking for:
>
>*2 meter transciever
>*mobile
>*50 Watts Max Pwr Output
>*CTCSS/PL Tone
>*Memory Banks
>*With Manual
>*Like New
>
>...willing to buy up to $200.00
>Do not reply to post, send email to:
>riws@msn.com
>Thanks, 73!
>
>
>
>
> -----= Posted via Newsfeed.Com, Uncensored Usenet News =-----
>http://www.newsfeed.com - The #1 Newsgroup Service in the World!
>------== 100,000 Groups! - 19 Servers! - Unlimited Download! =-----
>

6982. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 14:23:28 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3DFF3360.FDB6FA20@sympatico.ca>
Source record: 35893
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Michael Moore wrote:
>
> Dave Holford wrote:
> >
> > Santa wrote:
> >
> >>lol. they say freedom of speech. but they do not allow freedom to listen. No
> >>offence. I call freedom of speech as like here. Besides the mandatory french
> >>that is on our stuff. we get to listen to what we want.
> >>
> >>Dev
> >
> >
> >
> > We do?
> >
> > I wish someone would tell that to the CRTC! (For you non-Canadians
> > that's the government agency which controls the music our radio stations
> > can play and dictates that if I watch a TV program on a U.S. network
> > which is also on a Canadian one the U.S. one will be replaced with the
> > Canadian one for the duration of the program; so that I cannot be
> > seduced by U.S. advertising.)
>
> Are you sure? I always thought that the cable companies did
> this unilaterally (perhaps receiving payoffs from Canadian
> networks).
>
> --
> Michael Moore

Try section 30 of the BROADCASTING DISTRIBUTION REGULATIONS, pretty lengthy legalese specifying: "Programming Service Deletion and Substitution". It doesn't even have to be the same program, just comparable? Section 30.(2)(a)(i).

I would much prefer some requirment to improve the technical quality of the signal, instead of regulating the content I am allowed to see/hear.

Dave

6983. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 15:01:25 UTC
From: sven@gordsven.com
Message-ID: <slrnavuf96.3do.sven@gordsven.com>
Source record: 35894
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <SQi343DK5q$9Ew2y@artslink.co.za>, Ken Tough wrote:
> Dunno. I expect they don't have Pizza Hut or Radio Shack,
> and McDonald's is just a name so not really English. But

McDonalds and Radio Shack both have a presence in Montreal (so I assume
the rest of Quebec). I think Pizza Hut is there too...but I don't recall.

--
Sven

6984. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 15:32:00 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3DFF4372.6030404@netscape.net>
Source record: 35895
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Robert Casey wrote:
> Fred Nachbaur wrote:
>
>
>>I'm surprised you didn't throw a future conditional into that one...
>>"... I shall have been in California". ;-)
>>
>>(Not sure if I could even still rattle them off. Future conditional was
>>just so weird I remembered it all these years.)
>>

Wow, that takes me back too...

> In "grammar" school, (60's) we spent tons of time on grammatical trivia.
> "Past-future perfect".

Actually, I think the one above might have been one of those.

> "Split infinitives"

"To boldly repair radios where no one has repaired before." - "to
repair" is split.

> "subjunctive"

"I'd like that you fix that radio" - "fix" is in the subjunctive mood.

> None of
> which I can remember what they were. Also there were terms
> for words what have the ending "ing" tacked on. "I am repairing the
> antique radio".

That one's a simple present participle. But there are also gerunds,
i.e., verbs that act like nouns; "Repairing is fun."

> And "used to" is a kind of tense of verb IIRC.
> Like: "I used to replace tubes before checking anything else".

Hm... don't know that one, but it makes sense.

> And we made schematic diagrams of sentences. Say
> "I repaired the radio" would look like:
>
> I | repaired | radio
> -------------------------
> \ the

>
> At the time I was trying to figure out if I could get a job
> diagramming sentences when I was grown up, and who would
> pay me to do that......

You too? I loved diagramming sentences. I'd look for the longest
hairiest sentences I could find (Hemingway comes to mind) and see if I
could diagram them.

I'm glad I didn't take it up as a career though. I think burnout rate is
pretty high amongst sentence diagrammers. ;-)

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

6985. WTB: IC706MkIIG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 16:13:04 UTC
From: Tim Carey <velopista@earthlink.net>
Message-ID: <k2IL9.1687$c52.185711@newsread1.prod.itd.earthlink.net>
Source record: 35896

Looking for a very clean like new 706MKIIG - must be the "G" model.

Let me know price and condition. I have cash or cash plus a very nice FT707
HF (WARC) xcvr to trade.
Thanks,
Tim

6986. Re: WTB: IC706MkIIG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 16:42:17 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3DFF53E4.1070603@optonline.net>
Source record: 35897

Have you checked the current new prices? The 706MkIIG is selling for
approx. $780 with a free Remote Mounting Kit at HRO and many other dealers.

-=-
Alan, AB2OS

Tim Carey wrote:
> Looking for a very clean like new 706MKIIG - must be the "G" model.
>
> Let me know price and condition. I have cash or cash plus a very nice FT707
> HF (WARC) xcvr to trade.

6987. FS: Drake R-4B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 16:55:17 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <VFIL9.741$514.151453835@newssvr17.news.prodigy.com>
Source record: 35748
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale a very nice condition Drake R-4B receiver.
Works great and looks good. Pictures available by request.
Asking $250 shipped to continental USA.

Thanks,
Michael

6988. Cubic Astro 150 C

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 17:47:01 UTC
From: Dag Kvammen <dag@kvammen.com>
Message-ID: <mbouvu4ij9a57fu126boo36d4lfo6tlh2h@4ax.com>
Source record: 35749

Hi, I have an Astro 150 C Transceiver with a PSU-7 A Power Supply. As far asI have found out delivers 13,6 V from 110 V. Anyone who can confirm this? In the manual they refer to a unit called PSU-5B which operates on 110/220 at 50/60 Hz.

At home we uses 220 V, any suggestions on how to solve this problem? Part from buying a new power supply?

Dag

6989. Re: OT Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 21:37:53 UTC
From: Charles R Fregeau <n5hsr@sprynet.com>
Message-ID: <ato5fj$p6b$1@slb3.atl.mindspring.net>
Source record: 35751

> In "grammar" school, (60's) we spent tons of time on grammatical trivia.
> "Past-future perfect". "Split infinitives" "subjunctive" None of
> which I can remember what they were. Also there were terms
> for words what have the ending "ing" tacked on. "I am repairing the
> antique radio". And "used to" is a kind of tense of verb IIRC.
> Like: "I used to replace tubes before checking anything else".
> And we made schematic diagrams of sentences. Say
> "I repaired the radio" would look like:
>
> I | repaired | radio
> -------------------------
> \ the
>
> At the time I was trying to figure out if I could get a job
> diagramming sentences when I was grown up, and who would
> pay me to do that......
>

There is, they are called Engrish teachers <g>.

BTW, what about 'used to could'? Or as it is pronounced in the parts of the South I'm more familiar with 'usta could'

Charles in Da Burbs

6990. Re: WTB: IC706MkIIG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 21:41:20 UTC
From: Allan <gxt@home.com>
Message-ID: <4SML9.3918$pe.203569@news2.east.cox.net>
Source record: 35752

Good deals abound at the dealers. From the posts I have seen you, the present owners trying to sell their used gear are too much over priced. I have always used the formula of 66% of the retail price is fair for a piece of used equipment, if it is mint and still in production.

"Alan Beagley" <abeagley@optonline.net> wrote in message news:3DFF53E4.1070603@optonline.net...
> Have you checked the current new prices? The 706MkIIG is selling for
> approx. $780 with a free Remote Mounting Kit at HRO and many other dealers.
>
> -=-
> Alan, AB2OS
>
>
> Tim Carey wrote:
> > Looking for a very clean like new 706MKIIG - must be the "G" model.
> >
> > Let me know price and condition. I have cash or cash plus a very nice FT707
> > HF (WARC) xcvr to trade.
>

6991. SO2R recommendation?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 21:46:54 UTC
From: Robert Fanfant <fanfant1@attbi.com>
Message-ID: <iXML9.192984$pN3.16795@sccrnsc03>
Source record: 35753
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Want to run 2 HF radios at a time. Which solution is better/best, the Array Solutions or the Top Ten Devices? I've looked at eham.net and both devices were given a 5.0 rating.

-rob

6992. ham gear for trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 22:12:41 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3DFFA0CF.80608@dirtball.com>
Source record: 35754

Hello
I have a FT 920 with the AM filter and FM board. The FT 920 is 100 watts HF + 6 Meters.
It has a Auto tuner and the MC 100 Desk Mic. In the deal you will get the technical supplement too (AKA Service manual), as well as the owners manual . I also Have the 3 KW Roller Inductor Antenna Tuner. They are in good shape I will trade both for a FT 990 or a FT 1000.. I have been using the FT 920 as a backup rig. Drop me a line so we can work out a deal.
oris@dirtball.com
I have a Icom ICR71A Shortwave receiver that I will trade for a working Viking Valant and SX 300 or Hamuland HQ 110. I'm looking for a good AM Ham station with at least 200 watts out. I hope to find something to work with my Audio rack.
I also have a Henry Amp 2 KD 5 Desktop,(It needs a new Plate amp meter) two 3-500s 100 in will give you 1250 out, New Caps, that I will trade for a Globe King or full legal output Ham band AM transmitter.
this is a pickup trade only. I will be willing to travel 100 miles from Athens GA.
Happy Holidays
73 and thanks for reading
Oris
http://www.ditball.com

6993. Re: Cubic Astro 150 C

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 22:22:20 UTC
From: derswede@aol.comspam.com
Message-ID: <20021217172220.02708.00000259@mb-ch.aol.com>
Source record: 35755

>At home we uses 220 V, any suggestions on how to solve this problem?
>Part from buying a new power supply?

You have two problems....a transformer will handle the 220 to 110 v no problem (make sure KVA is good enough to handle max power output of PS plus 15% or so)...but in Europe, power is 50hz instead of 60 hz. US. There may be some loading changes, esp. on peak power out. Derate at around 10% and try it.

A

6994. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-17 23:36:30 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3DFFB4FE.EDCE38CD@crosslink.net>
Source record: 35750
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Clifton T. Sharp Jr." wrote:
>
> One of my wife's oldest friends is a lady who came from Italy at third-
> grade age. This lady claims not to speak Italian (though her parents
> speak no English, and she visits them frequently). I can't resist playing
> tricks on her; I'll start a conversation, and at some point I'll say
> something in Italian, she'll answer in perfect Italian without a thought,
> and when my wife and I point out that she did so she'll deny it, believing
> firmly that she spoke nothing but English.
>

Could be that's her honest belief.
I was once fluent in Latin, but believed I'd forgotten it long ago. A
few months ago I was reading a book in English when I came upon a Papal
Bull in Latin. My mind shifted gears automatically, read the page of
Latin, then several more pages of English before I realised it! Trouble
is, when I went back to the Bull I could no longer read it even tho I
remembered what it had said! Truly our subconscious minds are wonderful
things!!

6995. FS: KT34 M Squared Tri-Band Yagi

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 00:49:13 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <dCPL9.2265$1a1.238655@newsread2.prod.itd.earthlink.net>
Source record: 35758
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This is the new four element M2 tribander. Formerly the KT34A but now
redesigned by M2 for even better performance.
Four linear loaded elements for 10, 15, 20 Meters. 16 foot boom.

See www.m2inc.com for more details.

This antenna is brand new, in a sealed box. Never opened.

Asking $1175.00 plus shipping from Los Angeles

73 de Rich W6VX

6996. Re: Real deal on RugerP85, AKA "The any color at all Weenie Washer"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 00:51:31 UTC
From: Jack N Hoff <nocrap@nospam.com>
Message-ID: <YBPL9.29171$NV.567621@news.direcpc.com>
Source record: 35757
Cross-posted to: rec.radio.cb,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment

HOT DAMN!

GUESS YOU HEARD THAT, BUTTLICK!!

sound of newsgroup : "JERRY, JERRY, JERRY, JERRY"

BWAHAHAHAHAHAHAHAHAHAHAHAHA
"Anti Keyclown Control Center" <rugerzapeashooter@yahoo.com> wrote in
message news:cfe28a2b.0212131741.48859b8f@posting.google.com...
> On Mon, 9 Dec 2002 01:40:01 -0500 (Eastern Standard Time) "skyhawk",
> after having his auction ratted out, <sky444@abs.adelphia.net> whined
> like the impotent sissy boy he is...:
>
> yea whatever dipshit....you just money away from my kids
> Christmas,,,,,the only reason I was selling this as a package and
> cheap I might add so it would sell fast and I could have that cash for
> Christmas.....Happy Now asshole.....let me guess now your gonna call
> the FBI....we went from Narcing on eBay to Adelphia......wow aren't
> you just to special.....please refrain from sending me anymore
> email as you are doing nothing but pissing me off more and
> more........and you might think that's funny but you know what it
> really isn't....now I'm gonna have to figure out how to sell that
> somewhere else quickly to get my damn money for Christmas for my kids
> stuff.......this is how the not so rich live....pretty isn't
> it...someone like you comes along playing God and they fuck it all
> up.......thank you so much ,it really is appreciated
>
> My usual type of totally accurate and completely moral reply"
>
> Hey,
> Have fun yourself. You can tell anyone and everyone...They already
> know...Anti-Boys been rattin out scumbags like you a long time.
> You were just another notch on my holster. As far as being an asshole
> goes, I consider it a compliment to see you call me that. If a
> criminal hates me I am likely doing something right.
>
> You are really stupid. You think I CARE if you TELL ABOUT ME? On the
> contrary. If I did I would not have emailed you to letya know.
>
> Do your worst, buttlick...
>
> I think I will report your illegal business transaction to adelphia.
> Since you like to call names so much you can go there and call them
> names after your access gets pulled.

>
> You are an impotent shitball and a little boy in a man's world. Take a
> hike, sonny.

6997. FS: MFJ-432 Voice Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 01:50:50 UTC
From: rherman@gsinet.net
Message-ID: <5036b8f8.0212171750.5a7219fc@posting.google.com>
Source record: 35761

MFJ Voice Memory Keyer (MFJ-432). Hardly used, in box with instruction manual.
$55 + $5 S & H to contenental US.

Money order or bank teller check.

6998. FS: Paccomm PSK-1/Tiny-2 Satellite modem/tnc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 01:52:44 UTC
From: rherman@gsinet.net
Message-ID: <5036b8f8.0212171752.c86cefb@posting.google.com>
Source record: 35762

Paccomm PSK-1 Satellite Modem & Tiny-2 TNC wired for 1200 baud satellite with manuals and all cables. You just need to make connection to your radio and computer. $250 + $5 S & H to contenental US.

Money order or bank teller check.

6999. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 02:02:45 UTC
From: "Dee D. Flint" <deehays@qix.net>
Message-ID: <9HQL9.8850$4j5.4735352@newssvr28.news.prodigy.com>
Source record: 35759

<rsh@idirect.com> wrote in message
news:i0prvu0c1gs4gaa885cgur57nhlddd pl8g@4ax.com...
> "Dee D. Flint" <deehays@qix.net> wrote:
>
> [snip]
> As far as I know there is also no requirement that a Senator or Member of
the
> House speak English, constitutionally.

Such a congressman would be at a great disadvantage. In the early days of
this country, there was a vote on what was to be the official language.
English won out over German by a hair. There were a lot of German
immigrants then.

>[snip]
>
> See above argument. There is NO real need to learn English if you are
never
> going to use it to service your population. Of course it is a good idea
to
> learn it, and many other languages. Look at continental Europe. Many
people
> speak and work comfortably with three to five languages all of the time.
> There are many who are comfortable with 7 or 8 languages... and those in
the
> US who are English speaking pride themselves, often, on NOT knowing any
other
> language! Who is the more foolish?

While people in the US are short sighted in not learning additional
languages, it does not offset the need to speak English for those who have
emigrated to this country. There is a need to interact with the overall
culture. If you look at countries like India or China, each of which has
dozens of languages/dialects, you will find that each established ONE
language in which to conduct all official business rather than trying to
cater to all these different languages. In China, Mandarin was chosen. In
India, they chose English as they could not agree on one of the native
languages. There is a need in a country for a basic language to be used for
communications across the entire country regardless of one's roots.

>
> Don't you mean the segregationist tendencies of that nation, where
> neighbourhoods of large cities are all black, latino or white, and only at
> the borders of those neighbourhoods do the populations meet? Don't you
mean

> the fact that new immigrants are still herded into neighbourhoods where
other
> immigrants from their neck of the woods have come from, rather than
anywhere
> at all. Do you see an Omaha slowly becoming a Latino city, and eventually
> Nebraska a Latino state, since it has so many Latinos moving there? Where
is
> the diversity in the US? For that matter, where are the opportunities for
> the new immigrant with a good education? (s)he is still treated as if
they
> have no US experience and need to start at the bottom! Is that right?

Depends on what part of the country you are in. Immigrants that choose to move out into the general population don't suffer from these problems. However, human nature is such that immigrants tend to settle in areas with people from the same background for the comfort of a familiar culture and language. But they don't have to. Some immigrants move on by choice and are quite successful when they do so.

7000. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 02:07:00 UTC
From: "Dee D. Flint" <deehays@qix.net>
Message-ID: <8LQL9.8851$4j5.4735867@newssvr28.news.prodigy.com>
Source record: 35760
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

```
"David Eduardo" <amdavid@pacbell.net> wrote in message
news:SqqL9.274$RL5.45848785@newssvr14.news.prodigy.com...
>
> "Ken Tough" <ken@objectech.co.uk> wrote in message
> news:5Ac9cYCwJa$9Ewzi@artslink.co.za...
>
> Very difficult. The US has no official language, by design to protect
> freedom of speech.
>

I believe that is incorrect. I've read somewhere that in the very early
days of the US, the government voted on whether English or German would be
the official language.
```

7001. HF+6 Mtr Rig, All mode TNC, RF Concepts 2 Meter Amp, RS 2 Meter handheld 4-SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 02:16:11 UTC
From: Tony <nospam@shoveit.com>
Message-ID: <LTQL9.5048$6H6.229831@twister.austin.rr.com>
Source record: 35763
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.hf,alt.radio.amateur,rec.radio.amateur.equipment,rec.radio.swap

have the following to sell, but would trade some items.

Kenwood TS-680S Allmode HF and 6 meter rig in excellent cond, power cord,
manual.
$500.00

MFJ 1278 Allmode TNC (HF,VHF,Packet, RTTY,CW,FAX,AMTOR,WEFAX and more)
$75.00

RF Concepts 315 VHF amplifier in MINT cond. 30w in 150out, 40w in 170w + out
$235.00

Radio Shack HTX-202 2 meter handheld w/bad BP8 battery
$65.00

BC-350 desktop quick charger for Icom BP batteries and others
$40.00

Shipping from 78258 extra...

N5GPI

--
Sign up for Paypal and make me $5.00

https://www.paypal.com/refer/pal=WHRP8XHRMLSX4

7002. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 03:10:16 UTC
From: Joe Bento <joseph-nospam-@kirtland.com>
Message-ID: <anpvvukav48haf19bs0c1h9ss1nd2b74pr@4ax.com>
Source record: 35765
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Wed, 18 Dec 2002 02:07:00 GMT, "Dee D. Flint" <deehays@qix.net>
wrote:

>
>"David Eduardo" <amdavid@pacbell.net> wrote in message
>news:SqqL9.274$RL5.45848785@newssvr14.news.prodigy.com...
>>
>> "Ken Tough" <ken@objectech.co.uk> wrote in message
>> news:5Ac9cYCwJa$9Ewzi@artslink.co.za...
>>
>> Very difficult. The US has no official language, by design to protect
>> freedom of speech.
>>
>
>I believe that is incorrect. I've read somewhere that in the very early
>days of the US, the government voted on whether English or German would be
>the official language.
>

I have often wondered how very different the world may have turned out
if German were voted the official language of the US...

Joe

Remove the -nospam- to send e-mail
joseph-nospam-@kirtland.com

7003. FA: BRAND NEW!!! DX-394.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 03:15:18 UTC
From: BT <btac@videotron.ca>
Message-ID: <3DFFE846.287AC2D5@videotron.ca>
Source record: 35756

For auction: BRAND NEW DX-394.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=15051&item=1946192480&rd=1

7004. WTB: Aeronca L3 Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 03:52:33 UTC
From: john price <jm.price@att.net>
Message-ID: <3DFFF1C1.EB694BD7@att.net>
Source record: 35766
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.aviation.owning

Hi all...

I'm still trying to find some of the original radio
equipment for my airplane (an Aeronca L3B "Grasshopper")...

The specific equipment I still need is:

AVT-15A Transmitter with Remote Control Panel
AVA-120 Trailing wire antenna
AG-40B Wind generator

Any help would be appreciated

John Price
WA2FZW
CFII/AGI/IGI
http://home.att.net/~jm.price

7005. need cross reference for CD3581 RF transistor!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 04:14:08 UTC
From: Tony <nospam@shoveit.com>
Message-ID: <kCSL9.5093$KW2.307725@twister.austin.rr.com>
Source record: 35764
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment

Anyone have an old cross ref guide or any way of finding a replacement/cross
for CD3581 please e-mail me!

nospamn5gpi@hotmail.com

get rid of the nospam to e-mail me!

--
Sign up for Paypal and make me $5.00

https://www.paypal.com/refer/pal=WHRP8XHRMLSX4

--
Sign up for Paypal and make me $5.00

https://www.paypal.com/refer/pal=WHRP8XHRMLSX4

7006. Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 04:19:45 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <BHSL9.125279$%p6.13685423@twister.neo.rr.com>
Source record: 35767
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Buy it now for ONLY $989. Just kidding, please don't!
DeWayne

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946344319&category=15051

7007. Re: Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 04:26:33 UTC
From: grenner <regencytr1@hotmail.com>
Message-ID: <3dfff8fa$0$4479$a1866201@newsreader.visi.com>
Source record: 35768
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Check his Ebay Store he has an Icom 8500 with a buy it now for $2100, heck
of a deal.

Greg
"DeWayne" <ke9k@indy.rr.com> wrote in message
news:BHSL9.125279$%p6.13685423@twister.neo.rr.com...
> Buy it now for ONLY $989. Just kidding, please don't!
> DeWayne
>
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946344319&category=15051
>
>

7008. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 05:23:46 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <CDTL9.1068$NT7.166461600@newssvr17.news.prodigy.com>
Source record: 35769
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Dee D. Flint" <deehays@qix.net> wrote in message
news:8LQL9.8851$4j5.4735867@newssvr28.news.prodigy.com...
>
> "David Eduardo" <amdavid@pacbell.net> wrote in message
> news:SqqL9.274$RL5.45848785@newssvr14.news.prodigy.com...
> >
> > "Ken Tough" <ken@objectech.co.uk> wrote in message
> > news:5Ac9cYCwJa$9Ewzi@artslink.co.za...
> >
> > Very difficult. The US has no official language, by design to protect
> > freedom of speech.
> >
>
> I believe that is incorrect. I've read somewhere that in the very early
> days of the US, the government voted on whether English or German would be
> the official language.

Urban legend. There was some minor discussion due to the German colony in
Pennsylvania at the time,b ut there was never a vote.

I believe Prof. Long can detail this better than I can, however.

7009. Re: German Urban Legend / Never national language choice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 05:29:00 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <wITL9.1070$wH7.165790890@newssvr17.news.prodigy.com>
Source record: 35770
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Dee D. Flint" <deehays@qix.net> wrote in message
news:8LQL9.8851$4j5.4735867@newssvr28.news.prodigy.com...
>
> "David Eduardo" <amdavid@pacbell.net> wrote in message
> news:SqqL9.274$RL5.45848785@newssvr14.news.prodigy.com...
> >
> > "Ken Tough" <ken@objectech.co.uk> wrote in message
> > news:5Ac9cYCwJa$9Ewzi@artslink.co.za...
> >
> > Very difficult. The US has no official language, by design to protect
> > freedom of speech.
> >
>
> I believe that is incorrect. I've read somewhere that in the very early
> days of the US, the government voted on whether English or German would be
> the official language.

Here is some additional information:

"Subject: Return of the US Language UL
Date: 12 Jul 92 16:43:24 GMT

Those of you who have been around here for longer than you care to admit
(like me) may remember the time someone brought up a legend about German
having narrowly missed becoming the official language of the United States.
This is a common story, and the usual cap to it is that Congress voted - by
a majority of one vote - to make English the official language of the US,
this significantly altering the course of development in the US textbook
publishing industry.

The story is false. Matter of fact, the US at present does not have an
"official" language in the sense of a language declared by law to have
special status; English is merely the de facto standard. There _was_ indeed
some discussion about which language to adapt, with some strong separatists
arguing that English was the language of the "enemy". However, there were no
cliff-hangers as suggested by the legend mentioned above; the strong
separatists were a minority group, and it was pretty clear from the start
that most people considered changing from English to be too much trouble.
All this junk was discussed the last time around, but I wanted to summarize
it for those who weren't with us then.

The reason for bringing this up is that I have found an incident that may be
the source of this UL. (Drum roll.) My source is the _Cambridge Encyclopedia
of Language_, by David Crystal, published by the Cambridge University Press,

(c)1987. In the interest of completeness, ISBN 0 521 26438 3.

from page 365:

A planning myth

Probably the best-known myth in the history of language planning is the story that German nearly became the national language of the US in the 18th century, losing to English by only one vote in the legislature (the "Muhlenberg" legend). In fact, all that was involved was a request, made by a group of Virginia Germans, to have certain laws issued in German _as well as_ in Englih. The proposal was rejected by one vote, apparently cast by a German-speaking Lutheran clergyman, Frederick Muhlenberg (1750-1801). But the general status of English as the majority language was never in doubt. (After S.B. Heath and F. Mandabach, 1983.)

[End quote]

Just to show that i did my homework, the paper referred to is: Heath, S.B., and Mandabach, F. 1983. Language status decisions and the law in the United States. In J. Cobarrubias and J.A. Fishman (eds.), _Progress in language planning: international perspectives_ (Berlin: Mouton), 87-105.

-Cindy Kandolf
cindy@solan.unit.no
Trondheim, Norway

7010. Re: German Urban Legend / Never national language choice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 06:07:28 UTC
From: Joe Bento <joseph-nospam-@kirtland.com>
Message-ID: <9s300vgk92m4h7vhk1g2f7nhnrisqpknsg@4ax.com>
Source record: 35771
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

It is so ingrained in American folklore, I never gave it much thought
that it wasn't true. It seems nearly everyone knows the story (as far
as missing by one vote in Congress) and believes that we might have
become a German speaking nation. I have even heard of studies trying
to predict what might have become if our common language were German.

Ah well, as Paul Harvey says, Now you know the rest of the story.

Joe

Remove the -nospam- to send e-mail
joseph-nospam-@kirtland.com

On Wed, 18 Dec 2002 05:29:00 GMT, "David Eduardo"
<amdavid@pacbell.net> wrote:

>> I believe that is incorrect. I've read somewhere that in the very early
>> days of the US, the government voted on whether English or German would be
>> the official language.
>
>Here is some additional information:
>
>"Subject: Return of the US Language UL
>Date: 12 Jul 92 16:43:24 GMT
>
>Those of you who have been around here for longer than you care to admit
>(like me) may remember the time someone brought up a legend about German
>having narrowly missed becoming the official language of the United States.
>This is a common story, and the usual cap to it is that Congress voted - by
>a majority of one vote - to make English the official language of the US,
>this significantly altering the course of development in the US textbook
>publishing industry.

7011. FS: Isolation Transformers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 12:10:35 UTC
From: Extra ClassY <extra_classy@hotmail.com>
Message-ID: <ubp00v8akve7soi53m26824oklrfpufp54@4ax.com>
Source record: 35772
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

FOR SALE - Isolation transformers:

120V 2 Watts - $ 3.00
120V 12 Watts - $25.00
120V 50 Watts - $28.00
120V 75 Watts - $40.00
120V 150 Watts - $42.00
120V 300 Watts - $60.00
120V 600 Watts - $79.00
120V 750 Watts - $89.00
120V 1000 Watts - $115.00
120V 1500 Watts - $150.00
120V 2000 Watts - $175.00

Shipping additional.

E-mail me to arrange purchase

7012. FS: Transformers 2V, 4V, 5V, 6V, 7.5V, 12V, 4160V etc.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 12:33:06 UTC
From: Extra ClassY <extra_classy@hotmail.com>
Message-ID: <fmq00vgssavinicsau75d2d0s6hu2rk7lg@4ax.com>
Source record: 35773
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment

TRANSFORMERS FOR SALE

105/115/125V AC Primary, Two 12V CT at 50 Amp secondaries.
Use for 2 X 6.3V at 50 Amps or as 2 X 12V at 50 Amps.
Dimensions: 7" X 6.5" X 5.25" tall.
Will sell for $60.00 plus shipping

115/230V Primary, 2V at 30 Amps
Brand new, case 4.5" X 4" X 6" tall.
Has large ceramic insulated terminals. Mount by four studs on bottom.
Will sell for $39.00

115/230V Primary 4V at 50 Amps
Brand new, case 4.5" X 4" X 6" tall.
Has large ceramic insulated terminals.
Mount by four studs on bottom.
Will sell for $39.00

G.E. Plate Transformer, 120/240V AC primary, with secondary of
4160 V at 120 mA (500 Watts) Will sell for $85.00

Plate Transformer, AVCO, 120V primary, with secondaries of
1050 V CT at 75 mA, and 5 V at 20 Amps,
New. Will sell for $32.00

115/230V primary. Sec is 7.5V CT at 51 Amps.
Dimensions: 5" wide X 4.5" Deep X 4" tall.
Will sell for $110.00

Shipping additional
E-mail me for details or to arrange purchase:

7013. FILAMENT & PLATE TRANSFORMERS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 12:59:16 UTC
From: Sidevalve <sabbatai_zvi@hotmail.com>
Message-ID: <08s00vglkn6onf7rbdd41lecmdarm5dd3d@4ax.com>
Source record: 35774
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

TRANSFORMERS FOR SALE

105/115/125V AC Primary, Two 12V CT at 50 Amp secondaries.
Use for 2 X 6.3V at 50 Amps or as 2 X 12V at 50 Amps.
Dimensions: 7" X 6.5" X 5.25" tall.
Will sell for $60.00 plus shipping

115/230V Primary, 2V at 30 Amps
Brand new, case 4.5" X 4" X 6" tall.
Has large ceramic insulated terminals. Mount by four studs on bottom.
Will sell for $39.00

115/230V Primary 4V at 50 Amps
Brand new, case 4.5" X 4" X 6" tall.
Has large ceramic insulated terminals.
Mount by four studs on bottom.
Will sell for $39.00

G.E. Plate Transformer, 120/240V AC primary, with secondary of
4160 V at 120 mA (500 Watts) Will sell for $85.00

Plate Transformer, AVCO, 120V primary, with secondaries of
1050 V CT at 75 mA, and 5 V at 20 Amps,
New. Will sell for $32.00

115/230V primary. Sec is 7.5V CT at 51 Amps.
Dimensions: 5" wide X 4.5" Deep X 4" tall.
Will sell for $110.00

Shipping additional

7014. Re: ham gear for trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 14:53:06 UTC
From: Sparks W4EAS <sparksw4eas@mindspring.com>
Message-ID: <3E008BD2.EB7@mindspring.com>
Source record: 35776

ORIS, Your question you E-Mailed me was not answered as my Reply bounced back "User Unknown"! Regards, Sparks W4EAS

7015. Re: German Urban Legend / Never national language choice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 14:55:48 UTC
From: sven@gordsven.com
Message-ID: <slrnb0136s.1j2.sven@gordsven.com>
Source record: 35777
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <9s300vgk92m4h7vhk1g2f7nhnrisqpknsg@4ax.com>, Joe Bento wrote:
> become a German speaking nation. I have even heard of studies trying
> to predict what might have become if our common language were German.

AmTrak (maybe DeTrak) would run on time? :D

--
Sven

7016. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 16:16:41 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3E009F69.46D6F9C0@crosslink.net>
Source record: 35775

"Dee D. Flint" wrote:
>
> .... If you look at countries like India or China, each of which has
> dozens of languages/dialects, you will find that each established ONE
> language in which to conduct all official business rather than trying to
> cater to all these different languages. ...

Not to mention the Roman Empire ... (c;

7017. FT-847 Can it work with an SGC 237 coupler/tuner?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 18:20:38 UTC
From: massimj@hotmail.com
Message-ID: <e9d3dd29.0212181020.227b6704@posting.google.com>
Source record: 35778

I know you can use a SGC coupler/tuner with just about any radio, but can the SGC237 be made to work by using the tune button on the FT-847? Does anyone know why, or why not? What about the FC-20, is it as bad as people say it is, or is it as good as it is supposed to be, just not good enough?

I would like to hear from people who have first hand experience with these products before I buy one or the other.

TNX Joe KQ4BX

7018. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 18:28:33 UTC
From: me <me@none.com>
Message-ID: <l73M9.388$vb3.71795@news2.west.cox.net>
Source record: 35779
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"William Sommerwerck" <williams@nwlink.com> wrote in message
news:uvnc51bk0t2fdb@corp.supernews.com...
> As a technical writer who desperately needs a job, I, too, have long been
angry
> with the Japanese for their miserable documentation. *

Well then. You have an opportunity you may not have realized you have -
obviously the replies to this thread shows there might be a market for this
idea as well...

Since you have the skills, and need the money, why not rewrite the manuals
in plain english and SELL them yourself?

I'd pay a few bucks extra for a manual that made sense! I'm actually one of
the few people who has learned the value of taking the time to read one
before playing with something new.

It's a thought... if you don't do it, someone else will I'm sure.

-me

7019. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 18:33:12 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <v01fqjsdl08277@corp.supernews.com>
Source record: 35780
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

> Since you have the skills, and need the money, why not rewrite
> the manuals in plain English and SELL them yourself?

Because the time and effort it takes to do a proper rewrite would never be recouped by the sales.

7020. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 19:40:48 UTC
From: Jim Menning <jmenning@new.rr.com>
Message-ID: <4b4M9.87556$Xr6.1284231@twister.rdc-kc.rr.com>
Source record: 35781
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"William Sommerwerck" <williams@nwlink.com> wrote in message
news:v01fqjsdl08277@corp.supernews.com...
> > Since you have the skills, and need the money, why not rewrite
> > the manuals in plain English and SELL them yourself?
>
> Because the time and effort it takes to do a proper rewrite would never be
> recouped by the sales.
>
And the material most likely is copyrighted.

jim menning

7021. solid state amp output filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 21:17:06 UTC
From: Ludo <nospam@nospam.com>
Message-ID: <mB5M9.58109$Ti2.8921@afrodite.telenet-ops.be>
Source record: 35782
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,uk.radio.amateur

Hi,

I recently bought a second hand 1kW solid state amp. The output filters are damaged, the transistors are still ok. First, the idea was to repair the filter, but after inspection, it seemed that it might be better to replace the entire filter-board. It consists of 6 low pass filters , each switched by relays. Any ideas where i can find these filters (rated at 1kW) ?

Best regards,

Ludo

7022. Re: FT-847 Can it work with an SGC 237 coupler/tuner?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 21:29:42 UTC
From: "Alan P. Biddle" <APBIDDLE@ATT.NET>
Message-ID: <mln10vgi89k1ojfrc3vs22v4cs187qrb9q@4ax.com>
Source record: 35783

Joe,

I have the FT-847 with FC-20, and also an LDG tuner, similar to the SGC in operation.

The TUNE button is just an input to the FT-847 logic buss. When you press it, the rig CPU does lots of stuff internally, and over the signal connection to the FC-20 tuner to make it do its magic. So to use the TUNE button, you would need to build an interface to connected to the rig which mimicked an FC-20 to the FT-847 CPU. Other than the hardware pin out, Yaesu has not released the protocols. As you can see, not a trivial problem.

Using the FC-20 does have a complication when used with most* FT-847s. The FT-847 has an RS-232 interface which can be used to control the rig. However, the FT-847 uses some of the same hardware for both, apparently, since the FC-20 line is basically a serial port, and if you use the FC-20, it locks up the RS-232 port. This may, or may not, be a problem, depending on how your operate.

*There is a work around for this which works on some systems. It probably depends on the particular firmware revision, but so far a I know, body has figured out the exact relationship.

The LDG and the SGC couplers are wide range matching units, up to 10:1 or so, and can be remote mounted at the antenna, giving you a flat SWR on the coax into the shack. You need to supply some RF for them to work with, either by switching to a mode which generates a carrier such as AM/FM/CW, or whistling into the mic. (horrors!)

The FC-20 is a line leveler, with a range of approximately 3:1 max on the antenna line. It does integrate well with the FT-847, and you can sometimes trick it to match a wider range. Pushing the tune button does it all automagically, no matter what mode you are in, and it can memorize a large number of different frequencies and the matching required.

Opinion mode ON: If you are matching a 10:1 SWR in the shack, you probably need to move the tuner to the antenna, or use a real balanced tuner with balanced line. Especially above 40, you are just heating the coax, or balun. Opinion mode OFF.

Bottom line. The FC-20 works very well indeed, when used as designed. The SGC and LDG are designed for a somewhat different application, and also work very well, though the integration is not seamless.

You should take a look at the unofficial FT-847 forum found at:

http://f16.parsimony.net/forum28107/index.htm

and the excellent FT-847 FAQ found at:

http://www.supercontrol.de/cat/ft847faq/ft847faq.htm

73,

Alan
WA4SCA

7023. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 21:50:10 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3e00eb35$0$590$39cecf19@nnrp1.twtelecom.net>
Source record: 35784
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
$600

Kenwood TMV7A 50W 2M/35W 440 FM
DFK3C REMOTE CABLE KIT
PG4S PC INTERFACE CABLE + SOFTWARE
$325

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Charger
$200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 AD board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have. I can email pics.

Shipping is NOT included

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

7024. Looking for Icom CSF-500 Software for IC-F621

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 22:32:43 UTC
From: frank@damato.com
Message-ID: <1276490d.0212181432.1754679@posting.google.com>
Source record: 35785
Cross-posted to: rec.radio.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.scanner

Looking for software to program icom's new land mobile unit - IC-F621

7025. FS: New Yaesu MD-100a8x Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 22:48:27 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <%W6M9.110437$ry.1402391@twister.rdc-kc.rr.com>
Source record: 35786

Brand new in box with sales invoice this month. Plans changed. $100 shipped/insured conus.

Van,
K0KAV

7026. yeasu 5200 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 23:26:56 UTC
From: cpiggykermit@aol.com
Message-ID: <20021218182656.15973.00000160@mb-cs.aol.com>
Source record: 35787

hi all,

i have a 5200 dual band mobile radio that has a "minor" problem.
it works ok exept for when i turn it off. when i press the power on button the radio powers up and the display is fully on and no buttons work and the radio is non functional.if i then disconect the power and reconnect it works ok again untill the power button is pressed off.
has any one else had any problems like this or any sudgestions on a cure or a fix.
many thanks

adrian 2e1bts

7027. Re: Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 23:33:12 UTC
From: pj <pjdong@aol.com>
Message-ID: <6f120vs60sqvk7bsgmghe68vp2dvh6omrl@4ax.com>
Source record: 35788
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

USE FA

On Wed, 18 Dec 2002 04:19:45 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:

>Buy it now for ONLY $989. Just kidding, please don't!
>DeWayne
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946344319&category=15051
>

7028. Re: Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 23:36:32 UTC
From: pj <pjdong@aol.com>
Message-ID: <8l120v0t9su990m7pqms66b3rq67ag861t@4ax.com>
Source record: 35789
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

USE FA

On Wed, 18 Dec 2002 04:19:45 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:

>Buy it now for ONLY $989. Just kidding, please don't!
>DeWayne
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946344319&category=15051
>

7029. Re: Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-18 23:36:44 UTC
From: N8KDV <n8kdv@iserv.net>
Message-ID: <3E01068C.28353918@iserv.net>
Source record: 35790
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

pj wrote:

> USE FA

pj, you are a dumbfuck. DeWayne was only posting to show the absurd price. Pay fucking attention.

>
>
> On Wed, 18 Dec 2002 04:19:45 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
>
> >Buy it now for ONLY $989. Just kidding, please don't!
> >DeWayne
> >
> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946344319&category=15051
> >

7030. Re: Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 00:35:57 UTC
From: pj <pjdong@aol.com>
Message-ID: <44520v8gk59296irju4olikvb6egcnmgbc@4ax.com>
Source record: 35791
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

N8kdv USE FA

On Wed, 18 Dec 2002 18:36:44 -0500, N8KDV <n8kdv@iserv.net> wrote:

>
>
>pj wrote:
>
>> USE FA
>
>pj, you are a dumbfuck. DeWayne was only posting to show the absurd price. Pay
>fucking attention.
>
>>
>>
>> On Wed, 18 Dec 2002 04:19:45 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
>>
>> >Buy it now for ONLY $989. Just kidding, please don't!
>> >DeWayne
>> >
>> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946344319&category=15051
>> >

7031. Re: Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 00:42:35 UTC
From: N8KDV <n8kdv@iserv.net>
Message-ID: <3E0115FB.727C79A3@iserv.net>
Source record: 35792
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

pj wrote:

> N8kdv USE FA

You are now a double dumbfuck, pj....lol

>
>
> On Wed, 18 Dec 2002 18:36:44 -0500, N8KDV <n8kdv@iserv.net> wrote:
>
> > >
> > >pj wrote:
> > >
> > >> USE FA
> > >
> > >pj, you are a dumbfuck. DeWayne was only posting to show the absurd price. Pay
> > >fucking attention.
> > >
> > >>
> > >>
> > >> On Wed, 18 Dec 2002 04:19:45 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
> > >>
> > >> >Buy it now for ONLY $989. Just kidding, please don't!
> > >> >DeWayne
> > >> >
> > >> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946344319&category=15051
> > >> >

7032. Re: Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 00:51:39 UTC
From: pj <pjdong@aol.com>
Message-ID: <f1620vg7855tta58af6f4a25c50uscsemh@4ax.com>
Source record: 35793
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Blow Me N8kdv, lol

On Wed, 18 Dec 2002 19:42:35 -0500, N8KDV <n8kdv@iserv.net> wrote:

>
>
>pj wrote:
>
>> N8kdv USE FA
>
>You are now a double dumbfuck, pj....lol
>
>>
>>
>> On Wed, 18 Dec 2002 18:36:44 -0500, N8KDV <n8kdv@iserv.net> wrote:
>>
>> >
>> >
>> >pj wrote:
>> >
>> >> USE FA
>> >
>> >pj, you are a dumbfuck. DeWayne was only posting to show the absurd price. Pay
>> >fucking attention.
>> >
>> >>
>> >>
>> >> On Wed, 18 Dec 2002 04:19:45 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
>> >>
>> >> >Buy it now for ONLY $989. Just kidding, please don't!
>> >> >DeWayne
>> >> >
>> >> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946344319&category=15051
>> >> >

7033. Re: Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 00:55:34 UTC
From: GeorgeF <av8tor@licensed4fun.com>
Message-ID: <3E011906.7020208@licensed4fun.com>
Source record: 35794
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

?? Please correct me, but isn't this the same thing you can buy from
Universal Radio for less than $600.00?
George
http://www.MilAirComms.com

pj wrote:
> USE FA
>
>
>
> On Wed, 18 Dec 2002 04:19:45 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
>
>
>>Buy it now for ONLY $989. Just kidding, please don't!
>>DeWayne
>>
>>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946344319&category=15051
>>
>
>

7034. Re: Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 00:56:44 UTC
From: N8KDV <n8kdv@iserv.net>
Message-ID: <3E01194C.9FE41540@iserv.net>
Source record: 35795
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Why?, you're doing such a good job getting yourself off manually! LOL

pj wrote:

> Blow Me N8kdv, lol
>
> On Wed, 18 Dec 2002 19:42:35 -0500, N8KDV <n8kdv@iserv.net> wrote:
>
> >
> >
> >pj wrote:
> >
> >> N8kdv USE FA
> >
> >You are now a double dumbfuck, pj....lol
> >
> >>
> >>
> >> On Wed, 18 Dec 2002 18:36:44 -0500, N8KDV <n8kdv@iserv.net> wrote:
> >>
> >> >
> >> >
> >> >pj wrote:
> >> >
> >> >> USE FA
> >> >
> >> >pj, you are a dumbfuck. DeWayne was only posting to show the absurd price. Pay
> >> >fucking attention.
> >> >
> >> >>
> >> >>
> >> >> On Wed, 18 Dec 2002 04:19:45 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
> >> >>
> >> >> >Buy it now for ONLY $989. Just kidding, please don't!
> >> >> >DeWayne
> >> >> >
> >> >> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946344319&category=15051
> >> >> >

7035. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 00:57:11 UTC
From: Ken Tough <ken@objectech.co.uk>
Message-ID: <w7GPyOAnlRA+Ew1q@artslink.co.za>
Source record: 35663
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Fred Nachbaur <fnachbaur@netscape.net> wrote:

>Ken Tough wrote:
>> But then again, Japanese manuals are a treat compared to
>> the "poetic" chinese ones. ["Bringing parts into proximity
>> unknowingly is crouching hazard!"]

>Oh, not me. I love those Chinese ones! (Except when I'm actually trying
>to figure out how to program the VCR. Then I put the manual on the
>poetry shelf and start pushing buttons.)

Yeah, truth is I enjoy the chinese ones more too. Possibly not
as good as manuals, but far more satisfying.

Here's a snippet I saved a few years ago from the packaging for
"House Wife's Style" Safe Knife Grinder, No. 8288. Made in China.

THE PRODUCT GETS MULTIFUNCTION TOGETHERIN ITSELF. THE
VOLUMEIS SMALL. IT IS SAFE TOGRIND KNIFE.BE SURE TO
WORK WELL. IT CAN MAKE THEM SHARP AND SMOOTH IN
CUTTING TOOL. POTTERY. PORCELAIN. PLASTIC AND
WOODENTOOL. ETC. FAMILY ARTICLES FOR DAILY USE.BE
SERVICE FOR CONVENIENCE OF YOUR DAILY LIFE.

--
Ken Tough

7036. Re: need cross reference for CD3581 RF transistor!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 01:34:58 UTC
From: "\"Sparky\"" <sparks@nospam.com>
Message-ID: <6n9M9.1334$wb3.114024@newsread2.prod.itd.earthlink.net>
Source record: 35796
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment

Hi, Tony,

Try this link:

http://catalog.rell.com/rellecom/scripts/SkuSearchResults2.asp?Sku=cd3
581&radio=3&maxrecs=50&T3=2&prevkey=+&recfirst=0&reclast=0&searchtotal
=%2D1

73,
--
"Sparky"

(Please reply to group.)

"Tony" <nospam@shoveit.com> wrote in message
news:kCSL9.5093$KW2.307725@twister.austin.rr.com...
| Anyone have an old cross ref guide or any way of finding a
replacement/cross
| for CD3581 please e-mail me!
|
| nospamn5gpi@hotmail.com
|
| get rid of the nospam to e-mail me!
|
| --
| Sign up for Paypal and make me $5.00
|
| https://www.paypal.com/refer/pal=WHRP8XHRMLSX4
|
|
|
| --
| Sign up for Paypal and make me $5.00
|
| https://www.paypal.com/refer/pal=WHRP8XHRMLSX4
|
|
|

7037. Re: need cross reference for CD3581 RF transistor!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 01:56:30 UTC
From: "\"Sparky\"" <sparks@nospam.com>
Message-ID: <iH9M9.1377$wb3.117247@newsread2.prod.itd.earthlink.net>
Source record: 35797
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.equipment

Tony,

Try this link: http://www.rell.com/

In "Search Online Catalog:" type CD3581, Press enter, and follow the
links. Hope THIS helps.

73,
--
"Sparky"

(Please reply to group.)

""Sparky"" <sparks@nospam.com> wrote in message
news:6n9M9.1334$wb3.114024@newsread2.prod.itd.earthlink.net...
| Hi, Tony,
|
| Try this link:
|
|
http://catalog.rell.com/rellecom/scripts/SkuSearchResults2.asp?Sku=cd3
|
581&radio=3&maxrecs=50&T3=2&prevkey=+&recfirst=0&reclast=0&searchtotal
| =%2D1
|
| 73,
| --
| "Sparky"
|
| (Please reply to group.)
|
| "Tony" <nospam@shoveit.com> wrote in message
| news:kCSL9.5093$KW2.307725@twister.austin.rr.com...
| | Anyone have an old cross ref guide or any way of finding a
| replacement/cross
| | for CD3581 please e-mail me!
| |
| | nospamn5gpi@hotmail.com
| |
| | get rid of the nospam to e-mail me!
| |
| | --
| | Sign up for Paypal and make me $5.00
| |
| | https://www.paypal.com/refer/pal=WHRP8XHRMLSX4

| |
| |
| |
| | --
| | Sign up for Paypal and make me $5.00
| |
| | https://www.paypal.com/refer/pal=WHRP8XHRMLSX4
| |
| |
| |
|
|
|

7038. Re: Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 02:10:45 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <FU9M9.127720$%p6.14211239@twister.neo.rr.com>
Source record: 35648
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Actually I think you can find it for around $500.
DeWayne

"GeorgeF" <av8tor@licensed4fun.com> wrote in message
news:3E011906.7020208@licensed4fun.com...
> ?? Please correct me, but isn't this the same thing you can buy from
> Universal Radio for less than $600.00?
> George
> http://www.MilAirComms.com
>
>
>
>
> pj wrote:
> > USE FA
> >
> >
> >
> > On Wed, 18 Dec 2002 04:19:45 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
> >
> >
> > >>Buy it now for ONLY $989. Just kidding, please don't!
> > >>DeWayne
> > >>
> >
>>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946344319&category=150
51
> > >>
> > >
> > >
> >
> >

7039. Re: German Urban Legend / Never national language choice

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 02:14:58 UTC
From: Dan Morisseau <dpm3@morisseau.org>
Message-ID: <3E012B92.4F40714D@morisseau.org>
Source record: 35649
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

David Eduardo wrote:

> "Just to show that i did my homework, the paper referred to is: Heath, S.B.,
> and Mandabach, F. 1983. Language status decisions and the law in the United
> States. In J. Cobarrubias and J.A. Fishman (eds.), _Progress in language
> planning: international perspectives_ (Berlin: Mouton), 87-105.
>
> -Cindy Kandolf
> cindy@solan.unit.no
> Trondheim, Norway

And mighty good work it was! Hopefully this disposes that bunch of claptrap
(at least in the minds of those gullible enough to swallow it in the first
place) for once and for all.

--
Dan Morisseau - N 38ï¿½34'53", W 90ï¿½22'32", 680'
Cardinal Nation: On the sunrise side of Mo-Pac's famous Kirkwood Hill!
"ï¿½Y tu madre tambien!"

7040. FS: Santec ST-144 2 meter HT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 02:41:05 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <gmb20vcsj6sakgkicujcfmjhavo54ub6jr@4ax.com>
Source record: 35650

I have a Santec ST-144 2 meter HT in excellent condition. It comes with the leather case, but do not have the flap with it and also the desk top drop in charger. It does have the Communications Specialists PL board in it....I do not have the manual and the nicad pack does not hold the charge to long....So I would replace it with a new pack...I will take $50 plus shipping....If interested email or call (508) 821-2993.....WZ1U Steve / Lakeville, Ma.

7041. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 03:01:08 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <v02dj0c5dcqo50@corp.supernews.com>
Source record: 35651
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

True, but if you substantially rewrote it, you couldn't be accused of plagiarism.

Now, if you copied the drawings, that would be a different matter...

Jim Menning wrote...

> William Sommerwerck wrote...

>>> Since you have the skills, and need the money, why not rewrite
>>> the manuals in plain English and SELL them yourself?

>> Because the time and effort it takes to do a proper rewrite
>> would never be recouped by the sales.

> And the material most likely is copyrighted.

7042. Atlas 350 XL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 03:59:33 UTC
From: Roger Peterson <kc8qr@neo.rr.com>
Message-ID: <FubM9.128417$%p6.14275737@twister.neo.rr.com>
Source record: 35652

I need to know where I could one repaired? It is in good condition.I hate stoo seeit go to waste.

Email is kc8qr@neo.rr.com

Tnx Pete Kc8qr

7043. 900MHz Duplexer for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 04:19:43 UTC
From: groups@nickmatic.com
Message-ID: <e77ffe9e.0212182019.7bb0e0c8@posting.google.com>
Source record: 35653
Cross-posted to:
rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf

900MHz Duplexer
for sale on eBay # 1946564789

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946564789

Sinclair Radio Laboratories RES-LOK C4220B Duplexer

High-quality unit in great condition.

Perfect for UHF repeater.

Can be tuned by an experienced ham/engineer,
but I'm not sure if it can be tuned to cover the entire 902-928 ISM band.

7044. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 05:53:41 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E015EE5.5090502@NOSPAMutoronto.ca>
Source record: 35654
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

```
Dave Holford wrote:
>
> Michael Moore wrote:
>
>>Dave Holford wrote:
>>
>>>Santa wrote:
>>>
>>>
>>>>lol. they say freedom of speech. but they do not allow freedom to listen. No
>>>>offence. I call freedom of speech as like here. Besides the mandatory french
>>>>that is on our stuff. we get to listen to what we want.
>>>>
>>>>Dev
>>>
>>>
>>>
>>>We do?
>>>
>>>I wish someone would tell that to the CRTC! (For you non-Canadians
>>>that's the government agency which controls the music our radio stations
>>>can play and dictates that if I watch a TV program on a U.S. network
>>>which is also on a Canadian one the U.S. one will be replaced with the
>>>Canadian one for the duration of the program; so that I cannot be
>>>seduced by U.S. advertising.)
>>
>>Are you sure? I always thought that the cable companies did
>>this unilaterally (perhaps receiving payoffs from Canadian
>>networks).
>>
>>--
>>Michael Moore
>
>
>
> Try section 30 of the BROADCASTING DISTRIBUTION REGULATIONS, pretty
> lengthy legalese specifying: "Programming Service Deletion and
> Substitution". It doesn't even have to be the same program, just
> comparable? Section 30.(2)(a)(i).

Interesting. Somehow, I suspect though that cable companies
petitioned for the adoption of this regulation to the CRTC.
```

--
Michael Moore

>
> I would much prefer some requirment to improve the technical quality of
> the signal, instead of regulating the content I am allowed to see/hear.

Me too!

> Dave

7045. Re: Ebay R75 Only $989

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 05:56:59 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E015FAB.2@NOSPAMutoronto.ca>
Source record: 35655
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

DeWayne wrote:
> Actually I think you can find it for around $500.
> DeWayne

And in stock? Perhaps that's the point of the $989 -- that
the radio is available now!

--
M2

7046. Power supply question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 08:34:48 UTC
From: Beowulf <beowulf@middlearth.net>
Message-ID: <dov20vksvq1klgjc06hq128cvlmskcoivk@4ax.com>
Source record: 35656

I am not a amateur radio operator but I do have a lot of low power devices that I run off of a box full of wall warts.

Anyway, a 40 buck Radio Shack power supply that runs the CB radio and my SW radio went south on me. I was thinking that what I needed was at least one good well regulated well filtered bench supply that could run any one of my devices on it in a pinch and would have a long service life.

I was thinking of getting a Astron VS-20M linear power supply-variable from 2-15 volts with a continuous rating of 16 amps. I know it would be over-kill as far as my power requirements but that wouldn't be all bad either.

What do you think?
Beowulf

7047. Re: Power supply question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 09:00:27 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <ats08m$h0s$1@news1.kornet.net>
Source record: 35657

Sounds like a nice supply, and one thing you could do is keep it at 13.8 volts, and buy yourself some 78xx regulators for your low power stuff.. mount them to a nice sized aluminum heatsink, and run the works off the supply.. you can buy these for 5, 6, 8 and 9 volts for less than a buck, and they handle about an amp heatsinked.. you can buy or build a nice terminal block to make your connections to.

"Beowulf" <beowulf@middlearth.net> wrote in message news:dov20vksvq1klgjc06hq128cvlmskcoivk@4ax.com...
> I am not a amateur radio operator but I do have a lot of low power
> devices that I run off of a box full of wall warts.
>
> Anyway, a 40 buck Radio Shack power supply that runs the CB radio and
> my SW radio went south on me. I was thinking that what I needed was at
> least one good well regulated well filtered bench supply that could
> run any one of my devices on it in a pinch and would have a long
> service life.
>
> I was thinking of getting a Astron VS-20M linear power supply-variable
> from 2-15 volts with a continuous rating of 16 amps. I know it would
> be over-kill as far as my power requirements but that wouldn't be all
> bad either.
>
> What do you think?
> Beowulf

7048. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 09:28:48 UTC
From: John Doty <jpd@w-d.org>
Message-ID: <65KdnTCCV6JsgJ-jXTWcog@speakeasy.net>
Source record: 35667
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <3dfb925e@snipnews.snip.net>, "wally pontoons"
<yoofoodo@aol.com> wrote:

> Ever wonder JUST WHY those manuals that come with your new Yaesu or
> Kenwood are so freakin BOTCHED UP in their presentation?

Since Japanese is difficult to learn to read, most people overestimate the importance of reading in the process of translating Japanese to English. Reading skill sufficient to puzzle out the meaning with a dictionary on your lap suffices. While this isn't exactly easy to learn, it's far short of fluency.

English is taught in Japanese schools and is also widely used in advertising in Japan. English language instruction in Japanese grade schools is not high in quality, but Japanese students still achieve a higher level of capability in English than Americans commonly achieve in their own foreign language studies. The Japanese are well aware of this.

I think these facts have a tendency to cause some Japanese to overestimate their prowess at translation. If you're a Japanese engineer with the best English skills in your department, the boss may mistakenly think he can save money by having you translate things. It is very un-Japanese to consciously do shoddy work, but without critical feedback how would you know? Feedback from the USA doesn't count: many Japanese think Americans are self-centered crybabies (with some justification).

Literal translation is problematic anyway: Japanese has a wildly different grammar from English. Japanese verb tenses don't map well to English tenses. Adjectives have tenses. A verb relates three nouns to each other, not two. Word order is completely different. The result is that a Japanese writer will build up to a concept from a very different path than an English writer will.

Engineering and science are especially difficult, as the languages often use different metaphors. A Japanese translator might know to use the English word for a collection of cannon in place of "denchi" (literally "lightning pond"): after all, "batteri" is also a modern Japanese word. On the other hand, I never got a satisfactory translation of "yomikomi" until I figured it out myself: my Kodansha dictionary translates "yomi" as "judgment" and "komi" as "included". I had to look hard at context and go back to the roots "yo(mu)" (read) and "ko(mu)" (load) to get "operand fetch"! You have to *really* understand the subject matter to do a decent job of translation.

--
| John Doty "You can't confuse me, that's my job."
| Home: jpd@w-d.org
| Work: jpd@space.mit.edu

7049. FS Collins 51 S-1F

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 11:06:56 UTC
From: JM <brm@netcabo.pt>
Message-ID: <3dfe5b86$0$1092$a729d347@news.telepac.pt>
Source record: 35658

I have for sale the Collins 51 S-1F (with rack).
950 Euros.

73 from CT1BRM
Jose

7050. Re: Atlas 350 XL

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 11:16:25 UTC
From: dj <dalej2@mac.remove.this.com>
Message-ID: <dalej2-4BD03C.05161719122002@apollo-ge0.rdc-kc.rr.com>
Source record: 35659

In article <FubM9.128417$%p6.14275737@twister.neo.rr.com>,
"Roger Peterson" <kc8qr@neo.rr.com> wrote:

> I need to know where I could one repaired? It is in good condition.I hate
> stoo seeit go to waste.
>
> Email is kc8qr@neo.rr.com
>
> Tnx Pete Kc8qr
>
>

It's a serviceable radio maybe you can repair it yourself. What's the
trouble?

Dale J.

7051. Re: solid state amp output filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 12:46:09 UTC
From: Andy Cowley <andy.cowley@uwe.ac.uk>
Message-ID: <3E01BF90.D05F720F@uwe.ac.uk>
Source record: 35660
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,uk.radio.amateur

Ludo wrote:
>
> I recently bought a second hand 1kW solid state amp. The output filters
> are damaged, the transistors are still ok. First, the idea was to repair
> the filter, but after inspection, it seemed that it might be better to
> replace the entire filter-board. It consists of 6 low pass filters , each
> switched by relays. Any ideas where i can find these filters (rated at
> 1kW) ?
>

Inductors can be made with silver plated wire - Scientific Wire Co
or Hobbycraft. Capacitors from the usual suspects. High voltage
relays are harder to source, can you re-use what you already have
or find them from the original source?

vy 73

Andy, M3ABC

7052. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 14:01:14 UTC
From: John Doty <jpd@w-d.org>
Message-ID: <RcWdnSxSr5pXwJ-jXTWc3w@speakeasy.net>
Source record: 35676
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <3E023E37.21CA5C73@ix.netcom.com>, "Robert Casey"
<wa2ise@ix.netcom.com> wrote:

> Okay, which language do you learn when you already know English? There
> is no obvious choice unlike in Japan or China or Europe or elsewhere
> (English). They tried to teach me Spanish in high school. Waste of
> time; Spanish is not a high tech language.

It has to be a "high tech" language? It's not enough to be able to
communicate with your neighbors or understand what you hear on the radio?
I certainly would find Spanish useful sometimes, but I don't know it.

I have found French quite useful professionally. I think most US schools
still teach that. My town's public school system certainly does.

--
| John Doty "You can't confuse me, that's my job."
| Home: jpd@w-d.org
| Work: jpd@space.mit.edu

7053. Icom 746 or Yaesu 847?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 14:34:40 UTC
From: Captain Liberty <Barrister54@socal.rr.com>
Message-ID: <4OkM9.152255$2z1.42517953@twister.socal.rr.com>
Source record: 35661

Well? Which is better? For use as backup/travel rig and vhf rig.

Roger, W6VZV

7054. Re: solid state amp output filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 16:09:23 UTC
From: Philip de Cadenet <Philstheboss@thebbc.fslife.co.uk>
Message-ID: <OEzQwdDz8eA+Ewg7@fslife.co.uk>
Source record: 35662
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,uk.radio.amateur

Ludo,

>I recently bought a second hand 1kW solid state amp. The output filters
>are damaged, the transistors are still ok. First, the idea was to repair
>the filter, but after inspection, it seemed that it might be better to
>replace the entire filter-board. It consists of 6 low pass filters , each
>switched by relays. Any ideas where i can find these filters (rated at
>1kW) ?
I have the mobile model by the same company.

Sounds like your amplifier has seen a high VSWR and smoked some of the
capacitors.

These are high voltage ceramics and are easily replaced.

I do not have a schematic of your amplifier but I imagine the chebychev
filter network is very similar to my amp.

Let me know if I can be of further help.
--
Philip de Cadenet G4ZOW
Transmitters 'R' Us
http://www.transmittersrus.com

7055. Re: Icom 746 or Yaesu 847?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 17:24:58 UTC
From: Steven L Umbach <n9rou@attbi.com>
Message-ID: <KhnM9.275766$GR5.92608@rwcrnsc51.ops.asp.att.net>
Source record: 35664

I picked up a used IC 746 recently and am very impressed with it. I
also have a Kenwood TS 850 and Yaesu FT 1000MP in the shack. The basic
receive performance of the IC 746 compares favorably. If you don not plan on
working satellites or need UHF then the IC 746 is the way to go - better
receiver, no constant fan noise, easier to use - I like the band buttons and
big tuning knob, internal antenna tuner, and 100 watts on two meters. ---
Steve KK9ZZ

"Captain Liberty" <Barrister54@socal.rr.com> wrote in message
news:4OkM9.152255$2z1.42517953@twister.socal.rr.com...
> Well? Which is better? For use as backup/travel rig and vhf rig.
>
> Roger, W6VZV
>
>

7056. FS: Some neat stuff for Builders & collectors w/pics>> Happy Holidays!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 17:26:31 UTC
From: rlucch2098@aol.com
Message-ID: <20021219122631.15165.00000308@mb-fe.aol.com>
Source record: 35665

Hi Guys;
I have for Sale:
1)- 4 Ceramic couplings.
Price is $15.00ppd>>
http://www.myradioroom.com/4couplings.jpg
2)- US Army Audio filters NEW, Marked FL-5C
Price is $13.00ppd>>
http://www.myradioroom.com/armyfilter1.jpg
http://www.myradioroom.com/armyfilter2.jpg
http://www.myradioroom.com/armyfilter3.jpg
3) Johnson LP filter for 72 ohm w/box.
Price is $20.00PPD>>
http://www.myradioroom.com/johnsonlp.jpg
4)- Yaesu 2-meter converter board for FR-101 SW receiver, these are super hard to find.
Price is $50.00ppd>>
http://www.myradioroom.com/fr101-2mtr.jpg
5- Bogen Desk mike, by astatic & looks like Drake model but better, has switchable impedence, excellent!
Price is $50.00 ppd>>
http://www.myradioroom.com/bogen1.jpg
http://www.myradioroom.com/bogen2.jpg
6)- Hallicrafters HA-26 VFO for 6 & 2mtrs for thier AM rigs, in original box w/papers, like new & hard to find.
Price is $60.00ppd>>
http://www.myradioroom.com/hallivfo1.jpg
http://www.myradioroom.com/hallivfo2.jpg
http://www.myradioroom.com/hallivfo3.jpg
7)- Three Hi-Quality VU meters, all Brand new, 2 are simpsons.
Price is $50.00ppd>>
http://www.myradioroom.com/3vumeters.jpg
8)- Johnson Ranger II reliminary assembly instructions, new in original mailer,
Price is $20.00ppd>>
http://www.myradioroom.com/rangermanual.jpg
Thanks & 73,
Rich WA2RQY(1961)
WEB-PAGE http://members.aol.com/rlucch2098/index.html

7057. Re: Ft 707 website???? thanks

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 19:41:40 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <UhpM9.9989$6k.456674@news1.west.cox.net>
Source record: 35668

Some links on FT-707
http://www.qsl.net/sm7vhs/radio/yaesu/ft707/ft707.htm

http://www.mods.dk/mods.php3?model=ft-707&radio=yaesu

http://www.eham.net/reviews/detail/543

http://space.tin.it/clubnet/lroetta/pages/Hamradio/rtxft707.htm

Probably more by using Google.com http://www.google.com/

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"kc5cqa" <kc5cqa@devtex.net> wrote in message
news:jmc40vone8ah2adjfifeq825eg6sub8v7k@4ax.com...
> I am looking for more info on the Ft 707 Yaesu. Would anyone know
> where there is a website that goes into detail about the unit, maybe
> also with pictures???? thanks cl. 73

7058. Ft 707 website???? thanks

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 20:58:29 UTC
From: kc5cqa <kc5cqa@devtex.net>
Message-ID: <jmc40vone8ah2adjfifeq825eg6sub8v7k@4ax.com>
Source record: 35666

I am looking for more info on the Ft 707 Yaesu. Would anyone know where there is a website that goes into detail about the unit, maybe also with pictures???? thanks cl. 73

7059. Vertex VRX-7000U UHF Repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 21:09:56 UTC
From: "William A. Galletti" <wagalletti@n7ym.net>
Message-ID: <EAqM9.33863$VA5.4180380@news1.news.adelphia.net>
Source record: 35669

I have decided to post this here before I post it on EBay. If you have any questions please email me at: wagalletti@n7ym.net

If the offer is right I'll let it go otherwise I will post it on EBay

http://www.n7ym.net/ebay/vertex/

7060. Ham gear for trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 21:27:48 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3E0239A2.3080403@dirtball.com>
Source record: 35670

Hello
I have a FT 920 with the AM filter and FM board. The FT 920 is 100
watts HF + 6 Meters.
It has a Auto tuner and the MC 100 Desk Mic. In the deal you will get
the technical supplement too (AKA Service manual), as well as the owners
manual . I also Have the 3 KW Roller Inductor Antenna Tuner. They are in
good shape I will trade both for a FT 990 or a FT 1000.. I have been
using the FT 920 as a backup rig. Drop me a line so we can work out a deal.
oris@dirtball.com
I have a Icom ICR71A Shortwave receiver that I will trade for a working
Viking Valant and SX 300 or Hamuland HQ 110. I'm looking for a good AM
Han station
with at least 200 watts out. I hope to find something to work with my
Audio rack.
I also have a Henry Amp 2 KD 5 Desktop,(It needs a new Plate amp meter)
two 3-500s 100 in will give you 1250 out, New Caps, that I will trade
for a Globe King or full legal output Ham band AM transmitter. this is a
pickup trade only. I will be willing to travel 100 miles from Athens
GA.
Happy Holidays
73 and thanks for reading
Oris
N4CND
http://www.dirtball.com

7061. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 21:36:46 UTC
From: Bob Javits <rjavits@optonline.net>
Message-ID: <3E023CB0.9090001@optonline.net>
Source record: 35671
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ok... after hundreds of messages on 5 different newsgroups, I think we
can all agree that very often, the manuals in equipment produced outside
the good old USA leave something to be desired.

Get over it!!!! And let's stop wasting time and bandwith on this nonsense.

Thanks..... Bob

PLEASE PLEASE PLEASE DO NOT REPLY TO THIS MESSAGE. THANKS!!!

7062. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 21:43:28 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v04f93oa27ro18@corp.supernews.com>
Source record: 35672
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Bob Javits wrote:
> Ok... after hundreds of messages on 5 different newsgroups, I think we
> can all agree that very often, the manuals in equipment produced outside
> the good old USA leave something to be desired.
>
> Get over it!!!! And let's stop wasting time and bandwith on this nonsense.
>
> Thanks..... Bob
>
>
> PLEASE PLEASE PLEASE DO NOT REPLY TO THIS MESSAGE. THANKS!!!
>

OK!

7063. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 21:46:31 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3E023E37.21CA5C73@ix.netcom.com>
Source record: 35673
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

John Doty wrote:

> In article <3dfb925e@snipnews.snip.net>, "wally pontoons"
> <yoofoodo@aol.com> wrote:
>
> > Ever wonder JUST WHY those manuals that come with your new Yaesu or
> > Kenwood are so freakin BOTCHED UP in their presentation?
>
> Since Japanese is difficult to learn to read, most people overestimate the
> importance of reading in the process of translating Japanese to English.
> Reading skill sufficient to puzzle out the meaning with a dictionary on
> your lap suffices. While this isn't exactly easy to learn, it's far short
> of fluency.
>
> English is taught in Japanese schools and is also widely used in
> advertising in Japan. English language instruction in Japanese grade
> schools is not high in quality, but Japanese students still achieve a
> higher level of capability in English than Americans commonly achieve in
> their own foreign language studies. The Japanese are well aware of this.

Okay, which language do you learn when you already know English?
There is no obvious choice unlike in Japan or China or Europe or
elsewhere (English). They tried to teach me Spanish in high school.
Waste of time; Spanish is not a high tech language. They didn't
offer Japanese or Chinese, which might have been more useful.

7064. Re: 900MHz Duplexer for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 22:27:15 UTC
From: bigdick <bigdick@appt.net>
Message-ID: <7uh40vo259jf18eibs35bmt30bknnpgt59@4ax.com>
Source record: 35674
Cross-posted to:
rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf

How about using FA so we can filter this crap out

On 18 Dec 2002 20:19:43 -0800, groups@nickmatic.com (Nickmatic) wrote:

>900MHz Duplexer
>for sale on eBay # 1946564789
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946564789
>
>Sinclair Radio Laboratories RES-LOK C4220B Duplexer
>
>High-quality unit in great condition.
>
>Perfect for UHF repeater.
>
>Can be tuned by an experienced ham/engineer,
>but I'm not sure if it can be tuned to cover the entire 902-928 ISM band.

7065. FS: New Yaesu MD-100a8x Mic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 23:06:38 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <2isM9.654$Zt4.5237@twister.rdc-kc.rr.com>
Source record: 35675

Just purchased. New in box w/sales invoice. Plans changed. $100 shipped/insured Conus.

Van,
K0KAV

7066. Re: Power supply question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-19 23:51:26 UTC
From: Beowulf <beowulf@middlearth.net>
Message-ID: <v5m40v8kf2r0scosh1t8a4ldflkq0ph2lu@4ax.com>
Source record: 35677

On Thu, 19 Dec 2002 18:00:27 +0900, "Brenda Ann"
<brendad@shinbiro.com> wrote:

>Sounds like a nice supply, and one thing you could do is keep it at 13.8
>volts, and buy yourself some 78xx regulators for your low power stuff..
>mount them to a nice sized aluminum heatsink, and run the works off the
>supply.. you can buy these for 5, 6, 8 and 9 volts for less than a buck, and
>they handle about an amp heatsinked.. you can buy or build a nice terminal
>block to make your connections to.
>
>
Your suggestion is intriguing. It's been over 30 years since I have
built anything-Heathkit tube stuff. So I looked up the pin out of the
78xx regulators.

They have three pins-ground, in and out. Are you saying that all I
would have to do, electrically, is to feed in 13.8 volts dc from the
PS into the In and Ground pin and I would get, say, 6 volts dc out of
a 7806 from ground and the out pin without any additional components
or wiring? If it's that simple I will definitely give it a try.

Thanks for you response,
Beowulf

7067. Re: Power supply question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 00:46:57 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <attnneont1@news1.kornet.net>
Source record: 35678

The most you would need to add would be a small capacitor (10 F) across the output of each regulator.

"Beowulf" <beowulf@middlearth.net> wrote in message
news:v5m40v8kf2r0scosh1t8a4ldflkq0ph2lu@4ax.com...
> On Thu, 19 Dec 2002 18:00:27 +0900, "Brenda Ann"
> <brendad@shinbiro.com> wrote:
>
> >Sounds like a nice supply, and one thing you could do is keep it at 13.8
> >volts, and buy yourself some 78xx regulators for your low power stuff..
> >mount them to a nice sized aluminum heatsink, and run the works off the
> >supply.. you can buy these for 5, 6, 8 and 9 volts for less than a buck,
and
> >they handle about an amp heatsinked.. you can buy or build a nice
terminal
> >block to make your connections to.
> >
> >
> Your suggestion is intriguing. It's been over 30 years since I have
> built anything-Heathkit tube stuff. So I looked up the pin out of the
> 78xx regulators.
>
> They have three pins-ground, in and out. Are you saying that all I
> would have to do, electrically, is to feed in 13.8 volts dc from the
> PS into the In and Ground pin and I would get, say, 6 volts dc out of
> a 7806 from ground and the out pin without any additional components
> or wiring? If it's that simple I will definitely give it a try.
>
> Thanks for you response,
> Beowulf
>

7068. FS: Icom IC-3210A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 00:54:25 UTC
From: "Daniel C. Mckenzie" <no.mckenzie.crap@acegroup.cc>
Message-ID: <attpoh0fd1@enews4.newsguy.com>
Source record: 35680

IC-3210A - 2M/440 mobile - 25 watts - mobile bracket - mic.
Good condition. Asking $85.00

Dan, W9FCC
no.w9fcc.crap@acegroup.cc
(remove the obvious to E-mail me)

7069. FS: Kenwood TM-201B mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 00:56:30 UTC
From: "Daniel C. Mckenzie" <no.mckenzie.crap@acegroup.cc>
Message-ID: <attpsf0fhl@enews4.newsguy.com>
Source record: 35682

Kenwood TM-201B 2 meter mobile - 45 watts - great shape.
Would make a very nice packet rig. Mobile bracket - no mic.
(takes any 8 pin Kenwood mic)

Asking $65.00

Dan, W9FCC
no.w9fcc.crap@acegroup.cc
(remove the obvious to E-mail me)

7070. Re: Icom 746 or Yaesu 847?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 01:05:27 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3E026CA6.1080804@dirtball.com>
Source record: 35679

I have a FT 847 and I like it. It is nice radio.

Captain Liberty wrote:

>Well? Which is better? For use as backup/travel rig and vhf rig.
>
>Roger, W6VZV
>
>
>
>

7071. FA; Yaesu FT-1000MP, SP-8, 5 filters

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 01:21:27 UTC
From: "D. L. Rodgers" <k9ux@mchsi.com>
Message-ID: <rguM9.432702$QZ.68013@sccrnsc02>
Source record: 35681

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946271720

At only $1075, it's a steal.

7072. Re: 900MHz Duplexer for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 03:01:33 UTC
From: groups@nickmatic.com
Message-ID: <e77ffe9e.0212191901.7bd67b95@posting.google.com>
Source record: 35683
Cross-posted to:
rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf

I'm sorry you find my posting of a useful piece of radio equipment to
ham equipment and swap newsgroups to be crap. At your warm and
friendly suggestion I have looked up the meaning of FA and will use it
in future postings of this nature. If I may offer some unsolicited
advice, I think you'll find that people respond better to help and
guidance than judgement and negativity. This has worked for me for
many years in many different types of discussion forums, on usenet and
bulletin board systems, since before the web.
Best,
Nicholas

bigdick <bigdick@appt.net> wrote in message
news:<7uh40vo259jf18eibs35bmt30bknnpgt59@4ax.com>...
> How about using FA so we can filter this crap out
>
>
>
> On 18 Dec 2002 20:19:43 -0800, groups@nickmatic.com (Nickmatic) wrote:
>
> >900MHz Duplexer
> >for sale on eBay # 1946564789
> >
> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946564789
> >
> >Sinclair Radio Laboratories RES-LOK C4220B Duplexer
> >
> >High-quality unit in great condition.
> >
> >Perfect for UHF repeater.
> >
> >Can be tuned by an experienced ham/engineer,
> >but I'm not sure if it can be tuned to cover the entire 902-928 ISM band.

7073. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 03:04:35 UTC
From: sven@gordsven.com
Message-ID: <slrnb052d5.gov.sven@gordsven.com>
Source record: 35684
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <RcWdnSxSr5pXwJ-jXTWc3w@speakeasy.net>, John Doty wrote:
> I have found French quite useful professionally. I think most US schools
> still teach that. My town's public school system certainly does.

My high school French comes in handy in Quebec. Was able to haggle a
little blue 5-tube Westinghouse from US$10 down to US$7 at a Village de
Valeurs thrift stores two summers ago. :-)

THAT was an experience!! :)
--
Sven

7074. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 03:10:54 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <v052iabsr3h062@corp.supernews.com>
Source record: 35685
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Robert Casey wrote:

> Which language do you learn when you already know English? There
> is no obvious choice unlike in Japan or China or Europe or elsewhere
> (English). They tried to teach me Spanish in high school. Waste of
> time; Spanish is not a high-tech language.

I took Spanish in high school. It sure comes in handy in fast-food restaurants!

7075. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 04:58:54 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3e02a387$1@news.netacc.net>
Source record: 35686
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"William Sommerwerck" <williams@nwlink.com> wrote in message
news:v052iabsr3h062@corp.supernews.com...
> Robert Casey wrote:
>
> I took Spanish in high school. It sure comes in handy in fast-food
restaurants!

In front of, or behind the counter :-)

Steve

7076. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 05:52:55 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E02B037.4080208@NOSPAMutoronto.ca>
Source record: 35687
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

John Doty wrote:
> Since Japanese is difficult to learn to read, most people overestimate the
> importance of reading in the process of translating Japanese to English.
> Reading skill sufficient to puzzle out the meaning with a dictionary on
> your lap suffices. While this isn't exactly easy to learn, it's far short
> of fluency.
>
> English is taught in Japanese schools and is also widely used in
> advertising in Japan. English language instruction in Japanese grade
> schools is not high in quality, but Japanese students still achieve a
> higher level of capability in English than Americans commonly achieve in
> their own foreign language studies. The Japanese are well aware of this.
>
> I think these facts have a tendency to cause some Japanese to overestimate
> their prowess at translation. If you're a Japanese engineer with the best
> English skills in your department, the boss may mistakenly think he can
> save money by having you translate things. It is very un-Japanese to
> consciously do shoddy work, but without critical feedback how would you
> know? Feedback from the USA doesn't count: many Japanese think Americans
> are self-centered crybabies (with some justification).

Regardless who does the translating, it just seems stupid
that the manufacturer doesn't test the manual out on a
sample of people from the target audience. Why is it so
hard for many firms to understand this? It's probably also
not a good idea to have engineers write the (users) manual
either (I know, this last remark is flame bait).

--
Michael Moore

7077. Realistic pro 2024

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 07:06:42 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <sjzM9.483$lt3.39783@twister.kc.rr.com>
Source record: 35688

I have a pro 2024 police scanner forsale.
Works good looks good.
60 channels programable.
Comes with manual plugs in to 120 volt.
$65 shipped u.s only
Paypal prefered.

7078. WTB YAESU FILTERS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 07:18:21 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <1vzM9.3543$Zt4.35665@twister.rdc-kc.rr.com>
Source record: 35689
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I'am looking for a yaesu yf112a am filter and yaesu fm-747 fm unit.
E-mail with price and condition.

7079. Re: solid state amp output filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 09:31:29 UTC
From: Ludo <nospam@nospam.com>
Message-ID: <RrBM9.61726$Ti2.9406@afrodite.telenet-ops.be>
Source record: 35690
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,uk.radio.amateur

Philip de Cadenet <Philstheboss@thebbc.fslife.co.uk> wrote in
news:OEzQwdDz8eA+Ewg7@fslife.co.uk:

> Ludo,
>
>>I recently bought a second hand 1kW solid state amp. The output filters
>>are damaged, the transistors are still ok. First, the idea was to repair
>>the filter, but after inspection, it seemed that it might be better to
>>replace the entire filter-board. It consists of 6 low pass filters , each
>>switched by relays. Any ideas where i can find these filters (rated at
>>1kW) ?
> I have the mobile model by the same company.
>
> Sounds like your amplifier has seen a high VSWR and smoked some of the
> capacitors.
>
> These are high voltage ceramics and are easily replaced.
>
> I do not have a schematic of your amplifier but I imagine the chebychev
> filter network is very similar to my amp.
>
> Let me know if I can be of further help.

Hi,

Thanks for taking the time to read my post.
Actually the core material is burned, the capacitors seem to be ok.

L.

7080. Re: solid state amp output filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 10:14:50 UTC
From: Philip de Cadenet <Philstheboss@thebbc.fslife.co.uk>
Message-ID: <4lZNYvEa2uA+EwlN@fslife.co.uk>
Source record: 35691
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,uk.radio.amateur

Ho Ludo,

>Thanks for taking the time to read my post.
>Actually the core material is burned, the capacitors seem to be ok.

SMOKING

I've just checked my 'Metron' amp manual and the part numbers or
description of the filter inductors do not in any way tell you what
brand or type of ferrite core is used.

IMHO Type 43 offers the best overall performance from 160-10m.

However I've just found the business card from my last point of contact
at Datron who it seems are now part of Titan Systems Corp.

You may wish to contact David Bradley who's e-mail is;

dbradley@titan.com

You'll receive my consultancy invoice at the end of the month:-)

Happy Christmas.
--
Philip de Cadenet G4ZOW
Transmitters 'R' Us
http://www.transmittersrus.com

7081. Re: Icom 746 or Yaesu 847?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 11:55:44 UTC
From: DBN <dnicholson@mcmsys.com>
Message-ID: <atv4mt$km9$1@news.mcmsys.com>
Source record: 35692

Neither one Try looking at the New Yaesu FT-897

"Oris" <orisnospam@dirtball.com> wrote in message
news:3E026CA6.1080804@dirtball.com...
> I have a FT 847 and I like it. It is nice radio.
>
> Captain Liberty wrote:
>
> >Well? Which is better? For use as backup/travel rig and vhf rig.
> >
> >Roger, W6VZV
> >
> >
> >
> >
>

7082. Re: Icom 746 or Yaesu 847?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 12:01:21 UTC
From: Dennis Kaylor <k4oxg@tampabay.rr.com>
Message-ID: <3E030688.4010609@tampabay.rr.com>
Source record: 35693

if your wanting a radio to travel with why not look into the Icom
Ic706MkIIG which is HF/6/2/440
just like the FT847 but a whole bunch smaller and cheaper
HRO has them for $779 you could get 2 almost 3 for the price of the 847

Captain Liberty wrote:
> Well? Which is better? For use as backup/travel rig and vhf rig.
>
> Roger, W6VZV
>
>

7083. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 12:24:01 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <v062vdmcuhahb2@corp.supernews.com>
Source record: 35694
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

At the moment, in front of the counter. But, with the way the economy's going, who knows...?

Stephen C. Robbins wrote...

> William Sommerwerck wrote...

>> I took Spanish in high school. It sure comes in handy
>> in fast-food restaurants!

> In front of, or behind the counter? :-)

7084. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 12:32:30 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <v063fb22g0olf7@corp.supernews.com>
Source record: 35695
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Michael Moore wrote...

> Regardless who does the translating, it just seems stupid
> that the manufacturer doesn't test the manual out on a
> sample of people from the target audience. Why is it so
> hard for many firms to understand this?

Because it costs time and money. When I worked full-time at The Evil Empire, we user-tested the QuickBasic 4.0 docs. It was a botch, because we had a bad sample group ("professional" software testers interested mostly in getting free samples), and no one wanted to commit the project to the extended testing that would have been needed to really learn something.

I might add that a good, experienced technical writer can "get it right" (most of the time) without testing the docs on a live audience. Honest.

> It's probably also not a good idea to have engineers write
> the (user's) manual either (I know, this last remark is flame bait).

Most "professional" technical writers are incompetent; I'm sure there are engineers who could do a better job.

The problem with having the engineers write the documents is that they are "too close" to the product and don't (usually) know how to look at it from the users' point of view.

7085. Re: WANT Active Dual SWR Power Meter or schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 12:55:21 UTC
From: restamp@hotmail.com
Message-ID: <ZqEM9.88$Vo5.353893@twister.columbus.rr.com>
Source record: 35696
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.antenna,alt.radio.amateur

In article <3DFA5F1D.69FA154F@flex.com>,
frazier@flex.com <frazier@flex.com> wrote:
>I've got a SignalCrafter model 30 SWR Power meter and would like to find
>another in working condition, or another SWR/Power meter with similar
>features.
>
>The SignalCrafter Model 30 has two meters. The lefthand one displays
>Power in three ranges, 20W, 200W, and 2000W. The righthand meter
>displays SWR, and under the SWR scale is something they called
>reflection coefficient. It also provides the ability to switch between
>three antennas and a dummy load. I don't care about the switching for
>antennas, as I only use mine for a SWR/Power meter, and use a different
>custom switching array for my antenna switches.
>
>The SignalCrafter Model 30 was made in the early 80's and is an ACTIVE
>SWR meter. There is no "set" knob or need to mess around with anything
>other than the switches that select the power level. It's operation is
>very similar to the dual panel meters that are built into the JW Miller
>AT2500 Antenna Tuner of similar vintage.
>
>Does anyone know of the availability of a SignalCrafter Model 30 or
>similar unit, or have a schematic that could be used to modify (add
>circuitry) to the existing cross needle swr meters in my MFJ
>Differential T Tuners? I really dislike the cross needle meters that
>require you to interpret the swr by reading a red line where the needles
>cross. I can pretty easily make a new dial scale if I can get a
>schematic to build the active circuitry to drive the meters.

Except for the fact that the meters are reversed, and there is
no Reflection Coefficient scale, I believe the Autek Research
WM1 Deluxe Computing SWR/Wattmeter would fit your bill. I have
one and like it, and an added bonus is that it can read Avg Pwr
or PEP:

<http://www.autekresearch.com/wm1.htm>

Rob

7086. Re: Icom 746 or Yaesu 847?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 15:33:56 UTC
From: Captain Liberty <Barrister54@socal.rr.com>
Message-ID: <ELGM9.154597$2z1.43047393@twister.socal.rr.com>
Source record: 35697

"DBN" <dnicholson@mcmsys.com> wrote in message
news:atv4mt$km9$1@news.mcmsys.com...
> Neither one Try looking at the New Yaesu FT-897
>
>
I will. Thanks.
Roger, W6VZV

7087. Re: Icom 746 or Yaesu 847?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 15:35:11 UTC
From: Captain Liberty <Barrister54@socal.rr.com>
Message-ID: <PMGM9.154598$2z1.43046986@twister.socal.rr.com>
Source record: 35698

"Dennis Kaylor" <k4oxg@tampabay.rr.com> wrote in message
news:3E030688.4010609@tampabay.rr.com...
> if your wanting a radio to travel with why not look into the Icom
> Ic706MkIIG which is HF/6/2/440
> just like the FT847 but a whole bunch smaller and cheaper
> HRO has them for $779 you could get 2 almost 3 for the price of the 847

I will be popping over to HRO before too long. I will do as you suggest and take a look at the MkIIG (can "H" be far away with prices dropping, grin) as well as the Yaesu FT-100d, its counterpart.

Thanks de Roger, W6VZV

7088. Yaesu FLDX-400 Manual or copy needed

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 15:43:05 UTC
From: Martyn <martyna@bellsouth.net>
Message-ID: <PEGM9.4834$0v3.4082@news.bellsouth.net>
Source record: 35699
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi there
I am trying to locate a manual or copy of for my Yaesu FLDX-400
Transmitter.
I have found several commercial sources but hope to buy an original or a
"Good" copy
If you have one, please give me a shout
Thanks
Martyn

7089. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 17:36:21 UTC
From: Michael Moore <m.moore@utoronto.ca>
Message-ID: <3E035515.5030504@utoronto.ca>
Source record: 35700
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

William Sommerwerck wrote:

> The problem with having the engineers write the documents is that they are "too
> close" to the product and don't (usually) know how to look at it from the users'
> point of view.

I agree with this. It also seems to me that writing is not necessarily
their forte -- though this varies from individual to individual.

--
Michael Moore

7090. Re: Foward power question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 19:17:24 UTC
From: Dave Shrader <david.shrader@attbi.com>
Message-ID: <3E036C88.4070009@attbi.com>
Source record: 35701
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics

Hold it! Hold it! Hold it!

There is no assurance that the reflected WAVE is 180 degrees out of phase!! A low impedance, relative to Zo, produces a negative phase shift in the reflected voltage wave and NO phase shift in the reflected current wave. A high impedance, relative to Zo, produce a negative phase shift in the current wave. The magnitude of the phase shift depends upon the complex impedance of the load.

A reflection coefficient is a complex value and can have any phase relationship depending on the resistance and reactance in the load. A Smith chart shows all possible reflection coefficients.

The reflected current and voltage can have any load factor, cosine theta, between zero and one. So, the reflected WAVES can have any power factor and must be treated as both POWER and Reactive Volt*Amperes [VARS].

==========

Steve N8NM wrote:
> OK, let me see if I understand now...
>
> Using the I Smac hypothetical:
>
> Initially, the 100 watt transmitter attempts to deliver it's full
> output to the load, since it has no clue that the load is not matched
> to the source. When the energy hits the mismatch, a portion of it, 10
> watts, is reflected back to the source, 180 degrees out of phase.
> This signal, being out of phase with the source, opposes 10 watts
> worth of source energy from subsequent waves, so the source only puts
> out 90 watts once the reflected waves reach it. Further, once the
> reflected wave reaches the source, it is re-reflected back toward the
> load after undergoing another phase inversion, so, the wattmeter will
> now read 100 watts forward, since the re-reflected signal is now 360
> degrees out of phase... Meanwhile, the source is only supplying 90
> watts and the load is dissipating 90 watts, so 10 watts is "standing"
> in the line... If I'm correct, that would be the "standing
> wave".....?

7091. Fix for IFR FM/AM1000 CRT Display?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 19:39:50 UTC
From: mike <spamme0@juno.com>
Message-ID: <3E037206.CA28A464@juno.com>
Source record: 35702

I have a very early IFR FM/AM1000 Service monitor.
The CRT monitor was dead. I replaced the diodes
in the
filament supply of the CRT and that fixed it.
Put it on the shelf for six months and now the CRT
is dead again.

IFR did a mod to run the filament from AC.
Removed the diodes, but
requires a new transformer that I don't have. The
start circuit for
the CRT power supply is very flakey.

Anybody successfully redesigned the CRT supply to
work reliably
and willing to share?

Thanks, mike

--
Bunch of stuff For Sale and Wanted at the link
below.
Tek 2465, TFT projector, ham radio, 30pS pulser
Tektronix Concept Books...
http://www.geocities.com/SiliconValley/Monitor/4710/

7092. Looking to buy a HF rig...need advice...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 20:22:15 UTC
From: "Dorian Creber(MW1AAH)" <dorian@no-spam-spamcop.net>
Message-ID: <VZKM9.2695$e34.70837@newsfep1-gui.server.ntli.net>
Source record: 35703

Hi all,

I need some advice on what to get.. looking second hand.
For base station useage with inbuilt PSU etc. already have a tuner. Needs to have a gen coverage rx only hf bands really.. although 6m would be nice :-)

Any ideas what sort of rig would do the job ?

Regards,

Doz

7093. FS: (3) MFJ TNC / mic switches

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 20:22:46 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <nfu60v4djcjgtfbumum5s9setlu11tk26g@4ax.com>
Source record: 35704

I have for sale 3 MFJ TNC/mic switchs with cables.....

MFJ-1272BYV for Kam- VHF
MFJ-1272MYV Kam VHF/KPC-3
MFJ-1272BX mic/tnc switch

I will take $20 each plus shipping. I can be reached at (508) 821-2993
or email ......WZ1U Steve / Lakeville, Ma.

7094. Re: FT-847 Can it work with an SGC 237 coupler/tuner?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 23:23:39 UTC
From: Paul Flautt <pflautt@netpluscom.com>
Message-ID: <3E03A67A.D279B06A@netpluscom.com>
Source record: 35705

Joe,
Picked up the FC-20 last weekend.So far I've had no
problems.Seem's to work fine.Alway's had manual tuner.
73's Paul KB8CMW

Joe wrote:

> I know you can use a SGC coupler/tuner with just about any radio, but
> can the SGC237 be made to work by using the tune button on the FT-847?
> Does anyone know why, or why not? What about the FC-20, is it as bad
> as people say it is, or is it as good as it is supposed to be, just
> not good enough?
>
> I would like to hear from people who have first hand experience with
> these products before I buy one or the other.
>
> TNX Joe KQ4BX

7095. FS: Swan WMM-200 SWR/WATT meter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-20 23:50:42 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <0na70vcssqshn7t9fglo9qno5s72pglidt@4ax.com>
Source record: 35706

I have for sale in very nice condition and working a Swan WMM-200 SWR/WATT meter. The max. power is 300 watts and the frequency range is 50-150Mhz. It comes with the meter and coupler. I will take $75 plus shipping. I can be reached at (508) 821-2993 or email......WZ1U Steve / Lakeville, Ma.

7096. Re: WANT Active Dual SWR Power Meter or schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 00:34:20 UTC
From: la8ak.xnd@online.no
Message-ID: <3e03ac25.269975509@news.online.no>
Source record: 35707
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.antenna,alt.radio.amateur

On Fri, 20 Dec 2002 12:55:21 GMT, restamp@hotmail.com (Rob Stampfli)
wrote:

>In article <3DFA5F1D.69FA154F@flex.com>,
>frazier@flex.com <frazier@flex.com> wrote:
>>I've got a SignalCrafter model 30 SWR Power meter and would like to find
>>another in working condition, or another SWR/Power meter with similar
>>features.
>>
>>The SignalCrafter Model 30 has two meters. The lefthand one displays
>>Power in three ranges, 20W, 200W, and 2000W. The righthand meter
>>displays SWR, and under the SWR scale is something they called
>>reflection coefficient. It also provides the ability to switch between
>>three antennas and a dummy load. I don't care about the switching for
>>antennas, as I only use mine for a SWR/Power meter, and use a different
>>custom switching array for my antenna switches.
>>
>>The SignalCrafter Model 30 was made in the early 80's and is an ACTIVE
>>SWR meter. There is no "set" knob or need to mess around with anything
>>other than the switches that select the power level. It's operation is
>>very similar to the dual panel meters that are built into the JW Miller
>>AT2500 Antenna Tuner of similar vintage.
>>
>>Does anyone know of the availability of a SignalCrafter Model 30 or
>>similar unit, or have a schematic that could be used to modify (add
>>circuitry) to the existing cross needle swr meters in my MFJ
>>Differential T Tuners? I really dislike the cross needle meters that
>>require you to interpret the swr by reading a red line where the needles
>>cross. I can pretty easily make a new dial scale if I can get a
>>schematic to build the active circuitry to drive the meters.
>
>Except for the fact that the meters are reversed, and there is
>no Reflection Coefficient scale, I believe the Autek Research
>WM1 Deluxe Computing SWR/Wattmeter would fit your bill. I have
>one and like it, and an added bonus is that it can read Avg Pwr
>or PEP:
>
> <http://www.autekresearch.com/wm1.htm>
>
>Rob

could send you the schematic for NYE VIKING power meter (believe it is
part of a tuner), it uses 5 op-amps (an LM324 and an LM358) - it is
not too expensive to make, don't know about the accuracy, but the

problem is to find a frequency independent probe which works - to many amateur constructions aren't too easy to copy with the promissed performance.

73
LA8AK
--
remove ,xnd to reply

7097. Re: Icom 746 or Yaesu 847?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 01:40:22 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3E03C686.C50A6AF4@qth.com>
Source record: 35708
Body handling: Binary attachment payload not displayed: radioranch.vcf

In my humble but well tested opinion. I ran em both in my motor
home.....

Icom 746 by a mile!! and what a buy they are now used!! 73 Murray

Captain Liberty wrote:

> Well? Which is better? For use as backup/travel rig and vhf rig.
>
> Roger, W6VZV

[One or more binary attachments are retained only in the source text.]

7098. Re: Looking to buy a HF rig...need advice...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 01:43:14 UTC
From: Henry Kolesnik <wd5jfr@oklahoma.net>
Message-ID: <v07hplgs3pmh04@corp.supernews.com>
Source record: 35709

Icom 761 or 765, but neithr have 6 meters.
"Dorian Creber(MW1AAH)" <dorian@no-spam-spamcop.net> wrote in message
news:VZKM9.2695$e34.70837@newsfep1-gui.server.ntli.net...
> Hi all,
>
> I need some advice on what to get.. looking second hand.
> For base station useage with inbuilt PSU etc. already have a tuner. Needs
to
> have a gen coverage rx only hf bands really.. although 6m would be nice
:-)
>
> Any ideas what sort of rig would do the job ?
>
> Regards,
>
> Doz
>
>

7099. MARCONI AUDIO POWER METER TYPE TF340

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 01:43:58 UTC
From: dragomil <dragomil@btinternet.com>
Message-ID: <au0h0uab1@sparta.btinternet.com>
Source record: 35710

Can anybody supply me with a circuit diagram of this meter.?.

GM3KJE

7100. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 03:21:56 UTC
From: Dan Morisseau <dpm3@morisseau.org>
Message-ID: <3E03DE8E.CA5C8B63@morisseau.org>
Source record: 35711
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

William Sommerwerck wrote:

> I took Spanish in high school. It sure comes in handy in fast-food restaurants!

Like the kind smile I get at Panda Express Chinese when I ask for "pollo
naranja" ... or "mas carne" at the cheese steak place down the mall.

--
Dan Morisseau - N 38ï¿½34'53", W 90ï¿½22'32", 680'
Cardinal Nation: On the sunrise side of Mo-Pac's famous Kirkwood Hill!
"ï¿½Y tu madre tambien!"

7101. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 03:46:10 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v07ot4lahf570e@corp.supernews.com>
Source record: 35712
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Dan Morisseau wrote:
>
> William Sommerwerck wrote:
>
>
>>I took Spanish in high school. It sure comes in handy in fast-food restaurants!
>
>
> Like the kind smile I get at Panda Express Chinese when I ask for "pollo
> naranja" ... or "mas carne" at the cheese steak place down the mall.

Contrary to Lou's rants, it behooves anybody in the US to pick up on a
bit of Spanish if you want to get your order right if that has become
the norm in your community.
My OM, 74 this year, can do it (since his $150k Charlotte neighborhood
has gone almost totally Hispanic). And he loves the fun (and irony) in
it as do the people he now has to deal with.
Its all smiles and broken jokes...while the next guy just goes on an
angry rant and will probably get cheated on his change.
Those who categorically refuse to play the game might as well be left
behind...as they rightly should be...and will be.
There's no We vs. Them battle that needs to be fought. I'd rather hear
a Spanish accent at McDonalds than some marble-mouthed suburban Anglo
kid who I have paid for his education.

-ex

7102. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 03:51:21 UTC
From: sven@gordsven.com
Message-ID: <slrnb07pgs.r2o.sven@gordsven.com>
Source record: 35713
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <v07ot4lahf570e@corp.supernews.com>, Bill M wrote:
> Its all smiles and broken jokes...while the next guy just goes on an
> angry rant and will probably get cheated on his change.

These are the same folks who go to a non-English speaking country and
think that if they YELL loudly enough at the natives, they will
somehow understand the English.

--
Sven (it's a smaller world, learn a second language)

7103. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 03:56:20 UTC
From: Dan Morisseau <dpm3@morisseau.org>
Message-ID: <3E03E658.E16860FB@morisseau.org>
Source record: 35714
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Bill M wrote:

> Dan Morisseau wrote:
> >
> > William Sommerwerck wrote:
> >
> >
> >>I took Spanish in high school. It sure comes in handy in fast-food restaurants!
> >
> >
> > Like the kind smile I get at Panda Express Chinese when I ask for "pollo
> > naranja" ... or "mas carne" at the cheese steak place down the mall.
>
> Contrary to Lou's rants, it behooves anybody in the US to pick up on a
> bit of Spanish if you want to get your order right if that has become
> the norm in your community.
> My OM, 74 this year, can do it (since his $150k Charlotte neighborhood
> has gone almost totally Hispanic). And he loves the fun (and irony) in
> it as do the people he now has to deal with.
> Its all smiles and broken jokes...while the next guy just goes on an
> angry rant and will probably get cheated on his change.
> Those who categorically refuse to play the game might as well be left
> behind...as they rightly should be...and will be.
> There's no We vs. Them battle that needs to be fought. I'd rather hear
> a Spanish accent at McDonalds than some marble-mouthed suburban Anglo
> kid who I have paid for his education.
>
> -ex

You got it right! They came here to WORK and get ahead - just like my ancestors did. There are ins and outs as to HOW we ought to manage the situation, but I'll never fault someone who is here looking to get ahead in a legal fashion. I try to treat people with respect and almost invariably get the same in return. I'd bet I am a good deal more difficult for them to put up with than vice versa.

--
Dan Morisseau - N 38ï¿½34'53", W 90ï¿½22'32", 680'
Cardinal Nation: On the sunrise side of Mo-Pac's famous Kirkwood Hill!
"ï¿½Y tu madre tambien!"

7104. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 04:02:00 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3E03E7BA.5000103@optonline.net>
Source record: 35715
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Bill M wrote:

<snip>

> There's no We vs. Them battle that needs to be fought. I'd rather hear
> a Spanish accent at McDonalds than some marble-mouthed suburban Anglo
> kid who I have paid for his education.

. . . and who still doesn't know how to construct sentences with
relative clauses.

-=-
Alan

7105. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 04:17:22 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <mXRM9.414148$P31.147021@rwcrnsc53>
Source record: 35716
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

> Those who categorically refuse to play the game might as well be left
> behind...as they rightly should be...and will be.
> There's no We vs. Them battle that needs to be fought. I'd rather hear
> a Spanish accent at McDonalds than some marble-mouthed suburban Anglo
> kid who I have paid for his education.

Besides, Spanish is a very easy language to learn, very easy. It's logical, easy to pronounce, and very easy to read and write. I've learned four languages beyond English, and Spanish was the easiest of the four to learn, by far. If you start to study Spanish, you realize how much Latin grammar has found its way into English. Spanish was also influenced by the Greeks (and English has quite a bit of Greek in it, too).

Jackie

7106. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 05:04:09 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v07tfd6bc1ric4@corp.supernews.com>
Source record: 35717
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Alan Beagley wrote:
> Bill M wrote:
>
> <snip>
>
>> There's no We vs. Them battle that needs to be fought. I'd rather
>> hear a Spanish accent at McDonalds than some marble-mouthed suburban
>> Anglo kid who I have paid for his education.
>
>
> . . . and who still doesn't know how to construct sentences with
> relative clauses.
>
> -=-
> Alan
>
Thats great Alan. That last phrase gave me a bit of consternation at
the time of posting. Feel free to correct it (in English or Spanish) so
as not to make yourself appear as a simple bitch.
--

7107. FS: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 05:23:26 UTC
From: Joe Mehaffey <joe@mehaffey.us>
Message-ID: <3E03FACE.8514C8B7@mehaffey.us>
Source record: 35718
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Just a few more hours on eBay and going cheap.
See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
Thanks,

Joe Mehaffey
--
Got a Question about GPS technology? Looking for a GPS FAQ site?
See: http://joe.mehaffey.com

7108. Re: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 05:47:51 UTC
From: Steve <SteveJTA@SWBell.net>
Message-ID: <bgTM9.1646$n16.550342989@newssvr12.news.prodigy.com>
Source record: 35719
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Oh my GOD.. Its a FA post instead of a FS post. The NG POLICE will be on this one:-).....

Steve KC5TJT
"Joe Mehaffey" <joe@mehaffey.us> wrote in message news:3E03FACE.8514C8B7@mehaffey.us...
> Just a few more hours on eBay and going cheap.
> See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
> Thanks,
>
> Joe Mehaffey
> --
> Got a Question about GPS technology? Looking for a GPS FAQ site?
> See: http://joe.mehaffey.com

7109. wanted: network analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 08:31:38 UTC
From: cdr at pandora dot be <cdr@pandora.be>
Message-ID: <KFVM9.62915$Ti2.9451@afrodite.telenet-ops.be>
Source record: 35720
Cross-posted to: nl.radio.amateur,rec.radio.amateur.equipment,uk.radio.amateur

hello,
I am searching for a network analyzer for use in Ham Radio.

i need a sweep frequency until 3 Ghz,
is there a possibility to sale equipment like 8713 , 8714 or 8753 from
hp/agilent?

my buget is around 3000?
thanks, for replying

on1abh@on4aob.be

Belgium

7110. Re: wanted: network analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 09:29:07 UTC
From: Joop van der Velden <pe1dna@amsat.org>
Message-ID: <VA.000005ce.20d3d2d4@amsat.org>
Source record: 35721
Cross-posted to: nl.radio.amateur,rec.radio.amateur.equipment,uk.radio.amateur

Cdr at pandora dot be wrote:

> i need a sweep frequency until 3 Ghz,
> is there a possibility to sale equipment like 8713 , 8714 or 8753 from
> hp/agilent?
>
> my buget is around 3000?
> thanks, for replying

http://pages.ebay.com/search/items/basicsearch.html

--
Joop van der Velden
pe1dna@amsat.org

7111. Hepl Please : Z Match circuit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 09:56:56 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <OVWM9.3145$4k6.372078@wards>
Source record: 35722

HI everyone,

I purchased a Z Match tuner manufactured by SEM. Does anyone have a circuit diagram for one of these as it does not work properly. I want to check that it is correctly wired inside.

Thanks in advance,

Neil.

7112. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 11:20:52 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v08jjc6bqbe429@corp.supernews.com>
Source record: 35723
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Talented people usually know how it works but can't seem to get it across to people who would little care. If YOU know how it works, it's just a matter of deciphering the usage of all the doohickey buttons on it, 65% of which are probably generic concepts. Push 'em till you figure it out!

Steven, not on all 39000 posts yet...(it's 4:20 am, give me a break)

"Michael Moore" <m.moore@utoronto.ca> wrote in message news:3E035515.5030504@utoronto.ca...
> William Sommerwerck wrote:
>
> > The problem with having the engineers write the documents is that they are "too
> > close" to the product and don't (usually) know how to look at it from the users'
> > point of view.
>
>
> I agree with this. It also seems to me that writing is not necessarily
> their forte -- though this varies from individual to individual.
>
>
> --
> Michael Moore
>

7113. FA: Nice VX-5R (32 hours left)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 11:22:38 UTC
From: aokd5fxt@aol.com
Message-ID: <20021221062238.23149.00000168@mb-mp.aol.com>
Source record: 35724

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1945865843

This Triband HT has extremely minor use.. less than an hour, I would say. No scratches or marks. I still have the warranty card.

Take a look... Reserve is only 180 so.... a very good deal

KD5FXT

7114. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 12:56:51 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <v08pd0seobuqbe@corp.supernews.com>
Source record: 35725
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Jackie L. wrote...

> Besides, Spanish is a very easy language to learn, very easy. It's logical,
> easy to pronounce, and very easy to read and write. I've learned four
> languages beyond English, and Spanish was the easiest of the four to learn,
> by far. If you start to study Spanish, you realize how much Latin grammar
> has found its way into English. Spanish was also influenced by the Greeks
> (and English has quite a bit of Greek in it, too).

Especially the English in boarding schools...

English and Spanish have basically the same sentence structure, but Spanish (like all Romance languages) is more highly inflected than English. Learning how to decline verbs is a real pain in the toches.

7115. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 13:44:11 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3e047020$1@news.netacc.net>
Source record: 35726
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Sven Franklyn Weil" <sven@gordsven.com> wrote in message
news:slrnb07pgs.r2o.sven@gordsven.com...
> In article <v07ot4lahf570e@corp.supernews.com>, Bill M wrote:
> > Its all smiles and broken jokes...while the next guy just goes on an
> > angry rant and will probably get cheated on his change.
>
> These are the same folks who go to a non-English speaking country and
> think that if they YELL loudly enough at the natives, they will
> somehow understand the English.
>
> --
> Sven (it's a smaller world, learn a second language)

Person who speaks three languages - Trilingual
Person who speaks two languages - Bilingual
Person who speaks one language - American

Steve

7116. ICOM IC-2000H MIC PINOUT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 13:51:33 UTC
From: maineac58@peoplepc.com
Message-ID: <c6bb5824.0212210551.5517bffd@posting.google.com>
Source record: 35727

Can anyone quickly provide me with the mic pinoout for the ICOM
IC-2000H? I have misplaced my manual and need to make a cable for the
radio.

TNX N1DXM

7117. Re: FS: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 13:56:06 UTC
From: john <john@mchi.net>
Message-ID: <8ps80v0nj06444mimh5g18k1o3cmq0endf@4ax.com>
Source record: 35728
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

USA FA

On Sat, 21 Dec 2002 00:23:26 -0500, Joe Mehaffey <joe@mehaffey.us>
wrote:

>Just a few more hours on eBay and going cheap.
>See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
>Thanks,
>
>Joe Mehaffey

7118. Re: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 13:58:41 UTC
From: john <john@mchi.net>
Message-ID: <nqs80vo1dd34vqoobuq9tg9ar7vbqtpouu@4ax.com>
Source record: 35729
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hey Steve, we just want people to use FA so we can filter those post
out. Do you have a problem with that?

On Sat, 21 Dec 2002 05:47:51 GMT, "Steve" <SteveJTA@SWBell.net> wrote:

>Oh my GOD.. Its a FA post instead of a FS post. The NG POLICE will be on
>this one:-).....................
>
>Steve KC5TJT
>"Joe Mehaffey" <joe@mehaffey.us> wrote in message
>news:3E03FACE.8514C8B7@mehaffey.us...
>> Just a few more hours on eBay and going cheap.
>> See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
>> Thanks,
>>
>> Joe Mehaffey
>> --
>> Got a Question about GPS technology? Looking for a GPS FAQ site?
>> See: http://joe.mehaffey.com
>

7119. Re: FS: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 14:00:26 UTC
From: john <john@mchi.net>
Message-ID: <a1t80v4h1eflip3kr3nt5u35av51fiaruj@4ax.com>
Source record: 35730
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Please use FA

On Sat, 21 Dec 2002 00:23:26 -0500, Joe Mehaffey <joe@mehaffey.us>
wrote:

>Just a few more hours on eBay and going cheap.
>See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
>Thanks,
>
>Joe Mehaffey

7120. JST-245 slower AGC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 14:20:23 UTC
From: jmperge@attglobal.net
Message-ID: <1833cf4b.0212210620.6af2ef6a@posting.google.com>
Source record: 35731

Does anyone have a mod for slower AGC for the JST-245? I have the schematic and the AGC circuit is more complex than a IC-751A where all you have to do is change a Cap.
Thanks,Joe, WB8HWF

7121. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 14:25:58 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailNOSPAMORAMA.com>
Message-ID: <AF_M9.9416$0v3.4811@news.bellsouth.net>
Source record: 35732
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
news:3e047020$1@news.netacc.net...
>
> "Sven Franklyn Weil" <sven@gordsven.com> wrote in message
> news:slrnb07pgs.r2o.sven@gordsven.com...
> > In article <v07ot4lahf570e@corp.supernews.com>, Bill M wrote:
> > > Its all smiles and broken jokes...while the next guy just goes on an
> > > angry rant and will probably get cheated on his change.
> >
> > These are the same folks who go to a non-English speaking country and
> > think that if they YELL loudly enough at the natives, they will
> > somehow understand the English.
> >
> > --
> > Sven (it's a smaller world, learn a second language)
>
> Person who speaks three languages - Trilingual
> Person who speaks two languages - Bilingual
> Person who speaks one language - American
>
>
> Steve
>

Sorry, I got to reply to this one.

Person who speaks one language - US Citizen.

I was born and live in the US, and I seem to remember that anyone in North,
Central and South Amarica is an Ameican.

Just my rant.

--
73,
Chuck
KE4ETH
USA-NA
Remove the obvious from Email.

7122. FOR SALE: SPEEDX CW STRAIGHT KEY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 14:38:35 UTC
From: Sidevalve <sabbatai_zvi@hotmail.com>
Message-ID: <v5v80vsqppbq00auvp5vcrkf69u6e41jmm@4ax.com>
Source record: 35733
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment

FOR SALE: SPEEDX CW STRAIGHT KEY

Excellent key in mint condition. Nicest one I have seen. Mounted on a
very sharp black metal base. Has rubber feet. Just like new.

Available for $35.00 plus shipping

7123. Re: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 15:34:10 UTC
From: Steve <SteveJTA@SWBell.net>
Message-ID: <SR%M9.1746$ro6.616951949@newssvr12.news.prodigy.com>
Source record: 35734
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

What I have a problem with is ANYTHING TRIVIAL that you guys argue about on here. Its FUNNY and I think it is a WASTE of EFFORT!! ROCK ON!!
"john" <john@mchi.net> wrote in message news:nqs80vo1dd34vqoobuq9tg9ar7vbqtpouu@4ax.com...
> Hey Steve, we just want people to use FA so we can filter those post
> out. Do you have a problem with that?
>
>
> On Sat, 21 Dec 2002 05:47:51 GMT, "Steve" <SteveJTA@SWBell.net> wrote:
>
> >Oh my GOD.. Its a FA post instead of a FS post. The NG POLICE will be on
> >this one:-).....................
> >
> >Steve KC5TJT
> >"Joe Mehaffey" <joe@mehaffey.us> wrote in message
> >news:3E03FACE.8514C8B7@mehaffey.us...
> >> Just a few more hours on eBay and going cheap.
> >> See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
> >> Thanks,
> >>
> >> Joe Mehaffey
> >> --
> >> Got a Question about GPS technology? Looking for a GPS FAQ site?
> >> See: http://joe.mehaffey.com
> >
>

7124. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 16:11:25 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3E0492B0.4030107@optonline.net>
Source record: 35735
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Try this:

"I'd rather hear a Spanish accent at McDonalds than some marble-mouthed
suburban Anglo kid for whose education I have paid."

-=-
Alan

Bill M wrote:

>>> There's no We vs. Them battle that needs to be fought. I'd rather
>>> hear a Spanish accent at McDonalds than some marble-mouthed suburban
>>> Anglo kid who I have paid for his education.

>> . . . and who still doesn't know how to construct sentences with
>> relative clauses.

> Thats great Alan. That last phrase gave me a bit of consternation at
> the time of posting. Feel free to correct it (in English or Spanish) so
> as not to make yourself appear as a simple bitch.

7125. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 16:27:40 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3e049671@news.netacc.net>
Source record: 35736
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Chuck/KE4ETH" <chuck_hawks@hotmailNOSPAMORAMA.com> wrote in message
news:AF_M9.9416$0v3.4811@news.bellsouth.net...
> "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
> news:3e047020$1@news.netacc.net...
> >
>
> Sorry, I got to reply to this one.
>
> Person who speaks one language - US Citizen.
>
> I was born and live in the US, and I seem to remember that anyone in
North,
> Central and South Amarica is an Ameican.
>
> Just my rant.
>
>

Nope. In both continents there is only one nation that uses America in it's
name and only one country whose denizens call themselves Americans. You
will never find a Mexican who says he is "American". Ditto Canadians.

You have confused continent names with nations names

Steve

7126. RS BTX-128 Programming instructions?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 16:30:26 UTC
From: Jon Van Allen <kf7yn@qwest.net>
Message-ID: <3E049722.D43DA238@qwest.net>
Source record: 35737

I picked up a couple of Radio Shack BTX-128 UHF handhelds on closeout
for $19.97.

Does anyone have the dipswitch settings for freqs other than those in
the manual?

Thanks,
Jon

7127. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 17:20:59 UTC
From: John Doty <jpd@w-d.org>
Message-ID: <eUidnVx6SJAGspijXTWcoQ@speakeasy.net>
Source record: 35828
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <CL9N9.1847$G46.129522938@newssvr13.news.prodigy.com>, "David Eduardo" <amdavid@pacbell.net> wrote:

>> But in common usage, "American" is understood to mean relating to the
>> United States of America.
>
> In English, in North America, maybe. Elsewhere, and in any other
> language, would require specification of origin.

In Japanese, the usage closely follows American English usage: "Amerika" means USA unless qualified by "north", "south", or "latin".

--
| John Doty "You can't confuse me, that's my job."
| Home: jpd@w-d.org
| Work: jpd@space.mit.edu

7128. QSL.NET Up and Operating

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 18:27:09 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <1o2N9.26288$6k.1352480@news1.west.cox.net>
Source record: 35738

http://www.qsl.net/

For those that asked

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com

7129. FS: Drake R-4B

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 19:13:51 UTC
From: Michael Thompson <michaelt@flash.net>
Message-ID: <P33N9.141$sn4.15608106@newssvr17.news.prodigy.com>
Source record: 35739
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have for sale a very nice condition Drake R-4B receiver.
Works great and looks good. Pictures available by request.
Asking $225 shipped to continental USA.

Thanks,
Michael

7130. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 19:53:35 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <v09hm85hg64a18@corp.supernews.com>
Source record: 35740
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

> "I'd rather hear a Spanish accent at McDonalds than some marble-mouthed
> suburban Anglo kid for whose ."

The simplest would be:

"...some marble-mouthed suburban Anglo kid whose education I paid for."

7131. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 20:28:37 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3E04CEF8.2060809@optonline.net>
Source record: 35741
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

If the result doesn't sound too horrible, I prefer to avoid ending
sentences with prepositions.

-=-
Alan

William Sommerwerck wrote:
>>"I'd rather hear a Spanish accent at McDonalds than some marble-mouthed
>>suburban Anglo kid for whose ."
>
>
> The simplest would be:
>
> "...some marble-mouthed suburban Anglo kid whose education I paid for."

7132. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 20:56:55 UTC
From: BH <radiobillx@xgbronline.com>
Message-ID: <3E04D597.5090401@xgbronline.com>
Source record: 35745
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Alan Beagley wrote:
> If the result doesn't sound too horrible, I prefer to avoid ending
> sentences with prepositions.

Aw, who cares where you preposition's at?

7133. Check this sale out

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 22:19:24 UTC
From: signalchaser <williamsmith208@hotmail.com>
Message-ID: <v09q7k1gls5u01@corp.supernews.com>
Source record: 35742

The following link takes you to an Ebay Auction where some guy lists a TS-450S as being mint. His opening price for the transceiver was 1700 dollars. I can't recall what TS-450S went for back in the day but you can find a nice one around used for 500 dollars. What a laugh

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946404599

7134. For Sale: Palomar Engineers M-827 HF SWR & Power Meter.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 22:21:01 UTC
From: Burt <burt@rocketmail.com>
Message-ID: <hP5N9.418223$WL3.119903@rwcrnsc54>
Source record: 35743

For Sale: Palomar Engineers M-827 HF SWR & Power Meter.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946854293&ssPageName=ADM
E:B:LC:US:1

7135. For Sale: Johnson Low Pass filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 22:22:22 UTC
From: Burt <burt@rocketmail.com>
Message-ID: <yQ5N9.297247$GR5.98090@rwcrnsc51.ops.asp.att.net>
Source record: 35744

For Sale: Johnson Low Pass filter
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946855540&ssPageName=ADM
E:B:LC:US:1

7136. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 23:02:21 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v09smi6k09bdb2@corp.supernews.com>
Source record: 35746
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Didn't God see we were building a tower to Heaven and were a bunch of idiots, and struck us all unable to understand each other? If that's what he wanted, I think all the gibberish is fine, thank you!

Now I'd like to hear about radio+phono, especially Daniele's wonderful mail from over there. Where you think they all babble.

Steven says give it a rest.

"Roger Blake" <rogblake10@iname10.com> wrote in message news:slrnb09214.d7r.rogblake10@unix3.netaxs.com...
> On Sat, 21 Dec 2002 08:25:58 -0600, Chuck/KE4ETH <chuck_hawks@hotmailNOSPAMORAMA.com> wrote:
> >"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
> >Person who speaks one language - US Citizen.
>
> In a country the size of the U.S., where many if not most citizens
> never even meet anyone from another country, there is little need
> to learn languages other than English. It's understandable with
> all those smelly little countries in Europe (we have states larger
> than most of them) why people would need several, you can practically
> trip over your shoelace and stumble into a completely foreign environment.
>
> Besides, English is the only true language, everyone thinks in English
> and translates it internally to whatever foreign tongue they happen to
> be speaking. This is the reason for shouting at foreigners to get
> them to understand.
>
> --
> Roger Blake
> (Subtract 10 for email.)

7137. Re: For Sale: Johnson Low Pass filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 23:05:45 UTC
From: john <john@mchi.net>
Message-ID: <vvs90v443lvocql2lsv62o5e7146ivbdc9@4ax.com>
Source record: 35747

USE FA

On Sat, 21 Dec 2002 22:22:22 GMT, "Burt" <burt@rocketmail.com> wrote:

>For Sale: Johnson Low Pass filter
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946855540&ssPageName=ADM
>E:B:LC:US:1
>

7138. Re: For Sale: Palomar Engineers M-827 HF SWR & Power Meter.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 23:06:03 UTC
From: john <john@mchi.net>
Message-ID: <f0t90vshf47c6sjlvnqjjquc9ahnt6t656@4ax.com>
Source record: 35798

USE FA

On Sat, 21 Dec 2002 22:21:01 GMT, "Burt" <burt@rocketmail.com> wrote:

>For Sale: Palomar Engineers M-827 HF SWR & Power Meter.
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946854293&ssPageName=ADM
>E:B:LC:US:1
>

7139. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 23:08:52 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <au2qn6$et3$1@news1.kornet.net>
Source record: 35799
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Actually, what we call Mexico is called by the Mexicans

Los Estados Unidos Mexicanos de America

The Mexican United States of America

"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
news:3e049671@news.netacc.net...
>
> "Chuck/KE4ETH" <chuck_hawks@hotmailNOSPAMORAMA.com> wrote in message
> news:AF_M9.9416$0v3.4811@news.bellsouth.net...
> > "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
> > news:3e047020$1@news.netacc.net...
> > >
> >
> > Sorry, I got to reply to this one.
> >
> > Person who speaks one language - US Citizen.
> >
> > I was born and live in the US, and I seem to remember that anyone in
> North,
> > Central and South Amarica is an Ameican.
> >
> > Just my rant.
> >
> >
>
> Nope. In both continents there is only one nation that uses America in
it's
> name and only one country whose denizens call themselves Americans. You
> will never find a Mexican who says he is "American". Ditto Canadians.
>
> You have confused continent names with nations names
>
> Steve
>
>

7140. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 23:16:55 UTC
From: Idontwantspam@net
Message-ID: <3e04f591.37915980@news.bellatlantic.net>
Source record: 35800
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Sun, 22 Dec 2002 08:08:52 +0900, "Brenda Ann"
<brendad@shinbiro.com> wrote:

>Actually, what we call Mexico is called by the Mexicans
>
>Los Estados Unidos Mexicanos de America
>
>The Mexican United States of America
>
I vaguely recall that the formal name of Brasil includes the
Portuguese equivalent of "United States" as well.

But in common usage, "American" is understood to mean relating to the
United States of America.

We were using the current name before Mexico and Brasil decolonized.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

7141. FS: Icom 706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 23:39:50 UTC
From: b-cook <b-cook@attbi.com>
Message-ID: <9Z6N9.452768$NH2.32599@sccrnsc01>
Source record: 35801

Good day, just wanted everyone to know that I am selling my Icom 706MKII. It's in great condition and selling with extras. Please check out the auction on ebay at:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1946990502&rd=1

73, KE6YPF Ben

7142. Re: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 23:42:59 UTC
From: Just another Joe <NoSpamSam@NoSpam.com>
Message-ID: <v09v3sf2o4v330@corp.supernews.com>
Source record: 35802
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

It may be a waste of time and trivial from your perspective Steve, but when someone is plowing thru possibly a couple hundred posts it make sense to filter out the stuff you have no interest in.

It takes NO effort to identify the post as FA, FS, FT, WTB, etc. as most of us do. Failure to do so amounts to a troll.

And further more...Rock on yerself!

--
Alex

KC0AK
Independence, MN 55357

"Steve" <SteveJTA@SWBell.net> wrote in message
news:SR%M9.1746$ro6.616951949@newssvr12.news.prodigy.com...
> What I have a problem with is ANYTHING TRIVIAL that you guys argue about
on
> here. Its FUNNY and I think it is a WASTE of EFFORT!! ROCK ON!!
> "john" <john@mchi.net> wrote in message
> news:nqs80vo1dd34vqoobuq9tg9ar7vbqtpouu@4ax.com...
> > Hey Steve, we just want people to use FA so we can filter those post
> > out. Do you have a problem with that?
> >
> >
> > On Sat, 21 Dec 2002 05:47:51 GMT, "Steve" <SteveJTA@SWBell.net> wrote:
> >
> > >Oh my GOD.. Its a FA post instead of a FS post. The NG POLICE will be
> on
> > >this one:-).....................
> > >
> > >Steve KC5TJT
> > >"Joe Mehaffey" <joe@mehaffey.us> wrote in message
> > >news:3E03FACE.8514C8B7@mehaffey.us...
> > >> Just a few more hours on eBay and going cheap.
> > >> See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
> > >> Thanks,
> > >>
> > >> Joe Mehaffey
> > >> --
> > >> Got a Question about GPS technology? Looking for a GPS FAQ site?
> > >> See: http://joe.mehaffey.com

> > >
> >
>
>

7143. Re: Check this sale out

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-21 23:59:43 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <v0a00u6leeosf9@corp.supernews.com>
Source record: 35803

Current market price is about $700 for "mint" unit.
New, they were about $1500.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"signalchaser" <williamsmith208@hotmail.com> wrote in message
news:v09q7k1gls5u01@corp.supernews.com...
> The following link takes you to an Ebay Auction where some guy lists a
> TS-450S as being mint. His opening price for the transceiver was 1700
> dollars. I can't recall what TS-450S went for back in the day but you can
> find a nice one around used for 500 dollars. What a laugh
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946404599
>
>

7144. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 00:33:16 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v0a211sciqq19f@corp.supernews.com>
Source record: 35804
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Gary S." <Idontwantspam@net> wrote in message
news:3e04f591.37915980@news.bellatlantic.net...
> Happy trails,
> Gary (net.yogi.bear)
> ----------
> at the 51st percentile of ursine intelligence

does THIS mean you're actually "smarter than the average bear"?

LOL
Steven

7145. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 00:37:18 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v0a28knu81ch47@corp.supernews.com>
Source record: 35805
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

If it was a dame you might end a sentence with a proposition. Just depends
on the dame...

More bad humor free of charge and ad-free (non-commercial joker)
Steven

"Alan Beagley" <abeagley@optonline.net> wrote in message
news:3E04CEF8.2060809@optonline.net...
> If the result doesn't sound too horrible, I prefer to avoid ending
> sentences with prepositions.
>
> -=-
> Alan
>
>
> William Sommerwerck wrote:
> >>"I'd rather hear a Spanish accent at McDonalds than some marble-mouthed
> >>suburban Anglo kid for whose ."
> > >
> > >
> > > The simplest would be:
> > >
> > > "...some marble-mouthed suburban Anglo kid whose education I paid for."
>

7146. Re: FS: Icom 706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 00:41:43 UTC
From: john <john@mchi.net>
Message-ID: <oj2a0v0uk3v7h05hgkn3emkec86cjaq255@4ax.com>
Source record: 35806
Body handling: HTML body converted to readable text

USE FA

On Sat, 21 Dec 2002 23:39:50 GMT, "b-cook" wrote:

>Good day, just wanted everyone to know that I am selling my Icom 706MKII.
>It's in great condition and selling with extras. Please check out the
>auction on ebay at:
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=1946990502&
>rd=1
>
>73, KE6YPF Ben
>

7147. Re: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 00:45:18 UTC
From: john <john@mchi.net>
Message-ID: <nl2a0v0rjjqkkp4sqfcaki17sjsfshul8b@4ax.com>
Source record: 35807
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Well put Alex

On Sat, 21 Dec 2002 17:42:59 -0600, "Just another Joe"
<NoSpamSam@NoSpam.com> wrote:

>It may be a waste of time and trivial from your perspective Steve, but when
>someone is plowing thru possibly a couple hundred posts it make sense to
>filter out the stuff you have no interest in.
>
>It takes NO effort to identify the post as FA, FS, FT, WTB, etc. as most of
>us do. Failure to do so amounts to a troll.
>
>And further more...Rock on yerself!

7148. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 00:57:42 UTC
From: Idontwantspam@net
Message-ID: <3e050dcc.482453@news.bellatlantic.net>
Source record: 35808
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Sat, 21 Dec 2002 17:33:16 -0700, "Steven Dinius" <10kc@fmtc.com>
wrote:

>
>"Gary S." <Idontwantspam@net> wrote in message
>news:3e04f591.37915980@news.bellatlantic.net...
>> Happy trails,
>> Gary (net.yogi.bear)
>> ----------
>> at the 51st percentile of ursine intelligence
>
>does THIS mean you're actually "smarter than the average bear"?
>
Just a little bit smarter than the average bear.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

7149. Re: Check this sale out

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 01:00:34 UTC
From: Idontwantspam@net
Message-ID: <3e050e27.572783@news.bellatlantic.net>
Source record: 35809

On Sat, 21 Dec 2002 17:59:43 -0600, "M.E." <bogus@nospam.com> wrote:

>Current market price is about $700 for "mint" unit.
>New, they were about $1500.
>
>--
>Respond to my "real" e-mail;
>kk5dr@ev1.net
>"signalchaser" <williamsmith208@hotmail.com> wrote in message
>news:v09q7k1gls5u01@corp.supernews.com...
>> The following link takes you to an Ebay Auction where some guy lists a
>> TS-450S as being mint. His opening price for the transceiver was 1700
>> dollars. I can't recall what TS-450S went for back in the day but you can
>> find a nice one around used for 500 dollars. What a laugh
>>
>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946404599
>>
Maybe it's autographed?

Five bucks says he gets over $1000 for it, even if available to wiser
buyers for $500.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

7150. Re: FOR SALE: SPEEDX CW STRAIGHT KEY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 01:20:53 UTC
From: Sidevalve <sabbatai_zvi@hotmail.com>
Message-ID: <0q4a0v44qm2kls0o938cm4vdqt2cjg695r@4ax.com>
Source record: 35810
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment

Thank you to everyone who wrote inquiring. There must have been 12 of
you. I guess everyone is getting ready for Straight Key Night!

The key is sold - thanks!

On Sat, 21 Dec 2002 14:38:35 GMT, Sidevalve <sabbatai_zvi@hotmail.com>
was like:

>FOR SALE: SPEEDX CW STRAIGHT KEY
>
>Excellent key in mint condition. Nicest one I have seen. Mounted on a
>very sharp black metal base. Has rubber feet. Just like new.
>
>Available for $35.00 plus shipping

7151. FS: KT34 M2 Triband Yagi

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 01:52:17 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <IV8N9.263$ka5.27802@newsread1.prod.itd.earthlink.net>
Source record: 35811
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This is the new four element M2 tribander. Formerly the KT34A but now
redesigned by M2 for even better performance.
Four linear loaded elements for 10, 15, 20 Meters. 16 foot boom.

See www.m2inc.com for more details.

This antenna is brand new, in a sealed box. Never opened.

Asking $1175.00 plus shipping from Los Angeles

73 de Rich W6VX

7152. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:10:26 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3E051F16.7070806@netscape.net>
Source record: 35812
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Steven, methinks Roger had tongue firmly planted in cheek when he wrote
his post, and is probably quite amused that you seem to have taken it
seriously. ;-)

Cheers,
Fred

Steven Dinius wrote:
> Didn't God see we were building a tower to Heaven and were a bunch of
> idiots, and struck us all unable to understand each other? If that's what he
> wanted, I think all the gibberish is fine, thank you!
>
> Now I'd like to hear about radio+phono, especially Daniele's wonderful mail
> from over there. Where you think they all babble.
>
> Steven says give it a rest.
>
> "Roger Blake" <rogblake10@iname10.com> wrote in message
> news:slrnb09214.d7r.rogblake10@unix3.netaxs.com...
>
>>On Sat, 21 Dec 2002 08:25:58 -0600, Chuck/KE4ETH
>
> <chuck_hawks@hotmailNOSPAMORAMA.com> wrote:
>
>>>"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
>>>Person who speaks one language - US Citizen.
>>
>>In a country the size of the U.S., where many if not most citizens
>>never even meet anyone from another country, there is little need
>>to learn languages other than English. It's understandable with
>>all those smelly little countries in Europe (we have states larger
>>than most of them) why people would need several, you can practically
>>trip over your shoelace and stumble into a completely foreign environment.
>>
>>Besides, English is the only true language, everyone thinks in English
>>and translates it internally to whatever foreign tongue they happen to
>>be speaking. This is the reason for shouting at foreigners to get
>>them to understand.
>>
>>--
>> Roger Blake
>> (Subtract 10 for email.)
>

>
>

--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

7153. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:13:40 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3E051FD7.5050801@netscape.net>
Source record: 35813
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

BH wrote:
>
>
> Alan Beagley wrote:
>
>> If the result doesn't sound too horrible, I prefer to avoid ending
>> sentences with prepositions.
>
>
>
> Aw, who cares where you preposition's at?

Gosh, who is that wrote this little poem that's stuck to my brain for lo
these last forty years...?

"I lately lost a preposition;
I thought he hid beneath my chair.
And angrily, I cried, 'Perdition!
Up from out of in under there!

"Correctness is my vade mecum;
And straggling phrases I abhor.
And yet I wondered, 'What should he come
Up from out of in under for?"

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

7154. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:26:30 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0a8mmhktr5efd@corp.supernews.com>
Source record: 35814
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

To paraphrase Churchill:

With that crap I will not up with put...

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"Fred Nachbaur" <fnachbaur@netscape.net> wrote in message
news:3E051FD7.5050801@netscape.net...
>
>
> > Aw, who cares where you preposition's at?
>
> Gosh, who is that wrote this little poem that's stuck to my brain for lo
> these last forty years...?
>
> "I lately lost a preposition;
> I thought he hid beneath my chair.
> And angrily, I cried, 'Perdition!
> Up from out of in under there!
>
> "Correctness is my vade mecum;
> And straggling phrases I abhor.
> And yet I wondered, 'What should he come
> Up from out of in under for?"
>
> Cheers,
> Fred
> --
> +---+
> | Music: http://www3.telus.net/dogstarmusic/ |
> | Projects, Vacuum Tubes & other stuff: |
> | http://www.dogstar.dantimax.dk |
> +---+
>

7155. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:29:40 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v0a8phq4m6lo32@corp.supernews.com>
Source record: 35815
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Brenda Ann wrote:
> Actually, what we call Mexico is called by the Mexicans
>
> Los Estados Unidos Mexicanos de America
>
> The Mexican United States of America

HUH? I don't think so.
-BM

7156. Re: FS: Icom 706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:37:02 UTC
From: VE3TMT <ve3tmt@cogeco.ca>
Message-ID: <4D9N9.51073$lj.1324800@read1.cgocable.net>
Source record: 35816

"john" <john@mchi.net> wrote in message
news:oj2a0v0uk3v7h05hgkn3emkec86cjaq255@4ax.com...
> USE FA

Or better yet, keep it out of the newsgroups altogether, and on eBay where
it belongs.

7157. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:37:17 UTC
From: sven@gordsven.com
Message-ID: <slrnb0a9i0.hv2.sven@gordsven.com>
Source record: 35818
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <v0a8phq4m6lo32@corp.supernews.com>, Bill M wrote:
> Brenda Ann wrote:
>> The Mexican United States of America
>
> HUH? I don't think so.
> -BM

I think the country is just called "Estados Unidos de Mexico" (Mexican United States). The Mexican provinces are also called states, just like here.

--
Sven

7158. Re: Check this sale out

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:38:05 UTC
From: VE3TMT <ve3tmt@cogeco.ca>
Message-ID: <WA9N9.38111$L47.4957111@read2.cgocable.net>
Source record: 35817

"Gary S." <Idontwantspam@net> wrote in message
news:3e050e27.572783@news.bellatlantic.net...
> On Sat, 21 Dec 2002 17:59:43 -0600, "M.E." <bogus@nospam.com> wrote:
>
> >Current market price is about $700 for "mint" unit.
> >New, they were about $1500.
> >
> >--
> >Respond to my "real" e-mail;
> >kk5dr@ev1.net
> >"signalchaser" <williamsmith208@hotmail.com> wrote in message
> >news:v09q7k1gls5u01@corp.supernews.com...
> >> The following link takes you to an Ebay Auction where some guy lists a
> >> TS-450S as being mint. His opening price for the transceiver was 1700
> >> dollars. I can't recall what TS-450S went for back in the day but you
can
> >> find a nice one around used for 500 dollars. What a laugh
> >>
> >> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946404599
> >>
> Maybe it's autographed?
>
> Five bucks says he gets over $1000 for it, even if available to wiser
> buyers for $500.

Geez I hope not. I will really kick myself for selling mine for $600.

7159. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:44:46 UTC
From: "Jackie L." <buzzygirl@REMOVE.attbi.com>
Message-ID: <yG9N9.419894$WL3.120578@rwcrnsc54>
Source record: 35819
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Bill M" <don'tspamme-exray@caribe.net> wrote in message
news:v0a8phq4m6lo32@corp.supernews.com...
> Brenda Ann wrote:
> > Actually, what we call Mexico is called by the Mexicans
> >
> > Los Estados Unidos Mexicanos de America
> >
> > The Mexican United States of America
>
> HUH? I don't think so.

"Estados Unidos Mexicanos"- "United States of Mexico".

Mexico has states too, just the like USA does.

Jackie

7160. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:48:33 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <5K9N9.1845$ct6.131058915@newssvr13.news.prodigy.com>
Source record: 35820
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:au2qn6$et3$1@news1.kornet.net...
> Actually, what we call Mexico is called by the Mexicans
>
> Los Estados Unidos Mexicanos de America
>
> The Mexican United States of America

Rrrrrp. Wrong.

The name of Mexico is Los Estados Unidos Mexicanos. The United Mexican States.

Brazil is Estados Unidos do Brasil. The United States of Brazil.

"America" is not in the name of any other country in the Western Hemispnhere except for the USA.

All Latinos in the Hemisphere, however, consider themselves "of the Americas" or American. South Americans are "Sudamericanos" and Central Americans are "Centroamericanos." The group of Latin American nations are members of the Organization of American States, or the "OAS" (Organizaci&#65533;n de Estados Americanos."

7161. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:50:10 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <CL9N9.1847$G46.129522938@newssvr13.news.prodigy.com>
Source record: 35822
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Gary S." <Idontwantspam@net> wrote in message
news:3e04f591.37915980@news.bellatlantic.net...
> On Sun, 22 Dec 2002 08:08:52 +0900, "Brenda Ann"
> <brendad@shinbiro.com> wrote:
>
> >Actually, what we call Mexico is called by the Mexicans
> >
> >Los Estados Unidos Mexicanos de America
> >
> >The Mexican United States of America
> >
> I vaguely recall that the formal name of Brasil includes the
> Portuguese equivalent of "United States" as well.
>
> But in common usage, "American" is understood to mean relating to the
> United States of America.

In English, in North America, maybe. Elsewhere, and in any other language,
would require specification of origin.

7162. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:51:56 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v0aa399s1rpje9@corp.supernews.com>
Source record: 35821
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Sven Franklyn Weil wrote:
> In article <v0a8phq4m6lo32@corp.supernews.com>, Bill M wrote:
>
>>Brenda Ann wrote:
>>
>>>The Mexican United States of America
>>
>>HUH? I don't think so.
>>-BM
>
>
> I think the country is just called "Estados Unidos de Mexico" (Mexican
> United States). The Mexican provinces are also called states, just like
> here.
>
> --
> Sven
>
>
Estados Unidos Mexicanos.
-BM

7163. FA not FS Re: For Sale: Palomar Engineers M-827 HF SWR & Power Meter.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:52:59 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <fO9N9.419943$WL3.120574@rwcrnsc54>
Source record: 35823

[No readable article body recovered]

7164. FA not FS Re: For Sale: Johnson Low Pass filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:53:18 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <yO9N9.419938$%m4.127531@rwcrnsc52.ops.asp.att.net>
Source record: 35824

[No readable article body recovered]

7165. FA not FS Re: Icom 706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 02:53:47 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <%O9N9.421137$P31.149388@rwcrnsc53>
Source record: 35825

[No readable article body recovered]

7166. FS: Icom PS15 Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 03:13:52 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <Q5aN9.377$ka5.39592@newsread1.prod.itd.earthlink.net>
Source record: 35826
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Icom PS 15 supply for sale. Very good condition.

Asking $150.00 plus packing/shipping cost.

Rich, W6VX

7167. Re: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 03:19:02 UTC
From: Joe Mehaffey <joe@mehaffey.us>
Message-ID: <3E052F26.844B1836@mehaffey.us>
Source record: 35827
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I posted ONE SHORT message on a public forum. Look at all the bandwidth and work you guys took telling me to do something that you did not even explain. (Don't bother, I understand.. Some of you guys have too much time on your hands.)

I have never even heard of a group that was so overworked that it needed "codes" so you could filter your mail better. Maybe you concerned folks should start a FS newsgroup and a FA newsgroup so you would not have to exercise your mail filters too much! :)

Actually, I appreciate the extra publicity you gave my small "plug".

Joe

--

7168. FS: Astron RS20M Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 03:21:03 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <zcaN9.381$ka5.38128@newsread1.prod.itd.earthlink.net>
Source record: 35829
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Astron RS20M Power Supply

Asking $80.00 plus packing/shipping charge.

Rich W6VX

7169. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 03:23:41 UTC
From: sven@gordsven.com
Message-ID: <slrnb0ac58.hv2.sven@gordsven.com>
Source record: 35830
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <5K9N9.1845$ct6.131058915@newssvr13.news.prodigy.com>, David Eduardo wrote:

> members of the Organization of American States, or the "OAS" (Organizaciï¿½n
> de Estados Americanos."

In Spanish known as the OEA....and the UNO is called the ONU (Organizacion de Naciones Unidas).

--
Sven

7170. Re: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 03:49:04 UTC
From: john <john@mchi.net>
Message-ID: <mada0vcq3q1gg447rc1r5cug51s4pfhfph@4ax.com>
Source record: 35831
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi Joe, if you dont understand that a lot of us dont want to see the ebay stuff here then nevermind. All you have to do is use FA and we can use our filters and not see it. A lot of us watch this ng and dont want to mess with the ebay stuff. I hope this makes sense.
Thanks

On Sat, 21 Dec 2002 22:19:02 -0500, Joe Mehaffey <joe@mehaffey.us> wrote:

>I posted ONE SHORT message on a public forum. Look at all the bandwidth
>and work you guys took telling me to do something that you did not even
>explain. (Don't bother, I understand.. Some of you guys have too much
>time on your hands.)
>
>I have never even heard of a group that was so overworked that it needed
>"codes" so you could filter your mail better. Maybe you concerned folks
>should start a FS newsgroup and a FA newsgroup so you would not have to
>exercise your mail filters too much! :)
>
>Actually, I appreciate the extra publicity you gave my small "plug".
>
>Joe

7171. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 03:58:43 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3e05386d@news.netacc.net>
Source record: 35832
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Bill M" <don'tspamme-exray@caribe.net> wrote in message
news:v0a8phq4m6lo32@corp.supernews.com...
> Brenda Ann wrote:
> > Actually, what we call Mexico is called by the Mexicans
> >
> > Los Estados Unidos Mexicanos de America
> >
> > The Mexican United States of America
>
> HUH? I don't think so.
> -BM
>

Yep, total made up crap to support what she would like to be true. It is simply Republica Mexicana on all the forms I have ever filled out.

Steve

7172. Re: Vertex VRX-7000U UHF Repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 04:02:13 UTC
From: "William A. Galletti" <wagalletti@n7ym.net>
Message-ID: <9PaN9.35615$VA5.4878330@news1.news.adelphia.net>
Source record: 35833

SOLD SOLD SOLD

Thanks for watching

"William A. Galletti" <wagalletti@n7ym.net> wrote in message
news:EAqM9.33863$VA5.4180380@news1.news.adelphia.net...
> I have decided to post this here before I post it on EBay. If you have any
> questions please email me at: wagalletti@n7ym.net
>
> If the offer is right I'll let it go otherwise I will post it on EBay
>
> http://www.n7ym.net/ebay/vertex/
>
>
>

7173. Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 04:22:09 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <R5bN9.12423$Zt4.145868@twister.rdc-kc.rr.com>
Source record: 35834
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

I've got an old amplifier that I'd like to convert to 6 Meter use.

It's a sweep tube amp, with 3-6KD6's, in a grounded grid arrangement, with an untuned input (.01 disc into Cathode, and an RF choke to ground) and a PI network for output. The PI output circuit currently has about a 30pf variable for tune, 6 turns #14 @ 1", and what looks like a 140pf variable for load.

I cut the coil in half, and pumped 10 watts @ 50 MHz into it, but only got 10 watts output into my dummy load.

What am I doing wrong, besides trying to make a silk purse out of a sows ear?

KB9WMJ
Keith

7174. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 05:25:47 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v0aj5glak2rne9@corp.supernews.com>
Source record: 35835
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

We had enough politics and bickering in my old AM stereo group. I don't care what language is spoken...I'll date her if she allows ;)

Steven

"Fred Nachbaur" <fnachbaur@netscape.net> wrote in message news:3E051F16.7070806@netscape.net...
> Steven, methinks Roger had tongue firmly planted in cheek when he wrote
> his post, and is probably quite amused that you seem to have taken it
> seriously. ;-)
>
> Cheers,
> Fred
>
> Steven Dinius wrote:
> > Didn't God see we were building a tower to Heaven and were a bunch of
> > idiots, and struck us all unable to understand each other? If that's what he
> > wanted, I think all the gibberish is fine, thank you!
> >
> > Now I'd like to hear about radio+phono, especially Daniele's wonderful mail
> > from over there. Where you think they all babble.
> >
> > Steven says give it a rest.
> >
> > "Roger Blake" <rogblake10@iname10.com> wrote in message
> > news:slrnb09214.d7r.rogblake10@unix3.netaxs.com...
> >
> >>On Sat, 21 Dec 2002 08:25:58 -0600, Chuck/KE4ETH
> >
> > <chuck_hawks@hotmailNOSPAMORAMA.com> wrote:
> >
> >>>"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
> >>>Person who speaks one language - US Citizen.
> >>
> >>In a country the size of the U.S., where many if not most citizens
> >>never even meet anyone from another country, there is little need
> >>to learn languages other than English. It's understandable with
> >>all those smelly little countries in Europe (we have states larger
> >>than most of them) why people would need several, you can practically
> >>trip over your shoelace and stumble into a completely foreign environment.

> >>
> >>Besides, English is the only true language, everyone thinks in English
> >>and translates it internally to whatever foreign tongue they happen to
> >>be speaking. This is the reason for shouting at foreigners to get
> >>them to understand.
> >>
> >>--
> >> Roger Blake
> >> (Subtract 10 for email.)
> >
> >
> >
>
>
> --
> +---+
> | Music: http://www3.telus.net/dogstarmusic/ |
> | Projects, Vacuum Tubes & other stuff: |
> | http://www.dogstar.dantimax.dk |
> +---+
>

7175. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 05:32:58 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v0ajiv3hjn0q0a@corp.supernews.com>
Source record: 35836
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I think I liked the nostalgia and WTB posts better. You could set some balloons up with the warm breezes rolling around here. I'd still like to know if someone can fix and use a 20 y.o. turntable...

Steven

"Sven Franklyn Weil" <sven@gordsven.com> wrote in message news:slrnb0ac58.hv2.sven@gordsven.com...
> In article <5K9N9.1845$ct6.131058915@newssvr13.news.prodigy.com>, David
> Eduardo wrote:
>
> > members of the Organization of American States, or the "OAS" (Organizaci&#65533;n
> > de Estados Americanos."
>
> In Spanish known as the OEA....and the UNO is called the ONU (Organizacion
> de Naciones Unidas).
>
> --
> Sven

7176. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 06:18:40 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3e055939$1@news.netacc.net>
Source record: 35837
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Steven Dinius" <10kc@fmtc.com> wrote in message
news:v0ajiv3hjn0q0a@corp.supernews.com...
> I think I liked the nostalgia and WTB posts better.

Well Steven, I'm not nostalgic..... But I remember the good ole days when
I used to be :-)

7177. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 06:49:15 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <LfdN9.1228$J84.93037714@newssvr21.news.prodigy.com>
Source record: 35838
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
news:3e05386d@news.netacc.net...
>
> "Bill M" <don'tspamme-exray@caribe.net> wrote in message
> news:v0a8phq4m6lo32@corp.supernews.com...
> > Brenda Ann wrote:
> > > Actually, what we call Mexico is called by the Mexicans
> > >
> > > Los Estados Unidos Mexicanos de America
> > >
> > > The Mexican United States of America
> >
> > HUH? I don't think so.
> > -BM
> >
>
> Yep, total made up crap to support what she would like to be true. It is
> simply Republica Mexicana on all the forms I have ever filled out.

If you look at a reliable reference,s uch as the CIA guidebook, you see that
the usage in English and Spanish is:

conventional long form: United Mexican States
conventional short form: Mexico
local short form: Mexico
local long form: Estados Unidos Mexicanos

The term, "Republica Mexicana" is used in official documents as the legal
name for the Estados Unidos Mexicanos together as a collective body.

7178. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 07:05:51 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3E05644F.3F01A986@ix.netcom.com>
Source record: 35839
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Gary S." wrote:

> On Sun, 22 Dec 2002 08:08:52 +0900, "Brenda Ann"
> <brendad@shinbiro.com> wrote:
>
> >Actually, what we call Mexico is called by the Mexicans
> >
> >Los Estados Unidos Mexicanos de America
> >
> >The Mexican United States of America
> >
> I vaguely recall that the formal name of Brasil includes the
> Portuguese equivalent of "United States" as well.
>
> But in common usage, "American" is understood to mean relating to the
> United States of America.
>
> We were using the current name before Mexico and Brasil decolonized.
>

Ever notice that many of the old communist dictatorships had long names
like
"Democratic Republic of Korea" "Democratic People's Republic of
East Germany" or such. And then compare that to a country that really
has democracy "United States of America".

7179. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 07:07:59 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3E0564CE.4422E1FF@ix.netcom.com>
Source record: 35840
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

David Eduardo wrote:

>
> In English, in North America, maybe. Elsewhere, and in any other language,
> would require specification of origin.

I've sometimes wondered if "Made in America", implying USA,
could actually mean some country in South America.

7180. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 07:15:38 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3E056699.4F08E689@ix.netcom.com>
Source record: 35841
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

David Eduardo wrote:

> "Brenda Ann" <brendad@shinbiro.com> wrote in message
> news:au2qn6$et3$1@news1.kornet.net...
> > Actually, what we call Mexico is called by the Mexicans
> >
> > Los Estados Unidos Mexicanos de America
> >
> > The Mexican United States of America
>
> Rrrrrp. Wrong.
>
> The name of Mexico is Los Estados Unidos Mexicanos. The United Mexican
> States.
>
> Brazil is Estados Unidos do Brasil. The United States of Brazil.
>
> "America" is not in the name of any other country in the Western Hemispnhere
> except for the USA.

Where did the name "America" come from anyway? Heard some
urban legend that "America" was the name of some mapmaker the
king of Spain's staff hired to compile the discoveries of the New World
into a map. He drew the map, and signed it with his name at the
bottom. The King said something like "Oh, we're going to call the
new world 'America'. Okay." when he saw the name on the
bottom. So the most feared and dreaded nation of the world
today is named after some guy who drew a map.... :-)

7181. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 07:19:39 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3E05678B.E9F1B053@ix.netcom.com>
Source record: 35842
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

BH wrote:

> Alan Beagley wrote:
> > If the result doesn't sound too horrible, I prefer to avoid ending
> > sentences with prepositions.
>
> Aw, who cares where you preposition's at?

Once in English class in high school, we were talking about
prepositions. I said "That's one of them there prepositions".
That got a good laugh from the teacher...

7182. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 07:20:49 UTC
From: Ed Ellers <ed_ellers@msn.com>
Message-ID: <au3p4b$3lst6$1@ID-39509.news.dfncis.de>
Source record: 35843
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Jackie L. <buzzygirl@REMOVE.attbi.com> wrote:

"Mexico has states too, just the like USA does."

And its capital, Mexico City, is in a Federal district all by itself, just as our capital is.

7183. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 07:21:35 UTC
From: Ed Ellers <ed_ellers@msn.com>
Message-ID: <au3p5o$458f0$1@ID-39509.news.dfncis.de>
Source record: 35844
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Robert Casey <wa2ise@ix.netcom.com> wrote:

"I've sometimes wondered if "Made in America", implying USA, could actually
mean some country in South America."

I don't think U.S. Customs would let that through.

7184. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 07:28:31 UTC
From: Ed Ellers <ed_ellers@msn.com>
Message-ID: <au3pip$42lag$1@ID-39509.news.dfncis.de>
Source record: 35845
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Michael Moore <m.moore@NOSPAMutoronto.ca> wrote:

"Interesting. Somehow, I suspect though that cable companies petitioned for the adoption of this regulation to the CRTC."

I can't think of a reason why cable companies would *want* to go to the trouble. In any case, simultaneous substitution is easier than the previous CRTC requirement that all commercials in *any* program on a U.S. station be deleted and replaced by public service announcements (so that, for example, GM of Canada would not benefit from Canadian cable viewers seeing U.S. commercials for GM cars, and therefore would be likely to spend more money on TV advertising in Canada).

7185. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 07:35:30 UTC
From: Ed Ellers <ed_ellers@msn.com>
Message-ID: <au3pvs$45sns$1@ID-39509.news.dfncis.de>
Source record: 35846
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ken Tough <ken@objectech.co.uk> wrote:

"I expect they don't have Pizza Hut or Radio Shack, and McDonald's is just a name so not really English."

At one point there was a big stink over the Eaton's department store chain; the Quebec authorities demanded that they remove the apostrophe from their signs, since the mark is used in English but not in French. (When I looked a few months ago, Eatons no longer uses the apostrophe...but no longer has stores in Quebec.) McDonald's apparently was exempt because it was a foreign company that was just using its own name.

7186. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 07:46:35 UTC
From: Idontwantspam@net
Message-ID: <3e056d55.24938780@news.bellatlantic.net>
Source record: 35847
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Sun, 22 Dec 2002 02:05:51 -0500, Robert Casey
<wa2ise@ix.netcom.com> wrote:

>Ever notice that many of the old communist dictatorships had long names
>like
>"Democratic Republic of Korea" "Democratic People's Republic of
>East Germany" or such. And then compare that to a country that really
>has democracy "United States of America".
>
During the Cold War, I got into the habit of assuming that the more
times they used "Democratic" or "Peoples" in the name of the country,
the further they were from democratic.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

7187. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 07:49:51 UTC
From: Idontwantspam@net
Message-ID: <3e056dfa.25103977@news.bellatlantic.net>
Source record: 35598
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Sun, 22 Dec 2002 02:15:38 -0500, Robert Casey
<wa2ise@ix.netcom.com> wrote:

>Where did the name "America" come from anyway? Heard some
>urban legend that "America" was the name of some mapmaker the
>king of Spain's staff hired to compile the discoveries of the New World
>into a map. He drew the map, and signed it with his name at the
>bottom. The King said something like "Oh, we're going to call the
>new world 'America'. Okay." when he saw the name on the
>bottom. So the most feared and dreaded nation of the world
>today is named after some guy who drew a map.... :-)
>
Amerigo Vespucci made some of the first maps of the New World.
Remember, Columbus thought he was in or near India.

We could easily be in the United States of Vespucci.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

7188. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 11:10:22 UTC
From: "Maarten A.E.Bakker" <maarten@panic.et.tudelft.nl>
Message-ID: <au46iu$1br$2@news.tudelft.nl>
Source record: 35599
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In rec.antiques.radio+phono Robert Casey <wa2ise@ix.netcom.com> wrote:
> David Eduardo wrote:
>> In English, in North America, maybe. Elsewhere, and in any other language,
>> would require specification of origin.
> I've sometimes wondered if "Made in America", implying USA,
> could actually mean some country in South America.

Made in Europe, sometimes means one of the former Sovjet states, another country in the Eastern part of Europe or maybe Turkey. It does not imply the equipment was made in a country in the European Community. This, of course, is a new development not seen 10 years ago.

Regards,

Maarten Bakker.

7189. FA Tektronix 531A Osc Manual VG

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 11:55:08 UTC
From: turbo22367@aol.com
Message-ID: <20021222065508.03162.00000215@mb-cc.aol.com>
Source record: 35600

Up for auction. Only $9.99 opening bid. Ends today! Thanx fellows!

http://cgi.aol.ebay.com/ws/eBayISAPI.dll?ViewItem&category=25409&item=3100
648847 Merry Christmas everyone!!!! Steve

7190. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 12:24:17 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v0bbk9s5it122b@corp.supernews.com>
Source record: 35601
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Gary S. wrote:

>
> Amerigo Vespucci made some of the first maps of the New World.
> Remember, Columbus thought he was in or near India.
>
> We could easily be in the United States of Vespucci.
>
> Happy trails,
> Gary (net.yogi.bear)

Actually, Vespucci's claim to fame was that he was the first explorer to recognize that the new lands found were not Asia, as Columbus and others had believed. About the same time his friend Columbus was sailing around, Vespucci was exploring and mapping for the first time the Northern and Eastern coasts of South America.
His mapmaker friend Martin Waldseemuller is credited with 'inventing' the name which he did to honor the explorer. Waldseemuller's name only referred to South America at the time but the name caught on to describe all of the New World.
-BM

7191. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 13:25:41 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <p3jN9.461257$QZ.70285@sccrnsc02>
Source record: 35602
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

It's hard to draw any conclusion based on the limited info you gave.

You will probably need to use a matching circuit between the exciter and the input to the amp to get proper drive to the amp.

You did not mention anything about the plate current or being able to find a resonance with the 30 pF tuning cap. Even with low drive into the input, you should be able to tell if the output network is in the ballpark.

You might also want to check the specs for the 6KD6 tubes and see how close you are to their upper operating limits. If their unity gain occurs at too low a frequency, you will get undesirable results regardless of the other conditions.

73
WA5VRL
Willis

7192. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 13:32:49 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <v0bfo8gtuoljf5@corp.supernews.com>
Source record: 35603
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Oh, but it is. Trust me. I took four years of Spanish in high school. Loyal Mexicans get very upset hearing us call ourselves "The United States of America."

The translation would more-correctly be "The United Mexican States of America."

Bill M wrote...

> Brenda Ann wrote:

> > Actually, what we call Mexico is called by the Mexicans
> > Los Estados Unidos Mexicanos de America
> > The Mexican United States of America

> HUH? I don't think so.

7193. FS: New Yaesu md-100a8x Desk Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 13:44:32 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <HjjN9.7711$eB.77398@twister.kc.rr.com>
Source record: 35605

Just purchased. New in box w/sales invoice & instruction sheet. Plans changed, $100 shipped/insured Conus.

Van,
K0KAV

7194. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 14:30:15 UTC
From: Tarmo Tammaru <t-tammaru@home.com>
Message-ID: <MwidnReNJdNCVpijXTWcoQ@comcast.com>
Source record: 35606
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Keith,

The 6KD6 has an output capacitance of 16 PF. So you have 48 PF in parallel with the output tuning capacitor. The output pi network is going to be very high Q. You will need an inductor of about 0.2 uH. To get any efficiency at all, this should be made of very thick wire, like #8, or 1/4 inch copper tubing. Without test eq it going to take trial and error to get resonance. Try it at 50.0 and 54.0 MHz to get a feel as to whether the frequency is too low or too high. My guess is you are going to end up with an inductor that has 1 or 2 turns. You can change the inductance somewhat by stretching/compressing the length of the inductor. If you have a bandswitch, get rid of it.

Starting with what you have now, try it with 1 or 2 tubes plugged in. See if it will resonate that way. Every time you add a tube, you add 16 PF.

The input RF choke need to be changed to somewhere around 1 - 5 uH. Or, put some kind of tuning in there. See what people have used by looking an an ARRL handbook.

Tam/WB2TT

"Keith Beckmann" <Kbeckmann.spankme@wi.rr.com> wrote in message news:R5bN9.12423$Zt4.145868@twister.rdc-kc.rr.com...
> I've got an old amplifier that I'd like to convert to 6 Meter use.

7195. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 14:32:27 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v0bj4motiu7pe7@corp.supernews.com>
Source record: 35607
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

William Sommerwerck wrote:
> Oh, but it is. Trust me. I took four years of Spanish in high school. Loyal
> Mexicans get very upset hearing us call ourselves "The United States of
> America."
>
> The translation would more-correctly be "The United Mexican States of America."

Can you point me to a reference for that fact?
-BM

7196. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 14:36:41 UTC
From: "Dee D. Flint" <deehays@qix.net>
Message-ID: <Z5kN9.9610$4j5.5451376@newssvr28.news.prodigy.com>
Source record: 35604
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Robert Casey" <wa2ise@ix.netcom.com> wrote in message
news:3E056699.4F08E689@ix.netcom.com...
> David Eduardo wrote:
>
> Where did the name "America" come from anyway? Heard some
> urban legend that "America" was the name of some mapmaker the
> king of Spain's staff hired to compile the discoveries of the New World
> into a map. He drew the map, and signed it with his name at the
> bottom. The King said something like "Oh, we're going to call the
> new world 'America'. Okay." when he saw the name on the
> bottom. So the most feared and dreaded nation of the world
> today is named after some guy who drew a map.... :-)
>
>

The name came from the name of the explorer & mapmaker Amerigo Vespucci. He
was the first to actually make landfall on the American continents.

7197. Radio Gear for trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 14:52:53 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3E05D19D.1000703@dirtball.com>
Source record: 35608

Hello
I have a FT 920 with the AM filter and FM board. The FT 920 is 100 watts HF + 6 Meters. It has a Auto tuner and the MC 100 Desk Mic. In the deal you will get the technical supplement too (AKA Service manual), as well as the owners manual. I also Have the 3 kW Roller Inductor Antenna Tuner. They are in good shape I will trade both for a FT 990 or a FT 1000. I have been using the FT 920 as a backup rig. Drop me a line so we can work out a deal.
oris@dirtball.com
I have a Icom ICR71A Shortwave receiver that I will trade for a working DX 100 and SX 300 or Hamuland HQ 110. I'm looking for a good AM Ham station. I will trade this Receiver for a good working AM station. I want both transmitter and receiver. I want the transmitter to have at least 100 watts out. I hope to find something to work with my Audio rack. I also have a Henry Amp 2 KD 5 Desktop, (It needs a new Plate amp meter) two 3-500s 100 in will give you 1250 out, New Caps, that I will trade for a Globe King or full legal output Ham band AM transmitter. this is a pickup trade only. I will be willing to travel 100 miles from Athens GA. I also have a Hallicrafters S 38 C Shortwave receiver. Its in great shape. It works but I have no idea what its worth. It is a old old receiver. (Make Offer) I have a MFJ Versa Tuner II and a Roadtalker 40-channel sideband CB radio that somebody converted to 10 meters. It works quite well. I talked to a guy in South America on it. (Make Offer) I also have a CBS 1000 transceiver. 25 MHz to 29.795 MHz. In 10 kHz steps. I got it at a hamfest in Georgia. I'll trade it for a SX 300 or NC 300 HQ 110 HQ 170 HQ 200 or similar HF receiver.
Happy Holidays
73 and thanks for reading
Oris
N4CND
http://www.dirtball.com

7198. FS Alinco DJX10T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 14:56:26 UTC
From: "Rudy Marcelletti, K8SWD" <rudym@net-link.net>
Message-ID: <3e05d241$0$1456$bbae4d71@news.net-link.net>
Source record: 35609

I have for sale my Alinco DJX10T with some extras that I had bought to get my son interested, but that idea did not work, and I have more SWL rigs than I need. $250.00 plus shipping. Email direct for more info.

--
Rudy Marcelletti, K8SWD

7199. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 15:01:22 UTC
From: Tarmo Tammaru <t-tammaru@home.com>
Message-ID: <jFednQzRKv63TpijXTWc3Q@comcast.com>
Source record: 35610
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Keith,

Here is something else you can try. Right now you have the plates of the 3 tubes in parallel, with a wire going to the pi network input. Replace the wire with a .1 uH inductor to tune out some of the capacitance. That would be 2 - 3 turns of #12 wire wound at 8 turns/inch, 1/2 inch inside diameter. This is what is done with tuned transistor amplifiers, where you have even more capacitance.

I presume you don't want to do this, but the whole other way is to change the pi network to a series tuned circuit with link coupling.

BTW, I have built four 6 meter amplifiers, 2 tube and 2 transistor.

Tam/WB2TT

7200. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 15:03:05 UTC
From: Jeffrey D Angus <jangus@socal.rr.com>
Message-ID: <3E05D39D.90508@socal.rr.com>
Source record: 35611
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Robert Casey wrote:

>Where did the name "America" come from anyway? Heard some
>urban legend that "America" was the name of some mapmaker the
>king of Spain's staff hired to compile the discoveries of the New World
>into a map. He drew the map, and signed it with his name at the
>bottom. The King said something like "Oh, we're going to call the
>new world 'America'. Okay." when he saw the name on the
>bottom. So the most feared and dreaded nation of the world
>today is named after some guy who drew a map.... :-)
>
Urban Legend? Not hardly.
Amerigo Vespucci

http://www.millersv.edu/~columbus/papers/butch-1.html

Jeff

--
"They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety." Benjamin Franklin
"A life lived in fear is a life half lived."
Tara Morice as Fran, from the movie "Strictly Ballroom"

7201. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 15:07:17 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <v0bl9d6lmfbe7a@corp.supernews.com>
Source record: 35612
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

It is "common knowledge" that Mexico calls itself "The United States of Mexico,"
not "Mexico."

7202. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 15:19:34 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <9KkN9.338$DE2.174@newssvr19.news.prodigy.com>
Source record: 35613
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"William Sommerwerck" <williams@nwlink.com> wrote in message
news:v0bfo8gtuoljf5@corp.supernews.com...
> Oh, but it is. Trust me. I took four years of Spanish in high school.
Loyal
> Mexicans get very upset hearing us call ourselves "The United States of
> America."

In Spanish, it should be called "Estados Unidos de Norteam&#65533;rica." But no one
gets upset over it.
>
> The translation would more-correctly be "The United Mexican States of
America."

No, it wouldn't. The translation is "United Mexican States." "America"
appears nowhere. Nor is it ever used in conjunction withthe name.

And Mexicans in proper discourse refer to "Americans" as "norteamericanos"
or "North Americans" since in Spanish an American is anyone form North,
Central or South America.

However, more and more people in Latin America now refer to those form the
USA as, simply, "americanos." It depends on the context. In fact, famous
singer Piero form Argentina did a parody of tourists from the US in 1969 and
called it, "Los americanos."

7203. Wanted: Hustler 4BTV or Hygain 18VS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 15:20:02 UTC
From: siamk@aol.com
Message-ID: <20021222102002.29498.00000195@mb-ma.aol.com>
Source record: 35614

I'm looking to purchase a Hustler 4BTV or a Hygain 18VS. The verticals should be in reasonably good condition with all the original hardware. Please email what you have.

Thank you,

Mike

7204. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 15:21:38 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <6MkN9.339$WC2.6@newssvr19.news.prodigy.com>
Source record: 35615
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"William Sommerwerck" <williams@nwlink.com> wrote in message
news:v0bl9d6lmfbe7a@corp.supernews.com...
> It is "common knowledge" that Mexico calls itself "The United States of
Mexico,"
> not "Mexico."

It never calls itself "The United States of Mexico." It is "The United
Mexican States." (Estados Unidos Mexicanos)

And most government documents and references use "La Rep&#65533;blica Mexicana." Or
just Mexico.

7205. 2 meter gear and more for trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 15:30:19 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3E05DA63.8000102@dirtball.com>
Source record: 35616

Hello
I have a Kenwood TM-2530A that I used as a 2 meter packet station. It needs a Mic and the light that lights up the liquid quartz dial. The radio works fine and is in good shape. I looking for a good AM transmitter.
I have a Kenwood TR 7850 This radio I used as the BBS access on 2 meters. It needs a Mic and needs a new lithium battery backup. I turn the radio off and back on it forgets where it was and defaults to 144.000Mhz. Other than that the radio works fine. I want a working AM transmitter.
I have a Kenwood TM 201a. I used this 2 meter radio as sat transmitter. I worked Mirror before it came down. It Needs allot of work. It needs a dial. The Freq. read out is all screwed up. This is a fixerupper. It receives fine and transmits fine. It needs a mic too I will though this in too with either one of the above 2 meter rigs
I have a Versa Tuner II 949c and a Palomar PT 340 tuner tuner that I would through in too with either one of the above 2 meter rigs. I also Have a Kenwood KDC 1011 mobile CD player that has the plugs set up for a the older fords. I will through it in too with either one of the above 2 meter rigs.
I also have a Behringer Ultra Graph Pro GEQ 3102 31 band equalizer that I will through it in too with either one of the above 2 meter rigs.
Hey thanks for reading
Happy Holidays
73 Oris
http://www.dirtball.com

7206. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 15:43:27 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E05DD9F.5090004@NOSPAMutoronto.ca>
Source record: 35617
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Chuck/KE4ETH wrote:
> "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote in message
> news:3e047020$1@news.netacc.net...
>
>>"Sven Franklyn Weil" <sven@gordsven.com> wrote in message
>>news:slrnb07pgs.r2o.sven@gordsven.com...
>>
>>>In article <v07ot4lahf570e@corp.supernews.com>, Bill M wrote:
>>>
>>>>Its all smiles and broken jokes...while the next guy just goes on an
>>>>angry rant and will probably get cheated on his change.
>>>
>>>These are the same folks who go to a non-English speaking country and
>>>think that if they YELL loudly enough at the natives, they will
>>>somehow understand the English.
>>>
>>>--
>>>Sven (it's a smaller world, learn a second language)
>>
>>Person who speaks three languages - Trilingual
>>Person who speaks two languages - Bilingual
>>Person who speaks one language - American
>>
>>
>>Steve
>>
>
>
> Sorry, I got to reply to this one.
>
> Person who speaks one language - US Citizen.

Actually, most Anglophone Canadians speak only one language,
despite all those highschool French lessons.

--
Michael Moore

7207. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 15:50:44 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <oblN9.15145$Zt4.165596@twister.rdc-kc.rr.com>
Source record: 35618
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

"Bill & Suzie Whatley" <spud286@attbi.com> wrote in message
news:p3jN9.461257$QZ.70285@sccrnsc02...
> It's hard to draw any conclusion based on the limited info you gave.
>
> You will probably need to use a matching circuit between the exciter and
> the input to the amp to get proper drive to the amp.

I was looking in some older ARRL books, and noticed that almost all of them use some sort of matching for the input, but many manufactures simply use an untuned coupler.

> You did not mention anything about the plate current or being able to find
a
> resonance with the 30 pF tuning cap. Even with low drive into the input,
> you should be able to tell if the output network is in the ballpark.

The tune capacitor is fully disengaged at full output. I didn't measure the plate current, but I will.

> You might also want to check the specs for the 6KD6 tubes and see how
close
> you are to their upper operating limits. If their unity gain occurs at
too
> low a frequency, you will get undesirable results regardless of the other
> conditions.

I couldn't find any frequency specs for the 6KD6.

7208. Re: Check this sale out

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 15:53:54 UTC
From: mjmanship@iquest.net
Message-ID: <3e05df12.6296552@news.iquest.net>
Source record: 35619

On Sat, 21 Dec 2002 17:19:24 -0500, "signalchaser"
<williamsmith208@hotmail.com> wrote:

>The following link takes you to an Ebay Auction where some guy lists a
>TS-450S as being mint. His opening price for the transceiver was 1700
>dollars. I can't recall what TS-450S went for back in the day but you can
>find a nice one around used for 500 dollars. What a laugh
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946404599
>
>
About ten days ago someone had a TS-450 for the same price (1700).
I assume it was the same person but am not sure. His description at
that time claimed that a local offered him 1700 for it but he decided
to put it on ebay first to see how much he could get.

7209. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 16:08:19 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E05E373.9040504@NOSPAMutoronto.ca>
Source record: 35620
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Gary S. wrote:
> On Sun, 22 Dec 2002 02:15:38 -0500, Robert Casey
> <wa2ise@ix.netcom.com> wrote:
>
>
>>Where did the name "America" come from anyway? Heard some
>>urban legend that "America" was the name of some mapmaker the
>>king of Spain's staff hired to compile the discoveries of the New World
>>into a map. He drew the map, and signed it with his name at the
>>bottom. The King said something like "Oh, we're going to call the
>>new world 'America'. Okay." when he saw the name on the
>>bottom. So the most feared and dreaded nation of the world
>>today is named after some guy who drew a map.... :-)
>>
>
> Amerigo Vespucci made some of the first maps of the New World.
> Remember, Columbus thought he was in or near India.

It would seem to me that "Mexico" is also a variaton
Amerigo. Then, "Estados Unidos Mexicanos" is really the
same thing as "United States of America".

--
M2

7210. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 16:22:23 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <3FIN9.6224$P36.171221@twister.rdc-kc.rr.com>
Source record: 35621
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

"Tarmo Tammaru" <t-tammaru@home.com> wrote in message
news:MwidnReNJdNCVpijXTWcoQ@comcast.com...
> Keith,
>
> The 6KD6 has an output capacitance of 16 PF. So you have 48 PF in parallel
> with the output tuning capacitor. The output pi network is going to be
very
> high Q. You will need an inductor of about 0.2 uH. To get any efficiency
at
> all, this should be made of very thick wire, like #8, or 1/4 inch copper
> tubing.

I tried 3 turns of #8 (all I had was stranded wire), and this worked slightly better, but still not right. The 30pf tuning capacitor is fully disengaged at full output.

> Without test eq it going to take trial and error to get resonance.

I have a signal generator to send a signal thru the Pi network, and a commercial spectrum analyzer to view it's output, but I don't know how to use it in this application. How do I account for the input and output loads?

I've also got an oscilliscope, plus a grid dip meter

> Try it at 50.0 and 54.0 MHz to get a feel as to whether the frequency is
too
> low or too high. My guess is you are going to end up with an inductor that
> has 1 or 2 turns. You can change the inductance somewhat by
> stretching/compressing the length of the inductor. If you have a
bandswitch,
> get rid of it.

This was a mono-band amp, so there was no band switch.

> Starting with what you have now, try it with 1 or 2 tubes plugged in. See
if
> it will resonate that way. Every time you add a tube, you add 16 PF.

That's an excelent idea, thanks.

> The input RF choke need to be changed to somewhere around 1 - 5 uH. Or,
put
> some kind of tuning in there.

I did change the RF choke to a smaller one. I don't know the it's value, as it's a junkbox RFC. It's about 10 turns wrapped around a core the size of a 1/2 watt resistor. Is there an EZ way to figure out an RF chokes value?

> See what people have used by looking an an ARRL handbook.

I was looking at the ARRL handbook (I've got 1967, 1969, 1978, 2001), but most of the tuned input stages are for biased tubes, where they are inputing the signal in the screen. I kinda wanted to leave it as grounded grid for it's stability

I thank you for your response, you given me some excellent ideas.

7211. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 16:33:35 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3E05E962.1040204@netscape.net>
Source record: 35622
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Robert Casey wrote:
> David Eduardo wrote:
>
>
>>"Brenda Ann" <brendad@shinbiro.com> wrote in message
>>news:au2qn6$et3$1@news1.kornet.net...
>>
>>>>Actually, what we call Mexico is called by the Mexicans
>>>
>>>>Los Estados Unidos Mexicanos de America
>>>
>>>>The Mexican United States of America
>>
>>Rrrrrp. Wrong.
>>
>>The name of Mexico is Los Estados Unidos Mexicanos. The United Mexican
>>States.
>>
>>Brazil is Estados Unidos do Brasil. The United States of Brazil.
>>
>>"America" is not in the name of any other country in the Western Hemispnhere
>>except for the USA.
>
>
> Where did the name "America" come from anyway? Heard some
> urban legend that "America" was the name of some mapmaker the
> king of Spain's staff hired to compile the discoveries of the New World
> into a map. He drew the map, and signed it with his name at the
> bottom. The King said something like "Oh, we're going to call the
> new world 'America'. Okay." when he saw the name on the
> bottom. So the most feared and dreaded nation of the world
> today is named after some guy who drew a map.... :-)

... and under very odd circumstances, by another guy who thought that
Amerigo Vespucci actually discovered the place. Interestingly, also,
only the southern continent was originally named after him!

http://www.bruce.ruiz.net/PanamaHistory/americo_vespucci.htm

Cheers,
Fred
--
+--+

```
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+----------------------------------------+
```

7212. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 16:57:19 UTC
From: Idontwantspam@net
Message-ID: <3e05ee36.2251377@news.bellatlantic.net>
Source record: 35623
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Sun, 22 Dec 2002 10:43:27 -0500, Michael Moore
<m.moore@NOSPAMutoronto.ca> wrote:

>Actually, most Anglophone Canadians speak only one language,
>despite all those highschool French lessons.
>
A fair number of Francophone Canadians, as well.

Quite a few road signs in Northern New England have been put up in
French as well. My favorite is "Sortie d'urgence pour camions".

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

7213. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 17:16:39 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0bsrnp4d3ns3c@corp.supernews.com>
Source record: 35624
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Amerigo Vespucci
1454-1512

Explorer

Italy: Florence
Iberia

Raised and educated in Florence, Amerigo (also Americus) Vespucci was a merchant and navigator who sailed to the new world on two (perhaps even three) occasions, sailing for Spain and for Portugal. He made his most significant scientific contribution to the Age of Discovery when, through astronomical observations off the coast of South America, he confirmed that the lands Columbus had encountered were not Asia but were in fact an entirely separate continent. The letters he wrote describing his travels were published and widely distributed in Europe.

Vespucci owes the use of his name for two continents to the German clergyman and scholar Martin Waldseem&#65533;ller, who had read of Amerigo's travels and chose to call the new lands "America" in his honor when printing a wood-block map.

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"Robert Casey" <wa2ise@ix.netcom.com> wrote in message
news:3E056699.4F08E689@ix.netcom.com...
> David Eduardo wrote:
>
>
> Where did the name "America" come from anyway? Heard some
> urban legend that "America" was the name of some mapmaker the
> king of Spain's staff hired to compile the discoveries of the New World
> into a map. He drew the map, and signed it with his name at the
> bottom. The King said something like "Oh, we're going to call the
> new world 'America'. Okay." when he saw the name on the
> bottom. So the most feared and dreaded nation of the world
> today is named after some guy who drew a map.... :-)
>

>

7214. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 17:34:09 UTC
From: Lou <tech@dp.net>
Message-ID: <au4v3t$2fqg$1@news.dp.net>
Source record: 35626
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Bill M" <don'tspamme-exray@caribe.net> wrote in message
news:v0bj4motiu7pe7@corp.supernews.com...
> William Sommerwerck wrote:
> > Oh, but it is. Trust me. I took four years of Spanish in high school.
Loyal
> > Mexicans get very upset hearing us call ourselves "The United States of
> > America."
> >
> > The translation would more-correctly be "The United Mexican States of
America."
>
> Can you point me to a reference for that fact?
> -BM
>

Well, if our politicians keep kissing their butts, in another generation, it will be The United Mexican States of America or is it "Mexico"? They'll have enough voting power to change the name too.

We cater to them more than anyone else coming into this country and a majority of our downfall from drugs comes right from there, or through there.

If THEY don't like US referring to ourselves as the UNITED STATES OF AMERICA, then why the hell don't they stay where they belong. No one asked most of them to come here. I live in a very quiet respectable neighborhood. WE recently had 10 of them who were imported here for "slave" labor you may as well say.. A landscaper bought a house here in town without telling anyone his plans, to put them in rent free while they worked for him on a work visa. They weren't here 2 months and a stabbing took place as a result of them. Our people were up in arms of them being here to start with and that incident only served to underline their concerns. They are "reportedly" coming back in spring. Our zoning doesn't stop it from happening. I can only imagine what this next round will be like. Between them and one family - recently evicted, our crime rate rose 75% in one year..... They are gone and our town is back to normal.... Speaks for itself. I'm not saying they are all bad.... But I sure don't like the precedent I'm seeing played out.

Lou/Tech@DP.NET

7215. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 17:35:26 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <v0btsc4gblbd80@corp.supernews.com>
Source record: 35625
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

The 6KD6 was designed for old TV sweep amplifiers, which operated at about
15Khz.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Keith Beckmann" <Kbeckmann.spankme@wi.rr.com> wrote in message
news:oblN9.15145$Zt4.165596@twister.rdc-kc.rr.com...
>
> "Bill & Suzie Whatley" <spud286@attbi.com> wrote in message
> news:p3jN9.461257$QZ.70285@sccrnsc02...
> > It's hard to draw any conclusion based on the limited info you gave.
> >
> > You will probably need to use a matching circuit between the exciter
and
> > the input to the amp to get proper drive to the amp.
>
> I was looking in some older ARRL books, and noticed that almost all of
them
> use some sort of matching for the input, but many manufactures simply use
an
> untuned coupler.
>
> > You did not mention anything about the plate current or being able to
find
> a
> > resonance with the 30 pF tuning cap. Even with low drive into the
input,
> > you should be able to tell if the output network is in the ballpark.
>
> The tune capacitor is fully disengaged at full output. I didn't measure
the
> plate current, but I will.
>
> > You might also want to check the specs for the 6KD6 tubes and see how
> close
> > you are to their upper operating limits. If their unity gain occurs at
> too
> > low a frequency, you will get undesirable results regardless of the
other
> > conditions.
>
> I couldn't find any frequency specs for the 6KD6.

>
>
>
>
>

7216. Aircastle 16F1H Receiver? Manuals?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 17:54:50 UTC
From: will7370@yahoo.com
Message-ID: <e88e9b5a.0212220954.55e9bd57@posting.google.com>
Source record: 35627
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Anybody know anything about the Aircastle 16F1H receiver? I just picked one up in a thrift store. Looks like it is from the 1960s. The rabbit ears are snapped off, and the pots need a good shot of something to clean them up. Unsure whether I should try to restore it to like new condition, or to just get it functional for mine own needs. I've been wanting a portable SW receiver, and this may do the trick.

Rob Williams KC7BUM
Portland, Oregon

7217. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 18:23:34 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3E060329.7060006@optonline.net>
Source record: 35628
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I have heard that many products (particularly clothing) labeled "Made in the USA" are in fact made on some Pacific island (Saipan, perhaps others too) that is controlled by the USA -- and made by workers who are imported from Mainland China and kept in horrible conditions with few of the rights that inhabitants of the 50 States enjoy.

-=-
Alan

Robert Casey wrote:
> David Eduardo wrote:
>
>
>>In English, in North America, maybe. Elsewhere, and in any other language,
>>would require specification of origin.
>
>
> I've sometimes wondered if "Made in America", implying USA,
> could actually mean some country in South America.

7218. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 18:32:02 UTC
From: Dave Holford <holford@sympatico.ca>
Message-ID: <3E060522.A723E2D@sympatico.ca>
Source record: 35629
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ed Ellers wrote:
>
> Robert Casey <wa2ise@ix.netcom.com> wrote:
>
> "I've sometimes wondered if "Made in America", implying USA, could actually
> mean some country in South America."
>
> I don't think U.S. Customs would let that through.

Do you suppose they would let "Made in North America" through?

Dave

7219. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 18:36:59 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <fDnN9.364$Lz3.92@newssvr19.news.prodigy.com>
Source record: 35630
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
news:3E05E373.9040504@NOSPAMutoronto.ca...
> Gary S. wrote:
> > On Sun, 22 Dec 2002 02:15:38 -0500, Robert Casey
> > <wa2ise@ix.netcom.com> wrote:
> >
> >
> >>Where did the name "America" come from anyway? Heard some
> >>urban legend that "America" was the name of some mapmaker the
> >>king of Spain's staff hired to compile the discoveries of the New World
> >>into a map. He drew the map, and signed it with his name at the
> >>bottom. The King said something like "Oh, we're going to call the
> >>new world 'America'. Okay." when he saw the name on the
> >>bottom. So the most feared and dreaded nation of the world
> >>today is named after some guy who drew a map.... :-)
> >>
> >
> > Amerigo Vespucci made some of the first maps of the New World.
> > Remember, Columbus thought he was in or near India.
>
> It would seem to me that "Mexico" is also a variaton
> Amerigo. Then, "Estados Unidos Mexicanos" is really the
> same thing as "United States of America".

Mexico comes from Mexica, an Indian term .

7220. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 18:39:09 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <hFnN9.365$Dz3.355@newssvr19.news.prodigy.com>
Source record: 35633
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Alan Beagley" <abeagley@optonline.net> wrote in message
news:3E060329.7060006@optonline.net...
> I have heard that many products (particularly clothing) labeled "Made in
> the USA" are in fact made on some Pacific island (Saipan, perhaps others
> too) that is controlled by the USA -- and made by workers who are
> imported from Mainland China and kept in horrible conditions with few of
> the rights that inhabitants of the 50 States enjoy.

More than half the prescription drugs sold in the Continental US, and
labeled "Made in the USA" are manufactured in Puerto Rico.

7221. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 18:39:23 UTC
From: Ed Ellers <ed_ellers@msn.com>
Message-ID: <au50su$4dhkh$1@ID-39509.news.dfncis.de>
Source record: 35631
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Dave Holford <holford@sympatico.ca> wrote:

"Do you suppose they would let "Made in North America" through?"

Nope -- doesn't specify a country. (Yes, I know, NAFTA, but imported goods
are still supposed to be marked with the country of origin.)

7222. Courtesy, Friendliness, Good Will and Ham Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 18:39:52 UTC
From: Joe Mehaffey <joe@mehaffey.us>
Message-ID: <3E0606F8.341567C9@mehaffey.us>
Source record: 35632
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi John,
No.. I really do not understand. Seems reasonable to me (as one who is not familiar with the culture of this NG) that if you were interested in "recreational radio swapping" you might well be interested in both equipment for sale HERE and ELSEWHERE. Now that you call my attention to it, I see some folks are using FA and FS prefixes and I see nothing wrong with this. In fact, I did notice the FS on some entries and put it on my listing which happened to be offered on eBay.

As a result of posting my message, I received one really nasty message from one individual who did not know how to express himself without cursing. Another fine fellow from this NG (you know who you are) came over to eBay and put in a ficticious bid on my equipment for sale. Here I am, trying to help the widow of a fellow ham dispose of his equipment and I am met with hostility and uncivil behaviour by SOME FELLOW HAMS! I am sure that MOST of the follows on this NG are people of good will. But some of you need to consider that a) some folks like me who do not use this NG daily may not be aware of your FA/FS "rule" and b) even if we don't know, we deserve a civil behaviour from our fellows.

I have been a ham for almost 50 years. I have found HAMS to be about the most honest and most civil and most friendly group of people there are. I brag to others about how tolerent and easy going we are to each other regardless of WHO the other HAM is. I think a few folks on this NG need to rethink their approach to helping newcomers to the NG without being the bearers of hostility and ill will.

Joe Mehaffey
W2JO
--
Got a Question about GPS technology? Looking for a GPS FAQ site?
See: http://joe.mehaffey.com

7223. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 18:43:42 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v0c1rmme35l2ef@corp.supernews.com>
Source record: 35634
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

David Eduardo wrote:
>
> More than half the prescription drugs sold in the Continental US, and
> labeled "Made in the USA" are manufactured in Puerto Rico.

Which of course is part of the USA.
-BM
Vieques, PR

7224. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 18:45:29 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <dLnN9.367$Bs3.128@newssvr19.news.prodigy.com>
Source record: 35635
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Bill M" <don'tspamme-exray@caribe.net> wrote in message
news:v0c1rmme35l2ef@corp.supernews.com...
> David Eduardo wrote:
> >
> > More than half the prescription drugs sold in the Continental US, and
> > labeled "Made in the USA" are manufactured in Puerto Rico.
>
> Which of course is part of the USA.
> -BM
> Vieques, PR

Yep, with or without Section 936 of the IRS Code.

7225. Re: ICOM IC-2000H MIC PINOUT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 18:56:39 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnb0c2n6.77n.nobody@animas.frontier.net>
Source record: 35636

On 21 Dec 2002 05:51:33 -0800, Carl Ingerson hath writ:
> Can anyone quickly provide me with the mic pinoout for the ICOM
> IC-2000H? I have misplaced my manual and need to make a cable for the
> radio.
>
> TNX N1DXM

Left to right, looking at the front panel:

1. +8 VDC
2. Freq Up/Dwn
3. AF Detector output
4. PTT
5. MIC gnd
6. MIC
7. GND
8. n/c

73
Jonesy W3DHJ

--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

7226. Re: Aircastle 16F1H Receiver? Manuals?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 19:08:45 UTC
From: jeff <w5omr-anti-spam@w5omr.antispam.shacknet.nu>
Message-ID: <15oN9.40292$Nz5.996620@twister.austin.rr.com>
Source record: 35637
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

http://www.google.com/search?sourceid=navclient&q=Aircastle+16F1H

it really -is- too easy to go googling, not to be doing it yourself ;-)

How's everything along the Columbia River Gorge?
I spent 5 days there on vacation in May of 2001 and was
totally amazed at the area... Multnomah Falls, et al...

Even Haystack Rock :-)
--

"Robert Williams" <will7370@yahoo.com> wrote in message
news:e88e9b5a.0212220954.55e9bd57@posting.google.com...
> Anybody know anything about the Aircastle 16F1H receiver? I just
> picked one up in a thrift store. Looks like it is from the 1960s.
> The rabbit ears are snapped off, and the pots need a good shot of
> something to clean them up. Unsure whether I should try to restore it
> to like new condition, or to just get it functional for mine own
> needs. I've been wanting a portable SW receiver, and this may do the
> trick.
>
> Rob Williams KC7BUM
> Portland, Oregon

7227. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 19:09:05 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <au5395$15av$1@madmax.keyway.net>
Source record: 35639
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Lou" <tech@dp.net> wrote in message news:au4v3t$2fqg$1@news.dp.net...
: "Bill M" <don'tspamme-exray@caribe.net> wrote in message
: news:v0bj4motiu7pe7@corp.supernews.com...
: > William Sommerwerck wrote:
: > > Oh, but it is. Trust me. I took four years of Spanish in high school.
: Loyal
: > > Mexicans get very upset hearing us call ourselves "The United States of
: > > America."
: > >
: > > The translation would more-correctly be "The United Mexican States of
: America."
: >
: > Can you point me to a reference for that fact?
: > -BM
: >
:
: Well, if our politicians keep kissing their butts, in another generation, it
: will be The United Mexican States of America or is it "Mexico"? They'll have
: enough voting power to change the name too.
:
: We cater to them more than anyone else coming into this country and a
: majority of our downfall from drugs comes right from there, or through
: there.
:
: If THEY don't like US referring to ourselves as the UNITED STATES OF
: AMERICA, then why the hell don't they stay where they belong. No one asked
: most of them to come here. I live in a very quiet respectable neighborhood.
: WE recently had 10 of them who were imported here for "slave" labor you may
: as well say.. A landscaper bought a house here in town without telling
: anyone his plans, to put them in rent free while they worked for him on a
: work visa. They weren't here 2 months and a stabbing took place as a result
: of them. Our people were up in arms of them being here to start with and
: that incident only served to underline their concerns. They are "reportedly"
: coming back in spring. Our zoning doesn't stop it from happening. I can only
: imagine what this next round will be like. Between them and one family -
: recently evicted, our crime rate rose 75% in one year..... They are gone and
: our town is back to normal.... Speaks for itself. I'm not saying they are
: all bad.... But I sure don't like the precedent I'm seeing played out.
:
: Lou/Tech@DP.NET
:
You would be truly shocked at how many houses in Southern California

are flying Mexican flags on their houses. Would that make them foreign nationalists? Is it OK for foreign nationalists to obtain services from, employment at, and authority within our local governments? Including control over personnel departments? What of people who reject American ideals outright because they conflict with a cultural view of murder, retribution and taboos. Is it unthinkable that some people would be amassing power while others give it away.

7228. 10000 Watt Base box for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 19:11:45 UTC
From: eei911@aol.com
Message-ID: <6f1c9101.0212221111.4e5caab2@posting.google.com>
Source record: 35638

Am power build by me it will do 10000 watts an am 10-11-MHz. 24 pill
with 2sc2879 month old $1400.00. Plus we build everything else too

Call for info 815-469-3386

7229. Please help my FT902DM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 19:37:27 UTC
From: JMC <jm.caillon@wanadoo.fr>
Message-ID: <au53qb$619$1@news-reader11.wanadoo.fr>
Source record: 35640
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Hello,

I am looking for the relay that switch TX/RX into the FT902DM. Where can I buy one ?

Thanks for your help

Jean-Marc
F4DRH

7230. Re: Courtesy, Friendliness, Good Will and Ham Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 19:58:40 UTC
From: K4ICL <K4ICL@Charter.net>
Message-ID: <v0c6bi17j5nu86@corp.supernews.com>
Source record: 35641
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

RIGHT ON!

Cheers,

AL
K4ICL@Charter.net

~~~~~

"Joe Mehaffey" <joe@mehaffey.us> wrote in message
news:3E0606F8.341567C9@mehaffey.us...
> Hi John,
> No.. I really do not understand. Seems reasonable to me (as one who is
> not familiar with the culture of this NG) that if you were interested in
> "recreational radio swapping" you might well be interested in both
> equipment for sale HERE and ELSEWHERE. Now that you call my attention
> to it, I see some folks are using FA and FS prefixes and I see nothing
> wrong with this. In fact, I did notice the FS on some entries and put
> it on my listing which happened to be offered on eBay.
>
> As a result of posting my message, I received one really nasty message
> from one individual who did not know how to express himself without
> cursing. Another fine fellow from this NG (you know who you are) came
> over to eBay and put in a ficticious bid on my equipment for sale. Here
> I am, trying to help the widow of a fellow ham dispose of his equipment
> and I am met with hostility and uncivil behaviour by SOME FELLOW HAMS!
> I am sure that MOST of the follows on this NG are people of good will.
> But some of you need to consider that a) some folks like me who do not
> use this NG daily may not be aware of your FA/FS "rule" and b) even if
> we don't know, we deserve a civil behaviour from our fellows.
>
> I have been a ham for almost 50 years. I have found HAMS to be about
> the most honest and most civil and most friendly group of people there
> are. I brag to others about how tolerent and easy going we are to each
> other regardless of WHO the other HAM is. I think a few folks on this
> NG need to rethink their approach to helping newcomers to the NG without
> being the bearers of hostility and ill will.
>
> Joe Mehaffey
> W2JO
> --
> Got a Question about GPS technology? Looking for a GPS FAQ site?
> See: http://joe.mehaffey.com
~~~~~

7231. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 20:00:13 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3E0619D1.4070606@netscape.net>
Source record: 35642
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

David Eduardo wrote:
> "Alan Beagley" <abeagley@optonline.net> wrote in message
> news:3E060329.7060006@optonline.net...
>
>>I have heard that many products (particularly clothing) labeled "Made in
>>the USA" are in fact made on some Pacific island (Saipan, perhaps others
>>too) that is controlled by the USA -- and made by workers who are
>>imported from Mainland China and kept in horrible conditions with few of
>>the rights that inhabitants of the 50 States enjoy.
>
>
> More than half the prescription drugs sold in the Continental US, and
> labeled "Made in the USA" are manufactured in Puerto Rico.

Then there's the "Assembled in ..." scam. Most recently, I got some
generic CD-R's that say on the liner "Assembled in Canada." Like, what's
there to "assemble"? A machine that sticks the liner and the CD into the
jewel case?

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

7232. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 20:22:11 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E061EF3.8030401@NOSPAMutoronto.ca>
Source record: 35643
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

David Eduardo wrote:
> Mexico comes from Mexica, an Indian term .

O.K. But it almost sounds like (A)merigo when Mexicans
pronounce it.

--
M2

7233. FS: Yaesu FT-897 Accessories (NEW)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 20:28:55 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <bgpN9.7743$P36.182686@twister.rdc-kc.rr.com>
Source record: 35644

Yaesu FNB-78 Internal 4.5 Ah NI-MH Battery Pack.....

CD-24 4hr charge adaptor for FNB-78. Accepts either 24V (from PA-
26B) or 13.8V (from external Power Supply) for charging the FNB-78
Battery Pack.....

Pa-26B Charger for CD-24, connects to CD-24 for battery charging.....

Purchased NEW this month by me, sealed, un-opened, uncoiled, etc., etc.....
Not used. Sales invoice, etc., available.....

$185.00 for all three shipped/insured Conus.....

Happy holidays!

Van,
K0KAV

7234. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 21:06:14 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v0ca9d264mk6b4@corp.supernews.com>
Source record: 35646
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I give up. I'll just tacitly delete this thread when it comes up.

Steven

"Ed Ellers" <ed_ellers@msn.com> wrote in message
news:au50su$4dhkh$1@ID-39509.news.dfncis.de...
> Dave Holford <holford@sympatico.ca> wrote:
>
> "Do you suppose they would let "Made in North America" through?"
>
> Nope -- doesn't specify a country. (Yes, I know, NAFTA, but imported
goods
> are still supposed to be marked with the country of origin.)
>
>

7235. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 21:06:27 UTC
From: Tarmo Tammaru <t-tammaru@home.com>
Message-ID: <rLqdnTFTBvQntZujXTWcpA@comcast.com>
Source record: 35645
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Keith,

Your new RF choke seems about right. Use the grid dip oscillator to find resonance when the capacitor is fully open. From what you say, your coil is still too big. Don't worry too much about loading at this point, but set the loading cap to different values when you check for resonance. What band did it used to cover?

If this was an 80 or 40 meter amp, it just may not work at 6.

Tam/WB2TT
"Keith Beckmann" <Kbeckmann.spankme@wi.rr.com> wrote in message news:3FlN9.6224$P36.171221@twister.rdc-kc.rr.com...
>
> "Tarmo Tammaru" <t-tammaru@home.com> wrote in message
> news:MwidnReNJdNCVpijXTWcoQ@comcast.com...
> > Keith,
> >
> > The 6KD6 has an output capacitance of 16 PF. So you have 48 PF in parallel
> > with the output tuning capacitor. The output pi network is going to be
> very
> > high Q. You will need an inductor of about 0.2 uH. To get any efficiency
> at
> > all, this should be made of very thick wire, like #8, or 1/4 inch copper
> > tubing.
>
> I tried 3 turns of #8 (all I had was stranded wire), and this worked
> slightly better, but still not right. The 30pf tuning capacitor is fully
> disengaged at full output.
>
> > Without test eq it going to take trial and error to get resonance.
>
> I have a signal generator to send a signal thru the Pi network, and a
> commercial spectrum analyzer to view it's output, but I don't know how to
> use it in this application. How do I account for the input and output
> loads?
>
> I've also got an oscilliscope, plus a grid dip meter
>
> > Try it at 50.0 and 54.0 MHz to get a feel as to whether the frequency is
> too
> > low or too high. My guess is you are going to end up with an inductor
> that

> > has 1 or 2 turns. You can change the inductance somewhat by
> > stretching/compressing the length of the inductor. If you have a
> bandswitch,
> > get rid of it.
>
> This was a mono-band amp, so there was no band switch.
>
> > Starting with what you have now, try it with 1 or 2 tubes plugged in.
See
> if
> > it will resonate that way. Every time you add a tube, you add 16 PF.
>
> That's an excelent idea, thanks.
>
> > The input RF choke need to be changed to somewhere around 1 - 5 uH. Or,
> put
> > some kind of tuning in there.
>
> I did change the RF choke to a smaller one. I don't know the it's value,
as
> it's a junkbox RFC. It's about 10 turns wrapped around a core the size of
a
> 1/2 watt resistor. Is there an EZ way to figure out an RF chokes value?
>
> > See what people have used by looking an an ARRL handbook.
>
> I was looking at the ARRL handbook (I've got 1967, 1969, 1978, 2001), but
> most of the tuned input stages are for biased tubes, where they are
inputing
> the signal in the screen. I kinda wanted to leave it as grounded grid for
> it's stability
>
> I thank you for your response, you given me some excellent ideas.
>
>

7236. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 21:11:38 UTC
From: Tarmo Tammaru <t-tammaru@home.com>
Message-ID: <YtWcnRKTwZ9ttJujXTWcow@comcast.com>
Source record: 35647
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

When using the grid dip meter. TURN THE AMP POWER OFF>

Tam
"

7237. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 21:42:07 UTC
From: Michael Blake <m.b.blake@worldnet.att.net>
Message-ID: <PkqN9.9071$p_6.704292@bgtnsc04-news.ops.worldnet.att.net>
Source record: 35548
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

>What band did it used to cover?
>
> If this was an 80 or 40 meter amp, it just may not work at 6.
>
That's funny :-) This may be the first single band sweep tube amplifier I
have ever heard of that wasn't for 27mHz.

73 - Mike - K9JRI

7238. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 22:19:35 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <XTqN9.1252$OD6.98464835@newssvr21.news.prodigy.com>
Source record: 35549
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
news:3E061EF3.8030401@NOSPAMutoronto.ca...
> David Eduardo wrote:
> > Mexico comes from Mexica, an Indian term .
>
> O.K. But it almost sounds like (A)merigo when Mexicans
> pronounce it.

It sure does not sound anywhere similar to me. No more similar than America
and Mexico in English.

7239. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 22:29:18 UTC
From: Jeffrey D Angus <jangus@socal.rr.com>
Message-ID: <3E063C34.3020109@socal.rr.com>
Source record: 35550
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Steven Dinius wrote:

>I give up. I'll just tacitly delete this thread when it comes up.
>
>Steven
>
Ultimately, this is the ONLY rational course of action on ANY news group
when you run across a topic you don't agree with.

Trying to control the postings in a news groups is like trying to teach
a pig
to sing. You only waste your time and annoy the pig.

Jeff

--
"They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety." Benjamin Franklin
"A life lived in fear is a life half lived."
Tara Morice as Fran, from the movie "Strictly Ballroom"

7240. Re: Please help my FT902DM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 22:42:55 UTC
From: la8ak.xnd@online.no
Message-ID: <3e063cb2.438077772@news.online.no>
Source record: 35551
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

On Sun, 22 Dec 2002 20:37:27 +0100, "JMC" <jm.caillon@wanadoo.fr>
wrote:

>Hello,
>
>I am looking for the relay that switch TX/RX into the FT902DM. Where can I
>buy one ?
>
>Thanks for your help
>
>Jean-Marc
>F4DRH
>
>
I believe it is many relays

--
remove ,xnd to reply

7241. Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-22 22:53:52 UTC
From: Don Edberg <dynamic3@flash.net>
Message-ID: <3E06427C.C230064B@flash.net>
Source record: 35556
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Hi,

I hope I am posting this correctly, and to the correct newsgroup. I am new to newsgroups and using them. However, I could use some help with a radio I am trying to get working.

I have inherited a used Kenwood TH-79A and have downloaded the manual from Kenwood's web site. but for the life of me, I cannot get it to work with a friend's repeater.

His repeater is at 427.620 and has a tone of 127.3 for the input only. The transmit shift is down 5 MHz.

I have tried several times to program this. I put in 427.620, minus shift, and tone=127.3 and when I key the mike, speak, and release, it powers up the repeater (it shows on the level display on the HT) but I hear nothing. The static goes very low for a few seconds and then comes back up with the level display drops.

My friend says he can hear my voice when I transmit, but I hear nothing after I release the PTT button. My friend says I need to turn decode off for receive, but I can't figure out how to.

I've also tried programming it with split frequencies, i.e. receive on 422.620 with no tone and transmit on 427.620 with tone on. This displays a funny +/- on the display and doesn't seem to work either.

I would appreciate any help anyone can provide on this. The manual is no help. Any web pages giving hints or someone who knows what to do in this instance would earn my utmost admiration!

Also, I would appreciate a direct email response also as I am not sure I can find this site again very easily!

thanks in advance,

Don E.
N6CLP
dynamic3@flash.net

7242. Re: 10000 Watt Base box for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 00:00:55 UTC
From: "Joe S." <joe@schlatter.org>
Message-ID: <au5jik01ppa@enews3.newsguy.com>
Source record: 35553

Thanks for the phone number . . . that will save the FCC time in tracking
you down.

Not that anyone would send your for sale notice to the FCC.

--

Regards,
Joe S.

"Am power" <eei911@aol.com> wrote in message
news:6f1c9101.0212221111.4e5caab2@posting.google.com...
> Am power build by me it will do 10000 watts an am 10-11-MHz. 24 pill
> with 2sc2879 month old $1400.00. Plus we build everything else too
>
> Call for info 815-469-3386

7243. TH-205 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 00:01:11 UTC
From: Rod <rliebeg@spininternet.com>
Message-ID: <3E065247.79EEEFE7@spininternet.com>
Source record: 35552

Does anyone have a copy of the Kenwood TH-205AT manual they are not using.. Or at least does it does it exist on the net somewhere so I can download it??

Thanks Rod KI0KT

7244. Re: Aircastle 16F1H Receiver? Manuals?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 01:12:49 UTC
From: will7370@yahoo.com
Message-ID: <e88e9b5a.0212221712.6b135ea9@posting.google.com>
Source record: 35554
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Jeff,

Already went googling last night and found the reference you mention. That's why I approached the list as a last resort. I was *hoping* someone would know a little more background on this unit and maybe even have a manual they could copy for me. :-)

As to the Columbia River gorge, it's incredibally beautiful in the spring and summer, but right now it's a cold, foggy, rainy, windy, muddy mess. Who can deny the beauty of the Multnomah Falls, though? It's just a 15 minute drive from my house. Great place to live and raise kids.

Rob

"jeff" <w5omr-anti-spam@w5omr.antispam.shacknet.nu> wrote in message news:<15oN9.40292$Nz5.996620@twister.austin.rr.com>...
> http://www.google.com/search?sourceid=navclient&q=Aircastle+16F1H
>
> it really -is- too easy to go googling, not to be doing it yourself ;-)
>
> How's everything along the Columbia River Gorge?
> I spent 5 days there on vacation in May of 2001 and was
> totally amazed at the area... Multnomah Falls, et al...
>
> Even Haystack Rock :-)
> --
>
> "Robert Williams" <will7370@yahoo.com> wrote in message
> news:e88e9b5a.0212220954.55e9bd57@posting.google.com...
> > Anybody know anything about the Aircastle 16F1H receiver? I just
> > picked one up in a thrift store. Looks like it is from the 1960s.
> > The rabbit ears are snapped off, and the pots need a good shot of
> > something to clean them up. Unsure whether I should try to restore it
> > to like new condition, or to just get it functional for mine own
> > needs. I've been wanting a portable SW receiver, and this may do the
> > trick.
> >
> > Rob Williams KC7BUM
> > Portland, Oregon

7245. Wanted Wavetek 2407 Operating and service manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 01:16:30 UTC
From: "Edgar Brown, N6OU" <n6ou@arrl.net>
Message-ID: <OttN9.269559$pN3.21135@sccrnsc03>
Source record: 35555

Wanted Wavetek 2407 Operating and Service manual
reply to n6ou@arrl.net

7246. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 01:37:54 UTC
From: Robert Casey <wa2ise@ix.netcom.com>
Message-ID: <3E0668F1.A999155@ix.netcom.com>
Source record: 35557
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Gary S." wrote:

> On Sun, 22 Dec 2002 02:15:38 -0500, Robert Casey
> <wa2ise@ix.netcom.com> wrote:
>
> >Where did the name "America" come from anyway? Heard some
> >urban legend that "America" was the name of some mapmaker the
> >king of Spain's staff hired to compile the discoveries of the New World
> >into a map. He drew the map, and signed it with his name at the
> >bottom. The King said something like "Oh, we're going to call the
> >new world 'America'. Okay." when he saw the name on the
> >bottom. So the most feared and dreaded nation of the world
> >today is named after some guy who drew a map.... :-)
> >
> Amerigo Vespucci made some of the first maps of the New World.
> Remember, Columbus thought he was in or near India.

I wonder why Columbus didn't bring along someone who had really
been to India or elsewhere in the Far East before. Then Columbus
would have been told that this ain't India or Asia, we're somewhere
else. Or maybe Columbus knew it wasn't, but needed to say it was
to get more funding....

>
>
> We could easily be in the United States of Vespucci.
>
> Happy trails,
> Gary (net.yogi.bear)
> --
> at the 51st percentile of ursine intelligence
>
> Gary D. Schwartz, Needham, MA, USA
> Please reply to: garyDOTschwartzATpoboxDOTcom

7247. Ft 50 r ADMS software req

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 01:48:45 UTC
From: COLIN J <oz123colin@internode.on.net>
Message-ID: <3e066bfc$1@duster.adelaide.on.net>
Source record: 35559

Hello,
i have a corrupt ADMS software disk for the FT-50r.

If you have the programming software ,could you send it to me..if you need more details let me know please...Tnx Colin

7248. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 01:50:26 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <au5q4s$8df$1@slb6.atl.mindspring.net>
Source record: 35558
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Pull out the sweep tubes...if good sell them to some CB goof.
Replace with 6146B tubes. Build a regulated screen supply. The 6146B will handle a thousand if necessary, but is happier with about 850 max un loaded. The screen is happy about 200 or so for AB1/2. Check old ARRL handbook for specs on various modes.

Works fine on six. At least the one I built did.

You will need to replace the RFC's in there with Ohmite Z-50 or equivilant.

Dan/W4NTI

"Michael Blake" <m.b.blake@worldnet.att.net> wrote in message news:PkqN9.9071$p_6.704292@bgtnsc04-news.ops.worldnet.att.net...
>
> >What band did it used to cover?
> >
> > If this was an 80 or 40 meter amp, it just may not work at 6.
> >
> That's funny :-) This may be the first single band sweep tube amplifier I
> have ever heard of that wasn't for 27mHz.
>
> 73 - Mike - K9JRI
>
>

7249. Re: FS: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 02:17:09 UTC
From: Joe Mehaffey <joe@mehaffey.us>
Message-ID: <3E067225.B0FC570A@mehaffey.us>
Source record: 35560

Watch out John!

You double posted. Should you not send yourself an advisory? :)

Joe Mehaffey

7250. Re: 10000 Watt Base box for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 02:18:34 UTC
From: Allan <gxt@home.com>
Message-ID: <_nuN9.41203$pe.1630499@news2.east.cox.net>
Source record: 35561

Who the hell are you Joe S (Joe Snitch)? Just what the world needs is
another snitch or newsgroup COP. Mind you own business...

"Joe S." <joe@schlatter.org> wrote in message
news:au5jik01ppa@enews3.newsguy.com...
> Thanks for the phone number . . . that will save the FCC time in tracking
> you down.
>
> Not that anyone would send your for sale notice to the FCC.
>
> --
>
> ------
> Regards,
> Joe S.
>
>
> "Am power" <eei911@aol.com> wrote in message
> news:6f1c9101.0212221111.4e5caab2@posting.google.com...
> > Am power build by me it will do 10000 watts an am 10-11-MHz. 24 pill
> > with 2sc2879 month old $1400.00. Plus we build everything else too
> >
> > Call for info 815-469-3386
>
>

7251. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 02:41:33 UTC
From: Dan Morisseau <dpm3@morisseau.org>
Message-ID: <3E067814.9AAF727@morisseau.org>
Source record: 35562
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Lou wrote:

>
>
> Well, if our politicians keep kissing their butts, in another generation, it
> will be The United Mexican States of America or is it "Mexico"? They'll have
> enough voting power to change the name too.
>
> <etc ...more mindless rant>

I'll tell you what, LOU, when you find people already here in this country who will DO the kind of work they do, show up every day, not scurry off after the paycheck is passed out on Friday and then not show back up when they've blown the cash (usually by Tuesday or Wednesday) with a lame excuse, who will work without an incessant litany of complaints as to how they are treated and not getting any respect; you let us know! You do that; okay, LOU?

--
Dan Morisseau - N 38ï¿½34'53", W 90ï¿½22'32", 680'
Cardinal Nation: On the sunrise side of Mo-Pac's famous Kirkwood Hill!
"ï¿½Y tu madre tambien!"

7252. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 02:57:55 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <TYuN9.16798$Zt4.197733@twister.rdc-kc.rr.com>
Source record: 35563
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

"Tarmo Tammaru" <t-tammaru@home.com> wrote in message
news:rLqdnTFTBvQntZujXTWcpA@comcast.com...
> Keith,
>
> Your new RF choke seems about right. Use the grid dip oscillator to find
> resonance when the capacitor is fully open. From what you say, your coil
is
> still too big. Don't worry too much about loading at this point, but set
the
> loading cap to different values when you check for resonance. What band
did
> it used to cover?

This was a *cough* 10M amp.

I tried using a single tube, and got almost no output.

Does anyone know if the 6KD6 will even work at 50 MHz?

Keith
KB9WMJ

7253. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 03:03:09 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <D%uN9.8591$eB.119001@twister.kc.rr.com>
Source record: 35564
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

The 6146's just won't fit where the 6KD6's were.

Now if I could only remember where I put those 4CX250B's....

"Dan/W4NTI" <w4nti@NOSPAMmindspring.com> wrote in message
news:au5q4s$8df$1@slb6.atl.mindspring.net...
> Pull out the sweep tubes...if good sell them to some CB goof.
> Replace with 6146B tubes. Build a regulated screen supply. The 6146B
will
> handle a thousand if necessary, but is happier with about 850 max un
> loaded. The screen is happy about 200 or so for AB1/2. Check old ARRL
> handbook for specs on various modes.
>
> Works fine on six. At least the one I built did.
>
> You will need to replace the RFC's in there with Ohmite Z-50 or
equivilant.
>
> Dan/W4NTI
>
> "Michael Blake" <m.b.blake@worldnet.att.net> wrote in message
> news:PkqN9.9071$p_6.704292@bgtnsc04-news.ops.worldnet.att.net...
> >
> > >What band did it used to cover?
> > >
> > > If this was an 80 or 40 meter amp, it just may not work at 6.
> > >
> > That's funny :-) This may be the first single band sweep tube amplifier
I
> > have ever heard of that wasn't for 27mHz.
> >
> > 73 - Mike - K9JRI
> >
> >
>
>

7254. Icom IC-207H starts transmitting on it's own

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 03:13:09 UTC
From: frerichs@ro-dot-.com
Message-ID: <3e076e30.96995491@news.hiwaay.net>
Source record: 35565

I have a Icom IC-207H mounted in a 2001 Dodge truck using the remote control head mounted on the lower dash panel with the radio mounted under the front seat. The antenna is mounted on the roof. The VSWR is 1.2:1 or less. The radio power is wired to the Ignition key accessory position so that the radio comes on when the truck ignition is on. I have found that if it is below 20 F over night I have about a one in twenty chance that the radio will go into a random transmit mode on itï¿½s own. It will transmit for a few seconds then quit then transmit for a few seconds. It will repeat this cycle with somewhat random timing until you either key the mic, push the power button on the control head or turn the ignition off. I have caught the radio doing this three times so far. I am not sure how many times it has done this before I started to keep a careful watch. There is no clicks, no noise or other indication other than the tiny icon on the radio display that the radio is transmitting. The first time I thought that it was the PTT switch sticking and I added a extra leaf spring to the wimpy factory original and bent the spring tab so it would be farther away from the PTT switch plunger when it was not pressed. This did not fix the problem. When it goes into this random transmit mode the tiny TX icon on the control panel blinks apparently in sync with RF power out according to a field strength monitor I have Velcroed on the dash. I have programmed the TX time out timer internal to the radio to the shortest setting which is three minutes. One day the battery in the field strength meter died and the radio apparently went into the strange transmit mode and TX internal timer timed out and started beeping. This tells me that the internal control microprocessor is at least partly working because the display is working and the timer is working. According to the $44 Icon service manual the PTT switch input goes directly to an input port on the microprocessor.
Apparently there is also some one else on the local repeater that also has a radio that also does the same thing or at least it sounds like the same thing. All this random transmitting tends to raise the blood pressure of several of the repeaterï¿½s members.
I have called and Emailed Icom about the problem. They are clueless so I donï¿½t think I will get any help there.

I have found that in high volume production of electronics if there is a problem it reoccurs several times.
Has anyone ever seen this problem and if so what was done to fix it?
John WA4EZD
frerichs@ro DOT com replace the DOT with .

7255. Re: Courtesy, Friendliness, Good Will and Ham Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 03:33:47 UTC
From: john <john@mchi.net>
Message-ID: <bv0d0vs8opqvdkk9qiaqht0sqga3477rk8@4ax.com>
Source record: 35566
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Joe, we are very sorry to upset you so much. Now use FA next time and
you won't have this problem.

On Sun, 22 Dec 2002 13:39:52 -0500, Joe Mehaffey <joe@mehaffey.us>
wrote:

>Hi John,
>No.. I really do not understand. Seems reasonable to me (as one who is
>not familiar with the culture of this NG) that if you were interested in
>"recreational radio swapping" you might well be interested in both
>equipment for sale HERE and ELSEWHERE. Now that you call my attention
>to it, I see some folks are using FA and FS prefixes and I see nothing
>wrong with this. In fact, I did notice the FS on some entries and put
>it on my listing which happened to be offered on eBay.
>
>As a result of posting my message, I received one really nasty message
>from one individual who did not know how to express himself without
>cursing. Another fine fellow from this NG (you know who you are) came
>over to eBay and put in a ficticious bid on my equipment for sale. Here
>I am, trying to help the widow of a fellow ham dispose of his equipment
>and I am met with hostility and uncivil behaviour by SOME FELLOW HAMS!
>I am sure that MOST of the follows on this NG are people of good will.
>But some of you need to consider that a) some folks like me who do not
>use this NG daily may not be aware of your FA/FS "rule" and b) even if
>we don't know, we deserve a civil behaviour from our fellows.
>
>I have been a ham for almost 50 years. I have found HAMS to be about
>the most honest and most civil and most friendly group of people there
>are. I brag to others about how tolerent and easy going we are to each
>other regardless of WHO the other HAM is. I think a few folks on this
>NG need to rethink their approach to helping newcomers to the NG without
>being the bearers of hostility and ill will.
>
>Joe Mehaffey
>W2JO

7256. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 03:36:35 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <au5up4$9ui$1@news1.kornet.net>
Source record: 35567
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I'm glad I'm not the only one who can see this...

"Dan Morisseau" <dpm3@morisseau.org> wrote in message
news:3E067814.9AAF727@morisseau.org...
>
>
> Lou wrote:
>
> > >
> > > Well, if our politicians keep kissing their butts, in another
generation, it
> > > will be The United Mexican States of America or is it "Mexico"? They'll
have
> > > enough voting power to change the name too.
> > >
> > > <etc ...more mindless rant>
>
> I'll tell you what, LOU, when you find people already here in this
country
> who will DO the kind of work they do, show up every day, not scurry off
after
> the paycheck is passed out on Friday and then not show back up when
they've
> blown the cash (usually by Tuesday or Wednesday) with a lame excuse, who
will
> work without an incessant litany of complaints as to how they are treated
and
> not getting any respect; you let us know! You do that; okay, LOU?
>
>
> --
> Dan Morisseau - N 38°34'53", W 90°22'32", 680'
> Cardinal Nation: On the sunrise side of Mo-Pac's famous Kirkwood Hill!
> "¡Y tu madre tambien!"
>
>

7257. Re: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 04:00:01 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <5TvN9.75298$hK4.6155068@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35568
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Indeed!

I would never buy from someone who claims they are selling
something (implies "This is the price, you want it?") and then
says "Oh, sorry, you can't have it for THAT price. It is really
on auction, not on sale."

So ... another seller I will avoid.

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Just another Joe" <NoSpamSam@NoSpam.com> wrote in message
news:v09v3sf2o4v330@corp.supernews.com...
> It may be a waste of time and trivial from your perspective Steve, but when
> someone is plowing thru possibly a couple hundred posts it make sense to
> filter out the stuff you have no interest in.
>
> It takes NO effort to identify the post as FA, FS, FT, WTB, etc. as most of
> us do. Failure to do so amounts to a troll.
>
> And further more...Rock on yerself!
>
> --
> Alex
>
> KC0AK
> Independence, MN 55357
>
> "Steve" <SteveJTA@SWBell.net> wrote in message
> news:SR%M9.1746$ro6.616951949@newssvr12.news.prodigy.com...
> > What I have a problem with is ANYTHING TRIVIAL that you guys argue about
> on
> > here. Its FUNNY and I think it is a WASTE of EFFORT!! ROCK ON!!
> > "john" <john@mchi.net> wrote in message
> > news:nqs80vo1dd34vqoobuq9tg9ar7vbqtpouu@4ax.com...
> > > Hey Steve, we just want people to use FA so we can filter those post
> > > out. Do you have a problem with that?

> > >
> > >
> > > On Sat, 21 Dec 2002 05:47:51 GMT, "Steve" <SteveJTA@SWBell.net> wrote:
> > >
> > > >Oh my GOD.. Its a FA post instead of a FS post. The NG POLICE will be
> > on
> > > > >this one:-).....................
> > > > >
> > > > >Steve KC5TJT
> > > > >"Joe Mehaffey" <joe@mehaffey.us> wrote in message
> > > > >news:3E03FACE.8514C8B7@mehaffey.us...
> > > > >> Just a few more hours on eBay and going cheap.
> > > > >> See: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1945750797
> > > > >> Thanks,
> > > > >>
> > > > >> Joe Mehaffey
> > > > >> --
> > > > >> Got a Question about GPS technology? Looking for a GPS FAQ site?
> > > > >> See: http://joe.mehaffey.com
> > > > >
> > > >
> > >
> > >
> >
>

7258. Re: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 04:01:41 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <FUvN9.75304$hK4.6155395@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35569
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Browse the group a bit, learn how it's done.
Then you won't appear to be a lid when you post.
"Listen before you transmit."

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Joe Mehaffey" <joe@mehaffey.us> wrote in message
news:3E052F26.844B1836@mehaffey.us...
> I posted ONE SHORT message on a public forum. Look at all the bandwidth
> and work you guys took telling me to do something that you did not even
> explain. (Don't bother, I understand.. Some of you guys have too much
> time on your hands.)
>
> I have never even heard of a group that was so overworked that it needed
> "codes" so you could filter your mail better. Maybe you concerned folks
> should start a FS newsgroup and a FA newsgroup so you would not have to
> exercise your mail filters too much! :)
>
> Actually, I appreciate the extra publicity you gave my small "plug".
>
> Joe
>
> --

7259. Re: Courtesy, Friendliness, Good Will and Ham Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 04:02:44 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <EVvN9.75307$hK4.6155554@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35571
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

"Joe Mehaffey" <joe@mehaffey.us> wrote in message
news:3E0606F8.341567C9@mehaffey.us...
> Hi John,
> No.. I really do not understand. Seems reasonable to me (as one who is
> not familiar with the culture of this NG)

That's your problem. You want to make use of the newsgroup,
spend 5 minutes and check out how things are usually done.

"Listen before you transmit."

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

7260. Re: FS: Kenwood TM2550A two meter 50W with tone encoder/decode, DTMF mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 04:03:19 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <bWvN9.75309$hK4.6154754@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35572

It's even worse, there are people TOP POSTING fer gawds sake!

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Joe Mehaffey" <joe@mehaffey.us> wrote in message
news:3E067225.B0FC570A@mehaffey.us...
> Watch out John!
>
> You double posted. Should you not send yourself an advisory? :)
>
> Joe Mehaffey

7261. Re: Check this sale out

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 04:06:00 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <IYvN9.75313$hK4.6155471@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35573

"Mike Manship" <mjmanship@iquest.net> wrote in message
news:3e05df12.6296552@news.iquest.net...
> On Sat, 21 Dec 2002 17:19:24 -0500, "signalchaser"
> <williamsmith208@hotmail.com> wrote:
>
> >The following link takes you to an Ebay Auction where some guy lists a
> >TS-450S as being mint. His opening price for the transceiver was 1700
> >dollars. I can't recall what TS-450S went for back in the day but you can
> >find a nice one around used for 500 dollars. What a laugh
> >
> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946404599
> >
> >
> About ten days ago someone had a TS-450 for the same price (1700).
> I assume it was the same person but am not sure. His description at
> that time claimed that a local offered him 1700 for it but he decided
> to put it on ebay first to see how much he could get.

Some local offers me $1700 for my mint TS-850SAT, I'll toss in
a power supply, coax relay, rotator, couple UHF beams, ...
and two or three computers!

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

7262. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 04:07:57 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <x_vN9.75317$hK4.6154977@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35574
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

"Keith Beckmann" <Kbeckmann.spankme@wi.rr.com> wrote in message
news:3FlN9.6224$P36.171221@twister.rdc-kc.rr.com...
>
> "Tarmo Tammaru" <t-tammaru@home.com> wrote in message
> news:MwidnReNJdNCVpijXTWcoQ@comcast.com...
> > Keith,
> >
> > The 6KD6 has an output capacitance of 16 PF. So you have 48 PF in parallel
> > with the output tuning capacitor. The output pi network is going to be
> very
> > high Q. You will need an inductor of about 0.2 uH. To get any efficiency
> at
> > all, this should be made of very thick wire, like #8, or 1/4 inch copper
> > tubing.
>
> I tried 3 turns of #8 (all I had was stranded wire), and this worked
> slightly better, but still not right. The 30pf tuning capacitor is fully
> disengaged at full output.

You need a smaller coil.

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

7263. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 04:09:13 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <J%vN9.75319$hK4.6156218@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35575
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

"Michael Blake" <m.b.blake@worldnet.att.net> wrote in message
news:PkqN9.9071$p_6.704292@bgtnsc04-news.ops.worldnet.att.net...
>
> >What band did it used to cover?
> >
> > If this was an 80 or 40 meter amp, it just may not work at 6.
> >
> That's funny :-) This may be the first single band sweep tube amplifier I
> have ever heard of that wasn't for 27mHz.

Built dozens of them in the mid to late '50s for the 80
and 40 meter novice bands. That's what old TV sets
are good for :-)

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

7264. Re: 10000 Watt Base box for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 04:11:45 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <52wN9.75322$hK4.6156490@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35577

He was minding his own business.
Me too ... don't need that crap on air.
Forward it to the enforcement division.

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Allan" <gxt@home.com> wrote in message
news:_nuN9.41203$pe.1630499@news2.east.cox.net...
> Who the hell are you Joe S (Joe Snitch)? Just what the world needs is
> another snitch or newsgroup COP. Mind you own business...
>
> "Joe S." <joe@schlatter.org> wrote in message
> news:au5jik01ppa@enews3.newsguy.com...
> > Thanks for the phone number . . . that will save the FCC time in tracking
> > you down.
> >
> > Not that anyone would send your for sale notice to the FCC.
> >
> > --
> >
> > ------
> > Regards,
> > Joe S.
> >
> >
> > "Am power" <eei911@aol.com> wrote in message
> > news:6f1c9101.0212221111.4e5caab2@posting.google.com...
> > > Am power build by me it will do 10000 watts an am 10-11-MHz. 24 pill
> > > with 2sc2879 month old $1400.00. Plus we build everything else too
> > >
> > > Call for info 815-469-3386
> >
> >
>
>

7265. Re: Courtesy, Friendliness, Good Will and Ham Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 04:19:55 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v0d3k142df04ad@corp.supernews.com>
Source record: 35578
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

> That's your problem. You want to make use of the newsgroup,
> spend 5 minutes and check out how things are usually done.
>
> "Listen before you transmit."
>
> --

The point is valid but given the Usenet environment that might be pretty
bad advice :-)
-BM

7266. Re: New Yaesu md-100a8x Desk Mic.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 04:20:16 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <4awN9.16812$Zt4.202291@twister.rdc-kc.rr.com>
Source record: 35579

S O L D...

"Keith" <kavan@neb.rr.com> wrote in message
news:HjjN9.7711$eB.77398@twister.kc.rr.com...
> Just purchased. New in box w/sales invoice & instruction sheet. Plans
> changed, $100 shipped/insured Conus.
>
> Van,
> K0KAV
>
>

7267. Re: Wanted: Hustler 4BTV or Hygain 18VS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 05:12:58 UTC
From: Peter Fournia <w2sky@arrl.net>
Message-ID: <3E069AE7.42CE3F28@arrl.net>
Source record: 35580

I have a Hustler 4BTV with new 40M top hat, new 10M trap and instructions. It works good.
The tip of one of the 4 top hat elements is bent,,, not a significant effect.
I am in Rochester, NY 14526
Peter F., W2SKY

SIAMK wrote:

> I'm looking to purchase a Hustler 4BTV or a Hygain 18VS. The verticals should
> be in reasonably good condition with all the original hardware. Please email
> what you have.
>
> Thank you,
>
> Mike

7268. Re: Lou is a bigot. Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 05:27:51 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v0d7je78s6hp5b@corp.supernews.com>
Source record: 35581
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Lou,
I hope the authorities took care of this "landscaper". The penalties to
the sponsors of immigration fraud can be very severe.
It sounds as if your community might have a problem policing its own.
The precedent you are seeing is not based on language or national
origin...its based on your local huckster who is probably skirting a
dozen INS regulations and scraping the bottom of the illegal wetback
market who would be prey to his scheme.
So before you jack yourself off with another one of your anti-Hispanic
rants you might want to consider what you Lou can do to make the
inevitable immigration consequences more palatable in your community.
Save your ire for the pig-dogs that killed 4000 Americans last year, not
for people who simply come to the US as a matter of economic survival.

-Bill M

7269. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 05:34:43 UTC
From: Zoran Brlecic <WA7AA@attbi.com>
Message-ID: <3E06A06D.8050600@attbi.com>
Source record: 35582
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Michael Moore wrote:
> David Eduardo wrote:
>
>> Mexico comes from Mexica, an Indian term .
>
>
> O.K. But it almost sounds like (A)merigo when Mexicans pronounce it.

Just when you think this discussion can't possibly get stupider...

7270. Re: Courtesy, Friendliness, Good Will and Ham Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 05:43:57 UTC
From: Joe Mehaffey <joe@mehaffey.us>
Message-ID: <3E06A29D.30D537B@mehaffey.us>
Source record: 35583
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

No Hank,
It is YOUR problem too. A NG is a public forum and it <should> welcome
newcomers instead of greeting them with harassment and ill will. That
is what (for me) Ham Radio is all about.

Maybe times have changed.. If so, not for the better.

Joe Mehaffey
--
Got a Question about GPS technology? Looking for a GPS FAQ site?
See: http://joe.mehaffey.com

7271. FS: Scott SLR series receiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 06:05:16 UTC
From: dangett@yahoo.com
Message-ID: <49206ac2.0212222205.4fa65a0d@posting.google.com>
Source record: 35584

FOR SALE:

Scott SLR series. 115 vac 60 Hz standard line input. WW II vintage. Was used on a sub. Rack mountable. No cabinet but botton plate intact as well as the protective cover over the tuning capacitors. No "S" meter in this design. Needs two 450 volt 40 mfd filter caps. which I include. Receiver does work. Tuners from 1.9 to 24.0 MHz as well as low band below the AM broadcast band.

ASKING $100 plus shipping

7272. FS: SORENSON POWER SUPPLY

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 06:06:45 UTC
From: dangett@yahoo.com
Message-ID: <49206ac2.0212222206.35c17259@posting.google.com>
Source record: 35585

FOR SALE:

Sorenson regulated power supply. All solid state. Rack mountable. 0 to 300 volts at up to 1.5 amps. Metered. Works.

$200.00 plus shipping/packing FOB Warner Robins, GA. ZIP: 31088.

7273. test

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 06:13:24 UTC
From: Jim <jimnews@bellsouth.net>
Message-ID: <rbad0vcc6ng4smrjtbrnaiknf2oe2cvced@4ax.com>
Source record: 35586

this is a test

7274. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 07:00:37 UTC
From: Zephod <zephod00@hotmail.com>
Message-ID: <3E06B495.8090507@hotmail.com>
Source record: 35570
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Hola,

My Mexican "Green Card" FM3 says Estados Unidos Mexicanos. So does the
national seal.
Since these are issued by the Mexican Govern ment, the otta know.

Cheers amigos,
Z

Sven Franklyn Weil wrote:
> In article <v0a8phq4m6lo32@corp.supernews.com>, Bill M wrote:
>
>>Brenda Ann wrote:
>>
>>>The Mexican United States of America
>>
>>HUH? I don't think so.
>>-BM
>
>
> I think the country is just called "Estados Unidos de Mexico" (Mexican
> United States). The Mexican provinces are also called states, just like
> here.
>
> --
> Sven
>
>

7275. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 07:07:21 UTC
From: Zephod <zephod00@hotmail.com>
Message-ID: <3E06B629.5020407@hotmail.com>
Source record: 35576
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I seem to recall that shortly after WW II when the Japanese economy
began its recovery, they created a town called Usa. Products made there
were......
But then I was a child and that maybe urban legend.

Cheers,
Z

Ed Ellers wrote:
> Robert Casey <wa2ise@ix.netcom.com> wrote:
>
> "I've sometimes wondered if "Made in America", implying USA, could actually
> mean some country in South America."
>
> I don't think U.S. Customs would let that through.
>
>

7276. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 08:13:48 UTC
From: Lou <tech@dp.net>
Message-ID: <au6in8ocj1@news.dp.net>
Source record: 35587
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

First of all, if you want to label me a bigot because I CARE about what happens in this country and to OUR citizens, then I wear the badge proudly.... But I DO detest how this country is being torn down and handed to others on a silver platter. As to the INS, it has been proven with 9/11, that they aren't worth the paper the name is written on. Our Borough officials did call the local office. They said unless a "crime" was committed, there was nothing they could do... Some help! The landscaper is still doing his thing. Our community does NOT have a problem policing it's own... WE did go round and round, we got no back up form those who should have provided it.

As for the "pig dogs" they should not be put in prison being fed by our tax dollars and getting better benefits than alot of our own citizens .. Their predecessors who tried to level the WTC the first time around are still there. NO, ALL of them should be SHOT. They didn't spare any lives, neither should we.

THAT is a part of the problem, we cater too much..... THAT is my beef..

--
Lou/Tech@DP.NET

"Bill M" <don'tspamme-exray@caribe.net> wrote in message
news:v0d7je78s6hp5b@corp.supernews.com...
> Lou,
> I hope the authorities took care of this "landscaper". The penalties to
> the sponsors of immigration fraud can be very severe.
> It sounds as if your community might have a problem policing its own.
> The precedent you are seeing is not based on language or national
> origin...its based on your local huckster who is probably skirting a
> dozen INS regulations and scraping the bottom of the illegal wetback
> market who would be prey to his scheme.
> So before you jack yourself off with another one of your anti-Hispanic
> rants you might want to consider what you Lou can do to make the
> inevitable immigration consequences more palatable in your community.
> Save your ire for the pig-dogs that killed 4000 Americans last year, not
> for people who simply come to the US as a matter of economic survival.
>
> -Bill M
>

7277. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 08:17:55 UTC
From: Lou <tech@dp.net>
Message-ID: <au6iv1oco1@news.dp.net>
Source record: 35588
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

YOU WON'T.....for many and varied reasons..... that too is another large part of the problem......

Mindless rant? I speak my opinion just as you're entitled to. I'm not mocking yours.....I've not "mocked" anyone's...

--
Lou/Tech@DP.NET

"Dan Morisseau" <dpm3@morisseau.org> wrote in message news:3E067814.9AAF727@morisseau.org...
>
>
> Lou wrote:
>
> > >
> > > Well, if our politicians keep kissing their butts, in another generation, it
> > > will be The United Mexican States of America or is it "Mexico"? They'll have
> > > enough voting power to change the name too.
> > >
> > > <etc ...more mindless rant>
>
> I'll tell you what, LOU, when you find people already here in this country
> who will DO the kind of work they do, show up every day, not scurry off after
> the paycheck is passed out on Friday and then not show back up when they've
> blown the cash (usually by Tuesday or Wednesday) with a lame excuse, who will
> work without an incessant litany of complaints as to how they are treated and
> not getting any respect; you let us know! You do that; okay, LOU?
>
>
> --
> Dan Morisseau - N 38°34'53", W 90°22'32", 680'
> Cardinal Nation: On the sunrise side of Mo-Pac's famous Kirkwood Hill!
> "¡Y tu madre tambien!"

>
>

7278. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 08:30:50 UTC
From: Lou <tech@dp.net>
Message-ID: <au6jnaofp1@news.dp.net>
Source record: 35589
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Apparently a couple of you may have missed an earlier point. I SAID...this
is AMERICA. WE speak ENGLISH. Yet when you go into most Social Service
Agencies, they have signs up with SPANISH and ENGLISH. We also have Chinese,
Japanese, Vietnamese and so on living here. NO where in those places have I
seen any signs in THEIR language. IF I were them, I would be pissed. Do they
not use those services? Do they not deserve signs too? WHY do we cater only
to one group??????? WE supposedly pride ourselves on being fair and equal...
OK? Where are the signs in the places meant to "serve"????? IF those other
groups have to learn to read and speak English - rough as it may be to them
or coming from them to survive here, why can't the rest???? I'm only asking
how come we don't treat the other groups as fairly? HOW IS THAT BIGOTED?????
--
Lou/Tech@DP.NET

.

7279. Re: Wanted Wavetek 2407 Operating and service manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 09:41:27 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <bTAN9.9774$p_6.768404@bgtnsc04-news.ops.worldnet.att.net>
Source record: 35590

I've got one of those units; give me a shout, if you have any questions on its operation.

Pete

7280. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 09:45:16 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v0dmpah8on6gc6@corp.supernews.com>
Source record: 35591
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Oregon has NINE official languages which appear to rotate amongst twelve depending on the most prevalent foreign culture in the state. I treasure all facets of humanity that are pathetically catagorized by race, ethnic origin, sex and sexual orientation. The fact that he or she babbles differently or eats strange food or even feels affection for the same gender (or both) is inconsequential and a CRAP argument. God doesn't make mistakes, and everything is made by and is of God. That will be enough. You can't beat this dead horse any further! As they say in pubs, "Gentlemen (ladies too) the hour is nigh!"

Steven

"Lou" <tech@dp.net> wrote in message news:au6jnaofp1@news.dp.net...
> Apparently a couple of you may have missed an earlier point. I SAID...this
> is AMERICA. WE speak ENGLISH. Yet when you go into most Social Service
> Agencies, they have signs up with SPANISH and ENGLISH. We also have
Chinese,
> Japanese, Vietnamese and so on living here. NO where in those places have
I
> seen any signs in THEIR language. IF I were them, I would be pissed. Do
they
> not use those services? Do they not deserve signs too? WHY do we cater
only
> to one group??????? WE supposedly pride ourselves on being fair and
equal...
> OK? Where are the signs in the places meant to "serve"????? IF those other
> groups have to learn to read and speak English - rough as it may be to
them
> or coming from them to survive here, why can't the rest???? I'm only
asking
> how come we don't treat the other groups as fairly? HOW IS THAT
BIGOTED?????
> --
> Lou/Tech@DP.NET
>
> .
>
>

7281. Excess transmitting tubes...

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 10:14:42 UTC
From: m38 <m38@cox-internet.com>
Message-ID: <v0f2t3bv17sk5d@corp.supernews.com>
Source record: 35419

FS: Eimac 4CX-5000A transmitting tube. Used but guaranteed good, $225.
One pair of 5-500A transmitting tubes, guaranteed good, $175/pair. Mike
(979) 693-1461.

7282. IC2000H manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 11:26:45 UTC
From: Bernard B&#65533;lisle <belisleb@webnet.qc.ca>
Message-ID: <DqCN9.12189$i%.2311017@localhost>
Source record: 35592

Can anyone provide me a scan of the manual of the IC2000H ? I bought the radio from a widow but she did not have the manual and it is no more available on the Icom site.
VE0MSD

7283. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 11:55:49 UTC
From: Chuck/KE4ETH <chuck_hawks@hotmailNOSPAMORAMA.com>
Message-ID: <KzCN9.38380$0v3.1352@news.bellsouth.net>
Source record: 35593
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In Tennessee, when the Dept. Human Services send out letter to clients, they have the info printed on the reverse in Spanish. The also send a sheet with instructions for a copy in Bosnian. Somali, Arabic, Kurdish-Badinani, Kurdish-Sorani.

--
73,
Chuck
KE4ETH
USA-NA
Remove the obvious from Email.

"Lou" <tech@dp.net> wrote in message news:au6jnaofp1@news.dp.net...
> Apparently a couple of you may have missed an earlier point. I SAID...this
> is AMERICA. WE speak ENGLISH. Yet when you go into most Social Service
> Agencies, they have signs up with SPANISH and ENGLISH. We also have
Chinese,
> Japanese, Vietnamese and so on living here. NO where in those places have
I
> seen any signs in THEIR language. IF I were them, I would be pissed. Do
they
> not use those services? Do they not deserve signs too? WHY do we cater
only
> to one group??????? WE supposedly pride ourselves on being fair and
equal...
> OK? Where are the signs in the places meant to "serve"????? IF those other
> groups have to learn to read and speak English - rough as it may be to
them
> or coming from them to survive here, why can't the rest???? I'm only
asking
> how come we don't treat the other groups as fairly? HOW IS THAT
BIGOTED?????
> --
> Lou/Tech@DP.NET
>
> .
>
>

7284. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 12:54:10 UTC
From: radiotubes@fast.net
Message-ID: <20d99877.0212230454.2d09b0e1@posting.google.com>
Source record: 35594
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"JB" <ac6tk@nospamcybertime.net> wrote in message
news:<au5395$15av$1@madmax.keyway.net>...
> :
> You would be truly shocked at how many houses in Southern California
> are flying Mexican flags on their houses. Would that make them foreign
> nationalists? Is it OK for foreign nationalists to obtain services from,
> employment at, and authority within our local governments? Including
> control over personnel departments? What of people who reject American
> ideals outright because they conflict with a cultural view of murder,
> retribution and taboos. Is it unthinkable that some people would be
> amassing power while others give it away.

After reading that it troubles me how many dwellings in my
neighbourhood fly the Santa flag. I wonder where theie loyalty is...

Jiri Placek
Boyertown, PA

7285. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 12:56:17 UTC
From: William Sommerwerck <williams@nwlink.com>
Message-ID: <v0e1vme1r5ts3c@corp.supernews.com>
Source record: 35595
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

According to www.snopes.com, this is urban legend.

The Usa page does not have a directly addressable URL, but you can find it by going to snopes and doing a search for USA. It's the first item in the resulting list.

> I seem to recall that shortly after WW II when the Japanese
> economy began its recovery, they created a town called Usa.
> But then I was a child and that maybe urban legend.

7286. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 13:32:08 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v0e3vg6qshsd49@corp.supernews.com>
Source record: 35596
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Lou wrote:
> Apparently a couple of you may have missed an earlier point. I SAID...this
> is AMERICA. WE speak ENGLISH. Yet when you go into most Social Service
> Agencies, they have signs up with SPANISH and ENGLISH. We also have Chinese,
> Japanese, Vietnamese and so on living here. NO where in those places have I
> seen any signs in THEIR language. IF I were them, I would be pissed. Do they
> not use those services? Do they not deserve signs too? WHY do we cater only
> to one group??????? WE supposedly pride ourselves on being fair and equal...
> OK? Where are the signs in the places meant to "serve"????? IF those other
> groups have to learn to read and speak English - rough as it may be to them
> or coming from them to survive here, why can't the rest???? I'm only asking
> how come we don't treat the other groups as fairly? HOW IS THAT BIGOTED?????
> --
> Lou/Tech@DP.NET
>
>

Lou,
Its bigoted because you come up out of the clear blue to rant about
those terrible Mexicans and people who speak Spanish in general as if
there mere presence is an affront to you....cross-posting across five
radio oriented groups, no less. And this isn't the first time.
The USA is now about 15% Hispanic and it makes sense for everything from
Government to advertisers to not totally ignore this market. No other
foreign language group is as large or as widespread as the Hispanic
population....if it were, there would be signs in their language too.
This doesn't take anything away from your life, Lou.
As for learning the language, obviously you didn't read my post to your
last rant a couple weeks ago.
As a society we will be much further ahead if we try to get along and
work to improve things under changing circumstances. That doesn't mean
'catering' but it also doesn't mean treating people like assholes just
because they happen to come from Pittsburgh, Miami or Monterrey.
And if your local landscaper is indeed playing immigration tricks, go
directly to the INS instead of your local Barneys to report the fraud.
Peace, bro.

-Bill M

7287. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 14:01:17 UTC
From: craigm <camenning@charter.net>
Message-ID: <3E07172D.4000107@charter.net>
Source record: 35597
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

try here
http://www.snopes.com/business/genius/usa.htm

William Sommerwerck wrote:

> According to www.snopes.com, this is urban legend.
>
> The Usa page does not have a directly addressable URL, but you can find it by
> going to snopes and doing a search for USA. It's the first item in the resulting
> list.
>
>
>
>>I seem to recall that shortly after WW II when the Japanese
>>economy began its recovery, they created a town called Usa.
>>But then I was a child and that maybe urban legend.
>>
>

7288. Kenwood TS-680-S for Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 14:15:21 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <ZTEN9.2231$ka5.276783@newsread1.prod.itd.earthlink.net>
Source record: 35398

Nice and clean, Kenwood TS680-S.
Works well, no modifications!
160-6 meter transmit, general coverage receiver,
All modes including FM!
Comes with mic, manual, and power cord.
Shipped - $475.
Best regards, Frank
VOICE: 630-924-1600

7289. Ten Tec Argonaut For sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 14:17:21 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <RVEN9.2235$ka5.277067@newsread1.prod.itd.earthlink.net>
Source record: 35399

This is probably the cleanest Argonaut I have ever had..
No modifications, recent alignment, restring of dial string, etc, etc. Face very clean, etc
Comes with the hard to find Ten Tec desk mic and manual.
$275 shipped
Best regards, Frank KG9H.
VOICE: 630-924-1600

7290. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 14:26:57 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <v0e76vq2b1h912@corp.supernews.com>
Source record: 35400
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

They barely work at "27Mhz", almost unstable. 50Mhz is nearly twice as high, I would not think that the tube would make much of any useful power output, very inefficent, probley less than 30%.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Keith Beckmann" <Kbeckmann.spankme@wi.rr.com> wrote in message
news:TYuN9.16798$Zt4.197733@twister.rdc-kc.rr.com...
> "Tarmo Tammaru" <t-tammaru@home.com> wrote in message
> news:rLqdnTFTBvQntZujXTWcpA@comcast.com...
> > Keith,
> >
> > Your new RF choke seems about right. Use the grid dip oscillator to find
> > resonance when the capacitor is fully open. From what you say, your coil
> is
> > still too big. Don't worry too much about loading at this point, but set
> the
> > loading cap to different values when you check for resonance. What band
> did
> > it used to cover?
>
> This was a *cough* 10M amp.
>
> I tried using a single tube, and got almost no output.
>
> Does anyone know if the 6KD6 will even work at 50 MHz?
>
>
> Keith
> KB9WMJ
>
>
>

7291. Yaesu FT-817 for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 14:27:52 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <I3FN9.2246$ka5.278103@newsread1.prod.itd.earthlink.net>
Source record: 35401

EXCESS TO MY NEEDS. (I HAVE THREE OF THESE FINE UNITS!)
YAESU FT-817 QRP ALL BAND TRANSCEIVER,
1.8Mhz to 450Mhz COMPACT QRP TRANSCEIVER, GENERAL COVERAGE RECEIVER,
MICROPHONE, INCLUDING BROADCAST BANDS AM & FM, COPY OF MANUAL, INCLUDED NEW
(OPTIONAL) FNB-72 NI-CAD PACK, DC CORD / CHARGER CORD, ALKALINE PACK, WORKS
WELL, NO MODIFICATIONS $460 SHIPPED.
FRANK KG9H 630-924-1600

7292. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 14:53:05 UTC
From: Michael Blake <m.b.blake@worldnet.att.net>
Message-ID: <lrFN9.9994$p_6.788814@bgtnsc04-news.ops.worldnet.att.net>
Source record: 35402
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

"Hank Oredson" <horedson@att.net> wrote in message
news:J%vN9.75319$hK4.6156218@bgtnsc05-news.ops.worldnet.att.net...
>
>
> Built dozens of them in the mid to late '50s for the 80
> and 40 meter novice bands. That's what old TV sets
> are good for :-)
>
> --
>
> ... Hank
>
> Chaos, panic, and disorder - my work here is done.
>
> Hank: http://horedson.home.att.net
> W0RLI: http://w0rli.home.att.net
>
Hank,

I took a look at your web site. I like the 1954 station better than the
2002 version. Where are all of the knobs???

I remember sweep tube CW transmitter finals in the late 50s but I do not
remember any sweep tube linears. I do remember multiple tube 6AG7, 1625,
807 and 6L6 linears from that era though.

73 - Mike - K9JRI

7293. History of the Instructograph Company?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 15:12:23 UTC
From: electron78@aol.com
Message-ID: <20021223101223.10015.00000322@mb-ml.aol.com>
Source record: 35403

Hi All,

Does anyone know the history of the Instructograph Company itself, or know of a web site that discusses this subject? There is a certain amount of info on the code machines themselves, but very little on the individuals who ran the company, or
how they manufactured the Instructographs, etc. Any help would be most appreciated.

Thank you,

Mike

7294. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 15:16:48 UTC
From: alanjgidd@yahoo.co.uk
Message-ID: <b20ddf9e.0212230716.4279e093@posting.google.com>
Source record: 35404
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Hey Lou,
Perhaps you should read a few books about the history of the American continent. Spanish was much more widely spoken than English in many parts of the present USA. Where to you think the word "AMERICAN" originates from? An Italian. Come on, there's room enough for everybody on this planet.
Regards,
Alan (an Englishmen abroad) "Lou" <tech@dp.net> wrote in message news:<au6jnaofp1@news.dp.net>...
> Apparently a couple of you may have missed an earlier point. I SAID...this
> is AMERICA. WE speak ENGLISH. Yet when you go into most Social Service
> Agencies, they have signs up with SPANISH and ENGLISH. We also have Chinese,
> Japanese, Vietnamese and so on living here. NO where in those places have I
> seen any signs in THEIR language. IF I were them, I would be pissed. Do they
> not use those services? Do they not deserve signs too? WHY do we cater only
> to one group??????? WE supposedly pride ourselves on being fair and equal...
> OK? Where are the signs in the places meant to "serve"????? IF those other
> groups have to learn to read and speak English - rough as it may be to them
> or coming from them to survive here, why can't the rest???? I'm only asking
> how come we don't treat the other groups as fairly? HOW IS THAT BIGOTED?????

7295. Ray Jeff 678 marine VHF final

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 15:20:39 UTC
From: "Peter E. Orban" <peter.orban@nrc.ca>
Message-ID: <3E0729C7.28A2B31E@nrc.ca>
Source record: 35405
Cross-posted to: rec.radio.amateur.equipment,re.radio.amateur.homebrew

I have picked up a Ray Jeff 678 handheld marine VHF. It has a blown final, it was already removed from the unit. It seems it was hybrid module. Does anyone have any info on that final module, or on the radio itself.

Thanks, Peter
--
Peter E. Orban
National Research Council of Canada
e-mail: peter.orban@nrc.ca

7296. Re: History of the Instructograph Company?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 15:30:09 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <5_FN9.153541$6k.2346870@news1.west.cox.net>
Source record: 35406

Check google.com -- several articles there http://www.google.com/

Example:
Both the Omnigraph and the Natrometer were predecessors of the
Instructograph. The Instructograph was made from 1947 or earlier to at least
up until the late 1950's and was available with both an electric motor drive
with cord and plug, and with a hand crank and spring drive. These machines
read perforated tape which is drawn across a contact point. They were
available with several different perforated tape rolls and an instruction
booklet by O.B. Kirkpatrick. The Instructograph Company was located in
Chicago, IL. early on, but appears to have later moved to Glendale, CA.
From URL: http://members.cox.net/w1vet/Practice/practice.htm
INSTRUCTOGRAPH CODE PRACTICE MACHINE The Instructograph was produced from
the 1920s until at least 1983! Instructographs were used by many thousands
of would-be telegraph operators to learn and increase their code-copying
ability. The original versions used a hand-wound spring driven motor with a
centrifugal governor and were supplied with American Morse Code paper tapes
with short holes for dots and long holes for dashes. They were sometimes
also supplied with KOB sets as shown. Later models used electric motor
drives and included a battery powered and later AC line powered oscillator
to produce tones for training radio operators. View 2 View 3

I had one in the late 40's -- windup spring type. Donated it in the late
50's to a boys school in Pomona, Ca. Dozens (maybe hundreds) of kids learned
the code from it.

For me having learned the code -- it was instrumental in my gaining an
aviation rate and electronic school when I joined the Navy in 1951.

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"Electron78" <electron78@aol.com> wrote in message
news:20021223101223.10015.00000322@mb-ml.aol.com...
> Hi All,
>
> Does anyone know the history of the Instructograph Company itself, or know
of a
> web site that discusses this subject? There is a certain amount of info
on the
> code machines themselves, but very little on the individuals who ran the
> company, or
> how they manufactured the Instructographs, etc. Any help would be most
> appreciated.

>
> Thank you,
>
> Mike

7297. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 16:01:12 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0ecq8tjca6jcd@corp.supernews.com>
Source record: 35407
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In the spirit of the holidays, I award you 25 liberal points for your politically correct reply.

You, and like minded folks enjoy calling folks bigots, racist, and other pet names of those that would point out a truth.

Utter nonsense! No one group has the handle on perfection, not white, Black, Hispanic, or anyone else. You would have us believe that any statement made towards the less than savory element of a group is an attack on the entire group, thus rendering us deserving of a favorite liberal label.

You pick up the newspaper and read about a driveby shooting, does the image of a freckled faced, red headed white boy pop into your head?

Some members of every group are criminals and lowlifes, the poorer the group, the greater percentage of criminals. Sticking your head in the sand and refusing to acknowledge what is in front of you for the sake of political correctness is pollyannaish at best. Join the rest of us in the real world.

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"Alan J Giddings" <alanjgidd@yahoo.co.uk> wrote in message
news:b20ddf9e.0212230716.4279e093@posting.google.com...
> Hey Lou,
> Perhaps you should read a few books about the history of the American
> continent. Spanish was much more widely spoken than English in many
> parts of the present USA. Where to you think the word "AMERICAN"
> originates from? An Italian. Come on, there's room enough for
> everybody on this planet.
> Regards,
> Alan (an Englishmen abroad) "Lou" <tech@dp.net> wrote in message
news:<au6jnaofp1@news.dp.net>...
> > Apparently a couple of you may have missed an earlier point. I
SAID...this
> > is AMERICA. WE speak ENGLISH. Yet when you go into most Social Service
> > Agencies, they have signs up with SPANISH and ENGLISH. We also have
Chinese,

> > Japanese, Vietnamese and so on living here. NO where in those places
have I
> > seen any signs in THEIR language. IF I were them, I would be pissed. Do
they
> > not use those services? Do they not deserve signs too? WHY do we cater
only
> > to one group??????? WE supposedly pride ourselves on being fair and
equal...
> > OK? Where are the signs in the places meant to "serve"????? IF those
other
> > groups have to learn to read and speak English - rough as it may be to
them
> > or coming from them to survive here, why can't the rest???? I'm only
asking
> > how come we don't treat the other groups as fairly? HOW IS THAT
BIGOTED?????

7298. FS: Original National HRO-50/60 Bandstrips

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 16:23:06 UTC
From: jonweiner@aol.com
Message-ID: <20021223112306.26934.00000533@mb-dh.aol.com>
Source record: 35408

I have for sale several spare HRO-50 & HRO-60 bandstrips. General Coverage (also has bandspread markings): for the A, B, & C bands. Bandspread only for: 80, 40, 20 & 10 meters. Price $15. each postpaid.

7299. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 18:08:11 UTC
From: fmmck@aol.com
Message-ID: <20021223130811.07982.00000196@mb-mr.aol.com>
Source record: 35409

<< The 6146's just won't fit where the 6KD6's were. >>

Keith-

What about the 6146's little brother, the 2E26? You might need to use a few more of them, but they are good at the higher frequency.

73, Fred, K4DII

7300. Re: Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 18:29:18 UTC
From: Jesse <jplummer@bluefrognet.net>
Message-ID: <3E0755FE.1B744009@bluefrognet.net>
Source record: 35410
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Most 440's are plus 5 and the TH79A can not xmit under 430 MHz without being modified...

Don Edberg wrote:

> Hi,
>
> I hope I am posting this correctly, and to the correct newsgroup. I am
> new to newsgroups and using them. However, I could use some help with a
> radio I am trying to get working.
>
> I have inherited a used Kenwood TH-79A and have downloaded the manual
> from Kenwood's web site. but for the life of me, I cannot get it to
> work with a friend's repeater.
>
> His repeater is at 427.620 and has a tone of 127.3 for the input only.
> The transmit shift is down 5 MHz.
>
> I have tried several times to program this. I put in 427.620, minus
> shift, and tone=127.3 and when I key the mike, speak, and release, it
> powers up the repeater (it shows on the level display on the HT) but I
> hear nothing. The static goes very low for a few seconds and then comes
> back up with the level display drops.
>
> My friend says he can hear my voice when I transmit, but I hear nothing
> after I release the PTT button. My friend says I need to turn decode
> off for receive, but I can't figure out how to.
>
> I've also tried programming it with split frequencies, i.e. receive on
> 422.620 with no tone and transmit on 427.620 with tone on. This
> displays a funny +/- on the display and doesn't seem to work either.
>
> I would appreciate any help anyone can provide on this. The manual is
> no help. Any web pages giving hints or someone who knows what to do in
> this instance would earn my utmost admiration!
>
> Also, I would appreciate a direct email response also as I am not sure I
> can find this site again very easily!
>
> thanks in advance,
>
> Don E.
> N6CLP
> dynamic3@flash.net

7301. Re: Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 18:30:08 UTC
From: Jesse <jplummer@bluefrognet.net>
Message-ID: <3E07562F.5D6713C2@bluefrognet.net>
Source record: 35411
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

You may need to set the tone for receive as well as xmit...

Don Edberg wrote:

> Hi,
>
> I hope I am posting this correctly, and to the correct newsgroup. I am
> new to newsgroups and using them. However, I could use some help with a
> radio I am trying to get working.
>
> I have inherited a used Kenwood TH-79A and have downloaded the manual
> from Kenwood's web site. but for the life of me, I cannot get it to
> work with a friend's repeater.
>
> His repeater is at 427.620 and has a tone of 127.3 for the input only.
> The transmit shift is down 5 MHz.
>
> I have tried several times to program this. I put in 427.620, minus
> shift, and tone=127.3 and when I key the mike, speak, and release, it
> powers up the repeater (it shows on the level display on the HT) but I
> hear nothing. The static goes very low for a few seconds and then comes
> back up with the level display drops.
>
> My friend says he can hear my voice when I transmit, but I hear nothing
> after I release the PTT button. My friend says I need to turn decode
> off for receive, but I can't figure out how to.
>
> I've also tried programming it with split frequencies, i.e. receive on
> 422.620 with no tone and transmit on 427.620 with tone on. This
> displays a funny +/- on the display and doesn't seem to work either.
>
> I would appreciate any help anyone can provide on this. The manual is
> no help. Any web pages giving hints or someone who knows what to do in
> this instance would earn my utmost admiration!
>
> Also, I would appreciate a direct email response also as I am not sure I
> can find this site again very easily!
>
> thanks in advance,
>
> Don E.
> N6CLP
> dynamic3@flash.net

7302. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 19:45:00 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <6rpe0v42app8fca2ebjfpe1344r6ltu8qj@4ax.com>
Source record: 35412
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Mon, 23 Dec 2002 08:26:57 -0600, "M.E." <bogus@nospam.com> wrote:

>They barely work at "27Mhz", almost unstable. 50Mhz is nearly twice as
>high, I would not think that the tube would make much of any useful power
>output, very inefficent, probley less than 30%.

You have to check the characteristics of the specific tubes, but many
of the sweep tubes work about as good on 6 as they do HF.

Been there, done that.

Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)

7303. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 20:01:56 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3E076BB4.5050106@mailcity.net>
Source record: 35417
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

Would you guys please leave the rec.antiques.radio+phono group out
of your silly arguments?

Lou wrote:
> First of all, if you want to label me a bigot because I CARE about what
> happens in this country and to OUR citizens, then I wear the badge
> proudly.... But I DO detest how this country is being torn down and handed
> to others on a silver platter. As to the INS, it has been proven with 9/11,
> that they aren't worth the paper the name is written on. Our Borough
> officials did call the local office. They said unless a "crime" was
> committed, there was nothing they could do... Some help! The landscaper is
> still doing his thing. Our community does NOT have a problem policing it's
> own... WE did go round and round, we got no back up form those who should
> have provided it.
>
> As for the "pig dogs" they should not be put in prison being fed by our tax
> dollars and getting better benefits than alot of our own citizens .. Their
> predecessors who tried to level the WTC the first time around are still
> there. NO, ALL of them should be SHOT. They didn't spare any lives, neither
> should we.
>
> THAT is a part of the problem, we cater too much..... THAT is my beef..
>
> --
> Lou/Tech@DP.NET
>
> "Bill M" <don'tspamme-exray@caribe.net> wrote in message
> news:v0d7je78s6hp5b@corp.supernews.com...
>
>>Lou,
>>I hope the authorities took care of this "landscaper". The penalties to
>>the sponsors of immigration fraud can be very severe.
>>It sounds as if your community might have a problem policing its own.
>>The precedent you are seeing is not based on language or national
>>origin...its based on your local huckster who is probably skirting a
>>dozen INS regulations and scraping the bottom of the illegal wetback
>>market who would be prey to his scheme.
>>So before you jack yourself off with another one of your anti-Hispanic
>>rants you might want to consider what you Lou can do to make the
>>inevitable immigration consequences more palatable in your community.
>>Save your ire for the pig-dogs that killed 4000 Americans last year, not
>>for people who simply come to the US as a matter of economic survival.
>>

>>-Bill M
>>
>
>
>

7304. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 20:24:04 UTC
From: Dave Shrader <david.shrader@attbi.com>
Message-ID: <3E0770A8.7050304@attbi.com>
Source record: 35413

A 2E26 is only a 25 watt tube!!

DD,W1MCE

Fred McKenzie wrote:
> << The 6146's just won't fit where the 6KD6's were. >>
>
> Keith-
>
> What about the 6146's little brother, the 2E26? You might need to use a few
> more of them, but they are good at the higher frequency.
>
> 73, Fred, K4DII
>

7305. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 20:41:42 UTC
From: alanjgidd@yahoo.co.uk
Message-ID: <b20ddf9e.0212231241.76fd5471@posting.google.com>
Source record: 35414
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Dear Fred,
I can't quite grasp what you are trying to tell me. "Political
Correctness" is an over used phrase and means what? I am amazed why
so many users of this group want to air their political thoughts hee.
Why not go down to a bar & do it? I like short wave radio, do you?
Regards
Alan"Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
news:<v0ecq8tjca6jcd@corp.supernews.com>...
> In the spirit of the holidays, I award you 25 liberal points for your
> politically correct reply.
>
> You, and like minded folks enjoy calling folks bigots, racist, and other pet
> names of those that would point out a truth.
>
> Utter nonsense! No one group has the handle on perfection, not white, Black,
> Hispanic, or anyone else. You would have us believe that any statement made
> towards the less than savory element of a group is an attack on the entire
> group, thus rendering us deserving of a favorite liberal label.
>
> You pick up the newspaper and read about a driveby shooting, does the image
> of a freckled faced, red headed white boy pop into your head?
>
>
> Some members of every group are criminals and lowlifes, the poorer the
> group, the greater percentage of criminals. Sticking your head in the sand
> and refusing to acknowledge what is in front of you for the sake of
> political correctness is pollyannaish at best. Join the rest of us in the
> real world.
>
> --
> For Admiral Poindexter's folks:
> Bomb, anthrax, attack, acid, hijack, skyjack
> sniper, plutonium, nuclear, Big Mac, jihad
> Democrats, terror, Howdy Doody, Oprah
>
> "Those that sacrifice freedom for security deserve neither"
>
>
> "Alan J Giddings" <alanjgidd@yahoo.co.uk> wrote in message
> news:b20ddf9e.0212230716.4279e093@posting.google.com...
> > Hey Lou,
> > Perhaps you should read a few books about the history of the American

> > continent. Spanish was much more widely spoken than English in many
> > parts of the present USA. Where to you think the word "AMERICAN"
> > originates from? An Italian. Come on, there's room enough for
> > everybody on this planet.
> > Regards,
> > Alan (an Englishmen abroad) "Lou" <tech@dp.net> wrote in message
> news:<au6jnaofp1@news.dp.net>...
> > > Apparently a couple of you may have missed an earlier point. I
> SAID...this
> > > is AMERICA. WE speak ENGLISH. Yet when you go into most Social Service
> > > Agencies, they have signs up with SPANISH and ENGLISH. We also have
> Chinese,
> > > Japanese, Vietnamese and so on living here. NO where in those places
> have I
> > > seen any signs in THEIR language. IF I were them, I would be pissed. Do
> they
> > > not use those services? Do they not deserve signs too? WHY do we cater
> only
> > > to one group??????? WE supposedly pride ourselves on being fair and
> equal...
> > > OK? Where are the signs in the places meant to "serve"????? IF those
> other
> > > groups have to learn to read and speak English - rough as it may be to
> them
> > > or coming from them to survive here, why can't the rest???? I'm only
> asking
> > > how come we don't treat the other groups as fairly? HOW IS THAT
> BIGOTED?????

7306. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 21:11:50 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v0euv72sooh167@corp.supernews.com>
Source record: 35415
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

EXACTLY WHAT I HAVE BEEN SAYING!
Politics IS NOT correct, in the first place.

Steven

"Alan J Giddings" <alanjgidd@yahoo.co.uk> wrote in message
news:b20ddf9e.0212231241.76fd5471@posting.google.com...
> Dear Fred,
> I can't quite grasp what you are trying to tell me. "Political
> Correctness" is an over used phrase and means what? I am amazed why
> so many users of this group want to air their political thoughts hee.
> Why not go down to a bar & do it? I like short wave radio, do you?
> Regards
> Alan"Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
news:<v0ecq8tjca6jcd@corp.supernews.com>...
> > In the spirit of the holidays, I award you 25 liberal points for your
> > politically correct reply.
> >
> > You, and like minded folks enjoy calling folks bigots, racist, and other
pet
> > names of those that would point out a truth.
> >
> > Utter nonsense! No one group has the handle on perfection, not white,
Black,
> > Hispanic, or anyone else. You would have us believe that any statement
made
> > towards the less than savory element of a group is an attack on the
entire
> > group, thus rendering us deserving of a favorite liberal label.
> >
> > You pick up the newspaper and read about a driveby shooting, does the
image
> > of a freckled faced, red headed white boy pop into your head?
> >
> >
> > Some members of every group are criminals and lowlifes, the poorer the
> > group, the greater percentage of criminals. Sticking your head in the
sand
> > and refusing to acknowledge what is in front of you for the sake of
> > political correctness is pollyannaish at best. Join the rest of us in
the
> > real world.
> >

> > --
> > For Admiral Poindexter's folks:
> > Bomb, anthrax, attack, acid, hijack, skyjack
> > sniper, plutonium, nuclear, Big Mac, jihad
> > Democrats, terror, Howdy Doody, Oprah
> >
> > "Those that sacrifice freedom for security deserve neither"
> >
> >
> > "Alan J Giddings" <alanjgidd@yahoo.co.uk> wrote in message
> > news:b20ddf9e.0212230716.4279e093@posting.google.com...
> > > Hey Lou,
> > > Perhaps you should read a few books about the history of the American
> > > continent. Spanish was much more widely spoken than English in many
> > > parts of the present USA. Where to you think the word "AMERICAN"
> > > originates from? An Italian. Come on, there's room enough for
> > > everybody on this planet.
> > > Regards,
> > > Alan (an Englishmen abroad) "Lou" <tech@dp.net> wrote in message
> > news:<au6jnaofp1@news.dp.net>...
> > > > Apparently a couple of you may have missed an earlier point. I
> > SAID...this
> > > > is AMERICA. WE speak ENGLISH. Yet when you go into most Social
Service
> > > > Agencies, they have signs up with SPANISH and ENGLISH. We also have
> > Chinese,
> > > > Japanese, Vietnamese and so on living here. NO where in those places
> > have I
> > > > seen any signs in THEIR language. IF I were them, I would be pissed.
Do
> > they
> > > > not use those services? Do they not deserve signs too? WHY do we
cater
> > only
> > > > to one group??????? WE supposedly pride ourselves on being fair and
> > equal...
> > > > OK? Where are the signs in the places meant to "serve"????? IF those
> > other
> > > > groups have to learn to read and speak English - rough as it may be
to
> > them
> > > > or coming from them to survive here, why can't the rest???? I'm only
> > asking
> > > > how come we don't treat the other groups as fairly? HOW IS THAT
> > BIGOTED?????

7307. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 21:22:56 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0evlhqsl18i9b@corp.supernews.com>
Source record: 35416
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Of course I like radio, however it is not the do all be all of my universe.
When I come across an asinine statement in a newsgroup or a bar I respond.

Political correctness was best defined by George Orwell in his novel
"1984". It was called correct speak. May I suggest you check it out at your
local library if you really are interested in the definition.

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"Alan J Giddings" <alanjgidd@yahoo.co.uk> wrote in message
news:b20ddf9e.0212231241.76fd5471@posting.google.com...
> Dear Fred,
> I can't quite grasp what you are trying to tell me. "Political
> Correctness" is an over used phrase and means what? I am amazed why
> so many users of this group want to air their political thoughts hee.
> Why not go down to a bar & do it? I like short wave radio, do you?
> Regards
> Alan?????

7308. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 21:56:44 UTC
From: "Stephen W. Worth" <news@vintageip.com>
Message-ID: <231220021356442766%news@vintageip.com>
Source record: 35420
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Few people are aware of history... There were provisions in the treaty
that ceded California to the United States by Mexico that stated that
Mexican citizens would be free to cross the border at will, that
Mexican nationals would be allowed to do business and attend schools
in California, and that these people would not be required to learn
English to participate in their normal everyday lives in California.

I live in a neighborhood populated primarily by Mexicans and
Central Americans. They are the nicest people you could hope to meet...
two parent families with kids. They are law abiding, church going folks
who respect and appreciate America a lot more than some people who have
lived here for generations. When I think of what it means to be an
American, they are what I think of.

See ya
Steve

--
#**
CLASSIC MUSIC FROM ORIGINAL 78s, EXPERTLY TRANSFERRED TO CD!
VIP Records: Dance Bands - British Swing Bands - Opera
Check out the free MP3 downloads at http://www.vintageip.com/records

7309. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 22:11:04 UTC
From: Lou <tech@dp.net>
Message-ID: <au83q8$19k1$1@news.dp.net>
Source record: 35418
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

> "Alan J Giddings" <alanjgidd@yahoo.co.uk> wrote in message
> news:b20ddf9e.0212230716.4279e093@posting.google.com...
> > Hey Lou,
> > Perhaps you should read a few books about the history of the American
> > continent. Spanish was much more widely spoken than English in many
> > parts of the present USA. Where to you think the word "AMERICAN"
> > originates from? An Italian. Come on, there's room enough for
> > everybody on this planet.
> > Regards,
> > Alan (an Englishmen abroad) "Lou" <tech@dp.net> wrote in message

Shot the hell out of my History! Our books taught that the INDIANS were the majority here, before the arrival of those from Italy and so on. I've never heard of them speaking "Spanish" - however, if they did, then so be it. I wasn't there, so I can't defend or deny it. I can only go on what I've been taught.

I'm basing my statements on current day. MOST people are able to speak English - and do - however broken it may be......I just can't see why the catering to a "specific" group when many inhabit this country. Where is the fairness?

Eh, let God sort it out. It's more his line than mine.

Lou/Tech@DP.NET

7310. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 22:28:26 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v0f3er30o9to42@corp.supernews.com>
Source record: 35421
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

We told the Native Americans you can live in THIS part of Oklahoma...Then What? Sadly, par for the course and let's talk about TV radiation again or something.

Steven

"Stephen W. Worth" <news@vintageip.com> wrote in message news:231220021356442766%news@vintageip.com...
> Few people are aware of history... There were provisions in the treaty
> that ceded California to the United States by Mexico that stated that
> Mexican citizens would be free to cross the border at will, that
> Mexican nationals would be allowed to do business and attend schools
> in California, and that these people would not be required to learn
> English to participate in their normal everyday lives in California.
>
> I live in a neighborhood populated primarily by Mexicans and
> Central Americans. They are the nicest people you could hope to meet...
> two parent families with kids. They are law abiding, church going folks
> who respect and appreciate America a lot more than some people who have
> lived here for generations. When I think of what it means to be an
> American, they are what I think of.
>
> See ya
> Steve
>
> --
> ##
> CLASSIC MUSIC FROM ORIGINAL 78s, EXPERTLY TRANSFERRED TO CD!
> VIP Records: Dance Bands - British Swing Bands - Opera
> Check out the free MP3 downloads at http://www.vintageip.com/records

7311. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 22:43:50 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0f4d7e2215jb8@corp.supernews.com>
Source record: 35422
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Can you please direct me to a source for the treaty, I was unable to locate
anything that showed this using the available search engines.

Thank you

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"Stephen W. Worth" <news@vintageip.com> wrote in message
news:231220021356442766%news@vintageip.com...
> Few people are aware of history... There were provisions in the treaty
> that ceded California to the United States by Mexico that stated that
> Mexican citizens would be free to cross the border at will, that
> Mexican nationals would be allowed to do business and attend schools
> in California, and that these people would not be required to learn
> English to participate in their normal everyday lives in California.
>
> I live in a neighborhood populated primarily by Mexicans and
> Central Americans. They are the nicest people you could hope to meet...
> two parent families with kids. They are law abiding, church going folks
> who respect and appreciate America a lot more than some people who have
> lived here for generations. When I think of what it means to be an
> American, they are what I think of.
>
> See ya
> Steve
>
> --
> #**
> CLASSIC MUSIC FROM ORIGINAL 78s, EXPERTLY TRANSFERRED TO CD!
> VIP Records: Dance Bands - British Swing Bands - Opera
> Check out the free MP3 downloads at http://www.vintageip.com/records

7312. Re: Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-23 23:37:08 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <qOOdnUoTpdGFA5qjXTWc3A@comcast.com>
Source record: 35423
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

My TH-79A DOES tune down that far, and transmits on 422.620 as shown below. However I did cut the MARS jumper inside when I first got it. My other 440 MHz radio will NOT transmit down below about 435 MHz so I can't easily tell if the HT is receiving anything there. Just took the HT up to my shack and it hears a signal from my sig gen on 427.620 MHz just fine.

When you set the PL tone, press the TONE button (* key) to enable just the transmit tone. The display will show an inverse "T". If you press the CTCSS button (3), it'll enable both receive and transmit tones, and you'll see a "CT" next to the inverse "T".

Sounds like you've got it working but might just have the PL enabled on the receiver.

Bob M.
======
"Don Edberg" <dynamic3@flash.net> wrote in message
news:3E06427C.C230064B@flash.net...
> Hi,
>
> I hope I am posting this correctly, and to the correct newsgroup. I am
> new to newsgroups and using them. However, I could use some help with a
> radio I am trying to get working.
>
> I have inherited a used Kenwood TH-79A and have downloaded the manual
> from Kenwood's web site. but for the life of me, I cannot get it to
> work with a friend's repeater.
>
> His repeater is at 427.620 and has a tone of 127.3 for the input only.
> The transmit shift is down 5 MHz.
>
> I have tried several times to program this. I put in 427.620, minus
> shift, and tone=127.3 and when I key the mike, speak, and release, it
> powers up the repeater (it shows on the level display on the HT) but I
> hear nothing. The static goes very low for a few seconds and then comes
> back up with the level display drops.
>
> My friend says he can hear my voice when I transmit, but I hear nothing
> after I release the PTT button. My friend says I need to turn decode
> off for receive, but I can't figure out how to.
>
> I've also tried programming it with split frequencies, i.e. receive on
> 422.620 with no tone and transmit on 427.620 with tone on. This
> displays a funny +/- on the display and doesn't seem to work either.

>
> I would appreciate any help anyone can provide on this. The manual is
> no help. Any web pages giving hints or someone who knows what to do in
> this instance would earn my utmost admiration!
>
> Also, I would appreciate a direct email response also as I am not sure I
> can find this site again very easily!
>
> thanks in advance,
>
> Don E.
> N6CLP
> dynamic3@flash.net
>

7313. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 01:16:02 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <zrQHPm0x62RuEGSp+dq=op5Gbcxc@4ax.com>
Source record: 35424

"Fred Hambrecht Sr." <w4jle@charter.net> wrote:

>Can you please direct me to a source for the treaty, I was unable to locate
>anything that showed this using the available search engines.
>
>Thank you

Check the Mexican Cession, or the Treaty of Guadalupe Hidalgo. A quick perusal
of the treaty at http://www.azteca.net/aztec/guadhida.html doesn't say much
about which language anyone is to speak or not speak...

Bob
k5qwg

7314. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 01:25:01 UTC
From: "Stephen W. Worth" <news@vintageip.com>
Message-ID: <231220021725014771%news@vintageip.com>
Source record: 35426
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <v0f4d7e2215jb8@corp.supernews.com>, Fred Hambrecht Sr.
<w4jle@charter.net> wrote:

> Can you please direct me to a source for the treaty, I was unable to locate
> anything that showed this using the available search engines.

It's been a while since my school days, but it would either be the
treaty signed by Pico at the Campo de Cahuenga, or the formal treaty
radified by Congress which defined the border between Mexico and the
US. (I think it's the formal treaty.)

As I remember it, the crux of the issue was that the treaty called for
all landowning rights of the Spanish and Mexican inhabitants to be
honored according to the Spanish or Mexican laws; and the Mexican
inhabitants of the territories be given all rights accorded to American
citizens. In essence, this was intended to preserve the established
Mexican infrastructure already in place in the territories and protect
the rights of the Mexican inhabitants and propery holders.

However, soon after this treaty was signed, the California gold rush
started. Laws were quickly enacted which negated the terms of the
treaty, and courts ruled against the claims of Mexican landowners
citing protection under the provisions of the treaty. Land was taken
away from its owners, Mexican infrastructure was replaced by American
institutions, and the Mexican population were never given the rights of
citizenship that they were promised. They were forced to either
relocate to Mexico, or take up drastically reduced social status along
with the Indians. In either case, they had to relinquish the homes and
property that were rightfully theirs. A lot of the hard feelings in
Mexican-American relations over the decades can be traced back to this
breech of promise.

Hope this helps.

See ya
Steve

--
#*
CLASSIC MUSIC FROM ORIGINAL 78s, EXPERTLY TRANSFERRED TO CD!
VIP Records: Dance Bands - British Swing Bands - Opera
Check out the free MP3 downloads at http://www.vintageip.com/records

7315. FS: Kenwood TS850 SAT w/PS52 Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 01:45:58 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <q%ON9.3522$b97.357455@newsread2.prod.itd.earthlink.net>
Source record: 35425

Very clean Kenwood TS850SAT. Matching PS52 power supply included. Mike, manual, power cord included.

Asking $850.00 plus professional boxing/shipping.

73 de Rich, W6VX

w6vx@arrl.net

7316. Re: Help needed - SLAs and gell cells

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 02:23:23 UTC
From: "Benjamin, KB9LFZ" <KB9LFZ@arrl.net>
Message-ID: <3e07c1c3$1_4@news.teranews.com>
Source record: 35427
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.misc

I'm kind of wondering if each battery has different requirements on
charging.
I know that some batteries also have different charing rates(V and A) based
on the cycle usage.

Any one else have any comments?

Thankfully,
~Benjamin
de KB9LFZ {@arrl.net}

"Benjamin, KB9LFZ" <KB9LFZ@arrl.net> wrote in message
news:3e0663a9$1_8@news.teranews.com...
> Hello All!
>
>
> A question for ya'll to give to give two cents worth of your valued
> opinion. I have some sealed lead acid batteries(commonly known as
gelcells)
> and looking for some advice on charging.
> Looking around I find that most of the chargers out there are mode
> chargers. Some go by current or by voltage. On the common voltage
chargers,
> they say that during the "absortion mode" the charger limits the charging
> current to say, around 500mAh or so, and raises the battery voltage to
> somewhere around 14.4V. Then when the battery is drawing around 30mAh, the
> charger lowers the voltage to somwhere around 13.4 - 13.8V as in the
"float
> charge" mode.
>
> My question is this, why does the battery's voltage get raised to 14.4V
> during the "bulk charge or absortion charge" mode? Would it make any
> difference if I were just attach a charger with the voltage set to
somewhere
> around 13.5V with limited current of, say, 500mAh?
>
>
> I await anyones' and everyones' informative response.
>
>
> Appreciatively,
> ~Benjamin
> de KB9LFZ {@arrl.net}
>

>

7317. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 03:13:45 UTC
From: Dave in San Diego <dragnd@nospam.att.net>
Message-ID: <Xns92EDC2CAA92D8jschmuck@204.127.36.1>
Source record: 35428
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Lou" <tech@dp.net> wrote in news:ath2u9$95r$1@news.dp.net:

> Well, you can't come down too hard on the Japanese..At least they are
> trying. WE are the ones failing.
> Our language is starting to suck more each day with some of the newer
> words or expressions coming about. And my pet peeve is, it seems
> "most" everyone can learn our language EXCEPT those who speak
> Spanish.. WHY is OUR country catering to them...You live here, you
> damned well ought to be able to speak and read HERE. If I went to
> their country, I would have to learn Spanish. I see our Social
> Security, Welfare and other agencies catering to them... If I'm not
> mistaken the last time I called the Social Security office I was met
> with Spanish "FIRST"...WHAT THE HELL? THIS IS AMERICA - an ENGLISH
> speaking country..... If the Germans, Chinese, Japanese, Russians and
> so on can speak English - broken as some of it may be, why the hell
> can't these people? Is it something in their system that prevents it:?
> Best part is, "WE" are allowing it to happen. Or it 's being shoved up
> our ass, one of the two.
>
> In my earlier post, I did make a crack about the Japanese manuals
> being backward,.but then again if my memory serves me correct, they do
> read and write right to left. So, aside from me being a smart ass, I
> was not totally wrong (if my memory is correct) in how they do
> communicate in writing.....

I lived in Japan for nine years, and had a lot of contact with their version of English. Their method of teaching is primarily rote memorization, with only a little teaching on grammar differences, and differences in meaning between two similar phrases. They do try hard, and I would challenge you to learn their language half as well as the average Japanese learns ours. BTW, their primary written format is top-to-bottom, right-to-left.

Dave in San Diego

--
-
"For once you have tasted flight, you will walk the earth with your eyes turned skyward;
For there you have been, and there you long to return."
Leonardo da Vinci

7318. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 03:19:51 UTC
From: Zoran Brlecic <WA7AA@attbi.com>
Message-ID: <3E07D249.5050205@attbi.com>
Source record: 35429
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Stephen W. Worth wrote:
> ... They are law abiding, church going folks...

And going to church is supposed to prove what exactly? All the assholes of the 09/11 infamy went to church and prayed to their spook on a regular basis, too. So did the moron who bombed Oklahoma City. The catholic altar boy rapists as well.

WA7AA

7319. geting equipment across country

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 04:13:07 UTC
From: ITRADE <rdadd@prodigy.net>
Message-ID: <3E07E0A3.4871FC6C@prodigy.net>
Source record: 35430

My grandfather died a couple years ago. I was the receipient of some nice pieces including a Yaesu FT 990, a Drake L7, a heavy duty Ameritron tuner, and several other items.

Anybody know of a good way to get them from California to Virginia? I do not have the original boxes or packing material. I do not think I can "sneak" any of the major components back onto the aircraft for the flight back to DC.

Any ideas/suggestions?

Thanks

Rich

7320. Re: geting equipment across country

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 04:43:54 UTC
From: Alan Beagley <abeagley@optonline.net>
Message-ID: <3E07E60C.7060103@optonline.net>
Source record: 35431

Take them to Mailboxes, Etc. or similar store and have them pack and
ship them -- insured, of course. They should know the best way to
pack heavy items.

-=-
Alan, AB2OS

ITRADE wrote:
> My grandfather died a couple years ago. I was the receipient of some
> nice pieces including a Yaesu FT 990, a Drake L7, a heavy duty
> Ameritron tuner, and several other items.
>
> Anybody know of a good way to get them from California to Virginia? I do
> not have the original boxes or packing material. I do not think I can
> "sneak" any of the major components back onto the aircraft for the
> flight back to DC.
>
> Any ideas/suggestions?

7321. FS: NR22L Diamond antenna & Mulehorse Mount

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 04:46:32 UTC
From: "William H. O'Hara, III" <whoohara@yahoo.com>
Message-ID: <Xns92EDF1F5768BBAlphaCentauriAAAHAWK@65.100.3.61>
Source record: 35432

Hello,

I haven't had these for too long. Frankly, I need some cash for them
and their application is too limited. I want to put the cash to
something else in ham radio.

I have the NR22L Diamond 2 Meter Antenna. I would like to sell it for $60.
It is in perfect condition.

I have a trimagnet mulehorse mount. The mount and the antenna are only
one month old. I nicked the outer rubber on the coaxial to the mulehorse,
but I didn't break the sheath. I am looking for $40 for this.

I would prefer someone local so that I don't have to ship.

Bill
KB1IUB
Abington, MA
ohara@aaahawk.com

7322. Re: Help needed - SLAs and gell cells

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 04:54:55 UTC
From: N9WOS <N9WOS@worldnet.att.net>
Message-ID: <zMRN9.76774$hK4.6279777@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35433
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.misc

"Benjamin, KB9LFZ" <KB9LFZ@arrl.net> wrote in message
news:3e07c1c3$1_4@news.teranews.com...
> I'm kind of wondering if each battery has different requirements on
> charging.
> I know that some batteries also have different charing rates(V and A) based
> on the cycle usage.
>
> Any one else have any comments?

Please read all my comments because there is
a few things that i need to point out.

You use different charging methods for the
type of service you are using a the battery for.

If you are using it for fork lift, motive power,
or other full charge/ full discharge application.

You want to bring it to full charge as quick as possible.
set current limit to c/10 or even c/5
So you set the float voltage to ~15V and when the
current drops off bellow c/100 then you have a full charged battery
that's ready to go back into the device it's running.
If you leave them hooked to the unit at 15V they will
broil dry after a while.(ie) destroy the batteries.

If it's a standby application where it's hooked up all the time.
Set charge current limit to c/20
You set the float to around 13.5 to 13.8 and hold it there.
That will keep the batteries at 100% charge and won't over charge them.
But it will take a long time for them to reach full charge.~2days or so....

And the charging rate is based upon the size of the battery.
C/20 means that it's charged at one twentieth of it's rated AH.

There is some batteries called gel cells that you can only charge
so fast because if you charge them too fast, bubbles will form in the electrolyte.
And the damage is usually irreversible.
The charging rate for them is usually limited to C/20 or even less......
If it's a 10AH battery, you can only charge it at 0.5A max.

> >I have some sealed lead acid batteries(commonly known as
> gelcells)
> > and looking for some advice on charging.

That is the main point that the correction needs made.
That common knowledge is INCORRECT KNOWLEDGE

Most sealed lead acid batteries are not gel cells.
They ARE most likely, "Absorbed glass mate."/"Starved electrolyte."

Gel cells are a decent bit more expensive and if a sealed lead
acid battery is a gel cell.... It will proudly proclaim it on the side.

If it doesn't specifically say "GEL CELL" ......
Or "GELLED ELECTROLYTE"
Or "GELLED BATTERY"
Then it isn't a gel cell.

The "Sealed battery is gel cell" myth is one common myth
that you need to realize is false.

I would say that 90 to 95+% of sealed batteries are NOT gel cells.

Most sealed batteries will handle the usage that a normal flooded
cell will handle.

There is one exception.....
You have to avoid applying overly high charging voltages to them.
Because they are, by their very nature.... sealed.....
So once you broil the electrolyte away.... you can't put it back.

> > Looking around I find that most of the chargers out there are mode
> > chargers. Some go by current or by voltage.

Ones that go by current are strictly for cyclic use.
When you charge at c/10.
You hook it up and 10 hours latter, you disconnect it.
Or the timer in the charger shuts it off.

>>On the common voltage chargers,
> > they say that during the "absortion mode" the charger limits the charging
> > current to say, around 500mAh or so, and raises the battery voltage to
> > somewhere around 14.4V. Then when the battery is drawing around 30mAh, the
> > charger lowers the voltage to somwhere around 13.4 - 13.8V as in the
> "float
> > charge" mode.

That is the best type for any application.

It charges them close to 15V to get them close
to full charge as quick as possible, then it switches to
13.8 V to keep it at full charge without broiling the battery dry.
That way.... if you forget and leave the battery on the charger
for a day or two....
When you see that it's still on, you won't find a FRIED battery.
You will find a nice fully charge one.

> > My question is this, why does the battery's voltage get raised to 14.4V
> > during the "bulk charge or absortion charge" mode? Would it make any

> > difference if I were just attach a charger with the voltage set to
> somewhere
> > around 13.5V with limited current of, say, 500mAh?
> >
> >
> > I await anyones' and everyones' informative response.
> >
>

For more info.... ask the people at "sci.chem.electrochem.battery"

7323. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 05:24:49 UTC
From: Dave W <noapamspsffan@earthlink.net>
Message-ID: <3E07F08E.8040208@earthlink.net>
Source record: 35434
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Lou wrote:
> Apparently a couple of you may have missed an earlier point. I SAID...this
> is AMERICA. WE speak ENGLISH.
Most of us do. Some don't. From where I sit, they SHOULD learn English,
but it doesn't come overnight. In prior eras of immigration, the women,
who often did not work outside of the home, did not learn English, while
the men did. Both of my great grandmother's on my mom's side are
examples of this.

Yet when you go into most Social Service
> Agencies, they have signs up with SPANISH and ENGLISH. We also have Chinese,
> Japanese, Vietnamese and so on living here. NO where in those places have I
> seen any signs in THEIR language. IF I were them, I would be pissed. Do they
> not use those services? Do they not deserve signs too? WHY do we cater only
> to one group???????

We cater to the group with the largest numbers. It is simply more cost
effective that way. I'd wager that in certain parts of Los Angeles and
Orange Counties, California, that several Asian languages are
represented very well. In San Francisco, Chinese has been a defacto
second language for over 100 years.

WE supposedly pride ourselves on being fair and equal...
> OK? Where are the signs in the places meant to "serve"????? IF those other
> groups have to learn to read and speak English - rough as it may be to them
> or coming from them to survive here, why can't the rest???? I'm only asking
> how come we don't treat the other groups as fairly? HOW IS THAT BIGOTED?????
> --
> Lou/Tech@DP.NET
>

With all due respect Lou, may your children be sentenced to working less
than minimum wage manual labor jobs with no health insurance. What's
fair is that all people are treated equally. Be happy that you live in
the one country on earth that people strive to come to!

Regards,

DAve

7324. Re: geting equipment across country

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 05:34:41 UTC
From: Idontwantspam@net
Message-ID: <3e07f15b.14782265@news.bellatlantic.net>
Source record: 35435

On Tue, 24 Dec 2002 04:43:54 GMT, Alan Beagley
<abeagley@optonline.net> wrote:

>Take them to Mailboxes, Etc. or similar store and have them pack and
>ship them -- insured, of course. They should know the best way to
>pack heavy items.
>
Yes, many of these places can form dense foam around the item to make
a very solid package used by many manufacturers for one-off items.
Bubble wrap won't do it for really heavy, dense items like older
radios.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

7325. Re: geting equipment across country

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 06:04:48 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3e07f8f5@news.netacc.net>
Source record: 35436

"Alan Beagley" <abeagley@optonline.net> wrote in message
news:3E07E60C.7060103@optonline.net...
> Take them to Mailboxes, Etc. or similar store and have them pack and
> ship them -- insured, of course. They should know the best way to
> pack heavy items.
>
> -=-
> Alan, AB2OS
>
>

Better yet, have them (MBE) pack it and then take it with you out the front door. Arrive at the airport an hour early and air freight it on the same carrier you are flying on. They will assure it is on your flight and you can pick it up when you arrive at Dulles (I know it is renamed, old habits die hard). I have done this with test equipment when I am doing on-site service calls. Works well.

Steve

7326. Need IF coil (transformer) 10,7 Mc

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 10:50:19 UTC
From: 9A5WW <sinisa.rietkovic@bj.hinet.hr>
Message-ID: <au9e40$ba0b$1@as201.hinet.hr>
Source record: 35437

Hello !!!!!!!!

I am in Croatia and in my country i can��t find this coil so please help me
friends from all over the world

p.s. i need only 5 pieces

7327. WTB:Icom T7H

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 12:07:08 UTC
From: Monte <k9dzd@uplogon.com>
Message-ID: <3e084d24$1@news.uplogon>
Source record: 35438

im looking for an Icom T7H dualband handheld

Monte K9DZD

7328. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 13:01:55 UTC
From: radiotubes@fast.net
Message-ID: <20d99877.0212240501.13b8e6c3@posting.google.com>
Source record: 35439
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Lou" <tech@dp.net> wrote in message news:<au83q8$19k1$1@news.dp.net>...
>
> Shot the hell out of my History! Our books taught that the INDIANS were the
> majority here, before the arrival of those from Italy and so on. I've never
> heard of them speaking "Spanish" - however, if they did, then so be it. I
> wasn't there, so I can't defend or deny it. I can only go on what I've been
> taught.
>
> I'm basing my statements on current day. MOST people are able to speak
> English - and do - however broken it may be......I just can't see why the
> catering to a "specific" group when many inhabit this country. Where is the
> fairness?

OK, Lou. So the natives lived here once and their language use was overrun by then massive influx of Spanish. The natives perhaps complained but had to yield to the reality.

Then the Spanish influence subsided as it was overrun by then massive influx of English speaking caucasians. The Spanish speaking people perhaps complained but had to yield to the reality.

Currently here a massive influx of Latinos. English speaking caucasians may complain but some parts of the country are currently bilingual, like it or not. That is the reality.

I doubt the melting pot phenomenon will work any more due to the proximity of Latin America and technological advances in communications and travel. Latinos do not neet to severe the contact with old contries like those getting off the boat some generations ago.

Learn Spanish.

Happy Holidays.

Jiri Placek
Boyertown, PA

7329. WTB:Cheap dual band mobile

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 14:56:21 UTC
From: FM <radiovintage@hotmail.com>
Message-ID: <pA_N9.3721$ka5.445737@newsread1.prod.itd.earthlink.net>
Source record: 35440
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

I am looking for a dual bander 2/440 for mobile use.Looks are not important
but price is.Please state price and condition.
Thanks,73

7330. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 15:02:57 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <fE_N9.18782$eB.202732@twister.kc.rr.com>
Source record: 35441
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

I haven't found frequency info on the 6KD6.

I've got an RCA tube manual, but since the 6KD6 was a sweep tube, they don't show it's frequency characteristics.

"Roger Halstead" <rdhalste@tm.net> wrote in message news:6rpe0v42app8fca2ebjfpe1344r6ltu8qj@4ax.com...
> On Mon, 23 Dec 2002 08:26:57 -0600, "M.E." <bogus@nospam.com> wrote:
>
> >They barely work at "27Mhz", almost unstable. 50Mhz is nearly twice as
> >high, I would not think that the tube would make much of any useful power
> >output, very inefficent, probley less than 30%.
>
> You have to check the characteristics of the specific tubes, but many
> of the sweep tubes work about as good on 6 as they do HF.
>
> Been there, done that.
>
> Roger Halstead (K8RI EN73)
> www.rogerhalstead.com
> N833R World's oldest Debonair? (S# CD-2)

7331. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 15:46:19 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <v0h07p7upiui27@corp.supernews.com>
Source record: 35442
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

TV "sweep" amplifiers operate at 15Khz, that is what the tube was designed
to run effiecntly.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Keith Beckmann" <Kbeckmann.spankme@wi.rr.com> wrote in message
news:fE_N9.18782$eB.202732@twister.kc.rr.com...
> I haven't found frequency info on the 6KD6.
>
> I've got an RCA tube manual, but since the 6KD6 was a sweep tube, they
don't
> show it's frequency characteristics.
>
>
> "Roger Halstead" <rdhalste@tm.net> wrote in message
> news:6rpe0v42app8fca2ebjfpe1344r6ltu8qj@4ax.com...
> > On Mon, 23 Dec 2002 08:26:57 -0600, "M.E." <bogus@nospam.com> wrote:
> >
> > >They barely work at "27Mhz", almost unstable. 50Mhz is nearly twice as
> > >high, I would not think that the tube would make much of any useful
power
> > >output, very inefficent, probley less than 30%.
> >
> > You have to check the characteristics of the specific tubes, but many
> > of the sweep tubes work about as good on 6 as they do HF.
> >
> > Been there, done that.
> >
> > Roger Halstead (K8RI EN73)
> > www.rogerhalstead.com
> > N833R World's oldest Debonair? (S# CD-2)
>
>

7332. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 16:09:43 UTC
From: Lou <tech@dp.net>
Message-ID: <aua3lu$1lut$1@news.dp.net>
Source record: 35445
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Dave W" <noapamspsffan@earthlink.net> wrote in message
news:3E07F08E.8040208@earthlink.net...
> With all due respect Lou, may your children be sentenced to working less
> than minimum wage manual labor jobs with no health insurance. What's
> fair is that all people are treated equally. Be happy that you live in
> the one country on earth that people strive to come to!
>
> Regards,
>
> DAve
>

With ALL due respect Dave,

IT is happening to more than just "my" kids..... Or haven't you been watching the news?
Maybe they aren't being paid less than minimum, but some companies try to beat not paying - any more than minimum or "overtime". If they could get away with paying less than minimum, I'm damned sure they would. And MANY companies are shutting off Health Care. So, your wish is coming true, for my kids, your's - if you have any and every one else's. I wouldn't jump for joy even if you have a job with those "benefits". Here today, gone tomorrow. IT IS POSSIBLE!!!!!!!!! You may be taken from a corporate position straight into a McDonalds just to feed your family.... I would be careful what you wish for - for others, it has a terrible way of biting one in the ass.

May you have a Happy Holiday... Next year it could be a whole lot different!

Lou/Tech@DP.NET

.

7333. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 16:19:10 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <aua1dm$s8v$1@slb6.atl.mindspring.net>
Source record: 35443
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Isn't that just sweat. Maybe we should welcome their desendants back with
open arms...right? Crap happens in war. We won, they didn't.

Maybe if the Mexican government really gave a rip about her people we
wouldn't be needing to put out armed patrols to keep them out.

Dan/W4NTI

"Stephen W. Worth" <news@vintageip.com> wrote in message
news:231220021725014771%news@vintageip.com...
> In article <v0f4d7e2215jb8@corp.supernews.com>, Fred Hambrecht Sr.
> <w4jle@charter.net> wrote:
>
> > Can you please direct me to a source for the treaty, I was unable to
locate
> > anything that showed this using the available search engines.
>
> It's been a while since my school days, but it would either be the
> treaty signed by Pico at the Campo de Cahuenga, or the formal treaty
> radified by Congress which defined the border between Mexico and the
> US. (I think it's the formal treaty.)
>
> As I remember it, the crux of the issue was that the treaty called for
> all landowning rights of the Spanish and Mexican inhabitants to be
> honored according to the Spanish or Mexican laws; and the Mexican
> inhabitants of the territories be given all rights accorded to American
> citizens. In essence, this was intended to preserve the established
> Mexican infrastructure already in place in the territories and protect
> the rights of the Mexican inhabitants and propery holders.
>
> However, soon after this treaty was signed, the California gold rush
> started. Laws were quickly enacted which negated the terms of the
> treaty, and courts ruled against the claims of Mexican landowners
> citing protection under the provisions of the treaty. Land was taken
> away from its owners, Mexican infrastructure was replaced by American
> institutions, and the Mexican population were never given the rights of
> citizenship that they were promised. They were forced to either
> relocate to Mexico, or take up drastically reduced social status along
> with the Indians. In either case, they had to relinquish the homes and
> property that were rightfully theirs. A lot of the hard feelings in
> Mexican-American relations over the decades can be traced back to this
> breech of promise.
>

> Hope this helps.
>
> See ya
> Steve
>
> --
> #*
> CLASSIC MUSIC FROM ORIGINAL 78s, EXPERTLY TRANSFERRED TO CD!
> VIP Records: Dance Bands - British Swing Bands - Opera
> Check out the free MP3 downloads at http://www.vintageip.com/records

7334. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 16:19:56 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <aua1f1$5se$1@slb9.atl.mindspring.net>
Source record: 35444
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

It proves they feel good as we execute them.

Dan/W4NTI

"Zoran Brlecic" <WA7AA@attbi.com> wrote in message
news:3E07D249.5050205@attbi.com...
> Stephen W. Worth wrote:
> > ... They are law abiding, church going folks...
>
> And going to church is supposed to prove what exactly? All the assholes
> of the 09/11 infamy went to church and prayed to their spook on a
> regular basis, too. So did the moron who bombed Oklahoma City. The
> catholic altar boy rapists as well.
>
> WA7AA
>

7335. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 16:25:55 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <aua23asda1@slb5.atl.mindspring.net>
Source record: 35446
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Why? Do you go to, say Germany, to live and expect them to learn your
language? Or do you think you have the right because you speak Spanish to
tell the rest of Norte America what language they should speak?

Sorry old boy...we speak English here. Tell your buds to learn English.

Dan/W4NTI
"Jiri Placek" <radiotubes@fast.net> wrote in message
news:20d99877.0212240501.13b8e6c3@posting.google.com...

> Learn Spanish.
>
> Happy Holidays.
>
> Jiri Placek
> Boyertown, PA

7336. Re: geting equipment across country

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 16:34:15 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <C4wIPi6ycgKITv47Jm1B4w6YB52N@4ax.com>
Source record: 35447

"Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net> wrote:

>
>"Alan Beagley" <abeagley@optonline.net> wrote in message
>news:3E07E60C.7060103@optonline.net...
>> Take them to Mailboxes, Etc. or similar store and have them pack and
>> ship them -- insured, of course. They should know the best way to
>> pack heavy items.
>>
>> -=-
>> Alan, AB2OS
>>
>>
>
>Better yet, have them (MBE) pack it and then take it with you out the front
>door. Arrive at the airport an hour early and air freight it on the same
>carrier you are flying on. They will assure it is on your flight and you
>can pick it up when you arrive at Dulles (I know it is renamed, old habits
>die hard). I have done this with test equipment when I am doing on-site
>service calls. Works well.

If he's going to accompany the items on a flight, he might just as well go to a packaging store, buy the foam chips and boxes, double box the items himself, and carry them to the airport. Would be cheaper than getting MBEtc to do it, I suspect.

Bob
k5qwg
>
>Steve
>

7337. FS Collins 30L-1 amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 16:47:00 UTC
From: radioleo <radioleo@earthlink.net>
Message-ID: <8c0O9.4694$b97.480377@newsread2.prod.itd.earthlink.net>
Source record: 35448

I have TWO Collins "winged emblem" 30 L-1 amplifiers for sale. Both look and work well. Just checked out by Wayne Spring W6IRD. New power cables installed on both units.....$550.00 each plus shipping & insurance

Thank You

Leo KJ6HI

PH/FAX (310) 670-6969

7338. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 17:24:16 UTC
From: JB <ac6tk@nospamcybertime.net>
Message-ID: <aua5bd$l26$1@madmax.keyway.net>
Source record: 35449

I can agree with that. To a great degree, the attitudes that made them such a threat in the marketplace in the 80's, was a direct result of their emulation of their perception of US from movies, propaganda and such, and our own greed, stupidity and laziness. Despite their homogeneous society that is difficult for foreigners to gain acceptance in, we manage to co-exist and complement toward the greater good of both our societies now.

I still have just as much "fun" trying to decipher German, Japanese and even British and American schematics with cryptic hand written notations that may reveal the frantic attempts of some genius to achieve perfection on a budget before being rushed into production.

I ain't seen the purfect radio yet.

"Dave in San Diego" <dragnd@nospam.att.net> wrote in message news:Xns92EDC2CAA92D8jschmuck@204.127.36.1...
: "Lou" <tech@dp.net> wrote in news:ath2u9$95r$1@news.dp.net:
:
: > Well, you can't come down too hard on the Japanese..At least they are
: > trying. WE are the ones failing.
: > Our language is starting to suck more each day with some of the newer
: > words or expressions coming about. And my pet peeve is, it seems
: > "most" everyone can learn our language EXCEPT those who speak
: > Spanish.. WHY is OUR country catering to them...You live here, you
: > damned well ought to be able to speak and read HERE. If I went to
: > their country, I would have to learn Spanish. I see our Social
: > Security, Welfare and other agencies catering to them... If I'm not
: > mistaken the last time I called the Social Security office I was met
: > with Spanish "FIRST"...WHAT THE HELL? THIS IS AMERICA - an ENGLISH
: > speaking country..... If the Germans, Chinese, Japanese, Russians and
: > so on can speak English - broken as some of it may be, why the hell
: > can't these people? Is it something in their system that prevents it:?
: > Best part is, "WE" are allowing it to happen. Or it 's being shoved up
: > our ass, one of the two.
: >
: > In my earlier post, I did make a crack about the Japanese manuals
: > being backward,.but then again if my memory serves me correct, they do
: > read and write right to left. So, aside from me being a smart ass, I
: > was not totally wrong (if my memory is correct) in how they do
: > communicate in writing.....
:
: I lived in Japan for nine years, and had a lot of contact with their
: version of English. Their method of teaching is primarily rote
: memorization, with only a little teaching on grammar differences, and

: differences in meaning between two similar phrases. They do try hard, and I
: would challenge you to learn their language half as well as the average
: Japanese learns ours. BTW, their primary written format is top-to-bottom,
: right-to-left.
:
: Dave in San Diego
:
:
: --
: -
: "For once you have tasted flight, you will walk the earth with your eyes
: turned skyward;
: For there you have been, and there you long to return."
: Leonardo da Vinci

7339. Re: geting equipment across country

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 17:27:35 UTC
From: ITRADE <rdadd@prodigy.net>
Message-ID: <3E089ADE.CDA05596@prodigy.net>
Source record: 35450

Thanks for the info.

Any recommendations for the tubes? Shipped separately? In the unit?

I'd hate for the filaments to jar loose and to have to spend $400 for two
new 3-500Zs.

Rich

"Gary S." wrote:

> On Tue, 24 Dec 2002 04:43:54 GMT, Alan Beagley
> <abeagley@optonline.net> wrote:
>
> >Take them to Mailboxes, Etc. or similar store and have them pack and
> >ship them -- insured, of course. They should know the best way to
> >pack heavy items.
> >
> Yes, many of these places can form dense foam around the item to make
> a very solid package used by many manufacturers for one-off items.
> Bubble wrap won't do it for really heavy, dense items like older
> radios.
>
> Happy trails,
> Gary (net.yogi.bear)
> --
> at the 51st percentile of ursine intelligence
>
> Gary D. Schwartz, Needham, MA, USA
> Please reply to: garyDOTschwartzATpoboxDOTcom

7340. FA: HP-23 Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 18:47:33 UTC
From: "Daniel G. Krause" <navycat@citcom.net>
Message-ID: <7tah0v8e6q5s1la6ffkdej0vlq7ovtq2eq@4ax.com>
Source record: 35451

Title: HEATHKIT PS-23 Power Supply
Item # : The item number for your new listing is 1947432291.
URL: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1947432291

7341. FT-920 AND SB-220 ?!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 19:04:41 UTC
From: "news.verizon.net" <sam.krusnsberg@verizon.net>
Message-ID: <dd2O9.103038$4W1.56170@nwrddc02.gnilink.net>
Source record: 35452

How should the FT-920 and SB-220 be connected together ? Should I use an external antenna tuner between the 920 and 220 instead of the internal auto tuner on the 920 ? What type of coax and length between the two ? Thanks, Sam KG4HEB, callingdx@yahoo.com

7342. 4Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 19:10:26 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <3e08aeb8$0$583$39cecf19@nnrp1.twtelecom.net>
Source record: 35453
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale;

Dentron Clipperton V 2M-6M amp,
In good working Condition,
2 NIB Eimac 7203/4CX250B tubes
1 4CX250B pull (No brand name)
1 NIB Amperite 6N06OT time delay
1 NEW Eimac SK620 socket and chimney
1 Good Eimac SK600 socket
1 New Eimac SK600 socket
$600

Kenwood TMV7A 50W 2M/35W 440 FM
DFK3C REMOTE CABLE KIT
PG4S PC INTERFACE CABLE + SOFTWARE
$325

Standard C228A 90%
Includes 1 CNB152
2 CNB151
1 CSA160 Charger
$200

Standard C468A 95% $125
Includes 1 CWC150A Wallwart

PacComm Sprint-2 TNC Like new,
With AD-4 AD board
With cable for Kenwood TM451A $100 obo

Icom 02AT with BC-35,
And Ice brick battery $ 80

Dynamic Communications
Model A470-25 $ 25
Sold as is, no manual.

Model 10-0 $ 25
Sold as is, no manual.

Carver Audio Amp 95+%
Model M-2120
With Manual. $ 75

All Items Will include manuals, and any
docs that I Have. I can email pics.

SHIPPING IS NOT INCLUDED!

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@lakefield.net

7343. Re: FT-920 AND SB-220 ?!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 19:28:57 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3E08B579.8CB3F2CE@qth.com>
Source record: 35454
Body handling: Binary attachment payload not displayed: radioranch.vcf

FIRST and most deadly, you need a switching relay between them, unless your sb 220 has soft key mod....second, the 220 has a tuned input, you wont need it except on 17 and 30 meters but you can use the 920 internal tuner for the warc bands...Length of coax is not normally critacal, standard three and 5 ft jumpers should do it, as short as possible though....always. And RG 8 after the amp....before I think 58 is ok if well done...Good luck Sam, do the Richard Measures mod to you SB 220 and that will solve all your possible problems, but definitely get a keying relay between the 920 and ths SB 220 if you dont have time to do anything else...73 Murray K5MDM

"news.verizon.net" wrote:

> How should the FT-920 and SB-220 be connected together ? Should I use an
> external antenna tuner between the 920 and 220 instead of the internal auto
> tuner on the 920 ? What type of coax and length between the two ? Thanks,
> Sam KG4HEB, callingdx@yahoo.com

[One or more binary attachments are retained only in the source text.]

7344. Re: geting equipment across country

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 19:58:04 UTC
From: Idontwantspam@net
Message-ID: <3e08bc0c.2141549@news.bellatlantic.net>
Source record: 35455

On Tue, 24 Dec 2002 17:27:35 GMT, ITRADE <rdadd@prodigy.net> wrote:

>Thanks for the info.
>
>Any recommendations for the tubes? Shipped separately? In the unit?
>
>I'd hate for the filaments to jar loose and to have to spend $400 for two
>new 3-500Zs.
>
Manufacturers ship them separately. Perhaps they know something.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

7345. Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 20:17:12 UTC
From: Roland Stiner <nk2u@1stconnect.com>
Message-ID: <4b3O9.5529$BP.3370@fe01>
Source record: 35456
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

> Currently here a massive influx of Latinos. English speaking
> Caucasians may complain but some parts of the country are currently
> bilingual, like it or not. That is the reality.

The only signs written in Spanish in the United States should be those that direct Spanish speakers to the nearest English classes!

Roland, NK2U

7346. Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 20:18:40 UTC
From: Roland Stiner <nk2u@1stconnect.com>
Message-ID: <rc3O9.5531$BP.551@fe01>
Source record: 35457
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

> Why? Do you go to, say Germany, to live and expect them to learn your
> language? Or do you think you have the right because you speak Spanish to
> tell the rest of North America what language they should speak?
>
> Sorry old boy...we speak English here. Tell your buds to learn English.

Agreed, when in Rome, do as the Romans.

Roland, NK2U

7347. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 20:39:19 UTC
From: Charter News Server <charternewsserver@charternewsserver.kom>
Message-ID: <v0hhfsq87tf924@corp.supernews.com>
Source record: 35458
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Roland Stiner" <nk2u@1stconnect.com> wrote in message
news:4b3O9.5529$BP.3370@fe01...
> > Currently here a massive influx of Latinos. English speaking
> > Caucasians may complain but some parts of the country are currently
> > bilingual, like it or not. That is the reality.
>
> The only signs written in Spanish in the United States should be those
that
> direct Spanish speakers to the nearest English classes!
>
> Roland, NK2U
>
>

If ya can't speak English in the United States of America, then GET THE FUCK OUT!

I'm a Bad American-this pretty much sums it up for me. I like big trucks, big boats, big houses, and naturally, pretty women with big tits.

I believe the money I make belongs to me and my family, not some midlevel governmental functionary with a bad comb-over who wants to give it away to crack addicts squirting out babies.

I don't care about appearing compassionate.

I think playing with toy guns doesn't make you a killer. I believe ignoring your kids and giving them Prozac might.

I think I'm doing better than the homeless.

I don't think being a minority makes you noble or victimized. I have the right not to be tolerant of others because they are different, weird or make me mad. This is my life to live, and not necessarily up to others expectations. I know what SEX is and there are not varying degrees of it.

I don't celebrate Kwanzaa. But if you want to that's fine; I just don't feel like everyone else should have to.

I believe that if you are selling me a Dairy Queen shake, a pack of cigarettes, or hotel room you do it in English. As of matter of fact, if you are an American citizen you should speak English. My uncles and forefathers shouldn't have had to die in vain so you can leave the countries you were born in to come disrespect ours, and make us bend to your will. Get over it.

I think the cops have every right to shoot your sorry butt if you're running from them after they tell you to stop. If you can't understand the word 'freeze' or 'stop' in English, see the previous line. I don't use the excuse "it's for the children" as a shield for unpopular opinions or actions.

I know how to count votes and I feel much safer letting a machine with no political affiliation do a recount when needed. I know what the definition of lying is, and it isn't based on the word "is"-ever.

I don't think just because you were not born in this country, you qualify for any special loan programs, gov't sponsored bank loans, etc., so you can open a hotel, 7-Eleven, trinket shop, or any thing else, while the indigenous peoples can't get past a high school education because they can't afford it.

I didn't take the initiative in inventing the Internet. I thought the Taco Bell dog was funny.

I want them to bring back safe and sane fireworks.

I believe no one ever died because of something Ozzy Osbourne, Ice-T or Marilyn Manson sang, but that doesn't mean I want to listen to that crap

from someone else's car when I'm stopped at a red light. But I respect your right to.

I think that being a student doesn't give you any more enlightenment than working at Blockbuster or Jack In The Box.

I don't want to eat or drink anything with the words light, lite or fat-free on the package.

Our soldiers did not go to some foreign country and risk their lives in vain and defend our Constitution so that decades later you can tell me it's a living document ever changing and is open to interpretation. The guys who wrote it were light years ahead of anyone today, and they meant what they said - now leave the document alone, or there's going to be trouble.

I don't hate the rich. I help the poor. I know wrestling is fake. I've never owned, or was a slave, and a large percentage of our forefathers weren't wealthy enough to own one either. Please stop blaming me because some prior white people were idiots - and remember, tons of white, Indian, Chinese, and other races have been enslaved too - it was wrong for every one of them.

I believe a self-righteous liberal Democrat with a cause is more dangerous than a Hell's Angel with an attitude.

I want to know exactly which church is it where the "Reverend" Jessie Jackson preaches; and, what exactly is his job function.

I own a gun, you can own a gun, and any red blooded American should be allowed to own a gun, but if you use it in a crime, then you will serve the time.

I think Bill Gates has every right to keep every penny he made and continue to make more. If it makes you mad, then invent the next operating system

that's better and put your name on the building. Ask your buddy that invented the Internet to help you.

I don't believe in hate crime legislation. Even suggesting it makes me mad.

You're telling me that someone who is a minority, gay, disabled, another nationality, or otherwise different from the mainstream of this country has more value as a human being that I do as a white male. If someone kills anyone, I'd say that it's a hate crime. We don't need more laws! Let's enforce the ones we already have.

I think turkey bacon, turkey beef, turkey fake anything sucks. I believe that it doesn't take a village to raise a child-it takes a parent with the guts to stand up to the kid and spank his butt and say "NO!" when it's necessary to do so. I'll admit that the only movie that ever made me cry was Ole Yeller. I didn't realize Dr. Seuss was a genius until I had a kid.

I will not be frowned upon or be looked down upon or be made to keep silent because I have these beliefs and opinions. I thought this country allowed me that right. I will not conform or compromise just to keep from hurting somebody's feelings. I'm neither angry nor disenfranchised, no matter how desperately the mainstream media would like the world to believe otherwise. Yes, I guess by some people's definition, I may be a bad American.

7348. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 20:55:03 UTC
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Message-ID: <telamon_spamshield-98272D.12553524122002@newssvr17-ext.news.prodigy.com>
Source record: 35459
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <v0evlhqsl18i9b@corp.supernews.com>,
"Fred Hambrecht Sr." <w4jle@charter.net> wrote:

> Of course I like radio, however it is not the do all be all of my universe.
> When I come across an asinine statement in a newsgroup or a bar I respond.
>
<snip>

This might be cross-posted to 5 groups but they all have radio in them
so I'll argue that radio is "the do all and be all." You are off topic.

--
Telamon

7349. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:05:56 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <U_3O9.552$MQ4.514@newssvr16.news.prodigy.com>
Source record: 35460
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Charter News Server" <charternewsserver@charternewsserver.kom> wrote in
message news:v0hhfsq87tf924@corp.supernews.com...
>
>
>
> "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> news:4b3O9.5529$BP.3370@fe01...
> > > Currently here a massive influx of Latinos. English speaking
> > > Caucasians may complain but some parts of the country are currently
> > > bilingual, like it or not. That is the reality.
> >
> > The only signs written in Spanish in the United States should be those
> that
> > direct Spanish speakers to the nearest English classes!
> >
> > Roland, NK2U
> >
> >
>
> If ya can't speak English in the United States of America, then GET THE
FUCK
> OUT!

Most past immigrants from non-English speaking countries did not learn
anything but rudimentary English. The children were the bilingual,
assimilated ones.

What happened with Italians, Czechs, Poles, Germans, Greeks and many others
is happening with Hispanics. It's very, very hard for an adult to learn a
second language, but the first generation does learn and well.

7350. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:11:36 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0hjcbst98fr24@corp.supernews.com>
Source record: 35461
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In the words of that famous baseball player in "Major League"

Bite me!

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"Telamon" <telamon_spamshield@pacbell.net.is.invalid> wrote in message
news:telamon_spamshield-98272D.12553524122002@newssvr17-ext.news.prodigy.com
...
> In article <v0evlhqsl18i9b@corp.supernews.com>,
> "Fred Hambrecht Sr." <w4jle@charter.net> wrote:
>
> > Of course I like radio, however it is not the do all be all of my
universe.
> > When I come across an asinine statement in a newsgroup or a bar I
respond.
> >
> <snip>
>
> This might be cross-posted to 5 groups but they all have radio in them
> so I'll argue that radio is "the do all and be all." You are off topic.
>
> --
> Telamon

7351. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:22:07 UTC
From: Roland Stiner <nk2u@1stconnect.com>
Message-ID: <Y74O9.5559$BP.5556@fe01>
Source record: 35462
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

> What happened with Italians, Czechs, Poles, Germans, Greeks and many
others
> is happening with Hispanics. It's very, very hard for an adult to learn a
> second language, but the first generation does learn and well.

How can they when they don't even try? I think Spanish culture forbids them
from learning English. They watch Spanish TV, listen to Spanish radio and
read Spanish newspapers...

7352. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:29:53 UTC
From: sven@gordsven.com
Message-ID: <slrnb0hkll.725.sven@gordsven.com>
Source record: 35465
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <Y74O9.5559$BP.5556@fe01>, Roland Stiner wrote:
> How can they when they don't even try? I think Spanish culture forbids them
> from learning English. They watch Spanish TV, listen to Spanish radio and
> read Spanish newspapers...

The same as the Germans, Poles, Italians, Yiddish-speaking Jews, etc.
listened to radio in their respective languages and read newspapers in
their respective languages.

Get out of your suburban hell-hole and spend some time catching up on the
history of New York City and you'll see what it was like here during the
turn of the century.

Nothing new has been said on this thread. ENOUGH ALREADY!! We get the
point.

--
Sven Weil

(born in Germany of Colombian/German parents in 1975
(semi-legally emigrated to the USA in 1980
(became a legalized resident in 1981
(became a naturalized citizen in 1997)

7353. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:31:22 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <Km4O9.557$qi5.473@newssvr16.news.prodigy.com>
Source record: 35463
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Roland Stiner" <nk2u@1stconnect.com> wrote in message
news:Y74O9.5559$BP.5556@fe01...
> > What happened with Italians, Czechs, Poles, Germans, Greeks and many
> others
> > is happening with Hispanics. It's very, very hard for an adult to learn
a
> > second language, but the first generation does learn and well.
>
> How can they when they don't even try? I think Spanish culture forbids
them
> from learning English. They watch Spanish TV, listen to Spanish radio and
> read Spanish newspapers...

Just like Italians did... the original immigrants used Italian media, lived
in Italian neighborhoods and generally learned very minimal English.

It's an established, proven fact that becoming bilingual in the true sense
requires learning the second language before adolescence. Adults generally
learn new languages minimally and tend to never be bilingual.

7354. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:33:21 UTC
From: Ron Hardin <rhhardin@mindspring.com>
Message-ID: <3E08D2A1.F81@mindspring.com>
Source record: 35464
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I always use the Spanish button on the Kroger U-Scan so I don't have
to listen to the English. It's more pleasant if you don't understand
it.

I assume Hispanics will do the same thing only in English.
--
Ron Hardin
rhhardin@mindspring.com

On the internet, nobody knows you're a jerk.

7355. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:33:41 UTC
From: Charter News Server <charternewsserver@charternewsserver.kom>
Message-ID: <v0hklogbjph341@corp.supernews.com>
Source record: 35466
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"David Eduardo" <amdavid@pacbell.net> wrote in message
news:U_3O9.552$MQ4.514@newssvr16.news.prodigy.com...
>
> "Charter News Server" <charternewsserver@charternewsserver.kom> wrote in
> message news:v0hhfsq87tf924@corp.supernews.com...
> >
> >
> >
> > "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> > news:4b3O9.5529$BP.3370@fe01...
> > > > > Currently here a massive influx of Latinos. English speaking
> > > > > Caucasians may complain but some parts of the country are currently
> > > > > bilingual, like it or not. That is the reality.
> > > >
> > > > The only signs written in Spanish in the United States should be those
> > that
> > > > direct Spanish speakers to the nearest English classes!
> > > >
> > > > Roland, NK2U
> > > >
> > > >
> > >
> > > If ya can't speak English in the United States of America, then GET THE
> FUCK
> > > OUT!
>
> Most past immigrants from non-English speaking countries did not learn
> anything but rudimentary English. The children were the bilingual,
> assimilated ones.
>

This isn't the PAST, this is NOW.

It's real simple. In the USofA you either speak English or GET THE FUCK OUT.

7356. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:33:43 UTC
From: sven@gordsven.com
Message-ID: <slrnb0hksr.725.sven@gordsven.com>
Source record: 35467
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <v0hklogbjph341@corp.supernews.com>, Charter News Server wrote:
> It's real simple. In the USofA you either speak English or GET THE FUCK OUT.

Why? Because you say so? Who the FUCK are you?

Who died and made you king of the USA?

Big man...big words.

Too afraid to even post his real name.

Hah! Up yours! Bandwith parasite.

--
Sven

7357. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:43:19 UTC
From: Charter News Server <charternewsserver@charternewsserver.kom>
Message-ID: <v0hl7prjq1oj2e@corp.supernews.com>
Source record: 35468
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Sven Franklyn Weil" <sven@gordsven.com> wrote in message
news:slrnb0hksr.725.sven@gordsven.com...
> In article <v0hklogbjph341@corp.supernews.com>, Charter News Server wrote:
> > It's real simple. In the USofA you either speak English or GET THE FUCK
OUT.
>
> Why? Because you say so? Who the FUCK are you?

I make the FUCKING RULES AROUND HERE.

>
> Who died and made you king of the USA?

Your ancestors...

>
> Big man...big words.
>
> Too afraid to even post his real name.

Why, so you can spam my e-mail? FUCK OFF.

>
> Hah! Up yours! Bandwith parasite.

Oh look, the little BITCH tries to make a joke....

Nice try, pudding cup.

>
> --
> Sven

7358. radios for trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:43:28 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3E08D481.8030100@dirtball.com>
Source record: 35469

Hello
I have a FT 920 with the AM filter and FM board. The FT 920 is 100 watts HF + 6 Meters. It has a Auto tuner and the MC 100 Desk Mic. In the deal you will get the technical supplement too (AKA Service manual), as well as the owners manual. I also Have the 3 kW Roller Inductor Antenna Tuner. They are in good shape I will trade both for a FT 990 or a FT 1000. I have been using the FT 920 as a backup rig. Drop me a line so we can work out a deal.
oris@dirtball.com
I have a Icom ICR71A Shortwave receiver that I will trade for a working DX 100 and SX 300 or Hamuland HQ 110. I'm looking for a good AM Ham station. I will trade this Receiver for a good working AM station. I want both transmitterwith at least 100 watts out and receiver. I hope to find something to work with my Audio rack.
I also have a Henry Amp 2 KD 5 Desktop, (It needs a new Plate amp meter) two 3-500s 100 in will give you 1250 out, New Caps, that I will trade for a Globe King or full legal output Ham band AM transmitter. this is a pickup trade only. I will be willing to travel 100 miles from Athens GA.
I also have a Hallicrafters S 38 C Shortwave receiver. Its in great shape. It works but I have no idea what its worth. It is a old old receiver. (Make Offer)
I have a MFJ Versa Tuner II and a Roadtalker 40-channel sideband CB radio that somebody converted to 10 meters. It works quite well. I talked to a guy in South America on it. (Make Offer)
I also have a CBS 1000 transceiver. 25 MHz to 29.795 MHz. In 10 kHz steps. I got it at a hamfest in Georgia. I'll trade it for a SX 300 or NC 300 HQ 110 HQ 170 HQ 200 or similar HF receiver.
I have a Kenwood TM-2530A that I used as a 2 meter packet station. It needs a Mic and the light that lights up the liquid quartz dial. The radio works fine and is in good shape. I looking for a good AM transmitter.
I have a Kenwood TR 7850 This radio I used as the BBS access on 2 meters. It needs a Mic and needs a new lithium battery backup. I turn the radio off and back on it forgets where it was and defaults to 144.000Mhz. Other than that the radio works fine. I want a working AM transmitter.
I have a Kenwood TM 201a. I used this 2 meter radio as sat transmitter. I worked Mirror before it came down. It Needs allot of work. It needs a dial. The Freq. read out is all screwed up. This is a fixerupper. It receives fine and transmits fine. It needs a mic too I will though this in too with either one of the above 2 meter rigs
I have a Versa Tuner II 949c and a Palomar PT 340 tuner tuner that I would through in too with either one of the above 2 meter rigs. I also Have a Kenwood KDC 1011 mobile CD player that has the plugs set up for a the older fords. I will through it in too with either one of the above 2

meter rigs.
I also have a Behringer Ultra Graph Pro GEQ 3102 31 band equalizer that
I will through it in too with either one of the above 2 meter rigs.
Hey thanks for reading
Happy Holidays
73 Oris
http://www.dirtball.com

7359. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:44:47 UTC
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Message-ID: <telamon_spamshield-775E9D.13451924122002@newssvr17-ext.news.prodigy.com>
Source record: 35470
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <v0hjcbst98fr24@corp.supernews.com>,
"Fred Hambrecht Sr." <w4jle@charter.net> wrote:

> In the words of that famous baseball player in "Major League"
>
> Bite me!
>
> --
> For Admiral Poindexter's folks:
> Bomb, anthrax, attack, acid, hijack, skyjack
> sniper, plutonium, nuclear, Big Mac, jihad
> Democrats, terror, Howdy Doody, Oprah
>
> "Those that sacrifice freedom for security deserve neither"
>
>
> "Telamon" <telamon_spamshield@pacbell.net.is.invalid> wrote in message
> news:telamon_spamshield-98272D.12553524122002@newssvr17-ext.news.prodigy.com
> ...
> > In article <v0evlhqsl18i9b@corp.supernews.com>,
> > "Fred Hambrecht Sr." <w4jle@charter.net> wrote:
> >
> > > Of course I like radio, however it is not the do all be all of my
> universe.
> > > When I come across an asinine statement in a newsgroup or a bar I
> respond.
> > >
> > <snip>
> >
> > This might be cross-posted to 5 groups but they all have radio in them
> > so I'll argue that radio is "the do all and be all." You are off topic.
> >

Just because you have both feet stuck in your mouth don't expect me to
bite anything for you.

--
Telamon

7360. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:45:56 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <oA4O9.560$am5.14@newssvr16.news.prodigy.com>
Source record: 35471
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Attention, visitors: we have a troll feeding frenzy in the Troll Pit. Please watch your children and stay back form the guard rails.

"Charter News Server" <charternewsserver@charternewsserver.kom> wrote in message news:v0hl7prjq1oj2e@corp.supernews.com...
>
> "Sven Franklyn Weil" <sven@gordsven.com> wrote in message
> news:slrnb0hksr.725.sven@gordsven.com...
> > In article <v0hklogbjph341@corp.supernews.com>, Charter News Server wrote:
> > > > It's real simple. In the USofA you either speak English or GET THE FUCK
> OUT.
> > >
> > > Why? Because you say so? Who the FUCK are you?
> >
> I make the FUCKING RULES AROUND HERE.
> >
> > >
> > > Who died and made you king of the USA?
> >
> Your ancestors...
> >
> > >
> > > Big man...big words.
> > >
> > > Too afraid to even post his real name.
> >
> Why, so you can spam my e-mail? FUCK OFF.
> >
> > >
> > > Hah! Up yours! Bandwith parasite.
> >
> Oh look, the little BITCH tries to make a joke....
> >
> Nice try, pudding cup.
> >
> > >
> > > --
> > > Sven
> >
>

7361. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:52:27 UTC
From: dj <dalej2@mac.remove.this.com>
Message-ID: <dalej2-E297A7.15522624122002@apollo-ge0.rdc-kc.rr.com>
Source record: 35472
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <Y74O9.5559$BP.5556@fe01>,
"Roland Stiner" <nk2u@1stconnect.com> wrote:

>
> How can they when they don't even try? I think Spanish culture forbids them
> from learning English. They watch Spanish TV, listen to Spanish radio and
> read Spanish newspapers...

You have a good point. We (the USA) seem to actually be nuturing their native language here rather than nuturing english.

I also might add, I do not have a command of the english lingo myself, but I can write (a bit) read and speak it. I think anyone who wishes to become a part of our culture should make a faithful attempt at learning the english language. I would attempt do the same if I lived in their country. I think it's a basic respect for each other's culture to do that.

dj

7362. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 21:56:58 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <KK4O9.562$Ao5.191@newssvr16.news.prodigy.com>
Source record: 35473
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"dj" <dalej2@mac.remove.this.com> wrote in message
news:dalej2-E297A7.15522624122002@apollo-ge0.rdc-kc.rr.com...
> In article <Y74O9.5559$BP.5556@fe01>,
> "Roland Stiner" <nk2u@1stconnect.com> wrote:
>
>
> > >
> > How can they when they don't even try? I think Spanish culture forbids
them
> > from learning English. They watch Spanish TV, listen to Spanish radio
and
> > read Spanish newspapers...
>
>
> You have a good point. We (the USA) seem to actually be nuturing their
> native language here rather than nuturing english.
>
> I also might add, I do not have a command of the english lingo myself,
> but I can write (a bit) read and speak it. I think anyone who wishes to
> become a part of our culture should make a faithful attempt at learning
> the english language. I would attempt do the same if I lived in their
> country. I think it's a basic respect for each other's culture to do
> that.

You should take a poll of how many of the roughly 500,000 gringos who live
in Mexico speak anything but rudimentary Spanish. You could probably use
your fingers and have some left over.

7363. Kenwood TS-450S/AT Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 22:07:21 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <aualqq0130i@enews1.newsguy.com>
Source record: 35476

I recently acquired a TS-450S/AT, and am looking for a couple of modifications for it. I understand there is a mod to remove the AM broadcast band attenuator to improve performance. Also, I think there is a mod to speed up the AGC action. These mods are not on any of the popular modification sites and I have been unable to locate them elsewhere on the internet. I do have a copy of the service manual for the rig. Any help would be appreciated. Thanks and Happy Holidays,

Kevin, K9HX

7364. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 22:15:31 UTC
From: dj <dalej2@mac.remove.this.com>
Message-ID: <dalej2-6902CC.16153024122002@apollo-ge0.rdc-kc.rr.com>
Source record: 35474
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <KK4O9.562$Ao5.191@newssvr16.news.prodigy.com>,
"David Eduardo" <amdavid@pacbell.net> wrote:

> "dj" <dalej2@mac.remove.this.com> wrote in message
> news:dalej2-E297A7.15522624122002@apollo-ge0.rdc-kc.rr.com...
> > In article <Y74O9.5559$BP.5556@fe01>,
> > "Roland Stiner" <nk2u@1stconnect.com> wrote:
> >
> >
> > >
> > > > How can they when they don't even try? I think Spanish culture forbids
> them
> > > > from learning English. They watch Spanish TV, listen to Spanish radio
> and
> > > > read Spanish newspapers...
> > >
> > >
> > > You have a good point. We (the USA) seem to actually be nuturing their
> > > native language here rather than nuturing english.
> > >
> > > I also might add, I do not have a command of the english lingo myself,
> > > but I can write (a bit) read and speak it. I think anyone who wishes to
> > > become a part of our culture should make a faithful attempt at learning
> > > the english language. I would attempt do the same if I lived in their
> > > country. I think it's a basic respect for each other's culture to do
> > > that.
> >
> > You should take a poll of how many of the roughly 500,000 gringos who live
> > in Mexico speak anything but rudimentary Spanish. You could probably use
> > your fingers and have some left over.
> >
> >

That does not suprise me. I have never been in Mexico. I think Spanish
is a great language, I wish I knew it, now a few words only. Russian is
another that I would just like to know at least a little.

What's wrong with knowing another language? Nothing!

I can only respect someone who knows more than one language!

I should get off my dead A.. and learn one.

dj

7365. fs. vhf/uhf fm

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 22:31:46 UTC
From: Robert Hull <rhka0fbj@winco.net>
Message-ID: <3E08E052.53B5E092@winco.net>
Source record: 35475

I have andual band fm rig. ICOM 2340H 5/10/45 w. 100channel mem. No battery to replace. Memory is on eeprom chip. Comes with mobile mount,hand mic and instruction manual. Price $200 + shp. Thanks.
Rob KA0FBJ

7366. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 22:49:52 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <auaoaaqs1@slb9.atl.mindspring.net>
Source record: 35477
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Excellent....any questions out there? Didn't think so.

Dan/W4NTI

"Charter News Server" <charternewsserver@charternewsserver.kom> wrote in
message news:v0hhfsq87tf924@corp.supernews.com...
>
>
>
> "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> news:4b3O9.5529$BP.3370@fe01...
> > > Currently here a massive influx of Latinos. English speaking
> > > Caucasians may complain but some parts of the country are currently
> > > bilingual, like it or not. That is the reality.
> >
> > The only signs written in Spanish in the United States should be those
> that
> > direct Spanish speakers to the nearest English classes!
> >
> > Roland, NK2U
> >
> >
>
> If ya can't speak English in the United States of America, then GET THE
FUCK
> OUT!
>
>
>
> I'm a Bad American-this pretty much sums it up for me. I like big trucks,
> big boats, big houses, and naturally, pretty women with big tits.
>
> I believe the money I make belongs to me and my family, not some midlevel
> governmental functionary with a bad comb-over who wants to give it away to
> crack addicts squirting out babies.
>
> I don't care about appearing compassionate.
>
> I think playing with toy guns doesn't make you a killer. I believe
ignoring
> your kids and giving them Prozac might.
>
> I think I'm doing better than the homeless.

>
> I don't think being a minority makes you noble or victimized. I have the
> right not to be tolerant of others because they are different, weird or
make
> me mad. This is my life to live, and not necessarily up to others
> expectations. I know what SEX is and there are not varying degrees of it.
>
> I don't celebrate Kwanzaa. But if you want to that's fine; I just don't
feel
> like everyone else should have to.
>
> I believe that if you are selling me a Dairy Queen shake, a pack of
> cigarettes, or hotel room you do it in English. As of matter of fact, if
you
> are an American citizen you should speak English. My uncles and
forefathers
> shouldn't have had to die in vain so you can leave the countries you were
> born in to come disrespect ours, and make us bend to your will. Get over
it.
>
> I think the cops have every right to shoot your sorry butt if you're
running
> from them after they tell you to stop. If you can't understand the word
> 'freeze' or 'stop' in English, see the previous line. I don't use the
excuse
> "it's for the children" as a shield for unpopular opinions or actions.
>
> I know how to count votes and I feel much safer letting a machine with no
> political affiliation do a recount when needed. I know what the definition
> of lying is, and it isn't based on the word "is"-ever.
>
> I don't think just because you were not born in this country, you qualify
> for any special loan programs, gov't sponsored bank loans, etc., so you
can
> open a hotel, 7-Eleven, trinket shop, or any thing else, while the
> indigenous peoples can't get past a high school education because they
can't
> afford it.
>
> I didn't take the initiative in inventing the Internet. I thought the Taco
> Bell dog was funny.
>
> I want them to bring back safe and sane fireworks.
>
> I believe no one ever died because of something Ozzy Osbourne, Ice-T or
> Marilyn Manson sang, but that doesn't mean I want to listen to that crap
>
> from someone else's car when I'm stopped at a red light. But I respect
your
> right to.

>
> I think that being a student doesn't give you any more enlightenment than
> working at Blockbuster or Jack In The Box.
>
> I don't want to eat or drink anything with the words light, lite or
fat-free
> on the package.
>
> Our soldiers did not go to some foreign country and risk their lives in
vain
> and defend our Constitution so that decades later you can tell me it's a
> living document ever changing and is open to interpretation. The guys who
> wrote it were light years ahead of anyone today, and they meant what they
> said - now leave the document alone, or there's going to be trouble.
>
> I don't hate the rich. I help the poor. I know wrestling is fake. I've
never
> owned, or was a slave, and a large percentage of our forefathers weren't
> wealthy enough to own one either. Please stop blaming me because some
prior
> white people were idiots - and remember, tons of white, Indian, Chinese,
and
> other races have been enslaved too - it was wrong for every one of them.
>
> I believe a self-righteous liberal Democrat with a cause is more dangerous
> than a Hell's Angel with an attitude.
>
> I want to know exactly which church is it where the "Reverend" Jessie
> Jackson preaches; and, what exactly is his job function.
>
> I own a gun, you can own a gun, and any red blooded American should be
> allowed to own a gun, but if you use it in a crime, then you will serve
the
> time.
>
> I think Bill Gates has every right to keep every penny he made and
continue
> to make more. If it makes you mad, then invent the next operating system
> that's better and put your name on the building. Ask your buddy that
> invented the Internet to help you.
>
> I don't believe in hate crime legislation. Even suggesting it makes me
mad.
>
> You're telling me that someone who is a minority, gay, disabled, another
> nationality, or otherwise different from the mainstream of this country
has
> more value as a human being that I do as a white male. If someone kills
> anyone, I'd say that it's a hate crime. We don't need more laws! Let's
> enforce the ones we already have.

>
> I think turkey bacon, turkey beef, turkey fake anything sucks. I believe
> that it doesn't take a village to raise a child-it takes a parent with the
> guts to stand up to the kid and spank his butt and say "NO!" when it's
> necessary to do so. I'll admit that the only movie that ever made me cry
was
> Ole Yeller. I didn't realize Dr. Seuss was a genius until I had a kid.
>
> I will not be frowned upon or be looked down upon or be made to keep
silent
> because I have these beliefs and opinions. I thought this country allowed
me
> that right. I will not conform or compromise just to keep from hurting
> somebody's feelings. I'm neither angry nor disenfranchised, no matter how
> desperately the mainstream media would like the world to believe
otherwise.
> Yes, I guess by some people's definition, I may be a bad American.
>
>
>
>

7367. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 22:52:36 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <auaood$od7$1@slb5.atl.mindspring.net>
Source record: 35478
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Yep...its hard...but lets see some trying ... ok? I used to live in North Miami Florida, back in the 80s. The road signs were changed to Spanish. The schools became bi-lingual. No matter if the kid didn't speak Spanish...thats what they were taught in. BULL. I took my kids and moved to Tamarac where they still spoke English.

Then I moved further North. To Alabama where the only Spanish heard was to the Cuban prisoners in the Federal prison in Talladege county.

Felise Navidad

Dan/W4NTI

"David Eduardo" <amdavid@pacbell.net> wrote in message
news:U_3O9.552$MQ4.514@newssvr16.news.prodigy.com...
>
> "Charter News Server" <charternewsserver@charternewsserver.kom> wrote in
> message news:v0hhfsq87tf924@corp.supernews.com...
> >
> >
> >
> > "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> > news:4b3O9.5529$BP.3370@fe01...
> > > > Currently here a massive influx of Latinos. English speaking
> > > > Caucasians may complain but some parts of the country are currently
> > > > bilingual, like it or not. That is the reality.
> > >
> > > The only signs written in Spanish in the United States should be those
> > that
> > > direct Spanish speakers to the nearest English classes!
> > >
> > > Roland, NK2U
> > >
> > >
> >
> > If ya can't speak English in the United States of America, then GET THE
> FUCK
> > OUT!
>
> Most past immigrants from non-English speaking countries did not learn
> anything but rudimentary English. The children were the bilingual,
> assimilated ones.
>
> What happened with Italians, Czechs, Poles, Germans, Greeks and many

others
> is happening with Hispanics. It's very, very hard for an adult to learn a
> second language, but the first generation does learn and well.
>
>

7368. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 22:55:12 UTC
From: Bill M <don'tspamme-exray@caribe.net>
Message-ID: <v0hpb2ifu8lp5b@corp.supernews.com>
Source record: 35479
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Dan/W4NTI wrote:
> Excellent....any questions out there? Didn't think so.
>
> Dan/W4NTI

Yeah, do I have to bring my own sheet or do you guys furnish that?

-Trent

7369. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 22:55:19 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <auaokedqo1@slb2.atl.mindspring.net>
Source record: 35480
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Hate to break the bubble here.....My background is Italian. Grandpa and
Grandma spoke Italian. Their kids spoke English. Grandpa spoke both.
Grandma cooked a lot.

My mother spoke ONLY English and was not ALLOWED to learn Italian.
Whatever.

Dan/W4NTI

"David Eduardo" <amdavid@pacbell.net> wrote in message
news:Km4O9.557$qi5.473@newssvr16.news.prodigy.com...
>
> "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> news:Y74O9.5559$BP.5556@fe01...
> > > What happened with Italians, Czechs, Poles, Germans, Greeks and many
> > others
> > > is happening with Hispanics. It's very, very hard for an adult to
learn
> a
> > > second language, but the first generation does learn and well.
> >
> > How can they when they don't even try? I think Spanish culture forbids
> them
> > from learning English. They watch Spanish TV, listen to Spanish radio
and
> > read Spanish newspapers...
>
> Just like Italians did... the original immigrants used Italian media,
lived
> in Italian neighborhoods and generally learned very minimal English.
>
> It's an established, proven fact that becoming bilingual in the true sense
> requires learning the second language before adolescence. Adults generally
> learn new languages minimally and tend to never be bilingual.
>
>

7370. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 22:57:06 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <auaonqdvk1@slb0.atl.mindspring.net>
Source record: 35481
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

OK...all the Gringo's out of Mexico. Can't wait to see the economy soar
downward again.

Dan/W4NTI

"David Eduardo" <amdavid@pacbell.net> wrote in message
news:KK4O9.562$Ao5.191@newssvr16.news.prodigy.com...
>
> "dj" <dalej2@mac.remove.this.com> wrote in message
> news:dalej2-E297A7.15522624122002@apollo-ge0.rdc-kc.rr.com...
> > In article <Y74O9.5559$BP.5556@fe01>,
> > "Roland Stiner" <nk2u@1stconnect.com> wrote:
> >
> >
> > > >
> > > How can they when they don't even try? I think Spanish culture
forbids
> them
> > > from learning English. They watch Spanish TV, listen to Spanish radio
> and
> > > read Spanish newspapers...
> >
> >
> > You have a good point. We (the USA) seem to actually be nuturing their
> > native language here rather than nuturing english.
> >
> > I also might add, I do not have a command of the english lingo myself,
> > but I can write (a bit) read and speak it. I think anyone who wishes to
> > become a part of our culture should make a faithful attempt at learning
> > the english language. I would attempt do the same if I lived in their
> > country. I think it's a basic respect for each other's culture to do
> > that.
>
> You should take a poll of how many of the roughly 500,000 gringos who live
> in Mexico speak anything but rudimentary Spanish. You could probably use
> your fingers and have some left over.
>
>

7371. Re: Kenwood TS-450S/AT Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 23:22:47 UTC
From: "David G. Nagel" <nagel@core.com>
Message-ID: <3E08EC47.1000600@core.com>
Source record: 35482

Go to "http://www.qrz.com" and look for mods. They have almost
everything. Uae at you own risk.
Dave WD9BDZ

Kevin wrote:
> I recently acquired a TS-450S/AT, and am looking for a couple of
> modifications for it. I understand there is a mod to remove the AM broadcast
> band attenuator to improve performance. Also, I think there is a mod to
> speed up the AGC action. These mods are not on any of the popular
> modification sites and I have been unable to locate them elsewhere on the
> internet. I do have a copy of the service manual for the rig. Any help would
> be appreciated. Thanks and Happy Holidays,
>
> Kevin, K9HX
>
>

7372. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 23:32:51 UTC
From: dj <dalej2@mac.remove.this.com>
Message-ID: <dalej2-F3E279.17325024122002@apollo-ge0.rdc-kc.rr.com>
Source record: 35483
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <auaokedqo1@slb2.atl.mindspring.net>,
"Dan/W4NTI" <w4nti@NOSPAMmindspring.com> wrote:

> Hate to break the bubble here.....My background is Italian. Grandpa and
> Grandma spoke Italian. Their kids spoke English. Grandpa spoke both.
> Grandma cooked a lot.
>
> My mother spoke ONLY English and was not ALLOWED to learn Italian.
> Whatever.
>
> Dan/W4NTI
>
> "David Eduardo" <amdavid@pacbell.net> wrote in message
> news:Km4O9.557$qi5.473@newssvr16.news.prodigy.com...
> >
> > "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> > news:Y74O9.5559$BP.5556@fe01...
> > > > What happened with Italians, Czechs, Poles, Germans, Greeks and many
> > > others
> > > > is happening with Hispanics. It's very, very hard for an adult to
> learn
> > a
> > > > second language, but the first generation does learn and well.
> > >
> > > How can they when they don't even try? I think Spanish culture forbids
> > them
> > > from learning English. They watch Spanish TV, listen to Spanish radio
> and
> > > read Spanish newspapers...
> >
> > Just like Italians did... the original immigrants used Italian media,
> lived
> > in Italian neighborhoods and generally learned very minimal English.
> >
> > It's an established, proven fact that becoming bilingual in the true sense
> > requires learning the second language before adolescence. Adults generally
> > learn new languages minimally and tend to never be bilingual.
> >
> >
>
>

My mother is Polish, she still speaks it especally when she gets angry.
She's 87 now and still gets very angry sometimes. I love it.

I know, I know this does not have a damn thing to do with radios, but
what the hell.

Happy holidays to everyone everywhere. I'm all done.
dj

7373. Re: Kenwood TS-450S/AT Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-24 23:49:53 UTC
From: Kevin <kberlen@ticz.com>
Message-ID: <auarr301aq2@enews1.newsguy.com>
Source record: 35484

As I staed in my first post, the mods I am looking for are not avaiable at QRZ, or any of the other popular sites that list modifications. Thanks anyway,

Kevin, K9HX

"David G. Nagel" <nagel@core.com> wrote in message news:3E08EC47.1000600@core.com...
> Go to "http://www.qrz.com" and look for mods. They have almost
> everything. Uae at you own risk.
> Dave WD9BDZ
>
>
> Kevin wrote:
> > I recently acquired a TS-450S/AT, and am looking for a couple of
> > modifications for it. I understand there is a mod to remove the AM broadcast
> > band attenuator to improve performance. Also, I think there is a mod to
> > speed up the AGC action. These mods are not on any of the popular
> > modification sites and I have been unable to locate them elsewhere on the
> > internet. I do have a copy of the service manual for the rig. Any help would
> > be appreciated. Thanks and Happy Holidays,
> >
> > Kevin, K9HX
> >
> >
>

7374. Re: Kenwood TS-450S/AT Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 00:22:07 UTC
From: Don Baker <DocDB@excite.com>
Message-ID: <RV6O9.290$VR2.31062@news.abs.net>
Source record: 35485

Here is a quick and dirty way to change the AGC response time

http://user.chollian.net/~cyberline/agcmod.htm

If you can't read Japanese, use babkefish to translate.

"Kevin" <kberlen@ticz.com> wrote in message
news:aualqq0130i@enews1.newsguy.com...
> I recently acquired a TS-450S/AT, and am looking for a couple of
> modifications for it. I understand there is a mod to remove the AM
broadcast
> band attenuator to improve performance. Also, I think there is a mod to
> speed up the AGC action. These mods are not on any of the popular
> modification sites and I have been unable to locate them elsewhere on the
> internet. I do have a copy of the service manual for the rig. Any help
would
> be appreciated. Thanks and Happy Holidays,
>
> Kevin, K9HX
>
>

7375. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 00:45:38 UTC
From: mike II <owls@look.ca>
Message-ID: <3E08FFB2.B42A199F@look.ca>
Source record: 35503
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

George wrote:
>
> Jeremiah 10:1-4
> Thus saith the Lord, Learn not the way of the heathen... For the
> customs of the people are vain: for one cutteth a tree out of the
> forest, the work of the hands of the workman, with the axe. They deck
> it with silver and with gold; they fasten it with nails and with
> hammers, that it move not.

So, will Charlie Brown be going to hell?

mike

7376. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 00:50:38 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <auavcmrft1@slb6.atl.mindspring.net>
Source record: 35486
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Bring your own. All we furnish to outside troublemakers is a pine box.

Dan/W4NTI

"Bill M" <don'tspamme-exray@caribe.net> wrote in message
news:v0hpb2ifu8lp5b@corp.supernews.com...
> Dan/W4NTI wrote:
> > Excellent....any questions out there? Didn't think so.
> >
> > Dan/W4NTI
>
> Yeah, do I have to bring my own sheet or do you guys furnish that?
>
> -Trent
>

7377. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 01:15:24 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <gF7O9.6250$4k6.475053@wards>
Source record: 35487
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

> How does one say McDonald's or Pizza Hut, or Radio Shack in French?

I just ran it past Babelfish and it came up with Hutte De Pizza.

Anyway, we get the same thing in Wales with English / Welsh signs, and if you happen to live in London (not that I can work out why anyone would want to live in a city) you will end up with forms in one of 30 languages.

Why can't governments simply state what is the main language and have all signs in that language. Lets face it, we muddle through when we go to countries that don't speak our native languages.

Neil.

7378. WTB:" unique wire tuner"

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 02:18:28 UTC
From: davekdo@aol.com
Message-ID: <20021224211828.19615.00000257@mb-bd.aol.com>
Source record: 35488

Hello all
Looking for a UNIQUE WIRE TUNER, WITH A 37 TURN INDUCTOR.
Reply to Davekdo@aol.com
Thanks!

test

7379. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 02:31:59 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0i64vrstlg75@corp.supernews.com>
Source record: 35489
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Dan/W4NTI" <w4nti@NOSPAMmindspring.com> wrote in message
news:auavcmrft1@slb6.atl.mindspring.net...
> Bring your own. All we furnish to outside troublemakers is a pine box.
>
> Dan/W4NTI

Is that the tune from the Good, the Bad, and the
Ugly I'm hearing whistled right now? ;^)

--
'73' & Merry Christmas From KB9TMP

"JESUS is the REASON for the SEASON!"

7380. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 02:43:40 UTC
From: tim87529@cswebmail.com
Message-ID: <3d159cf3.0212241843.373784c9@posting.google.com>
Source record: 35490
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ron Hardin <rhhardin@mindspring.com> wrote in message
news:<3E08D2A1.F81@mindspring.com>...
> I always use the Spanish button on the Kroger U-Scan so I don't have
> to listen to the English. It's more pleasant if you don't understand
> it.
>
I do that to a lot of things ranging from the computer monitor control
thingy to those double-sided bilingual forms they give you to fill
out.

This reminds me of something I saw in Monty Puthon's Flying Circus...
It was a sketch called 'Joke Warfare' or something. I got it somewhere
in my massive Betamax archive of shows taped off of TV.

> I assume Hispanics will do the same thing only in English.

7381. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 03:10:51 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0921BB.1070803@NOSPAMutoronto.ca>
Source record: 35491
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

David Eduardo wrote:
> It's an established, proven fact that becoming bilingual in the true sense
> requires learning the second language before adolescence. Adults generally
> learn new languages minimally and tend to never be bilingual.

Can you point to some scientific evidence?

--
Michael Moore

7382. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 03:23:41 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3E0924C1.5030107@netscape.net>
Source record: 35492
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

KB9TMP wrote:
> "Dan/W4NTI" <w4nti@NOSPAMmindspring.com> wrote in message
> news:auavcmrft1@slb6.atl.mindspring.net...
>
>>Bring your own. All we furnish to outside troublemakers is a pine box.
>>
>>Dan/W4NTI
>
>
> Is that the tune from the Good, the Bad, and the
> Ugly I'm hearing whistled right now? ;^)

It's either that, or maybe "Hang 'em High" or some such cheesy spaghetti
western...

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

7383. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 03:47:45 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <BT9O9.611$CO6.580@newssvr16.news.prodigy.com>
Source record: 35493
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
news:3E0921BB.1070803@NOSPAMutoronto.ca...
> David Eduardo wrote:
> > It's an established, proven fact that becoming bilingual in the true
sense
> > requires learning the second language before adolescence. Adults
generally
> > learn new languages minimally and tend to never be bilingual.
>
> Can you point to some scientific evidence?

A lot of the best was done in the 60's in Quebec. Do a search on language
learning abilities and you should get it.

7384. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 04:00:58 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3E092D7A.1080802@mailcity.net>
Source record: 35499
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Dan/W4NTI wrote:
> Yep...its hard...but lets see some trying ... ok? I used to live in North
> Miami Florida, back in the 80s. The road signs were changed to Spanish.
> The schools became bi-lingual. No matter if the kid didn't speak
> Spanish...thats what they were taught in. BULL. I took my kids and moved
> to Tamarac where they still spoke English.
>
> Then I moved further North. To Alabama where the only Spanish heard was to
> the Cuban prisoners in the Federal prison in Talladege county.
>
> Felise Navidad
>
> Dan/W4NTI
>
> "David Eduardo" <amdavid@pacbell.net> wrote in message
> news:U_3O9.552$MQ4.514@newssvr16.news.prodigy.com...
>
>>"Charter News Server" <charternewsserver@charternewsserver.kom> wrote in
>>message news:v0hhfsq87tf924@corp.supernews.com...
>>
>>>
>>>
>>>"Roland Stiner" <nk2u@1stconnect.com> wrote in message
>>>news:4b3O9.5529$BP.3370@fe01...
>>>
>>>>>>Currently here a massive influx of Latinos. English speaking
>>>>>Caucasians may complain but some parts of the country are currently
>>>>>bilingual, like it or not. That is the reality.
>>>>
>>>>The only signs written in Spanish in the United States should be those
>>>
>>>that
>>>
>>>>direct Spanish speakers to the nearest English classes!
>>>>
>>>>Roland, NK2U
>>>>
>>>>
>>>
>>>If ya can't speak English in the United States of America, then GET THE
>>
>>FUCK
>>

>>>OUT!
>>
>>Most past immigrants from non-English speaking countries did not learn
>>anything but rudimentary English. The children were the bilingual,
>>assimilated ones.
>>
>>What happened with Italians, Czechs, Poles, Germans, Greeks and many
>
> others
>
>>is happening with Hispanics. It's very, very hard for an adult to learn a
>>second language, but the first generation does learn and well.
>>
>>
>
>
>

7385. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 04:05:58 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3E092EA6.9060502@mailcity.net>
Source record: 35500
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Would you please take the rec.antiques.radio+phono group out of
your off topic discussion. For those of you who are newsgroup
posting challenged, it isn't very hard, just take the group out of
the list of newsgroup you are posting to. We really don't care
about your language problems.

Dan/W4NTI wrote:
> Yep...its hard...but lets see some trying ... ok? I used to live in North
> Miami Florida, back in the 80s. The road signs were changed to Spanish.
> The schools became bi-lingual. No matter if the kid didn't speak
> Spanish...thats what they were taught in. BULL. I took my kids and moved
> to Tamarac where they still spoke English.
>
> Then I moved further North. To Alabama where the only Spanish heard was to
> the Cuban prisoners in the Federal prison in Talladege county.
>
> Felise Navidad
>
> Dan/W4NTI
>
> "David Eduardo" <amdavid@pacbell.net> wrote in message
> news:U_3O9.552$MQ4.514@newssvr16.news.prodigy.com...
>
>>"Charter News Server" <charternewsserver@charternewsserver.kom> wrote in
>>message news:v0hhfsq87tf924@corp.supernews.com...
>>
>>>
>>>
>>>"Roland Stiner" <nk2u@1stconnect.com> wrote in message
>>>news:4b3O9.5529$BP.3370@fe01...
>>>
>>>>>>Currently here a massive influx of Latinos. English speaking
>>>>>Caucasians may complain but some parts of the country are currently
>>>>>bilingual, like it or not. That is the reality.
>>>>
>>>>The only signs written in Spanish in the United States should be those
>>>
>>>that
>>>
>>>>direct Spanish speakers to the nearest English classes!
>>>>
>>>>Roland, NK2U
>>>>

>>>>
>>>
>>>If ya can't speak English in the United States of America, then GET THE
>>
>>FUCK
>>
>>>OUT!
>>
>>Most past immigrants from non-English speaking countries did not learn
>>anything but rudimentary English. The children were the bilingual,
>>assimilated ones.
>>
>>What happened with Italians, Czechs, Poles, Germans, Greeks and many
>
> others
>
>>is happening with Hispanics. It's very, very hard for an adult to learn a
>>second language, but the first generation does learn and well.
>>
>>
>
>
>

7386. Icom SM-10 question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 04:16:28 UTC
From: "Dan, danl, danny boy, Redbeard, actually Greybeard now" <danl@execpc.com>
Message-ID: <3e09311a$0$1399$272ea4a1@news.execpc.com>
Source record: 35494

Hi,
Does anyone out here have an SM-10 in use with a Icom 706MKIIG? Does anyone have a schematic/manual of the SM10 to copy for me. I will pay copy and shipping costs.
Thanks

Amateur radio - What a hobby!
Remove left x for direct reply

7387. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 04:24:01 UTC
From: Peter Maus <DPeterMaus@worldnet.att.net>
Message-ID: <3E0932EE.83F0A866@worldnet.att.net>
Source record: 35495
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

```
Charter News Server wrote:
>
> "David Eduardo" <amdavid@pacbell.net> wrote in message
> news:U_3O9.552$MQ4.514@newssvr16.news.prodigy.com...
> >
> > "Charter News Server" <charternewsserver@charternewsserver.kom> wrote in
> > message news:v0hhfsq87tf924@corp.supernews.com...
> > >
> > >
> > >
> > > "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> > > news:4b3O9.5529$BP.3370@fe01...
> > > > > Currently here a massive influx of Latinos. English speaking
> > > > > Caucasians may complain but some parts of the country are currently
> > > > > bilingual, like it or not. That is the reality.
> > > >
> > > > The only signs written in Spanish in the United States should be those
> > > that
> > > > direct Spanish speakers to the nearest English classes!
> > > >
> > > > Roland, NK2U
> > > >
> > > >
> > >
> > > If ya can't speak English in the United States of America, then GET THE
> > FUCK
> > > OUT!
> >
> > Most past immigrants from non-English speaking countries did not learn
> > anything but rudimentary English. The children were the bilingual,
> > assimilated ones.
> >
>
> This isn't the PAST, this is NOW.
>
> It's real simple. In the USofA you either speak English or GET THE FUCK OUT.

Actually, the USofA is one of those rare birds: a fully
industrialized country with NO official language.

There have been attempts to make such a declaration, and in fact
everytime Congress has attempted to pass a resolution making English
the Official Language of the US, it's been roundly shouted down.
```

So, not only is there no legal requirement in the USofA to speak English, there is less motivation to learn it every day.

If you don't like these facts, you may wish to write your Congressmen and Senators, they're the only ones who can change it.

In English, would be nice.

7388. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 04:39:51 UTC
From: Realist
Message-ID: <aubcpm$g4o$0@pita.alt.net>
Source record: 35496
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

```
"Peter Maus" <DPeterMaus@worldnet.att.net> wrote in message
news:3E0932EE.83F0A866@worldnet.att.net...
>
>
> Charter News Server wrote:
> >
> > "David Eduardo" <amdavid@pacbell.net> wrote in message
> > news:U_3O9.552$MQ4.514@newssvr16.news.prodigy.com...
> > >
> > > "Charter News Server" <charternewsserver@charternewsserver.kom> wrote
in
> > > message news:v0hhfsq87tf924@corp.supernews.com...
> > > >
> > > >
> > > >
> > > > "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> > > > news:4b3O9.5529$BP.3370@fe01...
> > > > > > Currently here a massive influx of Latinos. English speaking
> > > > > > Caucasians may complain but some parts of the country are
currently
> > > > > > bilingual, like it or not. That is the reality.
> > > > >
> > > > > The only signs written in Spanish in the United States should be
those
> > > > that
> > > > > direct Spanish speakers to the nearest English classes!
> > > > >
> > > > > Roland, NK2U
> > > > >
> > > > >
> > > > >
> > > >
> > > > If ya can't speak English in the United States of America, then GET
THE
> > > FUCK
> > > > > OUT!
> > >
> > > Most past immigrants from non-English speaking countries did not learn
> > > anything but rudimentary English. The children were the bilingual,
> > > assimilated ones.
> > >
> >
> > This isn't the PAST, this is NOW.
```

> >
> > It's real simple. In the USofA you either speak English or GET THE FUCK
OUT.
>
>
> Actually, the USofA is one of those rare birds: a fully
> industrialized country with NO official language.
>
> There have been attempts to make such a declaration, and in fact
> everytime Congress has attempted to pass a resolution making English
> the Official Language of the US, it's been roundly shouted down.
>
> So, not only is there no legal requirement in the USofA to speak
> English, there is less motivation to learn it every day.
>
> If you don't like these facts, you may wish to write your
> Congressmen and Senators, they're the only ones who can change it.
>
> In English, would be nice.

Wishful thinking to be sure. The ONLY thing our politicians are going to change is their pay scale. They are much too cowed by the politically correct crowd to stand up for anything but more taxes and increased government control over you and me. Expecting anything else is pure folly.

7389. The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 05:40:45 UTC
From: geo_jackson@hotmail.com
Message-ID: <c21a06bc.0212242140.39fe38d2@posting.google.com>
Source record: 35497
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Jeremiah 10:1-4
Thus saith the Lord, Learn not the way of the heathen... For the customs of the people are vain: for one cutteth a tree out of the forest, the work of the hands of the workman, with the axe. They deck it with silver and with gold; they fasten it with nails and with hammers, that it move not.

7390. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 05:59:37 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0iia9h2df8j8a@corp.supernews.com>
Source record: 35498
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"George" <geo_jackson@hotmail.com> wrote in message
news:c21a06bc.0212242140.39fe38d2@posting.google.com...
> Jeremiah 10:1-4
> Thus saith the Lord, Learn not the way of the heathen... For the
> customs of the people are vain: for one cutteth a tree out of the
> forest, the work of the hands of the workman, with the axe. They deck
> it with silver and with gold; they fasten it with nails and with
> hammers, that it move not.

Isa:9:6: For unto us a child is born, unto us a son is given: and
the government shall be upon his shoulder: and his name shall
be called Wonderful, Counseller, The mighty God, The
everlasting Father, The Prince of Peace.

Isa:53:5: But he was wounded for our transgressions, he was
bruised for our iniquities: the chastisement of our peace was
upon him; and with his stripes we are healed.

Rom:10:9: That if thou shalt confess with thy mouth the Lord
Jesus, and shalt believe in thine heart that God hath raised him
from the dead, thou shalt be saved.

--

'73' & Merry Christmas From KB9TMP

"JESUS is the REASON for the SEASON!"

7391. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 06:10:40 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <geii0v0ahhooo66k0bmsu6rbj3g2b8b17s@4ax.com>
Source record: 35501
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Tue, 24 Dec 2002 09:46:19 -0600, "M.E." <bogus@nospam.com> wrote:

>TV "sweep" amplifiers operate at 15Khz, that is what the tube was designed
>to run effiecntly.

Yah BUT!

The tube didn't run a straight sine wave and they were used as the finals for quite a few 160 through 10 meter rigs in the 70s and into the 80s. I believe both Drake and Swan used sweep tubes. At any rate sweep tubes were very popular for use from 160 through the 10 meter band back then. And they were cheap! We used 6L6s to get near 100 watts input across the HF band and they are listed as audio tubes.

Some amps were designed to run as much as a KW, or slightly more using 4 across the whole HF range. One such amp was the GLA-1000. They worked very well on 10 meters and I have little doubt they would *probably* work on 6 with reduced ratings.

I don't remember the name of the amp, (this was quite a while ago) but a friend picked one up at a swap. It was a 10 meter and 6 meter rig....You can guess it's real purpose. He couldn't get it to work. I checked and the tank coil tap was permanently set at (10 meters?) I switched to the 6 meter tap and we were getting about 160 watts out of the pair of sweep tubes...and no I don't remember which ones..

Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)

7392. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 06:45:28 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <aubij3$9r5$1@news1.kornet.net>
Source record: 35502
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Amen.

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0iia9h2df8j8a@corp.supernews.com...
>
> "George" <geo_jackson@hotmail.com> wrote in message
> news:c21a06bc.0212242140.39fe38d2@posting.google.com...
> > Jeremiah 10:1-4
> > Thus saith the Lord, Learn not the way of the heathen... For the
> > customs of the people are vain: for one cutteth a tree out of the
> > forest, the work of the hands of the workman, with the axe. They deck
> > it with silver and with gold; they fasten it with nails and with
> > hammers, that it move not.
>
> Isa:9:6: For unto us a child is born, unto us a son is given: and
> the government shall be upon his shoulder: and his name shall
> be called Wonderful, Counseller, The mighty God, The
> everlasting Father, The Prince of Peace.
>
> Isa:53:5: But he was wounded for our transgressions, he was
> bruised for our iniquities: the chastisement of our peace was
> upon him; and with his stripes we are healed.
>
> Rom:10:9: That if thou shalt confess with thy mouth the Lord
> Jesus, and shalt believe in thine heart that God hath raised him
> from the dead, thou shalt be saved.
>
> --
>
> '73' & Merry Christmas From KB9TMP
>
> "JESUS is the REASON for the SEASON!"
>
>
>

7393. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 08:04:44 UTC
From: Charles Gillen <see-my-sig@below.com>
Message-ID: <Xns92EF1F56D1CC0gillen@216.194.225.92>
Source record: 35504
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

geo_jackson@hotmail.com (George) wrote:

> Jeremiah 10:1-4
> Thus saith the Lord, Learn not the way of the heathen...

Your "Lord" is no more believable than Santa or the Easter Bunny. If that makes me a heathen in your book... fine with me, though I'd prefer to be known as an adult free of the superstitions the human race picked up when we still lived in caves.

BTW, you were off topic to boot :^)

--
Anti-Spam address: my last name at his dot com
Charles Gillen -- Reston, Virginia, USA

7394. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 08:13:23 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0968A3.3010607@NOSPAMutoronto.ca>
Source record: 35505
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

David Eduardo wrote:
> "Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
> news:3E0921BB.1070803@NOSPAMutoronto.ca...
>
>>David Eduardo wrote:
>>
>>>It's an established, proven fact that becoming bilingual in the true
>>
> sense
>
>>>requires learning the second language before adolescence. Adults
>>
> generally
>
>>>learn new languages minimally and tend to never be bilingual.
>>
>>Can you point to some scientific evidence?
>
>
> A lot of the best was done in the 60's in Quebec. Do a search on language
> learning abilities and you should get it.

I will try the search. But surely, the "requires learning
the second language before adolescence" is an exageration.
I have several Asian acquaintances who have come to stay at
my home while studying English -- most were mid to late
20's. They did learn English fluently.

--
Michael Moore

7395. FS: Kantronics KPC3 Plus Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 10:00:08 UTC
From: "Benjamin, KB9LFZ" <KB9LFZ@arrl.net>
Message-ID: <3e097e52$1_6@news.teranews.com>
Source record: 35506
Cross-posted to: rec.radio.amateur.antenna,alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

Hello All!

Have here a Kantronics KPC3 Plus manaul upfor grabs.

Good Condition for the exception of some kind of stain on bottom
right side.. about the size of a 50cent piece.

Just asking $5 and whatever it costs to get it shipped to the
address your provide.

Email me with your interest and we'll go from there.

Respectfully,
~Benjamin
de KB9LFZ {arrl.net}

7396. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 10:57:05 UTC
From: Ed de la Rie <ed@doofpot.nl>
Message-ID: <5agO9.138158$4B2.15480702@amsnews03.chello.com>
Source record: 35507
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

```
Charter News Server wrote:
> "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> news:4b3O9.5529$BP.3370@fe01...
>>> Currently here a massive influx of Latinos. English speaking
>>> Caucasians may complain but some parts of the country are currently
>>> bilingual, like it or not. That is the reality.
>>
>> The only signs written in Spanish in the United States should be
>> those that direct Spanish speakers to the nearest English classes!
>>
>> Roland, NK2U
>>
>>
>
> If ya can't speak English in the United States of America, then GET
> THE FUCK OUT!
>

should you not speak sioux or so :)
```

7397. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 11:07:07 UTC
From: Ed de la Rie <ed@doofpot.nl>
Message-ID: <vjgO9.138221$4B2.15503445@amsnews03.chello.com>
Source record: 35508
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Charter News Server wrote:
> I believe that if you are selling me a Dairy Queen shake, a pack of
> cigarettes, or hotel room you do it in English. As of matter of fact,
> if you are an American citizen you should speak English. My uncles
> and forefathers shouldn't have had to die in vain so you can leave
> the countries you were born in to come disrespect ours, and make us
> bend to your will. Get over it.

So you mean that the people who first started to convert the americas
to our western standards should still be commemmorated.

Uhhh, was that not some guy named christoffel columbus?

Was that a brit? or a german ? or a dutchy (who owned NY one day)

Geeee, that was a guy from spain.

First come, first serve ??? :)

Get over it, and think that all people should have the right to work
and live. Think of ways that politics and economics can serve the
world around you, and see that if everyone has a decent job and
a decent world to live in, there is no need to fight.
Just respect that some people eat different or speak different but
still have the same needs as you do. Eat and drink and think for
basics

7398. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 11:13:36 UTC
From: Ed de la Rie <ed@doofpot.nl>
Message-ID: <ApgO9.138274$4B2.15516559@amsnews03.chello.com>
Source record: 35509
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Roland Stiner wrote:
>> What happened with Italians, Czechs, Poles, Germans, Greeks and many
>> others is happening with Hispanics. It's very, very hard for an
>> adult to learn a second language, but the first generation does
>> learn and well.
>
> How can they when they don't even try? I think Spanish culture
> forbids them from learning English. They watch Spanish TV, listen to
> Spanish radio and read Spanish newspapers...

So, go to them and speak with those that can speak english.
Get them to join in your community and understand what drives you
and while you are at it, find out what drives them.

Hint, their cooking aint bad :)

BTW same discussions applies to europe in respect to people from
other foreign countries that migrated over here to seek the pot of gold.

The discussion is for us how to find ways to respectfully integrated them
to our societies, whatever language that might be

7399. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 11:24:43 UTC
From: Ed de la Rie <ed@doofpot.nl>
Message-ID: <%zgO9.138358$4B2.15538534@amsnews03.chello.com>
Source record: 35510
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

dj wrote:
> My mother is Polish, she still speaks it especally when she gets
> angry. She's 87 now and still gets very angry sometimes. I love it.

grin, i can picture that

> I know, I know this does not have a damn thing to do with radios, but
> what the hell.

well .... If i switch on my shortwave set, I can hear and speak to all of those languages. If i turn on my TV I can find channels where I dont have the faintest idea what they are talking about.

Might it be that without all this, the immigrants were more forced to join in our local communities, on the other there is a good oppurtunity to speak with them.

Within the ham-community those people that love to communicate try and learn some universal language. That might be english, but for me i can chat along in italian/dutch/german/french/spanish and some rude jewish words. Maybe I can pick up scandinavian or east-european words.

I love to communicate, and if I trigger the other party to try and communicate
in some language we both know a few words in, the fun starts.

Really, I know a lot about other countries and their history. This enables me
to speak and respect them, but be respected as well. If that matters :)
Well, to me it does, and discussing things like that on this NG is part of that.

Ed (whose ancensestors were once kicked out of france because they thought different about the bible) (around 1530, so what is new :)

7400. KT34 M2 Triband Yagi-Reduced

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 11:26:35 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <LBgO9.4938$ka5.577583@newsread1.prod.itd.earthlink.net>
Source record: 35511
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This is the new four element M2 tribander. Formerly the KT34A but now
redesigned by M2 for even better performance.
Four linear loaded elements for 10, 15, 20 Meters. 16 foot boom.

See www.m2inc.com for more details.

This antenna is brand new, in a sealed box. Never opened. Owner has changed
his tower/antenna plans.

Asking $950.00 plus shipping from Los Angeles

73 de Rich W6VX

7401. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 11:35:46 UTC
From: Ed de la Rie <ed@doofpot.nl>
Message-ID: <mKgO9.138441$4B2.15561854@amsnews03.chello.com>
Source record: 35512
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

dj wrote:
> In article <Y74O9.5559$BP.5556@fe01>,
> "Roland Stiner" <nk2u@1stconnect.com> wrote:
>
>
>>
>> How can they when they don't even try? I think Spanish culture
>> forbids them from learning English. They watch Spanish TV, listen
>> to Spanish radio and read Spanish newspapers...
>
>
> You have a good point. We (the USA) seem to actually be nuturing
> their native language here rather than nuturing english.

everyone who respects freedom allows this, remains to be seen if that
is a wise choice

> I also might add, I do not have a command of the english lingo myself,
> but I can write (a bit) read and speak it. I think anyone who wishes
> to become a part of our culture should make a faithful attempt at
> learning the english language. I would attempt do the same if I
> lived in their country. I think it's a basic respect for each
> other's culture to do that.

Which is true, but now there is something coming to my mind.
Based on the same experiences here in Europe, that mostly the people
that immigrate for work elsewhere are not the most well skilled cause
otherwise they would not have to seek for work and a better future else
where.

So it might not be disrespect, but perhaps their ability to learn this that
is hindering them. Food for thought is also that while they are hard at
work they get tired and rest at night.

This is a worldwide discussion for which I hope the politicians and
everyone involved find a good formula to let immigrants integrate
within their new community and all people to be happy with that.

The more the world is mixed, the more the world be a better place as
we all learn what drives the other and why and so. Xmas allways makes
me think of that (those darn romans invaded both the jewish as the
arabian world. They should not have done that. Would have saved us a
lot of hassle nowadays)

7402. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 11:37:52 UTC
From: Ed de la Rie <ed@doofpot.nl>
Message-ID: <kMgO9.138456$4B2.15567038@amsnews03.chello.com>
Source record: 35513
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

dj wrote:
>
> I should get off my dead A.. and learn one.

how about dutch ?

I can give you a few lines :)
Lets start right away

Prettige kerstdagen (happy xmas) (feliz navidad) (bon noel)

7403. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 11:41:32 UTC
From: Ed de la Rie <ed@doofpot.nl>
Message-ID: <MPgO9.138487$4B2.15574178@amsnews03.chello.com>
Source record: 35514
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

David Eduardo wrote:
> Attention, visitors: we have a troll feeding frenzy in the Troll Pit.
> Please watch your children and stay back form the guard rails.
>

LOL eduardo

But he is making his statement, as one of the hardheaded people
we are having this discussion about.

7404. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 11:42:53 UTC
From: charles@nospam.com
Message-ID: <8FDAC94E89AD9911.C360170AE464BA7D.D4F3373E3913D069@lp.airnews.net>
Source record: 35516
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I agree 100%. If I am in their country I CERTAINLY will be required to
speak theirs.
Damn, shouldn't this be a no brainer???

Charles

> If ya can't speak English in the United States of America, then GET THE FUCK
> OUT!
>
>
>
> I'm a Bad American-this pretty much sums it up for me. I like big trucks,
> big boats, big houses, and naturally, pretty women with big tits.
>
> I believe the money I make belongs to me and my family, not some midlevel
> governmental functionary with a bad comb-over who wants to give it away to
> crack addicts squirting out babies.
>
> I don't care about appearing compassionate.
>
> I think playing with toy guns doesn't make you a killer. I believe ignoring
> your kids and giving them Prozac might.
>
> I think I'm doing better than the homeless.
>
> I don't think being a minority makes you noble or victimized. I have the
> right not to be tolerant of others because they are different, weird or make
> me mad. This is my life to live, and not necessarily up to others
> expectations. I know what SEX is and there are not varying degrees of it.
>
> I don't celebrate Kwanzaa. But if you want to that's fine; I just don't feel
> like everyone else should have to.
>
> I believe that if you are selling me a Dairy Queen shake, a pack of
> cigarettes, or hotel room you do it in English. As of matter of fact, if you
> are an American citizen you should speak English. My uncles and forefathers
> shouldn't have had to die in vain so you can leave the countries you were
> born in to come disrespect ours, and make us bend to your will. Get over it.
>
> I think the cops have every right to shoot your sorry butt if you're running
> from them after they tell you to stop. If you can't understand the word
> 'freeze' or 'stop' in English, see the previous line. I don't use the excuse
> "it's for the children" as a shield for unpopular opinions or actions.

>
> I know how to count votes and I feel much safer letting a machine with no
> political affiliation do a recount when needed. I know what the definition
> of lying is, and it isn't based on the word "is"-ever.
>
> I don't think just because you were not born in this country, you qualify
> for any special loan programs, gov't sponsored bank loans, etc., so you can
> open a hotel, 7-Eleven, trinket shop, or any thing else, while the
> indigenous peoples can't get past a high school education because they can't
> afford it.
>
> I didn't take the initiative in inventing the Internet. I thought the Taco
> Bell dog was funny.
>
> I want them to bring back safe and sane fireworks.
>
> I believe no one ever died because of something Ozzy Osbourne, Ice-T or
> Marilyn Manson sang, but that doesn't mean I want to listen to that crap
>
> from someone else's car when I'm stopped at a red light. But I respect your
> right to.
>
> I think that being a student doesn't give you any more enlightenment than
> working at Blockbuster or Jack In The Box.
>
> I don't want to eat or drink anything with the words light, lite or fat-free
> on the package.
>
> Our soldiers did not go to some foreign country and risk their lives in vain
> and defend our Constitution so that decades later you can tell me it's a
> living document ever changing and is open to interpretation. The guys who
> wrote it were light years ahead of anyone today, and they meant what they
> said - now leave the document alone, or there's going to be trouble.
>
> I don't hate the rich. I help the poor. I know wrestling is fake. I've never
> owned, or was a slave, and a large percentage of our forefathers weren't
> wealthy enough to own one either. Please stop blaming me because some prior
> white people were idiots - and remember, tons of white, Indian, Chinese, and
> other races have been enslaved too - it was wrong for every one of them.
>
> I believe a self-righteous liberal Democrat with a cause is more dangerous
> than a Hell's Angel with an attitude.
>
> I want to know exactly which church is it where the "Reverend" Jessie
> Jackson preaches; and, what exactly is his job function.
>
> I own a gun, you can own a gun, and any red blooded American should be
> allowed to own a gun, but if you use it in a crime, then you will serve the
> time.
>

> I think Bill Gates has every right to keep every penny he made and continue
> to make more. If it makes you mad, then invent the next operating system
> that's better and put your name on the building. Ask your buddy that
> invented the Internet to help you.
>
> I don't believe in hate crime legislation. Even suggesting it makes me mad.
>
> You're telling me that someone who is a minority, gay, disabled, another
> nationality, or otherwise different from the mainstream of this country has
> more value as a human being that I do as a white male. If someone kills
> anyone, I'd say that it's a hate crime. We don't need more laws! Let's
> enforce the ones we already have.
>
> I think turkey bacon, turkey beef, turkey fake anything sucks. I believe
> that it doesn't take a village to raise a child-it takes a parent with the
> guts to stand up to the kid and spank his butt and say "NO!" when it's
> necessary to do so. I'll admit that the only movie that ever made me cry was
> Ole Yeller. I didn't realize Dr. Seuss was a genius until I had a kid.
>
> I will not be frowned upon or be looked down upon or be made to keep silent
> because I have these beliefs and opinions. I thought this country allowed me
> that right. I will not conform or compromise just to keep from hurting
> somebody's feelings. I'm neither angry nor disenfranchised, no matter how
> desperately the mainstream media would like the world to believe otherwise.
> Yes, I guess by some people's definition, I may be a bad American.

7405. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 11:44:06 UTC
From: Ed de la Rie <ed@doofpot.nl>
Message-ID: <aSgO9.138511$4B2.15578483@amsnews03.chello.com>
Source record: 35515
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Realist wrote:
> Wishful thinking to be sure. The ONLY thing our politicians are going
> to change is their pay scale. They are much too cowed by the
> politically correct crowd to stand up for anything but more taxes and
> increased government control over you and me. Expecting anything else
> is pure folly.

So, we now all agree some group at the steering wheel forgot to be realistic
and help our communities to help us and our immegrants.

Yup, that is realist ic

7406. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 13:46:34 UTC
From: Ed de la Rie <ed@doofpot.nl>
Message-ID: <_EiO9.139505$4B2.15792157@amsnews03.chello.com>
Source record: 35517
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"charles" <charles@nospam.com> schreef in bericht
news:8FDAC94E89AD9911.C360170AE464BA7D.D4F3373E3913D069@lp.airnews.net...
> I agree 100%. If I am in their country I CERTAINLY will be required to
> speak theirs.
> Damn, shouldn't this be a no brainer???

it is, unless you are a no brainer ... what about that :)

7407. FS: Communication Specialist TE-64

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 13:50:49 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <6rcj0vg09pl5npjap6utj9tpj7l2j5v3vs@4ax.com>
Source record: 35518

I have for sale a Communication Specialist 64 tone CTCSS/burst switch encode box. It comes with the cable and dc wall adapter. I do not have the manual for it and will take $30 plus shipping....I can be reached at (508) 821-2993 or email....WZ1U Steve / Lakeville, Ma.

7408. Hallicrafters HT-41 Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 13:59:56 UTC
From: Ed Williams <sunset392@cox.net>
Message-ID: <wRiO9.65700$pe.2237084@news2.east.cox.net>
Source record: 35519

Hi All, I am in need of a schematic for the HT-41 Amplifier. If anyone has a copy they would be willing to send me I would be very greatful and willing to pay for the copying or you could email it to:

sunset@exis.net

Thanks and Merry Christmas and Happy New Year.

7409. Re: Check this sale out

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 14:52:00 UTC
From: Tony <tonyreo@core.com>
Message-ID: <3e09c53a$0$1450$1dc6e903@news.corecomm.net>
Source record: 35520

I bought one from a local guy about 6 months ago. It is the TS-450S-AT, internal antenna tuner included. It really was mint, it was his backup rig with probably less than 100 hours use. He included everything that originally came with it, boxes, microphone, manuals, etc... Then on top of that he tossed in a set of Kenwood head phones (HSC-5) at no extra charge. He wanted $475 for it. I couldn't get my wallet out fast enough! As I was leaving he stopped me and gave me the dust cover for it too! What a deal. He's a real good guy!

Tony
WD8NUP

"signalchaser" <williamsmith208@hotmail.com> wrote in message news:v09q7k1gls5u01@corp.supernews.com...
> The following link takes you to an Ebay Auction where some guy lists a
> TS-450S as being mint. His opening price for the transceiver was 1700
> dollars. I can't recall what TS-450S went for back in the day but you can
> find a nice one around used for 500 dollars. What a laugh
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1946404599
>
>

7410. ICOM 2100 QUESTION

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 14:54:32 UTC
From: garyb@citicom.com
Message-ID: <b63053fa.0212250654.30ee4aa3@posting.google.com>
Source record: 35521

Hi all. Does anyone know if this rig has an adjustable low power (5 watt) position, that is to mega low power of 1 watt or less? I checked on the mods pages, but there's nothing mentioned. Any help would be appreciated.

Thanks,

Gary/WB4YQR

7411. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 15:12:46 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3E09CA37.6070403@dirtball.com>
Source record: 35522
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Dan's a bigot!

Dan/W4NTI wrote:

>Why? Do you go to, say Germany, to live and expect them to learn your
>language? Or do you think you have the right because you speak Spanish to
>tell the rest of Norte America what language they should speak?
>
>Sorry old boy...we speak English here. Tell your buds to learn English.
>
>Dan/W4NTI
>"Jiri Placek" <radiotubes@fast.net> wrote in message
>news:20d99877.0212240501.13b8e6c3@posting.google.com...
>
>
>
>>Learn Spanish.
>>
>>Happy Holidays.
>>
>>Jiri Placek
>>Boyertown, PA
>>
>>
>
>
>
>

7412. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 15:31:39 UTC
From: Daniele <proton71@XXXXXXXlibero.it>
Message-ID: <vbkO9.49322$TC5.1572086@twister1.libero.it>
Source record: 35523
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ed de la Rie ha scritto:

> Prettige kerstdagen (happy xmas) (feliz navidad) (bon noel)

(Buon Natale)

^__^
Daniele

7413. Re: ICOM 2100 QUESTION

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 15:40:25 UTC
From: "Gary P. Fiber" <foo@bar.invalid>
Message-ID: <a4kj0v8hd86kct33l7lu7nt74urkktiv9k@4ax.com>
Source record: 35524

On 25 Dec 2002 06:54:32 -0800, garyb@citicom.com (Gary Bernstein)
wrote:

>Hi all. Does anyone know if this rig has an adjustable low power (5
>watt) position, that is to mega low power of 1 watt or less? I
>checked on the mods pages, but there's nothing mentioned. Any help
>would be appreciated.
>
>
>Thanks,
>
>Gary/WB4YQR

The low and medium power is controlled using fixed value SMT resistors
that are switched with transistor switches. You should be able to
change the low power setting resistor to some value that will give you
the desired output. Look at the schematic you should find them close
to the power control transistor and APC circuit.

One caveat.. sometimes when the power amplifier modules are run at to
low of a power setting they can have a spurious output.

Gary K8IZ

7414. FS: ICOM IC-u2AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 15:41:30 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <gtjj0vc81bok2oj63n693tuhj4t705lbig@4ax.com>
Source record: 35525

I have for sale an ICOM IC-u2AT 2 meter HT in very good condition. It comes with the DC-25 dc-dc converter no plug in cable. It has the rubber duck, no belt clip and no manual and no battery. It does transmit but has a squelch problem. I will take $25 plus shipping. I can be reached at (508) 821-2993 or email...WZ1U Steve

7415. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 15:42:59 UTC
From: Daniele <proton71@XXXXXXXlibero.it>
Message-ID: <7mkO9.49346$TC5.1572856@twister1.libero.it>
Source record: 35526
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Ed de la Rie ha scritto:

> Geeee, that was a guy from spain.

Was born in Genova (Genoa), Italy,
but was a Princess in Spain
that agreed to give him founds to demonstrate
the earth was like a ball, Italian governiment
was quite sure he was mad but
absolutely sure running againist
catholic theory.

^__^
Daniele

7416. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 16:06:46 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3E09D796.1010403@mailcity.net>
Source record: 35538
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Is it really that difficult for you morons to take the
rec.antiques.radio+phono out of this off-topic discussion?

Ed de la Rie wrote:
> Roland Stiner wrote:
>
>>>What happened with Italians, Czechs, Poles, Germans, Greeks and many
>>>others is happening with Hispanics. It's very, very hard for an
>>>adult to learn a second language, but the first generation does
>>>learn and well.
>>
>>How can they when they don't even try? I think Spanish culture
>>forbids them from learning English. They watch Spanish TV, listen to
>>Spanish radio and read Spanish newspapers...
>
>
>
> So, go to them and speak with those that can speak english.
> Get them to join in your community and understand what drives you
> and while you are at it, find out what drives them.
>
> Hint, their cooking aint bad :)
>
> BTW same discussions applies to europe in respect to people from
> other foreign countries that migrated over here to seek the pot of gold.
>
> The discussion is for us how to find ways to respectfully integrated them
> to our societies, whatever language that might be
>
>

7417. Re: ICOM IC-u2AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 16:12:14 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3e09d8cf@news.netacc.net>
Source record: 35527

"WZ1U" <wz1u@attbi.com> wrote in message
news:gtjj0vc81bok2oj63n693tuhj4t705lbig@4ax.com...
> I have for sale an ICOM IC-u2AT 2 meter HT in very good condition. It
> comes with the DC-25 dc-dc converter no plug in cable. It has the
> rubber duck, no belt clip and no manual and no battery. It does
> transmit but has a squelch problem. I will take $25 plus shipping. I
> can be reached at (508) 821-2993 or email...WZ1U Steve
>

Hmm... Broken squelch, missing belt clip, no dc cable..... And it is in
very good condition???

Steve you have a perverse definition of very good :-)

But it is an excellent price for the radio as described and at least you did
accurately describe it.

Steve

7418. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 16:19:52 UTC
From: noone@home.com
Message-ID: <3e09d930.53285629@64.154.60.182>
Source record: 35528
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Wed, 25 Dec 2002 06:42:53 -0500, charles@nospam.com (charles)
wrote:

>I agree 100%. If I am in their country I CERTAINLY will be required to
>speak theirs.
>Damn, shouldn't this be a no brainer???
>
>Charles
>

I see on Fox News this morning that US universities are upset because
the FBI wants information on all students from terrorist countries and
are resisting coming up with all the information they have on these
foreign students......how stupid.

I could just see the results if Pan Am Tech Services would have
resisted giving the Savak, the Iranian Secret Police, information on
me living in their country.

What's wrong with us? Are we crazy??!!

I'm, personally, for sending the problem home....EVERYONE, Arabs,
Iranians, Israelis, Afghans, Pakistanis, Kurds ...anyone born in the
entire Middle East region. Simply export the problem home and don't
let anyone from any of these countries back in MINE..... They have no
right to our country, none, no more than I have a right to live in
Iran or Bahrain or Arabia or Qatar.....

Damned Liberals think the whole world has a right to our country....

Larry

Extremely intelligent life must exist in the universe.
You can tell because they never tried to contact us.

7419. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 16:22:54 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0jmqud8f7hha5@corp.supernews.com>
Source record: 35529
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I hate to tell you this, but old Chris did not make it to America on his voyage of discovery. He had four shots at it and never touched the coast of the present USA. Also, he was not Spanish. Please review your references and come back when you have something intelligent to add.

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"Ed de la Rie" <ed@doofpot.nl> wrote in message
news:vjgO9.138221$4B2.15503445@amsnews03.chello.com...
> Charter News Server wrote:
> > I believe that if you are selling me a Dairy Queen shake, a pack of
> > cigarettes, or hotel room you do it in English. As of matter of fact,
> > if you are an American citizen you should speak English. My uncles
> > and forefathers shouldn't have had to die in vain so you can leave
> > the countries you were born in to come disrespect ours, and make us
> > bend to your will. Get over it.
>
> So you mean that the people who first started to convert the americas
> to our western standards should still be commemmorated.
>
> Uhhh, was that not some guy named christoffel columbus?
>
> Was that a brit? or a german ? or a dutchy (who owned NY one day)
>
> Geeee, that was a guy from spain.
>
> First come, first serve ??? :)
>
>
> Get over it, and think that all people should have the right to work
> and live. Think of ways that politics and economics can serve the
> world around you, and see that if everyone has a decent job and
> a decent world to live in, there is no need to fight.
> Just respect that some people eat different or speak different but
> still have the same needs as you do. Eat and drink and think for
> basics
>

>

7420. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 16:27:43 UTC
From: Colt M4 <Colt-M4@Colt-M4.Com>
Message-ID: <v0jnqrkoi1v137@corp.supernews.com>
Source record: 35530
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"That Larry" <noone@home.com> wrote in message
news:3e09d930.53285629@64.154.60.182...
> On Wed, 25 Dec 2002 06:42:53 -0500, charles@nospam.com (charles)
> wrote:
>
> >I agree 100%. If I am in their country I CERTAINLY will be required to
> >speak theirs.
> >Damn, shouldn't this be a no brainer???
> >
> >Charles
> >
>

In my house, YOU WILL SPEAK ENGLISH, or I will kick your fucking ass. No
execptions.

7421. FS: (2) Santec HT-1200 2 meter HT's ($40)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 16:45:08 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <90nj0v4ka89hptndb8ugv2qtilkgpjluga@4ax.com>
Source record: 35531

I have for sale 2 Santec HT-1200 2 meter HT's. One comes with the rubber duck and battery pack which needs replacing. The other one has no rubber duck and no battery, but has a crack on the top side of the HT and is not a problem. They both work on receive and transmit. I do not have any manuals for them. I will sell the both for $40 plus shipping...I can be reached at (508) 821-2993 or email

7422. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 16:48:27 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0joar52a6bl23@corp.supernews.com>
Source record: 35532
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Merry no special day to you.

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"Ain't Real" <donotreply@hotmail.com> wrote in message
news:fkaj0vcj6iba3eviqoij5eebb35q2usjdt@4ax.com...
>
> On 24 Dec 2002 21:40:45 -0800, geo_jackson@hotmail.com (George) wrote:
>
> >Jeremiah 10:1-4
> > Thus saith the Lord, Learn not the way of the heathen... For the
> >customs of the people are vain: for one cutteth a tree out of the
> >forest, the work of the hands of the workman, with the axe. They deck
> >it with silver and with gold; they fasten it with nails and with
> >hammers, that it move not.
>
>
> Make of it what you will. HAPPY HOLIDAYS!
>
> http://www.rotten.com/news/
> Dec 25 272
>
> First official public celebration of Dies Natalis Invicti Solis, a
> pagan Roman holiday that was later co-opted by Christians to celebrate
> the birth of their favorite Jew. Turning the holiday into "Christmas"
> (in 336 AD) was part of a pattern of the church stealing various pagan
> festivals and feast days
>
> http://www.ananova.com/news/story/sm_732883.html?menu=news
> 440: The leaders of the Christian Church fixed this day as the date to
> observe the birth of Christ.
>
> This one is the TRUE meaning of CHRISTMAS;
> 1914: British and German troops bogged down in the trenches on the
> western front staged an impromptu truce, swapping presents in no-man's
> land.
>

> here is some other interesting stuff that happened.
> 800: In Rome, Charlemagne, King of the Franks, was crowned Emperor of
> the West by Pope Leo III.
>
> 1066: The Coronation of William the Conqueror took place at
> Westminster Abbey.
>
> 1800: Britain's first Christmas tree was put up at Windsor by Queen
> Charlotte.
>
> 1932: King George V made the first Royal Christmas broadcast to the
> Empire.
>
> 1950: The Stone of Scone was stolen from Westminster Abbey, where it
> had rested for 650 years. Scottish Nationals claimed responsibility.
>
> 1957: The Queen's Christmas broadcast was televised for the first
> time.
>
> 2001: A gang of armed robbers made off with jewellery worth ?1 million
> after raiding the exclusive Harvey Nichols store in Central London.
>
> Dec 25 1926
>
>
> Hirohito becomes Emperor of Japan.
>
> Dec 25 1946
>
>
> W.C. Fields dead at 67, due to the cumulative effects of his drinking
> and lifestyle.
>
> Dec 25 1989
>
>
>
>
> Romanian dictator Nicholai Ceaucescu executed by an eager firing
> squad, along with his wife, on live television. Ceacescu had run
> Romania as his private communist fiefdom, gaining the animosity of
> nearly the entire population. Capital punishment was abolished
> immediately thereafter.
>
> Dec 25 1995
>
>
> Rat pack member Dean Martin dead at 78, a martini glass in his hand.
>

> :)
>
> Quentin's Monologue from 'Sleep With Me' (partial)
> ...
> What is Top Gun? You think it's a story about a bunch of fighter pilots.
> [Duane: It's about a bunch of guys waving their dicks around.]
> It is a story about a man's struggle with his own homosexuality.
> It is! That is what Top Gun is about, man.
> ...
> :)

7423. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 17:09:02 UTC
From: Colt M4 <Colt-M4@Colt-M4.Com>
Message-ID: <v0jphh3fmd4o23@corp.supernews.com>
Source record: 35533
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

> > > > > Currently here a massive influx of Latinos. English speaking
> > > > > Caucasians may complain but some parts of the country are
currently
> > > > > bilingual, like it or not. That is the reality.
> > > >
> > > > The only signs written in Spanish in the United States should be
those
> > > that
> > > > direct Spanish speakers to the nearest English classes!
> > > >
> > > > Roland, NK2U
> > > >
> It's real simple. In the USofA you either speak English or GET THE FUCK
OUT.
>
With all this hoopla about homeland security, why isn't there a
"Terrorism Information and Prevention System" that Americans can really use?
Why not start reporting illegal aliens and criminal alien residents?

Illegal aliens are technically subject to deportation at any time.
Their very presence violates federal law. Lawful permanent resident
aliens-that is, anyone with a "green card"- can become deportable if they
are convicted of certain crimes. These criminal alien residents can lose
their permanent resident status and be deported right along with the illegal
aliens and non-immigrant visa overstayers - if the proper authorities knew
about them.

The Immigration and Naturalization Service is the proper authority to
whom to report the presence of 1) illegal aliens, 2) non-immigrant visa
violators and 3) green card holders who have been convicted of crimes.

Contact your local INS office and ask for the Investigations Division
or the "Enforcement Office." If you cannot speak with an INS Special Agent
from the Investigations Division, ask to speak to a Deportation Officer from
the Detention and Removal unit. Make a report over the phone or go in
person. Officers in the Investigations Division are obligated by law to make
a written record of your report.

If you live in a border area - roughly, within 50 miles of the
border - you also have the option of contacting the nearest U.S Border
Patrol field office to report the presence of illegal aliens. You can call
or go in person. If there is no Border Patrol station listed nearby, contact
the nearest Border Patrol Sector Office to find out if there is a local
sub-station that is not listed on the web site. The group U.S Border Control

also lists additional contact numbers.

Illegal aliens and criminal alien residents might be up to some type of fraud against the Social Security system too, since false documents are a way of life. The Office of Inspector General of the Social Security Administration operates a fraud hotline for reporting misuse of social security cards and false statements on claims-whether by employers or employees.

Prosecuting Social Security fraud has been used successfully to tie-up terrorist suspects, even if they are not illegal aliens. Report criminal violators to the FBI for prosecution by the U.S. Attorney.

Though it has been accused of giving cover to illegal aliens through tax ID numbers, the Internal Revenue Service also accepts citizen reports on general tax fraud including "earned income tax credit" abuse. The IRS' criminal investigation division handles employment tax fraud reports.

The Department of Health and Human Services maintains a hotline for reporting Medicare or Medicaid fraud, child non-support, AFDC fraud, and abuse of related programs.

Also, believe it or not, all male illegal aliens (as well as male permanent resident aliens, ages 18 through 25) must register with the Selective Service System. If they do not register, they can be prosecuted for a felony and fined up to $250,000 and/or be put in jail for up to five years. They also may not then be eligible for U.S. citizenship. And there are state penalties for failing to register. Selective Service registration is conveniently available in Spanish. Report draft registration violators to the FBI for prosecution by the U.S. Attorney.

What will the INS actually do when you call?

It will take the information down, as it is legally obligated to do....and probably not much else. It may get interested in a criminal alien, an alien that's the subject of some other type of investigation - for example an Arab terrorist, an alien smuggler - or an alien who has been deported before.

Non-criminal aliens might be sent a letter by the INS Deportation section, saying, in effect "Dear Mr. Alien, you have been already ordered removed by an immigration judge, or we know you have overstayed your status, please come in to the INS office to be deported, bring one bag." (These are known as "run letters," for obvious reasons.) But even this doesn't always happen.

But none of this should make any difference to VDARE.COM readers. Your report will be on record. The government will know about it - and will know we know it knows about it. The Chinese say a journey of a thousand miles must start with one step. Americans can start regaining control of their borders - and of their nation's destiny - with one phone call.

7424. Re: Hallicrafters HT-41 Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 17:15:44 UTC
From: mjmanship@iquest.net
Message-ID: <3e09e7a6.10898269@news.iquest.net>
Source record: 35534

On Wed, 25 Dec 2002 13:59:56 GMT, "Ed Williams" <sunset392@cox.net>
wrote:

>Hi All, I am in need of a schematic for the HT-41 Amplifier. If anyone has
>a copy they would be willing to send me I would be very greatful and willing
>to pay for the copying or you could email it to:
>
>sunset@exis.net
>
>Thanks and Merry Christmas and Happy New Year.
>
>
You can doiwnload it here:

ftp://bama.sbc.edu/downloads/hallicra/ht41/

7425. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 17:37:11 UTC
From: Joe Bento <joseph-nospam-@kirtland.com>
Message-ID: <05rj0vkl509l09c5eruk8kdc161difotlf@4ax.com>
Source record: 35535
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Wed, 25 Dec 2002 11:27:43 -0500, "Colt M4" <Colt-M4@Colt-M4.Com>
wrote:

>In my house, YOU WILL SPEAK ENGLISH, or I will kick your fucking ass. No
>execptions.

Fermer en haut!

Joe

Remove the -nospam- to send e-mail
joseph-nospam-@kirtland.com

7426. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 17:39:08 UTC
From: Midnight Rider <noemail@jackass.com>
Message-ID: <b3mO9.2035$o51.630832@news20.bellglobal.com>
Source record: 35536
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

that includeds that illegal maid that someone is porking when the wifes out that dont speak english too , right .

"Colt M4" <Colt-M4@Colt-M4.Com> wrote in message news:v0jphh3fmd4o23@corp.supernews.com...
> > > > > > Currently here a massive influx of Latinos. English speaking
> > > > > > Caucasians may complain but some parts of the country are
> currently
> > > > > > bilingual, like it or not. That is the reality.
> > > > >
> > > > > > The only signs written in Spanish in the United States should be
> those
> > > > that
> > > > > > direct Spanish speakers to the nearest English classes!
> > > > >
> > > > > > Roland, NK2U
> > > > >
> > > It's real simple. In the USofA you either speak English or GET THE FUCK
> OUT.
> >
> With all this hoopla about homeland security, why isn't there a
> "Terrorism Information and Prevention System" that Americans can really use?
> Why not start reporting illegal aliens and criminal alien residents?
>
> Illegal aliens are technically subject to deportation at any time.
> Their very presence violates federal law. Lawful permanent resident
> aliens-that is, anyone with a "green card"- can become deportable if they
> are convicted of certain crimes. These criminal alien residents can lose
> their permanent resident status and be deported right along with the illegal
> aliens and non-immigrant visa overstayers - if the proper authorities knew
> about them.
>
> The Immigration and Naturalization Service is the proper authority to
> whom to report the presence of 1) illegal aliens, 2) non-immigrant visa
> violators and 3) green card holders who have been convicted of crimes.
>
> Contact your local INS office and ask for the Investigations Division
> or the "Enforcement Office." If you cannot speak with an INS Special Agent
> from the Investigations Division, ask to speak to a Deportation Officer from
> the Detention and Removal unit. Make a report over the phone or go in
> person. Officers in the Investigations Division are obligated by law to make
> a written record of your report.
>

> If you live in a border area - roughly, within 50 miles of the
> border - you also have the option of contacting the nearest U.S Border
> Patrol field office to report the presence of illegal aliens. You can call
> or go in person. If there is no Border Patrol station listed nearby, contact
> the nearest Border Patrol Sector Office to find out if there is a local
> sub-station that is not listed on the web site. The group U.S Border Control
> also lists additional contact numbers.
>
> Illegal aliens and criminal alien residents might be up to some type
> of fraud against the Social Security system too, since false documents are a
> way of life. The Office of Inspector General of the Social Security
> Administration operates a fraud hotline for reporting misuse of social
> security cards and false statements on claims-whether by employers or
> employees.
>
>
> Prosecuting Social Security fraud has been used successfully to tie-up
> terrorist suspects, even if they are not illegal aliens. Report criminal
> violators to the FBI for prosecution by the U.S. Attorney.
>
> Though it has been accused of giving cover to illegal aliens through
> tax ID numbers, the Internal Revenue Service also accepts citizen reports on
> general tax fraud including "earned income tax credit" abuse. The IRS'
> criminal investigation division handles employment tax fraud reports.
>
> The Department of Health and Human Services maintains a hotline for
> reporting Medicare or Medicaid fraud, child non-support, AFDC fraud, and
> abuse of related programs.
>
> Also, believe it or not, all male illegal aliens (as well as male
> permanent resident aliens, ages 18 through 25) must register with the
> Selective Service System. If they do not register, they can be prosecuted
> for a felony and fined up to $250,000 and/or be put in jail for up to five
> years. They also may not then be eligible for U.S. citizenship. And there
> are state penalties for failing to register. Selective Service registration
> is conveniently available in Spanish. Report draft registration violators to
> the FBI for prosecution by the U.S. Attorney.
>
> What will the INS actually do when you call?
>
> It will take the information down, as it is legally obligated to
> do....and probably not much else. It may get interested in a criminal alien,
> an alien that's the subject of some other type of investigation - for
> example an Arab terrorist, an alien smuggler - or an alien who has been
> deported before.
>
>
> Non-criminal aliens might be sent a letter by the INS Deportation
> section, saying, in effect "Dear Mr. Alien, you have been already ordered
> removed by an immigration judge, or we know you have overstayed your status,

> please come in to the INS office to be deported, bring one bag." (These are
> known as "run letters," for obvious reasons.) But even this doesn't always
> happen.
>
> But none of this should make any difference to VDARE.COM readers. Your
> report will be on record. The government will know about it - and will know
> we know it knows about it. The Chinese say a journey of a thousand miles
> must start with one step. Americans can start regaining control of their
> borders - and of their nation's destiny - with one phone call.
>
>
>

7427. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 17:45:31 UTC
From: Colt M4 <Colt-M4@Colt-M4.Com>
Message-ID: <v0jrm114fb1g00@corp.supernews.com>
Source record: 35537
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Midnight Rider" <noemail@jackass.com> wrote in message
news:b3mO9.2035$o51.630832@news20.bellglobal.com...
> that includeds that illegal maid that someone is porking when the wifes
out that
> dont speak english too , right .

Yes, it includes your sister too.

>
>
> "Colt M4" <Colt-M4@Colt-M4.Com> wrote in message
> news:v0jphh3fmd4o23@corp.supernews.com...
> > > > > > > > Currently here a massive influx of Latinos. English speaking
> > > > > > > > Caucasians may complain but some parts of the country are
> > currently
> > > > > > > > bilingual, like it or not. That is the reality.
> > > > > > >
> > > > > > > > The only signs written in Spanish in the United States should be
> > those
> > > > > > > that
> > > > > > > > direct Spanish speakers to the nearest English classes!
> > > > > > >
> > > > > > > > Roland, NK2U
> > > > > > >
> > > > > It's real simple. In the USofA you either speak English or GET THE
FUCK
> > OUT.
> > > > >
> > With all this hoopla about homeland security, why isn't there a
> > "Terrorism Information and Prevention System" that Americans can really
use?
> > Why not start reporting illegal aliens and criminal alien residents?
> >
> > Illegal aliens are technically subject to deportation at any time.
> > Their very presence violates federal law. Lawful permanent resident
> > aliens-that is, anyone with a "green card"- can become deportable if
they
> > are convicted of certain crimes. These criminal alien residents can lose
> > their permanent resident status and be deported right along with the
illegal
> > aliens and non-immigrant visa overstayers - if the proper authorities
knew
> > about them.

> >
> > The Immigration and Naturalization Service is the proper authority
to
> > whom to report the presence of 1) illegal aliens, 2) non-immigrant visa
> > violators and 3) green card holders who have been convicted of crimes.
> >
> > Contact your local INS office and ask for the Investigations
Division
> > or the "Enforcement Office." If you cannot speak with an INS Special
Agent
> > from the Investigations Division, ask to speak to a Deportation Officer
from
> > the Detention and Removal unit. Make a report over the phone or go in
> > person. Officers in the Investigations Division are obligated by law to
make
> > a written record of your report.
> >
> > If you live in a border area - roughly, within 50 miles of the
> > border - you also have the option of contacting the nearest U.S Border
> > Patrol field office to report the presence of illegal aliens. You can
call
> > or go in person. If there is no Border Patrol station listed nearby,
contact
> > the nearest Border Patrol Sector Office to find out if there is a local
> > sub-station that is not listed on the web site. The group U.S Border
Control
> > also lists additional contact numbers.
> >
> > Illegal aliens and criminal alien residents might be up to some
type
> > of fraud against the Social Security system too, since false documents
are a
> > way of life. The Office of Inspector General of the Social Security
> > Administration operates a fraud hotline for reporting misuse of social
> > security cards and false statements on claims-whether by employers or
> > employees.
> >
> >
> > Prosecuting Social Security fraud has been used successfully to
tie-up
> > terrorist suspects, even if they are not illegal aliens. Report criminal
> > violators to the FBI for prosecution by the U.S. Attorney.
> >
> > Though it has been accused of giving cover to illegal aliens
through
> > tax ID numbers, the Internal Revenue Service also accepts citizen
reports on
> > general tax fraud including "earned income tax credit" abuse. The IRS'
> > criminal investigation division handles employment tax fraud reports.
> >

> > The Department of Health and Human Services maintains a hotline
for
> > reporting Medicare or Medicaid fraud, child non-support, AFDC fraud, and
> > abuse of related programs.
> >
> > Also, believe it or not, all male illegal aliens (as well as male
> > permanent resident aliens, ages 18 through 25) must register with the
> > Selective Service System. If they do not register, they can be
prosecuted
> > for a felony and fined up to $250,000 and/or be put in jail for up to
five
> > years. They also may not then be eligible for U.S. citizenship. And
there
> > are state penalties for failing to register. Selective Service
registration
> > is conveniently available in Spanish. Report draft registration
violators to
> > the FBI for prosecution by the U.S. Attorney.
> >
> > What will the INS actually do when you call?
> >
> > It will take the information down, as it is legally obligated to
> > do....and probably not much else. It may get interested in a criminal
alien,
> > an alien that's the subject of some other type of investigation - for
> > example an Arab terrorist, an alien smuggler - or an alien who has been
> > deported before.
> >
> >
> > Non-criminal aliens might be sent a letter by the INS Deportation
> > section, saying, in effect "Dear Mr. Alien, you have been already
ordered
> > removed by an immigration judge, or we know you have overstayed your
status,
> > please come in to the INS office to be deported, bring one bag." (These
are
> > known as "run letters," for obvious reasons.) But even this doesn't
always
> > happen.
> >
> > But none of this should make any difference to VDARE.COM readers.
Your
> > report will be on record. The government will know about it - and will
know
> > we know it knows about it. The Chinese say a journey of a thousand miles
> > must start with one step. Americans can start regaining control of their
> > borders - and of their nation's destiny - with one phone call.
> >
> >
> >

>
>

7428. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 18:22:42 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3E09F772.6000506@mailcity.net>
Source record: 35359
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Colt M4 wrote:
> You don't own the fucker, dickhead. I'll post where I damn well please.

What else could one expect from a turd.

7429. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 18:35:17 UTC
From: Colt M4 <Colt-M4@Colt-M4.Com>
Message-ID: <v0juj8dvah2i73@corp.supernews.com>
Source record: 35539
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"JJ" <radiobuff0@mailcity.net> wrote in message
news:3E09D796.1010403@mailcity.net...
> Is it really that difficult for you morons to take the
> rec.antiques.radio+phono out of this off-topic discussion?

No. But I'll add it back for you.

You're welcome....

>
> Ed de la Rie wrote:
> > Roland Stiner wrote:
> >
> >>>What happened with Italians, Czechs, Poles, Germans, Greeks and many
> >>>others is happening with Hispanics. It's very, very hard for an
> >>>adult to learn a second language, but the first generation does
> >>>learn and well.
> >>
> >>How can they when they don't even try? I think Spanish culture
> >>forbids them from learning English. They watch Spanish TV, listen to
> >>Spanish radio and read Spanish newspapers...
> >
> >
> >
> > So, go to them and speak with those that can speak english.
> > Get them to join in your community and understand what drives you
> > and while you are at it, find out what drives them.
> >
> > Hint, their cooking aint bad :)
> >
> > BTW same discussions applies to europe in respect to people from
> > other foreign countries that migrated over here to seek the pot of gold.
> >
> > The discussion is for us how to find ways to respectfully integrated
them
> > to our societies, whatever language that might be
> >
> >
>

7430. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 18:40:05 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3E09FB85.9030608@mailcity.net>
Source record: 35361
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Dan/W4NTI wrote:
> I didn't put it there. Get over it goof. You could try this 'JJ'...Don't
> open it up and read it.....what a plan eh?

You could try this danny boy.....post it to a group where it is on
topic instead of cluttering up groups where it is off topic and no
one cares about your ranting.

7431. Re: Kenwood TS-450S/AT Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 18:49:25 UTC
From: fmmck@aol.com
Message-ID: <20021225134925.02695.00000183@mb-fz.aol.com>
Source record: 35540

<< I understand there is a mod to remove the AM broadcast
band attenuator to improve performance. >>

Kevin-

I thought this mod was published for the TS-430S. If you can find that one,
you may find that it can be adapted to the TS-450/690.

73, Fred, K4DII

7432. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 18:56:11 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0jvq926cdb886@corp.supernews.com>
Source record: 35541
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
news:v0joar52a6bl23@corp.supernews.com...
> Merry no special day to you.
>
> --
> For Admiral Poindexter's folks:
> Bomb, anthrax, attack, acid, hijack, skyjack
> sniper, plutonium, nuclear, Big Mac, jihad
> Democrats, terror, Howdy Doody, Oprah
>
> "Those that sacrifice freedom for security deserve neither"
<SNIP>

For those who don't have a belief in a God or supreme being,
this is not your holiday. Your holiday is celebrated here in the
U.S.A. every year on April the first.

--

'73' & Merry Christmas From KB9TMP

"JESUS is the REASON for the SEASON!"

7433. Re: 10000 Watt Base box for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:00:51 UTC
From: eei911@aol.com
Message-ID: <6f1c9101.0212251100.156db9a3@posting.google.com>
Source record: 35542

Ya right me and my splatter box!!!!

Ampower

"Hank Oredson" <horedson@att.net> wrote in message
news:<52wN9.75322$hK4.6156490@bgtnsc05-news.ops.worldnet.att.net>...
> He was minding his own business.
> Me too ... don't need that crap on air.
> Forward it to the enforcement division.
>
> --
>
> ... Hank
>
> Chaos, panic, and disorder - my work here is done.
>
> Hank: http://horedson.home.att.net
> W0RLI: http://w0rli.home.att.net
>
> "Allan" <gxt@home.com> wrote in message
> news:_nuN9.41203$pe.1630499@news2.east.cox.net...
> > Who the hell are you Joe S (Joe Snitch)? Just what the world needs is
> > another snitch or newsgroup COP. Mind you own business...
> >
> > "Joe S." <joe@schlatter.org> wrote in message
> > news:au5jik01ppa@enews3.newsguy.com...
> > > Thanks for the phone number . . . that will save the FCC time in tracking
> > > you down.
> > >
> > > Not that anyone would send your for sale notice to the FCC.
> > >
> > > --
> > >
> > > ------
> > > Regards,
> > > Joe S.
> > >
> > >
> > > "Am power" <eei911@aol.com> wrote in message
> > > news:6f1c9101.0212221111.4e5caab2@posting.google.com...
> > > > Am power build by me it will do 10000 watts an am 10-11-MHz. 24 pill
> > > > with 2sc2879 month old $1400.00. Plus we build everything else too
> > > >
> > > > Call for info 815-469-3386
> > >

> > >
> >
> >

7434. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:19:37 UTC
From: proma1 <proma1@ntlworld.com>
Message-ID: <aud0cb$65osr$1@ID-172472.news.dfncis.de>
Source record: 35543
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

hate to dissapoint you

but christmas and easter were both stolen by the christians

Yuletide is what it really is and has nothing to do with the birth of
christ,which i have no problem with,but just wish religion would not hijack
ancient pagan festivals.

i am not doubting the birth of Jesus but on December 25 th i dont think so.

so happy yuletide,but dont et hung up on the religous meaning.

--

Paul Wey
PROMA1

http://groups.yahoo.com/group/scanpromauk

for main proma files sent to your inbox monthly join

http://groups.yahoo.com/group/promafiles

For good prices on scanners go to

Stewart Aviation

http://www.stewart-aviation.co.uk/rs/index.html
"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0iia9h2df8j8a@corp.supernews.com...
>
> "George" <geo_jackson@hotmail.com> wrote in message
> news:c21a06bc.0212242140.39fe38d2@posting.google.com...
> > Jeremiah 10:1-4
> > Thus saith the Lord, Learn not the way of the heathen... For the
> > customs of the people are vain: for one cutteth a tree out of the
> > forest, the work of the hands of the workman, with the axe. They deck
> > it with silver and with gold; they fasten it with nails and with
> > hammers, that it move not.
>
> Isa:9:6: For unto us a child is born, unto us a son is given: and
> the government shall be upon his shoulder: and his name shall
> be called Wonderful, Counseller, The mighty God, The
> everlasting Father, The Prince of Peace.
>
> Isa:53:5: But he was wounded for our transgressions, he was
> bruised for our iniquities: the chastisement of our peace was

> upon him; and with his stripes we are healed.
>
> Rom:10:9: That if thou shalt confess with thy mouth the Lord
> Jesus, and shalt believe in thine heart that God hath raised him
> from the dead, thou shalt be saved.
>
> --
>
> '73' & Merry Christmas From KB9TMP
>
> "JESUS is the REASON for the SEASON!"
>
>
>

7435. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:23:27 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <nb1k0vg5oh3kj1ultlikdc421hspelupcc@4ax.com>
Source record: 35544
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Wed, 25 Dec 2002 13:56:11 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:

>For those who don't have a belief in a God or supreme being,
>this is not your holiday. Your holiday is celebrated here in the
>U.S.A. every year on April the first.
>
>--
>
>'73' & Merry Christmas From KB9TMP
>
>"JESUS is the REASON for the SEASON!"

Oh dear.....a religious bigot.....how nasty!

Ann

7436. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:24:27 UTC
From: proma1 <proma1@ntlworld.com>
Message-ID: <aud0lc$6cm8d$1@ID-172472.news.dfncis.de>
Source record: 35545
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

sorry mate it is not your holiday

Yuletide is a lot older than what we call Christmas,but both those who want
to celebrate christmas and those who want to celebrate Yuletide or indeed
those who dont want to celebrate for any reason,lets think fo peace and
goodwill.

and hopefully not war as your Mad warmongering president wants

as one of the UKs newsapapers said the other day,Bush is the most dangerous
world leader.

regards

--

Paul Wey
PROMA1

http://groups.yahoo.com/group/scanpromauk

for main proma files sent to your inbox monthly join

http://groups.yahoo.com/group/promafiles

For good prices on scanners go to

Stewart Aviation

http://www.stewart-aviation.co.uk/rs/index.html
"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0jvq926cdb886@corp.supernews.com...
>
> "Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
> news:v0joar52a6bl23@corp.supernews.com...
> > Merry no special day to you.
> >
> > --
> > For Admiral Poindexter's folks:
> > Bomb, anthrax, attack, acid, hijack, skyjack
> > sniper, plutonium, nuclear, Big Mac, jihad
> > Democrats, terror, Howdy Doody, Oprah
> >
> > "Those that sacrifice freedom for security deserve neither"
> <SNIP>
>
> For those who don't have a belief in a God or supreme being,

> this is not your holiday. Your holiday is celebrated here in the
> U.S.A. every year on April the first.
>
> --
>
> '73' & Merry Christmas From KB9TMP
>
> "JESUS is the REASON for the SEASON!"
>
>

7437. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:29:29 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <aud0uh$kn3$1@slb9.atl.mindspring.net>
Source record: 35546
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I didn't put it there. Get over it goof. You could try this 'JJ'...Don't
open it up and read it.....what a plan eh?

Dan/W4NTI

"JJ" <radiobuff0@mailcity.net> wrote in message
news:3E092EA6.9060502@mailcity.net...
> Would you please take the rec.antiques.radio+phono group out of
> your off topic discussion. For those of you who are newsgroup
> posting challenged, it isn't very hard, just take the group out of
> the list of newsgroup you are posting to. We really don't care
> about your language problems.
>
> Dan/W4NTI wrote:
> > Yep...its hard...but lets see some trying ... ok? I used to live in
North
> > Miami Florida, back in the 80s. The road signs were changed to
Spanish.
> > The schools became bi-lingual. No matter if the kid didn't speak
> > Spanish...thats what they were taught in. BULL. I took my kids and
moved
> > to Tamarac where they still spoke English.
> >
> > Then I moved further North. To Alabama where the only Spanish heard was
to
> > the Cuban prisoners in the Federal prison in Talladege county.
> >
> > Felise Navidad
> >
> > Dan/W4NTI
> >
> > "David Eduardo" <amdavid@pacbell.net> wrote in message
> > news:U_3O9.552$MQ4.514@newssvr16.news.prodigy.com...
> >
> >>"Charter News Server" <charternewsserver@charternewsserver.kom> wrote in
> >>message news:v0hhfsq87tf924@corp.supernews.com...
> >>
> >>>
> >>>
> >>>"Roland Stiner" <nk2u@1stconnect.com> wrote in message
> >>>news:4b3O9.5529$BP.3370@fe01...
> >>>
> >>>>Currently here a massive influx of Latinos. English speaking
> >>>>Caucasians may complain but some parts of the country are currently

> >>>>>bilingual, like it or not. That is the reality.
> >>>>
> >>>>The only signs written in Spanish in the United States should be those
> >>>
> >>>that
> >>>
> >>>>direct Spanish speakers to the nearest English classes!
> >>>>
> >>>>Roland, NK2U
> >>>>
> >>>>
> >>>
> >>>If ya can't speak English in the United States of America, then GET THE
> >>
> >>FUCK
> >>
> >>>OUT!
> >>
> >>Most past immigrants from non-English speaking countries did not learn
> >>anything but rudimentary English. The children were the bilingual,
> >>assimilated ones.
> >>
> >>What happened with Italians, Czechs, Poles, Germans, Greeks and many
> >
> > others
> >
> >>is happening with Hispanics. It's very, very hard for an adult to learn
a
> >>second language, but the first generation does learn and well.
> >>
> >>
> >
> >
> >
>

7438. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:30:46 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <aud10u$v7p$1@slb6.atl.mindspring.net>
Source record: 35547
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Is it really so difficult for you not to select and read it?

Dan/W4NTI

"JJ" <radiobuff0@mailcity.net> wrote in message
news:3E09D796.1010403@mailcity.net...
> Is it really that difficult for you morons to take the
> rec.antiques.radio+phono out of this off-topic discussion?
>
> Ed de la Rie wrote:
> > Roland Stiner wrote:
> >
> >>>What happened with Italians, Czechs, Poles, Germans, Greeks and many
> >>>others is happening with Hispanics. It's very, very hard for an
> >>>adult to learn a second language, but the first generation does
> >>>learn and well.
> >>
> >>How can they when they don't even try? I think Spanish culture
> >>forbids them from learning English. They watch Spanish TV, listen to
> >>Spanish radio and read Spanish newspapers...
> >
> >
> >
> > So, go to them and speak with those that can speak english.
> > Get them to join in your community and understand what drives you
> > and while you are at it, find out what drives them.
> >
> > Hint, their cooking aint bad :)
> >
> > BTW same discussions applies to europe in respect to people from
> > other foreign countries that migrated over here to seek the pot of gold.
> >
> > The discussion is for us how to find ways to respectfully integrated
them
> > to our societies, whatever language that might be
> >
> >
>

7439. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:37:40 UTC
From: Colt M4 <Colt-M4@Colt-M4.Com>
Message-ID: <v0k287f4r3jo8e@corp.supernews.com>
Source record: 35348
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

```
You don't own the fucker, dickhead. I'll post where I damn well please.

>
> "JJ" <radiobuff0@mailcity.net> wrote in message
> news:3E09D796.1010403@mailcity.net...
> > Is it really that difficult for you morons to take the
> > rec.antiques.radio+phono out of this off-topic discussion?
> >
> > Ed de la Rie wrote:
> > > Roland Stiner wrote:
> > >
> > >>>What happened with Italians, Czechs, Poles, Germans, Greeks and many
> > >>>others is happening with Hispanics. It's very, very hard for an
> > >>>adult to learn a second language, but the first generation does
> > >>>learn and well.
> > >>
> > >>How can they when they don't even try? I think Spanish culture
> > >>forbids them from learning English. They watch Spanish TV, listen to
> > >>Spanish radio and read Spanish newspapers...
> > >
> > >
> > >
> > > So, go to them and speak with those that can speak english.
> > > Get them to join in your community and understand what drives you
> > > and while you are at it, find out what drives them.
> > >
> > > Hint, their cooking aint bad :)
> > >
> > > BTW same discussions applies to europe in respect to people from
> > > other foreign countries that migrated over here to seek the pot of
gold.
> > >
> > > The discussion is for us how to find ways to respectfully integrated
> them
> > > to our societies, whatever language that might be
> > >
> > >
> >
>
>
```

7440. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:44:24 UTC
From: David Eduardo <amdavid@pacbell.net>
Message-ID: <sUnO9.586$Bb2.290@newssvr19.news.prodigy.com>
Source record: 35349
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
news:3E0968A3.3010607@NOSPAMutoronto.ca...
> David Eduardo wrote:
> > "Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
> > news:3E0921BB.1070803@NOSPAMutoronto.ca...
> >
> >>David Eduardo wrote:
> >>
> >>>It's an established, proven fact that becoming bilingual in the true
> >>
> > sense
> >
> >>>requires learning the second language before adolescence. Adults
> >>
> > generally
> >
> >>>learn new languages minimally and tend to never be bilingual.
> >>
> >>Can you point to some scientific evidence?
> >
> >
> > A lot of the best was done in the 60's in Quebec. Do a search on
language
> > learning abilities and you should get it.
>
> I will try the search. But surely, the "requires learning
> the second language before adolescence" is an exageration.
> I have several Asian acquaintances who have come to stay at
> my home while studying English -- most were mid to late
> 20's. They did learn English fluently.

Check my post. I said "to become bilingual." Some people have an ability to pick up a language after the pre-adolescence period and to speak it competently, but they will always be translating form their native tongue in most cases.

Nearly all people who learn a language in adolescence or adulthood do not learn to speak truly fluently. They may be able to conduct a conversation, but they are not at ease in the language ever. Most don't even achieve that level of proficiency due to the amount of time it takes, the degree of concentration required and the variances in individual skills.

The average immigrant comes to work, and has little time for formal study. Some pick up more of the language, others pick up very little.

We all know foreign born people who speak reasonable English because, and this is key, those are generally the only foreign born we are going to have contact with if we don't speak their language. So we see the exceptions, not the rule.

I once spoke to a business owner in Chapala, a retirement area in Mexico where well over 100,000 US retirees live. He insisted he had never found a single retiree who was even close to fluent in Spanish despite many of them having been in Mexico a decade or more.

7441. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:47:13 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <5n2k0vghurm93crkno00bh9gb8l2pdijtn@4ax.com>
Source record: 35351
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Wed, 25 Dec 2002 19:19:37 -0000, "proma1" <proma1@ntlworld.com>
wrote:

>hate to dissapoint you
>
>but christmas and easter were both stolen by the christians
>
>
>Yuletide is what it really is and has nothing to do with the birth of
>christ,which i have no problem with,but just wish religion would not hijack
>ancient pagan festivals.
>
>
>i am not doubting the birth of Jesus but on December 25 th i dont think so.
>
>so happy yuletide,but dont et hung up on the religous meaning.

Absolutely. Nobody minds them celebrating at the same time but it
would be nice if they'd stop their religious preaching. Get thee
gone, foul preachers.

Ann

7442. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:53:34 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <21oO9.17677$%3.5085436@twister.neo.rr.com>
Source record: 35350
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0jvq926cdb886@corp.supernews.com...

>
> For those who don't have a belief in a God or supreme being,
> this is not your holiday. Your holiday is celebrated here in the
> U.S.A. every year on April the first.

Did you deck your tree with silver and gold or? If so, does that make you a
'heathen'?

>
> --
>
> '73' & Merry Christmas From KB9TMP
>
> "JESUS is the REASON for the SEASON!"
>
>

7443. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:54:35 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <%1oO9.17678$%3.5086122@twister.neo.rr.com>
Source record: 35352
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"proma1" <proma1@ntlworld.com> wrote in message
news:aud0lc$6cm8d$1@ID-172472.news.dfncis.de...
> sorry mate it is not your holiday
>
> Yuletide is a lot older than what we call Christmas,but both those who
want
> to celebrate christmas and those who want to celebrate Yuletide or indeed
> those who dont want to celebrate for any reason,lets think fo peace and
> goodwill.
>
>
> and hopefully not war as your Mad warmongering president wants
>
> as one of the UKs newsapapers said the other day,Bush is the most
dangerous
> world leader.

So what does that make Mr. Blair who supports Bush?

>
>
> regards
>
> --
>
>
> Paul Wey
> PROMA1
>
>
> http://groups.yahoo.com/group/scanpromauk
>
> for main proma files sent to your inbox monthly join
>
> http://groups.yahoo.com/group/promafiles
>
> For good prices on scanners go to
>
> Stewart Aviation
>
> http://www.stewart-aviation.co.uk/rs/index.html
> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:v0jvq926cdb886@corp.supernews.com...
> >

> > "Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
> > news:v0joar52a6bl23@corp.supernews.com...
> > > Merry no special day to you.
> > >
> > > --
> > > For Admiral Poindexter's folks:
> > > Bomb, anthrax, attack, acid, hijack, skyjack
> > > sniper, plutonium, nuclear, Big Mac, jihad
> > > Democrats, terror, Howdy Doody, Oprah
> > >
> > > "Those that sacrifice freedom for security deserve neither"
> > <SNIP>
> >
> > For those who don't have a belief in a God or supreme being,
> > this is not your holiday. Your holiday is celebrated here in the
> > U.S.A. every year on April the first.
> >
> > --
> >
> > '73' & Merry Christmas From KB9TMP
> >
> > "JESUS is the REASON for the SEASON!"
> >
> >
>
>

7444. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:56:41 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <993k0volukmi6jnumo58g5347e5tm5aubb@4ax.com>
Source record: 35354
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Wed, 25 Dec 2002 19:56:48 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:

>
>"proma1" <proma1@ntlworld.com> wrote in message
>news:aud0cb$65osr$1@ID-172472.news.dfncis.de...
>> hate to dissapoint you
>>
>> but christmas and easter were both stolen by the christians
>
>Really, what do trees and presents and easter eggs have to do with Jesus?

Nothing......that's the point.....sheesh....sigh...

Ann

7445. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:56:48 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <44oO9.17679$%3.5086992@twister.neo.rr.com>
Source record: 35353
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"proma1" <proma1@ntlworld.com> wrote in message
news:aud0cb$65osr$1@ID-172472.news.dfncis.de...
> hate to dissapoint you
>
> but christmas and easter were both stolen by the christians

Really, what do trees and presents and easter eggs have to do with Jesus?

>
>
> Yuletide is what it really is and has nothing to do with the birth of
> christ,which i have no problem with,but just wish religion would not
hijack
> ancient pagan festivals.
>
>
> i am not doubting the birth of Jesus but on December 25 th i dont think
so.
>
> so happy yuletide,but dont et hung up on the religous meaning.
>
>
>
> --
>
>
> Paul Wey
> PROMA1
>
>
> http://groups.yahoo.com/group/scanpromauk
>
> for main proma files sent to your inbox monthly join
>
> http://groups.yahoo.com/group/promafiles
>
> For good prices on scanners go to
>
> Stewart Aviation
>
> http://www.stewart-aviation.co.uk/rs/index.html
> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:v0iia9h2df8j8a@corp.supernews.com...
> >

> > "George" <geo_jackson@hotmail.com> wrote in message
> > news:c21a06bc.0212242140.39fe38d2@posting.google.com...
> > > Jeremiah 10:1-4
> > > Thus saith the Lord, Learn not the way of the heathen... For the
> > > customs of the people are vain: for one cutteth a tree out of the
> > > forest, the work of the hands of the workman, with the axe. They deck
> > > it with silver and with gold; they fasten it with nails and with
> > > hammers, that it move not.
> >
> > Isa:9:6: For unto us a child is born, unto us a son is given: and
> > the government shall be upon his shoulder: and his name shall
> > be called Wonderful, Counseller, The mighty God, The
> > everlasting Father, The Prince of Peace.
> >
> > Isa:53:5: But he was wounded for our transgressions, he was
> > bruised for our iniquities: the chastisement of our peace was
> > upon him; and with his stripes we are healed.
> >
> > Rom:10:9: That if thou shalt confess with thy mouth the Lord
> > Jesus, and shalt believe in thine heart that God hath raised him
> > from the dead, thou shalt be saved.
> >
> > --
> >
> > '73' & Merry Christmas From KB9TMP
> >
> > "JESUS is the REASON for the SEASON!"
> >
> >
> >
>
>

7446. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 19:59:33 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <te3k0v4ehngg5407e8q2s02iop9tgl3vo6@4ax.com>
Source record: 35355
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Wed, 25 Dec 2002 19:54:35 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:

>
>"proma1" <proma1@ntlworld.com> wrote in message
>news:aud0lc$6cm8d$1@ID-172472.news.dfncis.de...
>> sorry mate it is not your holiday
>>
>> Yuletide is a lot older than what we call Christmas,but both those who
>want
>> to celebrate christmas and those who want to celebrate Yuletide or indeed
>> those who dont want to celebrate for any reason,lets think fo peace and
>> goodwill.
>>
>>
>> and hopefully not war as your Mad warmongering president wants
>>
>> as one of the UKs newsapapers said the other day,Bush is the most
>dangerous
>> world leader.
>
>So what does that make Mr. Blair who supports Bush?

Even Blair's original supporters don't respect him any more.....

Ann

7447. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 20:07:07 UTC
From: A&K Hoch <khoch@alltel.net>
Message-ID: <3E0A0FE7.A9A1E13@alltel.net>
Source record: 35356
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Your conclusion; not mine. What does this have to do with radio?
Art

Charter News Server wrote:

> "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> news:4b3O9.5529$BP.3370@fe01...
> > > Currently here a massive influx of Latinos. English speaking
> > > Caucasians may complain but some parts of the country are currently
> > > bilingual, like it or not. That is the reality.
> >
> > The only signs written in Spanish in the United States should be those
> that
> > direct Spanish speakers to the nearest English classes!
> >
> > Roland, NK2U
> >
> >
>
> If ya can't speak English in the United States of America, then GET THE FUCK
> OUT!
>
> I'm a Bad American-this pretty much sums it up for me. I like big trucks,
> big boats, big houses, and naturally, pretty women with big tits.
>
> I believe the money I make belongs to me and my family, not some midlevel
> governmental functionary with a bad comb-over who wants to give it away to
> crack addicts squirting out babies.
>
> I don't care about appearing compassionate.
>
> I think playing with toy guns doesn't make you a killer. I believe ignoring
> your kids and giving them Prozac might.
>
> I think I'm doing better than the homeless.
>
> I don't think being a minority makes you noble or victimized. I have the
> right not to be tolerant of others because they are different, weird or make
> me mad. This is my life to live, and not necessarily up to others
> expectations. I know what SEX is and there are not varying degrees of it.
>
> I don't celebrate Kwanzaa. But if you want to that's fine; I just don't feel
> like everyone else should have to.

>
> I believe that if you are selling me a Dairy Queen shake, a pack of
> cigarettes, or hotel room you do it in English. As of matter of fact, if you
> are an American citizen you should speak English. My uncles and forefathers
> shouldn't have had to die in vain so you can leave the countries you were
> born in to come disrespect ours, and make us bend to your will. Get over it.
>
> I think the cops have every right to shoot your sorry butt if you're running
> from them after they tell you to stop. If you can't understand the word
> 'freeze' or 'stop' in English, see the previous line. I don't use the excuse
> "it's for the children" as a shield for unpopular opinions or actions.
>
> I know how to count votes and I feel much safer letting a machine with no
> political affiliation do a recount when needed. I know what the definition
> of lying is, and it isn't based on the word "is"-ever.
>
> I don't think just because you were not born in this country, you qualify
> for any special loan programs, gov't sponsored bank loans, etc., so you can
> open a hotel, 7-Eleven, trinket shop, or any thing else, while the
> indigenous peoples can't get past a high school education because they can't
> afford it.
>
> I didn't take the initiative in inventing the Internet. I thought the Taco
> Bell dog was funny.
>
> I want them to bring back safe and sane fireworks.
>
> I believe no one ever died because of something Ozzy Osbourne, Ice-T or
> Marilyn Manson sang, but that doesn't mean I want to listen to that crap
>
> from someone else's car when I'm stopped at a red light. But I respect your
> right to.
>
> I think that being a student doesn't give you any more enlightenment than
> working at Blockbuster or Jack In The Box.
>
> I don't want to eat or drink anything with the words light, lite or fat-free
> on the package.
>
> Our soldiers did not go to some foreign country and risk their lives in vain
> and defend our Constitution so that decades later you can tell me it's a
> living document ever changing and is open to interpretation. The guys who
> wrote it were light years ahead of anyone today, and they meant what they
> said - now leave the document alone, or there's going to be trouble.
>
> I don't hate the rich. I help the poor. I know wrestling is fake. I've never
> owned, or was a slave, and a large percentage of our forefathers weren't
> wealthy enough to own one either. Please stop blaming me because some prior
> white people were idiots - and remember, tons of white, Indian, Chinese, and
> other races have been enslaved too - it was wrong for every one of them.

>
> I believe a self-righteous liberal Democrat with a cause is more dangerous
> than a Hell's Angel with an attitude.
>
> I want to know exactly which church is it where the "Reverend" Jessie
> Jackson preaches; and, what exactly is his job function.
>
> I own a gun, you can own a gun, and any red blooded American should be
> allowed to own a gun, but if you use it in a crime, then you will serve the
> time.
>
> I think Bill Gates has every right to keep every penny he made and continue
> to make more. If it makes you mad, then invent the next operating system
> that's better and put your name on the building. Ask your buddy that
> invented the Internet to help you.
>
> I don't believe in hate crime legislation. Even suggesting it makes me mad.
>
> You're telling me that someone who is a minority, gay, disabled, another
> nationality, or otherwise different from the mainstream of this country has
> more value as a human being that I do as a white male. If someone kills
> anyone, I'd say that it's a hate crime. We don't need more laws! Let's
> enforce the ones we already have.
>
> I think turkey bacon, turkey beef, turkey fake anything sucks. I believe
> that it doesn't take a village to raise a child-it takes a parent with the
> guts to stand up to the kid and spank his butt and say "NO!" when it's
> necessary to do so. I'll admit that the only movie that ever made me cry was
> Ole Yeller. I didn't realize Dr. Seuss was a genius until I had a kid.
>
> I will not be frowned upon or be looked down upon or be made to keep silent
> because I have these beliefs and opinions. I thought this country allowed me
> that right. I will not conform or compromise just to keep from hurting
> somebody's feelings. I'm neither angry nor disenfranchised, no matter how
> desperately the mainstream media would like the world to believe otherwise.
> Yes, I guess by some people's definition, I may be a bad American.

--

http://www.alltel.net/~khoch

7448. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 20:09:11 UTC
From: JJ <radiobuff0@mailcity.net>
Message-ID: <3E0A1067.1060905@mailcity.net>
Source record: 35376
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

```
Michael A. Terrell wrote:
> Michael A Terrell wrote:
>
>>"Michael A. Terrell" <terrell@mfi.net> wrote in message
>>news:3E0A18E4.C07E3075@mfi.net...
>>
>>>Colt M4 wrote:
>>>
>>>>"JJ Removed His Tongue From His Dogs Rectum Just In Time and wrote in
>>>>message" news:3E09F772.6000506@mailcity.net...
>>>>
>>>>>Colt M4 wrote:
>>>>>
>>>>>>You don't own the fucker, dickhead. I'll post where I damn well
>>>>>
>>please.
>>
>>>>>What else could one expect from a turd.
>>>>
>>>>You have a fetish with shit???
>>>>
>>>>You're one nasty fucker.
>>>
>>> Kill filed.
>>>--
>>
>>Re-Born...
>>
>>
>>>
>>>Michael A. Terrell
>>>Central Florida
>>
>
> Forwarded to supernews for abuse.
```

Same here.

7449. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 20:22:18 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <_roO9.17683$%3.5101822@twister.neo.rr.com>
Source record: 35357
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Ann" <annREMOVE@asarian-host.net> wrote in message
news:993k0volukmi6jnumo58g5347e5tm5aubb@4ax.com...
> On Wed, 25 Dec 2002 19:56:48 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
>
> >
> >"proma1" <proma1@ntlworld.com> wrote in message
> >news:aud0cb$65osr$1@ID-172472.news.dfncis.de...
> >> hate to dissapoint you
> >>
> >> but christmas and easter were both stolen by the christians
> >
> >Really, what do trees and presents and easter eggs have to do with Jesus?
>
> Nothing......that's the point.....sheesh....sigh...

That was my point. SHEESH!

>
> Ann

7450. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 20:26:32 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <t25k0vovt8cquv2vffstef4e5d4n3rmkeg@4ax.com>
Source record: 35358
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Wed, 25 Dec 2002 20:22:18 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:

>
>"Ann" <annREMOVE@asarian-host.net> wrote in message
>news:993k0volukmi6jnumo58g5347e5tm5aubb@4ax.com...
>> On Wed, 25 Dec 2002 19:56:48 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
>>
>> >
>> >"proma1" <proma1@ntlworld.com> wrote in message
>> >news:aud0cb$65osr$1@ID-172472.news.dfncis.de...
>> >> hate to dissapoint you
>> >>
>> >> but christmas and easter were both stolen by the christians
>> >
>> >Really, what do trees and presents and easter eggs have to do with Jesus?
>>
>> Nothing......that's the point.....sheesh....sigh...
>
>That was my point. SHEESH!

So why were you asking the question.......S H E E S H ! !

Ann

7451. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 20:32:21 UTC
From: Colt M4 <Colt-M4@Colt-M4.Com>
Message-ID: <v0k5eohrghl677@corp.supernews.com>
Source record: 35360
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"JJ Removed His Tongue From His Dogs Rectum Just In Time and wrote in
message" news:3E09F772.6000506@mailcity.net...
>
>
> Colt M4 wrote:
> > You don't own the fucker, dickhead. I'll post where I damn well please.
>
> What else could one expect from a turd.

You have a fetish with shit???

You're one nasty fucker.

7452. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 20:45:24 UTC
From: "Michael A. Terrell" <terrell@mfi.net>
Message-ID: <3E0A18E4.C07E3075@mfi.net>
Source record: 35362
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

```
Colt M4 wrote:
>
> "JJ Removed His Tongue From His Dogs Rectum Just In Time and wrote in
> message" news:3E09F772.6000506@mailcity.net...
> >
> >
> > Colt M4 wrote:
> > > You don't own the fucker, dickhead. I'll post where I damn well please.
> >
> > What else could one expect from a turd.
>
> You have a fetish with shit???
>
> You're one nasty fucker.

Kill filed.
--

Michael A. Terrell
Central Florida
```

7453. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 20:51:26 UTC
From: Michael A Terrell <mterrell@mfi.net>
Message-ID: <v0k6ihijeqmi2c@corp.supernews.com>
Source record: 35363
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Michael A. Terrell" <terrell@mfi.net> wrote in message
news:3E0A18E4.C07E3075@mfi.net...
> Colt M4 wrote:
> >
> > "JJ Removed His Tongue From His Dogs Rectum Just In Time and wrote in
> > message" news:3E09F772.6000506@mailcity.net...
> > >
> > >
> > > Colt M4 wrote:
> > > > You don't own the fucker, dickhead. I'll post where I damn well
please.
> > >
> > > What else could one expect from a turd.
> >
> > You have a fetish with shit???
> >
> > You're one nasty fucker.
>
> Kill filed.
> --

Re-Born...

>
>
> Michael A. Terrell
> Central Florida

7454. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 20:51:30 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0k6iik7cqj52e@corp.supernews.com>
Source record: 35364
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Ann, has anyone ever told you that you are a bitter old shrew? If not, let
me be the first.

With all good wishes
Fred

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"Ann" <annREMOVE@asarian-host.net> wrote in message
news:993k0volukmi6jnumo58g5347e5tm5aubb@4ax.com...
> On Wed, 25 Dec 2002 19:56:48 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
>
> >
> >"proma1" <proma1@ntlworld.com> wrote in message
> >news:aud0cb$65osr$1@ID-172472.news.dfncis.de...
> >> hate to dissapoint you
> >>
> >> but christmas and easter were both stolen by the christians
> >
> >Really, what do trees and presents and easter eggs have to do with Jesus?
>
> Nothing......that's the point.....sheesh....sigh...
>
> Ann

7455. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 20:57:52 UTC
From: Jeffrey D Angus <jangus@socal.rr.com>
Message-ID: <3E0A1B32.4060809@socal.rr.com>
Source record: 35365
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Colt M4 wrote:

>"JJ Removed His Tongue From His Dogs Rectum Just In Time and wrote in
>message" news:3E09F772.6000506@mailcity.net...
>
>
>>Colt M4 wrote:
>>
>>
>>>You don't own the fucker, dickhead. I'll post where I damn well please.
>>>
>>>
>>What else could one expect from a turd.
>>
>>
>
>You have a fetish with shit???
>
>You're one nasty fucker.
>
We stand in awe at your excellent command of the English languge.

Jeff

--
"They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety." Benjamin Franklin
"A life lived in fear is a life half lived."
Tara Morice as Fran, from the movie "Strictly Ballroom"

7456. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 20:58:44 UTC
From: Michael A Terrell <mterrell@mfi.net>
Message-ID: <v0k70ahuc45ce5@corp.supernews.com>
Source record: 35366
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

> >"JJ Removed His Tongue From His Dogs Rectum Just In Time and wrote in
> >message" news:3E09F772.6000506@mailcity.net...
> >
> >
> >>What else could one expect from a turd.
> >>

> >"Jeffrey D Angus" <jangus@socal.rr.com> wrote in message
news:3E0A1B32.4060809@socal.rr.com...
> We stand in awe at your excellent command of the English languge.
>
> Jeff
>

That's the same thought I had.

7457. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 21:12:58 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <ip7k0v06cq1b4q4lc6iiceo3ueovv4maoe@4ax.com>
Source record: 35367
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Wed, 25 Dec 2002 15:51:30 -0500, "Fred Hambrecht Sr."
<w4jle@charter.net> wrote:

>Ann, has anyone ever told you that you are a bitter old shrew? If not, let
>me be the first.

Nobody has every told me that before but maybe someone has told you
that you are a fuckwit.......

Ann

7458. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 21:14:46 UTC
From: proma1 <proma1@ntlworld.com>
Message-ID: <aud787$6g8nm$1@ID-172472.news.dfncis.de>
Source record: 35369
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

100% the same

in the UK we have had no real prime ministers since WW11

we have become unfortunately a US state,by default

--

Paul Wey
PROMA1

http://groups.yahoo.com/group/scanpromauk

for main proma files sent to your inbox monthly join

http://groups.yahoo.com/group/promafiles

For good prices on scanners go to

Stewart Aviation

http://www.stewart-aviation.co.uk/rs/index.html
"DeWayne" <ke9k@indy.rr.com> wrote in message
news:%1oO9.17678$%3.5086122@twister.neo.rr.com...
>
> "proma1" <proma1@ntlworld.com> wrote in message
> news:aud0lc$6cm8d$1@ID-172472.news.dfncis.de...
> > sorry mate it is not your holiday
> >
> > Yuletide is a lot older than what we call Christmas,but both those who
> want
> > to celebrate christmas and those who want to celebrate Yuletide or
indeed
> > those who dont want to celebrate for any reason,lets think fo peace and
> > goodwill.
> >
> >
> > and hopefully not war as your Mad warmongering president wants
> >
> > as one of the UKs newsapapers said the other day,Bush is the most
> dangerous
> > world leader.
>
> So what does that make Mr. Blair who supports Bush?
>
> >

> >
> > regards
> >
> > --
> >
> >
> > Paul Wey
> > PROMA1
> >
> >
> > http://groups.yahoo.com/group/scanpromauk
> >
> > for main proma files sent to your inbox monthly join
> >
> > http://groups.yahoo.com/group/promafiles
> >
> > For good prices on scanners go to
> >
> > Stewart Aviation
> >
> > http://www.stewart-aviation.co.uk/rs/index.html
> > "KB9TMP" <kb9tmp@juno.com> wrote in message
> > news:v0jvq926cdb886@corp.supernews.com...
> > >
> > > "Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
> > > news:v0joar52a6bl23@corp.supernews.com...
> > > > Merry no special day to you.
> > > >
> > > > --
> > > > For Admiral Poindexter's folks:
> > > > Bomb, anthrax, attack, acid, hijack, skyjack
> > > > sniper, plutonium, nuclear, Big Mac, jihad
> > > > Democrats, terror, Howdy Doody, Oprah
> > > >
> > > > "Those that sacrifice freedom for security deserve neither"
> > > <SNIP>
> > >
> > > For those who don't have a belief in a God or supreme being,
> > > this is not your holiday. Your holiday is celebrated here in the
> > > U.S.A. every year on April the first.
> > >
> > > --
> > >
> > > '73' & Merry Christmas From KB9TMP
> > >
> > > "JESUS is the REASON for the SEASON!"
> > >
> > >
> >
> >

>
>

7459. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 21:15:41 UTC
From: "Michael A. Terrell" <terrell@mfi.net>
Message-ID: <3E0A1FFD.33FC6A9D@mfi.net>
Source record: 35368
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

```
Michael A Terrell wrote:
>
> "Michael A. Terrell" <terrell@mfi.net> wrote in message
> news:3E0A18E4.C07E3075@mfi.net...
> > Colt M4 wrote:
> > >
> > > "JJ Removed His Tongue From His Dogs Rectum Just In Time and wrote in
> > > message" news:3E09F772.6000506@mailcity.net...
> > > >
> > > >
> > > > Colt M4 wrote:
> > > > > You don't own the fucker, dickhead. I'll post where I damn well
> please.
> > > >
> > > > What else could one expect from a turd.
> > >
> > > You have a fetish with shit???
> > >
> > > You're one nasty fucker.
> >
> > Kill filed.
> > --
>
> Re-Born...
>
> >
> >
> > Michael A. Terrell
> > Central Florida

Forwarded to supernews for abuse.
--

Michael A. Terrell
Central Florida
```

7460. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 21:16:53 UTC
From: proma1 <proma1@ntlworld.com>
Message-ID: <aud789$6g8nm$2@ID-172472.news.dfncis.de>
Source record: 35370
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

100% the same

in the UK we have had no real prime ministers since WW11

we have become unfortunately a US state,by default

--

Paul Wey
PROMA1

http://groups.yahoo.com/group/scanpromauk

for main proma files sent to your inbox monthly join

http://groups.yahoo.com/group/promafiles

For good prices on scanners go to

Stewart Aviation

http://www.stewart-aviation.co.uk/rs/index.html
"DeWayne" <ke9k@indy.rr.com> wrote in message
news:%1oO9.17678$%3.5086122@twister.neo.rr.com...
>
> "proma1" <proma1@ntlworld.com> wrote in message
> news:aud0lc$6cm8d$1@ID-172472.news.dfncis.de...
> > sorry mate it is not your holiday
> >
> > Yuletide is a lot older than what we call Christmas,but both those who
> want
> > to celebrate christmas and those who want to celebrate Yuletide or
indeed
> > those who dont want to celebrate for any reason,lets think fo peace and
> > goodwill.
> >
> >
> > and hopefully not war as your Mad warmongering president wants
> >
> > as one of the UKs newsapapers said the other day,Bush is the most
> dangerous
> > world leader.
>
> So what does that make Mr. Blair who supports Bush?
>
> >

> >
> > regards
> >
> > --
> >
> >
> > Paul Wey
> > PROMA1
> >
> >
> > http://groups.yahoo.com/group/scanpromauk
> >
> > for main proma files sent to your inbox monthly join
> >
> > http://groups.yahoo.com/group/promafiles
> >
> > For good prices on scanners go to
> >
> > Stewart Aviation
> >
> > http://www.stewart-aviation.co.uk/rs/index.html
> > "KB9TMP" <kb9tmp@juno.com> wrote in message
> > news:v0jvq926cdb886@corp.supernews.com...
> > >
> > > "Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
> > > news:v0joar52a6bl23@corp.supernews.com...
> > > > Merry no special day to you.
> > > >
> > > > --
> > > > For Admiral Poindexter's folks:
> > > > Bomb, anthrax, attack, acid, hijack, skyjack
> > > > sniper, plutonium, nuclear, Big Mac, jihad
> > > > Democrats, terror, Howdy Doody, Oprah
> > > >
> > > > "Those that sacrifice freedom for security deserve neither"
> > > <SNIP>
> > >
> > > For those who don't have a belief in a God or supreme being,
> > > this is not your holiday. Your holiday is celebrated here in the
> > > U.S.A. every year on April the first.
> > >
> > > --
> > >
> > > '73' & Merry Christmas From KB9TMP
> > >
> > > "JESUS is the REASON for the SEASON!"
> > >
> > >
> >
> >

>
>

7461. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 21:17:39 UTC
From: Ed de la Rie <ed@doofpot.nl>
Message-ID: <TfpO9.116$Lz4.24609@amsnews02.chello.com>
Source record: 35371
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Daniele wrote:
> Ed de la Rie ha scritto:
>
>> Geeee, that was a guy from spain.
>
> Was born in Genova (Genoa), Italy,
> but was a Princess in Spain
> that agreed to give him founds to demonstrate
> the earth was like a ball, Italian governiment
> was quite sure he was mad but
> absolutely sure running againist
> catholic theory.

Which makes matters even worse.
So one ita goes out to find some land against the wishes
of the catholic church, for a foreign country.

Where is this world going for ?

Ed

7462. Re: Learn English This character is trying to forge my ID.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 21:21:24 UTC
From: "Michael A. Terrell" <terrell@mfi.net>
Message-ID: <3E0A2154.8651A835@mfi.net>
Source record: 35373
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Path:

sn-us!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From:
"Michael A Terrell" <mterrell@mfi.net>
Newsgroups:
rec.antiques.radio+phono, rec.radio.amateur.equipment,
rec.radio.amateur.misc, rec.radio.scanner, rec.radio.shortwave
Subject:
Re: Learn English
Date:
Wed, 25 Dec 2002 15:58:44 -0500
Organization:
Michael A Terrell
Message-ID:
<v0k70ahuc45ce5@corp.supernews.com>
Reply-To:
"Michael A Terrell" <mterrell@mfi.net>
References:
<3dfb925e@snipnews.snip.net>
<3e047020$1@news.netacc.net> <AF_M9.9416$0v3.4811@news.bellsouth.net>
<3e049671@news.netacc.net>
<au2qn6$et3$1@news1.kornet.net> <v0a8phq4m6lo32@corp.supernews.com>
<v0bfo8gtuoljf5@corp.supernews.com>
<v0bj4motiu7pe7@corp.supernews.com> <au4v3t$2fqg$1@news.dp.net>
<v0d7je78s6hp5b@corp.supernews.com>
<au6jnaofp1@news.dp.net>
<b20ddf9e.0212230716.4279e093@posting.google.com>
<v0ecq8tjca6jcd@corp.supernews.com>
<au83q8$19k1$1@news.dp.net>
<20d99877.0212240501.13b8e6c3@posting.google.com>
<4b3O9.5529$BP.3370@fe01>
<v0hhfsq87tf924@corp.supernews.com>
<U_3O9.552$MQ4.514@newssvr16.news.prodigy.com>
<Y74O9.5559$BP.5556@fe01>
<ApgO9.138274$4B2.15516559@amsnews03.chello.com>
<3E09D796.1010403@mailcity.net>
<aud10u$v7p$1@slb6.atl.mindspring.net>
<v0k287f4r3jo8e@corp.supernews.com>
<3E09F772.6000506@mailcity.net>
<v0k5eohrghl677@corp.supernews.com> <3E0A1B32.4060809@socal.rr.com>
X-Priority:
3

X-MSMail-Priority:
Normal
X-Newsreader:
Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE:
Produced By Microsoft MimeOLE V6.00.2800.1106
X-Complaints-To:
abuse@supernews.com
Lines:
17
Xref:
sn-us rec.antiques.radio+phono:265552
rec.radio.amateur.equipment:196683 rec.radio.amateur.misc:261170
rec.radio.scanner:251633 rec.radio.shortwave:335422

> >"JJ Removed His Tongue From His Dogs Rectum Just In Time and wrote in
> >message" news:3E09F772.6000506@mailcity.net...
> >
> >
> >>What else could one expect from a turd.
> >>

> >"Jeffrey D Angus" <jangus@socal.rr.com> wrote in message
news:3E0A1B32.4060809@socal.rr.com...
> We stand in awe at your excellent command of the English languge.
>
> Jeff
>

That's the same thought I had.

--

Michael A. Terrell
Central Florida

7463. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 21:28:07 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <HppO9.17701$%3.5139702@twister.neo.rr.com>
Source record: 35372
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Ann" <annREMOVE@asarian-host.net> wrote in message
news:ip7k0v06cq1b4q4lc6iiceo3ueovv4maoe@4ax.com...
> On Wed, 25 Dec 2002 15:51:30 -0500, "Fred Hambrecht Sr."
> <w4jle@charter.net> wrote:
>
> >Ann, has anyone ever told you that you are a bitter old shrew? If not,
let
> >me be the first.
>
> Nobody has every told me that before but maybe someone has told you
> that you are a fuckwit.......

Now you're getting that spirit of Xmas!

>
> Ann

7464. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 21:31:02 UTC
From: Michael A Terrell <mterrell@mfi.net>
Message-ID: <v0k8sp838n4bdc@corp.supernews.com>
Source record: 35374
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Michael A. Terrell" <terrell@mfi.net> wrote in message
news:3E0A1FFD.33FC6A9D@mfi.net...
> > > Michael A. Terrell
> > > Central Florida
>
> Forwarded to supernews for abuse.

ROTFLMAO!

Let me guess. You think YOU have exclusive rights to the name Michael
Terrell.

Tell you what pudding cup, ask one of the Michael Terrell's listed below.
Phone numbers are included for your convenience.

MICHAEL TERRELL
9650 LA SALLE AVE
LOS ANGELES CA 90047
(323)757-2424

MICHAEL TERRELL
628 KLAMATH WAY
SUISUN CITY CA 94585
(707)434-0882

MICHAEL TERRELL
16 KENSINGTON WAY
PORT JEFFERSON STATION NY 11776
(631)473-4322

MICHAEL TERRELL
19 FAIRWAY W
SAYVILLE NY 11782
(631)567-2878

MICHAEL TERRELL
12 BRUCE ST
WALTON NY 13856
(607)865-6722

MICHAEL TERRELL
12 BRUCE ST
WALTON NY 13856
(607)865-8960

MICHAEL TERRELL
103 E UTICA ST
BUFFALO NY 14209
(716)882-2697

MICHAEL TERRELL
35 OSAGE TRL
SPENCERPORT NY 14559
(585)293-0837

MICHAEL TERRELL
793 STOWELL DR
ROCHESTER NY 14616
(585)723-0710

> --
>
>
> Michael A. Terrell
> Central Florida

7465. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 22:09:50 UTC
From: Joe Bento <joseph-nospam-@kirtland.com>
Message-ID: <r3bk0vs3o5dkc9komqdplovtpoto5j6eh7@4ax.com>
Source record: 35375
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

On Wed, 25 Dec 2002 16:31:02 -0500, "Michael A Terrell"
<mterrell@mfi.net> wrote:

>
>
>
>"Michael A. Terrell" <terrell@mfi.net> wrote in message
>news:3E0A1FFD.33FC6A9D@mfi.net...
>> > > Michael A. Terrell
>> > > Central Florida
>>
>> Forwarded to supernews for abuse.
>
>
>ROTFLMAO!
>
>Let me guess. You think YOU have exclusive rights to the name Michael
>Terrell.

Will the real Michael Terrel please stand up....

Joe

Remove the -nospam- to send e-mail
joseph-nospam-@kirtland.com

7466. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 22:13:22 UTC
From: Santa X <santax@northpole.com>
Message-ID: <3E0A2DAE.4570920B@northpole.com>
Source record: 35377
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Isaiah 36:12
Hath he not sent me to the men that
sit upon the wall, that they may eat their own dung, and drink their
own piss with you?

Malachi 2:3
Behold, I will corrupt your seed, and spread dung upon your faces!

And thou shalt eat it as barely cakes, and thou shalt bake it
with dung that cometh out of man..." - Ezekiel 4:12

"Lo, I have given thee cow's dung for man's dung and thou
shalt prepare thy bread therewith" - Ezekiel 4:15

JOB 41:19.....
Out of this mouth go burning lamps, and sparks of fire leap out. Out of
his nostrils goeth smoke, as out of a seething pot of caldron. His
breath kindleth coals, and a flame goeth out of his mouth.

Isaiah 34:7
And the unicorns shall come down with them, and the bullocks with the
bulls; and their land shall be soaked with blood, and their dust made fat
with fatness.

Revelation 12:3 "...and behold a GREAT RED DRAGON, having SEVEN HEADS
and ten horns, and seven crowns upon his heads."

"If any one comes to me and does not hate his own father and mother and
wife and children and brothers and sisters, yes, and even his own life,
he cannot be my disciple." - Luke 14:26
(Jesus)

If god can prevent evil, but doesn't, then He isn't all-loving.
If god intends to prevent evil, but cannot, then He isn't omnipotent.
If god both intends to prevent evil and is capable of doing so, then how
can
evil exist?

7467. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 22:16:53 UTC
From: Santa X <santax@northpole.com>
Message-ID: <3E0A2E81.162FC814@northpole.com>
Source record: 35378
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

> "JESUS is the REASON for the SEASON!"

Only for people who are into Christian Mythology. MOST people celebrate Christmas for Santa, gift giving, decorating pine trees and all that non-religious stuff that makes the holidays fun.

Jesus would actually be against the gifts and all the fun stuff that makes the holidays what they are. After all, anything that is fun or makes one feel good is a sin. FUCK THAT!!

MERRY FUCKING CHRISTMAS!!!! Don't let religion spoil your holidays!

7468. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 22:20:47 UTC
From: Santa X <santax@northpole.com>
Message-ID: <3E0A2F6B.1910F660@northpole.com>
Source record: 35379
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

> but christmas and easter were both stolen by the christians
>
> Yuletide is what it really is and has nothing to do with the birth of
> christ,which i have no problem with,but just wish religion would not hijack
> ancient pagan festivals.

Look, there is nothing religious or Christian about Santa Claus, decorating pine trees with electric lights, and giving gifts wrapped in colorful wrapping paper. Stop brining religion into something nice and fun and ruin it!

> i am not doubting the birth of Jesus but on December 25 th i dont think so.

Jesus is a make-believe character of Christian Mythology. At least Santa rewards with gifts and his worst punishment is a lump of coal in your stocking. Jesus gives no gifts, just threats of eternal punishments and burning in hell for doing anything that is fun or brings happiness. (sins)

7469. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 22:29:23 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0kca0g9pv7qf6@corp.supernews.com>
Source record: 35380
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Santa X" <santax@northpole.com> wrote in message
news:3E0A2DAE.4570920B@northpole.com...
> Isaiah 36:12
> Hath he not sent me to the men that
> sit upon the wall, that they may eat their own dung, and drink their
> own piss with you?
>
> Malachi 2:3
> Behold, I will corrupt your seed, and spread dung upon your faces!
>
> And thou shalt eat it as barely cakes, and thou shalt bake it
> with dung that cometh out of man..." - Ezekiel 4:12
>
> "Lo, I have given thee cow's dung for man's dung and thou
> shalt prepare thy bread therewith" - Ezekiel 4:15
>
> JOB 41:19.....
> Out of this mouth go burning lamps, and sparks of fire leap out. Out of
> his nostrils goeth smoke, as out of a seething pot of caldron. His
> breath kindleth coals, and a flame goeth out of his mouth.
>
> Isaiah 34:7
> And the unicorns shall come down with them, and the bullocks with the
> bulls; and their land shall be soaked with blood, and their dust made fat
> with fatness.
>
> Revelation 12:3 "...and behold a GREAT RED DRAGON, having SEVEN HEADS
> and ten horns, and seven crowns upon his heads."

Rv:12:7: And there was war in heaven: Michael and his angels fought
against the dragon; and the dragon fought and his angels,

Rv:20:2: And he laid hold on the dragon, that old serpent, which
is the Devil, and Satan, and bound him a thousand years,

Rv:20:10: And the devil that deceived them was cast into the
lake of fire and brimstone, where the beast and the false prophet
are, and shall be tormented day and night for ever and ever.

Rv:20:15: And whosoever was not found written in the book
of life was cast into the lake of fire.

>
>
> "If any one comes to me and does not hate his own father and mother and

> wife and children and brothers and sisters, yes, and even his own life,
> he cannot be my disciple." - Luke 14:26
> (Jesus)
>
>
> If god can prevent evil, but doesn't, then He isn't all-loving.
> If god intends to prevent evil, but cannot, then He isn't omnipotent.
> If god both intends to prevent evil and is capable of doing so, then how
> can
> evil exist?
>
>
And because God will prevent evil and hasn't done it in yet
you think he can't/won't do it or don't exist at all.

Ps:14:1a: The fool hath said in his heart, There is no God.....

--

'73' & Merry Christmas From KB9TMP

"JESUS is the REASON for the SEASON!"
Believe It Or Not!

7470. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 22:30:41 UTC
From: Santa X <santax@northpole.com>
Message-ID: <3E0A31BD.50F9F80B@northpole.com>
Source record: 35381
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

> > but christmas and easter were both stolen by the christians
>
> Really, what do trees and presents and easter eggs have to do with Jesus?

Thank you! At least somebody here has their thinking cap on. Christmas is all about Santa, decorating pine trees, and giving presents to friends and family. Without Christmas, many businesses would fail and go bankrupt. Why people have to always push religion into everything is unbelievable. It has gone to the point that Jewish people won't even let their kids celebrate Christmas and see Santa!! As if Santa Claus and present giving is exclusive to the Christian religion or something! I'm an Atheist and celebrate Christmas every year with my family, why the hell can't Jews and Blacks? What the hell is this new black holiday (Qwanza?) the Blacks have to have to further keep themselves separate and segregated instead of joining in and trying to unite into one big melting pot, instead of trying to invent new ways to separate into smaller groups.

Christmas is for EVERYONE! Even Jews like Jack Benny, George Burns (Nat Birnbaum) and Stan Freberg would have Christmas shows and celebrate Christmas!

Religion once again is trying to rip people apart instead of bringing everyone together.

I for one, am not playing part of this new "politically correct" bullshit of having to say "happy holidays" instead of "Merry Christmas". Santa Claus says: "Merry Christmas" and so do I! I hate Christians and religion like everyone else, but that has nothing to do with our Christmas holiday, Santa, decorating pine trees, giving gifts, etc.

I think as soon as everyone else realizes this, we can all join into one big happy group and celebrate the season together, instead of hiding into our little separate groups and sub-holidays.

Celebrate Christmas or DIE!!!

7471. Re: Kenwood TS-450S/AT Questions

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 22:31:17 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <lJGdnW97p6l1rJejXTWcqA@comcast.com>
Source record: 35382

I seem to recall seeing these as well. Maybe it was on Kenwood's site? They have technical bulletins (essentially fax scans of service notes) that might describe these mods.

Bob M.
======
"Kevin" <kberlen@ticz.com> wrote in message
news:aualqq0130i@enews1.newsguy.com...
> I recently acquired a TS-450S/AT, and am looking for a couple of
> modifications for it. I understand there is a mod to remove the AM
broadcast
> band attenuator to improve performance. Also, I think there is a mod to
> speed up the AGC action. These mods are not on any of the popular
> modification sites and I have been unable to locate them elsewhere on the
> internet. I do have a copy of the service manual for the rig. Any help
would
> be appreciated. Thanks and Happy Holidays,
>
> Kevin, K9HX
>
>

7472. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 22:32:28 UTC
From: Santa X <santax@northpole.com>
Message-ID: <3E0A3228.CE7CE4E4@northpole.com>
Source record: 35383
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Ann wrote:

> On Wed, 25 Dec 2002 15:51:30 -0500, "Fred Hambrecht Sr."
> <w4jle@charter.net> wrote:
>
> >Ann, has anyone ever told you that you are a bitter old shrew? If not, let
> >me be the first.
>
> Nobody has every told me that before

Then let me be the second. You are Ann C. Scrooge. And I don't have to tell anyone what the C stands for, but it aint Christmas, that's for sure.

7473. VX7R Low Audio Problems

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 22:52:09 UTC
From: "L. E. Dietrich" <ldietric@optonline.net>
Message-ID: <tEqO9.154394$a8.94039@news4.srv.hcvlny.cv.net>
Source record: 35384

Would like to hear from some VX7R users....are you experiencing low audio?

If so, what did you do to fix the problem?. I changed the Max Deviation settings and still have low audio...

Anyone else have this problem?

Happy Holidays...

Lou

7474. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 22:59:47 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <72ek0vs5q63tf2pqu5h8a3n0e2so8ssfk8@4ax.com>
Source record: 35385
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Wed, 25 Dec 2002 21:16:53 -0000, "proma1" <proma1@ntlworld.com>
wrote:

>100% the same
>
>
>in the UK we have had no real prime ministers since WW11
>
>
>we have become unfortunately a US state,by default

Rubbish! We'll never be like them. They are a completely different
people.

Ann

7475. Re: ICOM IC-u2AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 23:04:42 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <nqdk0vc0get69ovs1g35frdcvus58ek5in@4ax.com>
Source record: 35386

At least I have a call sign.....

On Wed, 25 Dec 2002 11:12:14 -0500, "Stephen C. Robbins"
<srobbinsNoSPaMDUDES@netacc.net> wrote:

>
>"WZ1U" <wz1u@attbi.com> wrote in message
>news:gtjj0vc81bok2oj63n693tuhj4t705lbig@4ax.com...
>> I have for sale an ICOM IC-u2AT 2 meter HT in very good condition. It
>> comes with the DC-25 dc-dc converter no plug in cable. It has the
>> rubber duck, no belt clip and no manual and no battery. It does
>> transmit but has a squelch problem. I will take $25 plus shipping. I
>> can be reached at (508) 821-2993 or email...WZ1U Steve
>>
>
>Hmm... Broken squelch, missing belt clip, no dc cable..... And it is in
>very good condition???
>
>Steve you have a perverse definition of very good :-)
>
>But it is an excellent price for the radio as described and at least you did
>accurately describe it.
>
>Steve
>
>

7476. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 23:05:23 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0kedgr1skbee0@corp.supernews.com>
Source record: 35387
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Santa X" <santax@northpole.com> wrote in message
news:3E0A31BD.50F9F80B@northpole.com...
> > > but christmas and easter were both stolen by the christians
> >
> > Really, what do trees and presents and easter eggs have to do with
Jesus?
>
> Thank you! At least somebody here has their thinking cap on.
Christmas is
> all about Santa,

Oh really? Then how come it's not called Santamas?

>decorating pine trees, and giving presents to friends and
> family. Without Christmas, many businesses would fail and go bankrupt.
Why
> people have to always push religion into everything is unbelievable. It
has
> gone to the point that Jewish people won't even let their kids celebrate
> Christmas and see Santa!! As if Santa Claus and present giving is
exclusive
> to the Christian religion or something! I'm an Atheist and celebrate
> Christmas every year with my family, why the hell can't Jews and Blacks?
> What the hell is this new black holiday (Qwanza?) the Blacks have to have
to
> further keep themselves separate and segregated instead of joining in and
> trying to unite into one big melting pot, instead of trying to invent new
ways
> to separate into smaller groups.
>

It's all done in the name of the only god this world wants, MONEY!!

> Christmas is for EVERYONE! Even Jews like Jack Benny, George Burns (Nat
> Birnbaum) and Stan Freberg would have Christmas shows and celebrate
Christmas!
>
> Religion once again is trying to rip people apart instead of bringing
everyone
> together.
>

It's called Christmas you know Christ - mas, notice that large name at
the front of the holiday name. Why else would Christians get involved in it?

> I for one, am not playing part of this new "politically correct" bullshit
of
> having to say "happy holidays" instead of "Merry Christmas". Santa
Claus
> says: "Merry Christmas" and so do I! I hate Christians and religion
like
> everyone else,

That point is obvious! You really do hate Christians and religion don't you?

>but that has nothing to do with our Christmas holiday, Santa,
> decorating pine trees, giving gifts, etc.

Remember the name? CHRISTmas not SANTAmas.

>
> I think as soon as everyone else realizes this, we can all join into one
big
> happy group and celebrate the season together, instead of hiding into our
> little separate groups and sub-holidays.

Christmas with no Christ in it, no thanks I believe
I'll pass on your anti-religious version of the holiday.

>
> Celebrate Christmas or DIE!!!
>

Then let it be death! Would you like to be the one to do me in?
I do want to warn you, I'm not like those meek and mild milk
toast church going types you know. I will fight back so bring your lunch.

Or if you just want to say "no it's not that important to me", then
that's OK too. I'm not going to start any holy wars, but if one
starts on me I'll darn sure finish it!

Just so we understand each other my statement above was
made because of your "Celebrate Christmas or DIE!!!" comment.
I'm not starting any fights, nor do I have a desire to do so either.

--

'73' & Merry Christmas From KB9TMP

"JESUS is the REASON for the SEASON!"
Believe It Or Not!

7477. MFJ 1278 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 23:12:30 UTC
From: Scott Vanzandt <zandt@midsouth.rr.com>
Message-ID: <inek0vkvfmrc8qqs54ogqsr2j4e6ndvk03@4ax.com>
Source record: 35388

Does anyone know of a source for the manual for a MFJ 1278 TNC. I would prefer a downloadable pdf, but can't be to picky right now.\
\\

N2WMD
Scott

7478. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 23:27:51 UTC
From: Charles Gillen <see-my-sig@below.com>
Message-ID: <Xns92EFBBDCBC6Cgillen@216.194.225.92>
Source record: 35389
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"proma1" <proma1@ntlworld.com> wrote:

> in the UK we have had no real prime ministers since WW11
> we have become unfortunately a US state,by default

Sorry, we won't let you join until you dump your dysfunctional and useless
Royal Family :^)

--
Anti-Spam address: my last name at his dot com
Charles Gillen -- Reston, Virginia, USA

7479. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 23:30:06 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <fmfk0v89pt20at8su8a39cj1l44b4gq9ra@4ax.com>
Source record: 35390
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Wed, 25 Dec 2002 18:05:23 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:

>It's called Christmas you know Christ - mas, notice that large name at
>the front of the holiday name. Why else would Christians get involved in it?

This really is basic stuff. You do know don't you that originally it
was a non christian festival and the christians came along and took it
for their own? Even the church accepts this so if you don't, then
you're on your own.

Ann

7480. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 23:30:48 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <audf30$1np$1@slb9.atl.mindspring.net>
Source record: 35391
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Lets try this one more time 'JJ'. I didn't initiate the damn post you
moron. Got it now?

Dan/W4NTI

"JJ" <radiobuff0@mailcity.net> wrote in message
news:3E09FB85.9030608@mailcity.net...
>
>
> Dan/W4NTI wrote:
> > I didn't put it there. Get over it goof. You could try this
'JJ'...Don't
> > open it up and read it.....what a plan eh?
>
>
> You could try this danny boy.....post it to a group where it is on
> topic instead of cluttering up groups where it is off topic and no
> one cares about your ranting.
>

7481. Re: Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 23:53:44 UTC
From: Don Edberg <dynamic3@flash.net>
Message-ID: <3E0A4507.15304ACC@flash.net>
Source record: 35393
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Gentlemen,
first of all, I made a "typo." I should have written 447.620, I accidentally wrote 427 repeatedly. It was too late that evening. sorry about that.
that being said, the problem remains. I cannot get anything other than static on 440 band. On 2m I can hear voices just fine. Could it be that the 440 half of the HT is not working properly?
still awaiting any suggestions.
thanks,
don e N6CLP

"Bob M." wrote:

> My TH-79A DOES tune down that far, and transmits on 422.620 as shown below.
> However I did cut the MARS jumper inside when I first got it. My other 440
> MHz radio will NOT transmit down below about 435 MHz so I can't easily tell
> if the HT is receiving anything there. Just took the HT up to my shack and
> it hears a signal from my sig gen on 427.620 MHz just fine.
>
> When you set the PL tone, press the TONE button (* key) to enable just the
> transmit tone. The display will show an inverse "T". If you press the CTCSS
> button (3), it'll enable both receive and transmit tones, and you'll see a
> "CT" next to the inverse "T".
>
> Sounds like you've got it working but might just have the PL enabled on the
> receiver.
>
> Bob M.
> ======
> "Don Edberg" <dynamic3@flash.net> wrote in message
> news:3E06427C.C230064B@flash.net...
> > Hi,
> >
> > I hope I am posting this correctly, and to the correct newsgroup. I am
> > new to newsgroups and using them. However, I could use some help with a
> > radio I am trying to get working.
> >
> > I have inherited a used Kenwood TH-79A and have downloaded the manual
> > from Kenwood's web site. but for the life of me, I cannot get it to
> > work with a friend's repeater.
> >
> > His repeater is at 427.620 and has a tone of 127.3 for the input only.
> > The transmit shift is down 5 MHz.
> >
> > I have tried several times to program this. I put in 427.620, minus

> > shift, and tone=127.3 and when I key the mike, speak, and release, it
> > powers up the repeater (it shows on the level display on the HT) but I
> > hear nothing. The static goes very low for a few seconds and then comes
> > back up with the level display drops.
> >
> > My friend says he can hear my voice when I transmit, but I hear nothing
> > after I release the PTT button. My friend says I need to turn decode
> > off for receive, but I can't figure out how to.
> >
> > I've also tried programming it with split frequencies, i.e. receive on
> > 422.620 with no tone and transmit on 427.620 with tone on. This
> > displays a funny +/- on the display and doesn't seem to work either.
> >
> > I would appreciate any help anyone can provide on this. The manual is
> > no help. Any web pages giving hints or someone who knows what to do in
> > this instance would earn my utmost admiration!
> >
> > Also, I would appreciate a direct email response also as I am not sure I
> > can find this site again very easily!
> >
> > thanks in advance,
> >
> > Don E.
> > N6CLP
> > dynamic3@flash.net
> >

7482. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-25 23:56:59 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0khe8kra0ude8@corp.supernews.com>
Source record: 35394
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Ann" <annREMOVE@asarian-host.net> wrote in message
news:fmfk0v89pt20at8su8a39cj1l44b4gq9ra@4ax.com...
> On Wed, 25 Dec 2002 18:05:23 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:
>
> >It's called Christmas you know Christ - mas, notice that large name at
> >the front of the holiday name. Why else would Christians get involved in
it?
>
> This really is basic stuff. You do know don't you that originally it
> was a non christian festival and the christians came along and took it
> for their own? Even the church accepts this so if you don't, then
> you're on your own.
>
> Ann

Yes I do know all that. It was done because the church
wanted the pagens to stop celebrating their pagen holidays.
They found out that they couldn't stop it so they decided
to adopt the holidays and give them a Christian meaning
so the pagens who converted to Christianity would not
have to stop celebrating 'their' holidays.

The point is NOW it is a Christian holiday and I celebrate it as such.
If you want to celebrate the pagen aspects of this day 'go for it' it
is after all a free country (at least here) to do as you wish with it.
We have Jehovah's Witnesses here that don't celebrate ANY
holidays and we're OK with that too. The Amish here do their
Christmas without any electric lights or anything, that's OK too.

If you want to celebrate the holiday in the pagen way that's fine.
Just don't call it Christmas, it wasn't called that before the
church took it over. Why use a Christian name for a pagen
holiday if you don't believe in God.

Without Jesus there is NO reason to celebrate anything at all!
No Jesus = No God Know Jesus = Know God
It really is that simple.

--

'73' & Merry Christmas From KB9TMP

"JESUS is the REASON for the SEASON!"
Believe It Or Not!

7483. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 00:00:42 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <KErO9.18202$%3.5212579@twister.neo.rr.com>
Source record: 35392
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0kedgr1skbee0@corp.supernews.com...
>
> "Santa X" <santax@northpole.com> wrote in message
> news:3E0A31BD.50F9F80B@northpole.com...
> > > > but christmas and easter were both stolen by the christians
> > >
> > > Really, what do trees and presents and easter eggs have to do with
> Jesus?
> >
> > Thank you! At least somebody here has their thinking cap on.
> Christmas is
> > all about Santa,
>
> Oh really? Then how come it's not called Santamas?
>
>
> >decorating pine trees, and giving presents to friends and
> > family. Without Christmas, many businesses would fail and go bankrupt.
> Why
> > people have to always push religion into everything is unbelievable.
It
> has
> > gone to the point that Jewish people won't even let their kids celebrate
> > Christmas and see Santa!! As if Santa Claus and present giving is
> exclusive
> > to the Christian religion or something! I'm an Atheist and
celebrate
> > Christmas every year with my family, why the hell can't Jews and Blacks?
> > What the hell is this new black holiday (Qwanza?) the Blacks have to
have
> to
> > further keep themselves separate and segregated instead of joining in
and
> > trying to unite into one big melting pot, instead of trying to invent
new
> ways
> > to separate into smaller groups.
> >
>
> It's all done in the name of the only god this world wants, MONEY!!
>
>

>
> > Christmas is for EVERYONE! Even Jews like Jack Benny, George Burns
(Nat
> > Birnbaum) and Stan Freberg would have Christmas shows and celebrate
> Christmas!
> >
> > Religion once again is trying to rip people apart instead of bringing
> everyone
> > together.
> >
>
> It's called Christmas you know Christ - mas, notice that large name at
> the front of the holiday name. Why else would Christians get involved in
it?
>
>
> > I for one, am not playing part of this new "politically correct"
bullshit
> of
> > having to say "happy holidays" instead of "Merry Christmas". Santa
> Claus
> > says: "Merry Christmas" and so do I! I hate Christians and religion
> like
> > everyone else,
>
> That point is obvious! You really do hate Christians and religion don't
you?
>
> >but that has nothing to do with our Christmas holiday, Santa,
> > decorating pine trees, giving gifts, etc.
>
> Remember the name? CHRISTmas not SANTAmas.
>
> >
> > I think as soon as everyone else realizes this, we can all join into one
> big
> > happy group and celebrate the season together, instead of hiding into
our
> > little separate groups and sub-holidays.
>
>
> Christmas with no Christ in it, no thanks I believe
> I'll pass on your anti-religious version of the holiday.
>
> >
> > Celebrate Christmas or DIE!!!
> >
>
> Then let it be death! Would you like to be the one to do me in?
> I do want to warn you, I'm not like those meek and mild milk

> toast church going types you know. I will fight back so bring your lunch.
>
> Or if you just want to say "no it's not that important to me", then
> that's OK too. I'm not going to start any holy wars, but if one
> starts on me I'll darn sure finish it!
>
> Just so we understand each other my statement above was
> made because of your "Celebrate Christmas or DIE!!!" comment.
> I'm not starting any fights, nor do I have a desire to do so either.
>
>
> --
>
> '73' & Merry Christmas From KB9TMP
>
> "JESUS is the REASON for the SEASON!"
> Believe It Or Not!

The season was here before Jesus was born. Sorry.

>
>

7484. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 00:10:03 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0ki6o73jh9dfd@corp.supernews.com>
Source record: 35395
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"DeWayne" <ke9k@indy.rr.com> wrote in message
news:KErO9.18202$%3.5212579@twister.neo.rr.com...
<SNIP>
> The season was here before Jesus was born. Sorry.
>
> >
> >
>
>

And the Christian version of the holiday was here
before I was born, sorry. It don't matter to me
how it got here, what matters is what it means
to me now.

I believe in God, I'm sorry you don't. I just want
to know, why you call it CHRISTmas if you
celebrate it in it's pagan form? Why not call it
SANTAmas or YULEmas or Xmas or
WHAT-EVERmas? I think the name Christmas
should reflect the Christian traditions of the
holiday, thats all I'm saying.
--

'73' & Merry Christmas From KB9TMP

CHRISTMAS
"JESUS is the REASON for the ^ SEASON!"
Believe It Or Not!

7485. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 00:28:29 UTC
From: VernonOJ <vernonosp@nospamcontractor.net>
Message-ID: <N2sO9.160016$6k.3101664@news1.west.cox.net>
Source record: 35397
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Wednesday, December 25, 2002

Was Jesus actually born today?
By Joseph Farah

Posted: December 25, 2002
1:00 a.m. Eastern

Editor's note: Advance orders for Joseph Farah's long-awaited "Taking America Back" are now being accepted exclusively at WorldNetDaily. The book won't be released in bookstores and at Amazon until February. Get your copy even before the critics.

Today, millions of Christians around the world celebrate the birth of the One they believe to be the Savior of the world, the Prince of Peace, the Son of God &#65533; Jesus of Nazareth.

Jesus is called many things in the Bible. One of His names is the Lamb of God. And while no one is quite sure exactly when Jesus was born, I believe that name may actually lend credence to the birth date of Dec. 25.

I know what you skeptics are going to say. Dec. 25 was chosen by church leaders because it coincided with pagan festivities. It was a way of hijacking those customs and traditions &#65533; a way of redeeming them.

But hear me out. I'm going to tell you why Dec. 25 could well be the actual birthday of the Messiah. First, let's review the most descriptive and familiar of the Christmas stories from the Bible.

There was in the days of Herod, the king of Judea, a certain priest named Zacharias, of the course of Abia: and his wife was of the daughters of Aaron, and her name was Elisabeth.

And they were both righteous before God, walking in all the commandments and ordinances of the Lord blameless. And they had no child, because that Elisabeth was barren, and they both were now well stricken in years.

And it came to pass, that while he executed the priest's office before God in the order of his course, According to the custom of the priest's office, his lot was to burn incense when he went into the temple of the Lord.

And the whole multitude of the people were praying without at the time of incense. And there appeared unto him an angel of the Lord standing on the right side of the altar of incense.

And when Zacharias saw him, he was troubled, and fear fell upon him. But the angel said unto him, Fear not, Zacharias: for thy prayer is heard; and thy wife Elisabeth shall bear thee a son, and thou shalt call his name John.

-- Luke 1:5-13 KJV

The story continues, with Zacharias remaining in the temple and fulfilling his duties as priest. Only after "the days of his ministration were accomplished" did Zacharias return home, where his wife, Elisabeth, conceived, "and hid herself five months."

And in the sixth month the angel Gabriel was sent from God unto a city of Galilee, named Nazareth, To a virgin espoused to a man whose name was Joseph, of the house of David; and the virgin's name was Mary. And the angel came in unto her, and said, Hail, thou that art highly favoured, the Lord is with thee: blessed art thou among women.

And when she saw him, she was troubled at his saying, and cast in her mind what manner of salutation this should be.

And the angel said unto her, Fear not, Mary: for thou hast found favour with God. And, behold, thou shalt conceive in thy womb, and bring forth a son, and shalt call his name JESUS. He shall be great, and shall be called the Son of the Highest: and the Lord God shall give unto him the throne of his father David: And he shall reign over the house of Jacob for ever; and of his kingdom there shall be no end.

Then said Mary unto the angel, How shall this be, seeing I know not a man?

And the angel answered and said unto her, The Holy Ghost shall come upon thee, and the power of the Highest shall overshadow thee: therefore also that holy thing which shall be born of thee shall be called the Son of God. And, behold, thy cousin Elisabeth, she hath also conceived a son in her old age: and this is the sixth month with her, who was called barren. For with God nothing shall be impossible.

And Mary said, Behold the handmaid of the Lord; be it unto me according to thy word. And the angel departed from her. And Mary arose in those days, and went into the hill country with haste, into a city of Judah; And entered into the house of Zacharias, and saluted Elisabeth.

And it came to pass, that, when Elisabeth heard the salutation of Mary, the babe leaped in her womb; and Elisabeth was filled with the Holy Ghost: And she spake out with a loud voice, and said, Blessed art thou among women, and blessed is the fruit of thy womb. And whence is this to me, that the mother of my Lord should come to me? For, lo, as soon as the voice of thy salutation sounded in mine ears, the babe leaped in my womb for joy.

-- Luke 1:26-44

Notice the details pointing to the approximate time when Jesus was conceived and born.

"What are you talking about, Farah?" you're probably asking yourself.

We've learned that Zacharias was a priest of the course of Abia and that he fulfilled his duties before going home and impregnating his wife. In I Chronicles 24:1-10, we learn that the priestly duties were established about 1,000 years earlier. They included 24 courses and were numbered by drawing lots 12 courses for sanctuary service and 12 for the government of the house of God.

Priests would serve during a month starting with the Hebrew months of Nisan, which can begin anytime between early March and early April. The sons of Abija, the Old Testament spelling for Abia, were in the eighth course, which would mean Zacharias would likely have ministered during the eighth month of the Hebrew calendar, starting as early as the fifth day of our month of October. That would place the likely time of John the Baptist's conception toward the end of October.

Elisabeth then hid herself for five months. Sometime, perhaps, around March 15-April 15, the angel appeared to Mary. For the sake of argument, let's say this happened on or about April 1. A normal gestation period of 270 days would have resulted in the birth of Jesus on or about Dec. 25.

That is a very plausible scenario. Still not convinced? How about this?

Let's go back to Luke, Chapter 2, verse 8: "And there were in the same country shepherds abiding in the field, keeping watch over their flock by night."

Shepherds spent the night in the fields with their sheep when the lambs are born. The mating cycle begins after June 21. The normal gestation period is five months, so the ewes start giving birth in mid-December.

And that's where "the Lamb of God" comes into the picture. Jesus was likened to a lamb who was brought into this world to be slaughtered for our sins. Wouldn't it make sense that He was born around the same time that the innocent little lambs were being born in the fields nearby?

The more I read the Bible, the more I am stunned by such little "coincidences." The Bible is full of them. It makes perfect sense to me. I hope you agree.

Yet, it doesn't really matter exactly when Jesus was born. The important thing today, as we Christians prepare to celebrate that birth, is that He was born that He did come, that He later laid down His life for us and that He will come again.

Merry Christmas to all of you, dear readers. May the joy of His coming be with you today, tomorrow and for all eternity.

 2002

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0kedgr1skbee0@corp.supernews.com...
>
> "Santa X" <santax@northpole.com> wrote in message
> news:3E0A31BD.50F9F80B@northpole.com...

> > > > but christmas and easter were both stolen by the christians
> > > >
> > > Really, what do trees and presents and easter eggs have to do with
> Jesus?
> >
> > Thank you! At least somebody here has their thinking cap on.
> Christmas is
> > all about Santa,
>
> Oh really? Then how come it's not called Santamas?
>
>
> >decorating pine trees, and giving presents to friends and
> > family. Without Christmas, many businesses would fail and go bankrupt.
> Why
> > people have to always push religion into everything is unbelievable.
It
> has
> > gone to the point that Jewish people won't even let their kids celebrate
> > Christmas and see Santa!! As if Santa Claus and present giving is
> exclusive
> > to the Christian religion or something! I'm an Atheist and
celebrate
> > Christmas every year with my family, why the hell can't Jews and Blacks?
> > What the hell is this new black holiday (Qwanza?) the Blacks have to
have
> to
> > further keep themselves separate and segregated instead of joining in
and
> > trying to unite into one big melting pot, instead of trying to invent
new
> ways
> > to separate into smaller groups.
> >
>
> It's all done in the name of the only god this world wants, MONEY!!
>
>
>
> > Christmas is for EVERYONE! Even Jews like Jack Benny, George Burns
(Nat
> > Birnbaum) and Stan Freberg would have Christmas shows and celebrate
> Christmas!
> >
> > Religion once again is trying to rip people apart instead of bringing
> everyone
> > together.
> >
>
> It's called Christmas you know Christ - mas, notice that large name at

> the front of the holiday name. Why else would Christians get involved in
it?
>
>
> > I for one, am not playing part of this new "politically correct"
bullshit
> of
> > having to say "happy holidays" instead of "Merry Christmas". Santa
> Claus
> > says: "Merry Christmas" and so do I! I hate Christians and religion
> like
> > everyone else,
>
> That point is obvious! You really do hate Christians and religion don't
you?
>
> >but that has nothing to do with our Christmas holiday, Santa,
> > decorating pine trees, giving gifts, etc.
>
> Remember the name? CHRISTmas not SANTAmas.
>
> >
> > I think as soon as everyone else realizes this, we can all join into one
> big
> > happy group and celebrate the season together, instead of hiding into
our
> > little separate groups and sub-holidays.
>
>
> Christmas with no Christ in it, no thanks I believe
> I'll pass on your anti-religious version of the holiday.
>
> >
> > Celebrate Christmas or DIE!!!
> >
>
> Then let it be death! Would you like to be the one to do me in?
> I do want to warn you, I'm not like those meek and mild milk
> toast church going types you know. I will fight back so bring your lunch.
>
> Or if you just want to say "no it's not that important to me", then
> that's OK too. I'm not going to start any holy wars, but if one
> starts on me I'll darn sure finish it!
>
> Just so we understand each other my statement above was
> made because of your "Celebrate Christmas or DIE!!!" comment.
> I'm not starting any fights, nor do I have a desire to do so either.
>
>
> --

>
> '73' & Merry Christmas From KB9TMP
>
> "JESUS is the REASON for the SEASON!"
> Believe It Or Not!
>
>

7486. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 00:29:03 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <j3sO9.18447$%3.5227115@twister.neo.rr.com>
Source record: 35396
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0ki6o73jh9dfd@corp.supernews.com...
>
> "DeWayne" <ke9k@indy.rr.com> wrote in message
> news:KErO9.18202$%3.5212579@twister.neo.rr.com...
> <SNIP>
> > The season was here before Jesus was born. Sorry.
> >
> > >
> > >
> > >
> > >
>
> And the Christian version of the holiday was here
> before I was born, sorry. It don't matter to me
> how it got here, what matters is what it means
> to me now.
>
> I believe in God, I'm sorry you don't. I just want
> to know, why you call it CHRISTmas if you
> celebrate it in it's pagan form? Why not call it
> SANTAmas or YULEmas or Xmas or
> WHAT-EVERmas? I think the name Christmas
> should reflect the Christian traditions of the
> holiday, thats all I'm saying.

I didn't say I don't believe in God. I just don't believe in Christmas.

> --
>
> '73' & Merry Christmas From KB9TMP
>
> CHRISTMAS
> "JESUS is the REASON for the ^ SEASON!"
> Believe It Or Not!
>
>

7487. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 00:34:58 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <qcjk0v01to8f6qbgtf6dak3f190chmppdv@4ax.com>
Source record: 35248
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Wed, 25 Dec 2002 18:56:59 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:

>
>"Ann" <annREMOVE@asarian-host.net> wrote in message
>news:fmfk0v89pt20at8su8a39cj1l44b4gq9ra@4ax.com...
>> On Wed, 25 Dec 2002 18:05:23 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:
>>
>> >It's called Christmas you know Christ - mas, notice that large name at
>> >the front of the holiday name. Why else would Christians get involved in
>it?
>>
>> This really is basic stuff. You do know don't you that originally it
>> was a non christian festival and the christians came along and took it
>> for their own? Even the church accepts this so if you don't, then
>> you're on your own.
>>
>> Ann
>
>Yes I do know all that. It was done because the church
>wanted the pagens to stop celebrating their pagen holidays.
>They found out that they couldn't stop it so they decided
>to adopt the holidays and give them a Christian meaning
>so the pagens who converted to Christianity would not
>have to stop celebrating 'their' holidays.
>
>The point is NOW it is a Christian holiday and I celebrate it as such.
>If you want to celebrate the pagen aspects of this day 'go for it' it
>is after all a free country (at least here) to do as you wish with it.
>We have Jehovah's Witnesses here that don't celebrate ANY
>holidays and we're OK with that too. The Amish here do their
>Christmas without any electric lights or anything, that's OK too.
>
>If you want to celebrate the holiday in the pagen way that's fine.
>Just don't call it Christmas, it wasn't called that before the
>church took it over. Why use a Christian name for a pagen
>holiday if you don't believe in God.

The word is spelt 'pagan' and it doesn't matter to us what the day is
called. Our government has chosen to call it the Christmas break and
that's what we go with. To insist on using some different name would
be childish.....and only the Christians are childish......

Ann

7488. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 00:46:51 UTC
From: Santa <HoHoHo@shaw.ca>
Message-ID: <%jsO9.39531$Zv4.2601537@news2.telusplanet.net>
Source record: 35249
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

lol. if you see people nowadays. it is for gifts. have to be expensive. no one seems to enjoy just getting a gift of anything. it seems to always have to be expensive or somethin. Look at these stores. they thrive on the customers for christmas. It seems to have lost its whole meaning of christmas. Ya I will not be santa anymore after tonight. I will be back to dev. but still.

Dev

"Santa X" <santax@northpole.com> wrote in message news:3E0A31BD.50F9F80B@northpole.com...
> > > but christmas and easter were both stolen by the christians
> > >
> > Really, what do trees and presents and easter eggs have to do with Jesus?
>
> Thank you! At least somebody here has their thinking cap on. Christmas is
> all about Santa, decorating pine trees, and giving presents to friends and
> family. Without Christmas, many businesses would fail and go bankrupt. Why
> people have to always push religion into everything is unbelievable. It has
> gone to the point that Jewish people won't even let their kids celebrate
> Christmas and see Santa!! As if Santa Claus and present giving is exclusive
> to the Christian religion or something! I'm an Atheist and celebrate
> Christmas every year with my family, why the hell can't Jews and Blacks?
> What the hell is this new black holiday (Qwanza?) the Blacks have to have to
> further keep themselves separate and segregated instead of joining in and
> trying to unite into one big melting pot, instead of trying to invent new ways
> to separate into smaller groups.
>
> Christmas is for EVERYONE! Even Jews like Jack Benny, George Burns (Nat
> Birnbaum) and Stan Freberg would have Christmas shows and celebrate Christmas!
>
> Religion once again is trying to rip people apart instead of bringing everyone
> together.
>
> I for one, am not playing part of this new "politically correct" bullshit

of
> having to say "happy holidays" instead of "Merry Christmas". Santa
Claus
> says: "Merry Christmas" and so do I! I hate Christians and religion
like
> everyone else, but that has nothing to do with our Christmas holiday,
Santa,
> decorating pine trees, giving gifts, etc.
>
> I think as soon as everyone else realizes this, we can all join into one
big
> happy group and celebrate the season together, instead of hiding into our
> little separate groups and sub-holidays.
>
> Celebrate Christmas or DIE!!!
>
>

7489. Re: ICOM IC-u2AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 00:48:08 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3e0a51b7$1@news.netacc.net>
Source record: 35251

"WZ1U" <wz1u@attbi.com> wrote in message
news:nqdk0vc0get69ovs1g35frdcvus58ek5in@4ax.com...
> At least I have a call sign.................
>
>

Yep, and I have two of em myself. Handy for when making radio calls. Not worth squat on a computer.

Steve

7490. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 00:48:27 UTC
From: Santa <HoHoHo@shaw.ca>
Message-ID: <vlsO9.39532$Zv4.2601586@news2.telusplanet.net>
Source record: 35250
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

A fucking Men

"Santa X" <santax@northpole.com> wrote in message
news:3E0A2E81.162FC814@northpole.com...
> > "JESUS is the REASON for the SEASON!"
>
> Only for people who are into Christian Mythology. MOST people celebrate
> Christmas for Santa, gift giving, decorating pine trees and all that
> non-religious stuff that makes the holidays fun.
>
> Jesus would actually be against the gifts and all the fun stuff that makes
> the holidays what they are. After all, anything that is fun or makes one
> feel good is a sin. FUCK THAT!!
>
> MERRY FUCKING CHRISTMAS!!!! Don't let religion spoil your holidays!
>
>
>
>

7491. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 00:58:40 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0kl1uggnh3j8b@corp.supernews.com>
Source record: 35252
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Ann" <annREMOVE@asarian-host.net> wrote in message
news:qcjk0v01to8f6qbgtf6dak3f190chmppdv@4ax.com...
> On Wed, 25 Dec 2002 18:56:59 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:
>
> >
> >"Ann" <annREMOVE@asarian-host.net> wrote in message
> >news:fmfk0v89pt20at8su8a39cj1l44b4gq9ra@4ax.com...
> >> On Wed, 25 Dec 2002 18:05:23 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:
> >>
> >> >It's called Christmas you know Christ - mas, notice that large name at
> >> >the front of the holiday name. Why else would Christians get involved
in
> >it?
> >>
> >> This really is basic stuff. You do know don't you that originally it
> >> was a non christian festival and the christians came along and took it
> >> for their own? Even the church accepts this so if you don't, then
> >> you're on your own.
> >>
> >> Ann
> >
> >Yes I do know all that. It was done because the church
> >wanted the pagens to stop celebrating their pagen holidays.
> >They found out that they couldn't stop it so they decided
> >to adopt the holidays and give them a Christian meaning
> >so the pagens who converted to Christianity would not
> >have to stop celebrating 'their' holidays.
> >
> >The point is NOW it is a Christian holiday and I celebrate it as such.
> >If you want to celebrate the pagen aspects of this day 'go for it' it
> >is after all a free country (at least here) to do as you wish with it.
> >We have Jehovah's Witnesses here that don't celebrate ANY
> >holidays and we're OK with that too. The Amish here do their
> >Christmas without any electric lights or anything, that's OK too.
> >
> >If you want to celebrate the holiday in the pagen way that's fine.
> >Just don't call it Christmas, it wasn't called that before the
> >church took it over. Why use a Christian name for a pagen
> >holiday if you don't believe in God.
>
> The word is spelt 'pagan' and it doesn't matter to us what the day is
> called. Our government has chosen to call it the Christmas break and
> that's what we go with. To insist on using some different name would

> be childish.....and only the Christians are childish......
>
> Ann

I noticed the 'spelling' after I posted it. Just like locking your keys
in your car you see them hanging there just after you have pushed
the door to close it, but always before it shuts. Always 'just' out
of your reach.

I for one on the holiday name game choose to call easter
Resurrection Day because easter (small e) is a pagan
(notice the spelling :) holiday. And yes I do mention that
to fellow Christians BTW. This isn't just one sided against
pagans, I tell it like I see it to the Christian community as well.

Ann you said ".....and only the Christians are childish......"

That is the pot calling the kettle black, we 'as in' the
human race are ALL childish at one time or another.

--

'73' & Merry Christmas From KB9TMP

"JESUS is the REASON for (my) Christmas SEASON!"
OK?

7492. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 01:04:39 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0kld57qsjm250@corp.supernews.com>
Source record: 35253
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"DeWayne" <ke9k@indy.rr.com> wrote in message
news:j3sO9.18447$%3.5227115@twister.neo.rr.com...
>
> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:v0ki6o73jh9dfd@corp.supernews.com...
> >
> > "DeWayne" <ke9k@indy.rr.com> wrote in message
> > news:KErO9.18202$%3.5212579@twister.neo.rr.com...
> > <SNIP>
> > > The season was here before Jesus was born. Sorry.
> > >
> > > >
> > > >
> > >
> > >
> > >
> >
> > And the Christian version of the holiday was here
> > before I was born, sorry. It don't matter to me
> > how it got here, what matters is what it means
> > to me now.
> >
> > I believe in God, I'm sorry you don't. I just want
> > to know, why you call it CHRISTmas if you
> > celebrate it in it's pagan form? Why not call it
> > SANTAmas or YULEmas or Xmas or
> > WHAT-EVERmas? I think the name Christmas
> > should reflect the Christian traditions of the
> > holiday, thats all I'm saying.
>
> I didn't say I don't believe in God. I just don't believe in Christmas.

OK I'll say this I don't believe Jesus was born on December 25, 0000.
They say it was more like in the spring of 4BC, but Dec 25 is when
the world celebrates the day. So who am I to say we can't celebrate it
then because we can't find his "birth certificate" for proof?

The bottom line is I believe Jesus was born, that's the important part
not which day it happened on.

--

'73' & Merry Christmas From KB9TMP

CHRISTMAS
"JESUS is the REASON for the ^ SEASON!"

Believe It Or Not!

7493. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 01:07:10 UTC
From: Dan/W4NTI <w4nti@NOSPAMmindspring.com>
Message-ID: <audknl$l24$1@slb6.atl.mindspring.net>
Source record: 35254
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

You know something LLLLlooooooyyyyyddddddd ???? And this is a major
problem for me....maybe you can suggest something......here it is.....

NOW THAT I OWN YOU WHAT THE HELL AM I GOING TO DO WITH A BLIVIT LIKE YOU?

Dan/W4NTI

"AARA Man" <Lloyd@no.spammmmm> wrote in message
news:dan.loses.his.mindspring@taranews.net...
> On Wed, 25 Dec 2002 17:30:48 -0600, Dan/W4NTI <w4nti@mindspring.com>
wrote:
> > Lets try this one more time 'JJ'. I didn't initiate the damn post you
> > moron. Got it now?
> >
> > Dan/W4NTI
>
> It is too late and JJ has reported you to your ISP and you will
> probaly get a notice from them.
>
> If you beg and grovel a lot, they probaly won't cancel your account.
> So just do what you do when you ask your wife for sex.

7494. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 01:08:19 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0klk5f2rij2c0@corp.supernews.com>
Source record: 35255
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"VernonOJ" <vernonosp@nospamcontractor.net> wrote in message
news:N2sO9.160016$6k.3101664@news1.west.cox.net...
> Wednesday, December 25, 2002
> ----------
> Was Jesus actually born today?
> By Joseph Farah
> ----------
>
> Posted: December 25, 2002
> 1:00 a.m. Eastern
>
>
> Editor's note: Advance orders for Joseph Farah's long-awaited "Taking
> America Back" are now being accepted exclusively at WorldNetDaily. The
book
> won't be released in bookstores and at Amazon until February. Get your
copy
> even before the critics.

<SNIP>

> Yet, it doesn't really matter exactly when Jesus was born. The important
> thing today, as we Christians prepare to celebrate that birth, is that He
> was born - that He did come, that He later laid down His life for us and
> that He will come again.

100% agree

>
> Merry Christmas to all of you, dear readers. May the joy of His coming be
> with you today, tomorrow and for all eternity.
>
>
> © 2002
>
Thank You!
--
'73' & Merry Christmas From KB9TMP

"JESUS is the REASON for the SEASON!"
Believe It Or Not!

7495. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 01:37:37 UTC
From: proma1 <proma1@ntlworld.com>
Message-ID: <audmhd$6kjtl$1@ID-172472.news.dfncis.de>
Source record: 35256
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

totally fair points,i try to call it Yuletide,but the fact is virtually
everything is geared up towards Christmas.

celebrate how you want,definately,the main thing for me,for any time of the
year is "peace and goodwill" and at Christmas or Yuletide,it is a time to
think of these and not get hung up on your only good if you are a christian.

regards

--

Paul Wey
PROMA1

http://groups.yahoo.com/group/scanpromauk

for main proma files sent to your inbox monthly join

http://groups.yahoo.com/group/promafiles

For good prices on scanners go to

Stewart Aviation

http://www.stewart-aviation.co.uk/rs/index.html
"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0ki6o73jh9dfd@corp.supernews.com...
>
> "DeWayne" <ke9k@indy.rr.com> wrote in message
> news:KErO9.18202$%3.5212579@twister.neo.rr.com...
> <SNIP>
> > The season was here before Jesus was born. Sorry.
> >
> > >
> > >
> >
> >
>
> And the Christian version of the holiday was here
> before I was born, sorry. It don't matter to me
> how it got here, what matters is what it means
> to me now.
>
> I believe in God, I'm sorry you don't. I just want
> to know, why you call it CHRISTmas if you
> celebrate it in it's pagan form? Why not call it

> SANTAmas or YULEmas or Xmas or
> WHAT-EVERmas? I think the name Christmas
> should reflect the Christian traditions of the
> holiday, thats all I'm saying.
> --
>
> '73' & Merry Christmas From KB9TMP
>
> CHRISTMAS
> "JESUS is the REASON for the ^ SEASON!"
> Believe It Or Not!
>
>

7496. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 02:34:31 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <ckqk0vk3fcl5i6fuiq23ko9q8uk9n04v8v@4ax.com>
Source record: 35257
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

```
On Wed, 25 Dec 2002 19:58:40 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:

>
>"Ann" <annREMOVE@asarian-host.net> wrote in message
>news:qcjk0v01to8f6qbgtf6dak3f190chmppdv@4ax.com...
>> On Wed, 25 Dec 2002 18:56:59 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:
>>
>> >
>> >"Ann" <annREMOVE@asarian-host.net> wrote in message
>> >news:fmfk0v89pt20at8su8a39cj1l44b4gq9ra@4ax.com...
>> >> On Wed, 25 Dec 2002 18:05:23 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:
>> >>
>> >> >It's called Christmas you know Christ - mas, notice that large name at
>> >> >the front of the holiday name. Why else would Christians get involved
>in
>> >it?
>> >>
>> >> This really is basic stuff. You do know don't you that originally it
>> >> was a non christian festival and the christians came along and took it
>> >> for their own? Even the church accepts this so if you don't, then
>> >> you're on your own.
>> >>
>> >> Ann
>> >
>> >Yes I do know all that. It was done because the church
>> >wanted the pagens to stop celebrating their pagen holidays.
>> >They found out that they couldn't stop it so they decided
>> >to adopt the holidays and give them a Christian meaning
>> >so the pagens who converted to Christianity would not
>> >have to stop celebrating 'their' holidays.
>> >
>> >The point is NOW it is a Christian holiday and I celebrate it as such.
>> >If you want to celebrate the pagen aspects of this day 'go for it' it
>> >is after all a free country (at least here) to do as you wish with it.
>> >We have Jehovah's Witnesses here that don't celebrate ANY
>> >holidays and we're OK with that too. The Amish here do their
>> >Christmas without any electric lights or anything, that's OK too.
>> >
>> >If you want to celebrate the holiday in the pagen way that's fine.
>> >Just don't call it Christmas, it wasn't called that before the
>> >church took it over. Why use a Christian name for a pagen
>> >holiday if you don't believe in God.
>>
```

>> The word is spelt 'pagan' and it doesn't matter to us what the day is
>> called. Our government has chosen to call it the Christmas break and
>> that's what we go with. To insist on using some different name would
>> be childish.....and only the Christians are childish......
>>
>> Ann
>
>I noticed the 'spelling' after I posted it. Just like locking your keys
>in your car you see them hanging there just after you have pushed
>the door to close it, but always before it shuts. Always 'just' out
>of your reach.
>
>I for one on the holiday name game choose to call easter
>Resurrection Day because easter (small e) is a pagan
>(notice the spelling :) holiday. And yes I do mention that
>to fellow Christians BTW. This isn't just one sided against
>pagans, I tell it like I see it to the Christian community as well.
>
>Ann you said ".....and only the Christians are childish......"

Indeed....I should have said that only the Christians appear to be
childish in this respect....for the rest of us don't give a shit...

Ann

7497. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 02:44:14 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <22uO9.18951$%3.5307295@twister.neo.rr.com>
Source record: 35258
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Ann" <annREMOVE@asarian-host.net> wrote in message
news:ckqk0vk3fcl5i6fuiq23ko9q8uk9n04v8v@4ax.com...
> On Wed, 25 Dec 2002 19:58:40 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:
>
> >
> >"Ann" <annREMOVE@asarian-host.net> wrote in message
> >news:qcjk0v01to8f6qbgtf6dak3f190chmppdv@4ax.com...
> >> On Wed, 25 Dec 2002 18:56:59 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:
> >>
> >> >
> >> >"Ann" <annREMOVE@asarian-host.net> wrote in message
> >> >news:fmfk0v89pt20at8su8a39cj1l44b4gq9ra@4ax.com...
> >> >> On Wed, 25 Dec 2002 18:05:23 -0500, "KB9TMP" <kb9tmp@juno.com>
wrote:
> >> >>
> >> >> >It's called Christmas you know Christ - mas, notice that large name
at
> >> >> >the front of the holiday name. Why else would Christians get
involved
> >in
> >> >it?
> >> >>
> >> >> This really is basic stuff. You do know don't you that originally
it
> >> >> was a non christian festival and the christians came along and took
it
> >> >> for their own? Even the church accepts this so if you don't, then
> >> >> you're on your own.
> >> >>
> >> >> Ann
> >> >
> >> >Yes I do know all that. It was done because the church
> >> >wanted the pagens to stop celebrating their pagen holidays.
> >> >They found out that they couldn't stop it so they decided
> >> >to adopt the holidays and give them a Christian meaning
> >> >so the pagens who converted to Christianity would not
> >> >have to stop celebrating 'their' holidays.
> >> >
> >> >The point is NOW it is a Christian holiday and I celebrate it as such.
> >> >If you want to celebrate the pagen aspects of this day 'go for it' it
> >> >is after all a free country (at least here) to do as you wish with it.
> >> >We have Jehovah's Witnesses here that don't celebrate ANY
> >> >holidays and we're OK with that too. The Amish here do their

> >> >Christmas without any electric lights or anything, that's OK too.
> >> >
> >> >If you want to celebrate the holiday in the pagen way that's fine.
> >> >Just don't call it Christmas, it wasn't called that before the
> >> >church took it over. Why use a Christian name for a pagen
> >> >holiday if you don't believe in God.
> >>
> >> The word is spelt 'pagan' and it doesn't matter to us what the day is
> >> called. Our government has chosen to call it the Christmas break and
> >> that's what we go with. To insist on using some different name would
> >> be childish.....and only the Christians are childish......
> >>
> >> Ann
> >
> >I noticed the 'spelling' after I posted it. Just like locking your keys
> >in your car you see them hanging there just after you have pushed
> >the door to close it, but always before it shuts. Always 'just' out
> >of your reach.
> >
> >I for one on the holiday name game choose to call easter
> >Resurrection Day because easter (small e) is a pagan
> >(notice the spelling :) holiday. And yes I do mention that
> >to fellow Christians BTW. This isn't just one sided against
> >pagans, I tell it like I see it to the Christian community as well.
> >
> >Ann you said ".....and only the Christians are childish......"
>
> Indeed....I should have said that only the Christians appear to be
> childish in this respect....for the rest of us don't give a shit...

It's a good thing you "don't give a shit" or you'd be in here arguing about
it.

>
> Ann

7498. TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 04:38:00 UTC
From: Robert Robinson <rob@myexcel.com>
Message-ID: <IIvO9.156182$a8.40056@news4.srv.hcvlny.cv.net>
Source record: 35259

I have a 1987 vintage TS-940SAT. A few years ago I purchased it second-hand for $1000 with the MC-60, SP-940 and the SW-2000. I since purchased the SM-220 and the HC-10 clock...a nice station. It became my main station replacing an FT-101B I keep as a backup.

In 6/2001 the radio stopped working. It would not light up or operate, but it "turned on" because the light in the room dimmed for a split second (not unusual when I turn on something that has a bit of a load).

I sent the radio to Kenwood. They traced the problem to defective parts on the AVR and Control Units. They also replaced the Lithium battery, changed a few lamps, cleaned/lubed the pots/motors, calibrated and realigned the radio. They replaced 2 transistors, a zener diode, an IC, the lithium battery and 2 lamps.

The radio came back looking and working perfectly. Between shipping, parts and repair, it was just over $400.

Just recently I have experienced the same problem as before and I assume that it is a problem with the AVR, PA or control units. I am assuming that it might cost another $400 (maybe a bit less this time) to repair.

I am very happy with the TS-940, but it is 16 years old. I am not a major contester and do not plan on buying something like an FT-1000. I have seen the Yaesu FT-920 available for under $1100 delivered and includes the SP-8 speaker ($160), MD-100A8X microphone ($130), the 6 kHz AM filter ($120) and the FM unit ($63)...basically a complete station.

My quandary...and seeking some feedback...
What are your opinions about again repairing the 940SAT ($1000 purchase, already $400 in repairs and possibly $400 more (when you figure in shipping) or retiring the station for a newer station based on the FT-920, with over $450 in options included.

Happy Holidays,
73 de KB2PSM

7499. Wanted - Standard C5718DA Dual-Band

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 04:40:42 UTC
From: Paul Ryan <ryanpf@earthlink.net>
Message-ID: <eLvO9.5802$ka5.675019@newsread1.prod.itd.earthlink.net>
Source record: 35260

Not sure if this is the right newsgroup for this, but here goes...

Looking for a *working* C5718DA in decent shape to replace an inop set.
Contact me with description and asking price at:
N0KIA@arrl.net
That's a zero and not an 'oh'....

Thanks,
Paul Ryan

7500. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 04:46:19 UTC
From: "Michael A. Terrell" <terrell@mfi.net>
Message-ID: <3E0A899B.6216F7F4@mfi.net>
Source record: 35261
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Joe Bento wrote:
>
> On Wed, 25 Dec 2002 16:31:02 -0500, "Michael A Terrell"
> <mterrell@mfi.net> wrote:
>
> >
> >
> >
> >"Michael A. Terrell" <terrell@mfi.net> wrote in message
> >news:3E0A1FFD.33FC6A9D@mfi.net...
> >> > > Michael A. Terrell
> >> > > Central Florida
> >>
> >> Forwarded to supernews for abuse.
> >
> >
> >ROTFLMAO!
> >
> >Let me guess. You think YOU have exclusive rights to the name Michael
> >Terrell.
>
> Will the real Michael Terrel please stand up....
>
> Joe
>
> Remove the -nospam- to send e-mail
> joseph-nospam-@kirtland.com

No need to ask, just look at the full headers to find out.

Merry Christmas, and God bless!
--

Michael A. Terrell
Central Florida

7501. Re: TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 05:37:57 UTC
From: Hank Oredson <horedson@att.net>
Message-ID: <VAwO9.79159$hK4.6479882@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35262

I have a 930SAT that is in a somewhat similar state.

The last time it went to Kenwood, the basic message was
"The next time it breaks, sell it for parts."

Since the main problems appear to be alignment related,
decided to buy a service manual and see what I could
accomplish in the hope of making it useful again :-)

If that doesn't work out ... I'll sell it for parts, or sell off
the useful parts (filters, etc. etc.)

Does seem to be a point of diminishing returns once a
radio gets to be 15 - 20 years old ...

--

... Hank

Chaos, panic, and disorder - my work here is done.

Hank: http://horedson.home.att.net
W0RLI: http://w0rli.home.att.net

"Robert Robinson" <rob@myexcel.com> wrote in message
news:IIvO9.156182$a8.40056@news4.srv.hcvlny.cv.net...
>
>
> I have a 1987 vintage TS-940SAT. A few years ago I purchased it second-hand
> for $1000 with the MC-60, SP-940 and the SW-2000. I since purchased the
> SM-220 and the HC-10 clock...a nice station. It became my main station
> replacing an FT-101B I keep as a backup.
>
> In 6/2001 the radio stopped working. It would not light up or operate, but
> it "turned on" because the light in the room dimmed for a split second (not
> unusual when I turn on something that has a bit of a load).
>
> I sent the radio to Kenwood. They traced the problem to defective parts on
> the AVR and Control Units. They also replaced the Lithium battery, changed
> a few lamps, cleaned/lubed the pots/motors, calibrated and realigned the
> radio. They replaced 2 transistors, a zener diode, an IC, the lithium
> battery and 2 lamps.
>
> The radio came back looking and working perfectly. Between shipping, parts
> and repair, it was just over $400.
>
> Just recently I have experienced the same problem as before and I assume

> that it is a problem with the AVR, PA or control units. I am assuming that
> it might cost another $400 (maybe a bit less this time) to repair.
>
> I am very happy with the TS-940, but it is 16 years old. I am not a major
> contester and do not plan on buying something like an FT-1000. I have seen
> the Yaesu FT-920 available for under $1100 delivered and includes the SP-8
> speaker ($160), MD-100A8X microphone ($130), the 6 kHz AM filter ($120) and
> the FM unit ($63)...basically a complete station.
>
> My quandary...and seeking some feedback...
> What are your opinions about again repairing the 940SAT ($1000 purchase,
> already $400 in repairs and possibly $400 more (when you figure in shipping)
> or retiring the station for a newer station based on the FT-920, with over
> $450 in options included.
>
> Happy Holidays,
> 73 de KB2PSM
>
>
>
>

7502. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 05:47:09 UTC
From: Charles Gillen <see-my-sig@below.com>
Message-ID: <Xns92F0808DF7BFgillen@216.194.225.92>
Source record: 35263
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"KB9TMP" <kb9tmp@juno.com> wrote:

> Ann you said ".....and only the Christians are childish......"
> That is the pot calling the kettle black, we 'as in' the
> human race are ALL childish at one time or another.

Some of us, however, have matured and no longer believe in the sandman, tooth fairy, Santa, Easter Bunny, the boogeyman, and the delusion that there's a god who keeps his eye on every single sparrow. The Hubble telescope hasn't spotted Heaven anywhere, unless it's a black hole.

Naturally, I agree with Ann. And I'm surprised someone like yourself technically-minded enough to earn a ham callsign can believe Ohm's Law, which can be tested and proven, but STILL believe some supernatural god personally handed Moses the Ten Commandments. Or perhaps you pray for DX? :^)

--
Anti-Spam address: my last name at his dot com
Charles Gillen -- Reston, Virginia, USA

7503. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 07:05:03 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0AAA1F.4010709@NOSPAMutoronto.ca>
Source record: 35264
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

KB9TMP wrote:
> For those who don't have a belief in a God or supreme being,
> this is not your holiday. Your holiday is celebrated here in the
> U.S.A. every year on April the first.

```
+-----------------+
| 0 /9 |
| / |
| / |
| / |
| ------ |
| IRONY METER |
+-----------------+
```

7504. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 07:27:16 UTC
From: Jaelkay
Message-ID: <aueb09$1s0v$1@otis.netspace.net.au>
Source record: 35265
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Mate

Believing quotes from the Bible contains about as much truth as an Enron balance sheet is. Both are fabrications to give the plebs something to believe it.

"VernonOJ" <vernonosp@nospamcontractor.net> wrote in message news:N2sO9.160016$6k.3101664@news1.west.cox.net...
> Wednesday, December 25, 2002
> ---
> Was Jesus actually born today?
> By Joseph Farah
> ---
>
> Posted: December 25, 2002
> 1:00 a.m. Eastern
>
>
> Editor's note: Advance orders for Joseph Farah's long-awaited "Taking
> America Back" are now being accepted exclusively at WorldNetDaily. The book
> won't be released in bookstores and at Amazon until February. Get your copy
> even before the critics.
>
> Today, millions of Christians around the world celebrate the birth of the
> One they believe to be the Savior of the world, the Prince of Peace, the Son
> of God - Jesus of Nazareth.
>
> Jesus is called many things in the Bible. One of His names is the Lamb of
> God. And while no one is quite sure exactly when Jesus was born, I believe
> that name may actually lend credence to the birth date of Dec. 25.
>
> I know what you skeptics are going to say. Dec. 25 was chosen by church
> leaders because it coincided with pagan festivities. It was a way of
> hijacking those customs and traditions - a way of redeeming them.
>
> But hear me out. I'm going to tell you why Dec. 25 could well be the actual
> birthday of the Messiah. First, let's review the most descriptive and
> familiar of the Christmas stories from the Bible.
>

> There was in the days of Herod, the king of Judea, a certain priest named
> Zacharias, of the course of Abia: and his wife was of the daughters of
> Aaron, and her name was Elisabeth.
>
> And they were both righteous before God, walking in all the commandments
and
> ordinances of the Lord blameless. And they had no child, because that
> Elisabeth was barren, and they both were now well stricken in years.
>
> And it came to pass, that while he executed the priest's office before God
> in the order of his course, According to the custom of the priest's
office,
> his lot was to burn incense when he went into the temple of the Lord.
>
> And the whole multitude of the people were praying without at the time of
> incense. And there appeared unto him an angel of the Lord standing on the
> right side of the altar of incense.
>
> And when Zacharias saw him, he was troubled, and fear fell upon him. But
the
> angel said unto him, Fear not, Zacharias: for thy prayer is heard; and thy
> wife Elisabeth shall bear thee a son, and thou shalt call his name John.
>
> -- Luke 1:5-13 KJV
>
> The story continues, with Zacharias remaining in the temple and fulfilling
> his duties as priest. Only after "the days of his ministration were
> accomplished" did Zacharias return home, where his wife, Elisabeth,
> conceived, "and hid herself five months."
>
> And in the sixth month the angel Gabriel was sent from God unto a city of
> Galilee, named Nazareth, To a virgin espoused to a man whose name was
> Joseph, of the house of David; and the virgin's name was Mary. And the
angel
> came in unto her, and said, Hail, thou that art highly favoured, the Lord
is
> with thee: blessed art thou among women.
>
> And when she saw him, she was troubled at his saying, and cast in her mind
> what manner of salutation this should be.
>
> And the angel said unto her, Fear not, Mary: for thou hast found favour
with
> God. And, behold, thou shalt conceive in thy womb, and bring forth a son,
> and shalt call his name JESUS. He shall be great, and shall be called the
> Son of the Highest: and the Lord God shall give unto him the throne of his
> father David: And he shall reign over the house of Jacob for ever; and of
> his kingdom there shall be no end.
>

> Then said Mary unto the angel, How shall this be, seeing I know not a man?
>
> And the angel answered and said unto her, The Holy Ghost shall come upon
> thee, and the power of the Highest shall overshadow thee: therefore also
> that holy thing which shall be born of thee shall be called the Son of
God.
> And, behold, thy cousin Elisabeth, she hath also conceived a son in her
old
> age: and this is the sixth month with her, who was called barren. For with
> God nothing shall be impossible.
>
> And Mary said, Behold the handmaid of the Lord; be it unto me according to
> thy word. And the angel departed from her. And Mary arose in those days,
and
> went into the hill country with haste, into a city of Judah; And entered
> into the house of Zacharias, and saluted Elisabeth.
>
> And it came to pass, that, when Elisabeth heard the salutation of Mary,
the
> babe leaped in her womb; and Elisabeth was filled with the Holy Ghost: And
> she spake out with a loud voice, and said, Blessed art thou among women,
and
> blessed is the fruit of thy womb. And whence is this to me, that the
mother
> of my Lord should come to me? For, lo, as soon as the voice of thy
> salutation sounded in mine ears, the babe leaped in my womb for joy.
>
> -- Luke 1:26-44
>
> Notice the details pointing to the approximate time when Jesus was
conceived
> and born.
>
> "What are you talking about, Farah?" you're probably asking yourself.
>
> We've learned that Zacharias was a priest of the course of Abia and that
he
> fulfilled his duties before going home and impregnating his wife. In I
> Chronicles 24:1-10, we learn that the priestly duties were established
about
> 1,000 years earlier. They included 24 courses and were numbered by drawing
> lots - 12 courses for sanctuary service and 12 for the government of the
> house of God.
>
> Priests would serve during a month starting with the Hebrew months of
Nisan,
> which can begin anytime between early March and early April. The sons of
> Abija, the Old Testament spelling for Abia, were in the eighth course,
which

> would mean Zacharias would likely have ministered during the eighth month
of
> the Hebrew calendar, starting as early as the fifth day of our month of
> October. That would place the likely time of John the Baptist's conception
> toward the end of October.
>
> Elisabeth then hid herself for five months. Sometime, perhaps, around
March
> 15-April 15, the angel appeared to Mary. For the sake of argument, let's
say
> this happened on or about April 1. A normal gestation period of 270 days
> would have resulted in the birth of Jesus on or about Dec. 25.
>
> That is a very plausible scenario. Still not convinced? How about this?
>
> Let's go back to Luke, Chapter 2, verse 8: "And there were in the same
> country shepherds abiding in the field, keeping watch over their flock by
> night."
>
> Shepherds spent the night in the fields with their sheep when the lambs
are
> born. The mating cycle begins after June 21. The normal gestation period
is
> five months, so the ewes start giving birth in mid-December.
>
> And that's where "the Lamb of God" comes into the picture. Jesus was
likened
> to a lamb who was brought into this world to be slaughtered for our sins.
> Wouldn't it make sense that He was born around the same time that the
> innocent little lambs were being born in the fields nearby?
>
> The more I read the Bible, the more I am stunned by such little
> "coincidences." The Bible is full of them. It makes perfect sense to me. I
> hope you agree.
>
> Yet, it doesn't really matter exactly when Jesus was born. The important
> thing today, as we Christians prepare to celebrate that birth, is that He
> was born - that He did come, that He later laid down His life for us and
> that He will come again.
>
> Merry Christmas to all of you, dear readers. May the joy of His coming be
> with you today, tomorrow and for all eternity.
>
>
> &#65533; 2002
>
> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:v0kedgr1skbee0@corp.supernews.com...
> >

> > "Santa X" <santax@northpole.com> wrote in message
> > news:3E0A31BD.50F9F80B@northpole.com...
> > > > > but christmas and easter were both stolen by the christians
> > > >
> > > > Really, what do trees and presents and easter eggs have to do with
> > Jesus?
> > >
> > > Thank you! At least somebody here has their thinking cap on.
> > Christmas is
> > > > all about Santa,
> > >
> > Oh really? Then how come it's not called Santamas?
> > >
> > >
> > > >decorating pine trees, and giving presents to friends and
> > > > family. Without Christmas, many businesses would fail and go
bankrupt.
> > Why
> > > > people have to always push religion into everything is unbelievable.
> It
> > has
> > > > gone to the point that Jewish people won't even let their kids
celebrate
> > > > Christmas and see Santa!! As if Santa Claus and present giving is
> > exclusive
> > > > to the Christian religion or something! I'm an Atheist and
> celebrate
> > > > Christmas every year with my family, why the hell can't Jews and
Blacks?
> > > > What the hell is this new black holiday (Qwanza?) the Blacks have to
> have
> > to
> > > > further keep themselves separate and segregated instead of joining in
> and
> > > > trying to unite into one big melting pot, instead of trying to invent
> new
> > ways
> > > > to separate into smaller groups.
> > >
> > >
> > It's all done in the name of the only god this world wants, MONEY!!
> > >
> > >
> > >
> > > > Christmas is for EVERYONE! Even Jews like Jack Benny, George Burns
> (Nat
> > > > Birnbaum) and Stan Freberg would have Christmas shows and celebrate
> > Christmas!
> > > >

> > > Religion once again is trying to rip people apart instead of bringing
> > everyone
> > > together.
> > >
> >
> > It's called Christmas you know Christ - mas, notice that large name at
> > the front of the holiday name. Why else would Christians get involved in
> it?
> >
> >
> > > I for one, am not playing part of this new "politically correct"
> bullshit
> > of
> > > having to say "happy holidays" instead of "Merry Christmas". Santa
> > Claus
> > > says: "Merry Christmas" and so do I! I hate Christians and
religion
> > like
> > > everyone else,
> >
> > That point is obvious! You really do hate Christians and religion don't
> you?
> >
> > >but that has nothing to do with our Christmas holiday, Santa,
> > > decorating pine trees, giving gifts, etc.
> >
> > Remember the name? CHRISTmas not SANTAmas.
> >
> > >
> > > I think as soon as everyone else realizes this, we can all join into
one
> > big
> > > happy group and celebrate the season together, instead of hiding into
> our
> > > little separate groups and sub-holidays.
> >
> >
> > Christmas with no Christ in it, no thanks I believe
> > I'll pass on your anti-religious version of the holiday.
> >
> > >
> > > Celebrate Christmas or DIE!!!
> > >
> >
> > Then let it be death! Would you like to be the one to do me in?
> > I do want to warn you, I'm not like those meek and mild milk
> > toast church going types you know. I will fight back so bring your
lunch.
> >

> > Or if you just want to say "no it's not that important to me", then
> > that's OK too. I'm not going to start any holy wars, but if one
> > starts on me I'll darn sure finish it!
> >
> > Just so we understand each other my statement above was
> > made because of your "Celebrate Christmas or DIE!!!" comment.
> > I'm not starting any fights, nor do I have a desire to do so either.
> >
> >
> > --
> >
> > '73' & Merry Christmas From KB9TMP
> >
> > "JESUS is the REASON for the SEASON!"
> > Believe It Or Not!
> >
> >
>
>

7505. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 08:17:42 UTC
From: signalchaser <williamsmith208@hotmail.com>
Message-ID: <v0lep8jbif2914@corp.supernews.com>
Source record: 35266
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

The truth is hate to those who hate the truth

"Ann" <annREMOVE@asarian-host.net> wrote in message
news:nb1k0vg5oh3kj1ultlikdc421hspelupcc@4ax.com...
> On Wed, 25 Dec 2002 13:56:11 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:
>
> >For those who don't have a belief in a God or supreme being,
> >this is not your holiday. Your holiday is celebrated here in the
> >U.S.A. every year on April the first.
> >
> >--
> >
> >'73' & Merry Christmas From KB9TMP
> >
> >"JESUS is the REASON for the SEASON!"
>
> Oh dear.....a religious bigot.....how nasty!
>
> Ann

7506. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 08:19:03 UTC
From: signalchaser <williamsmith208@hotmail.com>
Message-ID: <v0lerojc20at2b@corp.supernews.com>
Source record: 35267
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Gee, if its not a Christian holiday then why do we call it Christmas. Did you ever think that the word Christ might be an important facet of Christmas. Why don't we call it Santa Claus Day or Satan Clause Day or whatever.

"proma1" <proma1@ntlworld.com> wrote in message news:aud0lc$6cm8d$1@ID-172472.news.dfncis.de...
> sorry mate it is not your holiday
>
> Yuletide is a lot older than what we call Christmas,but both those who want
> to celebrate christmas and those who want to celebrate Yuletide or indeed
> those who dont want to celebrate for any reason,lets think fo peace and
> goodwill.
>
>
> and hopefully not war as your Mad warmongering president wants
>
> as one of the UKs newsapapers said the other day,Bush is the most dangerous
> world leader.
>
>
> regards
>
> --
>
>
> Paul Wey
> PROMA1
>
>
> http://groups.yahoo.com/group/scanpromauk
>
> for main proma files sent to your inbox monthly join
>
> http://groups.yahoo.com/group/promafiles
>
> For good prices on scanners go to
>
> Stewart Aviation
>
> http://www.stewart-aviation.co.uk/rs/index.html

> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:v0jvq926cdb886@corp.supernews.com...
> >
> > "Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
> > news:v0joar52a6bl23@corp.supernews.com...
> > > Merry no special day to you.
> > >
> > > --
> > > For Admiral Poindexter's folks:
> > > Bomb, anthrax, attack, acid, hijack, skyjack
> > > sniper, plutonium, nuclear, Big Mac, jihad
> > > Democrats, terror, Howdy Doody, Oprah
> > >
> > > "Those that sacrifice freedom for security deserve neither"
> > <SNIP>
> >
> > For those who don't have a belief in a God or supreme being,
> > this is not your holiday. Your holiday is celebrated here in the
> > U.S.A. every year on April the first.
> >
> > --
> >
> > '73' & Merry Christmas From KB9TMP
> >
> > "JESUS is the REASON for the SEASON!"
> >
> >
>
>

7507. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 08:21:29 UTC
From: signalchaser <williamsmith208@hotmail.com>
Message-ID: <v0lf0aro7gre5a@corp.supernews.com>
Source record: 35269
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Let's see if no one respects Bush, then why did a large percentage of Americans vote for him in the last election. Or is it that you are trying to put thoughts in peoples minds again. Not sure what your claim to fame may be but certainly in this world it is isn't President, CEO or much of anything else.

"Ain't Real" <donotreply@hotmail.com> wrote in message news:clhk0v0iukcb9sfjg7sf48umnbrvo97okq@4ax.com...
> On Wed, 25 Dec 2002 19:59:33 +0000, Ann <annREMOVE@asarian-host.net>
> wrote:
>
> >On Wed, 25 Dec 2002 19:54:35 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
> >
> >>
> >>"proma1" <proma1@ntlworld.com> wrote in message
> >>news:aud0lc$6cm8d$1@ID-172472.news.dfncis.de...
> >>> sorry mate it is not your holiday
> >>>
> >>> Yuletide is a lot older than what we call Christmas,but both those who
> >>want
> >>> to celebrate christmas and those who want to celebrate Yuletide or
indeed
> >>> those who dont want to celebrate for any reason,lets think fo peace
and
> >>> goodwill.
> >>>
> >>>
> >>> and hopefully not war as your Mad warmongering president wants
> >>>
> >>> as one of the UKs newsapapers said the other day,Bush is the most
> >>dangerous
> >>> world leader.
> >>
> >>So what does that make Mr. Blair who supports Bush?
> >
> >Even Blair's original supporters don't respect him any more.....
> >
> >Ann
>
> The poodle. Other than some right wing zealots no one has ever
> respected Bush. Guy is dumber than a box of rocks. Ever see him wave
> at Stevie Wonder during last years Christmas concert?
> :)

>
> Quentin's Monologue from 'Sleep With Me' (partial)
> ...
> What is Top Gun? You think it's a story about a bunch of fighter pilots.
> [Duane: It's about a bunch of guys waving their dicks around.]
> It is a story about a man's struggle with his own homosexuality.
> It is! That is what Top Gun is about, man.
> ...
> :)

7508. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 08:26:59 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <n3zO9.20227$%3.5537095@twister.neo.rr.com>
Source record: 35268
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Jaelkay" <[removethis]jaelkay@hotmail.com> wrote in message
news:aueb09$1s0v$1@otis.netspace.net.au...
> Mate
>
> Believing quotes from the Bible contains about as much truth as an Enron
> balance sheet is. Both are fabrications to give the plebs something to
> believe it.

And so you and a huge multitude set yourselves up to be God declaring that
there is no God.

>
>
>
>
> "VernonOJ" <vernonosp@nospamcontractor.net> wrote in message
> news:N2sO9.160016$6k.3101664@news1.west.cox.net...
> > Wednesday, December 25, 2002
> > ---
> > Was Jesus actually born today?
> > By Joseph Farah
> > ---
> >
> > Posted: December 25, 2002
> > 1:00 a.m. Eastern
> >
> >
> > Editor's note: Advance orders for Joseph Farah's long-awaited "Taking
> > America Back" are now being accepted exclusively at WorldNetDaily. The
> book
> > won't be released in bookstores and at Amazon until February. Get your
> copy
> > even before the critics.
> >
> > Today, millions of Christians around the world celebrate the birth of
the
> > One they believe to be the Savior of the world, the Prince of Peace, the
> Son
> > of God - Jesus of Nazareth.
> >
> > Jesus is called many things in the Bible. One of His names is the Lamb
of
> > God. And while no one is quite sure exactly when Jesus was born, I

believe
> > that name may actually lend credence to the birth date of Dec. 25.
> >
> > I know what you skeptics are going to say. Dec. 25 was chosen by church
> > leaders because it coincided with pagan festivities. It was a way of
> > hijacking those customs and traditions - a way of redeeming them.
> >
> > But hear me out. I'm going to tell you why Dec. 25 could well be the
> actual
> > birthday of the Messiah. First, let's review the most descriptive and
> > familiar of the Christmas stories from the Bible.
> >
> > There was in the days of Herod, the king of Judea, a certain priest
named
> > Zacharias, of the course of Abia: and his wife was of the daughters of
> > Aaron, and her name was Elisabeth.
> >
> > And they were both righteous before God, walking in all the commandments
> and
> > ordinances of the Lord blameless. And they had no child, because that
> > Elisabeth was barren, and they both were now well stricken in years.
> >
> > And it came to pass, that while he executed the priest's office before
God
> > in the order of his course, According to the custom of the priest's
> office,
> > his lot was to burn incense when he went into the temple of the Lord.
> >
> > And the whole multitude of the people were praying without at the time
of
> > incense. And there appeared unto him an angel of the Lord standing on
the
> > right side of the altar of incense.
> >
> > And when Zacharias saw him, he was troubled, and fear fell upon him. But
> the
> > angel said unto him, Fear not, Zacharias: for thy prayer is heard; and
thy
> > wife Elisabeth shall bear thee a son, and thou shalt call his name John.
> >
> > -- Luke 1:5-13 KJV
> >
> > The story continues, with Zacharias remaining in the temple and
fulfilling
> > his duties as priest. Only after "the days of his ministration were
> > accomplished" did Zacharias return home, where his wife, Elisabeth,
> > conceived, "and hid herself five months."
> >
> > And in the sixth month the angel Gabriel was sent from God unto a city

of
> > Galilee, named Nazareth, To a virgin espoused to a man whose name was
> > Joseph, of the house of David; and the virgin's name was Mary. And the
> angel
> > came in unto her, and said, Hail, thou that art highly favoured, the
Lord
> is
> > with thee: blessed art thou among women.
> >
> > And when she saw him, she was troubled at his saying, and cast in her
mind
> > what manner of salutation this should be.
> >
> > And the angel said unto her, Fear not, Mary: for thou hast found favour
> with
> > God. And, behold, thou shalt conceive in thy womb, and bring forth a
son,
> > and shalt call his name JESUS. He shall be great, and shall be called
the
> > Son of the Highest: and the Lord God shall give unto him the throne of
his
> > father David: And he shall reign over the house of Jacob for ever; and
of
> > his kingdom there shall be no end.
> >
> > Then said Mary unto the angel, How shall this be, seeing I know not a
man?
> >
> > And the angel answered and said unto her, The Holy Ghost shall come upon
> > thee, and the power of the Highest shall overshadow thee: therefore also
> > that holy thing which shall be born of thee shall be called the Son of
> God.
> > And, behold, thy cousin Elisabeth, she hath also conceived a son in her
> old
> > age: and this is the sixth month with her, who was called barren. For
with
> > God nothing shall be impossible.
> >
> > And Mary said, Behold the handmaid of the Lord; be it unto me according
to
> > thy word. And the angel departed from her. And Mary arose in those days,
> and
> > went into the hill country with haste, into a city of Judah; And entered
> > into the house of Zacharias, and saluted Elisabeth.
> >
> > And it came to pass, that, when Elisabeth heard the salutation of Mary,
> the
> > babe leaped in her womb; and Elisabeth was filled with the Holy Ghost:
And

> > she spake out with a loud voice, and said, Blessed art thou among women,
> and
> > blessed is the fruit of thy womb. And whence is this to me, that the
> mother
> > of my Lord should come to me? For, lo, as soon as the voice of thy
> > salutation sounded in mine ears, the babe leaped in my womb for joy.
> >
> > -- Luke 1:26-44
> >
> > Notice the details pointing to the approximate time when Jesus was
> conceived
> > and born.
> >
> > "What are you talking about, Farah?" you're probably asking yourself.
> >
> > We've learned that Zacharias was a priest of the course of Abia and that
> he
> > fulfilled his duties before going home and impregnating his wife. In I
> > Chronicles 24:1-10, we learn that the priestly duties were established
> about
> > 1,000 years earlier. They included 24 courses and were numbered by
drawing
> > lots - 12 courses for sanctuary service and 12 for the government of the
> > house of God.
> >
> > Priests would serve during a month starting with the Hebrew months of
> Nisan,
> > which can begin anytime between early March and early April. The sons of
> > Abija, the Old Testament spelling for Abia, were in the eighth course,
> which
> > would mean Zacharias would likely have ministered during the eighth
month
> of
> > the Hebrew calendar, starting as early as the fifth day of our month of
> > October. That would place the likely time of John the Baptist's
conception
> > toward the end of October.
> >
> > Elisabeth then hid herself for five months. Sometime, perhaps, around
> March
> > 15-April 15, the angel appeared to Mary. For the sake of argument, let's
> say
> > this happened on or about April 1. A normal gestation period of 270 days
> > would have resulted in the birth of Jesus on or about Dec. 25.
> >
> > That is a very plausible scenario. Still not convinced? How about this?
> >
> > Let's go back to Luke, Chapter 2, verse 8: "And there were in the same
> > country shepherds abiding in the field, keeping watch over their flock

by
> > night."
> >
> > Shepherds spent the night in the fields with their sheep when the lambs
> are
> > born. The mating cycle begins after June 21. The normal gestation period
> is
> > five months, so the ewes start giving birth in mid-December.
> >
> > And that's where "the Lamb of God" comes into the picture. Jesus was
> likened
> > to a lamb who was brought into this world to be slaughtered for our
sins.
> > Wouldn't it make sense that He was born around the same time that the
> > innocent little lambs were being born in the fields nearby?
> >
> > The more I read the Bible, the more I am stunned by such little
> > "coincidences." The Bible is full of them. It makes perfect sense to me.
I
> > hope you agree.
> >
> > Yet, it doesn't really matter exactly when Jesus was born. The important
> > thing today, as we Christians prepare to celebrate that birth, is that
He
> > was born - that He did come, that He later laid down His life for us and
> > that He will come again.
> >
> > Merry Christmas to all of you, dear readers. May the joy of His coming
be
> > with you today, tomorrow and for all eternity.
> >
> >
> > © 2002
> >
> > "KB9TMP" <kb9tmp@juno.com> wrote in message
> > news:v0kedgr1skbee0@corp.supernews.com...
> > >
> > > "Santa X" <santax@northpole.com> wrote in message
> > > news:3E0A31BD.50F9F80B@northpole.com...
> > > > > but christmas and easter were both stolen by the christians
> > > > >
> > > > > Really, what do trees and presents and easter eggs have to do with
> > > Jesus?
> > > >
> > > > Thank you! At least somebody here has their thinking cap on.
> > > Christmas is
> > > > all about Santa,
> > > >
> > > Oh really? Then how come it's not called Santamas?

> > >
> > >
> > > >decorating pine trees, and giving presents to friends and
> > > > family. Without Christmas, many businesses would fail and go
> bankrupt.
> > > Why
> > > > people have to always push religion into everything is unbelievable.
> > It
> > > has
> > > > gone to the point that Jewish people won't even let their kids
> celebrate
> > > > Christmas and see Santa!! As if Santa Claus and present giving is
> > > exclusive
> > > > to the Christian religion or something! I'm an Atheist and
> > celebrate
> > > > Christmas every year with my family, why the hell can't Jews and
> Blacks?
> > > > What the hell is this new black holiday (Qwanza?) the Blacks have to
> > have
> > > to
> > > > further keep themselves separate and segregated instead of joining
in
> > and
> > > > trying to unite into one big melting pot, instead of trying to
invent
> > new
> > > ways
> > > > to separate into smaller groups.
> > > >
> > >
> > > It's all done in the name of the only god this world wants, MONEY!!
> > >
> > >
> > >
> > > > Christmas is for EVERYONE! Even Jews like Jack Benny, George
Burns
> > (Nat
> > > > Birnbaum) and Stan Freberg would have Christmas shows and celebrate
> > > Christmas!
> > > > >
> > > > Religion once again is trying to rip people apart instead of
bringing
> > > everyone
> > > > together.
> > > > >
> > >
> > > It's called Christmas you know Christ - mas, notice that large name at
> > > the front of the holiday name. Why else would Christians get involved
in

> > it?
> > >
> > >
> > > > I for one, am not playing part of this new "politically correct"
> > bullshit
> > > > of
> > > > > having to say "happy holidays" instead of "Merry Christmas".
Santa
> > > > Claus
> > > > > says: "Merry Christmas" and so do I! I hate Christians and
> religion
> > > > like
> > > > > everyone else,
> > > >
> > > > That point is obvious! You really do hate Christians and religion
don't
> > you?
> > > >
> > > > >but that has nothing to do with our Christmas holiday, Santa,
> > > > > decorating pine trees, giving gifts, etc.
> > > >
> > > > Remember the name? CHRISTmas not SANTAmas.
> > > >
> > > > > >
> > > > > I think as soon as everyone else realizes this, we can all join into
> one
> > > > big
> > > > > happy group and celebrate the season together, instead of hiding
into
> > our
> > > > > little separate groups and sub-holidays.
> > > >
> > > >
> > > > Christmas with no Christ in it, no thanks I believe
> > > > I'll pass on your anti-religious version of the holiday.
> > > >
> > > > > >
> > > > > Celebrate Christmas or DIE!!!
> > > > > >
> > > >
> > > > Then let it be death! Would you like to be the one to do me in?
> > > > I do want to warn you, I'm not like those meek and mild milk
> > > > toast church going types you know. I will fight back so bring your
> lunch.
> > > >
> > > > Or if you just want to say "no it's not that important to me", then
> > > > that's OK too. I'm not going to start any holy wars, but if one
> > > > starts on me I'll darn sure finish it!
> > > >

> > > Just so we understand each other my statement above was
> > > made because of your "Celebrate Christmas or DIE!!!" comment.
> > > I'm not starting any fights, nor do I have a desire to do so either.
> > >
> > >
> > > --
> > >
> > > '73' & Merry Christmas From KB9TMP
> > >
> > > "JESUS is the REASON for the SEASON!"
> > > Believe It Or Not!
> > >
> > >
> >
> >
>
>

7509. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 08:28:28 UTC
From: signalchaser <williamsmith208@hotmail.com>
Message-ID: <v0lfdehi0plkdf@corp.supernews.com>
Source record: 35270
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Very well put. Only a fool would refuse the power of God. I find it that Christianity contributed to the widespread improvements and has foretold the current degradation of Western Society. No other religion or nation under those forms of religion has contributed much of anything to the betterment or technological progress seen by the Western nations such as U.S.A., U.K, Germany, France, and many others. It sure hasn't appeared to me that much progress has really been made in the so called Third World states with their religions of Islam, Buddhism, etc.

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0kca0g9pv7qf6@corp.supernews.com...
>
> "Santa X" <santax@northpole.com> wrote in message
> news:3E0A2DAE.4570920B@northpole.com...
> > Isaiah 36:12
> > Hath he not sent me to the men that
> > sit upon the wall, that they may eat their own dung, and drink their
> > own piss with you?
> >
> > Malachi 2:3
> > Behold, I will corrupt your seed, and spread dung upon your faces!
> >
> > And thou shalt eat it as barely cakes, and thou shalt bake it
> > with dung that cometh out of man..." - Ezekiel 4:12
> >
> > "Lo, I have given thee cow's dung for man's dung and thou
> > shalt prepare thy bread therewith" - Ezekiel 4:15
> >
> > JOB 41:19.....
> > Out of this mouth go burning lamps, and sparks of fire leap out. Out of
> > his nostrils goeth smoke, as out of a seething pot of caldron. His
> > breath kindleth coals, and a flame goeth out of his mouth.
> >
> > Isaiah 34:7
> > And the unicorns shall come down with them, and the bullocks with the
> > bulls; and their land shall be soaked with blood, and their dust made
fat
> > with fatness.
> >
> > Revelation 12:3 "...and behold a GREAT RED DRAGON, having SEVEN HEADS
> > and ten horns, and seven crowns upon his heads."
>
>

> Rv:12:7: And there was war in heaven: Michael and his angels fought
> against the dragon; and the dragon fought and his angels,
>
> Rv:20:2: And he laid hold on the dragon, that old serpent, which
> is the Devil, and Satan, and bound him a thousand years,
>
> Rv:20:10: And the devil that deceived them was cast into the
> lake of fire and brimstone, where the beast and the false prophet
> are, and shall be tormented day and night for ever and ever.
>
> Rv:20:15: And whosoever was not found written in the book
> of life was cast into the lake of fire.
>
> >
> >
> > "If any one comes to me and does not hate his own father and mother and
> > wife and children and brothers and sisters, yes, and even his own life,
> > he cannot be my disciple." - Luke 14:26
> > (Jesus)
> >
> >
> > If god can prevent evil, but doesn't, then He isn't all-loving.
> > If god intends to prevent evil, but cannot, then He isn't omnipotent.
> > If god both intends to prevent evil and is capable of doing so, then how
> > can
> > evil exist?
> >
> >
> And because God will prevent evil and hasn't done it in yet
> you think he can't/won't do it or don't exist at all.
>
> Ps:14:1a: The fool hath said in his heart, There is no God.....
>
>
> --
>
> '73' & Merry Christmas From KB9TMP
>
> "JESUS is the REASON for the SEASON!"
> Believe It Or Not!
>
>
>
>
>
>
>

7510. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 08:35:28 UTC
From: signalchaser <williamsmith208@hotmail.com>
Message-ID: <v0lfqimuo0j05f@corp.supernews.com>
Source record: 35271
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Another comment. I guess if Christianity didn't exist, then we would live in a much better and more moral world. Or would that be a world ruled by savages, evil, and other degeneracy? It seems to me that the world is moving toward the real of the latter especially when evil exists. Of course, all of these Atheists, Humanists, Socialists, and other individuals think that we would be so much better off without Christianity. As John Adams said about even our Constitution, "We have no government armed with power capable of contending with human passions unbridled by morality and religion . ... Our Constitution was made only for a moral and religious people. It is wholly inadequate to the government of any other

Now tell us, humanists, what part of this don't you understand

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0kca0g9pv7qf6@corp.supernews.com...
>
> "Santa X" <santax@northpole.com> wrote in message
> news:3E0A2DAE.4570920B@northpole.com...
> > Isaiah 36:12
> > Hath he not sent me to the men that
> > sit upon the wall, that they may eat their own dung, and drink their
> > own piss with you?
> >
> > Malachi 2:3
> > Behold, I will corrupt your seed, and spread dung upon your faces!
> >
> > And thou shalt eat it as barely cakes, and thou shalt bake it
> > with dung that cometh out of man..." - Ezekiel 4:12
> >
> > "Lo, I have given thee cow's dung for man's dung and thou
> > shalt prepare thy bread therewith" - Ezekiel 4:15
> >
> > JOB 41:19.....
> > Out of this mouth go burning lamps, and sparks of fire leap out. Out of
> > his nostrils goeth smoke, as out of a seething pot of caldron. His
> > breath kindleth coals, and a flame goeth out of his mouth.
> >
> > Isaiah 34:7
> > And the unicorns shall come down with them, and the bullocks with the
> > bulls; and their land shall be soaked with blood, and their dust made
fat
> > with fatness.
> >
> > Revelation 12:3 "...and behold a GREAT RED DRAGON, having SEVEN HEADS

> > and ten horns, and seven crowns upon his heads."
>
>
> Rv:12:7: And there was war in heaven: Michael and his angels fought
> against the dragon; and the dragon fought and his angels,
>
> Rv:20:2: And he laid hold on the dragon, that old serpent, which
> is the Devil, and Satan, and bound him a thousand years,
>
> Rv:20:10: And the devil that deceived them was cast into the
> lake of fire and brimstone, where the beast and the false prophet
> are, and shall be tormented day and night for ever and ever.
>
> Rv:20:15: And whosoever was not found written in the book
> of life was cast into the lake of fire.
>
> >
> >
> > "If any one comes to me and does not hate his own father and mother and
> > wife and children and brothers and sisters, yes, and even his own life,
> > he cannot be my disciple." - Luke 14:26
> > (Jesus)
> >
> >
> > If god can prevent evil, but doesn't, then He isn't all-loving.
> > If god intends to prevent evil, but cannot, then He isn't omnipotent.
> > If god both intends to prevent evil and is capable of doing so, then how
> > can
> > evil exist?
> >
> >
> And because God will prevent evil and hasn't done it in yet
> you think he can't/won't do it or don't exist at all.
>
> Ps:14:1a: The fool hath said in his heart, There is no God.....
>
>
> --
>
> '73' & Merry Christmas From KB9TMP
>
> "JESUS is the REASON for the SEASON!"
> Believe It Or Not!
>
>
>
>
>
>

7511. FS ICOM 821/UT84 DUAL BAND SATELLITE ALL MODE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 10:41:11 UTC
From: Magnum45 <Magnum45@mn.rr.com>
Message-ID: <b1BO9.30857$Zt4.360923@twister.rdc-kc.rr.com>
Source record: 35272

I have a nice looking and working icom 821 dual band satellite 2 meter and
440 all mode forsale.
Crossband repeat ready.
Come with ut84 tone board installed original box manual mic and power cord.
One light needs to be replaced and right side of radio all other lights
work.
E-mail for picture of the radio.
From a non smokers home.
$675 shipped ups insured u.s only

7512. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 11:36:56 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <h5ql0v43ou0k4ml270ggi6rk57ktva6vgq@4ax.com>
Source record: 35273
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Thu, 26 Dec 2002 03:35:28 -0500, "signalchaser"
<williamsmith208@hotmail.com> wrote:

>Another comment. I guess if Christianity didn't exist, then we would live in
>a much better and more moral world. Or would that be a world ruled by
>savages, evil, and other degeneracy? It seems to me that the world is moving
>toward the real of the latter especially when evil exists. Of course, all of
>these Atheists, Humanists, Socialists, and other individuals think that we
>would be so much better off without Christianity. As John Adams said about
>even our Constitution, "We have no government armed with power capable of
>contending with human passions unbridled by morality and religion . ... Our
>Constitution was made only for a moral and religious people. It is wholly
>inadequate to the government of any other
>
>Now tell us, humanists, what part of this don't you understand

I don't call myself a humanist but I understand you very well.

I love the way you talk of Socialism being non christian...doesn't
work that way in the UK. Here, socialism is a political ideology
which has nothing to do with religion. We can keep the two separate
which doesn't seem to be the case for you. Interesting.

Ann

7513. Re: TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 11:57:48 UTC
From: Just another Joe <NoSpamSam@NoSpam.com>
Message-ID: <v0lrlt2t5cf90c@corp.supernews.com>
Source record: 35274

Go with the new deal, Bob. Once stuff starts to become a problem it takes the enjoyment out of using it. Not fun to have to fix it every time you want to use it.

Alex

"Robert Robinson" <rob@myexcel.com> wrote in message news:IIvO9.156182$a8.40056@news4.srv.hcvlny.cv.net...
>
>
> I have a 1987 vintage TS-940SAT. A few years ago I purchased it second-hand
> for $1000 with the MC-60, SP-940 and the SW-2000. I since purchased the
> SM-220 and the HC-10 clock...a nice station. It became my main station
> replacing an FT-101B I keep as a backup.
>
> In 6/2001 the radio stopped working. It would not light up or operate, but
> it "turned on" because the light in the room dimmed for a split second (not
> unusual when I turn on something that has a bit of a load).
>
> I sent the radio to Kenwood. They traced the problem to defective parts on
> the AVR and Control Units. They also replaced the Lithium battery, changed
> a few lamps, cleaned/lubed the pots/motors, calibrated and realigned the
> radio. They replaced 2 transistors, a zener diode, an IC, the lithium
> battery and 2 lamps.
>
> The radio came back looking and working perfectly. Between shipping, parts
> and repair, it was just over $400.
>
> Just recently I have experienced the same problem as before and I assume
> that it is a problem with the AVR, PA or control units. I am assuming that
> it might cost another $400 (maybe a bit less this time) to repair.
>
> I am very happy with the TS-940, but it is 16 years old. I am not a major
> contester and do not plan on buying something like an FT-1000. I have seen
> the Yaesu FT-920 available for under $1100 delivered and includes the SP-8
> speaker ($160), MD-100A8X microphone ($130), the 6 kHz AM filter ($120) and

> the FM unit ($63)...basically a complete station.
>
> My quandary...and seeking some feedback...
> What are your opinions about again repairing the 940SAT ($1000 purchase,
> already $400 in repairs and possibly $400 more (when you figure in
shipping)
> or retiring the station for a newer station based on the FT-920, with over
> $450 in options included.
>
> Happy Holidays,
> 73 de KB2PSM
>
>
>
>

7514. Re: ICOM IC-u2AT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 12:08:04 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <hgrl0vsv4p8jcf7ecsnm9urjq2uiqsss51@4ax.com>
Source record: 35275

By the way WB3JVK I guess you have nothing better to do than go around
and make comments on everybodys postings. What goes around comes
around.....WZ1U

On Wed, 25 Dec 2002 19:48:08 -0500, "Stephen C. Robbins"
<srobbinsNoSPaMDUDES@netacc.net> wrote:

>
>"WZ1U" <wz1u@attbi.com> wrote in message
>news:nqdk0vc0get69ovs1g35frdcvus58ek5in@4ax.com...
>> At least I have a call sign.................
>>
>>
>
>
>Yep, and I have two of em myself. Handy for when making radio calls. Not
>worth squat on a computer.
>
>Steve
>

7515. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 13:51:06 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0m2a5rrlubs93@corp.supernews.com>
Source record: 35276
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Ain't Real" <donotreply@hotmail.com> wrote in message
news:15rl0vk5tkkouscb6f8psmj36h784e7s18@4ax.com...
> On Wed, 25 Dec 2002 20:04:39 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:
>
> >
> >"DeWayne" <ke9k@indy.rr.com> wrote in message
> >news:j3sO9.18447$%3.5227115@twister.neo.rr.com...
> >>
> >> "KB9TMP" <kb9tmp@juno.com> wrote in message
> >> news:v0ki6o73jh9dfd@corp.supernews.com...
> >> >
> >> > "DeWayne" <ke9k@indy.rr.com> wrote in message
> >> > news:KErO9.18202$%3.5212579@twister.neo.rr.com...
> >> > <SNIP>
> >> > > The season was here before Jesus was born. Sorry.
> >> > >
> >> > > >
> >> > > > >
> >> > > > >
> >> > > >
> >> > > And the Christian version of the holiday was here
> >> > > before I was born, sorry. It don't matter to me
> >> > > how it got here, what matters is what it means
> >> > > to me now.
> >> > >
> >> > > I believe in God, I'm sorry you don't. I just want
> >> > > to know, why you call it CHRISTmas if you
> >> > > celebrate it in it's pagan form? Why not call it
> >> > > SANTAmas or YULEmas or Xmas or
> >> > > WHAT-EVERmas? I think the name Christmas
> >> > > should reflect the Christian traditions of the
> >> > > holiday, thats all I'm saying.
> >> >
> >> I didn't say I don't believe in God. I just don't believe in Christmas.
> >>
> >OK I'll say this I don't believe Jesus was born on December 25, 0000.
> >They say it was more like in the spring of 4BC, but Dec 25 is when
> >the world celebrates the day. So who am I to say we can't celebrate it
> >then because we can't find his "birth certificate" for proof?
> >
> >The bottom line is I believe Jesus was born, that's the important part
> >not which day it happened on.

>
> Did he have a navel? Can you prove, with historical records, he was
> born? Can you prove that he was actually the " son of god"? Why did
> god need to send his son thousands of years ago, and not in the 1950's
> when the threat of world destruction was greater than it was then?
> Can you prove Mary was a virgin? The original term was " virgo"
> meaning young woman.
> Can you, without a shadow of a doubt, prove biblical claims?

Can you PROVE it false?
I didn't think so!

--
"73" from Orange County Indiana!
WW - KB9TMP EM68sp
E-Mail me at: kb9tmp@juno.com
Home Page: http://www.qsl.net/kb9tmp/

>
> :)
>
> Quentin's Monologue from 'Sleep With Me' (partial)
> ...
> What is Top Gun? You think it's a story about a bunch of fighter pilots.
> [Duane: It's about a bunch of guys waving their dicks around.]
> It is a story about a man's struggle with his own homosexuality.
> It is! That is what Top Gun is about, man.
> ...
> :)

7516. Re: TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 14:21:37 UTC
From: Steve <ai7w@NoSpam.com>
Message-ID: <auf39jhkj1@slb9.atl.mindspring.net>
Source record: 35277

Robert,
I ran a TS-940SAT for many years and also had a couple of AVR
failures (repaired them myself). I discovered the problem was caused
by a ground loop, the result of having the antenna and the radio
grounded at different places.
This particular radio is very reliable so repeated failure of the same
component could have an external cause. If so, it's possible the new
radio could also be damaged.
Just something to think about.
BTW: I've used the 920 and it's a very nice radio.
--
Steve

"Robert Robinson" <rob@myexcel.com> wrote in message
news:IIvO9.156182$a8.40056@news4.srv.hcvlny.cv.net...
>
>
> I have a 1987 vintage TS-940SAT. A few years ago I purchased it
second-hand
> for $1000 with the MC-60, SP-940 and the SW-2000. I since purchased the
> SM-220 and the HC-10 clock...a nice station. It became my main station
> replacing an FT-101B I keep as a backup.
>
> In 6/2001 the radio stopped working. It would not light up or operate,
but
> it "turned on" because the light in the room dimmed for a split second
(not
> unusual when I turn on something that has a bit of a load).
>
> I sent the radio to Kenwood. They traced the problem to defective parts
on
> the AVR and Control Units. They also replaced the Lithium battery,
changed
> a few lamps, cleaned/lubed the pots/motors, calibrated and realigned the
> radio. They replaced 2 transistors, a zener diode, an IC, the lithium
> battery and 2 lamps.
>
> The radio came back looking and working perfectly. Between shipping,
parts
> and repair, it was just over $400.
>
> Just recently I have experienced the same problem as before and I assume
> that it is a problem with the AVR, PA or control units. I am assuming
that

> it might cost another $400 (maybe a bit less this time) to repair.
>
> I am very happy with the TS-940, but it is 16 years old. I am not a major
> contester and do not plan on buying something like an FT-1000. I have
seen
> the Yaesu FT-920 available for under $1100 delivered and includes the SP-8
> speaker ($160), MD-100A8X microphone ($130), the 6 kHz AM filter ($120)
and
> the FM unit ($63)...basically a complete station.
>
> My quandary...and seeking some feedback...
> What are your opinions about again repairing the 940SAT ($1000 purchase,
> already $400 in repairs and possibly $400 more (when you figure in
shipping)
> or retiring the station for a newer station based on the FT-920, with over
> $450 in options included.
>
> Happy Holidays,
> 73 de KB2PSM
>
>
>
>

7517. Re: TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 14:44:10 UTC
From: Bill Seward <seward@northstate.net>
Message-ID: <2q4m0vk8048mcsjsnuv8pj57m7rlrevuhp@4ax.com>
Source record: 35278

"Robert Robinson" <rob@myexcel.com>, hoping against hope for wisdom
from USENET, wrote:

>My quandary...and seeking some feedback...
>What are your opinions about again repairing the 940SAT ($1000 purchase,
>already $400 in repairs and possibly $400 more (when you figure in shipping)
>or retiring the station for a newer station based on the FT-920, with over
>$450 in options included.

OK, here's the deal. Your original $1000 cost and the $400 repair are
what is known, in accounting terms, as "sunk costs". This means that
no matter what you do, they are unrecoverable. (We'll ignore that the
radio may have some salvage value if sold for parts.)

So the question you have is do you want to spend $400 (or more,
remember inflation) to fix a 16-year-old "Old Faithful", or spend
$1100 for a (I assume) new unit with a warranty?

Another poster pointed out that you might have some problem external
to the unit that is causing this problem. That is worth checking out
no matter what--you want to avoid this problem whether you get the old
one fixed or buy the new one.

OK, so you find there is no external problem, or you find one and fix
it yourself without great cost. Good. Now the question is back to
"Repair or Replace"? If you have the money, and have no other
pressing or foreseeable short-term need for it, I'd go with buy. If
money is an issue, check out the cost to repair. But don't be
suprised if the cost to repair exceed 50% of the cost to replace.

Hope this helps. A belated Merry Christmas to you and yours.

Bill Seward
http://web.northstate.net/~seward

7518. Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 14:50:55 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0B174F.3090000@NOSPAMutoronto.ca>
Source record: 35279
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

signalchaser wrote:
> Gee, if its not a Christian holiday then why do we call it Christmas. Did
> you ever think that the word Christ might be an important facet of
> Christmas. Why don't we call it Santa Claus Day or Satan Clause Day or
> whatever.

How about winter solstice celebrations, winter festival,
Brumalia or Saturnalia?

For the first three centuries of Christianity, Christmas
wasn't in Decemberï¿½or on the calendar anywhere. If observed
at all, the celebration of Christ's birth was usually lumped
in with Epiphany (January 6), one of the church's earliest
established feasts. Epiphany, January 6, still marks the
date of Christ's baptism in eastern churchs but in western
churches now marks the arrival date of the Magi. Few eastern
churches continue to celebrate Christ's birth on January 6.

In 336 A.D., Pope Julius declared Christmas on December 25,
after Emperor Constantine had declared Christianity the
empire's favored religion. Writing in 390 A.D., Pope Julius
says: 'On this day also the birth of Christ was lately fixed
at Rome, in order that while the heathen were busy with
their ceremonies, the Christians might perform their rites
undisturbed."

The heathen ceremonies referred to were the Roman festival
of Saturnalia and Brumalia.

Saturnalia

Saturnalia (feast of Saturn), was both a gigantic fair and a
festival of the home. Riotous merry-making took place, and
the halls of houses were decked with boughs of laurel and
evergreen trees. Lamps were kept burning to ward off the
spirits of darkness. Schools were closed, the army rested,
and no criminals were executed. Friends visited one another,
bringing good-luck gifts of fruit, cakes, candles, dolls,
jewellery, and incense. Temples were decorated with
evergreens symbolizing life's continuity, and processions of
people with masked or blackened faces and fantastic hats
danced through the streets.

Roman masters feasted with slaves, who were given the
freedom to do and say what they liked. A Mock King was

appointed to take charge of the revels.

The week-long festival of Saturnalia was immediately
followed by Brumalia.

Brumalia

This is the Roman celebration of the Winter Solstice. In
274 A.D., Emperor Aurelian established December 25 as the
birthday (Natalis) of the "Invincible Sun" (Solus Invicti).
The name comes from bruma and refers to the shortest day
of the year, the winter solstice. The Brumalia celebrated
the return of the sun after the winter solstice, the date
when the day began again to lengthen.

--
Michael Moore

7519. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 15:05:33 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0B1ABD.8040700@NOSPAMutoronto.ca>
Source record: 35280
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

KB9TMP wrote:
> "Ain't Real" <donotreply@hotmail.com> wrote in message
>>Did he have a navel? Can you prove, with historical records, he was
>>born? Can you prove that he was actually the " son of god"? Why did
>>god need to send his son thousands of years ago, and not in the 1950's
>>when the threat of world destruction was greater than it was then?
>>Can you prove Mary was a virgin? The original term was " virgo"
>>meaning young woman.
>>Can you, without a shadow of a doubt, prove biblical claims?
>
> Can you PROVE it false?
> I didn't think so!

Why is it that Paul does not seem to know a thing about
Jesus' life and never quotes him despite many good
opportunities to do so are presented to him? In fact all of
the epistles are ignorant of the gospels and the Jesus in
them. Was the gospel story a late and fictional creation to
help people understand what the new religion was all about?

--
M2

7520. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 16:03:23 UTC
From: Bruce Chambers <bchambers@nospam.cableone.net>
Message-ID: <v0ma26qnd99q7b@corp.supernews.com>
Source record: 35281
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Greetings --

And no other religion has such a history of hypocrisy, willful ignorance, intolerance, repression, persecution, torture and organized murder. Have you forgotten such details as the Inquisition, the Catholic Church's tacit support of the Holocaust, the Black Plague (which killed more than a third of Europe's population, largely because the church taught that touching oneself to bathe was a sin)? Have you forgotten the early scientists (Galileo, Copernicus, for example) tried, tortured, or otherwise pressured until they recanted the truth in favor of the church's view? Why else do you think that christians selected the cross, an instrument of torture and execution, as their primary idol/icon?

Organized religion (not just christianity, btw) has always been a tool of a society's power structure to keep the masses down, either via repression or by promising "rewards" in some fictional next life.

Bruce Chambers

One man's theology is another man's belly laugh. -- RAH

"signalchaser" <williamsmith208@hotmail.com> wrote in message
news:v0lfdehi0plkdf@corp.supernews.com...
> Very well put. Only a fool would refuse the power of God. I find it that
> Christianity contributed to the widespread improvements and has foretold the
> current degradation of Western Society. No other religion or nation under
> those forms of religion has contributed much of anything to the betterment
> or technological progress seen by the Western nations such as U.S.A., U.K,
> Germany, France, and many others. It sure hasn't appeared to me that much
> progress has really been made in the so called Third World states with their
> religions of Islam, Buddhism, etc.
>
>

7521. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 16:15:13 UTC
From: featheredfrog@ancientpond.com
Message-ID: <Pine.LNX.4.44.0212261113350.14669-100000@raven.ancientpond.com>
Source record: 35282
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

On Thu, 26 Dec 2002, Bruce Chambers wrote:

[snipped anti-church rant]
>
> "signalchaser" <williamsmith208@hotmail.com> wrote in message
news:v0lfdehi0plkdf@corp.supernews.com...
[snipped pro-church rant]
>

I can't see _any_ application to radio. Please take this elsewhere. Or
is the froup interested in discussions hashed and rehashed annually?

m
--
an ancient pond
a frog jumps in
the sound of water
http://www.ancientpond.com/

7522. Jolly good fun - I do so love a good troll....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 16:24:42 UTC
From: me <me@none.com>
Message-ID: <e3GO9.77730$vb3.3116476@news2.west.cox.net>
Source record: 35283
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"George" <geo_jackson@hotmail.com> knowing full well he'd be stirring up a great big bubbly pot of...well, "Christmas cheer" wrote:

> Jeremiah 10:1-4
> Thus saith the Lord, Learn not the way of the heathen... For the
> customs of the people are vain: for one cutteth a tree out of the
> forest, the work of the hands of the workman, with the axe. They deck
> it with silver and with gold; they fasten it with nails and with
> hammers, that it move not.

Which, although a biblical quote, really has nothing to do with December the 25th.

And to answer the naysaying atheists, yes, the catholic church did decide, rather arbitrarily, to celebrate Jesus' birthday on a day that historians have since concluded unanimously was NOT his birthday!

But I ask them all this: If He is just some made up fairy tale than what is the holiday for? Is it just an excuse to let the bills slide for a month so you can buy a bunch of crap you somehow lived without all year long? Or is it just a good reason to skip work and sleep in? If that's all it is to you, that's OK. It's kinda sad, but if that's what blows your hair back...

For me, it's the one time of year when I can take a break from the daily grind and the holiday madness to thank Him for the eternal gift he gave me and anyone else who chooses to accept it.

And no I'm not preaching here. Whether you choose to believe in Jesus, Santa Claus, the Easter Bunny or nothing at all, that's none of my business. My point is simply that to me, it wouldn't matter what day Christmas happened to be - the meaning is the same. Your mileage however, may vary.

-me

7523. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 16:29:45 UTC
From: wolfdancer <wolfdancer@angelfire.com>
Message-ID: <Xns92F074EFF2792wolfimicroconnectnet@216.168.3.44>
Source record: 35284
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"KB9TMP" <kb9tmp@juno.com> wrote in
news:v0khe8kra0ude8@corp.supernews.com:

>
> Yes I do know all that. It was done because the church
> wanted the pagens to stop celebrating their pagen holidays.
> They found out that they couldn't stop it so they decided
> to adopt the holidays and give them a Christian meaning
> so the pagens who converted to Christianity would not
> have to stop celebrating 'their' holidays.
>

The word is spelled PAGAN and the meaning of the word pagan is people of
the country, just as heathen means people of the hearth.

>
> If you want to celebrate the holiday in the pagen way that's fine.
> Just don't call it Christmas, it wasn't called that before the
> church took it over. Why use a Christian name for a pagen
> holiday if you don't believe in God.
>
Pagans do not celebrate christmas. Our Holiday falls on Dec.21
It is celebrated as the return of the light and birth of God from
the Goddess.

> Without Jesus there is NO reason to celebrate anything at all!
> No Jesus = No God Know Jesus = Know God
> It really is that simple.

Please cut me a break, I respect all religions. Next thing you know
I'll be told that if I dont believe like you I'll be going to hell.
Hint - How can I go to a place that I don't believe in.

>
> '73' & Merry Christmas From KB9TMP
>
> "JESUS is the REASON for the SEASON!"
> Believe It Or Not!

I don't, for the simple fact that when xains started stealing
our holidays, building their churches on sacrid grounds they
also started killing people, either by hanging or burning at
people at the stake.

WolfDancer

7524. Re: TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 16:34:38 UTC
From: Mark Krubsack <mkrubsack@yahoo.com>
Message-ID: <otbm0vc0l1ud0laemued22vktdm3qr37jg@4ax.com>
Source record: 35285

I also had a TS-940SAT that started to "go bad" on me. I replaced it
with a new Kenwood TS-2000 and have been delighted.

On Thu, 26 Dec 2002 04:38:00 GMT, "Robert Robinson" <rob@myexcel.com>
wrote:

>
>
>I have a 1987 vintage TS-940SAT. A few years ago I purchased it second-hand
>for $1000 with the MC-60, SP-940 and the SW-2000. I since purchased the
>SM-220 and the HC-10 clock...a nice station. It became my main station
>replacing an FT-101B I keep as a backup.
>
>In 6/2001 the radio stopped working. It would not light up or operate, but
>it "turned on" because the light in the room dimmed for a split second (not
>unusual when I turn on something that has a bit of a load).
>
>I sent the radio to Kenwood. They traced the problem to defective parts on
>the AVR and Control Units. They also replaced the Lithium battery, changed
>a few lamps, cleaned/lubed the pots/motors, calibrated and realigned the
>radio. They replaced 2 transistors, a zener diode, an IC, the lithium
>battery and 2 lamps.
>
>The radio came back looking and working perfectly. Between shipping, parts
>and repair, it was just over $400.
>
>Just recently I have experienced the same problem as before and I assume
>that it is a problem with the AVR, PA or control units. I am assuming that
>it might cost another $400 (maybe a bit less this time) to repair.
>
>I am very happy with the TS-940, but it is 16 years old. I am not a major
>contester and do not plan on buying something like an FT-1000. I have seen
>the Yaesu FT-920 available for under $1100 delivered and includes the SP-8
>speaker ($160), MD-100A8X microphone ($130), the 6 kHz AM filter ($120) and
>the FM unit ($63)...basically a complete station.
>
>My quandary...and seeking some feedback...
>What are your opinions about again repairing the 940SAT ($1000 purchase,
>already $400 in repairs and possibly $400 more (when you figure in shipping)
>or retiring the station for a newer station based on the FT-920, with over
>$450 in options included.
>
>Happy Holidays,
>73 de KB2PSM
>

>
>

7525. ALINCO DX77 PROBLEM

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 17:14:03 UTC
From: m3hok@yahoo.co.uk
Message-ID: <d0322c08.0212260914.65cedfd3@posting.google.com>
Source record: 35286

Hi all, i have a problem with my Alinco DX 77 transciever.Sometimes when i speak into the mic i hear my own voice (distorted) coming out of the built in speaker on the rig.It seems to affect the recieved audio too afterwards ....which stays distorted for a few hours after this happens.
My audio out is clear and strong ...i have made qso's during this distortion/feedback.
It's not a howl-around sound...
I am using the supplied fist mic...the rig is grounded...the ATU is grounded . The rig is about 6 or 8 foot away from the power supply and is not near the computer.SWR is a dead needle.I use a Half size G5RV with an RF choke.I have tried a ferrite ring on the mic lead.I run just 10 watts.
This problem just started up one day in the middle of a qso.When a G0 pal of mine tried the rig on 100 watts the problem was 10 times worse !and the distortion lasted 10 times longer.
Sometimes if i switch the rig off and take the wires off the PSU and leave it for a few hours ,it goes back to normal .Any ideas anyone please?
Lee

7526. FS: Yaesu FT-897

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 17:18:55 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <3SGO9.24438$P36.423512@twister.rdc-kc.rr.com>
Source record: 35287

Three Weeks Old. HF/6M/2M/70CM Portable Transceiver. Everything just as it came from the factory. $910 shipped/insured Conus.

Van,
K0KAV

7527. Re: yeasu 5200 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 17:37:31 UTC
From: patricia lemaire <parrotretweet@qwest.net>
Message-ID: <t7HO9.12$Om.37890@news.uswest.net>
Source record: 35288

I wonder if the battery (in the control head) is dead? Some radios behave strangly when their batteries die. I have a 5200 I purchased in 1993 and it works fine. I just sent it to Yeasu to replace some burnt out display bulbs (wonder why they didn't use LEDs?) I also asked them to replace the battery.

"CPiggykermit" <cpiggykermit@aol.com> wrote in message news:20021218182656.15973.00000160@mb-cs.aol.com...
> hi all,
>
> i have a 5200 dual band mobile radio that has a "minor" problem.
> it works ok exept for when i turn it off. when i press the power on button the
> radio powers up and the display is fully on and no buttons work and the radio
> is non functional.if i then disconect the power and reconnect it works ok again
> untill the power button is pressed off.
> has any one else had any problems like this or any sudgestions on a cure or a
> fix.
> many thanks
>
> adrian 2e1bts
>
>
>
>
>
>
>
>

7528. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 17:49:52 UTC
From: "Joe Bramblett, KD5NRH" <kd5nrh@yahoo.com>
Message-ID: <A96D16BAF0FF937F.17104CB4BDCEDDE8.9E61D5A7E2DF31E7@lp.airnews.net>
Source record: 35289
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Wed, 25 Dec 2002 22:59:47 +0000, Ann <annREMOVE@asarian-host.net>
wrote:

>Rubbish! We'll never be like them. They are a completely different
>people.

Well, of course; we can make some things that don't leak oil.

(Note that there's a difference between leaking oil and burning it,
and leaking transmission fluid doesn't count)

Joe Bramblett, KD5NRH
kd5nrh@kd5nrh.net
http://www.kd5nrh.net

7529. IC229H Frequency Expansion up to 174 Mc (European Type) ? ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 17:54:10 UTC
From: tomjay@web.de
Message-ID: <46e6ec0b.0212260954.7bf9a7a4@posting.google.com>
Source record: 35290

Hello all,

I have tried to make a modification to my IC229H
(Donï¿½t know whether there is any difference between European
or Japanese or American Type)
My goal was a frequency extension up to 174 Mc.
I found a modification on www.mods.dk
Did the following steps as described:
Find chip diode D9! (the place for D9 is empty in my IC229H)
Short the next pair of vertical pads to the right!

So nothing has happened, it is still working on 144-146 Mc.
Also a CPU reseting has changed nothing!
Any idea

73s ,happy new year to all ! de Tom, DL2HRF

7530. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 17:56:57 UTC
From: pjh@lowell.edu
Message-ID: <2c1d9aeb.0212260956.3188c766@posting.google.com>
Source record: 35291
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"signalchaser" <williamsmith208@hotmail.com> wrote in message
news:<v0lfdehi0plkdf@corp.supernews.com>...
> Very well put. Only a fool would refuse the power of God. I find it that
> Christianity contributed to the widespread improvements and has foretold the
> current degradation of Western Society. No other religion or nation under
> those forms of religion has contributed much of anything to the betterment
> or technological progress seen by the Western nations such as U.S.A., U.K,
> Germany, France, and many others. It sure hasn't appeared to me that much
> progress has really been made in the so called Third World states with their
> religions of Islam, Buddhism, etc.
>
There have been times when Chinese and Arabic cultures made Western
ones look barbaric, so it seems one can always find a time in history
to suit their particular biases, as you have done.

Also, if you're going to be stupid enough to let Christianity take
the credit for technological progress, then you can also let it take the
blame for the millions of deaths caused by Western countries (WW I and II)
and the technologies they created to facilite death on these scales.
And don't forget that the US (one of your "Christian" nations) is still
the only country to have used nuclear weapons against civilians.

So your argument implies that we should thank Jesus for nuclear weapons,
biological warfare capabilities, environmental destruction, and
rampant greed and consumerism since once you've associated your
western/christian societies with creating the benefits of technology,
you can't now separate them from their destructive consequences.

The bottom line for me, as an atheist, is that while I don't believe the
Jesus story, I most certainly believe that any Christian worth respecting
(and there are plenty) would be embarrassed by your nonsense.

PH

7531. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 18:09:16 UTC
From: "Joe Bramblett, KD5NRH" <kd5nrh@yahoo.com>
Message-ID: <D4970070D3AFA125.B388CEFD3F3DA280.CB007FC0A02884C5@lp.airnews.net>
Source record: 35292
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Wed, 25 Dec 2002 22:30:41 GMT, Santa X <santax@northpole.com>
wrote:

>Christmas is for EVERYONE! Even Jews like Jack Benny, George Burns (Nat
>Birnbaum) and Stan Freberg would have Christmas shows and celebrate Christmas!

Not sure about Freberg, but the other two don't have Christmas shows
because they're dead.

Joe Bramblett, KD5NRH
kd5nrh@kd5nrh.net
http://www.kd5nrh.net

7532. Re: Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 18:13:02 UTC
From: fmmck@aol.com
Message-ID: <20021226131302.03252.00000169@mb-cc.aol.com>
Source record: 35293

<< I cannot get anything other than static
on 440 band. On 2m I can hear voices just fine. Could it be that the 440
half of the HT is not working properly? >>

Don-

Do you have another Two Meter radio? If so, try transmitting on a frequency
like 147.54 MHz, and see if you can hear the third harmonic on 442.62 MHz.

Does anyone in your area have a Two Meter and 440 repeater linked? If so, you
could talk on the Two Meter input and listen on the 440 MHz output.

Be sure you don't have CTCSS tone decode turned on!

73, Fred, K4DII

7533. Re: TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 18:31:24 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <v0mil77kehc844@corp.supernews.com>
Source record: 35294

Most modern solid state radios are designed to have a useful service life of
10-15 years, after that the costs of repairs and the frequency of those
repairs goes up at a accelerating pace.
So, I would say it is time to "retire" the old rig and get a new one.
Figure if you get the same service life out of the new radio as you did the
old, your on par.
Note: there are no radios now, nor have there ever been, or will there ever
be, that can last "forever". If you get 10+ yrs of good service, your about
average.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Bill Seward" <seward@northstate.net> wrote in message
news:2q4m0vk8048mcsjsnuv8pj57m7rlrevuhp@4ax.com...
> "Robert Robinson" <rob@myexcel.com>, hoping against hope for wisdom
> from USENET, wrote:
>
> >My quandary...and seeking some feedback...
> >What are your opinions about again repairing the 940SAT ($1000 purchase,
> >already $400 in repairs and possibly $400 more (when you figure in
shipping)
> >or retiring the station for a newer station based on the FT-920, with
over
> >$450 in options included.
>
> OK, here's the deal. Your original $1000 cost and the $400 repair are
> what is known, in accounting terms, as "sunk costs". This means that
> no matter what you do, they are unrecoverable. (We'll ignore that the
> radio may have some salvage value if sold for parts.)
>
> So the question you have is do you want to spend $400 (or more,
> remember inflation) to fix a 16-year-old "Old Faithful", or spend
> $1100 for a (I assume) new unit with a warranty?
>
> Another poster pointed out that you might have some problem external
> to the unit that is causing this problem. That is worth checking out
> no matter what--you want to avoid this problem whether you get the old
> one fixed or buy the new one.
>
> OK, so you find there is no external problem, or you find one and fix
> it yourself without great cost. Good. Now the question is back to
> "Repair or Replace"? If you have the money, and have no other
> pressing or foreseeable short-term need for it, I'd go with buy. If

> money is an issue, check out the cost to repair. But don't be
> suprised if the cost to repair exceed 50% of the cost to replace.
>
> Hope this helps. A belated Merry Christmas to you and yours.
>
>
>
> ---------------------------------
> Bill Seward
> http://web.northstate.net/~seward

7534. Buzz on MFJ 9420 Xmit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 18:32:46 UTC
From: notmyaddress@see.below
Message-ID: <notmyaddress-2612021133060001@65.19.18.161>
Source record: 35295

Hi,

My 5+ year old MFJ 9420 QRP rig has developed a loud buzz on transmit. I remember reading a thread about this and a simple fix ala replacing a bad capacitor or diode. Can anyone point me in the right direction?

Thanks!

tjf
KJ5LT

--
Thomas J. Farish, ScD

Amateur Radio Call - KJ5LT

PGP public key available upon request

To reply via email, use: tfarish@cybermesa.com

7535. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 18:48:52 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <aejm0vcm93i9405hg7r3q335tletounigk@4ax.com>
Source record: 35296
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

```
On Thu, 26 Dec 2002 08:51:06 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:

>
>"Ain't Real" <donotreply@hotmail.com> wrote in message
>news:15rl0vk5tkkouscb6f8psmj36h784e7s18@4ax.com...
>> On Wed, 25 Dec 2002 20:04:39 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:
>>
>> >
>> >"DeWayne" <ke9k@indy.rr.com> wrote in message
>> >news:j3sO9.18447$%3.5227115@twister.neo.rr.com...
>> >>
>> >> "KB9TMP" <kb9tmp@juno.com> wrote in message
>> >> news:v0ki6o73jh9dfd@corp.supernews.com...
>> >> >
>> >> > "DeWayne" <ke9k@indy.rr.com> wrote in message
>> >> > news:KErO9.18202$%3.5212579@twister.neo.rr.com...
>> >> > <SNIP>
>> >> > > The season was here before Jesus was born. Sorry.
>> >> > >
>> >> > > >
>> >> > > > >
>> >> > >
>> >> > >
>> >> >
>> >> > And the Christian version of the holiday was here
>> >> > before I was born, sorry. It don't matter to me
>> >> > how it got here, what matters is what it means
>> >> > to me now.
>> >> >
>> >> > I believe in God, I'm sorry you don't. I just want
>> >> > to know, why you call it CHRISTmas if you
>> >> > celebrate it in it's pagan form? Why not call it
>> >> > SANTAmas or YULEmas or Xmas or
>> >> > WHAT-EVERmas? I think the name Christmas
>> >> > should reflect the Christian traditions of the
>> >> > holiday, thats all I'm saying.
>> >>
>> >> I didn't say I don't believe in God. I just don't believe in Christmas.
>> >
>> >OK I'll say this I don't believe Jesus was born on December 25, 0000.
>> >They say it was more like in the spring of 4BC, but Dec 25 is when
>> >the world celebrates the day. So who am I to say we can't celebrate it
>> >then because we can't find his "birth certificate" for proof?
```

>> >
>> >The bottom line is I believe Jesus was born, that's the important part
>> >not which day it happened on.
>>
>> Did he have a navel? Can you prove, with historical records, he was
>> born? Can you prove that he was actually the " son of god"? Why did
>> god need to send his son thousands of years ago, and not in the 1950's
>> when the threat of world destruction was greater than it was then?
>> Can you prove Mary was a virgin? The original term was " virgo"
>> meaning young woman.
>> Can you, without a shadow of a doubt, prove biblical claims?
>
>
>
>Can you PROVE it false?
>I didn't think so!

We don't have to prove anything false. I can't prove that there isn't
a planet made of cheese out there in space but I don't believe it.
It's for you to prove the existence of something and not for us to
prove its nonexistence.

Have you heard of Ockham's razor? Well, apply it.

Ann

7536. FT817 QRP Station FS/FT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 19:27:06 UTC
From: VE3TMT <ve3tmt@cogeco.ca>
Message-ID: <8LIO9.38933$L47.5214765@read2.cgocable.net>
Source record: 35307

Yaesu FT817 QRP rig - purchased October 2002
LDG Z-11 Autotuner
Astatic D104M6B microphone
3 internal battery packs - 1 MAHA FNB72 1700mA
- 2 RS 23-331B 1650 mA
1 12V - 5mAH gel cell with split cord for both rig & tuner
All supplied cords & connectors
Pelican 1500 series custom carrying case

PLEASE READ

The radio's original internal battery lead has been replaced with a fused one. The internal battery packs have also had the power leads replaced to match. This modification allows the internal battery pack to be charged when running the radio off external 12V power. I also have the Radio Shack 2 tray charger (# 23-440) that allows two of the battery packs to charge then automatically shut off.

The original manual is suplied, as is warranty card, but I do not have the boxes or shoulder strap. I have the original MH31 microphone, minus the cord. The MH31 contains the Heil HC4 cartridge and the W4RT "One Big Punch" speech processor. However I found the D104M6B still sounds better.

I purchased this gear thinking I would be getting into QRP activity but I just don't have the time. I have decided to go back to HF mobile.

Speaking of HF mobile, in trade I am looking for any of the following...

Yaesu FT100, Icom 706MKII, Yaesu FT900, Alinco DX70TH, anything small, preferrably with a detachable face to simplify vehicle mounting. I previously ran the FT900 in the car and loved it. Would love to get another one. All offers will be considered, but you will only be contacted if I am interested in pursuing the offer further. I have plenty of pictures, so e-mail me direct and I'll send them to you,

Thanks for reading.

7537. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 19:36:25 UTC
From: Santa <HoHoHo@shaw.ca>
Message-ID: <ZSIO9.41034$Zv4.2804044@news2.telusplanet.net>
Source record: 35297
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

out in the US? locally. they did bad on christmas ordaments and stuff.
Pirces are too high on that christmas stuff. but present wise. almost
everywhere here was empty.

"Ain't Real" <donotreply@hotmail.com> wrote in message
news:m1rl0vo7g8er7i3gb6s7f0fdqemp6d0sd5@4ax.com...
> On Thu, 26 Dec 2002 00:46:51 GMT, "Santa" <HoHoHo@shaw.ca> wrote:
>
> >lol. if you see people nowadays. it is for gifts. have to be expensive.
no
> >one seems to enjoy just getting a gift of anything. it seems to always
have
> >to be expensive or somethin. Look at these stores. they thrive on the
> >customers for christmas. It seems to have lost its whole meaning of
> >christmas. Ya I will not be santa anymore after tonight. I will be back
to
> >dev. but still.
> >
> >Dev
>
>
> Actually a very poor sales year. Probably the worst season in decades.
>
>
>
>
>
> >
> >"Santa X" <santax@northpole.com> wrote in message
> >news:3E0A31BD.50F9F80B@northpole.com...
> >> > > but christmas and easter were both stolen by the christians
> >> >
> >> > Really, what do trees and presents and easter eggs have to do with
> >Jesus?
> >>
> >> Thank you! At least somebody here has their thinking cap on.
> >Christmas is
> >> all about Santa, decorating pine trees, and giving presents to friends
and
> >> family. Without Christmas, many businesses would fail and go
bankrupt.
> >Why
> >> people have to always push religion into everything is unbelievable.

It
> >has
> >> gone to the point that Jewish people won't even let their kids
celebrate
> >> Christmas and see Santa!! As if Santa Claus and present giving is
> >exclusive
> >> to the Christian religion or something! I'm an Atheist and
celebrate
> >> Christmas every year with my family, why the hell can't Jews and
Blacks?
> >> What the hell is this new black holiday (Qwanza?) the Blacks have to
have
> >to
> >> further keep themselves separate and segregated instead of joining in
and
> >> trying to unite into one big melting pot, instead of trying to invent
new
> >ways
> >> to separate into smaller groups.
> >>
> >> Christmas is for EVERYONE! Even Jews like Jack Benny, George Burns
(Nat
> >> Birnbaum) and Stan Freberg would have Christmas shows and celebrate
> >Christmas!
> >>
> >> Religion once again is trying to rip people apart instead of bringing
> >everyone
> >> together.
> >>
> >> I for one, am not playing part of this new "politically correct"
bullshit
> >of
> >> having to say "happy holidays" instead of "Merry Christmas". Santa
> >Claus
> >> says: "Merry Christmas" and so do I! I hate Christians and
religion
> >like
> >> everyone else, but that has nothing to do with our Christmas holiday,
> >Santa,
> >> decorating pine trees, giving gifts, etc.
> >>
> >> I think as soon as everyone else realizes this, we can all join into
one
> >big
> >> happy group and celebrate the season together, instead of hiding into
our
> >> little separate groups and sub-holidays.
> >>
> >> Celebrate Christmas or DIE!!!
> >>

> >>
> >
>
> :)
>
> Quentin's Monologue from 'Sleep With Me' (partial)
> ...
> What is Top Gun? You think it's a story about a bunch of fighter pilots.
> [Duane: It's about a bunch of guys waving their dicks around.]
> It is a story about a man's struggle with his own homosexuality.
> It is! That is what Top Gun is about, man.
> ...
> :)

7538. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 19:39:51 UTC
From: proma1 <proma1@ntlworld.com>
Message-ID: <auflu8$6tdis$1@ID-172472.news.dfncis.de>
Source record: 35298
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

of course thirld world countries have not develeoped the US/UK and other western have kept them that way on purpose,god you cant be that stupid

gold/silver/diamonds/platinum/coffee/tea/fruits and all sorts of other comodities where the west have made there fortunes have all come from third world countries,there workers have suffered apartheid/slave conditions,bad health and safety so that some rich bitch can walk down Beverley Hills Boulevard looking pretty.

and you still wonder why several planes flew into buildings last year,dont you understand its your policies that started the whole thing,its war out there started by the US,a country that uses Nucleur weapons/Napalm,cluster bombs and all manner of evil weoponary and then of course thats ok,as long as Saddam Hussein does not hav the same.

--

Paul Wey
PROMA1

http://groups.yahoo.com/group/scanpromauk

for main proma files sent to your inbox monthly join

http://groups.yahoo.com/group/promafiles

For good prices on scanners go to

Stewart Aviation

http://www.stewart-aviation.co.uk/rs/index.html
"signalchaser" <williamsmith208@hotmail.com> wrote in message
news:v0lfdehi0plkdf@corp.supernews.com...
> Very well put. Only a fool would refuse the power of God. I find it that
> Christianity contributed to the widespread improvements and has foretold
the
> current degradation of Western Society. No other religion or nation under
> those forms of religion has contributed much of anything to the betterment
> or technological progress seen by the Western nations such as U.S.A., U.K,
> Germany, France, and many others. It sure hasn't appeared to me that much
> progress has really been made in the so called Third World states with
their
> religions of Islam, Buddhism, etc.
>
>
> "KB9TMP" <kb9tmp@juno.com> wrote in message

> news:v0kca0g9pv7qf6@corp.supernews.com...
> >
> > "Santa X" <santax@northpole.com> wrote in message
> > news:3E0A2DAE.4570920B@northpole.com...
> > > Isaiah 36:12
> > > Hath he not sent me to the men that
> > > sit upon the wall, that they may eat their own dung, and drink their
> > > own piss with you?
> > >
> > > Malachi 2:3
> > > Behold, I will corrupt your seed, and spread dung upon your faces!
> > >
> > > And thou shalt eat it as barely cakes, and thou shalt bake it
> > > with dung that cometh out of man..." - Ezekiel 4:12
> > >
> > > "Lo, I have given thee cow's dung for man's dung and thou
> > > shalt prepare thy bread therewith" - Ezekiel 4:15
> > >
> > > JOB 41:19.....
> > > Out of this mouth go burning lamps, and sparks of fire leap out. Out
of
> > > his nostrils goeth smoke, as out of a seething pot of caldron. His
> > > breath kindleth coals, and a flame goeth out of his mouth.
> > >
> > > Isaiah 34:7
> > > And the unicorns shall come down with them, and the bullocks with the
> > > bulls; and their land shall be soaked with blood, and their dust made
> fat
> > > with fatness.
> > >
> > > Revelation 12:3 "...and behold a GREAT RED DRAGON, having SEVEN HEADS
> > > and ten horns, and seven crowns upon his heads."
> >
> >
> > Rv:12:7: And there was war in heaven: Michael and his angels fought
> > against the dragon; and the dragon fought and his angels,
> >
> > Rv:20:2: And he laid hold on the dragon, that old serpent, which
> > is the Devil, and Satan, and bound him a thousand years,
> >
> > Rv:20:10: And the devil that deceived them was cast into the
> > lake of fire and brimstone, where the beast and the false prophet
> > are, and shall be tormented day and night for ever and ever.
> >
> > Rv:20:15: And whosoever was not found written in the book
> > of life was cast into the lake of fire.
> >
> > >
> > >
> > > "If any one comes to me and does not hate his own father and mother

and
> > > wife and children and brothers and sisters, yes, and even his own
life,
> > > he cannot be my disciple." - Luke 14:26
> > > (Jesus)
> > >
> > >
> > > If god can prevent evil, but doesn't, then He isn't all-loving.
> > > If god intends to prevent evil, but cannot, then He isn't omnipotent.
> > > If god both intends to prevent evil and is capable of doing so, then
how
> > > can
> > > evil exist?
> > >
> > >
> > And because God will prevent evil and hasn't done it in yet
> > you think he can't/won't do it or don't exist at all.
> >
> > Ps:14:1a: The fool hath said in his heart, There is no God.....
> >
> >
> > --
> >
> > '73' & Merry Christmas From KB9TMP
> >
> > "JESUS is the REASON for the SEASON!"
> > Believe It Or Not!
> >
> >
> >
> >
> >
> >
> >
>
>

7539. FS Yaesu FT-840 & FP-1023A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 19:58:31 UTC
From: Major Ron <majrabsr@rconnect.com>
Message-ID: <HbJO9.447$aD3.58072@newsread1.prod.itd.earthlink.net>
Source record: 35299

NEW NEVER USED FT-840 & FP-1023A power supply. Paid $780. Sell for $675 plus shipping.

Ron, KA9ALC

7540. Standard

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 20:02:09 UTC
From: Carl Domanico <carl.domanico@verizon.net>
Message-ID: <3E0B6073.3020805@verizon.net>
Source record: 35300

Hi I have a Standard C-5718DA 144/440 Remotable Mobile...I have the optional Memory Chip Installed, allowing for 100 Memory Channels per band. I have spare Mic Extention Cables at different lengths....I purchased the radio and accessories new...I'm really looking for a swap not cash....I'm in the Market for an High Frequency Radio....All offers will be looked in to.....

Thanks
Carl
N2MFW

7541. Yaesu FT817 QRP Station FS/FT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 20:12:36 UTC
From: VE3TMT <ve3tmt@cogeco.ca>
Message-ID: <YsJO9.51732$lj.1435117@read1.cgocable.net>
Source record: 35301

Yaesu FT817 QRP rig - purchased October 2002
LDG Z-11 Autotuner
Astatic D104M6B microphone
3 internal battery packs - 1 MAHA FNB72 1700mA
- 2 RS 23-331B 1650 mA
1 12V - 5mAH gel cell with split cord for both rig & tuner
All supplied cords & connectors
Pelican 1500 series custom carrying case

PLEASE READ

The radio's original internal battery lead has been replaced with a fused one. The internal battery packs have also had the power leads replaced to match. This modification allows the internal battery pack to be charged when running the radio off external 12V power. I also have the Radio Shack 2 tray charger (# 23-440) that allows two of the battery packs to charge then automatically shut off.

The original manual is suplied, as is warranty card, but I do not have the boxes or shoulder strap. I have the original MH31 microphone, minus the cord. The MH31 contains the Heil HC4 cartridge and the W4RT "One Big Punch" speech processor. However I found the D104M6B still sounds better.

I purchased this gear thinking I would be getting into QRP activity but I just don't have the time. I have decided to go back to HF mobile.

Speaking of HF mobile, in trade I am looking for any of the following...

Yaesu FT100, Icom 706MKII, Yaesu FT900, Alinco DX70TH, anything small, preferrably with a detachable face to simplify vehicle mounting. I previously ran the FT900 in the car and loved it. Would love to get another one. All offers will be considered, but you will only be contacted if I am interested in pursuing the offer further. I have plenty of pictures, so e-mail me direct and I'll send them to you,

Thanks for reading.

7542. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 20:23:48 UTC
From: pjh@lowell.edu
Message-ID: <2c1d9aeb.0212261223.144901fa@posting.google.com>
Source record: 35302
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"signalchaser" <williamsmith208@hotmail.com> wrote in message
news:<v0lf0aro7gre5a@corp.supernews.com>...
> Let's see if no one respects Bush, then why did a large percentage of
> Americans vote for him in the last election. Or is it that you are trying to
> put thoughts in peoples minds again. Not sure what your claim to fame may be
> but certainly in this world it is isn't President, CEO or much of anything
> else.
>

OK I'll bite...

First off, arguments about the election outcome aside, since it
was about a fifty-fifty split, using your logic "a large percentage"
voted against him.

Secondly, those that voted for him are, quite frankly, strong evidence
that the educational system teaches very poor critical thinking
skills. They voted for a president:

who sabre rattles against Iraq even though the 9-11 attackers
were from Saudi Arabia

who reduces taxes while ramping up for war

who complains about weapons of mass destruction all the while
feeding the industries that produce them

who tries to get fellow americans to spy on each other

who claims he wants to get government off the backs of business
and has to wage war to distract people from business
corruption fiascos such as Enron

who picks a fight with a concept which is guaranteed to fail
as long as any terror cell survives

who, within a year, squandered world-wide support and empathy
for the US

And this is just the beginning of a longer list. As far as I can tell,
the "my president, right or wrong (except when he's a Democrat)" faction are
either extremely gullible, stupid, or morally bankrupt, or all of
these.

I'm shocked at how the American Flag, which
once stood for freedom and liberty, has been successfully co-opted
by those who would so readily embrace characteristics more appropriate

to a police state. When all is said and done, the current fanatics in power will spend a trillion dollars feeding the military and eroding freedoms rather than spend one cent on asking why the US is so despised by some countries.

PH

7543. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 20:25:52 UTC
From: me <me@none.com>
Message-ID: <kBJO9.79450$vb3.3185823@news2.west.cox.net>
Source record: 35303
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"proma1" <proma1@ntlworld.com> wrote in message
news:auflu8$6tdis$1@ID-172472.news.dfncis.de...
> and you still wonder why several planes flew into buildings last year,dont
> you understand its your policies that started the whole thing,its war out
> there started by the US,a country that uses Nucleur weapons/Napalm,cluster
> bombs and all manner of evil weoponary and then of course thats ok,as long
> as Saddam Hussein does not hav the same.

What a crock - if it was Buckingham Palace that got hit you'd be calling for
Saddam's head on a platter. You really want SoDamn Insane to have nukes and
napalm? Oh boy - what fun life would be with you as Prime Minister!

Go troll in alt.morons.

-me

7544. Icom-901

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 20:44:44 UTC
From: E.TREMKO@MOTOROLA.COM
Message-ID: <ffd4e24f.0212261244.6b335bdd@posting.google.com>
Source record: 35304

Selling: Mint Icom-901, Never used! Many modules, including 2m/440 base radio plus 6m, 1.2G, and Wideband receive with Remote mount fiber optic kit. Also have multiband antenna and combiner to compliment if desired. Originally purchased for special application, but never implemented. Email if interested. e.tremko@motorola.com

7545. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 21:05:07 UTC
From: proma1 <proma1@ntlworld.com>
Message-ID: <aufqu6$703q3$1@ID-172472.news.dfncis.de>
Source record: 35305
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

no i would want the real people dealt with and with terrorism a normal war is not going to make any differance.

attacking Afghanistan and Iraq makes no differance on world terrorism,good intelligence is a much better weapon

if Saddam has any weapons technology that will leave Iraq,towards another country,i hope that all the billions spent on defencsive radar/sattelite technology etc will see it and then US/UK/NATO or whoever then shoots it down and then that will justify any incursion by those forces into Iraq.

So by letting Saddam alone but keep a close eye on anything leaving Iraqi airspace,something i doubt would happen anyway,we would then have justifyable reason to go in,but we have no reason as yet to go in.

Kuwait/Saudi/China and a load of other regimes,incluiding the new Afhgan regime,have governments as worse as Saddam or pretty damn near.

US have destablised many deomocracies in recent history,either directly or by CIA dirty tricks,so dont tell me they know about democracy in the US,recent history proves to the contrary.

why do people like you asume my thoughts would be differant if it happened in the UK,my principles and beliefs stay the same,if we do go to war,i will do whatever i can to demonstate my disgust,as i did during the Gulf war and Falkland Islands.

voting is not good enough if you are against the war,then block roads/businesses,refuse to pay taxes/go on strike/shout it out to govermnent officials/disrupot live television events.

In my last job before getting the sack,i sent emails to all our companies US customers registering my disgust at US government,i am in the process of setting up a global anti war campaign,based on peaceful but dirsuptive demonstrations.

nothing violent just,violence will make you as bad as Saddam/Bush/Blair,but dont this war happen on the current terms

peace for 2003

--

Paul Wey
PROMA1

http://groups.yahoo.com/group/scanpromauk

for main proma files sent to your inbox monthly join

http://groups.yahoo.com/group/promafiles

For good prices on scanners go to

Stewart Aviation

http://www.stewart-aviation.co.uk/rs/index.html
"me" <me@none.com> wrote in message
news:kBJO9.79450$vb3.3185823@news2.west.cox.net...
>
> "proma1" <proma1@ntlworld.com> wrote in message
> news:auflu8$6tdis$1@ID-172472.news.dfncis.de...
> > and you still wonder why several planes flew into buildings last
year,dont
> > you understand its your policies that started the whole thing,its war
out
> > there started by the US,a country that uses Nucleur
weapons/Napalm,cluster
> > bombs and all manner of evil weoponary and then of course thats ok,as
long
> > as Saddam Hussein does not hav the same.
>
> What a crock - if it was Buckingham Palace that got hit you'd be calling
for
> Saddam's head on a platter. You really want SoDamn Insane to have nukes
and
> napalm? Oh boy - what fun life would be with you as Prime Minister!
>
> Go troll in alt.morons.
>
> -me
>
>

7546. Mosley question

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 21:06:28 UTC
From: glenbaker@sbcglobal.net
Message-ID: <0tsm0v82cr4h378c3cogvdfaev271vjc7s@4ax.com>
Source record: 35310

Does anyone have any experience with a Mosley "Vest Pocket" dipole
they can share? I have one but don't know anything about it.
Thanks,
Glen

7547. Re: TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 21:07:43 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3E0B6F7A.40900@dirtball.com>
Source record: 35306

Robert
I had a pair of TS 930 SATs. I no its not the same radio as the 940 but close. Mine started to fall apart in 1998 one problem after another. I loved those rigs. Since then I have a TS 920 and its a nice rig. It has the DSP in it so you really don't have to buy all those filters it if you learn how to operate the DSP. In mine I have the FM board and the AM filter and the rig works quite fine. I have the MD 100 Mic and operate it both on Side band and on AM. It isn't a FT 1000 MP but it is a fine radio. I like the DSP cause of the filtering that that will do for you with out spending all that extra cash. I also like its cross band capabilities as well as its abilities to work repeaters on both 6 meters and ten. It is also menu driven rig and I like that too. It also has a real nice auto notch filter. I hate it though when I forget to turn it off when I go AM. There really aren't A whole lot of things that I don't like about it. One of those are the S-meter. The S-meter is a set of bars that light up. I prefer a needle over the signal strength bar. I also don't like that the rig dosn't will not work well with my audio rack. The audio in the 920 is done digitally then its converted back to analog before it hits the air. I also don't like the fact that the radio leaves the ALC circuit on when I put the radio in the AM mode. If that ALC and the power out in the radio aren't perfect in consideration of each other the rig will backward modulate.
I hope that that will help you.
I wouldn't give Kenwood a dime. In fact I would tell them that they have to fix it again for free. Don't they Warranty their work? BTW 1987 isn't vintage yet.
73 and Happy Nwe Year!!!!!!!!!!!!
Oris

Robert Robinson wrote:

>I have a 1987 vintage TS-940SAT. A few years ago I purchased it second-hand
>for $1000 with the MC-60, SP-940 and the SW-2000. I since purchased the
>SM-220 and the HC-10 clock...a nice station. It became my main station
>replacing an FT-101B I keep as a backup.
>
>In 6/2001 the radio stopped working. It would not light up or operate, but
>it "turned on" because the light in the room dimmed for a split second (not
>unusual when I turn on something that has a bit of a load).
>
>I sent the radio to Kenwood. They traced the problem to defective parts on
>the AVR and Control Units. They also replaced the Lithium battery, changed
>a few lamps, cleaned/lubed the pots/motors, calibrated and realigned the
>radio. They replaced 2 transistors, a zener diode, an IC, the lithium
>battery and 2 lamps.

>
>The radio came back looking and working perfectly. Between shipping, parts
>and repair, it was just over $400.
>
>Just recently I have experienced the same problem as before and I assume
>that it is a problem with the AVR, PA or control units. I am assuming that
>it might cost another $400 (maybe a bit less this time) to repair.
>
>I am very happy with the TS-940, but it is 16 years old. I am not a major
>contester and do not plan on buying something like an FT-1000. I have seen
>the Yaesu FT-920 available for under $1100 delivered and includes the SP-8
>speaker ($160), MD-100A8X microphone ($130), the 6 kHz AM filter ($120) and
>the FM unit ($63)...basically a complete station.
>
>My quandary...and seeking some feedback...
>What are your opinions about again repairing the 940SAT ($1000 purchase,
>already $400 in repairs and possibly $400 more (when you figure in shipping)
>or retiring the station for a newer station based on the FT-920, with over
>$450 in options included.
>
>Happy Holidays,
>73 de KB2PSM
>
>
>
>
>
>

7548. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 21:24:20 UTC
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Message-ID: <telamon_spamshield-DACFC4.13245226122002@newssvr21-ext.news.prodigy.com>
Source record: 35308
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

In article <4fql0vsicpsi5fjei0rt3t9nso35ptb3b8@4ax.com>,
Ain't Real <donotreply@hotmail.com> wrote:

> On Wed, 25 Dec 2002 22:20:47 GMT, Santa X <santax@northpole.com>
> wrote:
>
> >> but christmas and easter were both stolen by the christians
> >>
> >> Yuletide is what it really is and has nothing to do with the birth of
> >> christ,which i have no problem with,but just wish religion would not
> >> hijack
> >> ancient pagan festivals.
> >
> >Look, there is nothing religious or Christian about Santa Claus, decorating
> >pine trees with electric lights, and giving gifts wrapped in colorful
> >wrapping
> >paper. Stop brining religion into something nice and fun and ruin it!
>
>
> Check this out. The real meaning of gifts under the Christmas tree.
> http://www.bluehoney.org/Xmas.htm
>
<snip>

May I suggest discipline, contemplation, prayer and meditation instead
of kicking and re-booting your brain with a hallucinogenic drug?

--
Telamon(TM)

7549. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 21:40:54 UTC
From: Kim_Jong_Il@volcanomail.com
Message-ID: <26a0f230.0212261340.6c8daf8e@posting.google.com>
Source record: 35309
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Michael Moore <m.moore@NOSPAMutoronto.ca> wrote in message
news:<3E0B174F.3090000@NOSPAMutoronto.ca>...

....
> For the first three centuries of Christianity, Christmas
> wasn't in Decemberï¿½or on the calendar anywhere.

....
> Few eastern
> churches continue to celebrate Christ's birth on January 6.

I was listening to the Voice of Russian on December 25, a day that may
or may not be of any signifigance. VOR referred to the day as
"Catholic Christmas."

....
> Saturnalia
> ----------
> Saturnalia (feast of Saturn), was both a gigantic fair and a
> festival of the home. Riotous merry-making took place, and
> the halls of houses were decked with boughs of laurel and
> evergreen trees. Lamps were kept burning to ward off the
> spirits of darkness. Schools were closed, the army rested,
> and no criminals were executed. Friends visited one another,
> bringing good-luck gifts of fruit, cakes, candles, dolls,
> jewellery, and incense.

And many of those fruitcakes are still in circulation. Actually, I
like fruitcake a lot.

No doubt, angry Osirus worshipers will write back, pointing out that
the Egyptian god Osirus was worshiped with evergreens long before
these newfangled Roman festivals came into existence.

I apologize for the reference to the Voice of Russia. I didn't mean to
suggest that I engaged in shortwave listening on a regular basis.

Best wishes.

7550. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 21:44:01 UTC
From: "Stephen W. Worth" <news@vintageip.com>
Message-ID: <2612200213440123 69%news@vintageip.com>
Source record: 35312
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <3E07D249.5050205@attbi.com>, Zoran Brlecic
<WA7AA@attbi.com> wrote:

> And going to church is supposed to prove what exactly?

It means I get to sleep in on Sunday mornings.

See ya
Steve

--
#*
CLASSIC MUSIC FROM ORIGINAL 78s, EXPERTLY TRANSFERRED TO CD!
VIP Records: Dance Bands - British Swing Bands - Opera
Check out the free MP3 downloads at http://www.vintageip.com/records

7551. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 21:48:00 UTC
From: me <me@none.com>
Message-ID: <kOKO9.79829$vb3.3211587@news2.west.cox.net>
Source record: 35311
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Beloved Leader" <Kim_Jong_Il@volcanomail.com> wrote:
> I apologize for the reference to the Voice of Russia. I didn't mean to
> suggest that I engaged in shortwave listening on a regular basis.

As you should apologize. This is a scanner noozgroop. ;-)

-me

7552. Re: Lou is a bigot.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 21:48:30 UTC
From: "Stephen W. Worth" <news@vintageip.com>
Message-ID: <261220021348308532%news@vintageip.com>
Source record: 35315
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

In article <aua1dm$s8v$1@slb6.atl.mindspring.net>, Dan/W4NTI
<w4nti@NOSPAMmindspring.com> wrote:

> Maybe we should welcome their desendants back with
> open arms...right?

It's not a matter of welcoming them back. Very few went back to Mexico.
They've been here all along. It's their country too, even though they
didn't get as fair a shake as they were promised.

See ya
Steve

--
#**********************************
CLASSIC MUSIC FROM ORIGINAL 78s, EXPERTLY TRANSFERRED TO CD!
VIP Records: Dance Bands - British Swing Bands - Opera
Check out the free MP3 downloads at http://www.vintageip.com/records

7553. Radio Stuff for trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 22:14:23 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3E0B7F1A.2080007@dirtball.com>
Source record: 35314

Hello
I have a FT 920 with the AM filter and FM board. The FT 920 is 100 watts HF + 6 Meters. It has a Auto tuner and the MC 100 Desk Mic. In the deal you will get the technical supplement too (AKA Service manual), as well as the owners manual. I also Have the 3 kW Roller Inductor Antenna Tuner. They are in good shape I will trade both for a FT 990 or a FT 1000. I have been using the FT 920 as a backup rig. Drop me a line so we can work out a deal.
oris@dirtball.com
I have a Icom ICR71A Shortwave receiver that I will trade for a working , Viking Ranger and SX 99 or Hamuland HQ 110. I'm looking for a good AM Ham station. I will trade this Receiver for a good working AM station. I want both transmitter and receiver. I hope to find something to work with my Audio rack.
I also have a Henry Amp 2 KD 5 Desktop, (It needs a new Plate amp meter I have a meter for it just havent put it in yet.)that Ill trade. Two 3-500s 100 in will give you 1250 out, New Caps. I will trade it for a Valiant and a receiver, or full legal output Ham band AM VFO controlled transmitter. This is a pickup trade only. I will be willing to travel 100 miles from Athens GA.
I also have a Hallicrafters S 38 C Shortwave receiver. Its in great shape. It works but I have no idea what its worth. It is a old old receiver. (Make Offer)
I have a MFJ Versa Tuner II and a Roadtalker 40-channel sideband CB radio that somebody converted to 10 meters. It works quite well. I talked to a guy in South America on it. QRPuke! (Make Offer)
I also have a CBS 1000 transceiver. 25 MHz to 29.795 MHz. In 10 kHz steps. I got it at a hamfest in Georgia. I'll trade it for a SX 99 or NC 300 HQ 110 HQ 170 HQ 200 or similar HF receiver.
I have a Kenwood TM-2530A that I used as a 2 meter packet station. It needs a Mic and the light that lights up the liquid quartz dial. The radio works fine and is in good shape. I looking for a good AM transmitter. A Viking Ranger would be a fare deal.
I have a Kenwood TR 7850 This radio I used as the BBS access on 2 meters. It needs a Mic and needs a new lithium battery backup. I turn the radio off and back on it forgets where it was and defaults to 144.000Mhz. Other than that the radio works fine. I want a working AM transmitter. Something like the Viking Ranger.
I have a Kenwood TM 201a. I used this 2 meter radio as sat transmitter. I worked Mirror before it came down. It Needs allot of work. It needs a dial. The Freq. read out is all screwed up. This is a fixerupper. It receives fine and transmits fine. It needs a mic too I will though this in too with either one of the above 2 meter rigs
I have a Versa Tuner II 949c and a Palomar PT 340 tuner tuner that I

would through in too with either one of the above 2 meter rigs. I also Have a Kenwood KDC 1011 mobile CD player that has the plugs set up for a the older fords. I will through it in too with either one of the above 2 meter rigs.
I also have a Behringer Ultra Graph Pro GEQ 3102 31 band equalizer that I will through it in too with either one of the above 2 meter rigs.
Hey thanks for reading
Happy Holidays
73 Oris
http://www.dirtball.com

7554. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 22:18:59 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <nfLO9.22357$%3.5950547@twister.neo.rr.com>
Source record: 35313
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
news:3E0B1ABD.8040700@NOSPAMutoronto.ca...
> KB9TMP wrote:
> > "Ain't Real" <donotreply@hotmail.com> wrote in message
> >>Did he have a navel? Can you prove, with historical records, he was
> >>born? Can you prove that he was actually the " son of god"? Why did
> >>god need to send his son thousands of years ago, and not in the 1950's
> >>when the threat of world destruction was greater than it was then?
> >>Can you prove Mary was a virgin? The original term was " virgo"
> >>meaning young woman.
> >>Can you, without a shadow of a doubt, prove biblical claims?
> >
> > Can you PROVE it false?
> > I didn't think so!
>
> Why is it that Paul does not seem to know a thing about
> Jesus' life and never quotes him despite many good
> opportunities to do so are presented to him? In fact all of
> the epistles are ignorant of the gospels and the Jesus in
> them. Was the gospel story a late and fictional creation to
> help people understand what the new religion was all about?

Actually in I Cor 15 Paul clearly states:

1 Cor. 15:1-4
Moreover, brethren, I declare unto you the gospel which I preached unto
you, which also ye have received, and wherein ye stand; [2] By which also ye
are saved, if ye keep in memory what I preached unto you, unless ye have
believed in vain. [3] For I delivered unto you first of all that which I
also received, how that Christ died for our sins according to the
scriptures; [4] And that he was buried, and that he rose again the third day
according to the scriptures:

Clearly stating that salvation is dependant upon Jesus Christ and His death
and resurrection.

>
> --
> M2
>

7555. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 22:23:40 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0n0bbmqkom001@corp.supernews.com>
Source record: 35316
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Still haven't got over us kicking your Nazi asses in WW2? Mores the pity...
You are one pathetic piece of canine excrement.

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"proma1" <proma1@ntlworld.com> wrote in message
news:auflu8$6tdis$1@ID-172472.news.dfncis.de...
> of course thirld world countries have not develeoped the US/UK and other
> western have kept them that way on purpose,god you cant be that stupid
>
>
> gold/silver/diamonds/platinum/coffee/tea/fruits and all sorts of other
> comodities where the west have made there fortunes have all come from
third
> world countries,there workers have suffered apartheid/slave conditions,bad
> health and safety so that some rich bitch can walk down Beverley Hills
> Boulevard looking pretty.
>
> and you still wonder why several planes flew into buildings last year,dont
> you understand its your policies that started the whole thing,its war out
> there started by the US,a country that uses Nucleur weapons/Napalm,cluster
> bombs and all manner of evil weoponary and then of course thats ok,as long
> as Saddam Hussein does not hav the same.
>
>
>
>
> --
>
>
> Paul Wey
> PROMA1
>
>
> http://groups.yahoo.com/group/scanpromauk
>
> for main proma files sent to your inbox monthly join
>

> http://groups.yahoo.com/group/promafiles
>
> For good prices on scanners go to
>
> Stewart Aviation
>
> http://www.stewart-aviation.co.uk/rs/index.html
> "signalchaser" <williamsmith208@hotmail.com> wrote in message
> news:v0lfdehi0plkdf@corp.supernews.com...
> > Very well put. Only a fool would refuse the power of God. I find it that
> > Christianity contributed to the widespread improvements and has foretold
> the
> > current degradation of Western Society. No other religion or nation
under
> > those forms of religion has contributed much of anything to the
betterment
> > or technological progress seen by the Western nations such as U.S.A.,
U.K,
> > Germany, France, and many others. It sure hasn't appeared to me that
much
> > progress has really been made in the so called Third World states with
> their
> > religions of Islam, Buddhism, etc.
> >
> >
> > "KB9TMP" <kb9tmp@juno.com> wrote in message
> > news:v0kca0g9pv7qf6@corp.supernews.com...
> > >
> > > "Santa X" <santax@northpole.com> wrote in message
> > > news:3E0A2DAE.4570920B@northpole.com...
> > > > Isaiah 36:12
> > > > Hath he not sent me to the men that
> > > > sit upon the wall, that they may eat their own dung, and drink their
> > > > own piss with you?
> > > >
> > > > Malachi 2:3
> > > > Behold, I will corrupt your seed, and spread dung upon your faces!
> > > >
> > > > And thou shalt eat it as barely cakes, and thou shalt bake it
> > > > with dung that cometh out of man..." - Ezekiel 4:12
> > > >
> > > > "Lo, I have given thee cow's dung for man's dung and thou
> > > > shalt prepare thy bread therewith" - Ezekiel 4:15
> > > >
> > > > JOB 41:19.....
> > > > Out of this mouth go burning lamps, and sparks of fire leap out.
Out
> of
> > > > his nostrils goeth smoke, as out of a seething pot of caldron. His
> > > > breath kindleth coals, and a flame goeth out of his mouth.

> > > >
> > > > Isaiah 34:7
> > > > And the unicorns shall come down with them, and the bullocks with
the
> > > > bulls; and their land shall be soaked with blood, and their dust
made
> > fat
> > > > with fatness.
> > > >
> > > > Revelation 12:3 "...and behold a GREAT RED DRAGON, having SEVEN
HEADS
> > > > and ten horns, and seven crowns upon his heads."
> > >
> > >
> > > Rv:12:7: And there was war in heaven: Michael and his angels fought
> > > against the dragon; and the dragon fought and his angels,
> > >
> > > Rv:20:2: And he laid hold on the dragon, that old serpent, which
> > > is the Devil, and Satan, and bound him a thousand years,
> > >
> > > Rv:20:10: And the devil that deceived them was cast into the
> > > lake of fire and brimstone, where the beast and the false prophet
> > > are, and shall be tormented day and night for ever and ever.
> > >
> > > Rv:20:15: And whosoever was not found written in the book
> > > of life was cast into the lake of fire.
> > >
> > > > >
> > > > >
> > > > "If any one comes to me and does not hate his own father and mother
> and
> > > > wife and children and brothers and sisters, yes, and even his own
> life,
> > > > he cannot be my disciple." - Luke 14:26
> > > > (Jesus)
> > > > >
> > > > >
> > > > If god can prevent evil, but doesn't, then He isn't all-loving.
> > > > If god intends to prevent evil, but cannot, then He isn't
omnipotent.
> > > > If god both intends to prevent evil and is capable of doing so, then
> how
> > > > can
> > > > evil exist?
> > > > >
> > > > >
> > > And because God will prevent evil and hasn't done it in yet
> > > you think he can't/won't do it or don't exist at all.
> > >
> > > Ps:14:1a: The fool hath said in his heart, There is no God.....

> > >
> > >
> > > --
> > >
> > > '73' & Merry Christmas From KB9TMP
> > >
> > > "JESUS is the REASON for the SEASON!"
> > > Believe It Or Not!
> > >
> > >
> > >
> > >
> > >
> > >
> >
> >
>
>

7556. Re: TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 22:28:07 UTC
From: k5yy@arrl.net
Message-ID: <e3df0110.0212261428.76ce42ea@posting.google.com>
Source record: 35318

You have had a lot of fun for a total of $1400 in about 10 yrs! Most guys will buy a new rig for $1500 to $3000 and in a couple of years lose $500 or more looking to buy a newer toy. You can sell the rig you have to someone, knowing they will have to fix it and may have the time and test equipment to do so. Why not offer it for sale at $300 below what working ones are going for, letting the buyer fix it. He saves a lot, fixes it and has a nice rig. $100-150 a year is not too much depreciation on a modern rig that has a lot of bells and whistles that you have enjoyed. I would agree that 10-15 years is about all you can expect from a daily use rig before problems from "component age wear" creeps in. Only the HIGH dollar rigs like the Icom 781, built to milspec with quality components, may last longer with fewer problems. But, ALL rigs slowly die away with time.... That's when you hope to have saved enough for a newer rig to carry you another 7-10 years. Good luck! San K5YY

7557. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 22:34:02 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <utLO9.22401$%3.5961851@twister.neo.rr.com>
Source record: 35317
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Are you American Bruce? Does it make you a criminal because there are millions of criminals in the US or wherever you are?

"Bruce Chambers" <bchambers@nospam.cableone.net> wrote in message news:v0ma26qnd99q7b@corp.supernews.com...
Greetings --

And no other religion has such a history of hypocrisy, willful ignorance, intolerance, repression, persecution, torture and organized murder. Have you forgotten such details as the Inquisition, the Catholic Church's tacit support of the Holocaust, the Black Plague (which killed more than a third of Europe's population, largely because the church taught that touching oneself to bathe was a sin)? Have you forgotten the early scientists (Galileo, Copernicus, for example) tried, tortured, or otherwise pressured until they recanted the truth in favor of the church's view? Why else do you think that christians selected the cross, an instrument of torture and execution, as their primary idol/icon?

Organized religion (not just christianity, btw) has always been a tool of a society's power structure to keep the masses down, either via repression or by promising "rewards" in some fictional next life.

Bruce Chambers

One man's theology is another man's belly laugh. -- RAH

"signalchaser" <williamsmith208@hotmail.com> wrote in message news:v0lfdehi0plkdf@corp.supernews.com...
> Very well put. Only a fool would refuse the power of God. I find it that
> Christianity contributed to the widespread improvements and has foretold the
> current degradation of Western Society. No other religion or nation under
> those forms of religion has contributed much of anything to the betterment
> or technological progress seen by the Western nations such as U.S.A., U.K,
> Germany, France, and many others. It sure hasn't appeared to me that much
> progress has really been made in the so called Third World states with their
> religions of Islam, Buddhism, etc.
>
>

7558. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 22:36:56 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <cwLO9.22419$%3.5963889@twister.neo.rr.com>
Source record: 35319
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"wolfdancer" <wolfdancer@angelfire.com> wrote in message
news:Xns92F074EFF2792wolfimicroconnectnet@216.168.3.44...
> "KB9TMP" <kb9tmp@juno.com> wrote in
> news:v0khe8kra0ude8@corp.supernews.com:
>
> > >
> > > Yes I do know all that. It was done because the church
> > > wanted the pagens to stop celebrating their pagen holidays.
> > > They found out that they couldn't stop it so they decided
> > > to adopt the holidays and give them a Christian meaning
> > > so the pagens who converted to Christianity would not
> > > have to stop celebrating 'their' holidays.
> > >
>
> The word is spelled PAGAN and the meaning of the word pagan is people of
> the country, just as heathen means people of the hearth.
>
>
> > >
> > > If you want to celebrate the holiday in the pagen way that's fine.
> > > Just don't call it Christmas, it wasn't called that before the
> > > church took it over. Why use a Christian name for a pagen
> > > holiday if you don't believe in God.
> > >
> Pagans do not celebrate christmas. Our Holiday falls on Dec.21
> It is celebrated as the return of the light and birth of God from
> the Goddess.
>
> > > Without Jesus there is NO reason to celebrate anything at all!
> > > No Jesus = No God Know Jesus = Know God
> > > It really is that simple.
>
> Please cut me a break, I respect all religions. Next thing you know
> I'll be told that if I dont believe like you I'll be going to hell.
> Hint - How can I go to a place that I don't believe in.
>
> > >
> > > '73' & Merry Christmas From KB9TMP
> > >
> > > "JESUS is the REASON for the SEASON!"
> > > Believe It Or Not!
>
> I don't, for the simple fact that when xains started stealing

> our holidays, building their churches on sacrid grounds they

You really shouldn't be correcting others spelling until you get your own house in order.

> also started killing people, either by hanging or burning at
> people at the stake.
>
> WolfDancer

7559. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 22:39:17 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0n18mg9mv3v50@corp.supernews.com>
Source record: 35320
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

If one traces the feasts mentioned in the Bible and the tax periods of the times one finds that Christ was born in September. That aside, many of the pagan holidays were combined with Christian celebrations. The fact that this occurred takes nothing away from the fact that Christ was born and died for our sins.

I have seen a few that claim he was a "mythical" character. He was indeed a real person that walked the planet and is recorded in historical documents. Even if one choices to not believe in the divinity of Christ, to state he never existed is a sign of ones ignorance of the historical facts.

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"Beloved Leader" <Kim_Jong_Il@volcanomail.com> wrote in message
news:26a0f230.0212261340.6c8daf8e@posting.google.com...
> Michael Moore <m.moore@NOSPAMutoronto.ca> wrote in message
news:<3E0B174F.3090000@NOSPAMutoronto.ca>...
>
> ....
> > For the first three centuries of Christianity, Christmas
> > wasn't in December or on the calendar anywhere.
>
> ....
> > Few eastern
> > churches continue to celebrate Christ's birth on January 6.
>
> I was listening to the Voice of Russian on December 25, a day that may
> or may not be of any signifigance. VOR referred to the day as
> "Catholic Christmas."
>
> ....
> > Saturnalia
> > ----------
> > Saturnalia (feast of Saturn), was both a gigantic fair and a
> > festival of the home. Riotous merry-making took place, and
> > the halls of houses were decked with boughs of laurel and
> > evergreen trees. Lamps were kept burning to ward off the
> > spirits of darkness. Schools were closed, the army rested,

> > and no criminals were executed. Friends visited one another,
> > bringing good-luck gifts of fruit, cakes, candles, dolls,
> > jewellery, and incense.
>
> And many of those fruitcakes are still in circulation. Actually, I
> like fruitcake a lot.
>
> No doubt, angry Osirus worshipers will write back, pointing out that
> the Egyptian god Osirus was worshiped with evergreens long before
> these newfangled Roman festivals came into existence.
>
> I apologize for the reference to the Voice of Russia. I didn't mean to
> suggest that I engaged in shortwave listening on a regular basis.
>
> Best wishes.

7560. FS/ FT: Yaesu FT 707 and Ten Tec Triton IV

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 22:49:40 UTC
From: Tim Carey <velopista@earthlink.net>
Message-ID: <8ILO9.604$aD3.79305@newsread1.prod.itd.earthlink.net>
Source record: 35321
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

These two excellent looking and performing radios are excess to my collection and needs. They are both in great cosmetic and electrical condition. Immaculate front panels and great looking cabinets.

The FT 707 is a HF xcvr with WARC coverage 100W smaller than a TS 430S. All solid state. Asking $250 plus shipping or trade for ???

The Ten Tec Triton IV is a 200W PEP solid state HF xcvr with no WARC coverage. Asking $199 obo plus shipping or tarde for ???

Looking for a FT 817, IC706MkIIG etc etc. WHat have you?

Thanks,
Tim

7561. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 22:51:38 UTC
From: Zoran Brlecic <WA7AA@attbi.com>
Message-ID: <3E0B87F6.8000202@attbi.com>
Source record: 35322
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

proma1 wrote:

> in the UK we have had no real prime ministers since WW11

Holy shit!!! How could I have missed nine world wars? I gotta lay off
that pot...

7562. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 23:28:46 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <6t3n0vkr6tof7vls4d6fe242nn8o6ih2il@4ax.com>
Source record: 35323
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Thu, 26 Dec 2002 20:25:52 GMT, "me" <me@none.com> wrote:

>
>"proma1" <proma1@ntlworld.com> wrote in message
>news:auflu8$6tdis$1@ID-172472.news.dfncis.de...
>> and you still wonder why several planes flew into buildings last year,dont
>> you understand its your policies that started the whole thing,its war out
>> there started by the US,a country that uses Nucleur weapons/Napalm,cluster
>> bombs and all manner of evil weoponary and then of course thats ok,as long
>> as Saddam Hussein does not hav the same.
>
>What a crock - if it was Buckingham Palace that got hit you'd be calling for
>Saddam's head on a platter. You really want SoDamn Insane to have nukes and
>napalm? Oh boy - what fun life would be with you as Prime Minister!

ROFL You think most Britons give a shit about Buck House? Most of us
would like to see that anachronistic institution got rid of....

Ann

7563. Re: Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 23:31:59 UTC
From: Jesse <jplummer@bluefrognet.net>
Message-ID: <3E0B916F.30FE846F@bluefrognet.net>
Source record: 35328
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Did you set your radio to only send the PL tone and not send and recieve?

Don Edberg wrote:

> Gentlemen,
> first of all, I made a "typo." I should have written 447.620, I accidentally
> wrote 427 repeatedly. It was too late that evening. sorry about that.
> that being said, the problem remains. I cannot get anything other than static
> on 440 band. On 2m I can hear voices just fine. Could it be that the 440
> half of the HT is not working properly?
> still awaiting any suggestions.
> thanks,
> don e N6CLP
>
> "Bob M." wrote:
>
> > My TH-79A DOES tune down that far, and transmits on 422.620 as shown below.
> > However I did cut the MARS jumper inside when I first got it. My other 440
> > MHz radio will NOT transmit down below about 435 MHz so I can't easily tell
> > if the HT is receiving anything there. Just took the HT up to my shack and
> > it hears a signal from my sig gen on 427.620 MHz just fine.
> >
> > When you set the PL tone, press the TONE button (* key) to enable just the
> > transmit tone. The display will show an inverse "T". If you press the CTCSS
> > button (3), it'll enable both receive and transmit tones, and you'll see a
> > "CT" next to the inverse "T".
> >
> > Sounds like you've got it working but might just have the PL enabled on the
> > receiver.
> >
> > Bob M.
> > ======
> > "Don Edberg" <dynamic3@flash.net> wrote in message
> > news:3E06427C.C230064B@flash.net...
> > > Hi,
> > >
> > > I hope I am posting this correctly, and to the correct newsgroup. I am
> > > new to newsgroups and using them. However, I could use some help with a
> > > radio I am trying to get working.
> > >
> > > I have inherited a used Kenwood TH-79A and have downloaded the manual
> > > from Kenwood's web site. but for the life of me, I cannot get it to
> > > work with a friend's repeater.
> > >

> > > His repeater is at 427.620 and has a tone of 127.3 for the input only.
> > > The transmit shift is down 5 MHz.
> > >
> > > I have tried several times to program this. I put in 427.620, minus
> > > shift, and tone=127.3 and when I key the mike, speak, and release, it
> > > powers up the repeater (it shows on the level display on the HT) but I
> > > hear nothing. The static goes very low for a few seconds and then comes
> > > back up with the level display drops.
> > >
> > > My friend says he can hear my voice when I transmit, but I hear nothing
> > > after I release the PTT button. My friend says I need to turn decode
> > > off for receive, but I can't figure out how to.
> > >
> > > I've also tried programming it with split frequencies, i.e. receive on
> > > 422.620 with no tone and transmit on 427.620 with tone on. This
> > > displays a funny +/- on the display and doesn't seem to work either.
> > >
> > > I would appreciate any help anyone can provide on this. The manual is
> > > no help. Any web pages giving hints or someone who knows what to do in
> > > this instance would earn my utmost admiration!
> > >
> > > Also, I would appreciate a direct email response also as I am not sure I
> > > can find this site again very easily!
> > >
> > > thanks in advance,
> > >
> > > Don E.
> > > N6CLP
> > > dynamic3@flash.net
> > >

7564. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 23:32:39 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0B9197.5080401@NOSPAMutoronto.ca>
Source record: 35325
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Fred Hambrecht Sr. wrote:
> I have seen a few that claim he was a "mythical" character. He was indeed a
> real person that walked the planet and is recorded in historical documents.
> Even if one choices to not believe in the divinity of Christ, to state he
> never existed is a sign of ones ignorance of the historical facts.

No disrespect, but the existence of Jesus is debatable. I have no qualms if you wish to believe that he existed. But there just isn't enough historical data to establish the existence of Jesus with certainty. I'm sure that if you search the Internet, you will find historians debating the point. Given that state of affairs, you would be wrong to call those who do deny the existence of Jesus ignorant. Anyway, to each his own.

--
Michael Moore

7565. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 23:34:15 UTC
From: me <me@none.com>
Message-ID: <XIMO9.80787$vb3.3239653@news2.west.cox.net>
Source record: 35324
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

It's obvious from your inane rantings that you don't really give a damn
about anything.

Go back under your rock.
-me
"Ann" <annREMOVE (what a great idea) PLONK.

7566. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 23:37:11 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <n84n0voq38d0u7qn3vvb474gr70vh0lgjr@4ax.com>
Source record: 35326
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Thu, 26 Dec 2002 22:35:32 GMT, Ain't Real <donotreply@hotmail.com>
wrote:

>On Thu, 26 Dec 2002 18:48:52 +0000, Ann <annREMOVE@asarian-host.net>
>wrote:
>
>
>>>Can you PROVE it false?
>>>I didn't think so!
>>
>>We don't have to prove anything false. I can't prove that there isn't
>>a planet made of cheese out there in space but I don't believe it.
>>It's for you to prove the existence of something and not for us to
>>prove its nonexistence.
>>
>>Have you heard of Ockham's razor? Well, apply it.
>>
>>Ann
>
>WHAT, no CHEESE planet, DAMN! Next you will tell me that Caramel trees
>don't exist.
>:)

Well, just as the christians do, you can believe whatever you like.
If the idea of caramel trees is important to you then I won't disabuse
you of the idea......in fact I'll help you set up a shrine to the
caramel tree of life if you like......just give me the location......

Ann

7567. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 23:42:16 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0B93D8.3090601@NOSPAMutoronto.ca>
Source record: 35327
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

DeWayne wrote:
> "Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
> news:3E0B1ABD.8040700@NOSPAMutoronto.ca...
>
>>KB9TMP wrote:
>>
>>>"Ain't Real" <donotreply@hotmail.com> wrote in message
>>>
>>>>Did he have a navel? Can you prove, with historical records, he was
>>>>born? Can you prove that he was actually the " son of god"? Why did
>>>>god need to send his son thousands of years ago, and not in the 1950's
>>>>when the threat of world destruction was greater than it was then?
>>>>Can you prove Mary was a virgin? The original term was " virgo"
>>>>meaning young woman.
>>>>Can you, without a shadow of a doubt, prove biblical claims?
>>>
>>>Can you PROVE it false?
>>>I didn't think so!
>>
>>Why is it that Paul does not seem to know a thing about
>>Jesus' life and never quotes him despite many good
>>opportunities to do so are presented to him? In fact all of
>>the epistles are ignorant of the gospels and the Jesus in
>>them. Was the gospel story a late and fictional creation to
>>help people understand what the new religion was all about?
>
>
> Actually in I Cor 15 Paul clearly states:
>
> 1 Cor. 15:1-4
> Moreover, brethren, I declare unto you the gospel which I preached unto
> you, which also ye have received, and wherein ye stand; [2] By which also ye
> are saved, if ye keep in memory what I preached unto you, unless ye have
> believed in vain. [3] For I delivered unto you first of all that which I
> also received, how that Christ died for our sins according to the
> scriptures; [4] And that he was buried, and that he rose again the third day
> according to the scriptures:
>
> Clearly stating that salvation is dependant upon Jesus Christ and His death
> and resurrection.

I didn't say he didn't talk about Christ. But he doesn't
quote Christ and/or confirm the stories about Jesus' life as

told in the Gospels. It is odd, since Paul appears to be
the architect of the new Christian faith.

--
Michael Moore

7568. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-26 23:52:15 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0B962F.9000306@NOSPAMutoronto.ca>
Source record: 35329
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

signalchaser wrote:
> Very well put. Only a fool would refuse the power of God. I find it that
> Christianity contributed to the widespread improvements and has foretold the
> current degradation of Western Society. No other religion or nation under
> those forms of religion has contributed much of anything to the betterment
> or technological progress seen by the Western nations such as U.S.A., U.K,
> Germany, France, and many others. It sure hasn't appeared to me that much
> progress has really been made in the so called Third World states with their
> religions of Islam, Buddhism, etc.

So who kept things going during the Dark Ages? Why do you
assume that Christianity is responsible for the development
of Western nations? Why not secularism?

--
M2

7569. Re: Yaesu FT-897(NOT FOR SALE)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 00:09:04 UTC
From: Keith <kavan@neb.rr.com>
Message-ID: <1RMO9.22692$eB.321478@twister.kc.rr.com>
Source record: 35330

Changed my mind.

"Keith" <kavan@neb.rr.com> wrote in message
news:3SGO9.24438$P36.423512@twister.rdc-kc.rr.com...
> Three Weeks Old. HF/6M/2M/70CM Portable Transceiver. Everything just as
it
> came from the factory. $910 shipped/insured Conus.
>
> Van,
> K0KAV
>
>

7570. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 00:26:12 UTC
From: proma1 <proma1@ntlworld.com>
Message-ID: <aug6oo$73khg$1@ID-172472.news.dfncis.de>
Source record: 35331
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

well so WW11 was the US against UK was it,kicking our Nazi asses???????/

bit confusing that

anyway if you mean the help you gave us in WW11,then it was appreciated,although very late in coming,but i beleive we are still financially paying for lend/lease and probably part of the payment is we have to agree with everything the US does now,was that help worth it i ask???

regardless why should the UK support the US inthis futile war,that is going to swell terrorist groups to an unprecedented level.

where were you at all the atrocities since WW11??,many times you were part of those atrocitie,other times because money comes first,if its a country you are financialy involved with then human rights go out of the window.

look at Israel and Saudi Arabia both supported by the US,Saudi has appalling human rights and you dont bat an eyelid,Israel is an illegal country and again you do nothing,Saddam Hussein has kicked your asses for over 12 years now,he keep goading the US on purpose,and you cant even see it,do you think he really cares how many bombs are dropped and how many people get killed in Iraq,remember his outlook is the same as Hitler,you are basically there to suport the state or country,this man has no qualms in killing his own relatives,he will be safe,he will get out of Iraq with no problems and like Ossama Bin Laden and all his followers will stay silent until he finds a way to attack the west with terrorism.

The only evidence that the west has on 911 is some Saudis were involved,but the US does not want upset such an important partner,but would prefer to blame others

as it did with the PAN AM103 bomb in Scotland,they just blame whoever is whipping dog at the time,curntly Iraq,few years time,probably find US business doing really wel in the new free IRAQ,as with that nice little pipeline goin ahead in Afghansistan,good idea installing a pro US president there who jusyt happened to be working for the company involved in the pipeline project.

very clever

--

Paul Wey
PROMA1

http://groups.yahoo.com/group/scanpromauk

for main proma files sent to your inbox monthly join

http://groups.yahoo.com/group/promafiles

For good prices on scanners go to

Stewart Aviation

http://www.stewart-aviation.co.uk/rs/index.html
"Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
news:v0n0bbmqkom001@corp.supernews.com...
> Still haven't got over us kicking your Nazi asses in WW2? Mores the
pity...
> You are one pathetic piece of canine excrement.
>
> --
> For Admiral Poindexter's folks:
> Bomb, anthrax, attack, acid, hijack, skyjack
> sniper, plutonium, nuclear, Big Mac, jihad
> Democrats, terror, Howdy Doody, Oprah
>
> "Those that sacrifice freedom for security deserve neither"
>
>
> "proma1" <proma1@ntlworld.com> wrote in message
> news:auflu8$6tdis$1@ID-172472.news.dfncis.de...
> > of course thirld world countries have not develeoped the US/UK and other
> > western have kept them that way on purpose,god you cant be that stupid
> >
> >
> > gold/silver/diamonds/platinum/coffee/tea/fruits and all sorts of other
> > comodities where the west have made there fortunes have all come from
> third
> > world countries,there workers have suffered apartheid/slave
conditions,bad
> > health and safety so that some rich bitch can walk down Beverley Hills
> > Boulevard looking pretty.
> >
> > and you still wonder why several planes flew into buildings last
year,dont
> > you understand its your policies that started the whole thing,its war
out
> > there started by the US,a country that uses Nucleur
weapons/Napalm,cluster
> > bombs and all manner of evil weoponary and then of course thats ok,as
long
> > as Saddam Hussein does not hav the same.
> >
> >
> >
> >
> > --

> >
> >
> > Paul Wey
> > PROMA1
> >
> >
> > http://groups.yahoo.com/group/scanpromauk
> >
> > for main proma files sent to your inbox monthly join
> >
> > http://groups.yahoo.com/group/promafiles
> >
> > For good prices on scanners go to
> >
> > Stewart Aviation
> >
> > http://www.stewart-aviation.co.uk/rs/index.html
> > "signalchaser" <williamsmith208@hotmail.com> wrote in message
> > news:v0lfdehi0plkdf@corp.supernews.com...
> > > Very well put. Only a fool would refuse the power of God. I find it
that
> > > Christianity contributed to the widespread improvements and has
foretold
> > the
> > > current degradation of Western Society. No other religion or nation
> under
> > > those forms of religion has contributed much of anything to the
> betterment
> > > or technological progress seen by the Western nations such as U.S.A.,
> U.K,
> > > Germany, France, and many others. It sure hasn't appeared to me that
> much
> > > progress has really been made in the so called Third World states with
> > their
> > > religions of Islam, Buddhism, etc.
> > >
> > >
> > > "KB9TMP" <kb9tmp@juno.com> wrote in message
> > > news:v0kca0g9pv7qf6@corp.supernews.com...
> > > >
> > > > "Santa X" <santax@northpole.com> wrote in message
> > > > news:3E0A2DAE.4570920B@northpole.com...
> > > > > Isaiah 36:12
> > > > > Hath he not sent me to the men that
> > > > > sit upon the wall, that they may eat their own dung, and drink
their
> > > > > own piss with you?
> > > > >
> > > > > Malachi 2:3
> > > > > Behold, I will corrupt your seed, and spread dung upon your faces!

> > > > >
> > > > > And thou shalt eat it as barely cakes, and thou shalt bake it
> > > > > with dung that cometh out of man..." - Ezekiel 4:12
> > > > >
> > > > > "Lo, I have given thee cow's dung for man's dung and thou
> > > > > shalt prepare thy bread therewith" - Ezekiel 4:15
> > > > >
> > > > > JOB 41:19.....
> > > > > Out of this mouth go burning lamps, and sparks of fire leap out.
> Out
> > of
> > > > > his nostrils goeth smoke, as out of a seething pot of caldron.
His
> > > > > breath kindleth coals, and a flame goeth out of his mouth.
> > > > >
> > > > > Isaiah 34:7
> > > > > And the unicorns shall come down with them, and the bullocks with
> the
> > > > > bulls; and their land shall be soaked with blood, and their dust
> made
> > > fat
> > > > > with fatness.
> > > > >
> > > > > Revelation 12:3 "...and behold a GREAT RED DRAGON, having SEVEN
> HEADS
> > > > > and ten horns, and seven crowns upon his heads."
> > > > >
> > > > >
> > > > > Rv:12:7: And there was war in heaven: Michael and his angels fought
> > > > > against the dragon; and the dragon fought and his angels,
> > > > >
> > > > > Rv:20:2: And he laid hold on the dragon, that old serpent, which
> > > > > is the Devil, and Satan, and bound him a thousand years,
> > > > >
> > > > > Rv:20:10: And the devil that deceived them was cast into the
> > > > > lake of fire and brimstone, where the beast and the false prophet
> > > > > are, and shall be tormented day and night for ever and ever.
> > > > >
> > > > > Rv:20:15: And whosoever was not found written in the book
> > > > > of life was cast into the lake of fire.
> > > > >
> > > > > >
> > > > > >
> > > > > > "If any one comes to me and does not hate his own father and
mother
> > and
> > > > > > wife and children and brothers and sisters, yes, and even his own
> > life,
> > > > > > he cannot be my disciple." - Luke 14:26
> > > > > > (Jesus)

> > > > >
> > > > >
> > > > > If god can prevent evil, but doesn't, then He isn't all-loving.
> > > > > If god intends to prevent evil, but cannot, then He isn't
> omnipotent.
> > > > > If god both intends to prevent evil and is capable of doing so,
then
> > how
> > > > > > can
> > > > > > evil exist?
> > > > > >
> > > > > >
> > > > > And because God will prevent evil and hasn't done it in yet
> > > > > you think he can't/won't do it or don't exist at all.
> > > > >
> > > > > Ps:14:1a: The fool hath said in his heart, There is no God.....
> > > > >
> > > > >
> > > > > --
> > > > >
> > > > > '73' & Merry Christmas From KB9TMP
> > > > >
> > > > > "JESUS is the REASON for the SEASON!"
> > > > > Believe It Or Not!
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > >
> > >
> >
> >
>
>

7571. Re: TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 00:41:52 UTC
From: Clif Holland <radio.service@verizon.net>
Message-ID: <klNO9.133075$4W1.48100@nwrddc02.gnilink.net>
Source record: 35332

I only have one comment.

Obviously I'm not charging enough based on what you had done.

Oh well, I can look at myself in the mirror in the morning.

--
Clif Holland, KA5IPF
We have moved, do you have the new address??
AVVid
Authorized Kenwood and Icom Amateur Service
www.avvid.com
1-800-214-5779

"Robert Robinson" <rob@myexcel.com> wrote in message
news:IIvO9.156182$a8.40056@news4.srv.hcvlny.cv.net...
>
>
> I have a 1987 vintage TS-940SAT. A few years ago I purchased it
second-hand
> for $1000 with the MC-60, SP-940 and the SW-2000. I since purchased the
> SM-220 and the HC-10 clock...a nice station. It became my main station
> replacing an FT-101B I keep as a backup.
>
> In 6/2001 the radio stopped working. It would not light up or operate,
but
> it "turned on" because the light in the room dimmed for a split second
(not
> unusual when I turn on something that has a bit of a load).
>
> I sent the radio to Kenwood. They traced the problem to defective parts
on
> the AVR and Control Units. They also replaced the Lithium battery,
changed
> a few lamps, cleaned/lubed the pots/motors, calibrated and realigned the
> radio. They replaced 2 transistors, a zener diode, an IC, the lithium
> battery and 2 lamps.
>
> The radio came back looking and working perfectly. Between shipping,
parts
> and repair, it was just over $400.
>
> Just recently I have experienced the same problem as before and I assume
> that it is a problem with the AVR, PA or control units. I am assuming
that

> it might cost another $400 (maybe a bit less this time) to repair.
>
> I am very happy with the TS-940, but it is 16 years old. I am not a major
> contester and do not plan on buying something like an FT-1000. I have
seen
> the Yaesu FT-920 available for under $1100 delivered and includes the SP-8
> speaker ($160), MD-100A8X microphone ($130), the 6 kHz AM filter ($120)
and
> the FM unit ($63)...basically a complete station.
>
> My quandary...and seeking some feedback...
> What are your opinions about again repairing the 940SAT ($1000 purchase,
> already $400 in repairs and possibly $400 more (when you figure in
shipping)
> or retiring the station for a newer station based on the FT-920, with over
> $450 in options included.
>
> Happy Holidays,
> 73 de KB2PSM
>
>
>
>

7572. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 01:07:25 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0BA7CD.9090205@NOSPAMutoronto.ca>
Source record: 35333
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

signalchaser wrote:
> As John Adams said ...
> "Our Constitution was made only for a moral and religious people. It is wholly
> inadequate to the government of any other"

Of course, John Adams also said that "The first and only
Book deserving of universal attention is the Bible." Other
founding fathers, particular the deists, would disagree with
this.

Speaking on good government, Thomas Jefferson says (in a
letter to Joseph C. Cabell 2 Feb. 1816):
"No, my friend, the way to have good and safe government, is
not to trust it all to one, but to divide it among the many,
distributing to every one exactly the functions he is
competent to." Nowhere does Jefferson mention religious people.

--
M2

7573. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 02:18:06 UTC
From: Dave Shrader <david.shrader@attbi.com>
Message-ID: <3E0BB81D.5090106@attbi.com>
Source record: 35334
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

The Roman Historian Josephus writes of the execution of one known as the Christus at the time of Herod and Pilate.

Jesus, the Christus, was a historical figure.

As far as the "Son of God" and His divinity your skepticism is well founded. The early followers of Jesus debated the Messiah [Christus} and Divinity questions for almost 400 years. So, you are in good intellectual company. However, at the General Council of Ephesus [approximately 425 AD] the Christian church, which is the predecessor of Catholic Church, put the question to bed. Jesus is both the Messiah and the Son of God. This is an accepted tenet of Christian Dogma and has been held since apostolic times.

Numerous philosophers of approximately 500 years ago debated the issue. They came to the following argument:

Read the Gospels and decide the answer to these questions:
1) Is Jesus insane ? The data in the gospels dispels that question. He is quite rational.

2) Did Jesus do/claim what he did for fame/ financial gain/ political fame/ etc.? Jesus was and remained poor through his life. He knew that Israel had systematically executed prophets. He knew Rome would never tolerate a 'Jewish' king. So, the answer is He was not following human motivations!

3) Is He is exactly who He claimed to be ? If He's not insane and He's not motivated by 'normal' human ambitions, then what alternative is there except to accept His claim?

All questions regarding the identity of Jesus can be reduced to one of these three questions.

The early history of Christmas is based in the Roman feasts, as described elsewhere. These feasts posed a problem for early Christians. How does a Christian hold and maintain Christian values with all that secular carousing going on? The answer was to give the Christian community a period of celebration that matched the calendar of the Roman feasts. [The old adage: When in Rome, do as ...] The actual birthdate of Jesus is unknown and was arbitrarily chosen for the Janus feasts.

Several years ago the United States Supreme Court affirmed that 'Christmas' is a secular feast in the United States. I can't recall the details of the case or arguments but the conclusion of the court is that Christmas is a secular day. So, the holiday has gone full circle from

secular to religious to secular.

Deacon Dave, W1MCE

Fred Hambrecht Sr. wrote:
> snip
>
> I have seen a few that claim he was a "mythical" character. He was indeed a
> real person that walked the planet and is recorded in historical documents.
> Even if one choices to not believe in the divinity of Christ, to state he
> never existed is a sign of ones ignorance of the historical facts.
>

>

7574. FS: Heathkit HW-100 & HP-23 power supply

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 02:34:40 UTC
From: wa8mea@hotmail.com
Message-ID: <8a260fb2.0212261834.6ec2cf59@posting.google.com>
Source record: 35335
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap

For Sale:

VERY, very nice Heathkit HW-100 with new finals & driver. Original paint, original knobs, no dents, no rust. Works great, looks great. Two hand mics. (One is the original Heath, the other a Turner mic that looks like the Heathkit mic.) Price: $149 and I will pay for the shipping & insurance.

Also FOR SALE: A Heathkit HP-23 power supply in good condition with power cord that connects to the HW-100. Price: $95 and I will pay for the shipping & insurance.

I would like these to go out as a set, since they were purchased as a set. However, if the first two e-mails contain one message from a ham who wants the rig ONLY, and the other message from a ham who wants the power supply ONLY...I will split them up. But...the very first e-mail that wants the set will get the set.

If you're short on cash, we can run the transaction through my little ham/swl business using your Visa or Mastercard.

BTW, I do have a W7FG Vintage Manual for the HW-100 if you're interested. Price for that is $29 shipped.

73, Bill Lauterbach - WA8MEA

1.517.563.2613

wa8mea@hotmail.com

DWM Communications - http://qth.com/dwm

7575. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 02:38:28 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <E2PO9.35152$Zt4.404530@twister.rdc-kc.rr.com>
Source record: 35336
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

"Tarmo Tammaru" <t-tammaru@home.com> wrote in message
news:rLqdnTFTBvQntZujXTWcpA@comcast.com...
> Keith,
>
> Your new RF choke seems about right. Use the grid dip oscillator to find
> resonance when the capacitor is fully open. From what you say, your coil
is
> still too big. Don't worry too much about loading at this point, but set
the
> loading cap to different values when you check for resonance.

I used the grid dip meter to set the resonance of the PI output section, so when both the tune and load capacitors are fully open (disengaged) that it dips at 52MHz, with all 3 - 6KD6's installed, and no HV applied, attached to a 50 ohm dummy load.

I still am only getting about 10 watts output, with 10 watts drive.

I'm thinking that 6KD6's just won't work at 50Mhz......

7576. FS: MINT MFJ-9406 6m SSB/CW rig

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 02:51:05 UTC
From: wa8mea@hotmail.com
Message-ID: <8a260fb2.0212261851.2c3aa156@posting.google.com>
Source record: 35337
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.swap,alt.ham-radio.marketplace

For Sale: MINT MFJ-9406 six meter transceiver. This rig is an absolute blast! Hate to get rid of it, but have a new FT-847 with six meters on it. Great transmit audio! 12 watts PEP or CW. Worked a lot of stations locally, statewide & DX using a little three element Yagi and a TV rotor. CW module installed. Comes with original box, manual, hand mic and DC cord. $169 and I will pay for shipping via PRIORITY MAIL and insurance. If you're short on cash, we can run the transaction through my little ham/swl business using your Visa or Mastercard. First e-mail gets it!

73 from Bill Lauterbach - WA8MEA

1.517.563.2613

wa8mea@hotmail.com

DWM Communications - http://qth.com/dwm

7577. Motorola Lowband Syntor X9000 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 03:00:40 UTC
From: James Skipper <skipper2@hiwaay.net>
Message-ID: <3E0BC258.1060200@hiwaay.net>
Source record: 35338
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Software will not allow 53MHz frequency input to be programmed into the mode. The software gives me an "out of band" indication and the input block goes "BLANK". 29.6MHz frequency the software gave an indication of "Warning: Frequency out of normal operating range" however, the frequency stayed in the input block and was finally accepted. Is there a trick to this to get the X9000 into the ham bands?? tnx Jim W5RM

7578. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 03:23:44 UTC
From: Kim_Jong_Il@volcanomail.com
Message-ID: <26a0f230.0212261923.69cfcc60@posting.google.com>
Source record: 35339
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
news:<v0n18mg9mv3v50@corp.supernews.com>...

> For Admiral Poindexter's folks:
> Bomb, anthrax, attack, acid, hijack, skyjack
> sniper, plutonium, nuclear, Big Mac, jihad
> Democrats, terror, Howdy Doody, Oprah

Howdy Doody? Now that's just going too far. You'd better cut it out this minute.

7579. FS/FT 3 Icom IC-2SAT 2m HT's

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 03:28:15 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <augfp8$h4$1@news1.kornet.net>
Source record: 35340
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

I have three of these radios, with good batteries and original rubber duck antennas.

One includes a BC-72 drop-in charger, CP-12 DC car adaptor, BP-84H 7.2V 1700mAh pack and BP-90 pack for 6 AA cells $125 for this one.

One includes a BC-72 drop-in charger, CP-12 DC car adaptor, MAHA MH-BP-83 7.2V 1700mAh pack and W&W 7.2V 850mAh pack. $125 for this one.

The third includes a BC-74A wall charger, Periphex BP-84 7.2V 1700mAh pack and a BP-85 pack. I don't have a DC charger or adaptor for this one. $105 for this one.

All batteries are good, several are recently purchased. All prices include USPS Priority mail shipping. Insurance of $2.20 is optional.

I will probably have more ham equipment for sale in the near future, so keep an eye out.

The e-mail is good.

Also open to trades for ?? One thing I am looking for is a Yaesu VR-500.

7580. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 04:35:08 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0BD87C.9090409@NOSPAMutoronto.ca>
Source record: 35342
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Dave Shrader wrote:
> The Roman Historian Josephus writes of the execution of one known as the
> Christus at the time of Herod and Pilate.
>
> Jesus, the Christus, was a historical figure.
>

There are no surviving Roman records of the First Century
that refer to, nor are there any Jewish records that support
the accounts in the Christian gospels --- except one:
Josephus', which was published in 93 A.D. It was a history
of the Jews. While discussing the period in which the Jews
of Judea were governed by the Roman procurator Pontius
Pilate, Josephus included the following account:

About this time there lived Jesus, a wise man, if indeed one
ought to call him a man. For he was one who performed
surprising deeds and was a teacher of such people as accept
the truth gladly. He won over many Jews and many of the
Greeks. He was the Messiah. And when, upon the accusation of
the principal men among us, Pilate had condemned him to a
cross, those who had first come to love him did not cease.
He appeared to them spending a third day restored to life,
for the prophets of God had foretold these things and a
thousand other marvels about him. And the tribe of the
Christians, so called after him, has still to this day not
disappeared.

This account has been embroiled in controversy since the
17th century. It could not have been written by a Jewish
man, say the critics, because it sounds too Christian: it
even claims that Jesus was the Messiah!

The critics say this paragraph is not authentic. It was
inserted into Josephus' book by a later Christian copyist,
probably in the Third or Fourth Century. Modern writers
suggest that Josephus' account was instead derived from a
Jewish-Christian "gospel" that has since been lost.

In any case, it would appear that Josephus' passage is
nothing more than recital of Christian belief, not a record
of a historical event. For example, elsewhere, Josephus
tells us quite unequivocally that Jews inherited the "Wisdom
of Solomon" and therefore were especially adept at
miracle-working and cures. Josephus tells the story of how

King Solomon himself told how to perform healings. Josephus
describes Eleazar, an exorcist and one of those descendants
of Solomon's techniques: "[I] have seen a certain man of my
own country whose name was Eleazar, releasing people that
were demoniacal in the presence of Vespasian . . . He put a
ring that had a root of one of those sorts mentioned by
Solomon to the nostrils of the demoniac, after which he drew
out the demon through his nostrils; and when the man fell
down immediately, he abjured him to return into him no more
. . . when Eleazar would pursuade and demonstrate to the
spectators that he had such a power, he set a little way off
a cup or basin full of water, and commanded the demon, as he
went out of the man, to overturn it, and thereby let the
spectators know that [the demon] had left the man."
(Antiquities 8.2.5)

Bottom line is you can't bet the farm on Josphesus.

> As far as the "Son of God" and His divinity your skepticism is well
> founded. The early followers of Jesus debated the Messiah [Christus} and
> Divinity questions for almost 400 years. So, you are in good
> intellectual company. However, at the General Council of Ephesus
> [approximately 425 AD] the Christian church, which is the predecessor of
> Catholic Church, put the question to bed. Jesus is both the Messiah and
> the Son of God. This is an accepted tenet of Christian Dogma and has
> been held since apostolic times.

As specified, this is religious dogma.

> Numerous philosophers of approximately 500 years ago debated the issue.
> They came to the following argument:
>
> Read the Gospels and decide the answer to these questions:
> 1) Is Jesus insane ? The data in the gospels dispels that question. He
> is quite rational.
>
> 2) Did Jesus do/claim what he did for fame/ financial gain/ political
> fame/ etc.? Jesus was and remained poor through his life. He knew that
> Israel had systematically executed prophets. He knew Rome would never
> tolerate a 'Jewish' king. So, the answer is He was not following human
> motivations!

Huh? Can you point to a source?

> 3) Is He is exactly who He claimed to be ? If He's not insane and He's
> not motivated by 'normal' human ambitions, then what alternative is
> there except to accept His claim?

Huh? Exactly what is meant by 'normal' human ambitions?
Even Bertrand Russel critized Christ teachings as told by
the gospels. As far as "His claim", why is that the only
other alternative? [I'm not crazy and I'm not greedy,

therefore, I am the son of god. It doesn't follow.]

--
Michael Moore

7581. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 04:36:55 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3E0BD8E7.2A82CC22@qth.com>
Source record: 35341
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp
Body handling: Binary attachment payload not displayed: radioranch.vcf

How did we get from Christmas to here? You people all need to re-discover valium hihi...Happy New Year@@ GET DOWN__GET FUNKY!!

proma1 wrote:

> well so WW11 was the US against UK was it,kicking our Nazi asses???????/
>
> bit confusing that
>
> anyway if you mean the help you gave us in WW11,then it was
> appreciated,although very late in coming,but i beleive we are still
> financially paying for lend/lease and probably part of the payment is we
> have to agree with everything the US does now,was that help worth it i
> ask???
>
> regardless why should the UK support the US inthis futile war,that is going
> to swell terrorist groups to an unprecedented level.
>
> where were you at all the atrocities since WW11??,many times you were part
> of those atrocitie,other times because money comes first,if its a country
> you are financialy involved with then human rights go out of the window.
>
> look at Israel and Saudi Arabia both supported by the US,Saudi has appalling
> human rights and you dont bat an eyelid,Israel is an illegal country and
> again you do nothing,Saddam Hussein has kicked your asses for over 12 years
> now,he keep goading the US on purpose,and you cant even see it,do you think
> he really cares how many bombs are dropped and how many people get killed in
> Iraq,remember his outlook is the same as Hitler,you are basically there to
> suport the state or country,this man has no qualms in killing his own
> relatives,he will be safe,he will get out of Iraq with no problems and like
> Ossama Bin Laden and all his followers will stay silent until he finds a way
> to attack the west with terrorism.
>
> The only evidence that the west has on 911 is some Saudis were involved,but
> the US does not want upset such an important partner,but would prefer to
> blame others
>
> as it did with the PAN AM103 bomb in Scotland,they just blame whoever is
> whipping dog at the time,curntly Iraq,few years time,probably find US
> business doing really wel in the new free IRAQ,as with that nice little
> pipeline goin ahead in Afghansistan,good idea installing a pro US president
> there who jusyt happened to be working for the company involved in the
> pipeline project.

>
> very clever
>
> --
>
> Paul Wey
> PROMA1
>
> http://groups.yahoo.com/group/scanpromauk
>
> for main proma files sent to your inbox monthly join
>
> http://groups.yahoo.com/group/promafiles
>
> For good prices on scanners go to
>
> Stewart Aviation
>
> http://www.stewart-aviation.co.uk/rs/index.html
> "Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
> news:v0n0bbmqkom001@corp.supernews.com...
> > Still haven't got over us kicking your Nazi asses in WW2? Mores the
> pity...
> > You are one pathetic piece of canine excrement.
> >
> > --
> > For Admiral Poindexter's folks:
> > Bomb, anthrax, attack, acid, hijack, skyjack
> > sniper, plutonium, nuclear, Big Mac, jihad
> > Democrats, terror, Howdy Doody, Oprah
> >
> > "Those that sacrifice freedom for security deserve neither"
> >
> >
> > "proma1" <proma1@ntlworld.com> wrote in message
> > news:auflu8$6tdis$1@ID-172472.news.dfncis.de...
> > > of course thirld world countries have not develeoped the US/UK and other
> > > western have kept them that way on purpose,god you cant be that stupid
> > >
> > >
> > > gold/silver/diamonds/platinum/coffee/tea/fruits and all sorts of other
> > > comodities where the west have made there fortunes have all come from
> > third
> > > world countries,there workers have suffered apartheid/slave
> conditions,bad
> > > health and safety so that some rich bitch can walk down Beverley Hills
> > > Boulevard looking pretty.
> > >
> > > and you still wonder why several planes flew into buildings last
> year,dont

> > > you understand its your policies that started the whole thing,its war
> out
> > > there started by the US,a country that uses Nucleur
> weapons/Napalm,cluster
> > > bombs and all manner of evil weoponary and then of course thats ok,as
> long
> > > as Saddam Hussein does not hav the same.
> > >
> > >
> > >
> > >
> > > --
> > >
> > >
> > > Paul Wey
> > > PROMA1
> > >
> > >
> > > http://groups.yahoo.com/group/scanpromauk
> > >
> > > for main proma files sent to your inbox monthly join
> > >
> > > http://groups.yahoo.com/group/promafiles
> > >
> > > For good prices on scanners go to
> > >
> > > Stewart Aviation
> > >
> > > http://www.stewart-aviation.co.uk/rs/index.html
> > > "signalchaser" <williamsmith208@hotmail.com> wrote in message
> > > news:v0lfdehi0plkdf@corp.supernews.com...
> > > > Very well put. Only a fool would refuse the power of God. I find it
> that
> > > > Christianity contributed to the widespread improvements and has
> foretold
> > > the
> > > > current degradation of Western Society. No other religion or nation
> > under
> > > > those forms of religion has contributed much of anything to the
> > betterment
> > > > or technological progress seen by the Western nations such as U.S.A.,
> > U.K,
> > > > Germany, France, and many others. It sure hasn't appeared to me that
> > much
> > > > progress has really been made in the so called Third World states with
> > > their
> > > > religions of Islam, Buddhism, etc.
> > > >
> > > >
> > > > "KB9TMP" <kb9tmp@juno.com> wrote in message

> > > > news:v0kca0g9pv7qf6@corp.supernews.com...
> > > > >
> > > > > "Santa X" <santax@northpole.com> wrote in message
> > > > > news:3E0A2DAE.4570920B@northpole.com...
> > > > > > Isaiah 36:12
> > > > > > Hath he not sent me to the men that
> > > > > > sit upon the wall, that they may eat their own dung, and drink
> their
> > > > > > own piss with you?
> > > > > >
> > > > > > Malachi 2:3
> > > > > > Behold, I will corrupt your seed, and spread dung upon your faces!
> > > > > >
> > > > > > And thou shalt eat it as barely cakes, and thou shalt bake it
> > > > > > with dung that cometh out of man..." - Ezekiel 4:12
> > > > > >
> > > > > > "Lo, I have given thee cow's dung for man's dung and thou
> > > > > > shalt prepare thy bread therewith" - Ezekiel 4:15
> > > > > >
> > > > > > JOB 41:19.....
> > > > > > Out of this mouth go burning lamps, and sparks of fire leap out.
> > Out
> > > > of
> > > > > > his nostrils goeth smoke, as out of a seething pot of caldron.
> His
> > > > > > breath kindleth coals, and a flame goeth out of his mouth.
> > > > > >
> > > > > > Isaiah 34:7
> > > > > > And the unicorns shall come down with them, and the bullocks with
> > the
> > > > > > bulls; and their land shall be soaked with blood, and their dust
> > made
> > > > fat
> > > > > > with fatness.
> > > > > >
> > > > > > Revelation 12:3 "...and behold a GREAT RED DRAGON, having SEVEN
> > HEADS
> > > > > > and ten horns, and seven crowns upon his heads."
> > > > > >
> > > > > >
> > > > > > Rv:12:7: And there was war in heaven: Michael and his angels fought
> > > > > > against the dragon; and the dragon fought and his angels,
> > > > > >
> > > > > > Rv:20:2: And he laid hold on the dragon, that old serpent, which
> > > > > > is the Devil, and Satan, and bound him a thousand years,
> > > > > >
> > > > > > Rv:20:10: And the devil that deceived them was cast into the
> > > > > > lake of fire and brimstone, where the beast and the false prophet
> > > > > > are, and shall be tormented day and night for ever and ever.
> > > > > >

> > > > > Rv:20:15: And whosoever was not found written in the book
> > > > > of life was cast into the lake of fire.
> > > > >
> > > > > >
> > > > > >
> > > > > > "If any one comes to me and does not hate his own father and
> mother
> > > and
> > > > > > wife and children and brothers and sisters, yes, and even his own
> > > life,
> > > > > > he cannot be my disciple." - Luke 14:26
> > > > > > (Jesus)
> > > > > >
> > > > > >
> > > > > > If god can prevent evil, but doesn't, then He isn't all-loving.
> > > > > > If god intends to prevent evil, but cannot, then He isn't
> > omnipotent.
> > > > > > If god both intends to prevent evil and is capable of doing so,
> then
> > > how
> > > > > > can
> > > > > > evil exist?
> > > > > >
> > > > > >
> > > > > And because God will prevent evil and hasn't done it in yet
> > > > > you think he can't/won't do it or don't exist at all.
> > > > >
> > > > > Ps:14:1a: The fool hath said in his heart, There is no God.....
> > > > >
> > > > >
> > > > > --
> > > > >
> > > > > '73' & Merry Christmas From KB9TMP
> > > > >
> > > > > "JESUS is the REASON for the SEASON!"
> > > > > Believe It Or Not!
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > >
> > > >
> > >
> > >
> >
> >

[One or more binary attachments are retained only in the source text.]

7582. Yaesu FT817 FS/FT

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 04:42:11 UTC
From: VE3TMT <ve3tmt@cogeco.ca>
Message-ID: <wTQO9.39231$L47.5259366@read2.cgocable.net>
Source record: 35343

Yaesu FT817 QRP rig - purchased October 2002
LDG Z-11 Autotuner
Astatic D104M6B microphone
3 internal battery packs - 1 MAHA FNB72 1700mA
- 2 RS 23-331B 1650 mA
1 12V - 5aH gel cell with split cord for both rig & tuner
All supplied cords & connectors
Pelican 1500 series custom carrying case

PLEASE READ

The radio's original internal battery lead has been replaced with a fused one. The internal battery packs have also had the power leads replaced to match. This modification allows the internal battery pack to be charged when running the radio off external 12V power. I also have the Radio Shack 2 tray charger (# 23-440) that allows two of the battery packs to charge then automatically shut off.

The original manual is suplied, as is warranty card, but I do not have the boxes or shoulder strap. I have the original MH31 microphone, minus the cord. The MH31 contains the Heil HC4 cartridge and the W4RT "One Big Punch" speech processor.

I purchased this gear thinking I would be getting into QRP activity but I just don't have the time. I have decided to go back to HF mobile.

Trades??

7583. RigPix ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 05:08:58 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0no383ftijl4d@corp.supernews.com>
Source record: 35344

Does anyone know what has happened to
http://www.rigpix.com/ it's been dead now
for 3 or 4 days?

--
'73' From KB9TMP
"The secret of life is honesty and fair dealing,
if you can fake that, you've got it made."
-Groucho Marx

7584. FS: ICOM 706 MK II

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 06:20:37 UTC
From: duanek7zh46@cs.com
Message-ID: <20021227012037.26451.00000261@mb-fl.news.cs.com>
Source record: 35345

I have an IC-706 MK II HF/6meter/2meter mobile/fixed station rig.
This radio is in very good condition with separation kit, Heil headset boom mic, stock mic, Mountain Ops Tac-Pac travel carrying case (orange), manual and box.
I am asking $550 and I will ship anywhere in the USA.

Please respond to duanek7zh46@cs.com

7585. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 06:59:13 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <auj1ij08f@enews4.newsguy.com>
Source record: 35246
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

If they have Corona and Cuervo as the rivers and lakes on that planet, I am gonna build a spaceship immediately!!!!!

> WHAT, no CHEESE planet, DAMN! Next you will tell me that Caramel trees
> don't exist.
> :)

7586. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 07:10:50 UTC
From: KC8PMX <kc8pmx@NOSPAMdiamondcs.net>
Message-ID: <auj1o318f@enews4.newsguy.com>
Source record: 35247
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

The majority of the US population are mindless followers and vote by belief in the Democrat or Republicrat parties that they are both good respectively. Both parties are nuts and not to be trusted. A real person will investigate/self-educate about each candidate to a reasonable level to make the best decisions, regardless of party lines.

"signalchaser" <williamsmith208@hotmail.com> wrote in message news:v0lf0aro7gre5a@corp.supernews.com...
> Let's see if no one respects Bush, then why did a large percentage of
> Americans vote for him in the last election. Or is it that you are trying to
> put thoughts in peoples minds again. Not sure what your claim to fame may be
> but certainly in this world it is isn't President, CEO or much of anything
> else.
>
> "Ain't Real" <donotreply@hotmail.com> wrote in message
> news:clhk0v0iukcb9sfjg7sf48umnbrvo97okq@4ax.com...
> > On Wed, 25 Dec 2002 19:59:33 +0000, Ann <annREMOVE@asarian-host.net>
> > wrote:
> >
> > >On Wed, 25 Dec 2002 19:54:35 GMT, "DeWayne" <ke9k@indy.rr.com> wrote:
> > >
> > >>
> > >> >>"proma1" <proma1@ntlworld.com> wrote in message
> > >> >>news:aud0lc$6cm8d$1@ID-172472.news.dfncis.de...
> > >> >>> sorry mate it is not your holiday
> > >> >>>
> > >> >>> Yuletide is a lot older than what we call Christmas,but both those who
> > >> >>want
> > >> >>> to celebrate christmas and those who want to celebrate Yuletide or
> > indeed
> > >> >>> those who dont want to celebrate for any reason,lets think fo peace
> > and
> > >> >>> goodwill.
> > >> >>>
> > >> >>>
> > >> >>> and hopefully not war as your Mad warmongering president wants
> > >> >>>
> > >> >>> as one of the UKs newsapapers said the other day,Bush is the most
> > >> >>dangerous
> > >> >>> world leader.

> > >>
> > >>So what does that make Mr. Blair who supports Bush?
> > >
> > >Even Blair's original supporters don't respect him any more.....
> > >
> > >Ann
> >
> > The poodle. Other than some right wing zealots no one has ever
> > respected Bush. Guy is dumber than a box of rocks. Ever see him wave
> > at Stevie Wonder during last years Christmas concert?
> > :)
> >
> > Quentin's Monologue from 'Sleep With Me' (partial)
> > ...
> > What is Top Gun? You think it's a story about a bunch of fighter pilots.
> > [Duane: It's about a bunch of guys waving their dicks around.]
> > It is a story about a man's struggle with his own homosexuality.
> > It is! That is what Top Gun is about, man.
> > ...
> > :)
>
>

7587. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 07:32:06 UTC
From: Kim_Jong_Il@volcanomail.com
Message-ID: <26a0f230.0212262332.6e4bf88e@posting.google.com>
Source record: 35346
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Dave Shrader <david.shrader@attbi.com> wrote in message
news:<3E0BB81D.5090106@attbi.com>...

> As far as the "Son of God" and His divinity your skepticism is well
> founded. The early followers of Jesus debated the Messiah [Christus} and
> Divinity questions for almost 400 years. So, you are in good
> intellectual company. However, at the General Council of Ephesus
> [approximately 425 AD] the Christian church, which is the predecessor of
> Catholic Church, put the question to bed.

"Catholic Church put the question to bed"? [rolling my eyes]. And that ain't all.

7588. Re: Motorola Lowband Syntor X9000 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 08:45:21 UTC
From: Pete KE9OA <n.gianakopoulos@worldnet.att.net>
Message-ID: <BqUO9.80406$hK4.6609245@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35199
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I am not sure if you can hold down the "shift" key when you enter an out of range frequency. Batlabs might have some info.

Pete

7589. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 08:46:39 UTC
From: "Joe Bramblett, KD5NRH" <kd5nrh@yahoo.com>
Message-ID: <D5D0ADAE694BA0A7.CEB03256307F728E.726946A79ACE732D@lp.airnews.net>
Source record: 35198
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On 26 Dec 2002 12:23:48 -0800, pjh@lowell.edu (Padraig Houlahan)
wrote:

>First off, arguments about the election outcome aside, since it
>was about a fifty-fifty split, using your logic "a large percentage"
>voted against him.

Fifty-fifty between Bush and Gore; remember that Browne, Buchanan, and
others had their supporters, so the majority voted against Bush.

...and that's just the ones who actually turned out to vote; a hell of
a lot of people didn't vote for anybody.

>Secondly, those that voted for him are, quite frankly, strong evidence
>that the educational system teaches very poor critical thinking
>skills.

Isn't that the perfect way to rig elections? Check how the elections
work in Fahrenheit 451.

Joe Bramblett, KD5NRH
kd5nrh@yahoo.com

7590. Re: geting equipment across country

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 09:09:26 UTC
From: retrowavelength <retrowavelength@yahoo.com>
Message-ID: <3E0C18C6.5E52D654@yahoo.com>
Source record: 35347

Do NOT blindly trust MBE to know how to pack heavy items. Some may, but my one experience with them was NOT a happy one. Things arrived damaged & even then it was in better shape than the packing deserved. My opinion is that they only know how to pour in foam peanuts & that just doesn't cut it for heavy &/or one of a kind gear.
--Wayne
WB4OGM

Alan Beagley wrote:

> Take them to Mailboxes, Etc. or similar store and have them pack and
> ship them -- insured, of course. They should know the best way to
> pack heavy items.
>
> -=-
> Alan, AB2OS
>
> ITRADE wrote:
> > My grandfather died a couple years ago. I was the receipient of some
> > nice pieces including a Yaesu FT 990, a Drake L7, a heavy duty
> > Ameritron tuner, and several other items.
> >
> > Anybody know of a good way to get them from California to Virginia? I do
> > not have the original boxes or packing material. I do not think I can
> > "sneak" any of the major components back onto the aircraft for the
> > flight back to DC.
> >
> > Any ideas/suggestions?

7591. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 09:40:55 UTC
From: Fred Zepp <jck54@optusnet.com.au>
Message-ID: <3e0c202f$0$18872$afc38c87@news.optusnet.com.au>
Source record: 35200
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

ZZZZZZZZZZZZZZZZZ what the fuck has this got to do with scanners !
ZZZZZZZZZZZZZZZZZZZZZZZZZZ

"Beloved Leader" <Kim_Jong_Il@volcanomail.com> wrote in message
news:26a0f230.0212262332.6e4bf88e@posting.google.com...
> Dave Shrader <david.shrader@attbi.com> wrote in message
news:<3E0BB81D.5090106@attbi.com>...
>
> > As far as the "Son of God" and His divinity your skepticism is well
> > founded. The early followers of Jesus debated the Messiah [Christus} and
> > Divinity questions for almost 400 years. So, you are in good
> > intellectual company. However, at the General Council of Ephesus
> > [approximately 425 AD] the Christian church, which is the predecessor of
> > Catholic Church, put the question to bed.
>
> "Catholic Church put the question to bed"? [rolling my eyes]. And that
ain't all.

7592. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 09:42:22 UTC
From: John Doty <jpd@w-d.org>
Message-ID: <gMqcnYgLX8GCMJGjXTWcpw@speakeasy.net>
Source record: 35230
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

In article <v0ot2d650tcq97@corp.supernews.com>, "KB9TMP" <kb9tmp@juno.com>
wrote:

> Why call something by it's Christian name if you don't believe in the
> God of the Christians?

Because that's how the English language works: it keeps old words but constantly tinkers with their meanings. Why call something "electronics" when it has nothing to do with amber? In this case Christianity brought the confusion on by its own propaganda, relabeling a pagan festival but never successfully changing its essence (study real history).

Besides, what is the "God of the Christians"? The paradoxical God of the Eastern Orthodox? The Roman Christian God of political hierarchy? The American fundamentalists' supernatural alpha male? Lutheran theologian Paul Tillich's "Ground of Being"? There are lots of possibilities: Christianity has a deep, long, and complex history. The dumbed-down Christianity of American Sunday School covers only a tiny fraction of this. I personally think Tillich was on the right track here. It's hard to be an Atheist if you accept his definition...

--
| John Doty "You can't confuse me, that's my job."
| Home: jpd@w-d.org
| Work: jpd@space.mit.edu

7593. Re: FS/FT 3 Icom IC-2SAT 2m HT's Update

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 10:11:16 UTC
From: Brenda Ann <brendad@shinbiro.com>
Message-ID: <auh7cmkbl1@news1.kornet.net>
Source record: 35201
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave

See below for adjusted prices:

I have three of these radios, with good batteries and original rubber duck antennas.

One includes a BC-72 drop-in charger, CP-12 DC car adaptor, BP-84H 7.2V 1700mAh pack and BP-90 pack for 6 AA cells $105 for this one.

One includes a BC-72 drop-in charger, CP-12 DC car adaptor, MAHA MH-BP-83 7.2V 1700mAh pack and W&W 7.2V 850mAh pack. $105 for this one.

The third includes a BC-74A wall charger, Periphex BP-84 7.2V 1700mAh pack and a BP-85 pack. I don't have a DC charger or adaptor for this one. $90 for this one.

All batteries are good, several are recently purchased. All prices include USPS Priority mail shipping. Insurance of $2.20 is optional.

I will probably have more ham equipment for sale in the near future, so keep an eye out.

The e-mail is good.

Also open to trades for ?? One thing I am looking for is a Yaesu VR-500.

7594. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 10:34:01 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <q3bo0vo0fp8qtkhl4a748vb42atdttne6v@4ax.com>
Source record: 35202
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Thu, 26 Dec 2002 23:34:15 GMT, "me" <me@none.com> wrote:

>It's obvious from your inane rantings that you don't really give a damn
>about anything.
>
>Go back under your rock.
>-me
>"Ann" <annREMOVE (what a great idea) PLONK.

Ooh thanks.....my first plonk since christmas.....

7595. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 10:35:02 UTC
From: A <nochance@nochance.net>
Message-ID: <76bo0v862mtlqsqujlhoc80laglao4qtim@4ax.com>
Source record: 35203
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Thu, 26 Dec 2002 23:34:15 GMT, "me" <me@none.com> wrote:

>It's obvious from your inane rantings that you don't really give a damn
>about anything.
>
>Go back under your rock.
>-me
>"Ann" <annREMOVE (what a great idea) PLONK.

Ooh thanks.....my first plonk since christmas.....

7596. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 10:35:43 UTC
From: me <me@none.com>
Message-ID: <m7bo0v0n2jnje7lal7js58mbufjttsfk77@4ax.com>
Source record: 35204
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Thu, 26 Dec 2002 23:34:15 GMT, "me" <me@none.com> wrote:

>It's obvious from your inane rantings that you don't really give a damn
>about anything.
>
>Go back under your rock.
>-me
>"Ann" <annREMOVE (what a great idea) PLONK.

Ooh thanks.....my first plonk since christmas.....

7597. Re: geting equipment across country

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 12:09:11 UTC
From: Idontwantspam@net
Message-ID: <3e0c4152.938489@news.bellatlantic.net>
Source record: 35205

On Fri, 27 Dec 2002 01:09:26 -0800, retrowavelength
<retrowavelength@yahoo.com> wrote:

>Do NOT blindly trust MBE to know how to pack heavy items. Some may, but my one
>experience with them was NOT a happy one. Things arrived damaged & even then
>it was in better shape than the packing deserved. My opinion is that they only
>know how to pour in foam peanuts & that just doesn't cut it for heavy &/or one
>of a kind gear.
>--Wayne
> WB4OGM
>
The foam peanuts are easy to use, but not as robust as either
cut/premolded pieces of high density foam or the foam in place stuff.

Look at what manufacturers do. While they want to minimize the cost of
packaging materials, they are also well aware of how expensive it is
to handle returns on damaged equipment.

High density, fragile devices need more packaging than bubble wrap or
peanuts. You cannot depend on an item to be handled gently through
shipping.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

7598. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 13:26:01 UTC
From: john <john@mchi.net>
Message-ID: <38lo0vcdo2erkemnchnhkh5kpumg57r290@4ax.com>
Source record: 35206
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Take this crap elsewhere

On 26 Dec 2002 19:23:44 -0800, Kim_Jong_Il@volcanomail.com (Beloved
Leader) wrote:

>"Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
news:<v0n18mg9mv3v50@corp.supernews.com>...
>
>> For Admiral Poindexter's folks:
>> Bomb, anthrax, attack, acid, hijack, skyjack
>> sniper, plutonium, nuclear, Big Mac, jihad
>> Democrats, terror, Howdy Doody, Oprah
>
>Howdy Doody? Now that's just going too far. You'd better cut it out this minute.

7599. Re: The True Meaning Of Christmas.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 13:26:56 UTC
From: john <john@mchi.net>
Message-ID: <2alo0v02j7pisb4q6ce9g0ijj00jsod5m9@4ax.com>
Source record: 35207
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Get this crap out of here

On Fri, 27 Dec 2002 02:46:39 -0600, "Joe Bramblett, KD5NRH"
<kd5nrh@yahoo.com> wrote:

>On 26 Dec 2002 12:23:48 -0800, pjh@lowell.edu (Padraig Houlahan)
>wrote:
>
>>First off, arguments about the election outcome aside, since it
>>was about a fifty-fifty split, using your logic "a large percentage"
>>voted against him.
>
>Fifty-fifty between Bush and Gore; remember that Browne, Buchanan, and
>others had their supporters, so the majority voted against Bush.
>
>...and that's just the ones who actually turned out to vote; a hell of
>a lot of people didn't vote for anybody.
>
>>Secondly, those that voted for him are, quite frankly, strong evidence
>>that the educational system teaches very poor critical thinking
>>skills.
>
>Isn't that the perfect way to rig elections? Check how the elections
>work in Fahrenheit 451.
>
>
>Joe Bramblett, KD5NRH
>kd5nrh@yahoo.com

7600. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 13:31:28 UTC
From: dialcover@webtv.net
Message-ID: <18918-3E0C5630-86@storefull-2317.public.lawson.webtv.net>
Source record: 35209

TRY ABOUT 3/4" OF 24 GA ON A 1/4" FORM

PLEASE EXCUSE CAPS, SHORT REPLIES, STROKE

Bill Turner, WA0ABI, 1117 Pike St., Saint Charles,MO 63301. Phone
636-949-2210

Plastic Dial covers, any size, any shape. $14.00
Glass Dial covers, 2" to 8 7/8" x 1/16", $14.00
Rider Chanayst manual. color cover. $15.00
Rider Chanayst , how to operate it, P.E.GRIVET, $8.00
Radiola II Manual $5.00
Radiola III Manual $5.00
Radiola IIIA Manual $5.00
Radiola Balanced Amplifier Manual $5.00
"I COLLECT ANTIQUE RADIO(space for #) $2.00
Zenith H-500 Manual, color cover, $9.00
Zenith R-600 Manual, color cover, $9.00
Zenith L- 600 Manual, color cover, $9.00
Zenith A-600 Manual, color cover, $9.00
Riders Index, 1 through 22, color cover, $20.00
Coil Forms, 4, 5, and 6, pin, $4.00
RADIOLA Sr. lid display color, $5.00
AERIOLA Jr. lid display, color $5.00
WD-II, with evacuation tip, silver plated. $25.00
WD-II, no evacaution tip, silver plated, $20.00
WD-II, clear glass, no evacuation tip $15.00
1L6, 1LA6 with adaptor. $16.00
UV-199, silver plated, $25.00
6E5, 1629 and adaptor. $16.00

ALL POSTAGE PAID
For a business SASE a copy of the Pocket Resouce Guide and my personal
four page catalog of pieces, parts, and manuals.

7601. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 14:04:28 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0C5DEC.1010204@NOSPAMutoronto.ca>
Source record: 35210
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Ann wrote:
> Our government has chosen to call it the Christmas break and
> that's what we go with. To insist on using some different name would
> be childish.....and only the Christians are childish......

It would be futile to petition our government (Canadian) to
change the name. No Cdn politician would champion that
cause. We can't even get the government here to consider
abolishing the Monarchy (and it's Cdn representives) and the
Senate. (These institutions must have ties to "God"! LOL.)

--
M2

7602. Re: TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 14:37:43 UTC
From: "Dee D. Flint" <deehays@qix.net>
Message-ID: <XAZO9.10319$4j5.6177963@newssvr28.news.prodigy.com>
Source record: 35208

You might want to get an estimate before making up your mind on the proper course of action. The same sympton can have different root causes and it might be quite inexpensive to fix.

Dee Flint, N8UZE

7603. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 15:05:58 UTC
From: Tom Sevart <n2uhcNOSPAM@yahoo.com>
Message-ID: <auhq7h$724qn$1@ID-52518.news.dfncis.de>
Source record: 35211
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0khe8kra0ude8@corp.supernews.com...

> If you want to celebrate the holiday in the pagen way that's fine.
> Just don't call it Christmas, it wasn't called that before the
> church took it over. Why use a Christian name for a pagen
> holiday if you don't believe in God.

What's wrong with the pagans taking the holiday back from the Christians? I guess it's OK for Christians to take over pagan holidays, but not the other way around.

Tom

7604. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 15:23:14 UTC
From: Tom Sevart <n2uhcNOSPAM@yahoo.com>
Message-ID: <auhr7t$746iu$1@ID-52518.news.dfncis.de>
Source record: 35212
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

The date of Dec. 25th isn't the only thing that appears to have been stolen from other religions by Christianity.

This was found on another forum, posted by someone who collects and reads ancient religious texts:

Your god is a stolen concept this is not an opinion, or a belief. This is a verified, proven, FACT. Therefore, if your religion is to have any truth at all we would have to look to one of the pagan religions that it is made up of. You quote the bible as if it is some kind of authority? The FACT is that the same amount of truth can be found in a Spider-man comic book, and there is more proven truth to the Iliad which is KNOWN to be a work of fiction, than there is to your bible. The sad fact is Scrawny that the creators of your religion were not prophets, or apostles, or disciples. They were thieves, yes thieves, who stole the literature of civilizations that were truly enlightened, and wove it all into one fantastic story. Would you like to know how many "Jesus" characters there were prior to your christ (or as I like to call him "compilation christ"), well here is a list:

Adad of Assyria
Adonis, Apollo, Heracles ("Hercules") and Zeus of Greece
Alcides of Thebes
Attis of Phrygia
Baal of Phoenicia
Bali of Afghanistan
Beddru of Japan
Buddha of India
Crite of Chaldea
Deva Tat of Siam
Hesus of the Druids
Horus, Osiris, and Serapis of Egypt, whose long-haired, bearded appearance was adopted for the Christ character
Indra of Tibet/India
Jao of Nepal
Krishna of India
Mikado of the Sintoos
Mithra of Persia
Odin of the Scandinavians
Prometheus of Caucasus/Greece
Quetzalcoatl of Mexico
Salivahana of Bermuda
Tammuz of Syria (who was, in a typical mythmaking move, later turned into the disciple Thomas)
Thor of the Gauls

Universal Monarch of the Sibyls
Wittoba of the Bilingonese
Xamolxis of Thrace
Zarathustra/Zoroaster of Persia
Zoar of the Bonzes

As you can see this is a pretty extensive list, and I guarantee doing a little research on any of these characters just may shake your beliefs. Here's an example,

"With five loaves at the same time, and with two fishes, He shall satisfy five thousand men in the wilderness; And afterwards taking all the fragments that remain, He shall fill twelve baskets to the hope of many. . . .He shall still the winds by His word, and calm the sea as it rages, treading with feet of peace and faith. . . . He shall walk on the waves, He shall release men from disease. He shall raise the dead, and drive away many pains. . ."

Does this sound familiar?
It almost exactly matches a similar quote from the bible, I'm sure you are familiar with it.
Well this particular quote comes from the "Sybilline oracles", and was a prophecy of the coming of Horus, son of Osiris, of Egypt. That was about 1,000 years before christ. Here are some other similarities between Horus and your plagiarized hero christ.

Horus was born of the virgin Isis-Meri on December 25th in a cave/manger, with his birth being announced by a star in the East and attended by three wise men.

He was a child teacher in the Temple and was baptized when he was 30 years old.
(According to the bible wasnt jesus the first baptism ever? Then how could the Egyptians have wrote about it thousands of years before christ?)

Horus was also baptized by "Anup the Baptizer," who becomes "John the Baptist."

He had 12 disciples.
(Now this is getting wierd, it's almost like jesus stole this guys life or something)

He performed miracles and raised one man, El-Azar-us, from the dead.
(Hey didnt jesus raise some dude named Lazarus too? Oh no that guys name was Elazarus maybe it's not the same person... Sure it's not)

He walked on water.

Horus was transfigured on the Mount.

He was crucified, buried in a tomb and resurrected.

He was also the "Way, the Truth, the Light, the Messiah, God's Anointed Son, the Son of Man, the Good Shepherd, the Lamb of God, the Word" etc.
(really, so this god had all of your god's nicknames THOUSANDS of years

before he did, but you still probably think your little jesus fairy tale is true, well the list goes on)

He was "the Fisher," and was associated with the Lamb, Lion and Fish ("Ichthys").

Horus's personal epithet was "Iusa," the "ever-becoming son" of "Ptah," the "Father."

Horus was called "the KRST," or "Anointed One," long before the Christians duplicated the story.
(Hmm, KRST/Christ probably just another coincedence, right?)

In fact, in the catacombs at Rome are pictures of the baby Horus being held by the virgin mother Isis - the original "Madonna and Child" - and the Vatican itself is built upon the papacy of Mithra, who shares many qualities with Jesus and who existed as a deity long before the Jesus character was formalized. The Christian hierarchy is nearly identical to the Mithraic version it replaced. Virtually all of the elements of the Catholic ritual, from miter to wafer to water to altar to doxology, are DIRECTLY taken from earlier pagan religions.

7605. Same old Re: Radio Stuff for trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 15:39:39 UTC
From: Bill & Suzie Whatley <spud286@attbi.com>
Message-ID: <%u_O9.133916$qF3.9974@sccrnsc04>
Source record: 35213

Please stop posting the same listing repeatedly.

Once is sufficient.

73 & Thanks.

7606. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 15:40:04 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0ot2d650tcq97@corp.supernews.com>
Source record: 35214
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Tom Sevart" <n2uhcNOSPAM@yahoo.com> wrote in message
news:auhq7h$724qn$1@ID-52518.news.dfncis.de...
>
> "KB9TMP" <kb9tmp@juno.com> wrote in message
> news:v0khe8kra0ude8@corp.supernews.com...
>
> > If you want to celebrate the holiday in the pagen way that's fine.
> > Just don't call it Christmas, it wasn't called that before the
> > church took it over. Why use a Christian name for a pagen
> > holiday if you don't believe in God.
>
> What's wrong with the pagans taking the holiday back from the Christians?
I
> guess it's OK for Christians to take over pagan holidays, but not the
other
> way around.
>
> Tom
>

If you want to take over the holiday that's fine with me. Just don't
call it by it's Christian name. The Christians took over easter and
keep calling it by it's pagan name and I don't care for that either.
I call it what it is to the Christians, Resurrection Day if the pagans
want to celebrate easter that's ok too.

Why call something by it's Christian name if you don't believe
in the God of the Christians?

--

'73' & Happy New Year From KB9TMP

>

7607. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 16:03:41 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v0oueslggdrp9f@corp.supernews.com>
Source record: 35215
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Who died and left you net cop? Stuff it fat boy!

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

"john" <john@mchi.net> wrote in message
news:38lo0vcdo2erkemnchnhkh5kpumg57r290@4ax.com...
> Take this crap elsewhere
>
>
>
>
> On 26 Dec 2002 19:23:44 -0800, Kim_Jong_Il@volcanomail.com (Beloved
> Leader) wrote:
>
> >"Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
news:<v0n18mg9mv3v50@corp.supernews.com>...
> >
> >> For Admiral Poindexter's folks:
> >> Bomb, anthrax, attack, acid, hijack, skyjack
> >> sniper, plutonium, nuclear, Big Mac, jihad
> >> Democrats, terror, Howdy Doody, Oprah
> >
> >Howdy Doody? Now that's just going too far. You'd better cut it out this
minute.
>

7608. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 16:23:05 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0c7d71.3487456036@news.bellatlantic.net>
Source record: 35216
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Fri, 27 Dec 2002 02:38:28 GMT, "Keith Beckmann"
<Kbeckmann.spankme@wi.rr.com> wrote:

>I used the grid dip meter to set the resonance of the PI output section, so
>when both the tune and load capacitors are fully open (disengaged) that it
>dips at 52MHz, with all 3 - 6KD6's installed, and no HV applied, attached to
>a 50 ohm dummy load.
>
>I still am only getting about 10 watts output, with 10 watts drive.
>
>I'm thinking that 6KD6's just won't work at 50Mhz......

If 6146s will (and they do) all the way to 2m so will 6KD6.

They will. The problem is that the pi section output has too much
stray capacitance at 6m or your using far to much coil. I know it
works because I helped someone years ago with one.

Several hints. Use a tuned input to the cathodes, gives better
IMD and match to the exciter. Either a PI section or a variation of
a link tuner will do there. Look at the existing designs that are
now dated. A good source is OLDER (pre 1974) Radio Amatuer
Handbooks or VHF manuals.

Note if the PI output resonates at 6m then it's way off. Try cutting
off about half the coil and see what happens. If this is a "CB amp"
and you havent reduced the pi coil then it WILL NOT work. As the
purpose of the putput section is harmonic reduction (27x2=54!!!) and
matching the somewhat high impedence plates to the 50ohm coax.

Allison
KB1GMX

7609. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 16:47:12 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <v0p0tsiuagmjd1@corp.supernews.com>
Source record: 35217
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Now, your getting it!
The sweep tubes have 0% plate effiency at 50Mhz.
10w in, 10w out = 0% gain.

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Keith Beckmann" <Kbeckmann.spankme@wi.rr.com> wrote in message
news:E2PO9.35152$Zt4.404530@twister.rdc-kc.rr.com...
> "Tarmo Tammaru" <t-tammaru@home.com> wrote in message
> news:rLqdnTFTBvQntZujXTWcpA@comcast.com...
> > Keith,
> >
> > Your new RF choke seems about right. Use the grid dip oscillator to find
> > resonance when the capacitor is fully open. From what you say, your coil
> is
> > still too big. Don't worry too much about loading at this point, but set
> the
> > loading cap to different values when you check for resonance.
>
> I used the grid dip meter to set the resonance of the PI output section,
so
> when both the tune and load capacitors are fully open (disengaged) that it
> dips at 52MHz, with all 3 - 6KD6's installed, and no HV applied, attached
to
> a 50 ohm dummy load.
>
> I still am only getting about 10 watts output, with 10 watts drive.
>
> I'm thinking that 6KD6's just won't work at 50Mhz......
>
>
>
>

7610. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 16:58:57 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0C86D1.5040800@NOSPAMutoronto.ca>
Source record: 35218
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

KB9TMP wrote:
> "Tom Sevart" <n2uhcNOSPAM@yahoo.com> wrote in message
> news:auhq7h$724qn$1@ID-52518.news.dfncis.de...
>
>>"KB9TMP" <kb9tmp@juno.com> wrote in message
>>news:v0khe8kra0ude8@corp.supernews.com...
>>
>>
>>>If you want to celebrate the holiday in the pagen way that's fine.
>>>Just don't call it Christmas, it wasn't called that before the
>>>church took it over. Why use a Christian name for a pagen
>>>holiday if you don't believe in God.
>>
>>What's wrong with the pagans taking the holiday back from the Christians?
>
> I
>
>>guess it's OK for Christians to take over pagan holidays, but not the
>
> other
>
>>way around.
>>
>>Tom
>>
>
>
> If you want to take over the holiday that's fine with me. Just don't
> call it by it's Christian name. The Christians took over easter and
> keep calling it by it's pagan name and I don't care for that either.
> I call it what it is to the Christians, Resurrection Day if the pagans
> want to celebrate easter that's ok too.
>
> Why call something by it's Christian name if you don't believe
> in the God of the Christians?

Simply because it's a common point of reference. Why do
Christians recognize unmistakeable pagan symbols such as the
Easter bunny and Easter eggs?

--
Michael Moore

7611. Re: RigPix ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 17:08:25 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <dO%O9.169014$6k.3624541@news1.west.cox.net>
Source record: 35219

Tis dead but try URL's:
http://www.qsl.net/sm7vhs/radio/

AND
http://www.aade.com/hampedia/hampedia.htm

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com
"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0no383ftijl4d@corp.supernews.com...
> Does anyone know what has happened to
> http://www.rigpix.com/ it's been dead now
> for 3 or 4 days?
>
> --
> '73' From KB9TMP
> "The secret of life is honesty and fair dealing,
> if you can fake that, you've got it made."
> -Groucho Marx
>
>
>

7612. Re: RigPix ?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 17:15:31 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0p2lclgcs2d64@corp.supernews.com>
Source record: 35220

"AC6V" <ac6v@amsat.org> wrote in message
news:dO%O9.169014$6k.3624541@news1.west.cox.net...
> Tis dead but try URL's:
> http://www.qsl.net/sm7vhs/radio/
>
> AND
> http://www.aade.com/hampedia/hampedia.htm
>
> --
> I Doubt, Therefore I Might Be
> 73 From AC6V, Rod In Oceanside, CA
> http://ac6v.com

Thanks!!!

--

'73' & Happy New Year From KB9TMP

7613. Re: Motorola Lowband Syntor X9000 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 17:16:24 UTC
From: Bruce Lane <SpammersAreVermin@dev.nul>
Message-ID: <MPG.18762abf594790d798968e@192.168.42.131>
Source record: 35221
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

In article <BqUO9.80406$hK4.6609245@bgtnsc05-news.ops.worldnet.att.net>,
n.gianakopoulos@worldnet.att.net says...

> I am not sure if you can hold down the "shift" key when you enter an out of
> range frequency. Batlabs might have some info.

The shift key trick should work. If not, I seem to recall that
Batlabs has some info (or links to info) on tweaking the software's guts
to go out of band.

--
Bruce Lane, Owner and Head Hardware Heavy,
Blue Feather Technologies -- http://www.bluefeathertech.com
Amateur Radio: KC7GR (Formerly WD6EOS) since 12-77.
kyrrin (a/t) bluefeathertech dot-com (Reassemble to use)
"I'll get a life when someone demonstrates to me it would be superior to
what I have now..." (Taki Kogoma)

7614. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 17:17:54 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0p2ptea843ka1@corp.supernews.com>
Source record: 35222
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
news:3E0C86D1.5040800@NOSPAMutoronto.ca...
> KB9TMP wrote:
> > "Tom Sevart" <n2uhcNOSPAM@yahoo.com> wrote in message
> > news:auhq7h$724qn$1@ID-52518.news.dfncis.de...
> >
> >>"KB9TMP" <kb9tmp@juno.com> wrote in message
> >>news:v0khe8kra0ude8@corp.supernews.com...
> >>
> >>
> >>>If you want to celebrate the holiday in the pagen way that's fine.
> >>>Just don't call it Christmas, it wasn't called that before the
> >>>church took it over. Why use a Christian name for a pagen
> >>>holiday if you don't believe in God.
> >>
> >>What's wrong with the pagans taking the holiday back from the
Christians?
> >
> > I
> >
>>guess it's OK for Christians to take over pagan holidays, but not the
> >
> > other
> >
>>way around.
> >>
>>Tom
> >>
> >
> >
> > If you want to take over the holiday that's fine with me. Just don't
> > call it by it's Christian name. The Christians took over easter and
> > keep calling it by it's pagan name and I don't care for that either.
> > I call it what it is to the Christians, Resurrection Day if the pagans
> > want to celebrate easter that's ok too.
> >
> > Why call something by it's Christian name if you don't believe
> > in the God of the Christians?
>
> Simply because it's a common point of reference. Why do
> Christians recognize unmistakeable pagan symbols such as the
> Easter bunny and Easter eggs?

I don't know, but I for one don't do it.

--

'73' & Happy New Year From KB9TMP

>
> --
> Michael Moore
>

7615. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 17:25:18 UTC
From: Ann <annREMOVE@asarian-host.net>
Message-ID: <333p0vgvb9l79u1p36r8voroo2p5jpppl8@4ax.com>
Source record: 35223
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On Fri, 27 Dec 2002 10:40:04 -0500, "KB9TMP" <kb9tmp@juno.com> wrote:

>
>"Tom Sevart" <n2uhcNOSPAM@yahoo.com> wrote in message
>news:auhq7h$724qn$1@ID-52518.news.dfncis.de...
>>
>> "KB9TMP" <kb9tmp@juno.com> wrote in message
>> news:v0khe8kra0ude8@corp.supernews.com...
>>
>> > If you want to celebrate the holiday in the pagen way that's fine.
>> > Just don't call it Christmas, it wasn't called that before the
>> > church took it over. Why use a Christian name for a pagen
>> > holiday if you don't believe in God.
>>
>> What's wrong with the pagans taking the holiday back from the Christians?
>I
>> guess it's OK for Christians to take over pagan holidays, but not the
>other
>> way around.
>>
>> Tom
>>
>
>If you want to take over the holiday that's fine with me. Just don't
>call it by it's Christian name. The Christians took over easter and
>keep calling it by it's pagan name and I don't care for that either.
>I call it what it is to the Christians, Resurrection Day if the pagans
>want to celebrate easter that's ok too.
>
>Why call something by it's Christian name if you don't believe
>in the God of the Christians?

...but what's in a name? It's what we do that matters. I mean the
Christians have Christmas trees and then Easter eggs and Easter
bunnies....none of it is religious. It's all just a bit of fun. The
Christians can celebrate the festivals the way that they want to as
well, by going to church or whatever. Seriously, there's room enough
for everyone to do what they like and it really doesn't matter what
the name of the day is called....does it?

Ann

7616. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 17:49:24 UTC
From: me <me@none.com>
Message-ID: <Eo0P9.90955$vb3.3513748@news2.west.cox.net>
Source record: 35224
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Well, sometimes when the skip is right you can hear Jesus running 28 and 29
checks on 154.905 Mhz....

;-)

-me
"Fred Zepp" <jck54@optusnet.com.au> wrote in message
news:3e0c202f$0$18872$afc38c87@news.optusnet.com.au...
> ZZZZZZZZZZZZZZZZZ what the fuck has this got to do with scanners !
> ZZZZZZZZZZZZZZZZZZZZZZZZZZ
>
>
> "Beloved Leader" <Kim_Jong_Il@volcanomail.com> wrote in message
> news:26a0f230.0212262332.6e4bf88e@posting.google.com...
> > Dave Shrader <david.shrader@attbi.com> wrote in message
> news:<3E0BB81D.5090106@attbi.com>...
> >
> > > As far as the "Son of God" and His divinity your skepticism is well
> > > founded. The early followers of Jesus debated the Messiah [Christus}
and
> > > Divinity questions for almost 400 years. So, you are in good
> > > intellectual company. However, at the General Council of Ephesus
> > > [approximately 425 AD] the Christian church, which is the predecessor
of
> > > Catholic Church, put the question to bed.
> >
> > "Catholic Church put the question to bed"? [rolling my eyes]. And that
> ain't all.
>
>

7617. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 17:56:20 UTC
From: me <me@none.com>
Message-ID: <8v0P9.90989$vb3.3516603@news2.west.cox.net>
Source record: 35225
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Well what a surprise - a troll that changes her spots to sneak past my plonking. It's not enough to disagree with me, no you need to make sure I see it. How typically juvenile. You and John Mackey would make a great couple.

back you go... plonk.
-me

"A" <nochance@nochance.net> wrote in message news:76bo0v862mtlqsqujlhoc80laglao4qtim@4ax.com...
> On Thu, 26 Dec 2002 23:34:15 GMT, "me" <me@none.com> wrote:
>
> >It's obvious from your inane rantings that you don't really give a damn
> >about anything.
> >
> >Go back under your rock.
> >-me
> >"Ann" <annREMOVE (what a great idea) PLONK.
>
> Ooh thanks.....my first plonk since christmas.....

7618. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 18:46:07 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <Pd1P9.27398$%3.6730085@twister.neo.rr.com>
Source record: 35226
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message

Good question Michael.
DeWayne

>Why do Christians recognize unmistakeable pagan symbols such as the
> Easter bunny and Easter eggs?
>
> --
> Michael Moore
>

7619. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 18:52:42 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0ca153.3496642145@news.bellatlantic.net>
Source record: 35227
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Fri, 27 Dec 2002 10:47:12 -0600, "M.E." <bogus@nospam.com> wrote:

>Now, your getting it!
>The sweep tubes have 0% plate effiency at 50Mhz.
>10w in, 10w out = 0% gain.

Nope. The ouput section is lowpassing all the RF away.

I have a Courier MDL-100 (OLD CB linear) using two 6KD6s
and with the coil trimmed 4 Watts carrier yeilds a nice 38 Watts (75w
pep) output when loaded correctly for SSB use. For CW I can push that
harder but that 38watt level is for clean signals.

Sweep tubes were widely used for inexpensive amplifiers up to 6m
with fair results. The IMDs were sometimes poor is not done right.

Allison

7620. McElroy key FS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 19:08:35 UTC
From: G4BXD@qsl.net
Message-ID: <3e0c7132.861212@news.compuserve.com>
Source record: 35228

see:

www.qsl.net/g4bxd/g4bxd7.htm

BN>

7621. Re: The True Meaning Of Christmas. Oil, end of the world, something to think about while counting down to new year.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 19:29:04 UTC
From: CW <clinton.magers@attbi.com>
Message-ID: <4S1P9.530785$QZ.77431@sccrnsc02>
Source record: 35229
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

People like to talk crap about Outlook Express but it does have some useful features such as being able to wipe out an entire thread. Watch, I'll demonstrate.....
"Ain't Real" <donotreply@hotmail.com> wrote in message news:kefn0vgs192hpiqsnucd0ckv8ftkoan1df@4ax.com...
> On Thu, 26 Dec 2002 21:05:07 -0000, "proma1" <proma1@ntlworld.com>
> wrote:
>
> Oil bud, that is all it is about.
>
> I found this at RENSE.com. I didn't have the exact link, so I'll
> repost the whole article. Think about what is being said.
>
> Iraqi Oil Not Enough For US
> Last Days of America?
> By Stuart H. Rodman
> stuarthrodman@earthlink.net
> 12-22-2
>
>
> The forces of nature are poised to unleash a powerful salvo of
> potential kill shots at America and even if powered by all the oil in
> Iraq, we will be unable to stop it. Consider the following:
> Tens of millions lost at sea. Not from a terror attack or in some
> sci-fi scareflick, but in their own homes when America's east coast is
> swallowed up by a raging surge from the North Atlantic. That's what
> will happen when the Cumbre Vieja volcano on La Palma erupts in the
> Canary Islands off the West Coast of Africa, sending a rockslide of
> biblical proportions splashing into the sea. And scientists agree,
> it's not a question of "if" but when.
> The threat from so called "mega-tsunamis" like the one awaiting us
> from off the coast of Africa is not the only bad news from nature.
> Residents of our planet's northern hemisphere have only recently been
> learning about the catastrophic threat of super volcanoes like the
> active one in America's own Yellowstone Park which has defoliated
> North America and wiped out most of the world's food supply during its
> last and most likely not its final eruption. But over the last several
> years though, Geologists have told the UK Government that the country
> risks being hit by a giant wave of water that could destroy many
> coastal communities,
> "Experts at University College London (UCL) have contacted the science
> minister Lord Sainsbury to warn him that a collapsing volcano in the

> Canary Islands could send a wall of water, hundreds of metres high,
> sweeping out over the Atlantic Ocean".
> The devastation would be so widespread that not only the East Coast of
> the United States and the Caribbean would be submerged by the event
> but also even parts of Great Britain would succumb to the disaster.
> According to the BBC,
> "Dr Simon Day, of Benfield Greig Hazard Research Centre, UCL, says the
> western flank of the Cumbre Vieja volcano on La Palma is unstable and
> could collapse during a major eruption. This might send half a
> trillion tonnes of rock crashing into the sea at once".
> The BBC report goes n to place the magnitude of the coming disaster
> into proportion,
> "Modeling by colleagues in Switzerland shows that such a landslide
> could trigger a so-called mega-tsunami, which has an initial wave
> height of 650 metres (2,130 feet) and moves out over the ocean at
> speeds up to 720 km/h (450 mph)"
> (
>
<http://news.bbc.co.uk/1/hi/sci/tech/956280.stm>http://news.bbc.co.uk/1/hi/s
ci/tech/956280.stm
>)
> By the time such a wave crossed the Atlantic, its power would have
> diminished but it could still wreak havoc up to 20 kilometers (12
> miles) inland.
> Can't happen? Think again. In 1958 a rockslide created wave in Alaska
> more than 1,500 feet high, smashed into the coastal community of
> Lituya Bay. The rockslide occurred along the eastern wall of the
> Gilbert Inlet:
> "The mass of rock striking the surface of the bay created a giant
> splash, which sent water surging to a height of 1720 feet across the
> point opposite the inlet. This initial sheet of water stripped all
> vegetation from the point, leaving a bare rock face."
> http://www.usc.edu/dept/tsunamis/alaska/1958/webpages/index.html)
> The mega tsunami from La Palma could devastate Americans from Boston
> to Miami in one splash. In 1998, a huge tsunami, caused by a landslide
> under water, submerged large parts of Papua New Guinea, killing an
> estimated 2,000 people.
> Will these be the last days of America?
> Our Place in The Cosmos
> Many are already aware that our species is under siege from comets,
> super volcanoes, mega tsunamis and not the least of all, ourselves. We
> shouldn't be surprised about this. After all, we already know that our
> planet's history is rife with species ending disasters. Otherwise we
> would all be dinosaurs.
> According to acclaimed physicist Michio Kaku though, the rise and fall
> not only of enormous reptiles but of intelligent life as well may be
> common throughout the universe. We all must live in a troubled
> neighborhood. In a universe full with black holes, comets, supernovae,
> predatory virus, and runaway planetary forces, few civilizations
> survive long enough to develop technologies to harness the cosmic and

> planetary forces that will ultimately snuff them out.
> Kaku speaks about "the laws of planetary evolution":
> "Any advanced civilization must grow in energy consumption faster than
> the frequency of life-threatening catastrophes (e.g. meteor impacts,
> ice ages, supernovas, etc.). If they grow any slower, they are doomed
> to extinction. This places mathematical lower limits on the rate of
> growth of these civilizations."
> Kaku says that to survive requires growing sources of energy just to
> keep pace with demand,
> "Specifically, we can rank civilizations by their energy consumption"
> And America leads our world in energy consumption. Unfortunately, we
> derive most of our energy from a commodity that we don't have enough
> of, oil. According to some, we can begin to find the alternative
> resources to build a secure energy future right here within our
> borders.
> But others, already invested in the infrastructure of the past have
> another plan for us. What they don't have for themselves, they can
> just steal from those who do.
> America's most giant corporations have Oil rich Islam staring down the
> barrels of their hired guns. But while Exxon and Unocal drool at the
> prospect of how they can best divie up the loot from what may later be
> known as History's greatest armed robbery, it's time the rest of us
> pause to think outside the box.
> Consider. Our planet's limited supply of oil was created on earth
> millions of years ago and will eventually either run out or become
> thermodynamically and economically worthless.
> And remember this. It takes energy to drill for oil let alone refine
> and transport it for market. In order for civilization to benefit from
> an energy resource, the finished product must be able to release more
> energy when put to work, than was used to prepare and develop it. As
> the easy to find oil is exhausted, the more difficult to extract oil
> that remains is less useful. Eventually, despite advances in drilling
> technology, the world's oil will become less attractive than available
> alternatives or may simply become worthless as a source of useful
> energy.
> As that day approaches, we live in an America long since petroformed
> by the oil industry from a land of independent family farms and
> businesses, to a nation dependent like serfs on their lord, on the
> barons of oil for everything from fuel to fertilizer. Today as we
> watch without protest, a new Feudalism is being forged worldwide by
> their hired guns, our indignation subdued by the prospect of fueling
> our SUVs with cheap ill begotten oil.
> And we will kill for them.
> Finding the High Ground
> The high ground of the future is wherever the net energy is. That's
> the energy we can put to work without having to expend much existent
> energy to get it.
> It's a measurement that really matters. Kaku cites the work of a noted
> astronomer,
> "In a seminal paper published in 1964 in the Journal of Soviet

> Astronomy, Russian astrophysicist Nicolai Kardashev theorized that
> advanced civilizations must therefore be grouped according to three
> types: Type I, II, and III, which have mastered planetary, stellar and
> galactic forms of energy, respectively. He calculated that the energy
> consumption of these three types of civilization would be separated by
> a factor of many billions."
> Will we sustain ourselves long enough to reach even the first rung on
> the ladder? Either we will or we will simply join the growing list of
> extinct species found on our planet and thought to riddle the
> universe. Kaku must think we have a long way to go just to get on the
> first rung,
> "A Type One civilization is one that controls the energy resources of
> its planet. This civilization can control the weather, prevent
> earthquakes, mine deep in the earth's crust, and harvest the oceans.
> This civilization has already completed the exploration of its solar
> system".
> As we know from La Palma and Yellowstone, we will need to control our
> own planetary forces or face certain extinction. But in our present
> day reality, as we know it, controlling weather and completing the
> exploration of our own solar system could be generations away, if we
> sustain ourselves to that point. The energy consumed in getting there
> will far outstrip the latent energy of our rapidly depleting fossil
> fuel legacy.
> But few at the top are thinking about that.
> A recent report by Alex Johnson of MSNBC that demonstrates that our
> actions in the Mideast are tailored for an energy policy catering not
> to the available resources on our table, but to the proprietary
> interests of Big Oil and their lust for other people's resources.
> Johnson said,
> "The belief in some circles is that the heavy reliance on foreign oil,
> including Iraqi crude, is factored into the White House plans to take
> on Saddam."
> Some circles?
> Johnson of MSNBC quotes Randy Udall of the Community Office for
> Resource Efficiency,
> "If you think of U.S. oil production as a six-pack ... of petroleum,
> four of the cans are empty. We're kind of a black hole for energy,"
> Johnson also quotes George Sterzinger, executive director of the
> Renewable Energy Policy Project,
> "There are technologies that exist now [that] could replace looming
> shortfalls in fossil resourcesR&D has paid off"
> Truth? In the year 2000, U.S. energy consumption was estimated at 10^2
> quadrillion Btu, a staggering figure. Incredibly though, more than 10
> million more quadrillion units of solar energy hits the ground on
> American soil each day than we used that whole year!
> We could build a better mousetrap. The ray's of the sun could used to
> generate cost effective electricity, to grow biofuels, or manufacture
> hydrogen to fuel vehicles. In a free market, they'd beat a path to our
> door. Johnson wrote to his mainstream readers,
> "But, alternative energy advocates say, the game is rigged. They

> complain that those shortcomings could be surmounted with adequate
> federal support, and they accuse the government of talking a good game
> but failing to deliver."
> Talking about Big Oil, Johnson pointed out,
> "Since Bush took office, his administration has directed a total of $6
> billion in subsidies toward conservation, fuel efficiency and
> renewable resources, less than a quarter of the $27 billion it has
> spent on fossil fuels, according to an analysis by The New York
> Times."
> So much for free enterprise. Fact is the deck is stacked. Someone's
> already decided that what we don't have we'll just steal.
> Speaking to the mainstream, Johnson himself admits,
> "The U.S. energy challenges are much more grave than the president,
> the Senate or the House has recognized, than anybody has ever
> articulated to the American people."
> And civilization's need for energy may know no bounds. Consider these
> words from Kaku,
> "A Type Two civilization is one that controls the power of the sun
> itself. This does not mean passively harnessing solar energy; this
> civilization mines the sun. The energy needs of this civilization are
> so large that it directly consumes the power of the sun to drive its
> machines. This civilization will begin the colonization of local star
> systems."
> And then what?
> "A Type Three civilization is one that controls the power of an entire
> galaxy. For a power source it harnesses the power of billions of star
> systems. It has probably mastered Einstein's equations and can
> manipulate space-time at will."
> Forget about it.
> The Death Sentence
> Our present day oil economy, though more efficient than steam or whale
> blubber, won't get us where we need to go and the forces of the
> universe may not allow us the time to find the alternative. Unless we
> do, our names and the names of our children will be written in some
> virtual graveyard of forgotten civilizations; from dust to dust.
> And there are problems already within the event horizon.
> I learned from Jay Hanson's unrelenting study of the oil industry
> (<http://dieoff.org/>http://dieoff.org), that in the '50s they could
> produce 50 barrels of energy for every barrel consumed producing
> finished products for the market. By the nineties, the ration had
> fallen to 5 barrels to 1. By the year 2005, the industry will just
> break even-it will be necessary to use as much energy to produce any
> given quantity.
> Oil production peaked in the lower forty eight states decades ago and
> even with the potential production of fields in Alaska, we will still
> remain dependent on imports if we plan to continue selling our big
> cars. Soon though, because of the thermodynamic costs, it won't be
> logical to look for new oil in anywhere in the US because, even if you
> could sell oil for $500 a barrel, exploring, drilling, and
> transporting it to market would consume more energy than it would

> recover.
> The Oil companies already know this. They have to try harder. They
> have long since outgrown the producing oil reserves in this country
> and they now have literally set their sights on the low hanging fruit
> in the Caspian Sea and the vast reserves of Iraq. Of course though,
> even these thermodynamically rich resources won't be around forever
> amid exponentially growing worldwide demand.
> Still Unocal, Halliburton, Exxon, and their off shore clones have
> worked hard to install a national leadership to do their bidding for
> them. They had to because the cost of doing business has gotten so
> much higher. In this case though, they found a way to offset the high
> costs of acquisition. They can get to the thermodynamically good stuff
> with taxpayer payer subsidized munitions. Once at the oil patch, the
> rest will be child's play. And they want to strike while the iron is
> hot.
> Fact is the oil companies have already recovered the easy stuff. Oil
> is simply becoming more and more thermodynamically expensive worldwide
> and now in order to survive, Oil companies need to concentrate on the
> low hanging fruit, the "elephant finds", the ones found in other
> people's countries.
> MSNBC's Johnson, quoting petro industry sources point out,
> "The U.S. economy runs on oil, and it does so because it is cheap and
> convenient - 'it isn't any more complicated than that,' an industry
> official said."
> Simple but sad. Through the miracle of petroforming, competing energy
> sources aren't as versatile as petroleum. They even invented a word
> for it. Johnson says,
> "They're not what the industry calls 'fungible,' meaning they can't be
> used for a wide spectrum of applications".
> Like producing our food.
> The bad news is though, when the oil supply ultimately fails, absent
> alternative technologies, the world's food supply will go with it. But
> when it comes to developing alternative technologies though, in a
> government controlled by former oil company kingpins, Johnson quotes
> George Sterzinger, Executive Director of the Renewable Energy Policy
> Project, as saying "policies don't move in that direction."
> Too bad.
> Kaku says,
> "Even an advanced civilization is bound by the laws of thermodynamics,
> especially the Second Law, and can hence be ranked by the energy at
> their disposal."
> In reality, because there is in only a dwindling supply of energy that
> can be sucked from the well, absent an alternative, we will be living
> in an "energy limited economy". Hanson offers this definition,
> <http://dieoff.com/page185.htm>http://dieoff.com/page185.htm
> "An 'energy-limited economy' is one where more energy cannot be had at
> any price. The global economy will become 'energy-limited' once global
> oil production peaks."
> And that could happen soon but when it does, whenever it does, it
> could mean more trouble than just lining up at the filling station.

> Consider the problem facing agriculture. Hanson points out,
> <http://dieoff.org/page185.htm>http://dieoff.org/page185.htm
> "Food grains produced with modern, high-yield methods (including
> packaging and delivery) now contain between four and ten calories of
> fossil fuel for every calorie of solar energy."
> Hanson adds,
> "It has been estimated that about four percent of the nation's energy
> budget is used to grow food, while about 10 to 13 percent is needed to
> put it on our plates. In other words, a staggering total of 17 percent
> of America's energy budget is consumed by agriculture!"
> Again citing other sources, Hanson states,
> "By 2040, we would need to triple the global food supply in order to
> meet the basic food needs of the eleven billion people who are
> expected to be alive. But doing so would require a 1,000 percent
> increase in the total energy expended in food production."
> Following the peak of oil production, absent an alternative, Hanson
> notes,
> "It will be physically impossible -- thus economically impossible --
> to provide enough net energy to agriculture"
> Hanson adds grimly,
> "Obviously the death sentence for billions of people has already been
> issued".
> The Type One Club
> The once and future lords of the realm, now stocking their counting
> rooms with the gold from our pockets and soon they hope from the black
> gold from beneath the oil fields of Arabia, may plan for survival long
> enough for them to bear witness to a coming die off. The demand for
> life sustaining resources will ultimately be balanced by the supply
> and there will only be so much to go around. Organic farmer, Mark
> Snyder states,
> "Civilization will develop a new agriculture free from the petro
> chemicals now used for its existence or time will run out before we
> even understand what we have done to ourselves."
> And there's another danger. Kaku calls it the "Uranium Boundary". We
> can build bombs that could end civilization, but we are a long way
> from using nuclear power to produce any kind of clean net energy.
> Today's fission based nuclear plants are net energy losers and the
> more promising fusion technologies of tomorrow require many times more
> energy to operate than they can currently produce. The problem is that
> the development of civilization sustaining energy sources requires
> long-term investment.
> It may just be though, that Unocal has already reasoned that there's
> not going to be enough time or enough food to go around for everyone,
> so it might as well be "them" that goes. They will stock their
> cupboards with whatever they need to hunker down for the long haul and
> they may even want to keep some of the rest of us around to till their
> soil along the way.
> There are probably many among us that would be content to go along for
> that ride. It's the old "them or us". If that sounds good to you go
> for it!

> Otherwise face it.
> Allowing ourselves to steal oil from one another is just the most
> recent demonstration of the lengths a desperate few will go to remain
> in control. All the gasoline-fired engines in the world can't turn
> back the tides of the ocean or divert the explosive fury of even the
> smallest volcano. Sure, that privileged few might survive, for a while
> at least, but for most of us, it just won't work.
> But that's all in the future right? In this the Age of the Consumer
> Economy, we have been carefully conditioned to expect immediate
> gratification. Given the right mix of consumer products, say remote
> controlled cable TV and your favorite aspartame laced diet cola, we
> can trade worry for happiness.
> Still, even school kids are taught that crime doesn't pay. In the case
> of Unocal and their corporate collaborators though, it's also a waste
> of our time. Granted that justice, though certain may not always seem
> swift. But considering there's already an undiscovered comet out there
> with our name on it, time may be the one thing that we just don't have
> enough of.
> So for those not already numbed by neurotoxic consumables or the info
> warfare waged upon us by our media and the elite brokers that use them
> to convince us all will be OK if we just buy more of the products that
> make their top investors rich, there will have to be another way.
> Although there may be enough oil left in the ground to keep our SUV's
> speeding down the breakdown lanes of the world's highways at least for
> a few more years, our chemical rockets and diesel engines will no more
> re-excavate the slopes of the Cumbre Vieja volcano than take humans to
> the reaches of our solar system.
> But we can rediscover the energy of sunlight, reform agriculture, and
> develop an economy of efficiency. It may or may not be too late but
> only by doing so, can we extend the lifespan of civilization and even
> hope to gain admittance to some Type One Club of survivor
> civilizations. Of course policies don't move in that direction though
> and we may just be too preoccupied now to start doing so.
> In the meantime, by betting the farm on our dwindling fossil legacy we
> will be burning the bridge between our geological history and our
> long-term hope for survival. Along the way, our hands dutifully locked
> in a stranglehold on the wheel, we leave ourselves vulnerable to the
> broadside awaiting us around the next curve from the unimaginable
> forces of planetary change that foretell our extinction.
> The shameless taking of cheap oil from Peter to give to Paul will be
> making somebody else rich by the bloodshed of countless others, our
> own progeny included, but it too will soon run out. Fool's gold. When
> the party is over, some of us may be fat and sassy but there will
> likely be a lot fewer humans in the world to bully around, untold
> collateral damage on the home front, and little else to assure the
> survival of our seed.
> The short score?
> For now at least, the petro chemical giants and the armies they
> command have become our masters. They have petroformed our land to
> forge a new feudalism from the ashes of the old realm from which they

> are themselves descended. Today, as the dark clouds of war gather,
> they know that the future world of humans will shrink and spasm but
> they will remain safe, hunkered down in their castles, their cupboards
> stocked for the centuries with the ill begotten gold of others.
> As for the rest of us. The vast riches of our once and future masters
> will do us little or no good, save for some scraps that fall from
> their tables. Though they are mighty, the explosive fury of their
> bombs will pale compared with the unrestrained destructive forces of
> nature that will be left poised to annihilate our planet.
> And we have been well trained to play our part. Eat, drink, and be
> happy. Without dumb luck though, the finite fossil fuel legacy of
> earth's past will not get us through tomorrow, when humanity might
> die.
> Kaku suggests that the universe is littered with the corpses of
> civilizations that failed to reach the Type One high ground of energy
> needed to counterbalance the unimaginable power of cosmic forces that
> both create and destroy.
> Either we will divest ourselves of the oil-slicked bonds that chain us
> to our addictions and to those that foster the illusions needed to
> keep us dependent upon them, or we will perish.
> It will be one way or it will be the other.
> Merry Christmas.
> Summary:
> Mega tsunami poised to destroy east coast Similar wave hit Alaska in
> 1958 Americans just now learning about super volcano in Yellowstone
> Wave from rockslide killed 2000 in Papua in 1998
> Our place in the cosmos:
> Species ending disasters not new on earth Kaku thinks they may be
> commonplace throughout universe Civilizations may come and go It is
> possible for a civilization to survive catastrophes Survivors master
> cosmic and planetary forces that threaten them Civilizations can be
> classified by their use of energy We do not have enough energy to
> become Type One Oil companies rebuilt America in its image and we are
> their serfs We will kill for them
> Finding the high ground:
> Net energy is the high ground of the future America is out of net
> energy Oil companies want the easy pickins because that is where the
> juice is America has become a black hole for energy Our energy policy
> is tied only to the interests of the Oil Companies
> Death Sentence:
> Oil companies need net energy sources American oil is too
> thermodynamically expensive The oil companies will take what they
> don't have Our economy has been built on their products and we are now
> captive The oil companies want to remain in control Our food supply
> depends on oil energy When the oil supply goes people will die off
> from starvation.
> The Type One Club:
> Either we will divest ourselves of the oil companies or we will not
> sustain our seed.
>

>
> >no i would want the real people dealt with and with terrorism a normal
war
> >is not going to make any differance.
> >
> >
> >attacking Afghanistan and Iraq makes no differance on world
terrorism,good
> >intelligence is a much better weapon
> >
> >
> >if Saddam has any weapons technology that will leave Iraq,towards another
> >country,i hope that all the billions spent on defencsive radar/sattelite
> >technology etc will see it and then US/UK/NATO or whoever then shoots it
> >down and then that will justify any incursion by those forces into Iraq.
> >
> >So by letting Saddam alone but keep a close eye on anything leaving Iraqi
> >airspace,something i doubt would happen anyway,we would then have
> >justifyable reason to go in,but we have no reason as yet to go in.
> >
> >
> >Kuwait/Saudi/China and a load of other regimes,incluiding the new Afhgan
> >regime,have governments as worse as Saddam or pretty damn near.
> >
> >US have destablised many deomocracies in recent history,either directly
or
> >by CIA dirty tricks,so dont tell me they know about democracy in the
> >US,recent history proves to the contrary.
> >
> >
> >why do people like you asume my thoughts would be differant if it
happened
> >in the UK,my principles and beliefs stay the same,if we do go to war,i
will
> >do whatever i can to demonstate my disgust,as i did during the Gulf war
and
> >Falkland Islands.
> >
> >
> >voting is not good enough if you are against the war,then block
> >roads/businesses,refuse to pay taxes/go on strike/shout it out to
govermnent
> >officials/disrupot live television events.
> >
> >In my last job before getting the sack,i sent emails to all our companies
US
> >customers registering my disgust at US government,i am in the process of
> >setting up a global anti war campaign,based on peaceful but dirsuptive
> >demonstrations.
> >

> >
> >nothing violent just,violence will make you as bad as
Saddam/Bush/Blair,but
> >dont this war happen on the current terms
> >
> >
> >
> >peace for 2003
>
> :)
>
> Quentin's Monologue from 'Sleep With Me' (partial)
> ...
> What is Top Gun? You think it's a story about a bunch of fighter pilots.
> [Duane: It's about a bunch of guys waving their dicks around.]
> It is a story about a man's struggle with his own homosexuality.
> It is! That is what Top Gun is about, man.
> ...
> :)

7622. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 19:50:47 UTC
From: me <me@none.com>
Message-ID: <ra2P9.92124$vb3.3549141@news2.west.cox.net>
Source record: 35231
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
news:3E0C86D1.5040800@NOSPAMutoronto.ca...
> Why do Christians recognize unmistakeable pagan
> symbols such as the Easter bunny and Easter eggs?
>

Same reason they use the church as a gossip hall or a place to pick up women. They're human. Most people who call themselves Christians act like the rest of the world does 6 days a week. I'm no saint either, but I do try (when I catch myself doing wrong) to improve myself and try to treat people the way He would - not easy, especially when certain people really ask for it.... That's the beauty of accepting the gospel - I don't have to be perfect, because He was in my place. (Lucky for me, let me tell ya...)

But hey - it's not for everyone and that's entirely up to you. To each their own. I'm not here to try to convince you of what you should or should not believe. Some Christians have cited biblical reasons to me why I should, but I prefer to quietly respect everyone's right to choose for themselves.

Now, on to scanning! The wife just cleared the purchase of a PRO-95 on the way home! (I had to promise her a new jacket too - hope she doesn't want mink... LOL)

-me

7623. Looking for Bassett 75 meter mobile coils

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 20:01:29 UTC
From: thompson@mindspring.com
Message-ID: <auibia$10m$2@slb5.atl.mindspring.net>
Source record: 35232

I am Looking for Rex Bassett 75 meter mobile coils. These were sold by Bassett and then by Savoy
Electronics in Florida (1955 to 1975 or so). They are vacuum sealed and filled with helium. I am looking for 1 or more.

Please price and condition in an e-mail direct to me.

Thanks

Dave K4JRB
thompson@mindspring.com

7624. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 20:14:23 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <zw2P9.27063$P36.496917@twister.rdc-kc.rr.com>
Source record: 35233
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

<nospam@nouce.bellatlantic.net> wrote in message
news:3e0c7d71.3487456036@news.bellatlantic.net...
> On Fri, 27 Dec 2002 02:38:28 GMT, "Keith Beckmann"
> <Kbeckmann.spankme@wi.rr.com> wrote:
>
> >I used the grid dip meter to set the resonance of the PI output section,
so
> >when both the tune and load capacitors are fully open (disengaged) that
it
> >dips at 52MHz, with all 3 - 6KD6's installed, and no HV applied, attached
to
> >a 50 ohm dummy load.
> >
> >I still am only getting about 10 watts output, with 10 watts drive.
> >
> >I'm thinking that 6KD6's just won't work at 50Mhz......
>
> If 6146s will (and they do) all the way to 2m so will 6KD6.
>
> They will. The problem is that the pi section output has too much
> stray capacitance at 6m or your using far to much coil. I know it
> works because I helped someone years ago with one.
>
> Several hints. Use a tuned input to the cathodes, gives better
> IMD and match to the exciter. Either a PI section or a variation of
> a link tuner will do there.

Most of the old ARRL designs have a tuned input, but are coming in one of
the grids, rather than the cathode.

A PI section is EZ enough, what should I be using for values?

> Look at the existing designs that are
> now dated. A good source is OLDER (pre 1974) Radio Amatuer
> Handbooks or VHF manuals.

I've got a few ARRL manuals from 1967, 1969 and 1978, but haven't found one
with a tuned input coming in the cathode.

> Note if the PI output resonates at 6m then it's way off. Try cutting
> off about half the coil and see what happens. If this is a "CB amp"
> and you havent reduced the pi coil then it WILL NOT work. As the
> purpose of the putput section is harmonic reduction (27x2=54!!!) and
> matching the somewhat high impedence plates to the 50ohm coax.

Yes, this was an 11M amp, taken out of service by me, a license ham (KB9WMJ).

The original coil was about 6 turns of #14, on 3/4" diameter. I removed it, and am using 2.5 turns #10 solid on 1.5" diameter stretched out to about 3" long. As I said it's resonant at 52 MHz with both tuning caps wide open. I shortened all the leads, and am going right from the top of the plate RFC right to the tune cap with a .01 uF cap (maybe 1/2" leads), right to the PI coil (no leads), right to the load cap (no leads) to a piece of RG-58 (1/2" leads), which goes down to the TR relay. The plate leads on the tubes are a little longer than needed, so I could shorten them.

I wonder if the small beads (RF Chokes) on the plate wires are affecting this any? They are really tiny (1/4" diameter).

Where should the PI network be resonant?

Just for kicks, I removed the 6KD6's, and replaced them with 6JS6C's (lower output capacitance 10 pF) . I was able to get 80 watts output, with 10 watts drive (FM), but it acted funny.

When I would first key up, the output power would be low, say 10 to 15 watts, with 10 watts drive. As I left it keyed, the output power would slowly increase to about 80 watts after about 10 seconds. If I un-keyed, and then immediately keyed up again, the power would start at 10-15 watts, and slowly move up to 80 watts (in about a second). If I left it alone for a minute, and keyed, then the power output would be low (10-15W), and go up to 80 in about 10 seconds.

Really weird, and the plates were not red, HV was constant, input power didn't change, but plate current would increase as power output increased. I thought that perhaps I had a bad tube, so I replaced them with another set, with similar results.

I really think I'm getting somewhere with the 6JS6's, so maybe a tuned input will help.

7625. WTB: Icom EX-243 & UT-36

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 20:16:34 UTC
From: rs2bk@aol.com
Message-ID: <20021227151634.28420.00000338@mb-fv.aol.com>
Source record: 35235

Looking for the keyer and the voice synthesizer
for my IC-970.

Jim Roseman w9ud
Moline, IL 61265

7626. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 20:18:35 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <Lx2P9.26468$eB.369641@twister.kc.rr.com>
Source record: 35234
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

I'm glad to hear that the 6KD6's will work at 50 MHz. That answers one of
my original questions.

<nospam@nouce.bellatlantic.net> wrote in message
news:3e0ca153.3496642145@news.bellatlantic.net...
> On Fri, 27 Dec 2002 10:47:12 -0600, "M.E." <bogus@nospam.com> wrote:
>
> >Now, your getting it!
> >The sweep tubes have 0% plate effiency at 50Mhz.
> >10w in, 10w out = 0% gain.
>
> Nope. The ouput section is lowpassing all the RF away.
>
> I have a Courier MDL-100 (OLD CB linear) using two 6KD6s
> and with the coil trimmed 4 Watts carrier yeilds a nice 38 Watts (75w
> pep) output when loaded correctly for SSB use. For CW I can push that
> harder but that 38watt level is for clean signals.
>
> Sweep tubes were widely used for inexpensive amplifiers up to 6m
> with fair results. The IMDs were sometimes poor is not done right.
>
> Allison
>

7627. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 20:58:02 UTC
From: john <john@mchi.net>
Message-ID: <5nfp0v06tkn1qvmjm95kjnifquah33pilk@4ax.com>
Source record: 35236
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

This is rec.radio not rec.christmas BOZO

On Fri, 27 Dec 2002 11:03:41 -0500, "Fred Hambrecht Sr."
<w4jle@charter.net> wrote:

>Who died and left you net cop? Stuff it fat boy!

7628. Re: The True Meaning Of Christmas. Oil, end of the world, something to think about while counting down to new year.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 20:58:58 UTC
From: john <john@mchi.net>
Message-ID: <npfp0vgrhdjjpd77cpo5m9ttecv1kpqlqp@4ax.com>
Source record: 35237
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

GO AWAY

On Fri, 27 Dec 2002 19:29:04 GMT, "CW" <clinton.magers@attbi.com>
wrote:

>People like to talk crap about Outlook Express but it does have some useful
>features such as being able to wipe out an entire thread. Watch, I'll
>demonstrate.....
>"Ain't Real" <donotreply@hotmail.com> wrote in message
>news:kefn0vgs192hpiqsnucd0ckv8ftkoan1df@4ax.com...
>> On Thu, 26 Dec 2002 21:05:07 -0000, "proma1" <proma1@ntlworld.com>
>> wrote:
>>
>> Oil bud, that is all it is about.
>>
>> I found this at RENSE.com. I didn't have the exact link, so I'll
>> repost the whole article. Think about what is being said.
>>
>> Iraqi Oil Not Enough For US
>> Last Days of America?
>> By Stuart H. Rodman
>> stuarthrodman@earthlink.net
>> 12-22-2
>>
>>
>> The forces of nature are poised to unleash a powerful salvo of
>> potential kill shots at America and even if powered by all the oil in
>> Iraq, we will be unable to stop it. Consider the following:
>> Tens of millions lost at sea. Not from a terror attack or in some
>> sci-fi scareflick, but in their own homes when America's east coast is
>> swallowed up by a raging surge from the North Atlantic. That's what
>> will happen when the Cumbre Vieja volcano on La Palma erupts in the
>> Canary Islands off the West Coast of Africa, sending a rockslide of
>> biblical proportions splashing into the sea. And scientists agree,
>> it's not a question of "if" but when.
>> The threat from so called "mega-tsunamis" like the one awaiting us
>> from off the coast of Africa is not the only bad news from nature.
>> Residents of our planet's northern hemisphere have only recently been
>> learning about the catastrophic threat of super volcanoes like the
>> active one in America's own Yellowstone Park which has defoliated
>> North America and wiped out most of the world's food supply during its
>> last and most likely not its final eruption. But over the last several
>> years though, Geologists have told the UK Government that the country

>> risks being hit by a giant wave of water that could destroy many
>> coastal communities,
>> "Experts at University College London (UCL) have contacted the science
>> minister Lord Sainsbury to warn him that a collapsing volcano in the
>> Canary Islands could send a wall of water, hundreds of metres high,
>> sweeping out over the Atlantic Ocean".
>> The devastation would be so widespread that not only the East Coast of
>> the United States and the Caribbean would be submerged by the event
>> but also even parts of Great Britain would succumb to the disaster.
>> According to the BBC,
>> "Dr Simon Day, of Benfield Greig Hazard Research Centre, UCL, says the
>> western flank of the Cumbre Vieja volcano on La Palma is unstable and
>> could collapse during a major eruption. This might send half a
>> trillion tonnes of rock crashing into the sea at once".
>> The BBC report goes n to place the magnitude of the coming disaster
>> into proportion,
>> "Modeling by colleagues in Switzerland shows that such a landslide
>> could trigger a so-called mega-tsunami, which has an initial wave
>> height of 650 metres (2,130 feet) and moves out over the ocean at
>> speeds up to 720 km/h (450 mph)"
>> (
>>
><http://news.bbc.co.uk/1/hi/sci/tech/956280.stm>http://news.bbc.co.uk/1/hi/s
>ci/tech/956280.stm
>>)
>> By the time such a wave crossed the Atlantic, its power would have
>> diminished but it could still wreak havoc up to 20 kilometers (12
>> miles) inland.
>> Can't happen? Think again. In 1958 a rockslide created wave in Alaska
>> more than 1,500 feet high, smashed into the coastal community of
>> Lituya Bay. The rockslide occurred along the eastern wall of the
>> Gilbert Inlet:
>> "The mass of rock striking the surface of the bay created a giant
>> splash, which sent water surging to a height of 1720 feet across the
>> point opposite the inlet. This initial sheet of water stripped all
>> vegetation from the point, leaving a bare rock face."
>> http://www.usc.edu/dept/tsunamis/alaska/1958/webpages/index.html)
>> The mega tsunami from La Palma could devastate Americans from Boston
>> to Miami in one splash. In 1998, a huge tsunami, caused by a landslide
>> under water, submerged large parts of Papua New Guinea, killing an
>> estimated 2,000 people.
>> Will these be the last days of America?
>> Our Place in The Cosmos
>> Many are already aware that our species is under siege from comets,
>> super volcanoes, mega tsunamis and not the least of all, ourselves. We
>> shouldn't be surprised about this. After all, we already know that our
>> planet's history is rife with species ending disasters. Otherwise we
>> would all be dinosaurs.
>> According to acclaimed physicist Michio Kaku though, the rise and fall
>> not only of enormous reptiles but of intelligent life as well may be

>> common throughout the universe. We all must live in a troubled
>> neighborhood. In a universe full with black holes, comets, supernovae,
>> predatory virus, and runaway planetary forces, few civilizations
>> survive long enough to develop technologies to harness the cosmic and
>> planetary forces that will ultimately snuff them out.
>> Kaku speaks about "the laws of planetary evolution":
>> "Any advanced civilization must grow in energy consumption faster than
>> the frequency of life-threatening catastrophes (e.g. meteor impacts,
>> ice ages, supernovas, etc.). If they grow any slower, they are doomed
>> to extinction. This places mathematical lower limits on the rate of
>> growth of these civilizations."
>> Kaku says that to survive requires growing sources of energy just to
>> keep pace with demand,
>> "Specifically, we can rank civilizations by their energy consumption"
>> And America leads our world in energy consumption. Unfortunately, we
>> derive most of our energy from a commodity that we don't have enough
>> of, oil. According to some, we can begin to find the alternative
>> resources to build a secure energy future right here within our
>> borders.
>> But others, already invested in the infrastructure of the past have
>> another plan for us. What they don't have for themselves, they can
>> just steal from those who do.
>> America's most giant corporations have Oil rich Islam staring down the
>> barrels of their hired guns. But while Exxon and Unocal drool at the
>> prospect of how they can best divie up the loot from what may later be
>> known as History's greatest armed robbery, it's time the rest of us
>> pause to think outside the box.
>> Consider. Our planet's limited supply of oil was created on earth
>> millions of years ago and will eventually either run out or become
>> thermodynamically and economically worthless.
>> And remember this. It takes energy to drill for oil let alone refine
>> and transport it for market. In order for civilization to benefit from
>> an energy resource, the finished product must be able to release more
>> energy when put to work, than was used to prepare and develop it. As
>> the easy to find oil is exhausted, the more difficult to extract oil
>> that remains is less useful. Eventually, despite advances in drilling
>> technology, the world's oil will become less attractive than available
>> alternatives or may simply become worthless as a source of useful
>> energy.
>> As that day approaches, we live in an America long since petroformed
>> by the oil industry from a land of independent family farms and
>> businesses, to a nation dependent like serfs on their lord, on the
>> barons of oil for everything from fuel to fertilizer. Today as we
>> watch without protest, a new Feudalism is being forged worldwide by
>> their hired guns, our indignation subdued by the prospect of fueling
>> our SUVs with cheap ill begotten oil.
>> And we will kill for them.
>> Finding the High Ground
>> The high ground of the future is wherever the net energy is. That's
>> the energy we can put to work without having to expend much existent

>> energy to get it.
>> It's a measurement that really matters. Kaku cites the work of a noted
>> astronomer,
>> "In a seminal paper published in 1964 in the Journal of Soviet
>> Astronomy, Russian astrophysicist Nicolai Kardashev theorized that
>> advanced civilizations must therefore be grouped according to three
>> types: Type I, II, and III, which have mastered planetary, stellar and
>> galactic forms of energy, respectively. He calculated that the energy
>> consumption of these three types of civilization would be separated by
>> a factor of many billions."
>> Will we sustain ourselves long enough to reach even the first rung on
>> the ladder? Either we will or we will simply join the growing list of
>> extinct species found on our planet and thought to riddle the
>> universe. Kaku must think we have a long way to go just to get on the
>> first rung,
>> "A Type One civilization is one that controls the energy resources of
>> its planet. This civilization can control the weather, prevent
>> earthquakes, mine deep in the earth's crust, and harvest the oceans.
>> This civilization has already completed the exploration of its solar
>> system".
>> As we know from La Palma and Yellowstone, we will need to control our
>> own planetary forces or face certain extinction. But in our present
>> day reality, as we know it, controlling weather and completing the
>> exploration of our own solar system could be generations away, if we
>> sustain ourselves to that point. The energy consumed in getting there
>> will far outstrip the latent energy of our rapidly depleting fossil
>> fuel legacy.
>> But few at the top are thinking about that.
>> A recent report by Alex Johnson of MSNBC that demonstrates that our
>> actions in the Mideast are tailored for an energy policy catering not
>> to the available resources on our table, but to the proprietary
>> interests of Big Oil and their lust for other people's resources.
>> Johnson said,
>> "The belief in some circles is that the heavy reliance on foreign oil,
>> including Iraqi crude, is factored into the White House plans to take
>> on Saddam."
>> Some circles?
>> Johnson of MSNBC quotes Randy Udall of the Community Office for
>> Resource Efficiency,
>> "If you think of U.S. oil production as a six-pack ... of petroleum,
>> four of the cans are empty. We're kind of a black hole for energy,"
>> Johnson also quotes George Sterzinger, executive director of the
>> Renewable Energy Policy Project,
>> "There are technologies that exist now [that] could replace looming
>> shortfalls in fossil resourcesR&D has paid off"
>> Truth? In the year 2000, U.S. energy consumption was estimated at 10^2
>> quadrillion Btu, a staggering figure. Incredibly though, more than 10
>> million more quadrillion units of solar energy hits the ground on
>> American soil each day than we used that whole year!
>> We could build a better mousetrap. The ray's of the sun could used to

>> generate cost effective electricity, to grow biofuels, or manufacture
>> hydrogen to fuel vehicles. In a free market, they'd beat a path to our
>> door. Johnson wrote to his mainstream readers,
>> "But, alternative energy advocates say, the game is rigged. They
>> complain that those shortcomings could be surmounted with adequate
>> federal support, and they accuse the government of talking a good game
>> but failing to deliver."
>> Talking about Big Oil, Johnson pointed out,
>> "Since Bush took office, his administration has directed a total of $6
>> billion in subsidies toward conservation, fuel efficiency and
>> renewable resources, less than a quarter of the $27 billion it has
>> spent on fossil fuels, according to an analysis by The New York
>> Times."
>> So much for free enterprise. Fact is the deck is stacked. Someone's
>> already decided that what we don't have we'll just steal.
>> Speaking to the mainstream, Johnson himself admits,
>> "The U.S. energy challenges are much more grave than the president,
>> the Senate or the House has recognized, than anybody has ever
>> articulated to the American people."
>> And civilization's need for energy may know no bounds. Consider these
>> words from Kaku,
>> "A Type Two civilization is one that controls the power of the sun
>> itself. This does not mean passively harnessing solar energy; this
>> civilization mines the sun. The energy needs of this civilization are
>> so large that it directly consumes the power of the sun to drive its
>> machines. This civilization will begin the colonization of local star
>> systems."
>> And then what?
>> "A Type Three civilization is one that controls the power of an entire
>> galaxy. For a power source it harnesses the power of billions of star
>> systems. It has probably mastered Einstein's equations and can
>> manipulate space-time at will."
>> Forget about it.
>> The Death Sentence
>> Our present day oil economy, though more efficient than steam or whale
>> blubber, won't get us where we need to go and the forces of the
>> universe may not allow us the time to find the alternative. Unless we
>> do, our names and the names of our children will be written in some
>> virtual graveyard of forgotten civilizations; from dust to dust.
>> And there are problems already within the event horizon.
>> I learned from Jay Hanson's unrelenting study of the oil industry
>> (<http://dieoff.org/>http://dieoff.org), that in the '50s they could
>> produce 50 barrels of energy for every barrel consumed producing
>> finished products for the market. By the nineties, the ration had
>> fallen to 5 barrels to 1. By the year 2005, the industry will just
>> break even-it will be necessary to use as much energy to produce any
>> given quantity.
>> Oil production peaked in the lower forty eight states decades ago and
>> even with the potential production of fields in Alaska, we will still
>> remain dependent on imports if we plan to continue selling our big

>> cars. Soon though, because of the thermodynamic costs, it won't be
>> logical to look for new oil in anywhere in the US because, even if you
>> could sell oil for $500 a barrel, exploring, drilling, and
>> transporting it to market would consume more energy than it would
>> recover.
>> The Oil companies already know this. They have to try harder. They
>> have long since outgrown the producing oil reserves in this country
>> and they now have literally set their sights on the low hanging fruit
>> in the Caspian Sea and the vast reserves of Iraq. Of course though,
>> even these thermodynamically rich resources won't be around forever
>> amid exponentially growing worldwide demand.
>> Still Unocal, Halliburton, Exxon, and their off shore clones have
>> worked hard to install a national leadership to do their bidding for
>> them. They had to because the cost of doing business has gotten so
>> much higher. In this case though, they found a way to offset the high
>> costs of acquisition. They can get to the thermodynamically good stuff
>> with taxpayer payer subsidized munitions. Once at the oil patch, the
>> rest will be child's play. And they want to strike while the iron is
>> hot.
>> Fact is the oil companies have already recovered the easy stuff. Oil
>> is simply becoming more and more thermodynamically expensive worldwide
>> and now in order to survive, Oil companies need to concentrate on the
>> low hanging fruit, the "elephant finds", the ones found in other
>> people's countries.
>> MSNBC's Johnson, quoting petro industry sources point out,
>> "The U.S. economy runs on oil, and it does so because it is cheap and
>> convenient - 'it isn't any more complicated than that,' an industry
>> official said."
>> Simple but sad. Through the miracle of petroforming, competing energy
>> sources aren't as versatile as petroleum. They even invented a word
>> for it. Johnson says,
>> "They're not what the industry calls 'fungible,' meaning they can't be
>> used for a wide spectrum of applications".
>> Like producing our food.
>> The bad news is though, when the oil supply ultimately fails, absent
>> alternative technologies, the world's food supply will go with it. But
>> when it comes to developing alternative technologies though, in a
>> government controlled by former oil company kingpins, Johnson quotes
>> George Sterzinger, Executive Director of the Renewable Energy Policy
>> Project, as saying "policies don't move in that direction."
>> Too bad.
>> Kaku says,
>> "Even an advanced civilization is bound by the laws of thermodynamics,
>> especially the Second Law, and can hence be ranked by the energy at
>> their disposal."
>> In reality, because there is in only a dwindling supply of energy that
>> can be sucked from the well, absent an alternative, we will be living
>> in an "energy limited economy". Hanson offers this definition,
>> <http://dieoff.com/page185.htm>http://dieoff.com/page185.htm
>> "An 'energy-limited economy' is one where more energy cannot be had at

>> any price. The global economy will become 'energy-limited' once global
>> oil production peaks."
>> And that could happen soon but when it does, whenever it does, it
>> could mean more trouble than just lining up at the filling station.
>> Consider the problem facing agriculture. Hanson points out,
>> <http://dieoff.org/page185.htm>http://dieoff.org/page185.htm
>> "Food grains produced with modern, high-yield methods (including
>> packaging and delivery) now contain between four and ten calories of
>> fossil fuel for every calorie of solar energy."
>> Hanson adds,
>> "It has been estimated that about four percent of the nation's energy
>> budget is used to grow food, while about 10 to 13 percent is needed to
>> put it on our plates. In other words, a staggering total of 17 percent
>> of America's energy budget is consumed by agriculture!"
>> Again citing other sources, Hanson states,
>> "By 2040, we would need to triple the global food supply in order to
>> meet the basic food needs of the eleven billion people who are
>> expected to be alive. But doing so would require a 1,000 percent
>> increase in the total energy expended in food production."
>> Following the peak of oil production, absent an alternative, Hanson
>> notes,
>> "It will be physically impossible -- thus economically impossible --
>> to provide enough net energy to agriculture"
>> Hanson adds grimly,
>> "Obviously the death sentence for billions of people has already been
>> issued".
>> The Type One Club
>> The once and future lords of the realm, now stocking their counting
>> rooms with the gold from our pockets and soon they hope from the black
>> gold from beneath the oil fields of Arabia, may plan for survival long
>> enough for them to bear witness to a coming die off. The demand for
>> life sustaining resources will ultimately be balanced by the supply
>> and there will only be so much to go around. Organic farmer, Mark
>> Snyder states,
>> "Civilization will develop a new agriculture free from the petro
>> chemicals now used for its existence or time will run out before we
>> even understand what we have done to ourselves."
>> And there's another danger. Kaku calls it the "Uranium Boundary". We
>> can build bombs that could end civilization, but we are a long way
>> from using nuclear power to produce any kind of clean net energy.
>> Today's fission based nuclear plants are net energy losers and the
>> more promising fusion technologies of tomorrow require many times more
>> energy to operate than they can currently produce. The problem is that
>> the development of civilization sustaining energy sources requires
>> long-term investment.
>> It may just be though, that Unocal has already reasoned that there's
>> not going to be enough time or enough food to go around for everyone,
>> so it might as well be "them" that goes. They will stock their
>> cupboards with whatever they need to hunker down for the long haul and
>> they may even want to keep some of the rest of us around to till their

>> soil along the way.
>> There are probably many among us that would be content to go along for
>> that ride. It's the old "them or us". If that sounds good to you go
>> for it!
>> Otherwise face it.
>> Allowing ourselves to steal oil from one another is just the most
>> recent demonstration of the lengths a desperate few will go to remain
>> in control. All the gasoline-fired engines in the world can't turn
>> back the tides of the ocean or divert the explosive fury of even the
>> smallest volcano. Sure, that privileged few might survive, for a while
>> at least, but for most of us, it just won't work.
>> But that's all in the future right? In this the Age of the Consumer
>> Economy, we have been carefully conditioned to expect immediate
>> gratification. Given the right mix of consumer products, say remote
>> controlled cable TV and your favorite aspartame laced diet cola, we
>> can trade worry for happiness.
>> Still, even school kids are taught that crime doesn't pay. In the case
>> of Unocal and their corporate collaborators though, it's also a waste
>> of our time. Granted that justice, though certain may not always seem
>> swift. But considering there's already an undiscovered comet out there
>> with our name on it, time may be the one thing that we just don't have
>> enough of.
>> So for those not already numbed by neurotoxic consumables or the info
>> warfare waged upon us by our media and the elite brokers that use them
>> to convince us all will be OK if we just buy more of the products that
>> make their top investors rich, there will have to be another way.
>> Although there may be enough oil left in the ground to keep our SUV's
>> speeding down the breakdown lanes of the world's highways at least for
>> a few more years, our chemical rockets and diesel engines will no more
>> re-excavate the slopes of the Cumbre Vieja volcano than take humans to
>> the reaches of our solar system.
>> But we can rediscover the energy of sunlight, reform agriculture, and
>> develop an economy of efficiency. It may or may not be too late but
>> only by doing so, can we extend the lifespan of civilization and even
>> hope to gain admittance to some Type One Club of survivor
>> civilizations. Of course policies don't move in that direction though
>> and we may just be too preoccupied now to start doing so.
>> In the meantime, by betting the farm on our dwindling fossil legacy we
>> will be burning the bridge between our geological history and our
>> long-term hope for survival. Along the way, our hands dutifully locked
>> in a stranglehold on the wheel, we leave ourselves vulnerable to the
>> broadside awaiting us around the next curve from the unimaginable
>> forces of planetary change that foretell our extinction.
>> The shameless taking of cheap oil from Peter to give to Paul will be
>> making somebody else rich by the bloodshed of countless others, our
>> own progeny included, but it too will soon run out. Fool's gold. When
>> the party is over, some of us may be fat and sassy but there will
>> likely be a lot fewer humans in the world to bully around, untold
>> collateral damage on the home front, and little else to assure the
>> survival of our seed.

>> The short score?
>> For now at least, the petro chemical giants and the armies they
>> command have become our masters. They have petroformed our land to
>> forge a new feudalism from the ashes of the old realm from which they
>> are themselves descended. Today, as the dark clouds of war gather,
>> they know that the future world of humans will shrink and spasm but
>> they will remain safe, hunkered down in their castles, their cupboards
>> stocked for the centuries with the ill begotten gold of others.
>> As for the rest of us. The vast riches of our once and future masters
>> will do us little or no good, save for some scraps that fall from
>> their tables. Though they are mighty, the explosive fury of their
>> bombs will pale compared with the unrestrained destructive forces of
>> nature that will be left poised to annihilate our planet.
>> And we have been well trained to play our part. Eat, drink, and be
>> happy. Without dumb luck though, the finite fossil fuel legacy of
>> earth's past will not get us through tomorrow, when humanity might
>> die.
>> Kaku suggests that the universe is littered with the corpses of
>> civilizations that failed to reach the Type One high ground of energy
>> needed to counterbalance the unimaginable power of cosmic forces that
>> both create and destroy.
>> Either we will divest ourselves of the oil-slicked bonds that chain us
>> to our addictions and to those that foster the illusions needed to
>> keep us dependent upon them, or we will perish.
>> It will be one way or it will be the other.
>> Merry Christmas.
>> Summary:
>> Mega tsunami poised to destroy east coast Similar wave hit Alaska in
>> 1958 Americans just now learning about super volcano in Yellowstone
>> Wave from rockslide killed 2000 in Papua in 1998
>> Our place in the cosmos:
>> Species ending disasters not new on earth Kaku thinks they may be
>> commonplace throughout universe Civilizations may come and go It is
>> possible for a civilization to survive catastrophes Survivors master
>> cosmic and planetary forces that threaten them Civilizations can be
>> classified by their use of energy We do not have enough energy to
>> become Type One Oil companies rebuilt America in its image and we are
>> their serfs We will kill for them
>> Finding the high ground:
>> Net energy is the high ground of the future America is out of net
>> energy Oil companies want the easy pickins because that is where the
>> juice is America has become a black hole for energy Our energy policy
>> is tied only to the interests of the Oil Companies
>> Death Sentence:
>> Oil companies need net energy sources American oil is too
>> thermodynamically expensive The oil companies will take what they
>> don't have Our economy has been built on their products and we are now
>> captive The oil companies want to remain in control Our food supply
>> depends on oil energy When the oil supply goes people will die off
>> from starvation.

>> The Type One Club:
>> Either we will divest ourselves of the oil companies or we will not
>> sustain our seed.
>>
>>
>> >no i would want the real people dealt with and with terrorism a normal
>war
>> >is not going to make any differance.
>> >
>> >
>> >attacking Afghanistan and Iraq makes no differance on world
>terrorism,good
>> >intelligence is a much better weapon
>> >
>> >
>> >if Saddam has any weapons technology that will leave Iraq,towards another
>> >country,i hope that all the billions spent on defencsive radar/sattelite
>> >technology etc will see it and then US/UK/NATO or whoever then shoots it
>> >down and then that will justify any incursion by those forces into Iraq.
>> >
>> >So by letting Saddam alone but keep a close eye on anything leaving Iraqi
>> >airspace,something i doubt would happen anyway,we would then have
>> >justifyable reason to go in,but we have no reason as yet to go in.
>> >
>> >
>> >Kuwait/Saudi/China and a load of other regimes,incluiding the new Afhgan
>> >regime,have governments as worse as Saddam or pretty damn near.
>> >
>> >US have destablised many deomocracies in recent history,either directly
>or
>> >by CIA dirty tricks,so dont tell me they know about democracy in the
>> >US,recent history proves to the contrary.
>> >
>> >
>> >why do people like you asume my thoughts would be differant if it
>happened
>> >in the UK,my principles and beliefs stay the same,if we do go to war,i
>will
>> >do whatever i can to demonstate my disgust,as i did during the Gulf war
>and
>> >Falkland Islands.
>> >
>> >
>> >voting is not good enough if you are against the war,then block
>> >roads/businesses,refuse to pay taxes/go on strike/shout it out to
>govermnent
>> >officials/disrupot live television events.
>> >
>> >In my last job before getting the sack,i sent emails to all our companies
>US

>> >customers registering my disgust at US government,i am in the process of
>> >setting up a global anti war campaign,based on peaceful but dirsuptive
>> >demonstrations.
>> >
>> >
>> >nothing violent just,violence will make you as bad as
>Saddam/Bush/Blair,but
>> >dont this war happen on the current terms
>> >
>> >
>> >
>> >peace for 2003
>>
>> :)
>>
>> Quentin's Monologue from 'Sleep With Me' (partial)
>> ...
>> What is Top Gun? You think it's a story about a bunch of fighter pilots.
>> [Duane: It's about a bunch of guys waving their dicks around.]
>> It is a story about a man's struggle with his own homosexuality.
>> It is! That is what Top Gun is about, man.
>> ...
>> :)
>

7629. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 21:03:23 UTC
From: me <me@none.com>
Message-ID: <ve3P9.92894$vb3.3567649@news2.west.cox.net>
Source record: 35238
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Nor is it rec.netcop

It IS alt.os.windows.xp also, though you failed to mention it. I guess this
is topical for that group...

And hey watch it - BOZO is a friend of mine..

-me
"john" <john@mchi.net> wrote in message
news:5nfp0v06tkn1qvmjm95kjnifquah33pilk@4ax.com...
> This is rec.radio not rec.christmas BOZO
>
>
>
> On Fri, 27 Dec 2002 11:03:41 -0500, "Fred Hambrecht Sr."
> <w4jle@charter.net> wrote:
>
> >Who died and left you net cop? Stuff it fat boy!
>

7630. Re: RS BTX-128 Programming instructions?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 21:33:06 UTC
From: nm4v@arrl.net
Message-ID: <5fc3bff9.0212271333.2eb975ee@posting.google.com>
Source record: 35239

Jon Van Allen <kf7yn@qwest.net> wrote in message news:<3E049722.D43DA238@qwest.net>...
> I picked up a couple of Radio Shack BTX-128 UHF handhelds on closeout
> for $19.97.
>
> Does anyone have the dipswitch settings for freqs other than those in
> the manual?
>
> Thanks,
> Jon

I also purchased the only two the local store had in stock for work. I noticed there is another set of switches under the side cover near the freq switches. Did some experimenting with them to no avail.

Charles

7631. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 23:15:13 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <5a5P9.37992$Zt4.453075@twister.rdc-kc.rr.com>
Source record: 35240

That seems really small, and lite?

"Bill Turner" <dialcover@webtv.net> wrote in message
news:18918-3E0C5630-86@storefull-2317.public.lawson.webtv.net...
> TRY ABOUT 3/4" OF 24 GA ON A 1/4" FORM
>
>
>
> PLEASE EXCUSE CAPS, SHORT REPLIES, STROKE
>
> Bill Turner, WA0ABI, 1117 Pike St., Saint Charles,MO 63301. Phone
> 636-949-2210
>
> Plastic Dial covers, any size, any shape. $14.00
> Glass Dial covers, 2" to 8 7/8" x 1/16", $14.00
> Rider Chanayst manual. color cover. $15.00
> Rider Chanayst , how to operate it, P.E.GRIVET, $8.00
> Radiola II Manual $5.00
> Radiola III Manual $5.00
> Radiola IIIA Manual $5.00
> Radiola Balanced Amplifier Manual $5.00
> "I COLLECT ANTIQUE RADIO(space for #) $2.00
> Zenith H-500 Manual, color cover, $9.00
> Zenith R-600 Manual, color cover, $9.00
> Zenith L- 600 Manual, color cover, $9.00
> Zenith A-600 Manual, color cover, $9.00
> Riders Index, 1 through 22, color cover, $20.00
> Coil Forms, 4, 5, and 6, pin, $4.00
> RADIOLA Sr. lid display color, $5.00
> AERIOLA Jr. lid display, color $5.00
> WD-II, with evacuation tip, silver plated. $25.00
> WD-II, no evacaution tip, silver plated, $20.00
> WD-II, clear glass, no evacuation tip $15.00
> 1L6, 1LA6 with adaptor. $16.00
> UV-199, silver plated, $25.00
> 6E5, 1629 and adaptor. $16.00
>
>
> ALL POSTAGE PAID
> For a business SASE a copy of the Pocket Resouce Guide and my personal
> four page catalog of pieces, parts, and manuals.
>
>
>

>

7632. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-27 23:22:45 UTC
From: Tom Sevart <n2uhcNOSPAM@yahoo.com>
Message-ID: <auinau$6mfh2$1@ID-52518.news.dfncis.de>
Source record: 35241
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"KB9TMP" <kb9tmp@juno.com> wrote in message
news:v0p2ptea843ka1@corp.supernews.com...

> > Simply because it's a common point of reference. Why do
> > Christians recognize unmistakeable pagan symbols such as the
> > Easter bunny and Easter eggs?
>
> I don't know, but I for one don't do it.

Well I grew up as a Christian celebrating Easter with the Easter Bunny and
Easter eggs, as did a lot of other Christian children I knew/know.

Tom

7633. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 00:06:38 UTC
From: dialcover@webtv.net
Message-ID: <11582-3E0CEB0E-26@storefull-2313.public.lawson.webtv.net>
Source record: 35242

COMPARE THAT WITH A "Z-50", AN RF CHOKE MADE FOR 6 METERS. BILL

7634. Re: Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 01:00:15 UTC
From: Don Edberg <dynamic3@flash.net>
Message-ID: <3E0CF79F.24902AB3@flash.net>
Source record: 35243

Fred,

no, the 79 is the only radio I have capable of 2m, unfortunately.

don e.

Fred McKenzie wrote:

> << I cannot get anything other than static
> on 440 band. On 2m I can hear voices just fine. Could it be that the 440
> half of the HT is not working properly? >>
>
> Don-
>
> Do you have another Two Meter radio? If so, try transmitting on a frequency
> like 147.54 MHz, and see if you can hear the third harmonic on 442.62 MHz.
>
> Does anyone in your area have a Two Meter and 440 repeater linked? If so, you
> could talk on the Two Meter input and listen on the 440 MHz output.
>
> Be sure you don't have CTCSS tone decode turned on!
>
> 73, Fred, K4DII

--
****
* Don Edberg * Dynamic Modelling * email dynamic3@flash.net*
* Futaba RC Books * Ultrapac Memories * Quality ISS Models *
* Model Airplane News' "Effective Programming" Columnist *
* toll free: 888-770-1812 (orders)* phone: 1-949-552-1812 *
* URL http://home.flash.net/~dynamic3/ *FAX 1-909-869-6920 *
****

7635. Re: Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 01:01:34 UTC
From: Don Edberg <dynamic3@flash.net>
Message-ID: <3E0CF7EE.7C235367@flash.net>
Source record: 35244
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

No, I can't figure out how to do that. I think that would solve my problem if I could.
don e.

Jesse wrote:

> Did you set your radio to only send the PL tone and not send and recieve?
>
> Don Edberg wrote:
>
> > Gentlemen,
> > first of all, I made a "typo." I should have written 447.620, I accidentally
> > wrote 427 repeatedly. It was too late that evening. sorry about that.
> > that being said, the problem remains. I cannot get anything other than static
> > on 440 band. On 2m I can hear voices just fine. Could it be that the 440
> > half of the HT is not working properly?
> > still awaiting any suggestions.
> > thanks,
> > don e N6CLP
> >
> > "Bob M." wrote:
> >
> > > My TH-79A DOES tune down that far, and transmits on 422.620 as shown below.
> > > However I did cut the MARS jumper inside when I first got it. My other 440
> > > MHz radio will NOT transmit down below about 435 MHz so I can't easily tell
> > > if the HT is receiving anything there. Just took the HT up to my shack and
> > > it hears a signal from my sig gen on 427.620 MHz just fine.
> > >
> > > When you set the PL tone, press the TONE button (* key) to enable just the
> > > transmit tone. The display will show an inverse "T". If you press the CTCSS
> > > button (3), it'll enable both receive and transmit tones, and you'll see a
> > > "CT" next to the inverse "T".
> > >
> > > Sounds like you've got it working but might just have the PL enabled on the
> > > receiver.
> > >
> > > Bob M.
> > > ======
> > > "Don Edberg" <dynamic3@flash.net> wrote in message
> > > news:3E06427C.C230064B@flash.net...
> > > > Hi,
> > > >
> > > > I hope I am posting this correctly, and to the correct newsgroup. I am
> > > > new to newsgroups and using them. However, I could use some help with a

> > > > radio I am trying to get working.
> > > >
> > > > I have inherited a used Kenwood TH-79A and have downloaded the manual
> > > > from Kenwood's web site. but for the life of me, I cannot get it to
> > > > work with a friend's repeater.
> > > >
> > > > His repeater is at 427.620 and has a tone of 127.3 for the input only.
> > > > The transmit shift is down 5 MHz.
> > > >
> > > > I have tried several times to program this. I put in 427.620, minus
> > > > shift, and tone=127.3 and when I key the mike, speak, and release, it
> > > > powers up the repeater (it shows on the level display on the HT) but I
> > > > hear nothing. The static goes very low for a few seconds and then comes
> > > > back up with the level display drops.
> > > >
> > > > My friend says he can hear my voice when I transmit, but I hear nothing
> > > > after I release the PTT button. My friend says I need to turn decode
> > > > off for receive, but I can't figure out how to.
> > > >
> > > > I've also tried programming it with split frequencies, i.e. receive on
> > > > 422.620 with no tone and transmit on 427.620 with tone on. This
> > > > displays a funny +/- on the display and doesn't seem to work either.
> > > >
> > > > I would appreciate any help anyone can provide on this. The manual is
> > > > no help. Any web pages giving hints or someone who knows what to do in
> > > > this instance would earn my utmost admiration!
> > > >
> > > > Also, I would appreciate a direct email response also as I am not sure I
> > > > can find this site again very easily!
> > > >
> > > > thanks in advance,
> > > >
> > > > Don E.
> > > > N6CLP
> > > > dynamic3@flash.net
> > > >

--
****
* Don Edberg * Dynamic Modelling * email dynamic3@flash.net*
* Futaba RC Books * Ultrapac Memories * Quality ISS Models *
* Model Airplane News' "Effective Programming" Columnist *
* toll free: 888-770-1812 (orders)* phone: 1-949-552-1812 *
* URL http://home.flash.net/~dynamic3/ *FAX 1-909-869-6920 *
****

7636. Re: Here's why Jap radio manuals are so screwed.....

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 01:22:07 UTC
From: "Charlie, KI5XP" <damnchuckSPAM2@yahoo.com>
Message-ID: <Xns92F1C49B9B69Bdamnchuckyahoocom@63.209.170.234>
Source record: 35245
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Tim R." <tim87529@nospam.cswebmail.com> wrote in
news:6FMK9.53166$vM1.4259705@bgtnsc04-news.ops.worldnet.att.net:

> I have an old clock instruction manual in 'Engrish'. It's difficult to
> understand but I got a real kick out of its abuse of the English
> language. Some time I'll scan and post it.
>
>
> "wally pontoons" <yoofoodo@aol.com> wrote in message
> news:3dfb925e@snipnews.snip.net...
>> Ever wonder JUST WHY those manuals that
>> come with your new Yaesu or Kenwood are
>> so freakin BOTCHED UP in their presentation?
>>
>> Ever wonder why Japanese products are
>> (in general) so kooky and quirky in their
>> "logical" operation and functionality ?
>>
>> Well my fellow Americans, wonder no more !
>>
>> This site explains it all for you, and has some
>> damm funny bits of classic Japanese "Engrish"
>> that will have you peen you pants with laughter!
>>
>> ENJOY!
>>
>> Click: http://www.engrish.com/
>>
>> Also the FAQ: http://www.engrish.com/engrishfaq/ <--- (a MUST READ)
>>
>>
>
>

Jenglish.

Charlie

7637. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 03:56:59 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0d1e4e.3528636621@news.bellatlantic.net>
Source record: 35148
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Fri, 27 Dec 2002 20:14:23 GMT, "Keith Beckmann"
<Kbeckmann.spankme@wi.rr.com> wrote:
>Most of the old ARRL designs have a tuned input, but are coming in one of
>the grids, rather than the cathode.
>
>A PI section is EZ enough, what should I be using for values?

I'd have to dig, you can. Your trying to match 50 ohms to about
100ohms so the handbook values will work,

>The original coil was about 6 turns of #14, on 3/4" diameter. I removed it,
>and am using 2.5 turns #10 solid on 1.5" diameter stretched out to about 3"
>long. As I said it's resonant at 52 MHz with both tuning caps wide open. I
>shortened all the leads, and am going right from the top of the plate RFC
>right to the tune cap with a .01 uF cap (maybe 1/2" leads), right to the PI
>coil (no leads), right to the load cap (no leads) to a piece of RG-58 (1/2"
>leads), which goes down to the TR relay. The plate leads on the tubes are
>a little longer than needed, so I could shorten them.

Should resonate to about 70 mhz region with the caps unmeshed.
Note the one closest to the plate tunes the circuit, the second near
the antenna helps translate the match.

>I wonder if the small beads (RF Chokes) on the plate wires are affecting
>this any? They are really tiny (1/4" diameter).

They are required. One of the funnies with tubes (general) is they
can take off at their self resonant frequency (usually around 70mhz)
and put all manner of spurs out. The bead or more commonly a 2-5 turn
coil aound a 25-200ohm 2watt resistor is used to snuff the parasitic.

>Just for kicks, I removed the 6KD6's, and replaced them with 6JS6C's (lower
>output capacitance 10 pF) . I was able to get 80 watts output, with 10
>watts drive (FM), but it acted funny.

Humm... suggests either a parasitic oscillation or plain unstable.

>Really weird, and the plates were not red, HV was constant, input power
>didn't change, but plate current would increase as power output increased.
>I thought that perhaps I had a bad tube, so I replaced them with another
>set, with similar results.

Could also be the exciter alc/swr protection is doing you funnies.

One bad tube would result in low output not a gain =1.

>I really think I'm getting somewhere with the 6JS6's, so maybe a tuned input
>will help.

They may. The problem I found is not all of those "CB" linears were well designed. One I scrapped was so poor it failed any resonable stability test on 27mhz into a dummy load. Another I also canned had used tubes that connected the plate leads through the socket rather that plate cap, the effect was it made a great oscillator on 27, 52 and 70mhz at the same time! Many of the CB designes were pretty poor. The Courier I have is one of the better examples, you can fine the scematics in the net (look for ML-100 or BL-100 One is 12v mobile www.cbtricks.com) The used the 12JS6 (same as 6js6) and were definately a great way to hit 100w input for legit 10m use and with a little effort 6m too.

Allison

7638. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 04:01:35 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0d2238.3529639433@news.bellatlantic.net>
Source record: 35149
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Fri, 27 Dec 2002 14:18:35 -0600, "Keith Beckmann"
<Kbeckmann.spankme@wi.rr.com> wrote:

>I'm glad to hear that the 6KD6's will work at 50 MHz. That answers one of
>my original questions.

Yes my ML100 has 6kd6s as I had them and the 12 js6s were fried. So
minor rewire and off and running.

Another mod, add a 1 to 10 uH choke from the filliment supply to the
tube to keep the RF from trying to go bak in to the supply. At 10m
it's less a problem but a good thing to do. With the filiment to
cathode capaitance being more significant at 6m the chokes will
allow the filliments to be at rf with the cathode (lowers drive
requirements and improves match).

Allison

7639. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 04:13:55 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0d24f1.3530336034@news.bellatlantic.net>
Source record: 35150
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Wed, 25 Dec 2002 06:10:40 GMT, Roger Halstead <rdhalste@tm.net>
wrote:

>Roger Halstead (K8RI EN73)
>www.rogerhalstead.com
>N833R World's oldest Debonair? (S# CD-2)

FYI, offline email is ok at KB1GMXnospam@nospamarrl.net
Remove the words nospam to make the address work.

If you want to do some real power consider a pair of 4cx250s
running very conservitively at about 500-600watts input! Bit more
work there.

Allison

7640. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 04:28:55 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <oJ9P9.27553$eB.400943@twister.kc.rr.com>
Source record: 35151
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

<nospam@nouce.bellatlantic.net> wrote in message
news:3e0d1e4e.3528636621@news.bellatlantic.net...
> On Fri, 27 Dec 2002 20:14:23 GMT, "Keith Beckmann"
> <Kbeckmann.spankme@wi.rr.com> wrote:
> The problem I found is not all of those "CB" linears were
> well designed. One I scrapped was so poor it failed any resonable
> stability test on 27mhz into a dummy load. Another I also canned had
> used tubes that connected the plate leads through the socket rather
> that plate cap, the effect was it made a great oscillator on 27, 52
> and 70mhz at the same time! Many of the CB designes were pretty
> poor. The Courier I have is one of the better examples, you can
> fine the scematics in the net (look for ML-100 or BL-100 One is 12v
> mobile www.cbtricks.com) The used the 12JS6 (same as 6js6) and
> were definately a great way to hit 100w input for legit 10m use and
> with a little effort 6m too.

I've seen the Courier BL-100 schematics, and was amazed by the input circuit. There wasn't even any isolation, the antenna lead is connected directly to the Cathode.

Many CB amps were designed around the 6JG6, which was a sweep tube, where the plate was not on a cap, but came back down to the base. There had to be considerable interaction between the input and output.

The unit I'm playing with is a Kris Mach 4B. This is a relatively unknown amp, as it was not put into production by Kris. I happen to have the original prototype, plus 2 pre-production units. It looks well designed, and setup. Even better than their previous models. The power transformer is massive, and just loafing at these power levels.

These were obviously designed for 11M use, as there are 4 tubes, 1 driving 3. I have bypassed the first stage, and have been playing with just the 3 tube portion of the amp. The units work very well on 10M, but I thought it might be nice to convert one to 6M use. I thought all I'd have to do was change the coil on the PI network, but this has turned into a bigger project.

I don't have my heart set on making this conversion work, as I have rigs that will put 100W out on 6M, which is more than adequate.

7641. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 05:44:30 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v0qehs2g1432a5@corp.supernews.com>
Source record: 35152
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"me" <me@none.com> wrote in message
news:ra2P9.92124$vb3.3549141@news2.west.cox.net...
>
> "Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
> news:3E0C86D1.5040800@NOSPAMutoronto.ca...
> > Why do Christians recognize unmistakeable pagan
> > symbols such as the Easter bunny and Easter eggs?
> >
>
> Same reason they use the church as a gossip hall or a place to pick up
> women. They're human. Most people who call themselves Christians act like
> the rest of the world does 6 days a week. I'm no saint either, but I do
try
> (when I catch myself doing wrong) to improve myself and try to treat
people
> the way He would - not easy, especially when certain people really ask for
> it.... That's the beauty of accepting the gospel - I don't have to be
> perfect, because He was in my place. (Lucky for me, let me tell ya...)
>
> But hey - it's not for everyone and that's entirely up to you. To each
their
> own. I'm not here to try to convince you of what you should or should not
> believe. Some Christians have cited biblical reasons to me why I should,
but
> I prefer to quietly respect everyone's right to choose for themselves.
>
> Now, on to scanning! The wife just cleared the purchase of a PRO-95 on the
> way home! (I had to promise her a new jacket too - hope she doesn't want
> mink... LOL)
>
> -me
>

I hope your Pro-95 is a lot better than my Pro-94 was. It had a front end
so wide that when the hospital 15 miles away paged on their frequency
the Pro-94 would stop on WHATEVER frequency that was up next and
the squelch would open (even turned all the way up) and in would come
"housekeeping 3 4 0 housekeeping 3 4 0"! Other than that it was a real
nice scanner.

--

'73' & Happy New Year From KB9TMP

7642. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 06:49:58 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <qQbP9.29256$%3.7287584@twister.neo.rr.com>
Source record: 35153
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"me" <me@none.com> wrote in message
news:ra2P9.92124$vb3.3549141@news2.west.cox.net...
>
> "Michael Moore" <m.moore@NOSPAMutoronto.ca> wrote in message
> news:3E0C86D1.5040800@NOSPAMutoronto.ca...
> > Why do Christians recognize unmistakeable pagan
> > symbols such as the Easter bunny and Easter eggs?
> >
>
> Same reason they use the church as a gossip hall or a place to pick up
> women. They're human. Most people who call themselves Christians act like
> the rest of the world does 6 days a week. I'm no saint either, but I do
try
> (when I catch myself doing wrong) to improve myself and try to treat
people
> the way He would - not easy, especially when certain people really ask for
> it.... That's the beauty of accepting the gospel - I don't have to be
> perfect, because He was in my place. (Lucky for me, let me tell ya...)
>
> But hey - it's not for everyone and that's entirely up to you. To each
their
> own. I'm not here to try to convince you of what you should or should not
> believe. Some Christians have cited biblical reasons to me why I should,
but
> I prefer to quietly respect everyone's right to choose for themselves.
>
> Now, on to scanning! The wife just cleared the purchase of a PRO-95 on the
> way home! (I had to promise her a new jacket too - hope she doesn't want
> mink... LOL)

If the Pro95 is still $150 grab it. I got mine two months ago.
DeWayne

>
> -me
>
>
>
>

7643. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 06:51:03 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <rRbP9.29257$%3.7288085@twister.neo.rr.com>
Source record: 35154
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Who's forcing you to read this thread???

"john" <john@mchi.net> wrote in message
news:5nfp0v06tkn1qvmjm95kjnifquah33pilk@4ax.com...
> This is rec.radio not rec.christmas BOZO
>
>
>
> On Fri, 27 Dec 2002 11:03:41 -0500, "Fred Hambrecht Sr."
> <w4jle@charter.net> wrote:
>
> >Who died and left you net cop? Stuff it fat boy!
>

7644. Programming Software for Yaesu FT-5100 & Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 11:14:07 UTC
From: kenfoshee@hotmail.com
Message-ID: <e11f8a29.0212280314.5eb0c618@posting.google.com>
Source record: 35155

Could someone help me with finding software and cables to program
these units from my PC.
Thx,
KG4VAG

7645. Re: Programming Software for Yaesu FT-5100 & Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 12:31:25 UTC
From: Idontwantspam@net
Message-ID: <3e0d95fb.33719215@news.bellatlantic.net>
Source record: 35156

On 28 Dec 2002 03:14:07 -0800, kenfoshee@hotmail.com (Ken Foshee)
wrote:

>Could someone help me with finding software and cables to program
>these units from my PC.
>Thx,
>KG4VAG

Not sure there is anything for the FT-5100, nothing from Yaesu or RT
Systems is listed.

For Kenwood, they provide the software free, so no other sources.
http://www.kenwood.net/index.cfm?do=SupportFileCategory&FileCatID=3

I'm sure the documentation included mentions the cabling, which is
likely something you could readily make.

Most programming will require a traditional serial port on your PC.

Happy trails,
Gary (net.yogi.bear)
---
at the 51st percentile of ursine intelligence

Gary D. Schwartz, Needham, MA, USA
Please reply to: garyDOTschwartzATpoboxDOTcom

7646. Re: Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 13:34:59 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <eDGdneRlINPvNZCjXTWcqg@comcast.com>
Source record: 35157
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

On the keypad you'll find above digit 3 the text CTCSS. This enables PL on RECEIVE and TRANSMIT.
On the keypad you'll find above the * key the text TONE. This enables PL on TRANSMIT only.
On the keypad you'll find above digit 6 the text TONE SEL. This selects the PL tone frequency.

When programming the radio, you want to get the correct tone frequency (via the TONE SEL button) and only want it on transmit (via the TONE button). When you're finished, you should see the letter "T" in the display. If you see the letters "CT" instead, you must have pushed the CTCSS button which enables receive PL. Push this one again to get rid of the "CT", then push the TONE button to get just the "T".

It goes without saying that to perform any of these settings you push the "F" (function) key first.

There is a PDF file of the user's manual on Kenwood's web site.

Bob M.
======
"Don Edberg" <dynamic3@flash.net> wrote in message news:3E0CF7EE.7C235367@flash.net...
> No, I can't figure out how to do that. I think that would solve my problem if I
> could.
> don e.
>
> Jesse wrote:
>
> > Did you set your radio to only send the PL tone and not send and recieve?
> >
> > Don Edberg wrote:
> >
> > > Gentlemen,
> > > first of all, I made a "typo." I should have written 447.620, I accidentally
> > > wrote 427 repeatedly. It was too late that evening. sorry about that.
> > > that being said, the problem remains. I cannot get anything other than static
> > > on 440 band. On 2m I can hear voices just fine. Could it be that the 440

> > > half of the HT is not working properly?
> > > still awaiting any suggestions.
> > > thanks,
> > > don e N6CLP
> > >
> > > "Bob M." wrote:
> > >
> > > > My TH-79A DOES tune down that far, and transmits on 422.620 as shown
below.
> > > > However I did cut the MARS jumper inside when I first got it. My
other 440
> > > > MHz radio will NOT transmit down below about 435 MHz so I can't
easily tell
> > > > if the HT is receiving anything there. Just took the HT up to my
shack and
> > > > it hears a signal from my sig gen on 427.620 MHz just fine.
> > > >
> > > > When you set the PL tone, press the TONE button (* key) to enable
just the
> > > > transmit tone. The display will show an inverse "T". If you press
the CTCSS
> > > > button (3), it'll enable both receive and transmit tones, and you'll
see a
> > > > "CT" next to the inverse "T".
> > > >
> > > > Sounds like you've got it working but might just have the PL enabled
on the
> > > > receiver.
> > > >
> > > > Bob M.
> > > > ======
> > > > "Don Edberg" <dynamic3@flash.net> wrote in message
> > > > news:3E06427C.C230064B@flash.net...
> > > > > Hi,
> > > > >
> > > > > I hope I am posting this correctly, and to the correct newsgroup.
I am
> > > > > new to newsgroups and using them. However, I could use some help
with a
> > > > > radio I am trying to get working.
> > > > >
> > > > > I have inherited a used Kenwood TH-79A and have downloaded the
manual
> > > > > from Kenwood's web site. but for the life of me, I cannot get it
to
> > > > > work with a friend's repeater.
> > > > >
> > > > > His repeater is at 427.620 and has a tone of 127.3 for the input
only.
> > > > > The transmit shift is down 5 MHz.

> > > > >
> > > > > I have tried several times to program this. I put in 427.620,
minus
> > > > > shift, and tone=127.3 and when I key the mike, speak, and release,
it
> > > > > powers up the repeater (it shows on the level display on the HT)
but I
> > > > > hear nothing. The static goes very low for a few seconds and then
comes
> > > > > back up with the level display drops.
> > > > > >
> > > > > My friend says he can hear my voice when I transmit, but I hear
nothing
> > > > > after I release the PTT button. My friend says I need to turn
decode
> > > > > off for receive, but I can't figure out how to.
> > > > > >
> > > > > I've also tried programming it with split frequencies, i.e.
receive on
> > > > > 422.620 with no tone and transmit on 427.620 with tone on. This
> > > > > displays a funny +/- on the display and doesn't seem to work
either.
> > > > > >
> > > > > I would appreciate any help anyone can provide on this. The
manual is
> > > > > no help. Any web pages giving hints or someone who knows what to
do in
> > > > > this instance would earn my utmost admiration!
> > > > > >
> > > > > Also, I would appreciate a direct email response also as I am not
sure I
> > > > > can find this site again very easily!
> > > > > >
> > > > > thanks in advance,
> > > > > >
> > > > > Don E.
> > > > > N6CLP
> > > > > dynamic3@flash.net
> > > > > >
>
> --
> **
> * Don Edberg * Dynamic Modelling * email dynamic3@flash.net*
> * Futaba RC Books * Ultrapac Memories * Quality ISS Models *
> * Model Airplane News' "Effective Programming" Columnist *
> * toll free: 888-770-1812 (orders)* phone: 1-949-552-1812 *
> * URL http://home.flash.net/~dynamic3/ *FAX 1-909-869-6920 *
> **
>
>

7647. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 13:38:13 UTC
From: richcranus@yahoo.com
Message-ID: <c5ecbb69.0212280538.55c9490a@posting.google.com>
Source record: 35158
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Michael Moore <m.moore@NOSPAMutoronto.ca> wrote in message
news:<3E0B9197.5080401@NOSPAMutoronto.ca>...
> Fred Hambrecht Sr. wrote:
> > I have seen a few that claim he was a "mythical" character. He was indeed a
> > real person that walked the planet and is recorded in historical documents.
> > Even if one choices to not believe in the divinity of Christ, to state he
> > never existed is a sign of ones ignorance of the historical facts.
>
> No disrespect, but the existence of Jesus is debatable. I
> have no qualms if you wish to believe that he existed. But
> there just isn't enough historical data to establish the
> existence of Jesus with certainty. I'm sure that if you
> search the Internet, you will find historians debating the
> point. Given that state of affairs, you would be wrong to
> call those who do deny the existence of Jesus ignorant.
> Anyway, to each his own.

Actually, there is no doubt that a Man named Jesus existed (there are
many named that in Mexico presently), but he was only one of many
so-called "miracle workers" that lived back then.

7648. Re: Programming Software for Yaesu FT-5100 & Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 14:29:50 UTC
From: Watcher <noone@noaddress.net>
Message-ID: <m9dr0v0p2ffs1j7ejavridats42bi5r8bi@4ax.com>
Source record: 35159

On 28 Dec 2002 03:14:07 -0800, kenfoshee@hotmail.com (Ken Foshee)
wrote:

The FT-5100 is not computr programable.

>Could someone help me with finding software and cables to program
>these units from my PC.
>Thx,
>KG4VAG

7649. Re: Motorola Lowband Syntor X9000 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 14:58:53 UTC
From: "Adam T. Cately" <atcately@bright.net>
Message-ID: <3E0DBC2D.7070F184@bright.net>
Source record: 35160
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

There is a version of software for the X9000 called "Special Ham
Version 5.02.00" that will allow any and all amateur frequencies to
be programmed into an X9000 - it works just fine.

James Skipper wrote:
>
> Software will not allow 53MHz frequency input to be programmed into the
> mode. The software gives me an "out of band" indication and the input
> block goes "BLANK". 29.6MHz frequency the software gave an indication
> of "Warning: Frequency out of normal operating range" however, the
> frequency stayed in the input block and was finally accepted. Is there
> a trick to this to get the X9000 into the ham bands?? tnx Jim W5RM

--

- Adam -

7650. AOR AR-8200 MK II-B or ICOM R-10. Which is better?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 16:01:24 UTC
From: "Vince Fiscus, KB7ADL" <vlfiscus@mcn.net>
Message-ID: <oVjP9.201$134.40388@newsread1.prod.itd.earthlink.net>
Source record: 35162
Cross-posted to: rec.radio.scanner,rec.radio.amateur.equipment

What are the opinions of the group on these two receivers?

KB7ADL

7651. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 16:01:37 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <flir0vgeboi3fqvvnurihd0jiouu2ap8vt@4ax.com>
Source record: 35161
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Sat, 28 Dec 2002 04:13:55 GMT, nospam@nouce.bellatlantic.net wrote:

>On Wed, 25 Dec 2002 06:10:40 GMT, Roger Halstead <rdhalste@tm.net>
>wrote:
>
>>Roger Halstead (K8RI EN73)
>>www.rogerhalstead.com
>>N833R World's oldest Debonair? (S# CD-2)
>
>
>FYI, offline email is ok at KB1GMXnospam@nospamarrl.net
>Remove the words nospam to make the address work.
>
>If you want to do some real power consider a pair of 4cx250s
>running very conservitively at about 500-600watts input! Bit more
>work there.

I've been thinking more along the lines of a 4CX1600B <:-))
But even that is a ways off.

Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)
>
>Allison

7652. Re: TS-940 and the point of diminishing return.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 16:42:25 UTC
From: bpn518@aol.com
Message-ID: <20021228114225.08085.00000324@mb-fw.aol.com>
Source record: 35163

Hi Rob,
Given the age, and at some point some
parts wil not be available any longer, and
the options you had that still have some
significant value, even if you sell the
940 as a parts radio for $300-500, you
may only need a few hundred more $$
to purchase the new radio. Those options
you had are probably worth $400-500
by themselves. Probably a lot less than
you paid for them, but most of them won't
match or be needed for the new radio.
Have fun with the new radio...

Regards,
Bennett ko2ok

7653. Re: FT-920 AND SB-220 ?!

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 16:53:52 UTC
From: bpn518@aol.com
Message-ID: <20021228115352.08085.00000325@mb-fw.aol.com>
Source record: 35164

Hi Sam,
As others have noted, care should be
taken as a lot of the modern rigs cannot
switch the 120V relay in the SB220 and
you end up with a fried relay in your
920. If you don't have it in the SB220 (it
would be a mod either you or a previous
owner would have to have installed as an
aftermarket item), it is an cheap thing
to buy and easy to put in.
Also, in case of swr, you shouldn't need
a tuner in between the radio and amp,
but... if you check the Richard Measures
website (a guru on the sb220), you will
read that modern (solid state)radios may show a less than perfect swr, and he
gives mods you can do to make the swr better.
The Richard Measures website has the
soft key mod for sale, and also some
other worthwhile modifications. See his
website at : www.vcnet.com/measures

Good luck.
Bennett ko2ok

7654. Where to buy small surface mount diodes for pro-43 scanner modification?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 17:01:11 UTC
From: N8XYN <n8xyn@worldnet.att.net>
Message-ID: <rNkP9.17427$p_6.1351748@bgtnsc04-news.ops.worldnet.att.net>
Source record: 35165

I've searched and found no source at all....Just need a few...

7655. Re: FS: Kantronics KPC3 Plus Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 17:21:20 UTC
From: Bill Aycock <baycock@hiwaay.net>
Message-ID: <3E0DDD90.4080106@hiwaay.net>
Source record: 35166
Cross-posted to: rec.radio.amateur.antenna,alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

Benjamin-
have you checked your mail lately?
Bill

Benjamin, KB9LFZ wrote:
> Hello All!
>
> Have here a Kantronics KPC3 Plus manaul upfor grabs.
>
> Good Condition for the exception of some kind of stain on bottom
> right side.. about the size of a 50cent piece.
>
> Just asking $5 and whatever it costs to get it shipped to the
> address your provide.
>
> Email me with your interest and we'll go from there.
>
> Respectfully,
> ~Benjamin
> de KB9LFZ {arrl.net}
>
>

7656. Re: Motorola Lowband Syntor X9000 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 18:12:56 UTC
From: "Ed G." <Spectrumhog@_REMOVE_StarBand.net>
Message-ID: <Xns92F26840A41FAFrog207Junocom@148.78.248.76>
Source record: 35167
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

> There is a version of software for the X9000 called "Special Ham
> Version 5.02.00" that will allow any and all amateur frequencies to
> be programmed into an X9000 - it works just fine.

These Motorola modified software programs are usually called "Lab"
software, and are quite hard to find. Motorola considers their possession
theft of their internal company software. Good luck in finding it.

Ed

7657. Re: Where to buy small surface mount diodes for pro-43 scanner modification?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 18:52:06 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnb0rsml.qhp.nobody@animas.frontier.net>
Source record: 35168

On Sat, 28 Dec 2002 17:01:11 GMT, N8XYN hath writ:
> I've searched and found no source at all....Just need a few...

They don't *have* to be SMD, do they?
It's not a pacemaker, nor a hearing aid.
I've used plain ol' glass body diodes in these situations -- with
careful, and appropriate, forming of the leads. Pre-tin the very
tips (that you have smashed into flat 'feet' with your flat-faced
needle-nose pliers) before soldering in the circuit.

hth , 73 , es HNY
Jonesy
--
| Marvin L Jones | jonz | W3DHJ | OS/2
| Gunnison, Colorado | @ | Jonesy | linux __
| 7,703' -- 2,345m | frontier.net | DM68mn SK

7658. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 19:00:55 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0defd7.3582277733@news.bellatlantic.net>
Source record: 35169
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Fri, 27 Dec 2002 22:28:55 -0600, "Keith Beckmann"
<Kbeckmann.spankme@wi.rr.com> wrote:

>I've seen the Courier BL-100 schematics, and was amazed by the input
>circuit. There wasn't even any isolation, the antenna lead is connected
>directly to the Cathode.

It's ugly. I add DC bypass and a tuned input to get the SWR to under
1.2:1. Chokes in the filliment leads to float them and tweeked the
pi-network values. Runs comfortably at 6 but since I have a tentec
6n2 at 20w the two sweep tubes are just not enough to make any real
big difference (100w class). I needed at least three sweep tubes to
get to 10db gain (200w region) to make sense and they would not fit
the BL100.

>Many CB amps were designed around the 6JG6, which was a sweep tube, where
>the plate was not on a cap, but came back down to the base. There had to be
>considerable interaction between the input and output.

Many were so poor as to be a criminal offense from just the design
standpoint. And the solid state ones most ran class B at best...
splatter and spurs.

>The unit I'm playing with is a Kris Mach 4B. This is a relatively unknown
>amp, as it was not put into production by Kris. I happen to have the
>original prototype, plus 2 pre-production units. It looks well designed,
>and setup. Even better than their previous models. The power transformer
>is massive, and just loafing at these power levels.

They were going to do the 10m market then the FCC changed the rules
and made it near impossible to sell it legally.

>These were obviously designed for 11M use, as there are 4 tubes, 1 driving
>3. I have bypassed the first stage, and have been playing with just the 3
>tube portion of the amp. The units work very well on 10M, but I thought it
>might be nice to convert one to 6M use. I thought all I'd have to do was
>change the coil on the PI network, but this has turned into a bigger
>project.

Look for "The Mini Lini" Wilson Hoag QST april 1982 a two tube sweep
tube linear. The input and putput networks he used may work better
for you.

Allison

7659. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 19:02:33 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0df616.3583877132@news.bellatlantic.net>
Source record: 35170
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Sat, 28 Dec 2002 16:01:37 GMT, Roger Halstead <rdhalste@tm.net>
wrote:

>I've been thinking more along the lines of a 4CX1600B <:-))
>But even that is a ways off.

I wish but the tube, socket and tranformer to warm it would break the
bank. However it would warm the coax nicely. Also the 3cx800 is not
so bad and still a gallon.

Allison

7660. Re: Buzz on MFJ 9420 Xmit

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 19:46:13 UTC
From: Glynn Kevin <kfglynn@mindspring.com>
Message-ID: <aukv38$84s$1@slb9.atl.mindspring.net>
Source record: 35171

Hi TJF,

I contacted Rick Littlefield, K1BQT in the past when I modified my 9030. Rick is the designer of MFJ rigs and his e-mail is k1bqt@aol.com. I'm sure he could help.

GL

73 Kevin N2TO

"Thomas J. Farish" <notmyaddress@see.below> wrote in message news:notmyaddress-26120211330600001@65.19.18.161...
> Hi,
>
> My 5+ year old MFJ 9420 QRP rig has developed a loud buzz on transmit. I
> remember reading a thread about this and a simple fix ala replacing a bad
> capacitor or diode. Can anyone point me in the right direction?
>
> Thanks!
>
> tjf
> KJ5LT
>
> --
> Thomas J. Farish, ScD
>
> Amateur Radio Call - KJ5LT
>
> PGP public key available upon request
>
> To reply via email, use: tfarish@cybermesa.com

7661. Re: Where to buy small surface mount diodes for pro-43 scanner modification?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 21:11:37 UTC
From: N8XYN <n8xyn@worldnet.att.net>
Message-ID: <dsoP9.83609$hK4.6778176@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35172

Why that never crossed my mind I'll never know....tnx!

"Allodoxaphobia" <nobody@jonz.net> wrote in message
news:slrnb0rsml.qhp.nobody@animas.frontier.net...
> On Sat, 28 Dec 2002 17:01:11 GMT, N8XYN hath writ:
> > I've searched and found no source at all....Just need a few...
>
> They don't *have* to be SMD, do they?
> It's not a pacemaker, nor a hearing aid.
> I've used plain ol' glass body diodes in these situations -- with
> careful, and appropriate, forming of the leads. Pre-tin the very
> tips (that you have smashed into flat 'feet' with your flat-faced
> needle-nose pliers) before soldering in the circuit.
>
> hth , 73 , es HNY
> Jonesy
> --
> | Marvin L Jones | jonz | W3DHJ | OS/2
> | Gunnison, Colorado | @ | Jonesy | linux __
> | 7,703' -- 2,345m | frontier.net | DM68mn SK

7662. FS: Heathkit SB221 HF Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 21:15:06 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <uvoP9.614$9N5.97144@newsread2.prod.itd.earthlink.net>
Source record: 35173
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Heathkit SB221 HF amplifier. 10-80 meters. Very clean and well built unit.
Full output. Wired for 220v.

Asking $595.00 plus professional packing (double boxed with form-fitting
foam packing), shipping, and insurance.
Picture on request.

73 de Rich W6VX

7663. FS: Yaesu FTR-2410 A Repeater

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 21:18:26 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <CyoP9.617$9N5.97009@newsread2.prod.itd.earthlink.net>
Source record: 35174
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Yaesu FTR-2410A This repeater was bought new in 1991 as a backup and other than connected to check out, was never used. Have the manual. No controller. Currently set up for 146.115/146.715. 10 watts output. Asking $700.00 shipped in continental USA

Rich W6VX
818/997-1217

7664. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 21:36:37 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <r26s0v0ci1fp977q38pded56c8vp7ot4ug@4ax.com>
Source record: 35175
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Sat, 28 Dec 2002 19:02:33 GMT, nospam@nouce.bellatlantic.net wrote:

>On Sat, 28 Dec 2002 16:01:37 GMT, Roger Halstead <rdhalste@tm.net>
>wrote:
>
>>I've been thinking more along the lines of a 4CX1600B <:-))
>>But even that is a ways off.
>
>I wish but the tube, socket and tranformer to warm it would break the
>bank.

That's why it's going to be a while. SS and a pension only allow for
just so much. Now if the market hadn't tanked...<sigh>

Roger Halstead (K8RI EN73)
www.rogerhalstead.com
N833R World's oldest Debonair? (S# CD-2)

> However it would warm the coax nicely. Also the 3cx800 is not
>so bad and still a gallon.
>
>Allison

7665. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 22:06:04 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0e1ffa.3594601063@news.bellatlantic.net>
Source record: 35176
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Sat, 28 Dec 2002 21:36:37 GMT, Roger Halstead <rdhalste@tm.net>
wrote:

>That's why it's going to be a while. SS and a pension only allow for
>just so much. Now if the market hadn't tanked...<sigh>

Not to dismay, I did my first 38 states and 4 countries on 6m using
only 5W homebrew SSB and a two element beam at 20ft. In the spring a
used 30ft Rohn25 tower and 3 elements goes up.

Allison
KB1GMX, FN42 6m, 2m and 70cm

7666. NEED CABLE: IC2KL to IC 746/756..??

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 22:07:48 UTC
From: Murray Neece <radioranch@qth.com>
Message-ID: <3E0E20B4.95D3F886@qth.com>
Source record: 35177
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap
Body handling: Binary attachment payload not displayed: radioranch.vcf

Some one made me one before...its ICOM din plug on one side and some kinda of older jones or the like on the other, supplies band data and keying...do you have one or make one please? Thanks Murray K5MDM

[One or more binary attachments are retained only in the source text.]

7667. Re: Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 22:16:05 UTC
From: Don Edberg <dynamic3@flash.net>
Message-ID: <3E0E22A3.573C393B@flash.net>
Source record: 35178
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Bob M,

thanks for the explicit instructions.
My radio already shows the T in the display, and does NOT show the "CT".
Therefore I believe that I have programmed it properly. It also shows 447.620
with a minus (-) sign just after it, and when I press the xmit switch, the
number changes to 442.620
I think I've done it right. Perhaps the audio doesn't work in the 440 band? I
am totally stumped by this.
Again, many thanks for your help.
don e. N6CLP

"Bob M." wrote:

> On the keypad you'll find above digit 3 the text CTCSS. This enables PL on
> RECEIVE and TRANSMIT.
> On the keypad you'll find above the * key the text TONE. This enables PL on
> TRANSMIT only.
> On the keypad you'll find above digit 6 the text TONE SEL. This selects the
> PL tone frequency.
>
> When programming the radio, you want to get the correct tone frequency (via
> the TONE SEL button) and only want it on transmit (via the TONE button).
> When you're finished, you should see the letter "T" in the display. If you
> see the letters "CT" instead, you must have pushed the CTCSS button which
> enables receive PL. Push this one again to get rid of the "CT", then push
> the TONE button to get just the "T".
>
> It goes without saying that to perform any of these settings you push the
> "F" (function) key first.
>
> There is a PDF file of the user's manual on Kenwood's web site.
>
> Bob M.
> ======
> "Don Edberg" <dynamic3@flash.net> wrote in message
> news:3E0CF7EE.7C235367@flash.net...
> > No, I can't figure out how to do that. I think that would solve my
> problem if I
> > could.
> > don e.
> >
> > Jesse wrote:
> >

> > > Did you set your radio to only send the PL tone and not send and
> recieve?
> > >
> > > Don Edberg wrote:
> > >
> > > > Gentlemen,
> > > > first of all, I made a "typo." I should have written 447.620, I
> accidentally
> > > > wrote 427 repeatedly. It was too late that evening. sorry about
> that.
> > > > that being said, the problem remains. I cannot get anything other
> than static
> > > > on 440 band. On 2m I can hear voices just fine. Could it be that the
> 440
> > > > half of the HT is not working properly?
> > > > still awaiting any suggestions.
> > > > thanks,
> > > > don e N6CLP
> > > >
> > > > "Bob M." wrote:
> > > >
> > > > > My TH-79A DOES tune down that far, and transmits on 422.620 as shown
> below.
> > > > > However I did cut the MARS jumper inside when I first got it. My
> other 440
> > > > > MHz radio will NOT transmit down below about 435 MHz so I can't
> easily tell
> > > > > if the HT is receiving anything there. Just took the HT up to my
> shack and
> > > > > it hears a signal from my sig gen on 427.620 MHz just fine.
> > > > >
> > > > > When you set the PL tone, press the TONE button (* key) to enable
> just the
> > > > > transmit tone. The display will show an inverse "T". If you press
> the CTCSS
> > > > > button (3), it'll enable both receive and transmit tones, and you'll
> see a
> > > > > "CT" next to the inverse "T".
> > > > >
> > > > > Sounds like you've got it working but might just have the PL enabled
> on the
> > > > > receiver.
> > > > >
> > > > > Bob M.
> > > > > ======
> > > > > "Don Edberg" <dynamic3@flash.net> wrote in message
> > > > > news:3E06427C.C230064B@flash.net...
> > > > > > Hi,
> > > > > >
> > > > > > I hope I am posting this correctly, and to the correct newsgroup.

> I am
> > > > > > new to newsgroups and using them. However, I could use some help
> with a
> > > > > > radio I am trying to get working.
> > > > > >
> > > > > > I have inherited a used Kenwood TH-79A and have downloaded the
> manual
> > > > > > from Kenwood's web site. but for the life of me, I cannot get it
> to
> > > > > > work with a friend's repeater.
> > > > > >
> > > > > > His repeater is at 427.620 and has a tone of 127.3 for the input
> only.
> > > > > > The transmit shift is down 5 MHz.
> > > > > >
> > > > > > I have tried several times to program this. I put in 427.620,
> minus
> > > > > > shift, and tone=127.3 and when I key the mike, speak, and release,
> it
> > > > > > powers up the repeater (it shows on the level display on the HT)
> but I
> > > > > > hear nothing. The static goes very low for a few seconds and then
> comes
> > > > > > back up with the level display drops.
> > > > > >
> > > > > > My friend says he can hear my voice when I transmit, but I hear
> nothing
> > > > > > after I release the PTT button. My friend says I need to turn
> decode
> > > > > > off for receive, but I can't figure out how to.
> > > > > >
> > > > > > I've also tried programming it with split frequencies, i.e.
> receive on
> > > > > > 422.620 with no tone and transmit on 427.620 with tone on. This
> > > > > > displays a funny +/- on the display and doesn't seem to work
> either.
> > > > > >
> > > > > > I would appreciate any help anyone can provide on this. The
> manual is
> > > > > > no help. Any web pages giving hints or someone who knows what to
> do in
> > > > > > this instance would earn my utmost admiration!
> > > > > >
> > > > > > Also, I would appreciate a direct email response also as I am not
> sure I
> > > > > > can find this site again very easily!
> > > > > >
> > > > > > thanks in advance,
> > > > > >
> > > > > > Don E.

> > > > > > N6CLP
> > > > > > dynamic3@flash.net
> > > > > > >
> > >
> > --
> > **
> > * Don Edberg * Dynamic Modelling * email dynamic3@flash.net*
> > * Futaba RC Books * Ultrapac Memories * Quality ISS Models *
> > * Model Airplane News' "Effective Programming" Columnist *
> > * toll free: 888-770-1812 (orders)* phone: 1-949-552-1812 *
> > * URL http://home.flash.net/~dynamic3/ *FAX 1-909-869-6920 *
> > **
> >
> >

--
****
* Don Edberg * Dynamic Modelling * email dynamic3@flash.net*
* Futaba RC Books * Ultrapac Memories * Quality ISS Models *
* Model Airplane News' "Effective Programming" Columnist *
* toll free: 888-770-1812 (orders)* phone: 1-949-552-1812 *
* URL http://home.flash.net/~dynamic3/ *FAX 1-909-869-6920 *
****

7668. Z-Match - Help Please (with links to photos)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 22:31:40 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <IDpP9.6963$4k6.594094@wards>
Source record: 35179

Thank you for reading this post.

I am having a problem with a Z-Match that I have purchased second hand. The VSWR will not come down correctly on any antenna.

I have taken some photo's of the offending item and hoped that someone could take a look, to see if they can see something obvious.

The images are around 400K each.

http://www.cheesefamily.plus.com/zmatch1.jpg

http://www.cheesefamily.plus.com/zmatch2.jpg

http://www.cheesefamily.plus.com/zmatch3.jpg

I have removed the front panel. Looking at zmatch one the 10/15/20m antenna connection is on the left and the 40/80 connection is on the right. The connection to the TX is below the 40/80 connection.

I know this is a long shot, but I haven't been able to find any circuits or information about this unit.

Thanks for any help that anyone can offer.

Regards,

Neil
G1TZC / M3TZC

7669. FS/FT: Kenwood TS-870S package

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 22:37:16 UTC
From: Rick and Theresa <n6cy@earthlink.net>
Message-ID: <wIpP9.627$134.91627@newsread1.prod.itd.earthlink.net>
Source record: 35180
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood TS-870S in superb condition. Has both the high stability oscillator and Digital Recording Unit (voice keyer) installed. Also including the MC-60A desk microphone.

I am the second owner (bought it five years ago) and thoroughly pleased with its performance. For what it's worth, I think it beats the TS-2000 hands down. It's also my backup radio (primary is IC756 Pro II).

Asking just $1400 for this great package or a trade for an IC-746 Pro.

E-mail me with questions and thanks for reading!

Rick N6CY
San Diego CA 92129

7670. FS: Yaesu FT-100 package

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-28 22:45:05 UTC
From: Rick and Theresa <n6cy@earthlink.net>
Message-ID: <RPpP9.635$134.92343@newsread1.prod.itd.earthlink.net>
Source record: 35181
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This is a great radio. Fun to operate fixed, portable, or mobile!

FT-100 that has the factory modification for high frequency oscillation (aka HiSWR mod). Includes microphone, modular to 8-pin microphone adapter, CAT cable to computer. Also have the very fine ATAS-100 screwdriver-type antenna made especially for the FT-100 and the YSK-100 separation kit. All manuals, schematics etc.

This rig has been with me on two cross-country trips and operated both fixed and portable on both coasts. Rock-solid performer and a joy to operate. No dings, scratches, or rubs. I'm just trying to build some cash toward an IC-746 Pro.

Asking just $750 for this great package.

Thanks for reading.

Rick N6CY
San Diego CA 92129

7671. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 01:00:11 UTC
From: RedOctober90@space.com
Message-ID: <9553ed5f.0212281700.12ce6d1e@posting.google.com>
Source record: 35182
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Charter News Server" <charternewsserver@charternewsserver.kom> wrote in message
news:<v0hhfsq87tf924@corp.supernews.com>...
> "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> news:4b3O9.5529$BP.3370@fe01...
> > > Currently here a massive influx of Latinos. English speaking
> > > Caucasians may complain but some parts of the country are currently
> > > bilingual, like it or not. That is the reality.
> >
> > The only signs written in Spanish in the United States should be those
> that
> > direct Spanish speakers to the nearest English classes!
> >
> > Roland, NK2U
> >
> >
>
> If ya can't speak English in the United States of America, then GET THE FUCK
> OUT!
>
>
>
> I'm a Bad American-this pretty much sums it up for me. I like big trucks,
> big boats, big houses, and naturally, pretty women with big tits.
>
> I believe the money I make belongs to me and my family, not some midlevel
> governmental functionary with a bad comb-over who wants to give it away to
> crack addicts squirting out babies.
>
> I don't care about appearing compassionate.
>
> I think playing with toy guns doesn't make you a killer. I believe ignoring
> your kids and giving them Prozac might.
>
> I think I'm doing better than the homeless.
>
> I don't think being a minority makes you noble or victimized. I have the
> right not to be tolerant of others because they are different, weird or make
> me mad. This is my life to live, and not necessarily up to others
> expectations. I know what SEX is and there are not varying degrees of it.
>
> I don't celebrate Kwanzaa. But if you want to that's fine; I just don't feel
> like everyone else should have to.

>
> I believe that if you are selling me a Dairy Queen shake, a pack of
> cigarettes, or hotel room you do it in English. As of matter of fact, if you
> are an American citizen you should speak English. My uncles and forefathers
> shouldn't have had to die in vain so you can leave the countries you were
> born in to come disrespect ours, and make us bend to your will. Get over it.
>
> I think the cops have every right to shoot your sorry butt if you're running
> from them after they tell you to stop. If you can't understand the word
> 'freeze' or 'stop' in English, see the previous line. I don't use the excuse
> "it's for the children" as a shield for unpopular opinions or actions.
>
> I know how to count votes and I feel much safer letting a machine with no
> political affiliation do a recount when needed. I know what the definition
> of lying is, and it isn't based on the word "is"-ever.
>
> I don't think just because you were not born in this country, you qualify
> for any special loan programs, gov't sponsored bank loans, etc., so you can
> open a hotel, 7-Eleven, trinket shop, or any thing else, while the
> indigenous peoples can't get past a high school education because they can't
> afford it.
>
> I didn't take the initiative in inventing the Internet. I thought the Taco
> Bell dog was funny.
>
> I want them to bring back safe and sane fireworks.
>
> I believe no one ever died because of something Ozzy Osbourne, Ice-T or
> Marilyn Manson sang, but that doesn't mean I want to listen to that crap
>
> from someone else's car when I'm stopped at a red light. But I respect your
> right to.
>
> I think that being a student doesn't give you any more enlightenment than
> working at Blockbuster or Jack In The Box.
>
> I don't want to eat or drink anything with the words light, lite or fat-free
> on the package.
>
> Our soldiers did not go to some foreign country and risk their lives in vain
> and defend our Constitution so that decades later you can tell me it's a
> living document ever changing and is open to interpretation. The guys who
> wrote it were light years ahead of anyone today, and they meant what they
> said - now leave the document alone, or there's going to be trouble.
>
> I don't hate the rich. I help the poor. I know wrestling is fake. I've never
> owned, or was a slave, and a large percentage of our forefathers weren't
> wealthy enough to own one either. Please stop blaming me because some prior
> white people were idiots - and remember, tons of white, Indian, Chinese, and
> other races have been enslaved too - it was wrong for every one of them.

>
> I believe a self-righteous liberal Democrat with a cause is more dangerous
> than a Hell's Angel with an attitude.
>
> I want to know exactly which church is it where the "Reverend" Jessie
> Jackson preaches; and, what exactly is his job function.
>
> I own a gun, you can own a gun, and any red blooded American should be
> allowed to own a gun, but if you use it in a crime, then you will serve the
> time.
>
> I think Bill Gates has every right to keep every penny he made and continue
> to make more. If it makes you mad, then invent the next operating system
> that's better and put your name on the building. Ask your buddy that
> invented the Internet to help you.
>
> I don't believe in hate crime legislation. Even suggesting it makes me mad.
>
> You're telling me that someone who is a minority, gay, disabled, another
> nationality, or otherwise different from the mainstream of this country has
> more value as a human being that I do as a white male. If someone kills
> anyone, I'd say that it's a hate crime. We don't need more laws! Let's
> enforce the ones we already have.
>
> I think turkey bacon, turkey beef, turkey fake anything sucks. I believe
> that it doesn't take a village to raise a child-it takes a parent with the
> guts to stand up to the kid and spank his butt and say "NO!" when it's
> necessary to do so. I'll admit that the only movie that ever made me cry was
> Ole Yeller. I didn't realize Dr. Seuss was a genius until I had a kid.
>
> I will not be frowned upon or be looked down upon or be made to keep silent
> because I have these beliefs and opinions. I thought this country allowed me
> that right. I will not conform or compromise just to keep from hurting
> somebody's feelings. I'm neither angry nor disenfranchised, no matter how
> desperately the mainstream media would like the world to believe otherwise.
> Yes, I guess by some people's definition, I may be a bad American.

Amen

7672. Re: Need help: programming Kenwood TH-79A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 01:13:36 UTC
From: "Bob M." <xxxxx@yyyy.zzz>
Message-ID: <khmcnYcUmKet0ZOjXTWcog@comcast.com>
Source record: 35183
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Sure appears like you've got it programmed correctly. I think you need to find another ham in your area who has a couple of radios that are working properly, and then you should test with him "off-line", so to speak. Pick a simplex frequency, make sure you can talk to and receive him with and without PL, then do it with a + or - offset. Also try the same thing on 2 meters. If you press the side button labeled MON, it should open the squelch on the active band and you should at least hear noise if there's no signal present. There's not too much that's separate for the two bands in that radio.

Good luck, however.
Bob M.
======
"Don Edberg" <dynamic3@flash.net> wrote in message
news:3E0E22A3.573C393B@flash.net...
> Bob M,
>
> thanks for the explicit instructions.
> My radio already shows the T in the display, and does NOT show the "CT".
> Therefore I believe that I have programmed it properly. It also shows
447.620
> with a minus (-) sign just after it, and when I press the xmit switch, the
> number changes to 442.620
> I think I've done it right. Perhaps the audio doesn't work in the 440
band? I
> am totally stumped by this.
> Again, many thanks for your help.
> don e. N6CLP
>
> "Bob M." wrote:
>
> > On the keypad you'll find above digit 3 the text CTCSS. This enables PL
on
> > RECEIVE and TRANSMIT.
> > On the keypad you'll find above the * key the text TONE. This enables PL
on
> > TRANSMIT only.
> > On the keypad you'll find above digit 6 the text TONE SEL. This selects
the
> > PL tone frequency.
> >
> > When programming the radio, you want to get the correct tone frequency
(via

> > the TONE SEL button) and only want it on transmit (via the TONE button).
> > When you're finished, you should see the letter "T" in the display. If
you
> > see the letters "CT" instead, you must have pushed the CTCSS button
which
> > enables receive PL. Push this one again to get rid of the "CT", then
push
> > the TONE button to get just the "T".
> >
> > It goes without saying that to perform any of these settings you push
the
> > "F" (function) key first.
> >
> > There is a PDF file of the user's manual on Kenwood's web site.
> >
> > Bob M.
> > ======
> > "Don Edberg" <dynamic3@flash.net> wrote in message
> > news:3E0CF7EE.7C235367@flash.net...
> > > No, I can't figure out how to do that. I think that would solve my
> > problem if I
> > > could.
> > > don e.
> > >
> > > Jesse wrote:
> > >
> > > > Did you set your radio to only send the PL tone and not send and
> > recieve?
> > > >
> > > > Don Edberg wrote:
> > > >
> > > > > Gentlemen,
> > > > > first of all, I made a "typo." I should have written 447.620, I
> > accidentally
> > > > > wrote 427 repeatedly. It was too late that evening. sorry about
> > that.
> > > > > that being said, the problem remains. I cannot get anything other
> > than static
> > > > > on 440 band. On 2m I can hear voices just fine. Could it be that
the
> > 440
> > > > > half of the HT is not working properly?
> > > > > still awaiting any suggestions.
> > > > > thanks,
> > > > > don e N6CLP
> > > > >
> > > > > "Bob M." wrote:
> > > > >
> > > > > > My TH-79A DOES tune down that far, and transmits on 422.620 as
shown

> > below.
> > > > > > However I did cut the MARS jumper inside when I first got it. My
> > other 440
> > > > > > MHz radio will NOT transmit down below about 435 MHz so I can't
> > easily tell
> > > > > > if the HT is receiving anything there. Just took the HT up to my
> > shack and
> > > > > > it hears a signal from my sig gen on 427.620 MHz just fine.
> > > > > >
> > > > > > When you set the PL tone, press the TONE button (* key) to
enable
> > just the
> > > > > > transmit tone. The display will show an inverse "T". If you
press
> > the CTCSS
> > > > > > button (3), it'll enable both receive and transmit tones, and
you'll
> > see a
> > > > > > "CT" next to the inverse "T".
> > > > > >
> > > > > > Sounds like you've got it working but might just have the PL
enabled
> > on the
> > > > > > receiver.
> > > > > >
> > > > > > Bob M.
> > > > > > ======
> > > > > > "Don Edberg" <dynamic3@flash.net> wrote in message
> > > > > > news:3E06427C.C230064B@flash.net...
> > > > > > > Hi,
> > > > > > >
> > > > > > > I hope I am posting this correctly, and to the correct
newsgroup.
> > I am
> > > > > > > new to newsgroups and using them. However, I could use some
help
> > with a
> > > > > > > radio I am trying to get working.
> > > > > > >
> > > > > > > I have inherited a used Kenwood TH-79A and have downloaded the
> > manual
> > > > > > > from Kenwood's web site. but for the life of me, I cannot get
it
> > to
> > > > > > > work with a friend's repeater.
> > > > > > >
> > > > > > > His repeater is at 427.620 and has a tone of 127.3 for the
input
> > only.
> > > > > > > The transmit shift is down 5 MHz.

> > > > > > >
> > > > > > > > I have tried several times to program this. I put in 427.620,
> > minus
> > > > > > > > shift, and tone=127.3 and when I key the mike, speak, and
release,
> > it
> > > > > > > > powers up the repeater (it shows on the level display on the
HT)
> > but I
> > > > > > > > hear nothing. The static goes very low for a few seconds and
then
> > comes
> > > > > > > > back up with the level display drops.
> > > > > > > > >
> > > > > > > > My friend says he can hear my voice when I transmit, but I
hear
> > nothing
> > > > > > > > after I release the PTT button. My friend says I need to turn
> > decode
> > > > > > > > off for receive, but I can't figure out how to.
> > > > > > > > >
> > > > > > > > I've also tried programming it with split frequencies, i.e.
> > receive on
> > > > > > > > 422.620 with no tone and transmit on 427.620 with tone on.
This
> > > > > > > > displays a funny +/- on the display and doesn't seem to work
> > either.
> > > > > > > > >
> > > > > > > > I would appreciate any help anyone can provide on this. The
> > manual is
> > > > > > > > no help. Any web pages giving hints or someone who knows what
to
> > do in
> > > > > > > > this instance would earn my utmost admiration!
> > > > > > > > >
> > > > > > > > Also, I would appreciate a direct email response also as I am
not
> > sure I
> > > > > > > > can find this site again very easily!
> > > > > > > > >
> > > > > > > > thanks in advance,
> > > > > > > > >
> > > > > > > > Don E.
> > > > > > > > N6CLP
> > > > > > > > dynamic3@flash.net
> > > > > > > > >
> > > >
> > > --
> > > **
> > > * Don Edberg * Dynamic Modelling * email dynamic3@flash.net*

> > > * Futaba RC Books * Ultrapac Memories * Quality ISS Models *
> > > * Model Airplane News' "Effective Programming" Columnist *
> > > * toll free: 888-770-1812 (orders)* phone: 1-949-552-1812 *
> > > * URL http://home.flash.net/~dynamic3/ *FAX 1-909-869-6920 *
> > > **********
> > >
> > >
>
> --
> **********
> * Don Edberg * Dynamic Modelling * email dynamic3@flash.net*
> * Futaba RC Books * Ultrapac Memories * Quality ISS Models *
> * Model Airplane News' "Effective Programming" Columnist *
> * toll free: 888-770-1812 (orders)* phone: 1-949-552-1812 *
> * URL http://home.flash.net/~dynamic3/ *FAX 1-909-869-6920 *
> **********
>
>

7673. 80 foot tower for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 01:15:39 UTC
From: Oris <orisnospam@dirtball.com>
Message-ID: <3E0E4CA2.4040001@dirtball.com>
Source record: 35184

I have a 80 foot tower for sale check out
http://www.dirtball.com/radio
73 Oris

7674. Rantorama was Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 01:28:56 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v0sjspmq2pj8ca@corp.supernews.com>
Source record: 35185
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

The bathroom stall is down the hallway and your language (colloquial English at best) is reprehensible. There are ladies and other fine people in these groups and many speak Italian and Polish and many fine foreign languages that you seem to disdain. I'm not going to force any metaphors on you but...

WILL YOU PEOPLE SHUT UP?

I'VE THOROUGHLY HAD IT WITH THE ANTI-FOREIGN, ANTI-GAY AND ANTI-SENSE YAHOOS IN THE PEANUT GALLERY!

Buffalo Bob brought a paddle in case you won't behave, I hope.

This crap won't even fly on the Truckin' Bozo radio show.

This group is about antique radios and phonographs, and a bit of mostly related off topic posting. Don't go cross-posting it unless it relates Completely with the topic of this group!!!!!!!!!!!!

The next vegetable that pops up should be salted and served.

IOTD (Idiot of the Day) goes to:

"RedOctober90" <RedOctober90@space.com> wrote in message news:9553ed5f.0212281700.12ce6d1e@posting.google.com...
> "Charter News Server" <charternewsserver@charternewsserver.kom> wrote in message news:<v0hhfsq87tf924@corp.supernews.com>...
> > "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> > news:4b3O9.5529$BP.3370@fe01...
> > > > Currently here a massive influx [...]

I think you've already seen it and I'm not gloryfying it here.

Steven

7675. Re: Rantorama was Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 01:39:42 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v0skgvavoiuc35@corp.supernews.com>
Source record: 35186
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Esp. the untimely and uncalled for use of the "F" word. We don't even hear banter like this in our local drinking holes. SHUT UP! and stay AWAY from our group if that's all you're good for. Get another hobby, but go away!

"Steven Dinius" <10kc@fmtc.com> wrote in message
news:v0sjspmq2pj8ca@corp.supernews.com...
> The bathroom stall is down the hallway and your language (colloquial
English
> at best) is reprehensible. There are ladies and other fine people in these
> groups and many speak Italian and Polish and many fine foreign languages
> that you seem to disdain. I'm not going to force any metaphors on you
but...
>
> WILL YOU PEOPLE SHUT UP?
>
> I'VE THOROUGHLY HAD IT WITH THE ANTI-FOREIGN, ANTI-GAY AND ANTI-SENSE
YAHOOS
> IN THE PEANUT GALLERY!
>
> Buffalo Bob brought a paddle in case you won't behave, I hope.
>
> This crap won't even fly on the Truckin' Bozo radio show.
>
> This group is about antique radios and phonographs, and a bit of mostly
> related off topic posting. Don't go cross-posting it unless it relates
> Completely with the topic of this group!!!!!!!!!!!
>
> The next vegetable that pops up should be salted and served.
>
> IOTD (Idiot of the Day) goes to:
>
> "RedOctober90" <RedOctober90@space.com> wrote in message
> news:9553ed5f.0212281700.12ce6d1e@posting.google.com...
> > "Charter News Server" <charternewsserver@charternewsserver.kom> wrote in
> message news:<v0hhfsq87tf924@corp.supernews.com>...
> > > "Roland Stiner" <nk2u@1stconnect.com> wrote in message
> > > news:4b3O9.5529$BP.3370@fe01...
> > > > > Currently here a massive influx [...]
>
> I think you've already seen it and I'm not gloryfying it here.
>
> Steven
>

>

7676. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 02:34:26 UTC
From: Roger Halstead <rdhalste@tm.net>
Message-ID: <rhms0v8mtvdj5e7k6gac3atvi2b7h7fjbj@4ax.com>
Source record: 35187
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Sat, 28 Dec 2002 22:06:04 GMT, nospam@nouce.bellatlantic.net wrote:

>On Sat, 28 Dec 2002 21:36:37 GMT, Roger Halstead <rdhalste@tm.net>
>wrote:
>
>>That's why it's going to be a while. SS and a pension only allow for
>>just so much. Now if the market hadn't tanked...<sigh>
>
>Not to dismay, I did my first 38 states and 4 countries on 6m using
>only 5W homebrew SSB and a two element beam at 20ft. In the spring a
>used 30ft Rohn25 tower and 3 elements goes up.

I have a good station. I purchased it just before the market tanked.
If the market had held off a while I'd also have had a new lathe and
floor mill to play with, but....

I installed the tower and did virtually all the work by hand...with
the exception of the holes for the guy anchors. The guy who dug the
holes with a back hoe also used it to carry the anchors out and place
them in the holes after we (two other Hams and myself) put the forms
for the concrete in and poured the crushed rock in the base.

http://www.rogerhalstead.com/tower.htm is a pictorial and story of the
tower project.

I should put up a page covering some of the stations I've had over the
years. As I said, I have a good station, but nothing like what I had
years ago. Then again, I don't have as much room either.

I have a good HF rig that also covers 6 with a 100 watts out and the
antenna is a 7 element C3i at 115 feet. As I said, that came before
the market tanked.

For 2 and 440 I only have FM capability at present. Eventually I hope
to have an all mode rig for those bands and I'm starting to look for
parts to build up a 2.39 Gig and 4.5Gig EME station. I might even try
it with 440 SSB and CW...maybe even WSJT. That is going to take some
time to acquire the parts and probably a lot of bargain hunting.
>
>Allison
>KB1GMX, FN42 6m, 2m and 70cm

73

Roger Halstead (K8RI EN73 & ARRL Life Member)
www.rogerhalstead.com

N833R World's oldest Debonair? (S# CD-2)

7677. Re: Rantorama was Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 02:59:04 UTC
From: Zoran Brlecic <WA7AA@attbi.com>
Message-ID: <3E0E64F6.8080702@attbi.com>
Source record: 35188
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Steven Dinius wrote:
> Esp. the untimely and uncalled for use of the "F" word.

OHMYGOD!!!!!!!!!! NOT THE "F" WORD!!!!!! THINK OF THE CHILDREN!!!!!!!!

Horrible, disgusting. I don't know how I'll sleep tonight after I've
seen the "F" word...

7678. Re: Rantorama was Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 03:01:48 UTC
From: CW <clinton.magers@attbi.com>
Message-ID: <wAtP9.487267$%m4.135552@rwcrnsc52.ops.asp.att.net>
Source record: 35189
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

You have now posted two messages saying "please keep this thread going, we
want to hear more".
Do you know what a troll is? Do you know what they feed on? More
importantly, do you know how to starve a troll?

"Steven Dinius" <10kc@fmtc.com> wrote in message
news:v0skgvavoiuc35@corp.supernews.com...
> Esp. the untimely and uncalled for use of the "F" word. We don't even hear
> banter like this in our local drinking holes. SHUT UP! and stay AWAY from
> our group if that's all you're good for. Get another hobby, but go away!
>

7679. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 03:04:27 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <%CtP9.48237$Zt4.528928@twister.rdc-kc.rr.com>
Source record: 35190
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

<nospam@nouce.bellatlantic.net> wrote in message
news:3e0e1ffa.3594601063@news.bellatlantic.net...
> On Sat, 28 Dec 2002 21:36:37 GMT, Roger Halstead <rdhalste@tm.net>
> wrote:
>
> Not to dismay, I did my first 38 states and 4 countries on 6m using
> only 5W homebrew SSB and a two element beam at 20ft.

Well, my house is vertically challenged. I live in a valley, and had to go up 60' just to make ground level. Currently I only have a 6M vertical. I really should put up a horizontal 6M antenna, and am considering building a halo, our buying an Isotron. I can hear 6M SSB activity some times, but have had limited success getting back to them.

I've got 100W on 6M, and was hopping to get into the 200W range with the sweep tube amp.

I've got a few other HF amps collecting dust, one with a pair of 811A's, and the other with 4 - 811A's. If I can't get the sweep tubes to work satisfactorily, I have to start on one of them.

7680. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 03:06:23 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <PEtP9.48258$Zt4.529497@twister.rdc-kc.rr.com>
Source record: 35191
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

<nospam@nouce.bellatlantic.net> wrote in message
news:3e0defd7.3582277733@news.bellatlantic.net...
> On Fri, 27 Dec 2002 22:28:55 -0600, "Keith Beckmann"
> <Kbeckmann.spankme@wi.rr.com> wrote:
>
> Look for "The Mini Lini" Wilson Hoag QST april 1982 a two tube sweep
> tube linear. The input and output networks he used may work better
> for you.

I found the schematic for that amp, and it looks interesting. Now all I
need is a little more time to play with it.

7681. Re: Plagiarize, let no one else's work evade your eyes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 03:11:31 UTC
From: Jeffrey D Angus <jangus@socal.rr.com>
Message-ID: <3E0E6752.2070304@socal.rr.com>
Source record: 35192
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Just for the sake of the argument, it's by George Carlin.
The Bad American thing.
And heh, I have a copy of Toh Lehrer's Lobachevsky song here.

Jeff

Doug T wrote:

>On Tue, 24 Dec 2002 15:39:19 -0500, Charter News Server wrote:
>[plagiarism snip]
>
>That red neck manifesto has appeared on hundreds of web pages such as
>http://www.coreyandjayshow.com/badamerican.htm, erected by people who
>can't think for themselves and who therefore have to use someone
>else's words -- however badly chosen in places -- to try and express
>their own world view.
>
>But at least have the guts not to pass the words off as your own.
>
>====================
>"Plagiarize,
>Let no one else's work evade your eyes,
>Remember why the good Lord made your eyes,
>So don't shade your eyes,
>But plagiarize, plagiarize, plagiarize"
>-- Tom Leherer, the Lobachevsky song
>
>

--
"They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety." Benjamin Franklin
"A life lived in fear is a life half lived."
Tara Morice as Fran, from the movie "Strictly Ballroom"

7682. Re: Plagiarize, let no one else's work evade your eyes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 03:44:22 UTC
From: "Mark S. Holden" <mark@bmas.org>
Message-ID: <3E0E6F96.F3B6B9A2@bmas.org>
Source record: 35193
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Jeffrey D Angus wrote:
>
> Just for the sake of the argument, it's by George Carlin.
> The Bad American thing.
> And heh, I have a copy of Toh Lehrer's Lobachevsky song here.
>
> Jeff
>

That's not by George Carlin. Here's a link to his web site where he denies authorship.

<http://www.georgecarlin.com/georgecarlin/home/bogus.html>

It's also been attributed to Ted Nugent - he's also denied authoring it.

<http://www.tednugent.com/news/10042001.shtml>

7683. Re: Plagiarize, let no one else's work evade your eyes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 03:53:55 UTC
From: Jeffrey D Angus <jangus@socal.rr.com>
Message-ID: <3E0E7142.9060202@socal.rr.com>
Source record: 35194
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Mark S. Holden wrote:

>Jeffrey D Angus wrote:
>
>
>>Just for the sake of the argument, it's by George Carlin.
>>The Bad American thing.
>>
I stand corrected.

>That's not by George Carlin. Here's a link to his web site where he denies authorship.
>
><http://www.georgecarlin.com/georgecarlin/home/bogus.html>
>
>It's also been attributed to Ted Nugent - he's also denied authoring it.
>
><http://www.tednugent.com/news/10042001.shtml>
>
>
Amazing the things you learn on the net. ;-)

Jeff

--
"They that can give up essential liberty to obtain a little temporary
safety deserve neither liberty nor safety." Benjamin Franklin
"A life lived in fear is a life half lived."
Tara Morice as Fran, from the movie "Strictly Ballroom"

7684. Re: Rantorama was Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 04:17:29 UTC
From: william_b_noble <william_b_noble@nospam.microsft'snetwork.com>
Message-ID: <ault0ppqs1@nntp1.interworld.net>
Source record: 35195
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

I second steven's suggestion - this is not the self-revalation and phobia group

"Steven Dinius" <10kc@fmtc.com> wrote in message news:v0sjspmq2pj8ca@corp.supernews.com...
> The bathroom stall is down the hallway and your language (colloquial English
> at best) is reprehensible. There are ladies and other fine people in these
> groups and many speak Italian and Polish and many fine foreign languages
> that you seem to disdain. I'm not going to force any metaphors on you but...
>
> WILL YOU PEOPLE SHUT UP?
>
> I'VE THOROUGHLY HAD IT WITH THE ANTI-FOREIGN, ANTI-GAY AND ANTI-SENSE YAHOOS
> IN THE PEANUT GALLERY!

7685. Re: Plagiarize, let no one else's work evade your eyes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 04:47:23 UTC
From: "Glenn S." <GlennVA56@hotmail.com>
Message-ID: <mgvs0vgvrth6uoant3d953011ja7u2rpto@4ax.com>
Source record: 35196
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Mark S. Holden" <mark@bmas.org> wrote:

>It's also been attributed to Ted Nugent - he's also denied authoring it.
>
><http://www.tednugent.com/news/10042001.shtml>

Thanks. It was attributed to Ted when I first heard of it.
It sounded so much like him, I just accepted it as fact.

7686. Re: The True Meaning Of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 05:15:47 UTC
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Message-ID: <telamon_spamshield-F76BAF.21161728122002@newssvr15-ext.news.prodigy.com>
Source record: 35197
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

In article <plfn0v05g24t8n8dpe9tk5d4er82rgkuve@4ax.com>,
Ain't Real <donotreply@hotmail.com> wrote:

> On Thu, 26 Dec 2002 21:24:20 GMT, Telamon
> <telamon_spamshield@pacbell.net.is.invalid> wrote:
>
> >In article <4fql0vsicpsi5fjei0rt3t9nso35ptb3b8@4ax.com>,
> > Ain't Real <donotreply@hotmail.com> wrote:
> >
> >> On Wed, 25 Dec 2002 22:20:47 GMT, Santa X <santax@northpole.com>
> >> wrote:
> >>
> >> >> but christmas and easter were both stolen by the christians
> >> >>
> >> >> Yuletide is what it really is and has nothing to do with the
> >> >> birth of christ,which i have no problem with,but just wish
> >> >> religion would not hijack ancient pagan festivals.
> >> >
> >> >Look, there is nothing religious or Christian about Santa Claus,
> >> >decorating pine trees with electric lights, and giving gifts
> >> >wrapped in colorful wrapping paper. Stop brining religion into
> >> >something nice and fun and ruin it!
> >>
> >>
> >> Check this out. The real meaning of gifts under the Christmas
> >> tree. http://www.bluehoney.org/Xmas.htm
> >>

> ><snip>
> >
> >May I suggest discipline, contemplation, prayer and meditation instead
> >of kicking and re-booting your brain with a hallucinogenic drug?
>
> To clear things up, I don't use drugs, and it is a VALID article. It
> places ideas into historical and cultural context. And, while
> meditation and what you mention are also used to reach enlightenment,
> traditionally they have been combined with acts such as fasting and
> self flagellation. Both activities will produce a " drugged" type
> shock state. Isolation will also produce a hallucinatory state. May I
> suggest to you, that you broaden your obviously limited perspective.
> You can start with the Eight Circuit Brain theory, maybe hop into a
> bit of Shamanism, or Sufiism. Hell, you may even LEARN something.
> :)

<Snip>

Your valid article starts out OK but then discusses various Indian tribes consumption of mushrooms with hallucinogenic properties along with Shamanism and other religious topics. Also mentioned is Terrence McKenna. If you want to find out what Terrence was interested in read more about this man who died of brain tumor here http://www.levity.com/eschaton/hallucination.html

Skip the self-flagellation.

--
Telamon(TM)

7687. Re: Plagiarize, let no one else's work evade your eyes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 07:15:42 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3E0EA124.80309@netscape.net>
Source record: 35048
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Doug T wrote:
> On Tue, 24 Dec 2002 15:39:19 -0500, Charter News Server wrote:
> [plagiarism snip]
>
> That red neck manifesto has appeared on hundreds of web pages such as
> http://www.coreyandjayshow.com/badamerican.htm, erected by people who
> can't think for themselves and who therefore have to use someone
> else's words -- however badly chosen in places -- to try and express
> their own world view.
>
> But at least have the guts not to pass the words off as your own.

Aha! I thought there was something just a bit too slick about that.
Thanks for pointing it out.

Cheers,
Fred

> ====================
> "Plagiarize,
> Let no one else's work evade your eyes,
> Remember why the good Lord made your eyes,
> So don't shade your eyes,
> But plagiarize, plagiarize, plagiarize"
> -- Tom Leherer, the Lobachevsky song

;-)

--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

7688. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 07:52:44 UTC
From: "Michael A. Terrell" <terrell@mfi.net>
Message-ID: <3E0EA9CC.FAF228F0@mfi.net>
Source record: 35049
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Michael A Terrell wrote:
>
> "Michael A. Terrell" <terrell@mfi.net> wrote in message
> news:3E0A1FFD.33FC6A9D@mfi.net...
> > > > Michael A. Terrell
> > > > Central Florida
> > >
> > Forwarded to supernews for abuse.
>
> ROTFLMAO!
>
> Let me guess. You think YOU have exclusive rights to the name Michael
> Terrell.
>
> Tell you what pudding cup, ask one of the Michael Terrell's listed below.
> Phone numbers are included for your convenience.

Better yet, Supernews pulled your account:

Subject:
Re: This character is trying to forge my ID.
Date:
Wed, 25 Dec 2002 22:20:22 +0000
From:
Supernews Abuse Desk <abuse@supernews.net>
To:
"Michael A. Terrell" <terrell@mfi.net>
CC:
abuse@supernews.net
References:
1

Merry Christmas - he's nuked. He's a corp outsource user, though,
and should he change ISPs, get a direct account, or otherwise slip
out from our filters he may show up again. If so, let us know and
we'll nail him again.

Supernews Abuse Desk

--

Michael A. Terrell
Central Florida

7689. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 09:18:07 UTC
From: Steven Dinius <10kc@fmtc.com>
Message-ID: <v0tfd2fdbb6rae@corp.supernews.com>
Source record: 35050
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

How bizarre.

I think I need a Tylenol.

Less than a month here and we have such a mess. Huh?

Steven
"Michael A. Terrell" <terrell@mfi.net> wrote in message
news:3E0EA9CC.FAF228F0@mfi.net...
> Michael A Terrell wrote:
> >
> > "Michael A. Terrell" <terrell@mfi.net> wrote in message
> > news:3E0A1FFD.33FC6A9D@mfi.net...
> > > > > > Michael A. Terrell
> > > > > > Central Florida
> > > >
> > > Forwarded to supernews for abuse.
> >
> > ROTFLMAO!
> >
> > Let me guess. You think YOU have exclusive rights to the name Michael
> > Terrell.
> >
> > Tell you what pudding cup, ask one of the Michael Terrell's listed
below.
> > Phone numbers are included for your convenience.
>
>
> Better yet, Supernews pulled your account:
>
>
>
> Subject:
> Re: This character is trying to forge my ID.
> Date:
> Wed, 25 Dec 2002 22:20:22 +0000
> From:
> Supernews Abuse Desk <abuse@supernews.net>
> To:
> "Michael A. Terrell" <terrell@mfi.net>
> CC:
> abuse@supernews.net
> References:

> 1
>
>
>
>
> Merry Christmas - he's nuked. He's a corp outsource user, though,
> and should he change ISPs, get a direct account, or otherwise slip
> out from our filters he may show up again. If so, let us know and
> we'll nail him again.
>
> Supernews Abuse Desk
>
>
>
> --
>
>
> Michael A. Terrell
> Central Florida

7690. Re: Z-Match - Help Please (with links to photos)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 10:45:44 UTC
From: maineac58@peoplepc.com
Message-ID: <c6bb5824.0212290245.2b95b9f3@posting.google.com>
Source record: 35051

Make sure to check all solder connections VERY carefully. I had this
same problem with an MFJ tuner and it was a loose solder joint.

Carl N1DXM

"Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com> wrote in message
news:<IDpP9.6963$4k6.594094@wards>...
> Thank you for reading this post.
>
> I am having a problem with a Z-Match that I have purchased second hand. The
> VSWR will not come down correctly on any antenna.
>
> I have taken some photo's of the offending item and hoped that someone could
> take a look, to see if they can see something obvious.
>
> The images are around 400K each.
>
> http://www.cheesefamily.plus.com/zmatch1.jpg
>
> http://www.cheesefamily.plus.com/zmatch2.jpg
>
> http://www.cheesefamily.plus.com/zmatch3.jpg
>
> I have removed the front panel. Looking at zmatch one the 10/15/20m antenna
> connection is on the left and the 40/80 connection is on the right. The
> connection to the TX is below the 40/80 connection.
>
> I know this is a long shot, but I haven't been able to find any circuits or
> information about this unit.
>
> Thanks for any help that anyone can offer.
>
> Regards,
>
> Neil
> G1TZC / M3TZC

7691. TM742 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 12:45:19 UTC
From: cdr at pandora dot be <cdr@pandora.be>
Message-ID: <z7CP9.77687$Ti2.10693@afrodite.telenet-ops.be>
Source record: 35052
Cross-posted to: alt.nl.radio.zendamateur.gelicentieerd,nl.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,uk.radio.amateur

HI folks

I have a strange problem with my tm742 Kenwood tranceiver :

i cannot transmit and receive on any band , not on 2, not on 70, not on 23cm
if i puch the PTT it like it transmitting but no signal

a collegue advised to cheque the backup-battery. normaly it is 3 volt, i
measured 3.2 volts (seems normal i think)

who nows more????

Happy Newyear to you all !!!

73

7692. Re: TM742 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 13:44:48 UTC
From: hans@remeeus.nl
Message-ID: <3e0efc2e$0$11527$7a0f4ed3@energis-news-env>
Source record: 35053
Cross-posted to: alt.nl.radio.zendamateur.gelicentieerd,nl.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,uk.radio.amateur

Hello CDR,

I did have exactly the same problem with my TM-742E, due to a short-circuit in the microphone connector. I think a (SMD) fuse has been blown. I did'nt fix the problem myself, but the local service outlet did; so I cannot help you with the exact sparenumber of the fuse. You may find this SMD-part in the Control Unit.

Don't hesitate to drop me an e-mail if you have any further questions about this problem.

Good luck and happy 2003 to you too!

--

73 (���), Hans PA1HR
www.remeeus.nl, www.qsl.net/pa1hr

"cdr at pandora dot be" <cdr@pandora.be> schreef in bericht
news:z7CP9.77687$Ti2.10693@afrodite.telenet-ops.be...
> HI folks
>
> I have a strange problem with my tm742 Kenwood tranceiver :
>
> i cannot transmit and receive on any band , not on 2, not on 70, not on
23cm
> if i puch the PTT it like it transmitting but no signal
>
> a collegue advised to cheque the backup-battery. normaly it is 3 volt, i
> measured 3.2 volts (seems normal i think)
>
> who nows more????
>
> Happy Newyear to you all !!!
>
> 73

7693. Re: TM742 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 14:10:00 UTC
From: Ronad Sato <Sato@keinspam-mora.de>
Message-ID: <YmDP9.1935$Qt4.277735@nlnews00.chello.com>
Source record: 35054
Cross-posted to: alt.nl.radio.zendamateur.gelicentieerd,nl.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,uk.radio.amateur

En ik maar denken dat ze in Belgie Nederlands op school kregen ;-)

"cdr at pandora dot be" <cdr@pandora.be> schreef in bericht
news:z7CP9.77687$Ti2.10693@afrodite.telenet-ops.be...
> HI folks
>
> I have a strange problem with my tm742 Kenwood tranceiver :
>
> i cannot transmit and receive on any band , not on 2, not on 70, not on
23cm
> if i puch the PTT it like it transmitting but no signal
>
> a collegue advised to cheque the backup-battery. normaly it is 3 volt, i
> measured 3.2 volts (seems normal i think)
>
> who nows more????
>
> Happy Newyear to you all !!!
>
> 73
>
>
>

7694. FS: Active Attenuator

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 14:19:02 UTC
From: aa3ii@aol.com
Message-ID: <20021229091902.16008.00000453@mb-mj.aol.com>
Source record: 35055

Homebrew Active Attenuator for Fox Hunting.(QST Nov 1992).Built w/ PC board from Far Circuits. $20.00 shipped lower 48.

7695. Re: AOR AR-8200 MK II-B or ICOM R-10. Which is better?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 15:06:35 UTC
From: Roland <va3xaAAA@hotmail.com>
Message-ID: <Xns92F35D05C2F6va3xaAAAhotmailcom@206.172.150.13>
Source record: 35056
Cross-posted to: rec.radio.scanner,rec.radio.amateur.equipment

Vince,

I can't speak for the R-10 but I do have an AR-8200 MK II and I've been very impressed with the unit. Amazing what a small package can do.

To help you, there are reviews of both units at;

http://www.strongsignals.net/access/reviews/reviews.cgi

Cheers.

Roland

"Vince Fiscus, KB7ADL" <vlfiscus@mcn.net> wrote in news:oVjP9.201$134.40388 @newsread1.prod.itd.earthlink.net:

> What are the opinions of the group on these two receivers?
>
> KB7ADL
>

7696. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 16:08:51 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0f1ea7.3659798121@news.bellatlantic.net>
Source record: 35057
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Sun, 29 Dec 2002 03:06:23 GMT, "Keith Beckmann"
<Kbeckmann.spankme@wi.rr.com> wrote:

>> Look for "The Mini Lini" Wilson Hoag QST april 1982 a two tube sweep
>> tube linear. The input and output networks he used may work better
>> for you.
>
>I found the schematic for that amp, and it looks interesting. Now all I
>need is a little more time to play with it.

Thats a good design, they illustrate how high output capacitance
can be handled with a very different network. Note read the article
well. the amp really wants a low pass filter to meet current
standards for harmonics if memory serves the have a plan for said
filter.

Allison

7697. Yaesu FT817 FS or Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 16:12:14 UTC
From: VE3TMT <ve3tmt@cogeco.ca>
Message-ID: <EdFP9.52487$lj.1528317@read1.cgocable.net>
Source record: 35058

Yaesu FT817 QRP rig - purchased October 2002
LDG Z-11 Autotuner
3 internal battery packs - 1 MAHA FNB72 1700mA
- 2 RS 23-331B 1650 mA
1 12V - 5aH gel cell with split cord for both rig & tuner
All supplied cords & connectors
Pelican 1500 series custom carrying case

PLEASE READ

The radio's original internal battery lead has been replaced with a fused one. The internal battery packs have also had the power leads replaced to match. This modification allows the internal battery pack to be charged when running the radio off external 12V power. I also have the Radio Shack 2 tray charger (# 23-440) that allows two of the battery packs to charge then automatically shut off.

The original manual is suplied, as is warranty card, but I do not have the boxes or shoulder strap. . The MH31 contains the Heil HC4 cartridge and the W4RT "One Big Punch" speech processor.

I purchased this gear thinking I would be getting into QRP activity but I just don't have the time.

Looking for small mobile HF rig, or any with detachable head unit (FT900, 706 series, etc) Also interested in building up my TS850S line so I would be interested in those accessories, escpecially the DSP-100 unit. and the SP950.

Thanks for reading.

7698. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 16:13:14 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0f1f55.3659971610@news.bellatlantic.net>
Source record: 35059
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Sun, 29 Dec 2002 03:04:27 GMT, "Keith Beckmann"
<Kbeckmann.spankme@wi.rr.com> wrote:

>halo, our buying an Isotron. I can hear 6M SSB activity some times, but
>have had limited success getting back to them.

Invest in a good 3 or more element beam, you'll see the difference
more than if you had higher power. I work stations at 600mi fairly
regualr with 20w and 2 elements though I'm not in a valley or on a
hill.

>I've got a few other HF amps collecting dust, one with a pair of 811A's, and
>the other with 4 - 811A's. If I can't get the sweep tubes to work
>satisfactorily, I have to start on one of them.

811s really don't work well at 6m. Though the one with a pair of 811s
would make a good base if you replace the 811s with 4cx250s.

Allison

7699. Looking for answer Ic-718

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 16:27:30 UTC
From: kc5md@aol.comAdmin
Message-ID: <20021229112730.08027.00000408@mb-fw.aol.com>
Source record: 35060

Will my Icom IC-718 work with my Heathkit SB-201 Linear?
I am hopeful that there are no extra interconnect cables etc required.

kc5md@aol.com

7700. FS Mint Heathkit Phone Patch

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 16:29:28 UTC
From: kc5md@aol.comAdmin
Message-ID: <20021229112928.08027.00000409@mb-fw.aol.com>
Source record: 35061

```
Orig owner
Near perfect condition
Includes manual also nearly new

Best offer, (buyer pays shipping)

kc5md@aol.com
```

7701. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 17:14:49 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <d4GP9.50084$Zt4.563165@twister.rdc-kc.rr.com>
Source record: 35062
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

> Invest in a good 3 or more element beam, you'll see the difference
> more than if you had higher power. I work stations at 600mi fairly
> regualr with 20w and 2 elements though I'm not in a valley or on a
> hill.

I've got a tower up (50' of Rohn 25), with a 3 band vertical (6M/2M/70CM) on a 10' mast. This is just barely at ground level 500' away. I'm not sure a horizontal beam would work well in this situation.

> 811s really don't work well at 6m. Though the one with a pair of 811s
> would make a good base if you replace the 811s with 4cx250s.

The problem with the 4CX250B's, are that I don't have any, and I'd need sockets, blowers, chimneys.....

I've seen some designs of the 811A's on 6M, which is why I suggested them. I'm still going to play with the sweep tubes some more before I give up on the idea.

7702. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 17:14:49 UTC
From: Fred Nachbaur <fnachbaur@netscape.net>
Message-ID: <3E0F2D8E.1030702@netscape.net>
Source record: 35063
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Doug T wrote:
> On Sun, 29 Dec 2002 02:52:44 -0500, Michael A. Terrell <terrell@mfi.net> wrote:
>
>> Better yet, Supernews pulled your account:
>
> [snip]
>
> Awwwww. Is the netKKKop proud of his little self?
>
> Remember: What goes around, comes around.

Only if you deserve it. If someone had forged my ID, I would hope that
I'd have the courage to proceed as Michael did. Way to go!

Cheers,
Fred
--
+---+
| Music: http://www3.telus.net/dogstarmusic/ |
| Projects, Vacuum Tubes & other stuff: |
| http://www.dogstar.dantimax.dk |
+---+

7703. SGC or Belden cable

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 17:31:13 UTC
From: James Tutak <jtutak@prodigy.net>
Message-ID: <BjGP9.1991$V97.904@newssvr19.news.prodigy.com>
Source record: 35064
Cross-posted to: alt.ham-radio,alt.ham-radio.hf,alt.ham-radio.ssb,rec.radio.amateur.equipment

Does anyone know where I can purchase SGC Catalog #52-54 or Belden 8305.
(10 wire 22ga. Shielded Cable) by the foot for less than $4 a foot.

Thank You in advance,
Jim

7704. Re: TM742 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 17:54:25 UTC
From: fmmck@aol.com
Message-ID: <20021229125425.16093.00000228@mb-mj.aol.com>
Source record: 35065

<< i cannot transmit and receive on any band , not on 2, not on 70, not on 23cm
if i puch the PTT it like it transmitting but no signal >>

CDR-

I am having this problem also. However, it sometimes works. When it works, the display light is brighter and I can see it dim slightly when I transmit. Sometimes it changes between bright and dim display without being touched!

I also have the TM-942 which has the additional 1200 MHz module. It works most of the time but sometimes will exhibit the problem. This radio had the CMOS battery replaced about six months ago.

Someone suggested that the problem might be voltage related, but I haven't had a chance to make any measurements. It doesn't seem to matter whether or not the car engine is running, so voltage may have nothing to do with it. However, that is the common link between the two radios, and is sort of a coincidence they both have the same problem now and neither did before I installed them in the car.

73, Fred, K4DII

7705. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 18:16:00 UTC
From: hillbilly3302 <davesradio@alltel.net>
Message-ID: <AZGP9.2655$T5.1077947@news.alltel.net>
Source record: 35066
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

what about converting those little 2 transistor (sc1446's) amps that are so
plentiful for 25-30 mhz...

k5drc
<nospam@nouce.bellatlantic.net> wrote in message
news:3e0defd7.3582277733@news.bellatlantic.net...
> On Fri, 27 Dec 2002 22:28:55 -0600, "Keith Beckmann"
> <Kbeckmann.spankme@wi.rr.com> wrote:
>
> >I've seen the Courier BL-100 schematics, and was amazed by the input
> >circuit. There wasn't even any isolation, the antenna lead is connected
> >directly to the Cathode.
>
> It's ugly. I add DC bypass and a tuned input to get the SWR to under
> 1.2:1. Chokes in the filliment leads to float them and tweeked the
> pi-network values. Runs comfortably at 6 but since I have a tentec
> 6n2 at 20w the two sweep tubes are just not enough to make any real
> big difference (100w class). I needed at least three sweep tubes to
> get to 10db gain (200w region) to make sense and they would not fit
> the BL100.
>
> >Many CB amps were designed around the 6JG6, which was a sweep tube, where
> >the plate was not on a cap, but came back down to the base. There had to
be
> >considerable interaction between the input and output.
>
> Many were so poor as to be a criminal offense from just the design
> standpoint. And the solid state ones most ran class B at best...
> splatter and spurs.
>
> >The unit I'm playing with is a Kris Mach 4B. This is a relatively
unknown
> >amp, as it was not put into production by Kris. I happen to have the
> >original prototype, plus 2 pre-production units. It looks well
designed,
> >and setup. Even better than their previous models. The power
transformer
> >is massive, and just loafing at these power levels.
>
> They were going to do the 10m market then the FCC changed the rules
> and made it near impossible to sell it legally.
>
> >These were obviously designed for 11M use, as there are 4 tubes, 1

driving
> >3. I have bypassed the first stage, and have been playing with just the
3
> >tube portion of the amp. The units work very well on 10M, but I thought
it
> >might be nice to convert one to 6M use. I thought all I'd have to do was
> >change the coil on the PI network, but this has turned into a bigger
> >project.
>
> Look for "The Mini Lini" Wilson Hoag QST april 1982 a two tube sweep
> tube linear. The input and putput networks he used may work better
> for you.
>
> Allison
>
>
>
>

7706. Re: Z-Match - Help Please (with links to photos)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 18:31:59 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <aunf2v$7tf$1@knossos.btinternet.com>
Source record: 35067

> I haven't been able to find any circuits or
> information about this unit.

==========

If your tuner doesn't work on any antenna then your SWR meter could be faulty ? Have you got it in the right place.

To obtain a circuit diagram of the tuner first remove the cover. Then obtain a sheet of paper and a ball-point pen. Copy what you see of the wiring onto the paper. And there you have it!

Can't be too difficult. At most there's only one coil and two capacitors which you should have no difficulty in recognising.

7707. FA: Dead kenwood 2 meter transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 19:21:12 UTC
From: "Daniel G. Krause" <navycat@citcom.net>
Message-ID: <9oiu0vchdafedl7th6pi4o8dr94iamhiqi@4ax.com>
Source record: 35068

: http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1948677133

7708. Re: Plagiarize, let no one else's work evade your eyes

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 19:46:57 UTC
From: Cascade <Opus@anon.com>
Message-ID: <aunjea$5d7$0@pita.alt.net>
Source record: 35069
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

"Glenn S." <GlennVA56@hotmail.com> wrote in message
news:mgvs0vgvrth6uoant3d953011ja7u2rpto@4ax.com...
> "Mark S. Holden" <mark@bmas.org> wrote:
>
> >It's also been attributed to Ted Nugent - he's also denied authoring it.
> >
> ><http://www.tednugent.com/news/10042001.shtml>
>
> Thanks. It was attributed to Ted when I first heard of it.
> It sounded so much like him, I just accepted it as fact.
>

I know who wrote it. It was Hillary Clinton!!!!!

7709. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 20:00:05 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0f5491.3673599707@news.bellatlantic.net>
Source record: 35070
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Sun, 29 Dec 2002 18:16:00 GMT, " hillbilly3302"
<davesradio@alltel.net> wrote:

>what about converting those little 2 transistor (sc1446's) amps that are so
>plentiful for 25-30 mhz...

Whole different can of major snakes. Hard to do, most cases
impossible. The transistors may not have enough FT for 50mhz and the
whole input and output matching would change, significantly. I build
alot and have designed for commercial and 6m ham and what works at
27mhz tends to behave badly at 50.

Allison

7710. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 20:13:58 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0f558a.3673848635@news.bellatlantic.net>
Source record: 35071
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Sun, 29 Dec 2002 17:14:49 GMT, "Keith Beckmann"
<Kbeckmann.spankme@wi.rr.com> wrote:

>I've got a tower up (50' of Rohn 25), with a 3 band vertical (6M/2M/70CM) on
>a 10' mast. This is just barely at ground level 500' away. I'm not sure a
>horizontal beam would work well in this situation.

Yes it will. Polarization is everything. I have a 6m Jpole (for 6m
repeaters and FM simplex) and it does not hear signals that make the
meter move on the 2 element and they are about the same height. I
also have both horizontal and vertical beams for 2m and the difference
is significant if wrong. All the 6m SSB work is horizontal.

To give an idea. The 2m vertical is 3 elements, the 2m horizontal is
15 (crushcraft 15b2). Aimed at a distant repeater I see S9 off the
vertical beam, S5 off the horizontal. Polarization counts.

>The problem with the 4CX250B's, are that I don't have any, and I'd need
>sockets, blowers, chimneys.....

Flea market when your see them. You only need one of each as a lone
4cx250 will stand 500W SSB service. Three will loaf at 1kw.

>I've seen some designs of the 811A's on 6M, which is why I suggested them.
>I'm still going to play with the sweep tubes some more before I give up on
>the idea.

I didn't say they won't work only they don't work well. Some are
often subbed with TL572s which are better. If you have a 6m 811
design by all means give it a shot. if you have 100W you need to
really get at least 200 out to make it worth your time. But remember
if you can't hear them you cannot work em and the antenna will
definately help you hear them. 90% of the 6m DX i've worked was 100w
or less and at least half were using low power (usually transverter at
10-20W).

Even a cheap 3 element beam is 7db and that beats any vertical you
have for 6m. I'd guess that a 3db improvement over a vertical for gain
and also required polerization. If mony is a problem build a 6m
dipole and try it t would be about 112" of #12.

Allison

7711. Re: Z-Match - Help Please (with links to photos)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 20:43:51 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <Y6JP9.774$xE1.102749@stones>
Source record: 35072

> If your tuner doesn't work on any antenna then your SWR meter could be
> faulty ? Have you got it in the right place.

Yes, the antenna (1/2 size G5RV) works fine on 20/40m bands. VSWR meter shows 1.5 : 1 in mid band on both.

On non res bands it shows 5:1 +

> To obtain a circuit diagram of the tuner first remove the cover. Then
obtain
> a sheet of paper and a ball-point pen. Copy what you see of the wiring
onto
> the paper. And there you have it!

Yes, I tried that and came up with a circuit that made no sense to me at all. It appears that one of the input coils is connected to the middle of the PL259 connector, but there is nothing connected to the other end of the coil.

> Can't be too difficult. At most there's only one coil and two capacitors
> which you should have no difficulty in recognising.

Your right I did manage to work those two out.

I was looking for a circuit diagram so that I could compare what I have against what I should have.

Thanks,

Neil.

7712. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 20:57:54 UTC
From: Michael Blake <m.b.blake@worldnet.att.net>
Message-ID: <mlJP9.19189$p_6.1497300@bgtnsc04-news.ops.worldnet.att.net>
Source record: 35073
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

> >This is just barely at ground level 500' away. I'm not sure a
> >horizontal beam would work well in this situation.
>
> Yes it will. Polarization is everything. I have a 6m Jpole (for 6m
> repeaters and FM simplex) and it does not hear signals that make the
> meter move on the 2 element and they are about the same height. I
> also have both horizontal and vertical beams for 2m and the difference
> is significant if wrong. All the 6m SSB work is horizontal.
>
Actually having both polarities is helpfull as skip, inversion and
tropospheric ducting cause random polarity shifts. If the signal is line of
site or ground wave it is extremely important to not be cross polarized but
when the signal is more distant polarity shifts will make the best polarity
unpredictable.

I have a 6M verticle and a 3 element horizontal yagi. They are both at
about 25 feet. Local SSB signals are MUCH stronger on the 3 element yagi
but skip signals will vary between the two and not depend on the polarity of
the originating station. I have just about as much luck using 20 watts from
an MFJ single bander as with 100 watts from an IC-746.

73 - Mike

7713. Re: SGC or Belden cable

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 21:44:16 UTC
From: Den <Dennis@me.com>
Message-ID: <Q0KP9.85170$hK4.6907518@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35074
Cross-posted to: alt.ham-radio,alt.ham-radio.hf,alt.ham-radio.ssb,rec.radio.amateur.equipment

Hi Jim
Try http://www.thewireman.com/

Good luck
Den

"James Tutak" <jtutak@prodigy.net> wrote in message
news:BjGP9.1991$V97.904@newssvr19.news.prodigy.com...
> Does anyone know where I can purchase SGC Catalog #52-54 or Belden 8305.
> (10 wire 22ga. Shielded Cable) by the foot for less than $4 a foot.
>
> Thank You in advance,
> Jim
>
>
>
>

7714. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 22:09:21 UTC
From: di540@FreeNet.Carleton.CA
Message-ID: <aunrqh$5ji$1@freenet9.carleton.ca>
Source record: 35075
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Michael Moore pontificates:
> signalchaser wrote:
>> Gee, if its not a Christian holiday then why do we call it Christmas. Did
>> you ever think that the word Christ might be an important facet of
>> Christmas. Why don't we call it Santa Claus Day or Satan Clause Day or
>> whatever.
>
> For the first three centuries of Christianity, Christmas
> wasn't in December or on the calendar anywhere. If observed
> at all, the celebration of Christ's birth was usually lumped
> in with Epiphany (January 6), one of the church's earliest
> established feasts. Epiphany, January 6, still marks the
> date of Christ's baptism in eastern churchs but in western
> churches now marks the arrival date of the Magi. Few eastern
> churches continue to celebrate Christ's birth on January 6.

At least observance of the Magi/taking Jesus to the Temple has some
credibility for this time of year. Dr Gene Scott & others have shown from
scripture that Jesus was born around the Jewish New Year/Feast of the
Trumpets.

> In 336 A.D., Pope Julius declared Christmas on December 25,
> after Emperor Constantine had declared Christianity the
> empire's favored religion. Writing in 390 A.D., Pope Julius
> says: 'On this day also the birth of Christ was lately fixed
> at Rome, in order that while the heathen were busy with
> their ceremonies, the Christians might perform their rites
> undisturbed."
Now if only today's RC church could be as honest about Maryolatry/
Immanculate Conception/Incisionless Caesarian Section etc. as was
Pope Julius about trying to hide Xmas behind pagan ceremonies.

> The heathen ceremonies referred to were the Roman festival
> of Saturnalia and Brumalia.
>
> Saturnalia
> ----------
> Saturnalia (feast of Saturn), was both a gigantic fair and a
> festival of the home. Riotous merry-making took place, and
> the halls of houses were decked with boughs of laurel and
> evergreen trees. Lamps were kept burning to ward off the

Tree worship is at the root of the monotheistic religions, not just
of the pagan mythologies. For example, the Muslims like to quote the

Bible as referring to 'Allah' in Joshua 24:26 in order to lend their religion credibility. But we know from Genesis 12:6 that it refers to The Oak of Shechem as an altar/sancutary of the Lord. 'Allah' is a semitic word for 'oak' and like the druids, the early semites thought that oak trees were holy. When Israelites took over, they merged the pagan god's place into their own religion, just as the Chrisitians had done to the druid holy places. There are also other references in the Bible to holy oaks via the words "Elah" & "El".

> jewellery, and incense. Temples were decorated with
> evergreens symbolizing life's continuity, and processions of
> people with masked or blackened faces and fantastic hats
> danced through the streets.
>
> The week-long festival of Saturnalia was immediately
> followed by Brumalia.
>
>
> Brumalia
> --------
> This is the Roman celebration of the Winter Solstice. In
> 274 A.D., Emperor Aurelian established December 25 as the
> birthday (Natalis) of the "Invincible Sun" (Solus Invicti).
> The name comes from bruma and refers to the shortest day
> of the year, the winter solstice. The Brumalia celebrated
> the return of the sun after the winter solstice, the date
> when the day began again to lengthen.

Ah, so Aurelian set the precedent for Christmas Day being confused with the birthday of Jesus.

7715. FS: Kantronics KPC-2 TNC

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 22:11:37 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <oomu0vc7ccsj0fkf505msskf0j95cnoubm@4ax.com>
Source record: 35076

I have for sale a Kantronics KPC-2 packet communicator II...It has 3.0 firmware and comes with cables, operation and command manuals ...I do not have a 12volt supply for it..Its in excellent condition and will take $30 plus shipping....Email or call if you have any questions...WZ1U Steve / Lakeville, Ma.

7716. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 22:26:38 UTC
From: di540@FreeNet.Carleton.CA
Message-ID: <aunsqu$6ql$1@freenet9.carleton.ca>
Source record: 35077
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Michael Moore (m.moore@NOSPAMutoronto.ca) apostasises:
> Fred Hambrecht Sr. wrote:
>> I have seen a few that claim he was a "mythical" character. He was indeed a
>> real person that walked the planet and is recorded in historical documents.
>> Even if one choices to not believe in the divinity of Christ, to state he
>> never existed is a sign of ones ignorance of the historical facts.
>
> No disrespect, but the existence of Jesus is debatable. I

Only by those who have no crediblity and no access to original documents or
witnesses.
> have no qualms if you wish to believe that he existed. But
> there just isn't enough historical data to establish the
> existence of Jesus with certainty. I'm sure that if you
> search the Internet, you will find historians debating the
> point. Given that state of affairs, you would be wrong to
> call those who do deny the existence of Jesus ignorant.

Actually, he would be right in the literal sense of the word "ignorant".
Even goy historians at the time admitted the existence of Jesus, and
a Jewish historian claimed that he did exist, and as he was Jewish, that
makes him credible. As he had access to original documents/witnesses that
proves the matter beyond the ability of modern ignorant historians to even
cast a reasonable doubt on the matter.

7717. FS: Heathkit Cantenna Dummy Load

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 22:32:16 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <ndtu0v47sej6ghi7n8tsaio5bsfkh1g6uo@4ax.com>
Source record: 35078

I have for sale 3 Heathkit Cantenna dummy loads. These are the black 1 gallon cans rated for 1 KW and filled with oil. I will not ship and a pickup only. I will take $15 each. WZ1U Steve / Lakeville, MA. 35 miles South of Boston....

7718. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 22:55:14 UTC
From: di540@FreeNet.Carleton.CA
Message-ID: <aunugi$8pe$1@freenet9.carleton.ca>
Source record: 35079
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Dave Shrader (david.shrader@attbi.com) muses:
> 2) Did Jesus do/claim what he did for fame/ financial gain/ political
> fame/ etc.? Jesus was and remained poor through his life. He knew that

Only Mary was poor, and then only technically, since religion is big business. In order for her to live at the Temple, she must have been from the Levites who had no property of their own. Joseph on the other hand was a building contractor, which was a medium-sized business, and he was middle class. Joseph's uncle, Joseph of Arimathea, was an official Roman supplier for various base metals, which was big business, and made him wealthy. He then adopted Jesus when Joseph died, so Jesus did not become poor due to the death of Joseph, as is commonly taught.

> feasts. [The old adage: When in Rome, do as ...] The actual birthdate
> of Jesus is unknown and was arbitrarily chosen for the Janus feasts.

It is known: as shown by Dr Gene Scott and others, between the Feast of the Trumpets and the Jewish New Year.

7719. Re: Yaesu FT817 FS or Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-29 23:15:57 UTC
From: VE3TMT <ve3tmt@cogeco.ca>
Message-ID: <HnLP9.39790$L47.5480320@read2.cgocable.net>
Source record: 35080

Radio is gone,

7720. FA: VIBROPLEX STYLE PROTOTYPE ? SEMI-AUTO KEYER

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 00:05:15 UTC
From: Info <infoREMOVE@mhtradio.com>
Message-ID: <3E0F8DBB.AADD06B9@mhtradio.com>
Source record: 35081

VIBROPLEX STYLE PROTOTYPE ? SEMI-AUTO KEYER

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1948733772

7721. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 00:09:30 UTC
From: di540@FreeNet.Carleton.CA
Message-ID: <auo2rq$em6$1@freenet9.carleton.ca>
Source record: 35082
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Michael Moore (m.moore@NOSPAMutoronto.ca) fabricates:
> Dave Shrader wrote:
> There are no surviving Roman records of the First Century
> that refer to, nor are there any Jewish records that support
> the accounts in the Christian gospels --- except one:
> Josephus', which was published in 93 A.D. It was a history
> of the Jews. While discussing the period in which the Jews
> of Judea were governed by the Roman procurator Pontius
> Pilate, Josephus included the following account:
>
>'About this time there lived Jesus, a wise man, if indeed one
> ought to call him a man. For he was one who performed

Here Josephus casts questions Jesus' divinity, by calling him a wise man, and then asking a rhetorical question "if indeed one ought to call him a man". We know he's asking a rhetorical question, since he never gives us any reason to believe that he was not a man.

> surprising deeds and was a teacher of such people as accept
> the truth gladly. He won over many Jews and many of the

This is a bad translation. Here Josephus is calling people who gladly accept anything as the truth gullible.

> Greeks. He was the Messiah. And when, upon the accusation of

This is also a bad translation. It should say "He convinced many Jews and many of the Greeks He was the Messiah". There is no period in the middle of that sentence. This is clear from the sentence that follows, which explains the consequence of the dubious claim 'He was the Messiah' by implying accusations of blasphemy and/or treason.

> the principal men among us, Pilate had condemned him to a
> cross, those who had first come to love him did not cease.
> He appeared to them spending a third day restored to life,
> for the prophets of God had foretold these things and a
> thousand other marvels about him. And the tribe of the
> Christians, so called after him, has still to this day not
> disappeared.'
>
> This account has been embroiled in controversy since the
> 17th century. It could not have been written by a Jewish
> man, say the critics, because it sounds too Christian: it
> even claims that Jesus was the Messiah!

It doesn't: it only reports that Jesus convinced others of that claim.

> The critics say this paragraph is not authentic. It was

Those critics are basing their argument on a bad translation. It's easy to make winning arguments against strawmen.

> inserted into Josephus' book by a later Christian copyist,
> probably in the Third or Fourth Century. Modern writers
> suggest that Josephus' account was instead derived from a
> Jewish-Christian "gospel" that has since been lost.

Let's assume that Josephus was too lazy to verify his sources. Even so, he still has more credibility than any modern historian on the subject.

> In any case, it would appear that Josephus' passage is
> nothing more than recital of Christian belief, not a record
> of a historical event. For example, elsewhere, Josephus
> tells us quite unequivocally that Jews inherited the "Wisdom
> of Solomon" and therefore were especially adept at
> miracle-working and cures. Josephus tells the story of how
> King Solomon himself told how to perform healings. Josephus

This was not a recital of a Christian belief. And notice that Josephus shows no negative consequences for the Jewish beliefs, which is his way of showing that Jewish beliefs are superior to Christian ones. The final step in the proof, is that Josephus in his original used the past subjunctive when writing "He WAS the Messiah". Had this been a Christian belief, it would have been in the present indicative: "He IS the Messiah".

7722. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 00:15:39 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <LeMP9.50160$Zt4.583324@twister.rdc-kc.rr.com>
Source record: 35083
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

I bought a 6M 250W transistorized amp off of eBay, which ended up being a CB amp, that had no output on 6M. Got my money back from eBay, and ended up with the amp, as the guy refused return delivery. I did play around with the amp to see if it could be used. The problem was the core on all the toroids, which had a maximum useable frequency of 35 MHz. It makes sense for it not to work much higher to reduce TVI.

" hillbilly3302" <davesradio@alltel.net> wrote in message news:AZGP9.2655$T5.1077947@news.alltel.net...
> what about converting those little 2 transistor (sc1446's) amps that are so
> plentiful for 25-30 mhz...
>
> k5drc

7723. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 00:28:36 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <UqMP9.50162$Zt4.584209@twister.rdc-kc.rr.com>
Source record: 35084
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

<nospam@nouce.bellatlantic.net> wrote :
>
> Even a cheap 3 element beam is 7db and that beats any vertical you
> have for 6m. I'd guess that a 3db improvement over a vertical for gain
> and also required polarization. If money is a problem build a 6m
> dipole and try it would be about 112" of #12.

I've got a horizontal 6M folded dipole up in the attic, but it's 40' lower than the vertical. I've made international contacts on it with only 10W (was on FM too!).

6M seems to have gone south for the winter, as I haven't heard much DX for a couple of months.

I'm not sure I'd be willing to give up the top of my tower for just a 6M antenna, which is why I was considering the halo. I can tack it onto the side, and have mostly omni-directional horizontal 6M.

7724. FA: EIMAC 4CX10000 10KW RF POWER TUBE 4CX10000D

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 00:28:48 UTC
From: Info <infoREMOVE@mhtradio.com>
Message-ID: <3E0F9340.AAE037EC@mhtradio.com>
Source record: 35085

EIMAC 4CX10000 10KW RF POWER TUBE 4CX10000D

http://cgi.ebay.com/ws/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=3103877422

7725. FA: BARKER & WILLIAMSON HF HIGH POWER RF COILS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 00:33:30 UTC
From: Info <infoREMOVE@mhtradio.com>
Message-ID: <3E0F945A.E5CCD3F5@mhtradio.com>
Source record: 35086

BARKER & WILLIAMSON HF HIGH POWER RF COILS

http://cgi.ebay.com/ws/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=1948715816

7726. FA: BARKER & WILLIAMSON HF HIGH POWER RF COILS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 00:35:56 UTC
From: Info <infoREMOVE@mhtradio.com>
Message-ID: <3E0F94EC.CA026BBB@mhtradio.com>
Source record: 35087

BARKER & WILLIAMSON HF HIGH POWER RF COILS

http://cgi.ebay.com/ws/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=1948715816

7727. Re: Z-Match - Help Please (with links to photos)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 00:38:07 UTC
From: Marco S Hyman <marc@snafu.org>
Message-ID: <x7d6nk734g.fsf@hana.snafu.org>
Source record: 35093

"Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com> writes:

> > a sheet of paper and a ball-point pen. Copy what you see of the wiring onto
> > the paper. And there you have it!
>
> Yes, I tried that and came up with a circuit that made no sense to me at
> all. It appears that one of the input coils is connected to the middle of
> the PL259 connector, but there is nothing connected to the other end of the
> coil.

Google is your friend. A search for zmatch schematic found a few hits.
Is your's like http://www.qsl.net/wb3gck/zmatch.gif or perhaps it is
something like http://www.swlink.net/~w5jh/zmatchsc.jpg

// marc

7728. FA: HAMMARLUND VARIABLE AIR CAPACITOR

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 00:38:39 UTC
From: Info <infoREMOVE@mhtradio.com>
Message-ID: <3E0F958F.8BD2ACA4@mhtradio.com>
Source record: 35088

HAMMARLUND VARIABLE AIR CAPACITOR

http://cgi.ebay.com/ws/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=1948728361

7729. FA: EF JOHNSON AIR VARIABLE CAPACITOR

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 00:41:33 UTC
From: Info <infoREMOVE@mhtradio.com>
Message-ID: <3E0F963C.59E7C2E7@mhtradio.com>
Source record: 35089

EF JOHNSON AIR VARIABLE CAPACITOR

http://cgi.ebay.com/ws/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=194873041

7730. FA: VARIABLE AIR CAPACITORS LOT OF 7

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 00:43:49 UTC
From: Info <infoREMOVE@mhtradio.com>
Message-ID: <3E0F96C5.7D832D52@mhtradio.com>
Source record: 35090

VARIABLE AIR CAPACITORS LOT OF 7

http://cgi.ebay.com/ws/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=1948726395

7731. Re: Motorola Lowband Syntor X9000 Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 01:08:04 UTC
From: "Adam T. Cately" <atcately@bright.net>
Message-ID: <3E0F9C74.74603E53@bright.net>
Source record: 35091
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This *isn't* an internal Lab version for Motorola Depot use - I
suppose you could call it a 'hacked' version, made by Motorola techs,
for use by amateurs to place X9000's into the ham bands. Finding the
offshore sites for radio software isn't a problem either - it's one of
those 'open secrets' of the radio population...

Ed G. wrote:
>
> These Motorola modified software programs are usually called "Lab"
> software, and are quite hard to find. Motorola considers their possession
> theft of their internal company software. Good luck in finding it.
>
> Ed

--

- Adam -

7732. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 01:10:29 UTC
From: "Michael A. Terrell" <terrell@mfi.net>
Message-ID: <3E0F9D05.E19E1C7F@mfi.net>
Source record: 35092
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

```
Fred Nachbaur wrote:
>
> Doug T wrote:
> > On Sun, 29 Dec 2002 02:52:44 -0500, Michael A. Terrell <terrell@mfi.net> wrote:
> >
> >> Better yet, Supernews pulled your account:
> >
> > [snip]
> >
> > Awwwww. Is the netKKKop proud of his little self?
> >
> > Remember: What goes around, comes around.
>
> Only if you deserve it. If someone had forged my ID, I would hope that
> I'd have the courage to proceed as Michael did. Way to go!
>
> Cheers,
> Fred
> --
> +-----------------------------------------+
> | Music: http://www3.telus.net/dogstarmusic/ |
> | Projects, Vacuum Tubes & other stuff: |
> | http://www.dogstar.dantimax.dk |
> +-----------------------------------------+

Thanks. It looks like the little crybaby has tried to sign me up for
dozens of porno sites, but Mailwasher.exe just deletes all the crap.
Anyway, one phone call and my ISP will change my email addresses. I
have three available at once, and I haven't even used the other two.
--

Michael A. Terrell
Central Florida
```

7733. Re: Learn English

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 01:19:15 UTC
From: "Michael A. Terrell" <terrell@mfi.net>
Message-ID: <3E0F9F13.753EE3A4@mfi.net>
Source record: 35094
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Doug T wrote:
>
> On Sun, 29 Dec 2002 02:52:44 -0500, Michael A. Terrell <terrell@mfi.net> wrote:
> >
> > Better yet, Supernews pulled your account:
> [snip]
>
> Awwwww. Is the netKKKop proud of his little self?
>
> Remember: What goes around, comes around.

Netcop? No, but I won't let some sniveling little lusser forge my ID
without a fight. BTW, your reply looks like a possible threat. Not a
good idea. I'm not some wet behind the ears kid, and I have been in
plenty of bloody fights in my life, and I no longer walk away from the
little bullies who don't think you'll strike back after a sneak attack.
I used to give idiots the benefit of doubt and feel sorry for whining
little idiots. I finally decided its not my fault they are here as the
result of cheap booze and defective condoms. Now go away.

Either you have no guts or you are ashamed of your family name
because you have the need to hide behind an alias.
--

Michael A. Terrell
Central Florida

7734. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 02:45:27 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0FB347.4020000@NOSPAMutoronto.ca>
Source record: 35095
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Maximo Lachman wrote:
> Michael Moore (m.moore@NOSPAMutoronto.ca) apostasises:
>
>>Fred Hambrecht Sr. wrote:
>>
>>>I have seen a few that claim he was a "mythical" character. He was indeed a
>>>real person that walked the planet and is recorded in historical documents.
>>>Even if one choices to not believe in the divinity of Christ, to state he
>>>never existed is a sign of ones ignorance of the historical facts.
>>
>>No disrespect, but the existence of Jesus is debatable. I
>
>
> Only by those who have no crediblity and no access to original documents or
> witnesses.
>
>>have no qualms if you wish to believe that he existed. But
>>there just isn't enough historical data to establish the
>>existence of Jesus with certainty. I'm sure that if you
>>search the Internet, you will find historians debating the
>>point. Given that state of affairs, you would be wrong to
>>call those who do deny the existence of Jesus ignorant.
>
>
> Actually, he would be right in the literal sense of the word "ignorant".
> Even goy historians at the time admitted the existence of Jesus, and
> a Jewish historian claimed that he did exist, and as he was Jewish, that
> makes him credible.

See my other post about Josephus. Also, other than
Josephus, there is no record.

--
Michael Moore

> As he had access to original documents/witnesses that
> proves the matter beyond the ability of modern ignorant historians to even
> cast a reasonable doubt on the matter.

7735. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 02:52:57 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0FB509.3000200@NOSPAMutoronto.ca>
Source record: 35096
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Maximo Lachman wrote:
> Michael Moore (m.moore@NOSPAMutoronto.ca) fabricates:
>
>>Dave Shrader wrote:
>>There are no surviving Roman records of the First Century
>>that refer to, nor are there any Jewish records that support
>>the accounts in the Christian gospels --- except one:
>>Josephus', which was published in 93 A.D. It was a history
>>of the Jews. While discussing the period in which the Jews
>>of Judea were governed by the Roman procurator Pontius
>>Pilate, Josephus included the following account:
>>
>>'About this time there lived Jesus, a wise man, if indeed one
>>ought to call him a man. For he was one who performed
>
>
> Here Josephus casts questions Jesus' divinity, by calling him a wise man,
> and then asking a rhetorical question "if indeed one ought to call him a
> man". We know he's asking a rhetorical question, since he never gives us
> any reason to believe that he was not a man.
>
>
>>surprising deeds and was a teacher of such people as accept
>>the truth gladly. He won over many Jews and many of the
>
>
> This is a bad translation. Here Josephus is calling people who gladly
> accept anything as the truth gullible.
>
>
>>Greeks. He was the Messiah. And when, upon the accusation of
>
>
> This is also a bad translation. It should say "He convinced many Jews
> and many of the Greeks He was the Messiah". There is no period in the
> middle of that sentence. This is clear from the sentence that follows,
> which explains the consequence of the dubious claim 'He was the Messiah'
> by implying accusations of blasphemy and/or treason.
>
>
>>the principal men among us, Pilate had condemned him to a
>>cross, those who had first come to love him did not cease.
>> He appeared to them spending a third day restored to life,

>>for the prophets of God had foretold these things and a
>>thousand other marvels about him. And the tribe of the
>>Christians, so called after him, has still to this day not
>>disappeared.'
>>
>>This account has been embroiled in controversy since the
>>17th century. It could not have been written by a Jewish
>>man, say the critics, because it sounds too Christian: it
>>even claims that Jesus was the Messiah!
>
>
> It doesn't: it only reports that Jesus convinced others of that claim.
>
>
>>The critics say this paragraph is not authentic. It was
>
>
> Those critics are basing their argument on a bad translation. It's easy to
> make winning arguments against strawmen.

It's funny that we can get into the same sematics battle
with any discussion of words in the Bible. What makes you
think you are right?

>>inserted into Josephus' book by a later Christian copyist,
>>probably in the Third or Fourth Century. Modern writers
>>suggest that Josephus' account was instead derived from a
>>Jewish-Christian "gospel" that has since been lost.
>
>
> Let's assume that Josephus was too lazy to verify his sources. Even so,
> he still has more credibility than any modern historian on the subject.

Josephus didn't leave us much to work with.

>>In any case, it would appear that Josephus' passage is
>>nothing more than recital of Christian belief, not a record
>>of a historical event. For example, elsewhere, Josephus
>>tells us quite unequivocally that Jews inherited the "Wisdom
>>of Solomon" and therefore were especially adept at
>>miracle-working and cures. Josephus tells the story of how
>>King Solomon himself told how to perform healings. Josephus
>
>
> This was not a recital of a Christian belief.

That's your opinion.

> And notice that Josephus
> shows no negative consequences for the Jewish beliefs, which is his way of
> showing that Jewish beliefs are superior to Christian ones. The final step
> in the proof, is that Josephus in his original used the past subjunctive

> when writing "He WAS the Messiah". Had this been a Christian belief, it
> would have been in the present indicative: "He IS the Messiah".

I think your reading too much into it. No doubt because you
need to.

--
Michael Moore

7736. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 03:06:26 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0fb767.3699268076@news.bellatlantic.net>
Source record: 35097
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Mon, 30 Dec 2002 00:15:39 GMT, "Keith Beckmann"
<Kbeckmann.spankme@wi.rr.com> wrote:

>the amp to see if it could be used. The problem was the core on all the
>toroids, which had a maximum useable frequency of 35 MHz. It makes sense
>for it not to work much higher to reduce TVI.

Thats not really a problem as that impacts transformer losses, which
would not rise much at 2x the freq. the transistors I'd have to look
up but they likely are near the reasonable upper corner for operating
frequncy. so the gain of the amp would drop off at higer freqs and
that cannot be compensated by raising input power.

Allison

7737. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 03:13:08 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e0fb81a.3699447143@news.bellatlantic.net>
Source record: 35098
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

On Mon, 30 Dec 2002 00:28:36 GMT, "Keith Beckmann"
<Kbeckmann.spankme@wi.rr.com> wrote:

>6M seems to have gone south for the winter, as I haven't heard much DX for a
>couple of months.

I hard some carib signals today. It's there.

>I'm not sure I'd be willing to give up the top of my tower for just a 6M
>antenna, which is why I was considering the halo. I can tack it onto the
>side, and have mostly omni-directional horizontal 6M.

I'd try that though most of those loops are really sorta only ok
compared to a simple dipole. Actually you could put two dipoles
near the top in fixed orientations at 90degrees to each other and
that would be better. The wide figure 8 from one or the other
would give good coverage.

I run a second 6m antenna, a twinlead dipole at 10ft, poor of the
ends but its set up for east/west and works fine for that. last
contact off that was western NY (~300mi) using the 5w radio.
That antenna hears SSB better than the vertical which
is at least 10ft higher.

Allison
.

7738. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 03:21:39 UTC
From: JJ <radiobuff0@mailcity.moc>
Message-ID: <3E0FBBC3.8020502@mailcity.moc>
Source record: 35103
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Maximo Lachman wrote:
> Dave Shrader (david.shrader@attbi.com) muses:
>
>>2) Did Jesus do/claim what he did for fame/ financial gain/ political
>>fame/ etc.? Jesus was and remained poor through his life. He knew that
>
>
> Only Mary was poor, and then only technically, since religion is big
> business. In order for her to live at the Temple, she must have been from
> the Levites who had no property of their own. Joseph on the other hand was
> a building contractor, which was a medium-sized business, and he was middle
> class. Joseph's uncle, Joseph of Arimathea, was an official Roman supplier
> for various base metals, which was big business, and made him wealthy. He
> then adopted Jesus when Joseph died, so Jesus did not become poor due to
> the death of Joseph, as is commonly taught.
>
>
>> feasts. [The old adage: When in Rome, do as ...] The actual birthdate
>>of Jesus is unknown and was arbitrarily chosen for the Janus feasts.
>
>
> It is known: as shown by Dr Gene Scott and others, between the Feast of
> the Trumpets and the Jewish New Year.

I would not put much faith in what Gene Scott says.

7739. Re: Programming Software for Yaesu FT-5100 & Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 03:24:46 UTC
From: Larry Weil <kc1ih@mac.com>
Message-ID: <kc1ih-F2B5CC.22244629122002@news.supernews.com>
Source record: 35099

In article <m9dr0v0p2ffs1j7ejavridats42bi5r8bi@4ax.com>,
Watcher <noone@noaddress.net> wrote:

> On 28 Dec 2002 03:14:07 -0800, kenfoshee@hotmail.com (Ken Foshee)
> wrote:
>
> The FT-5100 is not computr programable.
>

But, it is clonable, and any radio that is clonable is potentially
computer programable, if someone bothers to write the software.

--
Larry Weil
Lake Wobegone, NH

7740. Re: MFJ 1278 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 04:13:28 UTC
From: Bill Lathan <ak5k@arrl.net>
Message-ID: <IJPP9.498373$P31.160914@rwcrnsc53>
Source record: 35100

MFJ offers manuals free of charge for current equipment and at a nominal
charge for older stuff. See their web site.

Bill, AK5K

"Scott Vanzandt" <zandt@midsouth.rr.com> wrote in message
news:inek0vkvfmrc8qqs54ogqsr2j4e6ndvk03@4ax.com...
> Does anyone know of a source for the manual for a MFJ 1278 TNC. I
> would prefer a downloadable pdf, but can't be to picky right now.\
> \\
>
>
> N2WMD
> Scott

7741. TS-570 & INRAD #88 2.8 Khz filter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 05:10:53 UTC
From: Ken <kennjd@adelphia.net>
Message-ID: <xzQP9.39548$VA5.7563279@news1.news.adelphia.net>
Source record: 35101

Anyone know of someone who installed an INRAD #88 2.8 khz wide ssb in a TS-570 ?

How'd it turnout compared to the stock filter ?

Is the stock better overall or does the INRAD let more speech fidelity through (receiver audio)?

This question is mostly in regard to receiver audio.

Thanks in advance,
Ken, WB9YCJ

nospamkennjd@adelphia.net

remove nospam
or reply here on this group

7742. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 05:16:19 UTC
From: di540@FreeNet.Carleton.CA
Message-ID: <auokr3$6u5$1@freenet9.carleton.ca>
Source record: 35102
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Michael Moore (m.moore@NOSPAMutoronto.ca) writes:
> Maximo Lachman wrote:
>> Michael Moore (m.moore@NOSPAMutoronto.ca) fabricates:
>>>'About this time there lived Jesus, a wise man, if indeed one
>>>ought to call him a man. For he was one who performed
>>
>> Here Josephus casts questions Jesus' divinity, by calling him a wise man,
>> and then asking a rhetorical question "if indeed one ought to call him a
>> man". We know he's asking a rhetorical question, since he never gives us
>> any reason to believe that he was not a man.
>>
>>>surprising deeds and was a teacher of such people as accept
>>>the truth gladly. He won over many Jews and many of the
>>
>> This is a bad translation. Here Josephus is calling people who gladly
>> accept anything as the truth gullible.
>>
>>>Greeks. He was the Messiah. And when, upon the accusation of
>>
>> This is also a bad translation. It should say "He convinced many Jews
>> and many of the Greeks He was the Messiah". There is no period in the
>> middle of that sentence. This is clear from the sentence that follows,
>> which explains the consequence of the dubious claim 'He was the Messiah'
>> by implying accusations of blasphemy and/or treason.
>>
>>>the principal men among us, Pilate had condemned him to a
>>>cross, those who had first come to love him did not cease.
>>> He appeared to them spending a third day restored to life,
>>>for the prophets of God had foretold these things and a
>>>thousand other marvels about him. And the tribe of the
>>>Christians, so called after him, has still to this day not
>>>disappeared.'
>>>
>>>This account has been embroiled in controversy since the
>>>17th century. It could not have been written by a Jewish
>>>man, say the critics, because it sounds too Christian: it
>>>even claims that Jesus was the Messiah!
>>
>> It doesn't: it only reports that Jesus convinced others of that claim.
>>
>>>The critics say this paragraph is not authentic. It was
>>
>> Those critics are basing their argument on a bad translation. It's easy to

>> make winning arguments against strawmen.
>
> It's funny that we can get into the same sematics battle
> with any discussion of words in the Bible. What makes you
> think you are right?

Because you are too stupid to know the difference between the writings of Josephus and those of the Bible, and the difference between a translation of a copy of a copy of a copy, and the copy.

>>>inserted into Josephus' book by a later Christian copyist,
>>>probably in the Third or Fourth Century. Modern writers
>>>suggest that Josephus' account was instead derived from a
>>>Jewish-Christian "gospel" that has since been lost.
>>
>>
>> Let's assume that Josephus was too lazy to verify his sources. Even so,
>> he still has more credibility than any modern historian on the subject.
>
> Josephus didn't leave us much to work with.

But it's still there, and confirms what other non-NT texts. You need to listed to Dr Scott, or better yet travel to the University Cathedral and have a look at his manuscript collection.

>>>In any case, it would appear that Josephus' passage is
>>>nothing more than recital of Christian belief, not a record
>>>of a historical event. For example, elsewhere, Josephus
>>>tells us quite unequivocally that Jews inherited the "Wisdom
>>>of Solomon" and therefore were especially adept at
>>>miracle-working and cures. Josephus tells the story of how
>>>King Solomon himself told how to perform healings. Josephus
>>
>>
>> This was not a recital of a Christian belief.
>
> That's your opinion.

Liar: it's the opinion of Josephus himself.

>> Josephus in his original used the past subjunctive
>> when writing "He WAS the Messiah". Had this been a Christian belief, it
>> would have been in the present indicative: "He IS the Messiah".
>
> I think your reading too much into it. No doubt because you
> need to.

Liar: as bad as that translation is, it still does not say that "He IS the Messiah". If you weren't such a stupid liar, you'd have noticed that the words 'He' and Messiah are capitalised, which Josephus would not have done. You're quite pathetic for not noticing something so obvious.

(Even if the monks who copied Josephus changed the capitalisation, that still doesn't meant that some monk inserted passages. In fact, changing capitalisation in many cases is sufficient to change the meaning, since a capital letter would signal the start of a new sentence. But, they likely changed the capitalisation to conform to the Church's editorial policy, and not to your conspiracy theory. In order to save time, ink, space, or work, the copyists often omitted punctuation and spaces between words, which would enhance the effect of changing capitalisation.)

7743. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 05:51:51 UTC
From: di540@FreeNet.Carleton.CA
Message-ID: <auomtn$950$1@freenet9.carleton.ca>
Source record: 35104
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Michael Moore (m.moore@NOSPAMutoronto.ca) writes:
> Maximo Lachman wrote:
>> Michael Moore (m.moore@NOSPAMutoronto.ca) apostasises:
>>>Write said Fred:
>>>>Even if one choices to not believe in the divinity of Christ, to state he
>>>>never existed is a sign of ones ignorance of the historical facts.
>>>
>>>No disrespect, but the existence of Jesus is debatable. I
>>
>> Only by those who have no crediblity and no access to original documents or
>> witnesses.
>>
>>>have no qualms if you wish to believe that he existed. But
>>>there just isn't enough historical data to establish the
>>>existence of Jesus with certainty. I'm sure that if you
>>>search the Internet, you will find historians debating the
>>>point. Given that state of affairs, you would be wrong to
>>>call those who do deny the existence of Jesus ignorant.
>>
>> Actually, he would be right in the literal sense of the word "ignorant".
>> Even goy historians at the time admitted the existence of Jesus, and
>> a Jewish historian claimed that he did exist, and as he was Jewish, that
>> makes him credible.
>
> See my other post about Josephus. Also, other than
> Josephus, there is no record.

Liar: there are plenty of records. Most recently, archaeologists have
discovered the ossiary of James, the step-brother of Jesus. It
specifically says that he was the son of Joseph (by a prior marriage)
and the brother of Jeshua (which in English is rendered Jesus).

Then there is the written account of James in his Protevangelion.
Then there is the account of Josephus that James was the brother of Jesus.
Then there is Agapios' 10th century arabic version of Josephus which also
contains the passages referring to Jesus.

But none of these guys are white, which in your mind disqualifies them as
credible, eh? Okay, here's a list of white guys for you:

Tacitus:

"To stop the rumor, Nero substituted as culprits, and punished with the
utmost refinements of cruelty, a class of men, loathed for their vices,
whom the crowd styled Christians. They received their name from Christus,

who was executed by sentence of the procurator Pontius Pilate in the reign of Tiberius. That checked the pernicious superstition for a short time, but it broke out afresh, not only in Judea, where the plague first arose, but in the capital of Rome itself, where all horrible and shameful things in the world collect and find a home." (Tacitus, Annales 25.44)

Suetonius:

"He expelled the Jews from Rome, on account of the riots in which they were constantly indulging, at the instigation of Christus." (Suetonius, Lives of the Caesars: Claudius 25.4) which corroborates Acts 18:2.

7744. Modules for Scout 555

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 05:51:59 UTC
From: Louis <mcomm@lantic.net>
Message-ID: <aur5gj$5e1$1@ctb-nnrp2.saix.net>
Source record: 35001

Hi, I am looking for band modules for the TenTec Scout 555.
The frequencies I need are for 80, 15 and 10 meters.

73's
Louis. ZS6HF

7745. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 06:36:57 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0FE989.5050904@NOSPAMutoronto.ca>
Source record: 35105
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

```
Maximo Lachman wrote:
> Michael Moore (m.moore@NOSPAMutoronto.ca) writes:
>
>>Maximo Lachman wrote:
>>
>>>Michael Moore (m.moore@NOSPAMutoronto.ca) fabricates:
>>>
>>>>'About this time there lived Jesus, a wise man, if indeed one
>>>>ought to call him a man. For he was one who performed
>>>
>>>Here Josephus casts questions Jesus' divinity, by calling him a wise man,
>>>and then asking a rhetorical question "if indeed one ought to call him a
>>>man". We know he's asking a rhetorical question, since he never gives us
>>>any reason to believe that he was not a man.
>>>
>>>
>>>>surprising deeds and was a teacher of such people as accept
>>>>the truth gladly. He won over many Jews and many of the
>>>
>>>This is a bad translation. Here Josephus is calling people who gladly
>>>accept anything as the truth gullible.
>>>
>>>
>>>>Greeks. He was the Messiah. And when, upon the accusation of
>>>
>>>This is also a bad translation. It should say "He convinced many Jews
>>>and many of the Greeks He was the Messiah". There is no period in the
>>>middle of that sentence. This is clear from the sentence that follows,
>>>which explains the consequence of the dubious claim 'He was the Messiah'
>>>by implying accusations of blasphemy and/or treason.
>>>
>>>
>>>>the principal men among us, Pilate had condemned him to a
>>>>cross, those who had first come to love him did not cease.
>>>> He appeared to them spending a third day restored to life,
>>>>for the prophets of God had foretold these things and a
>>>>thousand other marvels about him. And the tribe of the
>>>>Christians, so called after him, has still to this day not
>>>>disappeared.'
>>>>
>>>>This account has been embroiled in controversy since the
>>>>17th century. It could not have been written by a Jewish
>>>>man, say the critics, because it sounds too Christian: it
```

>>>>even claims that Jesus was the Messiah!
>>>
>>>It doesn't: it only reports that Jesus convinced others of that claim.
>>>
>>>
>>>>The critics say this paragraph is not authentic. It was
>>>
>>>Those critics are basing their argument on a bad translation. It's easy to
>>>make winning arguments against strawmen.
>>
>>It's funny that we can get into the same sematics battle
>>with any discussion of words in the Bible. What makes you
>>think you are right?
>
>
> Because you are too stupid to know the difference between the writings of
> Josephus and those of the Bible, and the difference between a translation
> of a copy of a copy of a copy, and the copy.

Nothing like self-righteousness, eh? Give it a break, man.

>>>>inserted into Josephus' book by a later Christian copyist,
>>>>probably in the Third or Fourth Century. Modern writers
>>>>suggest that Josephus' account was instead derived from a
>>>>Jewish-Christian "gospel" that has since been lost.
>>>
>>>
>>>Let's assume that Josephus was too lazy to verify his sources. Even so,
>>>he still has more credibility than any modern historian on the subject.
>>
>>Josephus didn't leave us much to work with.
>
>
> But it's still there, and confirms what other non-NT texts. You need to
> listed to Dr Scott, or better yet travel to the University Cathedral and
> have a look at his manuscript collection.

What it confirms is what Christian belief was -- not
necessarily historical event. You do understand the difference?

>>>>In any case, it would appear that Josephus' passage is
>>>>nothing more than recital of Christian belief, not a record
>>>>of a historical event. For example, elsewhere, Josephus
>>>>tells us quite unequivocally that Jews inherited the "Wisdom
>>>>of Solomon" and therefore were especially adept at
>>>>miracle-working and cures. Josephus tells the story of how
>>>>King Solomon himself told how to perform healings. Josephus
>>>
>>>
>>>This was not a recital of a Christian belief.
>>

>>That's your opinion.
>
>
> Liar: it's the opinion of Josephus himself.

Perhaps you may have thought I said that it was a recital of
Josephus' belief but I did not. The *single paragraph* (not
much in the way of historical detail) that Josephus wrote
about Jesus appears to be his understanding of Christian
belief, not necessarily his personal belief.

>>>Josephus in his original used the past subjunctive
>>>when writing "He WAS the Messiah". Had this been a Christian belief, it
>>>would have been in the present indicative: "He IS the Messiah".
>>
>>I think your reading too much into it. No doubt because you
>>need to.
>
>
> Liar: as bad as that translation is, it still does not say that "He IS the
> Messiah". If you weren't such a stupid liar, you'd have noticed that the
> words 'He' and Messiah are capitalised, which Josephus would not have done.
> You're quite pathetic for not noticing something so obvious.

LOL. Methinks you're trying too hard. One of the points of
the 17th century critics was, in fact, that Josephus didn't
write the passage. Your point about the captilization is
relevant how?

> (Even if the monks who copied Josephus changed the capitalisation, that
> still doesn't meant that some monk inserted passages. In fact, changing
> capitalisation in many cases is sufficient to change the meaning, since
> a capital letter would signal the start of a new sentence. But, they
> likely changed the capitalisation to conform to the Church's editorial
> policy, and not to your conspiracy theory. In order to save time, ink,
> space, or work, the copyists often omitted punctuation and spaces between
> words, which would enhance the effect of changing capitalisation.)

In the end, we're still left with a single paragraph that
offers nothing in detail. That, you cannot change. If
that's you're idea of proof, so be it. But it's not mine.
As far as I'm concerned, the question is still open.

--
Michael Moore

7746. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 07:30:36 UTC
From: Michael Moore <m.moore@NOSPAMutoronto.ca>
Message-ID: <3E0FF61C.5030600@NOSPAMutoronto.ca>
Source record: 35106
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Maximo Lachman wrote:
> Michael Moore (m.moore@NOSPAMutoronto.ca) writes:
>
>>Maximo Lachman wrote:
>>
>>>Michael Moore (m.moore@NOSPAMutoronto.ca) apostasises:
>>>
>>>>Write said Fred:
>>>>
>>>>>Even if one choices to not believe in the divinity of Christ, to state he
>>>>>never existed is a sign of ones ignorance of the historical facts.
>>>>
>>>>No disrespect, but the existence of Jesus is debatable. I
>>>
>>>Only by those who have no crediblity and no access to original documents or
>>>witnesses.
>>>
>>>
>>>>have no qualms if you wish to believe that he existed. But
>>>>there just isn't enough historical data to establish the
>>>>existence of Jesus with certainty. I'm sure that if you
>>>>search the Internet, you will find historians debating the
>>>>point. Given that state of affairs, you would be wrong to
>>>>call those who do deny the existence of Jesus ignorant.
>>>
>>>Actually, he would be right in the literal sense of the word "ignorant".
>>>Even goy historians at the time admitted the existence of Jesus, and
>>>a Jewish historian claimed that he did exist, and as he was Jewish, that
>>>makes him credible.
>>
>>See my other post about Josephus. Also, other than
>>Josephus, there is no record.
>
>
> Liar: there are plenty of records. Most recently, archaeologists have
> discovered the ossiary of James, the step-brother of Jesus.

I meant to say " ... no record from the 1st century".

That the archeological find is the ossiary of James is
conjecture.

> It
> specifically says that he was the son of Joseph (by a prior marriage)

> and the brother of Jeshua (which in English is rendered Jesus).

> Then there is the written account of James in his Protevangelion.

? Please elaborate.

> Then there is the account of Josephus that James was the brother of Jesus.
> Then there is Agapios' 10th century arabic version of Josephus which also
> contains the passages referring to Jesus.

Relevance?

> But none of these guys are white, which in your mind disqualifies them as
> credible, eh? Okay, here's a list of white guys for you:
>
> Tacitus:
>
> "To stop the rumor, Nero substituted as culprits, and punished with the
> utmost refinements of cruelty, a class of men, loathed for their vices,
> whom the crowd styled Christians. They received their name from Christus,
> who was executed by sentence of the procurator Pontius Pilate in the reign
> of Tiberius. That checked the pernicious superstition for a short time,
> but it broke out afresh, not only in Judea, where the plague first arose,
> but in the capital of Rome itself, where all horrible and shameful things
> in the world collect and find a home." (Tacitus, Annales 25.44)

Actually, it's from the Annals 15.44 (115 A.D.). Below is
the version that I could find.

Consequently, to get rid of the report, Nero fastened the
guilt and inflicted the most exquisite tortures on a class
hated for their abominations, called Christians by the
populace. Christus, from whom the name had its origin,
suffered the extreme penalty during the reign of Tiberius at
the hands of one of our procurators, Pontius Pilatus, and a
most mischievous superstition, thus checked for the moment,
again broke out not only in Judaea, the first source of the
evil, but even in Rome, where all things hideous and
shameful from every part of the world find their centre and
become popular. Accordingly, an arrest was first made of all
who pleaded guilty; then, upon their information, an immense
multitude was convicted, not so much of the crime of firing
the city, as of hatred against mankind. Mockery of every
sort was added to their deaths. Covered with the skins of
beasts, they were torn by dogs and perished, or were nailed
to crosses, or were doomed to the flames and burnt, to serve
as a nightly illumination, when daylight had expired. Nero
offered his gardens for the spectacle, and was exhibiting a
show in the circus, while he mingled with the people in the
dress of a charioteer or stood aloft on a car. Hence, even
for criminals who deserved extreme and exemplary punishment,
there arose a feeling of compassion; for it was not, as it

seemed, for the public good, but to glut one man's cruelty,
that they were being destroyed.

It could be that Tacitus is simply repeating what was common
knowledge about Christians about the beginning of the 2d
century. The most likely source of Tacitus's information
about Christ is Tacitus's own dealings with Christians,
directly or indirectly. IOW, Tacitus provides no historical
record about the actual life of Jesus.

> Suetonius:
>
> "He expelled the Jews from Rome, on account of the riots in which they
> were constantly indulging, at the instigation of Christus." (Suetonius,
> Lives of the Caesars: Claudius 25.4) which corroborates Acts 18:2.

My translation says:

"As the Jews were making constant disturbances at the
instigation of Chrestus, he expelled them from Rome."

It is possible that the Jews were expelled from Rome for a
different cause. "Chrestus" is a suitable Greek name, so
there may have been an agitator by the name of Chrestus in
Rome. Or there may have been a different messianic pretender
in Rome. It is difficult to say.

--
Michael Moore

7747. Re: Looking for answer Ic-718

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 09:31:27 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0212300131.5222a5ba@posting.google.com>
Source record: 35107

kc5md@aol.comAdmin (Muay-Thai) wrote in message
news:<20021229112730.08027.00000408@mb-fw.aol.com>...
> Will my Icom IC-718 work with my Heathkit SB-201 Linear?
> I am hopeful that there are no extra interconnect cables etc required.
>
> kc5md@aol.com

Sure, but you will need an external keying relay or foot switch. Don't
try using the relay in the radio to key the amp. The heath keying
voltage is fairly high.
MK

7748. Re: Z-Match - Help Please (with links to photos)

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 10:56:16 UTC
From: "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com>
Message-ID: <WBVP9.895$xE1.117664@stones>
Source record: 35108

Ah, now I start to see. A 'Z Match' is only a theory that many people use
and come up with different circuits.

Well, at least one thing has come from those pictures. That is that the end
of the coil should be cennected to ground when using unbalanced loads.

I will play some more.

Neil.

Marco S Hyman <marc@snafu.org> wrote in message
news:x7d6nk734g.fsf@hana.snafu.org...
> "Neil (G1TZC / M3TZC)" <g1tzc@cheesefamily.plus.com> writes:
>
> > > a sheet of paper and a ball-point pen. Copy what you see of the wiring
onto
> > > the paper. And there you have it!
> >
> > Yes, I tried that and came up with a circuit that made no sense to me at
> > all. It appears that one of the input coils is connected to the middle
of
> > the PL259 connector, but there is nothing connected to the other end of
the
> > coil.
>
> Google is your friend. A search for zmatch schematic found a few hits.
> Is your's like http://www.qsl.net/wb3gck/zmatch.gif or perhaps it is
> something like http://www.swlink.net/~w5jh/zmatchsc.jpg
>
> // marc

7749. WTB: Kenwood KB-1 Heavy Weight Knob

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 11:34:50 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <4ca01voqhergvov8d23480t9d1pe7e01p5@4ax.com>
Source record: 35109

Looking for a Kenwood KB-1 heavy weight knob for the Kenwood 830 and
530 series of radios.......WZ1U Steve

7750. Re: Looking for answer Ic-718

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 13:07:38 UTC
From: kc5md@aol.comAdmin
Message-ID: <20021230080738.15973.00000346@mb-cs.aol.com>
Source record: 35111

Thats what I was afraid of.
I know Icom sells a relay cable and I saw one on Ebay.
Any idea what the Heath needs in the way of keying voltage versus what the Icom provides?

N2EAL

7751. MINT YAESU FT-1000D FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 13:21:51 UTC
From: Joe Moraine <w5lx@earthlink.net>
Message-ID: <3E104857.40B84DA@earthlink.net>
Source record: 35113

Mint Yaesu FT-1000D For Sale. Very Low Hours. Non-Smoker. Manual,
hand mic, original box. Pickup in the Dallas area only. $1950

7752. Re: Looking for answer Ic-718

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 13:26:05 UTC
From: kc5md@aol.comAdmin
Message-ID: <20021230082605.15973.00000348@mb-cs.aol.com>
Source record: 35114

I found the Icom send circuit,(assume this is the ant. relay) provides 16v @2A.

Is this enough for the SB-201?

N2eal

7753. Cross Posting

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 13:50:47 UTC
From: Marylou@NoSpam.net
Message-ID: <3E104F37.E0F96C3A@NoSpam.net>
Source record: 35115
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Come on people, stop cross posting to groups that are NOT related to the particular group subject.

PLEASE!!!

Vito wrote:

> john wrote:
> >
> > This is rec.radio not rec.christmas BOZO
>
> Yea, an besides Pagans MC didn't start Xmas - they just joined the
> party.

7754. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 14:29:14 UTC
From: fcathell@aol.com
Message-ID: <20021230092914.12018.00000343@mb-bg.aol.com>
Source record: 35116
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

The day I start putting any credibility in what Dr. Scott says I will also start re-believing in Santa Claus and the tooth fairy.
Frank

7755. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 15:43:33 UTC
From: WB2JKX <mycall-N0SPAM@arrl.net>
Message-ID: <FQZP9.86268$hK4.7005549@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35117
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

--
Tarmo Tammaru <t-tammaru@home.com> wrote in message
news:jFednQzRKv63TpijXTWc3Q@comcast.com...
> Keith,
>
> Here is something else you can try. Right now you have the plates of the 3
> tubes in parallel, with a wire going to the pi network input. Replace the
> wire with a .1 uH inductor to tune out some of the capacitance. That would
> be 2 - 3 turns of #12 wire wound at 8 turns/inch, 1/2 inch inside
diameter.
> This is what is done with tuned transistor amplifiers, where you have even
> more capacitance.
>
> I presume you don't want to do this, but the whole other way is to change
> the pi network to a series tuned circuit with link coupling.
>
> BTW, I have built four 6 meter amplifiers, 2 tube and 2 transistor.
>
> Tam/WB2TT
>
>
>
Just a thought....have you looked at the plate DC feed isolation choke? It
certainly isn't unusual for these things to be self-resonant somewhere not
too far above the HF region.

Just replace the obvious with my call for E-mail--I hate Spam, unless it
comes in a can, and even then......

7756. Re: TM742 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 16:01:48 UTC
From: Itsme <antwoord_mij@hotmail.com>
Message-ID: <3e106de4$0$29637$ba620e4c@news.skynet.be>
Source record: 35122
Cross-posted to: alt.nl.radio.zendamateur.gelicentieerd,nl.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,uk.radio.amateur

Moeten we blijven opvolgen: Een Nederlander die begint te "denken" !!!

hahaha, sorry kon het even niet laten - een Belgische amateur
73 de on7jq

"Ronad Sato" <Sato@keinspam-mora.de> schreef in bericht
news:YmDP9.1935$Qt4.277735@nlnews00.chello.com...
> En ik maar denken dat ze in Belgie Nederlands op school kregen ;-)
>
> "cdr at pandora dot be" <cdr@pandora.be> schreef in bericht
> news:z7CP9.77687$Ti2.10693@afrodite.telenet-ops.be...
> > HI folks
> >
> > I have a strange problem with my tm742 Kenwood tranceiver :
> >
> > i cannot transmit and receive on any band , not on 2, not on 70, not on
> 23cm
> > if i puch the PTT it like it transmitting but no signal
> >
> > a collegue advised to cheque the backup-battery. normaly it is 3 volt, i
> > measured 3.2 volts (seems normal i think)
> >
> > who nows more????
> >
> > Happy Newyear to you all !!!
> >
> > 73
> >
> >
> >
>
>

7757. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 16:02:26 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3E106E12.E5EBA4DB@crosslink.net>
Source record: 35110
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

john wrote:
>
> This is rec.radio not rec.christmas BOZO

Yea, an besides Pagans MC didn't start Xmas - they just joined the
party.

7758. Re: The True Meaning Of Christmas. Oil, end of the world, something to think about while counting down to new year.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 16:12:09 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3E107059.6D2BF27@crosslink.net>
Source record: 35112
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

> On Fri, 27 Dec 2002 19:29:04 GMT, "CW" <clinton.magers@attbi.com> wrote:
>
> >People like to talk crap about Outlook Express but it does have some useful
> >features such as being able to wipe out an entire thread.

So does Netscape. just press "t".

7759. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 16:25:31 UTC
From: Jud <Jud@here.com>
Message-ID: <Yp_P9.1141$iG2.40833@newsfep3-gui.server.ntli.net>
Source record: 35118
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

"Fcathell" <fcathell@aol.com> wrote in message
news:20021230092914.12018.00000343@mb-bg.aol.com...
> The day I start putting any credibility in what Dr. Scott says I will also
> start re-believing in Santa Claus and the tooth fairy.
> Frank

Why don't they exist?

7760. GMRS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 16:35:08 UTC
From: David Lane <dlane@pbpost.com>
Message-ID: <BA35E0CB.7A1F%dlane@pbpost.com>
Source record: 35119

Are any ham HT's capable of operating in the GMRS freqs? Would it be legal as long as I also have a GMRS license?

David, K4ZZR

7761. WTB Icom SM6, SM8

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 16:53:54 UTC
From: kc5md@aol.comAdmin
Message-ID: <20021230115354.15988.00000366@mb-cs.aol.com>
Source record: 35120

I wish to buy an Icom Desk Mic.

E-mail kc5md@aol.com

7762. Re: GMRS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 16:58:17 UTC
From: AC6V <ac6v@amsat.org>
Message-ID: <JW_P9.4242$L61.495148@news1.west.cox.net>
Source record: 35121

The FCC Rules 95.129 cover this -- see URL:
http://www.access.gpo.gov/nara/cfr/waisidx_00/47cfr95_00.html

Sez
[Page 522]

TITLE 47--TELECOMMUNICATION

COMMISSION (CONTINUED)

PART 95--PERSONAL RADIO SERVICES--Table of Contents

Subpart A--General Mobile Radio Service (GMRS)

Sec. 95.129 Station equipment.

Every station in a GMRS system must use transmitters the FCC has certificated for use in the GMRS. Write to any FCC Field Office to find out if a particular transmitter has been certificated for the GMRS. All station equipment in a GMRS system must comply with the technical rules in part 95.

[63 FR 68975, Dec. 14, 1998]

[[Page 523]]

--
I Doubt, Therefore I Might Be
73 From AC6V, Rod In Oceanside, CA
http://ac6v.com

"David Lane" <dlane@pbpost.com> wrote in message
news:BA35E0CB.7A1F%dlane@pbpost.com...
> Are any ham HT's capable of operating in the GMRS freqs? Would it be
legal
> as long as I also have a GMRS license?
>
> David, K4ZZR
>

7763. Re: GMRS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 17:37:47 UTC
From: Bob Javits <rjavits@optonline.net>
Message-ID: <3E10853B.7080009@optonline.net>
Source record: 35123

Short answer: yes, some amateur HT's cover the GMRS frequencies...

NO... technically, it would be illegal, since GMRS equipment must by
Type Accepted by the FCC for those frequencies.

73 Bob WB2AIU

7764. Re: Cross Posting

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 18:05:51 UTC
From: "Fred Hambrecht Sr." <w4jle@charter.net>
Message-ID: <v112nt6605mif4@corp.supernews.com>
Source record: 35125
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

With all due respect, the reason for subject lines is to allow one to bypass those of no interest. Please use this information to avoid opening the items that appear to put you is such an apoplectic state.

--
For Admiral Poindexter's folks:
Bomb, anthrax, attack, acid, hijack, skyjack
sniper, plutonium, nuclear, Big Mac, jihad
Democrats, terror, Howdy Doody, Oprah

"Those that sacrifice freedom for security deserve neither"

<Marylou@NoSpam.net> wrote in message news:3E104F37.E0F96C3A@NoSpam.net...
> Come on people, stop cross posting to groups that are NOT related to the
> particular group subject.
>
> PLEASE!!!
>
> Vito wrote:
>
> > john wrote:
> > >
> > > This is rec.radio not rec.christmas BOZO
> >
> > Yea, an besides Pagans MC didn't start Xmas - they just joined the
> > party.
>

7765. Electrostatic voltmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 18:11:14 UTC
From: Bill Ogden <ogden@us.ibm.com>
Message-ID: <3E108C42.11482140@us.ibm.com>
Source record: 35124

I have an "Electrostatic Voltmeter - Kodak TL3694" that was snatched from a trash bin.

Does anyone know what it might be good for?

It has a 9v wall wart (and also two 9v battery clips.) It powers on and the probe has a mechanical vibration of about 1200 Hz. The meter reads between -400 and 1100. The Test button does not seem to do anything and the Zero pot changes the reading but never gets it to zero. The whole thing (including wall wart) is in a black leather case about 3x6x8 inches.

Bill Ogden

7766. Re: TM742 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 18:12:31 UTC
From: Ronald Sato <sato@-keinspam-mora.de>
Message-ID: <j00Q9.667038$e%3.26651909@Flipper>
Source record: 35126
Cross-posted to: alt.nl.radio.zendamateur.gelicentieerd,nl.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,uk.radio.amateur

```
Ja dom van me he dat ik dacht dat ze in Belgie een fatsoenlijk talenpakket
met Nederlands erin hadden op belgische scholen ;-)

"Itsme" <antwoord_mij@hotmail.com> schreef in bericht
news:3e106de4$0$29637$ba620e4c@news.skynet.be...
> Moeten we blijven opvolgen: Een Nederlander die begint te "denken" !!!
>
> hahaha, sorry kon het even niet laten - een Belgische amateur
> 73 de on7jq
>
> "Ronad Sato" <Sato@keinspam-mora.de> schreef in bericht
> news:YmDP9.1935$Qt4.277735@nlnews00.chello.com...
> > En ik maar denken dat ze in Belgie Nederlands op school kregen ;-)
> >
> > "cdr at pandora dot be" <cdr@pandora.be> schreef in bericht
> > news:z7CP9.77687$Ti2.10693@afrodite.telenet-ops.be...
> > > HI folks
> > >
> > > I have a strange problem with my tm742 Kenwood tranceiver :
> > >
> > > i cannot transmit and receive on any band , not on 2, not on 70, not
on
> > 23cm
> > > if i puch the PTT it like it transmitting but no signal
> > >
> > > a collegue advised to cheque the backup-battery. normaly it is 3 volt,
i
> > > measured 3.2 volts (seems normal i think)
> > >
> > > who nows more????
> > >
> > > Happy Newyear to you all !!!
> > >
> > > 73
> > >
> > >
> > >
> >
> >
>
>
```

7767. Re: TM742 problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 19:02:49 UTC
From: la8ak.xnd@online.no
Message-ID: <3e10862d.52401683@news.online.no>
Source record: 35128
Cross-posted to: alt.nl.radio.zendamateur.gelicentieerd,nl.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,uk.radio.amateur

On Mon, 30 Dec 2002 17:01:48 +0100, "Itsme" <antwoord_mij@hotmail.com>
wrote:

>Moeten we blijven opvolgen: Een Nederlander die begint te "denken" !!!
>
>hahaha, sorry kon het even niet laten - een Belgische amateur
> 73 de on7jq
>
Just waiting for some Swedes to join the group...., it is almost the
same relation between PA/ON as LA/SM

--
remove ,xnd to reply

7768. Azden AZ-61 HT Information

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 19:19:31 UTC
From: tbcoml14@aol.com
Message-ID: <20021230141931.28503.00000334@mb-fv.aol.com>
Source record: 35129

Good afternoon, name here is Trey, callsign is KC9CCZ in the ham service, I am 15 years old and my home QTH is in Terre Haute, IN.

I was wondering if someone could tell me how to program memories into an Azden AZ-61 6m FM Handheld. I have a friend who has one and it's been frustrating him because he can't figure it out. Probably received as a gift from someone. The only information I need is how to program memories and program your own offsets.

Thanks! If anyone can help it'd be greatly appreciated. Email is kc9ccz@hotmail.com or AOL Instant Messenger is TBCOML14, NiRVANA PHREAK 9 or KC9CCZ.

73 to All.
-Trey, KC9CCZ

7769. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 19:49:17 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <Bo1Q9.29045$eB.565506@twister.kc.rr.com>
Source record: 35130
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

"WB2JKX" <mycall-N0SPAM@arrl.net> wrote in message
news:FQZP9.86268$hK4.7005549@bgtnsc05-news.ops.worldnet.att.net...
>
> --
> Tarmo Tammaru <t-tammaru@home.com> wrote in message
> news:jFednQzRKv63TpijXTWc3Q@comcast.com...
> > Keith,
> >
> > Here is something else you can try. Right now you have the plates of the
3
> > tubes in parallel, with a wire going to the pi network input. Replace
the
> > wire with a .1 uH inductor to tune out some of the capacitance. That
would
> > be 2 - 3 turns of #12 wire wound at 8 turns/inch, 1/2 inch inside
> diameter.
> > This is what is done with tuned transistor amplifiers, where you have
even
> > more capacitance.
> >
> > I presume you don't want to do this, but the whole other way is to
change
> > the pi network to a series tuned circuit with link coupling.
> >
> > BTW, I have built four 6 meter amplifiers, 2 tube and 2 transistor.
> >
> > Tam/WB2TT
> >
> >
> >
> Just a thought....have you looked at the plate DC feed isolation choke? It
> certainly isn't unusual for these things to be self-resonant somewhere not
> too far above the HF region.
>
> Just replace the obvious with my call for E-mail--I hate Spam, unless it
> comes in a can, and even then......

I've gotten the amp to work somewhat. I made an tuned input circuit for the amp, and there wasn't much difference. I'm currently getting about 90 watts output, with 10 watts input, using 3 - 6JS6's.

Looking at this RF choke is a excellent idea. Mine is only 30 or so turns over a 1/4" core. I should see where it resonates. I wonder if this could be causing the extra capacitance on the input of the PI network.

I think my problem is still the capacitance of the tubes themselves. The 6JS6's are 10pf per tube,as opposed to the 6KD6's which are 16pf per tube. Currently my Tune cap is completely open at tune-up. I still haven't tried what WB2TT suggested above, plus there is a neat design in the amp called the "Mini-Lini". You can get the schematic at:

http://6mt.com/mnlin.zip

This is just 3 gif images, so don't worry about the download.

7770. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 20:00:20 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <Zy1Q9.29048$eB.566230@twister.kc.rr.com>
Source record: 35131
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

<nospam@nouce.bellatlantic.net> wrote in message
news:3e0d1e4e.3528636621@news.bellatlantic.net...
> On Fri, 27 Dec 2002 20:14:23 GMT, "Keith Beckmann"
> <Kbeckmann.spankme@wi.rr.com> wrote:
>
> Should resonate to about 70 mhz region with the caps unmeshed.
> Note the one closest to the plate tunes the circuit, the second near
> the antenna helps translate the match.

I shortened the coil more, and got it to dip at 70 MHz, but I got n\almost
no output at 6M.

With the coil resonant restored back to 52MHz, I'm getting 90 Watts output
(I've got to measure my plate current again). Seems clean, as harmonics are
well below 60dB on my spectrum analyzer. The bandwidth of the Pi network
seems to be extremely narrow (1MHz). This is probably due to the Tune cap
being wide open all the time.

Interestingly, I made an tuned input circuit as described in the "Mini-Lini"
and only saw about 10 more watts output. The tuned input did make the weird
power levels disappear though, where I only saw full power after a few
seconds.

I've still gotta try you coil before the PI network, or perhaps the output
section used in the "Mini-Lini".

I'm sure learning a lot about higher frequency amps. At HF this stuff seems
all so simple......

7771. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 20:04:45 UTC
From: Keith Beckmann <Kbeckmann.spankme@wi.rr.com>
Message-ID: <5D1Q9.29050$eB.566446@twister.kc.rr.com>
Source record: 35133
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

The halo is supposed to work as well as a dipole, only omni-directional.

Crossed dipoles are a good idea, if I could run them off one feedline

<nospam@nouce.bellatlantic.net> wrote in message
news:3e0fb81a.3699447143@news.bellatlantic.net...
> On Mon, 30 Dec 2002 00:28:36 GMT, "Keith Beckmann"
> <Kbeckmann.spankme@wi.rr.com> wrote:
>
> >6M seems to have gone south for the winter, as I haven't heard much DX
for a
> >couple of months.
>
> I hard some carib signals today. It's there.
>
> >I'm not sure I'd be willing to give up the top of my tower for just a 6M
> >antenna, which is why I was considering the halo. I can tack it onto the
> >side, and have mostly omni-directional horizontal 6M.
>
> I'd try that though most of those loops are really sorta only ok
> compared to a simple dipole. Actually you could put two dipoles
> near the top in fixed orientations at 90degrees to each other and
> that would be better. The wide figure 8 from one or the other
> would give good coverage.
>
> I run a second 6m antenna, a twinlead dipole at 10ft, poor of the
> ends but its set up for east/west and works fine for that. last
> contact off that was western NY (~300mi) using the 5w radio.
> That antenna hears SSB better than the vertical which
> is at least 10ft higher.
>
> Allison
> .
>

7772. Re: GMRS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 20:07:00 UTC
From: David Lane <dlane@pbpost.com>
Message-ID: <BA361273.7A31%dlane@pbpost.com>
Source record: 35134

Thanks for the info guys....any recommendations for a decent GMRS? I just bought a pair of Motorola Talkabout T5820's but the receive audio is pretty muddy.

73, David, K4ZZR
(GMRS - WPWN486)

> Subject: Re: GMRS
>
> Capable? Yes.
> Legal? No.
> Around here in MA the GMRS licensees also frown heavily upon modified ham
> radios being used on their repeaters.
>
> 73s de KB1ILS
>
>
> David Lane <dlane@pbpost.com> wrote in message
> news:BA35E0CB.7A1F%dlane@pbpost.com...
>> Are any ham HT's capable of operating in the GMRS freqs? Would it be
> legal
>> as long as I also have a GMRS license?
>>
>> David, K4ZZR
>>
>
>

7773. Re: Cross Posting

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 21:10:24 UTC
From: Vito <vito@crosslink.net>
Message-ID: <3E10B640.5D539231@crosslink.net>
Source record: 35127
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Marylou@NoSpam.net wrote:
>
> Come on people, ...

Are you the same WVa Marylou that Greaseman wanted to marry but couldn't
'cuz he wasn't related to her?

7774. Re: Cross Posting

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 21:14:02 UTC
From: JJ <radiobuff0@mailcity.moc>
Message-ID: <3E10B71A.1020802@mailcity.moc>
Source record: 35135
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Fred Hambrecht Sr. wrote:
> With all due respect, the reason for subject lines is to allow one to bypass
> those of no interest. Please use this information to avoid opening the items
> that appear to put you is such an apoplectic state.

With all due respect, the reason for the name of the group is to
define the subject to be discussed in the group. Do you see
religious fanatics in the name of any of these groups?
There are religion groups and that is where this should be discussed.

7775. Re: GMRS

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 22:53:13 UTC
From: Toscano <toscano2@ix.netcom.com>
Message-ID: <auq8ij$31t$1@slb2.atl.mindspring.net>
Source record: 35132

Capable? Yes.
Legal? No.
Around here in MA the GMRS licensees also frown heavily upon modified ham radios being used on their repeaters.

73s de KB1ILS

David Lane <dlane@pbpost.com> wrote in message news:BA35E0CB.7A1F%dlane@pbpost.com...
> Are any ham HT's capable of operating in the GMRS freqs? Would it be legal
> as long as I also have a GMRS license?
>
> David, K4ZZR
>

7776. Re: Cross Posting

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 23:24:09 UTC
From: me <me@none.com>
Message-ID: <tA4Q9.16359$oy5.699866@news2.west.cox.net>
Source record: 35136
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Amen.

ROTFLMAO...

-me
"JJ" <radiobuff0@mailcity.moc> wrote in message
news:3E10B71A.1020802@mailcity.moc...
>
>
> Fred Hambrecht Sr. wrote:
> > With all due respect, the reason for subject lines is to allow one to
bypass
> > those of no interest. Please use this information to avoid opening the
items
> > that appear to put you is such an apoplectic state.
>
> With all due respect, the reason for the name of the group is to
> define the subject to be discussed in the group. Do you see
> religious fanatics in the name of any of these groups?
> There are religion groups and that is where this should be discussed.
>

7777. Re: Looking for answer Ic-718

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-30 23:32:30 UTC
From: Rich Griffiths <richgrif@one.net>
Message-ID: <3E10D78E.BCA3358C@one.net>
Source record: 35137

Probably not ... be careful!

I don't know the SB-201 specifically, but the SB-200 (and I think the SB-220 also) use a 110 V relay internally for keying. If the '201 is similar, you need to be able to key 110 V to ground; you don't feed it a voltage.

It's pretty easy to rig up an external relay that you can key with that 16 V you have available. It's probably 16 V max, but actually 13.8 V if you're using a typical power supply. You'll need a relay with a "12 V" coil that can handle 110 V on the contacts. Radio Shack carries suitable relays.

... Rich

Muay-Thai wrote:
>
> I found the Icom send circuit,(assume this is the ant. relay) provides 16v
> @2A.
>
> Is this enough for the SB-201?
>
> N2eal

7778. FA: EIMAC 4CX5000 5,000 WATT RF POWER TUBE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 00:02:56 UTC
From: Info <infoREMOVE@mhtradio.com>
Message-ID: <3E10DEB0.31757EC8@mhtradio.com>
Source record: 35138

EIMAC 4CX5000 5,000 WATT RF POWER TUBE

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1948926113

7779. FA: EIMAC 3CX1500A7 / 8877 1500 WATT RF TUBE

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 00:20:43 UTC
From: Info <infoREMOVE@mhtradio.com>
Message-ID: <3E10E2DB.E3A0D96E@mhtradio.com>
Source record: 35139

EIMAC 3CX1500A7 / 8877 1500 WATT RF TUBE

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=1948928605

7780. Re: Looking for answer Ic-718

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 00:31:37 UTC
From: nm5k@wt.net
Message-ID: <25eb70d7.0212301631.7438935d@posting.google.com>
Source record: 35140

kc5md@aol.comAdmin (Muay-Thai) wrote in message
news:<20021230082605.15973.00000348@mb-cs.aol.com>...
> I found the Icom send circuit,(assume this is the ant. relay) provides 16v
> @2A.
>
> Is this enough for the SB-201?
>
> N2eal

Nope, I don't think that would work. The keying voltage is from the
amp, not the radio. And I "think" it's about 120 volts. You don't want
to use the internal relay in the rig to switch this. Too risky. You
would want to use the radio's little relay to switch a larger relay,
or you could just use a foot switch. I use foot switches quite a bit
myself. The reason being, I switch rig's and don't like to switch my
amp lines around. MK

7781. FA: JENNINGS VACUUM CAPACITOR M1000 , M-1000

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 00:32:59 UTC
From: Info <infoREMOVE@mhtradio.com>
Message-ID: <3E10E5BA.DA2D3E6A@mhtradio.com>
Source record: 35141

JENNINGS VACUUM CAPACITOR M1000 , M-1000

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3104149134

7782. Re: The Grinch Who Stole Universal Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 00:38:53 UTC
From: Hudson River <telxcop33@aol.com>
Message-ID: <3e10e736@snipnews.snip.net>
Source record: 35142
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

"Eric F. Richards" <efricha@dim.com> wrote in message
news:1vu01v4845ipsi0l3k7dm5va873nsgscrj@4ax.com...
> Greetings, all,
>
> Well I traveled halfway across the country -- from Colorado to Ohio
> -- to see family and old friends, I wanted to make a stop at Universal
> Radio to have a look at the Ten-Tec RX-340 to see it for myself. So I
> called them to ask if it was on display, and the answer was, "heck no,
> that's a $4000 radio." No kidding.
>
> Now while I can understand their position -- somewhat -- I can't
> understand how they expect me to buy, sight unseen, that same $4000
> radio. Ham Radio Outlet, Denver, keeps their FT-1000 series radios on
> display and live, as well as their high-end ICOMs.
>
> Fortunately, Ten-Tec has them on display and will happily accommodate
> me. Unfortunately, that turns a two hour (one way) drive into an 8
> hour (one way) drive.
>
> Hmpf.
>
> --
> Eric F. Richards, efricha@dim.com
> "Nature abhors a vacuum tube." -- J. R. Pierce, Bell Labs, c. 1940
"Beloved Leader" <Kim_Jong_Il@volcanomail.com> wrote in message
news:26a0f230.0212301414.2394faa@posting.google.com...
> "Rocky Top" <rockytop@_SPAM_RMV_dellmail.com> wrote in message
news:<v110aa4gl0uq52@corp.supernews.com>...
>
> > Electronic Equipment Bank in Vienna, Virginia
>
> I miss that place.

Agreed. One of the few Dealers
of Ham Gear that was run like a
real business with friendly and
knowledgeable salespeople.

Sounds like Universal Radio is going
the way of the old Trevose Hamtronics
and Delaware Amateur Supply. Two other
shyster ham radio stores (thankfully now gone
and for the most part forgotten..) that were
each run like the proveberal "shady used

car lot" and had salespeople with attitudes like
the horse's ass. Oh well. I guess it's
now a resounding "phooey" on Universal
Radio also.

7783. FS: HAM STUFF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 01:32:36 UTC
From: Heytubeguy <heytubeguy@worldnet.att.net>
Message-ID: <Us6Q9.86886$hK4.7064273@bgtnsc05-news.ops.worldnet.att.net>
Source record: 35143

Ham stuff FS on ebay:

Nat. RF choke

Nat. 'S' meter

Millen worm gear

Jensen 8" spkr

Collins audio xfmr

Dow Key relay

10v 7a fil xfmr

vac. Relays(2)

plus others too

more coming.. do seller search on heytubeguy

Tnx heytubeguy

7784. Re: FS: HAM STUFF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 01:41:30 UTC
From: john <john@mchi.net>
Message-ID: <oft11v8k34pcvlrifjlct9b56b243llfbv@4ax.com>
Source record: 35144

USE FA

On Tue, 31 Dec 2002 01:32:36 GMT, "Heytubeguy"
<heytubeguy@worldnet.att.net> wrote:

>Ham stuff FS on ebay:
>
>
>
>Nat. RF choke
>
>Nat. 'S' meter
>
>Millen worm gear
>
>Jensen 8" spkr
>
>Collins audio xfmr
>
>Dow Key relay
>
>10v 7a fil xfmr
>
>vac. Relays(2)
>
>plus others too
>
>
>
>more coming.. do seller search on heytubeguy
>
>
>
>Tnx heytubeguy
>

7785. Re: HAM STUFF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 02:03:50 UTC
From: "M.E." <bogus@nospam.com>
Message-ID: <v11ulh10ri1v2f@corp.supernews.com>
Source record: 35145

Which is it, FS or FA? If it is on ebay, it must be FA, otherwise it would
be on QTH, or Eham, or here as FS!

--
Respond to my "real" e-mail;
kk5dr@ev1.net
"Heytubeguy" <heytubeguy@worldnet.att.net> wrote in message
news:Us6Q9.86886$hK4.7064273@bgtnsc05-news.ops.worldnet.att.net...
> Ham stuff FS on ebay:
>
>
>
> Nat. RF choke
>
> Nat. 'S' meter
>
> Millen worm gear
>
> Jensen 8" spkr
>
> Collins audio xfmr
>
> Dow Key relay
>
> 10v 7a fil xfmr
>
> vac. Relays(2)
>
> plus others too
>
>
>
> more coming.. do seller search on heytubeguy
>
>
>
> Tnx heytubeguy
>
>

7786. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 02:13:35 UTC
From: di540@freenet.carleton.ca
Message-ID: <200212310213.gBV2DZT04959@freenet10.carleton.ca>
Source record: 35146
Cross-posted to: rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

Michael Moore (m.moore@NOSPAMutoronto.ca) writes:
>>>See my other post about Josephus. Also, other than
>>>Josephus, there is no record.
>>
>> Liar: there are plenty of records. Most recently, archaeologists have
>> discovered the ossiary of James, the step-brother of Jesus.
>
> I meant to say " ... no record from the 1st century".

Liar: that inscription is from the 1st century, just as the ones in Israel concerning Pontius Pilatus.

> That the archeological find is the ossiary of James is
> conjecture.

Liar: it was discussed on BBC worldservice both on Focus on FAith and reporting Religion. The inscription says it is for James. They discussed the authenticity of the inscription and the ossiary itself, and found no reason to doubt either.

>> specifically says that he was the son of Joseph (by a prior marriage)
>> and the brother of Jesus (which in Hebrew is rendered Jeshua, etc.)
>
>> Then there is the written account of James in his Protevangelion.
>> Then there is the account of Josephus that James was the brother of Jesus.
>> Then there is Agapios' 10th century arabic version of Josephus which also
>> contains the passages referring to Jesus.
>
> Relevance?

If you have to ask, you're not entitled to know.

>> But none of these guys are white, which in your mind disqualifies them as
>> credible, eh? Okay, here's a list of white guys for you:
>>
>> Tacitus:
>>
>> "To stop the rumor, Nero substituted as culprits, and punished with the
>> utmost refinements of cruelty, a class of men, loathed for their vices,
>> whom the crowd styled Christians. They received their name from Christus,
>> who was executed by sentence of the procurator Pontius Pilate in the reign
>> of Tiberius. That checked the pernicious superstition for a short time,
>> but it broke out afresh, not only in Judea, where the plague first arose,
>> but in the capital of Rome itself, where all horrible and shameful things
>> in the world collect and find a home." (Tacitus, Annales 25.44)

>
> Actually, it's from the Annals 15.44 (115 A.D.). Below is
> the version that I could find.

> It could be that Tacitus is simply repeating what was common
> knowledge about Christians about the beginning of the 2d
> century. The most likely source of Tacitus's information
> about Christ is Tacitus's own dealings with Christians,
> directly or indirectly. IOW, Tacitus provides no historical
> record about the actual life of Jesus.

So what? He provides a historical record that such a person existed.
No doubt, you'll argue that it's not the same person.

>> Suetonius:
>>
>> "He expelled the Jews from Rome, on account of the riots in which they
>> were constantly indulging, at the instigation of Christus." (Suetonius,
>> Lives of the Caesars: Claudius 25.4) which corroborates Acts 18:2.
>
> My translation says:
>
> "As the Jews were making constant disturbances at the
> instigation of Chrestus, he expelled them from Rome."

Once again your translation is not from an Arab source, but a European one.
The Arabs certainly weren't pro-Jewish, and possbily had axes to grind,
so I could make the counter argument that it was they who watered down
Josephus' glowing account of Christ with a liberal dose of skepticism. But
not everyone can excel at hair-splitting, so I'll just accept the Arab
version as closer to what Josephus wrote than the European ones.

There are also references to Jesus visiting India during his 'lost' years
as documented by Raimundo Pannekar. Of course, these sources won't be
white enough for you either, so feel free to overlook them.

> It is possible that the Jews were expelled from Rome for a
> different cause. "Chrestus" is a suitable Greek name, so
> there may have been an agitator by the name of Chrestus in
> Rome. Or there may have been a different messianic pretender
> in Rome. It is difficult to say.

Just as the 'Pontius Pilatus' inscribed at the Roman Theatre ruins at
Caesarea is not the same Pontius Pilate of the New Testament or in the
writings of Josephus. For a mind as narrow as yours, complexity is
certainly a diseconomy of scale.

7787. Re: FS: HAM STUFF

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 03:38:07 UTC
From: Mark Russo <mrrusso@optonline.net>
Message-ID: <3E11122B.4F447526@optonline.net>
Source record: 35147

there you go!!
See, there is no need for the nasty comments that
some post here on the forever FS / FA dilemma.

That a boy John!!!!

Have a Happy New Year!!!
---

john wrote:

> USE FA
>
> On Tue, 31 Dec 2002 01:32:36 GMT, "Heytubeguy"
> <heytubeguy@worldnet.att.net> wrote:
>
> >Ham stuff FS on ebay:
> >
> >
> >
> >Nat. RF choke
> >
> >Nat. 'S' meter
> >
> >Millen worm gear
> >
> >Jensen 8" spkr
> >
> >Collins audio xfmr
> >
> >Dow Key relay
> >
> >10v 7a fil xfmr
> >
> >vac. Relays(2)
> >
> >plus others too
> >
> >
> >
> >more coming.. do seller search on heytubeguy
> >
> >
> >
> >Tnx heytubeguy

> >

7788. FS: Tempo One w/ PS, Speaker, manual.

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 03:44:34 UTC
From: dq70@yahoo.com
Message-ID: <d8b00739.0212301944.5ff66786@posting.google.com>
Source record: 34998
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Tempo One tranciever with power supply/ speaker and manual. Works good, about a 7 or 8 on a 10 scale (10 being new in box). $200 delivered in US. or trade for a Heathkit SB201, or a couple good working (not collector quality cosmetically but electronically at specs) Knight T-60 "shoebox" AM transmitters or couple Heathkit DX 60-B mabe a Swan 500 or ???

Thanks and best of DX!!

Daniel

7789. Re: Electrostatic voltmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 03:45:13 UTC
From: KB9TMP <kb9tmp@juno.com>
Message-ID: <v124m96h13mi8e@corp.supernews.com>
Source record: 34999

"Bill Ogden" <ogden@us.ibm.com> wrote in message
news:3E108C42.11482140@us.ibm.com...
> I have an "Electrostatic Voltmeter - Kodak TL3694" that was snatched
> from a trash bin.
>
> Does anyone know what it might be good for?

It's good for selling on Ebay ;^)

--

'73' & Happy New Year From KB9TMP

>
> It has a 9v wall wart (and also two 9v battery clips.) It powers on and
> the probe has a mechanical vibration of about 1200 Hz. The meter reads
> between -400 and 1100. The Test button does not seem to do anything and
> the Zero pot changes the reading but never gets it to zero. The whole
> thing (including wall wart) is in a black leather case about 3x6x8
> inches.
>
> Bill Ogden
>

7790. Re: The Grinch Who Stole Universal Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 04:05:30 UTC
From: Dan Morisseau <dpm3@morisseau.org>
Message-ID: <3E1117C4.F55B52C6@morisseau.org>
Source record: 35000
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

Hudson River wrote:

> Oh well. I guess it's
> now a resounding "phooey" on Universal
> Radio also.

Give me a freekin' break! Universal doesn't have a particular radio to demo and all the sudden they aren't worth patronizing? I've dealt with them several times and have been exceptionally satisfied. This has all the earmarks of some kind of spite inspired hatchet job. I don't hesitate to recommend Universal!

--
Dan Morisseau - N 38ï¿½34'53", W 90ï¿½22'32", 680'
Cardinal Nation: On the sunrise side of Mo-Pac's famous Kirkwood Hill!
"ï¿½Y tu madre tambien!"

7791. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 04:22:59 UTC
From: Reg Edwards <g4fgq.regp@btinternet.com>
Message-ID: <aur632$h4i$1@knossos.btinternet.com>
Source record: 35002
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

It doesn't matter whether Jesus ever existed or not.

It is still widely accepted 'his' basic teachings are worthy of being incorporated in present-day social/political laws which attempt to govern unstable human behaviour. In the interests of life on Earth it is irrefutable that such laws must exist.

There are other teachings which have evolved over crudely the same epoch (20,000 years since the invention of writing) which differ little in their essentials.

There are some religions which have not withstood the test of time or their remnants have become merged with the others. And there will be future modifications to be included which cover such matters as cloning and use of the human organism. Evolution is nothing if it remains static.

At present the overwhelming concensus of world opinion is that messrs B*** and B**** must go. But it seems Viagra is here to stay.

7792. Yaesu FT-625RD Local Osc Problem

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 05:02:57 UTC
From: Skweezieweezie <noway@thistime.now>
Message-ID: <NQadnfAVgKGKuIyjXTWcpg@comcast.com>
Source record: 35003

Santa delivered a free Yaesu FT-625RD this year.
This is a 6m rig, covering 50-54MHz in four 1MHz bands.
Bands 3&4 (52 & 53MHz) seem to work fairly well and
I can tune up the LO correctly to have them on freq.
Bands 1&2 (50 & 52MHz) will not allow me to correctly
set the tuning slugs in the LO so that each 1MHz segment
in each band is matched to the other bands.

Example..... 50.500, 51.500, 52.500, 53.500
The above is correctly aligned.

What I CAN get is this:
50.490, 51.470, 52.500, 53.500

The bandswitch switches 4 crystals, each with a tuning slug.
1 crystal per band. 70.010, 71.010, 72.010, 73.010MHz.

The first two crystals 70.010 and 71.010 cannot be put on
frequency, this is why the first two bands are out of sync with
the last two. When I get the first band's LO adjustment close,
the slug bottoms out in the can. When adjusting the 71.010's
corresponding slug, the LO quits as soon as I get close to
69.97MHz, and the display flashes 50.000 because the built-in
digital freq counter senses an out of band condition.

The Yaesu FT-625RD used a modular construction and I've already
cleaned the LO board and sockets contacts. Each crystal is
switched into the LO with +8 volts, which is correct when measured
with a digital meter on each band at the crystal. There are several
switching diodes in series w/each crystal which have checked
good on the DMM's diode check function. I've just about re-soldered
every joint on the board, with no luck. Even checked the resistors used
for current limiting to the switching diodes.

I have never seen a crystal age so much to this point, but it looks like
it might be this. Any guesses????

Reply here
OR
directly to : e*a*g*x*x*x* @ hotmail.com (you know what to remove*)

7793. Re: The Grinch Who Stole Universal Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 06:34:58 UTC
From: "Eric F. Richards" <efricha@dim.com>
Message-ID: <oce21v08mvampdp7he88m9j581ajj8l2di@4ax.com>
Source record: 35004
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

Dan Morisseau <dpm3@morisseau.org> wrote:

>
>
> Hudson River wrote:
>
> > Oh well. I guess it's
> > now a resounding "phooey" on Universal
> > Radio also.
>
> Give me a freekin' break! Universal doesn't have a particular radio to
> demo and all the sudden they aren't worth patronizing?

No, try this: Universal doesn't allow a *very* high-end radio to be
tested on site, unlike other high-end suppliers, and there was a touch
of rudeness to it, which gives me pause.

> I've dealt with them
> several times and have been exceptionally satisfied.

I've dealt with them many times and have generally been satisfied,
too. But I have never bought a radio without testing the daylights
out of it at a store, and I've always bought from that store.

> This has all the
> earmarks of some kind of spite inspired hatchet job.

Best check the earmarks again.

> I don't hesitate to
> recommend Universal!

Generally I've had good experiences with them, with the last being
only fair and being disappointed with this one. Be serious -- one
doesn't plunk down this kind of coin based on a picture on a web page.

--
Eric F. Richards
efricha@dim.com
"The weird part is that I can feel productive even when I'm doomed."
- Dilbert

7794. TR-7950 Deviation Pot?

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 07:24:16 UTC
From: John Stamper <jbstamper@worldnet.att.net>
Message-ID: <ACbQ9.21275$p_6.1699998@bgtnsc04-news.ops.worldnet.att.net>
Source record: 35005

Anyone know off hand what the part number for the deviation pot is for the Kenwood TR-7950 (or TR-7930)? Can't see it in the schematic and it does not appear to be labeled on the board.

Thanks,

NU7F, John

7795. Re: Cross Posting

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 10:03:29 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <RXdQ9.41982$%3.10432739@twister.neo.rr.com>
Source record: 35006
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

"Fred Hambrecht Sr." <w4jle@charter.net> wrote in message
news:v112nt6605mif4@corp.supernews.com...
> With all due respect, the reason for subject lines is to allow one to
bypass
> those of no interest. Please use this information to avoid opening the
items
> that appear to put you is such an apoplectic state.

Amen Fred, in fact Marylou changed the subject line to get our attention.
Guess she doesn't look at the subject line herself.

>
> --
> For Admiral Poindexter's folks:
> Bomb, anthrax, attack, acid, hijack, skyjack
> sniper, plutonium, nuclear, Big Mac, jihad
> Democrats, terror, Howdy Doody, Oprah
>
> "Those that sacrifice freedom for security deserve neither"
>
>
> <Marylou@NoSpam.net> wrote in message news:3E104F37.E0F96C3A@NoSpam.net...
> > Come on people, stop cross posting to groups that are NOT related to the
> > particular group subject.
> >
> > PLEASE!!!
> >
> > Vito wrote:
> >
> > > john wrote:
> > > >
> > > > This is rec.radio not rec.christmas BOZO
> > >
> > > Yea, an besides Pagans MC didn't start Xmas - they just joined the
> > > party.
> >
>
>

7796. Re: The Grinch Who Stole Universal Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 10:10:50 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <K2eQ9.41985$%3.10435374@twister.neo.rr.com>
Source record: 35007
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

"Hudson River" <telxcop33@aol.com> wrote in message
news:3e10e736@snipnews.snip.net...
> "Eric F. Richards" <efricha@dim.com> wrote in message
> news:1vu01v4845ipsi0l3k7dm5va873nsgscrj@4ax.com...
> > Greetings, all,
> >
> > Well I traveled halfway across the country -- from Colorado to Ohio
> > -- to see family and old friends, I wanted to make a stop at Universal
> > Radio to have a look at the Ten-Tec RX-340 to see it for myself. So I
> > called them to ask if it was on display, and the answer was, "heck no,
> > that's a $4000 radio." No kidding.
> >
> > Now while I can understand their position -- somewhat -- I can't
> > understand how they expect me to buy, sight unseen, that same $4000
> > radio. Ham Radio Outlet, Denver, keeps their FT-1000 series radios on
> > display and live, as well as their high-end ICOMs.
> >
> > Fortunately, Ten-Tec has them on display and will happily accommodate
> > me. Unfortunately, that turns a two hour (one way) drive into an 8
> > hour (one way) drive.
> >
> > Hmpf.
> >
> > --
> > Eric F. Richards, efricha@dim.com
> > "Nature abhors a vacuum tube." -- J. R. Pierce, Bell Labs, c. 1940
> "Beloved Leader" <Kim_Jong_Il@volcanomail.com> wrote in message
> news:26a0f230.0212301414.2394faa@posting.google.com...
> > "Rocky Top" <rockytop@_SPAM_RMV_dellmail.com> wrote in message
> news:<v110aa4gl0uq52@corp.supernews.com>...
> >
> > > Electronic Equipment Bank in Vienna, Virginia
> >
> > I miss that place.
>
> Agreed. One of the few Dealers
> of Ham Gear that was run like a
> real business with friendly and
> knowledgeable salespeople.
>
> Sounds like Universal Radio is going
> the way of the old Trevose Hamtronics
> and Delaware Amateur Supply. Two other

> shyster ham radio stores (thankfully now gone
> and for the most part forgotten..) that were
> each run like the proveberal "shady used
> car lot" and had salespeople with attitudes like
> the horse's ass. Oh well. I guess it's
> now a resounding "phooey" on Universal
> Radio also.

Sounds like you talked to the same guy at Delaware that I did.
DeWayne

>
>

7797. Re: The Grinch Who Stole Universal Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 10:13:03 UTC
From: DeWayne <ke9k@indy.rr.com>
Message-ID: <P4eQ9.41986$%3.10436581@twister.neo.rr.com>
Source record: 35008
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

"Dan Morisseau" <dpm3@morisseau.org> wrote in message
news:3E1117C4.F55B52C6@morisseau.org...
>
>
> Hudson River wrote:
>
> > Oh well. I guess it's
> > now a resounding "phooey" on Universal
> > Radio also.
>
> Give me a freekin' break! Universal doesn't have a particular radio to
> demo and all the sudden they aren't worth patronizing? I've dealt with
them
> several times and have been exceptionally satisfied. This has all the
> earmarks of some kind of spite inspired hatchet job. I don't hesitate to
> recommend Universal!

Actually I don't blame Universal for not setting such an expensive radio on
display to be played with and scratched. Some folks let their kids play with
the radios.
DeWayne

>
> --
> Dan Morisseau - N 38°34'53", W 90°22'32", 680'
> Cardinal Nation: On the sunrise side of Mo-Pac's famous Kirkwood Hill!
> "¿Y tu madre tambien!"
>
>

7798. Icom OPC-478 Schematic & WS-2100 (Windows) Programming Software

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 12:58:03 UTC
From: Ken Coghill <wb4zoh@arrl.net>
Message-ID: <3E11945B.3080004@arrl.net>
Source record: 35009
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Hello Group
I'm looking for a schematic of the ICOM OPC-478. Any help would be
appreciated.

Also, I have the Icom IC-2100H and several years ago purchased the
CS-2100 (DOS) Programing Software. ICOM sells only the OPC-478 + the
WS-2100 (Windows) Programing Software. If anyone has a copy of the ICOM
WS-2100 software to sell, I would appreciate knowing about it.

I was given a copy to evaluate of a non-ICOM version. Unfortunately,
the software crashes frequently on WIN98.

Thank you, Happy New Year to all in the group -

Ken, WB4ZOH

7799. FS:KT 34 M2 Trivand Yagi for Sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 13:47:38 UTC
From: Rich W6VX <w6vx@arrl.net>
Message-ID: <_dhQ9.5851$9N5.608472@newsread2.prod.itd.earthlink.net>
Source record: 35010
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This is the new four element M2 tribander. Formerly the KT34A but now
redesigned by M2 for even better performance.
Four linear loaded elements for 10, 15, 20 Meters. 16 foot boom.

See www.m2inc.com for more details.

This antenna is brand new, in a sealed box. Never opened. Owner changed
his tower/antenna plans.

Asking $950.00 plus shipping from Los Angeles

73 de Rich W6VX

7800. Re: Electrostatic voltmeter

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 14:46:00 UTC
From: Bill Ogden <ogden@us.ibm.com>
Message-ID: <3E11ADA8.D3C3FA10@us.ibm.com>
Source record: 35011

Well, maybe. I would like to know what it is intended to do before selling it. I have had generally good luck dealing on eBay, although I know others have had problems.

Bill
W2WO

KB9TMP wrote:

> "Bill Ogden" <ogden@us.ibm.com> wrote in message
> news:3E108C42.11482140@us.ibm.com...
> > I have an "Electrostatic Voltmeter - Kodak TL3694" that was snatched
> > from a trash bin.
> >
> > Does anyone know what it might be good for?
>
> It's good for selling on Ebay ;^)
>
> --
>
> '73' & Happy New Year From KB9TMP
>
> >
> > It has a 9v wall wart (and also two 9v battery clips.) It powers on and
> > the probe has a mechanical vibration of about 1200 Hz. The meter reads
> > between -400 and 1100. The Test button does not seem to do anything and
> > the Zero pot changes the reading but never gets it to zero. The whole
> > thing (including wall wart) is in a black leather case about 3x6x8
> > inches.
> >
> > Bill Ogden
> >

7801. Re: The Grinch Who Stole Universal Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 14:49:01 UTC
From: Bob Miller <bxmillerSpamNot@texas.net>
Message-ID: <UK0RPurMxPHkhyqyCSRr=q79cUvF@4ax.com>
Source record: 35012

Eric F. Richards <efricha@dim.com> wrote:

>... excerpted...
>
>Generally I've had good experiences with them, with the last being
>only fair and being disappointed with this one. Be serious -- one
>doesn't plunk down this kind of coin based on a picture on a web page.

There are plenty of published reviews of that receiver that will probably tell you a lot more about its reception performance than you'll get, testing it during daylight hours at the store on an iffy antenna, with flourescent lights, etc. shining away.

Bob
k5qwg

7802. vhf/uhf fm

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 15:08:29 UTC
From: Robert Hull <rhka0fbj@winco.net>
Message-ID: <3E11B2ED.7DF9B4AE@winco.net>
Source record: 35014

fs.icom 2340H. vhf/uhf fm mobile. 5/10/45/w mobile. 100mem. Nobattery to replace memory is on eeprom chip. Comes with mic, mount and manual copy.

Works fine i just don't use it. $200 plus shp
Thanks Rob

7803. Re: The Grinch Who Stole Universal Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 15:28:02 UTC
From: siamk@aol.com
Message-ID: <20021231102802.18629.00000302@mb-cm.aol.com>
Source record: 35015

I've made several purchases at Universal and was pleased with their knowledge and service. I've been a ham for 45 years and appreciate the business end of amateur radio. We need dealers such as Universal. I wouldn't hesitate purchasing radio gear from them.

Fellow amateurs, don't let one individual or one incident color your perception of a dealer doing the best they can in a very competitive market environment. I look forward to seeing their crew every time I am able to go to the Dayton Hamvention and I always get good, positive and helpful service from them when I call them. They are good folks and I'm glad they are in the business.

Mike
K2TPZ

7804. Re: The Grinch Who Stole Universal Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 15:59:10 UTC
From: "Dee D. Flint" <deehays@qix.net>
Message-ID: <i9jQ9.10790$4j5.6882468@newssvr28.news.prodigy.com>
Source record: 35013
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

"Eric F. Richards" <efricha@dim.com> wrote in message
news:oce21v08mvampdp7he88m9j581ajj8l2di@4ax.com...
>
> I've dealt with them many times and have generally been satisfied,
> too. But I have never bought a radio without testing the daylights
> out of it at a store, and I've always bought from that store.
>
>

It's a much better idea to test the radio before you ever go into a store. Find a ham in your club that owns one and check it out. How can you possibly tell how good it is in the store? Their antenna setups can easily bias the results for example. Then of course the ARRL test reports should be consulted too. The only thing you can really tell in a store is do you actually like the looks and feel of the controls and display.

Dee Flint, N8UZE

7805. Re: Converting Amplifier to 6M use

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 16:18:25 UTC
From: nospam@nouce.bellatlantic.net
Message-ID: <3e11c1d7.3833011519@news.bellatlantic.net>
Source record: 35016
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

>With the coil resonant restored back to 52MHz, I'm getting 90 Watts output
>(I've got to measure my plate current again). Seems clean, as harmonics are
>well below 60dB on my spectrum analyzer. The bandwidth of the Pi network
>seems to be extremely narrow (1MHz). This is probably due to the Tune cap
>being wide open all the time.

Try replacing that cap with one that has a lower minimum capacitance.
You might be on the hairy edge of tuning. If the pi network is that
narrow you running with too high a loaded Q, most likely due to plate
capactitance and the minimum capacitance.

>I'm sure learning a lot about higher frequency amps. At HF this stuff seems
>all so simple......

The jump from 28 to 50 mhz is that funny region where VHF effects like
stray capacitance and stray inductance really start to become
significant.

6m was open this am to the west, worked EN33 and a few others.

Allison

7806. Re: The Grinch Who Stole Universal Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 16:37:42 UTC
From: "Stephen C. Robbins" <srobbinsNoSPaMDUDES@netacc.net>
Message-ID: <3e11c7bd@news.netacc.net>
Source record: 35018
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

> "Eric F. Richards" <efricha@dim.com> wrote in message
> news:oce21v08mvampdp7he88m9j581ajj8l2di@4ax.com...
> >
> > I've dealt with them many times and have generally been satisfied,
> > too. But I have never bought a radio without testing the daylights
> > out of it at a store, and I've always bought from that store.
> >
> >

The problem lays in that few are likely to buy the radio from the store. They will kick the tires, ooh and aah, and then order it on the internet or from a mail order firm. The store I worked in sold several top line radios but they were to locals who wanted to do business locally and have instant access to the repair bench when needed.

We carried some on demo but they were loaners from the manufacturers and we did not have to sink capital into the rig. Collins, Drake, and Icom were always amiable to this arrangement. Other manufacturers would put a radio in our showroom for a week with special pricing in effect. This was usually concurrent to the week before a major area hamfest.

Steve

7807. Re: Cross Posting

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 16:38:04 UTC
From: RedOctober90@space.com
Message-ID: <9553ed5f.0212310838.293a264e@posting.google.com>
Source record: 35017
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Marylou@NoSpam.net wrote in message news:<3E104F37.E0F96C3A@NoSpam.net>...
> Come on people, stop cross posting to groups that are NOT related to the
> particular group subject.
>
> PLEASE!!!
>
> Vito wrote:
>
> > john wrote:
> > >
> > > This is rec.radio not rec.christmas BOZO
> >
> > Yea, an besides Pagans MC didn't start Xmas - they just joined the
> > party.

I agree, but posting a message like this is just an invitation for
more morons to cross-post just to be a troll. It amazes me how so
called "grown adults" behave on these fourms. As a 16 year old SWL
listener this boggles my mind.

7808. Palomar 225 Amp for Sale or Trade

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 17:04:05 UTC
From: ve3tmt@rac.ca
Message-ID: <5dj31v8l2vuba85u2rpjeqob83ikliu4nq@4ax.com>
Source record: 35019

Excellent condition Palomar 225 Blue Face 10m amp. HI-MED-LOW outputs
with receive preamp

$75 US or trade for ??

7809. FS: 3 MFJ TNC/mic switches w/cables

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 18:11:21 UTC
From: WZ1U <wz1u@attbi.com>
Message-ID: <0tm31v8ubvt8331if50dra74moo4p0vr7f@4ax.com>
Source record: 35020

I have for sale 3 MFJ TNC/mic switchs with cables.....

MFJ-1272BYV for Kam- VHF
MFJ-1272MYV Kam VHF/KPC-3
MFJ-1272BX mic/tnc switch

I will take $20 each plus shipping. I can be reached at (508) 821-2993
or email ......WZ1U Steve / Lakeville, Ma.

7810. Wanted 6M module, FTV-901

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 18:15:54 UTC
From: jklinkhamer@thorntoninc.com
Message-ID: <6c63a01b.0212311015.27b9caec@posting.google.com>
Source record: 35021

Hello,

I'm looking for a working 6M module for my FTV-901.

Thank You,
Jon

7811. F/S SWAN 600T

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 18:16:35 UTC
From: tim <radiodaz@concentric.net>
Message-ID: <ausmu3$dsm@dispatch.concentric.net>
Source record: 35022

Excellent Swan 600T transmitter with original manual , works and looks
perfect .
$300.00 and you ship
tim

7812. Icom R71A for sale

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 18:17:42 UTC
From: tim <radiodaz@concentric.net>
Message-ID: <ausn06$dsk@dispatch.concentric.net>
Source record: 35023

Excellent Icom R71A receiver with manual and original box , has passband
tunning works perfect .
$350.00 and you ship.
thanks
tim

7813. Re: Beware ****N2BR****Bobby Raymer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 19:25:20 UTC
From: Allodoxaphobia <nobody@jonz.net>
Message-ID: <slrnb13rov.95e.nobody@animas.frontier.net>
Source record: 35025

On Tue, 31 Dec 2002 12:35:51 -0800, David Hunter showed up in rrae:

And , this pertains to "equipment" -- how??

7814. Finding IC28 Deviation Control

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 20:01:21 UTC
From: robmm76@hotmail.com
Message-ID: <5977019b.0212311201.648d4de6@posting.google.com>
Source record: 35026

I am trying to locate and identify the deviation control in the IC28 in order to connect a pl tone board. Does anyone have a service manual or know how to locate the pot? On the IC25 it is R36. Any help would be greatly appreciated. de AL7AW.

7815. Beware ****N2BR****Bobby Raymer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 20:35:51 UTC
From: David Hunter <dhunter3@charter.net>
Message-ID: <v13ov6fcgi9gda@corp.supernews.com>
Source record: 35024

> November 18, 2002
>
>
> ARRL/VEC
> 225 Main Street
> Newington, CT 06111-1494
> Attn: Mr. Bart Jahnke
>
>
> RE: Cookeville, TN, Amateur Examination Sessions,
> December 14, 1999, and March 11, 2000
>
> Dear Mr. Jahnke:
>
>
> We have completed our review of the above Amateur Radio Service
examination sessions. Based
> upon the facts that 1) members of the VE team participated in the
examination of applicants
> they knew, or should have known, to be related to certain VEs, contrary to
Section 97.509(d) of
> Commission rules; and 2) the actual examination location and date of one
of the tests (for a
> disabled person) were concealed and represented to be at a different
location and date, we
> recommend that you not accept VE services from the following persons:
>
>
> 1. James N. Keaton, W4SOH
>
> 2. Marcia C. Droke, KC4FLW
>
> 3. George S. Droke, W5SD
>
> 4. Bobby A. Raymer, N2BR
>
> 5. Steven G. Hunter, KF4FAV
>
>
> Please emphasize to your VEs that every participating or administering VE
shares responsibility
> for the administration, oversight and integrity of the test session.
>
>

> Thank you for your cooperation in this matter

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.434 / Virus Database: 243 - Release Date: 12/25/02

7816. Re: Pagan origins of Christmas

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 20:36:43 UTC
From: muse <b@x.c>
Message-ID: <m6v31vkopde5ahdsgp53lllmu9bphptv5p@4ax.com>
Source record: 35027
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,alt.os.windows-xp

On 30 Dec 2002 14:29:14 GMT, fcathell@aol.com (Fcathell) wrote:

>The day I start putting any credibility in what Dr. Scott says I will also
>start re-believing in Santa Claus and the tooth fairy.
>Frank

Perhaps Jesus was one of the Raelin (?) clones - implanted in
Mary which would explain the concept of an immaculate conception.
Thats as good an explaination as any I have heard. Perhaps the
Greek Minotaur and other half-beast, half man creatures we hear
of were cloning experiments gone bad or just experiments in mixing
DNA. While we are grabbing for straws, lets really let the imagination
run. Perhaps there was evolution and biblical genesis. Primitive earth
evolved creatures were mixed with DNA of a superior race. That
would explain Adams rib being used to produce Eve. These
explainations are just as plausable as the religious theories. Its
just all in the interpretation. What the bible states, fits in
perfectly with these ideas. Religious belief systems are so
watered down that you could never find truth in them. Its like
the story that gets told from person to person and ends up
being something entirely different when it makes its way back
around.

7817. Re: Beware ****N2BR****Bobby Raymer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 21:36:11 UTC
From: Bob N2BR <n2br@arrl.net>
Message-ID: <v1439mlmjkhg8b@corp.supernews.com>
Source record: 35028

Sgt David T. Hunter K4DAV will sale you or anyone Modified Amateur Radio
GEAR and you dont have to have a Ham License to buy from him....

"David Hunter" <dhunter3@charter.net> wrote in message
news:v13ov6fcgi9gda@corp.supernews.com...
> > November 18, 2002
> >
> >
> > ARRL/VEC
> > 225 Main Street
> > Newington, CT 06111-1494
> > Attn: Mr. Bart Jahnke
> >
> >
> > RE: Cookeville, TN, Amateur Examination Sessions,
> > December 14, 1999, and March 11, 2000
> >
> > Dear Mr. Jahnke:
> >
> >
> > We have completed our review of the above Amateur Radio Service
> examination sessions. Based
> > upon the facts that 1) members of the VE team participated in the
> examination of applicants
> > they knew, or should have known, to be related to certain VEs, contrary
to
> Section 97.509(d) of
> > Commission rules; and 2) the actual examination location and date of one
> of the tests (for a
> > disabled person) were concealed and represented to be at a different
> location and date, we
> > recommend that you not accept VE services from the following persons:
> >
> >
> > 1. James N. Keaton, W4SOH
> >
> > 2. Marcia C. Droke, KC4FLW
> >
> > 3. George S. Droke, W5SD
> >
> > 4. Bobby A. Raymer, N2BR
> >
> > 5. Steven G. Hunter, KF4FAV
> >

> >
> > Please emphasize to your VEs that every participating or administering
VE
> shares responsibility
> > for the administration, oversight and integrity of the test session.
> >
> >
> > Thank you for your cooperation in this matter
>
>
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> Version: 6.0.434 / Virus Database: 243 - Release Date: 12/25/02
>
>

7818. FS or Trade List 12-31-02

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 22:07:21 UTC
From: gundoc <gundoc@insight.bb.com>
Message-ID: <tyoQ9.515069$P31.166939@rwcrnsc53>
Source record: 35029

GE Portables

GE MPA VHF System 146 - 170 Aegis digital encryption. Nice radio
9.0 condition. 160 channel Alphanumeric display. With antenna
and battery. Has full keypad, Great ham or public safety radio. $300.00

GE MPA VHF Select 16 channel Alpha numeric Display. I have this programmed
on Public Safety. This is a nice radio for fire or Police.

Will do G star for unit ID. $175.00

GE MPA Scan UHF 450 - 470. 192 channel scan. Alphanumeric display.

Has a good battery and new antenna. I am using this radio on ham and
scanning public safety. 8.5 condition $225.00

GE MTL VHF 16 channel scan. Poor mans MPA. No display. Great heavy duty
public safety radio. About a 7.5 condition. $150.00

GE MPD select model 470.- 488 MHz. 48 channel Alpha-Numeric display.
With battery and antenna. 7-7.5 $75.00

GE MPD Scan Voice Guard. VHF 150-170, 48 channel alphanumeric

display. Scan and Voice Guard encryption capable. 4 button Keypad.

With battery and antenna. $120.00

GE PCS UHF 440 - 470 8 channel with battery and antenna. Looks
fair. $70.00

GE PCS VHF 150 - 170 8 channel with battery and antenna. Looks
Good. $75.00

GE PLS VHF 16 channel. These average an 8 - 8.5 condition. 150 -170
but I have programmed these in the ham band with no trouble. These
have battery, and antenna. $75.00 each

GE MPS VHF 12 channel. 8.5 condition. New antennas and used batteries
Standard charger. $60.00 each have 2.

GE MPS UHF 12 channel 8.5 condition. With battery, antenna, and
standard charger. $60.00 each have 3.

GE Monogram UHF 10 channel portables. 3 radios 2 new batteries and 1
good battery. With 1 dual slot charger. $160.00 all 3 radios.

GE Mobiles

GE Ranger 150 N9HH0A110A 150 - 170 110 watt drawer unit only.
This will work with the control heads and cables I have below.
$75.00

GE MVS UHF 440 -470 128 channels. Scans and works good.
Looks great and is programmed on the ham bands.$165.00

GE MVS VHF 150- 170 MHz. 2 channel with mic. 8.5 condition $80.00

GE MCS UHF 440 - 470 4 channel 10 watt mobile separate speaker is
also the control head. With mic. $75.00

GE MLS Low Band 16 channel scan. 42-50 split. New mic. Should
Program to 6 meter ham. 60 watt $150.00

GE MDS UHF 440 - 470 MHz two channel. With Mic and power cord.

I have several of these. 40 watt radio. $80.00

GE PSX se VHF 2 channel radio with all mount, mic, power cable,

and hang-up box. $75.00

GE Mastr II UHF 75 watt with pre-amp. No Icoms drawer only.
MC65KKG88B $90.00 each only 1 left

GE Mastr II Lowband 42-50 slit 110 watt. MC74KCN33A
With 1 set of Icoms $25.00 each I have many.

GE Mastr Pro Low band 110 watt 42 50 split. MT74TCS33
With 2 sets of Icoms. FREE. You pay shipping and packing. I
have many.

Master Exec II Lowband 30-36 split, 100 watt, CG and NB. With Icoms

And most accessories. $30.00

GE Mastr exec II VHF Mobile extender (repeater like Pac rt) for Mastr
II or Delta. $20.00 each

GE Mastr exec II VHF Mobile extender for GE Ranger (only Exec II that
I have seen marked Ericsson) $65.00

GE S990 head 128 channel scan. $60.00

GE S550 head 16 channel looks good. $35.00

GE S700 head and complete Motorcycle cable set for Delta or Ranger.
16 channel model has short cable and some handle bar mounts. Mic
included but no speaker. $50.00

GE S825 Scan head. With Mic and bracket. Alpha numeric head

For Delta or Ranger. 16 channel Ranger can have 224 channels with

this head 32 channel radio can have 448 channels. This head can

control siren and PA system. You can also use this head to program

Deltas and Rangers. $160.00 See below cables for this head.

GE Accessories

GE Duplexer Mod DB4075 P/N 19C307166P2. tx453.xxx rx458.xxx
With cables. 4 cavity. $175.00

GE Duplexer Mod P1 P/N 19C307166P1 tx453.xxx rx458.xxx
With cables. 4cavity. $175.00

GE MVS Option cable, Used but in good shape. $20.00

Mastr II control cable. $8.00 each

Mastr II head for mobile repeater operation. $1.00 each
Minimum 5 at this price.

Mastr II Mic. $5.00 3 for $10.00

Mastr II 8 channel tone boards. $5.00

Mastr Exec II VHF receive section. $20.00

Mastr Exec II VHF Exciter. $18.00

Mobile Repeater cable for Mastr II. $10.00

Mobile Repeater cable for Delta or Ranger. $20.00. I have seen
programming cables made from these.

GE white Versatones, 103.5, 162.2, 173.8, 179.9, 186.2, and 203.5.
$4.00 each. I have a large amount of 203.5,186.2, 179.9, 173.8, and
162.2. If you buy 10 = $3.00 each. Buy 15 =$2.50 each. Buy 50 = $1.50
each. These are the only frequencies I have.

GE Mastr II Icoms. EC = $5.00 each, 5C = $10.00 each. Picked up 3
sets of UHF 2C Icoms $30.00 per set of 1tx and 1rx Icom. I have Low

Band Icoms.

GE Delta cables. These are the downloading type used with the S820
heads. And all other heads $40.00 each

Delta mounting plates. $10.00 each

Ranger mounting plate. $15.00

GE Mastr II mounting plates $15.00 each

Power plugs for S500, S550, C500 etc heads. Good pulls $5.00

GE S-550 / 500 and others mounting brackets. $5.00 each

GE MPA standard charger, 110 volt. $25.00

GE MPA standard 5 position rack charger, 110 volt. $40.00

GE PCS Universal charger. With wall transformer $20.00 each

GE MPS 6 position rack charger, Rapid 3 hour charger

110 volt. Also works with MPR and MPX. $35.00

GE MPI desk charger with wall transformer. $10.00

GE MPI Rack charger, 8 position. 25.00

GE MPI Mobile battery charger, Rare. $20.00

GE Battery discharge analyzer. For MPA, MPD batteries. Attaches to a rapid rack charger with a DB 15 cable and uses a MPD body to attach a battery to. Has LED readout in display area of MPD body to tell discharge rate. Another rare GE goodie. $45.00

GE shoulder strap like new, attaches where belt clip is. $15.00

GE Belt clips. $10.00 each

GE Voter. Has 9 total rec. cards and 2 TX cards. With extender card and power supply / speaker. $200.00

Home made S825 programming cable. Works great but I just bought a

Factory GE cable so I do not need this now. $20.00

Other Radios and Accessories

Motorola X9000 UHF 100 watt 450 - 470. Has 64 channel head non-DTMF. With

cable, Speaker, and mic. Ready to program and use. $275.00

Motorola HT50 VHF 2 channel 150 - 170 belt clip holder battery and Charger. $75.00

Uniden SPS 802TS 800 LTR portable with charger. $75.00 Pair.

EF Johnson Challenger 5852 portables. VHF I think. With charger and batteries but the batteries are dead. Radios make squelch noise when powered up. As is $40.00 pair.

Marconi UHF portable. 16 channel scan with NOS battery. Made by Midland. $65.00

Midland 70-336B VHF Mobile radio. 8 channel scan. with mic.$65.00

Motorola GP300 VHF 2 channel. on ham band. Has battery OK condition and charger. $150.00

Motorola Mitrek VHF high 110 watt drawer only. $40.00

Motorola MT500 VHF nice shape. Crystals removed but I have 1 set of crystals for each radio. Also have a working battery and charger for each. I have 4 of these. $50.00 all

Voter from IMTS phone system. 2 rec. and 2 TX cards. $40.00

Maxon Rapid Rack charger for 0510/0520 radios. Think they will work with the sp2000 as well.$35.00

Cushman CE3 Service monitor. Has model 330 Broad band mixer / watt meter

Duplexer tester plug-in. Also has 201 scope plug-in. Some of the numeral lamps are out but you can see the numbers with a light. Works well and makes a good starter service monitor. $300.00

Scom 7k model controller, I do not know much about this controller but from reading the documentation it looks like it will do anything you could want it

to do. Make offer or trade. This was an estate item so as is.

Consignment section

This area is for a few friends who like those other radios you know "Motorola" They are good people and I will pass along any trades you may wish to make.

Motorola single rapid chargers for HT600, MT1000, P200. $25.00 each

Motorola HT1000 UHF Intrinsically safe Re-cased looks new. 16 channel scan with charger. $425.00

Motorola Saber II UHF 48 channel scan. With battery and antenna. 9 condition $300.00

EF Johnson Challenger UHF 80 watt trunk mount, 99 channel Alpha-Numeric head. $225.00

Want List not FS
Extra parts for GE suitcase programmers Data modules, Printers, cables, proms, Anything you have extra. I need some UHF 450 - 470 scan MPD radios. How many do you have and what do you want for them? Johnson scorpion program cable. Looking for an FT90 for the wife's car.

I would like to play with a VX-150 if anyone has 1 to trade.

Terms
All prices are plus shipping from 40201. All items are used unless noted and only have a no DOA warranty if I say it works. If I say not tested your on your own. If I think it may be bad I will not list it. I take cash, Postal Money Orders, Paypal, and checks but I hold them for up to two weeks to clear before I ship. If you have a question E-mail me. Contact me off list at. Gundoc@insightbb.com

Dean

7819. Re: Finding IC28 Deviation Control

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 22:33:31 UTC
From: Dick <rhughes33@cableone.net>
Message-ID: <el641vkqinag1dl7sno4q01pcmsnuq538k@4ax.com>
Source record: 35030

I have an IC-28H which should be basically the same radio, except higher power. I could copy the xmtr section of the schematic and e-mail it to you if you think that would help. I took a look and it isn't obvious to me.

Dick - W6CCD

On 31 Dec 2002 12:01:21 -0800, robmm76@hotmail.com (Rob) wrote:

>I am trying to locate and identify the deviation control in the IC28
>in order to connect a pl tone board. Does anyone have a service
>manual or know how to locate the pot? On the IC25 it is R36. Any
>help would be greatly appreciated. de AL7AW.

7820. Re: The Grinch Who Stole Universal Radio

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 22:46:10 UTC
From: pm4hire@excite.com
Message-ID: <52a66032.0212311446.60eba48b@posting.google.com>
Source record: 35031

Steve is correct, folks test equipment in a store and then
order online at the lowest price point. This is a big issue
in the small business community, as they are then asked by the
online customer to fix his or her broken equipment. A lot of
small businesses are pushing for an Internet tax to level the
playing field.

Tom Welch

@aol.com (SIAMK) wrote in message news:<20021231102802.18629.00000302@mb-cm.aol.com>...
> I've made several purchases at Universal and was pleased with their knowledge
> and service. I've been a ham for 45 years and appreciate the business end of
> amateur radio. We need dealers such as Universal. I wouldn't hesitate
> purchasing radio gear from them.
>
> Fellow amateurs, don't let one individual or one incident color your perception
> of a dealer doing the best they can in a very competitive market environment.
> I look forward to seeing their crew every time I am able to go to the Dayton
> Hamvention and I always get good, positive and helpful service from them when I
> call them. They are good folks and I'm glad they are in the business.
>
> Mike
> K2TPZ

7821. Re: Beware ****N2BR****Bobby Raymer

Newsgroup: rec.radio.amateur.equipment
Date: 2002-12-31 22:59:21 UTC
From: Herbert Khaury <Herbert@tiptoe.tp>
Message-ID: <xBKdneDP0fd6vY-jXTWcqg@comcast.com>
Source record: 35032

..and you dont have to have a Ham License to buy from him....

or anyone else, AFAIK